

4/18/90

A G E N D A

Agency Meeting  
April 18, 1990

1. Certification of Remediated Soils

10 ppm

Hydraulic  
TPH of 1.

- a. Acceptable levels of TPH and TOG for reuse on-site
- b. Acceptable testing methods for TOG
- c. Number of tests required 1 discrete/composite per 50 cubic yards

2. Report of Waste Discharge

- a. Will it be required, if all ND

3. Waste Discharge Requirements

- a. Circumstances under which they are required, if ND, if under 100 ppm
- b. Conditions under which they can be waived
- c. Waiver conditionality
- d. Waivers effect on groundwater monitoring
- e. Length of time required to obtain agency approval of WDR and waiver

4. Restriction to be Imposed if Soils are Moved to Another Site for Further Remediation and/or Reuse as Fill

4/18/90

Meeting - 2236 Mariner Square Drive

<u>Name</u>	<u>Affiliation</u>	<u>Phone</u>
Ariù Levi	Ala City Her Mat	271-4320
Barney Chan	✓ ✓ ✓ ✓	"
SCOTT SMITHERS	PARAGON GROUP	591-3500

Sign in Sheet

1/18/72

<u>Name</u>	<u>Organization</u>
Jeri Alexander	SCI
Stanley Vintz	W.D.
Kathy Clausen	Paragon
Teddy Nijar	URIAH 2NC.
JOHN BEERY	MARINER WORKSHOPS
RON DOLL, ATTY	MR. & MRS. J. BEERY, SR.
Roger Snell	Paragon Group
Perry Skoll	Bank of Montreal

JOHN BEERY MARINE WAREHOUSE

521 2727

RON DOLL, ATTY MR. & MRS BEERY

938-1430