



SEQUOIA ANALYTICAL

1900 Bates Avenue • Suite LM • Concord, California 94520
(510) 686-9600 • FAX (510) 686-9689

Water Sampling

FACSIMILE TRANSMISSION

TO:

Name: Cheris D'ANDREA

Company: ALTOA GEOSCIENCE

Fax #: _____

From:

SC

SEQUOIA ANALYTICAL, CONCORD

FAX (510) 686-9689

Date: 2/18/92

Number of Pages (including this page): 8

If you have any problems receiving this transmission, please call (510) 686-9600.



SEQUOIA ANALYTICAL

1900 Bates Avenue • Suite LM • Concord, California 94520
(510) 686-9600 • FAX (510) 686-9689

Inside Lube Room

Alton Geoscience	Client Project ID: Mobil #10-H6J/30-0065-05	Sampled: Feb 4, 1992
5870 Stoneridge Drive, Suite 6	Sample Descript.: Water, MW-9	Received: Feb 5, 1992
Pleasanton, CA 94588	Analysis Method: EPA 5030/8015/8020	Analyzed: Feb 5, 1992
Attention: Charle D' Andrea	Lab Number: 202-0129	Reported: Feb 14, 1992

TOTAL PETROLEUM FUEL HYDROCARBONS WITH BTEX DISTINCTION (EPA 8015/8020)

Analyte	Detection Limit µg/L (ppb)	Sample Results µg/L (ppb)
---------	-------------------------------	------------------------------

Low to Medium Boiling Point Hydrocarbons	300	16,000
Benzene	3.0	3,000
Toluene	3.0	748
Ethyl Benzene	2.0	1,200
Xylenes	3.0	2,500

Low to Medium Boiling Point Hydrocarbons are quantitated against a gasoline standard. Analytes reported as N.D. were not present above the stated limit of detection. Because matrix effects and/or other factors required additional sample dilution, detection limits for this sample have been raised.

SEQUOIA ANALYTICAL

Scott A. Chieffo
Scott A. Chieffo
Project Manager



SEQUOIA ANALYTICAL

1900 Bates Avenue • Suite LM • Concord, California 94520
(510) 686-9600 • FAX (510) 686-9689

Alton Geoscience
5870 Stoneridge Drive, Suite 6
Pleasanton, CA 94588
Attention: Cherle D' Andrea

Client Project ID: Mobil #10-H6J/30-0065-05
Matrix Descript: Water
Analysis Method: EPA 413.2 (I.R.)
First Sample #: 202-0129

Sampled: Feb 4, 1992
Received: Feb 5, 1992
Extracted: Feb 5, 1992
Analyzed: Feb 7, 1992
Reported: Feb 14, 1992

TOTAL RECOVERABLE OIL & GREASE

Sample Number	Sample Description	Oil & Grease mg/L (ppm)
---------------	--------------------	-------------------------

202-0129

MW-9
Cube Room

N.D.

Detection Limits:

1.0

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL

Scott A. Chieffo
Scott A. Chieffo
Project Manager



SEQUOIA ANALYTICAL

1900 Bates Avenue • Suite LM • Concord, California 94520
(510) 886-9600 • FAX (510) 886-9688

Alton Geoscience	Client Project ID: Mobil #10-H6J/30-0065-05	Sampled: Feb 4, 1992
5870 Stoneridge Drive, Suite 6	Sample Descript: Water, MW-9	Received: Feb 5, 1992
Pleasanton, CA 94588	Analysis Method: EPA 5030/8010	Analyzed: Feb 13, 1992
Attention: Charle D' Andrea	Lab Number: 202-0129	Reported: Feb 14, 1992

HALOGENATED VOLATILE ORGANICS (EPA 8010)

Analyte	Detection Limit µg/L	Sample Results µg/L
Bromodichloromethane.....	25	N.D.
Bromoform.....	25	N.D.
Bromomethane.....	25	N.D.
Carbon tetrachloride.....	25	N.D.
Chlorobenzene.....	25	N.D.
Chloroethane.....	25	N.D.
2-Chloroethylvinyl ether.....	25	N.D.
Chloroform.....	25	N.D.
Chloromethane.....	25	N.D.
Dibromochloromethane.....	25	N.D.
1,3-Dichlorobenzene.....	25	N.D.
1,4-Dichlorobenzene.....	25	N.D.
1,2-Dichlorobenzene.....	25	N.D.
1,1-Dichloroethane.....	25	N.D.
1,2-Dichloroethane.....	25	58
1,1-Dichloroethane.....	25	N.D.
cis-1,2-Dichloroethene.....	25	N.D.
trans-1,2-Dichloroethene.....	25	N.D.
1,2-Dichloropropane.....	25	N.D.
cis-1,3-Dichloropropene.....	25	N.D.
trans-1,3-Dichloropropene.....	25	N.D.
Methylene chloride.....	250	N.D.
1,1,2,2-Tetrachloroethane.....	25	N.D.
Tetrachloroethane.....	25	N.D.
1,1,1-Trichloroethane.....	25	N.D.
1,1,2-Trichloroethane.....	25	N.D.
Trichloroethene.....	25	N.D.
Trichlorofluoromethane.....	25	N.D.
Vinyl chloride.....	25	N.D.

Analytes reported as N.D. were not present above the stated limit of detection. Because matrix effects and/or other factors required additional sample dilution, detection limits for this sample have been raised.

SEQUOIA ANALYTICAL

Scott A. Chieffo
Scott A. Chieffo
Project Manager



SEQUOIA ANALYTICAL

1900 Bates Avenue • Suite LM • Concord, California 94520
 (510) 686-9600 • FAX (510) 686-9589

Alton Geoscience	Client Project ID: Mobil #10-H6J/30-0065-05	Sampled: Feb 4, 1992
870 Stoneridge Drive, Suite 6	Sample Descript: Water	Received: Feb 5, 1992
Pleasanton, CA 94588	Analysis Method: California LUFT Manual, 12/87	Analyzed: Feb 9, 1992
Attention: Cherie D' Andrea	First Sample #: 202-0129	Reported: Feb 14, 1992

ORGANIC LEAD

Sample Number	Sample Description	Sample Results mg/L
202-0129	MW-9	N.D.

Detection Limits:

0.050

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL

Scott A. Chieffo
 Scott A. Chieffo
 Project Manager

2020129.ALT <4>



SEQUOIA ANALYTICAL

1900 Bates Avenue • Suite LM • Concord, California 94520
(510) 686-9600 • FAX (510) 686-9689

Alton Geoscience
5870 Stoneridge Drive, Suite 6
Pleasanton, CA 94568
Attention: Cherie D' Andrea

Client Project ID: Mobil #10-H6J/30-0065-05

QC Sample Group: 202-0129

Reported: Feb 14, 1992

QUALITY CONTROL DATA REPORT

ANALYTE	Benzene	Toluene	Ethyl-Benzene	Xylenes	Organic Lead	Oil and Grease
Method:	EPA 8015/8020	EPA 8015/8020	EPA 8015/8020	EPA 8015/8020	LUFT	EPA 413.2
Analyst:	K.E.	K.E.	K.E.	K.E.	T. Marcarenas	D. Newcomb
Reporting Units:	ug/L	ug/L	ug/L	ug/L	mg/L	mg/L
Date Analyzed:	Feb 5, 1992	Feb 5, 1992	Feb 5, 1992	Feb 5, 1992	Feb 9, 1992	Feb 4, 1992
QC Sample #:	Matrix Blank	Matrix Blank	Matrix Blank	Matrix Blank	202-0129	Matrix Blank
Sample Conc.:	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Spike Conc. Added:	20	20	20	60	5.0	100
Conc. Matrix Spike:	16	16	16	49	5.6	93
Matrix Spike % Recovery:	80	80	80	82	112	93
Conc. Matrix Spike Dup.:	18	18	18	55	5.3	96
Matrix Spike Duplicate % Recovery:	90	90	90	92	106	95
Relative % Difference:	12	12	12	8.8	5.5	2.0

SEQUOIA ANALYTICAL

Scott A. Chieffo
Scott A. Chieffo
Project Manager

% Recovery:	$\frac{\text{Conc. of M.S.} - \text{Conc. of Sample}}{\text{Spike Conc. Added}} \times 100$
Relative % Difference:	$\frac{\text{Conc. of M.S.} - \text{Conc. of M.S.D.}}{(\text{Conc. of M.S.} + \text{Conc. of M.S.D.}) / 2} \times 100$



SEQUOIA ANALYTICAL

1900 Bates Avenue • Suite LM • Concord, California 94520
 (510) 686-9600 • FAX (510) 686-9689

Alton Geoscience
 5870 Stoneridge Drive, Suite 6
 Pleasanton, CA 94588
 Attention: Cherie D' Andrea

Client Project ID: Mobil #10-H6J/30-0065-05

QC Sample Group: 202-0129

Reported: Feb 14, 1992

QUALITY CONTROL DATA REPORT

ANALYTE	1,1-Dichloroethene	Trichloro-ethene	Chloro-benzene
---------	--------------------	------------------	----------------

Method:	EPA 8010	EPA 8010	EPA 8010
Analyst:	M. Nguyen	M. Nguyen	M. Nguyen
Reporting Units:	ug/L	ug/L	ug/L
Date Analyzed:	Feb 12, 1992	Feb 12, 1992	Feb 12, 1992
QC Sample #:	Matrix Blank	Matrix Blank	Matrix Blank

Sample Conc.:	N.D.	N.D.	N.D.
Spike Conc. Added:	10	10	10
Conc. Matrix Spike:	8.1	9.3	10
Matrix Spike % Recovery:	81	93	100
Conc. Matrix Spike Dup.:	8.2	9.7	10
Matrix Spike Duplicate % Recovery:	82	97	100
Relative % Difference:	1.2	4.2	0.0

Quality Assurance Statement: All standard operating procedures and quality control requirements have been met.

SEQUOIA ANALYTICAL

Scott A. Chieffo
 Scott A. Chieffo
 Project Manager

% Recovery:	$\frac{\text{Conc. of M.S.} - \text{Conc. of Sample}}{\text{Spike Conc. Added}} \times 100$
Relative % Difference:	$\frac{\text{Conc. of M.S.} - \text{Conc. of M.S.D.}}{(\text{Conc. of M.S.} + \text{Conc. of M.S.D.}) / 2} \times 100$

Mobil Chain of Custody



**SEQUOIA
ANALYTICAL**

Redwood City:
Concord:
Sacramento:

(415) 364-9600
(510) 686-9600
(916) 921-9600

Consulting Firm Name: <u>Alton Geoscience</u>			Site SS #: <u>10-H65</u>		Phase of Work: <input type="checkbox"/> A. Emrg. Response <input type="checkbox"/> B. Site Assessment <input type="checkbox"/> C. Remediation <input checked="" type="checkbox"/> D. Monitoring <input type="checkbox"/> E. OGC/Claims
Address: <u>1000 Burnett Ave #140</u>			Mobil Site Address: <u>1024 Main St Pleasanton</u>		
City: <u>Concord</u>	State: <u>CA</u>	Zip Code: <u>94521</u>	Mobil Engineer: <u>Ed Hoepker</u>		
Telephone: <u>510 682-1582</u>		FAX #: <u>682-8921</u>	Consultant Project #: <u>30-0065-05</u>		
Project Contact: <u>C. D'Andrea</u>		Sampled by: <u>Chris Reinheits</u>		Sequoia's Work Order Release #:	

Turnaround Time: Standard TAT (5 - 10 Working Days)
 Other _____

Analyses Requested

Client Sample I.D.	Date/Time Sampled	Matrix Description	# of Containers	Sequoia's Sample #	Analyses Requested						Comments
					TPH Gas/BTEX	TPH Diesel	TPH by I.R. EPA #18.1	Oil & Grease EPA #13.2-706	HVOC's	Organic Lead	
1. MW-9	2-4-92	WATER	10	202029AS	X		X	X	X		
2.											
3.											
4.											
5.											
6.											
7.											
8.											
9.											
10.											

Relinquished By: <u>[Signature]</u>	Date: <u>2-4-92</u>	Time: <u>9:15</u>	Received By: <u>[Signature]</u>	Date: <u>2-9-92</u>	Time: <u>9:40 AM</u>
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:

SENT BY: SEQUOIA-Concord. 2-18-92 10:19AM 510 682 6921# 5

Table 3
 Summary of Results of Soil Sampling
 Former Mobil Oil Service Station 10-H6J
 1024 Main Street
 Pleasanton, California

Concentrations in parts per million (ppm)

SAMPLE ID	DATE OF SAMPLING	SAMPLE DEPTH	TPH-G	TPH-D	B	T	E	X	TOTAL OIL AND GREASE	HVOC'S	ORGANIC LEAD	CAM METALS	LAB
SB-1	12/28/89	4.5-5.0'	ND<1.0	---	ND<0.003	ND<0.003	ND<0.003	ND<0.003	---	---	ND<0.5		SAL
	12/28/89	9.5-10.0'	ND<1.0	---	ND<0.003	ND<0.003	ND<0.003	ND<0.003	---	---	ND<0.5		SAL
	12/28/89	14.5-15.0'	ND<1.0	---	ND<0.003	ND<0.003	ND<0.003	ND<0.003	---	---	ND<0.5		SAL
	12/28/89	29.5-30.0'	ND<1.0	---	ND<0.003	ND<0.003	ND<0.003	ND<0.003	---	---	ND<0.5		SAL
SB-2	12/28/89	4.5-5.0'	ND<1.0	---	0.013	0.021	0.011	0.040	---	---	ND<0.5		SAL
	12/28/89	9.5-10.0'	ND<1.0	---	0.009	0.010	ND<0.003	0.021	---	---	ND<0.5		SAL
	12/28/89	14.5-15.0'	ND<1.0	---	0.021	0.009	ND<0.003	0.012	---	---	ND<0.5		SAL
	12/28/89	19.5-20.0'	ND<1.0	---	ND<0.003	ND<0.003	ND<0.003	ND<0.003	---	---	ND<0.5		SAL
	12/28/89	29.5-30.0'	ND<1.0	---	0.014	0.014	0.005	0.008	---	---	ND<0.5		SAL
	12/28/89	38.5-39.0'	ND<1.0	---	ND<0.003	ND<0.003	ND<0.003	ND<0.003	---	---	ND<0.5		SAL
SB-3	03/26/90	16.0-16.5'	ND<1.0	---	ND<0.003	ND<0.003	ND<0.003	ND<0.003	---	---	---		SAL
	03/26/90	21.0-21.5'	ND<1.0	---	ND<0.003	ND<0.003	ND<0.003	ND<0.003	---	---	---		SAL
	03/26/90	26.0-26.5'	ND<1.0	---	ND<0.003	ND<0.003	ND<0.003	ND<0.003	---	---	---		SAL
	03/26/90	31.0-31.5'	ND<1.0	---	0.015	0.007	ND<0.003	0.005	---	---	---		SAL
	03/26/90	51.0-51.5'	ND<1.0	---	ND<0.003	ND<0.003	ND<0.003	ND<0.003	---	---	---		SAL
SB-4	03/21/90	16.0-16.5'	1.0	---	0.020	0.010	0.008	0.140	---	---	---		SAL
	03/21/90	21.0-21.5'	ND<1.0	---	0.086	0.005	0.052	0.016	---	---	---		SAL
	03/21/90	26.0-26.5'	ND<1.0	---	0.250	0.006	0.050	ND<0.003	---	---	---		SAL
	03/21/90	31.0-31.5'	ND<1.0	---	ND<0.003	ND<0.003	ND<0.003	ND<0.003	---	---	---		SAL
	03/21/90	56.0-56.5'	ND<1.0	---	ND<0.003	ND<0.003	ND<0.003	ND<0.003	---	---	---		SAL
SB-5	03/22/90	16.0-16.5'	2.0	---	0.110	0.055	0.063	0.350	---	---	---		SAL
	03/22/90	21.0-21.5'	3.0	---	0.260	0.053	0.090	0.510	---	---	---		SAL
	03/22/90	26.0-26.5'	3.0	---	0.470	0.790	0.079	0.450	---	---	---		SAL
	03/22/90	31.0-31.5'	42	---	2.1	5.2	1.1	5.3	---	---	---		SAL
	03/22/90	36.0-36.5'	3500	---	53.0	340.0	120.0	610.0	---	---	---		SAL
	03/22/90	41.0-41.5'	3200	---	18.0	130.0	94.0	450.0	---	---	---		SAL
	03/23/90	46.0-46.5'	5.0	---	0.079	0.040	51.0	53.0	---	---	---		SAL
	03/23/90	51.0-51.5'	ND<1.0	---	0.016	0.026	18.0	65.0	---	---	---		SAL
	03/23/90	56.0-56.5'	1.0	---	0.032	0.058	33.0	94.0	---	---	---		SAL
	SB-6	03/21/90	15.0-15.5'	6.0	---	0.150	0.670	0.120	0.720	---	---	---	
03/21/90		21.0-21.5'	7.0	---	1.2	2.5	0.180	1.1	---	---	---		SAL
03/21/90		26.0-26.5'	10.0	---	1.1	2.2	0.240	1.3	---	---	---		SAL

Table 3
 Summary of Results of Soil Sampling
 Former Mobil Oil Service Station 10-H6J
 1024 Main Street
 Pleasanton, California

Concentrations in parts per million (ppm)

SAMPLE ID	DATE OF SAMPLING	SAMPLE DEPTH	TPH-G	TPH-D	B	T	E	X	TOTAL OIL AND GREASE	HVOC'S	ORGANIC LEAD	CAM METALS	LAB
	03/21/90	31.0-31.5'	110.0	---	1.7	8.1	2.7	13.0	---	---	---		SAL
	03/21/90	36.0-36.5'	42.0	---	0.160	0.730	0.720	3.6	---	---	---		SAL
	03/21/90	41.0-41.5'	1.0	---	0.004	0.009	0.005	0.016	---	---	---		SAL
	03/21/90	55.0-56.0'	ND<1.0	---	0.005	0.007	0.003	0.009	---	---	---		SAL
SB-7	03/23/90	6.0-6.5'	25.0	---	0.032	0.320	0.520	3.2	---	---	---		SAL
	03/23/90	21.0-21.5'	5.0	---	0.670	1.6	0.150	0.780	---	---	---		SAL
	03/23/90	26.0-26.5'	270.0	---	7.8	28.0	5.9	25.0	---	---	---		SAL
	03/23/90	31.0-31.5'	3.0	---	0.380	0.760	0.083	0.460	---	---	---		SAL
	03/23/90	36.0-36.5'	ND<1.0	---	0.009	0.014	0.050	0.024	---	---	---		SAL
SB-8	03/23/90	6.0-6.5'	ND<1.0	---	ND<0.003	ND<0.003	ND<0.003	ND<0.003	---	---	---		SAL
	03/23/90	21.0-21.5'	ND<1.0	---	ND<0.003	ND<0.003	ND<0.003	ND<0.003	---	---	---		SAL
	03/23/90	26.0-26.5'	2.0	---	ND<0.003	0.024	0.011	0.017	---	---	---		SAL
	03/23/90	31.0-31.5'	3.0	---	0.025	0.006	0.180	0.290	---	---	---		SAL
	03/23/90	36.0-36.5'	ND<1.0	---	0.030	0.008	ND<0.003	0.021	---	---	---		SAL
SB-9	10/08/90	6.0-6.5'	ND<1.0	---	ND<0.003	ND<0.003	ND<0.003	ND<0.003	---	ND<0.005	---		SAL
	10/08/90	16.0-16.5'	1.0	---	0.300	0.074	0.010	0.190	30	0.015	---		SAL
	10/08/90	21.0-21.5'	4.0	---	1.50	0.200	0.140	0.270	---	0.066	---		SAL
	10/08/90	26.0-26.5'	9.0	---	2.60	0.044	0.840	0.069	ND<20	0.130	---		SAL
SB-10	10/08/90	6.0-6.5'	ND<1.0	---	ND<0.003	0.008	ND<0.003	0.015	---	ND<0.005	---		SAL
	10/08/90	11.0-11.5'	ND<1.0	---	19.0	6.0	ND<0.003	61.0	---	ND<0.005	---		SAL
SB-11	10/09/90	6.0-6.5'	ND<1.0	---	ND<0.003	ND<0.003	ND<0.003	ND<0.003	---	ND<0.005	---		SAL
	10/09/90	11.0-11.5'	ND<1.0	---	ND<0.003	0.005	ND<0.003	ND<0.003	ND<20	ND<0.005	---		SAL
	10/09/90	16.0-16.5'	ND<1.0	---	ND<0.003	0.004	ND<0.003	ND<0.003	---	ND<0.005	---		SAL
	10/09/90	21.0-21.5'	ND<1.0	---	ND<0.003	ND<0.003	ND<0.003	ND<0.003	30	ND<0.005	---		SAL
	10/09/90	26.0-26.5'	ND<1.0	---	ND<0.003	ND<0.003	ND<0.003	ND<0.003	---	ND<0.005	---		SAL
	10/09/90	31.0-31.5'	ND<1.0	---	ND<0.003	ND<0.003	ND<0.003	ND<0.003	ND<20	ND<0.005	---		SAL
	10/09/90	36.0-36.5'	ND<1.0	---	0.008	ND<0.003	ND<0.003	ND<0.003	---	ND<0.005	---		SAL
SB-12	10/10/90	6.0-6.5'	ND<1.0	---	ND<0.003	ND<0.003	ND<0.003	ND<0.003	---	ND<0.005	---		SAL
	10/10/90	11.0-11.5'	ND<1.0	---	ND<0.003	ND<0.003	ND<0.003	ND<0.003	---	ND<0.005	---		SAL
SB-13	10/10/90	6.0-6.5'	ND<1.0	---	0.007	ND<0.003	ND<0.003	ND<0.003	---	ND<0.005	---		SAL

Table 3
 Summary of Results of Soil Sampling
 Former Mobil Oil Service Station 10-H6J
 1024 Main Street
 Pleasanton, California

Concentrations in parts per million (ppm)

SAMPLE ID	DATE OF SAMPLING	SAMPLE DEPTH	TPH-G	TPH-D	B	T	E	X	TOTAL OIL AND GREASE	HVOC'S	ORGANIC LEAD	CAM METALS	LAB
SB-14	01/21/92	3.0-3.5'	ND	---	ND	ND	ND	ND	---	---	---	---	SEQ
	01/21/92	6.0-6.5'	ND	---	ND	ND	ND	ND	---	---	---	---	SEQ
									---	---	---	---	SEQ
									---	---	---	---	SEQ
									---	---	---	---	SEQ
SB-15	01/21/92	3.0-3.5'	ND	---	ND	ND	ND	ND	---	---	---	---	SEQ
	01/21/92	6.0-6.5'	ND	---	ND	ND	ND	ND	---	---	---	---	SEQ
									---	---	---	---	SEQ
									---	---	---	---	SEQ
									---	---	---	---	SEQ
T#1-E	10/18/89	12'	ND<10	ND<10	---	---	---	---	---	---	---	SAL	
T#1-W	10/18/89	12'	20	ND<10	---	---	---	---	---	---	---	SAL	
T#2-E	10/18/89	12'	8100	30	---	---	---	---	---	---	---	SAL	
T#2-E	10/18/89	16'	30	ND<10	---	---	---	---	---	---	---	SAL	
T#2-W	10/18/89	19'	890	40	---	---	---	---	---	---	---	SAL	
T#2-W	10/18/89	12'	6000	40	---	---	---	---	---	---	---	SAL	
T#3-E	10/18/89	12'	20	ND<10	---	---	---	---	---	---	---	SAL	
T#3-W	10/18/89	12'	9000	30	---	---	---	---	---	---	---	SAL	
T#3-W	10/18/89	22'	2400	ND<50	---	---	---	---	---	---	---	SAL	
T#4	10/18/89	8'	ND<10	ND<10	---	---	---	---	---	---	---	SAL	
PS-1	10/31/90	3'	6		0.003	0.007	0.020	0.270	---	---	---	---	SEQ
PS-2	10/31/90	3'	ND<1.0		ND<0.003	ND<0.003	ND<0.003	ND<0.003	---	---	---	---	SEQ
PS-3	10/31/90	3'	ND<1.0		ND<0.003	ND<0.003	ND<0.003	ND<0.003	---	---	---	---	SEQ
PS-4	10/31/90	3'	110		ND<0.003	0.100	0.430	5.6	---	---	---	---	SEQ

Table 3
 Summary of Results of Soil Sampling
 Former Mobil Oil Service Station 10-H6J
 1024 Main Street
 Pleasanton, California

Concentrations in parts per million (ppm)

SAMPLE ID	DATE OF SAMPLING	SAMPLE DEPTH	TPH-G	TPH-D	B	T	E	X	TOTAL OIL AND GREASE	HVOC'S	ORGANIC LEAD	CAM METALS	LAB
PS-5	10/31/90	3'	9700		2.9	180	180	1200	---	---	---		SEQ
PS-6	10/31/90	3'	2200		0.010	6	15	80	---	---	---		SEQ
PS-7	10/24/91	6'	ND<1.0		ND<0.005	ND<0.005	ND<0.005	ND<0.005			---		SEQ
PS-7	10/24/91	10'	11		0.041	0.015	0.470	1.5			---		SEQ
PS-7	10/24/91	13'	17		0.110	0.760	0.650	2.0			---		SEQ
PS-8	10/24/91	8.5'	4000		2.6	130	100	650			---		SEQ
PS-8	10/24/91	13'	630		2.3	40	16	93			---		SEQ
PS-9	10/24/91	11'	16		0.120	0.004	0.510	1.2			---		SEQ
PS-9	10/24/91	14.5'	310		0.880	15	9.6	50			---		SEQ
PS-10	10/24/91	3'	4.3		0.006	0.064	ND<0.005	0.380			---		SEQ
PS-10	10/24/91	7'	60		0.290	ND<0.025	0.820	6.7			---		SEQ
PS-10	10/24/91	16'	670		1.9	38	16	100			---		SEQ
PS-11	10/24/91	2'	ND<2.5		ND<0.013	0.160	ND<0.013	0.050			---		SEQ
PS-11	10/24/91	14'	ND<1.0		ND<0.005	ND<0.005	ND<0.005	ND<0.005			---		SEQ
PS-12	10/25/91	3'	ND<1.0		ND<0.005	ND<0.005	ND<0.005	ND<0.005			---		SEQ
PS-12	10/25/91	13.5'	ND<1.0		ND<0.005	ND<0.005	ND<0.005	ND<0.005			---		SEQ
PS-12	10/25/91	15'	ND<1.0		ND<0.005	ND<0.005	ND<0.005	ND<0.005			---		SEQ
PS-14	10/25/91	5'	ND<1.0		ND<0.005	ND<0.005	ND<0.005	ND<0.005			---		SEQ
PS-14	10/25/91	10'	3.3		0.029	0.016	0.027	0.073			---		SEQ
PS-14	10/25/91	14'	1.1		ND<0.005	ND<0.005	0.006	0.018			---		SEQ
PS-16	10/25/91	8'	1500		ND<0.25	38	59	310			---		SEQ
PS-16	10/25/91	12.5'	2900		10	360	120	560			---		SEQ
PS-17	10/25/91	5'	ND<1.0		ND<0.005	ND<0.005	ND<0.005	ND<0.005			---		SEQ
PS-17	10/25/91	10'	1.3		ND<0.005	ND<0.005	ND<0.005	ND<0.005			---		SEQ
PS-17	10/25/91	14'	2.5		ND<0.005	ND<0.005	0.024	0.027			---		SEQ
PS-18	10/25/91	2'	ND<1.0		ND<0.005	ND<0.005	ND<0.005	ND<0.005			---		SEQ
PS-18	10/25/91	5'	ND<1.0		ND<0.005	ND<0.005	ND<0.005	ND<0.005			---		SEQ
PS-18	10/25/91	7'	ND<1.0		ND<0.005	ND<0.005	ND<0.005	ND<0.005			---		SEQ

Table 3
 Summary of Results of Soil Sampling
 Former Mobil Oil Service Station 10-H6J
 1024 Main Street
 Pleasanton, California

Concentrations in parts per million (ppm)

SAMPLE ID	DATE OF SAMPLING	SAMPLE DEPTH	TPH-G	TPH-D	B	T	E	X	TOTAL OIL AND GREASE	HVOC'S	ORGANIC LEAD	CAM METALS	LAB
PS-18	10/25/91	10'	22		0.011	0.062	0.097	0.740					SEQ
PS-18	10/25/91	14'	ND<1.0		ND<0.005	ND<0.005	ND<0.005	ND<0.005					SEQ

EXPLANATION OF ABBREVIATIONS:

- | | | | |
|--------|--|-----|---|
| TPH-G | :Total Petroleum Hydrocarbons as Gasoline (EPA method 8015 modified) | PS | :Soil samples collected beneath former pump islands |
| TPH-D | :Total Petroleum Hydrocarbons as Diesel (EPA method 8015 modified) | T# | :Soil samples collected from tank excavations |
| | | SB | :Soil samples collected from soil borings |
| | | --- | :Not Analyzed/Not Measured |
| | | ND | :Not Detected |
| B | :Benzene (EPA method 8020 or 8240) | | : |
| T | :Toluene (EPA method 8020 or 8240) | | : |
| E | :Ethylbenzene (EPA method 8020 or 8240) | | :Superior Analytical Laboratory |
| X | :Xylenes (EPA method 8020 or 8240) | | :Sequoia Analytical Laboratory |
| HVOC'S | :Halogenated Volatile Organic Compounds | | |
| TOG: | :Total Oil & Grease (EPA Method 503D & 503E) | | |

Note: