

ExxonMobil
Refining & Supply Company
Global Remediation
4096 Piedmont Avenue #194
Oakland, CA 94611
510.547.8196
510.547.8706 FAX
jennifer.c.sedlachek@exxonmobil.com

Jennifer C. Sedlachek
Project Manager

ExxonMobil
Refining & Supply

June 10, 2005

Mr. Bob Schultz
Alameda County Health Care Services Agency
1311 Harbor Bay Parkway
Alameda, California 94501

Subject: Former Mobil Station 04-H6J, 1024 Main Street, Pleasanton, California
ACHCSA File No. RO-2427

Dear Mr. Schultz:

Attached for your review and comment is a copy of the *Report of Groundwater Monitoring, Second Quarter 2005* for the above-referenced site. The report, prepared by ETIC Engineering, Inc. of Pleasant Hill, California, details the results of the April 2005 sampling event.

If you have any questions or comments, please contact me at 510.547.8196.

Sincerely,



Jennifer C. Sedlachek
Project Manager

Attachment: ETIC Groundwater Monitoring Report dated June 2005

- c: w/ attachment:
 - Mr. Chuck Headlee - California Regional Water Quality Control Board, San Francisco Bay Region
 - Mr. Abbas Masjedi - Pleasanton Utility Planning
 - Mr. Matthew Katen - Alameda County Flood Control and Water Conservation District
 - Mr. Paul L. Hulme - Pleasanton on Main, LLC
 - Mount Diablo National Bank

- c: w/o attachment:
 - Ms. Christa Marting - ETIC Engineering, Inc.



**Report of Groundwater Monitoring
Second Quarter 2005**

**Former Mobil Station 04-H6J
1024 Main Street
Pleasanton, California**

Prepared for

ExxonMobil Oil Corporation
4096 Piedmont Avenue #194
Oakland, California 94611

Prepared by

ETIC Engineering, Inc.
2285 Morello Avenue
Pleasant Hill, California 94523
(925) 602-4710

Hamidou Barry
Project Manager


6/10/05

Date

Mark C. Peterson, C.E.G. #2085
Senior Geologist

6/10/05

Date



June 2005

SITE CONTACTS

Station Number: Former Mobil Station 04-H6J

Station Address: 1024 Main Street
Pleasanton, California

ExxonMobil Project Manager: Jennifer C. Sedlachek
ExxonMobil Refining and Supply Company
4096 Piedmont Avenue #194
Oakland, California 94611
(510) 547-8196

Consultant to ExxonMobil: ETIC Engineering, Inc.
2285 Morello Avenue
Pleasant Hill, California 94523
(925) 602-4710

ETIC Project Manager: Hamidou Barry

Regulatory Oversight: Bob Schultz
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway
Alameda, California 94501-6577
(510) 567-6783

Abbas Masjedi
Pleasanton Utility Planning
P.O. Box 520
Pleasanton, California 94566
(925) 931-5508

Matthew Katen
Zone 7 Water Agency
5997 Parkside Drive
Pleasanton, California 94588
(925) 484-2600

INTRODUCTION

At the request of ExxonMobil Oil Corporation, ETIC Engineering, Inc. has prepared this quarterly groundwater monitoring report for former Mobil Station 04-H6J. This report presents the results for the most recent groundwater monitoring conducted at the site and summarizes recent site activities. This report covers site activities from 5 January 2005, the date of the last monitoring event, until 14 April 2005, the date of the recent monitoring event. Groundwater monitoring results, well construction details, and a groundwater monitoring plan are provided in the attached figures and tables. Groundwater monitoring protocols, field data, and analytical results are provided in the attached appendixes.

GENERAL SITE INFORMATION

Site name:	Former Mobil Station 04-H6J
Site address:	1024 Main Street, Pleasanton, California
Current property owner:	Paul Hulme, Pleasanton on Main LLC
Current site use:	Vacant lot
Current phase of project:	Groundwater monitoring
Tanks at site:	None (four underground storage tanks removed 1989)
Number of wells:	19 (14 onsite, 5 offsite)

GROUNDWATER MONITORING SUMMARY

Gauging and sampling date:	14 April 2005
Wells gauged and sampled:	MW1, MW2, MW4, MW6, RW1-RW4
Wells gauged only:	MW3, MW5, MW7, MW8, MW10-MW12, VMW1-VMW4
Groundwater flow direction:	North
Groundwater gradient:	0.004
Well screens submerged:	MW3, MW7, VMW4
Well screens not submerged:	MW1, MW2, MW4-MW6, MW8, MW10-MW12, RW1-RW4, VMW1-VMW3
Liquid-phase hydrocarbons:	Not observed or detected
Laboratory:	TestAmerica, Inc., Nashville, Tennessee

Analyses performed:

- Total Petroleum Hydrocarbons as gasoline by EPA Method 8015B
- Benzene, toluene, ethylbenzene, and total xylenes by EPA Method 8021B
- Methyl t-butyl ether, ethyl t-butyl ether, t-amyl methyl ether, t-butyl alcohol, 1,2-dibromoethane, 1,2-dichloroethane, and diisopropyl ether by EPA Method 8260B

Additional comments:

Groundwater samples were collected without purging wells.

ADDITIONAL ACTIVITIES PERFORMED AT SITE

No additional activities were performed at the site.

WORK PROPOSED FOR NEXT QUARTER

Groundwater will be monitored in accordance with the attached groundwater monitoring plan.

Attachments:

Figure 1: Site Plan Showing Groundwater Elevations and Analytical Results

Table 1: Well Construction Details

Table 2: Groundwater Monitoring Data

Table 3: Groundwater Analytical Results for Oxygenates and Additives

Table 4: Groundwater Monitoring Plan

Appendix A: Field Protocols

Appendix B: Field Documents

Appendix C: Laboratory Analytical Reports



Approximate
Groundwater Flow Direction
Gradient = 0.004

LEGEND:

- Groundwater monitoring well
- Recovery well
- Destroyed monitoring well
- Soil vapor extraction well
- (341.75) Groundwater elevation (feet)
- TPH-g Total Petroleum Hydrocarbons as gasoline
- MTBE Methyl tertiary butyl ether
- 1,2-DCA 1,2-Dichloroethane
- TBA Tertiary Butyl Alcohol
- TAME Tertiary Amyl Ether

Concentrations in micrograms per liter (ug/L)

Notes: 1,2-DCA, TBA, and TAME shown only where detected.
Wells MW4, MW6, and MW10 used to calculate direction and gradient.

MW12 (307.13)

Benzene	<0.5
Toluene	<0.5
Ethylbenzene	<0.5
Xylenes	<0.5
TPH-g	<50
MTBE (8260)	<0.5

Benzene	<0.5
Toluene	<0.5
Ethylbenzene	<0.5
Xylenes	<0.5
TPH-g	<50
MTBE (8260)	<0.5

Benzene	<0.5
Toluene	<0.5
Ethylbenzene	<0.5
Xylenes	1.1
TPH-g	<50
MTBE (8260)	<0.5


Benzene	<0.5
Toluene	<0.5
Ethylbenzene	<0.5
Xylenes	<0.5
TPH-g	<50
MTBE (8260)	<0.5

Benzene	99.7
Toluene	134
Ethylbenzene	187
Xylenes	600
TPH-g	7,520
MTBE (8260)	<0.5
1,2-DCA	1.80
TBA	42.4
TAME	1.20

Benzene	<0.5
Toluene	<0.5
Ethylbenzene	<0.5
Xylenes	<0.5
TPH-g	<50
MTBE (8260)	<0.5

Benzene	2.00
Toluene	1.3
Ethylbenzene	0.6
Xylenes	15.1
TPH-g	193
MTBE (8260)	<0.5

Benzene	4.20
Toluene	<0.5
Ethylbenzene	14.3
Xylenes	6.7
TPH-g	1,250
MTBE (8260)	<0.5



FILENAME: 2q2005.DWG 05/17/05



SITE PLAN SHOWING GROUNDWATER ELEVATIONS
AND ANALYTICAL RESULTS, FORMER MOBIL STATION 04-H6J
1024 MAIN STREET, PLEASANTON, CALIFORNIA
14 APRIL 2005

FIGURE:

1

TABLE 1 WELL CONSTRUCTION DETAILS, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Well Number	Well Installation Date	Elevation TOC (feet)	Casing Material	Total Depth (feet)	Well Depth (feet)	Borehole Diameter (inches)	Casing Diameter (inches)	Screened Interval (feet)	Slot Size (inches)	Filter Pack Interval (feet)	Filter Pack Material
MW1	a 03/21/90	350.42	PVC	55	55	9	4	35 - 55	0.020	30 - 55	No. 3 Monterey Sand
MW2	a 03/22/90	350.39	PVC	56.5	55	9	2	30 - 55	0.020	30 - 55	No. 3 Monterey Sand
MW3	a 03/23/90	350.56	PVC	36.5	35	8	2	12 - 35	0.20	12 - 35	No. 3 Monterey Sand
MW4	a 10/08/90	350.69	PVC	50	49	10	4	29 - 49	0.020	27 - 49	No. 3 Monterey Sand
MW5	b 10/08/90	350.61	PVC	35	34	10	4	14 - 34	0.020	12 - 35	No. 3 Monterey Sand
MW6	a 10/09/90	350.90	PVC	55	53	10	4	35 - 53	0.020	33 - 53	No. 3 Monterey Sand
MW7	a 10/10/90	350.47	PVC	30	30	8	2	10 - 30	0.020	8 - 30	No. 3 Monterey Sand
MW8	a 10/09/90	351.45	PVC	25	25	8	2	5 - 25	0.020	4 - 25	No. 3 Monterey Sand
MW9	c 01/31/92	348.53	PVC	56	55	12	4	25 - 55	0.010	23 - 56	No. 3 Monterey Sand
MW10	a 11/17/93	350.60	PVC	56.5	55	10.25	4	25 - 55	0.020	23 - 56.5	No. 8 Sri Supreme Sand
MW11	a 11/18/93	350.16	PVC	44.5	44	10.25	4	24 - 44	0.020	23 - 44.5	No. 8 Sri Supreme Sand
MW12	a 11/17/93	349.74	PVC	58	55	10.25	4	25 - 55	0.020	23 - 58	No. 8 Sri Supreme Sand
RW1	a 11/15/93	350.43	PVC	56.5	55	--	6	25 - 55	0.020	23 - 56.5	No. 3 Monterey Sand
RW2	a 08/30/94	350.42	PVC	56.5	54	12	6	23 - 54	0.020	22 - 56.5	No. 3 Monterey Sand

TABLE 1 WELL CONSTRUCTION DETAILS, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Well Number	Well Installation Date	Elevation TOC (feet)	Casing Material	Total Depth (feet)	Well Depth (feet)	Borehole Diameter (inches)	Casing Diameter (inches)	Screened Interval (feet)	Slot Size (inches)	Filter Pack Interval (feet)	Filter Pack Material
RW3	a 08/30/94	350.53	PVC	56.5	54	12	6	24 - 54	0.020	22 - 56.5	No. 3 Monterey Sand
RW4	a 08/30/94	350.92	PVC	54	51	12	6	21 - 51	0.020	21 - 54	No. 3 Monterey Sand
VMW1	a 11/15/93	350.58	PVC	35	35	10.25	4	13 - 35	0.030	13 - 35	Medium/Coarse Aquarium Sand
VMW2	a 11/15/93	350.42	PVC	35	35	10.25	4	15 - 35	0.030	14 - 35	Coarse Aquarium Sand
VMW3	a 11/16/03	350.77	PVC	36.5	32	10.25	4	15 - 32	0.030	14 - 32	Medium Aquarium Sand
VMW4	a 11/16/03	350.32	PVC	36.5	35	10.25	4	12 - 35	0.030	11 - 35	Medium Aquarium Sand

a Well surveyed on 28 November 2001 by Doble Thomas Associates.

b Well surveyed on 21 February 2002 by Doble Thomas Associates.

c Well destroyed.

PVC Polyvinyl chloride.

TOC Top of casing.

-- Information not available.

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8020 or 8021)	MTBE (8260)
MW1	04/12/90	348.03	0.00	43.57	304.46	3,600	--	73	13	3	180	--	--
MW1	10/18/90	348.03	0.00	43.18	304.85	5,000	ND	700	360	170	480	--	--
MW1	08/06/91	348.03	0.00	38.65	309.38	2,600	--	310	340	110	340	--	--
MW1	01/08/92	348.03	0.00	38.68	309.35	2,400	--	270	370	18	340	--	--
MW1	04/30/92	348.03	0.00	39.93	308.10	1,300	--	150	120	12	160	--	--
MW1	07/31/92	348.03	0.00	43.05	304.98	ND	--	ND	ND	ND	ND	--	--
MW1	10/27/92	348.03	0.00	42.86	305.17	2,700	--	320	310	84	310	--	--
MW1	01/22/93	348.03	0.00	34.88	313.15	2,800	--	190	340	87	320	--	--
MW1	04/05/93	348.03	0.00	33.71	314.32	6,000	--	410	460	51	500	--	--
MW1	07/06/93	348.03	0.00	35.46	312.57	2,200	--	140	240	32	180	--	--
MW1	11/30/93	348.03	0.00	37.81	310.22	450	--	68	34	ND	48	--	--
MW1	01/27/94	348.03	0.00	42.10	305.93	1,000	--	270	330	44	190	--	--
MW1	04/25/94	348.03	0.00	40.33	307.70	--	--	--	--	--	--	--	--
MW1	04/26/94	348.03	--	--	--	3,500	--	310	370	22	320	--	--
MW1	07/08/94	348.03	0.00	41.39	306.64	640	--	120	87	15	43	--	--
MW1	10/05/94	348.03	0.00	42.19	305.84	970	--	110	140	21	90	--	--
MW1	02/21/95	348.03	0.00	34.73	313.30	3,500	--	200	270	24	100	--	--
MW1	05/03/95	348.03	0.00	34.67	313.36	160	--	7.8	12	4.5	20	--	--
MW1	08/04/95	348.03	0.00	37.00	311.03	1,900	--	99	330	40	570	10	--
MW1	11/10/95	348.03	0.00	39.66	308.37	610	--	150	56	22	89	--	--
MW1	02/12/96	348.03	0.00	36.19	311.84	470	--	3.0	37	7.8	140	1.3	--
MW1	05/17/96	348.03	0.00	35.82	312.21	ND	--	ND	ND	ND	ND	ND	--
MW1	08/12/96	348.03	0.00	38.44	309.59	ND	--	ND	ND	ND	ND	ND	--
MW1	11/08/96	348.03	0.00	40.07	307.96	ND	--	ND	ND	ND	ND	ND	--
MW1	02/12/97	348.03	0.00	34.27	313.76	--	--	--	--	--	--	--	--
MW1 ^a	03/17/97	348.03	0.00	37.07	310.96	ND	--	ND	ND	ND	ND	ND	--
MW1 ^a	05/13/97	348.03	0.00	37.76	310.27	ND	--	ND	ND	ND	ND	ND	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8020 or 8021)	MTBE (8260)
MW1 ^a	08/12/97	348.03	0.00	40.68	307.35	ND	--	ND	ND	ND	ND	ND	--
MW1 ^a	10/31/97	348.03	0.00	40.90	307.13	740	--	17	62	7.9	150	ND	--
MW1 ^a	01/21/98	348.03	0.00	41.05	306.98	ND	--	ND	ND	ND	ND	ND	--
MW1 ^a	04/24/98	348.03	0.00	36.71	311.32	ND	--	ND	ND	ND	ND	ND	--
MW1 ^a	07/20/98	348.03	0.00	39.38	308.65	ND	--	ND	ND	ND	ND	ND	--
MW1 ^a	10/21/98	348.03	0.00	42.31	305.72	ND	--	0.3	ND	ND	ND	ND	--
MW1 ^a	02/22/99	348.03	0.00	42.70	305.33	840	--	40	17	5.4	94	ND	--
MW1 ^a	05/27/99	348.03	0.00	41.51	306.52	ND	--	ND	ND	ND	ND	ND	--
MW1 ^a	09/16/99	348.03	0.00	43.56	304.47	ND	--	ND	ND	ND	ND	ND	--
MW1 ^a	11/15/99	348.03	0.00	43.87	304.16	ND	--	ND	ND	ND	ND	ND	--
MW1 ^a	03/02/00	348.03	0.00	40.88	307.15	<50	--	<0.30	<0.30	<0.30	<0.60	<10	--
MW1 ^a	06/06/00	348.03	0.00	42.83	305.20	<20	--	<0.20	<0.20	<0.20	<0.60	<0.30	--
MW1 ^a	08/29/00	348.03	0.00	44.82	303.21	<50	--	<0.30	<0.30	<0.30	<0.60	<10	--
MW1 ^a	11/07/00	348.03	0.00	43.35	304.68	<20	--	0.25	<0.20	0.25	<0.60	<0.30	--
MW1 ^c	01/30/01	348.03	--	--	--	--	--	--	--	--	--	--	--
MW1 ^a	04/19/01	348.03	0.00	43.87	304.16	<20	--	<0.20	<0.20	0.28	<0.60	<0.30	--
MW1 ^a	07/27/01	348.03	0.00	43.96	304.07	<50	--	<0.20	<0.20	<0.20	<0.60	<0.30	--
MW1 ^a	10/19/01	348.03	0.00	44.52	303.51	<50	--	<0.20	<0.20	<0.20	<0.60	<0.30	--
MW1 ^a	01/15/02	350.42	0.00	43.13	307.29	<50.0	--	<0.50	<0.50	<0.50	<0.50	<0.50	--
MW1 ^a	04/09/02	350.42	0.00	45.23	305.19	127	--	3.30	0.60	<0.50	<0.50	2.30	--
MW1 ^a	07/23/02	350.42	0.00	45.87	304.55	80.1	--	2.10	<0.50	<0.50	<0.50	0.90	--
MW1 ^a	10/16/02	350.42	0.00	43.49	306.93	<50.0	--	<0.5	<0.5	<0.5	<0.5	<0.5	--
MW1 ^a	01/09/03	350.42	0.00	41.41	309.01	<50.0	--	1.1	<0.50	<0.50	<0.50	--	<0.50
MW1 ^a	04/14/03	350.42	0.00	43.64	306.78	<50.0	--	<0.50	<0.50	<0.50	<0.50	--	<0.50
MW1 ^a	07/09/03	350.42	0.00	43.34	307.08	<50	--	1.40	1.0	<0.5	1.1	<0.5	<0.5
MW1 ^a	10/01/03	350.42	0.00	44.04	306.38	<50	--	1.00	<0.5	<0.5	<0.5	<0.5	<0.5
MW1 ^a	01/19/04	350.42	0.00	44.22	306.20	<50	--	<0.5	<0.5	<0.5	<0.5	--	<0.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE	
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes	(8020 or 8021)	MTBE (8260)
MW1 ^a	04/01/04	350.42	0.00	43.82	306.60	<100	--	<1.0	6.0	1.0	7.8	--	<0.5
MW1 ^a	07/07/04	350.42	0.00	44.06	306.36	<50	--	<0.5	<0.5	<0.5	<0.5	--	<0.5
MW1 ^a	10/12/04	350.42	0.00	44.74	305.68	82.4	--	<0.5	2.9	0.6	4.5	--	<0.5
MW1 ^a	01/05/05	350.42	0.00	44.40	306.02	52.3	--	<0.5	<0.5	<0.5	<0.5	--	<0.5
MW1^a	04/14/05	350.42	0.00	40.24	310.18	<50	--	<0.5	<0.5	<0.5	<0.5	--	<0.5
MW2	04/12/90	348.45	0.00	44.14	304.31	64,000	--	5,500	7,600	1,900	7,800	--	--
MW2	10/18/90	348.45	0.00	43.18	305.27	83,000	10,000	6,800	9,100	2,400	11,000	--	--
MW2	08/06/91	348.45	0.00	39.19	309.26	160,000	--	16,000	25,000	4,300	19,000	--	--
MW2	01/08/92	348.45	0.02	39.40	309.07	--	--	--	--	--	--	--	--
MW2	04/30/92	348.45	0.00	40.50	307.95	71,000	--	9,200	19,000	3,700	15,000	--	--
MW2	07/31/92	348.45	0.15	43.64	304.92	--	--	--	--	--	--	--	--
MW2	10/27/92	348.45	Trace	43.53	304.92	--	--	--	--	--	--	--	--
MW2	01/22/93	348.45	Trace	35.55	312.90	--	--	--	--	--	--	--	--
MW2	04/05/93	348.45	Trace	34.41	314.04	--	--	--	--	--	--	--	--
MW2	07/06/93	348.45	Trace	35.98	312.47	--	--	--	--	--	--	--	--
MW2	11/30/93	348.45	0.48	38.78	310.03	--	--	--	--	--	--	--	--
MW2	01/27/94	348.45	0.01	42.50	305.96	--	--	--	--	--	--	--	--
MW2	04/25/94	348.45	Trace	40.32	308.13	--	--	--	--	--	--	--	--
MW2	07/08/94	348.45	Trace	42.46	305.99	--	--	--	--	--	--	--	--
MW2	10/05/94	348.45	Trace	42.78	305.67	--	--	--	--	--	--	--	--
MW2	02/21/95	348.45	0.12	34.88	313.66	--	--	--	--	--	--	--	--
MW2	05/03/95	348.45	0.62	35.30	313.62	--	--	--	--	--	--	--	--
MW2	08/04/95	348.45	0.20	37.21	311.39	--	--	--	--	--	--	--	--
MW2	11/10/95	348.45	0.24	39.87	308.76	--	--	--	--	--	--	--	--
MW2	02/12/96	348.45	Trace	36.16	312.29	--	--	--	--	--	--	--	--
MW2	05/17/96	348.45	0.00	35.95	312.50	57,000	--	950	3,000	940	6,500	ND	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8020 or 8021)	MTBE (8260)
MW2	08/12/96	348.45	0.00	38.45	310.00	86,000	--	18,000	16,000	1,700	10,000	ND	--
MW2	11/08/96	348.45	0.01	40.27	308.19	--	--	--	--	--	--	--	--
MW2	02/12/97	348.45	0.00	34.37	314.08	--	--	--	--	--	--	--	--
MW2 ^c	03/17/97	348.45	--	--	--	--	--	--	--	--	--	--	--
MW2 ^a	05/13/97	348.45	0.00	37.74	310.71	87,000	--	12,000	14,000	1,300	8,100	ND	--
MW2	08/12/97	348.45	0.04	40.73	307.75	--	--	--	--	--	--	--	--
MW2 ^a	10/31/97	348.45	0.00	41.12	307.33	11,000	--	320	450	300	760	280	--
MW2 ^a	01/21/98	348.45	0.00	40.75	307.70	27,000	--	300	750	180	2,500	ND	ND
MW2 ^a	04/24/98	348.45	0.00	36.48	311.97	11,000	--	37	110	110	1,300	72	--
MW2 ^a	07/20/98	348.45	0.00	39.38	309.07	23,000	--	3,200	2,500	510	1,800	ND	--
MW2	10/21/98	348.45	--	Dry	--	--	--	--	--	--	--	--	--
MW2 ^a	02/22/99	348.45	0.00	41.26	307.19	14,000	--	660	370	250	1,000	ND	--
MW2 ^a	05/27/99	348.45	0.00	41.57	306.88	12,000	--	930	460	350	1,300	ND	ND
MW2 ^a	09/16/99	348.45	0.00	43.61	304.84	13,000	--	220	100	300	300	99	--
MW2 ^a	11/15/99	348.45	0.00	43.71	304.74	8,800	--	<100	<50	86	140	49	<5
MW2 ^a	03/02/00	348.45	0.00	40.90	307.55	11,000	--	250	180	220	1,200	<50	--
MW2 ^a	06/06/00	348.45	0.00	42.68	305.77	8,400	--	290	68	250	100	<10	--
MW2 ^a	08/29/00	348.45	0.00	44.98	303.47	14,000	--	170	86	440	250	<10	--
MW2 ^a	11/07/00	348.45	0.00	43.46	304.99	18,000	--	120	43	250	150	110	<5
MW2 ^a	01/30/01	348.45	0.00	44.73	303.72	18,000	--	220	74	690	240	<250	--
MW2 ^a	04/19/01	348.45	0.00	43.95	304.50	19,000	--	150	37	440	80	<200	<5
MW2 ^a	07/27/01	348.45	0.00	44.10	304.35	6,900	--	37	<20	220	20	<5.0	--
MW2 ^a	10/19/01	348.45	0.00	44.67	303.78	13,000	--	110	24	600	72	<3.0	--
MW2 ^a	01/15/02	350.39	0.00	43.14	307.25	7,280	--	390	230	210	450	150	<0.5
MW2 ^a	04/09/02	350.39	0.00	45.34	305.05	11,200	--	152	42.0	411	104	206	<2.5
MW2 ^a	07/23/02	350.39	0.00	45.91	304.48	18,700	--	107	15.5	383	54	112	<1.0
MW2 ^a	10/16/02	350.39	0.00	43.59	306.80	1,270	--	17.7	8.6	12.2	28.5	12.8	<0.50

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8020 or 8021)	MTBE (8260)
MW2 ^a	01/09/03	350.39	0.00	41.46	308.93	11,800	--	256.0	371.0	506	1,250.0	--	<0.50
MW2 ^a	04/14/03	350.39	0.00	43.73	306.66	4,940	--	89.0	9.5	143	11.0	--	<0.50
MW2 ^a	07/09/03	350.39	0.00	43.35	307.04	1,100	--	22.8	8.6	20.4	8.1	15.7	<0.5
MW2 ^a	10/01/03	350.39	0.00	44.16	306.23	3,280	--	43.7	6.0	51.2	6.8	33.4	<0.5
MW2 ^a	01/19/04	350.39	0.00	44.26	306.13	4,330	--	87.9	8.3	144	11.4	--	<0.5
MW2 ^a	04/01/04	350.39	0.00	43.76	306.63	494	--	7.00	3.2	7.7	5.2	--	<0.5
MW2 ^a	07/07/04	350.39	0.00	44.10	306.29	2,300	--	36.5	4.6	9.1	5.6	--	<0.5
MW2 ^a	10/12/04	350.39	0.00	44.52	305.87	2,770	--	31.6	14.1	12.1	12.5	--	<0.5
MW2 ^a	01/05/05	350.39	0.00	43.83	306.56	19,300	--	84.9	27.2	32.0	37.7	--	<0.5
MW2^a	04/14/05	350.39	0.00	40.23	310.16	1,250	--	4.20	<0.5	14.3	6.7	--	<0.5
MW3	04/12/90	347.97	0.00	23.18	324.79	2,100	--	32	56	31	170	--	--
MW3	10/18/90	347.97	0.00	14.28	333.69	110	ND	3	3	1	5	--	--
MW3	08/06/91	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	01/08/92	347.97	0.00	32.36	315.61	680	--	8.9	26	8.5	72	--	--
MW3	04/30/92	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	07/31/92	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	10/27/92	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	01/22/93	347.97	0.00	27.30	320.67	2,600	--	240	300	170	440	--	--
MW3	04/05/93	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	07/06/93	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	11/30/93	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	01/27/94	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	04/25/94	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	07/08/94	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	02/21/95	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	05/03/95	347.97	--	Dry	--	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8020 or 8021)	MTBE (8260)
MW3	08/04/95	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	11/10/95	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	02/12/96	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	05/17/96	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	08/12/96	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	11/08/96	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	02/12/97	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3 ^a	03/17/97	347.97	0.00	22.39	325.58	ND	--	ND	ND	ND	ND	ND	--
MW3 ^a	05/13/97	347.97	0.00	22.18	325.79	ND	--	ND	ND	ND	ND	ND	--
MW3 ^a	08/12/97	347.97	0.00	18.56	329.41	ND	--	ND	ND	ND	ND	ND	--
MW3	10/31/97	347.97	0.00	17.81	330.16	--	--	--	--	--	--	--	--
MW3	01/21/98	347.97	0.00	18.81	329.16	--	--	--	--	--	--	--	--
MW3	04/24/98	347.97	0.00	16.81	331.16	--	--	--	--	--	--	--	--
MW3	07/20/98	347.97	0.00	18.00	329.97	--	--	--	--	--	--	--	--
MW3	10/21/98	347.97	0.00	19.37	328.60	--	--	--	--	--	--	--	--
MW3	02/22/99	347.97	0.00	19.82	328.15	--	--	--	--	--	--	--	--
MW3	05/27/99	347.97	0.00	18.34	329.63	--	--	--	--	--	--	--	--
MW3	09/16/99	347.97	0.00	18.53	329.44	--	--	--	--	--	--	--	--
MW3	11/15/99	347.97	0.00	20.40	327.57	--	--	--	--	--	--	--	--
MW3	03/02/00	347.97	0.00	18.02	329.95	--	--	--	--	--	--	--	--
MW3	06/06/00	347.97	0.00	18.33	329.64	--	--	--	--	--	--	--	--
MW3	08/29/00	347.97	0.00	17.31	330.66	--	--	--	--	--	--	--	--
MW3	11/07/00	347.97	0.00	17.67	330.30	--	--	--	--	--	--	--	--
MW3	01/30/01	347.97	0.00	16.61	331.36	--	--	--	--	--	--	--	--
MW3	04/19/01	347.97	0.00	16.52	331.45	--	--	--	--	--	--	--	--
MW3	07/27/01	347.97	0.00	16.52	331.45	--	--	--	--	--	--	--	--
MW3	10/19/01	347.97	0.00	16.75	331.22	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8020 or 8021)	MTBE (8260)
MW3	01/15/02	350.56	0.00	16.66	333.90	--	--	--	--	--	--	--	--
MW3	04/09/02	350.56	0.00	14.83	335.73	--	--	--	--	--	--	--	--
MW3	07/23/02	350.56	0.00	17.60	332.96	--	--	--	--	--	--	--	--
MW3	10/16/02	350.56	0.00	18.24	332.32	--	--	--	--	--	--	--	--
MW3	01/09/03	350.56	0.00	17.83	332.73	--	--	--	--	--	--	--	--
MW3	04/14/03	350.56	0.00	14.98	335.58	--	--	--	--	--	--	--	--
MW3	07/09/03	350.56	0.00	15.79	334.77	--	--	--	--	--	--	--	--
MW3	10/01/03	350.56	0.00	14.89	335.67	--	--	--	--	--	--	--	--
MW3	01/19/04	350.56	0.00	13.56	337.00	--	--	--	--	--	--	--	--
MW3	04/01/04	350.56	0.00	29.62	320.94	--	--	--	--	--	--	--	--
MW3	07/07/04	350.56	0.00	11.63	338.93	--	--	--	--	--	--	--	--
MW3	10/12/04	350.56	0.00	10.38	340.18	--	--	--	--	--	--	--	--
MW3	01/05/05	350.56	0.00	10.01	340.55	--	--	--	--	--	--	--	--
MW3	04/14/05	350.56	0.00	9.70	340.86	--	--	--	--	--	--	--	--
MW4	10/18/90	348.07	0.00	43.16	304.91	9,600	2,000	180	500	200	1,200	--	--
MW4	08/06/91	348.07	0.00	38.65	309.42	8,600	--	320	420	220	650	--	--
MW4	01/08/92	348.07	0.00	38.65	309.42	3,400	--	600	880	220	1,100	--	--
MW4	04/30/92	348.07	0.00	39.88	308.19	7,200	--	650	1,200	210	1,200	--	--
MW4	07/31/92	348.07	0.00	43.07	305.00	3,800	--	320	340	120	360	--	--
MW4	10/27/92	348.07	0.00	42.78	305.29	9,000	--	440	750	190	900	--	--
MW4	01/22/93	348.07	0.00	34.76	313.31	12,000	--	540	1,200	320	1,900	--	--
MW4	04/05/93	348.07	0.00	33.61	314.46	1,100	--	34	18	12	31	--	--
MW4	07/06/93	348.07	0.00	35.37	312.70	4,000	--	220	300	43	440	--	--
MW4	11/30/93	348.07	0.00	37.78	310.29	1,400	--	140	83	54	110	--	--
MW4	01/27/94	348.07	0.00	42.10	305.97	910	--	140	75	24	94	--	--
MW4	04/25/94	348.07	0.00	40.28	307.79	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8020 or 8021)	MTBE (8260)
MW4	04/26/94	348.07	--	--	--	27,000	--	1,200	1,800	580	2,500	--	--
MW4	07/08/94	348.07	0.00	41.38	306.69	540	--	57	47	17	43	--	--
MW4	10/05/94	348.07	0.00	42.17	305.90	3,200	--	230	280	73	210	--	--
MW4	02/21/95	348.07	0.02	34.87	313.22	--	--	--	--	--	--	--	--
MW4	05/03/95	348.07	0.00	34.81	313.26	--	--	--	--	--	--	--	--
MW4	05/04/95	348.07	--	--	--	1,700	--	100	200	50	240	--	--
MW4	08/04/95	348.07	0.00	37.18	310.89	2,500	--	92	67	49	150	12	--
MW4	11/10/95	348.07	0.00	39.86	308.21	11,000	--	1,100	590	420	1,200	--	--
MW4	02/12/96	348.07	0.00	36.38	311.69	77	--	4.5	2.4	ND	2.8	17	--
MW4	05/17/96	348.07	0.00	36.00	312.07	470	--	50	ND	ND	8.9	ND	--
MW4	08/12/96	348.07	0.00	38.63	309.44	4,000	--	830	180	160	250	ND	--
MW4	11/08/96	348.07	0.00	40.28	307.79	1,100	--	160	35	41	110	ND	--
MW4	02/12/97	348.07	0.00	34.45	313.62	--	--	--	--	--	--	--	--
MW4 ^a	03/17/97	348.07	0.00	37.25	310.82	2,100	--	200	40	54	74	ND	--
MW4 ^a	05/13/97	348.07	0.00	37.92	310.15	2,200	--	320	72	67	100	ND	--
MW4 ^a	08/12/97	348.07	0.00	40.87	307.20	2,200	--	310	31	59	68	ND	--
MW4 ^a	10/31/97	348.07	0.00	41.21	306.86	1,000	--	160	ND	15	28	ND	--
MW4 ^a	01/21/98	348.07	0.00	41.20	306.87	610	--	17	2.4	27	5.3	ND	--
MW4 ^a	04/24/98	348.07	0.00	36.90	311.17	460	--	5.0	1.2	3.0	ND	ND	--
MW4 ^a	07/20/98	348.07	0.00	39.56	308.51	1,700	--	79	12	40	16	ND	--
MW4 ^a	10/21/98	348.07	0.00	40.51	307.56	2,000	--	200	59	51	90	ND	--
MW4 ^a	02/22/99	348.07	0.00	41.46	306.61	920	--	45	21	6.3	100	ND	--
MW4 ^a	05/27/99	348.07	0.00	41.71	306.36	670	--	67	9.0	4.7	40	ND	--
MW4 ^a	09/16/99	348.07	0.00	43.71	304.36	3,000	--	150	34	6.2	150	ND	--
MW4 ^a	11/15/99	348.07	0.00	44.15	303.92	ND	--	ND	ND	ND	ND	ND	--
MW4 ^a	03/02/00	348.07	0.00	41.08	306.99	240	--	10	0.69	<0.30	6.5	<10	--
MW4 ^a	06/06/00	348.07	0.00	43.09	304.98	<20	--	<0.20	0.26	<0.20	<0.60	<0.30	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8020 or 8021)	MTBE (8260)
MW4 ^a	08/29/00	348.07	0.00	45.05	303.02	620	--	16	14	12	20	<10	--
MW4 ^a	11/07/00	348.07	0.00	43.65	304.42	410	--	10	5.2	7.7	51	<5.0	--
MW4 ^a	01/30/01	348.07	0.00	44.81	303.26	350	--	15	5.4	16	56	<1.0	--
MW4 ^a	04/19/01	348.07	0.00	44.10	303.97	330	--	12	3.4	11	50	<5.0	--
MW4 ^a	07/27/01	348.07	0.00	44.20	303.87	420	--	24	5.8	7.6	77	<0.30	--
MW4 ^a	10/19/01	348.07	0.00	44.75	303.32	680	--	22	9.2	23	130	<0.30	--
MW4 ^a	01/15/02	350.69	0.00	43.35	307.34	420	--	9.10	4.20	7.90	56.0	1.00	<0.5
MW4 ^a	04/09/02	350.69	0.00	45.47	305.22	626	--	15.2	8.50	13.8	94.1	0.90	--
MW4 ^a	07/23/02	350.69	0.00	46.09	304.60	775	--	18.4	9.60	17.2	88.7	2.10	--
MW4 ^a	10/16/02	350.69	0.00	43.71	306.98	480	--	16.6	7.5	3.8	76.4	<0.5	--
MW4 ^a	01/09/03	350.69	0.00	41.63	309.06	1,120	--	23.3	20.4	15.8	132.0	--	<0.50
MW4 ^a	04/14/03	350.89	0.00	43.85	307.04	783	--	23.0	13.6	8.6	106.0	--	<0.50
MW4 ^a	07/09/03	350.89	0.00	43.56	307.33	1,570	--	49.5	27.6	21.3	227	3.1	<0.5
MW4 ^a	10/01/03	350.89	0.00	44.27	306.62	823	--	33.2	7.8	5.4	75.9	1.1	<0.5
MW4 ^a	01/19/04	350.89	0.00	44.48	306.41	2,360	--	75.3	15.3	2.3	233	--	<0.5
MW4 ^a	04/01/04	350.89	0.00	44.06	306.83	2,700	--	78.8	20.0	22.5	218	--	<0.5
MW4 ^a	07/07/04	350.89	0.00	44.30	306.59	1,410	--	70.2	6.9	18.7	146	--	<0.5
MW4 ^a	10/12/04	350.89	0.00	44.98	305.91	734	--	35.4	3.6	1.0	8.1	--	<0.5
MW4 ^a	01/05/05	350.89	0.00	44.58	306.31	1,100	--	45.8	11.2	1.0	68.1	--	<0.5
MW4^a	04/14/05	350.89	0.00	40.44	310.45	193	--	2.00	1.3	0.6	15.1	--	<0.5
MW5	10/18/90	347.97	--	c	--	--	--	--	--	--	--	--	--
MW5	08/06/91	347.97	0.00	34.25	313.72	--	--	--	--	--	--	--	--
MW5	01/08/92	347.97	0.00	34.22	313.75	--	--	--	--	--	--	--	--
MW5	04/30/92	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	07/31/92	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	10/27/92	347.97	--	Dry	--	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8020 or 8021)	MTBE (8260)
MW5	01/22/93	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	04/05/93	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	07/06/93	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	11/30/93	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	01/27/94	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	04/25/94	347.97	0.00	34.23	313.74	--	--	--	--	--	--	--	--
MW5	07/08/94	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	02/21/95	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	05/03/95	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	08/04/95	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	11/10/95	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	02/12/96	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	05/17/96	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	08/12/96	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	11/08/96	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	02/12/97	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	03/17/97	347.97	0.00	34.21	313.76	--	--	--	--	--	--	--	--
MW5	05/13/97	347.97	--	--	--	--	--	--	--	--	--	--	--
MW5 ^d	08/12/97	347.97	0.00	34.22	313.75	--	--	--	--	--	--	--	--
MW5	10/31/97	347.97	0.00	34.19	313.78	--	--	--	--	--	--	--	--
MW5	01/21/98	347.97	0.00	31.25	316.72	--	--	--	--	--	--	--	--
MW5	04/24/98	347.97	0.00	34.21	313.76	--	--	--	--	--	--	--	--
MW5	07/20/98	347.97	0.00	34.21	313.76	--	--	--	--	--	--	--	--
MW5	10/21/98	347.97	0.00	34.20	313.77	--	--	--	--	--	--	--	--
MW5	02/22/99	347.97	0.00	34.25	313.72	--	--	--	--	--	--	--	--
MW5	05/27/99	347.97	0.00	34.01	313.96	--	--	--	--	--	--	--	--
MW5	09/16/99	347.97	0.00	34.10	313.87	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8020 or 8021)	MTBE (8260)
MW5	11/15/99	347.97	0.00	35.21	312.76	--	--	--	--	--	--	--	--
MW5 ^c	03/02/00	347.97	--	--	--	--	--	--	--	--	--	--	--
MW5 ^c	06/06/00	347.97	--	--	--	--	--	--	--	--	--	--	--
MW5	08/29/00	347.97	0.00	33.95	314.02	--	--	--	--	--	--	--	--
MW5	11/07/00	347.97	0.00	33.99	313.98	--	--	--	--	--	--	--	--
MW5	01/30/01	347.97	0.00	33.84	314.13	--	--	--	--	--	--	--	--
MW5	04/19/01	347.97	0.00	33.62	314.35	--	--	--	--	--	--	--	--
MW5	07/27/01	347.97	0.00	33.65	314.32	--	--	--	--	--	--	--	--
MW5	10/19/01	347.97	0.00	33.75	314.22	--	--	--	--	--	--	--	--
MW5 ^c	01/15/02	--	0.00	33.80	--	--	--	--	--	--	--	--	--
MW5	04/09/02	350.61	0.00	33.47	317.14	--	--	--	--	--	--	--	--
MW5	07/23/02	350.61	0.00	34.05	316.56	--	--	--	--	--	--	--	--
MW5	10/16/02	350.61	0.00	34.11	316.50	--	--	--	--	--	--	--	--
MW5	01/09/03	350.61	0.00	34.02	316.59	--	--	--	--	--	--	--	--
MW5	04/14/03	350.61	0.00	33.38	317.23	--	--	--	--	--	--	--	--
MW5	07/09/03	350.61	0.00	33.43	317.18	--	--	--	--	--	--	--	--
MW5	10/01/03	350.61	0.00	33.42	317.19	--	--	--	--	--	--	--	--
MW5	01/19/04	350.61	0.00	33.34	317.27	--	--	--	--	--	--	--	--
MW5	04/01/04	350.61	0.00	33.31	317.30	--	--	--	--	--	--	--	--
MW5	07/07/04	350.61	0.00	33.18	317.43	--	--	--	--	--	--	--	--
MW5	10/12/04	350.61	0.00	33.14	317.47	--	--	--	--	--	--	--	--
MW5	01/05/05	350.61	0.00	33.19	317.42	--	--	--	--	--	--	--	--
MW5	04/14/05	350.61	0.00	33.15	317.46	--	--	--	--	--	--	--	--
MW6	10/18/90	348.23	0.00	43.60	304.63	3,000	ND	1,300	150	120	85	--	--
MW6	08/06/91	348.23	0.00	39.07	309.16	1,600	--	220	10	5.2	14	--	--
MW6	01/08/92	348.23	0.00	39.18	309.05	370	--	81	3.9	4.5	2.9	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8020 or 8021)	MTBE (8260)
MW6	04/30/92	348.23	0.00	40.46	307.77	610	--	180	8.4	6.8	3.3	--	--
MW6	07/31/92	348.23	0.00	43.61	304.62	96	--	1,500	1,500	370	1,100	--	--
MW6	10/27/92	348.23	0.00	43.68	304.55	9,400	--	27	ND	6	10	--	--
MW6	01/22/93	348.23	0.00	35.66	312.57	250	--	12	2.4	1.4	1.9	--	--
MW6	04/05/93	348.23	0.00	34.41	313.82	190	--	2.3	0.99	ND	0.5	--	--
MW6	07/06/93	348.23	0.00	36.01	312.22	99	--	1.4	0.54	ND	ND	--	--
MW6	11/30/93	348.23	0.00	38.36	309.87	86	--	9.1	ND	ND	ND	--	--
MW6	01/27/94	348.23	0.00	42.57	305.66	140	--	1.7	ND	ND	ND	--	--
MW6	04/25/94	348.23	0.00	40.77	307.46	--	--	--	--	--	--	--	--
MW6	04/26/94	348.23	--	--	--	330	--	40	ND	ND	ND	--	--
MW6	07/08/94	348.23	0.00	41.82	306.41	170	--	8.8	9.2	3.5	12	--	--
MW6	10/05/94	348.23	0.00	42.64	305.59	600	--	100	5.6	11	12	--	--
MW6	02/21/95	348.23	0.01	35.55	312.69	--	--	--	--	--	--	--	--
MW6	05/03/95	348.23	0.00	35.47	312.76	--	--	--	--	--	--	--	--
MW6	05/04/95	348.23	--	--	--	350	--	6.8	1.8	7.4	7.1	--	--
MW6	08/04/95	348.23	0.00	37.72	310.51	150	--	3.8	1.7	ND	1.1	6.5	--
MW6	11/10/95	348.23	0.00	40.31	307.92	130	--	6.6	0.96	1.6	1.7	--	--
MW6	02/12/96	348.23	0.00	36.92	311.31	65	--	2.8	1.6	0.57	1.3	5.2	--
MW6	05/17/96	348.23	0.00	36.56	311.67	91	--	2.8	ND	ND	ND	ND	--
MW6	08/12/96	348.23	0.00	39.12	309.11	75	--	4.6	2.6	ND	1.7	ND	--
MW6	11/08/96	348.23	0.00	40.69	307.54	60	--	2.5	0.60	0.50	0.68	ND	--
MW6	02/12/97	348.23	0.00	34.99	313.24	--	--	--	--	--	--	--	--
MW6 ^a	03/17/97	348.23	0.00	37.76	310.47	ND	--	ND	ND	ND	ND	ND	--
MW6 ^a	05/13/97	348.23	0.00	38.45	309.78	ND	--	ND	ND	ND	ND	ND	--
MW6 ^a	08/12/97	348.23	0.00	41.33	306.90	68	--	1.3	ND	ND	ND	ND	--
MW6 ^a	10/31/97	348.23	0.00	41.68	306.55	ND	--	ND	ND	ND	ND	ND	--
MW6 ^a	01/21/98	348.23	0.00	41.62	306.61	180	--	2.1	ND	0.4	ND	ND	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8020 or 8021)	MTBE (8260)
MW6 ^a	04/24/98	348.23	0.00	37.42	310.81	100	--	1.0	ND	ND	ND	ND	--
MW6 ^a	07/20/98	348.23	0.00	40.01	308.22	280	--	1.5	6.0	1.2	1.2	ND	--
MW6 ^a	10/21/98	348.23	0.00	42.93	305.30	590	--	9.1	7.7	ND	1.1	ND	--
MW6 ^a	02/22/99	348.23	0.00	41.83	306.40	170	--	ND	4.4	ND	ND	ND	--
MW6 ^a	05/27/99	348.23	0.00	42.13	306.10	160	--	ND	3.7	ND	0.9	ND	--
MW6 ^a	09/16/99	348.23	0.00	44.27	303.96	70	--	ND	ND	ND	ND	ND	--
MW6 ^a	11/15/99	348.23	0.00	44.65	303.58	ND	--	ND	ND	ND	ND	ND	--
MW6 ^a	03/02/00	348.23	0.00	41.50	306.73	<50	--	<0.30	<0.30	<0.30	<0.60	<10	--
MW6 ^a	06/06/00	348.23	0.00	44.48	303.75	58	--	<1.0	1.8	<0.20	<0.60	<0.30	--
MW6 ^a	08/29/00	348.23	0.00	45.43	302.80	150	--	<0.30	4.1	<0.30	0.64	<10	--
MW6 ^a	11/07/00	348.23	0.00	44.05	304.18	<20	--	<0.20	<0.20	<0.20	<0.60	<0.30	--
MW6 ^a	01/30/01	348.23	0.00	45.12	303.11	30	--	<0.20	<0.20	<0.20	<0.60	<0.30	--
MW6 ^a	04/19/01	348.23	0.00	44.48	303.75	51	--	<0.20	0.32	0.66	1.2	<5.0	--
MW6 ^a	07/27/01	348.23	0.00	44.59	303.64	95	--	<1.0	<1.0	0.48	0.80	<1.0	--
MW6 ^a	10/19/01	348.23	0.00	45.19	303.04	<50	--	<0.20	<0.20	<0.20	<0.60	<0.30	--
MW6 ^a	01/15/02	350.90	0.00	43.74	307.16	287	--	17.9	4.40	18.5	61.7	2.00	<0.5
MW6 ^a	04/09/02	350.90	0.00	47.66	303.24	<50.0	--	<0.50	<0.50	<0.50	<0.50	<0.50	--
MW6 ^a	07/23/02	350.90	0.00	49.09	301.81	<50.0	--	<0.50	<0.50	<0.50	<0.50	<0.50	--
MW6 ^a	10/16/02	350.90	0.00	44.18	306.72	831	--	26.7	2.8	46.2	73.4	<0.5	--
MW6 ^a	01/09/03	350.90	0.00	42.09	308.81	<50.0	--	2.3	<0.50	<0.50	<0.50	--	<0.50
MW6 ^a	04/14/03	350.90	0.00	44.25	306.65	73.9	--	<0.50	<0.50	<0.50	<0.50	--	<0.50
MW6 ^a	07/09/03	350.90	0.00	43.94	306.96	138	--	0.70	1.3	0.5	1.3	2.0	<0.5
MW6 ^a	10/01/03	350.90	0.00	44.65	306.25	96.5	--	0.80	<0.5	<0.5	0.6	2.0	<0.5
MW6 ^a	01/19/04	350.90	0.00	44.81	306.09	<50	--	<0.5	<0.5	<0.5	<0.5	--	<0.5
MW6 ^a	04/01/04	350.90	0.00	44.40	306.50	<100	--	<1.0	1.9	<1.0	4.7	--	<0.5
MW6 ^a	07/07/04	350.90	0.00	44.65	306.25	<50	--	<0.5	<0.5	<0.5	<0.5	--	<0.5
MW6 ^a	10/12/04	350.90	0.00	45.33	305.57	<50	--	<0.5	2.4	<0.5	3.4	--	<0.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8020 or 8021)	MTBE (8260)
MW6 ^a	01/05/05	350.90	0.00	45.00	305.90	<50	--	<0.5	<0.5	<0.5	<0.5	--	<0.5
MW6^a	04/14/05	350.90	0.00	40.85	310.05	<50	--	<0.5	<0.5	<0.5	<0.5	--	<0.5
MW7	10/18/90	347.90	0.00	9.26	338.64	ND	ND	0	0.5	ND	0.8	--	--
MW7	08/06/91	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	01/08/92	347.90	0.00	23.79	324.11	220	--	7.8	1.7	ND	0.55	--	--
MW7	04/30/92	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	07/31/92	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	10/27/92	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	01/22/93	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	04/05/93	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	07/06/93	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	11/30/93	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	01/27/94	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	04/25/94	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	07/08/94	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	02/21/95	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	05/03/95	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	08/04/95	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	11/10/95	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	02/12/96	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	05/17/96	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	08/12/96	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	11/08/96	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	02/12/97	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	03/17/97	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	05/13/97	347.90	--	--	--	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8020 or 8021)	MTBE (8260)
MW7	08/12/97	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	10/31/97	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	01/21/98	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	04/24/98	347.90	0.00	24.44	323.46	--	--	--	--	--	--	--	--
MW7	07/20/98	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	10/21/98	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	02/22/99	347.90	0.00	23.69	324.21	--	--	--	--	--	--	--	--
MW7	05/27/99	347.90	0.00	23.67	324.23	--	--	--	--	--	--	--	--
MW7	09/16/99	347.90	0.00	23.19	324.71	--	--	--	--	--	--	--	--
MW7	11/15/99	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	03/02/00	347.90	0.00	18.10	329.80	--	--	--	--	--	--	--	--
MW7	06/06/00	347.90	0.00	24.19	323.71	--	--	--	--	--	--	--	--
MW7	08/29/00	347.90	0.00	19.40	328.50	--	--	--	--	--	--	--	--
MW7	11/07/00	347.90	0.00	20.20	327.70	--	--	--	--	--	--	--	--
MW7	01/30/01	347.90	0.00	18.77	329.13	--	--	--	--	--	--	--	--
MW7	04/19/01	347.90	0.00	17.26	330.64	--	--	--	--	--	--	--	--
MW7	07/27/01	347.90	0.00	18.98	328.92	--	--	--	--	--	--	--	--
MW7	10/19/01	347.90	0.00	17.27	330.63	--	--	--	--	--	--	--	--
MW7	01/15/02	350.47	0.00	17.21	333.26	--	--	--	--	--	--	--	--
MW7	04/09/02	350.47	0.00	15.46	335.01	--	--	--	--	--	--	--	--
MW7	07/23/02	350.47	0.00	18.40	332.07	--	--	--	--	--	--	--	--
MW7	10/16/02	350.47	0.00	19.23	331.24	--	--	--	--	--	--	--	--
MW7	01/09/03	350.47	0.00	18.68	331.79	--	--	--	--	--	--	--	--
MW7	04/14/03	350.47	0.00	12.93	337.54	--	--	--	--	--	--	--	--
MW7	07/09/03	350.47	0.00	15.68	334.79	--	--	--	--	--	--	--	--
MW7	10/01/03	350.47	0.00	13.04	337.43	--	--	--	--	--	--	--	--
MW7	01/19/04	350.47	0.00	11.65	338.82	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8020 or 8021)	MTBE (8260)
MW7	04/01/04	350.47	0.00	13.33	337.14	--	--	--	--	--	--	--	--
MW7	07/07/04	350.47	0.00	10.97	339.50	--	--	--	--	--	--	--	--
MW7	10/12/04	350.47	0.00	8.72	341.75	--	--	--	--	--	--	--	--
MW7	01/05/05	350.47	0.00	8.19	342.28	--	--	--	--	--	--	--	--
MW7	04/14/05	350.47	0.00	7.50	342.97	--	--	--	--	--	--	--	--
MW8	10/18/90	348.90	0.00	11.30	337.60	900	ND	3	5	7	62	--	--
MW8	08/06/91	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	01/08/92	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	04/30/92	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	07/31/92	348.90	0.00	12.04	336.86	270 ^c	--	ND	ND	ND	1.3	--	--
MW8	10/27/92	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	01/22/93	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	04/05/93	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	07/06/93	348.90	0.00	7.48	341.42	ND	--	ND	ND	ND	ND	--	--
MW8	11/30/93	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	01/27/94	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	04/25/94	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	07/08/94	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	10/05/94	348.90	--	--	--	--	--	--	--	--	--	--	--
MW8	02/21/95	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	05/03/95	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	08/04/95	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	11/10/95	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	02/12/96	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	05/17/96	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	08/12/96	348.90	--	Dry	--	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8020 or 8021)	MTBE (8260)
MW8	11/08/96	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	02/12/97	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	03/17/97	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	05/13/97	348.90	--	--	--	--	--	--	--	--	--	--	--
MW8	08/12/97	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	10/31/97	348.90	0.00	18.88	330.02	--	--	--	--	--	--	--	--
MW8	01/21/98	348.90	0.00	19.50	329.40	--	--	--	--	--	--	--	--
MW8	04/24/98	348.90	0.00	18.53	330.37	--	--	--	--	--	--	--	--
MW8	07/20/98	348.90	0.00	19.22	329.68	--	--	--	--	--	--	--	--
MW8	10/21/98	348.90	0.00	20.19	328.71	--	--	--	--	--	--	--	--
MW8	02/22/99	348.90	0.00	20.64	328.26	--	--	--	--	--	--	--	--
MW8	05/27/99	348.90	0.00	20.53	328.37	--	--	--	--	--	--	--	--
MW8	09/16/99	348.90	0.00	18.10	330.80	--	--	--	--	--	--	--	--
MW8	11/15/99	348.90	0.00	19.52	329.38	--	--	--	--	--	--	--	--
MW8	03/02/00	348.90	0.00	17.42	331.48	--	--	--	--	--	--	--	--
MW8	06/06/00	348.90	0.00	18.02	330.88	--	--	--	--	--	--	--	--
MW8	08/29/00	348.90	0.00	16.90	332.00	--	--	--	--	--	--	--	--
MW8	11/07/00	348.90	0.00	17.45	331.45	--	--	--	--	--	--	--	--
MW8	01/30/01	348.90	0.00	16.61	332.29	--	--	--	--	--	--	--	--
MW8	04/19/01	348.90	0.00	16.81	332.09	--	--	--	--	--	--	--	--
MW8	07/27/01	348.90	0.00	16.61	332.29	--	--	--	--	--	--	--	--
MW8	10/19/01	348.90	0.00	16.69	332.21	--	--	--	--	--	--	--	--
MW8	01/15/02	351.45	0.00	16.75	334.70	--	--	--	--	--	--	--	--
MW8	04/09/02	351.45	0.00	15.63	335.82	--	--	--	--	--	--	--	--
MW8	07/23/02	351.45	0.00	17.86	333.59	--	--	--	--	--	--	--	--
MW8	10/16/02	351.45	0.00	18.58	332.87	--	--	--	--	--	--	--	--
MW8	01/09/03	351.45	0.00	17.70	333.75	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8020 or 8021)	MTBE (8260)
MW8	04/14/03	351.45	0.00	14.87	336.58	--	--	--	--	--	--	--	--
MW8	07/09/03	351.45		Well not located		--	--	--	--	--	--	--	--
MW8	10/01/03	351.45		Well not located		--	--	--	--	--	--	--	--
MW8	01/19/04	351.45	0.00	13.90	337.55	--	--	--	--	--	--	--	--
MW8	04/01/04	351.45	0.00	13.62	337.83	--	--	--	--	--	--	--	--
MW8	07/07/04	351.45	0.00	12.40	339.05	--	--	--	--	--	--	--	--
MW8	10/12/04	351.45	0.00	10.99	340.46	--	--	--	--	--	--	--	--
MW8	01/05/05	351.45	0.00	10.81	340.64	--	--	--	--	--	--	--	--
MW8	04/14/05	351.45	0.00	10.20	341.25	--	--	--	--	--	--	--	--
MW9	02/04/92	348.53	0.00	43.54	304.99	16,000	--	3,000	740	1,200	2,500	--	--
MW9	04/30/92	348.53	0.00	42.83	305.70	5,600	--	1,000	120	410	350	--	--
MW9	07/31/92	348.53	0.00	47.36	301.17	93	--	1,800	1,900	620	940	--	--
MW9	10/27/92	348.53	0.00	48.32	300.21	13,000	--	2,400	1,600	680	1,100	--	--
MW9	01/22/93	348.53	0.00	39.11	309.42	5,600	--	1,200	200	510	350	--	--
MW9	04/05/93	348.53	0.00	37.10	311.43	7,900	--	1,300	510	620	670	--	--
MW9	07/06/93	348.53	0.00	39.21	309.32	3,200	--	510	46	170	150	--	--
MW9	11/30/93	348.53	0.00	40.58	307.95	2,800	--	610	28	220	65	--	--
MW9	01/27/94	348.53	0.00	44.32	304.21	11,000	--	1,400	130	230	700	--	--
MW9	04/25/94	348.53	0.00	43.05	305.48	--	--	--	--	--	--	--	--
MW9	04/26/94	348.53	--	--	--	3,900	--	460	56	160	220	--	--
MW9	07/08/94	348.53	0.00	45.72	302.81	2,600	--	340	82	96	220	--	--
Well destroyed													
MW10	11/30/93	347.95	0.00	37.97	309.98	ND	--	ND	ND	ND	ND	--	--
MW10	01/27/94	347.95	0.00	42.16	305.79	ND	--	ND	ND	ND	1.2	--	--
MW10	04/25/94	347.95	0.00	40.39	307.56	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes		
MW10	04/26/94	347.95	--	--	--	810	--	17	0.84	ND	ND	--	--
MW10	07/08/94	347.95	0.00	41.45	306.50	110	--	18	12	3.7	14	--	--
MW10	10/05/94	347.95	0.00	42.28	305.67	87	--	8.0	5.0	0.85	4.5	--	--
MW10	02/21/95	347.95	0.00	35.14	312.81	70	--	3.6	12	1.8	9.5	--	--
MW10	05/03/95	347.95	0.00	35.07	312.88	ND	--	ND	ND	ND	ND	--	--
MW10	08/04/95	347.95	0.00	37.42	310.53	ND	--	ND	ND	ND	ND	ND	--
MW10	11/10/95	347.95	0.00	39.95	308.00	ND	--	ND	ND	ND	ND	--	--
MW10	02/12/96	347.95	0.00	36.57	311.38	ND	--	ND	1.9	ND	1.2	1.2	--
MW10	05/17/96	347.95	0.00	36.18	311.77	ND	--	ND	ND	ND	ND	ND	--
MW10	08/12/96	347.95	0.00	38.76	309.19	ND	--	ND	ND	ND	ND	ND	--
MW10	11/08/96	347.95	0.00	40.35	307.60	ND	--	ND	ND	ND	ND	ND	--
MW10	02/12/97	347.95	0.00	34.62	313.33	--	--	--	--	--	--	--	--
MW10 ^a	03/17/97	347.95	0.00	37.40	310.55	ND	--	ND	ND	ND	ND	ND	--
MW10 ^a	05/13/97	347.95	0.00	38.08	309.87	ND	--	ND	ND	ND	ND	ND	--
MW10 ^a	08/12/97	347.95	0.00	40.97	306.98	ND	--	ND	ND	ND	ND	ND	--
MW10 ^a	10/31/97	347.95	0.00	41.29	306.66	ND	--	ND	ND	ND	ND	ND	--
MW10 ^a	01/21/98	347.95	0.00	41.88	306.07	ND	--	ND	ND	ND	ND	ND	--
MW10 ^a	04/24/98	347.95	0.00	37.06	310.89	ND	--	ND	ND	ND	ND	ND	--
MW10 ^a	07/20/98	347.95	0.00	39.62	308.33	ND	--	ND	ND	ND	ND	ND	--
MW10 ^a	10/21/98	347.95	0.00	42.39	305.56	ND	--	ND	ND	ND	ND	ND	--
MW10	02/22/99	347.95	0.00	41.51	306.44	--	--	--	--	--	--	--	--
MW10	05/27/99	347.95	0.00	41.78	306.17	--	--	--	--	--	--	--	--
MW10	09/16/99	347.95	0.00	43.82	304.13	--	--	--	--	--	--	--	--
MW10	11/15/99	347.95	0.00	42.35	305.60	--	--	--	--	--	--	--	--
MW10	03/02/00	347.95	0.00	41.20	306.75	--	--	--	--	--	--	--	--
MW10	06/06/00	347.95	0.00	43.15	304.80	--	--	--	--	--	--	--	--
MW10	08/29/00	347.95	0.00	45.17	302.78	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8020 or 8021)	MTBE (8260)
MW10	11/07/00	347.95	0.00	43.71	304.24	--	--	--	--	--	--	--	--
MW10 ^a	01/30/01	347.95	0.00	44.77	303.18	<20	--	<0.20	<0.20	<0.20	<0.60	<0.30	--
MW10	04/19/01	347.95	0.00	44.16	303.79	--	--	--	--	--	--	--	--
MW10	07/27/01	347.95	0.00	44.26	303.69	--	--	--	--	--	--	--	--
MW10	10/19/01	347.95	0.00	44.84	303.11	--	--	--	--	--	--	--	--
MW10 ^a	01/15/02	350.60	0.00	43.40	307.20	<50.0	--	<0.50	<0.50	<0.50	<0.50	<0.50	--
MW10	04/09/02	350.60	0.00	45.56	305.04	--	--	--	--	--	--	--	--
MW10	07/23/02	350.60	0.00	46.21	304.39	--	--	--	--	--	--	--	--
MW10	10/16/02	350.60	0.00	43.80	306.80	--	--	--	--	--	--	--	--
MW10	01/09/03	350.60	0.00	41.71	308.89	<50.0	--	<0.50	<0.50	<0.50	<0.50	--	0.60
MW10	04/14/03	350.60	0.00	43.91	306.69	--	--	--	--	--	--	--	--
MW10	07/09/03	350.60	0.00	43.61	306.99	--	--	--	--	--	--	--	--
MW10	10/01/03	350.60	0.00	44.34	306.26	--	--	--	--	--	--	--	--
MW10 ^a	01/19/04	350.60	0.00	44.50	306.10	<50	--	<0.5	<0.5	<0.5	<0.5	--	<0.5
MW10	04/01/04	350.60	0.00	44.07	306.53	--	--	--	--	--	--	--	--
MW10	07/07/04	350.60	0.00	44.35	306.25	--	--	--	--	--	--	--	--
MW10	10/12/04	350.60	0.00	45.04	305.56	--	--	--	--	--	--	--	--
MW10	01/05/05	350.60	0.00	44.66	305.94	<50	--	<0.5	<0.5	<0.5	<0.5	--	<0.5
MW10	04/14/05	350.60	0.00	40.51	310.09	--	--	--	--	--	--	--	--
MW11	11/30/93	347.56	0.00	38.41	309.15	ND	--	ND	ND	ND	1.6	--	--
MW11	01/27/94	347.56	0.00	38.02	309.54	ND	--	ND	ND	ND	ND	--	--
MW11	04/25/94	347.56	0.00	38.77	308.79	--	--	--	--	--	--	--	--
MW11	04/26/94	347.56	--	--	--	ND	--	ND	ND	ND	1.7	--	--
MW11	07/08/94	347.56	0.00	41.70	305.86	120	--	23	18	4.0	15	--	--
MW11	10/05/94	347.56	0.00	44.49	303.07	130	--	12	19	4.6	24	--	--
MW11	02/21/95	347.56	0.00	41.74	305.82	300	--	27	64	7.3	36	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8020 or 8021)	MTBE (8260)
MW11	05/03/95	347.56	0.00	34.64	312.92	ND	--	ND	ND	ND	ND	--	--
MW11	08/04/95	347.56	0.00	35.28	312.28	ND	--	ND	ND	ND	ND	ND	--
MW11	11/10/95	347.56	0.00	36.85	310.71	ND	--	ND	0.88	ND	0.88	--	--
MW11	02/12/96	347.56	0.00	36.18	311.38	ND	--	ND	1.7	ND	1.2	1.3	--
MW11	05/17/96	347.56	0.00	34.39	313.17	ND	--	ND	ND	ND	ND	ND	--
MW11	08/12/96	347.56	0.00	35.64	311.92	ND	--	ND	ND	ND	ND	ND	--
MW11	11/08/96	347.56	0.00	37.34	310.22	ND	--	ND	ND	ND	0.81	ND	--
MW11	02/12/97	347.56	0.00	35.37	312.19	--	--	--	--	--	--	--	--
MW11 ^a	03/17/97	347.56	0.00	35.11	312.45	ND	--	ND	ND	ND	ND	ND	--
MW11 ^a	05/13/97	347.56	0.00	36.19	311.37	ND	--	ND	ND	ND	ND	ND	--
MW11 ^a	08/12/97	347.56	0.00	37.73	309.83	ND	--	ND	ND	ND	ND	ND	--
MW11 ^a	10/31/97	347.56	0.00	40.48	307.08	ND	--	ND	ND	ND	ND	ND	--
MW11 ^a	01/21/98	347.56	0.00	38.28	309.28	ND	--	ND	ND	ND	ND	ND	--
MW11 ^a	04/24/98	347.56	0.00	34.50	313.06	ND	--	ND	ND	ND	ND	ND	--
MW11 ^a	07/20/98	347.56	0.00	40.21	307.35	ND	--	ND	ND	ND	ND	ND	--
MW11 ^a	10/21/98	347.56	0.00	43.07	304.49	ND	--	ND	ND	ND	ND	ND	--
MW11	02/22/99	347.56	0.00	42.32	305.24	--	--	--	--	--	--	--	--
MW11	05/27/99	347.56	0.00	42.27	305.29	--	--	--	--	--	--	--	--
MW11	09/16/99	347.56	0.00	43.91	303.65	--	--	--	--	--	--	--	--
MW11 ^c	11/15/99	347.56	--	--	--	--	--	--	--	--	--	--	--
MW11	03/02/00	347.56	--	Dry	--	--	--	--	--	--	--	--	--
MW11	06/06/00	347.56	0.00	44.06	303.50	--	--	--	--	--	--	--	--
MW11 ^c	08/29/00	347.56	--	--	--	--	--	--	--	--	--	--	--
MW11 ^c	11/07/00	347.56	--	--	--	--	--	--	--	--	--	--	--
MW11 ^c	01/30/01	347.56	--	--	--	--	--	--	--	--	--	--	--
MW11	02/16/01	347.56	--	--	--	<20	--	<0.20	<0.20	<0.20	<0.60	<0.30	--
MW11	04/19/01	347.56	0.00	39.14	308.42	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes		
MW11 ^a	07/27/01	347.56	0.00	43.82	303.74	<50	--	<0.20	<0.20	<0.20	<0.60	<0.30	--
MW11	10/19/01	347.56	0.00	43.18	304.38	--	--	--	--	--	--	--	--
MW11 ^a	01/15/02	350.16	0.00	37.10	313.06	<50.0	--	<0.50	<0.50	<0.50	<0.50	<0.50	--
MW11	04/09/02	350.16	0.00	43.80	306.36	--	--	--	--	--	--	--	--
MW11 ^a	07/23/02	350.16	0.00	43.88	306.28	<50.0	--	<0.50	<0.50	<0.50	<0.50	<0.50	--
MW11	10/16/02	350.16	0.00	43.87	306.29	--	--	--	--	--	--	--	--
MW11 ^a	01/09/03	350.16	0.00	36.13	314.03	<50.0	--	<0.50	<0.50	<0.50	<0.50	--	<0.50
MW11	04/14/03	350.16	0.00	38.41	311.75	--	--	--	--	--	--	--	--
MW11 ^a	07/09/03	350.16	0.00	42.84	307.32	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW11	10/01/03	350.16	0.00	43.85	306.31	--	--	--	--	--	--	--	--
MW11 ^a	01/19/04	350.16	0.00	38.42	311.74	<50	--	<0.5	<0.5	<0.5	<0.5	--	<0.5
MW11	04/01/04	350.16	0.00	42.32	307.84	--	--	--	--	--	--	--	--
MW11 ^a	07/07/04	350.16	0.00	43.70	306.46	<50	--	<0.5	<0.5	<0.5	<0.5	--	<0.5
MW11	10/12/04	350.16	0.00	43.79	306.37	--	--	--	--	--	--	--	--
MW11	01/05/05	350.16	0.00	41.98	308.18	<50	--	<0.5	<0.5	<0.5	<0.5	--	<0.5
MW11	04/14/05	350.16	0.00	35.13	315.03	--	--	--	--	--	--	--	--
MW12	11/30/93	347.15	0.00	37.97	309.18	55	--	1.8	4.3	2.5	11	--	--
MW12	01/27/94	347.15	0.00	44.02	303.13	ND	--	ND	ND	ND	ND	--	--
MW12	04/25/94	347.15	0.00	42.27	304.88	--	--	--	--	--	--	--	--
MW12	04/26/94	347.15	--	--	--	ND	--	ND	ND	ND	1.4	--	--
MW12	07/08/94	347.15	0.00	43.26	303.89	53	--	8.4	7.4	1.9	7.1	--	--
MW12	10/05/94	347.15	0.00	44.32	302.83	350	--	27	56	13	67	--	--
MW12	02/21/95	347.15	0.00	37.83	309.32	ND	--	4.0	4.0	0.77	3.6	--	--
MW12	05/03/95	347.15	0.00	37.24	309.91	ND	--	ND	ND	ND	ND	--	--
MW12	08/04/95	347.15	0.00	39.07	308.08	ND	--	ND	ND	ND	ND	ND	--
MW12	11/10/95	347.15	0.00	41.24	305.91	ND	--	ND	ND	ND	ND	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8020 or 8021)	MTBE (8260)
MW12	02/12/96	347.15	0.00	38.19	308.96	ND	--	ND	2.1	ND	1.3	2.5	--
MW12 ^c	05/17/96	347.15	--	--	--	--	--	--	--	--	--	--	--
MW12	08/12/96	347.15	0.00	40.32	306.83	ND	--	ND	ND	ND	ND	ND	--
MW12	11/08/96	347.15	0.00	41.32	305.83	ND	--	ND	ND	ND	ND	ND	--
MW12	02/12/97	347.15	0.00	35.98	311.17	--	--	--	--	--	--	--	--
MW12 ^a	03/17/97	347.15	0.00	38.67	308.48	ND	--	ND	ND	ND	ND	ND	--
MW12 ^a	05/13/97	347.15	0.00	39.68	307.47	ND	--	ND	ND	ND	ND	ND	--
MW12 ^a	08/12/97	347.15	0.00	42.81	304.34	ND	--	ND	ND	ND	ND	ND	--
MW12 ^a	10/31/97	347.15	0.00	43.28	303.87	ND	--	ND	ND	ND	ND	ND	--
MW12 ^a	01/21/98	347.15	0.00	43.10	304.05	ND	--	ND	ND	ND	ND	ND	--
MW12 ^a	04/24/98	347.15	0.00	38.23	308.92	ND	--	ND	ND	ND	ND	ND	--
MW12 ^a	07/20/98	347.15	0.00	41.09	306.06	ND	--	ND	ND	ND	ND	ND	--
MW12 ^a	10/21/98	347.15	0.00	44.23	302.92	ND	--	ND	ND	ND	ND	ND	--
MW12 ^c	02/22/99	347.15	0.00	--	--	--	--	--	--	--	--	--	--
MW12	05/27/99	347.15	0.00	43.18	303.97	--	--	--	--	--	--	--	--
MW12	09/16/99	347.15	0.00	46.29	300.86	--	--	--	--	--	--	--	--
MW12 ^c	11/15/99	347.15	0.00	--	--	--	--	--	--	--	--	--	--
MW12 ^a	03/02/00	347.15	0.00	43.93	303.22	<50	--	<0.30	<0.30	<0.30	<0.60	<10	--
MW12	06/06/00	347.15	0.00	44.93	302.22	--	--	--	--	--	--	--	--
MW12	08/29/00	347.15	0.00	48.06	299.09	--	--	--	--	--	--	--	--
MW12	11/07/00	347.15	0.00	47.77	299.38	--	--	--	--	--	--	--	--
MW12 ^a	01/30/01	347.15	0.00	48.85	298.30	<20	--	<0.20	<0.20	<0.20	<0.60	<0.30	--
MW12	04/19/01	347.15	0.00	47.09	300.06	--	--	--	--	--	--	--	--
MW12	07/27/01	347.15	0.00	47.52	299.63	--	--	--	--	--	--	--	--
MW12	10/19/01	347.15	0.00	48.22	298.93	--	--	--	--	--	--	--	--
MW12 ^a	01/15/02	349.74	0.00	46.69	303.05	<50.0	--	<0.50	<0.50	<0.50	<0.50	<0.50	--
MW12	04/09/02	349.74	0.00	48.78	300.96	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8020 or 8021)	MTBE (8260)
MW12	07/23/02	349.74	0.00	49.42	300.32	--	--	--	--	--	--	--	--
MW12	10/16/02	349.74	0.00	47.24	302.50	--	--	--	--	--	--	--	--
MW12 ^a	01/09/03	349.74	0.00	44.99	304.75	<50.0	--	<0.50	<0.50	<0.50	<0.50	--	<0.50
MW12	04/14/03	349.74	0.00	46.37	303.37	--	--	--	--	--	--	--	--
MW12	07/09/03	349.74	0.00	45.91	303.83	--	--	--	--	--	--	--	--
MW12	10/01/03	349.74	0.00	46.91	302.83	--	--	--	--	--	--	--	--
MW12 ^a	01/19/04	349.74	0.00	46.77	302.97	<50	--	<0.5	<0.5	<0.5	<0.5	--	<0.5
MW12	04/01/04	349.74	0.00	46.20	303.54	--	--	--	--	--	--	--	--
MW12	07/07/04	349.74	0.00	46.58	303.16	--	--	--	--	--	--	--	--
MW12	10/12/04	349.74	0.00	47.73	302.01	--	--	--	--	--	--	--	--
MW12	01/05/05	349.74	0.00	47.39	302.35	<50	--	<0.5	<0.5	<0.5	<0.5	--	<0.5
MW12	04/14/05	349.74	0.00	42.61	307.13	--	--	--	--	--	--	--	--
VMW1	11/30/93	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	01/27/94	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	04/25/94	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	07/08/94	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	10/05/94	348.05	--	--	--	--	--	--	--	--	--	--	--
VMW1	02/21/95	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	05/03/95	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	08/04/95	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	11/10/95	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	02/12/96	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	05/17/96	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	08/12/96	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	11/08/96	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	02/12/97	348.05	0.00	30.60	--	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8020 or 8021)	MTBE (8260)
VMW1	03/17/97	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	05/13/97	348.05	--	--	--	--	--	--	--	--	--	--	--
VMW1	08/12/97	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	10/31/97	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	01/21/98	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	04/24/98	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	07/20/98	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	10/21/98	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	02/22/99	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	05/27/99	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	09/16/99	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	11/15/99	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	03/02/00	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	06/06/00	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	08/29/00	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	11/07/00	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	01/30/01	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	04/19/01	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	07/27/01	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	10/19/01	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	01/15/02	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	04/09/02	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	07/23/02	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	10/16/02	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	01/09/03	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	04/14/03	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	07/09/03	350.58	--	Dry	--	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8020 or 8021)	MTBE (8260)
VMW1	10/01/03	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	01/19/04	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	04/01/04	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	07/07/04	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	10/12/04	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	01/05/05	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	04/14/05	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	11/30/93	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	01/27/94	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	04/25/94	347.90	0.00	33.82	314.08	--	--	--	--	--	--	--	--
VMW2	07/08/94	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	02/21/95	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	05/03/95	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	08/04/95	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	11/10/95	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	02/12/96	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	05/17/96	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	08/12/96	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	11/08/96	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	02/12/97	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	03/17/97	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	05/13/97	347.90	--	--	--	--	--	--	--	--	--	--	--
VMW2	08/12/97	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	10/31/97	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	01/21/98	347.90	0.00	27.85	320.05	--	--	--	--	--	--	--	--
VMW2	04/24/98	347.90	--	Dry	--	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8020 or 8021)	MTBE (8260)
VMW2	07/20/98	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	10/21/98	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	02/22/99	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	05/27/99	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	09/16/99	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	11/15/99	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2 ^c	03/02/00	347.90	--	--	--	--	--	--	--	--	--	--	--
VMW2	06/06/00	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	08/29/00	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	11/07/00	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	01/30/01	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	04/19/01	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	07/27/01	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	10/19/01	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	01/15/02	350.42	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	04/09/02	350.42	0.00	25.78	324.64	--	--	--	--	--	--	--	--
VMW2	07/23/02	350.42	0.00	27.21	323.21	--	--	--	--	--	--	--	--
VMW2	10/16/02	350.42	0.00	26.75	323.67	--	--	--	--	--	--	--	--
VMW2	01/09/02	350.42	0.00	26.26	324.16	--	--	--	--	--	--	--	--
VMW2	04/14/03	350.42	0.00	25.44	324.98	--	--	--	--	--	--	--	--
VMW2	07/09/03	350.42	0.00	25.54	324.88	--	--	--	--	--	--	--	--
VMW2	10/01/03	350.42	0.00	25.29	325.13	--	--	--	--	--	--	--	--
VMW2	01/19/04	350.42	0.00	23.42	327.00	--	--	--	--	--	--	--	--
VMW2	04/01/04	350.42	0.00	22.78	327.64	--	--	--	--	--	--	--	--
VMW2	07/07/04	350.42	0.00	21.92	328.50	--	--	--	--	--	--	--	--
VMW2	10/12/04	350.42	0.00	21.38	329.04	--	--	--	--	--	--	--	--
VMW2	01/05/05	350.42	0.00	20.68	329.74	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8020 or 8021)	MTBE (8260)
VMW2	04/14/05	350.42	0.00	19.61	330.81	--	--	--	--	--	--	--	--
VMW3	11/30/93	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	01/27/94	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	04/25/94	348.10	Trace	31.23	316.87	--	--	--	--	--	--	--	--
VMW3	07/08/94	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	02/21/95	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	05/03/95	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	08/04/95	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	11/10/95	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	02/12/96	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	05/17/96	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	08/12/96	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	11/08/96	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	02/12/97	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	03/17/97	348.10	0.00	31.29	316.81	--	--	--	--	--	--	--	--
VMW3	05/13/97	348.10	--	--	--	--	--	--	--	--	--	--	--
VMW3	08/12/97	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	10/31/97	348.10	0.00	31.21	316.89	--	--	--	--	--	--	--	--
VMW3	01/21/98	348.10	0.00	31.25	316.85	--	--	--	--	--	--	--	--
VMW3	04/24/98	348.10	0.00	31.21	316.89	--	--	--	--	--	--	--	--
VMW3	07/20/98	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	10/21/98	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	02/22/99	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	05/27/99	348.10	0.00	36.14	311.96	--	--	--	--	--	--	--	--
VMW3	09/16/99	348.10	0.00	31.32	316.78	--	--	--	--	--	--	--	--
VMW3	11/15/99	348.10	0.00	31.21	316.89	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8020 or 8021)	MTBE (8260)
VMW3	03/02/00	348.10	0.00	31.14	316.96	--	--	--	--	--	--	--	--
VMW3	06/06/00	348.10	0.00	31.18	316.92	--	--	--	--	--	--	--	--
VMW3	08/29/00	348.10	0.00	31.20	316.90	--	--	--	--	--	--	--	--
VMW3	11/07/00	348.10	0.00	31.20	316.90	--	--	--	--	--	--	--	--
VMW3	01/30/01	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	04/19/01	348.10	0.00	31.16	316.94	--	--	--	--	--	--	--	--
VMW3	07/27/01	348.10	0.00	31.29	316.81	--	--	--	--	--	--	--	--
VMW3	10/19/01	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	01/15/02	350.77	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	04/09/02	350.77	0.00	30.79	319.98	--	--	--	--	--	--	--	--
VMW3	07/23/02	350.77	0.00	31.21	319.56	--	--	--	--	--	--	--	--
VMW3	10/16/02	350.77	0.00	31.19	319.58	--	--	--	--	--	--	--	--
VMW3	01/09/03	350.77	0.00	31.20	319.57	--	--	--	--	--	--	--	--
VMW3	04/14/03	350.77	0.00	30.10	320.67	--	--	--	--	--	--	--	--
VMW3	07/09/03	350.77	0.00	30.62	320.15	--	--	--	--	--	--	--	--
VMW3	10/01/03	350.77	0.00	29.78	320.99	--	--	--	--	--	--	--	--
VMW3	01/19/04	350.77	0.00	29.60	321.17	--	--	--	--	--	--	--	--
VMW3	04/01/04	350.77	0.00	29.62	321.15	--	--	--	--	--	--	--	--
VMW3	07/07/04	350.77	0.00	28.84	321.93	--	--	--	--	--	--	--	--
VMW3	10/12/04	350.77	0.00	27.57	323.20	--	--	--	--	--	--	--	--
VMW3	01/05/05	350.77	0.00	25.81	324.96	--	--	--	--	--	--	--	--
VMW3	04/14/05	350.77	0.00	21.51	329.26	--	--	--	--	--	--	--	--
VMW4	11/30/93	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	01/27/94	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	04/25/94	347.95	--	31.41	316.54	--	--	--	--	--	--	--	--
VMW4	07/08/94	347.95	--	Dry	--	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8020 or 8021)	MTBE (8260)
VMW4	02/21/95	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	05/03/95	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	08/04/95	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	11/10/95	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	02/12/96	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	05/17/96	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	08/12/96	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	11/08/96	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	02/12/97	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	03/17/97	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	05/13/97	347.95	--	--	--	--	--	--	--	--	--	--	--
VMW4	08/12/97	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	10/31/97	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	01/21/98	347.95	0.00	10.95	337.00	--	--	--	--	--	--	--	--
VMW4	04/24/98	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	07/20/98	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	10/21/98	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	02/22/99	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	05/27/99	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	09/16/99	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	11/15/99	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	03/02/00	347.95	0.00	10.13	337.82	--	--	--	--	--	--	--	--
VMW4	06/06/00	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	08/29/00	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	11/07/00	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	01/30/01	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	04/19/01	347.95	--	Dry	--	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8020 or 8021)	MTBE (8260)
VMW4	07/27/01	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	10/19/01	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	01/15/02	350.32	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	04/09/02	350.32	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	07/23/02	350.32	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	10/16/02	350.32	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	01/09/03	350.32	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	04/14/03	350.32	--	9.60	340.72	--	--	--	--	--	--	--	--
VMW4	07/09/03	350.32	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	10/01/03	350.32	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	01/19/04	350.32	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	04/01/04	350.32	0.00	12.63	337.69	--	--	--	--	--	--	--	--
VMW4	07/07/04	350.32	0.00	10.10	340.22	--	--	--	--	--	--	--	--
VMW4	10/12/04	350.32	0.00	8.83	341.49	--	--	--	--	--	--	--	--
VMW4	01/05/05	350.32	0.00	8.24	342.08	--	--	--	--	--	--	--	--
VMW4	04/14/05	350.32	0.00	8.40	341.92	--	--	--	--	--	--	--	--
RW1	11/30/93	347.89	Trace	37.75	310.14	--	--	--	--	--	--	--	--
RW1	01/27/94	347.89	Trace	42.00	305.89	--	--	--	--	--	--	--	--
RW1	04/25/94	347.89	0.02	40.24	307.67	--	--	--	--	--	--	--	--
RW1	07/08/94	347.89	0.15	41.41	306.59	--	--	--	--	--	--	--	--
RW1	10/05/94	347.89	Trace	42.18	305.71	--	--	--	--	--	--	--	--
RW1	02/21/95	347.89	Trace	34.94	312.95	110,000	--	16,000	29,000	2,200	14,000	--	--
RW1	05/03/95	347.89	0.01	34.83	313.07	--	--	--	--	--	--	--	--
RW1	08/04/95	347.89	Trace	37.11	310.78	--	--	--	--	--	--	--	--
RW1	11/10/95	347.89	0.02	39.74	308.17	--	--	--	--	--	--	--	--
RW1	02/12/96	347.89	0.00	47.29	300.60	41,000	--	4,400	12,000	960	6,900	120	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8020 or 8021)	MTBE (8260)
RW1	05/17/96	347.89	0.00	47.53	300.36	81,000	--	2,700	8,600	1,100	6,300	ND	--
RW1	08/12/96	347.89	0.00	39.75	308.14	140,000	--	12,000	25,000	2,200	15,000	ND	--
RW1	11/08/96	347.89	--	--	--	81,000	--	5,300	11,000	1,300	8,900	ND	--
RW1	02/12/97	347.89	0.00	46.50	301.39	--	--	--	--	--	--	--	--
RW1 ^a	03/17/97	347.89	0.00	49.30	298.59	38,000	--	3,600	12,000	710	7,400	ND	--
RW1 ^a	05/13/97	347.89	0.00	37.86	310.03	130,000	--	7,300	20,000	1,500	12,000	ND	--
RW1 ^a	08/12/97	347.89	0.00	40.77	307.12	72,000	--	9,200	19,000	1,300	7,000	1,000	ND
RW1 ^a	10/31/97	347.89	0.00	47.54	300.35	45,000	--	4,500	11,000	530	6,800	630	ND
RW1 ^a	01/21/98	347.89	0.00	46.71	301.18	23,000	--	570	1,300	120	2,500	ND	ND
RW1 ^a	04/24/98	347.89	0.00	--	--	28,000	--	1,300	3,400	250	4,000	ND	--
RW1 ^a	07/20/98	347.89	0.00	45.54	302.35	21,000	--	1,400	3,500	530	2,700	ND	ND
RW1 ^a	10/21/98	347.89	0.00	42.41	305.48	35,000	--	3,500	5,700	660	4,100	ND	25
RW1 ^a	02/22/99	347.89	0.00	41.25	306.64	28,000	--	1,100	1,700	220	3,000	ND	ND
RW1 ^a	05/27/99	347.89	0.00	41.39	306.50	23,000	--	1,400	1,800	320	3,000	ND	--
RW1 ^a	09/16/99	347.89	0.00	44.23	303.66	34,000	--	910	5,000	1,000	3,800	ND	--
RW1 ^a	11/15/99	347.89	0.00	43.28	304.61	11,000	--	66	98	29	1,000	34	--
RW1 ^a	03/02/00	347.89	0.00	41.02	306.87	26,000	--	870	1,500	490	3,000	120	<10
RW1	06/06/00	347.89	--	Dry	--	--	--	--	--	--	--	--	--
RW1 ^a	08/29/00	347.89	0.00	45.10	302.79	11,000	--	480	250	380	720	<10	--
RW1 ^a	11/07/00	347.89	0.00	43.63	304.26	16,000	--	590	230	350	980	<100	--
RW1 ^a	01/30/01	347.89	0.00	44.81	303.08	9,900	--	390	89	340	240	<100	--
RW1 ^a	04/19/01	347.89	0.00	44.02	303.87	10,000	--	600	130	350	440	<100	<7
RW1 ^a	07/27/01	347.89	0.00	44.15	303.74	11,000	--	640	200	280	640	<5.0	--
RW1 ^a	10/19/01	347.89	0.00	44.72	303.17	12,000	--	810	130	500	580	<5.0	5
RW1 ^a	01/15/02	350.43	0.00	43.25	307.18	16,100	--	1,020	290	572	964	124	6.9
RW1 ^a	04/09/02	350.43	0.00	45.44	304.99	10,100	--	786	102	523	366	79.0	--
RW1 ^a	07/23/02	350.43	0.00	45.98	304.45	9,300	--	974	93	573	390	57.0	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8020 or 8021)	MTBE (8260)
RW1 ^a	10/16/02	350.43	0.00	43.73	306.70	10,700	--	971	150	490	653	<5.0	--
RW1 ^a	01/09/03	350.43	0.00	41.57	308.86	16,000	--	990	298	510	1,130	--	6.60
RW1 ^a	04/14/03	350.43	0.00	43.87	306.56	10,700	--	1,250	103	598	815	--	4.60
RW1 ^a	07/09/03	350.43	0.00	43.40	307.03	11,100	--	1,390	109	660	820	53.3	4.20
RW1 ^a	10/01/03	350.43	0.00	44.19	306.24	10,600	--	1,440	54.0	582	490	78.0	3.20
RW1 ^a	01/19/04	350.43	0.00	44.33	306.10	6,860	--	722	27.3	168	199	--	3.20
RW1 ^a	04/01/04	350.43	0.00	43.90	306.53	6,450	--	760	37.7	180	130	--	2.40
RW1 ^a	07/07/04	350.43	0.00	44.25	306.18	4,760	--	663	51.1	180	183	--	2.60
RW1 ^a	10/12/04	350.43	0.00	44.75	305.68	6,670	--	691	30.0	139	158	--	<0.5
RW1 ^a	01/05/05	350.43	0.00	44.57	305.86	5,750	--	299	29.7	107	81.3	--	0.90
RW1^a	04/14/05	350.43	0.00	40.10	310.33	7,520	--	99.7	134	187	600	--	<0.5
RW2	10/05/94	347.82	0.00	43.33	304.49	41,000	--	6,500	6,300	1,000	5,400	--	--
RW2	02/21/95	347.82	0.00	35.05	312.77	45,000	--	6,200	2,600	1,400	5,600	--	--
RW2	05/03/95	347.82	0.00	35.11	312.71	30,000	--	3,600	2,000	1,000	5,700	--	--
RW2	08/04/95	347.82	0.00	37.35	310.47	21,000	--	4,100	1,400	810	3,200	ND	--
RW2	11/10/95	347.82	0.00	41.02	306.80	26,000	--	2,600	990	810	2,700	--	--
RW2	02/12/96	347.82	0.00	38.63	309.19	10,000	--	600	600	230	1,900	ND	--
RW2	05/17/96	347.82	0.00	48.56	299.26	4,000	--	300	64	86	470	10	--
RW2	08/12/96	347.82	0.00	44.74	303.08	5,400	--	1,100	36	320	190	ND	--
RW2	11/08/96	347.82	--	--	--	3,500	--	480	48	150	150	ND	--
RW2	02/12/97	347.82	0.00	48.10	299.72	--	--	--	--	--	--	--	--
RW2 ^a	03/17/97	347.82	0.00	50.90	296.92	1,100	--	180	21	42	56	ND	--
RW2 ^a	05/13/97	347.82	0.00	38.11	309.71	3,500	--	680	93	150	300	ND	--
RW2 ^a	08/12/97	347.82	0.00	44.22	303.60	1,200	--	180	6.7	44	27	ND	--
RW2 ^a	10/31/97	347.82	0.00	49.13	298.69	440	--	8.9	3.6	1.5	90	ND	--
RW2 ^a	01/21/98	347.82	0.00	49.39	298.43	ND	--	ND	ND	ND	ND	ND	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8020 or 8021)	MTBE (8260)
RW2 ^a	04/24/98	347.82	--	--	--	3,000	--	100	12	46	77	28	ND
RW2 ^a	07/20/98	347.82	0.00	47.16	300.66	480	--	20	6.9	7.7	9.6	ND	--
RW2 ^a	10/21/98	347.82	0.00	46.08	301.74	780	--	4.4	6.1	2.8	3.9	ND	--
RW2 ^a	02/22/99	347.82	0.00	44.31	303.51	2,300	--	87	11	33	27	ND	--
RW2 ^a	05/27/99	347.82	0.00	44.15	303.67	310	--	1.4	4.5	0.6	1.7	ND	--
RW2 ^a	09/16/99	347.82	0.00	47.97	299.85	260	--	ND	ND	ND	ND	ND	--
RW2 ^a	11/15/99	347.82	0.00	49.44	298.38	ND	--	ND	ND	ND	ND	ND	--
RW2 ^a	03/02/00	347.82	0.00	45.70	302.12	180	--	<1.0	<1.0	<1.0	<0.60	<10	--
RW2 ^a	06/06/00	347.82	0.00	45.62	302.20	250	--	7.2	6.9	5.1	24	<0.30	--
RW2 ^a	08/29/00	347.82	0.00	50.69	297.13	<50	--	0.38	1.0	<0.30	<0.60	<10	--
RW2 ^a	11/07/00	347.82	0.00	48.40	299.42	<20	--	0.32	0.32	0.22	<0.60	<0.30	--
RW2 ^a	01/30/01	347.82	0.00	50.37	297.45	<20	--	<0.20	<0.20	<0.20	<0.60	<0.30	--
RW2 ^a	04/19/01	347.82	0.00	48.06	299.76	<20	--	<0.20	<0.20	<0.20	<0.60	<0.30	--
RW2 ^a	07/27/01	347.82	0.00	48.82	299.00	<50	--	<0.20	<0.20	<0.20	<0.60	<0.30	--
RW2 ^a	10/19/01	347.82	0.00	50.24	297.58	<50	--	<0.20	<0.20	<0.20	<0.60	<0.30	--
RW2 ^a	01/15/02	350.42	0.00	46.88	303.54	<50.0	--	<0.50	<0.50	<0.50	<0.50	<0.50	--
RW2 ^a	04/09/02	350.42	0.00	50.86	299.56	<50.0	--	<0.50	<0.50	<0.50	<0.50	<0.50	--
RW2	07/23/02	350.42	0.00	51.77	298.65	--	--	--	--	--	--	--	--
RW2 ^a	10/16/02	350.42	0.00	47.01	303.41	<50.0	--	<0.5	<0.5	<0.5	<0.5	<0.5	--
RW2 ^a	01/09/03	350.42	0.00	43.42	307.00	1,020	--	17	30.1	51.9	110	--	<0.50
RW2 ^a	04/14/03	350.42	0.00	46.45	303.97	<50.0	--	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
RW2 ^a	07/09/03	350.42	0.00	46.12	304.30	76.6	--	<0.5	0.7	<0.5	0.7	<0.5	<0.5
RW2 ^a	10/01/03	350.42	0.00	47.15	303.27	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RW2 ^a	01/19/04	350.42	0.00	46.35	304.07	57.8	--	<0.5	<0.5	<0.5	<0.5	--	<0.5
RW2 ^a	04/01/04	350.42	0.00	45.71	304.71	<100	--	<1.0	<1.0	<1.0	<3.0	--	<0.5
RW2 ^a	07/07/04	350.42	0.00	44.92	305.50	<50	--	<0.5	<0.5	<0.5	<0.5	--	<0.5
RW2 ^a	10/12/04	350.42	0.00	40.83	309.59	<50	--	<0.5	2.7	0.6	4.4	--	<0.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8020 or 8021)	MTBE (8260)
RW2 ^a	01/05/05	350.42	0.00	41.01	309.41	<50	--	<0.5	<0.5	<0.5	<0.5	--	<0.5
RW2^a	04/14/05	350.42	0.00	39.14	311.28	<50	--	<0.5	<0.5	<0.5	1.1	--	<0.5
RW3	10/05/94	347.92	0.00	44.66	303.26	1,600	--	120	180	26	170	--	--
RW3	02/21/95	347.92	0.00	39.85	308.07	620	--	67	30	12	48	--	--
RW3	05/03/95	347.92	0.00	40.12	307.80	780	--	31	28	6.0	40	--	--
RW3	08/04/95	347.92	0.00	41.84	306.08	190	--	37	14	ND	19	8.1	--
RW3	11/10/95	347.92	0.00	44.45	303.47	160	--	19	5.0	ND	4.4	--	--
RW3	02/12/96	347.92	0.00	42.62	305.30	ND	--	0.78	2.0	ND	2.0	1.4	--
RW3	05/17/96	347.92	0.00	48.90	299.02	52	--	2.8	0.5	ND	ND	3.6	--
RW3	08/12/96	347.92	0.00	43.71	304.21	ND	--	0.87	ND	ND	ND	ND	--
RW3	11/08/96	347.92	--	--	--	110	--	28	3.3	1.2	4.5	ND	--
RW3	02/12/97	347.92	0.00	48.82	299.10	--	--	--	--	--	--	--	--
RW3 ^a	03/17/97	347.92	0.00	51.61	296.31	ND	--	ND	ND	ND	ND	ND	--
RW3 ^a	05/13/97	347.92	0.00	38.22	309.70	960	--	180	190	6.8	79	ND	--
RW3 ^a	08/12/97	347.92	0.00	44.15	303.77	160	--	20	11	2.1	17	4.8	--
RW3 ^a	10/31/97	347.92	0.00	48.18	299.74	330	--	11	14	4.4	32	10	--
RW3 ^a	01/21/98	347.92	0.00	46.31	301.61	50	--	1.4	0.9	0.4	2.1	ND	--
RW3 ^a	04/24/98	347.92	--	--	--	ND	--	ND	ND	ND	ND	ND	--
RW3 ^a	07/20/98	347.92	0.00	46.81	301.11	80	--	0.6	1.0	ND	ND	ND	--
RW3	10/21/98	347.92	--	Dry	--	--	--	--	--	--	--	--	--
RW3 ^a	02/22/99	347.92	0.00	44.17	303.75	ND	--	ND	ND	ND	ND	ND	--
RW3 ^a	05/27/99	347.92	0.00	44.40	303.52	ND	--	ND	ND	ND	ND	ND	--
RW3 ^{a,f}	09/16/99	347.92	0.00	44.58	303.34	45,000	--	960	5,700	1,200	5,000	200	--
RW3 ^{a,f}	10/04/99	347.92	--	--	--	ND	--	ND	0.6	ND	ND	ND	--
RW3 ^a	11/15/99	347.92	0.00	48.32	299.60	93	--	ND	ND	1.2	3.3	ND	--
RW3 ^a	03/02/00	347.92	0.00	47.60	300.32	<50	--	<0.30	<0.30	<0.30	<0.60	<10	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8020 or 8021)	MTBE (8260)
RW3 ^a	06/06/00	347.92	0.00	45.58	302.34	<20	--	<0.20	<0.20	<0.20	<0.60	<0.30	--
RW3 ^a	08/29/00	347.92	0.00	47.72	300.20	<50	--	<0.30	0.47	<0.30	<0.60	<10	--
RW3 ^a	11/07/00	347.92	0.00	47.18	300.74	<20	--	<0.20	<0.20	<0.20	<0.60	1.8	--
RW3 ^a	01/30/01	347.92	0.00	47.72	300.20	33	--	<0.20	<0.20	<0.20	<0.60	4.3	<5
RW3 ^a	04/19/01	347.92	0.00	45.73	302.19	<20	--	<0.20	<0.20	0.34	<0.60	0.33	--
RW3 ^a	07/27/01	347.92	0.00	46.61	301.31	<50	--	<0.20	<0.20	<0.20	<0.60	1.3	<2
RW3 ^a	10/19/01	347.92	0.00	46.96	300.96	<50	--	<0.20	<0.20	<0.20	<0.60	1.5	<2
RW3 ^a	01/15/02	350.53	0.00	44.98	305.55	<50.0	--	<0.50	<0.50	<0.50	<0.50	<0.50	--
RW3 ^a	04/09/02	350.53	0.00	46.80	303.73	<50.0	--	<0.50	<0.50	<0.50	<0.50	1.00	--
RW3 ^a	07/23/02	350.53	0.00	47.42	303.11	<50.0	--	<0.50	<0.50	<0.50	<0.50	1.90	--
RW3 ^a	10/16/02	350.53	0.00	46.42	304.11	<50.0	--	<0.5	<0.5	<0.5	<0.5	1.0	--
RW3 ^a	01/09/03	350.53	0.00	44.02	306.51	<50.0	--	<0.5	<0.5	<0.5	<0.5	--	<0.5
RW3 ^a	04/14/03	350.53	0.00	44.97	305.56	<50.0	--	<0.5	<0.5	<0.5	<0.5	--	<0.5
RW3 ^a	07/09/03	350.53	0.00	44.96	305.57	<50	--	<0.5	0.6	<0.5	<0.5	<0.5	<0.5
RW3 ^a	10/01/03	350.53	0.00	45.81	304.72	<50	--	<0.5	<0.5	<0.5	<0.5	0.6	<0.5
RW3 ^a	01/19/04	350.53	0.00	44.81	305.72	<50	--	<0.5	<0.5	<0.5	<0.5	--	<0.5
RW3 ^a	04/01/04	350.53	0.00	45.10	305.43	<100	--	<1.0	2.5	<1.0	5.1	--	<0.5
RW3 ^a	07/07/04	350.53	0.00	45.57	304.96	<50	--	<0.5	<0.5	<0.5	<0.5	--	<0.5
RW3 ^a	10/12/04	350.53	0.00	45.79	304.74	<50	--	<0.5	3.5	0.8	5.9	--	<0.5
RW3 ^a	01/05/05	350.53	0.00	45.63	304.90	<50	--	<0.5	<0.5	<0.5	<0.5	--	<0.5
RW3^a	04/14/05	350.53	0.00	41.91	308.62	<50	--	<0.5	<0.5	<0.5	<0.5	--	<0.5
RW4	10/05/94	348.29	0.00	42.62	305.67	130	--	11	4.9	1.5	9.2	--	--
RW4	02/21/95	348.29	0.02	35.40	312.91	--	--	--	--	--	--	--	--
RW4	05/03/95	348.29	0.00	35.03	313.26	--	--	--	--	--	--	--	--
RW4	05/04/95	348.29	--	--	--	2,900	--	330	130	120	410	--	--
RW4	08/04/95	348.29	0.00	37.62	310.67	520	--	63	ND	14	2.1	6.1	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8020 or 8021)	MTBE (8260)
RW4	11/10/95	348.29	0.00	40.26	308.03	450	--	94	28	31	43	--	--
RW4	02/12/96	348.29	0.00	36.84	311.45	52	--	1.5	2.0	2.9	2.4	4.0	--
RW4	05/17/96	348.29	0.00	36.58	311.71	160	--	7.7	2.3	26	1.4	ND	--
RW4	08/12/96	348.29	0.00	38.96	309.33	ND	--	ND	ND	ND	ND	ND	--
RW4	11/08/96	348.29	--	--	--	ND	--	ND	ND	ND	ND	ND	--
RW4	02/12/97	348.29	0.00	34.95	313.34	--	--	--	--	--	--	--	--
RW4 ^a	03/17/97	348.29	0.00	37.75	310.54	ND	--	ND	ND	ND	ND	ND	--
RW4 ^a	05/13/97	348.29	0.00	38.36	309.93	ND	--	ND	ND	ND	ND	ND	--
RW4 ^a	08/12/97	348.29	0.00	41.28	307.01	ND	--	ND	ND	ND	ND	ND	--
RW4 ^a	10/31/97	348.29	0.00	41.75	306.54	ND	--	ND	ND	ND	ND	ND	--
RW4 ^a	01/21/98	348.29	0.00	41.61	306.68	ND	--	ND	ND	ND	ND	ND	--
RW4 ^a	04/24/98	348.29	--	--	--	ND	--	ND	ND	ND	ND	ND	--
RW4 ^a	07/20/98	348.29	0.00	49.94	298.35	ND	--	ND	ND	ND	ND	ND	--
RW4 ^a	10/21/98	348.29	--	Dry	--	--	--	--	--	--	--	--	--
RW4 ^a	02/22/99	348.29	0.00	41.80	306.49	ND	--	ND	ND	ND	ND	ND	--
RW4 ^a	05/27/99	348.29	0.00	42.06	306.23	ND	--	ND	ND	ND	ND	ND	--
RW4 ^a	09/16/99	348.29	0.00	44.87	303.42	ND	--	ND	ND	ND	ND	ND	--
RW4 ^a	11/15/99	348.29	0.00	44.60	303.69	ND	--	ND	ND	ND	ND	ND	--
RW4 ^a	03/02/00	348.29	0.00	41.48	306.81	<50	--	<0.30	<0.30	<0.30	<0.60	<10	--
RW4 ^a	06/06/00	348.29	0.00	43.41	304.88	<20	--	<0.20	<0.20	<0.20	<0.60	<0.30	--
RW4 ^a	08/29/00	348.29	0.00	45.38	302.91	<50	--	<0.30	<0.30	<0.30	<0.60	<10	--
RW4 ^a	11/07/00	348.29	0.00	43.99	304.30	<20	--	<0.20	<0.20	<0.20	<0.60	<0.30	--
RW4 ^a	01/30/01	348.29	0.00	45.12	303.17	<20	--	<0.20	<0.20	<0.20	<0.60	<0.30	--
RW4 ^a	04/19/01	348.29	0.00	44.42	303.87	<20	--	<0.20	<0.20	<0.20	<0.60	<0.30	--
RW4 ^a	07/27/01	348.29	0.00	44.54	303.75	<50	--	<0.20	<0.20	<0.20	<0.60	<0.30	--
RW4 ^a	10/19/01	348.29	0.00	45.09	303.20	<50	--	<0.20	<0.20	<0.20	<0.60	<0.30	--
RW4 ^a	01/15/02	350.92	0.00	43.68	307.24	<50.0	--	<0.50	<0.50	<0.50	<0.50	<0.50	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						TPH-g	TPH-d	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8020 or 8021)	MTBE (8260)
RW4 ^a	04/09/02	350.92	0.00	45.79	305.13	<50.0	--	<0.50	<0.50	<0.50	<0.50	<0.50	--
RW4 ^a	07/23/02	350.92	0.00	46.43	304.49	<50.0	--	<0.50	<0.50	<0.50	<0.50	<0.50	--
RW4 ^a	10/16/02	350.92	0.00	44.06	306.86	<50.0	--	<0.5	<0.5	<0.5	<0.5	<0.5	--
RW4 ^a	01/09/03	350.92	0.00	41.97	308.95	64.9	--	0.70	<0.5	<0.5	<0.5	--	<0.50
RW4 ^a	04/14/03	350.92	0.00	44.17	306.75	<50.0	--	<0.5	<0.5	<0.5	<0.5	--	<0.50
RW4 ^a	07/09/03	350.92	0.00	43.83	307.09	<50	--	<0.5	0.7	<0.5	<0.5	<0.5	<0.5
RW4 ^a	10/01/03	350.92	0.00	44.60	306.32	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RW4 ^a	01/19/04	350.92	0.00	44.73	306.19	<50	--	<0.5	<0.5	<0.5	<0.5	--	<0.5
RW4 ^a	04/01/04	350.92	0.00	44.34	306.58	<100	--	<1.0	2.1	<1.0	4.5	--	<0.5
RW4 ^a	07/07/04	350.92	0.00	44.61	306.31	<50	--	<0.5	<0.5	<0.5	<0.5	--	<0.5
RW4 ^a	10/12/04	350.92	0.00	45.27	305.65	<50	--	<0.5	2.7	0.5	3.8	--	<0.5
RW4 ^a	01/05/05	350.92	0.00	44.91	306.01	<50	--	<0.5	<0.5	<0.5	<0.5	--	<0.5
RW4^a	04/14/05	350.92	0.00	40.77	310.15	<50	--	<0.5	<0.5	<0.5	<0.5	--	<0.5

a Sampled using no-purge method.

c Well inaccessible.

d Insufficient amount of water for sample collection.

e Reported by laboratory as non-gasoline mixture.

f Due to an anomalous analytical result on 9/16/99, RW3 was resampled on 10/4/99.

TPH-d Total Petroleum Hydrocarbons as diesel.

TPH-g Total Petroleum Hydrocarbons as gasoline.

ND Not detected at or above laboratory reporting limit.

Trace Product present but too thin to be measured.

µg/L Micrograms per liter.

-- Not measured/not analyzed.

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES,
FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Concentrations (µg/L)						
		Methyl t-butyl ether	Ethyl t-butyl ether	t-Amyl methyl ether	t-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Diisopropyl ether
MW1 ^a	01/09/03	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50
MW1 ^a	04/14/03	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50
MW1 ^a	07/09/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW1 ^a	10/01/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW1 ^a	01/19/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW1 ^a	04/01/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW1 ^a	07/07/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW1 ^a	10/12/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW1 ^a	01/05/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW1^a	04/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW2 ^a	01/21/98	ND	--	--	--	--	--	--
MW2 ^a	05/27/99	ND	--	--	--	--	--	--
MW2 ^a	11/15/99	<5	--	--	--	--	--	--
MW2 ^a	11/07/00	<5	--	--	--	--	--	--
MW2 ^a	04/19/01	<5	--	--	--	--	--	--
MW2 ^a	01/15/02	<0.5	--	--	--	--	--	--
MW2 ^a	04/09/02	<2.5	--	--	--	--	--	--
MW2 ^a	07/23/02	<1.0	--	--	--	--	--	--
MW2 ^a	10/16/02	<0.50	--	--	--	--	--	--
MW2 ^a	01/09/03	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50
MW2 ^a	04/14/03	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50
MW2 ^a	07/09/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW2 ^a	10/01/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW2 ^a	01/19/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW2 ^a	04/01/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW2 ^a	07/07/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES,
FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Concentrations (µg/L)						
		Methyl t-butyl ether	Ethyl t-butyl ether	t-Amyl methyl ether	t-Butyl alcohol	1,2-Dibromo-ethane	1,2-Dichloro-ethane	Diisopropyl ether
MW2 ^a	10/12/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW2 ^a	01/05/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW2^a	04/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW4 ^a	01/15/02	<0.5	--	--	--	--	--	--
MW4 ^a	01/09/03	<0.50	<0.50	<0.50	<10	<0.50	1.2	<0.50
MW4 ^a	04/14/03	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50
MW4 ^a	07/09/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW4 ^a	10/01/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW4 ^a	01/19/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW4 ^a	04/01/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW4 ^a	07/07/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW4 ^a	10/12/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW4 ^a	01/05/05	<0.5	<0.5	<0.5	<10	<0.5	0.60	<0.5
MW4^a	04/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW6 ^a	01/15/02	<0.5	--	--	--	--	--	--
MW6 ^a	01/09/03	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50
MW6 ^a	04/14/03	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50
MW6 ^a	07/09/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW6 ^a	10/01/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW6 ^a	01/19/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW6 ^a	04/01/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW6 ^a	07/07/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW6 ^a	10/12/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW6 ^a	01/05/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW6^a	04/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES,
FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Concentrations (µg/L)						
		Methyl t-butyl ether	Ethyl t-butyl ether	t-Amyl methyl ether	t-Butyl alcohol	1,2-Dibromo-ethane	1,2-Dichloro-ethane	Diisopropyl ether
MW10	01/09/03	0.60	<0.50	<0.50	<10	<0.50	<0.50	<0.50
MW10 ^a	01/19/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW10 ^a	01/05/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW11 ^a	01/09/03	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50
MW11 ^a	07/09/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW11 ^a	01/19/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW11 ^a	07/07/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW11 ^a	01/05/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW12 ^a	01/09/03	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50
MW12 ^a	01/19/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW12 ^a	01/05/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW1 ^a	08/12/97	ND	--	--	--	--	--	--
RW1 ^a	10/31/97	ND	--	--	--	--	--	--
RW1 ^a	01/21/98	ND	--	--	--	--	--	--
RW1 ^a	07/20/98	ND	--	--	--	--	--	--
RW1 ^b	10/21/98	25	--	--	--	--	--	--
RW1 ^a	02/22/99	ND	--	--	--	--	--	--
RW1 ^a	03/02/00	<10	--	--	--	--	--	--
RW1 ^b	04/19/01	<7	--	--	--	--	--	--
RW1 ^a	10/19/01	5	--	--	--	--	--	--
RW1 ^a	01/15/02	6.9	--	--	--	--	--	--
RW1 ^a	01/09/03	6.60	<0.50	<0.50	197	<0.50	<0.50	<0.50
RW1 ^a	04/14/03	4.60	<0.50	<0.50	93.2	<0.50	<0.50	<0.50

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES,
FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Concentrations (µg/L)						
		Methyl t-butyl ether	Ethyl t-butyl ether	t-Amyl methyl ether	t-Butyl alcohol	1,2-Dibromo-ethane	1,2-Dichloro-ethane	Diisopropyl ether
RW1 ^a	07/09/03	4.20	<0.5	<0.5	87.9	<0.5	<0.5	<0.5
RW1 ^a	10/01/03	3.20	<0.5	<0.5	64.1	<0.5	27.4	<0.5
RW1 ^a	01/19/04	3.20	<0.5	<0.5	122	<0.5	<0.5	<0.5
RW1 ^a	04/01/04	2.40	<0.5	4.30	27.0	<0.5	<0.5	<0.5
RW1 ^a	07/07/04	2.60	<0.5	<0.5	148	<0.5	<0.5	<0.5
RW1 ^a	10/12/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW1 ^a	01/05/05	0.90	<0.5	<0.5	40.4	<0.5	<0.5	<0.5
RW1^a	04/14/05	<0.5	<0.5	1.20	42.4	<0.5	1.80	<0.5
RW2 ^a	04/24/98	ND	--	--	--	--	--	--
RW2 ^a	01/09/03	<0.50	<0.50	<0.50	<10	<0.50	1.7	<0.50
RW2 ^a	04/14/03	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50
RW2 ^a	07/09/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW2 ^a	10/01/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW2 ^a	01/19/04	<0.5	<0.5	<0.5	<10	<0.5	1.10	<0.5
RW2 ^a	04/01/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW2 ^a	07/07/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW2 ^a	10/12/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW2 ^a	01/05/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW2^a	04/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW3 ^a	01/30/01	<5	--	--	--	--	--	--
RW3 ^a	07/27/01	<2	--	--	--	--	--	--

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES,
FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Concentrations (µg/L)						
		Methyl t-butyl ether	Ethyl t-butyl ether	t-Amyl methyl ether	t-Butyl alcohol	1,2-Dibromo-ethane	1,2-Dichloro-ethane	Diisopropyl ether
RW3 ^a	10/19/01	<2	--	--	--	--	--	--
RW3 ^a	01/09/03	<0.5	<0.50	<0.50	<10	<0.50	3.2	<0.50
RW3 ^a	04/14/03	<0.5	<0.50	<0.50	<10	<0.50	3.2	<0.50
RW3 ^a	07/09/03	<0.5	<0.50	<0.50	<10	<0.50	3.40	<0.50
RW3 ^a	10/01/03	<0.5	<0.5	<0.5	<10	<0.5	4.10	<0.5
RW3 ^a	01/19/04	<0.5	<0.5	<0.5	<10	<0.5	3.40	<0.5
RW3 ^a	04/01/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW3 ^a	07/07/04	<0.5	<0.5	<0.5	<10	<0.5	4.80	<0.5
RW3 ^a	10/12/04	<0.5	<0.5	<0.5	<10	<0.5	4.70	<0.5
RW3 ^a	01/05/05	<0.5	<0.5	<0.5	<10	<0.5	4.60	<0.5
RW3^a	04/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW4 ^a	01/09/03	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50
RW4 ^a	04/14/03	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50
RW4 ^a	07/09/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW4 ^a	10/01/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW4 ^a	01/19/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW4 ^a	04/01/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW4 ^a	07/07/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW4 ^a	10/12/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW4 ^a	01/05/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW4^a	04/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5

a Sampled using no-purge method.
ND Not detected at or above laboratory reporting limits.
-- Not analyzed.
µg/L Micrograms per liter.

TABLE 4 GROUNDWATER MONITORING PLAN,
FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Well Number	Groundwater Gauging Frequency	Groundwater Sampling and Analysis Frequency		
		BTEX and TPH-g	MTBE	Other Oxygenates and Additives
MW1	Q	Q	Q	Q
MW2	Q	Q	Q	Q
MW3	Q	--	--	--
MW4	Q	Q	Q	Q
MW5	Q	--	--	--
MW6	Q	Q	Q	Q
MW7	Q	--	--	--
MW8	Q	--	--	--
MW10	Q	A	A	A
MW11	Q	SA	SA	SA
MW12	Q	A	A	A
RW1	Q	Q	Q	Q
RW2	Q	Q	Q	Q
RW3	Q	Q	Q	Q
RW4	Q	Q	Q	Q
VMW1	Q	--	--	--
VMW2	Q	--	--	--
VMW3	Q	--	--	--
VMW4	Q	--	--	--

Q = Quarterly.

A = Annually (during the first quarter of each year).

SA = Semi-annually (during the first and third quarters of each year).

-- = Not sampled.




BTEX = Benzene, toluene, ethylbenzene, total xylenes.


MTBE = Methyl tertiary butyl ether.

TPH-g = Total Petroleum Hydrocarbons as gasoline.

Oxygenates and additives include diisopropyl ether, t-butyl alcohol, tert-amyl methyl ether, ethyl tert-butyl ether, 1,2-dibromoethane, and 1,2-dichloroethane.

LEGEND

-  MW-12 Ground water monitoring well
-  B-1 Soil boring
-  Line of section



STANLEY BOULEVARD

SITE PLAN


Former Mobil Station 04-H6J
1024 Main Street
Pleasanton, California

FIGURE 2



**ALTON
GEOSCIENCE**
Livermore, California





ELEVATION (feet above mean sea level)

DEPTH (feet below grade)





A Southwest




A' Northeast

SCALE (feet)

Vertical exaggeration = 3:1

LEGEND

-  Sandy gravel to Gravelly sand
 -  Silty sand
 -  Sandy silt to Sandy clay to Silty clay
 -  Ground water stabilized as of 11/30/93
- TPH-G concentration (in ppm)

 -  ND
 -  Blank
 -  Screened interval

CROSS SECTION A-A'



Former Mobil Station 20-H6J
1024 Main Street
Pleasanton, California

FIGURE 3



B
Northwest

B'
Southeast



LEGEND

- Sandy gravel to gravely sand
- Silty sand
- Sandy silt to Sandy clay to Silty clay
- Ground water stabilized as of 11/30/93
- TPH-G concentration (in ppm)
- Blank
- Screened interval

**ALTON
GEOSCIENCE**
Livermore, California

CROSS SECTION B-B'
Former Mobil Station 20-H6J
1024 Main Street
Pleasanton, California

FIGURE 4

Appendix A

Field Protocols

PROTOCOLS FOR QUARTERLY GROUNDWATER MONITORING

GROUNDWATER GAUGING

Wells are opened prior to gauging to allow the groundwater level in the wells to equilibrate with atmospheric pressure. The depth to groundwater and depth to liquid-phase hydrocarbons, if present, are then measured to the nearest 0.01 feet using an electronic water level meter or optical interface probe. The measurements are made from a permanent reference point at the top of the well casing. If less than 1 foot of water is measured in a well, the well is considered "dry." Wells with a sheen or measurable liquid-phase hydrocarbons are generally not sampled.

WELL PURGING

Wells at this site meet the criteria for a no purge alternative for quarterly groundwater monitoring. Therefore no purging of wells is completed at this site.

GROUNDWATER SAMPLING

Groundwater in each well is sampled using a factory-cleaned disposable bailer. Samples from extraction wells are typically collected from sample ports associated with the groundwater remediation system. Samples collected for volatile organic analysis are placed in Teflon septum-sealed 40-milliliter glass vials. Samples collected for diesel analysis are placed in 1-liter amber glass bottles. Each sample bottle is labeled with the site name, well number, date, sampler's initials, and preservative. The samples are placed in a cooler with ice for delivery to a state-certified laboratory. The information for each sample is entered on a chain-of-custody form prior to transport to the laboratory.



Appendix B

Field Documents



GROUNDWATER PURGE AND SAMPLE

Project Name: Former Mobil 04-H6J	Well No: MW1	Date: 4/14/05
Project No: UP04H6J.1	Personnel: YH / CM / MB	

GAUGING DATA

Water Level Measuring Method: WLM Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
	...	50.08	40.24	—	X	1	2	4	6
					0.04	0.16	0.64	1.44	

PURGING DATA

Purge Method: non-purge, sample by bailer Purge Depth: Screen Purge Rate: (gpm)

Time					
Volume Purge (gal)					
Temperature (C)					
pH					
Spec Cond. (umhos)					
Turbidity/Color					
Odor (Y/N)					
Dewatered (Y/N)					

Comments/Observations:

NO PURGE / GRAB SAMPLE ONLY

SAMPLING DATA

Time Sampled: 13:50 Approximate Depth to Water During Sampling: 40 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW1	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE

Total Purge Volume: — (gallons) Disposal: N/A

Weather Conditions: OK

Condition of Well Box and Casing at Time of Sampling: OK casing / BROKEN TANGS - NO BOLTS

Well Head Conditions Requiring Correction: OK

Problems Encountered During Purging and Sampling: NONE - NO PURGE

Comments:



GROUNDWATER PURGE AND SAMPLE

Project Name: Former Mobil 04-H6J

Well No: MWZ

Date: 4/14/05

Project No: UP04H6J.1

Personnel: WP/CM/MS

GAUGING DATA

Water Level Measuring Method: WLM

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
	48.58	-	40.23	=	X	1	2	4	6
					0.04	0.16	0.64	1.44	

PURGING DATA

Purge Method: non-purge, sample by bailer

Purge Depth: Screen

Purge Rate: (gpm)

Time	Volume Purge (gal)	Temperature (C)	pH	Spec. Cond. (umhos)	Turbidity/Color	Odor (Y/N)	Dewatered (Y/N)

Comments/Observations:

NO PURGE / GRAB SAMPLE ONLY

SAMPLING DATA

Time Sampled: 13:20

Approximate Depth to Water During Sampling: 40 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MWZ	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE

Total Purge Volume: (gallons)

Disposal: N/A

Weather Conditions: OK

Condition of Well Box and Casing at Time of Sampling: CASING BROKEN / WELLBOX SINKING

Well Head Conditions Requiring Correction: NONE

Problems Encountered During Purging and Sampling: NONE - NO PROBLEMS

Comments:



GROUNDWATER PURGE AND SAMPLE

Project Name: Former Mobil 04-H6J	Well No: MW4	Date: 4.14.05
Project No: UP04H6J.1	Personnel: WP/CM/MB	

GAUGING DATA

Water Level Measuring Method: WLM Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)	
	48.63	-	40.44	=	X	1	2	4	6	=
					0.04	0.16	0.64	1.44		

PURGING DATA

Purge Method: non-purge, sample by bailer Purge Depth: Screen Purge Rate: (gpm)

Time	Volume Purge (gal)	Temperature (C)	pH	Spec. Cond. (umhos)	Turbidity/Color	Odor (Y/N)	Dewatered (Y/N)

Comments/Observations:

NO PURGE / GRAB SAMPLE ONLY

SAMPLING DATA

Time Sampled: 13.45 Approximate Depth to Water During Sampling: 40 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW4	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE

Total Purge Volume: --- (gallons) Disposal: N/A

Weather Conditions: OK

Condition of Well Box and Casing at Time of Sampling: OK CASING / BROKEN BOX - NO BOLTS

Well Head Conditions Requiring Correction: NONE

Problems Encountered During Purging and Sampling: NONE - NO PURGE

Comments:



GROUNDWATER PURGE AND SAMPLE

Project Name: Former Mobil 04-H6J	Well No: MW6	Date: 4.14.05
Project No: UP04H6J.1	Personnel: WP / CM / MS	

GAUGING DATA

Water Level Measuring Method: WLM Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)	
	...	54.23	- 40.85	=	X	1 0.04	2 0.16	4 0.64	6 1.44	=

PURGING DATA

Purge Method: non-purge, sample by bailer Purge Depth: Screen Purge Rate: (gpm)

Time						
Volume Purge (gal)						
Temperature (C)						
pH						
Spec. Cond. (umhos)						
Turbidity/Color						
Odor (Y/N)						
Dewatered (Y/N)						

Comments/Observations:

NO PURGE / GRAB SAMPLE ONLY

SAMPLING DATA

Time Sampled: 13:05 Approximate Depth to Water During Sampling: 40 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW6	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE

Total Purge Volume: — (gallons) Disposal: N/A

Weather Conditions: OK

Condition of Well Box and Casing at Time of Sampling: OK - CASING / MISSING PART

Well Head Conditions Requiring Correction: OK

Problems Encountered During Purging and Sampling: NONE - NO PURGE

Comments:



GROUNDWATER PURGE AND SAMPLE

Project Name: Former Mobil 04-H6J	Well No: RW1	Date: 4/14/05
Project No: UP04H6J.1	Personnel: WP/CM/MB	

GAUGING DATA

Water Level Measuring Method: WLM Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)	
	48.63	= 40.10	=	—	X	1	2	4	6	=
					0.04	0.16	0.64	1.44		

PURGING DATA

Purge Method: non-purge, sample by bailer Purge Depth: Screen Purge Rate: (gpm)

Time					
Volume Purge (gal)					
Temperature (C)					
pH					
Spec. Cond. (umhos)					
Turbidity/Color					
Odor (Y/N)					
Dewatered (Y/N)					

Comments/Observations:

NO PURGE / GRAB SAMPLE ONLY

SAMPLING DATA

Time Sampled: 13:40 Approximate Depth to Water During Sampling: 40 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
RW1	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE

Total Purge Volume: — (gallons) Disposal: N/A

Weather Conditions: OK

Condition of Well Box and Casing at Time of Sampling: OK

Well Head Conditions Requiring Correction: None

Problems Encountered During Purging and Sampling: None

Comments:



GROUNDWATER PURGE AND SAMPLE

Project Name: Former Mobil 04-H6J	Well No: ZWZ	Date: 4.14.05
Project No: UP04H6J.1	Personnel: VVV	

GAUGING DATA

Water Level Measuring Method: WLM Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
		52.18	- 39.14	=	X	1	2	4	6
					0.04	0.16	0.64	1.44	

PURGING DATA

Purge Method: non-purge, sample by bailer Purge Depth: Screen Purge Rate: (gpm)

Time	Volume Purge (gal)	Temperature (C)	pH	Spec Cond. (umhos)	Turbidity/Color	Odor (Y/N)	Dewatered (Y/N)

Comments/Observations:

NO PURGE / GRAB SAMPLE ONLY

SAMPLING DATA

Time Sampled: 13:20 Approximate Depth to Water During Sampling: 39 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
ZWZ	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE

Total Purge Volume: — (gallons) Disposal: N/A

Weather Conditions: OK

Condition of Well Box and Casing at Time of Sampling: OK

Well Head Conditions Requiring Correction: NONE

Problems Encountered During Purging and Sampling: NONE

Comments:



GROUNDWATER PURGE AND SAMPLE

Project Name: Former Mobil 04-H6J	Well No: ZW3	Date: 4.14.05
Project No: UP04H6J.1	Personnel: wp / cm / MB	

GAUGING DATA

Water Level Measuring Method: WLM Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)		
	52.93	- 41.91	=	-	X	1	2	4	6	=	-
					0.04	0.16	0.64	1.44			

PURGING DATA

Purge Method: non-purge, sample by bailer Purge Depth: Screen Purge Rate: (gpm)

Time	Volume Purge (gal)	Temperature (C)	pH	Spec. Cond. (umhos)	Turbidity/Color	Odor (Y/N)	Dewatered (Y/N)

Comments/Observations: **NO PURGE / GRAB SAMPLE ONLY**

SAMPLING DATA

Time Sampled: 13:35 Approximate Depth to Water During Sampling: 41 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
ZW3	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE

Total Purge Volume: (gallons) Disposal: N/A

Weather Conditions: SK

Condition of Well Box and Casing at Time of Sampling: OK

Well Head Conditions Requiring Correction: replace cap / cap broken

Problems Encountered During Purging and Sampling: NONE - NO PURGE

Comments:



GROUNDWATER PURGE AND SAMPLE

Project Name: Former Mobil 04-H6J

Well No: ZW4

Date: 4/14/05

Project No: UP04H6J.1

Personnel: WP/CM/MS

GAUGING DATA

Water Level Measuring Method: WLM

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
	4931	-	4077	=	X	1	2	4	6
					0.04	0.16	0.64	1.44	

PURGING DATA

Purge Method: non-purge, sample by bailer

Purge Depth: Screen

Purge Rate: (gpm)

Time	Volume Purge (gal)	Temperature (C)	pH	Spec. Cond. (umhos)	Turbidity/Color	Odor (Y/N)	Dewatered (Y/N)

Comments/Observations:

NO PURGE / GRAB SAMPLE ONLY

SAMPLING DATA

Time Sampled: 13:10

Approximate Depth to Water During Sampling: 45 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (ml. or L)	Turbidity/ Color	Analysis Method
ZW4	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: (gallons)

Disposal: N/A

Weather Conditions: OK

Condition of Well Box and Casing at Time of Sampling: OK

Well Head Conditions Requiring Correction: NONE

Problems Encountered During Purging and Sampling: NONE

Comments:

Appendix C

Laboratory Analytical Reports

4/25/05

RECEIVED

APR 29 2005

ETIC ENGINEERING 10236
HAMIDOU BARRY
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

ETIC ENGINEERING

This report includes the analytical certificates of analysis for all samples listed below. These samples relate to your project identified below:

Project Name: EXXONMOBIL 04-H6J
Project Number: .
Laboratory Project Number: 413045.

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. Any QC recoveries outside laboratory control limits are flagged individually with an #. Sample specific comments and quality control statements are included in the Laboratory notes section of the analytical report for each sample report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

Sample Identification	Lab Number	Page 1 Collection Date
-----	-----	-----
MW1	05-A54160	4/14/05
MW2	05-A54161	4/14/05
MW4	05-A54162	4/14/05
MW6	05-A54163	4/14/05
RW1	05-A54164	4/14/05
RW2	05-A54165	4/14/05
RW3	05-A54166	4/14/05
RW4	05-A54167	4/14/05

Sample Identification	Lab Number	Page 2 Collection Date
-----	-----	-----

These results relate only to the items tested.
This report shall not be reproduced except in full and with
permission of the laboratory.

Report Approved By: Pamela A. Langford Report Date: 4/25/05

Johnny A. Mitchell, Laboratory Director
Michael H. Dunn, M.S.; Technical Director
Pamela A. Langford, Senior Project Manager
Eric S. Smith, QA/QC Director
Sandra McMillin, Technical Services

Gail A. Lage, Senior Project Manager
Glenn L. Norton, Technical Services
Kelly S. Comstock, Technical Services
Roxanne L. Connor, Senior Project Manag

Laboratory Certification Number: 01168CA

This material is intended only for the use of the individual(s) or entity to whom it is addressed,
and may contain information that is privileged and confidential. If you are not the intended recipient,
or the employee or agent responsible for delivering this material to the intended recipient, you are
hereby notified that any dissemination, distribution, or copying of this material is strictly prohibited.
If you have received this material in error, please notify us immediately at 615-726-0177.

ANALYTICAL REPORT

ETIC ENGINEERING 10236
HAMIDOU BARRY
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 05-A54160
Sample ID: MW1
Sample Type: Water
Site ID: 04-H6J

Date Collected: 4/14/05
Time Collected: 13:50
Date Received: 4/16/05
Time Received: 8:10
Page: 1

Project:
Project Name: EXXONMOBIL 04-H6J
Sampler: WYNN J. PACULBA

Purchase Order: 4505802524

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
ORGANIC PARAMETERS									
**Benzene	ND	ug/l	0.50	1.0	4/23/05	3:28	Chakrabort	8021B	6120
**Ethylbenzene	ND	ug/l	0.5	1.0	4/23/05	3:28	Chakrabort	8021B	6120
**Toluene	ND	ug/l	0.5	1.0	4/23/05	3:28	Chakrabort	8021B	6120
**Xylenes (Total)	ND	ug/l	0.5	1.0	4/23/05	3:28	Chakrabort	8021B	6120
**TPH (Gasoline Range)	ND	ug/l	50.0	1.0	4/23/05	3:28	Chakrabort	8015B	6120
VOLATILE ORGANICS									
**Ethyl-t-butylether	ND	ug/l	0.50	1.0	4/18/05	21:03	A. Bruton	8260B	5393
**tert-amyl methyl ether	ND	ug/L	0.50	1.0	4/18/05	21:03	A. Bruton	8260B	5393
**Tertiary butyl alcohol	ND	ug/l	10.0	1.0	4/18/05	21:03	A. Bruton	8260B	5393
**1,2-Dibromoethane	ND	ug/l	0.50	1.0	4/18/05	21:03	A. Bruton	8260B	5393
**1,2-Dichloroethane	ND	ug/l	0.50	1.0	4/18/05	21:03	A. Bruton	8260B	5393
**Methyl-t-butyl ether	ND	ug/l	0.50	1.0	4/18/05	21:03	A. Bruton	8260B	5393
**Diisopropyl ether	ND	ug/l	0.50	1.0	4/18/05	21:03	A. Bruton	8260/SA05-77	5393

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	94.	63. - 134.
VOA Surr 1,2-DCA-d4	116.	70. - 130.
VOA Surr Toluene-d8	101.	78. - 121.
VOA Surr, 4-BFB	93.	78. - 126.
VOA Surr, DBFM	114.	79. - 122.

Sample report continued . . .

ANALYTICAL REPORT

Laboratory Number: 05-A54160
Sample ID: MW1
Project:
Page 2

LABORATORY COMMENTS:

ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
= Recovery outside Laboratory historical or method prescribed limits.
** = NELAC E87358 Certified Analyte

End of Sample Report.

ANALYTICAL REPORT

ETIC ENGINEERING 10236
HAMIDOU BARRY
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 05-A54161
Sample ID: MW2
Sample Type: Water
Site ID: 04-H6J

Project:
Project Name: EXXONMOBIL 04-H6J
Sampler: WYNN J. PACULBA

Date Collected: 4/14/05
Time Collected: 13:20
Date Received: 4/16/05
Time Received: 8:10
Page: 1

Purchase Order: 4505802524

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
ORGANIC PARAMETERS									
**Benzene	4.20	ug/l	0.50	1.0	4/23/05	11:17	Chakrabort	8021B	7677
**Ethylbenzene	14.3	ug/l	0.5	1.0	4/23/05	11:17	Chakrabort	8021B	7677
**Toluene	ND	ug/l	0.5	1.0	4/23/05	11:17	Chakrabort	8021B	7677
**Xylenes (Total)	6.7	ug/l	0.5	1.0	4/23/05	11:17	Chakrabort	8021B	7677
**TPH (Gasoline Range)	1250	ug/l	50.0	1.0	4/23/05	11:17	Chakrabort	8015B	7677
VOLATILE ORGANICS									
**Ethyl-t-butylether	ND	ug/l	0.50	1.0	4/18/05	21:32	A. Bruton	8260B	5393
**tert-amyl methyl ether	ND	ug/L	0.50	1.0	4/18/05	21:32	A. Bruton	8260B	5393
**Tertiary butyl alcohol	ND	ug/l	10.0	1.0	4/18/05	21:32	A. Bruton	8260B	5393
**1,2-Dibromoethane	ND	ug/l	0.50	1.0	4/18/05	21:32	A. Bruton	8260B	5393
**1,2-Dichloroethane	ND	ug/l	0.50	1.0	4/18/05	21:32	A. Bruton	8260B	5393
**Methyl-t-butyl ether	ND	ug/l	0.50	1.0	4/18/05	21:32	A. Bruton	8260B	5393
**Diisopropyl ether	ND	ug/l	0.50	1.0	4/18/05	21:32	A. Bruton	8260/SA05-77	5393

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	89.	63. - 134.
VOA Surr 1,2-DCA-d4	103.	70. - 130.
VOA Surr Toluene-d8	102.	78. - 121.
VOA Surr, 4-BFB	96.	78. - 126.
VOA Surr, DBFM	103.	79. - 122.

Sample report continued . . .

ANALYTICAL REPORT

Laboratory Number: 05-A54161
Sample ID: MW2
Project:
Page 2

LABORATORY COMMENTS:

ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
= Recovery outside Laboratory historical or method prescribed limits.
** = NELAC E87358 Certified Analyte

End of Sample Report.

ANALYTICAL REPORT

ETIC ENGINEERING 10236
HAMIDOU BARRY
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 05-A54162
Sample ID: MW4
Sample Type: Water
Site ID: 04-H6J

Project:
Project Name: EXXONMOBIL 04-H6J
Sampler: WYNN J. PACULBA

Date Collected: 4/14/05
Time Collected: 13:45
Date Received: 4/16/05
Time Received: 8:10
Page: 1

Purchase Order: 4505802524

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
ORGANIC PARAMETERS									
**Benzene	2.00	ug/l	0.50	1.0	4/22/05	0:19	Chakrabort	8021B	3927
**Ethylbenzene	0.6	ug/l	0.5	1.0	4/22/05	0:19	Chakrabort	8021B	3927
**Toluene	1.3	ug/l	0.5	1.0	4/22/05	0:19	Chakrabort	8021B	3927
**Xylenes (Total)	15.1	ug/l	0.5	1.0	4/22/05	0:19	Chakrabort	8021B	3927
**TPH (Gasoline Range)	193.	ug/l	50.0	1.0	4/22/05	0:19	Chakrabort	8015B	3927
VOLATILE ORGANICS									
**Ethyl-t-butylether	ND	ug/l	0.50	1.0	4/18/05	22:01	A. Bruton	8260B	5393
**tert-amyl methyl ether	ND	ug/L	0.50	1.0	4/18/05	22:01	A. Bruton	8260B	5393
**Tertiary butyl alcohol	ND	ug/l	10.0	1.0	4/18/05	22:01	A. Bruton	8260B	5393
**1,2-Dibromoethane	ND	ug/l	0.50	1.0	4/18/05	22:01	A. Bruton	8260B	5393
**1,2-Dichloroethane	ND	ug/l	0.50	1.0	4/18/05	22:01	A. Bruton	8260B	5393
**Methyl-t-butyl ether	ND	ug/l	0.50	1.0	4/18/05	22:01	A. Bruton	8260B	5393
**Diisopropyl ether	ND	ug/l	0.50	1.0	4/18/05	22:01	A. Bruton	8260/SA05-77	5393

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	95.	63. - 134.
VOA Surr 1,2-DCA-d4	89.	70. - 130.
VOA Surr Toluene-d8	104.	78. - 121.
VOA Surr, 4-BFB	95.	78. - 126.
VOA Surr, DBFM	93.	79. - 122.

Sample report continued . . .

ANALYTICAL REPORT

Laboratory Number: 05-A54162
Sample ID: MW4
Project:
Page 2

LABORATORY COMMENTS:

ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
= Recovery outside Laboratory historical or method prescribed limits.
** = NELAC E87358 Certified Analyte

End of Sample Report.

ANALYTICAL REPORT

ETIC ENGINEERING 10236
HAMIDOU BARRY
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 05-A54163
Sample ID: MW6
Sample Type: Water
Site ID: 04-H6J

Project:
Project Name: EXXONMOBIL 04-H6J
Sampler: WYNN J. PACULBA

Date Collected: 4/14/05
Time Collected: 13:05
Date Received: 4/16/05
Time Received: 8:10
Page: 1

Purchase Order: 4505802524

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
ORGANIC PARAMETERS									
**Benzene	ND	ug/l	0.50	1.0	4/22/05	0:51	Chakrabort	8021B	3927
**Ethylbenzene	ND	ug/l	0.5	1.0	4/22/05	0:51	Chakrabort	8021B	3927
**Toluene	ND	ug/l	0.5	1.0	4/22/05	0:51	Chakrabort	8021B	3927
**Xylenes (Total)	ND	ug/l	0.5	1.0	4/22/05	0:51	Chakrabort	8021B	3927
**TPH (Gasoline Range)	ND	ug/l	50.0	1.0	4/22/05	0:51	Chakrabort	8015B	3927
VOLATILE ORGANICS									
**Ethyl-t-butylether	ND	ug/l	0.50	1.0	4/19/05	2:51	A. Bruton	8260B	5370
**tert-amyl methyl ether	ND	ug/L	0.50	1.0	4/19/05	2:51	A. Bruton	8260B	5370
**Tertiary butyl alcohol	ND	ug/l	10.0	1.0	4/19/05	2:51	A. Bruton	8260B	5370
**1,2-Dibromoethane	ND	ug/l	0.50	1.0	4/19/05	2:51	A. Bruton	8260B	5370
**1,2-Dichloroethane	ND	ug/l	0.50	1.0	4/19/05	2:51	A. Bruton	8260B	5370
**Methyl-t-butyl ether	ND	ug/l	0.50	1.0	4/19/05	2:51	A. Bruton	8260B	5370
**Diisopropyl ether	ND	ug/l	0.50	1.0	4/19/05	2:51	A. Bruton	8260/SA05-77	5370

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	95.	63. - 134.
VOA Surr 1,2-DCA-d4	112.	70. - 130.
VOA Surr Toluene-d8	103.	78. - 121.
VOA Surr, 4-BFB	98.	78. - 126.
VOA Surr, DBFM	113.	79. - 122.

Sample report continued . . .

ANALYTICAL REPORT

Laboratory Number: 05-A54163
Sample ID: MW6
Project:
Page 2

LABORATORY COMMENTS:

ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
= Recovery outside Laboratory historical or method prescribed limits.
** = NELAC E87358 Certified Analyte

End of Sample Report.

ANALYTICAL REPORT

ETIC ENGINEERING 10236
HAMIDOU BARRY
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 05-A54164
Sample ID: RW1
Sample Type: Water
Site ID: 04-H6J

Project:
Project Name: EXXONMOBIL 04-H6J
Sampler: WYNN J. PACULBA

Date Collected: 4/14/05
Time Collected: 13:40
Date Received: 4/16/05
Time Received: 8:10
Page: 1

Purchase Order: 4505802524

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
ORGANIC PARAMETERS									
**Benzene	99.7	ug/l	0.50	1.0	4/22/05	1:22	Chakrabort	8021B	3927
**Ethylbenzene	187.	ug/l	0.5	1.0	4/22/05	1:22	Chakrabort	8021B	3927
**Toluene	134.	ug/l	0.5	1.0	4/22/05	1:22	Chakrabort	8021B	3927
**Xylenes (Total)	600.	ug/l	5.0	10.0	4/23/05	2:25	Chakrabort	8021B	7220
**TPH (Gasoline Range)	7520	ug/l	500.	10.0	4/23/05	2:25	Chakrabort	8015B	7220
VOLATILE ORGANICS									
**Ethyl-t-butylether	ND	ug/l	0.50	1.0	4/19/05	3:20	A. Bruton	8260B	5370
**tert-amyl methyl ether	1.20	ug/L	0.50	1.0	4/19/05	3:20	A. Bruton	8260B	5370
**Tertiary butyl alcohol	42.4	ug/l	10.0	1.0	4/19/05	3:20	A. Bruton	8260B	5370
**1,2-Dibromoethane	ND	ug/l	0.50	1.0	4/19/05	3:20	A. Bruton	8260B	5370
**1,2-Dichloroethane	1.80	ug/l	0.50	1.0	4/19/05	3:20	A. Bruton	8260B	5370
**Methyl-t-butyl ether	ND	ug/l	0.50	1.0	4/19/05	3:20	A. Bruton	8260B	5370
**Diisopropyl ether	ND	ug/l	0.50	1.0	4/19/05	3:20	A. Bruton	8260/SA05-77	5370

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	96.	63. - 134.
VOA Surr 1,2-DCA-d4	112.	70. - 130.
VOA Surr Toluene-d8	102.	78. - 121.
VOA Surr, 4-BFB	99.	78. - 126.
VOA Surr, DBFM	115.	79. - 122.

Sample report continued . . .

ANALYTICAL REPORT

Laboratory Number: 05-A54164
Sample ID: RW1
Project:
Page 2

LABORATORY COMMENTS:

ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
= Recovery outside Laboratory historical or method prescribed limits.
** = NELAC E87358 Certified Analyte

End of Sample Report.

ANALYTICAL REPORT

ETIC ENGINEERING 10236
HAMIDOU BARRY
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 05-A54165
Sample ID: RW2
Sample Type: Water
Site ID: 04-H6J

Date Collected: 4/14/05
Time Collected: 13:20
Date Received: 4/16/05
Time Received: 8:10
Page: 1

Project:
Project Name: EXXONMOBIL 04-H6J
Sampler: WYNN J. PACULBA

Purchase Order: 4505802524

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
ORGANIC PARAMETERS									
**Benzene	ND	ug/l	0.50	1.0	4/22/05	1:54	Chakrabort	8021B	3927
**Ethylbenzene	ND	ug/l	0.5	1.0	4/22/05	1:54	Chakrabort	8021B	3927
**Toluene	ND	ug/l	0.5	1.0	4/22/05	1:54	Chakrabort	8021B	3927
**Xylenes (Total)	1.1	ug/l	0.5	1.0	4/22/05	1:54	Chakrabort	8021B	3927
**TPH (Gasoline Range)	ND	ug/l	50.0	1.0	4/23/05	2:56	Chakrabort	8015B	7220
VOLATILE ORGANICS									
**Ethyl-t-butylether	ND	ug/l	0.50	1.0	4/19/05	3:49	A. Bruton	8260B	5370
**tert-amyl methyl ether	ND	ug/L	0.50	1.0	4/19/05	3:49	A. Bruton	8260B	5370
**Tertiary butyl alcohol	ND	ug/l	10.0	1.0	4/19/05	3:49	A. Bruton	8260B	5370
**1,2-Dibromoethane	ND	ug/l	0.50	1.0	4/19/05	3:49	A. Bruton	8260B	5370
**1,2-Dichloroethane	ND	ug/l	0.50	1.0	4/19/05	3:49	A. Bruton	8260B	5370
**Methyl-t-butyl ether	ND	ug/l	0.50	1.0	4/19/05	3:49	A. Bruton	8260B	5370
**Diisopropyl ether	ND	ug/l	0.50	1.0	4/19/05	3:49	A. Bruton	8260/SA05-77	5370

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	94.	63. - 134.
VOA Surr 1,2-DCA-d4	86.	70. - 130.
VOA Surr Toluene-d8	104.	78. - 121.
VOA Surr, 4-BFB	94.	78. - 126.
VOA Surr, DBFM	95.	79. - 122.

Sample report continued . . .

ANALYTICAL REPORT

Laboratory Number: 05-A54165
Sample ID: RW2
Project:
Page 2

LABORATORY COMMENTS:

ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
= Recovery outside Laboratory historical or method prescribed limits.
** = NELAC E87358 Certified Analyte

End of Sample Report.

ANALYTICAL REPORT

ETIC ENGINEERING 10236
HAMIDOU BARRY
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 05-A54166
Sample ID: RW3
Sample Type: Water
Site ID: 04-H6J

Project:
Project Name: EXXONMOBIL 04-H6J
Sampler: WYNN J. PACULBA

Date Collected: 4/14/05
Time Collected: 13:35
Date Received: 4/16/05
Time Received: 8:10
Page: 1

Purchase Order: 4505802524

Analyte	Result	Units	Report	Dil	Analysis		Analyst	Method	Batch
			Limit	Factor	Date	Time			
ORGANIC PARAMETERS									
**Benzene	ND	ug/l	0.50	1.0	4/22/05	2:26	Chakrabort	8021B	3927
**Ethylbenzene	ND	ug/l	0.5	1.0	4/22/05	2:26	Chakrabort	8021B	3927
**Toluene	ND	ug/l	0.5	1.0	4/22/05	2:26	Chakrabort	8021B	3927
**Xylenes (Total)	ND	ug/l	0.5	1.0	4/22/05	2:26	Chakrabort	8021B	3927
**TPH (Gasline Range)	ND	ug/l	50.0	1.0	4/22/05	2:26	Chakrabort	8015B	3927
VOLATILE ORGANICS									
**Ethyl-t-butylether	ND	ug/l	0.50	1.0	4/19/05	4:18	A. Bruton	8260B	5370
**tert-amyl methyl ether	ND	ug/L	0.50	1.0	4/19/05	4:18	A. Bruton	8260B	5370
**Tertiary butyl alcohol	ND	ug/l	10.0	1.0	4/19/05	4:18	A. Bruton	8260B	5370
**1,2-Dibromoethane	ND	ug/l	0.50	1.0	4/19/05	4:18	A. Bruton	8260B	5370
**1,2-Dichloroethane	ND	ug/l	0.50	1.0	4/19/05	4:18	A. Bruton	8260B	5370
**Methyl-t-butyl ether	ND	ug/l	0.50	1.0	4/19/05	4:18	A. Bruton	8260B	5370
**Diisopropyl ether	ND	ug/l	0.50	1.0	4/19/05	4:18	A. Bruton	8260/SA05-77	5370

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	94.	63. - 134.
VOA Surr 1,2-DCA-d4	86.	70. - 130.
VOA Surr Toluene-d8	105.	78. - 121.
VOA Surr, 4-BFB	96.	78. - 126.
VOA Surr, DBFM	94.	79. - 122.

Sample report continued . . .

ANALYTICAL REPORT

Laboratory Number: 05-A54166
Sample ID: RW3
Project:
Page 2

LABORATORY COMMENTS:

ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
= Recovery outside Laboratory historical or method prescribed limits.
** = NELAC E87358 Certified Analyte

End of Sample Report.

ANALYTICAL REPORT

ETIC ENGINEERING 10236
HAMIDOU BARRY
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Project:
Project Name: EXXONMOBIL 04-H6J
Sampler: WYNN J. PACULBA

Purchase Order: 4505802524

Lab Number: 05-A54167
Sample ID: RW4
Sample Type: Water
Site ID: 04-H6J

Date Collected: 4/14/05
Time Collected: 13:10
Date Received: 4/16/05
Time Received: 8:10
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
ORGANIC PARAMETERS									
**Benzene	ND	ug/l	0.50	1.0	4/22/05	2:57	Chakrabort	8021B	3927
**Ethylbenzene	ND	ug/l	0.5	1.0	4/22/05	2:57	Chakrabort	8021B	3927
**Toluene	ND	ug/l	0.5	1.0	4/22/05	2:57	Chakrabort	8021B	3927
**Xylenes (Total)	ND	ug/l	0.5	1.0	4/22/05	2:57	Chakrabort	8021B	3927
**TPH (Gasoline Range)	ND	ug/l	50.0	1.0	4/22/05	2:57	Chakrabort	8015B	3927
VOLATILE ORGANICS									
**Ethyl-t-butylether	ND	ug/l	0.50	1.0	4/19/05	4:47	A. Bruton	8260B	5370
**tert-amyl methyl ether	ND	ug/L	0.50	1.0	4/19/05	4:47	A. Bruton	8260B	5370
**Tertiary butyl alcohol	ND	ug/l	10.0	1.0	4/19/05	4:47	A. Bruton	8260B	5370
**1,2-Dibromoethane	ND	ug/l	0.50	1.0	4/19/05	4:47	A. Bruton	8260B	5370
**1,2-Dichloroethane	ND	ug/l	0.50	1.0	4/19/05	4:47	A. Bruton	8260B	5370
**Methyl-t-butyl ether	ND	ug/l	0.50	1.0	4/19/05	4:47	A. Bruton	8260B	5370
**Diisopropyl ether	ND	ug/l	0.50	1.0	4/19/05	4:47	A. Bruton	8260/SA05-77	5370

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	95.	63. - 134.
VOA Surr 1,2-DCA-d4	101.	70. - 130.
VOA Surr Toluene-d8	104.	78. - 121.
VOA Surr, 4-BFB	96.	78. - 126.
VOA Surr, DBFM	108.	79. - 122.

Sample report continued . . .

ANALYTICAL REPORT

Laboratory Number: 05-A54167
Sample ID: RW4
Project:
Page 2

LABORATORY COMMENTS:

ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
= Recovery outside Laboratory historical or method prescribed limits.
** = NELAC E87358 Certified Analyte

End of Sample Report.

PROJECT QUALITY CONTROL DATA

Project Number:
Project Name: **EXXONMOBIL 04-H6J**
Page: 1
Laboratory Receipt Date: **4/16/05**

Matrix Spike Recovery

Note: If Blank is referenced as the sample spiked, insufficient volume was received for the defined analytical batch for MS/MSD analysis on an true sample matrix. Laboratory reagent water was used for QC purposes.

Analyte	units	Orig. Val.	MS Val	Spike Conc	Recovery	Target Range	Q.C. Batch	Spike Sample
UST ANALYSIS								
Benzene	mg/l	0.00200	0.0570	0.0500	110	50. - 160.	3927	05-A54162
Toluene	mg/l	0.0013	0.0500	0.0500	97	51. - 157.	3927	05-A54162
Ethylbenzene	mg/l	0.0006	0.0506	0.0500	100	47. - 159.	3927	05-A54162
Xylenes (Total)	mg/l	0.0151	0.155	0.150	93	51. - 152.	3927	05-A54162
TPH (Gasoline Range)	mg/l	0.193	0.902	1.00	71	43. - 150.	3927	05-A54162
BTEX/GRO Surr., a,a,a-TFT	% Recovery				96	63 - 134	3927	
VOA Surr 1,2-DCA-d4	% Rec				87	70 - 130	5393	
VOA Surr 1,2-DCA-d4	% Rec				103	70 - 130	5370	
VOA Surr Toluene-d8	% Rec				102	78 - 121	5393	
VOA Surr Toluene-d8	% Rec				100	78 - 121	5370	
VOA Surr, 4-BFB	% Rec				97	78 - 126	5393	
VOA Surr, 4-BFB	% Rec				101	78 - 126	5370	
VOA Surr, DBPM	% Rec				94	79 - 122	5393	
VOA Surr, DBPM	% Rec				106	79 - 122	5370	

Matrix Spike Duplicate

Analyte	units	Orig. Val.	Duplicate	RPD	Limit	Q.C. Batch
UST PARAMETERS						
Benzene	mg/l	0.0570	0.0565	0.88	30.	3927
Toluene	mg/l	0.0500	0.0497	0.60	37.	3927
Ethylbenzene	mg/l	0.0506	0.0504	0.40	38.	3927

Project QC continued . . .

PROJECT QUALITY CONTROL DATA

Project Number:
Project Name: **EXXONMOBIL 04-H6J**
Page: 2
Laboratory Receipt Date: 4/16/05

Matrix Spike Duplicate

Analyte	units	Orig. Val.	Duplicate	RPD	Limit	Q.C. Batch
Xylenes (Total)	mg/l	0.155	0.153	1.30	33.	3927
TPH (Gasoline Range)	mg/l	0.902	0.898	0.44	27.	3927
BTEX/GRO Surr., a,a,a-TPT	% Recovery		96.			3927
VOA Surr 1,2-DCA-d4	% Rec		85.			5393
VOA Surr 1,2-DCA-d4	% Rec		102.			5370
VOA Surr Toluene-d8	% Rec		102.			5393
VOA Surr Toluene-d8	% Rec		99.			5370
VOA Surr, 4-BFB	% Rec		96.			5393
VOA Surr, 4-BFB	% Rec		100.			5370
VOA Surr, DBFM	% Rec		91.			5393
VOA Surr, DBFM	% Rec		103.			5370

Laboratory Control Data

Analyte	units	Known Val.	Analyzed Val	% Recovery	Target Range	Q.C. Batch
UST PARAMETERS						
Benzene	mg/l	0.100	0.0995	100	72 - 118	3927
Benzene	mg/l	0.100	0.0979	98	72 - 118	6120
Benzene	mg/l	0.100	0.0943	94	72 - 118	7677
Toluene	mg/l	0.100	0.0925	92	72 - 119	3927
Toluene	mg/l	0.100	0.0903	90	72 - 119	6120
Toluene	mg/l	0.100	0.0892	89	72 - 119	7677
Ethylbenzene	mg/l	0.100	0.0988	99	71 - 119	3927
Ethylbenzene	mg/l	0.100	0.0960	96	71 - 119	6120
Ethylbenzene	mg/l	0.100	0.0932	93	71 - 119	7677
Xylenes (Total)	mg/l	0.300	0.279	93	70 - 117	3927
Xylenes (Total)	mg/l	0.300	0.273	91	70 - 117	6120

Project QC continued . . .

PROJECT QUALITY CONTROL DATA

Project Number:
Project Name: **EXXONMOBIL 04-H6J**
Page: 3
Laboratory Receipt Date: **4/16/05**

Laboratory Control Data

Analyte	units	Known Val.	Analyzed Val	% Recovery	Target Range	Q.C. Batch
Xylenes (Total)	mg/l	0.300	0.273	91	70 - 117	7220
Xylenes (Total)	mg/l	0.300	0.260	87	70 - 117	7677
TPH (Gasoline Range)	mg/l	1.00	0.898	90	64 - 130	3927
TPH (Gasoline Range)	mg/l	1.00	0.916	92	64 - 130	6120
TPH (Gasoline Range)	mg/l	1.00	0.916	92	64 - 130	7220
TPH (Gasoline Range)	mg/l	1.00	1.08	108	64 - 130	7677
BTEX/GRO Surr., a,a,a-TFT	% Recovery			97	63 - 134	3927
BTEX/GRO Surr., a,a,a-TFT	% Recovery			96	63 - 134	6120
BTEX/GRO Surr., a,a,a-TFT	% Recovery			96	63 - 134	7220
BTEX/GRO Surr., a,a,a-TFT	% Recovery			90	63 - 134	7677
VOA PARAMETERS						
Ethyl-t-butylether	mg/l	0.0500	0.0510	102	67 - 140	5370
Ethyl-t-butylether	mg/l	0.0500	0.0510	102	67 - 140	5393
tert-amyl methyl ether	mg/L	0.0500	0.0496	99	68 - 134	5370
tert-amyl methyl ether	mg/L	0.0500	0.0496	99	68 - 134	5393
Tertiary butyl alcohol	mg/l	0.500	0.485	97	28 - 162	5370
Tertiary butyl alcohol	mg/l	0.500	0.485	97	28 - 162	5393
1,2-Dibromoethane	mg/l	0.0500	0.0534	107	72 - 135	5370
1,2-Dibromoethane	mg/l	0.0500	0.0534	107	72 - 135	5393
1,2-Dichloroethane	mg/l	0.0500	0.0448	90	73 - 130	5370
1,2-Dichloroethane	mg/l	0.0500	0.0448	90	73 - 130	5393
Methyl-t-butyl ether	mg/l	0.0500	0.0494	99	69 - 136	5370
Methyl-t-butyl ether	mg/l	0.0500	0.0494	99	69 - 136	5393
Diisopropyl ether	mg/l	0.0500	0.0423	85	65 - 140	5370
Diisopropyl ether	mg/l	0.0500	0.0423	85	65 - 140	5393
VOA Surr 1,2-DCA-d4	% Rec			95	70 - 130	5370
VOA Surr 1,2-DCA-d4	% Rec			95	70 - 130	5393
VOA Surr Toluene-d8	% Rec			103	78 - 121	5370
VOA Surr Toluene-d8	% Rec			103	78 - 121	5393
VOA Surr, 4-BFB	% Rec			99	78 - 126	5370
VOA Surr, 4-BFB	% Rec			99	78 - 126	5393

Project QC continued . . .

PROJECT QUALITY CONTROL DATA

Project Number:
 Project Name: **EXXONMOBIL 04-H6J**
 Page: 4
 Laboratory Receipt Date: 4/16/05

Laboratory Control Data

Analyte	units	Known Val.	Analyzed Val	% Recovery	Target Range	Q.C. Batch
VOA Surr, DBFM	% Rec			102	79 - 122	5370
VOA Surr, DBFM	% Rec			102	79 - 122	5393

Duplicates

Analyte	units	Orig. Val.	Duplicate	RPD	Limit	Q.C. Batch	Sample Dup'd

Blank Data

Analyte	Blank Value	Units	Q.C. Batch	Date Analyzed	Time Analyzed

****UST PARAMETERS****

Benzene	< 0.00050	mg/l	3927	4/21/05	23:16
Benzene	< 0.00050	mg/l	6120	4/23/05	0:19
Benzene	< 0.00050	mg/l	7677	4/23/05	9:20
Toluene	0.0005	mg/l	3927	4/21/05	23:16
Toluene	< 0.0005	mg/l	6120	4/23/05	0:19
Toluene	< 0.0005	mg/l	7677	4/23/05	9:20
Ethylbenzene	< 0.0005	mg/l	3927	4/21/05	23:16
Ethylbenzene	< 0.0005	mg/l	6120	4/23/05	0:19
Ethylbenzene	< 0.0005	mg/l	7677	4/23/05	9:20
Xylenes (Total)	0.0009	mg/l	3927	4/21/05	23:16
Xylenes (Total)	< 0.0005	mg/l	6120	4/23/05	0:19
Xylenes (Total)	< 0.0005	mg/l	7220	4/23/05	0:19

Project QC continued . . .

PROJECT QUALITY CONTROL DATA

Project Number:

Project Name: **EXXONMOBIL 04-H6J**

Page: 5

Laboratory Receipt Date: 4/16/05

Blank Data

Analyte	Blank Value	Units	Q.C. Batch	Analysis Date	Analysis Time
Xylenes (Total)	< 0.0005	mg/l	7677	4/23/05	9:20
TPH (Gasoline Range)	< 0.0500	mg/l	3927	4/21/05	23:16
TPH (Gasoline Range)	< 0.0500	mg/l	6120	4/23/05	0:19
TPH (Gasoline Range)	< 0.0500	mg/l	7220	4/23/05	0:19
TPH (Gasoline Range)	< 0.0500	mg/l	7677	4/23/05	9:20
BTEX/GRO Surr., a,a,a-TFT	96.	% Recovery	3927	4/21/05	23:16
BTEX/GRO Surr., a,a,a-TFT	94.	% Recovery	6120	4/23/05	0:19
BTEX/GRO Surr., a,a,a-TFT	94.	% Recovery	7220	4/23/05	0:19
BTEX/GRO Surr., a,a,a-TFT	84.	% Recovery	7677	4/23/05	9:20
VOA PARAMETERS					
Ethyl-t-butylether	< 0.00027	mg/l	5393	4/18/05	13:40
Ethyl-t-butylether	< 0.00027	mg/l	5370	4/19/05	2:22
tert-amyl methyl ether	< 0.00030	mg/L	5393	4/18/05	13:40
tert-amyl methyl ether	< 0.00030	mg/L	5370	4/19/05	2:22
Tertiary butyl alcohol	< 0.00428	mg/l	5393	4/18/05	13:40
Tertiary butyl alcohol	< 0.00428	mg/l	5370	4/19/05	2:22
1,2-Dibromoethane	< 0.00023	mg/l	5393	4/18/05	13:40
1,2-Dibromoethane	< 0.00023	mg/l	5370	4/19/05	2:22
1,2-Dichloroethane	< 0.00039	mg/l	5393	4/18/05	13:40
1,2-Dichloroethane	< 0.00039	mg/l	5370	4/19/05	2:22
Methyl-t-butyl ether	< 0.00023	mg/l	5393	4/18/05	13:40
Methyl-t-butyl ether	< 0.00023	mg/l	5370	4/19/05	2:22
Diisopropyl ether	< 0.00018	mg/l	5393	4/18/05	13:40
Diisopropyl ether	< 0.00018	mg/l	5370	4/19/05	2:22
VOA Surr 1,2-DCA-d4	111.	% Rec	5393	4/18/05	13:40
VOA Surr 1,2-DCA-d4	108.	% Rec	5370	4/19/05	2:22
VOA Surr Toluene-d8	102.	% Rec	5393	4/18/05	13:40
VOA Surr Toluene-d8	103.	% Rec	5370	4/19/05	2:22
VOA Surr, 4-BFB	96.	% Rec	5393	4/18/05	13:40
VOA Surr, 4-BFB	96.	% Rec	5370	4/19/05	2:22
VOA Surr, DBFM	112.	% Rec	5393	4/18/05	13:40

Project QC continued . . .

PROJECT QUALITY CONTROL DATA

Project Number:

Project Name: EXXONMOBIL 04-H6J

Page: 6

Laboratory Receipt Date: 4/16/05

Blank Data

Analyte	Blank Value	Units	Q.C. Batch	Analysis Date	Analysis Time
VOA Surr, DBPM	112.	% Rec	5370	4/19/05	2:22

= Value outside Laboratory historical or method prescribed QC limits.

End of Report for Project 413045

Nashville Division

COOLER RECEIPT FORM

BC#



Client Name : ETIC

Cooler Received/Opened On: 4/16/05 Accessed By: Shawn Gracey

[Signature]
Log-in Personnel Signature

- 1. Temperature of Cooler when triaged: 05 Degrees Celsius
- 2. Were custody seals on outside of cooler?..... YES...NO...NA
 - a. If yes, how many, and where: 1 Front
- 3. Were custody seals on containers?..... NO...YES...NA
- 4. Were the seals intact, signed, and dated correctly?..... YES...NO...NA
- 5. Were custody papers inside cooler?..... YES...NO...NA
- 6. Were custody papers properly filled out (ink, signed, etc)?..... YES...NO...NA
- 7. Did you sign the custody papers in the appropriate place?..... YES...NO...NA
- 8. What kind of packing material used? Bubblewrap Peanuts Vermiculite Other None
- 9. Cooling process: Ice Ice-pack Ice (direct contact) Dry ice Other None
- 10. Did all containers arrive in good condition (unbroken)?..... YES...NO...NA
- 11. Were all container labels complete (#, date, signed, pres., etc)?..... YES...NO...NA
- 12. Did all container labels and tags agree with custody papers?..... YES...NO...NA
- 13. Were correct containers used for the analysis requested?..... YES...NO...NA
- 14. a. Were VOA vials received?..... YES...NO...NA
 - b. Was there any observable head space present in any VOA vial?..... NO...YES...NA
- 15. Was sufficient amount of sample sent in each container?..... YES...NO...NA
- 16. Were correct preservatives used?..... YES...NO...NA

If not, record standard ID of preservative used here _____

- 17. Was residual chlorine present?..... NO...YES...NA
- 18. Indicate the Airbill Tracking Number (last 4 digits for Fedex only) and Name of Courier below:

2335

Fed-Ex UPS Velocity DHL Route Off-street Misc.

19. If a Non-Conformance exists, see attached or comments below: