

**ExxonMobil**  
**Environmental Services Company**  
4096 Piedmont Avenue #194  
Oakland, CA 94611  
510.547.8196  
510.547.8706 FAX  
jennifer.c.sedlachek@exxonmobil.com

**Jennifer C. Sedlachek**  
Project Manager

**ExxonMobil**

May 9, 2008

**RECEIVED**

2:16 pm, May 12, 2008

Alameda County  
Environmental Health

Mr. Jerry T. Wickham  
Alameda County Health Care Services Agency  
1311 Harbor Bay Parkway  
Alameda, California 94501

Subject: Former Mobil Station 04H6J, 1024 Main Street, Pleasanton, California  
ACHCSA File No. RO-2427


Dear Mr. Wickham:

Attached for your review and comment is a copy of the *Report of Groundwater Monitoring, First Quarter 2008* for the above-referenced site. The report, prepared by ETIC Engineering, Inc. of Pleasant Hill, California, details the results of the March 2008 sampling event.

Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached report is true and correct.

If you have any questions or comments, please contact me at 510.547.8196.


Sincerely,



*JCS*  
Jennifer C. Sedlachek  
Project Manager

Attachment: ETIC Groundwater Monitoring Report dated May 2008

- c: w/ attachment:  
Mr. Chuck Headlee - California Regional Water Quality Control Board, San Francisco Bay Region  
Mr. Abbas Masjedi - Pleasanton Utility Planning  
Mr. Matthew Katen - Alameda County Flood Control and Water Conservation District, Zone 7 Water Agency  
Mr. Paul L. Hulme - Pleasanton on Main, LLC  
Mount Diablo National Bank
- c: w/o attachment:  
Mr. Bryan Campbell - ETIC Engineering, Inc.



**Report of Groundwater Monitoring  
First Quarter 2008**

**Former Mobil Station 04H6J  
1024 Main Street  
Pleasanton, California**

Prepared for


ExxonMobil Oil Corporation

Prepared by

ETIC Engineering, Inc.  
2285 Morello Avenue  
Pleasant Hill, California 94523  
(925) 602-4710

A handwritten signature in black ink that reads "K. Erik Appel".

K. Erik Appel, P.G. #8092  
Senior Project Geologist



A handwritten date in black ink that reads "May 7, 2008".

Date

May 2008

## SITE CONTACTS

Site Name: Former Mobil Station 04H6J

Site Address: 1024 Main Street  
Pleasanton, California

ExxonMobil Project Manager: Jennifer C. Sedlachek  
ExxonMobil Environmental Services Company  
4096 Piedmont Avenue #194  
Oakland, California 94611  
(510) 547-8196

Consultant to ExxonMobil: ETIC Engineering, Inc.  
2285 Morello Avenue  
Pleasant Hill, California 94523  
(925) 602-4710

ETIC Project Manager: Hamidou Barry

Regulatory Oversight: Jerry T. Wickham  
Alameda County Health Care Services Agency  
1131 Harbor Bay Parkway  
Alameda, California 94501-6577  
(510) 567-6700

Abbas Masjedi  
Pleasanton Utility Planning  
P.O. Box 520  
Pleasanton, California 94566  
(925) 931-5508

Matthew Katen  
Alameda County Flood Control  
and Water Conservation District  
Zone 7 Water Agency  
100 North Canyons Parkway  
Livermore, California 94551  
(925) 454-5000

## INTRODUCTION

ETIC Engineering, Inc. has prepared this quarterly groundwater monitoring report for ExxonMobil Environmental Services Company on behalf of ExxonMobil Oil Corporation for former Mobil Station 04H6J. This report presents the results for the most recent groundwater monitoring conducted at the site and summarizes recent site activities. This report covers site activities from 21 November 2007, the date of the previous monitoring event, until 18 March 2008, the date of the most recent monitoring event. Groundwater monitoring results, well construction details, and a groundwater monitoring plan are provided in the attached figures and tables. Groundwater monitoring protocols, field data, and analytical results are provided in the attached appendixes.

## GENERAL SITE INFORMATION

<b>Site name:</b>	Former Mobil Station 04H6J
<b>Site address:</b>	1024 Main Street, Pleasanton, California
<b>Current property owner:</b>	Paul L. Hulme, Pleasanton on Main, LLC
<b>Current site use:</b>	Vacant lot
<b>Current phase of project:</b>	Groundwater monitoring
<b>Tanks at site:</b>	None (four underground storage tanks removed 1989)
<b>Number of wells:</b>	19 (14 onsite, 5 offsite)

## GROUNDWATER MONITORING SUMMARY

<b>Gauging and sampling date:</b>	18 March 2008
<b>Wells gauged and sampled:</b>	MW1, MW2, MW4, MW6, MW10-MW12, RW1-RW4
<b>Wells gauged only:</b>	MW3, MW5, MW7, MW8, VMW1-VMW4
<b>Groundwater flow direction:</b>	North
<b>Groundwater gradient:</b>	0.0029
<b>Well screens submerged:</b>	MW3, MW7, VMW3, VMW4
<b>Well screens not submerged:</b>	MW1, MW2, MW4-MW6, MW8, MW10-MW12, RW1-RW4, VWM1, VMW2
<b>Liquid-phase hydrocarbons:</b>	Not observed or detected
<b>Laboratory:</b>	TestAmerica, Inc., Nashville, Tennessee

### Analyses performed:

- Total Petroleum Hydrocarbons as gasoline by EPA Method 8015B
- Benzene, toluene, ethylbenzene, and xylenes by EPA Method 8021B
- Methyl tertiary butyl ether, ethyl tertiary butyl ether, tertiary amyl methyl ether, tertiary butyl alcohol, 1,2-dibromoethane, 1,2-dichloroethane, and diisopropyl ether by EPA Method 8260B

**Additional comments:**

Groundwater samples were collected without purging wells.

Wells MW4, MW6, and MW10 were used to calculate flow direction and gradient, as these wells are screened through the same sand/gravel layer.

**ADDITIONAL ACTIVITIES PERFORMED**

No additional activities were performed.

**WORK PROPOSED FOR NEXT QUARTER**

Groundwater will be monitored in accordance with the attached groundwater monitoring plan.

**Attachments:**

Figure 1: Site Map Showing Groundwater Elevations and Analytical Results

Table 1: Well Construction Details

Table 2: Groundwater Monitoring Data

Table 3: Groundwater Analytical Results for Oxygenates and Additives

Table 4: Groundwater Monitoring Plan

Appendix A: Field Protocols

Appendix B: Field Documents

Appendix C: Laboratory Analytical Reports and Chain-of-Custody Documentation

## **Figures**



Approximate  
Groundwater Flow Direction  
Gradient = 0.0029

**LEGEND**

- Groundwater monitoring well
- Recovery well
- Destroyed monitoring well
- Soil vapor extraction well
- (342.07) Groundwater elevation (feet)
- TPH-g Total Petroleum Hydrocarbons as gasoline
- MTBE Methyl tertiary butyl ether
- 1,2-DCA 1,2-Dichloroethane

Notes:  
Wells MW4, MW6, and MW10 were used to calculate direction and gradient, as these wells are screened through the same sand/gravel layer. (312.24) MW12

Oxygenates and additives other than MTBE shown only where detected.

Concentrations in micrograms per liter (ug/L).

Benzene	<0.50
Toluene	<0.50
Ethylbenzene	<0.50
Xylenes	<0.50
TPH-g	<50.0
MTBE (8260)	<0.500

Benzene	<0.50
Toluene	<0.50
Ethylbenzene	<0.50
Xylenes	<0.50
TPH-g	<50.0
MTBE (8260)	<0.500

Benzene	<0.50
Toluene	<0.50
Ethylbenzene	<0.50
Xylenes	<0.50
TPH-g	<50.0
MTBE (8260)	<0.500

Benzene	<0.50
Toluene	<0.50
Ethylbenzene	<0.50
Xylenes	<0.50
TPH-g	<50.0
MTBE (8260)	<0.500

Benzene	<0.50
Toluene	<0.50
Ethylbenzene	<0.50
Xylenes	<0.50
TPH-g	<50.0
MTBE (8260)	<0.500

Benzene	<0.50
Toluene	<0.50
Ethylbenzene	<0.50
Xylenes	<0.50
TPH-g	<50.0
MTBE (8260)	<0.500

Benzene	<0.50
Toluene	<0.50
Ethylbenzene	<0.50
Xylenes	<0.50
TPH-g	<50.0
MTBE (8260)	<0.500

Benzene	<0.50
Toluene	5.88
Ethylbenzene	20.4
Xylenes	149
TPH-g	682
MTBE (8260)	<0.500

Benzene	<0.50
Toluene	<0.50
Ethylbenzene	<0.50
Xylenes	<0.50
TPH-g	<50.0
MTBE (8260)	<0.500

Benzene	<0.50
Toluene	<0.50
Ethylbenzene	<0.50
Xylenes	2.30
TPH-g	94.8
MTBE (8260)	<0.500
1,2-DCA	0.920

Benzene	<0.50
Toluene	<0.50
Ethylbenzene	<0.50
Xylenes	<0.50
TPH-g	<50.0
MTBE (8260)	<0.500

MW8  
(340.36)

MAIN STREET

STANLEY BOULEVARD


FORMER PUMP ISLANDS

FORMER USED-OIL TANK

PARKING LOT

APPROXIMATE SEWER LATERAL LOCATION

FORMER UNDERGROUND STORAGE TANK CAVITY



FILENAME: 1q2008.DWG 4/04/08



SITE MAP SHOWING GROUNDWATER ELEVATIONS AND ANALYTICAL RESULTS, FORMER MOBIL STATION 04H6J  
1024 MAIN STREET, PLEASANTON, CALIFORNIA  
18 MARCH 2008

FIGURE:  
**1**

## **Tables**



TABLE 1 WELL CONSTRUCTION DETAILS, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Well Number	Well Installation Date	Elevation TOC (feet)	Casing Material	Total Depth (feet)	Well Depth (feet)	Borehole Diameter (inches)	Casing Diameter (inches)	Screened Interval (feet)	Slot Size (inches)	Filter Pack Interval (feet)	Filter Pack Material
MW1	a 03/21/90	350.42	PVC	55	55	9	4	35 - 55	0.020	30 - 55	No. 3 Monterey Sand
MW2	a 03/22/90	350.39	PVC	56.5	55	9	2	30 - 55	0.020	30 - 55	No. 3 Monterey Sand
MW3	a 03/23/90	350.56	PVC	36.5	35	8	2	12 - 35	0.20	12 - 35	No. 3 Monterey Sand
MW4	a 10/08/90	350.69	PVC	50	49	10	4	29 - 49	0.020	27 - 49	No. 3 Monterey Sand
MW5	b 10/08/90	350.61	PVC	35	34	10	4	14 - 34	0.020	12 - 35	No. 3 Monterey Sand
MW6	a 10/09/90	350.90	PVC	55	53	10	4	35 - 53	0.020	33 - 53	No. 3 Monterey Sand
MW7	a 10/10/90	350.47	PVC	30	30	8	2	10 - 30	0.020	8 - 30	No. 3 Monterey Sand
MW8	a 10/09/90	351.45	PVC	25	25	8	2	5 - 25	0.020	4 - 25	No. 3 Monterey Sand
MW9	c 01/31/92	348.53	PVC	56	55	12	4	25 - 55	0.010	23 - 56	No. 3 Monterey Sand
MW10	a 11/17/93	350.60	PVC	56.5	55	10.25	4	25 - 55	0.020	23 - 56.5	No. 8 Sri Supreme Sand
MW11	a 11/18/93	350.16	PVC	44.5	44	10.25	4	24 - 44	0.020	23 - 44.5	No. 8 Sri Supreme Sand
MW12	a 11/17/93	349.74	PVC	58	55	10.25	4	25 - 55	0.020	23 - 58	No. 8 Sri Supreme Sand
RW1	a 11/15/93	350.43	PVC	56.5	55	--	6	25 - 55	0.020	23 - 56.5	No. 3 Monterey Sand
RW2	a 08/30/94	350.42	PVC	56.5	54	12	6	23 - 54	0.020	22 - 56.5	No. 3 Monterey Sand
RW3	a 08/30/94	350.53	PVC	56.5	54	12	6	24 - 54	0.020	22 - 56.5	No. 3 Monterey Sand
RW4	a 08/30/94	350.92	PVC	54	51	12	6	21 - 51	0.020	21 - 54	No. 3 Monterey Sand
VMW1	a 11/15/93	350.58	PVC	35	35	10.25	4	13 - 35	0.030	13 - 35	Medium/Coarse Aquarium Sand

TABLE 1 WELL CONSTRUCTION DETAILS, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Well Number	Well Installation Date	Elevation TOC (feet)	Casing Material	Total Depth (feet)	Well Depth (feet)	Borehole Diameter (inches)	Casing Diameter (inches)	Screened Interval (feet)	Slot Size (inches)	Filter Pack Interval (feet)	Filter Pack Material
VMW2	a 11/15/93	350.42	PVC	35	35	10.25	4	15 - 35	0.030	14 - 35	Coarse Aquarium Sand
VMW3	a 11/16/93	350.77	PVC	36.5	32	10.25	4	15 - 32	0.030	14 - 32	Medium Aquarium Sand
VMW4	a 11/16/93	350.32	PVC	36.5	35	10.25	4	12 - 35	0.030	11 - 35	Medium Aquarium Sand

Notes:

- a Well surveyed on 28 November 2001 by Doble Thomas Associates.
- b Well surveyed on 21 February 2002 by Doble Thomas Associates.
- c Well destroyed.
  
- PVC Polyvinyl chloride.
- TOC Top of casing.
  
- Information not available.

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW1	04/12/90	348.03	0.00	43.57	304.46	73	13	3	180	3,600	--	--	--
MW1	10/18/90	348.03	0.00	43.18	304.85	700	360	170	480	5,000	ND	--	--
MW1	08/06/91	348.03	0.00	38.65	309.38	310	340	110	340	2,600	--	--	--
MW1	01/08/92	348.03	0.00	38.68	309.35	270	370	18	340	2,400	--	--	--
MW1	04/30/92	348.03	0.00	39.93	308.10	150	120	12	160	1,300	--	--	--
MW1	07/31/92	348.03	0.00	43.05	304.98	ND	ND	ND	ND	ND	--	--	--
MW1	10/27/92	348.03	0.00	42.86	305.17	320	310	84	310	2,700	--	--	--
MW1	01/22/93	348.03	0.00	34.88	313.15	190	340	87	320	2,800	--	--	--
MW1	04/05/93	348.03	0.00	33.71	314.32	410	460	51	500	6,000	--	--	--
MW1	07/06/93	348.03	0.00	35.46	312.57	140	240	32	180	2,200	--	--	--
MW1	11/30/93	348.03	0.00	37.81	310.22	68	34	ND	48	450	--	--	--
MW1	01/27/94	348.03	0.00	42.10	305.93	270	330	44	190	1,000	--	--	--
MW1	04/25/94	348.03	0.00	40.33	307.70	--	--	--	--	--	--	--	--
MW1	04/26/94	348.03	--	--	--	310	370	22	320	3,500	--	--	--
MW1	07/08/94	348.03	0.00	41.39	306.64	120	87	15	43	640	--	--	--
MW1	10/05/94	348.03	0.00	42.19	305.84	110	140	21	90	970	--	--	--
MW1	02/21/95	348.03	0.00	34.73	313.30	200	270	24	100	3,500	--	--	--
MW1	05/03/95	348.03	0.00	34.67	313.36	7.8	12	4.5	20	160	--	--	--
MW1	08/04/95	348.03	0.00	37.00	311.03	99	330	40	570	1,900	--	10	--
MW1	11/10/95	348.03	0.00	39.66	308.37	150	56	22	89	610	--	--	--
MW1	02/12/96	348.03	0.00	36.19	311.84	3.0	37	7.8	140	470	--	1.3	--
MW1	05/17/96	348.03	0.00	35.82	312.21	ND	ND	ND	ND	ND	--	ND	--
MW1	08/12/96	348.03	0.00	38.44	309.59	ND	ND	ND	ND	ND	--	ND	--
MW1	11/08/96	348.03	0.00	40.07	307.96	ND	ND	ND	ND	ND	--	ND	--
MW1	02/12/97	348.03	0.00	34.27	313.76	--	--	--	--	--	--	--	--
MW1 <sup>a</sup>	03/17/97	348.03	0.00	37.07	310.96	ND	ND	ND	ND	ND	--	ND	--
MW1 <sup>a</sup>	05/13/97	348.03	0.00	37.76	310.27	ND	ND	ND	ND	ND	--	ND	--
MW1 <sup>a</sup>	08/12/97	348.03	0.00	40.68	307.35	ND	ND	ND	ND	ND	--	ND	--
MW1 <sup>a</sup>	10/31/97	348.03	0.00	40.90	307.13	17	62	7.9	150	740	--	ND	--
MW1 <sup>a</sup>	01/21/98	348.03	0.00	41.05	306.98	ND	ND	ND	ND	ND	--	ND	--
MW1 <sup>a</sup>	04/24/98	348.03	0.00	36.71	311.32	ND	ND	ND	ND	ND	--	ND	--
MW1 <sup>a</sup>	07/20/98	348.03	0.00	39.38	308.65	ND	ND	ND	ND	ND	--	ND	--
MW1 <sup>a</sup>	10/21/98	348.03	0.00	42.31	305.72	0.3	ND	ND	ND	ND	--	ND	--
MW1 <sup>a</sup>	02/22/99	348.03	0.00	42.70	305.33	40	17	5.4	94	840	--	ND	--
MW1 <sup>a</sup>	05/27/99	348.03	0.00	41.51	306.52	ND	ND	ND	ND	ND	--	ND	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE	
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d	(8020 or 8021)	MTBE (8260)
MW1 <sup>a</sup>	09/16/99	348.03	0.00	43.56	304.47	ND	ND	ND	ND	ND	--	ND	--
MW1 <sup>a</sup>	11/15/99	348.03	0.00	43.87	304.16	ND	ND	ND	ND	ND	--	ND	--
MW1 <sup>a</sup>	03/02/00	348.03	0.00	40.88	307.15	<0.30	<0.30	<0.30	<0.60	<50	--	<10	--
MW1 <sup>a</sup>	06/06/00	348.03	0.00	42.83	305.20	<0.20	<0.20	<0.20	<0.60	<20	--	<0.30	--
MW1 <sup>a</sup>	08/29/00	348.03	0.00	44.82	303.21	<0.30	<0.30	<0.30	<0.60	<50	--	<10	--
MW1 <sup>a</sup>	11/07/00	348.03	0.00	43.35	304.68	0.25	<0.20	0.25	<0.60	<20	--	<0.30	--
MW1 <sup>c</sup>	01/30/01	348.03	--	--	--	--	--	--	--	--	--	--	--
MW1 <sup>a</sup>	04/19/01	348.03	0.00	43.87	304.16	<0.20	<0.20	0.28	<0.60	<20	--	<0.30	--
MW1 <sup>a</sup>	07/27/01	348.03	0.00	43.96	304.07	<0.20	<0.20	<0.20	<0.60	<50	--	<0.30	--
MW1 <sup>a</sup>	10/19/01	348.03	0.00	44.52	303.51	<0.20	<0.20	<0.20	<0.60	<50	--	<0.30	--
MW1 <sup>a</sup>	01/15/02	350.42	0.00	43.13	307.29	<0.50	<0.50	<0.50	<0.50	<50.0	--	<0.50	--
MW1 <sup>a</sup>	04/09/02	350.42	0.00	45.23	305.19	3.30	0.60	<0.50	<0.50	127	--	2.30	--
MW1 <sup>a</sup>	07/23/02	350.42	0.00	45.87	304.55	2.10	<0.50	<0.50	<0.50	80.1	--	0.90	--
MW1 <sup>a</sup>	10/16/02	350.42	0.00	43.49	306.93	<0.5	<0.5	<0.5	<0.5	<50.0	--	<0.5	--
MW1 <sup>a</sup>	01/09/03	350.42	0.00	41.41	309.01	1.1	<0.50	<0.50	<0.50	<50.0	--	--	<0.50
MW1 <sup>a</sup>	04/14/03	350.42	0.00	43.64	306.78	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.50
MW1 <sup>a</sup>	07/09/03	350.42	0.00	43.34	307.08	1.40	1.0	<0.5	1.1	<50	--	<0.5	<0.5
MW1 <sup>a</sup>	10/01/03	350.42	0.00	44.04	306.38	1.00	<0.5	<0.5	<0.5	<50	--	<0.5	<0.5
MW1 <sup>a</sup>	01/19/04	350.42	0.00	44.22	306.20	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
MW1 <sup>a</sup>	04/01/04	350.42	0.00	43.82	306.60	<1.0	6.0	1.0	7.8	<100	--	--	<0.5
MW1 <sup>a</sup>	07/07/04	350.42	0.00	44.06	306.36	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
MW1 <sup>a</sup>	10/12/04	350.42	0.00	44.74	305.68	<0.5	2.9	0.6	4.5	82.4	--	--	<0.5
MW1 <sup>a</sup>	01/05/05	350.42	0.00	44.40	306.02	<0.5	<0.5	<0.5	<0.5	52.3	--	--	<0.5
MW1 <sup>a</sup>	04/14/05	350.42	0.00	40.24	310.18	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
MW1 <sup>a</sup>	07/14/05	350.42	0.00	43.01	307.41	111	--	1.60	0.7	1.2	<0.5	--	<0.5
MW1 <sup>a</sup>	10/17/05	350.42	0.00	43.91	306.51	<0.5	0.55	1.20	1.34	80.1	--	--	<0.5
MW1 <sup>a</sup>	01/10/06	350.42	0.00	42.02	308.40	1.8	1.2	14	23	300	--	--	<0.5
MW1 <sup>a</sup>	04/05/06	350.42	0.00	40.02	310.40	4.7	78	300	690	3,100	--	--	<0.500
MW1 <sup>a</sup>	07/05/06	350.42	0.00	38.05	312.37	<0.50	1.16	6.57	22.0	142	--	--	<0.500
MW1 <sup>a</sup>	10/04/06	350.42	0.00	41.07	309.35	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.500
MW1 <sup>a</sup>	01/02/07	350.42	0.00	40.96	309.46	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.500
MW1 <sup>a</sup>	04/03/07	350.42	0.00	38.61	311.81	<0.50	1.65	1.90	39.1	267	--	--	<0.500
MW1 <sup>a</sup>	08/27/07	350.42	0.00	42.01	308.41	<0.50	<0.50	<0.50	<0.50	50.6	--	--	<0.500
MW1 <sup>a</sup>	11/21/07	350.42	0.00	40.77	309.65	<0.50	<0.50	<0.50	<0.50	<50	--	--	<0.50
<b>MW1<sup>a</sup></b>	<b>03/18/08</b>	<b>350.42</b>	<b>0.00</b>	<b>37.70</b>	<b>312.72</b>	<b>&lt;0.50</b>	<b>5.88</b>	<b>20.4</b>	<b>149</b>	<b>682</b>	<b>--</b>	<b>--</b>	<b>&lt;0.500</b>

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW2	04/12/90	348.45	0.00	44.14	304.31	5,500	7,600	1,900	7,800	64,000	--	--	--
MW2	10/18/90	348.45	0.00	43.18	305.27	6,800	9,100	2,400	11,000	83,000	10,000	--	--
MW2	08/06/91	348.45	0.00	39.19	309.26	16,000	25,000	4,300	19,000	160,000	--	--	--
MW2	01/08/92	348.45	0.02	39.40	309.07	--	--	--	--	--	--	--	--
MW2	04/30/92	348.45	0.00	40.50	307.95	9,200	19,000	3,700	15,000	71,000	--	--	--
MW2	07/31/92	348.45	0.15	43.64	304.92	--	--	--	--	--	--	--	--
MW2	10/27/92	348.45	Trace	43.53	304.92	--	--	--	--	--	--	--	--
MW2	01/22/93	348.45	Trace	35.55	312.90	--	--	--	--	--	--	--	--
MW2	04/05/93	348.45	Trace	34.41	314.04	--	--	--	--	--	--	--	--
MW2	07/06/93	348.45	Trace	35.98	312.47	--	--	--	--	--	--	--	--
MW2	11/30/93	348.45	0.48	38.78	310.03	--	--	--	--	--	--	--	--
MW2	01/27/94	348.45	0.01	42.50	305.96	--	--	--	--	--	--	--	--
MW2	04/25/94	348.45	Trace	40.32	308.13	--	--	--	--	--	--	--	--
MW2	07/08/94	348.45	Trace	42.46	305.99	--	--	--	--	--	--	--	--
MW2	10/05/94	348.45	Trace	42.78	305.67	--	--	--	--	--	--	--	--
MW2	02/21/95	348.45	0.12	34.88	313.66	--	--	--	--	--	--	--	--
MW2	05/03/95	348.45	0.62	35.30	313.62	--	--	--	--	--	--	--	--
MW2	08/04/95	348.45	0.20	37.21	311.39	--	--	--	--	--	--	--	--
MW2	11/10/95	348.45	0.24	39.87	308.76	--	--	--	--	--	--	--	--
MW2	02/12/96	348.45	Trace	36.16	312.29	--	--	--	--	--	--	--	--
MW2	05/17/96	348.45	0.00	35.95	312.50	950	3,000	940	6,500	57,000	--	ND	--
MW2	08/12/96	348.45	0.00	38.45	310.00	18,000	16,000	1,700	10,000	86,000	--	ND	--
MW2	11/08/96	348.45	0.01	40.27	308.19	--	--	--	--	--	--	--	--
MW2	02/12/97	348.45	0.00	34.37	314.08	--	--	--	--	--	--	--	--
MW2 <sup>c</sup>	03/17/97	348.45	--	--	--	--	--	--	--	--	--	--	--
MW2 <sup>a</sup>	05/13/97	348.45	0.00	37.74	310.71	12,000	14,000	1,300	8,100	87,000	--	ND	--
MW2	08/12/97	348.45	0.04	40.73	307.75	--	--	--	--	--	--	--	--
MW2 <sup>a</sup>	10/31/97	348.45	0.00	41.12	307.33	320	450	300	760	11,000	--	280	--
MW2 <sup>a</sup>	01/21/98	348.45	0.00	40.75	307.70	300	750	180	2,500	27,000	--	ND	ND
MW2 <sup>a</sup>	04/24/98	348.45	0.00	36.48	311.97	37	110	110	1,300	11,000	--	72	--
MW2 <sup>a</sup>	07/20/98	348.45	0.00	39.38	309.07	3,200	2,500	510	1,800	23,000	--	ND	--
MW2	10/21/98	348.45	--	Dry	--	--	--	--	--	--	--	--	--
MW2 <sup>a</sup>	02/22/99	348.45	0.00	41.26	307.19	660	370	250	1,000	14,000	--	ND	--
MW2 <sup>a</sup>	05/27/99	348.45	0.00	41.57	306.88	930	460	350	1,300	12,000	--	ND	ND

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE	
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d	(8020 or 8021)	MTBE (8260)
MW2 <sup>a</sup>	09/16/99	348.45	0.00	43.61	304.84	220	100	300	300	13,000	--	99	--
MW2 <sup>a</sup>	11/15/99	348.45	0.00	43.71	304.74	<100	<50	86	140	8,800	--	49	<5
MW2 <sup>a</sup>	03/02/00	348.45	0.00	40.90	307.55	250	180	220	1,200	11,000	--	<50	--
MW2 <sup>a</sup>	06/06/00	348.45	0.00	42.68	305.77	290	68	250	100	8,400	--	<10	--
MW2 <sup>a</sup>	08/29/00	348.45	0.00	44.98	303.47	170	86	440	250	14,000	--	<10	--
MW2 <sup>a</sup>	11/07/00	348.45	0.00	43.46	304.99	120	43	250	150	18,000	--	110	<5
MW2 <sup>a</sup>	01/30/01	348.45	0.00	44.73	303.72	220	74	690	240	18,000	--	<250	--
MW2 <sup>a</sup>	04/19/01	348.45	0.00	43.95	304.50	150	37	440	80	19,000	--	<200	<5
MW2 <sup>a</sup>	07/27/01	348.45	0.00	44.10	304.35	37	<20	220	20	6,900	--	<5.0	--
MW2 <sup>a</sup>	10/19/01	348.45	0.00	44.67	303.78	110	24	600	72	13,000	--	<3.0	--
MW2 <sup>a</sup>	01/15/02	350.39	0.00	43.14	307.25	390	230	210	450	7,280	--	150	<0.5
MW2 <sup>a</sup>	04/09/02	350.39	0.00	45.34	305.05	152	42.0	411	104	11,200	--	206	<2.5
MW2 <sup>a</sup>	07/23/02	350.39	0.00	45.91	304.48	107	15.5	383	54	18,700	--	112	<1.0
MW2 <sup>a</sup>	10/16/02	350.39	0.00	43.59	306.80	17.7	8.6	12.2	28.5	1,270	--	12.8	<0.50
MW2 <sup>a</sup>	01/09/03	350.39	0.00	41.46	308.93	256.0	371.0	506	1,250.0	11,800	--	--	<0.50
MW2 <sup>a</sup>	04/14/03	350.39	0.00	43.73	306.66	89.0	9.5	143	11.0	4,940	--	--	<0.50
MW2 <sup>a</sup>	07/09/03	350.39	0.00	43.35	307.04	22.8	8.6	20.4	8.1	1,100	--	15.7	<0.5
MW2 <sup>a</sup>	10/01/03	350.39	0.00	44.16	306.23	43.7	6.0	51.2	6.8	3,280	--	33.4	<0.5
MW2 <sup>a</sup>	01/19/04	350.39	0.00	44.26	306.13	87.9	8.3	144	11.4	4,330	--	--	<0.5
MW2 <sup>a</sup>	04/01/04	350.39	0.00	43.76	306.63	7.00	3.2	7.7	5.2	494	--	--	<0.5
MW2 <sup>a</sup>	07/07/04	350.39	0.00	44.10	306.29	36.5	4.6	9.1	5.6	2,300	--	--	<0.5
MW2 <sup>a</sup>	10/12/04	350.39	0.00	44.52	305.87	31.6	14.1	12.1	12.5	2,770	--	--	<0.5
MW2 <sup>a</sup>	01/05/05	350.39	0.00	43.83	306.56	84.9	27.2	32.0	37.7	19,300	--	--	<0.5
MW2 <sup>a</sup>	04/14/05	350.39	0.00	40.23	310.16	4.20	<0.5	14.3	6.7	1,250	--	--	<0.5
MW2 <sup>a</sup>	07/14/05	350.39	0.00	43.01	307.38	1,150	--	41.5	3.3	116	27.0	--	<0.5
MW2 <sup>a</sup>	10/17/05	350.39	0.00	43.41	306.98	6.86	3.52	1.03	3.36	554	--	--	<0.5
MW2 <sup>a</sup>	01/10/06	350.39	0.00	41.55	308.84	2.6	0.56	<0.5	2.6	130	--	--	<0.5
MW2 <sup>a</sup>	04/05/06	350.39	0.00	39.62	310.77	3.5	0.52	14	17	1,400	--	--	<0.500
MW2 <sup>a</sup>	07/05/06	350.39	0.00	38.16	312.23	2.23	0.58	26.9	9.81	1,710	--	--	<0.500
MW2 <sup>a</sup>	10/04/06	350.39	0.00	40.64	309.75	5.14	1.39	21.9	12.1	574	--	--	<0.500
MW2 <sup>a</sup>	01/02/07	350.39	0.00	40.83	309.56	9.31	2.61	467	194	5,790	--	--	<0.500
MW2 <sup>a</sup>	04/03/07	350.39	0.00	37.98	312.41	19.3	<0.50	7.56	38.1	3,200	--	--	<0.500
MW2 <sup>a</sup>	08/27/07	350.39	0.00	41.51	308.88	5.46	1.78	11.1	10.6	544	--	--	<0.500
MW2 <sup>a</sup>	11/21/07	350.39	0.00	40.61	309.78	3.7	<0.50	18	26	1,400	--	--	<0.50
<b>MW2<sup>a</sup></b>	<b>03/18/08</b>	<b>350.39</b>	<b>0.00</b>	<b>37.45</b>	<b>312.94</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>2.30</b>	<b>94.8</b>	<b>--</b>	<b>--</b>	<b>&lt;0.500</b>

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW3	04/12/90	347.97	0.00	23.18	324.79	32	56	31	170	2,100	--	--	--
MW3	10/18/90	347.97	0.00	14.28	333.69	3	3	1	5	110	ND	--	--
MW3	08/06/91	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	01/08/92	347.97	0.00	32.36	315.61	8.9	26	8.5	72	680	--	--	--
MW3	04/30/92	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	07/31/92	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	10/27/92	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	01/22/93	347.97	0.00	27.30	320.67	240	300	170	440	2,600	--	--	--
MW3	04/05/93	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	07/06/93	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	11/30/93	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	01/27/94	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	04/25/94	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	07/08/94	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	02/21/95	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	05/03/95	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	08/04/95	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	11/10/95	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	02/12/96	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	05/17/96	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	08/12/96	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	11/08/96	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	02/12/97	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3 <sup>a</sup>	03/17/97	347.97	0.00	22.39	325.58	ND	ND	ND	ND	ND	--	ND	--
MW3 <sup>a</sup>	05/13/97	347.97	0.00	22.18	325.79	ND	ND	ND	ND	ND	--	ND	--
MW3 <sup>a</sup>	08/12/97	347.97	0.00	18.56	329.41	ND	ND	ND	ND	ND	--	ND	--
MW3	10/31/97	347.97	0.00	17.81	330.16	--	--	--	--	--	--	--	--
MW3	01/21/98	347.97	0.00	18.81	329.16	--	--	--	--	--	--	--	--
MW3	04/24/98	347.97	0.00	16.81	331.16	--	--	--	--	--	--	--	--
MW3	07/20/98	347.97	0.00	18.00	329.97	--	--	--	--	--	--	--	--
MW3	10/21/98	347.97	0.00	19.37	328.60	--	--	--	--	--	--	--	--
MW3	02/22/99	347.97	0.00	19.82	328.15	--	--	--	--	--	--	--	--
MW3	05/27/99	347.97	0.00	18.34	329.63	--	--	--	--	--	--	--	--
MW3	09/16/99	347.97	0.00	18.53	329.44	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d	MTBE (8020 or 8021)	MTBE (8260)
MW3	11/15/99	347.97	0.00	20.40	327.57	--	--	--	--	--	--	--	--
MW3	03/02/00	347.97	0.00	18.02	329.95	--	--	--	--	--	--	--	--
MW3	06/06/00	347.97	0.00	18.33	329.64	--	--	--	--	--	--	--	--
MW3	08/29/00	347.97	0.00	17.31	330.66	--	--	--	--	--	--	--	--
MW3	11/07/00	347.97	0.00	17.67	330.30	--	--	--	--	--	--	--	--
MW3	01/30/01	347.97	0.00	16.61	331.36	--	--	--	--	--	--	--	--
MW3	04/19/01	347.97	0.00	16.52	331.45	--	--	--	--	--	--	--	--
MW3	07/27/01	347.97	0.00	16.52	331.45	--	--	--	--	--	--	--	--
MW3	10/19/01	347.97	0.00	16.75	331.22	--	--	--	--	--	--	--	--
MW3	01/15/02	350.56	0.00	16.66	333.90	--	--	--	--	--	--	--	--
MW3	04/09/02	350.56	0.00	14.83	335.73	--	--	--	--	--	--	--	--
MW3	07/23/02	350.56	0.00	17.60	332.96	--	--	--	--	--	--	--	--
MW3	10/16/02	350.56	0.00	18.24	332.32	--	--	--	--	--	--	--	--
MW3	01/09/03	350.56	0.00	17.83	332.73	--	--	--	--	--	--	--	--
MW3	04/14/03	350.56	0.00	14.98	335.58	--	--	--	--	--	--	--	--
MW3	07/09/03	350.56	0.00	15.79	334.77	--	--	--	--	--	--	--	--
MW3	10/01/03	350.56	0.00	14.89	335.67	--	--	--	--	--	--	--	--
MW3	01/19/04	350.56	0.00	13.56	337.00	--	--	--	--	--	--	--	--
MW3	04/01/04	350.56	0.00	29.62	320.94	--	--	--	--	--	--	--	--
MW3	07/07/04	350.56	0.00	11.63	338.93	--	--	--	--	--	--	--	--
MW3	10/12/04	350.56	0.00	10.38	340.18	--	--	--	--	--	--	--	--
MW3	01/05/05	350.56	0.00	10.01	340.55	--	--	--	--	--	--	--	--
MW3	04/14/05	350.56	0.00	9.70	340.86	--	--	--	--	--	--	--	--
MW3	07/14/05	350.56	0.00	9.74	340.82	--	--	--	--	--	--	--	--
MW3	10/17/05	350.56	0.00	10.04	340.52	--	--	--	--	--	--	--	--
MW3	01/10/06	350.56	0.00	9.81	340.75	--	--	--	--	--	--	--	--
MW3	04/05/06	350.56	0.00	9.25	341.31	--	--	--	--	--	--	--	--
MW3	07/05/06	350.56	0.00	9.51	341.05	--	--	--	--	--	--	--	--
MW3	10/04/06	350.56	0.00	10.72	339.84	--	--	--	--	--	--	--	--
MW3	01/02/07	350.56	0.00	10.67	339.89	--	--	--	--	--	--	--	--
MW3	04/03/07	350.56	0.00	10.10	340.46	--	--	--	--	--	--	--	--
MW3	08/27/07	350.56	0.00	8.99	341.57	--	--	--	--	--	--	--	--
MW3	11/21/07	350.56	0.00	10.00	340.56	--	--	--	--	--	--	--	--
<b>MW3</b>	<b>03/18/08</b>	<b>350.56</b>	<b>0.00</b>	<b>9.45</b>	<b>341.11</b>	--	--	--	--	--	--	--	--



TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW4	10/18/90	348.07	0.00	43.16	304.91	180	500	200	1,200	9,600	2,000	--	--
MW4	08/06/91	348.07	0.00	38.65	309.42	320	420	220	650	8,600	--	--	--
MW4	01/08/92	348.07	0.00	38.65	309.42	600	880	220	1,100	3,400	--	--	--
MW4	04/30/92	348.07	0.00	39.88	308.19	650	1,200	210	1,200	7,200	--	--	--
MW4	07/31/92	348.07	0.00	43.07	305.00	320	340	120	360	3,800	--	--	--
MW4	10/27/92	348.07	0.00	42.78	305.29	440	750	190	900	9,000	--	--	--
MW4	01/22/93	348.07	0.00	34.76	313.31	540	1,200	320	1,900	12,000	--	--	--
MW4	04/05/93	348.07	0.00	33.61	314.46	34	18	12	31	1,100	--	--	--
MW4	07/06/93	348.07	0.00	35.37	312.70	220	300	43	440	4,000	--	--	--
MW4	11/30/93	348.07	0.00	37.78	310.29	140	83	54	110	1,400	--	--	--
MW4	01/27/94	348.07	0.00	42.10	305.97	140	75	24	94	910	--	--	--
MW4	04/25/94	348.07	0.00	40.28	307.79	--	--	--	--	--	--	--	--
MW4	04/26/94	348.07	--	--	--	1,200	1,800	580	2,500	27,000	--	--	--
MW4	07/08/94	348.07	0.00	41.38	306.69	57	47	17	43	540	--	--	--
MW4	10/05/94	348.07	0.00	42.17	305.90	230	280	73	210	3,200	--	--	--
MW4	02/21/95	348.07	0.02	34.87	313.22	--	--	--	--	--	--	--	--
MW4	05/03/95	348.07	0.00	34.81	313.26	--	--	--	--	--	--	--	--
MW4	05/04/95	348.07	--	--	--	100	200	50	240	1,700	--	--	--
MW4	08/04/95	348.07	0.00	37.18	310.89	92	67	49	150	2,500	--	12	--
MW4	11/10/95	348.07	0.00	39.86	308.21	1,100	590	420	1,200	11,000	--	--	--
MW4	02/12/96	348.07	0.00	36.38	311.69	4.5	2.4	ND	2.8	77	--	17	--
MW4	05/17/96	348.07	0.00	36.00	312.07	50	ND	ND	8.9	470	--	ND	--
MW4	08/12/96	348.07	0.00	38.63	309.44	830	180	160	250	4,000	--	ND	--
MW4	11/08/96	348.07	0.00	40.28	307.79	160	35	41	110	1,100	--	ND	--
MW4	02/12/97	348.07	0.00	34.45	313.62	--	--	--	--	--	--	--	--
MW4 <sup>a</sup>	03/17/97	348.07	0.00	37.25	310.82	200	40	54	74	2,100	--	ND	--
MW4 <sup>a</sup>	05/13/97	348.07	0.00	37.92	310.15	320	72	67	100	2,200	--	ND	--
MW4 <sup>a</sup>	08/12/97	348.07	0.00	40.87	307.20	310	31	59	68	2,200	--	ND	--
MW4 <sup>a</sup>	10/31/97	348.07	0.00	41.21	306.86	160	ND	15	28	1,000	--	ND	--
MW4 <sup>a</sup>	01/21/98	348.07	0.00	41.20	306.87	17	2.4	27	5.3	610	--	ND	--
MW4 <sup>a</sup>	04/24/98	348.07	0.00	36.90	311.17	5.0	1.2	3.0	ND	460	--	ND	--
MW4 <sup>a</sup>	07/20/98	348.07	0.00	39.56	308.51	79	12	40	16	1,700	--	ND	--
MW4 <sup>a</sup>	10/21/98	348.07	0.00	40.51	307.56	200	59	51	90	2,000	--	ND	--
MW4 <sup>a</sup>	02/22/99	348.07	0.00	41.46	306.61	45	21	6.3	100	920	--	ND	--
MW4 <sup>a</sup>	05/27/99	348.07	0.00	41.71	306.36	67	9.0	4.7	40	670	--	ND	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE	
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d	(8020 or 8021)	MTBE (8260)
MW4 <sup>a</sup>	09/16/99	348.07	0.00	43.71	304.36	150	34	6.2	150	3,000	--	ND	--
MW4 <sup>a</sup>	11/15/99	348.07	0.00	44.15	303.92	ND	ND	ND	ND	ND	--	ND	--
MW4 <sup>a</sup>	03/02/00	348.07	0.00	41.08	306.99	10	0.69	<0.30	6.5	240	--	<10	--
MW4 <sup>a</sup>	06/06/00	348.07	0.00	43.09	304.98	<0.20	0.26	<0.20	<0.60	<20	--	<0.30	--
MW4 <sup>a</sup>	08/29/00	348.07	0.00	45.05	303.02	16	14	12	20	620	--	<10	--
MW4 <sup>a</sup>	11/07/00	348.07	0.00	43.65	304.42	10	5.2	7.7	51	410	--	<5.0	--
MW4 <sup>a</sup>	01/30/01	348.07	0.00	44.81	303.26	15	5.4	16	56	350	--	<1.0	--
MW4 <sup>a</sup>	04/19/01	348.07	0.00	44.10	303.97	12	3.4	11	50	330	--	<5.0	--
MW4 <sup>a</sup>	07/27/01	348.07	0.00	44.20	303.87	24	5.8	7.6	77	420	--	<0.30	--
MW4 <sup>a</sup>	10/19/01	348.07	0.00	44.75	303.32	22	9.2	23	130	680	--	<0.30	--
MW4 <sup>a</sup>	01/15/02	350.69	0.00	43.35	307.34	9.10	4.20	7.90	56.0	420	--	1.00	<0.5
MW4 <sup>a</sup>	04/09/02	350.69	0.00	45.47	305.22	15.2	8.50	13.8	94.1	626	--	0.90	--
MW4 <sup>a</sup>	07/23/02	350.69	0.00	46.09	304.60	18.4	9.60	17.2	88.7	775	--	2.10	--
MW4 <sup>a</sup>	10/16/02	350.69	0.00	43.71	306.98	16.6	7.5	3.8	76.4	480	--	<0.5	--
MW4 <sup>a</sup>	01/09/03	350.69	0.00	41.63	309.06	23.3	20.4	15.8	132.0	1,120	--	--	<0.50
MW4 <sup>a</sup>	04/14/03	350.69	0.00	43.85	306.84	23.0	13.6	8.6	106.0	783	--	--	<0.50
MW4 <sup>a</sup>	07/09/03	350.69	0.00	43.56	307.13	49.5	27.6	21.3	227	1,570	--	3.1	<0.5
MW4 <sup>a</sup>	10/01/03	350.69	0.00	44.27	306.42	33.2	7.8	5.4	75.9	823	--	1.1	<0.5
MW4 <sup>a</sup>	01/19/04	350.69	0.00	44.48	306.21	75.3	15.3	2.3	233	2,360	--	--	<0.5
MW4 <sup>a</sup>	04/01/04	350.69	0.00	44.06	306.63	78.8	20.0	22.5	218	2,700	--	--	<0.5
MW4 <sup>a</sup>	07/07/04	350.69	0.00	44.30	306.39	70.2	6.9	18.7	146	1,410	--	--	<0.5
MW4 <sup>a</sup>	10/12/04	350.69	0.00	44.98	305.71	35.4	3.6	1.0	8.1	734	--	--	<0.5
MW4 <sup>a</sup>	01/05/05	350.69	0.00	44.58	306.11	45.8	11.2	1.0	68.1	1,100	--	--	<0.5
MW4 <sup>a</sup>	04/14/05	350.69	0.00	40.44	310.25	2.00	1.3	0.6	15.1	193	--	--	<0.5
MW4 <sup>a</sup>	07/14/05	350.69	0.00	43.25	307.44	85.0	--	1.70	<0.5	<0.5	<0.5	--	<0.5
MW4 <sup>a</sup>	10/17/05	350.69	0.00	44.12	306.57	<0.5	<0.5	<0.5	0.64	95.3	--	--	<0.5
MW4 <sup>a</sup>	01/10/06	350.69	0.00	42.25	308.44	<0.5	1.4	<0.5	1.2	67	--	--	<0.5
MW4 <sup>a</sup>	04/05/06	350.69	0.00	40.20	310.49	<0.50	<0.50	<0.50	5.5	120	--	--	<0.500
MW4 <sup>a</sup>	07/05/06	350.69	0.00	38.28	312.41	0.64	<0.50	5.51	2.62	182	--	--	<0.500
MW4 <sup>a</sup>	10/04/06	350.69	0.00	41.16	309.53	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.500
MW4 <sup>a</sup>	01/02/07	350.69	0.00	41.11	309.58	<0.50	<0.50	0.72	<0.50	<50.0	--	--	<0.500
MW4 <sup>a</sup>	04/03/07	350.69	0.00	38.75	311.94	<0.50	<0.50	6.18	15.1	280	--	--	<0.500
MW4 <sup>a</sup>	08/27/07	350.69	0.00	42.00	308.69	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.500
MW4 <sup>a</sup>	11/21/07	350.69	0.00	40.88	309.81	<0.50	<0.50	<0.50	<0.50	<50	--	--	<0.50
<b>MW4<sup>a</sup></b>	<b>03/18/08</b>	<b>350.69</b>	<b>0.00</b>	<b>37.69</b>	<b>313.00</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;50.0</b>	<b>--</b>	<b>--</b>	<b>&lt;0.500</b>

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW5	10/18/90	347.97	--	c	--	--	--	--	--	--	--	--	--
MW5	08/06/91	347.97	0.00	34.25	313.72	--	--	--	--	--	--	--	--
MW5	01/08/92	347.97	0.00	34.22	313.75	--	--	--	--	--	--	--	--
MW5	04/30/92	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	07/31/92	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	10/27/92	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	01/22/93	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	04/05/93	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	07/06/93	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	11/30/93	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	01/27/94	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	04/25/94	347.97	0.00	34.23	313.74	--	--	--	--	--	--	--	--
MW5	07/08/94	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	02/21/95	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	05/03/95	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	08/04/95	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	11/10/95	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	02/12/96	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	05/17/96	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	08/12/96	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	11/08/96	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	02/12/97	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	03/17/97	347.97	0.00	34.21	313.76	--	--	--	--	--	--	--	--
MW5	05/13/97	347.97	--	--	--	--	--	--	--	--	--	--	--
MW5 <sup>d</sup>	08/12/97	347.97	0.00	34.22	313.75	--	--	--	--	--	--	--	--
MW5	10/31/97	347.97	0.00	34.19	313.78	--	--	--	--	--	--	--	--
MW5	01/21/98	347.97	0.00	31.25	316.72	--	--	--	--	--	--	--	--
MW5	04/24/98	347.97	0.00	34.21	313.76	--	--	--	--	--	--	--	--
MW5	07/20/98	347.97	0.00	34.21	313.76	--	--	--	--	--	--	--	--
MW5	10/21/98	347.97	0.00	34.20	313.77	--	--	--	--	--	--	--	--
MW5	02/22/99	347.97	0.00	34.25	313.72	--	--	--	--	--	--	--	--
MW5	05/27/99	347.97	0.00	34.01	313.96	--	--	--	--	--	--	--	--
MW5	09/16/99	347.97	0.00	34.10	313.87	--	--	--	--	--	--	--	--
MW5	11/15/99	347.97	0.00	35.21	312.76	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW5 <sup>c</sup>	03/02/00	347.97	--	--	--	--	--	--	--	--	--	--	--
MW5 <sup>c</sup>	06/06/00	347.97	--	--	--	--	--	--	--	--	--	--	--
MW5	08/29/00	347.97	0.00	33.95	314.02	--	--	--	--	--	--	--	--
MW5	11/07/00	347.97	0.00	33.99	313.98	--	--	--	--	--	--	--	--
MW5	01/30/01	347.97	0.00	33.84	314.13	--	--	--	--	--	--	--	--
MW5	04/19/01	347.97	0.00	33.62	314.35	--	--	--	--	--	--	--	--
MW5	07/27/01	347.97	0.00	33.65	314.32	--	--	--	--	--	--	--	--
MW5	10/19/01	347.97	0.00	33.75	314.22	--	--	--	--	--	--	--	--
MW5 <sup>c</sup>	01/15/02	--	0.00	33.80	--	--	--	--	--	--	--	--	--
MW5	04/09/02	350.61	0.00	33.47	317.14	--	--	--	--	--	--	--	--
MW5	07/23/02	350.61	0.00	34.05	316.56	--	--	--	--	--	--	--	--
MW5	10/16/02	350.61	0.00	34.11	316.50	--	--	--	--	--	--	--	--
MW5	01/09/03	350.61	0.00	34.02	316.59	--	--	--	--	--	--	--	--
MW5	04/14/03	350.61	0.00	33.38	317.23	--	--	--	--	--	--	--	--
MW5	07/09/03	350.61	0.00	33.43	317.18	--	--	--	--	--	--	--	--
MW5	10/01/03	350.61	0.00	33.42	317.19	--	--	--	--	--	--	--	--
MW5	01/19/04	350.61	0.00	33.34	317.27	--	--	--	--	--	--	--	--
MW5	04/01/04	350.61	0.00	33.31	317.30	--	--	--	--	--	--	--	--
MW5	07/07/04	350.61	0.00	33.18	317.43	--	--	--	--	--	--	--	--
MW5	10/12/04	350.61	0.00	33.14	317.47	--	--	--	--	--	--	--	--
MW5	01/05/05	350.61	0.00	33.19	317.42	--	--	--	--	--	--	--	--
MW5	04/14/05	350.61	0.00	33.15	317.46	--	--	--	--	--	--	--	--
MW5	07/14/05	350.61	0.00	33.02	317.59	--	--	--	--	--	--	--	--
MW5	10/17/05	350.61	0.00	33.12	317.49	--	--	--	--	--	--	--	--
MW5	01/10/06	350.61	0.00	33.09	317.52	--	--	--	--	--	--	--	--
MW5	04/05/06	350.61	0.00	32.85	317.76	--	--	--	--	--	--	--	--
MW5	07/05/06	350.61	0.00	33.03	317.58	--	--	--	--	--	--	--	--
MW5	10/04/06	350.61	0.00	33.15	317.46	--	--	--	--	--	--	--	--
MW5	01/02/07	350.61	0.00	33.07	317.54	--	--	--	--	--	--	--	--
MW5	04/03/07	350.61	0.00	33.00	317.61	--	--	--	--	--	--	--	--
MW5	08/27/07	350.61	0.00	33.17	317.44	--	--	--	--	--	--	--	--
MW5	11/21/07	350.61	0.00	33.34	317.27	--	--	--	--	--	--	--	--
<b>MW5</b>	<b>03/18/08</b>	<b>350.61</b>	<b>0.00</b>	<b>32.88</b>	<b>317.73</b>	--	--	--	--	--	--	--	--
MW6	10/18/90	348.23	0.00	43.60	304.63	1,300	150	120	85	3,000	ND	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW6	08/06/91	348.23	0.00	39.07	309.16	220	10	5.2	14	1,600	--	--	--
MW6	01/08/92	348.23	0.00	39.18	309.05	81	3.9	4.5	2.9	370	--	--	--
MW6	04/30/92	348.23	0.00	40.46	307.77	180	8.4	6.8	3.3	610	--	--	--
MW6	07/31/92	348.23	0.00	43.61	304.62	1,500	1,500	370	1,100	96	--	--	--
MW6	10/27/92	348.23	0.00	43.68	304.55	27	ND	6	10	9,400	--	--	--
MW6	01/22/93	348.23	0.00	35.66	312.57	12	2.4	1.4	1.9	250	--	--	--
MW6	04/05/93	348.23	0.00	34.41	313.82	2.3	0.99	ND	0.5	190	--	--	--
MW6	07/06/93	348.23	0.00	36.01	312.22	1.4	0.54	ND	ND	99	--	--	--
MW6	11/30/93	348.23	0.00	38.36	309.87	9.1	ND	ND	ND	86	--	--	--
MW6	01/27/94	348.23	0.00	42.57	305.66	1.7	ND	ND	ND	140	--	--	--
MW6	04/25/94	348.23	0.00	40.77	307.46	--	--	--	--	--	--	--	--
MW6	04/26/94	348.23	--	--	--	40	ND	ND	ND	330	--	--	--
MW6	07/08/94	348.23	0.00	41.82	306.41	8.8	9.2	3.5	12	170	--	--	--
MW6	10/05/94	348.23	0.00	42.64	305.59	100	5.6	11	12	600	--	--	--
MW6	02/21/95	348.23	0.01	35.55	312.69	--	--	--	--	--	--	--	--
MW6	05/03/95	348.23	0.00	35.47	312.76	--	--	--	--	--	--	--	--
MW6	05/04/95	348.23	--	--	--	6.8	1.8	7.4	7.1	350	--	--	--
MW6	08/04/95	348.23	0.00	37.72	310.51	3.8	1.7	ND	1.1	150	--	6.5	--
MW6	11/10/95	348.23	0.00	40.31	307.92	6.6	0.96	1.6	1.7	130	--	--	--
MW6	02/12/96	348.23	0.00	36.92	311.31	2.8	1.6	0.57	1.3	65	--	5.2	--
MW6	05/17/96	348.23	0.00	36.56	311.67	2.8	ND	ND	ND	91	--	ND	--
MW6	08/12/96	348.23	0.00	39.12	309.11	4.6	2.6	ND	1.7	75	--	ND	--
MW6	11/08/96	348.23	0.00	40.69	307.54	2.5	0.60	0.50	0.68	60	--	ND	--
MW6	02/12/97	348.23	0.00	34.99	313.24	--	--	--	--	--	--	--	--
MW6 <sup>a</sup>	03/17/97	348.23	0.00	37.76	310.47	ND	ND	ND	ND	ND	--	ND	--
MW6 <sup>a</sup>	05/13/97	348.23	0.00	38.45	309.78	ND	ND	ND	ND	ND	--	ND	--
MW6 <sup>a</sup>	08/12/97	348.23	0.00	41.33	306.90	1.3	ND	ND	ND	68	--	ND	--
MW6 <sup>a</sup>	10/31/97	348.23	0.00	41.68	306.55	ND	ND	ND	ND	ND	--	ND	--
MW6 <sup>a</sup>	01/21/98	348.23	0.00	41.62	306.61	2.1	ND	0.4	ND	180	--	ND	--
MW6 <sup>a</sup>	04/24/98	348.23	0.00	37.42	310.81	1.0	ND	ND	ND	100	--	ND	--
MW6 <sup>a</sup>	07/20/98	348.23	0.00	40.01	308.22	1.5	6.0	1.2	1.2	280	--	ND	--
MW6 <sup>a</sup>	10/21/98	348.23	0.00	42.93	305.30	9.1	7.7	ND	1.1	590	--	ND	--
MW6 <sup>a</sup>	02/22/99	348.23	0.00	41.83	306.40	ND	4.4	ND	ND	170	--	ND	--
MW6 <sup>a</sup>	05/27/99	348.23	0.00	42.13	306.10	ND	3.7	ND	0.9	160	--	ND	--
MW6 <sup>a</sup>	09/16/99	348.23	0.00	44.27	303.96	ND	ND	ND	ND	70	--	ND	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE	
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d	(8020 or 8021)	MTBE (8260)
MW6 <sup>a</sup>	11/15/99	348.23	0.00	44.65	303.58	ND	ND	ND	ND	ND	--	ND	--
MW6 <sup>a</sup>	03/02/00	348.23	0.00	41.50	306.73	<0.30	<0.30	<0.30	<0.60	<50	--	<10	--
MW6 <sup>a</sup>	06/06/00	348.23	0.00	44.48	303.75	<1.0	1.8	<0.20	<0.60	58	--	<0.30	--
MW6 <sup>a</sup>	08/29/00	348.23	0.00	45.43	302.80	<0.30	4.1	<0.30	0.64	150	--	<10	--
MW6 <sup>a</sup>	11/07/00	348.23	0.00	44.05	304.18	<0.20	<0.20	<0.20	<0.60	<20	--	<0.30	--
MW6 <sup>a</sup>	01/30/01	348.23	0.00	45.12	303.11	<0.20	<0.20	<0.20	<0.60	30	--	<0.30	--
MW6 <sup>a</sup>	04/19/01	348.23	0.00	44.48	303.75	<0.20	0.32	0.66	1.2	51	--	<5.0	--
MW6 <sup>a</sup>	07/27/01	348.23	0.00	44.59	303.64	<1.0	<1.0	0.48	0.80	95	--	<1.0	--
MW6 <sup>a</sup>	10/19/01	348.23	0.00	45.19	303.04	<0.20	<0.20	<0.20	<0.60	<50	--	<0.30	--
MW6 <sup>a</sup>	01/15/02	350.90	0.00	43.74	307.16	17.9	4.40	18.5	61.7	287	--	2.00	<0.5
MW6 <sup>a</sup>	04/09/02	350.90	0.00	47.66	303.24	<0.50	<0.50	<0.50	<0.50	<50.0	--	<0.50	--
MW6 <sup>a</sup>	07/23/02	350.90	0.00	49.09	301.81	<0.50	<0.50	<0.50	<0.50	<50.0	--	<0.50	--
MW6 <sup>a</sup>	10/16/02	350.90	0.00	44.18	306.72	26.7	2.8	46.2	73.4	831	--	<0.5	--
MW6 <sup>a</sup>	01/09/03	350.90	0.00	42.09	308.81	2.3	<0.50	<0.50	<0.50	<50.0	--	--	<0.50
MW6 <sup>a</sup>	04/14/03	350.90	0.00	44.25	306.65	<0.50	<0.50	<0.50	<0.50	73.9	--	--	<0.50
MW6 <sup>a</sup>	07/09/03	350.90	0.00	43.94	306.96	0.70	1.3	0.5	1.3	138	--	2.0	<0.5
MW6 <sup>a</sup>	10/01/03	350.90	0.00	44.65	306.25	0.80	<0.5	<0.5	0.6	96.5	--	2.0	<0.5
MW6 <sup>a</sup>	01/19/04	350.90	0.00	44.81	306.09	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
MW6 <sup>a</sup>	04/01/04	350.90	0.00	44.40	306.50	<1.0	1.9	<1.0	4.7	<100	--	--	<0.5
MW6 <sup>a</sup>	07/07/04	350.90	0.00	44.65	306.25	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
MW6 <sup>a</sup>	10/12/04	350.90	0.00	45.33	305.57	<0.5	2.4	<0.5	3.4	<50	--	--	<0.5
MW6 <sup>a</sup>	01/05/05	350.90	0.00	45.00	305.90	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
MW6 <sup>a</sup>	04/14/05	350.90	0.00	40.85	310.05	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
MW6 <sup>a</sup>	07/14/05	350.90	0.00	43.58	307.32	<50	--	<0.5	<0.5	<0.5	<0.5	--	<0.5
MW6 <sup>a</sup>	10/17/05	350.90	0.00	44.45	306.45	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
MW6 <sup>a</sup>	01/10/06	350.90	0.00	42.57	308.33	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
MW6 <sup>a</sup>	04/05/06	350.90	0.00	40.64	310.26	<0.50	<0.50	<0.50	<0.50	<50	--	--	<0.500
MW6 <sup>a</sup>	07/05/06	350.90	0.00	38.70	312.20	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.500
MW6 <sup>a</sup>	10/04/06	350.90	0.00	41.65	309.25	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.500
MW6 <sup>a</sup>	01/02/07	350.90	0.00	41.47	309.43	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.500
MW6 <sup>a</sup>	04/03/07	350.90	0.00	39.15	311.75	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.500
MW6 <sup>a</sup>	08/27/07	350.90	0.00	42.53	308.37	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.500
MW6 <sup>a</sup>	11/21/07	350.90	0.00	41.27	309.63	<0.50	<0.50	<0.50	<0.50	<50	--	--	<0.50
<b>MW6<sup>a</sup></b>	<b>03/18/08</b>	<b>350.90</b>	<b>0.00</b>	<b>38.21</b>	<b>312.69</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;50.0</b>	<b>--</b>	<b>--</b>	<b>&lt;0.500</b>

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW7	10/18/90	347.90	0.00	9.26	338.64	0	0.5	ND	0.8	ND	ND	--	--
MW7	08/06/91	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	01/08/92	347.90	0.00	23.79	324.11	7.8	1.7	ND	0.55	220	--	--	--
MW7	04/30/92	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	07/31/92	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	10/27/92	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	01/22/93	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	04/05/93	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	07/06/93	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	11/30/93	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	01/27/94	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	04/25/94	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	07/08/94	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	02/21/95	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	05/03/95	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	08/04/95	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	11/10/95	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	02/12/96	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	05/17/96	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	08/12/96	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	11/08/96	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	02/12/97	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	03/17/97	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	05/13/97	347.90	--	--	--	--	--	--	--	--	--	--	--
MW7	08/12/97	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	10/31/97	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	01/21/98	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	04/24/98	347.90	0.00	24.44	323.46	--	--	--	--	--	--	--	--
MW7	07/20/98	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	10/21/98	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	02/22/99	347.90	0.00	23.69	324.21	--	--	--	--	--	--	--	--
MW7	05/27/99	347.90	0.00	23.67	324.23	--	--	--	--	--	--	--	--
MW7	09/16/99	347.90	0.00	23.19	324.71	--	--	--	--	--	--	--	--
MW7	11/15/99	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	03/02/00	347.90	0.00	18.10	329.80	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW7	06/06/00	347.90	0.00	24.19	323.71	--	--	--	--	--	--	--	--
MW7	08/29/00	347.90	0.00	19.40	328.50	--	--	--	--	--	--	--	--
MW7	11/07/00	347.90	0.00	20.20	327.70	--	--	--	--	--	--	--	--
MW7	01/30/01	347.90	0.00	18.77	329.13	--	--	--	--	--	--	--	--
MW7	04/19/01	347.90	0.00	17.26	330.64	--	--	--	--	--	--	--	--
MW7	07/27/01	347.90	0.00	18.98	328.92	--	--	--	--	--	--	--	--
MW7	10/19/01	347.90	0.00	17.27	330.63	--	--	--	--	--	--	--	--
MW7	01/15/02	350.47	0.00	17.21	333.26	--	--	--	--	--	--	--	--
MW7	04/09/02	350.47	0.00	15.46	335.01	--	--	--	--	--	--	--	--
MW7	07/23/02	350.47	0.00	18.40	332.07	--	--	--	--	--	--	--	--
MW7	10/16/02	350.47	0.00	19.23	331.24	--	--	--	--	--	--	--	--
MW7	01/09/03	350.47	0.00	18.68	331.79	--	--	--	--	--	--	--	--
MW7	04/14/03	350.47	0.00	12.93	337.54	--	--	--	--	--	--	--	--
MW7	07/09/03	350.47	0.00	15.68	334.79	--	--	--	--	--	--	--	--
MW7	10/01/03	350.47	0.00	13.04	337.43	--	--	--	--	--	--	--	--
MW7	01/19/04	350.47	0.00	11.65	338.82	--	--	--	--	--	--	--	--
MW7	04/01/04	350.47	0.00	13.33	337.14	--	--	--	--	--	--	--	--
MW7	07/07/04	350.47	0.00	10.97	339.50	--	--	--	--	--	--	--	--
MW7	10/12/04	350.47	0.00	8.72	341.75	--	--	--	--	--	--	--	--
MW7	01/05/05	350.47	0.00	8.19	342.28	--	--	--	--	--	--	--	--
MW7	04/14/05	350.47	0.00	7.50	342.97	--	--	--	--	--	--	--	--
MW7	07/14/05	350.47	0.00	7.59	342.88	--	--	--	--	--	--	--	--
MW7	10/17/05	350.47	0.00	7.94	342.53	--	--	--	--	--	--	--	--
MW7	01/10/06	350.47	0.00	8.01	342.46	--	--	--	--	--	--	--	--
MW7	04/05/06	350.47	0.00	7.48	342.99	--	--	--	--	--	--	--	--
MW7	07/05/06	350.47	0.00	8.08	342.39	--	--	--	--	--	--	--	--
MW7	10/04/06	350.47	0.00	8.89	341.58	--	--	--	--	--	--	--	--
MW7	01/02/07	350.47	0.00	8.79	341.68	--	--	--	--	--	--	--	--
MW7	04/03/07	350.47	0.00	8.70	341.77	--	--	--	--	--	--	--	--
MW7	08/27/07	350.47	0.00	9.31	341.16	--	--	--	--	--	--	--	--
MW7	11/21/07	350.47	0.00	9.57	340.90	--	--	--	--	--	--	--	--
<b>MW7</b>	<b>03/18/08</b>	<b>350.47</b>	<b>0.00</b>	<b>8.40</b>	<b>342.07</b>	--	--	--	--	--	--	--	--
MW8	10/18/90	348.90	0.00	11.30	337.60	3	5	7	62	900	ND	--	--
MW8	08/06/91	348.90	--	Dry	--	--	--	--	--	--	--	--	--



TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW8	01/08/92	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	04/30/92	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	07/31/92	348.90	0.00	12.04	336.86	ND	ND	ND	1.3	270 <sup>e</sup>	--	--	--
MW8	10/27/92	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	01/22/93	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	04/05/93	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	07/06/93	348.90	0.00	7.48	341.42	ND	ND	ND	ND	ND	--	--	--
MW8	11/30/93	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	01/27/94	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	04/25/94	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	07/08/94	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	10/05/94	348.90	--	--	--	--	--	--	--	--	--	--	--
MW8	02/21/95	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	05/03/95	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	08/04/95	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	11/10/95	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	02/12/96	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	05/17/96	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	08/12/96	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	11/08/96	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	02/12/97	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	03/17/97	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	05/13/97	348.90	--	--	--	--	--	--	--	--	--	--	--
MW8	08/12/97	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	10/31/97	348.90	0.00	18.88	330.02	--	--	--	--	--	--	--	--
MW8	01/21/98	348.90	0.00	19.50	329.40	--	--	--	--	--	--	--	--
MW8	04/24/98	348.90	0.00	18.53	330.37	--	--	--	--	--	--	--	--
MW8	07/20/98	348.90	0.00	19.22	329.68	--	--	--	--	--	--	--	--
MW8	10/21/98	348.90	0.00	20.19	328.71	--	--	--	--	--	--	--	--
MW8	02/22/99	348.90	0.00	20.64	328.26	--	--	--	--	--	--	--	--
MW8	05/27/99	348.90	0.00	20.53	328.37	--	--	--	--	--	--	--	--
MW8	09/16/99	348.90	0.00	18.10	330.80	--	--	--	--	--	--	--	--
MW8	11/15/99	348.90	0.00	19.52	329.38	--	--	--	--	--	--	--	--
MW8	03/02/00	348.90	0.00	17.42	331.48	--	--	--	--	--	--	--	--
MW8	06/06/00	348.90	0.00	18.02	330.88	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d	MTBE (8020 or 8021)	MTBE (8260)
MW8	08/29/00	348.90	0.00	16.90	332.00	--	--	--	--	--	--	--	--
MW8	11/07/00	348.90	0.00	17.45	331.45	--	--	--	--	--	--	--	--
MW8	01/30/01	348.90	0.00	16.61	332.29	--	--	--	--	--	--	--	--
MW8	04/19/01	348.90	0.00	16.81	332.09	--	--	--	--	--	--	--	--
MW8	07/27/01	348.90	0.00	16.61	332.29	--	--	--	--	--	--	--	--
MW8	10/19/01	348.90	0.00	16.69	332.21	--	--	--	--	--	--	--	--
MW8	01/15/02	351.45	0.00	16.75	334.70	--	--	--	--	--	--	--	--
MW8	04/09/02	351.45	0.00	15.63	335.82	--	--	--	--	--	--	--	--
MW8	07/23/02	351.45	0.00	17.86	333.59	--	--	--	--	--	--	--	--
MW8	10/16/02	351.45	0.00	18.58	332.87	--	--	--	--	--	--	--	--
MW8	01/09/03	351.45	0.00	17.70	333.75	--	--	--	--	--	--	--	--
MW8	04/14/03	351.45	0.00	14.87	336.58	--	--	--	--	--	--	--	--
MW8	07/09/03	351.45		Well not located.		--	--	--	--	--	--	--	--
MW8	10/01/03	351.45		Well not located.		--	--	--	--	--	--	--	--
MW8	01/19/04	351.45	0.00	13.90	337.55	--	--	--	--	--	--	--	--
MW8	04/01/04	351.45	0.00	13.62	337.83	--	--	--	--	--	--	--	--
MW8	07/07/04	351.45	0.00	12.40	339.05	--	--	--	--	--	--	--	--
MW8	10/12/04	351.45	0.00	10.99	340.46	--	--	--	--	--	--	--	--
MW8	01/05/05	351.45	0.00	10.81	340.64	--	--	--	--	--	--	--	--
MW8	04/14/05	351.45	0.00	10.20	341.25	--	--	--	--	--	--	--	--
MW8	07/14/05	351.45	0.00	10.06	341.39	--	--	--	--	--	--	--	--
MW8	10/17/05	351.45	0.00	10.42	341.03	--	--	--	--	--	--	--	--
MW8	01/10/06	351.45	0.00	11.26	340.19	--	--	--	--	--	--	--	--
MW8	04/05/06	351.45	0.00	9.82	341.63	--	--	--	--	--	--	--	--
MW8	07/05/06	351.45	0.00	10.43	341.02	--	--	--	--	--	--	--	--
MW8	10/04/06	351.45	0.00	11.24	340.21	--	--	--	--	--	--	--	--
MW8	01/02/07	351.45	0.00	11.13	340.32	--	--	--	--	--	--	--	--
MW8	04/03/07	351.45	0.00	10.15	341.30	--	--	--	--	--	--	--	--
MW8	08/27/07	351.45	0.00	10.04	341.41	--	--	--	--	--	--	--	--
MW8	11/21/07	351.45	0.00	11.95	339.50	--	--	--	--	--	--	--	--
<b>MW8</b>	<b>03/18/08</b>	<b>351.45</b>	<b>0.00</b>	<b>11.09</b>	<b>340.36</b>	--	--	--	--	--	--	--	--
MW9	02/04/92	348.53	0.00	43.54	304.99	3,000	740	1,200	2,500	16,000	--	--	--
MW9	04/30/92	348.53	0.00	42.83	305.70	1,000	120	410	350	5,600	--	--	--
MW9	07/31/92	348.53	0.00	47.36	301.17	1,800	1,900	620	940	93	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW9	10/27/92	348.53	0.00	48.32	300.21	2,400	1,600	680	1,100	13,000	--	--	--
MW9	01/22/93	348.53	0.00	39.11	309.42	1,200	200	510	350	5,600	--	--	--
MW9	04/05/93	348.53	0.00	37.10	311.43	1,300	510	620	670	7,900	--	--	--
MW9	07/06/93	348.53	0.00	39.21	309.32	510	46	170	150	3,200	--	--	--
MW9	11/30/93	348.53	0.00	40.58	307.95	610	28	220	65	2,800	--	--	--
MW9	01/27/94	348.53	0.00	44.32	304.21	1,400	130	230	700	11,000	--	--	--
MW9	04/25/94	348.53	0.00	43.05	305.48	--	--	--	--	--	--	--	--
MW9	04/26/94	348.53	--	--	--	460	56	160	220	3,900	--	--	--
MW9	07/08/94	348.53	0.00	45.72	302.81	340	82	96	220	2,600	--	--	--
Well destroyed.													
MW10	11/30/93	347.95	0.00	37.97	309.98	ND	ND	ND	ND	ND	--	--	--
MW10	01/27/94	347.95	0.00	42.16	305.79	ND	ND	ND	1.2	ND	--	--	--
MW10	04/25/94	347.95	0.00	40.39	307.56	--	--	--	--	--	--	--	--
MW10	04/26/94	347.95	--	--	--	17	0.84	ND	ND	810	--	--	--
MW10	07/08/94	347.95	0.00	41.45	306.50	18	12	3.7	14	110	--	--	--
MW10	10/05/94	347.95	0.00	42.28	305.67	8.0	5.0	0.85	4.5	87	--	--	--
MW10	02/21/95	347.95	0.00	35.14	312.81	3.6	12	1.8	9.5	70	--	--	--
MW10	05/03/95	347.95	0.00	35.07	312.88	ND	ND	ND	ND	ND	--	--	--
MW10	08/04/95	347.95	0.00	37.42	310.53	ND	ND	ND	ND	ND	--	ND	--
MW10	11/10/95	347.95	0.00	39.95	308.00	ND	ND	ND	ND	ND	--	--	--
MW10	02/12/96	347.95	0.00	36.57	311.38	ND	1.9	ND	1.2	ND	--	1.2	--
MW10	05/17/96	347.95	0.00	36.18	311.77	ND	ND	ND	ND	ND	--	ND	--
MW10	08/12/96	347.95	0.00	38.76	309.19	ND	ND	ND	ND	ND	--	ND	--
MW10	11/08/96	347.95	0.00	40.35	307.60	ND	ND	ND	ND	ND	--	ND	--
MW10	02/12/97	347.95	0.00	34.62	313.33	--	--	--	--	--	--	--	--
MW10 <sup>a</sup>	03/17/97	347.95	0.00	37.40	310.55	ND	ND	ND	ND	ND	--	ND	--
MW10 <sup>a</sup>	05/13/97	347.95	0.00	38.08	309.87	ND	ND	ND	ND	ND	--	ND	--
MW10 <sup>a</sup>	08/12/97	347.95	0.00	40.97	306.98	ND	ND	ND	ND	ND	--	ND	--
MW10 <sup>a</sup>	10/31/97	347.95	0.00	41.29	306.66	ND	ND	ND	ND	ND	--	ND	--
MW10 <sup>a</sup>	01/21/98	347.95	0.00	41.88	306.07	ND	ND	ND	ND	ND	--	ND	--
MW10 <sup>a</sup>	04/24/98	347.95	0.00	37.06	310.89	ND	ND	ND	ND	ND	--	ND	--
MW10 <sup>a</sup>	07/20/98	347.95	0.00	39.62	308.33	ND	ND	ND	ND	ND	--	ND	--
MW10 <sup>a</sup>	10/21/98	347.95	0.00	42.39	305.56	ND	ND	ND	ND	ND	--	ND	--
MW10	02/22/99	347.95	0.00	41.51	306.44	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW10	05/27/99	347.95	0.00	41.78	306.17	--	--	--	--	--	--	--	--
MW10	09/16/99	347.95	0.00	43.82	304.13	--	--	--	--	--	--	--	--
MW10	11/15/99	347.95	0.00	42.35	305.60	--	--	--	--	--	--	--	--
MW10	03/02/00	347.95	0.00	41.20	306.75	--	--	--	--	--	--	--	--
MW10	06/06/00	347.95	0.00	43.15	304.80	--	--	--	--	--	--	--	--
MW10	08/29/00	347.95	0.00	45.17	302.78	--	--	--	--	--	--	--	--
MW10	11/07/00	347.95	0.00	43.71	304.24	--	--	--	--	--	--	--	--
MW10 <sup>a</sup>	01/30/01	347.95	0.00	44.77	303.18	<0.20	<0.20	<0.20	<0.60	<20	--	<0.30	--
MW10	04/19/01	347.95	0.00	44.16	303.79	--	--	--	--	--	--	--	--
MW10	07/27/01	347.95	0.00	44.26	303.69	--	--	--	--	--	--	--	--
MW10	10/19/01	347.95	0.00	44.84	303.11	--	--	--	--	--	--	--	--
MW10 <sup>a</sup>	01/15/02	350.60	0.00	43.40	307.20	<0.50	<0.50	<0.50	<0.50	<50.0	--	<0.50	--
MW10	04/09/02	350.60	0.00	45.56	305.04	--	--	--	--	--	--	--	--
MW10	07/23/02	350.60	0.00	46.21	304.39	--	--	--	--	--	--	--	--
MW10	10/16/02	350.60	0.00	43.80	306.80	--	--	--	--	--	--	--	--
MW10	01/09/03	350.60	0.00	41.71	308.89	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	0.60
MW10	04/14/03	350.60	0.00	43.91	306.69	--	--	--	--	--	--	--	--
MW10	07/09/03	350.60	0.00	43.61	306.99	--	--	--	--	--	--	--	--
MW10	10/01/03	350.60	0.00	44.34	306.26	--	--	--	--	--	--	--	--
MW10 <sup>a</sup>	01/19/04	350.60	0.00	44.50	306.10	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
MW10	04/01/04	350.60	0.00	44.07	306.53	--	--	--	--	--	--	--	--
MW10	07/07/04	350.60	0.00	44.35	306.25	--	--	--	--	--	--	--	--
MW10	10/12/04	350.60	0.00	45.04	305.56	--	--	--	--	--	--	--	--
MW10	01/05/05	350.60	0.00	44.66	305.94	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
MW10	04/14/05	350.60	0.00	40.51	310.09	--	--	--	--	--	--	--	--
MW10	07/14/05	350.60	0.00	43.24	307.36	--	--	--	--	--	--	--	--
MW10	10/17/05	350.60	0.00	44.13	306.47	--	--	--	--	--	--	--	--
MW10 <sup>a</sup>	01/10/06	350.60	0.00	42.23	308.37	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
MW10	04/05/06	350.60	0.00	40.30	310.30	--	--	--	--	--	--	--	--
MW10	07/05/06	350.60	0.00	38.79	311.81	--	--	--	--	--	--	--	--
MW10	10/04/06	350.60	0.00	41.30	309.30	--	--	--	--	--	--	--	--
MW10 <sup>a</sup>	01/02/07	350.60	0.00	41.15	309.45	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.500
MW10	04/03/07	350.60	0.00	38.84	311.76	--	--	--	--	--	--	--	--
MW10	08/27/07	350.60	0.00	42.10	308.50	--	--	--	--	--	--	--	--
MW10	11/21/07	350.60	0.00	40.96	309.64	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
<b>MW10</b>	<b>03/18/08</b>	<b>350.60</b>	<b>0.00</b>	<b>37.90</b>	<b>312.70</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;50.0</b>	--	--	<b>&lt;0.500</b>
MW11	11/30/93	347.56	0.00	38.41	309.15	ND	ND	ND	1.6	ND	--	--	--
MW11	01/27/94	347.56	0.00	38.02	309.54	ND	ND	ND	ND	ND	--	--	--
MW11	04/25/94	347.56	0.00	38.77	308.79	--	--	--	--	--	--	--	--
MW11	04/26/94	347.56	--	--	--	ND	ND	ND	1.7	ND	--	--	--
MW11	07/08/94	347.56	0.00	41.70	305.86	23	18	4.0	15	120	--	--	--
MW11	10/05/94	347.56	0.00	44.49	303.07	12	19	4.6	24	130	--	--	--
MW11	02/21/95	347.56	0.00	41.74	305.82	27	64	7.3	36	300	--	--	--
MW11	05/03/95	347.56	0.00	34.64	312.92	ND	ND	ND	ND	ND	--	--	--
MW11	08/04/95	347.56	0.00	35.28	312.28	ND	ND	ND	ND	ND	--	ND	--
MW11	11/10/95	347.56	0.00	36.85	310.71	ND	0.88	ND	0.88	ND	--	--	--
MW11	02/12/96	347.56	0.00	36.18	311.38	ND	1.7	ND	1.2	ND	--	1.3	--
MW11	05/17/96	347.56	0.00	34.39	313.17	ND	ND	ND	ND	ND	--	ND	--
MW11	08/12/96	347.56	0.00	35.64	311.92	ND	ND	ND	ND	ND	--	ND	--
MW11	11/08/96	347.56	0.00	37.34	310.22	ND	ND	ND	0.81	ND	--	ND	--
MW11	02/12/97	347.56	0.00	35.37	312.19	--	--	--	--	--	--	--	--
MW11 <sup>a</sup>	03/17/97	347.56	0.00	35.11	312.45	ND	ND	ND	ND	ND	--	ND	--
MW11 <sup>a</sup>	05/13/97	347.56	0.00	36.19	311.37	ND	ND	ND	ND	ND	--	ND	--
MW11 <sup>a</sup>	08/12/97	347.56	0.00	37.73	309.83	ND	ND	ND	ND	ND	--	ND	--
MW11 <sup>a</sup>	10/31/97	347.56	0.00	40.48	307.08	ND	ND	ND	ND	ND	--	ND	--
MW11 <sup>a</sup>	01/21/98	347.56	0.00	38.28	309.28	ND	ND	ND	ND	ND	--	ND	--
MW11 <sup>a</sup>	04/24/98	347.56	0.00	34.50	313.06	ND	ND	ND	ND	ND	--	ND	--
MW11 <sup>a</sup>	07/20/98	347.56	0.00	40.21	307.35	ND	ND	ND	ND	ND	--	ND	--
MW11 <sup>a</sup>	10/21/98	347.56	0.00	43.07	304.49	ND	ND	ND	ND	ND	--	ND	--
MW11	02/22/99	347.56	0.00	42.32	305.24	--	--	--	--	--	--	--	--
MW11	05/27/99	347.56	0.00	42.27	305.29	--	--	--	--	--	--	--	--
MW11	09/16/99	347.56	0.00	43.91	303.65	--	--	--	--	--	--	--	--
MW11 <sup>c</sup>	11/15/99	347.56	--	--	--	--	--	--	--	--	--	--	--
MW11	03/02/00	347.56	--	Dry	--	--	--	--	--	--	--	--	--
MW11	06/06/00	347.56	0.00	44.06	303.50	--	--	--	--	--	--	--	--
MW11 <sup>c</sup>	08/29/00	347.56	--	--	--	--	--	--	--	--	--	--	--
MW11 <sup>c</sup>	11/07/00	347.56	--	--	--	--	--	--	--	--	--	--	--
MW11 <sup>c</sup>	01/30/01	347.56	--	--	--	--	--	--	--	--	--	--	--
MW11	02/16/01	347.56	--	--	--	<0.20	<0.20	<0.20	<0.60	<20	--	<0.30	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW11	04/19/01	347.56	0.00	39.14	308.42	--	--	--	--	--	--	--	--
MW11 <sup>a</sup>	07/27/01	347.56	0.00	43.82	303.74	<0.20	<0.20	<0.20	<0.60	<50	--	<0.30	--
MW11	10/19/01	347.56	0.00	43.18	304.38	--	--	--	--	--	--	--	--
MW11 <sup>a</sup>	01/15/02	350.16	0.00	37.10	313.06	<0.50	<0.50	<0.50	<0.50	<50.0	--	<0.50	--
MW11	04/09/02	350.16	0.00	43.80	306.36	--	--	--	--	--	--	--	--
MW11 <sup>a</sup>	07/23/02	350.16	0.00	43.88	306.28	<0.50	<0.50	<0.50	<0.50	<50.0	--	<0.50	--
MW11	10/16/02	350.16	0.00	43.87	306.29	--	--	--	--	--	--	--	--
MW11 <sup>a</sup>	01/09/03	350.16	0.00	36.13	314.03	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.50
MW11	04/14/03	350.16	0.00	38.41	311.75	--	--	--	--	--	--	--	--
MW11 <sup>a</sup>	07/09/03	350.16	0.00	42.84	307.32	<0.5	<0.5	<0.5	<0.5	<50	--	<0.5	<0.5
MW11	10/01/03	350.16	0.00	43.85	306.31	--	--	--	--	--	--	--	--
MW11 <sup>a</sup>	01/19/04	350.16	0.00	38.42	311.74	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
MW11	04/01/04	350.16	0.00	42.32	307.84	--	--	--	--	--	--	--	--
MW11 <sup>a</sup>	07/07/04	350.16	0.00	43.70	306.46	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
MW11	10/12/04	350.16	0.00	43.79	306.37	--	--	--	--	--	--	--	--
MW11	01/05/05	350.16	0.00	41.98	308.18	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
MW11	04/14/05	350.16	0.00	35.13	315.03	--	--	--	--	--	--	--	--
MW11	07/14/05	350.16	0.00	42.45	307.71	<50	--	<0.5	<0.5	<0.5	<0.5	--	<0.5
MW11	10/17/05	350.16	0.00	35.03	315.13	--	--	--	--	--	--	--	--
MW11 <sup>a</sup>	01/10/06	350.16	0.00	34.58	315.58	<0.5	0.67	<0.5	0.55	<50	--	--	<0.5
MW11	04/05/06	350.16	0.00	39.98	310.18	--	--	--	--	--	--	--	--
MW11 <sup>a</sup>	07/05/06	350.16	0.00	34.86	315.30	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.500
MW11	10/04/06	350.16	0.00	34.88	315.28	--	--	--	--	--	--	--	--
MW11 <sup>a</sup>	01/02/07	350.16	0.00	34.61	315.55	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.500
MW11	04/03/07	350.16	0.00	35.20	314.96	--	--	--	--	--	--	--	--
MW11 <sup>a</sup>	08/27/07	350.16	0.00	34.70	315.46	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.500
MW11 <sup>a</sup>	11/21/07	350.16	0.00	34.34	315.82	--	--	--	--	--	--	--	--
<b>MW11<sup>a</sup></b>	<b>03/18/08</b>	<b>350.16</b>	<b>0.00</b>	<b>33.55</b>	<b>316.61</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;50.0</b>	--	--	<b>&lt;0.500</b>
MW12	11/30/93	347.15	0.00	37.97	309.18	1.8	4.3	2.5	11	55	--	--	--
MW12	01/27/94	347.15	0.00	44.02	303.13	ND	ND	ND	ND	ND	--	--	--
MW12	04/25/94	347.15	0.00	42.27	304.88	--	--	--	--	--	--	--	--
MW12	04/26/94	347.15	--	--	--	ND	ND	ND	1.4	ND	--	--	--
MW12	07/08/94	347.15	0.00	43.26	303.89	8.4	7.4	1.9	7.1	53	--	--	--
MW12	10/05/94	347.15	0.00	44.32	302.83	27	56	13	67	350	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW12	02/21/95	347.15	0.00	37.83	309.32	4.0	4.0	0.77	3.6	ND	--	--	--
MW12	05/03/95	347.15	0.00	37.24	309.91	ND	ND	ND	ND	ND	--	--	--
MW12	08/04/95	347.15	0.00	39.07	308.08	ND	ND	ND	ND	ND	--	ND	--
MW12	11/10/95	347.15	0.00	41.24	305.91	ND	ND	ND	ND	ND	--	--	--
MW12	02/12/96	347.15	0.00	38.19	308.96	ND	2.1	ND	1.3	ND	--	2.5	--
MW12 <sup>c</sup>	05/17/96	347.15	--	--	--	--	--	--	--	--	--	--	--
MW12	08/12/96	347.15	0.00	40.32	306.83	ND	ND	ND	ND	ND	--	ND	--
MW12	11/08/96	347.15	0.00	41.32	305.83	ND	ND	ND	ND	ND	--	ND	--
MW12	02/12/97	347.15	0.00	35.98	311.17	--	--	--	--	--	--	--	--
MW12 <sup>a</sup>	03/17/97	347.15	0.00	38.67	308.48	ND	ND	ND	ND	ND	--	ND	--
MW12 <sup>a</sup>	05/13/97	347.15	0.00	39.68	307.47	ND	ND	ND	ND	ND	--	ND	--
MW12 <sup>a</sup>	08/12/97	347.15	0.00	42.81	304.34	ND	ND	ND	ND	ND	--	ND	--
MW12 <sup>a</sup>	10/31/97	347.15	0.00	43.28	303.87	ND	ND	ND	ND	ND	--	ND	--
MW12 <sup>a</sup>	01/21/98	347.15	0.00	43.10	304.05	ND	ND	ND	ND	ND	--	ND	--
MW12 <sup>a</sup>	04/24/98	347.15	0.00	38.23	308.92	ND	ND	ND	ND	ND	--	ND	--
MW12 <sup>a</sup>	07/20/98	347.15	0.00	41.09	306.06	ND	ND	ND	ND	ND	--	ND	--
MW12 <sup>a</sup>	10/21/98	347.15	0.00	44.23	302.92	ND	ND	ND	ND	ND	--	ND	--
MW12 <sup>c</sup>	02/22/99	347.15	0.00	--	--	--	--	--	--	--	--	--	--
MW12	05/27/99	347.15	0.00	43.18	303.97	--	--	--	--	--	--	--	--
MW12	09/16/99	347.15	0.00	46.29	300.86	--	--	--	--	--	--	--	--
MW12 <sup>c</sup>	11/15/99	347.15	0.00	--	--	--	--	--	--	--	--	--	--
MW12 <sup>a</sup>	03/02/00	347.15	0.00	43.93	303.22	<0.30	<0.30	<0.30	<0.60	<50	--	<10	--
MW12	06/06/00	347.15	0.00	44.93	302.22	--	--	--	--	--	--	--	--
MW12	08/29/00	347.15	0.00	48.06	299.09	--	--	--	--	--	--	--	--
MW12	11/07/00	347.15	0.00	47.77	299.38	--	--	--	--	--	--	--	--
MW12 <sup>a</sup>	01/30/01	347.15	0.00	48.85	298.30	<0.20	<0.20	<0.20	<0.60	<20	--	<0.30	--
MW12	04/19/01	347.15	0.00	47.09	300.06	--	--	--	--	--	--	--	--
MW12	07/27/01	347.15	0.00	47.52	299.63	--	--	--	--	--	--	--	--
MW12	10/19/01	347.15	0.00	48.22	298.93	--	--	--	--	--	--	--	--
MW12 <sup>a</sup>	01/15/02	349.74	0.00	46.69	303.05	<0.50	<0.50	<0.50	<0.50	<50.0	--	<0.50	--
MW12	04/09/02	349.74	0.00	48.78	300.96	--	--	--	--	--	--	--	--
MW12	07/23/02	349.74	0.00	49.42	300.32	--	--	--	--	--	--	--	--
MW12	10/16/02	349.74	0.00	47.24	302.50	--	--	--	--	--	--	--	--
MW12 <sup>a</sup>	01/09/03	349.74	0.00	44.99	304.75	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.50
MW12	04/14/03	349.74	0.00	46.37	303.37	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d	MTBE (8020 or 8021)	MTBE (8260)
MW12	07/09/03	349.74	0.00	45.91	303.83	--	--	--	--	--	--	--	--
MW12	10/01/03	349.74	0.00	46.91	302.83	--	--	--	--	--	--	--	--
MW12 <sup>a</sup>	01/19/04	349.74	0.00	46.77	302.97	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
MW12	04/01/04	349.74	0.00	46.20	303.54	--	--	--	--	--	--	--	--
MW12	07/07/04	349.74	0.00	46.58	303.16	--	--	--	--	--	--	--	--
MW12	10/12/04	349.74	0.00	47.73	302.01	--	--	--	--	--	--	--	--
MW12	01/05/05	349.74	0.00	47.39	302.35	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
MW12	04/14/05	349.74	0.00	42.61	307.13	--	--	--	--	--	--	--	--
MW12	07/14/05	349.74	0.00	44.98	304.76	--	--	--	--	--	--	--	--
MW12	10/17/05	349.74	0.00	45.55	304.19	--	--	--	--	--	--	--	--
MW12 <sup>a</sup>	01/10/06	349.74	0.00	43.58	306.16	<0.5	0.50	<0.5	<0.5	<50	--	--	<0.5
MW12	04/05/06	349.74	0.00	40.81	308.93	--	--	--	--	--	--	--	--
MW12	07/05/06	349.74	0.00	35.68	314.06	--	--	--	--	--	--	--	--
MW12	10/04/06	349.74	0.00	41.89	307.85	--	--	--	--	--	--	--	--
MW12 <sup>a</sup>	01/02/07	349.74	0.00	40.89	308.85	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.500
MW12	04/03/07	349.74	0.00	38.20	311.54	--	--	--	--	--	--	--	--
MW12	08/27/07	349.74	0.00	42.54	307.20	--	--	--	--	--	--	--	--
MW12	11/21/07	349.74	0.00	40.53	309.21	--	--	--	--	--	--	--	--
<b>MW12</b>	<b>03/18/08</b>	<b>349.74</b>	<b>0.00</b>	<b>37.50</b>	<b>312.24</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;50.0</b>	--	--	<b>&lt;0.500</b>
VMW1	11/30/93	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	01/27/94	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	04/25/94	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	07/08/94	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	10/05/94	348.05	--	--	--	--	--	--	--	--	--	--	--
VMW1	02/21/95	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	05/03/95	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	08/04/95	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	11/10/95	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	02/12/96	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	05/17/96	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	08/12/96	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	11/08/96	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	02/12/97	348.05	0.00	30.60	--	--	--	--	--	--	--	--	--
VMW1	03/17/97	348.05	--	Dry	--	--	--	--	--	--	--	--	--



TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d	MTBE (8020 or 8021)	MTBE (8260)
VMW1	05/13/97	348.05	--	--	--	--	--	--	--	--	--	--	--
VMW1	08/12/97	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	10/31/97	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	01/21/98	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	04/24/98	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	07/20/98	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	10/21/98	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	02/22/99	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	05/27/99	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	09/16/99	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	11/15/99	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	03/02/00	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	06/06/00	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	08/29/00	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	11/07/00	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	01/30/01	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	04/19/01	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	07/27/01	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	10/19/01	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	01/15/02	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	04/09/02	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	07/23/02	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	10/16/02	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	01/09/03	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	04/14/03	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	07/09/03	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	10/01/03	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	01/19/04	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	04/01/04	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	07/07/04	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	10/12/04	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	01/05/05	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	04/14/05	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	07/14/05	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	10/17/05	350.58	--	Dry	--	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (ug/L)							
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d	MTBE (8020 or 8021)	MTBE (8260)
VMW1	01/10/06	350.58	0.00	30.01	320.57	--	--	--	--	--	--	--	--
VMW1	04/05/06	350.58	0.00	27.66	322.92	--	--	--	--	--	--	--	--
VMW1	07/05/06	350.58	0.00	22.55	328.03	--	--	--	--	--	--	--	--
VMW1	10/04/06	350.58	0.00	22.20	328.38	--	--	--	--	--	--	--	--
VMW1	01/02/07	350.58	0.00	23.74	326.84	--	--	--	--	--	--	--	--
VMW1	04/03/07	350.58	0.00	24.19	326.39	--	--	--	--	--	--	--	--
VMW1	08/27/07	350.58	0.00	22.28	328.30	--	--	--	--	--	--	--	--
VMW1	11/21/07	350.58	0.00	22.50	328.08	--	--	--	--	--	--	--	--
<b>VMW1</b>	<b>03/18/08</b>	<b>350.58</b>	<b>0.00</b>	<b>22.91</b>	<b>327.67</b>	--	--	--	--	--	--	--	--
VMW2	11/30/93	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	01/27/94	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	04/25/94	347.90	0.00	33.82	314.08	--	--	--	--	--	--	--	--
VMW2	07/08/94	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	02/21/95	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	05/03/95	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	08/04/95	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	11/10/95	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	02/12/96	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	05/17/96	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	08/12/96	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	11/08/96	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	02/12/97	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	03/17/97	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	05/13/97	347.90	--	--	--	--	--	--	--	--	--	--	--
VMW2	08/12/97	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	10/31/97	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	01/21/98	347.90	0.00	27.85	320.05	--	--	--	--	--	--	--	--
VMW2	04/24/98	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	07/20/98	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	10/21/98	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	02/22/99	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	05/27/99	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	09/16/99	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	11/15/99	347.90	--	Dry	--	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d	MTBE (8020 or 8021)	MTBE (8260)
VMW2 <sup>c</sup>	03/02/00	347.90	--	--	--	--	--	--	--	--	--	--	--
VMW2	06/06/00	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	08/29/00	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	11/07/00	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	01/30/01	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	04/19/01	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	07/27/01	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	10/19/01	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	01/15/02	350.42	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	04/09/02	350.42	0.00	25.78	324.64	--	--	--	--	--	--	--	--
VMW2	07/23/02	350.42	0.00	27.21	323.21	--	--	--	--	--	--	--	--
VMW2	10/16/02	350.42	0.00	26.75	323.67	--	--	--	--	--	--	--	--
VMW2	01/09/02	350.42	0.00	26.26	324.16	--	--	--	--	--	--	--	--
VMW2	04/14/03	350.42	0.00	25.44	324.98	--	--	--	--	--	--	--	--
VMW2	07/09/03	350.42	0.00	25.54	324.88	--	--	--	--	--	--	--	--
VMW2	10/01/03	350.42	0.00	25.29	325.13	--	--	--	--	--	--	--	--
VMW2	01/19/04	350.42	0.00	23.42	327.00	--	--	--	--	--	--	--	--
VMW2	04/01/04	350.42	0.00	22.78	327.64	--	--	--	--	--	--	--	--
VMW2	07/07/04	350.42	0.00	21.92	328.50	--	--	--	--	--	--	--	--
VMW2	10/12/04	350.42	0.00	21.38	329.04	--	--	--	--	--	--	--	--
VMW2	01/05/05	350.42	0.00	20.68	329.74	--	--	--	--	--	--	--	--
VMW2	04/14/05	350.42	0.00	19.61	330.81	--	--	--	--	--	--	--	--
VMW2	07/14/05	350.42	0.00	18.52	331.90	--	--	--	--	--	--	--	--
VMW2	10/17/05	350.42	0.00	21.00	329.42	--	--	--	--	--	--	--	--
VMW2	01/10/06	350.42	0.00	20.47	329.95	--	--	--	--	--	--	--	--
VMW2	04/05/06	350.42	0.00	17.98	332.44	--	--	--	--	--	--	--	--
VMW2	07/05/06	350.42	0.00	16.96	333.46	--	--	--	--	--	--	--	--
VMW2	10/04/06	350.42	0.00	19.53	330.89	--	--	--	--	--	--	--	--
VMW2	01/02/07	350.42	0.00	19.47	330.95	--	--	--	--	--	--	--	--
VMW2	04/03/07	350.42	0.00	19.94	330.48	--	--	--	--	--	--	--	--
VMW2	08/27/07	350.42	0.00	17.39	333.03	--	--	--	--	--	--	--	--
VMW2	11/21/07	350.42	0.00	18.02	332.40	--	--	--	--	--	--	--	--
<b>VMW2</b>	<b>03/18/08</b>	<b>350.42</b>	<b>0.00</b>	<b>17.41</b>	<b>333.01</b>	--	--	--	--	--	--	--	--
VMW3	11/30/93	348.10	--	Dry	--	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d	MTBE (8020 or 8021)	MTBE (8260)
VMW3	01/27/94	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	04/25/94	348.10	Trace	31.23	316.87	--	--	--	--	--	--	--	--
VMW3	07/08/94	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	02/21/95	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	05/03/95	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	08/04/95	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	11/10/95	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	02/12/96	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	05/17/96	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	08/12/96	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	11/08/96	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	02/12/97	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	03/17/97	348.10	0.00	31.29	316.81	--	--	--	--	--	--	--	--
VMW3	05/13/97	348.10	--	--	--	--	--	--	--	--	--	--	--
VMW3	08/12/97	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	10/31/97	348.10	0.00	31.21	316.89	--	--	--	--	--	--	--	--
VMW3	01/21/98	348.10	0.00	31.25	316.85	--	--	--	--	--	--	--	--
VMW3	04/24/98	348.10	0.00	31.21	316.89	--	--	--	--	--	--	--	--
VMW3	07/20/98	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	10/21/98	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	02/22/99	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	05/27/99	348.10	0.00	36.14	311.96	--	--	--	--	--	--	--	--
VMW3	09/16/99	348.10	0.00	31.32	316.78	--	--	--	--	--	--	--	--
VMW3	11/15/99	348.10	0.00	31.21	316.89	--	--	--	--	--	--	--	--
VMW3	03/02/00	348.10	0.00	31.14	316.96	--	--	--	--	--	--	--	--
VMW3	06/06/00	348.10	0.00	31.18	316.92	--	--	--	--	--	--	--	--
VMW3	08/29/00	348.10	0.00	31.20	316.90	--	--	--	--	--	--	--	--
VMW3	11/07/00	348.10	0.00	31.20	316.90	--	--	--	--	--	--	--	--
VMW3	01/30/01	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	04/19/01	348.10	0.00	31.16	316.94	--	--	--	--	--	--	--	--
VMW3	07/27/01	348.10	0.00	31.29	316.81	--	--	--	--	--	--	--	--
VMW3	10/19/01	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	01/15/02	350.77	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	04/09/02	350.77	0.00	30.79	319.98	--	--	--	--	--	--	--	--
VMW3	07/23/02	350.77	0.00	31.21	319.56	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d	MTBE (8020 or 8021)	MTBE (8260)
VMW3	10/16/02	350.77	0.00	31.19	319.58	--	--	--	--	--	--	--	--
VMW3	01/09/03	350.77	0.00	31.20	319.57	--	--	--	--	--	--	--	--
VMW3	04/14/03	350.77	0.00	30.10	320.67	--	--	--	--	--	--	--	--
VMW3	07/09/03	350.77	0.00	30.62	320.15	--	--	--	--	--	--	--	--
VMW3	10/01/03	350.77	0.00	29.78	320.99	--	--	--	--	--	--	--	--
VMW3	01/19/04	350.77	0.00	29.60	321.17	--	--	--	--	--	--	--	--
VMW3	04/01/04	350.77	0.00	29.62	321.15	--	--	--	--	--	--	--	--
VMW3	07/07/04	350.77	0.00	28.84	321.93	--	--	--	--	--	--	--	--
VMW3	10/12/04	350.77	0.00	27.57	323.20	--	--	--	--	--	--	--	--
VMW3	01/05/05	350.77	0.00	25.81	324.96	--	--	--	--	--	--	--	--
VMW3	04/14/05	350.77	0.00	21.51	329.26	--	--	--	--	--	--	--	--
VMW3	07/14/05	350.77	0.00	13.37	337.40	--	--	--	--	--	--	--	--
VMW3	10/17/05	350.77	0.00	13.05	337.72	--	--	--	--	--	--	--	--
VMW3	01/10/06	350.77	0.00	15.63	335.14	--	--	--	--	--	--	--	--
VMW3	04/05/06	350.77	0.00	13.01	337.76	--	--	--	--	--	--	--	--
VMW3	07/05/06	350.77	0.00	12.96	337.81	--	--	--	--	--	--	--	--
VMW3	10/04/06	350.77	0.00	11.82	338.95	--	--	--	--	--	--	--	--
VMW3	01/02/07	350.77	0.00	11.79	338.98	--	--	--	--	--	--	--	--
VMW3	04/03/07	350.77	0.00	8.02	342.75	--	--	--	--	--	--	--	--
VMW3	08/27/07	350.77	0.00	11.55	339.22	--	--	--	--	--	--	--	--
VMW3	11/21/07	350.77	0.00	11.85	338.92	--	--	--	--	--	--	--	--
<b>VMW3</b>	<b>03/18/08</b>	<b>350.77</b>	<b>0.00</b>	<b>11.20</b>	<b>339.57</b>	--	--	--	--	--	--	--	--
VMW4	11/30/93	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	01/27/94	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	04/25/94	347.95	--	31.41	316.54	--	--	--	--	--	--	--	--
VMW4	07/08/94	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	02/21/95	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	05/03/95	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	08/04/95	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	11/10/95	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	02/12/96	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	05/17/96	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	08/12/96	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	11/08/96	347.95	--	Dry	--	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d	MTBE (8020 or 8021)	MTBE (8260)
VMW4	02/12/97	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	03/17/97	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	05/13/97	347.95	--	--	--	--	--	--	--	--	--	--	--
VMW4	08/12/97	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	10/31/97	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	01/21/98	347.95	0.00	10.95	337.00	--	--	--	--	--	--	--	--
VMW4	04/24/98	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	07/20/98	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	10/21/98	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	02/22/99	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	05/27/99	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	09/16/99	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	11/15/99	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	03/02/00	347.95	0.00	10.13	337.82	--	--	--	--	--	--	--	--
VMW4	06/06/00	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	08/29/00	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	11/07/00	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	01/30/01	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	04/19/01	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	07/27/01	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	10/19/01	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	01/15/02	350.32	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	04/09/02	350.32	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	07/23/02	350.32	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	10/16/02	350.32	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	01/09/03	350.32	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	04/14/03	350.32	--	9.60	340.72	--	--	--	--	--	--	--	--
VMW4	07/09/03	350.32	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	10/01/03	350.32	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	01/19/04	350.32	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	04/01/04	350.32	0.00	12.63	337.69	--	--	--	--	--	--	--	--
VMW4	07/07/04	350.32	0.00	10.10	340.22	--	--	--	--	--	--	--	--
VMW4	10/12/04	350.32	0.00	8.83	341.49	--	--	--	--	--	--	--	--
VMW4	01/05/05	350.32	0.00	8.24	342.08	--	--	--	--	--	--	--	--
VMW4	04/14/05	350.32	0.00	8.40	341.92	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
VMW4	07/14/05	350.32	0.00	8.40	341.92	--	--	--	--	--	--	--	--
VMW4	10/17/05	350.32	0.00	8.41	341.91	--	--	--	--	--	--	--	--
VMW4	01/10/06	350.32	0.00	10.49	339.83	--	--	--	--	--	--	--	--
VMW4	04/05/06	350.32	0.00	7.70	342.62	--	--	--	--	--	--	--	--
VMW4	07/05/06	350.32	0.00	8.40	341.92	--	--	--	--	--	--	--	--
VMW4	10/04/06	350.32	0.00	8.87	341.45	--	--	--	--	--	--	--	--
VMW4	01/02/07	350.32	0.00	8.78	341.54	--	--	--	--	--	--	--	--
VMW4	04/03/07	350.32	0.00	8.50	341.82	--	--	--	--	--	--	--	--
VMW4	08/27/07	350.32	0.00	8.95	341.37	--	--	--	--	--	--	--	--
VMW4	11/21/07	350.32	0.00	8.85	341.47	--	--	--	--	--	--	--	--
<b>VMW4</b>	<b>03/18/08</b>	<b>350.32</b>	<b>0.00</b>	<b>8.26</b>	<b>342.06</b>	--	--	--	--	--	--	--	--
RW1	11/30/93	347.89	Trace	37.75	310.14	--	--	--	--	--	--	--	--
RW1	01/27/94	347.89	Trace	42.00	305.89	--	--	--	--	--	--	--	--
RW1	04/25/94	347.89	0.02	40.24	307.67	--	--	--	--	--	--	--	--
RW1	07/08/94	347.89	0.15	41.41	306.59	--	--	--	--	--	--	--	--
RW1	10/05/94	347.89	Trace	42.18	305.71	--	--	--	--	--	--	--	--
RW1	02/21/95	347.89	Trace	34.94	312.95	16,000	29,000	2,200	14,000	110,000	--	--	--
RW1	05/03/95	347.89	0.01	34.83	313.07	--	--	--	--	--	--	--	--
RW1	08/04/95	347.89	Trace	37.11	310.78	--	--	--	--	--	--	--	--
RW1	11/10/95	347.89	0.02	39.74	308.17	--	--	--	--	--	--	--	--
RW1	02/12/96	347.89	0.00	47.29	300.60	4,400	12,000	960	6,900	41,000	--	120	--
RW1	05/17/96	347.89	0.00	47.53	300.36	2,700	8,600	1,100	6,300	81,000	--	ND	--
RW1	08/12/96	347.89	0.00	39.75	308.14	12,000	25,000	2,200	15,000	140,000	--	ND	--
RW1	11/08/96	347.89	--	--	--	5,300	11,000	1,300	8,900	81,000	--	ND	--
RW1	02/12/97	347.89	0.00	46.50	301.39	--	--	--	--	--	--	--	--
RW1 <sup>a</sup>	03/17/97	347.89	0.00	49.30	298.59	3,600	12,000	710	7,400	38,000	--	ND	--
RW1 <sup>a</sup>	05/13/97	347.89	0.00	37.86	310.03	7,300	20,000	1,500	12,000	130,000	--	ND	--
RW1 <sup>a</sup>	08/12/97	347.89	0.00	40.77	307.12	9,200	19,000	1,300	7,000	72,000	--	1,000	ND
RW1 <sup>a</sup>	10/31/97	347.89	0.00	47.54	300.35	4,500	11,000	530	6,800	45,000	--	630	ND
RW1 <sup>a</sup>	01/21/98	347.89	0.00	46.71	301.18	570	1,300	120	2,500	23,000	--	ND	ND
RW1 <sup>a</sup>	04/24/98	347.89	0.00	--	--	1,300	3,400	250	4,000	28,000	--	ND	--
RW1 <sup>a</sup>	07/20/98	347.89	0.00	45.54	302.35	1,400	3,500	530	2,700	21,000	--	ND	ND
RW1 <sup>a</sup>	10/21/98	347.89	0.00	42.41	305.48	3,500	5,700	660	4,100	35,000	--	ND	25
RW1 <sup>a</sup>	02/22/99	347.89	0.00	41.25	306.64	1,100	1,700	220	3,000	28,000	--	ND	ND

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
RW1 <sup>a</sup>	05/27/99	347.89	0.00	41.39	306.50	1,400	1,800	320	3,000	23,000	--	ND	--
RW1 <sup>a</sup>	09/16/99	347.89	0.00	44.23	303.66	910	5,000	1,000	3,800	34,000	--	ND	--
RW1 <sup>a</sup>	11/15/99	347.89	0.00	43.28	304.61	66	98	29	1,000	11,000	--	34	--
RW1 <sup>a</sup>	03/02/00	347.89	0.00	41.02	306.87	870	1,500	490	3,000	26,000	--	120	<10
RW1	06/06/00	347.89	--	Dry	--	--	--	--	--	--	--	--	--
RW1 <sup>a</sup>	08/29/00	347.89	0.00	45.10	302.79	480	250	380	720	11,000	--	<10	--
RW1 <sup>a</sup>	11/07/00	347.89	0.00	43.63	304.26	590	230	350	980	16,000	--	<100	--
RW1 <sup>a</sup>	01/30/01	347.89	0.00	44.81	303.08	390	89	340	240	9,900	--	<100	--
RW1 <sup>a</sup>	04/19/01	347.89	0.00	44.02	303.87	600	130	350	440	10,000	--	<100	<7
RW1 <sup>a</sup>	07/27/01	347.89	0.00	44.15	303.74	640	200	280	640	11,000	--	<5.0	--
RW1 <sup>a</sup>	10/19/01	347.89	0.00	44.72	303.17	810	130	500	580	12,000	--	<5.0	5
RW1 <sup>a</sup>	01/15/02	350.43	0.00	43.25	307.18	1,020	290	572	964	16,100	--	124	6.9
RW1 <sup>a</sup>	04/09/02	350.43	0.00	45.44	304.99	786	102	523	366	10,100	--	79.0	--
RW1 <sup>a</sup>	07/23/02	350.43	0.00	45.98	304.45	974	93	573	390	9,300	--	57.0	--
RW1 <sup>a</sup>	10/16/02	350.43	0.00	43.73	306.70	971	150	490	653	10,700	--	<5.0	--
RW1 <sup>a</sup>	01/09/03	350.43	0.00	41.57	308.86	990	298	510	1,130	16,000	--	--	6.60
RW1 <sup>a</sup>	04/14/03	350.43	0.00	43.87	306.56	1,250	103	598	815	10,700	--	--	4.60
RW1 <sup>a</sup>	07/09/03	350.43	0.00	43.40	307.03	1,390	109	660	820	11,100	--	53.3	4.20
RW1 <sup>a</sup>	10/01/03	350.43	0.00	44.19	306.24	1,440	54.0	582	490	10,600	--	78.0	3.20
RW1 <sup>a</sup>	01/19/04	350.43	0.00	44.33	306.10	722	27.3	168	199	6,860	--	--	3.20
RW1 <sup>a</sup>	04/01/04	350.43	0.00	43.90	306.53	760	37.7	180	130	6,450	--	--	2.40
RW1 <sup>a</sup>	07/07/04	350.43	0.00	44.25	306.18	663	51.1	180	183	4,760	--	--	2.60
RW1 <sup>a</sup>	10/12/04	350.43	0.00	44.75	305.68	691	30.0	139	158	6,670	--	--	<0.5
RW1 <sup>a</sup>	01/05/05	350.43	0.00	44.57	305.86	299	29.7	107	81.3	5,750	--	--	0.90
RW1 <sup>a</sup>	04/14/05	350.43	0.00	40.10	310.33	99.7	134	187	600	7,520	--	--	<0.5
RW1 <sup>a</sup>	07/14/05	350.43	0.00	42.87	307.56	2,730	--	116	7.3	109	21.8	--	<0.5
RW1 <sup>a</sup>	10/17/05	350.43	0.00	43.46	306.97	54.6	4.93	52.7	15.5	1,740	--	--	<0.5
RW1 <sup>a</sup>	01/10/06	350.43	0.00	41.61	308.82	39	13	76	500	3,200	--	--	<2.5
RW1 <sup>a</sup>	04/05/06	350.43	0.00	39.65	310.78	11	15	59	550	2,300	--	--	<0.500
RW1 <sup>a</sup>	07/05/06	350.43	0.00	37.86	312.57	<0.50	0.57	<0.50	1.00	<50.0	--	--	<0.500
RW1 <sup>a</sup>	10/04/06	350.43	0.00	31.60	318.83	0.72	<0.50	<0.50	<0.50	<50.0	--	--	<0.500
RW1 <sup>a</sup>	01/02/07	350.43	0.00	40.43	310.00	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.500
RW1 <sup>a</sup>	04/03/07	350.43	0.00	38.23	312.20	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.500
RW1 <sup>a</sup>	08/27/07	350.43	0.00	41.41	309.02	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.500
RW1 <sup>a</sup>	11/21/07	350.43	0.00	39.64	310.79	<0.50	<0.50	<0.50	<0.50	53	--	--	<0.50



TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE	
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d	(8020 or 8021)	MTBE (8260)
<b>RW1<sup>a</sup></b>	<b>03/18/08</b>	<b>350.43</b>	<b>0.00</b>	<b>36.90</b>	<b>313.53</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;50.0</b>	--	--	<b>&lt;0.500</b>
RW2	10/05/94	347.82	0.00	43.33	304.49	6,500	6,300	1,000	5,400	41,000	--	--	--
RW2	02/21/95	347.82	0.00	35.05	312.77	6,200	2,600	1,400	5,600	45,000	--	--	--
RW2	05/03/95	347.82	0.00	35.11	312.71	3,600	2,000	1,000	5,700	30,000	--	--	--
RW2	08/04/95	347.82	0.00	37.35	310.47	4,100	1,400	810	3,200	21,000	--	ND	--
RW2	11/10/95	347.82	0.00	41.02	306.80	2,600	990	810	2,700	26,000	--	--	--
RW2	02/12/96	347.82	0.00	38.63	309.19	600	600	230	1,900	10,000	--	ND	--
RW2	05/17/96	347.82	0.00	48.56	299.26	300	64	86	470	4,000	--	10	--
RW2	08/12/96	347.82	0.00	44.74	303.08	1,100	36	320	190	5,400	--	ND	--
RW2	11/08/96	347.82	--	--	--	480	48	150	150	3,500	--	ND	--
RW2	02/12/97	347.82	0.00	48.10	299.72	--	--	--	--	--	--	--	--
RW2 <sup>a</sup>	03/17/97	347.82	0.00	50.90	296.92	180	21	42	56	1,100	--	ND	--
RW2 <sup>a</sup>	05/13/97	347.82	0.00	38.11	309.71	680	93	150	300	3,500	--	ND	--
RW2 <sup>a</sup>	08/12/97	347.82	0.00	44.22	303.60	180	6.7	44	27	1,200	--	ND	--
RW2 <sup>a</sup>	10/31/97	347.82	0.00	49.13	298.69	8.9	3.6	1.5	90	440	--	ND	--
RW2 <sup>a</sup>	01/21/98	347.82	0.00	49.39	298.43	ND	ND	ND	ND	ND	--	ND	--
RW2 <sup>a</sup>	04/24/98	347.82	--	--	--	100	12	46	77	3,000	--	28	ND
RW2 <sup>a</sup>	07/20/98	347.82	0.00	47.16	300.66	20	6.9	7.7	9.6	480	--	ND	--
RW2 <sup>a</sup>	10/21/98	347.82	0.00	46.08	301.74	4.4	6.1	2.8	3.9	780	--	ND	--
RW2 <sup>a</sup>	02/22/99	347.82	0.00	44.31	303.51	87	11	33	27	2,300	--	ND	--
RW2 <sup>a</sup>	05/27/99	347.82	0.00	44.15	303.67	1.4	4.5	0.6	1.7	310	--	ND	--
RW2 <sup>a</sup>	09/16/99	347.82	0.00	47.97	299.85	ND	ND	ND	ND	260	--	ND	--
RW2 <sup>a</sup>	11/15/99	347.82	0.00	49.44	298.38	ND	ND	ND	ND	ND	--	ND	--
RW2 <sup>a</sup>	03/02/00	347.82	0.00	45.70	302.12	<1.0	<1.0	<1.0	<0.60	180	--	<10	--
RW2 <sup>a</sup>	06/06/00	347.82	0.00	45.62	302.20	7.2	6.9	5.1	24	250	--	<0.30	--
RW2 <sup>a</sup>	08/29/00	347.82	0.00	50.69	297.13	0.38	1.0	<0.30	<0.60	<50	--	<10	--
RW2 <sup>a</sup>	11/07/00	347.82	0.00	48.40	299.42	0.32	0.32	0.22	<0.60	<20	--	<0.30	--
RW2 <sup>a</sup>	01/30/01	347.82	0.00	50.37	297.45	<0.20	<0.20	<0.20	<0.60	<20	--	<0.30	--
RW2 <sup>a</sup>	04/19/01	347.82	0.00	48.06	299.76	<0.20	<0.20	<0.20	<0.60	<20	--	<0.30	--
RW2 <sup>a</sup>	07/27/01	347.82	0.00	48.82	299.00	<0.20	<0.20	<0.20	<0.60	<50	--	<0.30	--
RW2 <sup>a</sup>	10/19/01	347.82	0.00	50.24	297.58	<0.20	<0.20	<0.20	<0.60	<50	--	<0.30	--
RW2 <sup>a</sup>	01/15/02	350.42	0.00	46.88	303.54	<0.50	<0.50	<0.50	<0.50	<50.0	--	<0.50	--
RW2 <sup>a</sup>	04/09/02	350.42	0.00	50.86	299.56	<0.50	<0.50	<0.50	<0.50	<50.0	--	<0.50	--
RW2	07/23/02	350.42	0.00	51.77	298.65	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE	
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d	(8020 or 8021)	MTBE (8260)
RW2 <sup>a</sup>	10/16/02	350.42	0.00	47.01	303.41	<0.5	<0.5	<0.5	<0.5	<50.0	--	<0.5	--
RW2 <sup>a</sup>	01/09/03	350.42	0.00	43.42	307.00	17	30.1	51.9	110	1,020	--	--	<0.50
RW2 <sup>a</sup>	04/14/03	350.42	0.00	46.45	303.97	<0.50	<0.50	<0.50	<0.50	<50.0	--	<0.50	<0.50
RW2 <sup>a</sup>	07/09/03	350.42	0.00	46.12	304.30	<0.5	0.7	<0.5	0.7	76.6	--	<0.5	<0.5
RW2 <sup>a</sup>	10/01/03	350.42	0.00	47.15	303.27	<0.5	<0.5	<0.5	<0.5	<50	--	<0.5	<0.5
RW2 <sup>a</sup>	01/19/04	350.42	0.00	46.35	304.07	<0.5	<0.5	<0.5	<0.5	57.8	--	--	<0.5
RW2 <sup>a</sup>	04/01/04	350.42	0.00	45.71	304.71	<1.0	<1.0	<1.0	<3.0	<100	--	--	<0.5
RW2 <sup>a</sup>	07/07/04	350.42	0.00	44.92	305.50	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
RW2 <sup>a</sup>	10/12/04	350.42	0.00	40.83	309.59	<0.5	2.7	0.6	4.4	<50	--	--	<0.5
RW2 <sup>a</sup>	01/05/05	350.42	0.00	41.01	309.41	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
RW2 <sup>a</sup>	04/14/05	350.42	0.00	39.14	311.28	<0.5	<0.5	<0.5	1.1	<50	--	--	<0.5
RW2 <sup>a</sup>	07/14/05	350.42	0.00	39.20	311.22	<50	--	<0.5	<0.5	<0.5	<0.5	--	<0.5
RW2 <sup>a</sup>	10/17/05	350.42	0.00	38.99	311.43	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
RW2 <sup>a</sup>	01/10/06	350.42	0.00	39.11	311.31	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
RW2 <sup>a</sup>	04/05/06	350.42	0.00	38.04	312.38	<0.50	<0.50	<0.50	<0.50	<50	--	--	<0.500
RW2 <sup>a</sup>	07/05/06	350.42	0.00	36.85	313.57	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.500
RW2 <sup>a</sup>	10/04/06	350.42	0.00	38.87	311.55	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.500
RW2 <sup>a</sup>	01/02/07	350.42	0.00	38.92	311.50	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.500
RW2 <sup>a</sup>	04/03/07	350.42	0.00	37.41	313.01	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.500
RW2 <sup>a</sup>	08/27/07	350.42	0.00	38.96	311.46	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.500
RW2 <sup>a</sup>	11/21/07	350.42	0.00	38.47	311.95	<0.50	<0.50	<0.50	<0.50	<50	--	--	<0.50
<b>RW2<sup>a</sup></b>	<b>03/18/08</b>	<b>350.42</b>	<b>0.00</b>	<b>36.62</b>	<b>313.80</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;50.0</b>	<b>--</b>	<b>--</b>	<b>&lt;0.500</b>
RW3	10/05/94	347.92	0.00	44.66	303.26	120	180	26	170	1,600	--	--	--
RW3	02/21/95	347.92	0.00	39.85	308.07	67	30	12	48	620	--	--	--
RW3	05/03/95	347.92	0.00	40.12	307.80	31	28	6.0	40	780	--	--	--
RW3	08/04/95	347.92	0.00	41.84	306.08	37	14	ND	19	190	--	8.1	--
RW3	11/10/95	347.92	0.00	44.45	303.47	19	5.0	ND	4.4	160	--	--	--
RW3	02/12/96	347.92	0.00	42.62	305.30	0.78	2.0	ND	2.0	ND	--	1.4	--
RW3	05/17/96	347.92	0.00	48.90	299.02	2.8	0.5	ND	ND	52	--	3.6	--
RW3	08/12/96	347.92	0.00	43.71	304.21	0.87	ND	ND	ND	ND	--	ND	--
RW3	11/08/96	347.92	--	--	--	28	3.3	1.2	4.5	110	--	ND	--
RW3	02/12/97	347.92	0.00	48.82	299.10	--	--	--	--	--	--	--	--
RW3 <sup>a</sup>	03/17/97	347.92	0.00	51.61	296.31	ND	ND	ND	ND	ND	--	ND	--
RW3 <sup>a</sup>	05/13/97	347.92	0.00	38.22	309.70	180	190	6.8	79	960	--	ND	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE	
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d	(8020 or 8021)	MTBE (8260)
RW3 <sup>a</sup>	08/12/97	347.92	0.00	44.15	303.77	20	11	2.1	17	160	--	4.8	--
RW3 <sup>a</sup>	10/31/97	347.92	0.00	48.18	299.74	11	14	4.4	32	330	--	10	--
RW3 <sup>a</sup>	01/21/98	347.92	0.00	46.31	301.61	1.4	0.9	0.4	2.1	50	--	ND	--
RW3 <sup>a</sup>	04/24/98	347.92	--	--	--	ND	ND	ND	ND	ND	--	ND	--
RW3 <sup>a</sup>	07/20/98	347.92	0.00	46.81	301.11	0.6	1.0	ND	ND	80	--	ND	--
RW3	10/21/98	347.92	--	Dry	--	--	--	--	--	--	--	--	--
RW3 <sup>a</sup>	02/22/99	347.92	0.00	44.17	303.75	ND	ND	ND	ND	ND	--	ND	--
RW3 <sup>a</sup>	05/27/99	347.92	0.00	44.40	303.52	ND	ND	ND	ND	ND	--	ND	--
RW3 <sup>a,t</sup>	09/16/99	347.92	0.00	44.58	303.34	960	5,700	1,200	5,000	45,000	--	200	--
RW3 <sup>a,t</sup>	10/04/99	347.92	--	--	--	ND	0.6	ND	ND	ND	--	ND	--
RW3 <sup>a</sup>	11/15/99	347.92	0.00	48.32	299.60	ND	ND	1.2	3.3	93	--	ND	--
RW3 <sup>a</sup>	03/02/00	347.92	0.00	47.60	300.32	<0.30	<0.30	<0.30	<0.60	<50	--	<10	--
RW3 <sup>a</sup>	06/06/00	347.92	0.00	45.58	302.34	<0.20	<0.20	<0.20	<0.60	<20	--	<0.30	--
RW3 <sup>a</sup>	08/29/00	347.92	0.00	47.72	300.20	<0.30	0.47	<0.30	<0.60	<50	--	<10	--
RW3 <sup>a</sup>	11/07/00	347.92	0.00	47.18	300.74	<0.20	<0.20	<0.20	<0.60	<20	--	1.8	--
RW3 <sup>a</sup>	01/30/01	347.92	0.00	47.72	300.20	<0.20	<0.20	<0.20	<0.60	33	--	4.3	<5
RW3 <sup>a</sup>	04/19/01	347.92	0.00	45.73	302.19	<0.20	<0.20	0.34	<0.60	<20	--	0.33	--
RW3 <sup>a</sup>	07/27/01	347.92	0.00	46.61	301.31	<0.20	<0.20	<0.20	<0.60	<50	--	1.3	<2
RW3 <sup>a</sup>	10/19/01	347.92	0.00	46.96	300.96	<0.20	<0.20	<0.20	<0.60	<50	--	1.5	<2
RW3 <sup>a</sup>	01/15/02	350.53	0.00	44.98	305.55	<0.50	<0.50	<0.50	<0.50	<50.0	--	<0.50	--
RW3 <sup>a</sup>	04/09/02	350.53	0.00	46.80	303.73	<0.50	<0.50	<0.50	<0.50	<50.0	--	1.00	--
RW3 <sup>a</sup>	07/23/02	350.53	0.00	47.42	303.11	<0.50	<0.50	<0.50	<0.50	<50.0	--	1.90	--
RW3 <sup>a</sup>	10/16/02	350.53	0.00	46.42	304.11	<0.5	<0.5	<0.5	<0.5	<50.0	--	1.0	--
RW3 <sup>a</sup>	01/09/03	350.53	0.00	44.02	306.51	<0.5	<0.5	<0.5	<0.5	<50.0	--	--	<0.5
RW3 <sup>a</sup>	04/14/03	350.53	0.00	44.97	305.56	<0.5	<0.5	<0.5	<0.5	<50.0	--	--	<0.5
RW3 <sup>a</sup>	07/09/03	350.53	0.00	44.96	305.57	<0.5	0.6	<0.5	<0.5	<50	--	<0.5	<0.5
RW3 <sup>a</sup>	10/01/03	350.53	0.00	45.81	304.72	<0.5	<0.5	<0.5	<0.5	<50	--	0.6	<0.5
RW3 <sup>a</sup>	01/19/04	350.53	0.00	44.81	305.72	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
RW3 <sup>a</sup>	04/01/04	350.53	0.00	45.10	305.43	<1.0	2.5	<1.0	5.1	<100	--	--	<0.5
RW3 <sup>a</sup>	07/07/04	350.53	0.00	45.57	304.96	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
RW3 <sup>a</sup>	10/12/04	350.53	0.00	45.79	304.74	<0.5	3.5	0.8	5.9	<50	--	--	<0.5
RW3 <sup>a</sup>	01/05/05	350.53	0.00	45.63	304.90	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
RW3 <sup>a</sup>	04/14/05	350.53	0.00	41.91	308.62	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
RW3 <sup>a</sup>	07/14/05	350.53	0.00	44.37	306.16	<50	--	<0.5	<0.5	<0.5	<0.5	--	<0.5
RW3 <sup>a</sup>	10/17/05	350.53	0.00	43.57	306.96	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE	
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d	(8020 or 8021)	MTBE (8260)
RW3 <sup>a</sup>	01/10/06	350.53	0.00	42.37	308.16	<0.5	1.4	<0.5	1.5	<50	--	--	<0.5
RW3 <sup>a</sup>	04/05/06	350.53	0.00	40.35	310.18	<0.50	<0.50	<0.50	<0.50	<50	--	--	<0.500
RW3 <sup>a</sup>	07/05/06	350.53	0.00	39.03	311.50	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.500
RW3 <sup>a</sup>	10/04/06	350.53	0.00	41.68	308.85	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.500
RW3 <sup>a</sup>	01/02/07	350.53	0.00	40.59	309.94	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.500
RW3 <sup>a</sup>	04/03/07	350.53	0.00	38.00	312.53	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.500
RW3 <sup>a</sup>	08/27/07	350.53	0.00	41.95	308.58	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.500
RW3 <sup>a</sup>	11/21/07	350.53	0.00	39.87	310.66	<0.50	<0.50	<0.50	<0.50	<50	--	--	<0.50
<b>RW3<sup>a</sup></b>	<b>03/18/08</b>	<b>350.53</b>	<b>0.00</b>	<b>36.99</b>	<b>313.54</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;50.0</b>	--	--	<b>&lt;0.500</b>
RW4	10/05/94	348.29	0.00	42.62	305.67	11	4.9	1.5	9.2	130	--	--	--
RW4	02/21/95	348.29	0.02	35.40	312.91	--	--	--	--	--	--	--	--
RW4	05/03/95	348.29	0.00	35.03	313.26	--	--	--	--	--	--	--	--
RW4	05/04/95	348.29	--	--	--	330	130	120	410	2,900	--	--	--
RW4	08/04/95	348.29	0.00	37.62	310.67	63	ND	14	2.1	520	--	6.1	--
RW4	11/10/95	348.29	0.00	40.26	308.03	94	28	31	43	450	--	--	--
RW4	02/12/96	348.29	0.00	36.84	311.45	1.5	2.0	2.9	2.4	52	--	4.0	--
RW4	05/17/96	348.29	0.00	36.58	311.71	7.7	2.3	26	1.4	160	--	ND	--
RW4	08/12/96	348.29	0.00	38.96	309.33	ND	ND	ND	ND	ND	--	ND	--
RW4	11/08/96	348.29	--	--	--	ND	ND	ND	ND	ND	--	ND	--
RW4	02/12/97	348.29	0.00	34.95	313.34	--	--	--	--	--	--	--	--
RW4 <sup>a</sup>	03/17/97	348.29	0.00	37.75	310.54	ND	ND	ND	ND	ND	--	ND	--
RW4 <sup>a</sup>	05/13/97	348.29	0.00	38.36	309.93	ND	ND	ND	ND	ND	--	ND	--
RW4 <sup>a</sup>	08/12/97	348.29	0.00	41.28	307.01	ND	ND	ND	ND	ND	--	ND	--
RW4 <sup>a</sup>	10/31/97	348.29	0.00	41.75	306.54	ND	ND	ND	ND	ND	--	ND	--
RW4 <sup>a</sup>	01/21/98	348.29	0.00	41.61	306.68	ND	ND	ND	ND	ND	--	ND	--
RW4 <sup>a</sup>	04/24/98	348.29	--	--	--	ND	ND	ND	ND	ND	--	ND	--
RW4 <sup>a</sup>	07/20/98	348.29	0.00	49.94	298.35	ND	ND	ND	ND	ND	--	ND	--
RW4 <sup>a</sup>	10/21/98	348.29	--	Dry	--	--	--	--	--	--	--	--	--
RW4 <sup>a</sup>	02/22/99	348.29	0.00	41.80	306.49	ND	ND	ND	ND	ND	--	ND	--
RW4 <sup>a</sup>	05/27/99	348.29	0.00	42.06	306.23	ND	ND	ND	ND	ND	--	ND	--
RW4 <sup>a</sup>	09/16/99	348.29	0.00	44.87	303.42	ND	ND	ND	ND	ND	--	ND	--
RW4 <sup>a</sup>	11/15/99	348.29	0.00	44.60	303.69	ND	ND	ND	ND	ND	--	ND	--
RW4 <sup>a</sup>	03/02/00	348.29	0.00	41.48	306.81	<0.30	<0.30	<0.30	<0.60	<50	--	<10	--
RW4 <sup>a</sup>	06/06/00	348.29	0.00	43.41	304.88	<0.20	<0.20	<0.20	<0.60	<20	--	<0.30	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
RW4 <sup>a</sup>	08/29/00	348.29	0.00	45.38	302.91	<0.30	<0.30	<0.30	<0.60	<50	--	<10	--
RW4 <sup>a</sup>	11/07/00	348.29	0.00	43.99	304.30	<0.20	<0.20	<0.20	<0.60	<20	--	<0.30	--
RW4 <sup>a</sup>	01/30/01	348.29	0.00	45.12	303.17	<0.20	<0.20	<0.20	<0.60	<20	--	<0.30	--
RW4 <sup>a</sup>	04/19/01	348.29	0.00	44.42	303.87	<0.20	<0.20	<0.20	<0.60	<20	--	<0.30	--
RW4 <sup>a</sup>	07/27/01	348.29	0.00	44.54	303.75	<0.20	<0.20	<0.20	<0.60	<50	--	<0.30	--
RW4 <sup>a</sup>	10/19/01	348.29	0.00	45.09	303.20	<0.20	<0.20	<0.20	<0.60	<50	--	<0.30	--
RW4 <sup>a</sup>	01/15/02	350.92	0.00	43.68	307.24	<0.50	<0.50	<0.50	<0.50	<50.0	--	<0.50	--
RW4 <sup>a</sup>	04/09/02	350.92	0.00	45.79	305.13	<0.50	<0.50	<0.50	<0.50	<50.0	--	<0.50	--
RW4 <sup>a</sup>	07/23/02	350.92	0.00	46.43	304.49	<0.50	<0.50	<0.50	<0.50	<50.0	--	<0.50	--
RW4 <sup>a</sup>	10/16/02	350.92	0.00	44.06	306.86	<0.5	<0.5	<0.5	<0.5	<50.0	--	<0.5	--
RW4 <sup>a</sup>	01/09/03	350.92	0.00	41.97	308.95	0.70	<0.5	<0.5	<0.5	64.9	--	--	<0.50
RW4 <sup>a</sup>	04/14/03	350.92	0.00	44.17	306.75	<0.5	<0.5	<0.5	<0.5	<50.0	--	--	<0.50
RW4 <sup>a</sup>	07/09/03	350.92	0.00	43.83	307.09	<0.5	0.7	<0.5	<0.5	<50	--	<0.5	<0.5
RW4 <sup>a</sup>	10/01/03	350.92	0.00	44.60	306.32	<0.5	<0.5	<0.5	<0.5	<50	--	<0.5	<0.5
RW4 <sup>a</sup>	01/19/04	350.92	0.00	44.73	306.19	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
RW4 <sup>a</sup>	04/01/04	350.92	0.00	44.34	306.58	<1.0	2.1	<1.0	4.5	<100	--	--	<0.5
RW4 <sup>a</sup>	07/07/04	350.92	0.00	44.61	306.31	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
RW4 <sup>a</sup>	10/12/04	350.92	0.00	45.27	305.65	<0.5	2.7	0.5	3.8	<50	--	--	<0.5
RW4 <sup>a</sup>	01/05/05	350.92	0.00	44.91	306.01	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
RW4 <sup>a</sup>	04/14/05	350.92	0.00	40.77	310.15	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
RW4 <sup>a</sup>	07/14/05	350.92	0.00	43.54	307.38	<50	--	<0.5	<0.5	<0.5	<0.5	--	<0.5
RW4 <sup>a</sup>	10/17/05	350.92	0.00	44.36	306.56	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
RW4 <sup>a</sup>	01/10/06	350.92	0.00	42.50	308.42	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
RW4 <sup>a</sup>	04/05/06	350.92	0.00	40.60	310.32	<0.50	<0.50	<0.50	<0.50	<50	--	--	<0.500
RW4 <sup>a</sup>	07/05/06	350.92	0.00	38.67	312.25	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.500
RW4 <sup>a</sup>	10/04/06	350.92	0.00	41.60	309.32	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.500
RW4 <sup>a</sup>	01/02/07	350.92	0.00	41.46	309.46	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.500
RW4 <sup>a</sup>	04/03/07	350.92	0.00	39.16	311.76	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.500
RW4 <sup>a</sup>	08/27/07	350.92	0.00	42.50	308.42	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.500
RW4 <sup>a</sup>	11/21/07	350.92	0.00	41.27	309.65	<0.50	<0.50	<0.50	<0.50	<50	--	--	<0.50
<b>RW4<sup>a</sup></b>	<b>03/18/08</b>	<b>350.92</b>	<b>0.00</b>	<b>38.21</b>	<b>312.71</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;50.0</b>	<b>--</b>	<b>--</b>	<b>&lt;0.500</b>

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d

Notes:

- a Sampled using no-purge method.
- c Well inaccessible.
- d Insufficient amount of water for sample collection.
- e Reported by laboratory as non-gasoline mixture.
- f Due to an anomalous analytical result on 16 September 1999, RW3 was resampled on 4 October 1999.
  
- ND Not detected at or above laboratory reporting limit.
- TPH-d Total Petroleum Hydrocarbons as diesel.
- TPH-g Total Petroleum Hydrocarbons as gasoline.
- Trace Product present but too thin to be measured.
  
- µg/L Micrograms per liter.
- Not measured/not analyzed.

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Concentrations (µg/L)						
		MTBE	ETBE	TAME	TBA	EDB	1,2-DCA	DIPE
MW1 <sup>a</sup>	01/09/03	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50
MW1 <sup>a</sup>	04/14/03	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50
MW1 <sup>a</sup>	07/09/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW1 <sup>a</sup>	10/01/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW1 <sup>a</sup>	01/19/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW1 <sup>a</sup>	04/01/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW1 <sup>a</sup>	07/07/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW1 <sup>a</sup>	10/12/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW1 <sup>a</sup>	01/05/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW1 <sup>a</sup>	04/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW1 <sup>a</sup>	07/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW1 <sup>a</sup>	10/17/05	<0.5	<0.5	<0.5	<20	<0.5	<0.5	<0.5
MW1 <sup>a</sup>	01/10/06	<0.5	<0.5	<0.5	<20	<0.5	<0.5	<0.5
MW1 <sup>a</sup>	04/05/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
MW1 <sup>a</sup>	07/05/06	<0.500	<0.500	<0.500	<10.0	<0.500	2.50	<0.500
MW1 <sup>a</sup>	10/04/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
MW1 <sup>a</sup>	01/02/07	<0.500	<0.500	<0.500	97.6	<0.500	<0.500	<0.500
MW1 <sup>a</sup>	04/03/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
MW1 <sup>a</sup>	08/27/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
MW1 <sup>a</sup>	11/21/07	<0.50	<0.50	<0.50	<20	<0.50	<0.50	<0.50
<b>MW1<sup>a</sup></b>	<b>03/18/08</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>	<b>&lt;10.0</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>
MW2 <sup>a</sup>	01/21/98	ND	--	--	--	--	--	--
MW2 <sup>a</sup>	05/27/99	ND	--	--	--	--	--	--
MW2 <sup>a</sup>	11/15/99	<5	--	--	--	--	--	--
MW2 <sup>a</sup>	11/07/00	<5	--	--	--	--	--	--
MW2 <sup>a</sup>	04/19/01	<5	--	--	--	--	--	--
MW2 <sup>a</sup>	01/15/02	<0.5	--	--	--	--	--	--
MW2 <sup>a</sup>	04/09/02	<2.5	--	--	--	--	--	--

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Concentrations (µg/L)						
		MTBE	ETBE	TAME	TBA	EDB	1,2-DCA	DIPE
MW2 <sup>a</sup>	07/23/02	<1.0	--	--	--	--	--	--
MW2 <sup>a</sup>	10/16/02	<0.50	--	--	--	--	--	--
MW2 <sup>a</sup>	01/09/03	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50
MW2 <sup>a</sup>	04/14/03	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50
MW2 <sup>a</sup>	07/09/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW2 <sup>a</sup>	10/01/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW2 <sup>a</sup>	01/19/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW2 <sup>a</sup>	04/01/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW2 <sup>a</sup>	07/07/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW2 <sup>a</sup>	10/12/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW2 <sup>a</sup>	01/05/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW2 <sup>a</sup>	04/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW2 <sup>a</sup>	07/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW2 <sup>a</sup>	10/17/05	<0.5	<0.5	<0.5	<20	<0.5	<0.5	<0.5
MW2 <sup>a</sup>	01/10/06	<0.5	<0.5	<0.5	<20	<0.5	0.59	<0.5
MW2 <sup>a</sup>	04/05/06	<0.500	<0.500	<0.500	<10.0	<0.500	1.11	<0.500
MW2 <sup>a</sup>	07/05/06	<0.500	<0.500	<0.500	<10.0	<0.500	0.950	<0.500
MW2 <sup>a</sup>	10/04/06	<0.500	<0.500	<0.500	<10.0	<0.500	0.830	<0.500
MW2 <sup>a</sup>	01/02/07	<0.500	<0.500	<0.500	<10.0	<0.500	0.750	<0.500
MW2 <sup>a</sup>	04/03/07	<0.500	<0.500	<0.500	<10.0	<0.500	0.550	<0.500
MW2 <sup>a</sup>	08/27/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
MW2 <sup>a</sup>	11/21/07	<0.50	<0.50	0.55	<20	<0.50	0.69	<0.50
<b>MW2<sup>a</sup></b>	<b>03/18/08</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>	<b>&lt;10.0</b>	<b>&lt;0.500</b>	<b>0.920</b>	<b>&lt;0.500</b>
MW4 <sup>a</sup>	01/15/02	<0.5	--	--	--	--	--	--
MW4 <sup>a</sup>	01/09/03	<0.50	<0.50	<0.50	<10	<0.50	1.2	<0.50
MW4 <sup>a</sup>	04/14/03	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50
MW4 <sup>a</sup>	07/09/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW4 <sup>a</sup>	10/01/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5



TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Concentrations (µg/L)						
		MTBE	ETBE	TAME	TBA	EDB	1,2-DCA	DIPE
MW4 <sup>a</sup>	01/19/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW4 <sup>a</sup>	04/01/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW4 <sup>a</sup>	07/07/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW4 <sup>a</sup>	10/12/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW4 <sup>a</sup>	01/05/05	<0.5	<0.5	<0.5	<10	<0.5	0.60	<0.5
MW4 <sup>a</sup>	04/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW4 <sup>a</sup>	07/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW4 <sup>a</sup>	10/17/05	<0.5	<0.5	<0.5	<20	<0.5	<0.5	<0.5
MW4 <sup>a</sup>	01/10/06	<0.5	<0.5	<0.5	<20	<0.5	<0.5	<0.5
MW4 <sup>a</sup>	04/05/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
MW4 <sup>a</sup>	07/05/06	<0.500	<0.500	<0.500	<10.0	<0.500	2.66	<0.500
MW4 <sup>a</sup>	10/04/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
MW4 <sup>a</sup>	01/02/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
MW4 <sup>a</sup>	04/03/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
MW4 <sup>a</sup>	08/27/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
MW4 <sup>a</sup>	11/21/07	<0.50	<0.50	<0.50	<20	<0.50	<0.50	<0.50
<b>MW4<sup>a</sup></b>	<b>03/18/08</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>	<b>&lt;10.0</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>
MW6 <sup>a</sup>	01/15/02	<0.5	--	--	--	--	--	--
MW6 <sup>a</sup>	01/09/03	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50
MW6 <sup>a</sup>	04/14/03	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50
MW6 <sup>a</sup>	07/09/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW6 <sup>a</sup>	10/01/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW6 <sup>a</sup>	01/19/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW6 <sup>a</sup>	04/01/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW6 <sup>a</sup>	07/07/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW6 <sup>a</sup>	10/12/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW6 <sup>a</sup>	01/05/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW6 <sup>a</sup>	04/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Concentrations (µg/L)						
		MTBE	ETBE	TAME	TBA	EDB	1,2-DCA	DIPE
MW6 <sup>a</sup>	07/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW6 <sup>a</sup>	10/17/05	<0.5	<0.5	<0.5	<20	<0.5	<0.5	<0.5
MW6 <sup>a</sup>	01/10/06	<0.5	<0.5	<0.5	<20	<0.5	<0.5	<0.5
MW6 <sup>a</sup>	04/05/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
MW6 <sup>a</sup>	07/05/06	<0.500	<0.500	<0.500	<10.0	<0.500	2.65	<0.500
MW6 <sup>a</sup>	10/04/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
MW6 <sup>a</sup>	01/02/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
MW6 <sup>a</sup>	04/03/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
MW6 <sup>a</sup>	08/27/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
MW6 <sup>a</sup>	11/21/07	<0.50	<0.50	<0.50	<20	<0.50	<0.50	<0.50
<b>MW6<sup>a</sup></b>	<b>03/18/08</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>	<b>&lt;10.0</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>
MW10	01/09/03	0.60	<0.50	<0.50	<10	<0.50	<0.50	<0.50
MW10 <sup>a</sup>	01/19/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW10 <sup>a</sup>	01/05/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW10 <sup>a</sup>	01/10/06	<0.5	<0.5	<0.5	<20	<0.5	<0.5	<0.5
MW10 <sup>a</sup>	01/02/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
<b>MW10<sup>a</sup></b>	<b>03/18/08</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>	<b>&lt;10.0</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>
MW11 <sup>a</sup>	01/09/03	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50
MW11 <sup>a</sup>	07/09/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW11 <sup>a</sup>	01/19/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW11 <sup>a</sup>	07/07/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW11 <sup>a</sup>	01/05/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW11 <sup>a</sup>	07/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW11 <sup>a</sup>	01/10/06	<0.5	<0.5	<0.5	<20	<0.5	<0.5	<0.5
MW11 <sup>a</sup>	07/05/06	<0.500	<0.500	<0.500	<10.0	<0.500	2.59	<0.500
MW11 <sup>a</sup>	01/02/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
MW11 <sup>a</sup>	08/27/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Concentrations (µg/L)						
		MTBE	ETBE	TAME	TBA	EDB	1,2-DCA	DIPE
<b>MW11<sup>a</sup></b>	<b>03/18/08</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>	<b>&lt;10.0</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>
MW12 <sup>a</sup>	01/09/03	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50
MW12 <sup>a</sup>	01/19/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW12 <sup>a</sup>	01/05/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW12 <sup>a</sup>	01/10/06	<0.5	<0.5	<0.5	<20	<0.5	<0.5	<0.5
MW12 <sup>a</sup>	01/02/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
<b>MW12<sup>a</sup></b>	<b>03/18/08</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>	<b>&lt;10.0</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>
RW1 <sup>a</sup>	08/12/97	ND	--	--	--	--	--	--
RW1 <sup>a</sup>	10/31/97	ND	--	--	--	--	--	--
RW1 <sup>a</sup>	01/21/98	ND	--	--	--	--	--	--
RW1 <sup>a</sup>	07/20/98	ND	--	--	--	--	--	--
RW1 <sup>a</sup>	10/21/98	25	--	--	--	--	--	--
RW1 <sup>a</sup>	02/22/99	ND	--	--	--	--	--	--
RW1 <sup>a</sup>	03/02/00	<10	--	--	--	--	--	--
RW1 <sup>a</sup>	04/19/01	<7	--	--	--	--	--	--
RW1 <sup>a</sup>	10/19/01	5	--	--	--	--	--	--
RW1 <sup>a</sup>	01/15/02	6.9	--	--	--	--	--	--
RW1 <sup>a</sup>	01/09/03	6.60	<0.50	<0.50	197	<0.50	<0.50	<0.50
RW1 <sup>a</sup>	04/14/03	4.60	<0.50	<0.50	93.2	<0.50	<0.50	<0.50
RW1 <sup>a</sup>	07/09/03	4.20	<0.5	<0.5	87.9	<0.5	<0.5	<0.5
RW1 <sup>a</sup>	10/01/03	3.20	<0.5	<0.5	64.1	<0.5	27.4	<0.5
RW1 <sup>a</sup>	01/19/04	3.20	<0.5	<0.5	122	<0.5	<0.5	<0.5
RW1 <sup>a</sup>	04/01/04	2.40	<0.5	4.30	27.0	<0.5	<0.5	<0.5
RW1 <sup>a</sup>	07/07/04	2.60	<0.5	<0.5	148	<0.5	<0.5	<0.5
RW1 <sup>a</sup>	10/12/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW1 <sup>a</sup>	01/05/05	0.90	<0.5	<0.5	40.4	<0.5	<0.5	<0.5
RW1 <sup>a</sup>	04/14/05	<0.5	<0.5	1.20	42.4	<0.5	1.80	<0.5

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Concentrations (µg/L)						
		MTBE	ETBE	TAME	TBA	EDB	1,2-DCA	DIPE
RW1 <sup>a</sup>	07/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW1 <sup>a</sup>	10/17/05	<0.5	<0.5	<0.5	<20	<0.5	<0.5	<0.5
RW1 <sup>a</sup>	01/10/06	<2.5	<2.5	<2.5	<100	<2.5	2.6	<2.5
RW1 <sup>a</sup>	04/05/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
RW1 <sup>a</sup>	07/05/06	<0.500	<0.500	<0.500	<10.0	<0.500	2.55	<0.500
RW1 <sup>a</sup>	10/04/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
RW1 <sup>a</sup>	01/02/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
RW1 <sup>a</sup>	04/03/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
RW1 <sup>a</sup>	08/27/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
RW1 <sup>a</sup>	11/21/07	<0.50	<0.50	<0.50	<20	<0.50	0.50	<0.50
<b>RW1<sup>a</sup></b>	<b>03/18/08</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>	<b>&lt;10.0</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>
RW2 <sup>a</sup>	04/24/98	ND	--	--	--	--	--	--
RW2 <sup>a</sup>	01/09/03	<0.50	<0.50	<0.50	<10	<0.50	1.7	<0.50
RW2 <sup>a</sup>	04/14/03	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50
RW2 <sup>a</sup>	07/09/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW2 <sup>a</sup>	10/01/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW2 <sup>a</sup>	01/19/04	<0.5	<0.5	<0.5	<10	<0.5	1.10	<0.5
RW2 <sup>a</sup>	04/01/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW2 <sup>a</sup>	07/07/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW2 <sup>a</sup>	10/12/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW2 <sup>a</sup>	01/05/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW2 <sup>a</sup>	04/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW2 <sup>a</sup>	07/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW2 <sup>a</sup>	10/17/05	<0.5	<0.5	<0.5	<20	<0.5	<0.5	<0.5
RW2 <sup>a</sup>	01/10/06	<0.5	<0.5	<0.5	<20	<0.5	<0.5	<0.5
RW2 <sup>a</sup>	04/05/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
RW2 <sup>a</sup>	07/05/06	<0.500	<0.500	<0.500	<10.0	<0.500	2.57	<0.500
RW2 <sup>a</sup>	10/04/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Concentrations (µg/L)						
		MTBE	ETBE	TAME	TBA	EDB	1,2-DCA	DIPE
RW2 <sup>a</sup>	01/02/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
RW2 <sup>a</sup>	04/03/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
RW2 <sup>a</sup>	08/27/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
RW2 <sup>a</sup>	11/21/07	<0.50	<0.50	<0.50	<20	<0.50	0.50	<0.50
<b>RW2<sup>a</sup></b>	<b>03/18/08</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>	<b>&lt;10.0</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>
RW3 <sup>a</sup>	01/30/01	<5	--	--	--	--	--	--
RW3 <sup>a</sup>	07/27/01	<2	--	--	--	--	--	--
RW3 <sup>a</sup>	10/19/01	<2	--	--	--	--	--	--
RW3 <sup>a</sup>	01/09/03	<0.5	<0.50	<0.50	<10	<0.50	3.2	<0.50
RW3 <sup>a</sup>	04/14/03	<0.5	<0.50	<0.50	<10	<0.50	3.2	<0.50
RW3 <sup>a</sup>	07/09/03	<0.5	<0.50	<0.50	<10	<0.50	3.40	<0.50
RW3 <sup>a</sup>	10/01/03	<0.5	<0.5	<0.5	<10	<0.5	4.10	<0.5
RW3 <sup>a</sup>	01/19/04	<0.5	<0.5	<0.5	<10	<0.5	3.40	<0.5
RW3 <sup>a</sup>	04/01/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW3 <sup>a</sup>	07/07/04	<0.5	<0.5	<0.5	<10	<0.5	4.80	<0.5
RW3 <sup>a</sup>	10/12/04	<0.5	<0.5	<0.5	<10	<0.5	4.70	<0.5
RW3 <sup>a</sup>	01/05/05	<0.5	<0.5	<0.5	<10	<0.5	4.60	<0.5
RW3 <sup>a</sup>	04/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW3 <sup>a</sup>	07/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW3 <sup>a</sup>	10/17/05	<0.5	<0.5	<0.5	<20	<0.5	<0.5	<0.5
RW3 <sup>a</sup>	01/10/06	<0.5	<0.5	<0.5	<20	<0.5	<0.5	<0.5
RW3 <sup>a</sup>	04/05/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
RW3 <sup>a</sup>	07/05/06	<0.500	<0.500	<0.500	<10.0	<0.500	2.67	<0.500
RW3 <sup>a</sup>	10/04/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
RW3 <sup>a</sup>	01/02/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
RW3 <sup>a</sup>	04/03/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
RW3 <sup>a</sup>	08/27/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
RW3 <sup>a</sup>	11/21/07	<0.50	<0.50	<0.50	<20	<0.50	<0.50	<0.50

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES, FORMER MOBIL STATION 04H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Concentrations (µg/L)						
		MTBE	ETBE	TAME	TBA	EDB	1,2-DCA	DIPE
<b>RW3<sup>a</sup></b>	<b>03/18/08</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>	<b>&lt;10.0</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>
RW4 <sup>a</sup>	01/09/03	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50
RW4 <sup>a</sup>	04/14/03	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50
RW4 <sup>a</sup>	07/09/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW4 <sup>a</sup>	10/01/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW4 <sup>a</sup>	01/19/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW4 <sup>a</sup>	04/01/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW4 <sup>a</sup>	07/07/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW4 <sup>a</sup>	10/12/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW4 <sup>a</sup>	01/05/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW4 <sup>a</sup>	04/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW4 <sup>a</sup>	07/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW4 <sup>a</sup>	10/17/05	<0.5	<0.5	<0.5	<20	<0.5	<0.5	<0.5
RW4 <sup>a</sup>	01/10/06	<0.5	<0.5	<0.5	<20	<0.5	<0.5	<0.5
RW4 <sup>a</sup>	04/05/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
RW4 <sup>a</sup>	07/05/06	<0.500	<0.500	<0.500	<10.0	<0.500	2.71	<0.500
RW4 <sup>a</sup>	10/04/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
RW4 <sup>a</sup>	01/02/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
RW4 <sup>a</sup>	04/03/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
RW4 <sup>a</sup>	08/27/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500
RW4 <sup>a</sup>	11/21/07	<0.50	<0.50	<0.50	<20	<0.50	<0.50	<0.50
<b>RW4<sup>a</sup></b>	<b>03/18/08</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>	<b>&lt;10.0</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>	<b>&lt;0.500</b>

Notes:

a Sampled using no-purge method.

1,2-DCA 1,2-Dichloroethane.

DIPE Diisopropyl ether.

EDB 1,2-Dibromoethane.

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES, FORMER MOBIL STATION 04H6J,  
1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Concentrations ( $\mu\text{g/L}$ )						
		MTBE	ETBE	TAME	TBA	EDB	1,2-DCA	DIPE
ETBE			Ethyl tertiary butyl ether.					
MTBE			Methyl tertiary butyl ether.					
ND			Not detected at or above laboratory reporting limit.					
TAME			Tertiary amyl methyl ether.					
TBA			Tertiary butyl alcohol.					
--			Not analyzed.					
$\mu\text{g/L}$			Micrograms per liter.					

TABLE 4

GROUNDWATER MONITORING PLAN, FORMER MOBIL STATION 04H6J,  
1024 MAIN STREET, PLEASANTON, CALIFORNIA

Well Number	Groundwater Gauging Frequency	Groundwater Sampling and Analysis Frequency		
		BTEX and TPH-g	MTBE	Other Oxygenates and Additives
MW1	Q	Q	Q	Q
MW2	Q	Q	Q	Q
MW3	Q	--	--	--
MW4	Q	Q	Q	Q
MW5	Q	--	--	--
MW6	Q	Q	Q	Q
MW7	Q	--	--	--
MW8	Q	--	--	--
MW10	Q	A	A	A
MW11	Q	SA	SA	SA
MW12	Q	A	A	A
RW1	Q	Q	Q	Q
RW2	Q	Q	Q	Q
RW3	Q	Q	Q	Q
RW4	Q	Q	Q	Q
VMW1	Q	--	--	--
VMW2	Q	--	--	--
VMW3	Q	--	--	--
VMW4	Q	--	--	--

Notes: Oxygenates and additives include diisopropyl ether, tertiary butyl alcohol, tertiary amyl methyl ether, ethyl tertiary butyl ether, 1,2-dibromoethane, and 1,2-dichloroethane.

A Annually (during the first quarter of each year).  
 BTEX Benzene, toluene, ethylbenzene, and xylenes.  
 MTBE Methyl tertiary butyl ether.  
 Q Quarterly.  
 SA Semi-annually (during the first and third quarters of each year).  
 TPH-g Total Petroleum Hydrocarbons as gasoline.  
 -- Not sampled.



## **Appendix A**

### **Field Protocols**

## **PROTOCOLS FOR QUARTERLY GROUNDWATER MONITORING**

### **GROUNDWATER GAUGING**

Wells are opened prior to gauging to allow the groundwater level in the wells to equilibrate with atmospheric pressure. The depth to groundwater and depth to liquid-phase hydrocarbons, if present, are then measured to the nearest 0.01 feet using an electronic water level meter or optical interface probe. The measurements are made from a permanent reference point at the top of the well casing. If less than 1 foot of water is measured in a well, the well is considered "dry." Wells with a sheen or measurable liquid-phase hydrocarbons are generally not sampled.

### **WELL PURGING**

Wells at this site meet the criteria for a no purge alternative for quarterly groundwater monitoring. Therefore no purging of wells is completed at this site.

### **GROUNDWATER SAMPLING**

Groundwater in each well is sampled using a factory-cleaned disposable bailer. Samples from extraction wells are typically collected from sample ports associated with the groundwater remediation system. Samples collected for volatile organic analysis are placed in Teflon septum-sealed 40-milliliter glass vials. Samples collected for diesel analysis are placed in 1-liter amber glass bottles. Each sample bottle is labeled with the site name, well number, date, sampler's initials, and preservative. The samples are placed in a cooler with ice for delivery to a state-certified laboratory. The information for each sample is entered on a chain-of-custody form prior to transport to the laboratory.

**Appendix B**  
**Field Documents**



# MONITORING WELL DATA FORM

Client: ExxonMobil

Date: 03/8/08

Project Number: UP04H6J.1

Station Number: 04H6J

Site Location:  
1024 Main Street, Pleasanton, California

Samplers: TBI/DEF

MONITORING WELL NUMBER	DEPTH TO WATER (TOC)	DEPTH TO PRODUCT (TOC)	APPARENT PRODUCT THICKNESS	AMOUNT OF PRODUCT REMOVED	Well Completion Depth (Feet)	DEPTH TO BOTTOM (TOC)	WELL CASING DIAMETER
MW1	37.70				55.00	49.91	4"
MW2	37.45				55.00	48.46	2"
MW3	9.45	S			35.00	33.18	2"
MW4	37.69	1			49.00	48.50	4"
MW5	32.88				34.00	34.79	4"
MW6	38.21				53.00	54.19	4"
MW7	8.40	S			30.00	24.41	2"
MW8	11.09				25.00	28.69	2"
MW10	37.90				55.00	54.61	4"
MW11	33.55				44.00	44.70	4"
MW12	37.50				55.00	54.62	4"
RW1	36.90				55.00	48.69	6"
RW2	36.62				54.00	52.09	6"
RW3	36.99				54.00	52.62	6"
RW4	38.21				51.00	49.25	6"
VMW1	32.91				35.00	30.30	4"
VMW2	17.41				35.00	27.80	4"
VMW3	11.20	S			32.00	31.98	4"
VMW4	8.26	S			35.00	12.68	4"



## GROUNDWATER PURGE AND SAMPLE

Project Name: Former Mobil 04H6J	Well No: MW1	Date: 03-18-08
Project No: UP04H6J.1	Personnel: <u>TRINDER</u>	

### GAUGING DATA

Water Level Measuring Method: WLM      Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
	49.91	-	37.70	=	X	1	2	④	6
					0.04	0.16	0.64	1.44	

### PURGING DATA

Purge Method: Non-purge, sample with bailer      Purge Depth: Screen      Purge Rate: (gpm)

Time						
Volume Purge (gal)						
Temperature (C)						
pH						
Spec. Cond. (umhos)						
Turbidity/Color						
Odor (Y/N)						
Dewatered (Y/N)						

Comments/Observations:

NO PURGE / GRAB SAMPLE ONLY

### SAMPLING DATA

Time Sampled: 1035      Approximate Depth to Water During Sampling: 38 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
<u>MW1</u>	6	VOA	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 0 (gallons)      Disposal: N/A

Weather Conditions: ok

Condition of Well Box and Casing at Time of Sampling: No BOLTS

Well Head Conditions Requiring Correction: BROKEN

Problems Encountered During Purging and Sampling: N

Comments:



**GROUNDWATER PURGE AND SAMPLE**

Project Name: Former Mobil 04H6J	Well No: MW2	Date: 03-18-03
Project No: UP04H6J.1	Personnel: <u>TRINDER</u>	

<b>GAUGING DATA</b>						
Water Level Measuring Method: <u>WLM</u>				Measuring Point Description: <u>TOC</u>		
WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter		Total Purge Volume (gal)
	48.46	-	37.45	⊗	Ⓜ	=
				0.04	0.16	0.64

<b>PURGING DATA</b>						
Purge Method:	Non-purge, sample with <u>bailer</u>		Purge Depth:	Screen	Purge Rate:	(gpm)
Time						
Volume Purge (gal)						
Temperature (C)						
pH						
Spec Cond. (umhos)						
Turbidity/Color						
Odor (Y/N)						
Dewatered (Y/N)						
Comments/Observations:						
<b>NO PURGE / GRAB SAMPLE ONLY</b>						

<b>SAMPLING DATA</b>						
Time Sampled:	<u>0915</u>		Approximate Depth to Water During Sampling:	<u>38</u> (feet)		
Comments:						
Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
<u>MW2</u>	6	VOA	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: <u>0</u> (gallons)	Disposal:	N/A
Weather Conditions: <u>ok</u>		
Condition of Well Box and Casing at Time of Sampling: <u>TOP OF THE WELL CASING BROKE!</u>		
Well Head Conditions Requiring Correction: <u>N</u>		
Problems Encountered During Purging and Sampling: <u>N</u>		
Comments:		



## GROUNDWATER PURGE AND SAMPLE

Project Name: Former Mobil 04H6J	Well No: MW4	Date: 03-18-08
Project No: UP04H6J.1	Personnel: BINDER	

### GAUGING DATA

Water Level Measuring Method: WLM                      Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)	
		48.50	-	37.69	=	X	1	2	4	6
						0.04	0.16	0.64	1.44	

### PURGING DATA

Purge Method: Non-purge, sample with bailer      Purge Depth: Screen      Purge Rate: (gpm)

Time	
Volume Purge (gal)	
Temperature (C)	
pH	
Spec. Cond. (umhos)	
Turbidity/Color	
Odor (Y/N)	
Dewatered (Y/N)	

Comments/Observations:

NO PURGE / GRAB SAMPLE ONLY

### SAMPLING DATA

Time Sampled: 1050                      Approximate Depth to Water During Sampling: 38. (feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW4	6	VOA	HCL	40 ml	/	TPH-g, BTEX, MTBE

Total Purge Volume: ~~3~~ (gallons)                      Disposal: N/A

Weather Conditions: ~~ok~~

Condition of Well Box and Casing at Time of Sampling: NO BOLTS BROKEN EARS UP BROKEN

Well Head Conditions Requiring Correction: UP BROKEN

Problems Encountered During Purging and Sampling: N

Comments:



## GROUNDWATER PURGE AND SAMPLE

Project Name: Former Mobil 04H6J	Well No: MW6	Date: 03-18-08
Project No: UP04H6J.1	Personnel: TRINDER	

<b>GAUGING DATA</b>										
Water Level Measuring Method: WLM				Measuring Point Description: TOC						
WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)	
	34.19	-	38.21	=	X	1	2	4	6	=
					0.04	0.16	0.64	1.44		

<b>PURGING DATA</b>						
Purge Method:	Non-purge, sample with bailer		Purge Depth:	Screen	Purge Rate:	(gpm)
Time						
Volume Purge (gal)						
Temperature (°C)						
pH						
Spec Cond. (umhos)						
Turbidity/Color						
Odor (Y/N)						
Dewatered (Y/N)						
Comments/Observations:						
<b>NO PURGE / GRAB SAMPLE ONLY</b>						

<b>SAMPLING DATA</b>						
Time Sampled:	1130		Approximate Depth to Water During Sampling:	39 (feet)		
Comments:						
Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW6	6	VOA	HCL	40 ml	/	TPH-g, BTEX, MTBE

Total Purge Volume:	0	(gallons)	Disposal:	N/A
Weather Conditions: OK				
Condition of Well Box and Casing at Time of Sampling: OK				
Well Head Conditions Requiring Correction: NONE				
Problems Encountered During Purging and Sampling: NONE				
Comments:				





## GROUNDWATER PURGE AND SAMPLE

Project Name: Former Mobil 04H6J	Well No: MW10	Date: 03-18-05
Project No: UP04H6J.1	Personnel: <u>BLIND</u>	

GAUGING DATA									
Water Level Measuring Method: <u>WLM</u>				Measuring Point Description: TOC					
WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
	54.61	= 37.90	=	X	1 0.04	2 0.16	④ 0.64	6 1.44	=

PURGING DATA					
Purge Method: Non-purge, sample with <u>bailer</u>	Purge Depth: Screen	Purge Rate: (gpm)			
Time					
Volume Purge (gal)					
Temperature (°C)					
pH					
Spec. Cond. (umhos)					
Turbidity/Color					
Odor (Y/N)					
Dewatered (Y/N)					
Comments/Observations: <b>NO PURGE / GRAB SAMPLE ONLY</b>					

SAMPLING DATA						
Time Sampled: <u>1105</u>			Approximate Depth to Water During Sampling: <u>38'</u> (feet)			
Comments:						
Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
	6	VOA	HCL	40 ml	/	TPH-g, BTEX, MTBE

Total Purge Volume: 0 (gallons)      Disposal: N/A

Weather Conditions: ok

Condition of Well Box and Casing at Time of Sampling: ok

Well Head Conditions Requiring Correction: N

Problems Encountered During Purging and Sampling: N

Comments:



## GROUNDWATER PURGE AND SAMPLE

Project Name: Former Mobil 04H6J	Well No: <u>MN11</u>	Date: <u>03-18-08</u>
Project No: UP04H6J.1	Personnel: <u>BINDER</u>	

### GAUGING DATA

Water Level Measuring Method: WLM      Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
	44.70	-	33.55	=	X	1 0.04	2 0.16	4 0.64	6 1.44

### PURGING DATA

Purge Method: Non-purge, sample with bailer      Purge Depth: Screen      Purge Rate: (gpm)

Time						
Volume Purge (gal)						
Temperature (°C)						
pH						
Spec. Cond. (umhos)						
Turbidity/Color						
Odor (Y/N)						
Dewatered (Y/N)						

Comments/Observations:

NO PURGE / GRAB SAMPLE ONLY

### SAMPLING DATA

Time Sampled: 1200      Approximate Depth to Water During Sampling: 34 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
<u>MN11</u>	6	VOA	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 0 (gallons)      Disposal: N/A

Weather Conditions: OK

Condition of Well Box and Casing at Time of Sampling: OK

Well Head Conditions Requiring Correction: N

Problems Encountered During Purging and Sampling: N

Comments:



## GROUNDWATER PURGE AND SAMPLE

Project Name: Former Mobil 04H6J	Well No: MW12	Date: 03-18-03
Project No: UP04H6J.1	Personnel: BENDER	

### GAUGING DATA

Water Level Measuring Method: WLM

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
	54.62	-	37.50	=	X	1	2	4	6
					0.04	0.16	0.64	1.44	

### PURGING DATA

Purge Method: Non-purge, sample with bailer      Purge Depth: Screen      Purge Rate: (gpm)

Time						
Volume Purge (gal)						
Temperature (C)						
pH						
Spec. Cond. (umhos)						
Turbidity/Color						
Odor (Y/N)						
Dewatered (Y/N)						

Comments/Observations:

NO PURGE / GRAB SAMPLE ONLY

### SAMPLING DATA

Time Sampled: 1235      Approximate Depth to Water During Sampling: 38 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
	6	VOA	HCL	40 ml	/	TPH-g, BTEX, MTBE

Total Purge Volume: 0 (gallons)      Disposal: N/A

Weather Conditions: ok

Condition of Well Box and Casing at Time of Sampling: ok

Well Head Conditions Requiring Correction: N

Problems Encountered During Purging and Sampling: N

Comments:



## GROUNDWATER PURGE AND SAMPLE

Project Name: Former Mobil 04H6J	Well No: RW1	Date: 03-18-08
Project No: UP04H6J.1	Personnel: JSINDER	

### GAUGING DATA

Water Level Measuring Method: WLM      Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)	
		48.69	-	36.90	=	X	1	2	4	6
					0.04	0.16	0.64	1.44		

### PURGING DATA

Purge Method: Non-purge, sample with bailer      Purge Depth:      Screen      Purge Rate:      (gpm)

Time						
Volume Purge (gal)						
Temperature (C)						
pH						
Spec. Cond. (umhos)						
Turbidity/Color						
Odor (Y/N)						
Dewatered (Y/N)						

Comments/Observations:

NO PURGE / GRAB SAMPLE ONLY

### SAMPLING DATA

Time Sampled: 0940      Approximate Depth to Water During Sampling: 37. (feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
	6	VOA	HCL	40 ml	/	TPH-g, BTEX, MTBE

Total Purge Volume: 0 (gallons)      Disposal:      N/A

Weather Conditions: OK

Condition of Well Box and Casing at Time of Sampling: OK

Well Head Conditions Requiring Correction: N

Problems Encountered During Purging and Sampling: N

Comments:



## GROUNDWATER PURGE AND SAMPLE

Project Name: Former Mobil 04H6J	Well No: RW2	Date: 03-18-08
Project No: UP04H6J.1	Personnel: <u>BINDER</u>	

GAUGING DATA										
Water Level Measuring Method: <u>WLM</u>				Measuring Point Description: <u>TOC</u>						
WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)	
	52.09	-	36.62	=	X	1	2	4	6	=
					0.04	0.16	0.64	1.44		

PURGING DATA						
Purge Method:	Non-purge, sample with bailer		Purge Depth:	Screen	Purge Rate:	(gpm)
Time						
Volume Purge (gal)						
Temperature (C)						
pH						
Spec. Cond. (umhos)						
Turbidity/Color						
Odor (Y/N)						
Dewatered (Y/N)						
Comments/Observations:						
NO PURGE / GRAB SAMPLE ONLY						

SAMPLING DATA						
Time Sampled:	1000		Approximate Depth to Water During Sampling:	37		(feet)
Comments:						
Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
	6	VOA	HCL	40 ml	/	TPH-g, BTEX, MTBE

Total Purge Volume:	(gallons)	Disposal:	N/A
Weather Conditions: <u>ok</u>			
Condition of Well Box and Casing at Time of Sampling: <u>ok</u>			
Well Head Conditions Requiring Correction: <u>N</u>			
Problems Encountered During Purging and Sampling: <u>N</u>			
Comments:			



## GROUNDWATER PURGE AND SAMPLE

Project Name: Former Mobil 04H6J	Well No: RW3	Date: 03-18-08
Project No: UP04H6J.1	Personnel: BLINDER	

<b>GAUGING DATA</b>									
Water Level Measuring Method: <u>WLM</u>				Measuring Point Description: TOC					
WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
	52.62	= 36.99	=	X	1	2	4	6	=
					0.04	0.16	0.64	1.44	

<b>PURGING DATA</b>						
Purge Method:	Non-purge, sample with <u>bailer</u>		Purge Depth:	Screen	Purge Rate:	(gpm)
Time	/					
Volume Purge (gal)						
Temperature (C)						
pH						
Spec Cond. (umhos)						
Turbidity/Color						
Odor (Y/N)						
Dewatered (Y/N)						
Comments/Observations:						
<b>NO PURGE / GRAB SAMPLE ONLY</b>						

<b>SAMPLING DATA</b>						
Time Sampled:	1020		Approximate Depth to Water During Sampling:	37. (feet)		
Comments:						
Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
	6	VOA	HCL	40 ml	/	TPH-g, BTEX, MTBE

Total Purge Volume:	~	(gallons)	Disposal:	N/A
Weather Conditions: <u>OK</u>				
Condition of Well Box and Casing at Time of Sampling: <u>OK</u>				
Well Head Conditions Requiring Correction: <u>N</u>				
Problems Encountered During Purging and Sampling: <u>N</u>				
Comments:				



## GROUNDWATER PURGE AND SAMPLE

Project Name: Former Mobil 04H6J	Well No: RW4	Date: 03-18-08
Project No: UP04H6J.1	Personnel: BINDER	

### GAUGING DATA

Water Level Measuring Method: WLM      Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)	
		49.25	-	38.21	=	X	1	2	4	6
						0.04	0.16	0.64	1.44	

### PURGING DATA

Purge Method: Non-purge, sample with bailer      Purge Depth: Screen      Purge Rate: (gpm)

Time						
Volume Purge (gal)						
Temperature (C)						
pH						
Spec. Cond. (umhos)						
Turbidity/Color						
Odor (Y/N)						
Dewatered (Y/N)						

Comments/Observations:

NO PURGE / GRAB SAMPLE ONLY

### SAMPLING DATA

Time Sampled: 0845      Approximate Depth to Water During Sampling: 39 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
<u>RW4</u>	6	VOA	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: \_\_\_\_\_ (gallons)      Disposal: \_\_\_\_\_ N/A

Weather Conditions: OK

Condition of Well Box and Casing at Time of Sampling: OK

Well Head Conditions Requiring Correction: N

Problems Encountered During Purging and Sampling: N

Comments:

## **Appendix C**

# **Laboratory Analytical Reports and Chain-of-Custody Documentation**



March 28, 2008 11:23:53AM

Client: ETIC Engineering Pleasant Hill (10236)  
2285 Morello Avenue  
Pleasant Hill, CA 94523  
Attn: Hamidou Barry

Work Order: NRC1745  
Project Name: Exxon 04-H6J  
Project Nbr: 04-H6J/UP04H6J.1  
P/O Nbr: 4509319462  
Date Received: 03/20/08

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
MW1	NRC1745-01	03/18/08 10:35
MW2	NRC1745-02	03/18/08 09:15
MW4	NRC1745-03	03/18/08 10:50
MW6	NRC1745-04	03/18/08 11:30
MW10	NRC1745-05	03/18/08 11:05
MW11	NRC1745-06	03/18/08 12:00
MW12	NRC1745-07	03/18/08 12:35
RW1	NRC1745-08	03/18/08 09:40
RW2	NRC1745-09	03/18/08 10:00
RW3	NRC1745-10	03/18/08 10:20
RW4	NRC1745-11	03/18/08 08:45

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

This material is intended only for the use of the individual(s) or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient, or the employee or agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this material is strictly prohibited. If you have received this material in error, please notify us immediately at 615-726-0177.

California Certification Number: 01168CA

The Chain(s) of Custody, 5 pages, are included and are an integral part of this report.


These results relate only to the items tested. This report shall not be reproduced except in full and with permission of the laboratory.

All solids results are reported in wet weight unless specifically stated.

Estimated uncertainty is available upon request.

This report has been electronically signed.

Report Approved By:



Gail A Lage

Program Manager - National Accounts

Client ETIC Engineering Pleasant Hill (10236)  
 2285 Morello Avenue  
 Pleasant Hill, CA 94523  
 Attn Hamidou Barry

Work Order: NRC1745  
 Project Name: Exxon 04-H6J  
 Project Number: 04-H6J/UP04H6J.1  
 Received: 03/20/08 08:20

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
<b>Sample ID: NRC1745-01 (MW1 - Ground Water) Sampled: 03/18/08 10:35</b>								
Volatile Organic Compounds by EPA Method 8021B								
Benzene	ND		ug/L	0.50	1	03/26/08 22:45	SW846 8021B	8033899
Ethylbenzene	20.4		ug/L	0.50	1	03/26/08 22:45	SW846 8021B	8033899
Toluene	5.88		ug/L	0.50	1	03/26/08 22:45	SW846 8021B	8033899
Xylenes, total	149		ug/L	0.50	1	03/26/08 22:45	SW846 8021B	8033899
<i>Surr: a,a,a-Trifluorotoluene (46-150%)</i>	89 %					03/26/08 22:45	SW846 8021B	8033899
Volatile Organic Compounds by EPA Method 8260B								
Tert-Amyl Methyl Ether	ND		ug/L	0.500	1	03/23/08 07:54	SW846 8260B	8033277
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	03/23/08 07:54	SW846 8260B	8033277
1,2-Dichloroethane	ND		ug/L	0.500	1	03/23/08 07:54	SW846 8260B	8033277
Ethyl tert-Butyl Ether	ND		ug/L	0.500	1	03/23/08 07:54	SW846 8260B	8033277
Diisopropyl Ether	ND		ug/L	0.500	1	03/23/08 07:54	SW846 8260B	8033277
Methyl tert-Butyl Ether	ND		ug/L	0.500	1	03/23/08 07:54	SW846 8260B	8033277
Tertiary Butyl Alcohol	ND		ug/L	10.0	1	03/23/08 07:54	SW846 8260B	8033277
<i>Surr: 1,2-Dichloroethane-d4 (60-140%)</i>	104 %					03/23/08 07:54	SW846 8260B	8033277
<i>Surr: Dibromofluoromethane (75-124%)</i>	101 %					03/23/08 07:54	SW846 8260B	8033277
<i>Surr: Toluene-d8 (78-121%)</i>	101 %					03/23/08 07:54	SW846 8260B	8033277
<i>Surr: 4-Bromofluorobenzene (79-124%)</i>	84 %					03/23/08 07:54	SW846 8260B	8033277
Purgeable Petroleum Hydrocarbons								
GRO as Gasoline	682		ug/L	50.0	1	03/26/08 22:45	SW846 8015B	8033899
<i>Surr: a,a,a-Trifluorotoluene (46-150%)</i>	89 %					03/26/08 22:45	SW846 8015B	8033899
<b>Sample ID: NRC1745-02 (MW2 - Ground Water) Sampled: 03/18/08 09:15</b>								
Volatile Organic Compounds by EPA Method 8021B								
Benzene	ND		ug/L	0.50	1	03/26/08 23:57	SW846 8021B	8033899
Ethylbenzene	ND		ug/L	0.50	1	03/26/08 23:57	SW846 8021B	8033899
Toluene	ND		ug/L	0.50	1	03/26/08 23:57	SW846 8021B	8033899
Xylenes, total	2.30		ug/L	0.50	1	03/26/08 23:57	SW846 8021B	8033899
<i>Surr: a,a,a-Trifluorotoluene (46-150%)</i>	98 %					03/26/08 23:57	SW846 8021B	8033899
Volatile Organic Compounds by EPA Method 8260B								
Tert-Amyl Methyl Ether	ND		ug/L	0.500	1	03/23/08 08:21	SW846 8260B	8033277
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	03/23/08 08:21	SW846 8260B	8033277
1,2-Dichloroethane	0.920		ug/L	0.500	1	03/23/08 08:21	SW846 8260B	8033277
Ethyl tert-Butyl Ether	ND		ug/L	0.500	1	03/23/08 08:21	SW846 8260B	8033277
Diisopropyl Ether	ND		ug/L	0.500	1	03/23/08 08:21	SW846 8260B	8033277
Methyl tert-Butyl Ether	ND		ug/L	0.500	1	03/23/08 08:21	SW846 8260B	8033277
Tertiary Butyl Alcohol	ND		ug/L	10.0	1	03/23/08 08:21	SW846 8260B	8033277
<i>Surr: 1,2-Dichloroethane-d4 (60-140%)</i>	101 %					03/23/08 08:21	SW846 8260B	8033277
<i>Surr: Dibromofluoromethane (75-124%)</i>	97 %					03/23/08 08:21	SW846 8260B	8033277
<i>Surr: Toluene-d8 (78-121%)</i>	103 %					03/23/08 08:21	SW846 8260B	8033277
<i>Surr: 4-Bromofluorobenzene (79-124%)</i>	99 %					03/23/08 08:21	SW846 8260B	8033277
Purgeable Petroleum Hydrocarbons								
GRO as Gasoline	94.8		ug/L	50.0	1	03/26/08 23:57	SW846 8015B	8033899

Client ETIC Engineering Pleasant Hill (10236)  
 2285 Morello Avenue  
 Pleasant Hill, CA 94523  
 Attn Hamidou Barry

Work Order: NRC1745  
 Project Name: Exxon 04-H6J  
 Project Number: 04-H6J/UP04H6J.1  
 Received: 03/20/08 08:20

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
<b>Sample ID: NRC1745-02 (MW2 - Ground Water) - cont. Sampled: 03/18/08 09:15</b>								
Purgeable Petroleum Hydrocarbons - cont.								
Surr: <i>a,a,a-Trifluorotoluene (46-150%)</i>	98 %					03/26/08 23:57	SW846 8015B	8033899
<b>Sample ID: NRC1745-03 (MW4 - Ground Water) Sampled: 03/18/08 10:50</b>								
Volatile Organic Compounds by EPA Method 8021B								
Benzene	ND		ug/L	0.50	1	03/27/08 00:21	SW846 8021B	8033899
Ethylbenzene	ND		ug/L	0.50	1	03/27/08 00:21	SW846 8021B	8033899
Toluene	ND		ug/L	0.50	1	03/27/08 00:21	SW846 8021B	8033899
Xylenes, total	ND		ug/L	0.50	1	03/27/08 00:21	SW846 8021B	8033899
Surr: <i>a,a,a-Trifluorotoluene (46-150%)</i>	99 %					03/27/08 00:21	SW846 8021B	8033899
Volatile Organic Compounds by EPA Method 8260B								
Tert-Amyl Methyl Ether	ND		ug/L	0.500	1	03/23/08 08:49	SW846 8260B	8033277
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	03/23/08 08:49	SW846 8260B	8033277
1,2-Dichloroethane	ND		ug/L	0.500	1	03/23/08 08:49	SW846 8260B	8033277
Ethyl tert-Butyl Ether	ND		ug/L	0.500	1	03/23/08 08:49	SW846 8260B	8033277
Diisopropyl Ether	ND		ug/L	0.500	1	03/23/08 08:49	SW846 8260B	8033277
Methyl tert-Butyl Ether	ND		ug/L	0.500	1	03/23/08 08:49	SW846 8260B	8033277
Tertiary Butyl Alcohol	ND		ug/L	10.0	1	03/23/08 08:49	SW846 8260B	8033277
Surr: <i>1,2-Dichloroethane-d4 (60-140%)</i>	104 %					03/23/08 08:49	SW846 8260B	8033277
Surr: <i>Dibromofluoromethane (75-124%)</i>	101 %					03/23/08 08:49	SW846 8260B	8033277
Surr: <i>Toluene-d8 (78-121%)</i>	101 %					03/23/08 08:49	SW846 8260B	8033277
Surr: <i>4-Bromofluorobenzene (79-124%)</i>	107 %					03/23/08 08:49	SW846 8260B	8033277
Purgeable Petroleum Hydrocarbons								
GRO as Gasoline	ND		ug/L	50.0	1	03/27/08 00:21	SW846 8015B	8033899
Surr: <i>a,a,a-Trifluorotoluene (46-150%)</i>	99 %					03/27/08 00:21	SW846 8015B	8033899
<b>Sample ID: NRC1745-04 (MW6 - Ground Water) Sampled: 03/18/08 11:30</b>								
Volatile Organic Compounds by EPA Method 8021B								
Benzene	ND		ug/L	0.50	1	03/27/08 02:02	SW846 8021B	8033901
Ethylbenzene	ND		ug/L	0.50	1	03/27/08 02:02	SW846 8021B	8033901
Toluene	ND		ug/L	0.50	1	03/27/08 02:02	SW846 8021B	8033901
Xylenes, total	ND		ug/L	0.50	1	03/27/08 02:02	SW846 8021B	8033901
Surr: <i>a,a,a-Trifluorotoluene (46-150%)</i>	93 %					03/27/08 02:02	SW846 8021B	8033901
Volatile Organic Compounds by EPA Method 8260B								
Tert-Amyl Methyl Ether	ND		ug/L	0.500	1	03/23/08 09:16	SW846 8260B	8033277
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	03/23/08 09:16	SW846 8260B	8033277
1,2-Dichloroethane	ND		ug/L	0.500	1	03/23/08 09:16	SW846 8260B	8033277
Ethyl tert-Butyl Ether	ND		ug/L	0.500	1	03/23/08 09:16	SW846 8260B	8033277
Diisopropyl Ether	ND		ug/L	0.500	1	03/23/08 09:16	SW846 8260B	8033277
Methyl tert-Butyl Ether	ND		ug/L	0.500	1	03/23/08 09:16	SW846 8260B	8033277
Tertiary Butyl Alcohol	ND		ug/L	10.0	1	03/23/08 09:16	SW846 8260B	8033277
Surr: <i>1,2-Dichloroethane-d4 (60-140%)</i>	104 %					03/23/08 09:16	SW846 8260B	8033277
Surr: <i>Dibromofluoromethane (75-124%)</i>	100 %					03/23/08 09:16	SW846 8260B	8033277
Surr: <i>Toluene-d8 (78-121%)</i>	100 %					03/23/08 09:16	SW846 8260B	8033277

Client ETIC Engineering Pleasant Hill (10236)  
 2285 Morello Avenue  
 Pleasant Hill, CA 94523  
 Attn Hamidou Barry

Work Order: NRC1745  
 Project Name: Exxon 04-H6J  
 Project Number: 04-H6J/UP04H6J.1  
 Received: 03/20/08 08:20

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
<b>Sample ID: NRC1745-04 (MW6 - Ground Water) - cont. Sampled: 03/18/08 11:30</b>								
Volatile Organic Compounds by EPA Method 8260B - cont.								
Surr: 4-Bromofluorobenzene (79-124%)	123 %					03/23/08 09:16	SW846 8260B	8033277
Purgeable Petroleum Hydrocarbons								
GRO as Gasoline	ND		ug/L	50.0	1	03/27/08 02:02	SW846 8015B	8033901
Surr: a,a,a-Trifluorotoluene (46-150%)	93 %					03/27/08 02:02	SW846 8015B	8033901
<b>Sample ID: NRC1745-05 (MW10 - Ground Water) Sampled: 03/18/08 11:05</b>								
Volatile Organic Compounds by EPA Method 8021B								
Benzene	ND		ug/L	0.50	1	03/27/08 02:32	SW846 8021B	8033901
Ethylbenzene	ND		ug/L	0.50	1	03/27/08 02:32	SW846 8021B	8033901
Toluene	ND		ug/L	0.50	1	03/27/08 02:32	SW846 8021B	8033901
Xylenes, total	ND		ug/L	0.50	1	03/27/08 02:32	SW846 8021B	8033901
Surr: a,a,a-Trifluorotoluene (46-150%)	88 %					03/27/08 02:32	SW846 8021B	8033901
Volatile Organic Compounds by EPA Method 8260B								
Tert-Amyl Methyl Ether	ND		ug/L	0.500	1	03/23/08 09:43	SW846 8260B	8033277
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	03/23/08 09:43	SW846 8260B	8033277
1,2-Dichloroethane	ND		ug/L	0.500	1	03/23/08 09:43	SW846 8260B	8033277
Ethyl tert-Butyl Ether	ND		ug/L	0.500	1	03/23/08 09:43	SW846 8260B	8033277
Diisopropyl Ether	ND		ug/L	0.500	1	03/23/08 09:43	SW846 8260B	8033277
Methyl tert-Butyl Ether	ND		ug/L	0.500	1	03/23/08 09:43	SW846 8260B	8033277
Tertiary Butyl Alcohol	ND		ug/L	10.0	1	03/23/08 09:43	SW846 8260B	8033277
Surr: 1,2-Dichloroethane-d4 (60-140%)	107 %					03/23/08 09:43	SW846 8260B	8033277
Surr: Dibromofluoromethane (75-124%)	101 %					03/23/08 09:43	SW846 8260B	8033277
Surr: Toluene-d8 (78-121%)	99 %					03/23/08 09:43	SW846 8260B	8033277
Surr: 4-Bromofluorobenzene (79-124%)	119 %					03/23/08 09:43	SW846 8260B	8033277
Purgeable Petroleum Hydrocarbons								
GRO as Gasoline	ND		ug/L	50.0	1	03/27/08 02:32	SW846 8015B	8033901
Surr: a,a,a-Trifluorotoluene (46-150%)	88 %					03/27/08 02:32	SW846 8015B	8033901
<b>Sample ID: NRC1745-06 (MW11 - Ground Water) Sampled: 03/18/08 12:00</b>								
Volatile Organic Compounds by EPA Method 8021B								
Benzene	ND		ug/L	0.50	1	03/27/08 03:03	SW846 8021B	8033901
Ethylbenzene	ND		ug/L	0.50	1	03/27/08 03:03	SW846 8021B	8033901
Toluene	ND		ug/L	0.50	1	03/27/08 03:03	SW846 8021B	8033901
Xylenes, total	ND		ug/L	0.50	1	03/27/08 03:03	SW846 8021B	8033901
Surr: a,a,a-Trifluorotoluene (46-150%)	95 %					03/27/08 03:03	SW846 8021B	8033901
Volatile Organic Compounds by EPA Method 8260B								
Tert-Amyl Methyl Ether	ND		ug/L	0.500	1	03/23/08 10:11	SW846 8260B	8033277
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	03/23/08 10:11	SW846 8260B	8033277
1,2-Dichloroethane	ND		ug/L	0.500	1	03/23/08 10:11	SW846 8260B	8033277
Ethyl tert-Butyl Ether	ND		ug/L	0.500	1	03/23/08 10:11	SW846 8260B	8033277
Diisopropyl Ether	ND		ug/L	0.500	1	03/23/08 10:11	SW846 8260B	8033277
Methyl tert-Butyl Ether	ND		ug/L	0.500	1	03/23/08 10:11	SW846 8260B	8033277

Client ETIC Engineering Pleasant Hill (10236)  
 2285 Morello Avenue  
 Pleasant Hill, CA 94523  
 Attn Hamidou Barry

Work Order: NRC1745  
 Project Name: Exxon 04-H6J  
 Project Number: 04-H6J/UP04H6J.1  
 Received: 03/20/08 08:20

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
<b>Sample ID: NRC1745-06 (MW11 - Ground Water) - cont. Sampled: 03/18/08 12:00</b>								
Volatile Organic Compounds by EPA Method 8260B - cont.								
Tertiary Butyl Alcohol	ND		ug/L	10.0	1	03/23/08 10:11	SW846 8260B	8033277
<i>Surr: 1,2-Dichloroethane-d4 (60-140%)</i>	105 %					03/23/08 10:11	SW846 8260B	8033277
<i>Surr: Dibromofluoromethane (75-124%)</i>	100 %					03/23/08 10:11	SW846 8260B	8033277
<i>Surr: Toluene-d8 (78-121%)</i>	99 %					03/23/08 10:11	SW846 8260B	8033277
<i>Surr: 4-Bromofluorobenzene (79-124%)</i>	145 %	Z2				03/23/08 10:11	SW846 8260B	8033277
Purgeable Petroleum Hydrocarbons								
GRO as Gasoline	ND		ug/L	50.0	1	03/27/08 03:03	SW846 8015B	8033901
<i>Surr: a,a,a-Trifluorotoluene (46-150%)</i>	95 %					03/27/08 03:03	SW846 8015B	8033901
<b>Sample ID: NRC1745-07 (MW12 - Ground Water) Sampled: 03/18/08 12:35</b>								
Volatile Organic Compounds by EPA Method 8021B								
Benzene	ND		ug/L	0.50	1	03/27/08 03:33	SW846 8021B	8033901
Ethylbenzene	ND		ug/L	0.50	1	03/27/08 03:33	SW846 8021B	8033901
Toluene	ND		ug/L	0.50	1	03/27/08 03:33	SW846 8021B	8033901
Xylenes, total	ND		ug/L	0.50	1	03/27/08 03:33	SW846 8021B	8033901
<i>Surr: a,a,a-Trifluorotoluene (46-150%)</i>	89 %					03/27/08 03:33	SW846 8021B	8033901
Volatile Organic Compounds by EPA Method 8260B								
Tert-Amyl Methyl Ether	ND		ug/L	0.500	1	03/23/08 10:38	SW846 8260B	8033277
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	03/23/08 10:38	SW846 8260B	8033277
1,2-Dichloroethane	ND		ug/L	0.500	1	03/23/08 10:38	SW846 8260B	8033277
Ethyl tert-Butyl Ether	ND		ug/L	0.500	1	03/23/08 10:38	SW846 8260B	8033277
Diisopropyl Ether	ND		ug/L	0.500	1	03/23/08 10:38	SW846 8260B	8033277
Methyl tert-Butyl Ether	ND		ug/L	0.500	1	03/23/08 10:38	SW846 8260B	8033277
Tertiary Butyl Alcohol	ND		ug/L	10.0	1	03/23/08 10:38	SW846 8260B	8033277
<i>Surr: 1,2-Dichloroethane-d4 (60-140%)</i>	108 %					03/23/08 10:38	SW846 8260B	8033277
<i>Surr: Dibromofluoromethane (75-124%)</i>	102 %					03/23/08 10:38	SW846 8260B	8033277
<i>Surr: Toluene-d8 (78-121%)</i>	98 %					03/23/08 10:38	SW846 8260B	8033277
<i>Surr: 4-Bromofluorobenzene (79-124%)</i>	122 %					03/23/08 10:38	SW846 8260B	8033277
Purgeable Petroleum Hydrocarbons								
GRO as Gasoline	ND		ug/L	50.0	1	03/27/08 03:33	SW846 8015B	8033901
<i>Surr: a,a,a-Trifluorotoluene (46-150%)</i>	89 %					03/27/08 03:33	SW846 8015B	8033901

Client ETIC Engineering Pleasant Hill (10236)  
 2285 Morello Avenue  
 Pleasant Hill, CA 94523  
 Attn Hamidou Barry

Work Order: NRC1745  
 Project Name: Exxon 04-H6J  
 Project Number: 04-H6J/UP04H6J.1  
 Received: 03/20/08 08:20

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
<b>Sample ID: NRC1745-08 (RW1 - Ground Water) Sampled: 03/18/08 09:40</b>								
Volatile Organic Compounds by EPA Method 8021B								
Benzene	ND		ug/L	0.50	1	03/27/08 04:03	SW846 8021B	8033901
Ethylbenzene	ND		ug/L	0.50	1	03/27/08 04:03	SW846 8021B	8033901
Toluene	ND		ug/L	0.50	1	03/27/08 04:03	SW846 8021B	8033901
Xylenes, total	ND		ug/L	0.50	1	03/27/08 10:08	SW846 8021B	8034238
<i>Surr: a,a,a-Trifluorotoluene (46-150%)</i>	<i>92 %</i>					<i>03/27/08 04:03</i>	<i>SW846 8021B</i>	<i>8033901</i>
<i>Surr: a,a,a-Trifluorotoluene (46-150%)</i>	<i>104 %</i>					<i>03/27/08 10:08</i>	<i>SW846 8021B</i>	<i>8034238</i>
Volatile Organic Compounds by EPA Method 8260B								
Tert-Amyl Methyl Ether	ND		ug/L	0.500	1	03/23/08 11:05	SW846 8260B	8033277
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	03/23/08 11:05	SW846 8260B	8033277
1,2-Dichloroethane	ND		ug/L	0.500	1	03/23/08 11:05	SW846 8260B	8033277
Ethyl tert-Butyl Ether	ND		ug/L	0.500	1	03/23/08 11:05	SW846 8260B	8033277
Diisopropyl Ether	ND		ug/L	0.500	1	03/23/08 11:05	SW846 8260B	8033277
Methyl tert-Butyl Ether	ND		ug/L	0.500	1	03/23/08 11:05	SW846 8260B	8033277
Tertiary Butyl Alcohol	ND		ug/L	10.0	1	03/23/08 11:05	SW846 8260B	8033277
<i>Surr: 1,2-Dichloroethane-d4 (60-140%)</i>	<i>106 %</i>					<i>03/23/08 11:05</i>	<i>SW846 8260B</i>	<i>8033277</i>
<i>Surr: Dibromofluoromethane (75-124%)</i>	<i>101 %</i>					<i>03/23/08 11:05</i>	<i>SW846 8260B</i>	<i>8033277</i>
<i>Surr: Toluene-d8 (78-121%)</i>	<i>99 %</i>					<i>03/23/08 11:05</i>	<i>SW846 8260B</i>	<i>8033277</i>
<i>Surr: 4-Bromofluorobenzene (79-124%)</i>	<i>120 %</i>					<i>03/23/08 11:05</i>	<i>SW846 8260B</i>	<i>8033277</i>
Purgeable Petroleum Hydrocarbons								
GRO as Gasoline	ND		ug/L	50.0	1	03/27/08 04:03	SW846 8015B	8033901
<i>Surr: a,a,a-Trifluorotoluene (46-150%)</i>	<i>92 %</i>					<i>03/27/08 04:03</i>	<i>SW846 8015B</i>	<i>8033901</i>
<b>Sample ID: NRC1745-09 (RW2 - Ground Water) Sampled: 03/18/08 10:00</b>								
Volatile Organic Compounds by EPA Method 8021B								
Benzene	ND		ug/L	0.50	1	03/27/08 04:34	SW846 8021B	8033901
Ethylbenzene	ND		ug/L	0.50	1	03/27/08 04:34	SW846 8021B	8033901
Toluene	ND		ug/L	0.50	1	03/27/08 04:34	SW846 8021B	8033901
Xylenes, total	ND		ug/L	0.50	1	03/27/08 04:34	SW846 8021B	8033901
<i>Surr: a,a,a-Trifluorotoluene (46-150%)</i>	<i>90 %</i>					<i>03/27/08 04:34</i>	<i>SW846 8021B</i>	<i>8033901</i>
Volatile Organic Compounds by EPA Method 8260B								
Tert-Amyl Methyl Ether	ND		ug/L	0.500	1	03/23/08 11:33	SW846 8260B	8033277
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	03/23/08 11:33	SW846 8260B	8033277
1,2-Dichloroethane	ND		ug/L	0.500	1	03/23/08 11:33	SW846 8260B	8033277
Ethyl tert-Butyl Ether	ND		ug/L	0.500	1	03/23/08 11:33	SW846 8260B	8033277
Diisopropyl Ether	ND		ug/L	0.500	1	03/23/08 11:33	SW846 8260B	8033277
Methyl tert-Butyl Ether	ND		ug/L	0.500	1	03/23/08 11:33	SW846 8260B	8033277
Tertiary Butyl Alcohol	ND		ug/L	10.0	1	03/23/08 11:33	SW846 8260B	8033277
<i>Surr: 1,2-Dichloroethane-d4 (60-140%)</i>	<i>107 %</i>					<i>03/23/08 11:33</i>	<i>SW846 8260B</i>	<i>8033277</i>
<i>Surr: Dibromofluoromethane (75-124%)</i>	<i>100 %</i>					<i>03/23/08 11:33</i>	<i>SW846 8260B</i>	<i>8033277</i>
<i>Surr: Toluene-d8 (78-121%)</i>	<i>100 %</i>					<i>03/23/08 11:33</i>	<i>SW846 8260B</i>	<i>8033277</i>
<i>Surr: 4-Bromofluorobenzene (79-124%)</i>	<i>143 %</i>	<i>Z2</i>				<i>03/23/08 11:33</i>	<i>SW846 8260B</i>	<i>8033277</i>
Purgeable Petroleum Hydrocarbons								

Client ETIC Engineering Pleasant Hill (10236)  
 2285 Morello Avenue  
 Pleasant Hill, CA 94523  
 Attn Hamidou Barry

Work Order: NRC1745  
 Project Name: Exxon 04-H6J  
 Project Number: 04-H6J/UP04H6J.1  
 Received: 03/20/08 08:20

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
<b>Sample ID: NRC1745-09 (RW2 - Ground Water) - cont. Sampled: 03/18/08 10:00</b>								
Purgeable Petroleum Hydrocarbons - cont.								
GRO as Gasoline	ND		ug/L	50.0	1	03/27/08 04:34	SW846 8015B	8033901
<i>Surr: a,a,a-Trifluorotoluene (46-150%)</i>	90 %					03/27/08 04:34	SW846 8015B	8033901
<b>Sample ID: NRC1745-10 (RW3 - Ground Water) Sampled: 03/18/08 10:20</b>								
Volatile Organic Compounds by EPA Method 8021B								
Benzene	ND		ug/L	0.50	1	03/27/08 05:04	SW846 8021B	8033901
Ethylbenzene	ND		ug/L	0.50	1	03/27/08 05:04	SW846 8021B	8033901
Toluene	ND		ug/L	0.50	1	03/27/08 05:04	SW846 8021B	8033901
Xylenes, total	ND		ug/L	0.50	1	03/27/08 05:04	SW846 8021B	8033901
<i>Surr: a,a,a-Trifluorotoluene (46-150%)</i>	95 %					03/27/08 05:04	SW846 8021B	8033901
Volatile Organic Compounds by EPA Method 8260B								
Tert-Amyl Methyl Ether	ND		ug/L	0.500	1	03/23/08 12:00	SW846 8260B	8033277
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	03/23/08 12:00	SW846 8260B	8033277
1,2-Dichloroethane	ND		ug/L	0.500	1	03/23/08 12:00	SW846 8260B	8033277
Ethyl tert-Butyl Ether	ND		ug/L	0.500	1	03/23/08 12:00	SW846 8260B	8033277
Diisopropyl Ether	ND		ug/L	0.500	1	03/23/08 12:00	SW846 8260B	8033277
Methyl tert-Butyl Ether	ND		ug/L	0.500	1	03/23/08 12:00	SW846 8260B	8033277
Tertiary Butyl Alcohol	ND		ug/L	10.0	1	03/23/08 12:00	SW846 8260B	8033277
<i>Surr: 1,2-Dichloroethane-d4 (60-140%)</i>	107 %					03/23/08 12:00	SW846 8260B	8033277
<i>Surr: Dibromofluoromethane (75-124%)</i>	101 %					03/23/08 12:00	SW846 8260B	8033277
<i>Surr: Toluene-d8 (78-121%)</i>	102 %					03/23/08 12:00	SW846 8260B	8033277
<i>Surr: 4-Bromofluorobenzene (79-124%)</i>	129 %	Z10				03/23/08 12:00	SW846 8260B	8033277
Purgeable Petroleum Hydrocarbons								
GRO as Gasoline	ND		ug/L	50.0	1	03/27/08 05:04	SW846 8015B	8033901
<i>Surr: a,a,a-Trifluorotoluene (46-150%)</i>	95 %					03/27/08 05:04	SW846 8015B	8033901
<b>Sample ID: NRC1745-11 (RW4 - Ground Water) Sampled: 03/18/08 08:45</b>								
Volatile Organic Compounds by EPA Method 8021B								
Benzene	ND		ug/L	0.50	1	03/27/08 05:35	SW846 8021B	8033901
Ethylbenzene	ND		ug/L	0.50	1	03/27/08 05:35	SW846 8021B	8033901
Toluene	ND		ug/L	0.50	1	03/27/08 05:35	SW846 8021B	8033901
Xylenes, total	ND		ug/L	0.50	1	03/27/08 05:35	SW846 8021B	8033901
<i>Surr: a,a,a-Trifluorotoluene (46-150%)</i>	85 %					03/27/08 05:35	SW846 8021B	8033901
Volatile Organic Compounds by EPA Method 8260B								
Tert-Amyl Methyl Ether	ND		ug/L	0.500	1	03/23/08 12:27	SW846 8260B	8033277
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	03/23/08 12:27	SW846 8260B	8033277
1,2-Dichloroethane	ND		ug/L	0.500	1	03/23/08 12:27	SW846 8260B	8033277
Ethyl tert-Butyl Ether	ND		ug/L	0.500	1	03/23/08 12:27	SW846 8260B	8033277
Diisopropyl Ether	ND		ug/L	0.500	1	03/23/08 12:27	SW846 8260B	8033277
Methyl tert-Butyl Ether	ND		ug/L	0.500	1	03/23/08 12:27	SW846 8260B	8033277
Tertiary Butyl Alcohol	ND		ug/L	10.0	1	03/23/08 12:27	SW846 8260B	8033277
<i>Surr: 1,2-Dichloroethane-d4 (60-140%)</i>	106 %					03/23/08 12:27	SW846 8260B	8033277
<i>Surr: Dibromofluoromethane (75-124%)</i>	101 %					03/23/08 12:27	SW846 8260B	8033277

Client ETIC Engineering Pleasant Hill (10236)  
 2285 Morello Avenue  
 Pleasant Hill, CA 94523  
 Attn Hamidou Barry

Work Order: NRC1745  
 Project Name: Exxon 04-H6J  
 Project Number: 04-H6J/UP04H6J.1  
 Received: 03/20/08 08:20

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
<b>Sample ID: NRC1745-11 (RW4 - Ground Water) - cont. Sampled: 03/18/08 08:45</b>								
Volatile Organic Compounds by EPA Method 8260B - cont.								
Surr: Toluene-d8 (78-121%)	98 %					03/23/08 12:27	SW846 8260B	8033277
Surr: 4-Bromofluorobenzene (79-124%)	115 %					03/23/08 12:27	SW846 8260B	8033277
Purgeable Petroleum Hydrocarbons								
GRO as Gasoline	ND		ug/L	50.0	1	03/27/08 05:35	SW846 8015B	8033901
Surr: a,a,a-Trifluorotoluene (46-150%)	85 %					03/27/08 05:35	SW846 8015B	8033901



Client ETIC Engineering Pleasant Hill (10236)  
 2285 Morello Avenue  
 Pleasant Hill, CA 94523  
 Attn Hamidou Barry

Work Order: NRC1745  
 Project Name: Exxon 04-H6J  
 Project Number: 04-H6J/UP04H6J.1  
 Received: 03/20/08 08:20

## PROJECT QUALITY CONTROL DATA

### Blank

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
---------	-------------	---	-------	------------	------------	--------------------

#### Volatile Organic Compounds by EPA Method 8021B

##### 8033899-BLK1

Benzene	<0.22		ug/L	8033899	8033899-BLK1	03/26/08 18:44
Ethylbenzene	<0.19		ug/L	8033899	8033899-BLK1	03/26/08 18:44
Toluene	<0.24		ug/L	8033899	8033899-BLK1	03/26/08 18:44
Xylenes, total	<0.25		ug/L	8033899	8033899-BLK1	03/26/08 18:44
Surrogate: a,a,a-Trifluorotoluene	98%			8033899	8033899-BLK1	03/26/08 18:44

##### 8033899-BLK2

Benzene	<0.22		ug/L	8033899	8033899-BLK2	03/26/08 23:33
Ethylbenzene	<0.19		ug/L	8033899	8033899-BLK2	03/26/08 23:33
Toluene	<0.24		ug/L	8033899	8033899-BLK2	03/26/08 23:33
Xylenes, total	<0.25		ug/L	8033899	8033899-BLK2	03/26/08 23:33
Surrogate: a,a,a-Trifluorotoluene	95%			8033899	8033899-BLK2	03/26/08 23:33

##### 8033901-BLK1

Benzene	0.232		ug/L	8033901	8033901-BLK1	03/26/08 16:53
Ethylbenzene	0.379		ug/L	8033901	8033901-BLK1	03/26/08 16:53
Toluene	0.328		ug/L	8033901	8033901-BLK1	03/26/08 16:53
Xylenes, total	1.34	B	ug/L	8033901	8033901-BLK1	03/26/08 16:53
Surrogate: a,a,a-Trifluorotoluene	100%			8033901	8033901-BLK1	03/26/08 16:53

##### 8033901-BLK2

Benzene	<0.22		ug/L	8033901	8033901-BLK2	03/27/08 00:30
Ethylbenzene	0.301		ug/L	8033901	8033901-BLK2	03/27/08 00:30
Toluene	0.249		ug/L	8033901	8033901-BLK2	03/27/08 00:30
Xylenes, total	1.10	B	ug/L	8033901	8033901-BLK2	03/27/08 00:30
Surrogate: a,a,a-Trifluorotoluene	94%			8033901	8033901-BLK2	03/27/08 00:30

##### 8034238-BLK1

Benzene	<0.22		ug/L	8034238	8034238-BLK1	03/27/08 05:34
Ethylbenzene	<0.19		ug/L	8034238	8034238-BLK1	03/27/08 05:34
Toluene	<0.24		ug/L	8034238	8034238-BLK1	03/27/08 05:34
Xylenes, total	<0.25		ug/L	8034238	8034238-BLK1	03/27/08 05:34
Surrogate: a,a,a-Trifluorotoluene	98%			8034238	8034238-BLK1	03/27/08 05:34

#### Volatile Organic Compounds by EPA Method 8260B

##### 8033277-BLK1

Tert-Amyl Methyl Ether	<0.460		ug/L	8033277	8033277-BLK1	03/23/08 04:15
1,2-Dibromoethane (EDB)	<0.470		ug/L	8033277	8033277-BLK1	03/23/08 04:15
1,2-Dichloroethane	<0.410		ug/L	8033277	8033277-BLK1	03/23/08 04:15
Ethyl tert-Butyl Ether	<0.220		ug/L	8033277	8033277-BLK1	03/23/08 04:15
Diisopropyl Ether	<0.280		ug/L	8033277	8033277-BLK1	03/23/08 04:15
Methyl tert-Butyl Ether	<0.250		ug/L	8033277	8033277-BLK1	03/23/08 04:15

Client ETIC Engineering Pleasant Hill (10236)  
 2285 Morello Avenue  
 Pleasant Hill, CA 94523  
 Attn Hamidou Barry

Work Order: NRC1745  
 Project Name: Exxon 04-H6J  
 Project Number: 04-H6J/UP04H6J.1  
 Received: 03/20/08 08:20

**PROJECT QUALITY CONTROL DATA**  
**Blank - Cont.**

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8260B</b>						
<b>8033277-BLK1</b>						
Tertiary Butyl Alcohol	<4.24		ug/L	8033277	8033277-BLK1	03/23/08 04:15
Surrogate: 1,2-Dichloroethane-d4	103%			8033277	8033277-BLK1	03/23/08 04:15
Surrogate: Dibromofluoromethane	100%			8033277	8033277-BLK1	03/23/08 04:15
Surrogate: Toluene-d8	101%			8033277	8033277-BLK1	03/23/08 04:15
Surrogate: 4-Bromofluorobenzene	113%			8033277	8033277-BLK1	03/23/08 04:15
<b>Purgeable Petroleum Hydrocarbons</b>						
<b>8033899-BLK1</b>						
GRO as Gasoline	<26.0		ug/L	8033899	8033899-BLK1	03/26/08 18:44
Surrogate: a,a,a-Trifluorotoluene	98%			8033899	8033899-BLK1	03/26/08 18:44
<b>8033899-BLK2</b>						
GRO as Gasoline	<26.0		ug/L	8033899	8033899-BLK2	03/26/08 23:33
Surrogate: a,a,a-Trifluorotoluene	95%			8033899	8033899-BLK2	03/26/08 23:33
<b>8033901-BLK1</b>						
GRO as Gasoline	<26.0		ug/L	8033901	8033901-BLK1	03/26/08 16:53
Surrogate: a,a,a-Trifluorotoluene	100%			8033901	8033901-BLK1	03/26/08 16:53
<b>8033901-BLK2</b>						
GRO as Gasoline	<26.0		ug/L	8033901	8033901-BLK2	03/27/08 00:30
Surrogate: a,a,a-Trifluorotoluene	94%			8033901	8033901-BLK2	03/27/08 00:30

Client ETIC Engineering Pleasant Hill (10236)  
 2285 Morello Avenue  
 Pleasant Hill, CA 94523  
 Attn Hamidou Barry

Work Order: NRC1745  
 Project Name: Exxon 04-H6J  
 Project Number: 04-H6J/UP04H6J.1  
 Received: 03/20/08 08:20

**PROJECT QUALITY CONTROL DATA**  
**LCS**

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8021B</b>								
<b>8033899-BS1</b>								
Benzene	100	107		ug/L	107%	74 - 120	8033899	03/27/08 03:58
Ethylbenzene	100	105		ug/L	105%	73 - 120	8033899	03/27/08 03:58
Toluene	100	104		ug/L	104%	74 - 120	8033899	03/27/08 03:58
Xylenes, total	200	211		ug/L	106%	67 - 120	8033899	03/27/08 03:58
Surrogate: <i>a,a,a-Trifluorotoluene</i>	30.0	32.2			107%	46 - 150	8033899	03/27/08 03:58
<b>8033901-BS1</b>								
Benzene	100	98.8		ug/L	99%	74 - 120	8033901	03/27/08 07:06
Ethylbenzene	100	104		ug/L	104%	73 - 120	8033901	03/27/08 07:06
Toluene	100	101		ug/L	101%	74 - 120	8033901	03/27/08 07:06
Xylenes, total	300	305	B	ug/L	102%	67 - 120	8033901	03/27/08 07:06
Surrogate: <i>a,a,a-Trifluorotoluene</i>	30.0	26.0			87%	46 - 150	8033901	03/27/08 07:06
<b>8034238-BS1</b>								
Benzene	100	108		ug/L	108%	74 - 120	8034238	03/27/08 08:56
Ethylbenzene	100	106		ug/L	106%	73 - 120	8034238	03/27/08 08:56
Toluene	100	104		ug/L	104%	74 - 120	8034238	03/27/08 08:56
Xylenes, total	200	212		ug/L	106%	67 - 120	8034238	03/27/08 08:56
Surrogate: <i>a,a,a-Trifluorotoluene</i>	30.0	30.4			101%	46 - 150	8034238	03/27/08 08:56
<b>Volatile Organic Compounds by EPA Method 8260B</b>								
<b>8033277-BS1</b>								
Tert-Amyl Methyl Ether	50.0	47.4		ug/L	95%	76 - 129	8033277	03/23/08 02:25
1,2-Dibromoethane (EDB)	50.0	61.8		ug/L	124%	80 - 125	8033277	03/23/08 02:25
1,2-Dichloroethane	50.0	54.3		ug/L	109%	69 - 136	8033277	03/23/08 02:25
Ethyl tert-Butyl Ether	50.0	56.7		ug/L	113%	74 - 128	8033277	03/23/08 02:25
Diisopropyl Ether	50.0	55.3		ug/L	111%	69 - 129	8033277	03/23/08 02:25
Methyl tert-Butyl Ether	50.0	56.2		ug/L	112%	70 - 129	8033277	03/23/08 02:25
Tertiary Butyl Alcohol	500	582		ug/L	116%	39 - 150	8033277	03/23/08 02:25
Surrogate: <i>1,2-Dichloroethane-d4</i>	50.0	47.5			95%	60 - 140	8033277	03/23/08 02:25
Surrogate: <i>Dibromofluoromethane</i>	50.0	47.4			95%	75 - 124	8033277	03/23/08 02:25
Surrogate: <i>Toluene-d8</i>	50.0	52.0			104%	78 - 121	8033277	03/23/08 02:25
Surrogate: <i>4-Bromofluorobenzene</i>	50.0	44.7			89%	79 - 124	8033277	03/23/08 02:25
<b>Purgeable Petroleum Hydrocarbons</b>								
<b>8033899-BS2</b>								
GRO as Gasoline	1000	978		ug/L	98%	26 - 150	8033899	03/27/08 04:22
Surrogate: <i>a,a,a-Trifluorotoluene</i>	30.0	34.0			113%	46 - 150	8033899	03/27/08 04:22
<b>8033901-BS2</b>								
GRO as Gasoline	1000	951		ug/L	95%	26 - 150	8033901	03/27/08 08:07
Surrogate: <i>a,a,a-Trifluorotoluene</i>	30.0	29.5			98%	46 - 150	8033901	03/27/08 08:07

Client ETIC Engineering Pleasant Hill (10236)  
2285 Morello Avenue  
Pleasant Hill, CA 94523  
Attn Hamidou Barry

Work Order: NRC1745  
Project Name: Exxon 04-H6J  
Project Number: 04-H6J/UP04H6J.1  
Received: 03/20/08 08:20

### PROJECT QUALITY CONTROL DATA

#### LCS - Cont.

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
<b>Purgeable Petroleum Hydrocarbons</b>								

Client ETIC Engineering Pleasant Hill (10236)  
 2285 Morello Avenue  
 Pleasant Hill, CA 94523  
 Attn Hamidou Barry

Work Order: NRC1745  
 Project Name: Exxon 04-H6J  
 Project Number: 04-H6J/UP04H6J.1  
 Received: 03/20/08 08:20

### PROJECT QUALITY CONTROL DATA

#### LCS Dup

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8021B</b>												
<b>8033901-BSD1</b>												
Benzene		98.4		ug/L	100	98%	74 - 120	0.4	39	8033901		03/27/08 07:36
Ethylbenzene		104		ug/L	100	104%	73 - 120	0.5	37	8033901		03/27/08 07:36
Toluene		100		ug/L	100	100%	74 - 120	0.5	30	8033901		03/27/08 07:36
Xylenes, total		303	B	ug/L	300	101%	67 - 120	0.4	38	8033901		03/27/08 07:36
Surrogate: <i>a,a,a-Trifluorotoluene</i>		29.2		ug/L	30.0	97%	46 - 150			8033901		03/27/08 07:36
<b>Volatile Organic Compounds by EPA Method 8260B</b>												
<b>8033277-BSD1</b>												
Tert-Amyl Methyl Ether		47.7		ug/L	50.0	95%	76 - 129	0.8	25	8033277		03/23/08 02:52
1,2-Dibromoethane (EDB)		61.3		ug/L	50.0	123%	80 - 125	0.8	21	8033277		03/23/08 02:52
1,2-Dichloroethane		51.6		ug/L	50.0	103%	69 - 136	5	26	8033277		03/23/08 02:52
Ethyl tert-Butyl Ether		56.0		ug/L	50.0	112%	74 - 128	1	26	8033277		03/23/08 02:52
Diisopropyl Ether		54.1		ug/L	50.0	108%	69 - 129	2	23	8033277		03/23/08 02:52
Methyl tert-Butyl Ether		55.8		ug/L	50.0	112%	70 - 129	0.8	32	8033277		03/23/08 02:52
Tertiary Butyl Alcohol		574		ug/L	500	115%	39 - 150	1	50	8033277		03/23/08 02:52
Surrogate: <i>1,2-Dichloroethane-d4</i>		46.9		ug/L	50.0	94%	60 - 140			8033277		03/23/08 02:52
Surrogate: <i>Dibromofluoromethane</i>		47.2		ug/L	50.0	94%	75 - 124			8033277		03/23/08 02:52
Surrogate: <i>Toluene-d8</i>		52.1		ug/L	50.0	104%	78 - 121			8033277		03/23/08 02:52
Surrogate: <i>4-Bromofluorobenzene</i>		48.1		ug/L	50.0	96%	79 - 124			8033277		03/23/08 02:52
<b>Purgeable Petroleum Hydrocarbons</b>												
<b>8033901-BSD2</b>												
GRO as Gasoline		942		ug/L	1000	94%	26 - 150	1	35	8033901		03/27/08 08:37
Surrogate: <i>a,a,a-Trifluorotoluene</i>		32.8		ug/L	30.0	109%	46 - 150			8033901		03/27/08 08:37

Client ETIC Engineering Pleasant Hill (10236)  
 2285 Morello Avenue  
 Pleasant Hill, CA 94523  
 Attn Hamidou Barry

Work Order: NRC1745  
 Project Name: Exxon 04-H6J  
 Project Number: 04-H6J/UP04H6J.1  
 Received: 03/20/08 08:20

### PROJECT QUALITY CONTROL DATA

#### Matrix Spike

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8021B</b>										
<b>8033899-MS1</b>										
Benzene	ND	46.1		ug/L	50.0	92%	48 - 158	8033899	NRC1666-06	03/27/08 07:19
Ethylbenzene	ND	45.1		ug/L	50.0	90%	52 - 151	8033899	NRC1666-06	03/27/08 07:19
Toluene	ND	44.8		ug/L	50.0	90%	53 - 147	8033899	NRC1666-06	03/27/08 07:19
Xylenes, total	ND	92.4		ug/L	100	92%	52 - 143	8033899	NRC1666-06	03/27/08 07:19
<i>Surrogate: a,a,a-Trifluorotoluene</i>		31.2		ug/L	30.0	104%	46 - 150	8033899	NRC1666-06	03/27/08 07:19

Client ETIC Engineering Pleasant Hill (10236)  
 2285 Morello Avenue  
 Pleasant Hill, CA 94523  
 Attn Hamidou Barry

Work Order: NRC1745  
 Project Name: Exxon 04-H6J  
 Project Number: 04-H6J/UP04H6J.1  
 Received: 03/20/08 08:20

**PROJECT QUALITY CONTROL DATA**

**Matrix Spike Dup**

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8021B</b>												
<b>8033899-MSD1</b>												
Benzene	ND	49.2		ug/L	50.0	98%	48 - 158	7	39	8033899	NRC1666-06	03/27/08 07:43
Ethylbenzene	ND	48.1		ug/L	50.0	96%	52 - 151	6	37	8033899	NRC1666-06	03/27/08 07:43
Toluene	ND	47.9		ug/L	50.0	96%	53 - 147	7	30	8033899	NRC1666-06	03/27/08 07:43
Xylenes, total	ND	98.7		ug/L	100	99%	52 - 143	7	38	8033899	NRC1666-06	03/27/08 07:43
Surrogate: <i>a,a,a</i> -Trifluorotoluene		30.9		ug/L	30.0	103%	46 - 150			8033899	NRC1666-06	03/27/08 07:43

Client ETIC Engineering Pleasant Hill (10236)  
2285 Morello Avenue  
Pleasant Hill, CA 94523  
Attn Hamidou Barry

Work Order: NRC1745  
Project Name: Exxon 04-H6J  
Project Number: 04-H6J/UP04H6J.1  
Received: 03/20/08 08:20

### CERTIFICATION SUMMARY

#### TestAmerica Nashville

Method	Matrix	AIHA	Nelac	California
NA	Water			
SW846 8015B	Water	N/A	X	X
SW846 8021B	Water	N/A	X	X
SW846 8260B	Water	N/A	X	X



Client ETIC Engineering Pleasant Hill (10236)  
2285 Morello Avenue  
Pleasant Hill, CA 94523  
Attn Hamidou Barry

Work Order: NRC1745  
Project Name: Exxon 04-H6J  
Project Number: 04-H6J/UP04H6J.1  
Received: 03/20/08 08:20

## NELAC CERTIFICATION SUMMARY

TestAmerica Analytical - Nashville does not hold NELAC certifications for the following analytes included in this report

Method

Matrix

Analyte


Client ETIC Engineering Pleasant Hill (10236)  
2285 Morello Avenue  
Pleasant Hill, CA 94523  
Attn Hamidou Barry

Work Order: NRC1745  
Project Name: Exxon 04-H6J  
Project Number: 04-H6J/UP04H6J.1  
Received: 03/20/08 08:20

## DATA QUALIFIERS AND DEFINITIONS

**B** Analyte was detected in the associated Method Blank.  
**Z10** Surrogate outside laboratory historical limits but within method guidelines. No effect on data.  
**Z2** Surrogate recovery was above the acceptance limits. Data not impacted.  
**ND** Not detected at the reporting limit (or method detection limit if shown)

## METHOD MODIFICATION NOTES



COOLER RECEI

NRC1745

Cooler Received/Opened On 3.20.08 @ 0820

1. Tracking # 9983 (last 4 digits, FedEx)

Courier: **FedEx** IR Gun ID **643140**

2. Temperature of rep. sample or temp blank when opened: 3.6 Degrees Celsius

3. If Item #2 temperature is 0°C or less, was the representative sample or temp blank frozen? YES NO...NA

4. Were custody seals on outside of cooler?

If yes, how many and where:

1 front

5. Were the seals intact, signed, and dated correctly?

6. Were custody papers inside cooler?

I certify that I opened the cooler and answered questions 1-6 (initial)

7. Were custody seals on containers:

YES  NO  and Intact

Were these signed and dated correctly?

8. Packing mat'l used? Bubblewrap Plastic bag Peanuts Vermiculite Foam Insert Paper Other None

9. Cooling process:

Ice  Ice-pack  Ice (direct contact)  Dry Ice  Other  None

10. Did all containers arrive in good condition (unbroken)?

11. Were all container labels complete (#, date, signed, pres., etc)?

12. Did all container labels and tags agree with custody papers?

13a. Were VOA vials received?

b. Was there any observable headspace present in any VOA vial?

14. Was there a Trip Blank in this cooler? YES  NO  NA  If multiple coolers, sequence # \_\_\_\_\_

I certify that I unloaded the cooler and answered questions 7-14 (initial)

15a. On pres'd bottles, did pH test strips suggest preservation reached the correct pH level? YES NO...NA

b. Did the bottle labels indicate that the correct preservatives were used

If preservation in-house was needed, record standard ID of preservative used here \_\_\_\_\_

16. Was residual chlorine present?

I certify that I checked for chlorine and pH as per SOP and answered questions 15-16 (initial)

17. Were custody papers properly filled out (ink, signed, etc)?

18. Did you sign the custody papers in the appropriate place?

19. Were correct containers used for the analysis requested?

20. Was sufficient amount of sample sent in each container?

I certify that I entered this project into LIMS and answered questions 17-20 (initial)

I certify that I attached a label with the unique LIMS number to each container (initial)

21. Were there Non-Conformance issues at login? YES  NO  Was a PIPE generated? YES  NO





Nashville Division  
2960 Foster Creighton  
Nashville, TN 37204

Phone: 615-726-0177  
Toll Free: 800-765-0980  
Fax: 615-726-3404

CHAIN OF CUSTODY RECORD



Consultant Name: ETIC ENGINEERING

TA Account #: 10236

Address: 2285 MORELLO AVENUE

Invoice To: JENNIFER SEDLACHEK (XOM PM)

City/State/Zip: PLEASANT HILL, CA. 94523

Report To: HAMIDOU BARRY

ExxonMobil Project Mgr: JENNIFER SEDLACHEK

PO #: 4509319462

Consultant Project Mgr: HAMIDOU BARRY

Project #: UP04H6J.1

Facility ID #: 04H6J

Consultant Telephone Number: 925-602-4710 EXT. 34

Fax No.: 925-602-4720

Site Address 1024 MAIN STREET

Sampler Name: (Print) BALINDER SINGH

City, State, Zip PLEASANTON, CA.

Sampler Signature: [Signature]

Regulatory District (CA)

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Field Filtered	Preservative					Matrix					Analyze For:					RUSH TAT (Pre-Schedule) *	TAT request (in Bus. Days)	STD TAT	Due Date of Report		
							Ice	HNO <sub>3</sub> (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H <sub>2</sub> SO <sub>4</sub> Plastic (Yellow Label)	H <sub>2</sub> SO <sub>4</sub> Glass (Yellow Label)	None (Black Label)	Other (Specify)	Groundwater	Wastewater	Drinking Water	Sludge	Soil	Other (specify):	TPH-G/T/TEX BY 8015B/8021B					7 FUEL OXYGENATES BY 8260B	
RW4	03-18-08	0845	6				X	X					X					X	X							X	

NRC1745  
04/03/08 23:59

Special Instructions:  
7 FUEL OXYGENATES INCLUDE  
MTBE, TBA, ETBE, DIPE, TAME, EDB,  
AND 1,2-DCA.

GLOBAL ID# T0600100909

EDF FILE REQUIRED

Laboratory Comments:  
Temperature Upon Receipt: 4.2°  
Sample Containers Intact? Y N  
VOCs Free of Headspace? Y N

Relinquished by: [Signature]

Date: 03-18-08  
Time: 1330

Received by: [Signature]

Date: 3-18-08  
Time: 1415

QC Deliverables (please circle one)  
Level 2 Level 3 Level 4 Other

Relinquished by: [Signature]

Date: 5-18-08  
Time: 1600

Received by TestAmerica: [Signature]

Date: 3/11/08  
Time: 1000

\* It will be the responsibility of ExxonMobil or its consultant to notify the TestAmerica Project Manager by phone or fax that a rush sample will be submitted.  
TA Project Manager: \_\_\_\_\_ Date: \_\_\_\_\_

Relinquished: [Signature] 2/18/08 1500

Normal Sample 3.20.08 0820

### COURIER PICK-UP (CLIENT ADDRESS)

Date Requested: <u>01/12/06 4:23PM</u>	Delivery/Pickup Date: <u>03/18/08 At 10:00</u>
Requested By: <u>Environmental Resolutions (Exxon)</u>	Client Contact: <u>David R Daniels</u>
Client Address: <u>Environmental Resolutions (Exxon)</u>	Client Phone#: <u>(707) 766-2024</u>
<u>601 North McDowell Blvd.</u>	Created By: <u>Leticia Reyes</u>
<u>Petaluma, CA 94954</u>	Project Manager: <u>Tim Rhiney</u>

**Miscellaneous Items Requested:**

<u>Cooler(s):</u> 8 Large Cooler(s)	<u>Ice:</u> Regular Ice	<u>COC's:</u> None	<u>Misc Items:</u> Daily PU. Courier must have 5-8 coolers daily. He will PU samples from refrigerator.
--	----------------------------	-----------------------	--

**Comments:**  
Cross Streets/Driving Directions: None Supplied  
Comments: Daily PU. Courier must have 5-8 coolers daily. He will PU samples from refrigerator. Ensure that a copy of the 'Sample Acceptance Policy' is included in the cooler(s) for this request!

**NRC1745**  
04/03/08 23:59

# TEST AMERICA SAMPLE RECEIPT LOG

CLIENT NAME: ETIC  
 REC. BY (PRINT) DJ.  
 WORKORDER: \_\_\_\_\_

DATE REC'D AT LAB: 3/19/08  
 TIME REC'D AT LAB: 11:00  
 DATE LOGGED IN: \_\_\_\_\_

For Regulatory Purposes?  
 DRINKING WATER  
 WASTE WATER  
 OTHER

**CIRCLE THE APPROPRIATE RESPONSE**

	LAB SAMPLE #	CLIENT ID	CONTAINER DESCRIPTION	PRESERVATIVE	pH	SAMPLE MATRIX	DATE SAMPLED	REMARKS: CONDITION (ETC.)
1. Custody Seal(s) Present / Absent Intact / Broken*								<div style="position: absolute; top: 50%; left: 50%; transform: translate(-50%, -50%); opacity: 0.5;"> <p>3/19/08 DJ.</p> <p><b>NRC1745</b> 04/03/08 23:59</p> </div>
2. Chain-of-Custody Present / Absent*								
3. Traffic Reports or Packing List: Present / Absent								
4. Airbill: Airbill / Sticker Present / Absent								
5. Airbill #:								
6. Sample Labels: Present / Absent								
7. Sample IDs: Listed / Not Listed on Chain-of-Custody								
8. Sample Condition: Intact / Broken* / Leaking*								
9. Does information on chain-of-custody, traffic reports and sample labels agree? Yes / No*								
10. Sample received within hold time? Yes / No*								
11. Adequate sample volume received? Yes / No*								
12. Proper preservatives used? Yes / No*								
13. Trip Blank / Temp Blank Received? (circle which, if yes) Yes / No*								
14. Read Temp: <u>5.2°</u> Correction Factor: <u>-1.0°</u> Corrected Temp: <u>4.2°</u> Is corrected temp. 0-6°C? Yes / No**								

\*\*Exception (if any): Metals / Perchlorate DFF on Ice or Problem COC

\*IF CIRCLED, CONTACT PROJECT MANAGER AND ATTACH RECORD OF RESOLUTION.