



Atlantic Richfield Company  
(a BP affiliated company)

6 Centerpointe Drive, Room 172  
La Palma, CA 90623-1066  
Phone: (714) 670-5303  
Fax: (714) 670-5195



Alameda County  
NOV 14 2005  
Environmental Health

October 28, 2005

Re: **Third Quarter 2005 Groundwater Monitoring Report**  
**Former BP Service Station # 11120**  
**6400 Dublin Road**  
**Dublin, California**  
**ACEH Case No. 2095**

2431

"I declare, that to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached document are true and correct.

Submitted by:

Kyle Christie  
Environmental Business Manager



October 28, 2005

Ms. Donna Drogos  
Alameda County Environmental Health (ACEH)  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502

**Re: Third Quarter 2005 Groundwater Monitoring Report  
Former BP Service Station # 11120  
6400 Dublin Road  
Dublin, California  
ACEH Case No. 2095**

Alameda County  
NOV 14 2005  
Environmental Health

Dear Ms. Drogos:

On behalf of Atlantic Richfield Company, a BP affiliated company, URS Corporation (URS) is submitting the *Third Quarter 2005 Groundwater Monitoring Report* for the Former BP Service Station #11120, located at 6400 Dublin Road, Dublin, California.


If you have any questions regarding this submission, please call me at (510) 874-1758.

Sincerely,

**URS CORPORATION**

Lynelle Onishi  
Project Manager

Barbara J. Jakub, P.G.  
Senior Geologist



Enclosure: Third Quarter 2005 Groundwater Monitoring Report

cc: Mr. Kyle Christie, Atlantic Richfield Company (RM), electronic copy uploaded to ENFOS  
Ms. Shelby Lathrop, ConocoPhillips, electronic copy uploaded to URS ftp server

**R E P O R T**

**THIRD QUARTER 2005  
GROUNDWATER MONITORING  
REPORT**

**FORMER BP SERVICE STATION #11120  
6400 DUBLIN ROAD  
DUBLIN, CALIFORNIA**

*Prepared for*  
RM

Alameda County  
NOV 14 2005  
Environmental Health

October 28, 2005

**URS**

URS Corporation  
1333 Broadway, Suite 800  
Oakland, California 94612

Date: October 28, 2005

Quarter: 3Q 05

### THIRD QUARTER 2005 GROUNDWATER MONITORING REPORT

Former Facility No.: 11120 Address: 6400 Dublin Road, Dublin, CA  
RM Environmental Business Manager: Kyle Christie  
Consulting Co./Contact Person: URS Corporation / Lynelle Onishi  
Primary Regulatory Agency: Alameda County Environmental Health (ACEH)  
ACEH Case No: 2095

#### WORK PERFORMED THIS QUARTER (Third – 2005):

1. Prepared and submitted the Second Quarter 2005 Groundwater Monitoring Report.
2. Performed the third quarter 2005 groundwater monitoring event on September 16, 2005.

#### WORK PROPOSED FOR NEXT QUARTER (Fourth – 2005):

1. Prepare and submit this Third Quarter 2005 Groundwater Monitoring Report.
2. Perform the fourth quarter 2005 groundwater monitoring event.


Current Phase of Project:	<u>GW monitoring/sampling</u>
Frequency of Groundwater Sampling:	<u>Wells MW-8 through MW-11 quarterly</u>
Frequency of Groundwater Monitoring:	<u>Quarterly</u>
Is Free Product (FP) Present On-Site:	<u>No</u>
Current Remediation Techniques:	<u>None</u>
Approximate Depth to Groundwater:	<u>4.78 (MW-10) to 7.24 (MW-11) feet</u>
Groundwater Gradient (direction):	<u>Southwest</u>
Groundwater Gradient (magnitude):	<u>0.004 feet per foot</u>

#### DISCUSSION:

Methyl tert-butyl ether was detected at or above the laboratory reporting limit in three of the four wells sampled this quarter at concentrations ranging from 0.98 micrograms per liter ( $\mu\text{g/L}$ ) (MW-10) to 52  $\mu\text{g/L}$  (MW-11). No other fuel components were detected at or above their respective laboratory reporting limits in any of the four wells sampled this quarter.


#### ATTACHMENTS:

- Figure 1– Groundwater Elevation Contour and Analytical Summary Map – September 16, 2005
- Table 1 – Groundwater Elevation and Analytical Data
- Table 2 – Fuel Additives Analytical Data
- Attachment A – Field Procedures and Field Data Sheets
- Attachment B – Laboratory Procedures, Certified Analytical Reports and Chain-of-Custody Records
- Attachment C – Error Check Reports and EDF/GeoWell Submittal Confirmations
- Attachment D – Historical Groundwater Analytical Data for Former Wells Abandoned in 1999  
(Source: Alisto Engineering)



**LEGEND**

- ⊗ Destroyed groundwater monitoring well
- ▲ Grab groundwater sample location May 14, 1999
- ⊕ Air sparge well
- Well ID: Well Designation
- ELEV: Groundwater Elevation above MSL
- GRO: Concentration of GRO, Benzene and MTBE in groundwater in micrograms per liter (µg/L)
- Benzene
- MTBE
- < Not detected
- 322.90 Groundwater elevation contour
- ↔ 0.004 Approximate groundwater flow direction and gradient (ft/MSL)



Oct 18, 2005 - 1:44pm  
 C:\x-env\work\BP\_0304\Site\11120\Reports\Monitoring\Dr\_3\_3005\Drawings\11120-3205-02.dwg

<b>URS</b>	Project No. 38487253	<b>GROUNDWATER ELEVATION CONTOUR AND ANALYTICAL SUMMARY MAP</b> Third Quarter 2005 (September 16, 2005)	FIGURE <b>1</b>
	Former BP Station #11120 6400 Dublin Boulevard Dublin, California		

Table 1

## Groundwater Elevation and Analytical Data

Former BP Station #11120  
6400 Dublin Blvd., Dublin, CA

Well No.	Date	P/ NP	TOC (ft MSL)	DTW (ft bgs)	Product Thickness (feet)	GWE (ft MSL)	GRO/ TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	DO (mg/L)	Lab	pH	Comments
MW-8	02/25/2002	--	328.94	6.02	--	322.92	<50	<0.5	<0.5	<0.5	<0.5	1.98	--	PACE	--	
	09/30/2002	--	328.94	6.16	--	322.78	<50	<0.5	<0.5	<0.5	<0.5	2.9/4.8	--	SEQM	--	a
	12/13/2002	--	328.94	5.81	--	323.13	<50	<0.5	<0.5	<0.5	<0.5	5.9/6.4	--	SEQM	--	a
	03/12/2003	--	328.94	5.80	--	323.14	<50	<0.50	<0.50	<0.50	<0.50	4.3/3.8	--	SEQM	--	
	06/28/2003	--	328.94	5.70	--	323.24	<50	<0.50	<0.50	<0.50	<0.50	4.1	--	SEQM	--	b
	09/30/2003	--	328.94	5.90	--	323.04	<50	<0.50	<0.50	<0.50	<0.50	4.1	--	SEQM	--	
	12/05/2003	P	328.94	5.89	--	323.05	<50	<0.50	<0.50	<0.50	<0.50	6.7	--	SEQM	7.2	
	03/10/2004	P	328.94	4.74	--	324.20	<50	<0.50	<0.50	<0.50	<0.50	5.1	--	SEQM	6.7	
	06/21/2004	P	328.94	6.12	--	322.82	<50	<0.50	<0.50	<0.50	<0.50	7.5	--	SEQM	7.0	
	09/17/2004	P	328.94	6.38	--	322.56	<50	<0.50	<0.50	<0.50	<0.50	6.6	--	SEQM	7.2	
	12/13/2004	P	328.94	5.47	--	323.47	<50	<0.50	<0.50	<0.50	<0.50	6.7	--	SEQM	6.8	
	03/03/2005	P	328.94	4.43	--	324.51	<50	<0.50	<0.50	<0.50	<0.50	5.6	--	SEQM	6.9	
	06/10/2005	P	328.94	5.35	--	323.59	<50	<0.50	<0.50	<0.50	<0.50	6.2	--	SEQM	6.9	
	09/16/2005	P	328.94	6.58	--	322.36	<50	<0.50	<0.50	<0.50	<0.50	5.7	--	SEQM	6.9	
MW-9	02/25/2002	--	329.96	5.90	--	324.06	<250	<2.50	<2.50	<2.50	<5.00	<2.50	--	PACE	--	
	09/30/2002	--	329.96	6.92	--	323.04	<50	<0.5	<0.5	<0.5	<0.5	1.4/3.3	--	SEQM	--	a
	12/13/2002	--	329.96	6.51	--	323.45	<50	<0.5	<0.5	<0.5	<0.5	0.53/<2.5	--	SEQM	--	a
	03/12/2003	--	329.96	6.86	--	323.10	<50	<0.50	<0.50	<0.50	<0.50	0.59/<2.5	--	SEQM	--	
	06/28/2003	--	329.96	5.95	--	324.01	<50	<0.50	<0.50	<0.50	<0.50	1.0	--	SEQM	--	b
	09/30/2003	--	329.96	6.24	--	323.72	<50	<0.50	<0.50	<0.50	<0.50	16	--	SEQM	--	
	12/05/2003	P	329.96	7.21	--	322.75	<50	<0.50	<0.50	<0.50	<0.50	33	--	SEQM	7.6	
	03/10/2004	P	329.96	5.37	--	324.59	<50	<0.50	<0.50	<0.50	<0.50	2.4	--	SEQM	7.1	
	06/21/2004	P	329.96	6.67	--	323.29	<50	<0.50	<0.50	<0.50	<0.50	1.6	--	SEQM	7.8	
	09/17/2004	P	329.96	7.89	--	322.07	<50	<0.50	<0.50	<0.50	<0.50	0.72	--	SEQM	7.5	
	12/13/2004	P	329.96	5.22	--	324.74	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	SEQM	7.6	
	03/03/2005	P	329.96	5.12	--	324.84	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	SEQM	7.6	
	06/10/2005	P	329.96	5.90	--	324.06	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	SEQM	7.5	
	09/16/2005	P	329.96	6.99	--	322.97	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	SEQM	7.6	
MW-10	02/25/2002	--	327.44	4.21	--	323.23	53	2.58	<0.5	2.83	8.46	<0.5	--	PACE	--	
	09/30/2002	--	327.44	4.71	--	322.73	<50	<0.5	<0.5	<0.5	<0.5	0.51/2.8	--	SEQM	--	a
	12/13/2002	--	327.44	6.36	--	321.08	<50	<0.5	<0.5	<0.5	<0.5	<0.5/<2.5	--	SEQM	--	a
	03/12/2003	--	327.44	7.96	--	319.48	<50	<0.50	<0.50	<0.50	<0.50	0.76/<2.5	--	SEQM	--	
	06/28/2003	--	327.44	7.70	--	319.74	<50	<0.50	<0.50	<0.50	<0.50	0.68	--	SEQM	--	b
	09/30/2003	--	327.44	7.57	--	319.87	<50	<0.50	<0.50	<0.50	<0.50	0.71	--	SEQM	--	

Table 1

## Groundwater Elevation and Analytical Data

Former BP Station #11120  
6400 Dublin Blvd., Dublin, CA

Well No.	Date	P/ NP	TOC (ft MSL)	DTW (ft bgs)	Product Thickness (feet)	GWE (ft MSL)	GRO/ TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	DO (mg/L)	Lab	pH	Comments
MW-10	12/05/2003	P	327.44	6.64	--	320.80	<50	<0.50	<0.50	<0.50	<0.50	0.78	--	SEQM	7.1	
	03/10/2004	P	327.44	5.20	--	322.24	<50	<0.50	<0.50	<0.50	<0.50	0.58	--	SEQM	6.4	
	06/21/2004	P	327.44	7.45	--	319.99	<50	<0.50	<0.50	<0.50	<0.50	1.1	--	SEQM	7.0	
	09/17/2004	P	327.44	7.49	--	319.95	<50	<0.50	<0.50	<0.50	<0.50	0.82	--	SEQM	7.0	
	12/13/2004	P	327.44	5.19	--	322.25	<50	<0.50	<0.50	<0.50	<0.50	0.73	--	SEQM	6.8	
	03/03/2005	P	327.44	4.86	--	322.58	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	SEQM	6.9	
	06/10/2005	P	327.44	4.00	--	323.44	<50	<0.50	<0.50	<0.50	<0.50	1.2	--	SEQM	6.8	
	09/16/2005	P	327.44	4.78	--	322.66	<50	<0.50	<0.50	<0.50	<0.50	0.98	--	SEQM	6.9	
MW-11	02/25/2002	--	329.75	6.02	--	323.73	1,800	1.34	<0.5	<0.5	<1.0	2,550	--	PACE	--	
	09/30/2002	--	329.75	7.12	--	322.63	<50	<0.5	<0.5	<0.5	<0.5	1,500/1,400	--	SEQM	--	a
	12/13/2002	--	329.75	6.60	--	323.15	1,300	<10	<10	<10	<10	1,400/2,000	--	SEQM	--	a
	03/12/2003	--	329.75	5.79	--	323.96	<500	<5.0	<5.0	<5.0	<5.0	650/2,900	--	SEQM	--	
	06/28/2003	--	329.75	5.68	--	324.07	<5,000	<50	<50	<50	<50	2,500	--	SEQM	--	b
	09/30/2003	--	329.75	6.68	--	323.07	5,100	<25	<25	<25	<25	3,200	--	SEQM	--	
	12/05/2003	P	329.75	6.69	--	323.06	<5,000	<50	<50	<50	<50	3,500	--	SEQM	7.2	
	03/10/2004	P	329.75	5.29	--	324.46	3,000	<25	<25	<25	<25	1,800	--	SEQM	6.8	
	06/21/2004	P	329.75	6.65	--	323.10	<5,000	<50	<50	<50	<50	1,900	--	SEQM	7.1	
	09/17/2004	P	329.75	7.02	--	322.73	<2,500	<25	<25	<25	<25	1,700	--	SEQM	7.1	
	12/13/2004	P	329.75	6.01	--	323.74	650	<5.0	<5.0	<5.0	<5.0	610	--	SEQM	6.9	
	03/03/2005	P	329.75	5.13	--	324.62	250	<2.5	<2.5	<2.5	<2.5	190	--	SEQM	7.0	c
	06/10/2005	P	329.75	6.00	--	323.75	<100	4.1	<1.0	<1.0	<1.0	100	--	SEQM	7.0	
09/16/2005	P	329.75	7.24	--	322.51	<100	<1.0	<1.0	<1.0	<1.0	52	--	SEQM	7.0		

**Table 1**

**Groundwater Elevation and Analytical Data**

Former BP Station #11120  
6400 Dublin Blvd., Dublin, CA

**ABBREVIATIONS AND SYMBOLS:**

TOC = Top of Casing in ft MSL  
DTW = Depth to Water in ft bgs  
GWE = Groundwater Elevation in ft MSL  
GRO = Gasoline range organics, C4-C12  
TPH-g = Total petroleum hydrocarbons as gasoline  
MTBE = Methyl tert butyl either by EPA method 8021B (prior to 6/28/03) or 8260B  
DO = Dissolved oxygen  
ug/L = Micrograms per liter  
mg/L = Milligrams per liter  
< = Not detected at or above laboratory reporting limit  
– = Not sampled/applicable/analyzed/measured  
PACE = Pace, Inc.  
SEQM = Sequoia Analytical Laboratory  
P/NP = Well purged/not purged prior to sampling  
ft bgs = Feet below ground surface  
ft MSL = Feet above mean sea level

**FOOTNOTES:**

- a. Analyzed by EPA method 8260 B; fuel oxygenates include ethanol, tert-butyl alcohol, di-isopropyl ether, ethyl tert-butyl ether, tert-amyl methyl ether; lead scavengers include: 1,2 dichloroethane & ethylene dibromide
- b. Beginning on the second quarter 2003 monitoring event (6/28/03), TPHg, BTEX, MTBE and fuel oxygenates analyzed by EPA Method 8260B.
- c. The hydrocarbon result for GRO was partly due to individual peaks in the quantification range.

**NOTES:**

Top of casing elevations surveyed relative to an elevation of 18.409 feet above mean sea level.

Groundwater elevations in feet above mean sea level.

Beginning in the fourth quarter 2003, the laboratory modified the reported analyte list. TPH-g was changed to GRO. The resulting data may be impacted by the potential inclusion of non-TPH-g analytes within the requested fuel range resulting in a higher concentration being reported.

Beginning in the second quarter 2004, the carbon range for GRO was changed from C6-C10 to C4-C12.

The data within this table collected prior to June 2002 was provided to URS by RM and their previous consultants. URS has not verified the accuracy of this information.



Table 2

## Fuel Additives Analytical Data

Former BP Station #11120  
6400 Dublin Blvd., Dublin, CA

Well Number	Date Sampled	Ethanol (µg/L)	TBA (µg/L)	MTBE (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	Footnotes/ Comments
MW-8	03/12/2003	<100	<20	4.3/3.8	<0.50	<0.50	<0.50	<0.50	<0.50	
	06/28/2003	<100	<20	4.1	<0.50	<0.50	<0.50	<0.50	<0.50	
	09/30/2003	<100	<20	4.1	<0.50	<0.50	<0.50	<0.50	<0.50	
	12/05/2003	<100	<20	6.7	<0.50	<0.50	<0.50	<0.50	<0.50	
	03/10/2004	<100	<20	5.1	<0.50	<0.50	<0.50	<0.50	<0.50	a
	06/21/2004	<100	<20	7.5	<0.50	<0.50	<0.50	<0.50	<0.50	
	09/17/2004	16	<20	6.6	<0.50	<0.50	<0.50	<0.50	<0.50	b
	12/13/2004	<100	<20	6.7	<0.50	<0.50	<0.50	<0.50	<0.50	
	03/03/2005	<100	<20	5.6	<0.50	<0.50	<0.50	<0.50	<0.50	
	06/10/2005	<100	<20	6.2	<0.50	<0.50	<0.50	<0.50	<0.50	
	09/16/2005	<100	<20	5.7	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-9	03/12/2003	<100	<20	0.59/<2.5	<0.50	<0.50	<0.50	<0.50	<0.50	
	06/28/2003	<100	<20	1.0	<0.50	<0.50	<0.50	<0.50	<0.50	
	09/30/2003	<100	<20	16	<0.50	<0.50	<0.50	<0.50	<0.50	
	12/05/2003	<100	<20	33	<0.50	<0.50	<0.50	<0.50	<0.50	
	03/10/2004	<100	<20	2.4	<0.50	<0.50	<0.50	<0.50	<0.50	a
	06/21/2004	<100	<20	1.6	<0.50	<0.50	<0.50	<0.50	<0.50	
	09/17/2004	13	<20	0.72	<0.50	<0.50	<0.50	<0.50	<0.50	b
	12/13/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
	03/03/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
	06/10/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
	09/16/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-10	03/12/2003	<100	<20	0.76/<2.5	<0.50	<0.50	<0.50	<0.50	<0.50	
	06/28/2003	<100	<20	0.68	<0.50	<0.50	<0.50	<0.50	<0.50	
	09/30/2003	<100	<20	0.71	<0.50	<0.50	<0.50	<0.50	<0.50	
	12/05/2003	<100	<20	0.78	<0.50	<0.50	<0.50	<0.50	<0.50	
	03/10/2004	<100	<20	0.58	<0.50	<0.50	<0.50	<0.50	<0.50	a
	06/21/2004	<100	<20	1.1	<0.50	<0.50	<0.50	<0.50	<0.50	
	09/17/2004	9.4	<20	0.82	<0.50	<0.50	<0.50	<0.50	<0.50	b
	12/13/2004	<100	<20	0.73	<0.50	<0.50	<0.50	<0.50	<0.50	
	03/03/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
	06/10/2005	<100	<20	1.2	<0.50	<0.50	<0.50	<0.50	<0.50	
	09/16/2005	<100	<20	0.98	<0.50	<0.50	<0.50	<0.50	<0.50	

**Table 2**

**Fuel Additives Analytical Data**

Former BP Station #11120  
6400 Dublin Blvd., Dublin, CA

Well Number	Date Sampled	Ethanol (µg/L)	TBA (µg/L)	MTBE (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	Footnotes/ Comments
MW-11	03/12/2003	<1,000	<200	650/2,900	<5.0	<5.0	<5.0	<5.0	<5.0	
	06/28/2003	<10,000	<2,000	2,500	<50	<50	<50	<50	<50	
	09/30/2003	<5,000	<1,000	3,200	<25	<25	<25	<25	<25	
	12/05/2003	<10,000	<2,000	3,500	<50	<50	<50	<50	<50	
	03/10/2004	<5,000	<1,000	1,800	<25	<25	<25	<25	<25	a
	06/21/2004	<10,000	<2,000	1,900	<50	<50	<50	<50	<50	
	09/17/2004	13	<1,000	1,700	<25	<25	<25	<25	<25	b
	12/13/2004	<1,000	<200	610	<5.0	<5.0	<5.0	<5.0	<5.0	
	03/03/2005	<500	<100	190	<2.5	<2.5	<2.5	<2.5	<2.5	
	06/10/2005	<200	<40	100	<1.0	<1.0	<1.0	<1.0	<1.0	a, c
	<b>09/16/2005</b>	<b>&lt;200</b>	<b>&lt;40</b>	<b>52</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	

## Table 2

### Fuel Additives Analytical Data

Former BP Station #11120  
6400 Dublin Blvd., Dublin, CA

#### ABBREVIATIONS AND SYMBOLS:

TBA = Tert-Butyl Alcohol

MTBE = Methyl tert-Butyl Ether

DIPE = Di-isopropyl Ether

ETBE = Ethyl tert-Butyl Ether

TAME = Tert-Amyl Methyl Ether

1,2-DCA = 1,2-Dichloroethane

EDB = 1,2-Dibromoethane

ug/L = micrograms per liter

< = Not detected at or above laboratory reporting limits

#### FOOTNOTES:

a = The continuing calibration verification was outside of client contractual acceptance limits. However, it was within method acceptance limits. The data should still be useful for its intended purpose.

b = Split samples were analyzed for ethanol by EPA Method 8260B SIM; Ethanol was detected in trip blank at 34 micrograms per liter. Ethanol was not detected in confirmatory analysis of samples and trip blank on a different instrument; however, holding time had expired by then.

c = LCS recorded above methanol control limits. Analyte not detected. Data not impacted.

#### NOTES:

All volatile organic compounds analyzed using EPA Method 8260B.

**ATTACHMENT A**  
**FIELD PROCEDURES AND FIELD DATA SHEETS**

## FIELD PROCEDURES

---

### Sampling Procedures

The sampling procedure for each well consists first of measuring the water level and depth to bottom, and checking for the presence of free phase petroleum product (free product), using either an electronic indicator and a clear Teflon™ bailer or an oil-water interface probe. Wells not containing free product are purged approximately three casing volumes of water (or until dewatered) using a centrifugal pump, gas displacement pump, or bailer. Equipment and purging method used for the current sampling event is noted on the attached field data sheets. During purging, temperature, pH, and electrical conductivity are monitored to document that these parameters are stable prior to collecting samples. After purging, water levels are allowed to partially (approximately 80%) recover. Groundwater samples (both purge and no purge) are collected using a Teflon bailer, placed into appropriate Environmental Protection Agency- (EPA) approved containers, labeled, logged onto chain-of-custody records, and transported on ice to a California State-certified laboratory. Wells with free product are not sampled and free product is removed according to California Code of Regulation, Title 23, Div. 3, Chap. 16, Section 2655, UST Regulations.

WELL GAUGING DATA

# 11120

Project # 050916-M01 Date 9/16/05 Client Arco/Ba ~~11120~~

Site 6400 Dublin Blvd., DUBLIN

Well ID	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or <u>TOB</u>
MW-8	2					6.58	19.60	↓
MW-9	2					6.99	19.61	
MW-10	2					4.78	19.59	
MW-11	2					7.24	19.41	
→ uncapped well & let stabilize prior to gauging								

## ARCO / BP WELL MONITORING DATA SHEET

BTS #: <u>050916-MD1</u>	Station # <u>11120</u>
Sampler: <u>MW</u>	Date: <u>9/16/05</u>
Well I.D.: <u>MW-2</u>	Well Diameter: <u>2</u> 3 4 6 8
Total Well Depth: <u>19.60</u>	Depth to Water: <u>6.58</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade.	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Purge Method:  Bailer  Disposable Bailer  Positive Air Displacement  Electric Submersible Extraction Pump  Other: \_\_\_\_\_

Sampling Method:  Bailer  Disposable Bailer  Extraction Port  Other: \_\_\_\_\_

Top of Screen: \_\_\_\_\_ If well is listed as a no-purge, confirm that water level is below the top of screen. Otherwise, the well must be purged.

<u>2.1</u>	x	<u>3</u>	=	<u>6.3</u>	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Conductivity (mS or $\mu$ S)	Gals. Removed	Observations
<u>0815</u>	<u>67.5</u>	<u>7.0</u>	<u>3155</u>	<u>2.1</u>	<u>clear</u>
<u>0817</u>	<u>58.7</u>	<u>6.9</u>	<u>3034</u>	<u>4.2</u>	<u>↓</u>
<u>0820</u>	<u>68.2</u>	<u>6.9</u>	<u>2904</u>	<u>6.3</u>	

Did well dewater? Yes  No  Gallons actually evacuated: 6.3

Sampling Time: 0825 Sampling Date: 9/16/05

Sample I.D.: MW-2 Laboratory: Pace Sequoia Other \_\_\_\_\_

Analyzed for: GRO BTEX MTBE DRO Oxy's 1,2-DCA EDB Ethanol Other: See Scope

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

## ARCO / BP WELL MONITORING DATA SHEET

BTS #: <u>050916-MW-9</u>	Station # <u>1120</u>
Sampler: <u>AW</u>	Date: <u>9/18/05</u>
Well I.D.: <u>MW-9</u>	Well Diameter: <u>2</u> 3 4 6 8
Total Well Depth: <u>19.61</u>	Depth to Water: <u>6.99</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade.	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Purge Method:  Bailer  Disposable Bailer  Positive Air Displacement  Electric Submersible Extraction Pump  Other: \_\_\_\_\_

Sampling Method:  Bailer  Disposable Bailer  Extraction Port  Other: \_\_\_\_\_

Top of Screen: \_\_\_\_\_ If well is listed as a no-purge, confirm that water level is below the top of screen. Otherwise, the well must be purged.

<u>2</u>	x	<u>3</u>	=	<u>6</u>	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Conductivity (mS or μS)	Gals. Removed	Observations
<u>0840</u>	<u>67.1</u>	<u>7.7</u>	<u>1230</u>	<u>2</u>	<u>clear</u>
<u>0842</u>	<u>68.5</u>	<u>7.5</u>	<u>1130</u>	<u>4</u>	<u>↓</u>
<u>0845</u>	<u>67.8</u>	<u>7.6</u>	<u>1109</u>	<u>6</u>	<u>↓</u>

Did well dewater? Yes  No  Gallons actually evacuated: 6

Sampling Time: 0850 Sampling Date: 9/18/05

Sample I.D.: MW-9 Laboratory: Pace Sequoia Other: \_\_\_\_\_

Analyzed for: GRO BTEX MTBE DRO Oxy's 1,2-DCA EDB Ethanol Other: See Scope

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV



## ARCO / BP WELL MONITORING DATA SHEET

BTS #: <u>050916-MW1</u>	Station # <u>11120</u>
Sampler: <u>MMK</u>	Date: <u>9/16/05</u>
Well I.D.: <u>MW-10</u>	Well Diameter: <u>3</u> 3 4 6 8
Total Well Depth: <u>19.59</u>	Depth to Water: <u>4.78</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade.	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Purge Method:  Bailer  Disposable Bailer  Positive Air Displacement  Electric Submersible Extraction Pump  Other: \_\_\_\_\_

Sampling Method:  Bailer  Disposable Bailer  Extraction Port  Other: \_\_\_\_\_

Top of Screen: \_\_\_\_\_ If well is listed as a no-purge, confirm that water level is below the top of screen. Otherwise, the well must be purged.

<u>2.4</u>	x	<u>3</u>	=	<u>7.2</u>	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Conductivity (mS or $\mu$ S)	Gals. Removed	Observations
0756	71.5	7.0	7006	2.4	clear
0759	70.0	6.9	7339	4.8	
0802	69.7	6.9	7445	7.2	↓

Did well dewater? Yes  No  Gallons actually evacuated: 7.2

Sampling Time: 0810 Sampling Date: 9/16/05

Sample I.D.: MW-10 Laboratory: Pace Sequoia Other \_\_\_\_\_

Analyzed for: GRO BTEX MTBE DRO Oxy's 1,2-DCA EDB Ethanol Other: Free Scope

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

## ARCO / BP WELL MONITORING DATA SHEET

BTS #: <u>050916-MW1</u>	Station # <u>1120</u>
Sampler: <u>MW</u>	Date: <u>9/16/05</u>
Well I.D.: <u>MW-11</u>	Well Diameter: <u>(2)</u> 3 4 6 8
Total Well Depth: <u>1941</u>	Depth to Water: <u>7.24</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade.	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Purge Method:  Bailer  
 Disposable Bailer  
 Positive Air Displacement  
 Electric Submersible Extraction Pump  
 Other: \_\_\_\_\_

Sampling Method:  Bailer  
 Disposable Bailer  
 Extraction Port  
 Other: \_\_\_\_\_

Top of Screen: \_\_\_\_\_ If well is listed as a no-purge, confirm that water level is below the top of screen. Otherwise, the well must be purged.

<u>1.9</u>	x	<u>3</u>	=	<u>5.7</u>	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Conductivity (mS or μS)	Gals. Removed	Observations
<u>0855</u>	<u>71.7</u>	<u>7.0</u>	<u>2109</u>	<u>1.9</u>	<u>Cloudy</u>
<u>0858</u>	<u>71.3</u>	<u>7.0</u>	<u>2092</u>	<u>3.8</u>	<u>↓</u>
<u>0909</u>	<u>70.9</u>	<u>7.0</u>	<u>2079</u>	<u>5.7</u>	<u>↓</u>

Did well dewater? Yes  No  Gallons actually evacuated: 5.7

Sampling Time: 0910 Sampling Date: 9/16/05

Sample I.D.: MW-11 Laboratory: Pace Sequoia Other \_\_\_\_\_

Analyzed for: GRO BTEX MTBE DRO Ony's 12-DCA EDB Ethanol Other: See SCD

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

**BP GEM OIL COMPANY TYPE A BILL OF LADING**

SOURCE RECORD BILL OF LADING FOR NON-HAZARDOUS PURGEWATER RECOVERED FROM GROUNDWATER WELLS AT BP GEM OIL COMPANY FACILITIES IN THE STATE OF CALIFORNIA. THE NON-HAZARDOUS PURGE- WATER WHICH HAS BEEN RECOVERED FROM GROUND- WATER WELLS IS COLLECTED BY THE CONTRACTOR, MADE UP INTO LOADS OF APPROPRIATE SIZE AND HAULED BY DILLARD ENVIRONMENTAL TO THE ALTAMONT LANDFILL AND RESOURCE RECOVERY FACILITY IN LIVERMORE, CALIFORNIA.

The contractor performing this work is PLAINTECH SERVICES, INC. (BTS), 1680 Rogers Avenue, San Jose, CA 95112 (phone [408] 573-0555). Blaine Tech Services, Inc. is authorized by BP GEM OIL COMPANY to recover, collect, apportion into loads the Non-Hazardous Well Purgewater that is drawn from wells at the BP GEM Oil Company facility indicated below and deliver that purgewater to BTS. Transport routing of the Non-Hazardous Well Purgewater may be direct from one BP GEM facility to the designated destination point; from one BP GEM facility to the designated destination point via another BP GEM facility; from a BP GEM facility to the designated destination point via the contractor's facility, or any combination thereof. The Non-Hazardous Well Purgewater is and remains the property of BP GEM Oil Company.

This **Source Record BILL OF LADING** was initiated to cover the recovery of Non-Hazardous Well Purgewater from wells at the BP GEM Oil Company facility described below:

1120

Station #

6400 Dublin Blvd, Dublin

Station Address

Total Gallons Collected From Groundwater Monitoring Wells:

added equip. \_\_\_\_\_  
rinse water \_\_\_\_\_

any other \_\_\_\_\_  
adjustments \_\_\_\_\_

TOTAL GALS. RECOVERED 25

loaded onto \_\_\_\_\_  
BTS vehicle # 59

BTS event #

time date

050916-MW1

0915 9/16/05

signature



\*\*\*\*\*

REC'D AT

time date

unloaded by \_\_\_\_\_  
signature \_\_\_\_\_

**ATTACHMENT B**

**LABORATORY PROCEDURES,  
CERTIFIED ANALYTICAL REPORTS,  
AND CHAIN-OF-CUSTODY RECORDS**

## **LABORATORY PROCEDURES**

---

### **Laboratory Procedures**

The groundwater samples were analyzed for the presence of the chemicals mentioned in the chain of custody using standard EPA methods. The methods of analysis for the groundwater samples are documented in the certified analytical report. The certified analytical reports and chain-of-custody record are presented in this attachment. The analytical data provided by the laboratory approved by RM have been reviewed and verified by that laboratory.



4 October, 2005

Lynelle Onishi  
URS Corporation [Arco]  
1333 Broadway, Suite 800  
Oakland, CA 94612

RE: BP Heritage #11120, Dublin, CA  
Work Order: MOI0628

Enclosed are the results of analyses for samples received by the laboratory on 09/19/05 11:40. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Jamshid Kekobad  
Project Manager

CA ELAP Certificate #1210

The results in this laboratory report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the BPGCLN Technical Specifications, applicable Federal, State, local regulations and certification requirements as well as the methodologies as described in laboratory SOPs reviewed by the BPGCLN. This entire report was reviewed and approved for release.

URS Corporation [Arco]  
1333 Broadway, Suite 800  
Oakland CA, 94612

Project:BP Heritage #11120, Dublin, CA  
Project Number:G07TM-0011  
Project Manager:Lynelle Onishi

MOI0628  
Reported:  
10/04/05 10:52

**ANALYTICAL REPORT FOR SAMPLES**

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-8	MOI0628-01	Water	09/16/05 08:25	09/19/05 11:40
MW-9	MOI0628-02	Water	09/16/05 08:50	09/19/05 11:40
MW-10	MOI0628-03	Water	09/16/05 08:10	09/19/05 11:40
MW-11	MOI0628-04	Water	09/16/05 09:10	09/19/05 11:40
TB-11120-09162005	MOI0628-05	Water	09/16/05 00:00	09/19/05 11:40

The carbon range for the TPH-GRO has been changed from C6-C10 to C4-C12. The carbon range for TPH-DRO has been changed from C10-C28 to C10-C36. EPA 8015B has been modified to better meet the requirements of California regulatory agencies.

These samples were received with intact custody seals.

URS Corporation [Arco]  
1333 Broadway, Suite 800  
Oakland CA, 94612

Project:BP Heritage #11120, Dublin, CA  
Project Number:G07TM-0011  
Project Manager:Lynelle Onishi

MOI0628  
Reported:  
10/04/05 10:52

**Volatile Organic Compounds by EPA Method 8260B**  
**Sequoia Analytical - Morgan Hill**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
<b>MW-8 (MOI0628-01) Water</b> Sampled: 09/16/05 08:25 Received: 09/19/05 11:40									
tert-Amyl methyl ether	ND	0.50	ug/l	1	5I29011	09/29/05	09/29/05	EPA 8260B	
Benzene	ND	0.50	"	"	"	"	"	"	
tert-Butyl alcohol	ND	20	"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
Ethanol	ND	100	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>5.7</b>	<b>0.50</b>	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Gasoline Range Organics (C4-C12)	ND	50	"	"	"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		<b>89 %</b>	<b>60-135</b>		"	"	"	"	
<b>MW-9 (MOI0628-02) Water</b> Sampled: 09/16/05 08:50 Received: 09/19/05 11:40									
tert-Amyl methyl ether	ND	0.50	ug/l	1	5I29011	09/29/05	09/29/05	EPA 8260B	
Benzene	ND	0.50	"	"	"	"	"	"	
tert-Butyl alcohol	ND	20	"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
Ethanol	ND	100	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Gasoline Range Organics (C4-C12)	ND	50	"	"	"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		<b>91 %</b>	<b>60-135</b>		"	"	"	"	



URS Corporation [Arco]  
1333 Broadway, Suite 800  
Oakland CA, 94612

Project:BP Heritage #11120, Dublin, CA  
Project Number:G07TM-0011  
Project Manager:Lynelle Onishi

MOI0628  
Reported:  
10/04/05 10:52

**Volatile Organic Compounds by EPA Method 8260B**  
**Sequoia Analytical - Morgan Hill**

Analyte	Result	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit								
<b>MW-10 (MOI0628-03) Water</b> <b>Sampled: 09/16/05 08:10</b> <b>Received: 09/19/05 11:40</b>										
tert-Amyl methyl ether	ND	0.50		ug/l	1	5130007	09/30/05	09/30/05	EPA 8260B	
Benzene	ND	0.50		"	"	"	"	"	"	
tert-Butyl alcohol	ND	20		"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50		"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50		"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50		"	"	"	"	"	"	
Ethanol	ND	100		"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50		"	"	"	"	"	"	
Ethylbenzene	ND	0.50		"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>0.98</b>	0.50		"	"	"	"	"	"	
Toluene	ND	0.50		"	"	"	"	"	"	
Xylenes (total)	ND	0.50		"	"	"	"	"	"	
Gasoline Range Organics (C4-C12)	ND	50		"	"	"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		107 %		60-135		"	"	"	"	
<b>MW-11 (MOI0628-04) Water</b> <b>Sampled: 09/16/05 09:10</b> <b>Received: 09/19/05 11:40</b>										
tert-Amyl methyl ether	ND	1.0		ug/l	2	5129011	09/29/05	09/29/05	EPA 8260B	
Benzene	ND	1.0		"	"	"	"	"	"	
tert-Butyl alcohol	ND	40		"	"	"	"	"	"	
Di-isopropyl ether	ND	1.0		"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	1.0		"	"	"	"	"	"	
1,2-Dichloroethane	ND	1.0		"	"	"	"	"	"	
Ethanol	ND	200		"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	1.0		"	"	"	"	"	"	
Ethylbenzene	ND	1.0		"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>52</b>	1.0		"	"	"	"	"	"	
Toluene	ND	1.0		"	"	"	"	"	"	
Xylenes (total)	ND	1.0		"	"	"	"	"	"	
Gasoline Range Organics (C4-C12)	ND	100		"	"	"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		90 %		60-135		"	"	"	"	

URS Corporation [Arco]  
1333 Broadway, Suite 800  
Oakland CA, 94612

Project:BP Heritage #11120, Dublin, CA  
Project Number:G07TM-0011  
Project Manager:Lynelle Onishi

MOI0628  
Reported:  
10/04/05 10:52

**Volatile Organic Compounds by EPA Method 8260B - Quality Control**  
**Sequoia Analytical - Morgan Hill**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 5I29011 - EPA 5030B P/T / EPA 8260B**
**Blank (5I29011-BLK1)**

Prepared &amp; Analyzed: 09/29/05

tert-Amyl methyl ether	ND	0.50	ug/l							
Benzene	ND	0.50	"							
tert-Butyl alcohol	ND	20	"							
Di-isopropyl ether	ND	0.50	"							
1,2-Dibromoethane (EDB)	ND	0.50	"							
1,2-Dichloroethane	ND	0.50	"							
Ethanol	ND	100	"							
Ethyl tert-butyl ether	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
Methyl tert-butyl ether	ND	0.50	"							
Toluene	ND	0.50	"							
Xylenes (total)	ND	0.50	"							
Gasoline Range Organics (C4-C12)	ND	50	"							

*Surrogate: 1,2-Dichloroethane-d4*

2.12

"

2.50

85

60-135

**Laboratory Control Sample (5I29011-BS1)**

Prepared &amp; Analyzed: 09/29/05

tert-Amyl methyl ether	17.1	0.50	ug/l	15.0	114	80-115
Benzene	4.95	0.50	"	5.16	96	65-115
tert-Butyl alcohol	151	20	"	143	106	75-150
Di-isopropyl ether	16.1	0.50	"	15.1	107	75-125
1,2-Dibromoethane (EDB)	16.0	0.50	"	14.8	108	85-120
1,2-Dichloroethane	15.1	0.50	"	14.7	103	85-130
Ethanol	164	100	"	141	116	70-135
Ethyl tert-butyl ether	17.3	0.50	"	15.0	115	75-130
Ethylbenzene	6.99	0.50	"	7.54	93	75-135
Methyl tert-butyl ether	7.52	0.50	"	7.02	107	65-125
Toluene	35.5	0.50	"	37.2	95	85-120
Xylenes (total)	37.1	0.50	"	41.4	90	85-125
Gasoline Range Organics (C4-C12)	546	50	"	440	124	70-124

*Surrogate: 1,2-Dichloroethane-d4*

2.32

"

2.50

93

60-135

URS Corporation [Aero]  
1333 Broadway, Suite 800  
Oakland CA, 94612

Project:BP Heritage #11120, Dublin, CA  
Project Number:G07TM-0011  
Project Manager:Lynelle Onishi

MOI0628  
Reported:  
10/04/05 10:52

**Volatile Organic Compounds by EPA Method 8260B - Quality Control**  
**Sequoia Analytical - Morgan Hill**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 5I29011 - EPA 5030B P/T / EPA 8260B**

<b>Matrix Spike (5I29011-MS1)</b>	<b>Source: MOI0627-02</b>			<b>Prepared &amp; Analyzed: 09/29/05</b>						
tert-Amyl methyl ether	873	25	ug/l	752	ND	116	80-115			LM
Benzene	778	25	"	258	550	88	65-115			
tert-Butyl alcohol	7440	1000	"	7150	ND	104	75-120			
Di-isopropyl ether	820	25	"	757	ND	108	75-125			
1,2-Dibromoethane (EDB)	766	25	"	742	ND	103	85-120			
1,2-Dichloroethane	790	25	"	736	ND	107	85-130			
Ethanol	7580	5000	"	7070	ND	107	70-135			
Ethyl tert-butyl ether	888	25	"	751	ND	118	75-130			
Ethylbenzene	1650	25	"	377	1400	66	75-135			LN
Methyl tert-butyl ether	462	25	"	351	82	108	65-125			
Toluene	1770	25	"	1860	24	94	85-120			
Xylenes (total)	4710	25	"	2070	3000	83	85-125			LN
Gasoline Range Organics (C4-C12)	51100	2500	"	22000	25000	119	70-124			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>2.21</i>		<i>"</i>	<i>2.50</i>		<i>88</i>	<i>60-135</i>			

<b>Matrix Spike Dup (5I29011-MSD1)</b>	<b>Source: MOI0627-02</b>			<b>Prepared &amp; Analyzed: 09/29/05</b>						
tert-Amyl methyl ether	884	25	ug/l	752	ND	118	80-115	1	15	LM
Benzene	826	25	"	258	550	107	65-115	6	20	
tert-Butyl alcohol	7810	1000	"	7150	ND	109	75-120	5	25	
Di-isopropyl ether	839	25	"	757	ND	111	75-125	2	15	
1,2-Dibromoethane (EDB)	812	25	"	742	ND	109	85-120	6	15	
1,2-Dichloroethane	798	25	"	736	ND	108	85-130	1	20	
Ethanol	6580	5000	"	7070	ND	93	70-135	14	35	
Ethyl tert-butyl ether	898	25	"	751	ND	120	75-130	1	25	
Ethylbenzene	1750	25	"	377	1400	93	75-135	6	15	
Methyl tert-butyl ether	477	25	"	351	82	113	65-125	3	20	
Toluene	1880	25	"	1860	24	100	85-120	6	20	
Xylenes (total)	4940	25	"	2070	3000	94	85-125	5	20	
Gasoline Range Organics (C4-C12)	53600	2500	"	22000	25000	130	70-124	5	20	LM
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>2.36</i>		<i>"</i>	<i>2.50</i>		<i>94</i>	<i>60-135</i>			

URS Corporation [Arco]  
1333 Broadway, Suite 800  
Oakland CA, 94612

Project:BP Heritage #11120, Dublin, CA  
Project Number:G07TM-0011  
Project Manager:Lynelle Onishi

MOI0628  
Reported:  
10/04/05 10:52

**Volatile Organic Compounds by EPA Method 8260B - Quality Control**  
**Sequoia Analytical - Morgan Hill**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 5I30007 - EPA 5030B P/T / EPA 8260B**
**Blank (5I30007-BLK1)**

Prepared &amp; Analyzed: 09/30/05

tert-Amyl methyl ether	ND	0.50	ug/l							
Benzene	ND	0.50	"							
tert-Butyl alcohol	ND	20	"							
Di-isopropyl ether	ND	0.50	"							
1,2-Dibromoethane (EDB)	ND	0.50	"							
1,2-Dichloroethane	ND	0.50	"							
Ethanol	ND	100	"							
Ethyl tert-butyl ether	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
Methyl tert-butyl ether	ND	0.50	"							
Toluene	ND	0.50	"							
Xylenes (total)	ND	0.50	"							
Gasoline Range Organics (C4-C12)	ND	50	"							
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.51		"	2.50		100	60-135			

**Blank (5I30007-BLK2)**

Prepared &amp; Analyzed: 09/30/05

tert-Amyl methyl ether	ND	0.50	ug/l							
Benzene	ND	0.50	"							
tert-Butyl alcohol	ND	20	"							
Di-isopropyl ether	ND	0.50	"							
1,2-Dibromoethane (EDB)	ND	0.50	"							
1,2-Dichloroethane	ND	0.50	"							
Ethanol	ND	100	"							
Ethyl tert-butyl ether	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
Methyl tert-butyl ether	ND	0.50	"							
Toluene	ND	0.50	"							
Xylenes (total)	ND	0.50	"							
Gasoline Range Organics (C4-C12)	ND	50	"							
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.67		"	2.50		107	60-135			

URS Corporation [Arco]  
 1333 Broadway, Suite 800  
 Oakland CA, 94612

 Project:BP Heritage #11120, Dublin, CA  
 Project Number:G07TM-0011  
 Project Manager:Lynelle Onishi

 MOI0628  
 Reported:  
 10/04/05 10:52

**Volatile Organic Compounds by EPA Method 8260B - Quality Control**  
**Sequoia Analytical - Morgan Hill**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 5I30007 - EPA 5030B P/T / EPA 8260B**
**Laboratory Control Sample (5I30007-BS1)**

Prepared &amp; Analyzed: 09/30/05

tert-Amyl methyl ether	14.8	0.50	ug/l	15.0		99	80-115			
Benzene	5.40	0.50	"	5.16		105	65-115			
tert-Butyl alcohol	150	20	"	143		105	75-150			
Di-isopropyl ether	15.2	0.50	"	15.1		101	75-125			
1,2-Dibromoethane (EDB)	14.4	0.50	"	14.8		97	85-120			
1,2-Dichloroethane	15.7	0.50	"	14.7		107	85-130			
Ethanol	154	100	"	141		109	70-135			
Ethyl tert-butyl ether	15.2	0.50	"	15.0		101	75-130			
Ethylbenzene	7.54	0.50	"	7.54		100	75-135			
Methyl tert-butyl ether	7.12	0.50	"	7.02		101	65-125			
Toluene	35.1	0.50	"	37.2		94	85-120			
Xylenes (total)	45.0	0.50	"	41.4		109	85-125			
Gasoline Range Organics (C4-C12)	487	50	"	440		111	70-124			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.38		"	2.50		95	60-135			

**Laboratory Control Sample (5I30007-BS2)**

Prepared &amp; Analyzed: 09/30/05

tert-Amyl methyl ether	15.2	0.50	ug/l	15.0		101	80-115			
Benzene	5.74	0.50	"	5.16		111	65-115			
tert-Butyl alcohol	161	20	"	143		113	75-150			
Di-isopropyl ether	15.4	0.50	"	15.1		102	75-125			
1,2-Dibromoethane (EDB)	15.0	0.50	"	14.8		101	85-120			
1,2-Dichloroethane	16.7	0.50	"	14.7		114	85-130			
Ethanol	175	100	"	141		124	70-135			
Ethyl tert-butyl ether	15.6	0.50	"	15.0		104	75-130			
Ethylbenzene	7.68	0.50	"	7.54		102	75-135			
Methyl tert-butyl ether	7.10	0.50	"	7.02		101	65-125			
Toluene	36.1	0.50	"	37.2		97	85-120			
Xylenes (total)	46.9	0.50	"	41.4		113	85-125			
Gasoline Range Organics (C4-C12)	488	50	"	440		111	70-124			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.46		"	2.50		98	60-135			

URS Corporation [Arco]  
 1333 Broadway, Suite 800  
 Oakland, CA, 94612

 Project:BP Heritage #11120, Dublin, CA  
 Project Number:G07TM-0011  
 Project Manager:Lynelle Onishi

 MOI0628  
 Reported:  
 10/04/05 10:52

**Volatile Organic Compounds by EPA Method 8260B - Quality Control**  
**Sequoia Analytical - Morgan Hill**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 5I30007 - EPA 5030B P/T / EPA 8260B**

<b>Matrix Spike (5I30007-MS1)</b>	<b>Source: MOI0664-11</b>			<b>Prepared: 09/30/05</b>		<b>Analyzed: 10/01/05</b>				
tert-Amyl methyl ether	774	25	ug/l	752	12	101	80-115			
Benzene	406	25	"	258	110	115	65-115			
tert-Butyl alcohol	8470	1000	"	7150	490	112	75-120			
Di-isopropyl ether	785	25	"	757	ND	104	75-125			
1,2-Dibromoethane (EDB)	744	25	"	742	ND	100	85-120			
1,2-Dichloroethane	832	25	"	736	ND	113	85-130			
Ethanol	9190	5000	"	7070	1000	116	70-135			
Ethyl tert-butyl ether	788	25	"	751	ND	105	75-130			
Ethylbenzene	1460	25	"	377	980	127	75-135			
Methyl tert-butyl ether	420	25	"	351	56	104	65-125			
Toluene	2630	25	"	1860	740	102	85-120			
Xylenes (total)	6990	25	"	2070	4400	125	85-125			
Gasoline Range Organics (C4-C12)	47300	2500	"	22000	19000	129	70-124			LM
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.46		"	2.50		98	60-135			

<b>Matrix Spike Dup (5I30007-MSD1)</b>	<b>Source: MOI0664-11</b>			<b>Prepared: 09/30/05</b>		<b>Analyzed: 10/01/05</b>				
tert-Amyl methyl ether	782	25	ug/l	752	12	102	80-115	1	15	
Benzene	412	25	"	258	110	117	65-115	1	20	LM
tert-Butyl alcohol	8230	1000	"	7150	490	108	75-120	3	25	
Di-isopropyl ether	785	25	"	757	ND	104	75-125	0	15	
1,2-Dibromoethane (EDB)	748	25	"	742	ND	101	85-120	0.5	15	
1,2-Dichloroethane	811	25	"	736	ND	110	85-130	3	20	
Ethanol	8840	5000	"	7070	1000	111	70-135	4	35	
Ethyl tert-butyl ether	798	25	"	751	ND	106	75-130	1	25	
Ethylbenzene	1510	25	"	377	980	141	75-135	3	15	LM
Methyl tert-butyl ether	428	25	"	351	56	106	65-125	2	20	
Toluene	2660	25	"	1860	740	103	85-120	1	20	
Xylenes (total)	7110	25	"	2070	4400	131	85-125	2	20	LM
Gasoline Range Organics (C4-C12)	47300	2500	"	22000	19000	129	70-124	0	20	LM
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.36		"	2.50		94	60-135			

URS Corporation [Arco]  
1333 Broadway, Suite 800  
Oakland CA, 94612

Project:BP Heritage #11120, Dublin, CA  
Project Number:G07TM-0011  
Project Manager:Lynelle Onishi

MO10628  
Reported:  
10/04/05 10:52

#### Notes and Definitions

LN MS and/or MSD below acceptance limits. See Blank Spike(LCS).  
LM MS and/or MSD above acceptance limits. See Blank Spike(LCS).  
DET Analyte DETECTED  
ND Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified  
NR Not Reported  
dry Sample results reported on a dry weight basis  
RPD Relative Percent Difference



# Chain of Custody Record

Project Name: Analytical for QMR sampling 11120  
 BP BU/AR Region/Enfos Segment: BP > Americas > West Coast > Retail > WCBU > CA > Central > 11120 > HistoricalBL  
 State or Lead Regulatory Agency: California Regional Water Quality Control Board - San Fr  
 Requested Due Date (mm/dd/yy): 10 Day TAT

On-site Time: <u>0715</u>	Temp: <u>55</u>
Off-site Time: <u>0930</u>	Temp: <u>60</u>
Sky Conditions: <u>clear</u>	
Meteorological Events:	
Wind Speed:	Direction:

Lab Name: <u>Sequoia</u>	BP/AR Facility No.: <u>11120</u>	Consultant/Contractor: <u>URS</u>
Address: <u>885 Jarvis Drive</u>	BP/AR Facility Address: <u>6400 Dublin Blvd., Dublin, CA 94568</u>	Address: <u>1333 Broadway, Suite 800</u>
<u>Morgan Hill, CA 95037</u>	Site Lat/Long: <u>37.704742 / -121.909</u>	<u>Oakland, CA 94612</u>
Lab PM: <u>Lisa Race / Jamshid Kekobad</u>	California Global ID No.: <u>T0600101432</u>	Consultant/Contractor Project No.: <u>38487130</u>
Tele/Fax: <u>408.782.8156 / 408.782.6308</u>	Enfos Project No.: <u>G07TM-0011</u>	Consultant/Contractor PM: <u>Lynelle Onishi</u>
BP/AR PM Contact: <u>Kyle Christie</u>	Provision or RCOP: <u>Provision</u>	Tele/Fax: <u>510.874.1758 / 510.874.3268</u>
Address: <u>4 Centerpointe Dr.</u>	Phase/WBS: <u>04 - Mon/Remed by Natural Attenuation</u>	Report Type & QC Level: <u>Level I with BDF</u>
<u>La Palma, CA 90623</u>	Sub Phase/Task: <u>03 - Analytical</u>	E-mail BDD To: <u>Donna_Cosper@urscorp.com</u>
Tele/Fax: <u>(714) 670-5303 / (714) 670-5195</u>	Cost Element: <u>05 - Subcontracted Costs</u>	Invoice to: <u>Atlantic Richfield Company</u>

Item No.	Sample Description	Time	Date	Matrix			Laboratory No.	No. of Containers	Preservative				Requested Analysis				Sample Point Lat/Long and Comments
				Soil/Solid	Water/Liquid	Air			Unpreserved	H <sub>2</sub> SO <sub>4</sub>	HNO <sub>3</sub>	HCl	Methanol	GRX / BTEX (8260)	MIBX, TAME, ETBE	DPE, TBA (8260)	
1	MW-8	0825	9/16/05	X			61	3				X	X	X	X		11050428 Sample Point Lat/Long and Comments
2	MW-9	0825	1	X			62	3				X	X	X	X		
3	MW-10	0810	1	X			63	3				X	X	X	X		
4	MW-11	0910	1	X			64	3				X	X	X	X		
5	TB-11120-09162005	-	9/16/05	X			65	2									
6																	
7																	
8																	
9																	
10																	

Sampler's Name:	Relinquished By / Affiliation	Date	Time	Accepted By / Affiliation	Date	Time
<u>Johnde bag</u>	<u>[Signature]</u>	<u>9/16/05</u>	<u>1549</u>	<u>[Signature]</u>	<u>9/16/05</u>	<u>1549</u>
<u>Blaine Tech</u>	<u>[Signature]</u>	<u>9/16/05</u>	<u>1016</u>	<u>[Signature]</u>	<u>9/19/05</u>	<u>1325</u>
Shipment Date:						
Shipment Method:						
Shipment Tracking No:						

Special Instructions:

Seals in Place Yes  No  Temp Blank Yes  No  Cooler Temperature on Receipt  F/C  Trip Blank Yes  No



## SEQUOIA ANALYTICAL SAMPLE RECEIPT LOG

CLIENT NAME: bp  
 REC. BY (PRINT): JT  
 WORKORDER: MO10628

DATE REC'D AT LAB: 9/19/05  
 TIME REC'D AT LAB: 10:25 11:40 AM  
 DATE LOGGED IN: 9-20-05

For Regulatory Purposes?  
 DRINKING WATER  YES /  NO  
 WASTE WATER  YES /  NO

CIRCLE THE APPROPRIATE RESPONSE	LAB SAMPLE #	DASH #	CLIENT ID	CONTAINER DESCRIPTION	PRESERVATIVE	PH	SAMPLE MATRIX	DATE SAMPLED	REMARKS: CONDITION (ETC.)
1. Custody Seal(s) <input checked="" type="radio"/> Present / <input type="radio"/> Absent <input type="radio"/> Intact / <input type="radio"/> Broken*	b1	A-C	MW-8	Voa-3	HCl	-	W	9/16/05	
2. Chain-of-Custody <input checked="" type="radio"/> Present / <input type="radio"/> Absent*	b2	L	-9	↓	↓	↓	↓	↓	
3. Traffic Reports or Packing List: <input type="radio"/> Present / <input checked="" type="radio"/> Absent	b3	L	-10	↓	↓	↓	↓	↓	
4. Airbill: Airbill / Sticker <input type="radio"/> Present / <input checked="" type="radio"/> Absent	b4	A, B	TB-1112A-091620	S Voa-2	↓	↓	↓	↓	
5. Airbill #:									
6. Sample Labels: <input checked="" type="radio"/> Present / <input type="radio"/> Absent									
7. Sample IDs: <input checked="" type="radio"/> Listed / <input type="radio"/> Not Listed on Chain-of-Custody									
8. Sample Condition: <input checked="" type="radio"/> Intact / <input type="radio"/> Broken* / <input type="radio"/> Leaking*									
9. Does information on chain-of-custody, traffic reports and sample labels agree? <input checked="" type="radio"/> Yes / <input type="radio"/> No*									
10. Sample received within hold time? <input checked="" type="radio"/> Yes / <input type="radio"/> No*									
11. Adequate sample volume received? <input checked="" type="radio"/> Yes / <input type="radio"/> No*									
12. Proper preservatives used? <input checked="" type="radio"/> Yes / <input type="radio"/> No*									
13. Trip Blank / Temp Blank Received? (circle which, if yes) <input checked="" type="radio"/> Yes / <input type="radio"/> No*									
14. Read Temp: <u>5.9°C</u> Corrected Temp: <u>5.9°C</u> Is corrected temp 4 +/- 2°C? <input checked="" type="radio"/> Yes / <input type="radio"/> No** <small>(Acceptance range for samples requiring thermal pres.)</small>									
***Exception (if any): METALS / DFF ON ICE or Problem COC									

\*IF CIRCLED, CONTACT PROJECT MANAGER AND ATTACH RECORD OF RESOLUTION.

**ATTACHMENT C**

**ERROR CHECK REPORTS AND EDF/GEOWELL SUBMITTAL  
CONFIRMATIONS**

geo\_well.txt

T0600101432 N	MW-11	ACT	9/16/2005	7.24 ✓	19.41 ✓ UNK
T0600101432 N	MW-10	ACT	9/16/2005	4.78 ✓	19.59 ✓ UNK
T0600101432 N	MW-8	ACT	9/16/2005	6.58 ✓	19.6 ✓ UNK
T0600101432 N	MW-9	ACT	9/16/2005	6.99 ✓	19.61 ✓ UNK

## Electronic Submittal Information

[Main Menu](#) | [View/Add Facilities](#) | [Upload EDD](#) | [Check EDD](#)

### SUCCESSFUL GEO\_WELL CHECK - NO ERRORS

<u>ORGANIZATION NAME:</u>	URS Corporation-Oakland Office
<u>USER NAME:</u>	URSCORP-OAKLAND
<u>DATE CHECKED:</u>	10/12/2005 4:46:32 PM

**Processing is complete. No errors were found!**  
**You may now proceed to the [upload page](#).**

**[Back to Main Menu](#)**

Logged in as URSCORP-OAKLAND (CONTRACTOR)

CONTACT SITE [ADMINISTRATOR](#).

## Electronic Submittal Information

[Main Menu](#) | [View/Add Facilities](#) | [Upload EDD](#) | [Check EDD](#)

### UPLOADING A GEO\_WELL FILE

Processing is complete. No errors were found!  
Your file has been successfully submitted!

**Submittal Title:** 3Q 2005 BP/ARCO 11120  
GOWELL

**Submittal Date/Time:** 10/12/2005 4:47:23 PM

**Confirmation  
Number:** 7471012711

[Back to Main Menu](#)

Logged in as URSCORP-OAKLAND  
(CONTRACTOR)

CONTACT SITE [ADMINISTRATOR](#).

## Electronic Submittal Information

[Main Menu](#) | 
 [View/Add Facilities](#) | 
 [Upload EDD](#) | 
 [Check EDD](#)

### SUCCESSFUL EDF CHECK - NO ERRORS

<u>ORGANIZATION NAME:</u>	URS Corporation-Oakland Office
<u>USER NAME:</u>	URSCORP-OAKLAND
<u>DATE CHECKED:</u>	10/12/2005 4:48:36 PM
<u>GLOBAL ID:</u>	T0600101432
<u>FILE UPLOADED:</u>	BP#11120-EDF-MOI0628.zip

No errors were found in your EDF upload file.

**If you want to submit this file to the SWRCB, choose the "Upload EDD" option in the above menu and follow the instructions.**

When you complete the submittal process, you will be given a confirmation number for your submittal.

[Click here to view the detections report for this upload.](#)

<b>BP</b> 6400 DUBLIN BLVD DUBLIN, CA 94568	<b>Regional Board - Case #: 01-1556</b> SAN FRANCISCO BAY RWQCB (REGION 2) - <b>(BG)</b> <b>Local Agency (lead agency) - Case #: 2095</b> ALAMEDA COUNTY LOP - (RWS)
--	--

#### SAMPLE DETECTIONS REPORT

# FIELD POINTS SAMPLED	4
# FIELD POINTS WITH DETECTIONS	3
# FIELD POINTS WITH WATER SAMPLE DETECTIONS ABOVE MCL	0
SAMPLE MATRIX TYPES	WATER

#### METHOD QA/QC REPORT

METHODS USED	8260FA
TESTED FOR REQUIRED ANALYTES?	N
MISSING PARAMETERS NOT TESTED:	
- 8260FA REQUIRES DBFM TO BE TESTED	
- 8260FA REQUIRES BR4FBZ TO BE TESTED	
- 8260FA REQUIRES BZMED8 TO BE TESTED	
LAB NOTE DATA QUALIFIERS	Y

#### QA/QC FOR 8021/8260 SERIES SAMPLES

TECHNICAL HOLDING TIME VIOLATIONS	0
METHOD HOLDING TIME VIOLATIONS	0
LAB BLANK DETECTIONS ABOVE REPORTING DETECTION LIMIT	0
LAB BLANK DETECTIONS	0
DO ALL BATCHES WITH THE 8021/8260 SERIES INCLUDE THE FOLLOWING?	
- LAB METHOD BLANK	Y
- MATRIX SPIKE	Y
- MATRIX SPIKE DUPLICATE	Y
- BLANK SPIKE	Y
- SURROGATE SPIKE	Y

#### WATER SAMPLES FOR 8021/8260 SERIES

MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) % RECOVERY BETWEEN 65-	Y
---	---

135%  
 MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) RPD LESS THAN 30% Y  
 SURROGATE SPIKES % RECOVERY BETWEEN 85-115% Y  
 BLANK SPIKE / BLANK SPIKE DUPLICATES % RECOVERY BETWEEN 70-130% Y

**SOIL SAMPLES FOR 8021/8260 SERIES**

MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) % RECOVERY BETWEEN 65-135% n/a  
 MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) RPD LESS THAN 30% n/a  
 SURROGATE SPIKES % RECOVERY BETWEEN 70-125% n/a  
 BLANK SPIKE / BLANK SPIKE DUPLICATES % RECOVERY BETWEEN 70-130% n/a

**FIELD QC SAMPLES**

<u>SAMPLE</u>	<u>COLLECTED</u>	<u>DETECTIONS &gt; REPD</u>
QCTB SAMPLES	N	0
QCEB SAMPLES	N	0
QCAB SAMPLES	N	0

Logged in as URSCORP-OAKLAND (CONTRACTOR)

CONTACT SITE ADMINISTRATOR.

## Electronic Submittal Information

[Main Menu](#) | 
 [View/Add Facilities](#) | 
 [Upload EDD](#) | 
 [Check EDD](#)

Your EDF file has been successfully uploaded!

**Confirmation Number:** 3087462961  
**Date/Time of Submittal:** 10/12/2005 4:49:52 PM  
**Facility Global ID:** T0600101432  
**Facility Name:** BP  
**Submittal Title:** 3Q 2005 BP/ARCO 11120 EDF  
**Submittal Type:** GW Monitoring Report

Click [here](#) to view the detections report for this upload.

<b>BP</b> 6400 DUBLIN BLVD DUBLIN, CA 94568	<b>Regional Board - Case #: 01-1556</b> SAN FRANCISCO BAY RWQCB (REGION 2) - (BG) <b>Local Agency (lead agency) - Case #: 2095</b> ALAMEDA COUNTY LOP - (RWS)
---	--

<b>CONF #</b>	<b>TITLE</b>	<b>QUARTER</b>
3087462961	3Q 2005 BP/ARCO 11120 EDF	Q3 2005
<b>SUBMITTED BY</b>	<b>SUBMIT DATE</b>	<b>STATUS</b>
Srijesh Thapa	10/12/2005	PENDING REVIEW

**SAMPLE DETECTIONS REPORT**

# FIELD POINTS SAMPLED	4
# FIELD POINTS WITH DETECTIONS	3
# FIELD POINTS WITH WATER SAMPLE DETECTIONS ABOVE MCL	0
SAMPLE MATRIX TYPES	WATER

**METHOD QA/QC REPORT**

METHODS USED	8260FA
TESTED FOR REQUIRED ANALYTES?	N
MISSING PARAMETERS NOT TESTED:	
- 8260FA REQUIRES DBFM TO BE TESTED	
- 8260FA REQUIRES BR4FBZ TO BE TESTED	
- 8260FA REQUIRES B2MED8 TO BE TESTED	
LAB NOTE DATA QUALIFIERS	Y

**QA/QC FOR 8021/8260 SERIES SAMPLES**

TECHNICAL HOLDING TIME VIOLATIONS	0
METHOD HOLDING TIME VIOLATIONS	0
LAB BLANK DETECTIONS ABOVE REPORTING DETECTION LIMIT	0
LAB BLANK DETECTIONS	0
DO ALL BATCHES WITH THE 8021/8260 SERIES INCLUDE THE FOLLOWING?	
- LAB METHOD BLANK	Y
- MATRIX SPIKE	Y
- MATRIX SPIKE DUPLICATE	Y
- BLANK SPIKE	Y
- SURROGATE SPIKE	Y

**WATER SAMPLES FOR 8021/8260 SERIES**

MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) % RECOVERY BETWEEN 65-135%	Y
MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) RPD LESS THAN 30%	Y
SURROGATE SPIKES % RECOVERY BETWEEN 85-115%	Y
BLANK SPIKE / BLANK SPIKE DUPLICATES % RECOVERY BETWEEN 70-130%	Y

**SOIL SAMPLES FOR 8021/8260 SERIES**



MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) % RECOVERY BETWEEN 65-135%	n/a
MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) RPD LESS THAN 30%	n/a
SURROGATE SPIKES % RECOVERY BETWEEN 70-125%	n/a
BLANK SPIKE / BLANK SPIKE DUPLICATES % RECOVERY BETWEEN 70-130%	n/a

**FIELD QC SAMPLES**

<u>SAMPLE</u>	<u>COLLECTED</u>	<u>DETECTIONS &gt; REPD</u>
QCTB SAMPLES	N	0
QCEB SAMPLES	N	0
QCAB SAMPLES	N	0

Logged in as URSCORP-OAKLAND (CONTRACTOR)

CONTACT SITE ADMINISTRATOR.

**ATTACHMENT D**

**HISTORICAL GROUNDWATER ANALYTICAL DATA FOR FORMER  
WELLS ABANDONDED IN 1999 (SOURCE ALISTO ENGINEERING)**

TABLE 1 - SUMMARY OF RESULTS OF GROUNDWATER SAMPLING  
 BP OIL COMPANY SERVICE STATION NO. 11120  
 6400 DUBLIN BOULEVARD, DUBLIN, CALIFORNIA

ALJSTO PROJECT NO. 10-170

WELL ID	DATE OF SAMPLING/ MONITORING	CASING ELEVATION (a) (Feet)	DEPTH TO WATER (Feet)	GROUNDWATER ELEVATION (b) (Feet)	TPH-G (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	DO (ppm)	LAB
MW-1	(c) 10/27/92	328.96	8.19	320.77	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	—	—
MW-1	04/09/93	328.96	4.79	324.17	ND<50	100	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	—	PACE
MW-1	08/25/93	328.96	6.85	322.11	ND<50	70	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	—	PACE
MW-1	11/22/93	328.96	7.38	321.58	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	—	PACE
MW-1	03/07/94	328.96	5.89	323.07	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	—	PACE
MW-1	06/09/94	328.96	6.42	322.54	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	4.3	PACE
MW-1	09/12/94	328.96	7.33	321.63	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	6.8	PACE
MW-1	12/20/94	328.96	6.34	322.62	—	—	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	7.6	PACE
MW-1	03/16/95	328.96	4.97	324.99	ND<50	ND<500	ND<0.50	ND<0.50	ND<0.50	ND<1.0	—	—	—
MW-1	06/28/95	328.96	5.35	323.61	—	—	—	—	—	—	—	5.6	ATI
MW-1	09/08/95	328.96	5.44	322.52	ND<50	340	ND<0.50	ND<0.50	ND<0.50	ND<1.0	—	—	—
MW-1	12/22/95	328.96	6.04	322.92	—	—	—	—	—	—	ND<5.0	7.4	ATI
MW-1	08/20/96	328.96	5.65	323.31	—	—	—	—	—	—	—	—	—
MW-1	08/21/96	328.96	—	—	ND<50	160	ND<0.5	ND<1.0	ND<1.0	ND<1.0	—	—	—
MW-1	10/31/96	328.96	5.99	322.97	—	—	—	—	—	—	ND<10	6.8	SPL
MW-1	(d) 12/02/96	328.96	—	—	—	—	—	—	—	—	—	—	—
MW-1	(d) 06/26/98	328.96	—	—	—	—	—	—	—	—	—	—	—
MW-2	10/27/92	328.50	7.64	320.86	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	—	—
MW-2	04/09/93	328.50	4.12	324.38	ND<50	80	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	—	PACE
MW-2	08/25/93	328.50	6.31	322.19	ND<50	70	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	—	PACE
MW-2	11/22/93	328.50	7.12	321.38	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	—	PACE
MW-2	03/07/94	328.50	5.60	322.90	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	—	PACE
MW-2	06/09/94	328.50	5.91	322.59	ND<50	70	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	4.3	PACE
MW-2	09/12/94	328.50	6.87	321.63	ND<50	160	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	8.2	PACE
MW-2	12/20/94	328.50	5.86	322.64	ND<50	—	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	7.5	PACE
MW-2	03/16/95	328.50	3.77	324.73	ND<50	ND<500	ND<0.50	ND<0.50	ND<0.50	ND<1.0	—	—	—
MW-2	06/28/95	328.50	3.77	324.73	ND<50	ND<500	ND<0.50	ND<0.50	ND<0.50	ND<1.0	—	6.6	ATI
MW-2	09/08/95	328.50	4.33	324.17	—	—	—	—	—	—	—	6.6	ATI
MW-2	12/22/95	328.50	5.85	322.65	ND<50	210	ND<0.50	ND<0.50	ND<0.50	ND<1.0	—	—	—
MW-2	08/20/96	328.50	5.50	323.00	—	—	—	—	—	—	ND<5.0	7.0	ATI
MW-2	08/21/96	328.50	5.07	323.43	—	—	—	—	—	—	—	—	—
MW-2	10/31/96	328.50	5.44	—	ND<50	ND<50	ND<0.5	ND<1.0	ND<1.0	ND<1.0	—	—	—
MW-2	12/02/96	328.50	5.50	323.06	—	—	—	—	—	—	ND<10	7.0	SPL
MW-2	03/27/97	328.50	4.61	323.89	—	—	—	—	—	—	—	—	—
MW-2	06/03/97	328.50	7.14	321.38	ND<50	ND<100	ND<0.5	ND<1.0	ND<1.0	ND<1.0	—	—	—
MW-2	09/16/97	328.50	6.10	322.40	—	—	—	—	—	—	ND<10	5.8	SPL
MW-2	12/03/97	328.50	6.22	322.28	ND<50	ND<100	ND<0.5	ND<1.0	ND<1.0	ND<1.0	—	—	—
MW-2	06/26/98	328.50	4.86	328.64	ND<50	—	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	5.2	SPL
												4.6	SPL

TABLE 1 - SUMMARY OF RESULTS OF GROUNDWATER SAMPLING  
 BP OIL COMPANY SERVICE STATION NO. 11120  
 6400 DUBLIN BOULEVARD, DUBLIN, CALIFORNIA

ALISTO PROJECT NO. 10-170

WELL ID	DATE OF SAMPLING/ MONITORING	CASING ELEVATION (e) (Feet)	DEPTH TO WATER (Feet)	GROUNDWATER ELEVATION (b) (Feet)	TPH-G (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	DO (ppm)	LAB
MW-3	10/27/92	329.36	8.43	329.93	210	ND<50	3	0.7	0.9	30	—	—	PAGE
MW-3	04/09/93	329.36	4.90	324.46	400	260	6.1	ND<0.5	ND<0.5	ND<0.5	—	—	PAGE
MW-3	08/25/93	329.36	7.13	322.23	2000	440	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	—	PAGE
MW-3	11/22/93	329.36	7.60	321.76	1800	360	ND<2.5	ND<2.5	ND<2.5	ND<2.5	3300	(e)	PAGE
MW-3	03/07/94	329.36	6.08	323.28	1300	5000	22	4.0	2.2	3.8	910	(e)	PAGE
MW-3	06/09/94	329.36	6.51	322.85	8500	2600	25	8.3	0.5	15	7200	(e)	PAGE
OC-1 (f)	06/09/94	—	—	—	—	—	29	6.3	0.5	10	13000	(e)	PAGE
MW-3	09/12/94	329.36	7.63	321.73	8800	—	ND<5.0	ND<5.0	8.6	20	3800	(e)	PAGE
OC-1 (f)	09/12/94	—	—	—	2100	3200	ND<5.0	ND<5.0	8.0	10	3900	(e)	PAGE
MW-3	12/20/94	329.36	6.41	322.95	1800	—	ND<5.0	ND<5.0	8.0	10	—	(e)	PAGE
OC-1 (f)	12/20/94	—	—	—	18000	9600	79	28	89	9.3	—	(e)	PAGE
MW-3	03/16/95	329.36	4.39	324.97	6300	—	79	33	80	ND<2.5	—	—	PAGE
OC-1 (f)	03/16/95	—	—	—	6300	7000	470	ND<5.0	210	8.9	—	—	PAGE
MW-3	06/28/95	329.36	5.50	323.88	9000	—	500	ND<5.0	230	13	—	5.5	ATI
OC-1 (f)	06/28/95	—	—	—	8800	3000	(g) ND<10	ND<10	ND<10	ND<20	—	—	ATI
MW-3	09/06/95	329.36	6.66	322.70	10000	—	(g) ND<10	ND<10	ND<10	ND<20	—	7.4	ATI
OC-1 (f)	09/06/95	—	—	—	8700	2800	ND<50	ND<50	ND<50	ND<100	—	—	ATI
MW-3	12/22/95	329.36	6.31	323.05	9200	—	ND<50	ND<50	ND<50	ND<100	37000	7.1	ATI
MW-3	08/20/96	329.36	5.87	323.49	—	2500	ND<50	ND<50	ND<50	ND<100	36000	—	ATI
MW-3	08/21/96	329.36	—	—	—	—	—	—	—	—	29000	6.7	ATI
OC-1 (f)	08/21/96	—	—	—	3700	1900	ND<25	ND<50	—	—	—	—	—
MW-3	10/31/96	329.36	6.20	323.18	3500	—	ND<25	ND<50	ND<50	ND<50	4100	6.8	SPL
OC-1 (f)	10/31/96	—	—	—	ND<250	ND<500	ND<2.5	ND<5.0	ND<5.0	ND<5.0	4000	—	SPL
MW-3	12/02/96	329.36	6.27	323.09	ND<250	—	ND<2.5	ND<5.0	ND<5.0	ND<5.0	ND<50	6.8	SPL
OC-1 (f)	12/02/96	—	—	—	ND<250	50	ND<2.5	ND<5.0	ND<5.0	ND<5.0	ND<50	—	—
MW-3	03/27/97	329.36	5.39	323.97	ND<250	—	ND<2.5	ND<5.0	ND<5.0	ND<5.0	ND<50	6.4	SPL
MW-3	06/03/97	329.36	7.92	321.44	470	ND<100	ND<0.5	ND<1.0	ND<5.0	ND<5.0	ND<50	—	—
OC-1 (f)	06/03/97	—	—	—	ND<250	100	ND<2.5	ND<5.0	ND<1.0	ND<1.0	490	6.2	SPL
MW-3	09/16/97	329.36	6.67	322.69	ND<250	—	ND<2.5	ND<5.0	ND<5.0	ND<5.0	84	5.9	SPL
MW-3	12/03/97	329.36	6.81	322.55	ND<50	330	ND<2.5	ND<5.0	ND<5.0	ND<5.0	74.0	—	—
OC-1 (f)	12/03/97	—	—	—	ND<50	ND<200	ND<0.5	ND<1.0	ND<5.0	ND<5.0	ND<50	5.5	SPL
MW-3	06/26/98	329.36	5.08	324.28	ND<50	—	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	5.0	SPL
					ND<250	—	ND<2.5	ND<5.0	ND<5.0	ND<5.0	ND<10	—	SPL
											ND<50	4.8	SPL

TABLE 1 - SUMMARY OF RESULTS OF GROUNDWATER SAMPLING  
 BP OIL COMPANY SERVICE STATION NO. 11120  
 6400 DUBLIN BOULEVARD, DUBLIN, CALIFORNIA

ALISTO PROJECT NO. 10-170

WELL ID	DATE OF SAMPLING/ MONITORING	CASING ELEVATION (Feet) (a)	DEPTH TO WATER (Feet)	GROUNDWATER ELEVATION (Feet) (b)	TPH-G (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	DO (ppm)	LAB
MW-4	10/27/92	329.45	8.61	320.84	2300	190							
MW-4	04/09/93	329.45	5.25	324.20	1600	500	23	54	50	320			
MW-4	08/25/93	329.45	7.32	322.13	1600	360	78	3.5	68	1.0			PAGE
OC-1 (f)	08/25/93						ND<0.5	ND<0.5	ND<0.5	ND<0.5	2100	(e)	PAGE
MW-4	11/22/93	329.45	7.83	321.62	1600		ND<0.5	ND<0.5	ND<0.5	ND<0.5	2100	(e)	PAGE
OC-1 (f)	11/22/93				610	260	ND<0.5	ND<0.5	ND<0.5	ND<0.5			PAGE
MW-4	03/07/94	329.45	6.29	323.16	1700		ND<2.5	ND<2.5	ND<2.5	ND<2.5	3500	(e)	PAGE
OC-1 (f)	03/07/94				710	1400	0.5	0.8	ND<0.5	ND<0.5	5900	(e)	PAGE
MW-4	05/09/94	329.45	6.76	322.69	1600		ND<0.5	ND<0.5	1.4	0.8	4200	(e)	PAGE
MW-4	09/12/94	329.45	7.83	321.62	6400	1800	ND<10	ND<10	ND<10	ND<10	10000	(e)	PAGE
MW-4	12/20/94	329.45	6.68	322.77	2000	2700	ND<0.5	ND<0.5	ND<0.5	ND<0.5	4200	(e)	PAGE
MW-4	03/16/95	329.45	4.68	324.79	9200	2400	ND<5.0	ND<5.0	ND<5.0	ND<5.0			PAGE
MW-4	06/28/95	329.45	5.93	323.52	1400	960	140	ND<2.5	ND<2.5	ND<2.5			PAGE
MW-4	09/06/95	329.45	6.83	322.62	323.52	5000	5400	(g) 240	ND<5.0	58	14		ATI
MW-4	12/22/95	329.45	6.42	323.03	4400	4500	220	ND<10	220	ND<10			ATI
OC-1 (f)	12/22/95				3800	4700	15	ND<13	ND<13	ND<13	12000		ATI
MW-4	08/20/96	329.45	6.01	323.44		3900	16	ND<13	ND<13	ND<25	9200		ATI
MW-4	08/21/96	329.45									8600		ATI
MW-4	10/31/96	329.45	6.37	323.08	ND<250	470	ND<12	ND<25	ND<25	ND<25			
MW-4	12/02/96	329.45	6.71	322.74	ND<250	1600	ND<2.5	ND<5.0	ND<5.0	ND<5.0	ND<250		SPL
MW-4	03/27/97	329.45	5.70	323.75	ND<50	13000	ND<5	ND<10	ND<10	ND<10	2200		SPL
OC-1 (f)	03/27/97				8300	1500	44	ND<25	ND<25	ND<25	8000		SPL
MW-4	06/03/97	329.45	8.37	321.08	6900		51	ND<25	ND<25	ND<25	8500		SPL
MW-4	09/16/97	329.45	6.91	322.54	2800	270	82	ND<1.0	ND<1.0	ND<1.0	7000		SPL
OC-1 (f)	09/16/97				110	1800	0.80	ND<1.0	ND<1.0	ND<1.0	7700		SPL
MW-4	12/03/97	329.45	7.18	322.29	130		1.2	ND<1.0	ND<1.0	ND<1.0	7100		SPL
MW-4	06/28/98	329.45	5.15	324.30	ND<50	ND<200	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10		SPL
MW-5	04/09/93	329.60	5.10	324.42	620		0.52	ND<1.0	ND<1.0	ND<1.0	1100		SPL
MW-5	08/25/93	329.60	7.28	322.32	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5			PAGE
MW-5	11/22/93	329.60	7.82	321.78	ND<50	70	ND<0.5	ND<0.5	ND<0.5	ND<0.5			PAGE
MW-5	03/07/94	329.60	6.27	323.33	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5			PAGE
MW-5	08/19/94	329.60	6.73	322.67	ND<50	120	ND<0.5	ND<0.5	ND<0.5	ND<0.5			PAGE
MW-5	09/12/94	329.60	7.78	321.82	ND<50	70	ND<0.5	ND<0.5	ND<0.5	ND<0.5			PAGE
MW-5	12/20/94	329.60	6.63	322.97	ND<50	120	ND<0.5	ND<0.5	ND<0.5	ND<0.5			PAGE
MW-5	03/16/95	329.60	4.65	324.95									PAGE
MW-5	06/28/95	329.60	5.69	323.91	ND<50	ND<500	ND<0.50	ND<0.50	ND<0.50	ND<1.0			
MW-5	09/06/95	329.60	6.82	322.78									
MW-5	12/22/95	329.60	6.40	323.20	ND<50	200	ND<0.50	ND<0.50	ND<0.50	ND<1.0			ATI
MW-5	08/20/96	329.60	5.88	323.62							ND<5.0		ATI
MW-5	08/21/96	329.60											
MW-5	10/31/96	329.60			ND<50	ND<50	ND<0.50	ND<1.0	ND<1.0	ND<1.0			
MW-5	12/02/96	329.60	6.29	323.31							ND<10		
MW-5	03/27/97	329.60	6.37	323.23									SPL
MW-5	06/03/97	329.60	5.33	324.27									
MW-5	09/16/97	329.60	8.00	321.60	ND<50	ND<100	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10		
MW-5	12/03/97	329.60	6.89	322.71	ND<50	ND<100	ND<0.5	ND<1.0	ND<1.0	ND<1.0			SPL
MW-5	06/28/98	329.60	5.11	324.48							27		SPL
					ND<50		ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10		SPL
							ND<0.5	ND<1.0	ND<1.0	ND<1.0			SPL

TABLE 1 - SUMMARY OF RESULTS OF GROUNDWATER SAMPLING  
 BP OIL COMPANY SERVICE STATION NO. 11120  
 6400 DUBLIN BOULEVARD, DUBLIN, CALIFORNIA

ALISTO PROJECT NO. 10-170

WELL ID	DATE OF SAMPLING/ MONITORING	CASING ELEVATION (a) (Feet)	DEPTH TO WATER (Feet)	GROUNDWATER ELEVATION (b) (Feet)	TPH-G (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	DO (ppm)	LAB
MW-6	04/09/93	329.55	5.37	324.18	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	—	—
MW-6	08/25/93	329.55	7.42	322.13	ND<50	170	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	—	PACE
MW-6	11/22/93	329.55	7.93	321.62	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	—	PACE
MW-6	03/07/94	329.55	6.25	323.30	ND<50	90	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	—	PACE
MW-6	06/09/94	329.55	6.85	322.70	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	4.2	PACE
MW-6	09/12/94	329.55	7.91	321.64	ND<50	240	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	7.0	PACE
MW-6	12/20/94	329.55	6.82	322.73	—	—	—	—	—	—	—	—	—
MW-6	03/16/95	329.55	4.78	324.77	ND<50	ND<500	—	—	—	—	—	—	—
MW-6	06/28/95	329.55	5.97	323.58	—	—	ND<0.50	ND<0.50	ND<0.50	ND<1.0	—	—	—
MW-6	09/06/95	329.55	6.94	322.61	—	—	—	—	—	—	—	6.1	ATI
MW-6	12/22/95	329.55	6.53	323.02	ND<50	340	ND<0.50	ND<0.50	ND<0.50	—	—	—	—
MW-6	08/20/96	329.55	6.18	323.37	—	—	—	—	—	ND<1.0	ND<5.0	7.2	ATI
MW-6	08/21/96	329.55	—	—	—	—	—	—	—	—	—	—	—
MW-6	10/31/96	329.55	—	—	ND<50	—	—	—	—	—	—	—	—
MW-6	12/02/96	329.55	6.52	323.03	—	120	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	—	SPL
MW-6	03/27/97	329.55	6.55	323.00	—	—	—	—	—	—	—	—	—
MW-6	06/03/97	329.55	5.50	324.05	—	—	—	—	—	—	—	—	—
MW-6	09/16/97	329.55	6.19	321.36	ND<50	ND<100	ND<0.5	ND<1.0	ND<1.0	ND<1.0	—	—	—
MW-6	09/16/97	329.55	6.95	322.60	—	—	—	—	—	—	—	6.3	SPL
MW-6	12/03/97	329.55	7.22	322.33	ND<250	680	ND<2.5	ND<5.0	ND<5.0	ND<5.0	ND<5.0	—	—
MW-6	06/26/98	329.55	5.20	324.36	—	—	—	—	—	—	—	5.5	SPL
MW-7	04/09/93	329.49	—	—	ND<50	—	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	4.6	SPL
MW-7	08/25/93	329.49	5.36	324.13	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	—	—
MW-7	11/22/93	329.49	7.44	322.05	ND<50	150	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	—	PACE
MW-7	03/07/94	329.49	7.92	321.57	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	—	PACE
MW-7	06/09/94	329.49	6.20	323.29	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	—	PACE
MW-7	09/12/94	329.49	6.89	322.60	ND<50	70	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	—	—
MW-7	12/20/94	329.49	7.87	321.62	ND<50	50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	3.7	PACE
MW-7	03/16/95	329.49	8.77	322.72	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	6.8	PACE
MW-7	06/28/95	329.49	4.77	324.72	ND<50	ND<500	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	6.8	PACE
MW-7	09/06/95	329.49	5.94	323.55	ND<50	ND<500	ND<0.50	ND<0.50	ND<0.50	ND<1.0	—	6.5	PACE
MW-7	12/22/95	329.49	6.98	322.51	ND<50	320	ND<0.50	ND<0.50	ND<0.50	ND<1.0	—	5.9	ATI
MW-7	08/20/96	329.49	6.65	322.84	ND<50	240	ND<0.50	ND<0.50	ND<0.50	ND<1.0	—	7.8	ATI
MW-7	08/21/96	329.49	6.22	323.27	ND<50	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	8.5	7.5	ATI
MW-7	10/31/96	329.49	—	—	—	—	—	—	—	—	7.2	6.9	ATI
MW-7	12/02/96	329.49	6.56	322.93	ND<50	ND<50	ND<0.5	ND<1.0	ND<1.0	ND<1.0	—	—	—
MW-7	03/27/97	329.49	6.13	323.36	ND<50	ND<100	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	—	SPL
MW-7	06/03/97	329.49	5.08	324.41	ND<50	ND<50	ND<0.5	ND<1.0	ND<1.0	ND<1.0	86	6.8	SPL
MW-7	09/16/97	329.49	7.80	321.69	ND<50	ND<100	ND<0.5	ND<1.0	ND<1.0	ND<1.0	59	7.3	SPL
MW-7	09/16/97	329.49	6.50	321.69	—	650	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	6.6	SPL
MW-7	12/03/97	329.49	6.66	322.99	—	120	ND<0.5	ND<1.0	ND<1.0	ND<1.0	630	6.8	SPL
MW-7 (h)	06/26/98	329.49	4.96	324.53	ND<50	ND<200	ND<0.5	ND<1.0	ND<1.0	ND<1.0	2200	6.0	SPL
					ND<50	—	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	5.0	SPL
												5.1	SPL

TABLE 1 - SUMMARY OF RESULTS OF GROUNDWATER SAMPLING  
 BP OIL COMPANY SERVICE STATION NO. 11120  
 6400 DUBLIN BOULEVARD, DUBLIN, CALIFORNIA

ALISTO PROJECT NO. 10-170

WELL ID	DATE OF SAMPLING/ MONITORING	CASING ELEVATION (a) (Feet)	DEPTH TO WATER (Feet)	GROUNDWATER ELEVATION (b) (Feet)	TPH-G (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	DO (ppm)	LAB
QC-2	(i)	DB/25/93	---	---	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---
QC-2	(i)	11/22/93	---	---	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	PACE
QC-2	(i)	03/07/94	---	---	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	PACE
QC-2	(i)	06/09/94	---	---	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	PACE
QC-2	(i)	09/12/94	---	---	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	PACE
QC-2	(i)	12/20/94	---	---	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	PACE
QC-2	(i)	03/16/95	---	---	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	PACE
QC-2	(i)	06/28/95	---	---	ND<50	---	ND<0.50	ND<0.50	ND<0.50	ND<1.0	---	---	ATI
QC-2	(i)	09/06/95	---	---	ND<50	---	ND<0.50	ND<0.50	ND<0.50	ND<1.0	---	---	ATI
QC-2	(i)	12/22/95	---	---	ND<50	---	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<5.0	---	ATI
					ND<50	---	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<5.0	---	ATI

ABBREVIATIONS:

TPH-G Total petroleum hydrocarbons as gasoline  
 TPH-D Total petroleum hydrocarbons as diesel  
 B Benzene  
 T Toluene  
 E Ethylbenzene  
 X Total xylenes  
 MTBE Methyl tert butyl ether  
 DO Dissolved oxygen  
 ug/l Micrograms per liter  
 ppm Parts per million  
 ND Not detected above reported detection limit  
 --- Not analyzed/applicable/measured  
 PACE Pace, Inc.  
 ATI Analytical Technologies, Inc.  
 SPL Southern Petroleum Laboratories

NOTES:

- (a) Top of casing elevations surveyed to an arbitrary datum.
- (b) Groundwater elevations relative to an arbitrary datum.
- (c) Analysis did not detect total oil and grease and halogenated volatile organic compounds above reported detection limits.
- (d) Well inaccessible.
- (e) A copy of the documentation for this data is included in Appendix C of Alisto report 10-170-05-001.
- (f) Blind duplicate.
- (g) MTBE peak. Refer to documentation for this data in Appendix C of Alisto report 10-170-05-001.
- (h) Analysis did not detect volatile organic compounds above reported detection limits.
- (i) Travel blank.

FO1110-170170-S-4.WCZ

TABLE 2 - SUMMARY OF RESULTS OF GROUNDWATER SAMPLING FOR EPA METHOD 8260 ANALYSIS  
 BP OIL COMPANY SERVICE STATION NO. 11120  
 6400 DUBLIN BOULEVARD, DUBLIN, CALIFORNIA

ALISTO PROJECT NO. 10-170

WELL ID	DATE OF SAMPLING/ MONITORING	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	DIPE (ug/l)	ETBE (ug/l)	TBA (ug/l)	TAME (ug/l)	LAB
MW-4	06/26/98	ND<5	ND<5	ND<5	ND<5	ND<10	ND<10	ND<10	ND<500	ND<10	SPL
MW-7	06/26/98	ND<5	ND<5	ND<5	ND<5	ND<10	ND<10	ND<10	ND<500	ND<10	SPL

ABBREVIATIONS:

B	Benzene
T	Toluene
E	Ethylbenzene
X	Total xylenes
MTBE	Methyl tert butyl ether
DIPE	Di-isopropyl ether
ETBE	Ethyl t-butyl ether
TBA	t-butyl ether
TAME	tert-amyl methyl ether
ug/l	Micrograms per liter
ND	Not detected above reported detection limit
SPL	Southern Petroleum Laboratories

F:\01\10-170\10-170EC.WQ2