

Atlantic Richfield Company

Chuck Carmel
Environmental Business Manager

RECEIVED

11:19 am, Aug 02, 2010

Alameda County
Environmental Health

PO Box 1257
San Ramon, CA 94583
Phone: (925) 275-3803
Fax: (925) 275-3815
E-Mail: charles.carmel@bp.com

July 30, 2010

Re: Second Quarter 2010 Semi-Annual Ground-Water Monitoring Report
Atlantic Richfield Company Station #4977
2770 Castro Valley Boulevard, Castro Valley, California
ACEH Case #RO0002436

"I declare, that to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached document are true and correct.

Submitted by,



Chuck Carmel
Environmental Business Manager

Attachment

**Second Quarter 2010 Semi-Annual
Ground-Water Monitoring Report**
Atlantic Richfield Company Station #4977
2770 Castro Valley Boulevard, Castro Valley, California
ACEH Case # RO0002436

Prepared for

Mr. Chuck Carmel
Environmental Business Manager
Atlantic Richfield Company
P.O. Box 1257
San Ramon, California 94583

Prepared by



1324 Mangrove Avenue, Suite 212
Chico, California 95926
(530) 566-1400
www.broadbentinc.com

July 30, 2010

Project No. 06-82-625

Broadbent & Associates, Inc.
1324 Mangrove Ave., Suite 212
Chico, CA 95926
Voice (530) 566-1400
Fax (530) 566-1401



July 30, 2010

Project No. 06-82-625

Atlantic Richfield Company
P.O. Box 1257
San Ramon, California 94583
Submitted via ENFOS

Attn.: Mr. Chuck Carmel

Re: Second Quarter 2010 Semi-Annual Ground-Water Monitoring Report, Atlantic Richfield Company Station #4977, 2770 Castro Valley Boulevard, Castro Valley, Alameda County, California; ACEH Case #RO0002436

Dear Mr. Carmel:

Provided herein is the *Second Quarter 2010 Semi-Annual Ground-Water Monitoring Report* for Atlantic Richfield Company (a BP affiliated company) Station #4977 located at 2770 Castro Valley Boulevard, Castro Valley, California (Site). This report presents a summary of results from semi-annual ground-water monitoring conducted at the Site during the Second Quarter of 2010.

Should you have questions regarding the work performed or results obtained, please do not hesitate to contact us at (530) 566-1400.

Sincerely,


BROADBENT & ASSOCIATES, INC.

A handwritten signature in blue ink that reads 'Jason Duda'.

Jason Duda
Project Scientist

A handwritten signature in black ink that reads 'Matthew G. Herrick'.

Matthew G. Herrick, P.G., C.HG.
Senior Hydrogeologist



Enclosures

cc: Mr. Paresh Khatri, Alameda County Environmental Health (Submitted via ACEH ftp site)
Electronic copy uploaded to GeoTracker

STATION #4977 SEMI-ANNUAL GROUND-WATER MONITORING REPORT

Facility: #4977	Address:	2770 Castro Valley Boulevard, Castro Valley, California
BP Environmental Business Manager:		Mr. Chuck Carmel
Consulting Co./Contact Persons:		Broadbent & Associates, Inc. (BAI) / Jason Duda & Matt Herrick (530) 566-1400
Primary Agency/Regulatory ID No.:		Alameda County Environmental Health (ACEH) ACEH Case #RO0002436
Consultant Project No.:		06-82-625

WORK PERFORMED THIS QUARTER (Second Quarter 2010):

1. Prepared and submitted *Second Quarter 2010 Status Report* (BAI, 04/20/2010).
2. Conducted semi-annual ground-water monitoring/sampling for Second Quarter 2010 on May 20, 2010. Work performed by BAI.

WORK PROPOSED FOR NEXT QUARTER (Third Quarter 2010):

1. Prepare and submit this *Second Quarter 2010 Semi-Annual Ground-Water Monitoring Report* (contained herein).
2. No environmental work activities are scheduled to be conducted at the Site during the Third Quarter 2010.

QUARTERLY RESULTS SUMMARY:

Current phase of project:	Ground-water monitoring/sampling
Frequency of ground-water monitoring:	Semi-Annually (2Q & 4Q): Wells MW-1, MW-2 and MW-3
Frequency of ground-water sampling:	Semi-Annually (2Q & 4Q): Wells MW-1, MW-2 and MW-3
Is free product (FP) present on-site:	No
Current remediation techniques:	NA
Depth to ground water (below TOC):	6.78 ft (MW-3) to 8.02 ft (MW-1)
General ground-water flow direction:	South
Approximate hydraulic gradient:	0.021 ft/ft

DISCUSSION:

Second Quarter 2010 semi-annual ground-water monitoring and sampling was conducted at Station #4977 by BAI on 20 May 2010. Water levels were gauged in the three wells associated with Station #4977. No irregularities were noted during water level gauging at Station #4977. Depth to water measurements at the Site ranged from 6.78 ft at well MW-3 to 8.02 ft at MW-1. Resulting ground-water surface elevations at the Site ranged from 157.75 ft above mean sea level in well MW-3 to 155.42 ft at well MW-1. Water level elevations yielded a potentiometric ground-water flow direction and gradient to the south at 0.021 ft/ft. Ground-water monitoring field data sheets are provided within Appendix A. Measured depths to ground water and respective ground-water elevations are summarized in Table 1. Current and historic ground-water flow directions and gradients are provided within Table 3. A Site Location Map is provided as Drawing 1. A sketch showing the site layout with potentiometric ground-water elevation contours is provided as Drawing 2.

Water samples were collected from wells MW-2 and MW-3 at Station #4977. Well MW-1 was inadvertently not sampled during the Second Quarter 2010 ground-water monitoring and sampling event. Well MW-1 will be included in the event scheduled to be conducted during the Fourth Quarter 2010. No other irregularities were encountered during sampling at the Site. Samples were submitted under chain-of-custody protocol to Calscience Environmental Laboratories, Inc. (Garden Grove, California) for analysis of Gasoline Range Organics (GRO, C6-12) by EPA Method 8015B; for Benzene, Toluene, Ethylbenzene, and Total Xylenes (BTEX) by EPA Method 8260B; and Methyl Tert-Butyl Ether (MTBE), Ethyl Tert-Butyl Ether (ETBE), Di-Isopropyl Ether (DIPE), Tert-Amyl Methyl Ether (TAME), Tert-Butyl Alcohol (TBA), 1,2-Dibromomethane (EDB), 1,2-Dichloroethane (1,2-DCA), and Ethanol by EPA Method 8260B. No significant irregularities were reported during analysis of the samples. Ground-water sampling field data sheets and the laboratory analytical report, including chain-of-custody documentation, are provided in Appendix A.

Gasoline range organics (GRO) were detected above the laboratory reporting limits in each of the two wells sampled at concentrations of 12,000 micrograms per liter ($\mu\text{g/L}$) in well MW-2 and 300 $\mu\text{g/L}$ in well MW-3. Benzene was detected above the laboratory reporting limits in each of the two wells sampled at concentrations of 430 $\mu\text{g/L}$ in well MW-2 and 0.89 $\mu\text{g/L}$ in well MW-3. Ethylbenzene and Total Xylenes were detected above the laboratory reporting limits in well MW-2 at concentrations of 270 $\mu\text{g/L}$ and 55 $\mu\text{g/L}$, respectively. MTBE was detected above the laboratory reporting limit in each of the two wells sampled at concentrations of 64 $\mu\text{g/L}$ in well MW-2 and 14 $\mu\text{g/L}$ in well MW-3. TBA was detected in well MW-3 at a concentration of 100 $\mu\text{g/L}$. The remaining fuel constituents were not detected above their respective laboratory reporting limits in the two wells sampled this quarter. Historic laboratory analytical results for the Site are summarized in Table 1 and Table 2. The most recent GRO, Benzene, and MTBE concentrations are also presented in Drawing 2. Ground-water monitoring data (GEO_WELL) and laboratory analytical results (EDF) were uploaded to the GeoTracker AB2886 database. Upload confirmation receipts are provided in Appendix B.

CONCLUSIONS AND RECOMMENDATIONS:


Ground-water elevations were between the historic minimum and maximum values for each well gauged this quarter at Station #4977. The potentiometric ground-water flow direction and gradient of 0.021 ft/ft to the south was consistent with historical data. Detected analyte concentrations were within the historic minimum and maximum ranges recorded for each well with the following exceptions: Ethylbenzene (270 $\mu\text{g/L}$) and Total Xylenes (55 $\mu\text{g/L}$) reached historic minimum concentrations in well MW-2. No environmental work activities are scheduled at the Site during the Third Quarter of 2010. The next semi-annual ground-water monitoring and sampling event is scheduled to be conducted during the Fourth Quarter of 2010.

CLOSURE:

The findings presented in this report are based upon: observations of BAI field personnel (see Appendix A), the points investigated, and results of laboratory tests performed by Calscience Environmental Laboratories, Inc. (Garden Grove, California). Our services were performed in accordance with the generally accepted standard of practice at the time this report was written. No other warranty, expressed or implied was made. This report has been prepared for the exclusive use of Atlantic Richfield Company (a BP affiliated company). It is possible that variations in soil or ground-water conditions could exist beyond points explored in this investigation. Also, changes in site conditions could occur in the future due to variations in rainfall, temperature, regional water usage, or other factors.


ATTACHMENTS:

- Drawing 1. Site Location Map, Station #4977, 2770 Castro Valley Boulevard, Castro Valley, California
- Drawing 2. Ground-Water Elevation Contour and Analytical Summary Map, 20 May 2010, Station #4977, 2770 Castro Valley Boulevard, Castro Valley, California
- Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses, Station #4977, 2770 Castro Valley Boulevard, Castro Valley, California
- Table 2. Summary of Fuel Additives Analytical Data, Station #4977, 2770 Castro Valley Boulevard, Castro Valley, California
- Table 3. Historical Ground-Water Flow Direction and Gradient, Station #4977, 2770 Castro Valley Boulevard, Castro Valley, California
- Appendix A. BAI Ground-Water Sampling Data (Includes Field Data Sheets, Non-Hazardous Waste Data Form, Laboratory Analytical Report, Chain-of-Custody Documentation, and Field Procedures)
- Appendix B. GeoTracker Upload Confirmation Receipts



APPROXIMATE SCALE (mi)

IMAGE SOURCE: DELORME



LEGEND



- MONITORING WELL
- SOIL BORING

Well	WELL DESIGNATION
ELEV	GROUND-WATER ELEVATION (FT)
GRO	CONCENTRATION OF GRO, BENZENE AND MTBE IN GROUND WATER (µg/L)
BZ	
MTBE	
Q	SAMPLING FREQUENCY

- < NOT DETECTED AT OR ABOVE LABORATORY REPORTING LIMITS
- A SAMPLED ANNUALLY
- SA SAMPLED SEMI-ANNUALLY (2ND AND 4TH QUARTERS)

— 155.5 GROUND-WATER ELEVATION CONTOUR (FT)

GROUND-WATER FLOW DIRECTION AND GRADIENT (FT/FT)



NOTE: SITE MAP ADAPTED FROM DELTA ENVIRONMENTAL FIGURES.
SITE DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED.

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #4977, 2770 Castro Valley Blvd., Castro Valley, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-1															
4/19/2002	--		161.11	5.0	15.0	11.21	149.90	660	12	1.3	4.3	0.8	38	--	--
9/27/2002	--		161.11	5.0	15.0	9.29	151.82	130	7.7	0.87	5.4	0.79	39	1.7	6.9
12/16/2002	--	a	161.11	5.0	15.0	8.55	152.56	77	1.8	<0.50	0.69	<1.0	42	1.6	6.9
3/11/2003	--		161.11	5.0	15.0	8.07	153.04	140	9.8	<0.50	5.6	<0.50	20	1.4	7.4
6/17/2003	--		161.11	5.0	15.0	8.31	152.80	510	60	1.4	81	<1.0	23	2.2	7
9/18/2003	--	b	161.11	5.0	15.0	9.45	151.66	72	2.4	1.4	1.6	1.5	39	2.7	7
12/11/2003	P		161.11	5.0	15.0	8.80	152.31	79	1.5	<0.50	1.5	4.4	48	2.1	7.0
03/11/2004	P		163.44	5.0	15.0	7.61	155.83	<50	1.3	<0.50	0.77	1.3	17	1.4	6.8
06/02/2004	P		163.44	5.0	15.0	8.95	154.49	53	1.4	<0.50	0.93	<0.50	39	2.3	7.1
09/22/2004	P		163.44	5.0	15.0	9.42	154.02	70	<0.50	<0.50	<0.50	<0.50	48	1.7	6.8
12/15/2004	P		163.44	5.0	15.0	7.88	155.56	63	<0.50	<0.50	<0.50	<0.50	45	1.8	6.9
03/07/2005	P		163.44	5.0	15.0	7.02	156.42	<50	<0.50	<0.50	<0.50	<0.50	4.0	2.4	6.8
06/27/2005	P		163.44	5.0	15.0	7.53	155.91	52	2.0	<0.50	1.9	0.78	8.1	2.8	7.1
09/16/2005	P		163.44	5.0	15.0	9.20	154.24	<50	<0.50	<0.50	<0.50	0.76	14	1.82	6.9
12/27/2005	P		163.44	5.0	15.0	7.60	155.84	<50	1.3	<0.50	1.5	<0.50	9.4	2.02	7.87
03/16/2006	P		163.44	5.0	15.0	6.97	156.47	71	3.0	<0.50	3.5	<0.50	3.4	1.6	7.1
6/26/2006	P		163.44	5.0	15.0	8.58	154.86	71	0.69	<0.50	1.1	3.5	3.2	2.2	6.9
9/29/2006	P		163.44	5.0	15.0	8.85	154.59	<50	<0.50	<0.50	<0.50	<0.50	5.2	2.35	6.7
12/19/2006	P		163.44	5.0	15.0	8.00	155.44	<50	<0.50	<0.50	<0.50	<0.50	4.3	4.80	7.21
3/29/2007	P		163.44	5.0	15.0	7.70	155.74	<50	<0.50	<0.50	<0.50	<0.50	2.3	3.44	7.18
6/5/2007	P		163.44	5.0	15.0	8.77	154.67	<50	<0.50	<0.50	<0.50	<0.50	3.2	3.45	7.29
9/25/2007	P		163.44	5.0	15.0	9.18	154.26	<50	<0.50	<0.50	<0.50	<0.50	5.3	2.61	7.41
12/26/2007	P		163.44	5.0	15.0	8.45	154.99	<50	<0.50	<0.50	<0.50	<0.50	2.9	5.57	7.43
3/25/2008	P		163.44	5.0	15.0	8.29	155.15	<50	<0.50	<0.50	<0.50	<0.50	0.94	3.52	7.80
6/10/2008	P		163.44	5.0	15.0	9.17	154.27	<50	<0.50	<0.50	<0.50	<0.50	1.3	3.38	7.01
9/2/2008	P		163.44	5.0	15.0	9.15	154.29	<50	<0.50	<0.50	<0.50	<0.50	5.6	2.30	6.81
12/2/2008	P		163.44	5.0	15.0	8.90	154.54	<50	<0.50	<0.50	<0.50	<0.50	2.7	2.41	6.96
3/5/2009	P		163.44	5.0	15.0	8.05	155.39	<50	<0.50	<0.50	<0.50	<0.50	1.3	2.48	7.47
6/2/2009	P		163.44	5.0	15.0	14.91	148.53	<50	<0.50	<0.50	<0.50	<0.50	0.60	0.83	7.01
11/6/2009	P		163.44	5.0	15.0	8.46	154.98	<50	<0.50	<0.50	<0.50	<0.50	1.9	1.15	6.8
5/20/2010	--		163.44	5.0	15.0	8.02	155.42	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #4977, 2770 Castro Valley Blvd., Castro Valley, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-1															
MW-2															
4/19/2002	--		161.87	5.0	15.0	6.59	155.28	28,000	970	120	860	6,900	760	--	--
9/27/2002	--		161.87	5.0	15.0	7.18	154.69	17,000	1,400	<50	1,200	3,700	1,400	1.5	6.8
12/16/2002	--	a	161.87	5.0	15.0	7.31	154.56	17,000	1,000	<50	980	3,300	980	1.9	6.8
3/11/2003	--		161.87	5.0	15.0	6.02	155.85	24,000	1,600	70	1,300	4,300	920	1.7	7.4
6/17/2003	--		161.87	5.0	15.0	6.31	155.56	28,000	1,300	55	1,300	4,500	610	1.4	6.9
9/18/2003	--		161.87	5.0	15.0	7.61	154.26	19,000	960	63	1,100	3,100	580	2.7	6.8
12/11/2003	P		161.87	5.0	15.0	6.50	155.37	29,000	710	53	1,300	3,800	490	2.0	7.0
03/11/2004	P		164.29	5.0	15.0	6.02	158.27	19,000	830	49	1,500	4,000	410	0.8	6.5
06/02/2004	P		164.29	5.0	15.0	7.14	157.15	25,000	680	<50	1,300	3,900	240	4.3	7.1
09/22/2004	--		164.29	5.0	15.0	7.63	156.66	15,000	980	<25	980	940	390	--	6.7
12/15/2004	P	c	164.29	5.0	15.0	6.48	157.81	22,000	610	26	1,300	3,200	290	0.3	6.9
03/07/2005	P		164.29	5.0	15.0	6.08	158.21	25,000	570	33	1,400	3,900	120	2.3	6.8
06/27/2005	P		164.29	5.0	15.0	6.90	157.39	24,000	630	32	1,200	2,900	86	2.5	7.2
09/16/2005	P		164.29	5.0	15.0	7.66	156.63	25,000	550	<25	1,400	3,000	82	1.41	7.0
12/27/2005	P		164.29	5.0	15.0	5.60	158.69	33,000	540	<25	1,300	2,700	100	2.26	7.19
03/16/2006	P	c	164.29	5.0	15.0	7.25	157.04	29,000	710	<50	1,400	2,600	78	1.4	7.1
6/26/2006	P	c	164.29	5.0	15.0	6.60	157.69	20,000	630	<25	1,200	1,100	110	0.64	6.8
9/29/2006	P		164.29	5.0	15.0	6.85	157.44	24,000	530	<25	1,300	1,800	86	1.36	6.7
12/19/2006	P		164.29	5.0	15.0	6.02	158.27	21,000	500	<25	1,400	1,700	70	1.11	7.42
3/29/2007	P		164.29	5.0	15.0	6.03	158.26	16,000	530	<25	1,100	1,100	80	2.98	7.18
6/5/2007	P		164.29	5.0	15.0	6.85	157.44	21,000	420	<25	1,100	1,100	50	2.09	7.20
9/25/2007	P		164.29	5.0	15.0	7.15	157.14	25,000	620	<25	1,400	1,200	70	3.25	7.59
12/26/2007	P		164.29	5.0	15.0	6.25	158.04	16,000	440	<5.0	760	570	80	1.84	7.66
3/25/2008	P		164.29	5.0	15.0	6.63	157.66	16,000	530	7.8	790	470	96	1.78	7.72
6/10/2008	P		164.29	5.0	15.0	7.04	157.25	14,000	480	<25	730	240	100	1.83	6.96
9/2/2008	P		164.29	5.0	15.0	7.25	157.04	13,000	440	<25	690	240	91	3.09	6.61
12/2/2008	P		164.29	5.0	15.0	6.42	157.87	31,000	490	<10	670	120	97	3.05	7.00
3/5/2009	P		164.29	5.0	15.0	5.83	158.46	16,000	470	<10	490	130	82	2.99	7.35
6/2/2009	P		164.29	5.0	15.0	14.51	149.78	11,000	340	<10	490	210	34	1.07	6.89

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #4977, 2770 Castro Valley Blvd., Castro Valley, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-2 Cont.															
11/6/2009	P		164.29	5.0	15.0	6.52	157.77	14,000	470	<10	400	110	76	0.32	6.8
5/20/2010	P		164.29	5.0	15.0	6.80	157.49	12,000	430	<10	270	55	64	0.74	6.5
MW-3															
4/19/2002	--		162.14	5.0	15.0	6.94	155.20	1,200	29	1.1	43	62	1,700	--	--
9/27/2002	--		162.14	5.0	15.0	8.26	153.88	740	7.8	<2.5	6.8	4.4	1,100	1	6.7
12/16/2002	--	a	162.14	5.0	15.0	6.76	155.38	1,200	13	<10	170	88	910	2.3	6.8
3/11/2003	--		162.14	5.0	15.0	6.92	155.22	<2,500	<25	<25	<25	<25	470	1.7	7.5
6/17/2003	--		162.14	5.0	15.0	7.44	154.70	<1,000	<10	<10	14	<10	530	1.9	7
9/18/2003	--		162.14	5.0	15.0	8.43	153.71	470	4.8	<2.5	10	9.2	300	2.9	6.8
12/11/2003	P		162.14	5.0	15.0	6.72	155.42	<500	<5.0	<5.0	7.0	13	180	1.9	6.9
03/11/2004	P		164.53	5.0	15.0	6.09	158.44	360	1.9	<1.0	5.6	5.0	110	2.6	6.8
06/02/2004	P		164.53	5.0	15.0	7.50	157.03	380	2.8	<0.50	8.0	2.1	43	3.6	7.3
09/22/2004	P		164.53	5.0	15.0	8.00	156.53	270	<0.50	<0.50	0.54	<0.50	50	1.8	6.9
12/15/2004	P		164.53	5.0	15.0	6.43	158.10	390	3.5	<0.50	20	3.7	49	1.1	6.9
03/07/2005	P		164.53	5.0	15.0	6.12	158.41	1,900	13	<1.0	93	29	70	2.3	6.8
06/27/2005	P		164.53	5.0	15.0	7.08	157.45	830	4.0	<0.50	13	2.8	33	3.3	7.3
09/16/2005	P		164.53	5.0	15.0	7.28	157.25	320	2.1	<0.50	5.4	0.60	21	2.11	7.0
12/27/2005	P		164.53	5.0	15.0	6.47	158.06	770	6.0	<0.50	33	2.7	36	2.96	7.42
03/16/2006	P		164.53	5.0	15.0	6.10	158.43	1,600	11	<0.50	59	6.4	45	1.4	7.1
6/26/2006	P		164.53	5.0	15.0	6.92	157.61	400	<0.50	<0.50	1.6	2.1	26	2.41	7.0
9/29/2006	P		164.53	5.0	15.0	7.38	157.15	220	0.86	<0.50	2.2	0.58	14	1.95	7.0
12/19/2006	P		164.53	5.0	15.0	6.65	157.88	450	4.3	<0.50	19	1.4	19	3.68	7.30
3/29/2007	P		164.53	5.0	15.0	6.92	157.61	390	3.0	<0.50	9.1	0.60	27	1.98	7.16
6/5/2007	P		164.53	5.0	15.0	7.01	157.52	390	1.9	<0.50	6.9	<0.50	20	1.99	7.34
9/25/2007	P		164.53	5.0	15.0	7.52	157.01	260	1.3	<0.50	2.7	<0.50	12	3.44	7.41
12/26/2007	P		164.53	5.0	15.0	6.65	157.88	460	3.1	<0.50	15	0.89	17	4.05	7.46
3/25/2008	P		164.53	5.0	15.0	6.71	157.82	260	0.91	0.71	2.5	0.54	29	2.40	7.63
6/10/2008	P		164.53	5.0	15.0	7.33	157.20	120	<0.50	<0.50	2.0	<0.50	12	2.29	7.59
9/2/2008	P		164.53	5.0	15.0	7.53	157.00	97	<0.50	<0.50	<0.50	<0.50	9.3	3.28	6.81
12/2/2008	P		164.53	5.0	15.0	7.38	157.15	140	<0.50	<0.50	<0.50	<0.50	8.4	3.18	7.06

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
ARCO Service Station #4977, 2770 Castro Valley Blvd., Castro Valley, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-3 Cont.															
3/5/2009	P		164.53	5.0	15.0	5.21	159.32	530	3.3	<0.50	22	0.71	18	3.11	7.46
6/2/2009	P		164.53	5.0	15.0	14.81	149.72	490	2.1	<0.50	6.2	<0.50	13	0.83	7.03
11/6/2009	P		164.53	5.0	15.0	7.38	157.15	99	<0.50	<0.50	<0.50	<0.50	5.8	0.32	6.97
5/20/2010	P		164.53	5.0	15.0	6.78	157.75	300	0.89	<0.50	<0.50	<0.50	14	--	6.48

SYMBOLS AND ABBREVIATIONS:

< = Not detected at or above specified laboratory reporting limits

-- = Not measured, sampled, analyzed, applicable

ft bgs = Feet below ground surface

DO = Dissolved oxygen

DTW = Depth to water in ft

GRO = Gasoline range organics

GWE = Groundwater elevation in ft

mg/L = Milligrams per liter

MTBE = Methyl tert-butyl ether analyzed by EPA Method 8021B unless otherwise noted (before 12/16/02)

P/NP = Well was purged/not purged prior to sampling

TPH-g = Total petroleum hydrocarbons as gasoline (C5-C9)

TOC = Top of casing measured in ft MSL

µg/L = Micrograms per liter

FOOTNOTES:

a = TPH, benzene, toluene, ethylbenzene, total xylenes, and MTBE analyzed by EPA Method 8260B beginning on 4th quarter sampling event (12/16/02).

b = This sample was originally analyzed within the EPA recommended hold time. Re-analysis for confirmation or dilution was performed past the recommended hold time. The results may still be used for their intended purpose.

c = Sheen in well.

NOTES:

Beginning in the fourth quarter 2003, the laboratory modified the reported analyte list. TPH-g was changed to GRO. The resulting data may be impacted by the potential inclusion of non-TPH-g analytes within the requested fuel range resulting in a higher concentration being reported.

Wells were re-surveyed on 3/23/2004.

Values for DO and pH were field measurements.

Beginning in the second quarter 2004, the carbon range for GRO was changed from C6-C10 to C4-C12.

GRO analysis was completed by EPA method 8260B (C4-C12) for samples collected from the time period April 2006 through February 4, 2008. The analysis for GRO was changed to EPA method 8015B (C6-C12) for samples collected from the time period February 5, 2008 through the present.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #4977, 2770 Castro Valley Blvd., Castro Valley, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-1									
12/16/2002	<50	<5.0	42	<0.50	<0.50	<0.50	<0.50	<0.50	
3/11/2003	<100	<20	20	<0.50	<0.50	<0.50	<0.50	<0.50	
6/17/2003	<200	<40	23	<1.0	<1.0	<1.0	<1.0	<1.0	
9/18/2003	<100	<20	39	<0.50	<0.50	<0.50	<0.50	<0.50	a
12/11/2003	<100	<20	48	<0.50	<0.50	<0.50	<0.50	<0.50	
03/11/2004	<100	<20	17	<0.50	<0.50	<0.50	<0.50	<0.50	
06/02/2004	<100	<20	39	<0.50	<0.50	<0.50	<0.50	<0.50	
09/22/2004	<100	<20	48	<0.50	<0.50	<0.50	<0.50	<0.50	
12/15/2004	<100	<20	45	<0.50	<0.50	<0.50	<0.50	<0.50	a
03/07/2005	<100	<20	4.0	<0.50	<0.50	<0.50	<0.50	<0.50	
06/27/2005	<100	<20	8.1	<0.50	<0.50	<0.50	<0.50	<0.50	
09/16/2005	<100	<20	14	<0.50	<0.50	<0.50	<0.50	<0.50	
12/27/2005	<100	<20	9.4	<0.50	<0.50	<0.50	<0.50	<0.50	b
03/16/2006	<300	<20	3.4	<0.50	<0.50	<0.50	<0.50	<0.50	c
6/26/2006	<300	<20	3.2	<0.50	<0.50	<0.50	<0.50	<0.50	
9/29/2006	<300	<20	5.2	<0.50	<0.50	<0.50	<0.50	<0.50	
12/9/2006	<300	<20	4.3	<0.50	<0.50	<0.50	<0.50	--	b
3/29/2007	<300	<20	2.3	<0.50	<0.50	<0.50	<0.50	<0.50	
6/5/2007	<300	<20	3.2	<0.50	<0.50	<0.50	<0.50	<0.50	
9/25/2007	<300	<20	5.3	<0.50	<0.50	<0.50	<0.50	<0.50	
12/26/2007	<300	<20	2.9	<0.50	<0.50	<0.50	<0.50	<0.50	
3/25/2008	<300	<10	0.94	<0.50	<0.50	<0.50	<0.50	<0.50	
6/10/2008	<300	<10	1.3	<0.50	<0.50	<0.50	<0.50	<0.50	
9/2/2008	<300	<10	5.6	<0.50	<0.50	<0.50	<0.50	<0.50	
12/2/2008	<300	<10	2.7	<0.50	<0.50	<0.50	<0.50	<0.50	
3/5/2009	<300	<10	1.3	<0.50	<0.50	<0.50	<0.50	<0.50	
6/2/2009	<300	<10	0.60	<0.50	<0.50	<0.50	<0.50	<0.50	
11/6/2009	<300	<10	1.9	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-2									
12/16/2002	<5,000	<500	980	<50	<50	<50	<50	<50	
3/11/2003	<10,000	<2,000	920	<50	<50	<50	<50	<50	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #4977, 2770 Castro Valley Blvd., Castro Valley, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-2 Cont.									
6/17/2003	<10,000	<2,000	610	<50	<50	<50	<50	<50	
9/18/2003	<5,000	<1,000	580	<25	<25	<25	<25	<25	
12/11/2003	<5,000	<1,000	490	<25	<25	<25	<25	<25	
03/11/2004	<2,000	<400	410	<10	<10	<10	<10	<10	
06/02/2004	<10,000	<2,000	240	<50	<50	<50	<50	<50	
09/22/2004	<5,000	<1,000	390	<25	<25	<25	<25	<25	
12/15/2004	<2,000	<400	290	<10	<10	<10	<10	<10	a
03/07/2005	<5,000	<1,000	120	<25	<25	<25	<25	<25	
06/27/2005	<5,000	<1,000	86	<25	<25	<25	<25	<25	
09/16/2005	<5,000	<1,000	82	<25	<25	<25	<25	<25	
12/27/2005	<5,000	<1,000	100	<25	<25	<25	<25	<25	b
03/16/2006	<30,000	<2,000	78	<50	<50	<50	<50	<50	c
6/26/2006	<15,000	<1,000	110	<25	<25	<25	<25	<25	
9/29/2006	<15,000	<1,000	86	<25	<25	<25	<25	<25	
12/9/2006	<15,000	<1,000	70	<25	<25	<25	<25	--	b
3/29/2007	<15,000	<1,000	80	<25	<25	<25	<25	<25	
6/5/2007	<15,000	<1,000	50	<25	<25	<25	<25	<25	
9/25/2007	<15,000	<1,000	70	<25	<25	<25	<25	<25	
12/26/2007	<3,000	<200	80	<5.0	<5.0	<5.0	<5.0	<5.0	
3/25/2008	<1,500	<50	96	<2.5	<2.5	<2.5	<2.5	<2.5	
6/10/2008	<15,000	<500	100	<25	<25	<25	<25	<25	
9/2/2008	<15,000	<500	91	<25	<25	<25	<25	<25	
12/2/2008	<6,000	<200	97	<10	<10	<10	<10	<10	
3/5/2009	<6,000	<200	82	<10	<10	<10	<10	<10	
6/2/2009	<6,000	<200	34	<10	<10	<10	<10	<10	
11/6/2009	<6,000	<200	76	<10	<10	<10	<10	<10	
5/20/2010	<6,000	<200	64	<10	<10	<10	<10	<10	
MW-3									
12/16/2002	<1,000	<100	910	<10	<10	12	<10	<10	
3/11/2003	<5,000	<1,000	470	<25	<25	<25	<25	<25	
6/17/2003	<2,000	<400	530	<10	<10	<10	<10	<10	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #4977, 2770 Castro Valley Blvd., Castro Valley, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-3 Cont.									
9/18/2003	<500	<100	300	<2.5	<2.5	3.2	<2.5	<2.5	
12/11/2003	<1,000	<200	180	<5.0	<5.0	<5.0	<5.0	<5.0	
03/11/2004	<200	570	110	<1.0	<1.0	<1.0	<1.0	<1.0	
06/02/2004	<100	130	43	<0.50	<0.50	0.56	<0.50	<0.50	
09/22/2004	<100	28	50	<0.50	<0.50	0.51	<0.50	<0.50	
12/15/2004	<100	110	49	<0.50	0.52	0.61	<0.50	<0.50	a
03/07/2005	<200	190	70	<1.0	<1.0	<1.0	<1.0	<1.0	
06/27/2005	<100	130	33	<0.50	<0.50	<0.50	<0.50	<0.50	
09/16/2005	<100	44	21	<0.50	<0.50	<0.50	<0.50	<0.50	
12/27/2005	<100	150	36	<0.50	<0.50	<0.50	<0.50	<0.50	b
03/16/2006	<300	160	45	<0.50	<0.50	0.84	<0.50	<0.50	c
6/26/2006	<300	53	26	<0.50	<0.50	<0.50	<0.50	<0.50	
9/29/2006	<300	55	14	<0.50	<0.50	<0.50	<0.50	<0.50	
12/9/2006	<300	<20	19	<0.50	<0.50	<0.50	<0.50	--	b
3/29/2007	<300	130	27	<0.50	<0.50	<0.50	<0.50	<0.50	
6/5/2007	<300	77	20	<0.50	<0.50	<0.50	<0.50	<0.50	
9/25/2007	<300	30	12	<0.50	<0.50	<0.50	<0.50	<0.50	
12/26/2007	<300	76	17	<0.50	<0.50	<0.50	<0.50	<0.50	
3/25/2008	<300	100	29	<0.50	<0.50	<0.50	<0.50	<0.50	
6/10/2008	<300	25	12	<0.50	<0.50	<0.50	<0.50	<0.50	
9/2/2008	<300	<10	9.3	<0.50	<0.50	<0.50	<0.50	<0.50	
12/2/2008	<300	<10	8.4	<0.50	<0.50	<0.50	<0.50	<0.50	
3/5/2009	<300	98	18	<0.50	<0.50	<0.50	<0.50	<0.50	
6/2/2009	<300	89	13	<0.50	<0.50	<0.50	<0.50	<0.50	
11/6/2009	<300	11	5.8	<0.50	<0.50	<0.50	<0.50	<0.50	
5/20/2010	<300	100	14	<0.50	<0.50	<0.50	<0.50	<0.50	

SYMBOLS AND ABBREVIATIONS:

< = Not detected at or above specified laboratory reporting limit

1,2-DCA = 1,2-Dichloroethane

DIPE = Di-isopropyl ether

EDB = 1,2-Dibromoethane

ETBE = Ethyl tert-butyl ether

MTBE = Methyl tert-butyl ether

TAME = tert-Amyl methyl ether

TBA = tert-Butyl alcohol

µg/L = Micrograms per liter

FOOTNOTES:

a = This sample was originally analyzed within the EPA recommended hold time. Re-analysis for confirmation or dilution was performed past the recommended hold time. The results may still be used for their intended purpose.

b = Calibration verification for ethanol was within method limits but outside contract limits.

c = Possible high bias for DIPE, 1,2-DCA, and ethanol due to CCV falling outside acceptance criteria.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

Table 3. Historical Ground-Water Flow Direction and Gradient
ARCO Service Station #4977, 2770 Castro Valley Blvd., Castro Valley, CA

Date Sampled	Approximate Flow Direction	Approximate Hydraulic Gradient
4/19/2002	Southwest	0.038
9/27/2002	Southwest	0.021
12/16/2002	Southeast	0.029
3/11/2003	South	0.024
6/17/2003	South-Southwest	0.022
9/18/2003	South-Southwest	0.022
3/11/2004	South-Southwest	0.024
6/2/2004	South	0.025
9/22/2004	South	0.025
12/15/2004	South	0.020
3/7/2005	South	0.02
6/27/2005	South	0.01
9/16/2005	Southeast	0.03
12/27/2005	South-Southeast	0.02
3/16/2006	Southeast	0.02
6/26/2006	South	0.03
9/29/2006	South	0.025
12/19/2006	South	0.024
3/29/2007	South	0.020
6/5/2007	South	0.027
9/25/2007	South	0.023
12/26/2007	South	0.027
3/25/2008	South	0.026
6/10/2008	South	0.026
9/2/2008	South	0.026
12/2/2008	South	0.028
3/5/2009	South	0.037
6/2/2009	South	0.011
11/6/2009	South-Southwest	0.025
5/20/2010	South	0.021

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

APPENDIX A

BAI GROUND-WATER SAMPLING DATA

(Includes Field Data Sheets, Non-Hazardous Waste Data Form, Laboratory Analytical Report, Chain-Of-Custody Documentation, and Field Procedures)



BROADBENT & ASSOCIATES, INC.
ENGINEERING, WATER RESOURCES & ENVIRONMENTAL

Groundwater Sampling Data Sheet

Well I.D.: MW-2
 Project Name/Location: ARCO 4977 Project #: 06-82-625
 Sampler's Name: SB + EF Date: 5/20/10
 Purging Equipment: bauler
 Sampling Equipment: bauler

Casing Type: PVC

Casing Diameter: 4" inch

***UNIT CASING VOLUMES**

Total Well Depth: 14.65 feet

2" = 0.16 gal/lin ft.

Depth to Water: 6.80 feet

3" = 0.37 gal/lin ft.

Water Column Thickness: 7.85 feet

4" = 0.65 gal/lin ft.

Unit Casing Volume*: 0.65 gallon / foot

6" = 1.47 gal/lin ft.

Casing Water Volume: 5.10 gallons

Casing Volume: 3 each

Estimated Purge Volume: 15.3 gallons

Free product measurement (if present):

Purged (gallons)	Time (24:00)	DO	ORP (mV)	Fe	Conductance (µS)	Temperature (Fahrenheit)	pH	Observations
0	1141	0.74	-78	-	744.5	69.6	6.7	
3	1144	X	X	X	699.1	70.2	6.6	
15	1150	X	X	X	704.1	70.7	6.5	
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				

Total Water Volume Purged: 5 gallons

Depth to Water at Sample Collection: 4.30 feet

Sample Collection Time: 1150

Purged Dry? (Y/N) (N)

Comments:



Groundwater Sampling Data Sheet

Well I.D.: MW-3
 Project Name/Location: BP 4917 Project #: 0682.GNS
 Sampler's Name: SBEE Date: 5/20/10
 Purging Equipment: Bail
 Sampling Equipment: Bail

Casing Type: PVC
 Casing Diameter: 4 inch
 Total Well Depth: 14.96 feet
 Depth to Water: 6.79 feet
 Water Column Thickness: 8.18 feet
 Unit Casing Volume*: x 0.65 gallon / foot
 Casing Water Volume: = 5.31 gallons
 Casing Volume: x 3 each
 Estimated Purge Volume: = 15.93 gallons

***UNIT CASING VOLUMES**

2" = 0.16 gal/lin ft.
 3" = 0.37 gal/lin ft.
 4" = 0.65 gal/lin ft.
 6" = 1.47 gal/lin ft.


Free product measurement (if present): _____

Purged (gallons)	Time (24:00)	DO	ORP (mV)	Fe	Conductance (µS)	Temperature (Fahrenheit)	pH	Observations
0	1203		AD		900.0	73.7	6.56	
3	1207	X	X	X	886.3	71.9	6.55	
5	1210	X	X	X	875.1	71.8	6.49	
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				

Total Water Volume Purged: 5 gallons
 Depth to Water at Sample Collection: 8.25 feet
 Sample Collection Time: 1212

Purged Dry? (Y/N) (Y)

Comments: _____



June 08, 2010

Tom Venus
Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642

Subject: **CalScience Work Order No.: 10-05-1764**
Client Reference: BP 4977

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 5/22/2010 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard CalScience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in black ink, appearing to read 'Richard Villafania'.

CalScience Environmental
Laboratories, Inc.
Richard Villafania
Project Manager

Analytical Report



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642

Date Received: 05/22/10
Work Order No: 10-05-1764
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: BP 4977

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-2	10-05-1764-1-E	05/20/10 11:50	Aqueous	GC 11	05/26/10	05/27/10 06:31	100526B01

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	12000	1200	25		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	100	38-134			

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-3	10-05-1764-2-E	05/20/10 12:12	Aqueous	GC 11	05/26/10	05/27/10 07:05	100526B01

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	300	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	94	38-134			

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-695-831	N/A	Aqueous	GC 11	05/26/10	05/26/10 18:08	100526B01

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	81	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Analytical Report



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642

Date Received: 05/22/10
Work Order No: 10-05-1764
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: BP 4977

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-2	10-05-1764-1-A	05/20/10 11:50	Aqueous	GC/MS WW	06/01/10	06/02/10 04:01	100601L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	430	10	20		Methyl-t-Butyl Ether (MTBE)	64	10	20	
1,2-Dibromoethane	ND	10	20		Tert-Butyl Alcohol (TBA)	ND	200	20	
1,2-Dichloroethane	ND	10	20		Diisopropyl Ether (DIPE)	ND	10	20	
Ethylbenzene	270	10	20		Ethyl-t-Butyl Ether (ETBE)	ND	10	20	
Toluene	ND	10	20		Tert-Amyl-Methyl Ether (TAME)	ND	10	20	
Xylenes (total)	55	10	20		Ethanol	ND	6000	20	
Surrogates:	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		Surrogates:	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,2-Dichloroethane-d4	93	80-128			Dibromofluoromethane	95	80-127		
Toluene-d8	100	80-120			1,4-Bromofluorobenzene	97	68-120		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-3	10-05-1764-2-A	05/20/10 12:12	Aqueous	GC/MS WW	06/01/10	06/01/10 20:45	100601L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	0.89	0.50	1		Methyl-t-Butyl Ether (MTBE)	14	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	100	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
Surrogates:	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		Surrogates:	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,2-Dichloroethane-d4	96	80-128			Dibromofluoromethane	96	80-127		
Toluene-d8	99	80-120			1,4-Bromofluorobenzene	97	68-120		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-703-1,348	N/A	Aqueous	GC/MS WW	06/01/10	06/01/10 11:35	100601L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
Surrogates:	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		Surrogates:	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,2-Dichloroethane-d4	95	80-128			Dibromofluoromethane	96	80-127		
Toluene-d8	99	80-120			1,4-Bromofluorobenzene	92	68-120		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Broadbent & Associates, Inc.
 1324 Mangrove Ave, Ste 212
 Chico, CA 95926-2642

Date Received: 05/22/10
 Work Order No: 10-05-1764
 Preparation: EPA 5030B
 Method: EPA 8260B
 Units: ug/L


Project: BP 4977

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-703-1,350	N/A	Aqueous	GC/MS WW	06/01/10	06/01/10 23:29	100601L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,2-Dichloroethane-d4	98	80-128			Dibromofluoromethane	97	80-127		
Toluene-d8	98	80-120			1,4-Bromofluorobenzene	94	68-120		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Quality Control - Spike/Spike Duplicate



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642


Date Received: 05/22/10
Work Order No: 10-05-1764
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project BP 4977

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
10-05-1640-5	Aqueous	GC 11	05/26/10	05/26/10	100526S01

<u>Parameter</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Gasoline Range Organics (C6-C12)	106	111	38-134	4	0-25	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Spike/Spike Duplicate



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642


Date Received: 05/22/10
Work Order No: 10-05-1764
Preparation: EPA 5030B
Method: EPA 8260B


Project BP 4977

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
10-05-1766-2	Aqueous	GC/MS WW	06/01/10	06/01/10	100601S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	104	103	76-124	1	0-20	
Carbon Tetrachloride	109	108	74-134	0	0-20	
Chlorobenzene	101	101	80-120	1	0-20	
1,2-Dibromoethane	95	90	80-120	6	0-20	
1,2-Dichlorobenzene	100	99	80-120	0	0-20	
1,2-Dichloroethane	99	94	80-120	5	0-20	
Ethylbenzene	104	95	78-126	9	0-20	
Toluene	101	95	80-120	7	0-20	
Trichloroethene	105	104	77-120	1	0-20	
Methyl-t-Butyl Ether (MTBE)	123	92	67-121	8	0-49	LM,AY
Tert-Butyl Alcohol (TBA)	114	112	36-162	1	0-30	
Diisopropyl Ether (DIPE)	104	100	60-138	4	0-45	
Ethyl-t-Butyl Ether (ETBE)	100	95	69-123	5	0-30	
Tert-Amyl-Methyl Ether (TAME)	98	92	65-120	6	0-20	
Ethanol	109	119	30-180	9	0-72	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - Spike/Spike Duplicate



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642


Date Received: 05/22/10
Work Order No: 10-05-1764
Preparation: EPA 5030B
Method: EPA 8260B

Project BP 4977

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
10-05-1888-1	Aqueous	GC/MS WW	06/01/10	06/02/10	100601S02

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	103	99	76-124	4	0-20	
Carbon Tetrachloride	102	100	74-134	2	0-20	
Chlorobenzene	100	99	80-120	1	0-20	
1,2-Dibromoethane	96	92	80-120	5	0-20	
1,2-Dichlorobenzene	98	95	80-120	3	0-20	
1,2-Dichloroethane	106	100	80-120	6	0-20	
Ethylbenzene	103	98	78-126	5	0-20	
Toluene	100	95	80-120	5	0-20	
Trichloroethene	98	97	77-120	1	0-20	
Methyl-t-Butyl Ether (MTBE)	96	91	67-121	4	0-49	
Tert-Butyl Alcohol (TBA)	113	115	36-162	1	0-30	
Diisopropyl Ether (DIPE)	102	101	60-138	1	0-45	
Ethyl-t-Butyl Ether (ETBE)	97	96	69-123	2	0-30	
Tert-Amyl-Methyl Ether (TAME)	95	89	65-120	6	0-20	
Ethanol	108	132	30-180	20	0-72	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642


Date Received: N/A
Work Order No: 10-05-1764
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: BP 4977

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-695-831	Aqueous	GC 11	05/26/10	05/26/10	100526B01

<u>Parameter</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Gasoline Range Organics (C6-C12)	113	107	78-120	5	0-20	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642

Date Received: N/A
Work Order No: 10-05-1764
Preparation: EPA 5030B
Method: EPA 8260B

Project: BP 4977

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
099-12-703-1,348	Aqueous	GC/MS WW	06/01/10	06/01/10	100601L01		
<u>Parameter</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>ME CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Benzene	98	102	80-120	73-127	4	0-20	
Carbon Tetrachloride	104	108	74-134	64-144	4	0-20	
Chlorobenzene	94	101	80-120	73-127	7	0-20	
1,2-Dibromoethane	94	97	79-121	72-128	3	0-20	
1,2-Dichlorobenzene	96	99	80-120	73-127	2	0-20	
1,2-Dichloroethane	99	100	80-120	73-127	1	0-20	
Ethylbenzene	99	106	80-120	73-127	7	0-20	
Toluene	97	102	80-120	73-127	5	0-20	
Trichloroethene	99	102	79-127	71-135	3	0-20	
Methyl-t-Butyl Ether (MTBE)	99	97	69-123	60-132	2	0-20	
Tert-Butyl Alcohol (TBA)	105	103	63-123	53-133	2	0-20	
Diisopropyl Ether (DIPE)	102	103	59-137	46-150	0	0-37	
Ethyl-t-Butyl Ether (ETBE)	101	101	69-123	60-132	0	0-20	
Tert-Amyl-Methyl Ether (TAME)	99	98	70-120	62-128	1	0-20	
Ethanol	107	109	28-160	6-182	3	0-57	


Total number of LCS compounds : 15


Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642

Date Received: N/A
Work Order No: 10-05-1764
Preparation: EPA 5030B
Method: EPA 8260B

Project: BP 4977

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
099-12-703-1,350	Aqueous	GC/MS WW	06/01/10	06/01/10	100601L02		
<u>Parameter</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>ME CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Benzene	100	98	80-120	73-127	2	0-20	
Carbon Tetrachloride	99	99	74-134	64-144	0	0-20	
Chlorobenzene	98	99	80-120	73-127	0	0-20	
1,2-Dibromoethane	96	95	79-121	72-128	1	0-20	
1,2-Dichlorobenzene	98	97	80-120	73-127	0	0-20	
1,2-Dichloroethane	100	95	80-120	73-127	5	0-20	
Ethylbenzene	101	102	80-120	73-127	0	0-20	
Toluene	98	98	80-120	73-127	0	0-20	
Trichloroethene	98	98	79-127	71-135	1	0-20	
Methyl-t-Butyl Ether (MTBE)	96	91	69-123	60-132	5	0-20	
Tert-Butyl Alcohol (TBA)	103	108	63-123	53-133	5	0-20	
Diisopropyl Ether (DIPE)	103	100	59-137	46-150	3	0-37	
Ethyl-t-Butyl Ether (ETBE)	100	96	69-123	60-132	4	0-20	
Tert-Amyl-Methyl Ether (TAME)	95	92	70-120	62-128	4	0-20	
Ethanol	99	100	28-160	6-182	2	0-57	


Total number of LCS compounds : 15

Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit



Work Order Number: 10-05-1764

<u>Qualifier</u>	<u>Definition</u>
AX	Sample too dilute to quantify surrogate.
BA	Relative percent difference out of control.
BA,AY	BA = Relative percent difference out of control. AY = Matrix interference suspected.
BB	Sample > 4x spike concentration.
BF	Reporting limits raised due to high hydrocarbon background.
BH	Reporting limits raised due to high level of non-target analytes.
BU	Sample analyzed after holding time expired.
BV	Sample received after holding time expired.
BY	Sample received at improper temperature.
BZ	Sample preserved improperly.
CL	Initial analysis within holding time but required dilution.
CQ	Analyte concentration greater than 10 times the blank concentration.
CU	Surrogate concentration diluted to not detectable during analysis.
DF	Reporting limits elevated due to matrix interferences.
DU	Insufficient sample quantity for matrix spike/dup matrix spike.
ET	Sample was extracted past end of recommended max. holding time.
EY	Result exceeds normal dynamic range; reported as a min est.
GR	Internal standard recovery is outside method recovery limit.
IB	CCV recovery abovelimit; analyte not detected.
IH	Calibrtn. verif. recov. below method CL for this analyte.
IJ	Calibrtn. verif. recov. above method CL for this analyte.
J,DX	J=EPA Flag -Estimated value; DX= Value < lowest standard (MQL), but > than MDL.
LA	Confirmatory analysis was past holding time.
LG,AY	LG= Surrogate recovery below the acceptance limit. AY= Matrix interference suspected.
LH,AY	LH= Surrogate recovery above the acceptance limit. AY= Matrix interference suspected.
LM,AY	LM= MS and/or MSD above acceptance limits. See Blank Spike (LCS). AY= Matrix interference suspected.
LN,AY	LN= MS and/or MSD below acceptance limits. See Blank Spike (LCS). AY= Matrix interference suspected.
LQ	LCS recovery above method control limits.
LR	LCS recovery below method control limits.



<u>Qualifier</u>	<u>Definition</u>
LW	Quantitation of unknown hydrocarbon(s) in sample based on gasoline.
LX	Quantitation of unknown hydrocarbon(s) in sample based on diesel.
MB	Analyte present in the method blank.
ME	LCS Recovery Percentage is within LCS ME Control Limit range.
PC	Sample taken from VOA vial with air bubble > 6mm diameter.
PI	Primary and confirm results varied by > than 40% RPD.
RB	RPD exceeded method control limit; % recoveries within limits.
SG	A silica gel cleanup procedure was performed.

Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture.





Laboratory Management Program LaMP Chain of Custody Record

1764

BP/ARC Project Name: BP 4977
 BP/ARC Facility No: 4977

Req Due Date (mm/dd/yy): _____ Rush TAT: Yes ___ No X
 Lab Work Order Number: _____

Lab Name: Calscience	BP/ARC Facility Address: 2770 Castro Valley Road	Consultant/Contractor: Broadbent & Associates, Inc.
Lab Address: 7440 Lincoln Way	City, State, ZIP Code: Castro Valley, CA	Consultant/Contractor Project No: 06-88-625-5-822
Lab PM: Richard Villafania	Lead Regulatory Agency: ACEH	Address: 1324 Mangrove Ave. Ste. 212, Chico, CA 95926
Lab Phone: 714-895-5494	California Global ID No.: T0600100089	Consultant/Contractor PM: Tom Venus
Lab Shipping Acct: 9225	Enfos Proposal No: 000QV-0003	Phone: 530-566-1400
Lab Bottle Order No:	Accounting Mode: Provision <u>X</u> OOC-BU ___ OOC-RM ___	Email EDD To: tvenus@broadbentinc.com
Other Info:	Stage: Operate (5) Activity: Monitoring/MNA (22)	Invoice To: BP/ARC <u>X</u> Contractor ___

BP/ARC EBM: Chuck Carmel				Matrix			No. Containers / Preservative						Requested Analyses						Report Type & QC Level	
EBM Phone:				Soil / Solid	Water / Liquid	Air / Vapor	Total Number of Containers	Unpreserved	H ₂ SO ₄	HNO ₃	HCl	Methanol	GRO (8015)	BTEX (8260)	5 Oxys (8260)	EDB (8260)	1,2-DCA (8260)	Ethanol (8260)	Standard <u>X</u>	
EBM Email:																			Full Data Package ___	
Lab No.	Sample Description	Date	Time																Comments	
1	MW-2	5/22/10	1150		X							X	X	X	X	X	X			
2	MW-3	5	122		X							X	X	X	X	X	X			
3	TB-477-5-22-10																		Hold TB	

Sampler's Name: <u>Eric Farry</u>	Relinquished By / Affiliation: <u>[Signature]</u>	Date: <u>5/22/10</u>	Time: <u>1800</u>	Accepted By / Affiliation: <u>[Signature]</u>	Date: <u>5/22/10</u>	Time: <u>0900</u>
Sampler's Company: <u>BAL</u>						
Shipment Method: <u>CSO</u>	Ship Date: <u>5/22/10</u>					
Shipment Tracking No: <u>106193746</u>						

Special Instructions:

THIS LINE - LAB USE ONLY: Custody Seals In Place: Yes / No Temp Blank: Yes / No Cooler Temp on Receipt: _____ °F/C Trip Blank: Yes / No MS/MSD Sample Submitted: Yes / No

Page 13 of 15

4.

PLEASE PRESS FIRMLY

1 DATE 5/11/10

COMPANY **BAI**

ADDRESS **675 Cott ironline Ste 6**

ADDRESS

CITY **Vacaville** STE/ROOM

ZIP **94958** ZIP CODE

SENDER NAME **E.L. Finner** PHONE NUMBER **707-247-1901**

2 COMPANY **CAL SCIENCE** PHONE NUMBER **714-895-6494**

NAME

ADDRESS **7240 LINCOLN WAY**

ADDRESS

CITY **GARDEN GROVE** STE/ROOM

ZIP **92841** ZIP CODE

3 YOUR INTERNAL BILLING REFERENCE WILL APPEAR ON YOUR INVOICE

SPECIAL INSTRUCTIONS

GSO
GOLDEN STATE OVERNIGHT

1-800-322-5555
WWW.GSO.COM

SHIPPING AIR BILL

4 PACKAGE INFORMATION

LETTER (MAX 8 OZ)

PACKAGE (WT) 70

DECLARED VALUE \$ _____

COD AMOUNT \$ _____ (CASH NOT ACCEPTED)

PACKAGE LABEL

5 DELIVERY SERVICE PRIORITY OVERNIGHT BY 10:30 AM EARLY PRIORITY BY 8:00 AM SATURDAY DELIVERY

*DELIVERY TIMES MAY BE LATER IN SOME AREAS * CONSULT YOUR SERVICE GUIDE OR CALL GOLDEN STATE OVERNIGHT.

6 RELEASE SIGNATURE _____

SIGN TO AUTHORIZE DELIVERY WITHOUT OBTAINING SIGNATURE

7 _____

8 PICK UP INFORMATION

TIME DRIVER # ROUTE #


106193746

PEEL OFF HERE



106193746

9 GSO TRACKING NUMBER



WORK ORDER #: 10-05-1764

SAMPLE RECEIPT FORM

Cooler 1 of 1

CLIENT: Broadbent & Ass.

DATE: 05/22/10

TEMPERATURE: Thermometer ID: SC1 (Criteria: 0.0 °C - 6.0 °C, not frozen)
Temperature 1.4 °C + 0.5 °C (CF) = 1.9 °C [X] Blank [] Sample
[] Sample(s) outside temperature criteria (PM/APM contacted by: _____).
[] Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling.
[] Received at ambient temperature, placed on ice for transport by Courier.
Ambient Temperature: [] Air [] Filter [] Metals Only [] PCBs Only Initial: [Signature]

CUSTODY SEALS INTACT:
[X] Cooler [] _____ [] No (Not Intact) [] Not Present [] N/A Initial: [Signature]
[] Sample [] _____ [] No (Not Intact) [X] Not Present Initial: [Signature]

Table with columns: SAMPLE CONDITION, Yes, No, N/A. Rows include Chain-Of-Custody (COC) document(s) received with samples, COC document(s) received complete, Collection date/time, matrix, and/or # of containers logged in based on sample labels, Sampler's name indicated on COC, Sample container label(s) consistent with COC, Sample container(s) intact and good condition, Proper containers and sufficient volume for analyses requested, Analyses received within holding time, pH / Residual Chlorine / Dissolved Sulfide received within 24 hours, Proper preservation noted on COC or sample container, Volatile analysis container(s) free of headspace, Tedlar bag(s) free of condensation.

CONTAINER TYPE:
Solid: [] 4ozCGJ [] 8ozCGJ [] 16ozCGJ [] Sleeve (____) [] EnCores® [] TerraCores® [] _____
Water: [] VOA [X] VOA^h [] VOAn₂ [] 125AGB [] 125AGBh [] 125AGBp [] 1AGB [] 1AGBna₂ [] 1AGBs
[] 500AGB [] 500AGJ [] 500AGJs [] 250AGB [] 250CGB [] 250CGBs [] 1PB [] 500PB [] 500PBna
[] 250PB [] 250PBn [] 125PB [] 125PBz_{na} [] 100PJ [] 100PJna₂ [] _____ [] _____ [] _____
Air: [] Tedlar® [] Summa® Other: [] _____ Trip Blank Lot#: 100517A Labeled/Checked by: [Signature]
Container: C: Clear A: Amber P: Plastic G: Glass J: Jar B: Bottle Z: Ziploc/Resealable Bag E: Envelope Reviewed by: [Signature]
Preservative: h: HCL n: HNO₃ na₂: Na₂S₂O₃ na: NaOH p: H₃PO₄ s: H₂SO₄ z_{na}: ZnAc₂+NaOH f: Field-filtered Scanned by: [Signature]

BROADBENT & ASSOCIATES INC. FIELD PROCEDURES

A.1 QUALITY ASSURANCE/QUALITY CONTROL FIELD PROTOCOLS

Field protocols have been implemented to enhance the accuracy and reliability of data collection, ground-water sample collection, transportation and laboratory analysis. Discussion of these protocols is provided below.

A.1.1 Water Level & Free-Product Measurement

Prior to ground-water sample collection from each monitoring well, the presence of separate-phase hydrocarbons (SPH or free product, FP) and depth to ground water shall be measured. Depth to ground water will be measured with a standard water level indicator that has been decontaminated prior to its use in accordance with procedures discussed below. Depth to groundwater will be gauged from a saw cut notch at the top of the well casing on each well head. Where FP is suspected, the initial gauging will be done with an oil-water interface probe. Once depth to water has been measured, the first retrieval of a new disposable bailer will be scrutinized for the presence of SPH/FP.

A.1.2 Monitoring Well Purging

Subsequent to measuring depth to ground water and prior to the collection of ground-water samples, purging of standing water within the monitoring well will be performed if called for. Consistent with the American Society for Testing and Materials (ASTM) Standard D6452-99, Section 7.1, the well will be purged of approximately three wetted-casing volumes of water, or until the well is dewatered, or until monitored field parameters indicate stabilization. The well will be purged using a pre-cleaned disposable bailer or submersible pump and disposable plastic tubing dedicated to each individual well. The well will be purged at a low flow rate to minimize the possibility of purging the well dry. So that the sample collected is representative of formation water, several field parameters will be monitored during the purging process. The sample will not be collected until these parameters (i.e. temperature, pH, and conductivity) have stabilized to within 10% of the previously measured value. If a well is purged dry, the sample should not be collected until the well has recovered to a minimum 50% of its initial volume.

A.1.3 Ground-Water Sample Collection

Once the wells are satisfactorily purged, water samples will be collected from each well. Water samples for organic analyses will be collected using a pre-cleaned, new, disposable bailer and transferred into the appropriate, new, laboratory-prepared containers such that no head space or air bubbles are present in the sample container (if appropriate to the analysis). The samples will be properly labeled (i.e. sample identification, sampler initials, date/time of collection, site location, requested analyses), placed in an ice chest with bagged ice or ice substitute, and delivered to the contracted analytical laboratory.

A.1.4 Surface Water Sample Collection

Unless specified otherwise, surface water samples will be collected from mid-depth in the central area of the associated surface water body. Water samples will be collected into appropriate, new, laboratory-prepared containers by dipping the container into the surface water unless the container has a preservative present. If a sample preservative is present, a new, cleaned non-preserved surrogate container will be used to obtain the sample which will then be directly transferred into a new, laboratory-provided, preserved container. Samples will be properly labeled and transported as described above.

A.1.5 Decontamination Protocol

Prior to use in each well, re-usable ground-water sampling equipment (e.g., water level indicator, oil-interface probe, purge pump, etc.) will be decontaminated. Decontamination protocol will include thoroughly cleaning with a solution of Liquinox, rinsing with clean water, and final rinsing with control water (potable water of known quality, distilled, or de-ionized water). Pre-cleaned new disposable bailers and disposable plastic tubing will be dedicated to each individual well.

A.1.6 Chain of Custody Procedures

Sample identification documents will be carefully prepared so identification and chain of custody can be maintained and sample disposition can be controlled. The sample identification documents include Chain-of-Custody (COC) records and Daily Field Report forms. Chain of custody procedures are outlined below.

Field Custody Procedures

The field sampler is individually responsible for the care and custody of the samples collected until they are properly transferred.

Samples will have unique labels. The information on these labels will correspond to the COC which shows the identification of individual samples and the contents of the shipping container. The original COC will accompany the shipment and a copy will be retained by the field sampler.

Transfer of Custody and Shipment

A COC will accompany samples during transfer and shipment. When transferring samples, the individual relinquishing and the individual receiving the samples will each sign, date, and note the time on the COC. This documents the sample custody transfer.

Samples will be packaged properly for shipment and dispatched to the appropriate laboratory for analysis, with a separate COC accompanying each shipment. Shipments will be accompanied by the original COC. Samples will be delivered by BAI personnel to the laboratory, or shipped by responsible courier. When a shipping courier is utilized, the sample shipment number will be identified on the COC.

A.1.7 Field Records

In addition to sample identification numbers and COC records, Daily Field Report records will be maintained by field staff to provide daily records of significant events, observations, and measurements during field investigations. These documents will contain observed information such as: the personnel present, site conditions, sampling procedures, measurement procedures, calibration records, equipment used, supplies used, etc. Field measurements will be recorded on the appropriate forms. Entries on the data forms will be signed and dated. The data forms will be kept as permanent file records.

APPENDIX B

GEOTRACKER UPLOAD CONFIRMATION RECEIPTS

STATE WATER RESOURCES CONTROL BOARD
GEOTRACKER ESI

UPLOADING A GEO_WELL FILE

SUCCESS

Processing is complete. No errors were found!
Your file has been successfully submitted!

<u>Submittal Type:</u>	GEO_WELL
<u>Submittal Title:</u>	2Q10 GEO_WELL 4977
<u>Facility Global ID:</u>	T0600100089
<u>Facility Name:</u>	ARCO #4977
<u>File Name:</u>	GEO_WELL.zip
<u>Organization Name:</u>	Broadbent & Associates, Inc.
<u>Username:</u>	BROADBENT-C
<u>IP Address:</u>	67.118.40.90
<u>Submittal Date/Time:</u>	6/21/2010 11:56:47 AM
<u>Confirmation Number:</u>	6895615577

STATE WATER RESOURCES CONTROL BOARD
GEOTRACKER ESI

UPLOADING A EDF FILE

SUCCESS

Processing is complete. No errors were found!
Your file has been successfully submitted!

<u>Submittal Type:</u>	EDF - Monitoring Report - Semi-Annually
<u>Submittal Title:</u>	2Q10 GW Monitoring
<u>Facility Global ID:</u>	T0600100089
<u>Facility Name:</u>	ARCO #4977
<u>File Name:</u>	10051764.zip
<u>Organization Name:</u>	Broadbent & Associates, Inc.
<u>Username:</u>	BROADBENT-C
<u>IP Address:</u>	67.118.40.90
<u>Submittal Date/Time:</u>	6/21/2010 11:53:10 AM
<u>Confirmation Number:</u>	3560644865

[VIEW QC REPORT](#)

[VIEW DETECTIONS REPORT](#)