RECEIVED

11:14 am, Jul 06, 2009

Alameda County Environmental Health



76 Broadway Sacramento, California 95818

July 1, 2009

Barbara Jakub Alameda County Health Agency 1131 Harbor Bay parkway, Suite250 Alameda, California 94502-577

Re: Quarterly Summary Report—Second Quarter 2009 Former 76 Service Station # 7124 RO # 2444 10151 International Blvd. Oakland, CA

Dear Ms. Jakub:

I declare under penalty of perjury that to the best of my knowledge the information and/or recommendations contained in the attached report is/are true and correct.

If you have any questions or need additional information, please call me at (916) 558-7666.

Sincerely,

Terry L. Grayson Site Manager Risk Management & Remediation



Stantec Consulting Corporation 3017 Kilgore Road Suite 100 Rancho Cordova CA 95670 Tel: (916) 861-0400 Fax: (916) 861-0430

Quarterly Summary Report - Second Quarter 2009 Former 76 Service Station No. 7124 10151 International Boulevard Oakland, California

Stantec Project No.: 211402273

Submitted to: Ms. Barbara Jakub Alameda County Environmental Health Services 1131 Harbor Bay Parkway, Suite 250 Oakland, California 94502

(Sent Via Electronic Upload to Alameda ftp)

Submitted by: Stantec Consulting Corporation 3017 Kilgore Road, Suite 100 Rancho Cordova, California 95670 916-861-0400

Prepared on behalf of: ConocoPhillips Company Mr. Terry Grayson Site Manager 76 Broadway Sacramento, California 95818

July 1, 2009

INTRODUCTION

On behalf of ConocoPhillips, Stantec Consulting Corporation (Stantec), is forwarding the quarterly summary report for the former 76 Service Station No. 7124, located at 10151 International Boulevard, in Oakland, California.

SITE DESCRIPTION

The site is currently an active Royal Gasoline Station located on the northwest corner of the intersection of International Boulevard and 102nd Avenue in Oakland, California (Figure 1). Site facilities include three underground storage tanks (USTs) and associated piping and fuel dispensers. A detailed site plan is included as Figure 2.

SITE GEOLOGY AND HYDROGEOLOGY

As shown in the United States Geological Survey Geologic Map and Map Database of the Oakland Metropolitan Area, Alameda, Contra Costa, and San Francisco Counties, California, prepared in 2000, the site is underlain by Holocene-aged alluvial fan and fluvial deposits. Based on assessment activities performed by Stantec in September 2008, the subsurface generally consists of silty sands to depths of 5 to 7 feet below ground surface (bgs), with a clay layer generally being encountered beneath the sand layer to depths of 12 to 15 feet bgs. Below this clay layer, the subsurface generally consists of interbedded silt and clay layers with occasional sand layers with thicknesses of up to three feet being observed.

As outlined in the California Department of Water Resources 2003 *California Groundwater: Bulletin 118*, the site lies within the East Bay Plain Subbasin of the Santa Clara Valley Groundwater Basin. The East Bay Plain Subbasin is a northwest trending alluvial plain of Quaternary Age, bounded on the north by San Pablo Bay, on the east by the contact with Franciscan Complex rocks, on the south by the Niles Cone Groundwater Basin. The East Bay Plain Subbasin extends beneath San Francisco Bay to the west.

PREVIOUS ASSESSMENT

On March 22, 2000, SECOR International Incorporated (SECOR [now Stantec]) supervised the removal and replacement of product lines and dispensers by Balch Petroleum of Milpitas, California. Soil samples collected from beneath the dispensers and product lines revealed the presence of total petroleum hydrocarbons as gasoline (TPHg) at a maximum concentration of 6,200 milligrams per kilogram (mg/kg), methyl tertiary butyl ether (MTBE) up to120 mg/kg, and benzene up to 7.4 mg/kg. Excavation and sampling activities were observed and approved by Inspector Gomez of the City of Oakland Fire Services Agency.

On March 27, 2000, SECOR observed the over-excavation of approximately 60 cubic yards of soil from the beneath those portions of the dispensers and product lines where soil samples with elevated concentrations of petroleum hydrocarbons were located. Areas measuring approximately 8-10 feet long by 8-10 feet wide were over-excavated to an approximate depth of 8 feet bgs in each of these areas. Additional over-excavation in these areas was not possible due to their proximity to the footings of the service station canopy. TPHg was detected in two of

the three samples at a concentration of 108 mg/kg; benzene was detected in one of the three samples at 0.162 mg/kg; and MTBE was detected in all three samples at maximum concentrations of up to 43.8 mg/kg. Lead was not detected at or above laboratory reporting limits in any samples.

During February 2002, SECOR supervised the installation of four on-site groundwater monitoring wells. Prior to well installation, all borings were advanced to 26.5 feet bgs, and subsurface soil samples were collected every five feet. Soil samples were analyzed for gasoline range organics (GRO), benzene, toluene, ethylbenzene, total xylenes (BTEX), and fuel oxygenates via EPA Method 8260B. The maximum reported concentrations were 42 mg/kg GRO, 0.36 mg/kg ethylbenzene, 0.26 mg/kg xylenes, and 1.2 mg/kg MTBE.

In September 2008, Stantec oversaw the advancement of two on-site and five off-site direct push soil borings. Soil and grab groundwater samples were collected and analyzed for total purgeable petroleum hydrocarbons (TPPH [aka gasoline]), BTEX, and fuel oxygenates tert-butyl alcohol (TBA), MTBE, di-isopropyl ether (DIPE), ethyl tert-butyl ether (ETBE), tert-amyl methyl ether (TAME), and ethanol, as well as, ethylene di-bromide (EDB) and 1,2-dichloroethane (1,2-DCA) via EPA Method 8260B. Maximum concentrations of TPPH and MTBE in groundwater were observed in off-site boring SB-4 (north of monitoring well MW-3), at concentrations of 45,000 micrograms per liter (μ g/L), and 62 μ g/L, respectively.

SENSITIVE RECEPTORS

During the third quarter of 2004, SECOR completed a ½-mile radius agency receptor survey and obtained an Environmental Data Resources Incorportated (EDR) radius map for the site. The agency survey identified two industrial supply wells, three cathodic protection wells, and two wells of unknown type within the search radius. The survey also identified twelve wells of unknown type that could not be located precisely because the records on file with DWR did not include this information. These wells may or may not be located within the search radius. The EDR radius map did not identify any water supply wells within the search radius, but did identify two water supply wells within one mile of the site.

During the third quarter of 2008, Stantec contacted the DWR to obtain copies of all well completion reports for wells located within 0.25-mile of the site. Stantec reviewed these well completion reports and determined that monitoring and vapor extraction wells associated with two sites are located within 0.25-mile of the site. One monitoring well is located approximately 650 feet south-southeast of the site (cross-gradient), while six monitoring wells and two vapor extraction wells are located approximately 1,150 feet north-northwest of the site (cross-gradient). No domestic or industrial supply wells or irrigation wells were located within 0.25-mile of the site.

Stantec also performed a utility survey at the site. The survey was conducted by having Underground Services Alert (USA) mark the site for utilities. Stantec staff subsequently hired a private utility locator to confirm utility locations and attempt to locate any potential utilities not marked by USA. Based on depth to groundwater (generally 15 to 20 feet bgs) and observed dissolved-phase hydrocarbon distribution, Stantec felt the utility trenches do not represent likely preferential pathways, and accordingly, did not determine the depths of the utility trenches.

MONITORING AND SAMPLING

The site has been monitored and sampled since the third quarter 2002. Currently, four wells are monitored quarterly (MW-1 through MW-4). Samples are analyzed for TPPH, BTEX, fuel oxygenates TBA, MTBE, DIPE, ETBE, TAME, and ethanol, and lead scavengers EDB and 1,2-DCA by EPA Method 8260B.

During the second quarter 2009, depth to groundwater ranged between 15.60 and 17.61 feet below top of casing (toc). Historical groundwater depths have previously been reported between 15.11 and 19.25 feet below toc. The direction of groundwater flow was toward the west at a gradient of 0.009 foot/foot (Attachment 1). Historically, groundwater gradient flows to the west, southwest, and south, with a westerly gradient being the predominant direction.

The highest concentrations of TPPH and MTBE continue to be detected in on-site well MW-3 (historical highs of 130,000 μ g/L and 10,000 μ g/L, respectively, observed in 2003). This quarter, the maximum concentrations of TPPH and MTBE were reported in well MW-3 at 1,800 μ g/L, and 560 μ g/L, respectively (Attachment 1). The down-gradient/cross-gradient extent of the dissolved plume remains undefined by the existing monitoring well network.

CHARACTERIZATION STATUS

None of the groundwater samples collected during the second quarter 2009 quarterly sampling event showed detectable levels of any BTEX components. The highest concentrations of residual TPHg and/or MTBE contamination are localized in the northeastern area of the site in the vicinity of MW-3. The extent of dissolved contamination is undefined in the down-gradient (northwest) direction. The variable TBA levels in MW-4 may indicate active biodegradation of MTBE is occurring beneath the site.

REMEDIATION STATUS

Currently, there is no active remediation at this site.

CURRENT ASSESSMENT ACTIVITIES

No assessment activities were performed during the second quarter 2009.

RECENT SUBMITTALS/CORRESPONDENCE

- Submitted Quarterly Summary and Monitoring Report First Quarter 2009, dated March 11, 2009.
- Received Letter from Alameda County Environmental Health Services, dated June 18, 2009, requesting preparation of a work plan for additional assessment and remediation pilot testing.

WASTE DISPOSAL SUMMARY

The volume of purged groundwater generated and disposed of during the quarterly groundwater monitoring event is documented in TRC's *Quarterly Monitoring Report, April through June 2009,* dated May 7, 2009 (Attachment 1).

CONCLUSIONS

The second quarter 2009 hydrocarbon concentrations were generally similar to those observed during previous quarterly sampling events. **Based on the relatively stable nature of the dissolved-phase contamination, and guidance provided in the State Water Resources Control Board Resolution No. 2009-0042, Stantec recommends the monitoring and sampling frequency at the site be decreased to a semi-annual basis. As stated in Stantec's** *Additional Assessment Report***, dated October 15, 2008, additional delineation of dissolved-phase impact is still required north of the site. Based on a letter from Alameda County Environmental Health Services, dated June 18, 2009, Stantec will prepare a work plan during the third quarter of 2009 which will propose additional site assessment and remediation pilot testing.**

THIS QUARTER ACTIVITIES (Second Quarter 2009)

- 1. TRC performed quarterly groundwater monitoring and sampling event.
- 2. Stantec prepared and submitted a quarterly summary and monitoring report.

NEXT QUARTER ACTIVITIES (Third Quarter 2009)

- 1. TRC to perform coordinated groundwater monitoring and sampling event.
- 2. Stantec to prepare and submit quarterly summary and monitoring report.
- 3. Stantec to prepare and submit a work plan proposing additional site assessment and remediation pilot testing.


LIMITATIONS

This report presents our understanding of existing conditions at the subject site located at 10151 International Boulevard, Oakland, California. Evaluations of the geologic conditions at the site for the purposes of this investigation are inherently limited due to the number of observation points. There are no representations, warranties, or guarantees that the points selected for sampling are representative of the entire site. Data from this report reflects the conditions at specific locations at a specific point in time. Stantec assumes no responsibility for work reported or performed by other consultants or contractors. Stantec makes no warranties or guarantees for the groundwater monitoring report (Attachment 1) prepared by TRC. No other interpretation, representations, warranties, guarantees, express or implied, are included or intended in the report findings.

Sincerely,

Stantec Consulting Corporation

Benjamin Chevlen, P.G. Senior Geologist



Ed Simonis, P.G. Senior Geologist


Attachments:


Figure 1 – Site Location Map Figure 2 – Site Plan

Attachment 1 - TRC's *Quarterly Monitoring Report – April through June 2009*, dated May 11, 2009.

cc: Mr. Terry Grayson, ConocoPhillips (via electronic upload to Livelink only)

FIGURES






FILEPATH:M:\ConocoPhillips\7124\FIG2-7124-SITEPLAN.dwg | Layout Tab: Layout1 | Drafter: miramirez | Sep 23, 2008 at 12:20

ATTACHMENT 1 TRC'S QUARTERLY MONITORING REPORT APRIL THROUGH JUNE 2009

Quarterly Summary Report – Second Quarter 2009 Former 76 Station 7124 10151 International Boulevard Oakland, California



RE: QUARTERLY MONITORING REPORT APRIL THROUGH JUNE 2009

Dear Mr. Grayson:

Please find enclosed our Quarterly Monitoring Report for 76 Station 7124, located at 10151 International Boulevard, Oakland, California. If you have any questions regarding this report, please call us at (949) 727-9336.

Sincerely,

TRC

Anju Farfan Groundwater Program Operations Manager

CC: Mr. Ben Chevlen, Stantec, Inc (2 copies)

Enclosures 200400/7124R23 QMS.doc

QUARTERLY MONITORING REPORT APRIL THROUGH JUNE 2009

76 STATION 7124 10151 International Boulevard Oakland, California

Prepared For:

Mr. Terry Grayson CONOCOPHILLIPS COMPANY 76 Broadway Sacramento, California 95818

By:

CHESSIONAL GEO DENNIS E Ū. JENSEN No. 3531 O_F CALIF

Senior Project Geologist, Irvine Operations

Date: 5/7/09



	LIST OF ATTACHMENTS
Summary Sheet	Summary of Gauging and Sampling Activities
Tables	Table Key
	Contents of Tables
	Table 1: Current Fluid Levels and Selected Analytical Results
	Table 1a: Additional Current Analytical Results
	Table 2: Historic Fluid Levels and Selected Analytical Results
	Table 2a: Additional Historic Analytical Results
Figures	Figure 1: Vicinity Map
	Figure 2: Groundwater Elevation Contour Map
	Figure 2A: Historical Groundwater Flow Direction
	Figure 3: Dissolved-Phase TPH-G (GC/MS) Concentration Map
	Figure 4: Dissolved-Phase Benzene Concentration Map
	Figure 5: Dissolved-Phase MTBE Concentration Map
Graphs	Groundwater Elevations vs. Time
	MTBE 8260B Concentrations vs. Time
Field Activities	General Field Procedures
	Field Monitoring Data Sheet – 04/16/09
	Groundwater Sampling Field Notes – 04/16/09
Laboratory	Official Laboratory Reports
Reports	Quality Control Reports
	Chain of Custody Records
Statements	Purge Water Disposal
	Limitations

Summary of Gauging and Sampling Activities April 2009 through June 2009 76 Station 7124 10151 International Boulevard Oakland, CA

Project Coordinator: Terry Grayson Telephone: 916-558-7666	Water Sampling Contractor: <i>TRC</i> Compiled by: Christina Carrillo
Date(s) of Gauging/Sampling Event: 04/16/0	9
Sample Points	
Groundwater wells: 4 onsite, 0 offsite Purging method: Submersible pump Purge water disposal: Veolia/Rodeo Unit 10 Other Sample Points: 0 Type:	Points gauged: 4 Points sampled: 4
Liquid Phase Hydrocarbons (LPH)	
Sample Points with LPH: 0 Maximum thickn LPH removal frequency: Treatment or disposal of water/LPH:	ess (feet): Method:
Hydrogeologic Parameters	
Depth to groundwater (below TOC): Minimu Average groundwater elevation (relative to avail Average change in groundwater elevation since Interpreted groundwater gradient and flow direc Current event: 0.009 ft/ft, west Previous event: 0.007 ft/ft, west (01/14)	able local datum): 21.06 feet previous event: 1.51 feet ction:
Selected Laboratory Results	
Sample Points with detected Benzene: 0 Maximum reported benzene concentration:	Sample Points above MCL (1.0 µg/l):
Sample Points withTPH-G by GC/MS3Sample Points withMTBE 8260B3	Maximum: 1,800 µg/l (MW-3) Maximum: 560 µg/l (MW-3)

Notes:

This report presents the results of groundwater monitoring and sampling activities performed by TRC. Please contact the primary consultant for other specific information on this site.

TABLES

STANDARD ABBREVIATIONS

- -- = not analyzed, measured, or collected
- LPH = liquid-phase hydrocarbons
- Trace = less than 0.01 foot of LPH in well
- $\mu g/l$ = micrograms per liter (approx equivalent to parts per billion, ppb)
- mg/l = milligrams per liter (approx equivalent to parts per million, ppm)
- ND< = not detected at or above laboratory detection limit
- TOC = top of casing (surveyed reference elevation)
- D = duplicate
- P = no-purge sample

ANALYTES		
BTEX	-	benzene, toluene, ethylbenzene, and (total) xylenes
DIPE	=	di-isopropyl ether
EIBE	=	ethyl tertiary butyl ether
MTBE		methyl tertiary butyl ether
PCB		polychlorinated biphenyls
PCE	=	tetrachloroethene
TBA		tertiary butyl alcohol
ICA	-	trichloroethane
ICE		trichloroethene
IPH-G	=	total petroleum hydrocarbons with gasoline distinction
IPH-G (GC/MS)	=	total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B
TPH-D	=	total petroleum hydrocarbons with diesel distinction
TRPH	=	total recoverable petroleum hydrocarbons
TAME	=	tertiary amyl methyl ether
1,1-DCA	=	1,1-dichloroethane
1,2-DCA	=	1,2-dichloroethane (same as EDC, ethylene dichloride)
1,1-DCE	=	1,1-dichloroethene
1,2-DCE	=	1,2-dichloroethene (cis- and trans-)

<u>NOTES</u>

- 1. Elevations are in feet above mean sea level Depths are in feet below surveyed top-of-casing.
- 2 Groundwater elevations for wells with LPH are calculated as: <u>Surface Elevation Measured Depth to Water + (Dp x LPH Thickness</u>), where Dp is the density of the LPH, if known A value of 0.75 is used for gasoline and when the density is not known. A value of 0.83 is used for diesel
- 3. Wells with LPH are generally not sampled for laboratory analysis (see General Field Procedures).
- 4. Comments shown on tables are general Additional explanations may be included in field notes and laboratory reports, both of which are included as part of this report.
- 5 A "J" flag indicates that a reported analytical result is an estimated concentration value between the method detection limit (MDL) and the practical quantification limit (PQL) specified by the laboratory.
- 6. Other laboratory flags (qualifiers) may have been reported See the official laboratory report (attached) for a complete list of laboratory flags
- 7 Concentration graphs based on tables (presented following Figures) show non-detect results prior to the Second Quarter 2000 plotted at fixed values for graphical display. Non-detect results reported since that time are plotted at reporting limits stated in the official laboratory report.

REFERENCE

TRC began groundwater monitoring and sampling for 76 Station 7124 in October 2003. Historical data compiled prior to that time were provided by Gettler-Ryan Inc

Contents of Tables 1 and 2 Site: 76 Station 7124

Current Event

Table 1	Well/ Date	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G 8015 (Luft)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylen es	MTBE (8021B)	MTBE (8260B)
Table 1a	Well/ Date	ТВА	Ethanol (8260B)	Ethylene- dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	ТАМЕ					
Historic	Data												
Table 2	Well/ Date	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G 8015 (Luft)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)
Table 2a	Well/ Date	ТВА	Ethanol (8015B)	Ethanol (8260B)	Ethylene- dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME				

Table 1 CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS April 16, 2009 76 Station 7124

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness		Change in Elevation	TPH-G 8015 (Luft)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-1 04/16/0	9 37.37	15.60	0.00	21.77	1.70	-1 m-	ND<50	ND<0.50	ND<0.50	ND<0.50			ND<0.50	
MW-2 04/16/0	9 37.87	16.94	0.00	20.93	1.46		93	ND<0.50	ND<0.50	ND<0.50	ND<1.0		3.2	
MW-3 04/16/09	9 37.72	16.92	0.00	20.80	1.41		1800	ND<2.5	ND<2.5	ND<2.5	ND<5.0		560	
MW-4 04/16/09	9 38.36	17.61	0.00	20.75	1.49		390	ND<0.50	ND<0.50	ND<0.50	ND<1.0		1 6	

Date Sampled	TBA (µg/l)	Ethanol (8260B) (μg/l)	Ethylene- dibromide (EDB) (μg/l)	i,2-DCA (EDC) (μg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (μg/l)
MW-1 04/16/09	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
MW-2 04/16/09	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
MW-3 04/16/09	ND<50	ND<1200	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5
MW-4 04/16/09	170	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50

Table 1 a ADDITIONAL CURRENT ANALYTICAL RESULTS 76 Station 7124

CTRC

7124

Table 2 HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS April 2002 Through April 2009 76 Station 7124

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G 8015 (Luft)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-1												•		, , , , , , , , , , , , , , , , , , ,
04/08/0)2 37.37	14.27	0.00	23.10		ND<50		ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	ND<2.0	
07/28/0)2 37.37	15.88	0.00	21.49	-1.61		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<2.0	
11/03/0)2 37.37	16.75	0.00	20.62	-0.87		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<2.0	
01/24/0)3 37.37	13.94	0.00	23.43	2.81		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<2.0	
04/02/0	3 37.37	14.99	0.00	22.38	-1.05		460	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<2.0	
07/01/0	3 37.37	15.48	0.00	21.89	-0.49		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<2.0	
10/02/0	3 37.37	16.68	0.00	20.69	-1.20		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<2.0	
01/09/0	4 37.37	13.79	0.00	23.58	2.89		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1		ND<2	
04/26/0)4 37.37	15.21	0.00	22.16	-1.42		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
07/22/0)4 37.37	16.43	0.00	20.94	-1.22		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
10/29/0	4 37.37	16.14	0.00	21.23	0.29		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
01/12/0	5 37.37	12.83	0.00	24.54	3.31		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
06/20/0	5 37.37	14.38	0.00	22.99	-1.55		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
09/23/(5 37.37	15.92	0.00	21.45	-1.54		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
12/13/0	5 37.37	16.09	0.00	21.28	-0.17		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
03/24/0	6 37.37	11.85	0.00	25.52	4,24		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
05/30/0	6 37.37	13.30	0.00	24.07	-1.45		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
08/22/0	6 37.37	15.11	0.00	22.26	-i.81		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50		ND<0.50	
10/31/(6 37.37	16.11	0.00	21.26	-1.00		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50		ND<0.50	
01/12/(7 37.37	15.55	0.00	21.82	0.56		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50		ND<0.50	
04/04/0	7 37.37	15.31	0.00	22.06	0.24		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50		ND<0.50	
07/05/0	7 37.37	16.21	0.00	21.16	-0.90		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50		ND<0.50	

Page 1 of 6

Table 2 HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS April 2002 Through April 2009 76 Station 7124

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G 8015 (Luft)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
*****	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-1	continued													
10/01/0		17.13	0.00	20.24	-0.92		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50		ND<0.50	
01/11/0		14.48	0.00	22.89	2.65		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
04/04/0		16.17	0.00	21.20	-1.69		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	Gauged on 5-22-08
07/02/0	8 37.37	16.70	0.00	20.67	-0.53		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
10/02/0	8 37.37	17.50	0.00	19.87	-0.80		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
01/14/0	9 37.37	17.30	0.00	20.07	0.20		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
04/16/0	9 37.37	15.60	0.00	21.77	1.70		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
MW-2														
04/08/0	2 37.87	15.86	0.00	22.01		4400		ND<2.5	ND<2.5	6.4	ND<2.5	380	490	
07/28/0	2 37.87	17.28	0.00	20.59	-1.42		3200	ND<2.5	ND<2.5	ND<2.5	ND<5.0		170	
11/03/0	2 37.87	18.03	0.00	19.84	-0.75		3800	ND<5.0	ND<5.0	ND<5.0	ND<10		72	
01/24/0	3 37.87	15.59	0.00	22.28	2.44		410	ND<2.5	ND<2.5	ND<2.5	ND<5.0		490	
04/02/0	3 37.87	16.50	0.00	21.37	-0.91		1000	ND<5.0	ND<5.0	ND<5.0	ND<10		180	
07/01/0	3 37.87	16.94	0.00	20.93	-0.44		1900	ND<2.5	ND<2.5	ND<2.5	ND<5.0		120	
10/02/0	3 37.87	17.93	0.00	19.94	-0.99		6900	ND<0.50	ND<0.50	ND<0.50	ND<1.0		32	
01/09/0	4 37.87	15.42	0.00	22.45	2.51		1000	ND<2.5	ND<2.5	ND<2.5	ND<5.0		300	
04/26/0	4 37.87													Covered with asphalt
07/22/0	4 37.87													Covered with asphalt
10/29/0	4 37.87		0.00											Well is paved over.
01/12/0	5 37.87													Well was paved over.
06/20/0	5 37.87	15.94	0.00	21.93			120	ND<0.50	ND<0.50	ND<0.50	ND<1.0		46	
09/23/0	5 37.87	17.29	0.00	20.58	-1.35		120	ND<0.50	ND<0.50	ND<0.50	ND<1.0		10	
12/13/0	5 37.87	17.41	0.00	20.46	-0.12		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		11	
7124								Page 2	2 of 6					ÔTPC



Table 2HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTSApril 2002 Through April 200976 Station 7124

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground- water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (Luft) (μg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl- benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
	continued		()	()		(F8-7)	(1987)	(#84)	(48.1)	(µ6/1)	(µg/1)	(#8/1)	(µg/1)	
03/24/0		13.77	0.00	24.10	3.64		190	ND<0.50	ND<0.50	ND<0.50	ND<1.0		15	
05/30/0	6 37.87	15.16	0.00	22.71	-1.39		120		ND<0.50		ND<1.0		6.6	
08/22/0	6 37.87	16.49	0.00	21.38	-1.33		81	ND<0.50	ND<0.50	ND<0.50	ND<0.50		3.0	
10/31/0	6 37.87	17.15	0.00	20.72	-0.66		93	ND<0.50	ND<0.50	ND<0.50	ND<0.50		2.0	
01/12/0	7 37.87	17.07	0.00	20.80	0.08		230	ND<0.50	ND<0.50	ND<0.50	ND<0.50		4.3	
04/04/0	7 37.87	17.84	0.00	20.03	-0.77		110	ND<0.50	ND<0.50	ND<0.50	ND<0.50		2.5	
07/05/0	7 37.87	17.51	0.00	20.36	0.33		150	ND<0.50	ND<0.50	ND<0.50	ND<0.50		2.6	
10/01/0	7 37.87	18.25	0.00	19.62	-0.74		160	ND<0.50	ND<0.50	ND<0.50	ND<0.50		2.0	
01/11/0	8 37.87	16.80	0.00	21.07	1.45		130	ND<0.50	ND<0.50	ND<0.50	ND<1.0		7.7	
05/22/0	8 37.87	17.46	0.00	20.41	-0.66		140	ND<0.50	ND<0.50	ND<0.50	ND<1.0		4.2	Gauged and sampled on 5-22- 08
07/02/0	8 37.87	17.94	0.00	19.93	-0.48		75	ND<0.50	ND<0.50	ND<0.50	ND<1.0		2.4	
10/02/0	8 37.87	18.65	0.00	19.22	-0.71		130	ND<0.50	ND<0.50	ND<0.50	ND<1.0		2.1	
01/14/0		18.40	0.00	19.47	0.25		66	ND<0.50	ND<0.50	ND<0.50	ND<1.0		2.5	
04/16/0	9 37.87	16.94	0.00	20.93	1.46		93	ND<0.50	ND<0.50	ND<0.50	ND<1.0		3.2	
MW-3														
04/08/0	2 37.72	15.86	0.00	21.86		8700		65	ND<25	400	ND<25	6500	8300	
07/28/0	2 37.72	17.22	0.00	20.50	-1.36		4500	ND<25	ND<25	ND<25	ND<50		1100	
11/03/0	2 37.72	17.90	0.00	19.82	-0.68		25000	ND<5.0	ND<5.0	25	ND<10		470	
01/24/0	3 37.72	15.57	0.00	22.15	2.33		6000	ND<25	ND<25	94	ND<50		10000	
04/02/0	3 37.72	16.45	0.00	21.27	-0.88		130000	ND<100	ND<100	ND<100	ND<200		4400	
07/01/0	3 37.72	16.88	0.00	20.84	-0.43		9400	ND<10	ND<10	ND<10	ND<20		2200	
10/02/03	3 37.72	17.85	0.00	19.87	-0.97		73000	ND<50	ND<50	ND<50	ND<100		460	

Page 3 of 6

©TRC

Table 2 HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS April 2002 Through April 2009 76 Station 7124

	Date Sampled		Depth to Water	LPH Thickness	Ground- water Elevation	Change 1n Elevation	TPH-G 8015 (Luft)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-	Total	MTBE	MTBE	Comments
		(feet)	(feet)	(feet)	(feet)	(feet)	(Lult) (μg/l)	(GC/MS) (μg/l)	(µg/l)	(μg/l)	benzene (µg/l)	Xylenes (µg/l)	(8021B) (µg/l)	(8260B) (µg/l)	
•	MW-3	continued													
	01/09/0	4 37.72	15.31	0.00	22.41	2.54		8700	ND<25	ND<25	98	ND<50		3800	
	04/26/0	4 37.72	16.62	0.00	21.10	-1.31	<u> </u>	6700	ND<25	ND<25	ND<25	ND<50		3900	
	07/22/0	4 37.72	17.62	0.00	20.10	-1.00		13000	ND<25	ND<25	ND<25	ND<50		980	
	10/29/0	4 37.72	17.29	0.00	20.43	0.33		4600	ND<5.0	ND<5.0	13	ND<10		640	
	01/12/0	5 37.72	14.64	0.00	23.08	2.65		6100	0.88	0.99	30	2.2		6900	
	06/20/0	5 37.72	15.91	0.00	21.81	-1.27		1900	ND<0.50	0.21J	0.52	0.46J		960	
	09/23/0	5 37.72	17.20	0.00	20.52	-1.29		2400	ND<0.50	ND<0.50	ND<0.50	ND<1.0		160	
	12/13/0	5 37.72	17.32	0.00	20.40	-0.12		2100	ND<2.5	ND<2.5	ND<2.5	ND<5.0		340	
	03/24/0	6 37.72	13.86	0.00	23.86	3.46		2200	ND<5.0	ND<5.0	ND<5.0	ND<10		970	
	05/30/0	6 37.72	15.69	0.00	22.03	-1.83		1500	ND<12	ND<12	ND<12	ND<25		760	
	08/22/0	6 37.72	16.51	0.00	21.21	-0.82		1900	ND<0.50	ND<0.50	ND<0.50	ND<0.50		160	
	10/31/0	6 37.72	17.36	0.00	20.36	-0.85		2200	ND<0.50	ND<0.50	ND<0.50	ND<0.50		58	
	01/12/0	7 37.72	16.85	0.00	20.87	0.51		2600	ND<0.50	ND<0.50	ND<0.50	ND<0.50		680	
	04/04/0	7 37.72	16.62	0.00	21.10	0.23		1700	ND<0.50	ND<0.50	ND<0.50	ND<0.50		650	
	07/05/0′	7 37.72	17.42	0.00	20.30	-0.80		2400	ND<0.50	ND<0.50	ND<0.50	ND<0.50		160	
	10/01/0′	7 37.72	18.16	0.00	19.56	-0.74		1700	ND<1.0	ND<1.0	ND<1.0	ND<1.0		87	
	01/11/0	8 37.72	15.84	0.00	21.88	2.32		2200	ND<0.50	ND<0.50	1.6	ND<1.0		1300	
	04/04/08	8 37.72	17.30	0.00	20.42	-1.46		1600	ND<1.0	ND<1.0	ND<1.0	ND<2.0		470	Gauged on 5-22-08
	07/02/08	8 37.72	17.84	0.00	19.88	-0.54		1200	ND<0.50	ND<0.50	ND<0.50	ND<1.0		91	
	10/02/08	8 37.72	18.50	0.00	19.22	-0.66		2100	ND<0.50	ND<0.50	ND<0.50	ND<1.0		84	
	01/14/09	9 37.72	18.33	0.00	19.39	0.17		2000	ND<0.50	ND<0.50	ND<0.50	ND<1.0		320	
	04/16/09	9 37.72	16.92	0.00	20.80	1.41		1800	ND<2.5	ND<2.5	ND<2.5	ND<5.0		560	

MW-4 7124

Page 4 of 6

CTRC

Table 2 HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS April 2002 Through April 2009 76 Station 7124

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground- water Elevation	Change 1n Elevation	TPH-G 8015 (Luft)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(μg/l)	(µg/l)	(µg/l)	
MW-4	continued													
04/08/0		16.59	0.00	21.77		13000		ND<5.0	ND<5.0	28	ND<5.0	790	980	
07/28/0		17.93	0.00	20.43	-1.34		18000	ND<2.5	ND<2.5	ND<2.5	ND<5.0		170	
11/03/0		18.66	0.00	19.70	-0.73		220	ND<0.50	ND<0.50	ND<0.50	ND<1.0		5.7	
01/24/0		16.27	0.00	22.09	2.39		ND<1000	ND<10	ND<10	ND<10	ND<20		1000	
04/02/0		17.19	0.00	21.17	-0.92		130000	ND<100	ND<100	ND<100	ND<200		ND<400	
07/01/0		17.61	0.00	20.75	-0.42		15000	ND<2.5	ND<2.5	ND<2.5	ND<5.0		170	
10/02/0	3 38.36	18.58	0.00	19.78	-0.97		7100	ND<10	ND<10	ND<10	ND<20		70	
01/09/0	4 38.36	16.15	0.00	22.21	2.43		18000	ND<10	ND<10	ND<10	ND<20		530	
04/26/0	38.36	17.20	0.00	21.16	-1.05		6500	ND<10	ND<10	ND<10	ND<20		240	
07/22/0	4 38.36	18.34	0.00	20.02	-1.14		18000	ND<10	ND<10	ND<10	ND<20		48	
10/29/0	4 38.36	18.13	0.00	20.23	0.21		2700	ND<2.5	ND<2.5	ND<2.5	ND<5.0		76	
01/12/0	38.36	15.22	0.00	23.14	2.91		1300	ND<0.50	ND<0.50	ND<0.50	ND<1.0		620	
06/20/0	5 38.36	16.63	0.00	21.73	-1.41		980	ND<0.50	ND<0.50	ND<0.50	ND<1.0		110	
09/23/0	5 38.36	17.93	0.00	20.43	-1.30		1500	ND<0.50	ND<0.50	ND<0.50	ND<1.0		34	
12/13/0	5 38.36	18.04	0.00	20.32	-0.11		3900	ND<0.50	ND<0.50	ND<0.50	ND<1.0		36	
03/24/0	6 38.36	14.48	0.00	23.88	3.56		1500	ND<12	ND<12	ND<12	ND<25		200	
05/30/0	6 38.36	15.79	0.00	22.57	-1.31		1200	ND<2.5	ND<2.5	ND<2.5	ND<5.0		130	
08/22/0	6 38.36	17.26	0.00	21.10	-1.47		980	ND<0.50	ND<0.50	ND<0.50	ND<0.50		33	
10/31/0	6 38.36	18.08	0.00	20.28	-0.82		1300	ND<0.50	ND<0.50	ND<0.50	ND<0.50		10	
01/12/0	38.36	17.57	0.00	20.79	0.51		820	ND<0.50	ND<0.50	ND<0.50	ND<0.50		28	
04/04/0	7 38.36	17.40	0.00	20.96	0.17		460	ND<0.50	ND<0.50	ND<0.50	ND<0.50		41	
07/05/0	7 38.36	18.02	0.00	20.34	-0.62		920	ND<0.50	ND<0.50	ND<0.50	ND<0.50		7.0	
10/01/0	38.36	18.89	0.00	19.47	-0.87		560	ND<0.50	ND<0.50	ND<0.50	ND<0.50		3.0	
7124								Page	5 of 6					ÔTPC


CTRC

Table 2 HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS April 2002 Through April 2009 76 Station 7124

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness		Change in Elevation	TPH-G 8015 (Luft)	TPH-G (GC/MS)	Benzene	Toluene	Ethy1- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-4	continued													
01/11/(38.36	16.56	0.00	21.80	2.33		340	ND<0.50	ND<0.50	ND<0.50	ND<1.0		21	
05/22/0	38.36	18.10	0.00	20.26	-1.54		520	ND<0.50	ND<0.50	ND<0.50	ND<1.0		5.6	Gauged and sampled on 5-22- 08
07/02/0	08 38.36	18.55	0.00	19.81	-0.45		340	ND<0.50	ND<0.50	ND<0.50	ND<1.0		3.3	
10/02/0)8 38.36	19.25	0.00	19.11	-0.70		79 0	ND<0.50	ND<0.50	ND<0.50	ND<1.0		2.4	
01/14/(9 38.36	19.10	0.00	19.26	0.15		430	ND<0.50	ND<0.50	ND<0.50	ND<1.0		2.4	
04/16/()9 38.36	17.61	0.00	20.75	1.49		390	ND<0.50	ND<0.50	ND<0.50	ND<1.0		16	

					7	Station /124		
Date				Ethylene-				
Sampled		Ethanol	Ethanol	dibromide	i,2-DCA			
	TBA	(8015B)	(8260B)	(EDB)	(EDC)	DIPE	ETBE	TAME
	(µg/l)	(mg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
MW-1						· · · · · · · · · · · · · · · · · · ·		·
07/28/02	ND<100	ND<500		ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
11/03/02	ND<100	ND<500		ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
01/24/03	ND<100	ND<500		ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
04/02/03	ND<100	ND<500		ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
07/01/03	ND<100	ND<500		ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
10/02/03	ND<100		ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
01/09/04	ND<100		ND<500	ND<2	ND<2.0	ND<2	ND<2	ND<2
04/26/04	ND<5.0		ND<50	ND<0.50	ND<0.50	ND<1.0	ND<0.50	ND<0.50
07/22/04	ND<5.0		ND<50	ND<0.50	ND<0.50	ND<1.0	ND<0.50	ND<0.50
10/29/04	ND<5.0		ND<50	ND<0.50	ND<0.50	ND<1.0	ND<0.50	ND<0.50
01/12/05	ND<5.0		ND<50	ND<0.50	ND<0.50	ND<1.0	ND<0.50	ND<0.50
06/20/05	ND<10		ND<1000	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
09/23/05	ND<10		ND<1000	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
12/13/05	ND<10		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
03/24/06	ND<10		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
05/30/06	ND<10		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
08/22/06	ND<10		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
10/31/06	ND<10		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
01/12/07	ND<10		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
04/04/07	ND<10		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
07/05/07	ND<10		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
10/01/07	ND<10		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
01/11/08	ND<10	<u> </u>	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
04/04/08	ND<10		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
07/02/08	ND<10		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50

7124





					70	Station /124					
Date				Ethylene-							
Sampled		Ethanol	Ethanol	dibromide	1,2-DCA						
	TBA	(8015B)	(8260B)	(EDB)	(EDC)	DIPE	ETBE	TAME			
	(µg/l)	(mg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)			
MW-1 cc	ontinued			-					 		
10/02/08	ND<10		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50			
01/14/09	ND<10		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50			
04/16/09	ND<10		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50			
MW-2											
04/08/02	ND<2000	ND<10000		ND<40	ND<40	ND<40	ND<40	ND<40			
07/28/02	ND<500	ND<2500		ND<10	ND<10	ND<10	ND<10	ND<10			
11/03/02	ND<1000	ND<5000		ND<20	ND<20	ND<20	ND<20	ND<20			
01/24/03	ND<500	ND<2500		ND<10	ND<10	ND<10	ND<10	ND<10			
04/02/03	ND<1000	ND<5000		ND<20	ND<20	ND<20	ND<20	ND<20			
07/01/03	ND<500	ND<2500		ND<10	ND<10	ND<10	ND<10	ND<10			
10/02/03	ND<100		ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0			
01/09/04	ND<500		ND<2500	ND<10	ND<10	ND<10	ND<10	ND<10			
06/20/05	25		ND<1000	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50			
09/23/05	ND<10		ND<1000	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50			
12/13/05	ND<10		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50			
03/24/06	ND<10	~~	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50			
05/30/06	ND<10		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50			
08/22/06	ND<10		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50			
10/31/06	ND<10		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50			
01/12/07	ND<10		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50			
04/04/07	ND<10		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50			
07/05/07	ND<10		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50			
10/01/07	ND<10		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50			
01/11/08	ND<10		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50			
05/22/08	ND<10		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50			
7124						Page 2 of 5				ATDO	•



CTRC

					70	D Station /124			
Date				Ethytene-					
Sampled		Ethanoi	Ethanol	dibromide	1,2-DCA				
	TBA	(8015B)	(8260B)	(EDB)	(EDC)	DIPE	ETBE	TAME	
	(µg/l)	(mg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-2 co	ontinued								
07/02/08	ND<10		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	
10/02/08	ND<10		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	
01/14/09	ND<10		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	
04/16/09	ND<10		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	
MW-3									
10/02/03	ND<10000	-	ND<50000	ND<200	ND<200	ND<200	ND<200	ND<200	
01/09/04	ND<5000		ND<25000	ND<100	ND<100	ND<100	ND<100	ND<100	
04/26/04	ND<250		ND<2500	ND<25	ND<25	ND<50	ND<25	ND<25	
07/22/04	ND<250		ND<2500	ND<25	ND<25	ND<50	ND<25	ND<25	
10/29/04	ND<50		ND<500	ND<5.0	ND<5.0	ND<10	ND<5.0	ND<5.0	
01/12/05	1300		ND<2500	ND<25	ND<25	ND<50	ND<25	ND<25	
06/20/05	39		ND<1000	ND<0.50	ND<0.50	ND<0.50	ND<0.50	0.31J	
09/23/05	ND<10		ND<1000	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.515	
12/13/05	ND<50		ND<1200	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	
03/24/06	ND<100		ND<2500	ND<5.0	ND<5.0	ND<5.0	ND<5.0	ND<5.0	
05/30/06	ND<250		ND<6200	ND<12	ND<12	ND<12	ND<12	ND<3.0	
08/22/06	ND<10		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	
10/31/06	ND<10		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	
01/12/07	43		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	
04/04/07	130		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	
07/05/07	ND<10		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	
10/01/07	ND<20		ND<500	ND<1.0	ND<1.0	ND<1.0	ND<1.0		
01/11/08	ND<10		ND<250	ND<1.0	ND<1.0 ND<0.50	ND<1.0 ND<0.50	ND<1.0 ND<0.50	ND<1.0 ND<0.50	
04/04/08	ND<10		ND<2500	ND<1.0	ND<1.0	ND<1.0	ND<0.50		
07/02/08	ND<10		ND<500	ND<1.0	ND<1.0 ND<0.50	ND<1.0 ND<0.50	ND<1.0 ND<0.50	ND<1.0 ND<0.50	
	112 -10		110 - 400		112 -0.50	112 -0.30	1112-0.00	MTV-0'10	

7124



CTRC

					70	5 Station 7124			
Date Sampled		Ethanol	Ethanoi	Ethylene- dibromide	I,2-DCA				
	TBA	(8015B)	(8260B)	(EDB)	(EDC)	DIPE	ETBE	TAME	
	(µg/l)	(mg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-3 co									
10/02/08	ND<10		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	
01/14/09	ND<10		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	
04/16/09	ND<50		ND<1200	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	
MW-4									
04/08/02	ND<5000	ND<25000		ND<100	ND<100	ND<100	ND<100	ND<100	
07/28/02	ND<500	ND<2500		ND<10	ND<10	ND<10	ND<10	ND<10	
11/03/02	ND<100	ND<500		ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	
01/24/03	ND<2000	ND<10000		ND<40	ND<40	ND<40	ND<40	ND<40	
04/02/03	ND<20000	ND<100000		ND<400	ND<400	ND<400	ND<400	ND<400	
07/01/03	ND<500	ND<2500		ND<10	ND<10	ND<10	ND<10	ND<10	
10/02/03	ND<2000		ND<10000	ND<40	ND<40	ND<40	ND<40	ND<40	
01/09/04	ND<2000		ND<10000	ND<40	ND<40	ND<40	ND<40	ND<40	
04/26/04	430		ND<1000	ND<10	ND<10	ND<20	ND<10	ND<10	
07/22/04	ND<100		ND<1000	ND<10	ND<10	ND<20	ND<10	ND<10	
10/29/04	63		ND<250	ND<2.5	ND<2.5	ND<5.0	ND<2.5	ND<2.5	
01/12/05	1300		ND<250	ND<10	ND<2.5	ND<5.0	ND<2.5	ND<2.5	
06/20/05	580		ND<1000	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	
09/23/05	92		ND<1000	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	
12/13/05	50		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	
03/24/06	1900		ND<6200	ND<12	ND<12	ND<12	ND<12	ND<12	
05/30/06	ND<50		ND<1200	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	
08/22/06	150		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	
10/31/06	43		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	
01/12/07	72		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	
04/04/07	260		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	
7124				·		Page 4 of 5			Атр


©TRC

Table 2 a ADDITIONAL HISTORIC ANALYTICAL RESULTS


Date Sampled	TBA	Ethanot (8015B)	Ethanol (8260B)	Ethylene- dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME
	(µg/l)	(mg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
MW-4 co	ontinued							
07/05/07	18		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
10/01/07	ND<10		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
01/11/08	140		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
05/22/08	52		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
07/02/08	15		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
10/02/08	ND<10		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
01/14/09	ND<10		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
04/16/09	170		ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50




FIGURES



PS=1:1 L:\QMS V | C | N | T Y M A P S\7124vm.dwg Jan 21, 2009 – 8:48am aakers



- 3:45pm Rcollins 2009 L: \Graphics\QMS_NORTH-SOUTH\x-7000\7124+\7124QMS.DWG_May_04, 7124-003 MS=1:1



LEGEND


Concentric Circles Represent Quarterly Monitoring Events Conducted Since Fourth Quarter 2003. PROJECT: 165521


HISTORICAL GROUNDWATER FLOW DIRECTION




76 STATION 7124 10151 INTERNATIONAL BOULEVARD OAKLAND, CALIFORNIA








2009 – 3:46pm Rcollins L: \Graphics\QMS NORTH-SOUTH\x-7000\7124+\7124QMS.DWG May 04, 7124-003 MS=1:1




GRAPHS

Groundwater Elevations vs. Time 76 Station 7124



Elevations may have been corrected for apparent changes due to resurvey

MTBE 8260B Concentrations vs Time 76 Station 7124



GENERAL FIELD PROCEDURES

Groundwater Monitoring and Sampling Assignments

For each site, TRC technicians are provided with a Technical Service Request (TSR) that specifies activities required to complete the groundwater monitoring and sampling assignment for the site. TSRs are based on client directives, instructions from the primary environmental consultant for the site, regulatory requirements, and TRC's previous experience with the site.

Fluid Level Measurements

Initial site activities include determination of well locations based on a site map provided with the TSR. Well boxes are opened and caps are removed. Indications of well or well box damage or of pressure buildup in the well are noted.

Fluid levels in each well are measured using a coated cloth tape equipped with an electronic interface probe, which distinguishes between liquid phase hydrocarbon (LPH) and water. The depth to LPH (if it is present), to water, and to the bottom of the well are measured from the top of the well casing (surveyors mark or notch if present) to the nearest 0.01 foot. Unless otherwise instructed, a well with less than 0.67 foot between the measured top of water and the measured bottom of the well casing is considered dry, and is not sampled. If the well contains 0.67 foot or more of water, an attempt is made to bail and/or sample as specified on the TSR.

Wells that are found to contain LPH are not purged or sampled. Instead, one casing volume of fluid is bailed from the well and the well is re-sealed. Bailed fluids are placed in a container separate from normal purge water, and properly disposed.

Purging and Groundwater Parameter Measurement

TSR instructions may specify that a well not be purged (no-purge sampling), be purged using low-flow methods, or be purged using conventional pump and/or bail methods. Conventional purging generally consists of pumping or bailing until a minimum of three casing volumes of water have been removed or until the well has been pumped dry. Pumping is generally accomplished using submersible electric or pneumatic diaphragm pumps.

During conventional purging, three groundwater parameters (temperature, pH, and conductivity) are measured after removal of each casing volume. Stabilization of these parameters, to within 10 percent, confirm that sufficient purging has been completed. In some cases, the TSR indicates that other parameters are also to be measured during purging. TRC commonly measures dissolved oxygen (DO), oxidation-reduction potential (ORP), and/or turbidity. Instruments used for groundwater parameter measurements are calibrated daily according to manufacturer's instructions.

Low-flow purging utilizes a bladder or peristaltic pump to remove water from the well at a low rat e. Groundwater parameters specified by the TSR are measured continuously until they become stable in general accordance with EPA guidelines

Purge water is generally collected in labeled drums for disposal Drums may be left on site for disposal by others, or transported to a collection location for eventual transfer to a licensed treatment or recycling facility. In some cases, purge water may be collected directly from the site by a licensed vacuum truck company, or may be treated on site by an active remediation system, if so directed

Groundwater Sample Collection

After wells are purged, or not purged, according to TSR instructions, samples are collected for laboratory analysis. For wells that have been purged using conventional pump or bail methods, sampling is conducted after the well has recovered to 80 percent of its original volume or after two hours if the well does not recover to at least 80 percent. If there is insufficient recharge of water in the well after two hours, the well is not sampled.

Samples are collected by lowering a new, disposable, ½-inch to 4-inch polyethylene bottom-fill bailer to just below the water level in the well. The bailer is retrieved and the water sample is carefully transferred to containers specified for the laboratory analytical methods indicated by the TSR. Particular care is given to containers for volatile organic analysis (VOAs) which require filling to zero headspace and fitting with Teflon-sealed caps.

After filling, all containers are labeled with project number (or site number), well designation, sample date, sample time, and the sampler's initials, and placed in an insulated chest with ice. Samples remain chilled prior to and during transport to a state-certified laboratory for analysis. Sample container descriptions and requested analyses are entered onto a chain-of-custody form in order to provide instructions to the laboratory. The chain-of-custody form accompanies the samples during transportation to provide a continuous record of possession from the field to the laboratory. If a freight or overnight carrier transports the samples, the carrier is noted on the form.

For wells that have been purged using low-flow methods, sample containers are filled from the effluent stream of the bladder or peristaltic pump. In some cases, if so specified by the TSR, samples are taken from the sample ports of actively pumping remediation wells.

Sequence of Gauging, Purging and Sampling

The sequence in which monitoring activities are conducted is specified on the TSR. In general, wells are gauged beginning with the least affected well and ending with the well that has the highest concentration based on previous analytic results. After all gauging for the site is completed, wells are purged and/or sampled from the least-affected to the most-affected well.

Decontamination

In order to reduce the possibility of cross contamination between wells, strict isolation and decontamination procedures are observed. Portable pumps are not used in wells with LPH. Technicians wear nitrile gloves during all gauging, purging, and sampling activities. Gloves are changed between wells and more often if warranted. Any equipment that could come in contact with fluids are either dedicated a particular well, decontaminated prior to each use, or discarded after a single use. Decontamination consists of washing in a solution of Liqui-nox and water and rinsing twice. The final rinse is in deionized water.

Exceptions

Additional tasks or non-standard procedures, if any, that may be requested or required for a particular site, and noted on the site TSR, are documented in field notes on the following pages

3/7/08 version

FIELD MONITORING DATA SHEET

Technician:_	Andrew Volvers	Job #/Task #:	165521 / FAZO	Date: 4/1	6/69
Site #_	1124	Project Manager	A. Collins	Page <u>1</u>	of _/

				Depth	Depth	Product	<u></u>	
Well #	тос	Time Gauged	Total Depth	to Water	to Product	Thickness (feet)	Time Sampled	Misc. Well Notes
				15.60	FIOUUCL	(ieet)	1047	4"
MW-	~	1011	÷ 1				102	
MW-4.	\checkmark	1016	24.92	17.61				<i>4″</i>
MW-2	N	1020	25.22	16,94			1118	4''
MW-3	\checkmark	1023	25.18	16.92	·		1135	4"
		<u></u>		·				
·								
		1		 	<u> </u>			
							<u> </u>	
				<u> </u>				
	<u> </u>	<u> </u>	1			<u>I</u>		
FIELD DATA	COMPL	ETE	QA/QC		000	W	<u>ELL ROX C</u>	ONDITION SHEETS
MANIFEST		DRUM IN	IVENTOR	Y	TRAFFIC	CONTROL	· · · · ·	
				· · · · · · · · · · · · · · · · · · ·		······		

		GROU	NDWATE	R SAMPLIN	IG FIELD NO	OTES			
		Тес	hnician:	Indiren	Viduers	_			
Site: 1124	•	Proj	ect No.:	16552			Date:_	4/16	109
Well No	<u> //w- </u>			Purge Metho	d: Sub			;	
Depth to W	ater (feet):	15.60		Depth to Pro	duct (feet):	414 000			
Total Depth	ı (feet)	24.19		LPH & Water	Recovered (ga	allons):	<u></u>		
	mn (feet):	12 1 12			eter (Inches):			-	
	· · · —	eet): 17.44			ie (gallons):		,	_	
Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (µS/cm)	Temperature (F,C)	рH	D O (mg/L)	ORP	Turbidity
Pre-l	Purge							<u>i të Milë i të të</u>	
j036			7	530.4	18.5	7.30			
			14	5310	9.1	6.91			
	1043		21	530.3	19.4	6.74			
Stat	 ic at Time Sa	 ampled	Tot	al Gallons Pur	ged		Sample	Time	
	17.33			21			1047		
Comments							,		

 Well No.
 My-4

 Depth to Water (feet):
 17.6]

 Total Depth (feet)
 24.92

 Water Column (feet):
 7.31

 80% Recharge Depth(feet):
 11.07

Purge Method:	Sub
Depth to Product (feet):	
LPH & Water Recovered (g	gallons):
Casing Diameter (Inches):	4
1 Well Volume (gallons):	5

	ic at Time Si		Tota						
	1058		13	661.8	21.2	6.57	-		
			10	650.3	21.Z	6.50			
1053			5	636.6	Z].]	6.73			
Pre-	Purge								
Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (µS/cm)	Temperature (F,C)	pН	D O (mg/L)	ORP	Turbidity



		GROU	NDWATE		IG FIELD NO	DTES			
		Tec	hnician:	Andrew	Vidnevs	_			
Site: 712	4	Proje	ect No :	165521			Date:_	4/16	109
Well No	•			Purge Metho	d: <u>sub</u>				
	/ater (feet):			Depth to Pro	duct (feet):	*		_	
		<u>25.22</u>		LPH & Water	Recovered (ga	allons):		-	
Water Colu	ımn (feet):			Casing Diam	eter (Inches):	<u>4</u>		<u>. </u>	
80% Recha	arge Depth(fe	eet): 18.6 /	<u></u>	1 Well Volum	ie (gallons):	6			
Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (µS/cm)	Temperature (F,C)	рН	D O (mg/L)	ORP	Turbidity
	Purge					s).		and a state where	
1108			6	601.1	22.3	6.99			
	1114		12 18	607.4 607.5	21.8 21.7	6.72			
	ic at Time Sa	ampled	То	tal Gallons Pur	ged		Sample	Time	
Comments	<u>7.71</u> s:			18			1/18		
Well No	MW-3			Purge Metho	d:S	vb			
Depth to W	ater (feet):	16.92		Depth to Proc	duct (feet):	¢	<u> </u>		
Total Depth	ı (feet)	25.18		LPH & Water	Recovered (ga	llons):			
Water Colu	mn (feet):	25.18 8.26			eter (Inches):				
	arge Depth(fe				e (gallons):		6		

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (µS/cm)	Temperature (F,C)	рН	D O (mg/L)	ORP	Turbidity
Pre-F	ourge 🛛							·····	
1124			6	644.5	21.7	6.95			
			12	682.2	20.6	(62			
	1130		18	694.1	203	6.6/			
Stati	c at Time S	ampled	Tot	al Gallons Pur	ged		Sample	Time	
	.02		<u></u>	18	<u> </u>	<u></u>	1/35	<u>,</u>	<u></u>
Comments									



Date of Report: 04/29/2009

Anju Farfan

TRC

21 Technology Drive Irvine, CA 92618

RE.	7124
BC Work Order:	0905049
Invoice ID:	B061091

Enclosed are the results of analyses for samples received by the laboratory on 4/16/2009. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

ely meyers

Contact Person: Molly Meyers Client Service Rep

Authorized Signature

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation. 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



21 Technology Drive

Irvine, CA 92618

Project: 7124 Project Number: 4511010886

Project Manager: Anju Fartan

Reported: 04/29/2009 10:29

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Informatio	20			
0905049-01	COC Number:		Receive Date:	04/16/2009 22:04	Delivery Work Order:
	Project Number:	7124	Sampling Date:	04/16/2009 10:47	Global ID: T060017359
	Sampling Location:		Sample Depth:		Location ID (FieldPoint): MW-1
	Sampling Point:	MVV-1	Sample Matrix:	Water	Matrix: W
	Sampled By:	TRCI			Sample QC Type (SACode): CS
					Cooler ID:
0905049-02	COC Number:		Receive Date:	04/16/2009 22:04	Delivery Work Order:
	Project Number:	7124	Sampling Date:	04/16/2009 11:02	Global ID: T060017359
	Sampling Location:		Sample Depth:		Location ID (FieldPoint): MW-4
	Sampling Point:	MVV-4	Sample Matrix:	Water	Matrix: W
	Sampled By:	TRCI			Sample QC Type (SACode): CS
					Cooler ID:
0905049-03	COC Number:		Receive Date:	04/16/2009 22:04	Delivery Work Order:
	Project Number:	7124	Sampling Date:	04/16/2009 11:18	Global ID: T060017359
	Sampling Location:		Sample Depth:		Location ID (FieldPoint): MW-2
	Sampling Point:	MW-2	Sample Matrix:	Water	Matrix: W
	Sampled By:	TRCI			Sample QC Type (SACode): CS
					Cooler ID:
0905049-04	COC Number:		Receive Date:	04/16/2009 22:04	Delivery Work Order:
	Project Number:	7124	Sampling Date:	04/16/2009 11:35	Global ID: T060017359
	Sampling Location:		Sample Depth:		Location ID (FieldPoint): MW-3
	Sampling Point:	MVV-3	Sample Matrix:	Water	Matrix: W
	Sampled By:	TRCI	· ·		Sample QC Type (SACode): CS
					Cooler ID:



21 Technology Drive

Irvine, CA 92618

Project: 7124 Project Number: 4511010886

Reported: 04/29/2009 10:29

Project Manager: Anju Farfan Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0	905049-01	Client Sample Name:		7124, MW-1, 4	/16/2009	10:47:00	AM							
							Prep	Run		Instru-		QC	MB	Lab
Constituent		Result	Units	PQL N	<u>IDL M</u>	lethod	Date	Date/Time	Analyst	ment ID	Dilution	Batch ID	Bias	Quals
Benzene		ND	ug/L	0.50	EF	PA-8260	04/23/09	04/25/09 00:33	JCC	MS-V4	1	BSD1558	ND	
1,2-Dibromoethane		ND	ug/L	0.50	EF	PA-8260	04/23/09	04/25/09 00:33	lcc	MS-V4	1	BSD1558	ND	
1,2-Dichloroethane		ND	ug/L	0.50	EF	PA-8260	04/23/09	04/25/09 00:33	JCC	MS-V4	i	BSD1558	ND	
Ethvibenzene		ND	ug/L	0.50	EF	PA-8260	04/23/09	04/25/09 00:33	JCC	MS-V4	i	BSD1558	ND	
Methvl t-butvl ether		ND	ug/L	0,50	EF	PA-8260	04/23/09	04/25/09 00:33	JCC	MS√4	i	BSD1558	ND	
Toluene		ND	ug/L	0,50	EF	PA-8260	04/23/09	04/25/09 00:33	JCC	MS-V4	1	BSD1558	ND	
Total Xvlenes		ND	ug/L	1.0	EP	PA-8260	04/23/09	04/25/09 00:33	JCC	MS-V4	1	BSD1558	ND	
t-Amyl Methyl ether		ND	ug/L	0.50	EF	PA-8260	04/23/09	04/25/09 00:33	JCC	MS-V4	1	BSD1558	ND	
t-Butyl alcohol		ND	ug/L	10	EF	PA-8260	04/23/09	04/25/09 00:33	JCC	MS-V4	1	BSD1558	ND	
Diisopropyl ether		ND	ug/L	0.50	EF	PA-8260	04/23/09	04/25/09 00:33	JCC	MS-V4	1	BSD1558	ND	
Ethanol		ND	ug/L	250	EF	PA-8260	04/23/09	04/25/09 00:33	JCC	MS-V4	1	BSD1558	ND	
Ethvl t-butvl ether		ND	ug/L	0.50	EF	PA-8260	04/23/09	04/25/09 00:33	JCC	MS-V4	1	BSD1558	ND	
Total Purgeable Petroleum Hydrocarbons		ND	ug/L	50	Lu	Ift-GC/MS	04/23/09	04/25/09 00:33	JCC	MS-V4	1	BSD1558	ND	
1,2-Dichloroethane-d4 (Sur	rogate)	107	%	76 - 114 (LCL - UC	CL) EF	PA-8260	04/23/09	04/25/09 00:33	JCC	MS-V4	i	BSD1558		
Toluene-d8 (Surrogate)		99.4	%	88 - 110 (LCL - UC	CL) EF	PA-8260	04/23/09	04/25/09 00:33	JCC	MS-V4	i	BSD1558		
4-Bromofluorobenzene (Sur	rogate)	97.4	%	86 - 115 (LCL - UC	CL) EF	PA-8260	04/23/09	04/25/09 00:33	JCC	MS-V4	í	BSD1558		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

Page 3 of 10



21 Technology Drive

Irvine, CA 92618

Project: 7124 Project Number: 4511010886

Reported: 04/29/2009 10:29

Project Manager: Anju Farfan Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0	905049-02	Client Sampl	e Name:	7124, MW-4, 4	11:02	00AM							
						Prep	Run		Instru-		QC	MB	Lab
Constituent		Result	Units	PQL I	MDL Method	Date	Date/Time	Analyst	ment ID	Dilution	Batch ID	Bias	Quals
Benzene		ND	ug/L	0.50	EPA-8260	04/23/09	04/25/09 00:57	JCC	MS-V4	1	BSD1558	ND	
1,2-Dibromoethane		ND	ug/L	0.50	EPA-826	04/23/09	04/25/09 00:57	JCC	MS-V4	1	BSD1558	ND	
1,2-Dichloroethane		ND	ug/L	0.50	EPA-8260	04/23/09	04/25/09 00:57	JCC	MS-V4	1	BSD1558	ND	
Ethvlbenzene		ND	ug/L	0.50	EPA-8260	04/23/09	04/25/09 00:57	JCC	MS-V4	1	BSD1558	ND	
Methyl t-butyl ether		16	ug/L	0.50	EPA-8260	04/23/09	04/25/09 00:57	JCC	MS-V4	1	BSD1558	ND	
Toluene		ND	ug/L	0.50	EPA-8260	04/23/09	04/25/09 00:57	JCC	MS-V4	i	B\$D1558	ND	
Total Xvlenes		ND	ug/L	1.0	EPA-8260	04/23/09	04/25/09 00:57	JCC	MS-V4	1	BSD1558	ND	
-Amvl Methyl ether		ND	ug/L	0.50	EPA-8260	04/23/09	04/25/09 00:57	JCC	MS-V4	1	BSD1558	ND	
-Butyl alcohol		170	ug/L	10	EPA-8260	04/23/09	04/25/09 00:57	JCC	MS-V4	1	BSD1558	ND	
Diisopropyl ether		ND	ug/L	0.50	EPA-8260	04/23/09	04/25/09 00:57	JCC	MS-V4	1	BSD1558	ND	
Ethanol		ND	ug/L	250	EPA-8260	04/23/09	04/25/09 00:57	JCC	MS-V4	1	BSD1558	ND	
Ethyl t-butyl ether		ND	ug/L	0.50	EPA-8260	04/23/09	04/25/09 00:57	JCC	MS-V4	1	BSD1558	ND	
Total Purgeable Petroleum Hydrocarbons		390	ug/L	50	Luft-GC/N	IS 04/23/09	04/25/09 00:57	JCC	MS-V4	1	BSD1558	ND	
1,2-Dichloroethane-d4 (Surro	ogate)	110	%	76 - 114 (LCL - U	CL) EPA-8260	04/23/09	04/25/09 00:57	JCC	MS-V4	i	BSD1558		
Foluene-d8 (Surrogate)		98.5	%	88 - 110 (LCL - U	CL) EPA-8260	04/23/09	04/25/09 00:57	JCC	MS-V4	í	BSD1558		
-Bromofluorobenzene (Surr	ogate)	107	%	86 - 115 (LCL - U	CL) EPA-8260	04/23/09	04/25/09 00:57	JCC	MS-∨4		BSD1558		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirely.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRCProject:7124Reported:04/29/200910:2921 Technology DriveProject Number:4511010886Irvine, CA 92618Project Manager:Anju Farfan

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: (905049-03	Client Sample Name:		7124, MW-2, 4/	16/2009 11:18:0	0AM							
						Prep	Run		Instru-		QC	MB	Lab
Constituent		Result	Units	PQL M	DL Method	Date	Date/Time	Analyst	ment ID	Dilution	Batch ID	Bias	Quals
Benzene		ND	ug/L	0.50	EPA-8260	04/23/09	04/25/09 01:22	JCC	MS-V4	i	BSD1558	ND	,
1,2-Dibromoethane		ND	ug/L	0.50	EPA-8260	04/23/09	04/25/09 01:22	JCC	MS-V4	i	BSD1558	ND	
1,2-Dichloroethane		ND	ug/L	0.50	EPA-8260	04/23/09	04/25/09 01:22	JCC	MS-∀4	i	BSD1558	ND	
Ethvibenzene		ND	ug/L	0.50	EPA-8260	04/23/09	04/25/09 01:22	JCC	MS-∀4	i	BSD1558	ND	
Methyl t-butyl ether		3.2	ug/L	0.50	EPA-8260	04/23/09	04/25/09 01:22	JCC	MS-V4	1	BSD1558	ND	
Toluene		ND	ug/L	0,50	EPA-8260	04/23/09	04/25/09 01:22	JCC	MS-V4	1	BSD1558	ND	
Total Xvlenes		ND	ug/L	1.0	EPA-8260	04/23/09	04/25/09 01:22	JCC	MS-∨4	1	BSD1558	ND	
t-Amyl Methyl ether		ND	ug/L	0,50	EPA-8260	04/23/09	04/25/09 01:22	JCC	MS-∨4	1	BSD1558	ND	
t-Butyl alcohol		ND	ug/L	10	EPA-8260	04/23/09	04/25/09 01:22	JCC	MS-V4	1	BSD1558	ND	
Diisopropyl ether		ND	ug/L	0.50	EPA-8260	04/23/09	04/25/09 01:22	JCC	MS-V4	1	BSD1558	ND	
Ethanol		ND	ug/L	250	EPA-8260	04/23/09	04/25/09 01:22	JCC	MS-V4	1	BSD1558	ND	
Ethyl t-butyl ether		ND	ug/L	0.50	EPA-8260	04/23/09	04/25/09 01:22	JCC	MS-V4	1	BSD1558	ND	
Total Purgeable Petroleum Hydrocarbons	l	93	ug/L	50	Luft-GC/MS	6 04/23/09	04/25/09 01:22	JCC	MS-V4	1	BSD1558	ND	
1,2-Dichloroethane-d4 (Sur	rogate)	99.5	%	76 - 114 (LCL - UC	L) EPA-8260	04/23/09	04/25/09 01:22	JCC	MS-V4	1	BSD1558		
Toluene-d8 (Surrogate)		98.3	%	88 - 110 (LCL - UC	L) EPA-8260	04/23/09	04/25/09 01:22	JCC	MS-V4	í	BSD1558		<u>.</u>
4-Bromofluorobenzene (Su	rrogate)	97.8	%	86 - 115 (LCL - UC	L) EPA-8260	04/23/09	04/25/09 01:22	JCC	MS-V4	i	BSD1558		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A Page 5 of 10



21 Technology Drive

Irvine, CA 92618

Project: 7124 Project Number: 4511010886 Reported: 04/29/2009 10:29

Project Manager: Anju Fartan Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0905049-04	Client Sample	e Name:	7124, MW-3, 4/16	6/2009 11:35:00	AM							
					Prep	Run		Instru-		QC	MB	Lab
Constituent	Result	Units	PQL MD	L Method	Date	Date/Time	Analyst	ment ID	Dilution	Batch ID	Bias	Quals
Benzene	ND	ug/L	2.5	EPA-8260	04/23/09	04/25/09 01:46	JCC	MS-V4	5	BSD1558	ND	A01
1,2-Dibromoethane	ND	ug/L	2.5	EPA-8260	04/23/09	04/25/09 01:46	JCC	MS-V4	5	BSD1558	ND	A01
1,2-Dichloroethane	ND	ug/L	2.5	EPA-8260	04/23/09	04/25/09 01:46	JCC	MS-V4	5	BSD1558	ND	A01
Ethylbenzene	ND	ug/L	2,5	EPA-8260	04/23/09	04/25/09 01:46	JCC	MS-V4	5	BSD1558	ND	A01
Methyl t-butyl ether	560	ug/L	5.0	EPA-8260	04/23/09	04/27/09 23:28	JCC	MS-V4	10	BSD1558	ND	A01
Toluene	ND	ug/L	2.5	EPA-8260	04/23/09	04/25/09 01:46	JCC	MS-V4	5	BSD1558	ND	A01
Total Xvlenes	ND	ug/L	5.0	EPA-8260	04/23/09	04/25/09 01:46	JCC	MS-V4	5	BSD1558	ND	A01
t-Amvl Methyl ether	ND	ug/L	2.5	EPA-8260	04/23/09	04/25/09 01:46	JCC	MS-V4	5	BSD1558	ND	A01
t-Butyl alcohol	ND	ug/L	50	EPA-8260	04/23/09	04/25/09 01:46	JCC	MS-V4	5	BSD1558	ND	A01
Diisopropyl ether	ND	ug/L	2.5	EPA-8260	04/23/09	04/25/09 01:46	JCC	MS-V4	5	BSD1558	ND	A01
Ethanol	ND	ug/L	1200	EPA-8260	04/23/09	04/25/09 01:46	JCC	MS-V4	5	BSD1558	ND	A01
Ethyl t-butvl ether	ND	ug/L	2,5	EPA-8260	04/23/09	04/25/09 01:46	JCC	MS-V4	5	BSD1558	ND	A01
Total Purgeable Petroleum Hydrocarbons	1800	ug/L	250	Luft-GC/MS	04/23/09	04/25/09 01:46	JCC	MS-V4	5	BSD1558	ND	A01
1,2-Dichloroethane-d4 (Surrogate)	107	%	76 - 114 (LCL - UCL)	EPA-8260	04/23/09	04/27/09 23:28	JCC	MS-V4	10	BSD1558		
1,2-Dichloroethane-d4 (Surrogate)	99.6	%	76 - 114 (LCL - UCL)	EPA-8260	04/23/09	04/25/09 01:46	JCC	MS-V4	5	BSD1558		
Toluene-d8 (Surrogate)	99.8	%	88 - 110 (LCL - UCL)	EPA-8260	04/23/09	04/27/09 23:28	JCC	MS-V4	10	BSD1558		
Toluene-d8 (Surrogate)	101	%	88 - 110 (LCL - UCL)	EPA-8260	04/23/09	04/25/09 01:46	JCC	MS-V4	5	BSD1558		
4-Bromofluorobenzene (Surrogate)	99.7	%	86 - 115 (LCL - UCL)	EPA-8260	04/23/09	04/25/09 01:46	JCC	MS-V4	5	BSD1558		
4-Bromofluorobenzene (Surrogate)	98.5	%	86 - 115 (LCL - UCL)	EPA-8260	04/23/09	04/27/09 23:28	JCC	MS-V4	10	BSD1558		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A Page 6 of 10



TRC 21 Teebra

21 Technology Drive Irvine, CA 92618 Project: 7124 Project Number: 4511010886

Reported: 04/29/2009 10:29

Project Manager: Anju Farfan Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Precision & Accuracy

									Control Limits			
			Source	Source		Spike			Percent		Percent	
Constituent	Batch ID	QC Sample Type	Sample ID	Result	Result	Added	Units	RPD	Recovery	RPD	Recovery Lab Quals	
Benzene	BSD1558	Matrix Spike	0905050-01	0	24.940	25.000	ug/L		99.8		70 - 130	
		Matrix Spike Duplicate	0905050-01	0	26.240	25.000	ug/L	5.1	105	20	70 - 130	
Toluene	BSD1558	Matrix Spike	0905050-01	0	24.370	25.000	ug/L		97.5		70 - 130	
		Matrix Spike Duplicate	0905050-01	0	25.940	25.000	ug/L	6.5	104	20	70 - 130	
1,2-Dichloroethane-d4 (Surrogate)	BSD1558	Matrix Spike	0905050-01	ND	9.4000	10.000	ug/L		94.0		76 - 114	
		Matrix Spike Duplicate	0905050-01	ND	9.7100	10.000	ug/L		97.1		76 - 114	
Toluene-d8 (Surrogate)	BSD1558	Matrix Spike	0905050-01	ND	9.9900	10,000	ug/L		99.9		88 - 110	
		Matrix Spike Duplicate	0905050-01	ND	10,110	10.000	ug/L		101		88 - 110	
4-Bromofluorobenzene (Surrogate)	BSD1558	Matrix Spike	0905050-01	ND	9.7400	10.000	ug/L		97.4		86 - 115	
		Matrix Spike Duplicate	0905050-01	ND	9.8600	10.000	ug/L		98.6		86 - 115	



TRC 21 Technology Drive

Irvine, CA 92618

Project: 7124

Project Number: 4511010886 Project Manager: Anju Fartan Reported: 04/29/2009 10:29

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Laboratory Control Sample

										<u>Control</u>	<u>Limits</u>	
Constituent	Batch ID	QC Sample ID	QC Type	Result	Spike Level	PQL	Units	Percent Recovery	RPD	Percent Recovery	RPD	Lab Quals
Benzene	BSD1558	BSD1558-BS1	LCS	23.680	25.000	0.50	ug/L	94.7		70 - 130		
Toluene	BSD1558	BSD1558-BS1	LCS	23,060	25.000	0.50	ug/L	92.2		70 - 130		
1,2-Dichloroethane-d4 (Surrogate)	BSD1558	BSD1558-BS1	LCS	9.5300	10.000		ug/L	95.3		76 - 114		
Toluene-d8 (Surrogate)	BSD1558	BSD1558-BS1	LCS	10,110	10.000		ug/L	101		88 - 110		
4-Bromofluorobenzene (Surrogate)	BSD1558	BSD1558-BS1	LCS	9.8100	10.000		ug/L	98.1		86 - 115		

Page 8 of 10



TRC 21 Technology Drive

Irvine, CA 92618

Project: 7124 Project Number: 4511010886

Reported: 04/29/2009 10:29

Project Manager: Anju Farfan Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Method Blank Analysis

		-	-					
Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quais	
Benzene	BSD1558	BSD1558-BLK1	ND	ug/L	0,50			
1,2-Dibromoethane	BSD1558	BSD1558-BLK1	ND	ug/L	0,50			
1,2-Dichloroethane	BSD1558	BSD1558-BLK1	ND	ug/L	0.50			
Ethylbenzene	BSD1558	BSD1558-BLK1	ND	ug/L	0.50	-		
Methyl t-butyl ether	BSD1558	BSD1558-BLK1	ND	ug/L	0,50			
Toluene	BSD1558	BSD1558-BLK1	ND	ug/L	0.50	<u> </u>		
Total Xvlenes	BSD1558	BSD1558-BLK1	ND	ug/L	1.0			
t-Amyl Methyl ether	BSD1558	BSD1558-BLK1	ND	ug/L	0,50			
t-Butyl alcohol	BSD1558	BSD1558-BLK1	ND	ug/L	10			
Diisopropyl ether	BSD1558	BSD1558-BLK1	ND	ug/L	0.50			
Ethanol	BSD1558	BSD1558-BLK1	ND	ug/L	250			
Ethyl t-butyl ether	BSD1558	BSD1558-BLK1	ND	ug/L	0,50			
Total Purgeable Petroleum Hydrocarbons	BSD1558	BSD1558-BLK1	ND	ug/L	50			
1,2-Dichloroethane-d4 (Surrogate)	BSD1558	BSD1558-BLK1	106	%	76 - 114 (LC	L - UCL)		
Toluene-d8 (Surrogate)	BSD1558	BSD1558-BLK1	98.0	%	88 - 110 (LC			
4-Bromofluorobenzene (Surrogate)	B\$D1558	BSD1558-BLK1	95.5	%	86 - 115 (LC			
					- (/		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratones, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation. 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

Page 9 of 10



TRC 21 Technology Drive Irvine, CA 92618	Project: 7124 Project Number: 4511010886 Project Manager: Anju Farfan	Reported: 04/29/2009 10:29
Notes And Definitions		
MDI Method Detection Limit		

- MDL Method Detection Limit
- ND Analyte Not Detected at or above the reporting limit
- PQL Practical Quantitation Limit
- RPD Relative Percent Difference

A01 PQL's and MDL's are raised due to sample dilution.

IC LABORATORIES INC.		SAMPLE RECEI	PT FORM	Rev	, No. 12	06/24/08	Page	Of	
Submission #: 09-050L	19								
SHIPPING INF(T			10.001			
Federal Express D UPS D	Hand Deli			ce Chest I		NG CON Non			
3C Lab Field Service D Othe	er 🗆 (Specify			Box			r 🗆 (Spec	:ify)	
	······		<u> </u>						
Refrigerant: Ice 🗆 Blue Ice	D None	Other	Comment	ts:	= =				
Sustody Seals Ice Chest	Containe		Comme	nte.					
Intact? Yes 🗆 No 🗍	Intact? Yes		, oonnine	11.5.					
			. /					1	
Il samples received? Yes No D		containers intact?						es 🗹 No I	_
©OC Received	Emissivity:	<u>98</u> Container:	COA 1	Thermomet	er ID: 77//	63	22/0	e <u>04-16</u> -	CA .
						<u> </u>	1		ς,
	Temperature	A <u>1,8</u>	<u>°C / C</u>	1.6	°C		Analyst h	nit <u>Alm</u>	
					NUMBERS				
SAMPLE CONTAINERS	1	2 3	4	5	6	7	8	9	10
IT GENERAL MINERALI GENERAL PHYSIC	AL								
T PE UNPRESERVED		·							
T INORGANIC CHEMICAL METALS									
T INORGANIC CHEMICAL METALS		<u> </u>			· · · · · · · · · · · · · · · · · · ·				
'T CYANIDE				<u> </u>					
T NITROGEN FORMS				ļ			ļ	 	
TTOTAL SULFIDE									
02. NITRATE / NITRITE									·
Y TOTAL ORGANIC CARBON	_ _			· ·			· · · · · · · · · · · · · · · · · · ·		
<u>Y TOX</u>				<u> </u>				· · · · ·	
T CHEMICAL OXYGEN DEMAND			- <u></u> -			<u>'en-</u>		<u></u>	
10 DI VOA VIAL TRAVEL BLANK	·								
1001 VOA VIAL	AB.	AJAZ	TR Z	(₁)	1 1		{ 1		
<u>2T EPA 413.1, 413.2, 418.1</u>			14-0			. ,			
<u>PT ODOR</u>			1						
RADIOLOGICAL									
BACTERIOLOGICAL									
10 ml VOA VIAL- 504									
QT EPA 508/608/8080									
DT EPA 515.1/8150		<u> </u>		 					
QT EPA 525									
QT EPA 525 TRAVEL BLANK				· · ·					
100ml EPA 547			<u> </u>						
100m1 EPA 531.1				<u> </u>	ļ	··			
<u>QT EPA 548</u>				<u> </u>	<u> </u>				
QT EPA 549									
QT EPA 632			.		ļļ				
QT EPA 8015M			<u> </u>	ļ	ļļ				
QT AMBER				<u> </u>	<u> </u>				
<u>S OZ. JAR</u>			+	ļ					
11 OZ. JAR				<u> </u>					
SOIL SLEEVE									
PCB VIAL				<u> </u>					
PLASTIC BAG FERROUS IRON				·· ····					
ENCORE			· 						
omments;	<u>ă</u>			<u>L</u>	<u> </u>				

JIDIN Date/Time: 4/17/090055 ample Numbering Completed By:____ = Actual / C = Corrected

BC LAE	BORATORIES, INC	(001) 527-4911	Bakersfield, CA 933 FAX (661) 327-1918		viernet onter to t	CHAI	THEATERSTON	k first fan doart syn	one form a 1-f superior	and the formation of the second second		
Bill to: Co	appage Dhillion/ TBC		<u>5049</u>			Anan		s Ke	<u>Research</u>	ested		
	onoco Phillips/TRC 10151 International Blud.	Consultant Firm: TRC 21 Technology Drive Irvine, CA 92618-2302 Attn: Anju Farfan		(GW) Ground- water (S)	Gas by 8015		ates	8260B	EDR/EDC. h. RHOD			ested
City:	Bakland	4-digit site#: 712- Workorder # 01634	· · · · · · · · · · · · · · · · · · ·	Soil (WW) Waste- water	oy 8021B,	TPH GAS by 8015M TPH DIESEL by 8015	3260 full list w/ oxygenates	BTEX/MTBE/OXYS BY	8260B, É			Turnaround Time Requested
State: CA	Zip:	Project #: /655		(SL)	BTEX/MTBE by	by 8 SEL R	list v	BE/C	d	by GC		nd T
	hillips Mgr: Terry Ghy	Son Sampler Name: Am	lw Vidners	Sludge	TMV	GAS DIES	full	CIMT	NOI	а 9 1		arou
Lab#	Sample Description	Field Point Name	Date & Time Sampled		BTE	H H H H H H	8260	BTE)	ETHANOL	Н		Turne
	<u></u>	MW-1	4/16/09 104.7	GW				χ	X	X		STD
	-1	MW-4.	1 1/02	1				1				
	M	MW-Z	1118									
	-14	MW-3	V 1135	V				V	V	\vee		V
		СНК ВҮ										
Comments:		Relinquished by: (Sig		J		Received	De	kay	·	Date/& T 4//6/0	59 14	± 130
GLOBAL ID):	Relinquished by (Sig	cher 4/16/	09	(Recenve	d by: محمد م	- el		Date & T 4-16-0		<u>a</u>
	T0600/7359	Relinquished by: (Sig Rikiyul	natures 4-16-09	245	,	Received	ti by:	et		Date & T 4-10-1	ime	2204

STATEMENTS

Purge Water Disposal

Non-hazardous groundwater produced during purging and sampling of monitoring was accumulated at TRC's groundwater monitoring facility at Concord, California, for transportation by a licensed carrier, to the ConocoPhillips Refinery at Rodeo, California Disposal at the Rodeo facility was authorized by ConocoPhillips in accordance with "ESD Standard Operating Procedures – Water Quality and Compliance", as revised on February 7, 2003. Documentation of compliance with ConocoPhillips requirements is provided by an ESD Form R-149, which is on file at TRC's Concord Office Purge water suspected of containing potentially hazardous material, such as liquid-phase hydrocarbons, was accumulated separately in a drum for transportation and disposal by others.

Limitations

The fluid level monitoring and groundwater sampling activities summarized in this report have been performed under the responsible charge of a California Registered Geologist or Registered Civil Engineer and have been conducted in accordance with current practice and the standard of care exercised by geologists and engineers performing similar tasks in this area. No warranty, express or implied, is made regarding the conclusions and professional opinions presented in this report. The conclusions are based solely upon an analysis of the observed conditions. If actual conditions differ from those described in this report, our office should be notified.