

MISC_SAMP_R_2003-3-11

202448

Zone 7 Water Quality Laboratory

MEMORANDUM

3/10/03

To: Colleen Winey

From: Gurpal Deol *[Signature]*

Subject: VOC Analysis

Two samples collected and submitted by you on 3/3/03 were analyzed by EPA method 524.2 on 3/4/03. All applicable quality control parameters were within laboratory control limits. Only analyte detected in both samples was MTBE. Attached reports list all the VOCs monitored on these samples. Due to high MTBE concentration, sample 4S/1E 20G2 was diluted and reanalyzed. Please advise if you have any comments or questions.

← WATER SAMPLE FROM
DOMESTIC WELL @ 3000 ANDRAPE RD.
T-BEAR RANCH

D. Dracos
03/21/03

Post-it [®] Fax Note	7671	Date	3-11-03	# of pages	3
To	Donna Dracos	From	Colleen Winey		
Co./Dept.	ACEHS	Co.	Zone 7 Water		
Phone #		Phone #	925-689-4705 X258		
Fax #	(510)337-9335	Fax #			

Post-It [™] brand fax transmittal memo 7671			# of pages	3
To	Brian P.	From	S. Seery	
Co.	Clearwater	Co.	ACEHT	
Dept.		Phone #	510 567-6783	
Fax #	307 232-2823	Fax #		

ZONE 7 WATER QUALITY LABORATORY

Well Number: 45/1E 20G2

Date Sampled: 03/03/2003

Lab Sample ID: 030150

Date Analyzed: 03/04/2003

EPA Method: 524.2

Analyte	Concentration		Analyte	Concentration	
	Found ug/L	MRL ug/L		Found ug/L	MRL ug/L
Dichlorodifluoromethane	ND	0.5	1,3-Dichloropropane	ND	0.5
Chloromethane	ND	0.5	Dibromochloromethane	ND	0.5
Vinyl chloride	ND	0.5	1,2-Dibromoethane	ND	0.5
Bromomethane	ND	0.5	Tetrachloroethene	ND	0.5
Chloroethane	ND	0.5	Chlorobenzene	ND	0.5
Trichlorofluoromethane	ND	0.5	1,1,1,2-Tetrachloroethane	ND	0.5
1,1-Dichloroethene	ND	0.5	Ethylbenzene	ND	0.5
Freon 113	ND	0.5	m & p-Xylene	ND	0.5
Methylene Chloride	ND	0.5	Bromoform	ND	0.5
trans-1,2-Dichloroethene	ND	0.5	Styrene	ND	0.5
Methyl-tertiary-butylether (MTBE)	130	0.5	o-Xylene	ND	0.5
1,1-Dichloroethane	ND	0.5	1,1,2,2-Tetrachloroethane	ND	0.5
Diisopropyl ether (DIPE)	ND	0.5	1,2,3-Trichloropropane	ND	0.5
cis-1,2-Dichloroethene	ND	0.5	Isopropylbenzene	ND	0.5
2,2-Dichloropropane	ND	0.5	Bromobenzene	ND	0.5
Bromochloromethane	ND	0.5	n-Propylbenzene	ND	0.5
Chloroform	ND	0.5	2-Chlorotoluene	ND	0.5
tert-Butyl ethyl ether	ND	0.5	4-Chlorotoluene	ND	0.5
1,1,1-Trichloroethane	ND	0.5	1,3,5-Trimethylbenzene	ND	0.5
1,2-Dichloroethane	ND	0.5	ter-Butylbenzene	ND	0.5
1,1-Dichloropropene	ND	0.5	1,2,4-Trimethylbenzene	ND	0.5
Benzene	ND	0.5	sec-Butylbenzene	ND	0.5
Carbon Tetrachloride	ND	0.5	1,3-Dichlorobenzene	ND	0.5
tert-Amyl methyl ether (TAME)	ND	0.5	1,4-Dichlorobenzene	ND	0.5
1,2-Dichloropropane	ND	0.5	p-Isopropyltoluene	ND	0.5
Trichloroethene	ND	0.5	1,2-Dichlorobenzene	ND	0.5
Dibromomethane	ND	0.5	n-Butylbenzene	ND	0.5
Bromodichloromethane	ND	0.5	1,2-Dibromo-3-Chloropropane	ND	0.5
cis-1,3-Dichloropropene	ND	0.5	1,2,4-Trichlorobenzene	ND	0.5
trans-1,3-Dichloropropene	ND	0.5	Naphtalene	ND	0.5
Toluene	ND	0.5	Hexachlorobutadiene	ND	0.5
1,1,2-Trichloroethane	ND	0.5	1,2,3-Trichlorobenzene	ND	0.5

Regulated chemicals are boldfaced.

ND = Not detected at or above MRL

MRL = Minimum Reporting Level

Revised: 03/03/03

ZONE 7 WATER QUALITY LABORATORY

Well Number: 4S/1E 20A2

Date Sampled: 03/03/2003

Lab Sample ID: 030151

Date Analyzed: 03/04/2003

EPA Method: 524.2

Analyte	Concentration		Analyte	Concentration	
	Found ug/L	MRL ug/L		Found ug/L	MRL ug/L
Dichlorodifluoromethane	ND	0.5	1,3-Dichloropropane	ND	0.5
Chloromethane	ND	0.5	Dibromochloromethane	ND	0.5
Vinyl chloride	ND	0.5	1,2-Dibromoethane	ND	0.5
Bromomethane	ND	0.5	Tetrachloroethene	ND	0.5
Chloroethane	ND	0.5	Chlorobenzene	ND	0.5
Trichlorofluoromethane	ND	0.5	1,1,1,2-Tetrachloroethane	ND	0.5
1,1-Dichloroethene	ND	0.5	Ethylbenzene	ND	0.5
Freon 113	ND	0.5	m & p-Xylene	ND	0.5
Methylene Chloride	ND	0.5	Bromoform	ND	0.5
trans-1,2-Dichloroethene	ND	0.5	Styrene	ND	0.5
Methyl-tertiary-butylether (MTBE)	0.5	0.5	o-Xylene	ND	0.5
1,1-Dichloroethane	ND	0.5	1,1,2,2-Tetrachloroethane	ND	0.5
Diisopropyl ether (DIPE)	ND	0.5	1,2,3-Trichloropropane	ND	0.5
cis-1,2-Dichloroethene	ND	0.5	Isopropylbenzene	ND	0.5
2,2-Dichloropropane	ND	0.5	Bromobenzene	ND	0.5
Bromochloromethane	ND	0.5	n-Propylbenzene	ND	0.5
Chloroform	ND	0.5	2-Chlorotoluene	ND	0.5
tert-Butyl ethyl ether	ND	0.5	4-Chlorotoluene	ND	0.5
1,1,1-Trichloroethane	ND	0.5	1,3,5-Trimethylbenzene	ND	0.5
1,2-Dichloroethane	ND	0.5	ter-Butylbenzene	ND	0.5
1,1-Dichloropropene	ND	0.5	1,2,4-Trimethylbenzene	ND	0.5
Benzene	ND	0.5	sec-Butylbenzene	ND	0.5
Carbon Tetrachloride	ND	0.5	1,3-Dichlorobenzene	ND	0.5
tert-Amyl methyl ether (TAME)	ND	0.5	1,4-Dichlorobenzene	ND	0.5
1,2-Dichloropropane	ND	0.5	p-Isopropyltoluene	ND	0.5
Trichloroethene	ND	0.5	1,2-Dichlorobenzene	ND	0.5
Dibromomethane	ND	0.5	n-Butylbenzene	ND	0.5
Bromodichloromethane	ND	0.5	1,2-Dibromo-3-Chloropropane	ND	0.5
cis-1,3-Dichloropropene	ND	0.5	1,2,4-Trichlorobenzene	ND	0.5
trans-1,3-Dichloropropene	ND	0.5	Naphtalene	ND	0.5
Toluene	ND	0.5	Hexachlorobutadiene	ND	0.5
1,1,2-Trichloroethane	ND	0.5	1,2,3-Trichlorobenzene	ND	0.5

Regulated chemicals are boldfaced.

ND = Not detected at or above MRL

MRL = Minimum Reporting Level

CLEARWATER
G R O U P
Environmental Services

March 14, 2003

Mr. Scott Seery
Alameda County Health Care
Services Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577
Ph: (510) 567-6783
Fax: (510) 337-9335

Re: Sunol Tree Gas, 3004 Andrade Road, Sunol Preliminary Site Assessment Report

Dear Scott:

Clearwater Group, Inc. on behalf of Mr. Murray Kelsoe is pleased to submit the Preliminary Site Assessment Report for the Sunol Tree Gas site located at 3004 Andrade Road in Sunol California for your review. Please call me with any questions at (510) 307-9943 x 231.

Clearwater Group



Brian A. Pierskalla
Project Manager

Enclosure

Cc: Mr. Murray Kelsoe, Owner, Sunol Tree Gas (2 copies), 3004 Andrade Road, Sunol, CA 94586
Mr. Chuck Headlee, SFRWQCB (2 copies), 1515 Clay Street, Suite 1400, Oakland, CA 94612
Ms. Shari Knieriem, SWRCB UST Fund, P.O. Box 94421, Sacramento, CA 94244-2120
Mr. Robert Weston, ACDEH, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577



March 14, 2003

Mr. Scott O. Seery, CHMM
Hazardous Materials Specialist
Alameda County Health Care Services Agency
Environmental Health Service, Environmental Protection
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: **Preliminary Site Assessment Report**
Sunol Tree Gas
3004 Andrade Road, Sunol, California 94586
Project # CP032F

Dear Mr. Seery:

Clearwater Group, Inc. (Clearwater) is pleased to submit this report to the Alameda County Health Care Services Agency (ACHCSA) regarding the preliminary site assessment (PSA) activities completed to assess the extent of the petroleum release detected at Sunol Tree Gas, 3004 Andrade Road in Sunol, California (site). This PSA report describes site investigative activities conducted during the months of August 2002 through December 2002 per Clearwater's approved PSA Work Plan dated August 23, 2002. The purpose of the PSA was to confirm or negate the presence of petroleum products in suspected soil and groundwater.

BACKGROUND

A letter from Mr. Scott O. Seery to Mr. Murray Kelsoe, dated June 27, 2002 and received by Clearwater on August 21, 2002 from Mr. Murray, stated that "it has been reported that some evidence of an unauthorized (petroleum) release was identified during tank removals in the form of stained soil/backfill that also exhibited hydrocarbon odor." Eight temporary aboveground water storage tanks for groundwater extracted from the UST excavation pits were placed on site for an interim groundwater remediation. Approximately 4,000 cubic yards of soil were placed around the back side of the gas station for an interim soil remediation. Appendix A provides revised tables, figures, and soil boring logs from the Environmental Bio-Systems, Inc. (EBS) *UST (Underground Storage Tank) Removal and Interim Soil and Groundwater Remediation Report, Sunol Tree Service, May 9, 2002*. Refer to the EBS report for further information.

SITE HISTORY

A letter dated May 22, 2002 from the ACHCSA identified Mr. Kelsoe as the primary responsible party for an Underground Storage Tank Unauthorized Release first reported on April 10, 2002 by Mr. Robert Weston (Appendix B).

As first reported in EBS's, *UST Removal and Interim Soil and Groundwater Remediation Report* (EBS May 2002), five 15,000-gallon gasoline fiberglass USTs and associated piping were removed from the site and disposed of at Ecology Control Industries (ECI) in Richmond, California, on April 12, 2002. The fuel dispensers will be recycled by the property owner. EBS observed the tanks to be in good condition with no observable damage on their outer surfaces. EBS noted staining and hydrocarbon odor in the excavated stockpiled soil.

Superior Underground Tank Service (SUTS) of San Ramon, California performed an Interim Soil Remediation. Approximately 4,000 cubic yards of soil were excavated from above and around the USTs. Excavated overburden soil was transported adjacent to the existing building and placed on visqueen plastic. The stockpiles were also covered with visqueen plastic to prevent run-off and degassing of the soil (EBS, 2002).

In addition, SUTS performed an Interim Groundwater Remediation. Approximately 160,000 gallons of hydrocarbon and methyl tertiary butyl ether (MTBE) impacted water were pumped from the excavation and stored on site in eight 20,000-gallon storage tanks, pending proper disposal (EBS, 2002).

Soil samples were analyzed for total petroleum hydrocarbons as diesel (TPHd); total petroleum hydrocarbons as gasoline (TPHg); benzene, toluene, ethyl benzene and total xylenes (BTEX); and MTBE. The highest soil concentrations in the tank pit were: 9.5 milligrams per kilogram (mg/kg) TPHg; 2.6 mg/kg TPHd, 0.040 mg/kg xylenes in soil sample S5, and 0.025 mg/kg MTBE in S6. Most of the samples were below laboratory reporting levels and no benzene, toluene or ethyl benzene was detected in the ten UST soil samples collected April 2, 2002. The grab groundwater sample (WS-1) collected from the pit contained 290 micrograms per liter (ug/L) TPHd, 1.5 ug/L of toluene, 2.7 ug/L total xylenes, and 84 ug/L of MTBE (EBS, 2002).

Dispenser, pipe trench, and soil stockpile samples were mostly below laboratory reporting levels for the target chemicals. A few sampling locations had elevated levels of contaminants. The highest readings were 150 mg/kg for TPHg Pipe Trench PT-2, 1,300 mg/kg TPHd Diesel Dispenser DSP7, 87 mg/kg total petroleum hydrocarbons as motor oil TPHmo, Stockpile Sample STP-2, and 5.9 mg/kg MTBE (PT2). The soil sample from pit trenching area PT1 had 80 mg/L of TPHd. Lead was detected at background levels. Minor amounts of the toluene, ethylbenzene, and total xylenes were detected. No benzene was detected in the dispenser, pipe trench or soil stockpile samples (EBS, 2002).

In addition, soil samples SP-1 and SP-2 collected from Geoprobes showed low levels of TPHd as 8.4 to 12 mg/kg TPHd. Water samples collected from the temporary water storage tank, which store removed groundwater, contained 73 to 190 ug/L MTBE and low levels of TPHg between 82 to 170 ug/L.

The pit was backfilled with clean fill and compacted to near surface. The area of the excavation was completed by SUTS within building code guidelines.

SITE DESCRIPTION

The site contains a single one-story building used as a service station and mini-mart. It is located at 3004 Andrade Road, in the City of Sunol, County of Alameda, California. The site is bounded on the west by Andrade Road. A pasture lies west of Andrade Road. A golf driving range lies to the south. Adjacent land to the north and east is used for boarding horses, horse trailers and general outdoor storage. The northeast-southwest trending Interstate Highway 680 lies further northwest of the site by about 200 feet (Figure 1).

SITE PLOT PLAN

Figure 2 shows the site orientation, boring locations, soil stockpiles, and underground storage tanks still on site.

GEOLOGY

According to the Geologic Map of California (U.S. Geological Survey and California Division of Mines and Geology, 1966, Miscellaneous Geological Investigations, MAP I-512, scale 1:250,000,000), the site is regionally located between the Hayward Fault to the west and the Calaveras Fault to the east, on Late Mesozoic slope and sedimentary rocks, Cenozoic marine sedimentary rocks, and Cenozoic non-marine (continental) sedimentary rocks and alluvial deposits in the California Coast Ranges geologic province. Based on soil boring logs for B-1 through B-5, and SP-1 and SP-2 (Appendix C), the onsite soils generally consist of sandy gravel fill to approximately 5 feet below ground surface (bgs), underlain by clay, silty clay, silt, sandy silt, and gravelly silt with fine sands and small to medium gravel to approximately 25 feet bgs. The site is located in a generally flat area at approximately 275 feet above mean sea level, based on the U.S. Geological Survey 7.5-minute Niles, California, topographic map (Photo-revised 1980, scale 1:24000).



HYDROGEOLOGY

The site generally drains naturally to the northeast towards the modified intermittent northeastern headwaters of Sheridan Creek approximately 2000 feet to the east of the site, based on the U.S. Geological Survey 7.5-minute Niles, California, topographic map (Photo-revised 1980, scale 1:24,000). According to this topographic map, there are no water bodies adjacent to the site; however, there are two intermittent creeks within 0.5 miles of the site, including the Alameda Creek intermediate tributaries to the northwest, north, and northeast, and the Sheridan Creek tributary to the northeast, east, and south. The site appears to be divided between the Alameda Creek drainage basin to the north and the Sheridan Creek drainage basin to the south, according to the topographic map. A natural drainage lies about 50 feet south of the site.

Shallow groundwater was encountered in sandy and gravelly silt in onsite soil borings B-1 through B-5 at 15.8 to 18.2 feet bgs on November 27, 2002. In addition, WellSpy Water Well Surveys reported that an onsite 10-inch diameter steel, 153-foot deep domestic water well was observed to have static water at 19 feet bgs on December 12, 2002. WellSpy conducted a video survey of this well and reported that the well had Mills knife perforations at 60, 62, 67, 101, and 103 feet bgs.

Groundwater monitoring wells, and associated groundwater elevations and gradient, are not available at this site.

SAMPLING

Sample Domestic Water Well On Site

Clearwater queried potential sources of well completion data including Zone 7 Water Agency, Alameda County, State Department of Water Resources, and Delucchi Well Drilling Company records.

Due to the age of the well (circa 1964), well diagrams and completion data were not available or found to be incomplete during this PSA. Clearwater sampled the domestic water well on site to collect a groundwater sample for analysis. On August 20, 2002, Clearwater collected a water sample (FW-1) from the faucet located on the southern side of the gas station. This faucet is connected to the domestic water well on site. Clearwater sent this sample to Kiff Analytical, a California State-certified laboratory, for analysis under chain-of-custody. This water sample was analyzed for TPHg, MTBE, and BTEX by U.S. EPA Method 8260B. All analytes returned below reporting limits or non-detected (Table 1).



Video Log Domestic Water Well On site

On December 11, 2002, Clearwater provided oversight to Gregg Drilling, Concord California, as the well driller disassembled the submersible pump from the 10-inch diameter steel domestic water well on site. Field notes found that depth to water was approximately 20 feet bgs with a total depth measured at 154.6 feet bgs. The 3-inch diameter submersible pump was attached to a 3-inch diameter flexible hose that ran from the surface to approximately 100 feet bgs and produced about 15 gallons a minute.

On December 12, 2002, Clearwater provided oversight to WellSpy Water Well Surveyors, Fresno, California, to inspect the domestic well with a down hole video camera. WellSpy furnished both Clearwater Group and Mr. Kelsoe with a video cassette recording and a written description of the significant findings during the video assessment. Mr. Seery was on site to observe the down-hole video logging of the domestic well. Some of the more important findings include: The well is under a diamond plate cover and is 1-foot below the level of the surrounding concrete driveway. Static water level was measured at 19 feet bgs. The first evidence of Mills knife perforation was at 60 feet. Water movement was noted at perforations at 62, 67, 101, and 103 feet bgs. The report lists the bottom of the well to be 153 feet bgs. The WellSpy summary is presented in Appendix D.

HEALTH AND SAFETY PLAN/PERMITTING

Site Safety Plan

Clearwater prepared a Job Hazard Analysis and Site Safety Plan for the work completed onsite during field activities. All persons working in the exclusion zone and the contamination reduction zone became familiar with the safety documents during daily tailgate safety meetings and were required to comply with its provisions.

Permitting and Utility Clearance

Clearwater obtained a drilling permit from Zone 7 Water Agency with detailed boring locations prior to commencement of all drilling work. Clearwater sought the advice of the subcontractor that placed the newly installed fuel tanks of where buried utilities and piping were located prior to drilling for utility clearance and added safety to the field workers. Before advancing each of the borings, FAST-TEK Engineering Support Services (FAST-TEK) hand augured the first 5 feet, then completed the borings with a down hole push drilling rig.



SUBSURFACE INVESTIGATION

On November 27, 2002, FAST-TEK advanced five soil borings using a down hole push technology (DPT) drill rig into native soil (Appendix E) in areas where previous results indicated the presence of petroleum products significantly above general cleanup goals. These initial borings were advanced in the vicinity of Diesel Dispenser (DSP7), pipe trenches PT1 and PT2, soil sample location S6 (south end of a newly installed UST tank 3), and tank pit at WS-1 (north end of newly installed UST tank 4) to 15 to 20 feet bgs. See Figure 2 for a site plan showing the location of soil borings (EBS, 2002).

Clearwater collected soil samples in each boring from the near surface and every 4 feet to a total depth of approximately 20 feet. Kiff Analytical, of Davis California, a California State-Certified Laboratory, analyzed the soil samples for TPHd, TPHg, TPHmo, BTEX, MTBE, Diisopropyl ether (DIPE), Ethyl tertiary butyl ether (ETBE), Tertiary amyl methyl ether (TAME), and tertiary butanol by U.S. EPA Method 8260B.

Clearwater screened the soil samples for organic vapors using a photoionization detector to assist in the characterization of the vadose zone.

A geologist under the direct supervision of a California Registered Geologist logged the soil borings (Appendix C) and soil samples using the Unified Soils Classification System (ASTM D248890). The site geologist supervised the drilling activities, collected soil and groundwater samples and document field activities. Clearwater's standard operating procedures for direct-push drilling technology (DPT) soil and groundwater sampling are provided in Appendix E. Drilling and sampling equipment was decontaminated by steam cleaning before drilling with enough decontaminated casing to be used in the five borings.

After completing the borings to total depths, FAST-TEK placed temporary wells into the borings to collect a grab water sample. The temporary wells were constructed of approximately 10 feet of 0.010-inch slotted polyvinyl chloride (PVC) with 10 feet of blank PVC casing on top. Water levels were measured and recorded. Clearwater collected grab water samples in each boring following the placement of the temporary well casing. Kiff Analytical analyzed the grab groundwater samples for TPHd, TPHg, TPHmo, BTEX, MTBE, DIPE, ETBE, TAME, and tertiary butanol by U.S. EPA Method 8260B.

Clearwater stored the soil and groundwater samples on ice and transported them under chain-of-custody control to Kiff Analytical laboratory.

After sampling, the soil borings were grouted to the surface with portland cement with a mixture of 5% bentonite.

CONTAMINATION DELINEATION

This PSA confirms the presence of low levels of petroleum products in soils and elevated levels of petroleum products in groundwater in areas suspected to be impacted based on the EBS "*UST Removal and Interim Soil and Groundwater Remediation Report*" dated May 9, 2002.

Low concentrations of petroleum products were detected in five of the five borings sampled (B-1 through B-5) on November 27, 2002. The highest concentrations of MTBE and TPHg in soil samples were reported in B-3 (near pipe trench PT2) as 1.2 mg/kg MTBE and 250 mg/kg TPHg at 12 feet bgs (Table 2, Appendix F).

Based on the soil samples collected on November 27, 2002, soil samples from soil boring B-1 (near diesel dispenser DSP7) indicated 0.010 mg/kg MTBE and 0.026 mg/kg tertiary butanol at 8 feet, and 0.0055 mg/kg MTBE and 0.0081 mg/kg tertiary butanol at 12 feet bgs. Soil samples from B-2 (near pipe trench PT1) indicated 12 mg/kg TPHmo at 4 feet; 1.9 mg/kg TPHd at 16 feet; and 2.3 mg/kg TPHd at 20 feet bgs. Soil samples from B-3 (near pipe trench PT2) indicated 0.0095 mg/kg ethylbenzene, 0.021 mg/kg total xylenes, 18 mg/kg TPHg, 59 mg/kg TPHd, and 19 mg/kg TPHmo at 4 feet; 6.9 mg/kg TPHd at 8 feet; 0.034 mg/kg toluene, 1.3 mg/kg ethylbenzene, 9.5 mg/kg total xylenes, 1.2 mg/kg MTBE, 1.0 mg/kg tertiary butanol, 250 mg/kg TPHg, and 50 mg/kg TPHd at 12 feet; and 0.0093 mg/kg ethylbenzene, 0.28 mg/kg total xylenes, 0.12 mg/kg MTBE, 0.12 tertiary butanol, 1.3 mg/kg TPHg, and 15mg/kg TPHd at 15 feet bgs. Soil samples from B-4 (southwest of the store, moved from tank pit WS-1 which was inaccessible) indicated 15 mg/kg TPHmo at 4 feet and 0.0073 mg/kg MTBE at 16 feet bgs. Soil samples from B-5 (near S6 at north end of newly installed UST Tank 4) indicated 13 mg/kg TPHd and 29 mg/kg TPHmo at 4 feet bgs.

Elevated concentrations of petroleum products were detected in grab groundwater samples collected from four of the five borings (B-1 through B-4) on November 27, 2002; petroleum products were not detected in grab groundwater samples collected from boring B-5 nor in the onsite domestic water well (sampled for limited prescreening parameters as requested by Mr. Seery, August 20, 2002). The highest onsite concentrations of MTBE and TPHg in groundwater samples were reported in B-3 (near pipe trench PT2) as 43 ug/L MTBE and in B-4 (southwest of the store) as 17,000 ug/L TPHg (Table 3, Appendix F). These unconfirmed analytical results imply the presence of a dissolved-phase petroleum plume in the vicinity of B-1 through B-4 (Table 3, Appendix F).

Based on the grab groundwater samples collected from soil borings on November 27, 2002, groundwater samples from soil boring B-1 (near diesel dispenser DSP7) indicated 260 ug/L TPHd. Groundwater samples from B-2 (near pipe trench PT1) indicated 0.76 ug/L total xylenes, 0.68 ug/L MTBE, 500 ug/L TPHg, and 180 ug/L TPHmo. Groundwater samples from B-3 (near pipe trench PT2) indicated 1.1 ug/L benzene, 6.6



ug/L ethylbenzene, 20 ug/L total xylenes, 43 ug/L MTBE, and 670 ug/L TPHg. Groundwater samples from B-4 (southwest of the store) indicated 350 ug/L ethylbenzene, 84 ug/L total xylenes, 4.7 ug/L MTBE, and 17,000 ug/L TPHg.

The extent, volume, and mass of soil and groundwater contamination cannot be delineated with the existing data.

WASTE MANAGEMENT

Water Stored in Baker Tanks

As noted above, SUTS performed an Interim Groundwater Remediation. Approximately 160,000 gallons of hydrocarbon and MTBE impacted water was pumped from the excavation and stored on site in eight 20,000-gallon storage tanks, pending proper disposal.

Starting in September 2002 and finishing in October 2002, Clearwater subcontracted Asbury Environmental Services to remove/haul away the impacted water to Dublin San Ramon Services District Wastewater Treatment Plant in Pleasanton, California (Appendix G). Asbury cleaned and disposed of the remaining residual water in the Baker tanks. The tanks have been removed from the subject property.

Soil Pile / Soil Pile Maintenance

As noted above, SUTS performed an Interim Soil Remediation. Approximately 4,000 cubic yards of soil were excavated from above and around the former USTs. Excavated overburden soil was transported adjacent to the existing building and placed on visqueen plastic. The stockpiles were also covered with visqueen plastic to prevent run-off and degassing of the soil.

As a maintenance activity, Clearwater provides labor to recover the soil pile with visqueen and sand bags to keep the soil piles intact approximately once a month or after each storm event. At this time, the soil pile remains on site awaiting proper disposal.

SITE SAFETY

During the course of the PSA, the Sunol Tree Gas Station was closed for business and surrounded by a cyclone fence to keep the public away from the station. The monitoring equipment and personal protective equipment used during this PSA was used according to industry standards and practices. Clearwater notified the ACHCSA when field work was going to be completed. Starting December 2002, Mr. Kelsoe has re-opened the gas station for business.

SITE SUMMARY

Conclusions and Recommendations

This preliminary site assessment confirms the presence of low levels of petroleum products in soils and elevated levels of petroleum products in groundwater in areas suspected to be impacted based on the EBS "*UST Removal and Interim Soil and Groundwater Remediation Report*" dated May 9, 2002.

Clearwater recommends additional site assessment to define the horizontal and vertical extent of petroleum contamination. This would include placing a network of monitoring wells along the border of and within the site to establish hydrocarbon plume size and shape, and groundwater gradient.

Currently, there are insufficient data to recommend mitigation alternatives for petroleum-impacted soil and groundwater.

ATTACHMENTS

FIGURES

1. **Site Location Map**
2. **Site Plan**

TABLES

1. **Analytical Data – Domestic Water Well**
2. **Analytical Data – Soil**
3. **Analytical Data – Groundwater**

APPENDICES

- A. **Revised Tables, Figures, and Soil Borings from EBS UST Removal Report**
- B. **Unauthorized Release Form**
- C. **Boring Logs**
- D. **WellSpy Written Observations**
- E. **Direct Push Drilling Investigation Procedures**
- F. **Laboratory Data Sheets**
- G. **Manifests**

Please call Mr. Brian Pierskalla at (510) 307-9942 if you have any questions.

Cc: Mr. Murray Kelsoe, Owner, Sunol Tree Gas (2 copies), 3004 Andrade Road, Sunol, CA 94586
Mr. Chuck Headlee, SFRWQCB (2 copies), 1515 Clay Street, Suite 1400, Oakland, CA 94612
Ms. Shari Knieriem, SWRCB UST Fund, P.O. Box 94421, Sacramento, CA 94244-2120
Mr. Robert Weston, ACDEH, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577

Certification

This report was prepared under the supervision of a professional Registered Geologist in the State of California. All statements, conclusions and recommendations are based solely upon published results from previous consultants, field observations by Clearwater and laboratory analysis performed by a California State-certified laboratory related to the work performed by Clearwater.

Information and interpretation presented herein are for the sole use of the client and regulating agency. The information and interpretation contained in this document should not be relied upon by a third party.

The service performed by Clearwater has been conducted in a manner consistent with the level of care and skill ordinarily exercised by members of our profession currently practicing under similar conditions in the area of the site. No other warranty, expressed or implied, is made.

CLEARWATER GROUP



Brian A. Pierskalla
Project Manager




Barney P. Popkin, R.G., No. 5585
Registered Geologist




FIGURES


1. Site Location Plan
2. Site Plan



SOURCE: USGS 7.5' Series Maps, "Topographic"
 Niles, California, 1961, Photorevised 1980



APPROXIMATE SCALE IN FEET



SITE LOCATION MAP

Sunol Tree Service
 3004 Andrade Road
 Sunol, CA 94586

CLEARWATER GROUP

Project No.
 CP032F

Figure Date
 3/03

Figure
 1

Table 1
 Analytical Data - Domestic Water Well
 Sunol Tree Gas
 3004 Andrade Road, Sunol, CA
 Clearwater Project Number: CP032F

Sample I.D.	Sample Date	B μg/L	T μg/L	E μg/L	X μg/L	MTBE μg/L	TPHg μg/L
FW-1	8/20/02	<0.50	<0.50	<0.50	<0.50	<0.50	<50

Notes:

- B = Benzene
- T = Toluene
- E = Ethylbenzene
- X = Total Xylenes

MTBE = Methyl tertiary butyl ether

TPHg = Total Petroleum Hydrocarbons as gasoline

μg/L = Micrograms per liter

Table 2
Analytical Data - Soil
Sunol Tree Gas
3004 Andrade Road, Sunol, CA
Clearwater Project Number: CP032F

Sample I.D	Sample Date	B mg/kg	T mg/kg	E mg/kg	X mg/kg	MTBE mg/kg	DIPE mg/kg	ETBE mg/kg	TAME mg/kg	Tertiary Butinol mg/kg	TPHg mg/kg	TPHd mg/kg	TPHmo mg/kg
B-1-8	11/27/02	<0.0050	<0.0050	<0.0050	<0.0050	0.010	<0.0050	<0.0050	<0.0050	0.026	<1.0	<1.0	<10
B-1-12	11/27/02	<0.0050	<0.0050	<0.0050	<0.0050	0.0055	<0.0050	<0.0050	<0.0050	0.0081	<1.0	<1.0	<10
B-1-16	11/27/02	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<1.0	<1.0	<10
B-1-20	11/27/02	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<1.0	<1.0	<10
B-2-4	11/27/02	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<1.0	<1.0	12
B-2-8	11/27/02	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<1.0	<1.0	<10
B-2-12	11/27/02	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<1.0	<1.0	<10
B-2-16	11/27/02	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<1.0	1.9	<10
B-2-20	11/27/02	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<1.0	2.3	<10
B-3-4	11/27/02	<0.0050	<0.0050	0.0095	0.021	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	18	59	19
B-3-8	11/27/02	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<1.0	6.9	<10
B-3-12	11/27/02	<0.025	0.034	1.3	9.5	1.2	<0.025	<0.025	<0.025	1.0	250	50	<10
B-3-16	11/27/02	<0.0050	<0.0050	0.0093	0.28	0.12	<0.0050	<0.0050	<0.0050	0.12	1.3	15	<10
B-3-20	11/27/02	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<1.0	<1.0	<10
B-4-4	11/27/02	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<1.0	<1.0	15
B-4-8	11/27/02	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<1.0	<1.0	<10
B-4-12	11/27/02	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<1.0	<1.0	<10
B-4-16	11/27/02	<0.0050	<0.0050	<0.0050	<0.0050	0.0073	<0.0050	<0.0050	<0.0050	<0.0050	<1.0	<1.0	<10
B-4-20	11/27/02	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<1.0	<1.0	<10
B-4-24	11/27/02	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<1.0	<1.0	<10
B-5-4	11/27/02	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<1.0	13	29
B-5-8	11/27/02	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<1.0	<1.0	<10
B-5-12	11/27/02	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<1.0	<1.0	<10
B-5-16	11/27/02	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<1.0	<1.0	<10
B-5-20	11/27/02	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<1.0	<1.0	<10

3/14/03

Table 2 (continued)

Notes:

B = Benzene	ETBE = Ethyl tertiary butyl ether
T = Toluene	TAME = Tertiary amyl methyl ether
E = Ethylbenzene	TPHg = Total petroleum hydrocarbons as gasoline
X = Total Xylenes	TPHd = Total petroleum hydrocarbons as diesel
MTBE = Methyl tertiary butyl ether	TPHmo = Total petroleum hydrocarbons as motor oil
DIPE = Diisopropyl ether	mg/kg = Miligrams per kilogram

Table 3
 Analytical Data - Groundwater
 Sunol Tree Gas
 3004 Andrade Road, Sunol, CA
 Clearwater Project Number: CP032F

Sample I.D	Sample Date	B µg/L	T µg/L	E µg/L	X µg/L	MTBE µg/L	DIPE µg/L	ETBE µg/L	TAME µg/L	Tertiary Butanol µg/L	TPHg µg/L	TPHd µg/L	TPHmo µg/L
B-1-W	11/27/02	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	260	<200	<100
B-2-W	11/27/02	<0.50	<0.50	<0.50	0.76	0.68	<0.50	<0.50	<0.50	<5.0	500	<200	180
B-3-W	11/27/02	1.1	<0.50	6.6	20	43	<0.50	<0.50	<0.50	<5.0	670	<300	<100
B-4-W	11/27/02	<2.5	<2.5	350	84	4.7	<2.5	<2.5	<2.5	<25	17,000	<15000	<100
B-5-W	11/27/02	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	<50	<50	<100

Notes:

- B = Benzene
- T = Toluene
- E = Ethylbenzene
- X = Total Xylenes
- MTBE = Methyl tertiary butyl ether
- DIPE = Diisopropyl ether
- ETBE = Ethyl tertiary butyl ether
- TAME = Tertiary amyl methyl ether
- TPHg = Total petroleum hydrocarbons as gasoline
- TPHd = Total petroleum hydrocarbons as diesel
- TPHmo = Total petroleum hydrocarbons as motor oil
- µg/L = Micrograms per liter

3/14/03

APPENDIX A

Soil Boring Log, SP-1
Soil Boring Log, SP-2

Figure 1. Site Location
Figure 2. Site Plan
Figure 3. Site Sampling Plan
Figure 4. Soil Stockpile Sampling Map

Table 1. Summary of Laboratory Analyses, Underground Storage Tank Samples, revised
Table 2. Summary of Laboratory Analyses, Soil Samples from Dispenser and Piping Areas, and Soil Stockpiles, revised
Table 3. Summary of Water Sampling Results from Temporary Water Storage Tanks, revised

C9004A

SOIL BORING AND WELL CONSTRUCTION LOG:

Project No. EBS-0100-SOTS

Sheet 1 of 2

FIELD LOCATION OF BORING: SP-1				CLIENT/LOCATION: <i>Murray Kebab</i> <i>3004 Alameda Road, Sunnyvale, Ca</i>		PLANNED USE: <i>Soil Sampling</i>		BORING DEPTH: <i>16.5 ft</i>		BORING/WELL NO.: <i>SP-1</i>			
				DRILLING CONTRACTOR: <i>Fast-Tek</i>		DRILL RIG TYPE: <i>Power Probe</i>		WELL DEPTH:		BORING DIAMETER: <i>2 1/4"</i>			
				DRILL RIG OPERATOR: <i>Abuhat</i>		WELL MATERIAL:		SCREEN SLOT SIZE:		FILTER PACK:			
WELL SEAT:								DRILLING DATE: <i>3-27-02</i>					
FINISH	WELL CONSTRUCTION DETAIL	SAMPLING				DEPTH (FEET)	CORE READING (FEET)	ESTIMATED PERCENT			GRAPHIC LOG	SAMPLING METHOD: <i>2' tube sampler</i>	
		FLOW/INTERVAL	INTERVAL	RECOVERY	ANALYTICAL			GRAVEL	SAND	FINES		MONITORING INSTRUMENT:	
												FIRST ENCOUNTERED WATER DEPTH:	
												STATIC WATER DEPTH - DATE:	
					1								
					2								
					3								
					4								
					5								
					6								
					7								
					8								
					9								
					10								
					11								
					12								
					13								
					14								
					15								
					16								
					17							<i>silty CLAY, brown, tests moderate plasticity, with small to median gravel</i>	
					18								
					19								
					20								
					21								
					22								
					23								
					24								
					25								
					26								
					27							Jim Jacobs, President Environmental Bio-Systems, Inc. 707 View Point Road Mill Valley, CA 94941	
					28								
					29								
					30								

9/10

DRILLING START

LOGGED BY: *Scott Robertson*


APPROVED BY

C9004A

Project No. EBS-0100-5UTS

Sheet 2 of 2

SOIL BORING AND WELL CONSTRUCTION LOG: SP-2

FIELD LOCATION OF BORING: 		CLIENT/LOCATION 3004 Andale Road, Sonoma, CA	PLANNED USE soil sampling	BORING DEPTH: 16.5ft	BORING/WELL NO SP-2
		DRILLING CONTRACTOR Fast Tek	DRILL RIG TYPE pneum probe	WELL DEPTH:	BORING DIAMETER: 2"
		DRILL RIG OPERATOR Dollal	WELL MATERIAL:	SCREEN SLOT SIZE:	FILTER PACK.
		WELL SEAL			DRILLING DATE: 3-27-02

FINISH: _____
DRILLING START: _____
LOGGED BY: Scott Robertson
APPROVED BY: _____

WELL CONSTRUCTION DETAIL	SAMPLING				DEPTH (FEET)	OVM READING (PPM)	ESTIMATED PERCENT			GRAPHIC LOG
	BLOWS/6" INTERVAL	INTERVAL	RECOVERY	ANALYTICAL			WATER LEVEL	GRAVEL	SAND	
					1					
					2					
					3					
					4					
					5					
					6					
					7					
					8					
					9					
					10					
					11					
					12					
					13					
					14					
					15					
					16					
					17					
					18					
					19					
					20					
					21					
					22					
					23					
					24					
					25					
					26					
					27					
					28					
					29					
					30					

SAMPLING METHOD: 2' tube sampler

MONITORING INSTRUMENT:


FIRST ENCOUNTERED WATER DEPTH:

STATIC WATER DEPTH - DATE:

silty CLAY, brown, low to moderate plasticity, some fine sand

Jim Jacobs, President
Environmental Bio-Systems, Inc.
707 View Point Road
Mill Valley, CA 94941

★
3004 Andrade Rd, Sunol, CA 94586-9453



Environmental Bio-Systems, Inc 707 View Point Road Mill Valley, CA 94941 Tel: 415-381-5195 Fax: 415-381-5816	Sunol Tree Service 3004 Andrade Road Sunol, California	FIGURE 1 - SITE LOCATION		
	JAJ	050902		EBS Project # 586






FIGURE 2 - SITE PLAN

Environmental Bio-Systems, Inc. 707 View Point Road Mill Valley, CA 94941 Tel: 415-381-5195 Fax: 415-381-5816	Sunol Tree Service 3004 Andrade Road Sunol, California	EBS Project # 586
JAJ	050902	



Dirt Lot

Edge of Property


Edge of Concrete




Existing Building



Andrade Road



SP-2-W* Sample location




North No scale implied

Environmental Bio-Systems, Inc
 707 View Point Road
 Mill Valley, CA 94941
 Tel: 415-381-5195
 Fax: 415-381-5816

Sunol Tree Service
 3004 Andrade Road
 Sunol, California

FIGURE 3 - SITE SAMPLING MAP

JAJ 050902 EBS Project # 586



Environmental Bio-Systems, Inc
 707 View Point Road
 Mill Valley, CA 94941
 Tel: 415-381-5195
 Fax: 415-381-5816

Sunol Tree Service
 3004 Andrade Road
 Sunol, California

FIGURE 4 - SOIL STOCKPILE SAMPLING MAP

JAJ 050902



EBS Project # 586

3/14/03

Sunol Valley
Golf Courses

Athenour Way

Rock Quarry:
0.4 Miles →



0 50 100
APPROXIMATE SCALE IN FEET

Legend	
	Temporary Water Storage Tanks
	Dispenser Islands
	Property Line / Fence
	Soil Boring Location with ID

SITE PLAN

Sunol Tree Service
3004 Andrade Road
Sunol, CA 94586

CLEARWATER GROUP

Project No.
CP032F

Figure Date
03/03

Figure
2

TABLES

1. Analytical Data – Domestic Water Well
2. Analytical Data – Soil
3. Analytical Data – Groundwater

TABLE 1
SUMMARY OF LABORATORY ANALYSES
UNDERGROUND STORAGE TANK SAMPLES

Sunol Tree Gas
3004 Andrade Road
Sunol, California 94586

Sample No.	TPHg	TPHd	Benzene	Toluene	Ethylbenzene	Xylenes	MTBE	Lead
Geoprobe samples for UST converted into water storage tank (collected March 27, 2002), in mg/kg								
SP-1 - Soil	ND	12*	ND	ND	ND	ND	ND	NA
SP-2 - Soil	ND	8.4*	ND	ND	ND	ND	ND	NA
Reporting Limits	1.0	1.0	0.0050	0.0050	0.0050	0.0050	0.0050	
Underground Storage Tank Removal Soil Samples (collected April 2, 2002), in mg/kg								
S1-15' - Soil	ND	ND	ND	ND	ND	ND	ND	6.8
S2-15' - Soil	ND	ND	ND	ND	ND	ND	ND	4.4
S3-15' - Soil	ND	1.1*	ND	ND	ND	ND	ND	4.1
S4-15' - Soil	ND	ND	ND	ND	ND	ND	ND	4.5
S5-15' - Soil	9.5	2.6*	ND	ND	ND	0.040	ND	ND
S6-15' - Soil	ND	ND	ND	ND	ND	ND	0.025	4.7
S7-15' - Soil	ND	ND	ND	ND	ND	ND	ND	3.8
S8-15' - Soil	ND	ND	ND	ND	ND	ND	ND	5.1
S9-15' - Soil	ND	ND	ND	ND	ND	ND	0.0058	4.3
S10-15' - Soil	ND	ND	ND	ND	ND	ND	ND	5.3
Reporting Limits	1.0	1.0	0.0050	0.0050	0.0050	0.0050	0.0050	2.5
Underground Storage Tank Removal Water Sample (collected April 2, 2002), in µg/L								
WS-1 - Water	ND	290	ND	1.5	ND	2.7	84	ND
Reporting Limits	50	50	0.50	0.50	0.50	0.50	0.50	5.0

* Hydrocarbons reported as TPHd do not exhibit typical diesel chromatographic pattern for samples SP-1, SP-2, S3-15', and S5-15'

Notes:

BTEX Benzene, Toluene, Ethylbenzene and Total Xylenes by U.S. EPA Method 8260B
Lead by U.S. EPA Method 6010
MTBE Methyl tert-butyl ether by EPA Method 8260B
NA Not analyzed
ND Not detected in concentrations exceeding the indicated laboratory reporting limit
S1-15' Soil sample from underground tank removal, collected April 2, 2002.
SP Soil sample from Geoprobe, collected March 27, 2002.
TPHd Total petroleum hydrocarbons as diesel by U.S. EPA Method 8015 modified
TPHg Total petroleum hydrocarbons as gasoline by U.S. EPA Method 8260B
UST Underground Storage Tank
WS Water sample from tank pit, collected April 2, 2002.
mg/kg milligrams per kilogram (approximately equivalent to ppm)
µg/L micrograms per liter (approximately equivalent to ppb)

When depths are listed in sample name (ex. S1-15'), depth is below grade.
Samples were collected by Jim Jacobs, Environmental Bio-Systems, Mill Valley, California.
Samples were analyzed for petroleum by Kiff Analytical, Davis, California,
and for lead by California Laboratory Services, Sacramento, California.
Samples were prepared by U.S. EPA Method 5030, and analyzed by U.S. EPA Methods 8015M and 8021B.

TABLE 2
SUMMARY OF LABORATORY ANALYSES
SOIL SAMPLES FROM DISPENSER AND PIPING AREAS, AND SOIL STOCKPILES

Sunol Tree Gas
 3004 Andrade Road
 Sunol, California 94586

Sample No.	TPHg (mg/kg)	TPHd (mg/kg)	TPHmo (mg/kg)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Xylenes (mg/kg)	MTBE (mg/kg)	Lead (mg/kg)
Soil Samples from Piping Trench Area									
PT1-2.5'	1.5	80	53***	ND	ND	0.0072	0.053	0.095	10.5
PT2-4'	150	61**	65***	ND	1.0	2.4	20	5.9	8.01
PT3-4'	9.2	14**	36***	ND	ND	0.039	0.67	1.1	9.33
Soil Samples from under Dispenser Area									
DSP1-3'	ND	65	26***	ND	ND	ND	ND	ND	10.3
DSP2-3'	ND	38	45***	ND	ND	ND	ND	0.79	9.27
DSP3-3'	ND	3.5	21***	ND	ND	ND	ND	0.0058	9.51
DSP4-3'	ND	5.3	20***	ND	ND	ND	ND	ND	12.0
DSP5-3'	ND	60	39***	ND	ND	ND	ND	ND	13.9
DSP6-3'	ND	8.4	26***	ND	ND	ND	ND	ND	9.88
DSP7-3'	3.9*	1,300	ND	ND	ND	ND	0.030	0.090	7.36
DSP8-3'	ND	10	9.9***	ND	ND	ND	ND	ND	6.02
DSP9-3'	ND	4.9**	19***	ND	ND	ND	ND	ND	8.66
DSP10-3'	13	7.4**	12***	ND	0.17	0.19	1.7	0.078	7.53
DSP11-3'	ND	ND	14***	ND	ND	ND	ND	0.13	8.38
DSP12-4'	ND	ND	ND	ND	ND	ND	ND	0.0064	7.54
Soil Samples from Soil Stockpiles									
STP-1 A1,A2,A3,A4	ND	ND	ND	ND	ND	ND	ND	ND	7.04
STP-2 B1,B2,B3,B4	ND	ND	87	ND	ND	ND	ND	ND	7.38
STP-3 C1,C2,C3,C4	ND	ND	16***	ND	ND	ND	ND	ND	4.24
STP-4 D1,D2,D3,D4	ND	30**	20***	ND	ND	ND	ND	ND	5.81
Reporting Limits	1.0	1.0	10	0.0050	0.0050	0.0050	0.0050	0.0050	0.50

* Hydrocarbons reported as TPHg do not exhibit typical gasoline chromatographic pattern for sample DSP7-3'
 ** Hydrocarbons reported as TPHd do not exhibit typical diesel chromatographic pattern for samples PT2-4', PT3-4', DSP9-3', DSP10-3' and STP-4 D1,D2,D3,D4
 *** Hydrocarbons reported as TPHd do not exhibit typical motor oil chromatographic pattern for samples PT1-2.5', PT2-4', PT3-4', DSP1-3', DSP2-3', DSP3-3', DSP4-3', DSP5-3', DSP6-3', DSP8-3', DSP9-3', DSP10-3', DSP11-3', STP-3 C1,C2,C3,C4, and STP-4 D1,D2,D3,D4

Notes:

- BTEX Benzene, Toluene, Ethylbenzene and Total Xylenes by U.S. EPA Method 8260B
- Lead Lead by U.S. EPA Method 6010
- MTBE Methyl tert-butyl ether by EPA Method 8260B
- TPHd Total petroleum hydrocarbons as diesel by U.S. EPA Method 8015 modified
- TPHg Total petroleum hydrocarbons as gasoline by U.S. EPA Method 8260B
- TPHmo Total petroleum hydrocarbons as motor oil by U.S. EPA Method 8015 modified
- mg/kg milligrams per kilogram (approximately equivalent to ppm)
- ND Not detected in concentrations exceeding the indicated laboratory reporting limit
- PT Pipe Trench Soil Sample, collected April 22, 2002
- DSP Dispenser soil sample, collected April 22, 2002
- STP Stockpile Soil Sample, composited in lab from 4 samples, collected April 22, 20002

When depths are listed in sample name (ex. PT2-4'), depth is below grade.
 Samples were collected by Jim Jacobs, Environmental Bio-Systems, Mill Valley, California, on April 22, 2002
 Samples were analyzed for petroleum by Kiff Analytical, Davis, California,
 and for lead by California Laboratory Services, Sacramento, California.
 Samples were prepared by U.S. EPA Method 5030, and analyzed by U.S. EPA Methods 8015M and 8021B.

TABLE 3

**TABLE 3
SUMMARY OF WATER SAMPLING RESULTS
FROM TEMPORARY WATER STORAGE TANKS**

Sunol Tree Gas
3004 Andrade Road
Sunol, California 94586

Sample No.	Tank No.	TPHg (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	TPHd (µg/L)
Tank 1, G	255557	65*	ND	ND	ND	ND	73	ND
Tank 2, C	254100	110*	ND	ND	ND	ND	100	ND
Tank 3, A	254288	170*	ND	ND	ND	ND	190	110
Tank 4, D	255565	82*	ND	ND	ND	ND	82	ND
Reporting Limits	NA	50	0.5	0.5	0.5	0.5	5	50

* Hydrocarbons reported as TPHg do not match the laboratory's gasoline standard for all samples.

Notes:

- MTBE Methyl tert-butyl ether
- NA Not applicable
- ND Not detected in concentrations exceeding the indicated laboratory reporting limit
- TPHd Total petroleum hydrocarbons as diesel
- TPHg Total petroleum hydrocarbons as gasoline
- µg/L micrograms per liter (approximately equivalent to ppb)
- A, C, D, and G Symbols assigned to temporary water storage tanks, as shown on Figure 1

Samples were collected by Jim Jacobs, Environmental Bio-Systems, Mill Valley, California, on April 9, 2002, and analyzed by Severn Trent Services, Pleasanton, California, on April 10, 2002.

Samples were prepared by U.S. EPA Method 5030, and analyzed by U.S. EPA Methods 8015M and 8021B.



APPENDIX B

Unauthorized Release Form

ALAMEDA COUNTY
HEALTH CARE SERVICES



AGENCY
DAVID J. KEARS, Agency Director

Certified Mail # 7000 1670 3787 4629
May 22, 2002

Notice of Responsibility

ENVIRONMENTAL HEALTH SERVICES
ENVIRONMENTAL PROTECTION
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577
(510) 567-6700
FAX (510) 337-9335

Record ID: R00002448
Sunol Tree Gas
3004 Andrade Road
Sunol, CA 94586

SITE

Date First Reported 04/17/02
Substance: Gasoline
Funding (Federal or State): F
Multiple RPs?: N

Murray Kelsoe
Sunol Tree Gas
3004 Andrade Road
Sunol, CA 94586

Responsible Party (RP)
Property Owner

Pursuant to sections 25297.1 and 25297.15 of the Health and Safety Code, you are hereby notified that the above site has been placed in the Local Oversight Program and the individual(s) or entity(ies) shown above, or on the attached list, has (have) been identified as the party(ies) responsible for investigation and cleanup of the above site. Section 25297.15 further requires the primary or active Responsible Party to notify all current record owners of fee title before the local agency considers cleanup or site closure proposals or issues a closure letter. For purposes of implementing section 25297.15, this agency has identified Murray Kelsoe as the primary or active Responsible Party. It is the responsibility of the primary or active Responsible Party to submit a letter to this agency within 20 calendar days of receipt of this notice which identifies all current record owners of fee title. It is also the responsibility of the primary or active Responsible Party to certify to the local agency that the required notifications have been made at the time a cleanup or site closure proposal is made or before the local agency makes a determination that no further action is required. If property ownership changes in the future, you must notify this local agency within 20 calendar days from when you are informed of the change.

Any action or inaction by this local agency associated with corrective action, including responsible party identification, is subject to petition to the State Water Resources Control Board. Petitions must be filed within 30 days from the date of the action/inaction. To obtain petition procedures, please FAX your request to the State Water Board at (916) 341-5808 or telephone (916) 341-5700.

Pursuant to section 25299.37(c) (7) of the Health and Safety Code, a responsible party may request the designation of an administering agency when required to conduct corrective action. Please contact Scott Seery, Hazardous Materials Specialist, at this office at (510) 567-6783 for further information about the site designation process.

Ariu Levi, Chief
Contract Project Director
Date: 5/21/02

Please Circle One Add Delete Change
Reason: New Case

- c: Iori Casias, SWRCB
- Scott Seery, Hazardous Materials Specialist

UNDERGROUND STORAGE TANK UNAUTHORIZED RELEASE (LEAK) / CONTAMINATION SITE REPORT			
EMERGENCY <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO		HAS STATE OFFICE OF EMERGENCY SERVICES REPORT BEEN FILED? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	
REPORT DATE 04/17/02		CASE #	
FOR LOCAL AGENCY USE ONLY (HEREBY CERTIFY THAT I HAVE DISTRIBUTED THIS INFORMATION ACCORDING TO THE DISTRIBUTION SKETCH ON THE INSTRUCTION SHEET ON THE BACK PAGE OF THIS FORM.) SIGNED: [Signature] DATE: 4-22-02			
REPORTED BY	NAME OF INDIVIDUAL FILING REPORT Murray Kelsae		PHONE (725) 862-2288
	REPRESENTING <input checked="" type="checkbox"/> OWNER/OPERATOR <input type="checkbox"/> REGIONAL BOARD <input type="checkbox"/> LOCAL AGENCY <input type="checkbox"/> OTHER		COMPANY OR AGENCY NAME SUNOL TREE GAS
ADDRESS 3004 Andrade Road CITY: Sunol STATE: Ca. ZIP: 94586			
RESPONSIBLE PARTY	NAME Murray Kelsae <input type="checkbox"/> UNKNOWN		CONTACT PERSON Murray Kelsae
	ADDRESS 3004 Andrade Road CITY: Sunol STATE: Ca. ZIP: 94586		PHONE (725) 862-2288
SITE LOCATION	FACILITY NAME (IF APPLICABLE) Sunol Tree Gas		OPERATOR Murray Kelsae
	ADDRESS 3004 Andrade Road CITY: Sunol STATE: Alameda COUNTY: ZIP: 94586		CROSS STREET Hwy 680
IMPLEMENTING AGENCIES	LOCAL AGENCY COUNTY OF ALAMEDA		CONTACT PERSON ROBERT WESTON
	REGIONAL BOARD SF REGION SWRCB		PHONE (510) 5676781
SUBSTANCES INVOLVED	(1) NAME GASOLINE		QUANTITY LOST (GALLONS) <input checked="" type="checkbox"/> UNKNOWN
	(2) NAME DIESEL		<input checked="" type="checkbox"/> UNKNOWN
DISCOVERY/ABATEMENT	DATE DISCOVERED 04/10/02	HOW DISCOVERED <input type="checkbox"/> TANK TEST <input type="checkbox"/> INVENTORY CONTROL <input type="checkbox"/> SUBSURFACE MONITORING <input type="checkbox"/> NUISANCE CONDITIONS	<input type="checkbox"/> TANK REMOVAL <input checked="" type="checkbox"/> OTHER Tank Removal
	DATE DISCHARGE BEGAN	METHOD USED TO STOP DISCHARGE (CHECK ALL THAT APPLY)	
SOURCE/CAUSE	SOURCE OF DISCHARGE <input type="checkbox"/> TANK LEAK <input checked="" type="checkbox"/> UNKNOWN <input type="checkbox"/> PIPING LEAK <input type="checkbox"/> OTHER		CAUSE(S) <input type="checkbox"/> OVERFILL <input type="checkbox"/> RUPTURE/FAILURE <input type="checkbox"/> SPILL <input type="checkbox"/> CORROSION <input checked="" type="checkbox"/> UNKNOWN <input type="checkbox"/> OTHER
	CHECK ONE ONLY <input type="checkbox"/> UNDETERMINED <input type="checkbox"/> SOIL ONLY <input checked="" type="checkbox"/> GROUNDWATER <input type="checkbox"/> DRINKING WATER - (CHECK ONLY IF WATER WELLS HAVE ACTUALLY BEEN AFFECTED)		
CURRENT STATUS	CHECK ONE ONLY <input type="checkbox"/> NO ACTION TAKEN <input type="checkbox"/> PRELIMINARY SITE ASSESSMENT WORKPLAN SUBMITTED <input type="checkbox"/> POLLUTION CHARACTERIZATION <input type="checkbox"/> LEAK BEING CONFIRMED <input checked="" type="checkbox"/> PRELIMINARY SITE ASSESSMENT UNDERWAY <input type="checkbox"/> POST CLEANUP MONITORING IN PROGRESS <input type="checkbox"/> REMEDIATION PLAN <input type="checkbox"/> CASE CLOSED (CLEANUP COMPLETED OR UNNECESSARY) <input type="checkbox"/> CLEANUP UNDERWAY		
	CHECK APPROPRIATE ACTION(S) <input type="checkbox"/> CAP SITE (CS) <input checked="" type="checkbox"/> EXCAVATE & DISPOSE (ED) <input type="checkbox"/> REMOVE FREE PRODUCT (FP) <input type="checkbox"/> ENHANCED BIO DEGRADATION (IB) <input type="checkbox"/> CONTAINMENT BARRIER (CB) <input type="checkbox"/> EXCAVATE & TREAT (ET) <input checked="" type="checkbox"/> PUMP & TREAT GROUNDWATER (GT) <input type="checkbox"/> REPLACE SUPPLY (RS) <input type="checkbox"/> VACUUM EXTRACT (VE) <input type="checkbox"/> NO ACTION REQUIRED (NA) <input type="checkbox"/> TREATMENT AT HOOKUP (HL) <input type="checkbox"/> VENT SOIL (VS) <input type="checkbox"/> OTHER (OT)		
COMMENTS			



APPENDIX C

Boring Logs

SOIL BORING LOG: B-1
CLEARWATER GROUP INC.

APPROXIMATE FIELD LOCATION OF BORING (not to scale)						DRILLING CONTRACTOR	BORING DIAMETER	CLIENT/LOCATION					
						Fast Tek	2 inches	Sunol Tree Service, Sunol, CA					
						DRILL RIG OPERATOR	Anthony Harris	BORING DEPTH	20 feet	SCREEN SLOT SIZE	0.010	DRILLING DATE	11/27/02
						DRILL RIG TYPE	Geoprobe DPT	WELL DEPTH	20 feet	WELL MATERIAL	Sch. 40 PVC	FILTER PACK	NA
						BORING SEAL	Neat Cement w/ 5% Bentonite		PLANNED USE	Grab Samples	LOGGED BY	Brin Pierskalla	
WELL CONSTRUCTION DETAIL	WATER LEVEL	DEPTH (FEET)	SAMPLING			GRAPHIC LOG OR USCS CODE	SAMPLING METHOD		MONITORING INST.	APPROVED BY			
			INTERVAL	RECOVERY	ANALYTICAL		OWN READING (PPM)	4-foot Continuous Core w/ Sleeve	Thermo 580B PID	Barney Popkin, R.G.			
							FIRST ENCOUNTERED WATER DEPTH	15 75 feet below ground surface	STATIC WATER DEPTH - DATE	NA-Temporary Boring			
		1					6 inches Concrete, Sandy gravel, medium brown, moist, medium dense.						
		2					Sandy GRAVEL (GM), with silt, medium brown, dense, 75% fine to medium gravel to 2 inches, 20% silt, 15% medium sand, moist.						
		3											
		4											
		5											
		6					CLAY (CL), green-black, medium stiff, moderate to high plasticity, moist.						
		7											
		8											
		9					CLAY (CL), brown, very stiff, low plasticity, moist.						
		10											
		11											
		12											
		13											
		14					Sandy SILT (ML), medium brown, medium stiff, low to moderate plasticity, 80% silt, 20% fine sand, moist.						
		15											
		16											
		17					Sandy SILT (ML) w/ gravel, medium brown, medium stiff, low to moderate plasticity, 70% silt, 15% fine to medium sand, 15% fine to medium gravel, wet.						
		18											
		19											
		20					END OF BORING @ 20 feet BGS						
		21											
		22											
		23											
		24											
		25											
		26											
		27											
		28											
		29											
		30											

SOIL BORING LOG: B-2
CLEARWATER GROUP INC.

APPROXIMATE FIELD LOCATION OF BORING: (not to scale)						DRILLING CONTRACTOR:	BORING DIAMETER:	CLIENT/LOCATION					
						Fast Tek	2 inches	Sunol Tree Service, Sunol, CA					
						DRILL RIG OPERATOR	ANTHONY HARRIS	BORING DEPTH:	24 feet	SCREEN SLOT SIZE:	0.010	DRILLING DATE:	11/27/02
						DRILL RIG TYPE	Geoprobe DPT	WELL DEPTH:	24 feet	WELL MATERIAL:	Sch. 40 PVC	FILTER PACK:	NA
						BORING SEAL	Neat Cement w/ 5% Bentonite		PLANNED USE:	Grab Samples		LOGGED BY:	Brin Pierskalla
WELL CONSTRUCTION DETAIL	WATER LEVEL	DEPTH (FEET)	SAMPLING			GRAPHIC LOG OR USCS CODE	SAMPLING METHOD		MONITORING INST	APPROVED BY			
			INTERVAL	RECOVERY	ANALYTICAL		OVN READING (PPM)	4-foot Continuous Core w/ Sleeve		Thermo 580B PID	Barney Popkin, R G.		
							FIRST ENCOUNTERED WATER DEPTH	17.50 feet below ground surface	STATIC WATER DEPTH - DATE:	NA-Temporary Well			
		1					6 inches Concrete, Artificial Fill Sandy gravel, medium brown, moist, medium dense						
		2											
		3											
		4			0.0								
		5					Sandy SILT (ML), medium brown, medium stiff, moderate to high plasticity, 90% silt, 10% fine sand, moist. Color changes to dark brown at approximately 6 feet bgs.						
		6											
		7											
		8			0.0								
		9											
		10											
		11					SILT (ML) w/ gravel, yellow-brown to moderate brown, stiff, medium plasticity, moist .						
		12			0.0								
		13											
		14											
		15					Sandy SILT (ML) w/ gravel, dark yellow-brown, medium stiff, low to moderate plasticity, moist Fuel odor, mottled staining.						
		16			0.0								
		17											
		18											
		19											
		20			1.5		Sandy SILT (ML) w/ gravel, dark yellow-brown, medium stiff, low to moderate plasticity, 60% silt, 25% medium to coarse sand, 15% fine gravel, wet. Fuel odor.						
		21											
		22											
		23											
		24			0.9		END OF BORING @ 24 feet BGS						
		25											
		26											
		27											
		28											
		29											
		30											

SOIL BORING LOG: B-3
CLEARWATER GROUP INC.

APPROXIMATE FIELD LOCATION OF BORING* (not to scale)						DRILLING CONTRACTOR	BORING DIAMETER	CLIENT/LOCATION					
						Fast Tek	2 inches	Sunol Tree Service, Sunol, CA					
						DRILL RIG OPERATOR	ANTHONY HARRIS	BORING DEPTH	20 feet	SCREEN SLOT SIZE	0.010	DRILLING DATE	11/27/02
						DRILL RIG TYPE	Geoprobe DPT	WELL DEPTH	20 feet	WELL MATERIAL	Sch. 40 PVC	FILTER PACK	NA
						BORING SEAL	Neat Cement w/ 5% Bentonite		PLANNED USE	Grab Samples	LOGGED BY	Brin Pierskalla	
WELL CONSTRUCTION DETAIL	WATER LEVEL	DEPTH (FEET)	SAMPLING			GRAPHIC LOG OR USCS CODE	SAMPLING METHOD		MONITORING INST	APPROVED BY			
			INTERVAL	RECOVERY	ANALYTICAL		QVAI READING (PPM)	4-foot Continuous Core w/ Sleeve		Thermo 580B PID	Barney Popkin, R.G.		
							FIRST ENCOUNTERED WATER DEPTH		STATIC WATER DEPTH - DATE				
							18.10 feet below ground surface		NA-Temporary Well				
		1					6 inches Concrete,						
		2					Sandy GRAVEL (GM), medium yellow-brown, dense, 80% fine pea gravel, 20% fine to medium sand, dry to moist						
		3											
		4			7.9								
		5					SILT (ML), green-black, medium stiff, low plasticity, moist. Slight fuel odor						
		6											
		7											
		8			8.0		SILT (ML) w/ gravel, moderate brown, stiff to very stiff, medium plasticity, 85% silt, 15% fine gravel, dry to moist. slight fuel odor.						
		9											
		10											
		11											
		12			7.1								
		13											
		14											
		15											
		16			8.5		SILT (ML) w/ gravel, moderate brown, very stiff to hard, low plasticity, dry to moist slight fuel odor.						
		17											
		18					Sandy SILT (ML) w/ gravel, dark yellow-brown, stiff, moderate plasticity, 80% silt, 20% fine sand, wet.						
		19											
		20					END OF BORING @ 20 feet BGS						
		21											
		22											
		23											
		24											
		25											
		26											
		27											
		28											
		29											
		30											

SOIL BORING LOG: B-4
CLEARWATER GROUP INC.

APPROXIMATE FIELD LOCATION OF BORING (not to scale)						DRILLING CONTRACTOR	BORING DIAMETER	CLIENT/LOCATION					
						Fast Tek	2 inches	Sunol Tree Service, Sunol, CA					
						DRILL RIG OPERATOR	ANTHONY HARRIS	BORING DEPTH	24 feet	SCREEN SLOT SIZE	0.010	DRILLING DATE	11/27/02
						DRILL RIG TYPE	Geoprobe DPT	WELL DEPTH	24 feet	WELL MATERIAL	Sch. 40 PVC	FILTER PACK	NA
						BORING SEAL	Neat Cement w/ 5% Bentonite		PLANNED USE	Grab Samples	LOGGED BY	Brin Pierskalla	
WELL CONSTRUCTION DETAIL	WATER LEVEL	DEPTH (FEET)	SAMPLING			OVM READING (PPM)	GRAPHIC LOG OR USCS CODE	SAMPLING METHOD					
			INTERVAL	RECOVERY	ANALYTICAL			4-foot Continuous Core w/ Sleeve					
								MONITORING INST	APPROVED BY				
								Thermo 580B PID	Barney Popkin, R.G.				
								FIRST ENCOUNTERED WATER DEPTH	STATIC WATER DEPTH - DATE				
								16.40 feet below ground surface	NA-Temporary Well				
		1						6 inches Concrete					
		2						Sandy GRAVEL (GM) (Artificial Fill?), medium brown, medium dense, 85% fine pea gravel, 15% well sorted sand dry to moist.					
		3											
		4				0.0							
		5						SILT (ML), green-black, medium stiff, low plasticity, moist. Slight fuel odor.					
		6											
		7											
		8				0.0							
		9											
		10											
		11						SILT (ML) w/ gravel, moderate brown, very stiff to hard, 75% silt 25% medium gravel, moist. Slight fuel odor.					
		12				0.0							
		13											
		14											
		15											
		16				0.0							
		17											
		18											
		19											
		20				1.5		Sandy SILT (ML) w/ gravel, moderate yellow-brown, medium stiff, low to moderate plasticity, 80% silt, 20% medium to coarse sand, wet.					
		21											
		22											
		23											
		24				0.9							
		25						END OF BORING @ 24 feet BGS					
		26											
		27											
		28											
		29											
		30											

3/14/03


SOIL BORING LOG: B-5
CLEARWATER GROUP INC.

APPROXIMATE FIELD LOCATION OF BORING (not to scale)						DRILLING CONTRACTOR	BORING DIAMETER:	CLIENT/LOCATION:					
						Fast Tek	2 inches	Sunol Tice Service, Sunol, CA					
						DRILL RIG OPERATOR	Anthony Harris	BORING DEPTH:	25 feet	SCREEN SLOT SIZE:	0.010	DRILLING DATE:	11/27/02
						DRILL RIG TYPE:	Geoprobe DPT	WELL DEPTH:	25 feet	WELL MATERIAL:	Sch. 40 PVC	FILTER PACK:	NA
						BORING SEAL:	Neat Cement w/ 5% Bentonite		PLANNED USE:	Grab Samples	LOGGED BY:	Brim Pierskalla	
						SAMPLING METHOD:	4-foot Continuous Core w/ Sleeve		MONITORING INST.:	Thermo 580B PID	APPROVED BY:	Barney Popkin, R.G.	
WELL CONSTRUCTION DETAIL	WATER LEVEL	DEPTH (FEET)	INTERVAL	RECOVERY	ANALYTICAL	CONCENTRATION (PPM)	GRAPHIC LOG OR USCS CODE	FIRST ENCOUNTERED WATER DEPTH	17.65 feet below ground surface	STATIC WATER DEPTH - DRAIN	NA-Temporary Well		
		1						6 inches Concrete					
		2						Sandy GRAVEL (GM) (Artificial Fill?), medium brown, medium dense, 85% fine pea gravel, 15% well sorted sand dry to moist.					
		3											
		4				0.0							
		5											
		6						SILT (ML), green-black, medium stiff to hard, non-plastic, dry to moist					
		7											
		8				0.0							
		9											
		10											
		11											
		12				0.2		SILT (ML), moderate brown, stiff, medium plasticity, dry to moist.					
		13											
		14											
		15											
		16				0.2		Sandy SILT (ML), mottled moderate brown, yellow-brown, very stiff to hard, trace gravel, moist.					
		17											
		18											
		19											
		20				0.2							
		21											
		22						SILT (ML) w/ gravel, moderate brown, medium stiff, medium plasticity, moist.					
		23											
		24											
		25											
		26						END OF BORING @ 25 feet BGS					
		27											
		28											
		29											
		30											

UNIFIED SOIL CLASSIFICATION SYSTEM - VISUAL CLASSIFICATION OF SOILS (ASTM D-2488)

MAJOR DIVISIONS		GROUP SYMBOL	GROUP NAME	DESCRIPTION	
COARSE GRAINED SOILS	GRAVEL AND GRAVELLY SOILS		GW	Well-graded gravel Well-graded gravel with sand	Well-graded gravels or gravel-sand mixtures, little or no fines
			GP	Poorly-graded gravel Poorly-graded gravel with sand	Poorly-graded gravels or gravel sand mixture, little or no fines
			GM	Silty gravel Silty gravel with sand	Silty gravels, gravel-sand-silt mixtures
			GC	Clayey gravel Clayey gravel with sand	Clayey gravels, gravel-sand-clay mixtures
	SAND AND SANDY SOILS		SW	Well-graded sand Well-graded sand with gravel	Well-graded sands or gravelly sands, little or no fines
			SP	Poorly-graded sand Poorly-graded sand with gravel	Poorly-graded sands or gravelly sands, little or no fines
			SM	Silty sand Silty sand with gravel	Silty sands, sand-silt mixtures
			SC	Clayey sand Clayey sand with gravel	Clayey sands, sand-clay mixtures
FINE GRAINED SOILS	SILTS AND CLAYS		ML	Silt, Silt with sand, Silt with gravel Sandy silt, Sandy silt with gravel Gravelly silt, Gravelly silt with sand	Inorganic silts and very fine sands, rock flour, silty or clayey fine sands or clayey silts with slight plasticity
			CL	Lean clay, Lean clay with sand; Lean clay with gravel Sandy lean clay, Sandy lean clay with gravel Gravelly lean clay, Gravelly lean clay with sand	Inorganic clays of low to medium plasticity, gravelly clays, sandy clays, silty clays, lean clays
	ELASTIC SILTS AND CLAYS		MH	Elastic silt, Elastic silt with sand, Elastic silt with gravel Sandy elastic silt, Sandy elastic silt with gravel Gravelly elastic silt, Gravelly elastic silt with sand	Inorganic silts, micaceous or chatamaceous fine sandy or silty soils, elastic silts
			CH	Fat clay, Fat clay with sand; Fat clay with gravel Sandy fat clay; Sandy fat clay with gravel Gravelly fat clay, Gravelly fat clay with sand	Inorganic clays of high plasticity, fat clays
HIGHLY ORGANIC SOILS			OL/OH	Organic soil; Organic soil with sand; Organic soil with gravel Sandy organic soil, Sandy organic soil with gravel Gravelly organic soil, Gravelly organic soil with sand	Organic silts and organic silt-clays of low plasticity Organic clays of medium to high plasticity
			Pt	Peat	Peat and other highly organic soils

WELL CONSTRUCTION EXPLANATION



SOIL BORING NOTES:

Blow count represents the number of blows of a 140-lb hammer falling 30 inches per blow required to drive a sampler through the last 12 inches of an 18-inch penetration

No warranty is provided as to the continuity of soil strata between borings. Logs represent the soil section observed at the boring location on the date of drilling only.

- S = Sampler sank into medium under the weight of the hammer (no blow count)
- P = Sampler was pushed into medium by drilling rig (no blow count)
- NR = No Recovery

SANDS & GRAVELS	BLOWS/FT
VERY LOOSE	0 - 5
LOOSE	5 - 12
MED DENSE	12 - 37
DENSE	37 - 62
VERY DENSE	OVER 62

SILTS & CLAYS	BLOWS/FT
SOFT	0 - 5
FIRM	5 - 10
STIFF	10 - 20
VERY STIFF	20 - 40
HARD	OVER 40

- Approximate stabilized water level
- Approximate first encountered water level

NOTE: all percentages of lithological composition presented on the soil boring logs are approximate. They represent the best estimates of a CGL geologist based on visual inspection in the field.

CLEARWATER Group

SOIL BORING LOG AND WELL CONSTRUCTION DIAGRAM LEGEND



APPENDIX D


WellSpy Written Observations

WellSpy

WATER WELL SURVEYS

December 13, 2002

Clear Water Group
229 Tewksbury Ave.
Richmond, CA 94801



Attn: Brian Pierskalla

Observation report on survey performed December 12, 2002 for Sunol Tree Gasoline Station, located at 3004 Andrade rd in Alameda County.

- 1) Well ID on top is 10". The well is under a diamond plate cover and is 12" below the level of the surrounding concrete driveway.
- 2) Zero datum marked at top of the concrete driveway. All side view depths are 18" less than indicated on the monitor.
- 3) 19' Static water level.
- 4) 53' Casing appears to be slightly oblong in this area.
- 5) 55' Clean spot on the casing. Layer of rust was broke off the casing wall.
- 6) 60' First evidence of Mills knife perforations in the casing.
- 7) 62' One perforation is evident with water movement.
- 8) 67' One perforation is evident with water movement.
- 9) 101' One perforation is evident with water movement.
- 10) 103' One perforation is evident with water movement.
- 11) 153' Bottom of the well.
- 12) Note: There appears to be some biological growth on the casing walls.
- 13) Note: There may be more perforations in the well that are plugged or encrusted but not visible.

Thank you for choosing WellSpy for your well video service.

WellSpy

Bruce Hunter



APPENDIX E

Direct Push Drilling Investigation Procedures



CLEARWATER GROUP
Direct-Push Drilling Investigation Procedures

The direct push method of soil boring has several advantages over hollow-stem auger drill rigs. The direct push method produce no drill cuttings, is capable of 150 to 200 feet of boring or well installation per work day. Direct push can be used for soil gas surveys, soil sampling, groundwater sampling, installation of small-diameter monitoring wells, and components of remediation systems such as air sparge points. The equipment required to perform direct push work is varied ranging from a roto-hammer and operator to a pickup truck-mounted rig capable of substantial static downward force combined with percussion force. This method allows subsurface investigation work to be performed in areas inaccessible to conventional drill rigs such as in basements, beneath canopies, or below power lines. Direct push equipment is ideal at sites with unconsolidated soil or overburden, and sampling depths of less than 30 feet. This method is not appropriate for boring through bedrock or gravelly soils.

Permitting and Site Preparation


Prior to direct push boring work, Clearwater Group will obtain all necessary permits and locate all underground and above ground utilities through Underground Service Alert (USA) and a thorough site inspection. All drilling equipment will be inspected daily and will be maintained in safe operating condition. All down-hole drilling equipment will be cleaned prior to arriving on-site. Working components of the rig near the borehole, as well as driven casing and sampling equipment will be thoroughly decontaminated between each boring location by either steam cleaning or washing with an Alconox solution. All drilling and sampling methods will be consistent with ASTM Method D-1452-80 and county, state and federal regulations.

Boring Installation and Soil Sampling

Direct push uses a 1.5-inch outer barrel with an inner rod held in place during pushing. Soil samples are collected by penetrating to the desired depth, retracting the inner rod and attaching a spoon sampler. The sampler is then thrust beyond the outer barrel into native soil. Soil samples are recovered in brass or stainless containers lining the spoon.

Soil removed from the upper tube section is used for lithologic descriptions (according to the unified soil classification system) and for organic vapor field analysis. If organic vapors will be analyzed in the field, a portion of each soil sample will be placed in a plastic zip-lock bag. The bag will be sealed and warmed for approximately 10 minutes to allow vapors to be released from the soil sample and diffuse into the head space of the bag. The bag is then pierced with the probe of a calibrated organic vapor detector. The results of the field testing will be noted with the lithologic descriptions on field exploratory soil boring log. Soil samples selected for laboratory analysis will be covered on both ends with Teflon™ tape and plastic end caps. The samples will then be labeled, documented on a chain-of-custody form and placed in a cooler for transport to a state certified analytical laboratory.

Temporary Well Installation and Groundwater Sampling



Groundwater samples are collected by removing the inner rod and attaching a 4 foot stainless steel screen with a drive point at the end (above figure). The screen and rod is then inserted in the outer barrel and driven to the desired depth where the outer rod is retracted to expose the screen. If the stainless well screen does not produce enough water for sampling a 1-inch PVC screen can be installed in the boring and the outer rod retracted to leave a temporary well point for collecting groundwater samples or water levels.

Monitoring Well Installation and Development

Permanent small-diameter monitoring wells are installed by driving the outer barrel and inner rod as described above. Upon reaching the desired depth the system is removed and 2-inch OD (1/2-inch ID) pre-packed PCV piping is installed. The well plug is created using granular bentonite. The well seal is constructed of cement and sealed at the surface with a conventional "Christy Box" or similar vault. Monitoring wells are developed by surging the well with a small diameter bailer and removing 3 to 5 volumes until the produced water is clear.

Groundwater Sample Collection and Water Level Measurement

Prior to collecting groundwater from the wells the water levels are measured in all wells using an electronic water level gauge. Monitoring wells are prepared for sampling by purging three well bore volumes. Water is removed using small diameter bailers, a peristaltic pump, or manually using tubing with a check valve at the bottom. Once during removal of each volume the temperature, pH and conductivity are checked and noted on the field sampling form. Successive well volumes are removed until the parameters have stabilized or the well has gone dry. Prior to sampling the well is allowed to recover to within 90% of the stabilized water levels.

Groundwater samples¹ are collected using small diameter bailers. Groundwater samples are decanted into laboratory supplied containers, labeled, noted on a chain-of-custody form and placed on ice for transport to a laboratory.

¹ Small diameter wells often produce small quantity samples and are appropriate for analysis of volatile and aromatic compounds using VOA vials and dissolved metals analysis. Obtaining liter samples can be difficult and time consuming. Monitoring wells installed by the direct push method are most effective at sites where the subsurface soils are coarser than silt, gasoline components are the key contaminants of concern, and water levels are not more than 25 feet below ground surface.



APPENDIX F

Laboratory Data Sheets



Report Number : 28154

Date : 8/28/2002

Brian Pierskalla
Clearwater Group
229 Tewksbury Avenue
Point Richmond, CA 94801

Subject : 1 Water Sample
Project Name : SUNOL TREE GAS
Project Number : CB021C
P.O. Number : 8488

Dear Mr. Pierskalla,

Chemical analysis of the samples referenced above has been completed. Summaries of the data are contained on the following pages. Sample(s) were received under documented chain-of-custody. US EPA protocols for sample storage and preservation were followed.

Kiff Analytical is certified by the State of California (# 2236). If you have any questions regarding procedures or results, please call me at 530-297-4800.

Sincerely,

A handwritten signature in black ink that reads "Joel Kiff". The signature is written in a cursive style with a large initial "J".

Joel Kiff



Report Number : 28154

Date : 8/28/2002

Project Name : **SUNOL TREE GAS**

Project Number : **CB021C**

Sample : **FW-1**

Matrix : Water

Lab Number : 28154-01

Sample Date :8/20/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	8/24/2002
Toluene	< 0.50	0.50	ug/L	EPA 8260B	8/24/2002
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	8/24/2002
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	8/24/2002
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	8/24/2002
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	8/24/2002
Toluene - d8 (Surr)	102		% Recovery	EPA 8260B	8/24/2002
4-Bromofluorobenzene (Surr)	101		% Recovery	EPA 8260B	8/24/2002

Approved By: Joel Kiff

Report Number : 28154

Date : 8/28/2002

QC Report : Method Blank Data

Project Name : **SUNOL TREE GAS**


Project Number : **CB021C**

<u>Parameter</u>	<u>Measured Value</u>	<u>Method Reporting Limit</u>	<u>Units</u>	<u>Analysis Method</u>	<u>Date Analyzed</u>
Benzene	< 0.50	0.50	ug/L	EPA 8260B	8/24/2002
Toluene	< 0.50	0.50	ug/L	EPA 8260B	8/24/2002
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	8/24/2002
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	8/24/2002
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	8/24/2002
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	8/24/2002
Toluene - d8 (Surr)	102		%	EPA 8260B	8/24/2002
4-Bromofluorobenzene (Surr)	98.8		%	EPA 8260B	8/24/2002

<u>Parameter</u>	<u>Measured Value</u>	<u>Method Reporting Limit</u>	<u>Units</u>	<u>Analysis Method</u>	<u>Date Analyzed</u>
------------------	-----------------------	-------------------------------	--------------	------------------------	----------------------

KIFF ANALYTICAL, LLC

720 Olive Drive, Suite D Davis, CA 95616 530-297-4800

Approved By:  _____
Joel Kiff

Report Number : 28154

QC Report : Matrix Spike/ Matrix Spike Duplicate

Date : 8/28/2002

Project Name : **SUNOL TREE GAS**

Project Number : **CB021C**

Parameter	Spiked Sample	Sample Value	Spike Level	Spike Dup. Level	Spiked Sample Value	Duplicate Spiked Sample Value	Units	Analysis Method	Date Analyzed	Spiked Sample Percent Recov.	Duplicate Spiked Sample Percent Recov.	Relative Percent Diff.	Spiked Sample Percent Recov. Limit	Relative Percent Diff. Limit
Benzene	28154-01	<0.50	40.0	40.0	42.6	41.4	ug/L	EPA 8260B	8/24/02	106	103	2.91	70-130	25
Toluene	28154-01	<0.50	40.0	40.0	42.3	40.8	ug/L	EPA 8260B	8/24/02	106	102	3.63	70-130	25
Tert-Butanol	28154-01	<5.0	200	200	218	218	ug/L	EPA 8260B	8/24/02	109	109	0.0275	70-130	25
Methyl-t-Butyl Ether	28154-01	<0.50	40.0	40.0	37.9	37.5	ug/L	EPA 8260B	8/24/02	94.8	93.8	1.03	70-130	25

KIFF ANALYTICAL, LLC

720 Olive Drive, Suite D Davis, CA 95616 530-297-4800

Approved By:  Joel Kiff

Report Number : 28154

QC Report : Laboratory Control Sample (LCS)

Date : 8/28/2002

Project Name : **SUNOL TREE GAS**

Project Number : **CB021C**

Parameter	Spike Level	Units	Analysis Method	Date Analyzed	LCS Percent Recov.	LCS Percent Recov. Limit
Benzene	40.0	ug/L	EPA 8260B	8/24/02	102	70-130
Toluene	40.0	ug/L	EPA 8260B	8/24/02	101	70-130
Tert-Butanol	200	ug/L	EPA 8260B	8/24/02	109	70-130
Methyl-t-Butyl Ether	40.0	ug/L	EPA 8260B	8/24/02	87.7	70-130

KIFF ANALYTICAL, LLC

Approved By: 
Joel Kiff

720 Olive Drive, Suite D Davis, CA 95616 530-297-4800

Project Manager: **B. Pierskalla** Phone No.: **510-307-9943 x229** Chain-of-Custody Record and Analysis Request

Company/Address: **229 Tewksbury Ave, Pt Richmond CA 94801** FAX No.: **510-232-2823** Analysis Request TAT

Project Number: **08021C** P.O. No.: _____ Email Address: _____
.pdf .xls .doc other

Project Name: **SUNOL Tree GAS** Sampler Signature: **B. Pierskalla**

Project Location: **3004 ANDRADE RD SUNOL**

Sample Designation	Sampling		40 ml VOA	SLEEVE	Container	Preservative				Matrix		BTEX (8021B)	BTEX/TPH Gas/MTBE (8021B/M8015)	TPH as Diesel (M8015)	TPH as Motor Oil (M8015)	TPH Gas/BTEX/MTBE (8260B)	5 Oxygenates/TPH Gas/BTEX (8260B)	7 Oxygenates/TPH Gas/BTEX (8260B)	5 Oxygenates (8260B)	7 Oxygenates (8260B)	Lead Scav. (1,2 DCA & 1,2 EDB - 8260B)	EPA 8260B (Full List)	Volatile Halocarbons (EPA 8260B)	Lead (7421/239.2) TOTAL (X) W.E.T. (X)	12 hr/24 hr/48 hr/72 hr/1 wk	For Lab Use Only			
	Date	Time				HCl	HNO ₃	ICE	NONE	WATER	SOIL																		
FW-1	8/20/02	1600	S			X									X														

Relinquished by: **B. Pierskalla** Date: **8/21/02** Time: **1726** Received by: _____ Remarks: _____
 Relinquished by: _____ Date: _____ Time: _____ Received by: _____
 Relinquished by: _____ Date: **082102** Time: **1226** Received by Laboratory: **John Curtis/Kiff** Bill to: _____



Report Number : 30066

Date : 12/13/2002

Brian Pierskalla
Clearwater Group
229 Tewksbury Ave
Point Richmond, CA 94801

Subject : 5 Water Samples and 25 Soil Samples
Project Name : KELSOE SUNOL TREE GAS
Project Number : CP032F

Dear Mr. Pierskalla,

Chemical analysis of the samples referenced above has been completed. Summaries of the data are contained on the following pages. Sample(s) were received under documented chain-of-custody. US EPA protocols for sample storage and preservation were followed.

Kiff Analytical is certified by the State of California (# 2236). If you have any questions regarding procedures or results, please call me at 530-297-4800.

Sincerely,



Joel Kiff



Report Number : 30066

Date : 12/13/2002

Subject : 5 Water Samples and 25 Soil Samples
Project Name : KELSOE SUNOL TREE GAS
Project Number : CP032F

Case Narrative

The Method Reporting Limit for TPH as Diesel is increased due to interference from Gasoline-Range Hydrocarbons for samples B-1-W, B-2-W, B-3-W and B-4-W. Hydrocarbons reported as TPH as Diesel do not exhibit a typical Diesel chromatographic pattern for samples B-2-16, B-2-20, B-3-4, B-3-8, B-3-12, B-3-16 and B-5-4. Hydrocarbons reported as TPH as Motor Oil do not exhibit a typical Motor Oil chromatographic pattern for samples B-2-4, B-2-W, B-5-4 and B-4-4.

Approved By:  _____
Joel Kiff



Report Number : 30066

Date : 12/13/2002

Project Name : **KELSOE SUNOL TREE GAS**

Project Number : **CP032F**

Sample : **B-1-8**

Matrix : Soil

Lab Number : 30066-02

Sample Date :11/27/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Toluene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Ethylbenzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Total Xylenes	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Methyl-t-butyl ether (MTBE)	0.010	0.0050	mg/Kg	EPA 8260B	12/6/2002
Diisopropyl ether (DIPE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Ethyl-t-butyl ether (ETBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Tert-amyl methyl ether (TAME)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Tert-Butanol	0.026	0.0050	mg/Kg	EPA 8260B	12/6/2002
TPH as Gasoline	< 1.0	1.0	mg/Kg	EPA 8260B	12/6/2002
1,2-Dichloroethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
1,2-Dibromoethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Toluene - d8 (Surr)	104		% Recovery	EPA 8260B	12/6/2002
4-Bromofluorobenzene (Surr)	108		% Recovery	EPA 8260B	12/6/2002
Dibromofluoromethane (Surr)	95.2		% Recovery	EPA 8260B	12/6/2002
1,2-Dichloroethane-d4 (Surr)	102		% Recovery	EPA 8260B	12/6/2002
TPH as Diesel	< 1.0	1.0	mg/Kg	M EPA 8015	12/11/2002
TPH as Motor Oil	< 10	10	mg/Kg	M EPA 8015	12/11/2002
1-Chlorooctadecane (Diesel Surrogate)	94.7		% Recovery	M EPA 8015	12/11/2002

Approved By:  Joel Kiff



Report Number : 30066

Date : 12/13/2002

Project Name : **KELSOE SUNOL TREE GAS**

Project Number : **CP032F**

Sample : **B-1-12**

Matrix : Soil

Lab Number : 30066-03

Sample Date :11/27/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Toluene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Ethylbenzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Total Xylenes	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Methyl-t-butyl ether (MTBE)	0.0055	0.0050	mg/Kg	EPA 8260B	12/7/2002
Diisopropyl ether (DIPE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Ethyl-t-butyl ether (ETBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Tert-amyl methyl ether (TAME)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Tert-Butanol	0.0081	0.0050	mg/Kg	EPA 8260B	12/7/2002
TPH as Gasoline	< 1.0	1.0	mg/Kg	EPA 8260B	12/7/2002
1,2-Dichloroethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
1,2-Dibromoethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Toluene - d8 (Surr)	101		% Recovery	EPA 8260B	12/7/2002
4-Bromofluorobenzene (Surr)	93.9		% Recovery	EPA 8260B	12/7/2002
Dibromofluoromethane (Surr)	116		% Recovery	EPA 8260B	12/7/2002
1,2-Dichloroethane-d4 (Surr)	140		% Recovery	EPA 8260B	12/7/2002
TPH as Diesel	< 1.0	1.0	mg/Kg	M EPA 8015	12/11/2002
TPH as Motor Oil	< 10	10	mg/Kg	M EPA 8015	12/11/2002
1-Chlorooctadecane (Diesel Surrogate)	96.0		% Recovery	M EPA 8015	12/11/2002

Approved By:  Joel Kiff



Report Number : 30066

Date : 12/13/2002

Project Name : **KELSOE SUNOL TREE GAS**

Project Number : **CP032F**

Sample : **B-1-16**

Matrix : Soil

Lab Number : 30066-04

Sample Date :11/27/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Toluene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Ethylbenzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Total Xylenes	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Methyl-t-butyl ether (MTBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Diisopropyl ether (DIPE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Ethyl-t-butyl ether (ETBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Tert-amyl methyl ether (TAME)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Tert-Butanol	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
TPH as Gasoline	< 1.0	1.0	mg/Kg	EPA 8260B	12/6/2002
1,2-Dichloroethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
1,2-Dibromoethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Toluene - d8 (Surr)	100		% Recovery	EPA 8260B	12/6/2002
4-Bromofluorobenzene (Surr)	110		% Recovery	EPA 8260B	12/6/2002
Dibromofluoromethane (Surr)	93.7		% Recovery	EPA 8260B	12/6/2002
1,2-Dichloroethane-d4 (Surr)	104		% Recovery	EPA 8260B	12/6/2002
TPH as Diesel	< 1.0	1.0	mg/Kg	M EPA 8015	12/11/2002
TPH as Motor Oil	< 10	10	mg/Kg	M EPA 8015	12/11/2002
1-Chlorooctadecane (Diesel Surrogate)	98.4		% Recovery	M EPA 8015	12/11/2002

Approved By:  Joel Kiff



Report Number : 30066

Date : 12/13/2002

Project Name : **KELSOE SUNOL TREE GAS**

Project Number : **CP032F**

Sample : **B-1-20**

Matrix : Soil

Lab Number : 30066-05

Sample Date :11/27/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Toluene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Ethylbenzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Total Xylenes	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Methyl-t-butyl ether (MTBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Diisopropyl ether (DIPE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Ethyl-t-butyl ether (ETBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Tert-amyl methyl ether (TAME)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Tert-Butanol	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
TPH as Gasoline	< 1.0	1.0	mg/Kg	EPA 8260B	12/6/2002
1,2-Dichloroethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
1,2-Dibromoethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Toluene - d8 (Surr)	101		% Recovery	EPA 8260B	12/6/2002
4-Bromofluorobenzene (Surr)	114		% Recovery	EPA 8260B	12/6/2002
Dibromofluoromethane (Surr)	111		% Recovery	EPA 8260B	12/6/2002
1,2-Dichloroethane-d4 (Surr)	106		% Recovery	EPA 8260B	12/6/2002
TPH as Diesel	< 1.0	1.0	mg/Kg	M EPA 8015	12/11/2002
TPH as Motor Oil	< 10	10	mg/Kg	M EPA 8015	12/11/2002
1-Chlorooctadecane (Diesel Surrogate)	101		% Recovery	M EPA 8015	12/11/2002

Approved By:  Joel Kiff



Report Number : 30066

Date : 12/13/2002

Project Name : **KELSOE SUNOL TREE GAS**

Project Number : **CP032F**

Sample : **B-1-W**

Matrix : Water

Lab Number : 30066-06

Sample Date : 11/27/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	12/9/2002
Toluene	< 0.50	0.50	ug/L	EPA 8260B	12/9/2002
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	12/9/2002
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	12/9/2002
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	12/9/2002
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	12/9/2002
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	12/9/2002
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	12/9/2002
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	12/9/2002
TPH as Gasoline	260	50	ug/L	EPA 8260B	12/9/2002
1,2-Dichloroethane	< 0.50	0.50	ug/L	EPA 8260B	12/9/2002
1,2-Dibromoethane	< 0.50	0.50	ug/L	EPA 8260B	12/9/2002
Toluene - d8 (Surr)	99.1		% Recovery	EPA 8260B	12/9/2002
4-Bromofluorobenzene (Surr)	100		% Recovery	EPA 8260B	12/9/2002
Dibromofluoromethane (Surr)	98.1		% Recovery	EPA 8260B	12/9/2002
1,2-Dichloroethane-d4 (Surr)	102		% Recovery	EPA 8260B	12/9/2002
TPH as Diesel	< 200	200	ug/L	M EPA 8015	12/10/2002
TPH as Motor Oil	< 100	100	ug/L	M EPA 8015	12/10/2002

Approved By:  Joel Kiff



Report Number : 30066

Date : 12/13/2002

Project Name : **KELSOE SUNOL TREE GAS**

Project Number : **CP032F**

Sample : **B-2-4**

Matrix : Soil

Lab Number : 30066-07

Sample Date :11/27/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Toluene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Ethylbenzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Total Xylenes	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Methyl-t-butyl ether (MTBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Diisopropyl ether (DIPE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Ethyl-t-butyl ether (ETBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Tert-amyl methyl ether (TAME)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Tert-Butanol	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
TPH as Gasoline	< 1.0	1.0	mg/Kg	EPA 8260B	12/6/2002
1,2-Dichloroethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
1,2-Dibromoethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Toluene - d8 (Surr)	101		% Recovery	EPA 8260B	12/6/2002
4-Bromofluorobenzene (Surr)	111		% Recovery	EPA 8260B	12/6/2002
Dibromofluoromethane (Surr)	114		% Recovery	EPA 8260B	12/6/2002
1,2-Dichloroethane-d4 (Surr)	106		% Recovery	EPA 8260B	12/6/2002
TPH as Diesel	< 1.0	1.0	mg/Kg	M EPA 8015	12/11/2002
TPH as Motor Oil	12	10	mg/Kg	M EPA 8015	12/11/2002
1-Chlorooctadecane (Diesel Surrogate)	103		% Recovery	M EPA 8015	12/11/2002

Approved By:  Joel Kiff



Report Number : 30066

Date : 12/13/2002

Project Name : **KELSOE SUNOL TREE GAS**

Project Number : **CP032F**

Sample : **B-2-8**

Matrix : Soil

Lab Number : 30066-08

Sample Date :11/27/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Toluene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Ethylbenzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Total Xylenes	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Methyl-t-butyl ether (MTBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Diisopropyl ether (DIPE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Ethyl-t-butyl ether (ETBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Tert-amyl methyl ether (TAME)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Tert-Butanol	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
TPH as Gasoline	< 1.0	1.0	mg/Kg	EPA 8260B	12/6/2002
1,2-Dichloroethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
1,2-Dibromoethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Toluene - d8 (Surr)	105		% Recovery	EPA 8260B	12/6/2002
4-Bromofluorobenzene (Surr)	108		% Recovery	EPA 8260B	12/6/2002
Dibromofluoromethane (Surr)	95.4		% Recovery	EPA 8260B	12/6/2002
1,2-Dichloroethane-d4 (Surr)	102		% Recovery	EPA 8260B	12/6/2002
TPH as Diesel	< 1.0	1.0	mg/Kg	M EPA 8015	12/11/2002
TPH as Motor Oil	< 10	10	mg/Kg	M EPA 8015	12/11/2002
1-Chlorooctadecane (Diesel Surrogate)	107		% Recovery	M EPA 8015	12/11/2002

Approved By:  Joel Kiff

2795 2nd St., Suite 300 Davis, CA 95616 530-297-4800



Report Number : 30066

Date : 12/13/2002

Project Name : **KELSOE SUNOL TREE GAS**

Project Number : **CP032F**

Sample : **B-2-12**

Matrix : Soil

Lab Number : 30066-09

Sample Date :11/27/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Toluene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Ethylbenzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Total Xylenes	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Methyl-t-butyl ether (MTBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Diisopropyl ether (DIPE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Ethyl-t-butyl ether (ETBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Tert-amyl methyl ether (TAME)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Tert-Butanol	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
TPH as Gasoline	< 1.0	1.0	mg/Kg	EPA 8260B	12/6/2002
1,2-Dichloroethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
1,2-Dibromoethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Toluene - d8 (Surr)	97.2		% Recovery	EPA 8260B	12/6/2002
4-Bromofluorobenzene (Surr)	104		% Recovery	EPA 8260B	12/6/2002
Dibromofluoromethane (Surr)	105		% Recovery	EPA 8260B	12/6/2002
1,2-Dichloroethane-d4 (Surr)	104		% Recovery	EPA 8260B	12/6/2002
TPH as Diesel	< 1.0	1.0	mg/Kg	M EPA 8015	12/11/2002
TPH as Motor Oil	< 10	10	mg/Kg	M EPA 8015	12/11/2002
1-Chlorooctadecane (Diesel Surrogate)	99.0		% Recovery	M EPA 8015	12/11/2002

Approved By:  Joel Kiff



Report Number : 30066

Date : 12/13/2002

Project Name : **KELSOE SUNOL TREE GAS**

Project Number : **CP032F**

Sample : **B-2-16**

Matrix : Soil

Lab Number : 30066-10

Sample Date :11/27/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/8/2002
Toluene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/8/2002
Ethylbenzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/8/2002
Total Xylenes	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/8/2002
Methyl-t-butyl ether (MTBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/8/2002
Diisopropyl ether (DIPE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/8/2002
Ethyl-t-butyl ether (ETBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/8/2002
Tert-amyl methyl ether (TAME)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/8/2002
Tert-Butanol	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/8/2002
TPH as Gasoline	< 1.0	1.0	mg/Kg	EPA 8260B	12/8/2002
1,2-Dichloroethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/8/2002
1,2-Dibromoethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/8/2002
Toluene - d8 (Surr)	108		% Recovery	EPA 8260B	12/8/2002
4-Bromofluorobenzene (Surr)	109		% Recovery	EPA 8260B	12/8/2002
Dibromofluoromethane (Surr)	95.6		% Recovery	EPA 8260B	12/8/2002
1,2-Dichloroethane-d4 (Surr)	103		% Recovery	EPA 8260B	12/8/2002
TPH as Diesel	1.9	1.0	mg/Kg	M EPA 8015	12/11/2002
TPH as Motor Oil	< 10	10	mg/Kg	M EPA 8015	12/11/2002
1-Chlorooctadecane (Diesel Surrogate)	103		% Recovery	M EPA 8015	12/11/2002

Approved By:  Joel Kiff



Report Number : 30066

Date : 12/13/2002

Project Name : **KELSOE SUNOL TREE GAS**

Project Number : **CP032F**

Sample : **B-2-20**

Matrix : Soil

Lab Number : 30066-11

Sample Date :11/27/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Toluene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Ethylbenzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Total Xylenes	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Methyl-t-butyl ether (MTBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Diisopropyl ether (DIPE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Ethyl-t-butyl ether (ETBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Tert-amyl methyl ether (TAME)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Tert-Butanol	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
TPH as Gasoline	< 1.0	1.0	mg/Kg	EPA 8260B	12/6/2002
1,2-Dichloroethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
1,2-Dibromoethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Toluene - d8 (Surr)	101		% Recovery	EPA 8260B	12/6/2002
4-Bromofluorobenzene (Surr)	112		% Recovery	EPA 8260B	12/6/2002
Dibromofluoromethane (Surr)	112		% Recovery	EPA 8260B	12/6/2002
1,2-Dichloroethane-d4 (Surr)	104		% Recovery	EPA 8260B	12/6/2002
TPH as Diesel	2.3	1.0	mg/Kg	M EPA 8015	12/11/2002
TPH as Motor Oil	< 10	10	mg/Kg	M EPA 8015	12/11/2002
1-Chlorooctadecane (Diesel Surrogate)	102		% Recovery	M EPA 8015	12/11/2002

Approved By:  Joel Kiff



Report Number : 30066

Date : 12/13/2002

Project Name : **KELSOE SUNOL TREE GAS**

Project Number : **CP032F**

Sample : **B-2-W**

Matrix : Water

Lab Number : 30066-12

Sample Date : 11/27/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Toluene	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Total Xylenes	0.76	0.50	ug/L	EPA 8260B	12/8/2002
Methyl-t-butyl ether (MTBE)	0.68	0.50	ug/L	EPA 8260B	12/8/2002
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	12/8/2002
TPH as Gasoline	500	50	ug/L	EPA 8260B	12/8/2002
1,2-Dichloroethane	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
1,2-Dibromoethane	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Toluene - d8 (Surr)	90.7		% Recovery	EPA 8260B	12/8/2002
4-Bromofluorobenzene (Surr)	104		% Recovery	EPA 8260B	12/8/2002
Dibromofluoromethane (Surr)	117		% Recovery	EPA 8260B	12/8/2002
1,2-Dichloroethane-d4 (Surr)	105		% Recovery	EPA 8260B	12/8/2002
TPH as Diesel	< 200	200	ug/L	M EPA 8015	12/10/2002
TPH as Motor Oil	180	100	ug/L	M EPA 8015	12/10/2002

Approved By:  Joel Kiff



Report Number : 30066

Date : 12/13/2002

Project Name : **KELSOE SUNOL TREE GAS**

Project Number : **CP032F**

Sample : **B-3-4**

Matrix : Soil

Lab Number : 30066-13

Sample Date :11/27/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Toluene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Ethylbenzene	0.0095	0.0050	mg/Kg	EPA 8260B	12/6/2002
Total Xylenes	0.021	0.0050	mg/Kg	EPA 8260B	12/6/2002
Methyl-t-butyl ether (MTBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Diisopropyl ether (DIPE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Ethyl-t-butyl ether (ETBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Tert-amyl methyl ether (TAME)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Tert-Butanol	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
TPH as Gasoline	18	2.0	mg/Kg	EPA 8260B	12/10/2002
1,2-Dichloroethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
1,2-Dibromoethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Toluene - d8 (Surr)	97.2		% Recovery	EPA 8260B	12/6/2002
4-Bromofluorobenzene (Surr)	107		% Recovery	EPA 8260B	12/6/2002
Dibromofluoromethane (Surr)	103		% Recovery	EPA 8260B	12/6/2002
1,2-Dichloroethane-d4 (Surr)	104		% Recovery	EPA 8260B	12/6/2002
TPH as Diesel	59	1.0	mg/Kg	M EPA 8015	12/11/2002
TPH as Motor Oil	19	10	mg/Kg	M EPA 8015	12/11/2002
1-Chlorooctadecane (Diesel Surrogate)	99.7		% Recovery	M EPA 8015	12/11/2002

Approved By:  Joel Kiff



Report Number : 30066

Date : 12/13/2002

Project Name : **KELSOE SUNOL TREE GAS**

Project Number : **CP032F**


Sample : **B-3-8**

Matrix : Soil

Lab Number : 30066-14

Sample Date :11/27/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Toluene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Ethylbenzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Total Xylenes	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Methyl-t-butyl ether (MTBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Diisopropyl ether (DIPE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Ethyl-t-butyl ether (ETBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Tert-amyl methyl ether (TAME)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Tert-Butanol	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
TPH as Gasoline	< 1.0	1.0	mg/Kg	EPA 8260B	12/7/2002
1,2-Dichloroethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
1,2-Dibromoethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Toluene - d8 (Surr)	107		% Recovery	EPA 8260B	12/7/2002
4-Bromofluorobenzene (Surr)	102		% Recovery	EPA 8260B	12/7/2002
Dibromofluoromethane (Surr)	107		% Recovery	EPA 8260B	12/7/2002
1,2-Dichloroethane-d4 (Surr)	108		% Recovery	EPA 8260B	12/7/2002
TPH as Diesel	6.9	1.0	mg/Kg	M EPA 8015	12/11/2002
TPH as Motor Oil	< 10	10	mg/Kg	M EPA 8015	12/11/2002
1-Chlorooctadecane (Diesel Surrogate)	102		% Recovery	M EPA 8015	12/11/2002

Approved By:  Joel Kiff



Report Number : 30066

Date : 12/13/2002

Project Name : **KELSOE SUNOL TREE GAS**

Project Number : **CP032F**


Sample : **B-3-12**

Matrix : Soil

Lab Number : 30066-15

Sample Date :11/27/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.025	0.025	mg/Kg	EPA 8260B	12/8/2002
Toluene	0.034	0.025	mg/Kg	EPA 8260B	12/8/2002
Ethylbenzene	1.3	0.025	mg/Kg	EPA 8260B	12/8/2002
Total Xylenes	9.5	0.050	mg/Kg	EPA 8260B	12/8/2002
Methyl-t-butyl ether (MTBE)	1.2	0.025	mg/Kg	EPA 8260B	12/8/2002
Diisopropyl ether (DIPE)	< 0.025	0.025	mg/Kg	EPA 8260B	12/8/2002
Ethyl-t-butyl ether (ETBE)	< 0.025	0.025	mg/Kg	EPA 8260B	12/8/2002
Tert-amyl methyl ether (TAME)	< 0.025	0.025	mg/Kg	EPA 8260B	12/8/2002
Tert-Butanol	1.0	0.25	mg/Kg	EPA 8260B	12/8/2002
TPH as Gasoline	250	5.0	mg/Kg	EPA 8260B	12/8/2002
1,2-Dichloroethane	< 0.025	0.025	mg/Kg	EPA 8260B	12/8/2002
1,2-Dibromoethane	< 0.025	0.025	mg/Kg	EPA 8260B	12/8/2002
Toluene - d8 (Surr)	99.3		% Recovery	EPA 8260B	12/8/2002
4-Bromofluorobenzene (Surr)	105		% Recovery	EPA 8260B	12/8/2002
Dibromofluoromethane (Surr)	95.9		% Recovery	EPA 8260B	12/8/2002
1,2-Dichloroethane-d4 (Surr)	102		% Recovery	EPA 8260B	12/8/2002
TPH as Diesel	50	1.0	mg/Kg	M EPA 8015	12/11/2002
TPH as Motor Oil	< 10	10	mg/Kg	M EPA 8015	12/11/2002
1-Chlorooctadecane (Diesel Surrogate)	99.2		% Recovery	M EPA 8015	12/11/2002

Approved By:  Joel Kiff



Report Number : 30066

Date : 12/13/2002

Project Name : **KELSOE SUNOL TREE GAS**

Project Number : **CP032F**

Sample : **B-3-16**

Matrix : Soil

Lab Number : 30066-16

Sample Date :11/27/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/10/2002
Toluene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/10/2002
Ethylbenzene	0.0093	0.0050	mg/Kg	EPA 8260B	12/10/2002
Total Xylenes	0.28	0.0050	mg/Kg	EPA 8260B	12/10/2002
Methyl-t-butyl ether (MTBE)	0.12	0.0050	mg/Kg	EPA 8260B	12/10/2002
Diisopropyl ether (DIPE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/10/2002
Ethyl-t-butyl ether (ETBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/10/2002
Tert-amyl methyl ether (TAME)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/10/2002
Tert-Butanol	0.12	0.0050	mg/Kg	EPA 8260B	12/10/2002
TPH as Gasoline	1.3	1.0	mg/Kg	EPA 8260B	12/10/2002
1,2-Dichloroethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/10/2002
1,2-Dibromoethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/10/2002
Toluene - d8 (Surr)	104		% Recovery	EPA 8260B	12/10/2002
4-Bromofluorobenzene (Surr)	100		% Recovery	EPA 8260B	12/10/2002
Dibromofluoromethane (Surr)	100		% Recovery	EPA 8260B	12/10/2002
1,2-Dichloroethane-d4 (Surr)	106		% Recovery	EPA 8260B	12/10/2002
TPH as Diesel	15	1.0	mg/Kg	M EPA 8015	12/11/2002
TPH as Motor Oil	< 10	10	mg/Kg	M EPA 8015	12/11/2002
1-Chlorooctadecane (Diesel Surrogate)	95.5		% Recovery	M EPA 8015	12/11/2002

Approved By:  Joel Kiff



Report Number : 30066

Date : 12/13/2002

Project Name : **KELSOE SUNOL TREE GAS**

Project Number : **CP032F**

Sample : **B-3-20**

Matrix : Soil

Lab Number : 30066-17

Sample Date :11/27/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Toluene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Ethylbenzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Total Xylenes	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Methyl-t-butyl ether (MTBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Diisopropyl ether (DIPE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Ethyl-t-butyl ether (ETBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Tert-amyl methyl ether (TAME)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Tert-Butanol	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
TPH as Gasoline	< 1.0	1.0	mg/Kg	EPA 8260B	12/6/2002
1,2-Dichloroethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
1,2-Dibromoethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Toluene - d8 (Surr)	97.0		% Recovery	EPA 8260B	12/6/2002
4-Bromofluorobenzene (Surr)	104		% Recovery	EPA 8260B	12/6/2002
Dibromofluoromethane (Surr)	104		% Recovery	EPA 8260B	12/6/2002
1,2-Dichloroethane-d4 (Surr)	103		% Recovery	EPA 8260B	12/6/2002
TPH as Diesel	< 1.0	1.0	mg/Kg	M EPA 8015	12/11/2002
TPH as Motor Oil	< 10	10	mg/Kg	M EPA 8015	12/11/2002
1-Chlorooctadecane (Diesel Surrogate)	98.9		% Recovery	M EPA 8015	12/11/2002

Approved By:  Joel Kiff



Report Number : 30066

Date : 12/13/2002

Project Name : **KELSOE SUNOL TREE GAS**

Project Number : **CP032F**

Sample : **B-3-W**

Matrix : Water

Lab Number : 30066-18

Sample Date :11/27/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	1.1	0.50	ug/L	EPA 8260B	12/8/2002
Toluene	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Ethylbenzene	6.6	0.50	ug/L	EPA 8260B	12/8/2002
Total Xylenes	20	0.50	ug/L	EPA 8260B	12/8/2002
Methyl-t-butyl ether (MTBE)	43	0.50	ug/L	EPA 8260B	12/8/2002
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	12/8/2002
TPH as Gasoline	670	50	ug/L	EPA 8260B	12/8/2002
1,2-Dichloroethane	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
1,2-Dibromoethane	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Toluene - d8 (Surr)	91.4		% Recovery	EPA 8260B	12/8/2002
4-Bromofluorobenzene (Surr)	104		% Recovery	EPA 8260B	12/8/2002
Dibromofluoromethane (Surr)	117		% Recovery	EPA 8260B	12/8/2002
1,2-Dichloroethane-d4 (Surr)	106		% Recovery	EPA 8260B	12/8/2002
TPH as Diesel	< 300	300	ug/L	M EPA 8015	12/10/2002
TPH as Motor Oil	< 100	100	ug/L	M EPA 8015	12/10/2002

Approved By:  Joel Kiff



Report Number : 30066

Date : 12/13/2002

Project Name : **KELSOE SUNOL TREE GAS**

Project Number : **CP032F**

Sample : **B-4-4**

Matrix : Soil

Lab Number : 30066-24

Sample Date :11/27/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Toluene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Ethylbenzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Total Xylenes	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Methyl-t-butyl ether (MTBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Diisopropyl ether (DIPE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Ethyl-t-butyl ether (ETBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Tert-amyl methyl ether (TAME)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Tert-Butanol	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
TPH as Gasoline	< 1.0	1.0	mg/Kg	EPA 8260B	12/6/2002
1,2-Dichloroethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
1,2-Dibromoethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Toluene - d8 (Surr)	95.5		% Recovery	EPA 8260B	12/6/2002
4-Bromofluorobenzene (Surr)	111		% Recovery	EPA 8260B	12/6/2002
Dibromofluoromethane (Surr)	97.5		% Recovery	EPA 8260B	12/6/2002
1,2-Dichloroethane-d4 (Surr)	107		% Recovery	EPA 8260B	12/6/2002
TPH as Diesel	< 1.0	1.0	mg/Kg	M EPA 8015	12/11/2002
TPH as Motor Oil	15	10	mg/Kg	M EPA 8015	12/11/2002
1-Chlorooctadecane (Diesel Surrogate)	87.5		% Recovery	M EPA 8015	12/11/2002

Approved By:  Joel Kiff

2795 2nd St., Suite 300 Davis, CA 95616 530-297-4800



Report Number : 30066

Date : 12/13/2002

Project Name : **KELSOE SUNOL TREE GAS**

Project Number : **CP032F**

Sample : **B-4-8**

Matrix : Soil

Lab Number : 30066-25

Sample Date :11/27/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Toluene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Ethylbenzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Total Xylenes	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Methyl-t-butyl ether (MTBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Diisopropyl ether (DIPE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Ethyl-t-butyl ether (ETBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Tert-amyl methyl ether (TAME)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Tert-Butanol	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
TPH as Gasoline	< 1.0	1.0	mg/Kg	EPA 8260B	12/6/2002
1,2-Dichloroethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
1,2-Dibromoethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Toluene - d8 (Surr)	97.5		% Recovery	EPA 8260B	12/6/2002
4-Bromofluorobenzene (Surr)	109		% Recovery	EPA 8260B	12/6/2002
Dibromofluoromethane (Surr)	96.1		% Recovery	EPA 8260B	12/6/2002
1,2-Dichloroethane-d4 (Surr)	103		% Recovery	EPA 8260B	12/6/2002
TPH as Diesel	< 1.0	1.0	mg/Kg	M EPA 8015	12/11/2002
TPH as Motor Oil	< 10	10	mg/Kg	M EPA 8015	12/11/2002
1-Chlorooctadecane (Diesel Surrogate)	85.7		% Recovery	M EPA 8015	12/11/2002

Approved By:  Joel Kiff



Report Number : 30066

Date : 12/13/2002

Project Name : **KELSOE SUNOL TREE GAS**

Project Number : **CP032F**

Sample : **B-4-12**

Matrix : Soil

Lab Number : 30066-26

Sample Date :11/27/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Toluene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Ethylbenzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Total Xylenes	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Methyl-t-butyl ether (MTBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Diisopropyl ether (DIPE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Ethyl-t-butyl ether (ETBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Tert-amyl methyl ether (TAME)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Tert-Butanol	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
TPH as Gasoline	< 1.0	1.0	mg/Kg	EPA 8260B	12/7/2002
1,2-Dichloroethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
1,2-Dibromoethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Toluene - d8 (Surr)	100		% Recovery	EPA 8260B	12/7/2002
4-Bromofluorobenzene (Surr)	111		% Recovery	EPA 8260B	12/7/2002
Dibromofluoromethane (Surr)	94.8		% Recovery	EPA 8260B	12/7/2002
1,2-Dichloroethane-d4 (Surr)	101		% Recovery	EPA 8260B	12/7/2002
TPH as Diesel	< 1.0	1.0	mg/Kg	M EPA 8015	12/11/2002
TPH as Motor Oil	< 10	10	mg/Kg	M EPA 8015	12/11/2002
1-Chlorooctadecane (Diesel Surrogate)	91.0		% Recovery	M EPA 8015	12/11/2002

Approved By:  Joel Kiff



Report Number : 30066

Date : 12/13/2002

Project Name : **KELSOE SUNOL TREE GAS**

Project Number : **CP032F**

Sample : **B-4-16**

Matrix : Soil

Lab Number : 30066-27

Sample Date :11/27/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Toluene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Ethylbenzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Total Xylenes	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Methyl-t-butyl ether (MTBE)	0.0073	0.0050	mg/Kg	EPA 8260B	12/7/2002
Diisopropyl ether (DIPE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Ethyl-t-butyl ether (ETBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Tert-amyl methyl ether (TAME)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Tert-Butanol	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
TPH as Gasoline	< 1.0	1.0	mg/Kg	EPA 8260B	12/7/2002
1,2-Dichloroethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
1,2-Dibromoethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Toluene - d8 (Surr)	93.6		% Recovery	EPA 8260B	12/7/2002
4-Bromofluorobenzene (Surr)	106		% Recovery	EPA 8260B	12/7/2002
Dibromofluoromethane (Surr)	95.9		% Recovery	EPA 8260B	12/7/2002
1,2-Dichloroethane-d4 (Surr)	104		% Recovery	EPA 8260B	12/7/2002
TPH as Diesel	< 1.0	1.0	mg/Kg	M EPA 8015	12/11/2002
TPH as Motor Oil	< 10	10	mg/Kg	M EPA 8015	12/11/2002
1-Chlorooctadecane (Diesel Surrogate)	82.2		% Recovery	M EPA 8015	12/11/2002

Approved By:  Joel Kiff



Report Number : 30066

Date : 12/13/2002

Project Name : **KELSOE SUNOL TREE GAS**

Project Number : **CP032F**

Sample : **B-4-20**

Matrix : Soil

Lab Number : 30066-28

Sample Date :11/27/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Toluene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Ethylbenzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Total Xylenes	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Methyl-t-butyl ether (MTBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Diisopropyl ether (DIPE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Ethyl-t-butyl ether (ETBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Tert-amyl methyl ether (TAME)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Tert-Butanol	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
TPH as Gasoline	< 1.0	1.0	mg/Kg	EPA 8260B	12/6/2002
1,2-Dichloroethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
1,2-Dibromoethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Toluene - d8 (Surr)	97.3		% Recovery	EPA 8260B	12/6/2002
4-Bromofluorobenzene (Surr)	110		% Recovery	EPA 8260B	12/6/2002
Dibromofluoromethane (Surr)	96.0		% Recovery	EPA 8260B	12/6/2002
1,2-Dichloroethane-d4 (Surr)	101		% Recovery	EPA 8260B	12/6/2002
TPH as Diesel	< 1.0	1.0	mg/Kg	M EPA 8015	12/11/2002
TPH as Motor Oil	< 10	10	mg/Kg	M EPA 8015	12/11/2002
1-Chlorooctadecane (Diesel Surrogate)	78.4		% Recovery	M EPA 8015	12/11/2002

Approved By:  Joel Kiff



Report Number : 30066

Date : 12/13/2002

Project Name : **KELSOE SUNOL TREE GAS**

Project Number : **CP032F**

Sample : **B-4-24**

Matrix : Soil

Lab Number : 30066-30

Sample Date :11/27/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/11/2002
Toluene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/11/2002
Ethylbenzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/11/2002
Total Xylenes	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/11/2002
Methyl-t-butyl ether (MTBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/11/2002
Diisopropyl ether (DIPE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/11/2002
Ethyl-t-butyl ether (ETBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/11/2002
Tert-amyl methyl ether (TAME)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/11/2002
Tert-Butanol	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/11/2002
TPH as Gasoline	< 1.0	1.0	mg/Kg	EPA 8260B	12/11/2002
1,2-Dichloroethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/11/2002
1,2-Dibromoethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/11/2002
Toluene - d8 (Surr)	93.2		% Recovery	EPA 8260B	12/11/2002
4-Bromofluorobenzene (Surr)	110		% Recovery	EPA 8260B	12/11/2002
Dibromofluoromethane (Surr)	95.9		% Recovery	EPA 8260B	12/11/2002
1,2-Dichloroethane-d4 (Surr)	106		% Recovery	EPA 8260B	12/11/2002
TPH as Diesel	< 1.0	1.0	mg/Kg	M EPA 8015	12/11/2002
TPH as Motor Oil	< 10	10	mg/Kg	M EPA 8015	12/11/2002
1-Chlorooctadecane (Diesel Surrogate)	85.2		% Recovery	M EPA 8015	12/11/2002

Approved By:  Joel Kiff



Report Number : 30066

Date : 12/13/2002

Project Name : **KELSOE SUNOL TREE GAS**

Project Number : **CP032F**

Sample : **B-4-W**

Matrix : Water

Lab Number : 30066-29

Sample Date :11/27/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 2.5	2.5	ug/L	EPA 8260B	12/10/2002
Toluene	< 2.5	2.5	ug/L	EPA 8260B	12/10/2002
Ethylbenzene	350	2.5	ug/L	EPA 8260B	12/10/2002
Total Xylenes	84	2.5	ug/L	EPA 8260B	12/10/2002
Methyl-t-butyl ether (MTBE)	4.7	2.5	ug/L	EPA 8260B	12/10/2002
Diisopropyl ether (DIPE)	< 2.5	2.5	ug/L	EPA 8260B	12/10/2002
Ethyl-t-butyl ether (ETBE)	< 2.5	2.5	ug/L	EPA 8260B	12/10/2002
Tert-amyl methyl ether (TAME)	< 2.5	2.5	ug/L	EPA 8260B	12/10/2002
Tert-Butanol	< 25	25	ug/L	EPA 8260B	12/10/2002
TPH as Gasoline	17000	250	ug/L	EPA 8260B	12/10/2002
1,2-Dichloroethane	< 2.5	2.5	ug/L	EPA 8260B	12/10/2002
1,2-Dibromoethane	< 2.5	2.5	ug/L	EPA 8260B	12/10/2002
Toluene - d8 (Surr)	97.8		% Recovery	EPA 8260B	12/10/2002
4-Bromofluorobenzene (Surr)	98.6		% Recovery	EPA 8260B	12/10/2002
Dibromofluoromethane (Surr)	93.9		% Recovery	EPA 8260B	12/10/2002
1,2-Dichloroethane-d4 (Surr)	94.7		% Recovery	EPA 8260B	12/10/2002
TPH as Diesel	< 15000	15000	ug/L	M EPA 8015	12/9/2002
TPH as Motor Oil	< 100	100	ug/L	M EPA 8015	12/9/2002

Approved By:  Joel Kiff



Report Number : 30066

Date : 12/13/2002

Project Name : **KELSOE SUNOL TREE GAS**

Project Number : **CP032F**

Sample : **B-5-4**

Matrix : Soil

Lab Number : 30066-19

Sample Date :11/27/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/9/2002
Toluene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/9/2002
Ethylbenzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/9/2002
Total Xylenes	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/9/2002
Methyl-t-butyl ether (MTBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/9/2002
Diisopropyl ether (DIPE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/9/2002
Ethyl-t-butyl ether (ETBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/9/2002
Tert-amyl methyl ether (TAME)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/9/2002
Tert-Butanol	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/9/2002
TPH as Gasoline	< 1.0	1.0	mg/Kg	EPA 8260B	12/9/2002
1,2-Dichloroethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/9/2002
1,2-Dibromoethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/9/2002
Toluene - d8 (Surr)	103		% Recovery	EPA 8260B	12/9/2002
4-Bromofluorobenzene (Surr)	104		% Recovery	EPA 8260B	12/9/2002
Dibromofluoromethane (Surr)	103		% Recovery	EPA 8260B	12/9/2002
1,2-Dichloroethane-d4 (Surr)	104		% Recovery	EPA 8260B	12/9/2002
TPH as Diesel	13	1.0	mg/Kg	M EPA 8015	12/11/2002
TPH as Motor Oil	29	10	mg/Kg	M EPA 8015	12/11/2002
1-Chlorooctadecane (Diesel Surrogate)	82.2		% Recovery	M EPA 8015	12/11/2002

Approved By:  Joel Kiff

2795 2nd St., Suite 300 Davis, CA 95616 530-297-4800



Report Number : 30066

Date : 12/13/2002

Project Name : **KELSOE SUNOL TREE GAS**

Project Number : **CP032F**

Sample : **B-5-8**

Matrix : Soil

Lab Number : 30066-20

Sample Date :11/27/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/9/2002
Toluene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/9/2002
Ethylbenzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/9/2002
Total Xylenes	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/9/2002
Methyl-t-butyl ether (MTBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/9/2002
Diisopropyl ether (DIPE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/9/2002
Ethyl-t-butyl ether (ETBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/9/2002
Tert-amyl methyl ether (TAME)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/9/2002
Tert-Butanol	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/9/2002
TPH as Gasoline	< 1.0	1.0	mg/Kg	EPA 8260B	12/9/2002
1,2-Dichloroethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/9/2002
1,2-Dibromoethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/9/2002
Toluene - d8 (Surr)	103		% Recovery	EPA 8260B	12/9/2002
4-Bromofluorobenzene (Surr)	98.4		% Recovery	EPA 8260B	12/9/2002
Dibromofluoromethane (Surr)	98.0		% Recovery	EPA 8260B	12/9/2002
1,2-Dichloroethane-d4 (Surr)	106		% Recovery	EPA 8260B	12/9/2002
TPH as Diesel	< 1.0	1.0	mg/Kg	M EPA 8015	12/12/2002
TPH as Motor Oil	< 10	10	mg/Kg	M EPA 8015	12/12/2002
1-Chlorooctadecane (Diesel Surrogate)	99.1		% Recovery	M EPA 8015	12/12/2002

Approved By:  Joel Kiff



Report Number : 30066

Date : 12/13/2002

Project Name : **KELSOE SUNOL TREE GAS**

Project Number : **CP032F**

Sample : **B-5-12**

Matrix : Soil

Lab Number : 30066-01

Sample Date :11/27/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Toluene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Ethylbenzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Total Xylenes	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Methyl-t-butyl ether (MTBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Diisopropyl ether (DIPE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Ethyl-t-butyl ether (ETBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Tert-amyl methyl ether (TAME)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Tert-Butanol	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
TPH as Gasoline	< 1.0	1.0	mg/Kg	EPA 8260B	12/6/2002
1,2-Dichloroethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
1,2-Dibromoethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Toluene - d8 (Surr)	98.5		% Recovery	EPA 8260B	12/6/2002
4-Bromofluorobenzene (Surr)	108		% Recovery	EPA 8260B	12/6/2002
Dibromofluoromethane (Surr)	95.5		% Recovery	EPA 8260B	12/6/2002
1,2-Dichloroethane-d4 (Surr)	104		% Recovery	EPA 8260B	12/6/2002
TPH as Diesel	< 1.0	1.0	mg/Kg	M EPA 8015	12/11/2002
TPH as Motor Oil	< 10	10	mg/Kg	M EPA 8015	12/11/2002
1-Chlorooctadecane (Diesel Surrogate)	101		% Recovery	M EPA 8015	12/11/2002

Approved By:  Joel Kiff



Report Number : 30066

Date : 12/13/2002

Project Name : **KELSOE SUNOL TREE GAS**

Project Number : **CP032F**

Sample : **B-5-16**

Matrix : Soil

Lab Number : 30066-21

Sample Date :11/27/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Toluene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Ethylbenzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Total Xylenes	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Methyl-t-butyl ether (MTBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Diisopropyl ether (DIPE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Ethyl-t-butyl ether (ETBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Tert-amyl methyl ether (TAME)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Tert-Butanol	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
TPH as Gasoline	< 1.0	1.0	mg/Kg	EPA 8260B	12/6/2002
1,2-Dichloroethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
1,2-Dibromoethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Toluene - d8 (Surr)	99.4		% Recovery	EPA 8260B	12/6/2002
4-Bromofluorobenzene (Surr)	112		% Recovery	EPA 8260B	12/6/2002
Dibromofluoromethane (Surr)	94.6		% Recovery	EPA 8260B	12/6/2002
1,2-Dichloroethane-d4 (Surr)	104		% Recovery	EPA 8260B	12/6/2002
TPH as Diesel	< 1.0	1.0	mg/Kg	M EPA 8015	12/11/2002
TPH as Motor Oil	< 10	10	mg/Kg	M EPA 8015	12/11/2002
1-Chlorooctadecane (Diesel Surrogate)	96.3		% Recovery	M EPA 8015	12/11/2002

Approved By:  Joel Kiff



Report Number : 30066

Date : 12/13/2002

Project Name : **KELSOE SUNOL TREE GAS**

Project Number : **CP032F**

Sample : **B-5-20**

Matrix : Soil

Lab Number : 30066-22

Sample Date :11/27/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Toluene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Ethylbenzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Total Xylenes	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Methyl-t-butyl ether (MTBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Diisopropyl ether (DIPE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Ethyl-t-butyl ether (ETBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Tert-amyl methyl ether (TAME)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Tert-Butanol	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
TPH as Gasoline	< 1.0	1.0	mg/Kg	EPA 8260B	12/7/2002
1,2-Dichloroethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
1,2-Dibromoethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/7/2002
Toluene - d8 (Surr)	102		% Recovery	EPA 8260B	12/7/2002
4-Bromofluorobenzene (Surr)	108		% Recovery	EPA 8260B	12/7/2002
Dibromofluoromethane (Surr)	94.2		% Recovery	EPA 8260B	12/7/2002
1,2-Dichloroethane-d4 (Surr)	101		% Recovery	EPA 8260B	12/7/2002
TPH as Diesel	< 1.0	1.0	mg/Kg	M EPA 8015	12/11/2002
TPH as Motor Oil	< 10	10	mg/Kg	M EPA 8015	12/11/2002
1-Chlorooctadecane (Diesel Surrogate)	84.8		% Recovery	M EPA 8015	12/11/2002

Approved By:  Joel Kiff



Report Number : 30066

Date : 12/13/2002

Project Name : **KELSOE SUNOL TREE GAS**

Project Number : **CP032F**

Sample : **B-5-W**

Matrix : Water

Lab Number : 30066-23

Sample Date :11/27/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Toluene	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	12/8/2002
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	12/8/2002
1,2-Dichloroethane	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
1,2-Dibromoethane	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Toluene - d8 (Surr)	89.9		% Recovery	EPA 8260B	12/8/2002
4-Bromofluorobenzene (Surr)	104		% Recovery	EPA 8260B	12/8/2002
Dibromofluoromethane (Surr)	119		% Recovery	EPA 8260B	12/8/2002
1,2-Dichloroethane-d4 (Surr)	107		% Recovery	EPA 8260B	12/8/2002
TPH as Diesel	< 50	50	ug/L	M EPA 8015	12/10/2002
TPH as Motor Oil	< 100	100	ug/L	M EPA 8015	12/10/2002

Approved By:  Joel Kiff

Report Number : 30066

Date : 12/13/2002

QC Report : Method Blank Data

Project Name : KELS0E SUNOL TREE GAS

Project Number : CP032F

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
TPH as Diesel	< 1.0	1.0	mg/Kg	M EPA 8015	12/10/2002
TPH as Motor Oil	< 10	10	mg/Kg	M EPA 8015	12/10/2002
1-Chlorooctadecane (Diesel Surrogate)	83.8		%	M EPA 8015	12/10/2002
TPH as Diesel	< 1.0	1.0	mg/Kg	M EPA 8015	12/10/2002
TPH as Motor Oil	< 10	10	mg/Kg	M EPA 8015	12/10/2002
1-Chlorooctadecane (Diesel Surrogate)	72.8		%	M EPA 8015	12/10/2002
TPH as Diesel	< 50	50	ug/L	M EPA 8015	12/9/2002
TPH as Motor Oil	< 100	100	ug/L	M EPA 8015	12/9/2002
Benzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Toluene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Ethylbenzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Total Xylenes	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Methyl-t-butyl ether (MTBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Diisopropyl ether (DIPE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Ethyl-t-butyl ether (ETBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Tert-amyl methyl ether (TAME)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Tert-Butanol	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
TPH as Gasoline	< 1.0	1.0	mg/Kg	EPA 8260B	12/6/2002
1,2-Dichloroethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
1,2-Dibromoethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/6/2002
Toluene - d8 (Surr)	103		%	EPA 8260B	12/6/2002
4-Bromofluorobenzene (Surr)	107		%	EPA 8260B	12/6/2002
Dibromofluoromethane (Surr)	93.0		%	EPA 8260B	12/6/2002
1,2-Dichloroethane-d4 (Surr)	102		%	EPA 8260B	12/6/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/5/2002
Toluene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/5/2002
Ethylbenzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/5/2002
Total Xylenes	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/5/2002
Methyl-t-butyl ether (MTBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/5/2002
Diisopropyl ether (DIPE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/5/2002
Ethyl-t-butyl ether (ETBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/5/2002
Tert-amyl methyl ether (TAME)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/5/2002
Tert-Butanol	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/5/2002
TPH as Gasoline	< 1.0	1.0	mg/Kg	EPA 8260B	12/5/2002
1,2-Dichloroethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/5/2002
1,2-Dibromoethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/5/2002
Toluene - d8 (Surr)	103		%	EPA 8260B	12/5/2002
4-Bromofluorobenzene (Surr)	94.9		%	EPA 8260B	12/5/2002
Dibromofluoromethane (Surr)	96.6		%	EPA 8260B	12/5/2002
1,2-Dichloroethane-d4 (Surr)	105		%	EPA 8260B	12/5/2002
Benzene	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Toluene	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	12/8/2002
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	12/8/2002
1,2-Dichloroethane	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
1,2-Dibromoethane	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Toluene - d8 (Surr)	97.7		%	EPA 8260B	12/8/2002
4-Bromofluorobenzene (Surr)	105		%	EPA 8260B	12/8/2002
Dibromofluoromethane (Surr)	108		%	EPA 8260B	12/8/2002
1,2-Dichloroethane-d4 (Surr)	99.0		%	EPA 8260B	12/8/2002

Approved By: Joel Kiff

KIFF ANALYTICAL, LLC

2795 2nd St, Suite 300 Davis, CA 95616 530-297-4800

Report Number : 30066

Date : 12/13/2002

QC Report : Method Blank Data

Project Name : KELS0E SUNOL TREE GAS

Project Number : CP032F

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/10/2002
Toluene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/10/2002
Ethylbenzene	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/10/2002
Total Xylenes	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/10/2002
Methyl-t-butyl ether (MTBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/10/2002
Diisopropyl ether (DIPE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/10/2002
Ethyl-t-butyl ether (ETBE)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/10/2002
Tert-amyl methyl ether (TAME)	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/10/2002
Tert-Butanol	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/10/2002
TPH as Gasoline	< 1.0	1.0	mg/Kg	EPA 8260B	12/10/2002
1,2-Dichloroethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/10/2002
1,2-Dibromoethane	< 0.0050	0.0050	mg/Kg	EPA 8260B	12/10/2002
Toluene - d8 (Surr)	102		%	EPA 8260B	12/10/2002
4-Bromofluorobenzene (Surr)	108		%	EPA 8260B	12/10/2002
Dibromofluoromethane (Surr)	90.9		%	EPA 8260B	12/10/2002
1,2-Dichloroethane-d4 (Surr)	102		%	EPA 8260B	12/10/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Toluene	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	12/8/2002
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	12/8/2002
1,2-Dichloroethane	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
1,2-Dibromoethane	< 0.50	0.50	ug/L	EPA 8260B	12/8/2002
Toluene - d8 (Surr)	97.2		%	EPA 8260B	12/8/2002
4-Bromofluorobenzene (Surr)	101		%	EPA 8260B	12/8/2002
Dibromofluoromethane (Surr)	111		%	EPA 8260B	12/8/2002
1,2-Dichloroethane-d4 (Surr)	104		%	EPA 8260B	12/8/2002

Benzene	< 0.50	0.50	ug/L	EPA 8260B	12/9/2002
Toluene	< 0.50	0.50	ug/L	EPA 8260B	12/9/2002
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	12/9/2002
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	12/9/2002
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	12/9/2002
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	12/9/2002
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	12/9/2002
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	12/9/2002
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	12/9/2002
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	12/9/2002
1,2-Dichloroethane	< 0.50	0.50	ug/L	EPA 8260B	12/9/2002
1,2-Dibromoethane	< 0.50	0.50	ug/L	EPA 8260B	12/9/2002
Toluene - d8 (Surr)	98.3		%	EPA 8260B	12/9/2002
4-Bromofluorobenzene (Surr)	99.5		%	EPA 8260B	12/9/2002
Dibromofluoromethane (Surr)	97.1		%	EPA 8260B	12/9/2002
1,2-Dichloroethane-d4 (Surr)	102		%	EPA 8260B	12/9/2002

Approved By:  Joel Kiff

KIFF ANALYTICAL, LLC

2795 2nd St, Suite 300 Davis, CA 95616 530-297-4800

Report Number : 30066


Date : 12/13/2002

QC Report : Matrix Spike/ Matrix Spike Duplicate

Project Name : KELS0E SUNOL TREE

Project Number : CP032F

Parameter	Spiked Sample	Sample Value	Spike Level	Spike Dup. Level	Spiked Sample Value	Duplicate Spiked Sample Value	Units	Analysis Method	Date Analyzed	Spiked Sample Percent Recov.	Duplicate Spiked Sample Percent Recov.	Relative Percent Diff.	Spiked Sample Percent Recov. Limit	Relative Percent Diff. Limit
TPH as Diesel	30066-21	<1.0	20.0	20.0	20.4	24.0	mg/Kg	M EPA 8015	12/11/02	102	120	16.2	60-140	25
TPH as Diesel	30129-06	<1.0	20.0	20.0	23.0	20.0	mg/Kg	M EPA 8015	12/11/02	115	100	14.0	60-140	25
TPH as Diesel	Blank	<50	1000	1000	981	939	ug/L	M EPA 8015	12/9/02	98.1	93.9	4.42	70-130	25
Benzene	30066-04	<0.0050	0.0409	0.0412	0.0356	0.0362	mg/Kg	EPA 8260B	12/10/02	87.1	87.8	0.800	70-130	25
Toluene	30066-04	<0.0050	0.0409	0.0412	0.0350	0.0368	mg/Kg	EPA 8260B	12/10/02	85.6	89.2	4.18	70-130	25
Tert-Butanol	30066-04	<0.0050	0.204	0.206	0.172	0.176	mg/Kg	EPA 8260B	12/10/02	84.3	85.3	1.13	70-130	25
Methyl-t-Butyl Ether	30066-04	<0.0050	0.0409	0.0412	0.0374	0.0337	mg/Kg	EPA 8260B	12/10/02	91.5	81.7	11.3	70-130	25
Benzene	30118-01	<0.0050	0.0389	0.0395	0.0376	0.0373	mg/Kg	EPA 8260B	12/5/02	96.6	94.4	2.36	70-130	25
Toluene	30118-01	<0.0050	0.0389	0.0395	0.0357	0.0353	mg/Kg	EPA 8260B	12/5/02	91.7	89.3	2.71	70-130	25
Tert-Butanol	30118-01	<0.0050	0.194	0.198	0.180	0.157	mg/Kg	EPA 8260B	12/5/02	92.5	79.4	15.2	70-130	25
Methyl-t-Butyl Ether	30118-01	<0.0050	0.0389	0.0395	0.0403	0.0416	mg/Kg	EPA 8260B	12/5/02	104	105	1.65	70-130	25
Benzene	30108-03	<0.50	39.9	40.0	39.7	40.7	ug/L	EPA 8260B	12/8/02	99.5	102	2.19	70-130	25
Toluene	30108-03	<0.50	39.9	40.0	37.7	39.0	ug/L	EPA 8260B	12/8/02	94.5	97.4	3.05	70-130	25
Tert-Butanol	30108-03	<5.0	200	200	192	193	ug/L	EPA 8260B	12/8/02	96.1	96.6	0.514	70-130	25
Methyl-t-Butyl Ether	30108-03	<0.50	39.9	40.0	41.0	41.3	ug/L	EPA 8260B	12/8/02	103	103	0.534	70-130	25
Benzene	30214-01	<0.0050	0.0400	0.0399	0.0369	0.0376	mg/Kg	EPA 8260B	12/10/02	92.2	94.1	1.96	70-130	25

Approved By:  Joel Kiff

KIFF ANALYTICAL, LLC

2795 2nd St, Suite 300 Davis, CA 95616 530-297-4800

Report Number : 30066

Date : 12/13/2002

QC Report : Matrix Spike/ Matrix Spike Duplicate

Project Name : KELS0E SUNOL TREE

Project Number : CP032F

Parameter	Spiked Sample	Sample Value	Spike Level	Spike Dup. Level	Spiked Sample Value	Duplicate Spiked Sample Value	Units	Analysis Method	Date Analyzed	Spiked Sample Percent Recov.	Duplicate Spiked Sample Percent Recov.	Relative Percent Diff.	Spiked Sample Percent Recov. Limit	Relative Percent Diff. Limit
Toluene	30214-01	<0.0050	0.0400	0.0399	0.0354	0.0349	mg/Kg	EPA 8260B	12/10/02	88.6	87.4	1.45	70-130	25
Tert-Butanol	30214-01	<0.0050	0.200	0.200	0.188	0.195	mg/Kg	EPA 8260B	12/10/02	94.2	97.7	3.61	70-130	25
Methyl-t-Butyl Ether	30214-01	<0.0050	0.0400	0.0399	0.0375	0.0375	mg/Kg	EPA 8260B	12/10/02	93.8	94.0	0.186	70-130	25
Benzene	30066-06	<0.50	40.0	40.0	41.3	40.8	ug/L	EPA 8260B	12/9/02	103	102	1.34	70-130	25
Toluene	30066-06	<0.50	40.0	40.0	40.0	39.3	ug/L	EPA 8260B	12/9/02	100	98.2	1.92	70-130	25
Tert-Butanol	30066-06	<5.0	200	200	203	197	ug/L	EPA 8260B	12/9/02	102	98.6	2.98	70-130	25
Methyl-t-Butyl Ether	30066-06	<0.50	40.0	40.0	41.5	38.3	ug/L	EPA 8260B	12/9/02	104	95.8	7.89	70-130	25
Benzene	30136-04	<0.50	40.0	40.0	38.0	37.4	ug/L	EPA 8260B	12/8/02	95.0	93.5	1.56	70-130	25
Toluene	30136-04	<0.50	40.0	40.0	37.6	36.1	ug/L	EPA 8260B	12/8/02	93.9	90.2	4.07	70-130	25
Tert-Butanol	30136-04	<5.0	200	200	204	203	ug/L	EPA 8260B	12/8/02	102	102	0.383	70-130	25
Methyl-t-Butyl Ether	30136-04	<0.50	40.0	40.0	44.0	42.9	ug/L	EPA 8260B	12/8/02	110	107	2.44	70-130	25

Approved By:  Joel Kiff

KIFF ANALYTICAL, LLC

2795 2nd St, Suite 300 Davis, CA 95616 530-297-4800

Report Number : 30066

Date : 12/13/2002

QC Report : Laboratory Control Sample (LCS)

Project Name : **KELSOE SUNOL TREE**

Project Number : **CP032F**

Parameter	Spike Level	Units	Analysis Method	Date Analyzed	LCS Percent Recov.	LCS Percent Recov. Limit
TPH as Diesel	20.0	mg/Kg	M EPA 8015	12/10/02	89.6	70-130
TPH as Diesel	20.0	mg/Kg	M EPA 8015	12/10/02	97.0	70-130
Benzene	0.0396	mg/Kg	EPA 8260B	12/6/02	89.7	70-130
Toluene	0.0396	mg/Kg	EPA 8260B	12/6/02	95.1	70-130
Tert-Butanol	0.198	mg/Kg	EPA 8260B	12/6/02	91.0	70-130
Methyl-t-Butyl Ether	0.0396	mg/Kg	EPA 8260B	12/6/02	90.6	70-130
Benzene	0.0400	mg/Kg	EPA 8260B	12/5/02	95.0	70-130
Toluene	0.0400	mg/Kg	EPA 8260B	12/5/02	93.3	70-130
Tert-Butanol	0.200	mg/Kg	EPA 8260B	12/5/02	86.0	70-130
Methyl-t-Butyl Ether	0.0400	mg/Kg	EPA 8260B	12/5/02	99.0	70-130
Benzene	40.0	ug/L	EPA 8260B	12/8/02	101	70-130
Toluene	40.0	ug/L	EPA 8260B	12/8/02	97.0	70-130
Tert-Butanol	200	ug/L	EPA 8260B	12/8/02	98.8	70-130
Methyl-t-Butyl Ether	40.0	ug/L	EPA 8260B	12/8/02	102	70-130
Benzene	0.0399	mg/Kg	EPA 8260B	12/10/02	92.4	70-130
Toluene	0.0399	mg/Kg	EPA 8260B	12/10/02	88.0	70-130

KIFF ANALYTICAL, LLC

Approved By:


Joel Kiff

2795 2nd St, Suite 300 Davis, CA 95616 530-297-4800

Report Number : 30066

Date : 12/13/2002

QC Report : Laboratory Control Sample (LCS)

Project Name : **KELSOE SUNOL TREE**

Project Number : **CP032F**

Parameter	Spike Level	Units	Analysis Method	Date Analyzed	LCS Percent Recov.	LCS Percent Recov. Limit
Tert-Butanol	0.200	mg/Kg	EPA 8260B	12/10/02	90.9	70-130
Methyl-t-Butyl Ether	0.0399	mg/Kg	EPA 8260B	12/10/02	91.8	70-130
Benzene	40.0	ug/L	EPA 8260B	12/9/02	101	70-130
Toluene	40.0	ug/L	EPA 8260B	12/9/02	101	70-130
Tert-Butanol	200	ug/L	EPA 8260B	12/9/02	96.2	70-130
Methyl-t-Butyl Ether	40.0	ug/L	EPA 8260B	12/9/02	90.8	70-130
Benzene	40.0	ug/L	EPA 8260B	12/8/02	95.0	70-130
Toluene	40.0	ug/L	EPA 8260B	12/8/02	95.5	70-130
Tert-Butanol	200	ug/L	EPA 8260B	12/8/02	102	70-130
Methyl-t-Butyl Ether	40.0	ug/L	EPA 8260B	12/8/02	105	70-130

KIFF ANALYTICAL, LLC

2795 2nd St, Suite 300 Davis, CA 95616 530-297-4800

Approved By:


Joel Kiff



720 Olive Drive, Suite D
 Davis, CA 95616
 Lab: 530.297.4800
 Fax: 530.297.4808

Lab No. 30066 Page 1 of 3

Project Contact (Hardcopy or PDF To): Brian Pierskalla
 California EDF Report? Yes No

Chain-of-Custody Record and Analysis Request

Company/Address: CLEARWATER GROUP
 Recommended but not mandatory to complete this section:
 Sampling Company Log Code:

Phone No.: 5103079943 FAX No.: 5102322523
 Global ID:

Project Number: CP032F P.O. No.:
 EDF Deliverable To (Email Address): brunp@clearwatergroup.com

Project Name: KELSEY SUND TIE GAS
 Sampler Signature: [Signature]

Project Address: 3004 Andrade Rd
 Sund CA 94586

Analysis Request

Sample Designation	Sampling Date	Time	Container				Preservative				Matrix		BTEX (8021B)	BTEX/TPH Gas/MTBE (8021B/M8015)	TPH as Diesel (M8015)	TPH as Motor Oil (M8016)	TPH Gas/BTEX/MTBE (8260B)	5 Oxygenates/TPH Gas/BTEX (8260B)	7 Oxygenates/TPH Gas/BTEX (8260B)	5 Oxygenates (8260B)	7 Oxygenates (8260B)	Lead Scav. (1.2 DCA & 1.2 EDB - 8260B)	EPA 8260B (Full List)	Volatile Halocarbons (EPA 8260B)	Lead (7421/239.2) TOTAL (X) W.E.T. (X)	TAT	12 hr/24 hr/48 hr/72 hr/1 wk	For Lab Use Only					
			40 ml VOA	SLEEVE	HCl	HNO ₃	ICE	NONE	WATER	SOIL																							
B-1-4 (B512)	11/27/02	1400																															
B-1-8	11/27/02	0925		X					X					X	X			X															
B-1-12		0940																															
B-1-16		0950																															
B-1-20		1000		X																													
B-1-W		1015	S			X					X																						
B-2-4		1050		X																													
B-2-8		1055																															
B-2-12		1107																															
B-2-16	11/27/02	1120		X					X					X	X			X															

Relinquished by: [Signature] Date: 11/27/02 Time: 1730
 Received by: _____
 Relinquished by: _____ Date: _____ Time: _____
 Received by: _____
 Relinquished by: _____ Date: 11/27/02 Time: 1730
 Received by Laboratory: Jacob Edwin Kiff Analytical

Remarks: B-5-12 11/27/02 1400 TPH D, MO
50M/GAS/BTEX; LEAD SCAVENGER
Normal Lwk TAT BP
 Bill to: _____

01
02
03
04
05
06
07
08
09
10



720 Olive Drive, Suite D
 Davis, CA 95616
 Lab: 530.297.4800
 Fax: 530.297.4808

Lab No. 30066 Page 2 of 3

Project Contact (Hardcopy or PDF To): Brian Persikalla
 California EDF Report? Yes No

Chain-of-Custody Record and Analysis Request

Company/Address: CLEARWATER GROUP
 Recommended but not mandatory to complete this section:
 Sampling Company Log Code:

Phone No.: 5103079943 FAX No.: 5102322823
 Project Number: CPO32F P.O. No.:
 Global ID:

Project Name: KELSEO SUNOL T1-80 GAS
 EDF Deliverable To (Email Address): brian@clearwatergroup.com
 Sampler Signature: Br. Persikalla

Project Address: 3004 Andrade Rd
SUNOL CA 94586

Analysis Request										TAT											
Sample Designation	Date	Time	40 ml VOA SLEEVE	Container	Preservative	Matrix	BTEX (8021B)	BTEX/TPH Gas/MTBE (8021B/MS015)	TPH as Diesel (MS015)	TPH as Motor Oil (MS015)	TPH Gas/BTEX/MTBE (8260B)	6 Oxygenates/TPH Gas/BTEX (8260B)	7 Oxygenates/TPH Gas/BTEX (8260B)	5 Oxygenates (8260B)	7 Oxygenates (8260B)	Lead Scav. (1,2 DCA & 1,2 EOB - 8260B)	EPA 8260B (Full List)	Volatile Hydrocarbons (EPA 8260B)	Lead (7421/239.2) TOTAL (X) W.E.T. (X)	12 hr/24 hr/48 hr/72 hr/1 wk	
B-2-20	11/27/02	1133	X			X			X	X	X					X					
B-2-W		1225	5		X																
B-3-4		1245	X																		
B-3-8		1250																			
B-3-12		1304																			
B-3-16		1312																			
B-3-20		1328	X																		
B-3-W		1365	5		X																
B-5-4		1345	X																		
B-5-8	11/27/02	1350				X			X	X	X					X					

Sampling Container Preservative Matrix

Sample Designation	Date	Time	40 ml VOA SLEEVE	Container	Preservative	Matrix
B-2-20	11/27/02	1133	X			X
B-2-W		1225	5		X	X
B-3-4		1245	X			X
B-3-8		1250				
B-3-12		1304				
B-3-16		1312				
B-3-20		1328	X			X
B-3-W		1365	5		X	X
B-5-4		1345	X			X
B-5-8	11/27/02	1350			X	X

Relinquished by: Br. Persikalla Date: 11/27/02 Time: 1130 Received by: _____
 Relinquished by: _____ Date: _____ Time: _____ Received by: _____
 Relinquished by: _____ Date: 11/27/02 Time: 130 Received by Laboratory: John Ewald Bill to: _____

11
12
13
14
15
16
17
18
19
20

Project Contact (Hardcopy or PDF To): **BRIAN PEERSKALLA**
 California EDF Report? Yes No

Chain-of-Custody Record and Analysis Request

Company/Address: **CLEARWATER GROUP**
Recommended but not mandatory to complete this section:
 Sampling Company Log Code: _____

Analysis Request

Phone No.: **510 307 9943** FAX No.: **510 232 2823**
 Project Number: **CPO32F** P.O. No.: _____
 Global ID: _____
 EDF Deliverable To (Email Address): **brianp@clearwatergroup.com**

Project Name: **Kelsee Sumol Tr & Gas**
 Sampler Signatures: **BR Peerskalla**

Project Address: **3004 Andrade Rd
 Sumol CA 94586**

Sample Designation	Sampling		40 ml VOA SLEEVE	Container	Preservative				Matrix		BTEX (8021B)	BTEX/TPH Gas/MTBE (8021B/M8015)	TPH as Diesel (M8015)	TPH as Motor Oil (M8015)	TPH Gas/BTEX/MTBE (8260B)	5 Oxygenates/TPH Gas/BTEX (8260B)	7 Oxygenates/TPH Gas/BTEX (8260B)	5 Oxygenates (8260B)	7 Oxygenates (8260B)	Lead Scav. (1.2 DCA & 1.2 EDB - 8260B)	EPA 8260B (Full List)	Volatile Halocarbons (EPA 8260B)	Lead (7421/239.2) TOTAL (X) W.E.T. (X)	TAT	12 hr/24 hr/48 hr/72 hr/1 wk	For Lab Use Only		
	Date	Time			HCl	HNO ₃	ICE	NONE	WATER	SOIL																		
B-5-16	11/27/02	1410	X				X			X		X	X	X					X									21
B-5-20		1422	X																									22
B-5-W		1508	5		X					X																		23
B-4-4		1555	X																									24
B-4-8		1555																										25
B-4-12		1600																										26
B-4-16		1606																										27
B-4-20		1620	X				X			X		X	X	X					X									28
B-4-W	11/27/02	1650	5		X				X																			29
B-4-24	11/27/02	1645	X				X			X		X	X	X					X									30

Relinquished by: **BR Peerskalla** Date: **11/27/02** Time: **1730** Received by: _____
 Relinquished by: _____ Date: _____ Time: _____ Received by: _____
 Relinquished by: _____ Date: **11/27/02** Time: **1730** Received by Laboratory: **Joan E. Wilk Kiff Analytical** # to: _____

Remarks: **ALL WTR SAMPLES HCl PRESERVE
 BR Peerskalla 11/27/02**



APPENDIX G

Manifests

NON-HAZARDOUS WASTE MANIFEST

12107

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No. NH-	2. Page 1 of 1
3. Generator's Name and Mailing Address Sunol Tree Gas Station 3004 Andrade Road Sunol, CA 94586				
4. Generator's Phone ()				
5. Transporter 1 Company Name Abury Environmental Services	6. US EPA ID Number	A. State Transporter's ID		
		B. Transporter 1 Phone 310-886-3400		
7. Transporter 2 Company Name	8. US EPA ID Number	C. State Transporter's ID		
		D. Transporter 2 Phone		
9. Designated Facility Name and Site Address Union Soil Removal Services Dist WWTP 7399 Johnson Dr Pleasanton, CA 94588		10. US EPA ID Number	E. State Facility's ID	
		F. Facility's Phone		

11. WASTE DESCRIPTION	12. Containers		13. Total Quantity	14. Unit Wt/Vol
	No.	Type		
Non Hazardous Waste Liquid (Groundwater 99.99%, MTBE .001%)	1	TT	500	G
b.				
c.				
d.				

G. Additional Descriptions for Materials Listed Above **Use PPE** 24-Hour Emergency Contact: Mel Harper (310)466-5010	H. Handling Codes for Wastes Listed Above
Project# 19943AS6 Tank# 255567	

15. Special Handling Instructions and Additional Information

16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.

Printed/Typed Name Brian P. Kelsae		Signature <i>Brian P. Kelsae</i>	Date 10/27/02
17. Transporter 1 Acknowledgement of Receipt of Materials			
Printed/Typed Name JEFF BOYDLOW		Signature <i>Jeff Boydlow</i>	Date 10/07/02
18. Transporter 2 Acknowledgement of Receipt of Materials			
Printed/Typed Name		Signature	Date
19. Discrepancy Indication Space			
20. Facility Owner or Operator, Certification of receipt of the waste materials covered by this manifest, except as noted in Item 19.			
Printed/Typed Name ERIK F. KUEHLER		Signature <i>Erik F. Kuehler</i>	Date 10-07-02

NON-HAZARDOUS WASTE GENERATOR TRANSPORTER FACILITY

NON-HAZARDOUS WASTE MANIFEST

12108

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No. NH--	2. Page 1 of 1
3. Generator's Name and Mailing Address Sunol Tree Gas Station 3004 Andrade Road Sunol, CA 94586				
4. Generator's Phone ()	6. US EPA ID Number		A. State Transporter's ID	
5. Transporter 1 Company Name ABDURY Environmental Services			B. Transporter 1 Phone 310-886-3400	
7. Transporter 2 Company Name	8. US EPA ID Number		C. State Transporter's ID	
			D. Transporter 2 Phone	
9. Designated Facility Name and Site Address Dublin San Ramon Services Dist WWTF 7399 Johnson Dr Pleasanton, CA 94588	10. US EPA ID Number		E. State Facility's ID	
		F. Facility's Phone		

11. WASTE DESCRIPTION	12. Containers		13. Total Quantity	14. Unit Wt./Vol.
	No.	Type		
a. Non Hazardous Waste Liquid (Groundwater 99.99%, MTBE .001%)	1	TT	5000	G
b.				
c.				
d.				

G. Additional Descriptions for Materials Listed Above **Use PPE** 24-Hour Emergency Contact: Mel Harper (310)466-5010 Project 9940ASK Tank 255567	H. Handling Codes for Wastes Listed Above
---	---

15. Special Handling Instructions and Additional Information

16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.

Printed/Typed Name BRIAN PIETRSKALLA & Murray Kelsoc		Signature <i>Brian Pietrskalla for Murray Kelsoc</i>	Date Month Day Year 10 07 02
17. Transporter 1 Acknowledgement of Receipt of Materials			
Printed/Typed Name Jeff Billow		Signature <i>Jeff Billow</i>	Date Month Day Year 10 07 02
18. Transporter 2 Acknowledgement of Receipt of Materials			
Printed/Typed Name		Signature	Date Month Day Year
19. Discrepancy Indication Space			
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.			Date
Printed/Typed Name ERIK KUEFLER		Signature <i>Erik J. Kuefler</i>	Date Month Day Year 10 07 02

NON-HAZARDOUS WASTE GENERATOR TRANSPORTER FACILITY

NON-HAZARDOUS WASTE MANIFEST

12109

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No. NH--	2. Page 1 of 1
3. Generator's Name and Mailing Address Sunol Tree Gas Station 3004 Andrade Road Sunol, CA 94586				
4. Generator's Phone ()				
5. Transporter 1 Company Name Assbury Environmental Services	6. US EPA ID Number	A. State Transporter's ID		
7. Transporter 2 Company Name		B. Transporter 1 Phone 310-886-3400		
8. US EPA ID Number		C. State Transporter's ID		
9. Transporter 2 Facility Name and Site Address Assbury Environmental Services Dist. WWT 7399 Johnson Dr. Pleasanton, CA 94588		D. Transporter 2 Phone		
10. US EPA ID Number		E. State Facility's ID		
11. WASTE DESCRIPTION		F. Facility's Phone		
a. Non hazardous waste liquid (Groundwater 99.99%, MTBE .001%)		12. Containers No. 1 Type TT	13. Total Quantity 5,000	14. Unit Wt./Vol. G
b.				
c.				
d.				
G. Additional Descriptions for Materials Listed Above Use PPE** 24-Hour Emergency Contact: Mel Harper (310)466-5010		H. Handling Codes for Wastes Listed Above		
Project# 19943A56 Tank# 255567				
15. Special Handling Instructions and Additional Information				
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.				
Printed/Typed Name Jessica Chard Fox Murray Kelsoe		Signature 	Date 10/07/02	
17. Transporter 1 Acknowledgement of Receipt of Materials				
Printed/Typed Name Mel Harper		Signature 	Date 10/07/02	
18. Transporter 2 Acknowledgement of Receipt of Materials				
Printed/Typed Name		Signature	Date	
19. Discrepancy Indication Space				
20. Facility Owner or Operator: Certification of receipt of the waste materials covered by this manifest, except as noted in Item 19.				
Printed/Typed Name ERIC KURINER		Signature 	Date 10/07/02	

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

NON-HAZARDOUS WASTE MANIFEST

12110

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No. NEL	2. Page 1 of 1
3. Generator's Name and Mailing Address		Sunol Tree Gas Station 3004 Andrade Road Sunol, CA 94586		
4. Generator's Phone ()				
5. Transporter 1 Company Name		6. US EPA ID Number	A. State Transporter's ID	
Asbury Environmental Services			B. Transporter 1 Phone 310-886-3400	
7. Transporter 2 Company Name		8. US EPA ID Number	C. State Transporter's ID	
			D. Transporter 2 Phone	
9. Designated Facility Name and Site Address		10. US EPA ID Number	E. State Facility's ID	
Dublin San Ramon Services Dist WWTP 7399 Johnson Dr Pleasanton, CA 94588			F. Facility's Phone	

11. WASTE DESCRIPTION	12. Containers		13. Total Quantity	14. Unit Wt./Vol.
	No.	Type		
a. Non Hazardous Waste Liquid (Groundwater 99.99%, MTBE .001%)	1	TT	5,000	G
b.				
c.				
d.				

G. Additional Descriptions for Materials Listed Above	H. Handling Codes for Wastes Listed Above
Use PPE 24-Hour Emergency Contact: Mel Harper (310)466-5010 Project# 19943A56 Tank# 255567	

15. Special Handling Instructions and Additional Information

19943A56

16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.

Printed/Typed Name	Signature	Date
Jessica Richards For Murray Kelsae		10/07/02
17. Transporter 1 Acknowledgement of Receipt of Materials	Signature	Date
Jeff Babeland		10/07/02
18. Transporter 2 Acknowledgement of Receipt of Materials	Signature	Date

19. Discrepancy Indication Space

20. Facility Owner or Operator, Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.

Printed/Typed Name	Signature	Date
DSRSD ERIC KUTNER		10/07/02

NON-HAZARDOUS WASTE GENERATOR TRANSPORTER FACILITY

JB copy

NON-HAZARDOUS WASTE MANIFEST

12112

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.		Manifest Document No. NH-		2. Page 1 of 1	
3. Generator's Name and Mailing Address Sunol Tree Gas Station 3004 Andrade Road Sunol, CA 94586							
4. Generator's Phone ()							
5A. Transporter 1 Company Name Asbury Environmental Services		6. US EPA ID Number		A. State Transporter's ID		B. Transporter 1 Phone 310-886-3400	
7. Transporter 2 Company Name		8. US EPA ID Number		C. State Transporter's ID		D. Transporter 2 Phone	
9. Designated Facility Name and Site Address Urban San Ramon Services Dist Wrr 7399 Johnson Dr Pleasanton, CA 94588		10. US EPA ID Number		E. State Facility's ID		F. Facility's Phone	
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	14. Unit Wt./Vol.
a. Non Hazardous Waste Liquid (Groundwater 99.99%, MTBE .001%)				No. 1 Type TT		5,000	G
b.							
c.							
d.							
G. Additional Descriptions for Materials Listed Above **Use PPE** 24-Hour Emergency Contact: Mel Harper (310)456-5010				H. Handling Codes for Wastes Listed Above			
Project# 19943A56 Tank# 255567							
15. Special Handling Instructions and Additional Information							
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jessica Chaves Tol Murray Helsoe				Signature 		Date 10 07 02	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature 		Date 10 7 02	
Printed/Typed Name JEFF BILLOW				Signature		Date	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19. DSRSD				Signature 		Date 10 07 02	
Printed/Typed Name DAN SCHNEIDER				Signature		Date	

GENERATOR

TRANSPORTER

FACILITY

NON-HAZARDOUS WASTE

NON-HAZARDOUS WASTE MANIFEST

KK
12114

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.		Manifest Document No. NW-		2. Page 1 of 1	
3. Generator's Name and Mailing Address Sunol Tree Gas Station 3004 Andrade Road Sunol, CA 94586							
4. Generator's Phone ()							
5. Transporter 1 Company Name Asbury Environmental Services		6. US EPA ID Number		A. State Transporter's ID			
7. Transporter 2 Company Name		8. US EPA ID Number		B. Transporter 1 Phone 310 886 9400			
9. Designated Facility Name and Site Address Dublin San Ramon Services Dist WWTP 7399 Johnson Dr Pleasanton, CA 94588		10. US EPA ID Number		C. State Transporter's ID			
				D. Transporter 2 Phone			
				E. State Facility's ID			
				F. Facility's Phone			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		14. Unit Wt./Vol.	
a. Non Hazardous Waste Liquid (Groundwater 99.99%, MTBE .001%)				1 TT		5,000 G	
b.							
c.							
d.							
G. Additional Descriptions for Materials Listed Above **Use PPE** 24-Hour Emergency Contact: Mel Harper (310)466-5010 Project# 19943A5C Tank# 245671				H. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information							
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.							
Printed/Typed Name James Charles Wolske						Date 10/08/02	
Signature <i>[Signature]</i>							
17. Transporter 1 Acknowledgement of Receipt of Materials							
Printed/Typed Name David P...						Date 10/08/02	
Signature <i>[Signature]</i>							
18. Transporter 2 Acknowledgement of Receipt of Materials							
Printed/Typed Name						Date	
Signature							
19. Discrepancy Indication Space.							
20. Facility Owner or Operator, Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.							
Printed/Typed Name OSRSD						Date	
Signature <i>[Signature]</i>							
Printed/Typed Name ERIK RUIZ						Date 10/08/02	

NON-HAZARDOUS WASTE GENERATOR

TRANSPORTER FACILITY

NON-HAZARDOUS WASTE MANIFEST

12115

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.		Manifest Document No. NI-	2. Page 1 of 1
3. Generator's Name and Mailing Address Sunol Tree Gas Station 3004 Andrade Road Sunol, CA 94586		4. Generator's Phone ()			
5. Transporter 1 Company Name Asbury Environmental Services		6. US EPA ID Number		A. State Transporter's ID	
7. Transporter 2 Company Name		8. US EPA ID Number		B. Transporter 1 Phone 310 884 2400	
9. Designated Facility Name and Site Address Dublin San Ramon Services Dist WWTP 7399 Johnson Dr Pleasanton, CA 94588		10. US EPA ID Number		C. State Transporter's ID	
				D. Transporter 2 Phone	
				E. State Facility's ID	
				F. Facility's Phone	
11. WASTE DESCRIPTION			12. Containers		13. Total Quantity
			No.	Type	14. Unit Wt./Vol.
a. Non Hazardous Waste Liquid (Groundwater 99.99%, MTBE .001%)			1	TT	5,000 G
b.					
c.					
d.					
G. Additional Descriptions for Materials Listed Above *Use PPE** 24-Hour Emergency Contact: Mel Harper (310)466-5010 Project# 19943AF50 Tank# 255571				H. Handling Codes for Wastes Listed Above	
15. Special Handling Instructions and Additional Information					
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.					
Printed/Typed Name Jessica Chava for Murray Kalsbe			Signature 		Date Month Day Year 10 08 02
17. Transporter 1 Acknowledgement of Receipt of Materials					
Printed/Typed Name Ronald Rodriguez			Signature 		Date Month Day Year 10 08 02
18. Transporter 2 Acknowledgement of Receipt of Materials					
Printed/Typed Name			Signature		Date Month Day Year
19. Discrepancy Indication Space					
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.					
Printed/Typed Name ERIK J. KULINKO			Signature 		Date Month Day Year 10 08 02

GENERATOR
 TRANSPORTER
 FACILITY

NON-HAZARDOUS WASTE MANIFEST

12116

Please print or type (Form designed for use on 8 1/2" (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No. NH--	2. Page 1 of 1
3. Generator's Name and Mailing Address Sunol Tree Gas Station 3004 Andrade Road Sunol, CA 94586				
4. Generator's Phone ()				
5. Transporter 1 Company Name Asbury Environmental Services	6. US EPA ID Number	A. State Transporter's ID		
		B. Transporter 1 Phone 310-886-3400		
7. Transporter 2 Company Name	8. US EPA ID Number	C. State Transporter's ID		
		D. Transporter 2 Phone		
9. Designated Facility Name and Site Address DUBLIN San Ramon Services Dist. WWTP 7399 Johnson Dr Pleasanton, CA 94588	10. US EPA ID Number	E. State Facility's ID		
		F. Facility's Phone		

11. WASTE DESCRIPTION	12. Containers		13. Total Quantity	14. Unit Wt./Vol.
	No.	Type		
a. Non Hazardous Waste Liquid (Groundwater 99.99%, MTBE .001%)	1	TT	5,000	G
b.				
c.				
d.				

G. Additional Descriptions for Materials Listed Above **Use PPE** 24-Hour Emergency Contact: Mel Harper (310)466-5010 Project# 19943A56 Tank# 254100	H. Handling Codes for Wastes Listed Above
---	---

15. Special Handling Instructions and Additional Information

16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.

Printed/Typed Name	Signature	Date
<i>Jessica...</i>	<i>[Signature]</i>	10 09 02
17. Transporter 1 Acknowledgement of Receipt of Materials		
Printed/Typed Name	Signature	Date
<i>[Name]</i>	<i>[Signature]</i>	10 12 02
18. Transporter 2 Acknowledgement of Receipt of Materials		
Printed/Typed Name	Signature	Date
		Month Day Year
19. Discrepancy Indication Space		
20. Facility Owner or Operator, Certification of receipt of the waste materials covered by this manifest, except as noted in Item 19.		
Printed/Typed Name	Signature	Date
DSRSD	<i>[Signature]</i>	10 08 07

NON-HAZARDOUS WASTE MANIFEST

NON-HAZARDOUS WASTE MANIFEST

12117

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No. NH-	2. Page 1 of 1
3. Generator's Name and Mailing Address		Sunol Tree Gas Station 3004 Andrade Road Sunol, CA 94586		
4. Generator's Phone ()	6. US EPA ID Number	A. State Transporter's ID		
5. Transporter 1 Company Name Asbury Environmental Services		7. Transporter 2 Company Name	B. Transporter 1 Phone 310-886-2400	
8. US EPA ID Number		C. State Transporter's ID		
9. Designated Facility Name and Site Address		D. Transporter 2 Phone		
10. US EPA ID Number		E. State Facility's ID		
Dublin San Ramon Services Dist WWTP 7399 Johnson Dr Pleasanton, CA 94588		F. Facility's Phone		
11. WASTE DESCRIPTION		12. Containers No.	13. Total Quantity	14. Unit Wt/Vol
a. Non Hazardous Waste Liquid (Groundwater 99.99%, MTBE .001%)		1	5,000	G
b.				
c.				
d.				
G. Additional Descriptions for Materials Listed Above		H. Handling Codes for Wastes Listed Above		
Use PPE 24-hour Emergency Contact: Mal Harper (310)466-5010 Project# 19943A56 Tank# 254100				
15. Special Handling Instructions and Additional Information				
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.				
Printed/Typed Name		Signature	Date	
<i>Veronica Alvarez for Miguel Pacheco</i>		<i>[Signature]</i>	10 08 02	
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature	Date	
Printed/Typed Name		Signature	Date	
<i>Ronald Sanchez</i>		<i>[Signature]</i>	10 08 02	
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature	Date	
Printed/Typed Name		Signature	Date	
19. Discrepancy Indication Space				
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.				
Printed/Typed Name		Signature	Date	
<i>DRD</i>		<i>[Signature]</i>	10 08 02	

NON-HAZARDOUS WASTE GENERATOR

TRANSPORTER FACILITY

NON-HAZARDOUS WASTE MANIFEST

12118

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.		Manifest Document No. NH-	2. Page 1 of 1
3. Generator's Name and Mailing Address: Sunol Tree Gas Station 3004 Andrade Road Sunol, CA 94586		4. Generator's Phone ()			
5. Transporter 1 Company Name Asbury Environmental Services		6. US EPA ID Number		A. State Transporter's ID	
7. Transporter 2 Company Name		8. US EPA ID Number		B. Transporter 1 Phone 910-886-3400	
9. Designated Facility Name and Site Address Dublin San Ramon Services Dist WWTTP 7399 Johnson Dr Pleasanton, CA 94588		10. US EPA ID Number		C. State Transporter's ID	
				D. Transporter 2 Phone	
				E. State Facility's ID	
				F. Facility's Phone	
11. WASTE DESCRIPTION			12. Containers		13. Total Quantity
			No.	Type	14. Unit Wt./Vol.
a. Non Hazardous Waste Liquid (Groundwater 99.99%, MTBE .001%)			1	TT	5,000 G
b.					
c.					
d.					
G. Additional Descriptions for Materials Listed Above **Use PPE** 24-Hour Emergency Contact: Mel Harper (310)466-5010			H. Handling Codes for Wastes Listed Above		
Project# 19943A56 Tank# 254100					
15. Special Handling Instructions and Additional Information					
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.					
Printed/Typed Name				Signature	
Virginia Chiaro for Murray Wilson					
17. Transporter 1 Acknowledgement of Receipt of Materials				Date	
Printed/Typed Name				Month Day Year	
Ronald Rodgers				10/08/02	
18. Transporter 2 Acknowledgement of Receipt of Materials				Date	
Printed/Typed Name				Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest; except as noted in item 19.					
Printed/Typed Name				Signature	
ERIK KUFNER					
				Date	
				Month Day Year	
				10/03/02	

GENERATOR

TRANSPORTER

FACILITY

NON-HAZARDOUS WASTE MANIFEST

RR
12119

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No. NH-	2. Page 1 of 1
3. Generator's Name and Mailing Address Sunol Tree Gas Station 3004 Andrade Road Sunol, CA 94586				
4. Generator's Phone ()				
5. Transporter 1 Company Name Asbury Environmental Services	6. US EPA ID Number	A. State Transporter's ID		
7. Transporter 2 Company Name		8. US EPA ID Number	B. Transporter 1 Phone 10-886-3400	
9. Designated Facility Name and Site Address Dublin San Ramon Services Dist WWTP 7399 Johnson Dr Pleasanton, CA 94588		10. US EPA ID Number	C. State Transporter's ID	
		D. Transporter 2 Phone		
		E. State Facility's ID		
		F. Facility's Phone		
11. WASTE DESCRIPTION		12. Containers No.	13. Total Quantity	14. Unit Wt./Vol.
a. Non Hazardous Waste Liquid (Groundwater 99.99%, MTBE .001%)		1	5,000	G
b.				
c.				
d.				
G. Additional Descriptions for Materials Listed Above **Use PPE** 24-Hour Emergency Contact: Mel Harper (310)466-5010		H. Handling Codes for Wastes Listed Above		
Project# 19943A56 Tank# 254100				
15. Special Handling Instructions and Additional Information				
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.				
Printed/Typed Name		Signature	Date	
Jessica Avila for emergency release			10/08/02	
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature	Date	
Printed/Typed Name		Signature	Date	
Ronald Rogers			10/08/02	
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature	Date	
Printed/Typed Name		Signature	Date	
19. Discrepancy Indication Space				
20. Facility Owner or Operator, Certification of receipt of the waste materials covered by this manifest; except as noted in item 19.		Date		
Printed/Typed Name		Signature	Date	
Ann Cigliuti			10/8/02	

NON-HAZARDOUS WASTE GENERATOR TRANSPORTER FACILITY

NON-HAZARDOUS WASTE MANIFEST

12121

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.		Manifest Document No. VII	2. Page 1 of 1		
3. Generator's Name and Mailing Address		Sunol Tree Gas Station 3004 Andrade Road Sunol, CA 94586					
4. Generator's Phone ()							
5. Transporter 1 Company Name		6. US EPA ID Number		A. State Transporter's ID			
Asbury Environmental Services		CAD 028 277 036		B. Transporter 1 Phone 310 886 3400			
7. Transporter 2 Company Name		8. US EPA ID Number		C. State Transporter's ID			
9. Designated Facility Name and Site Address		10. US EPA ID Number		D. Transporter 2 Phone			
Dublin San Ramon Services Dist WWTP 7399 Johnson Drive Dublin, CA 94588				E. State Facility's ID			
				F. Facility's Phone			
11. WASTE DESCRIPTION CA 94588		12. Containers		13. Total Quantity			
		No. Type		Unit Wt/Vol.			
		a. Non Hazardous Waste Liquid (Groundwater 99.99%, MTBE .001%)		1 TT		2,500 G	
		b.					
		c.					
d.							
G. Additional Descriptions for Materials Listed Above		H. Handling Codes for Wastes Listed Above					
11a) Tank # 255571							
15. Special Handling Instructions and Additional Information							
Use PPE***** Emergency Contact : Mel Harper (310) 466-5010							
Project# 19943A56							
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.							
Printed/Typed Name		Signature		Date			
Jessica Chaves for Murray Lake				Month Day Year 10/08/02			
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature		Date			
Printed/Typed Name		Signature		Date			
JFF Bibelow				Month Day Year 10/8/02			
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Date			
Printed/Typed Name		Signature		Date			
19. Discrepancy Indication Space							
20. Facility Owner or Operator Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.							
Printed/Typed Name		Signature		Date			
Ann Cigliatti				Month Day Year 10/8/02			

NON-HAZARDOUS WASTE GENERATOR

NON-HAZARDOUS WASTE TRANSPORTER

NON-HAZARDOUS WASTE FACILITY

NON-HAZARDOUS WASTE MANIFEST

12122

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No. NH	2. Page 1 of 1
3. Generator's Name and Mailing Address Sunol Tree Gas Station 3004 Andrade Road Sunol, CA 94586				
4. Generator's Phone ()				
5. Transporter 1 Company Name Asbury Environmental Services	6. US EPA ID Number CAD 028 277 036	A. State Transporter's ID		
7. Transporter 2 Company Name	8. US EPA ID Number	B. Transporter 1 Phone 910-886-3400		
9. Designated Facility Name and Site Address Dublin San Ramon Services Dist WWTF 7399 Johnson Drive Pleasanton, CA 94588		10. US EPA ID Number		
		C. State Transporter's ID		
		D. Transporter 2 Phone		
		E. State Facility's ID		
		F. Facility's Phone		

11. WASTE DESCRIPTION	12. Containers		13. Total Quantity	14. Unit Wt./Vol.
	No.	Type		
a. Non Hazardous Waste Liquid (Groundwater 99.99%, MTBE .001%)	1	TT	5,000	G
b.				
c.				
d.				

G. Additional Descriptions for Materials Listed Above 11a) Tank # 254233	H. Handling Codes for Wastes Listed Above
--	---

15. Special Handling Instructions and Additional Information
Use PPE*** Emergency Contact : Mel Harper (310) 466-5010**
Project# 19943A56

16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.

Printed/Typed Name Josive Loren for Mel Harper	Signature <i>[Signature]</i>	Date 10 08 02
--	---------------------------------	-------------------------

17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name David H. ...	Signature <i>[Signature]</i>	Date 10 09 02
--	---------------------------------	-------------------------

18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name	Signature	Date
---	-----------	------

19. Discrepancy Indication Space

20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.

Printed/Typed Name ...	Signature <i>[Signature]</i>
----------------------------------	---------------------------------

NON-HAZARDOUS WASTE GENERATOR

TRANSPORTER FACILITY

RR 16

NON-HAZARDOUS WASTE MANIFEST

12123

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.		Manifest Document No.		2. Page 1 of 1	
3. Generator's Name and Mailing Address Sunol Tree Gas Station 3004 Andrade Road Sunol, CA 94586							
4. Generator's Phone ()							
5. Transporter 1 Company Name Asbury Environmental Services		6. US EPA ID Number CAD 028 277 036		A. State Transporter's ID			
7. Transporter 2 Company Name		8. US EPA ID Number		B. Transporter 1 Phone			
9. Designated Facility Name and Site Address Dublin San Ramon Services Dist WWTP 7399 Johnson Drive Pleasanton CA 94588				10. US EPA ID Number		C. State Transporter's ID 10-886-3400	
				D. Transporter 2 Phone			
				E. State Facility's ID			
				F. Facility's Phone			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. Non Hazardous Waste Liquid (Groundwater 99.99%, MTBE .001%)				01 TT		5000 G	
b.							
c.							
d.							
15. Additional Descriptions for Materials Listed Above 1a) Tank # 254288				H. Handling Codes for Wastes Listed Above			
15 Special Handling Instructions and Additional Information Use PPE***** Emergency Contact : Mel Harper (310) 466-5010 Project# 19943A56							
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.							
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name J.R. Farley				<i>J.R. Farley</i>		Month Day Year 10 10 02	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name Ronald Rodgers				<i>Rodgers</i>		Month Day Year 10 10 02	
19. Discrepancy Indication Space							
20. Facility Owner or Operator, Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.				Signature		Date	
Printed/Typed Name ERIK KUCIEN				<i>Erik Kucien</i>		Month Day Year 10 10 02	

NON-HAZARDOUS WASTE GENERATOR FACILITY

NON-HAZARDOUS WASTE MANIFEST

12124

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.		Manifest Document No. <i>12124</i>		2. Page 1 of 1	
3. Generator's Name and Mailing Address <i>Sunol Time Gas Station 3004 Andrade Road Sunol, CA 94586</i>							
4. Generator's Phone ()							
5. Transporter 1 Company Name <i>Asbury Environmental Services</i>		6. US EPA ID Number <i>CAD 028 277 036</i>		A. State Transporter's ID			
7. Transporter 2 Company Name		8. US EPA ID Number		B. Transporter 1 Phone <i>310-866-3400</i>			
9. Designated Facility Name and Site Address <i>Dublin San Ramon Services Dist WWT 7399 Johnson Drive Pleasanton, CA 94588</i>		10. US EPA ID Number		C. State Transporter's ID			
				D. Transporter 2 Phone			
				E. State Facility's ID			
				F. Facility's Phone			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	14. Unit Wt./Vol.
				No.	Type		
a. Non Hazardous Waste Liquid (Groundwater 99.99%, MTBE .001%)				01	TI	5000	G
b.							
c.							
d.							
G. Additional Descriptions for Materials Listed Above <i>1a) Tank # 251288</i>				H. Handling Codes for Wastes Listed Above.			
15. Special Handling Instructions and Additional Information <i>Use PPE***** Emergency Contact : Mel Harper (310) 466-5010 Project# 19943A56</i>							
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.							
Printed/Typed Name <i>J.A. Emley</i>				Signature <i>J.A. Emley</i>		Date Month Day Year <i>11 19 88</i>	
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name <i>J.A. Emley</i>				Signature <i>J.A. Emley</i>		Date Month Day Year <i>11 19 88</i>	
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator, Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.						Date	
Printed/Typed Name				Signature		Date Month Day Year	

GENERATOR SITE UNHAZARDOUS FACILITY

RR 3

NON-HAZARDOUS WASTE MANIFEST

12125

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.		Manifest Document No.	2. Page 1 of 1
3. Generator's Name and Mailing Address Sunol Tree Gas Station 3004 Andrade Road Sunol, CA 94586					
4. Generator's Phone ()		6. US EPA ID Number		A. State Transporter's ID	
5. Transporter 1 Company Name		7. Transporter 2 Company Name		B. Transporter 1 Phone	
Arbury Environmental Services		CAD 028 277 056		C. State Transporter's ID 310-886-3400	
8. US EPA ID Number		9. Designated Facility Name and Site Address		D. Transporter 2 Phone	
		Dublin San Ramon Services Dist WWTP 7399 Johnson Drive Dublin, CA 94588		E. State Facility's ID	
10. US EPA ID Number		11. Waste Description		F. Facility's Phone	
		12. Containers		13. Total Quantity	
		No. Type		14. Unit Wt./Vol.	
a. Non Hazardous Waste Liquid (Groundwater 99.99%, MTBE .001%)		1		5,000	
b.					
c.					
d.					
G. Additional Descriptions for Materials Listed Above				H. Handling Codes for Wastes Listed Above	
11a) Tank # 254288					
15. Special Handling Instructions and Additional Information					
Use PPE***** Emergency Contact : Mel Harper (310) 466-5010					
Project# 19943A56					
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.					
Printed/Typed Name				Date	
Signature				Month Day Year	
17. Transporter 1 Acknowledgement of Receipt of Materials				Date	
Printed/Typed Name				Month Day Year	
Signature				Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials				Date	
Printed/Typed Name				Month Day Year	
Signature				Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of the waste materials covered by this manifest, except as noted in Item 19.					
Printed/Typed Name				Date	
Signature				Month Day Year	

NON-HAZARDOUS WASTE GENERATOR FACILITY TRANSPORTER

ARRSD
Ann Cigliutti
Ann Cigliutti
10/10/02

NON-HAZARDOUS WASTE MANIFEST

12126

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.		Manifest Document No. NH-72		2. Page 1 of 1	
3. Generator's Name and Mailing Address Sunol Tree Gas Station 3004 Andrade Road Sunol, CA 94586							
4. Generator's Phone ()							
5. Transporter 1 Company Name Ashbury Environmental Services		6. US EPA ID Number CA028 277 036		A. State Transporter's ID			
7. Transporter 2 Company Name		8. US EPA ID Number		B. Transporter 1 Phone 310-896-3400			
9. Designated Facility Name and Site Address Dublin San Ramon Services Dist WWTP 7399 Johnson Drive Pleasanton, CA 94588				10. US EPA ID Number			
				C. State Transporter's ID			
				D. Transporter 2 Phone			
				E. State Facility's ID			
				F. Facility's Phone			
11. WASTE DESCRIPTION		12. Containers		13. Total Quantity		14. Unit Wt./Vol.	
a. Non Hazardous Waste Liquid (Groundwater 99.99%, MTBE .001%)		1 TT		5000		G	
b.							
c.							
d.							
G. Additional Descriptions for Materials Listed Above 11a) Tank # 255569				H. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information Use PPE***** Emergency Contact : Mel Harper (310) 466-5010 Project# 19943A56							
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.							
Printed/Typed Name JR Farley				Signature <i>JR Farley</i>		Date 10/10/02	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>Ronald Rodgers</i>		Date 10/10/02	
Printed/Typed Name Ronald Rodgers				Signature		Date	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator: Certification of receipt of the waste materials covered by this manifest, except as noted in Item 19.							
Printed/Typed Name Ann Ciglianti				Signature <i>Ann Ciglianti</i>		Date 10/10/02	

GENERATOR

TRANSPORTER

FACILITY

NON-HAZARDOUS WASTE

NON-HAZARDOUS WASTE MANIFEST

12127

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No. NH-	2. Page 1 of 1
3. Generator's Name and Mailing Address Sunol Tree Gas Station 3004 Andrade Road Sunol, CA 94586				
4. Generator's Phone ()	5. Transporter 1 Company Name Asbury Environmental Services	6. US EPA ID Number CA4 028 277 096	A. State Transporter's ID	
	7. Transporter 2 Company Name	8. US EPA ID Number	B. Transporter 1 Phone 310-886-3400	
9. Designated Facility Name and Site Address Dublin San Ramon Services Dist WWTP 7399 Johnson Drive Dublin, CA 94568		10. US EPA ID Number	C. State Transporter's ID	
			D. Transporter 2 Phone	
			E. State Facility's ID	
			F. Facility's Phone	
11. WASTE DESCRIPTION		12. Containers No.	13. Total Quantity	14. Unit, Wt./Vol.
		Type		
a. Non Hazardous Waste Liquid (Groundwater 99.99%, MTBE .001%)		1	TT	5000 G
b.				
c.				
d.				
G. Additional Descriptions for Materials Listed Above 11a) Tank #255569		H. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information Use PPE***** Emergency Contact : Mel Harper (310) 466-5010 Project# 19943A56				
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.				
Printed/Typed Name J.R. Farley		Signature <i>J.R. Farley</i>	Date 10/10/02	
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature <i>Ronald Parker</i>	Date 10/10/02	
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature	Date	
19. Discrepancy Indication Space				
20. Facility Owner or Operator, Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.				
Printed/Typed Name Stacy Olson		Signature <i>Stacy Olson</i>	Date 10/10/02	

GENERATOR

TRANSPORTER

FACILITY

NON-HAZARDOUS WASTE MANIFEST

12128

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No. NH-	2. Page 1 of 1
3. Generator's Name and Mailing Address Sunol Tree Gas Station 3004 Andrade Road Sunol, CA 94586				
4. Generator's Phone ()				
5. Transporter 1 Company Name Ashbury Environmental Services		6. US EPA ID Number CAD 028 277 036	A. State Transporter's ID	
7. Transporter 2 Company Name		8. US EPA ID Number	B. Transporter 1 Phone 310-856-3400	
9. Designated Facility Name and Site Address Dublin San Ramon Services Dist WWTP 7399 Johnson Drive Dublin, CA 94588		10. US EPA ID Number	C. State Transporter's ID	
			D. Transporter 2 Phone	
			E. State Facility's ID	
			F. Facility's Phone	

11. WASTE DESCRIPTION	12. Containers		13. Total Quantity	14. Unit Wt./Vol.
	No.	Type		
a. Non Hazardous Waste Liquid (Groundwater 99.99%, MTBE .001%)	1	TT	5,000	G
b.				
c.				
d.				

G. Additional Descriptions for Materials Listed Above 11a) Tank # 254288	H. Handling Codes for Wastes Listed Above
---	---

15. Special Handling Instructions and Additional Information
Use PPE*** Emergency Contact : Mel Harper (310) 466-5010**
Project# 19943A56

16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.

Printed/Typed Name	Signature	Date
Jessica Chavez for Murray Kelsie		10/14/02
17. Transporter 1 Acknowledgement of Receipt of Materials	Signature	Date
Harold Rodriguez		10/14/02
18. Transporter 2 Acknowledgement of Receipt of Materials	Signature	Date

19. Discrepancy Indication Space




20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.		
Printed/Typed Name DJRSD ERIK KUSPNER	Signature 	Date 10/11/02

NON-HAZARDOUS WASTE GENERATOR TRANSPORTER FACILITY

NON-HAZARDOUS WASTE MANIFEST

12129

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.		Manifest Document No. NR	2. Page 1 of 1
3. Generator's Name and Mailing Address Sunol Tree Gas Station 3004 Andrade Road Sunol, CA 94586					
4. Generator's Phone: ()					
5. Transporter 1 Company Name Agbury Environmental Services		6. US EPA ID Number CAD 028 277 036		A. State Transporter's ID	
7. Transporter 2 Company Name		8. US EPA ID Number		B. Transporter 1 Phone 310 886 3400	
9. Designated Facility Name and Site Address Dublin San Ramon Services Dist WWTP 7399 Johnson Drive Dublin, CA 94508		10. US EPA ID Number		C. State Transporter's ID	
				D. Transporter 2 Phone	
				E. State Facility's ID	
				F. Facility's Phone	
11. WASTE DESCRIPTION			12. Containers No.	13. Total Quantity	14. Unit Wt./Vol.
a. Non Hazardous Waste Liquid (Groundwater 99.99%, MTBE .001%)			1	TT	5,000 G
b.					
c.					
d.					
G. Additional Descriptions for Materials Listed Above 11a) Tank # 255561			H. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information Use PPE***** Emergency Contact : Mel Harper (310) 466-5010 Project# 19943A56					
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.					
Printed/Typed Name Jasper Chavez		Signature 		Date 10/11/02	
17. Transporter 1 Acknowledgement of Receipt of Materials		Printed/Typed Name Ronald Rodgers		Signature 	
18. Transporter 2 Acknowledgement of Receipt of Materials		Printed/Typed Name		Signature	
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.					
Printed/Typed Name FERNANDO LOMAS		Signature 		Date 10/11/02	

GENERATOR'S FACILITY

NON-HAZARDOUS WASTE MANIFEST

12043

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.		Manifest Document No. NH-12043		2. Page 1 of 1	
3. Generator's Name and Mailing Address Sunol Tree Gas Station 3004 Andrade Road Sunol, CA 94586							
4. Generator's Phone ()							
5. Transporter 1 Company Name Asbury Environmental Services		6. US EPA ID Number CAD 028 277 036		A. State Transporter's ID			
7. Transporter 2 Company Name		8. US EPA ID Number		B. Transporter 1 Phone (310) 885-3400			
				C. State Transporter's ID			
				D. Transporter 2 Phone			
9. Designated Facility Name and Site Address Dublin San Ramon Services Dist. ww.T.P. 7399 Johnson Drive Pleasanton, CA 94588		10. US EPA ID Number		E. State Facility's ID			
				F. Facility's Phone			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	
				No. Type		Unit Wt./Vol.	
a. Non-Hazardous Waste, Liquid (Ground Water 99.99%, .001% MTBE)				1 TT		050000	
b.							
c.							
d.							
G. Additional Descriptions for Materials Listed Above				H. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information *Use P.P.E.*				24-Hour Emergency Contact: Mal Harper (310) 466-5010			
Project# 19943A56				TANK # 255557			
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.							
Printed/Typed Name MURRAY KELSEY				Signature <i>[Signature]</i>		Date 09 03 02	
17. Transporter 1 Acknowledgement of Receipt of Materials				Printed/Typed Name Jeff Biblow		Signature <i>[Signature]</i>	
						Date 09 03 02	
18. Transporter 2 Acknowledgement of Receipt of Materials				Printed/Typed Name		Signature	
						Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator, Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.							
Printed/Typed Name ERIK S. KUPPENKA				Signature <i>[Signature]</i>		Date 09 03 02	

GENERATOR'S FACILITY

NON-HAZARDOUS WASTE MANIFEST

12044

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No. NH-2044	2. Page 1 of 1
3. Generator's Name and Mailing Address Sunol Tree Gas Station 3004 Andrade Road Sunol, CA 94586				
4. Generator's Phone ()				
5. Transporter 1 Company Name Asbury Environmental Services		6. US EPA ID Number CAD 028 277 036	A. State Transporter's ID	
7. Transporter 2 Company Name		8. US EPA ID Number	B. Transporter 1 Phone (310) 886-3400	
9. Designated Facility Name and Site Address Dublin San Ramon Services Dist. ww.T.P. 7399 Johnson Drive Pleasanton, CA 94588		10. US EPA ID Number	C. State Transporter's ID	
			D. Transporter 2 Phone	
			E. State Facility's ID	
			F. Facility's Phone	

11. WASTE DESCRIPTION	12. Containers		13. Total Quantity	14. Unit Wt./Vol.
	No.	Type		
a. Non-Hazardous Waste, Liquid (Ground Water 99.99%, .001% MTBE)	1	TT PSOPP		G
b.				
c.				
d.				
G. Additional Descriptions for Materials Listed Above		H. Handling Codes for Wastes Listed Above		

15. Special Handling Instructions and Additional Information
 Use P.P.E. 24-Hour Emergency Contact: Mel Harper (310) 466-5010

 Project# 19943A56

15. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.

Printed/Typed Name MURRAY KELSÖE		Signature <i>[Signature]</i>	Date Month Day Year 09 03 02
17. Transporter 1 Acknowledgement of Receipt of Materials		Date	
Printed/Typed Name <i>[Signature]</i>		Signature <i>[Signature]</i>	Date Month Day Year 09 03 02
18. Transporter 2 Acknowledgement of Receipt of Materials		Date	
Printed/Typed Name		Signature	Date Month Day Year
19. Discrepancy Indication Space			
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.			
Printed/Typed Name ERIK J. KUEFNER		Signature <i>[Signature]</i>	Date Month Day Year 09 03 02

NON-HAZARDOUS WASTE GENERATOR TRANSPORTER FACILITY

NON-HAZARDOUS WASTE MANIFEST

12044

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

2. Page 1 of 1

Manifest Document No. **NH-12044**

3. Generator's Name and Mailing Address
Sunol Tree Gas Station
3004 Andrade Road
Sunol, CA 94586

4. Generator's Phone ()

5. Transporter 1 Company Name **Asbury Environmental Services**

6. US EPA ID Number **CAD 028 277 036**

A. State Transporter's ID

B. Transporter 1 Phone **(310) 886-3400**

7. Transporter 2 Company Name

8. US EPA ID Number

C. State Transporter's ID

D. Transporter 2 Phone

9. Designated Facility Name and Site Address
Dublin San Ramon Services Dist. ww.T.P.
7399 Johnson Drive
Pleasanton, CA 94588

10. US EPA ID Number

E. State Facility's ID

F. Facility's Phone

11. WASTE DESCRIPTION	12. Containers		13. Total Quantity	14. Unit Wt./Vol.
	No.	Type		
a. Non-Hazardous Waste, Liquid (Ground Water 99.99%, .001% MTBE)	1	TT DISPOS		6
b.				
c.				
d.				
G. Additional Descriptions for Materials Listed Above		H. Handling Codes for Wastes Listed Above		

15. Special Handling Instructions and Additional Information
 Use P.P.E. 24-Hour Emergency Contact: **Mal Harper (310) 466-5010**

Project# **19943A56**

16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.

Printed/Typed Name MURRAY KELSBE	Signature 	Date Month Day Year 09 03 02
--	---------------	---

17. Transporter 1 Acknowledgement of Receipt of Materials		
Printed/Typed Name JEFF BELLON	Signature 	Date Month Day Year 9 03 02

18. Transporter 2 Acknowledgement of Receipt of Materials		
Printed/Typed Name	Signature 	Date Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.

Printed/Typed Name W. T. KOEHLER	Signature 	Date Month Day Year 09 03 02
--	---------------	---

NON-HAZARDOUS WASTE GENERATOR TRANSPORTER FACILITY

Emb Kuehl

09 03 02

NON-HAZARDOUS WASTE MANIFEST

12044

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.		Manifest Document No. NE-12044	2. Page 1 of 1
3. Generator's Name and Mailing Address Sunol Tree Gas Station 3004 Andrade Road Sunol, CA 94586					
4. Generator's Phone ()		6. US EPA ID Number CAD 028 277 036		A. State Transporter's ID	
5. Transporter 1 Company Name Asbury Environmental Services		8. US EPA ID Number		B. Transporter 1 Phone (310) 886-3400	
7. Transporter 2 Company Name		10. US EPA ID Number		C. State Transporter's ID	
9. Designated Facility Name and Site Address Dublin San Ramon Services Dist. ww.T.P. 7399 Johnson Drive Pleasanton, CA 94588				D. Transporter 2 Phone	
				E. State Facility's ID	
				F. Facility's Phone	
11. WASTE DESCRIPTION			12. Containers No. Type	13. Total Quantity	14. Unit Wt./Vol.
a. Non-Hazardous Waste, Liquid (Ground Water 99.99%, 0.01% MTBE)			1 TT 050000		6
b.					
c.					
d.					
G. Additional Descriptions for Materials Listed Above			H. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information *Use P.P.E.* 24-hour Emergency Contact: Mel Harper (310) 466-5010 Project# 19943A56					
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.					
Printed/Typed Name MURRAY KELSEY		Signature <i>[Signature]</i>		Date 09/03/02	
17. Transporter 1 Acknowledgement of Receipt of Materials		Printed/Typed Name JEFF RIGGOLD		Signature <i>[Signature]</i>	
18. Transporter 2 Acknowledgement of Receipt of Materials		Printed/Typed Name		Signature	
19. Discrepancy Indication Space					
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.					
Printed/Typed Name Eric J. King		Signature <i>[Signature]</i>		Date 09/02/02	

GENERATOR

NON-HAZARDOUS WASTE

TRANSPORTER

FACILITY

NON-HAZARDOUS WASTE MANIFEST

12045

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.		Manifest Document No. ND-12045	2. Page 1 of 1
3. Generator's Name and Mailing Address Sunol Tree Gas Station 3004 Andrade Road Sunol, CA 94586					
4. Generator's Phone ()					
5. Transporter 1 Company Name Abbury Environmental Services		6. US EPA ID Number CAD 028 277 036		A. State Transporter's ID	
7. Transporter 2 Company Name		8. US EPA ID Number		B. Transporter 1 Phone (310) 845-3400	
9. Designated Facility Name and Site Address Dublin San Ramon Services Dist. ww.T.P. 7399 Johnson Drive Pleasanton, CA 94588		10. US EPA ID Number		C. State Transporter's ID	
				D. Transporter 2 Phone	
				E. State Facility's ID	
				F. Facility's Phone	
11. WASTE DESCRIPTION			12. Containers	13. Total Quantity	14. Unit Wt./Vol.
a. Non-Hazardous Waste, Liquid (Ground Water 99.99%, .001% MTBE)			No.		
b.			Type	700	
c.					
d.					
G. Additional Descriptions for Materials Listed Above			H. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information *Use P.P.E.* 24-Hour Emergency Contact: Mel Harper (310) 466-5010 Project# 19943A56					
NON-HAZARDOUS WASTE					
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations					
Printed/Typed Name MURRAY KESLER		Signature <i>[Signature]</i>		Date Month Day Year	
17. Transporter 1 Acknowledgement of Receipt of Materials					
Printed/Typed Name		Signature <i>[Signature]</i>		Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials					
Printed/Typed Name		Signature		Date Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.					
Printed/Typed Name		Signature <i>[Signature]</i>		Date Month Day Year	

GENERATOR

TRANSPORTER

FACILITY

NON-HAZARDOUS WASTE MANIFEST

12046

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.		Manifest Document No. NH-12046	2. Page 1 of 1
3. Generator's Name and Mailing Address Sunol Tree Gas Station 3004 Andrade Road Sunol, CA 94586					
4. Generator's Phone ()					
5. Transporter 1 Company Name Asbury Environmental Services		6. US EPA ID Number CAD 028 277 036		A. State Transporter's ID	
7. Transporter 2 Company Name		8. US EPA ID Number		B. Transporter 1 Phone (310) 885-3400	
9. Designated Facility Name and Site Address Dublin San Ramon Services Dist. ww.T.P. 7399 Johnson Drive Pleasanton, CA 94588		10. US EPA ID Number		C. State Transporter's ID	
				D. Transporter 2 Phone	
				E. State Facility's ID	
				F. Facility's Phone	
11. WASTE DESCRIPTION			12. Containers		13. Total Quantity
			No.	Type	14. Unit Wt./Vol.
a. Non-Hazardous Waste, Liquid (Ground Water 99.99%, .001% MTBE)			01	TT	4500
b.					
c.					
d.					
G. Additional Descriptions for Materials Listed Above				H. Handling Codes for Wastes Listed Above	
15. Special Handling Instructions and Additional Information *Use P.P.E.* 24-Hour Emergency Contact: Mel Harper (310) 466-5010 Project# 19943A56 TANK 25557					
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.					
Printed/Typed Name *MURRAY KELSE		Signature <i>[Signature]</i>		Date 09/09/02	
17. Transporter 1 Acknowledgement of Receipt of Materials		Printed/Typed Name Robert Armstrong		Signature <i>[Signature]</i>	
18. Transporter 2 Acknowledgement of Receipt of Materials		Printed/Typed Name		Signature	
19. Discrepancy Indication Space					
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.					
Printed/Typed Name Carl J. Kuhner		Signature <i>[Signature]</i>		Date 9/03/02	

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



ORDER DATE 9.3.02

SERVICE ORDER

PROJECT # 19943A56-239378

CUSTOMER P.O. #

GENERATOR SUNOL TREE GAS STATION		JOB SITE	
NAME 3004 ANDRADE RD.		NAME CLEARWATER GROUP	
ADDRESS 1121KG PORTABLE STORAGE TANK		ADDRESS 229 TEUKSBURY AVE	
LOCATION (GATES/BLDG./FLOOR, ETC) SUNOL CA 94580		A/R OR ATTN: JOHN REARDON	
CITY STATE ZIP MURRY KELSEY		POINT RICHMOND CA 94801	
CONTACT TELEPHONE #		ORDERED BY TELEPHONE #	

INSTRUCTIONS:
 1) DECON / PRESSURE WASH 21KG PORTABLE STORAGE TANK UNIT 2) RECOVER ALL RINSEATE SILT / SLUDGE / WATER BY USE OF VAL TRUCK.

WORK PERFORMED IF DIFFERENT THAN INSTRUCTED:
 STORAGE TANK CLEARED BY JEFF LARSON
 RAIN FOR POINT 9.3.02
 12500M

QUANTITY	U/M	DESCRIPTION	PRICE	EXTENSION
1	EA	SUP > C. SANCHEZ		
2	EA	ENV. TECH(S) > J. RUBIO, C. BARAJAS		
1	EA	UTILITY SERVICE VEH. > BF250		
1	EA	ER UTILITY SERVICE UNIT > ER-S		
1	EA	3000 PSI PRESSURE WASHER		
1	SET	LEVEL C' PPE		
1	SET	CONFINED SPACE ENTRY SAFETY EQUIP.		
1	GAL	GC-135 NON-TOXIC CLEANER SOLUTION		
2	EA	VAL TRUCK(S) / OPER(S)		
		ON SITE : 0900AM		
		OFF SITE : 1300PM		
		TRAVEL TIME TO/FROM : 2 HRS		
		FAC.		
			TOTAL	

It is the responsibility of the waste generator to correctly identify the chemical composition of each load. In the event a load is rejected by the disposal site because its chemical contents have been incorrectly identified, the law requires that it be returned to the generator. Asbury Environmental Services, or its division providing service, will impose freight charges for hauling the load to the disposal site and returning it to the generator. If you are not absolutely certain as to what chemicals are in your waste stream, have it tested by a State certified laboratory prior to disposal.

In the event of any litigation arising out of this agreement or any transaction contemplated hereby, the prevailing party shall be entitled to reasonable attorney's fees, expenses and costs.

Terms: Amount due and payable; UPON RECEIPT OF INVOICE. Past due accounts are subject to a service charge of 1.5% per month (annual rate of 18%) or the maximum allowed by law.

[Signature] 9.3.02
 Customer Signature Date

Project Number: 19943AB6

Salesperson: Rick Brown



107406

ASBURY ENVIRONMENTAL SERVICES

2100 NORTH ALAMEDA STREET COMPTON, CALIFORNIA 90222 (310) 886-3400

SERVICE ORDER

DATE 9/3/02 JOB LOCATION Sunol 94586
 CUSTOMER Clearwater Group COMPANY NAME Sunol Tree Gas Station
 BILLING ADDRESS 229 Tewksbury ADDRESS 3004 Andrade Road
Point Richmond, CA. Sunol, CA. 94586
 PHONE () P.O.#

ZIP 94801 PHONE PERSON TO CONTACT Murry Kelsoe

DRIVERS INSTRUCTIONS:

ESTIMATED GALLONS WHERE DISPOSED OF Dublin/ San Ramon Serv. Dept
 RECEIVING TICKET # MANIFEST # NH-120410
 WEIGHT TICKET # CUSTOMER EPA I.D. #

DRIVERS REMARKS: Haul 1 load to Pleasanton
from Tank # 255557

LEFT YARD E 30A

LOADING:			UNLOADING:		
ARRIVAL	START LOAD	FINISH LOAD	ARRIVAL	START UN-LOAD	FINISH UN-LOAD
<u>7:30A</u>	<u>8:45</u>	<u>9:15</u>	<u>9:30</u>	<u>9:30</u>	<u>10:00</u>
RETURN TO YARD	<u>10:00</u>		TOTAL TIME	<u>3 1/2</u>	
DRIVER	<u>Boz Armstrong</u>		TRUCK #	<u>116</u>	

ACCESSORIAL EQUIPMENT
 CUSTOMER NAME BRIAN PIERSKALLA CUSTOMER SIGNATURE Be Pierskalla
PRINT

(OFFICE USE ONLY)

TRANSPORTATION RATE:	DISPOSAL/RECYCLE
RATE PER HOUR	PER GALLON
RATE PER LOAD	SOLIDS
SPECIAL	MINIMUM
	LAB FEE
	WASHOUT
	OTHER

Project Number: 19943A56

Salesperson: Rick Brown



107404

ASBURY ENVIRONMENTAL SERVICES

2100 NORTH ALAMEDA STREET □ COMPTON, CALIFORNIA 90222 □ (310) 886-3400

SERVICE ORDER

DATE 9/3/02 JOB LOCATION Sunol, CA 94586
 CUSTOMER Clearwater Group COMPANY NAME Sunol Tree Gas Station
 BILLING ADDRESS 229 Tewksbury ADDRESS 3004 Andrade Road
Point Richmond, CA. Sunol, CA 94586
 PHONE () P.O.#
 ZIP 94801 PHONE PERSON TO CONTACT Murry Kelsoe

DRIVERS INSTRUCTIONS: Wait for ^{Boil Co Ball} ~~Boil Co Ball~~ Rep TO OK
Tree being clean enough to haul

ESTIMATED GALLONS 700 WHERE DISPOSED OF Dublin/ San Ramon Serv. Hwy
 RECEIVING TICKET # MANIFEST # NH-12045
 WEIGHT TICKET # CUSTOMER EPA I.D. #

DRIVERS REMARKS: How L load TO ~~Pleasanton~~ Pleasanton
from Truck 255557 wait for another
truck to load on both loads

LEFT YARD 1000R UNLOADING: This was wash out of truck
Load

ARRIVAL	START LOAD	FINISH LOAD	ARRIVAL	START UN-LOAD	FINISH UN-LOAD
<u>10:15</u>	<u>10:45</u>	<u>12:15</u>	<u>1:00</u>	<u>1:00</u>	<u>1:30</u>

RETURN TO YARD 3:00/17 TOTAL TIME

DRIVER Bozz Against Day TRUCK # 114

ACCESSORIAL EQUIPMENT
 CUSTOMER NAME BRIAN PERSKACIA CUSTOMER SIGNATURE Be Pitala
PRINT

(OFFICE USE ONLY)

TRANSPORTATION RATE:	DISPOSAL/RECYCLE
RATE PER HOUR	PER GALLON
RATE PER LOAD	SOLIDS
SPECIAL	MINIMUM
	LAB FEE
	WASHOUT
	OTHER

Project Number: 199 43A56

Salesperson: Rick Brown



107403

ASBURY ENVIRONMENTAL SERVICES

2100 NORTH ALAMEDA STREET □ COMPTON, CALIFORNIA 90222 □ (310) 886-3400

SERVICE ORDER

DATE 9/3 JOB LOCATION Sunol, CA, 94586
 CUSTOMER Clearwater Group COMPANY NAME Sunol Tree Gas Station
 BILLING ADDRESS 229 Tewksbury ADDRESS 3004 Andrade Road
Point Richmond, CA. Sunol, CA, 94586
 PHONE () P.O. #
 ZIP 94801 PHONE PERSON TO CONTACT Murry Kelsoe

DRIVERS INSTRUCTIONS: PUMP STORAGE TANK

ESTIMATED GALLONS 5000 WHERE DISPOSED OF Dublin/ San Ramon Serv. DIS
 RECEIVING TICKET # MANIFEST # 19A-12044
 WEIGHT TICKET # CUSTOMER EPA I.D. # N/A

DRIVERS REMARKS:

LEFT YARD 500

LOADING:			UNLOADING:		
ARRIVAL	START LOAD	FINISH LOAD	ARRIVAL	START UN-LOAD	FINISH UN-LOAD
<u>630</u>	<u>800</u>	<u>830</u>	<u>845</u>	<u>900</u>	<u>930</u>

RETURN TO YARD 945 TOTAL TIME

DRIVER J. Biberow TRUCK # 115-100A

ACCESSORIAL EQUIPMENT

CUSTOMER NAME BRIAN PIERSKALLA CUSTOMER SIGNATURE Be Pierskalla
PRINT

(OFFICE USE ONLY)

TRANSPORTATION RATE:	DISPOSAL/RECYCLE
RATE PER HOUR	PER GALLON
RATE PER LOAD	SOLIDS
SPECIAL	MINIMUM
	LAB FEE
	WASHOUT
	OTHER

Project Number: 19943A56

Salesperson: Rick Brown



107402

ASBURY ENVIRONMENTAL SERVICES

2100 NORTH ALAMEDA STREET COMPTON CALIFORNIA 90222 (310) 886-3400

SERVICE ORDER

DATE 9/2 JOB LOCATION Sunol, CA. 94586
 CUSTOMER Clearwater Group COMPANY NAME Sunol Tree Gas Station
 BILLING ADDRESS 229 Tewksbury ADDRESS 3004 Andrade Road
Point Richmond, CA. Sunol, CA. 94586
 PHONE () P.O.#
 ZIP 94801 PHONE PERSON TO CONTACT Murry Kelson

DRIVERS INSTRUCTIONS: PUMP TANK

ESTIMATED GALLONS 5000 WHERE DISPOSED OF Dublin/ San Ramon Serv. ^{Dist}
 RECEIVING TICKET # MANIFEST # NA-12043
 WEIGHT TICKET # CUSTOMER EPA I.D. #

DRIVERS REMARKS:

LEFT YARD 945

LOADING:			UNLOADING:		
ARRIVAL	START LOAD	FINISH LOAD	ARRIVAL	START UN-LOAD	FINISH UN-LOAD
<u>1000</u>	<u>1009</u>	<u>1037</u>	<u>1055</u>	<u>1100</u>	<u>1115</u>

RETURN TO YARD 1215 TOTAL TIME

DRIVER JEFF BIBLOW TRUCK # 115-100A

ACCESSORIAL EQUIPMENT
 CUSTOMER NAME BRIAN PESSICACIA CUSTOMER SIGNATURE B. Pessicacia
PRINT

(OFFICE USE ONLY)

TRANSPORTATION RATE:	DISPOSAL/RECYCLE
RATE PER HOUR	PER GALLON
RATE PER LOAD	SOLIDS
SPECIAL	MINIMUM
	LAB FEE
	WASHOUT
	OTHER

Project #
19943AS6



107290

ASBURY ENVIRONMENTAL SERVICES

2100 NORTH ALAMEDA STREET COMPTON, CALIFORNIA 90222 (310) 886-3400

SERVICE ORDER

DATE: 10/7 JOB LOCATION: SUNOL
 CUSTOMER: _____ COMPANY NAME: SUNOL TREE GAS
 BILLING ADDRESS: _____ ADDRESS: 3004 ANDRADE RD
 _____ SUNOL CA
 PHONE: _____ P.O.#: _____
 ZIP: _____ PHONE: _____ PERSON TO CONTACT: _____

DRIVERS INSTRUCTIONS: 3 LOADS

① 930-1130 ② 1130-1310 ③ 1310-1430

ESTIMATED GALLONS: 15,000 WHERE DISPOSED OF: SAN RAMON WWTP
 RECEIVING TICKET #: _____ MANIFEST #: NH 1767, 08, 12112
 WEIGHT TICKET #: _____ CUSTOMER EPA I.D. #: N/A

DRIVERS REMARKS: ABOVE TIMES ARE FOR ROUND TRIP (LOAD + UNLOAD + RETURN)

LEFT YARD: 830

LOADING:			UNLOADING:		
ARRIVAL	START LOAD	FINISH LOAD	ARRIVAL	START UN-LOAD	FINISH UN-LOAD
<u>930</u>		<u>1430</u>			

RETURN TO YARD: _____ TOTAL TIME: _____

DRIVER: J. BIGELOW TRUCK #: 115-180A

ACCESSORIAL EQUIPMENT: _____
 CUSTOMER NAME: JR Farley CUSTOMER SIGNATURE: JR Farley
PRINT

(OFFICE USE ONLY)

TRANSPORTATION RATE:	DISPOSAL/RECYCLE
RATE PER HOUR _____	PER GALLON _____ LAB FEE _____
RATE PER LOAD _____	SOLIDS _____ WASHOUT _____
SPECIAL _____	MINIMUM _____ OTHER _____

PROJECT# 19943AS6



107289

ASBURY ENVIRONMENTAL SERVICES

2100 NORTH ALAMEDA STREET COMPTON, CALIFORNIA 90222 (310) 886-3400

SERVICE ORDER

DATE 10/8 JOB LOCATION SUNOL
 CUSTOMER _____ COMPANY NAME SUNOL TREE GAS
 BILLING ADDRESS _____ ADDRESS 3004 ANDRADE RD
 _____ SUNOL, CA
 _____ PHONE _____ P.O.# _____
 ZIP _____ PHONE _____ PERSON TO CONTACT JESSICA

DRIVERS INSTRUCTIONS ① 800 - 925 ② 985 - 1055
③ 11:10 - 15:30

ESTIMATED GALLONS 12,500 WHERE DISPOSED OF SAN RAMON WWTP
 RECEIVING TICKET # _____ MANIFEST # 12115, 6, 21
 WEIGHT TICKET # _____ CUSTOMER EPA I.D. # NA

DRIVERS REMARKS: 2 STRAIGHT LOADS, THEN ASSIST ER TEAM ON TANK CLEANOUT

LEFT YARD _____

LOADING:			UNLOADING:		
ARRIVAL	START LOAD	FINISH LOAD	ARRIVAL	START UN-LOAD	FINISH UN-LOAD
		<u>1530</u>			

RETURN TO YARD 1630 TOTAL TIME _____

DRIVER J. BILLOW TRUCK # 115

ACCESSORIAL EQUIPMENT _____
 CUSTOMER NAME Jessica Chiaro CUSTOMER SIGNATURE [Signature]
PRINT

(OFFICE USE ONLY)

TRANSPORTATION RATE:	DISPOSAL/RECYCLE	
RATE PER HOUR _____	PER GALLON _____	LAB FEE _____
RATE PER LOAD _____	SOLIDS _____	WASHOUT _____
SPECIAL _____	MINIMUM _____	OTHER _____

RECEIVED
 10/8/08
 10:30 AM
 JESSICA CHIARO

Proj # 19943A56



107244

ASBURY ENVIRONMENTAL SERVICES

2100 NORTH ALAMEDA STREET COMPTON, CALIFORNIA 90222 (310) 886-3400

SERVICE ORDER

Sunol, CA

DATE: 10/7/02 JOB LOCATION: Sunol, CA
 CUSTOMER: Same COMPANY NAME: Sunol Tree Gas Station
 BILLING ADDRESS: ADDRESS: 3004 Andrade Rd
Sunol, CA 94586
 PHONE: _____ P.O.# _____
 ZIP: _____ PHONE: _____ PERSON TO CONTACT: _____

DRIVERS INSTRUCTIONS: Pump out Baker tanks

ESTIMATED GALLONS: 15,000 WHERE DISPOSED OF: Dublin/San Ramon water Dist
 RECEIVING TICKET #: _____ MANIFEST #: Various (12109, 110, 111)
 WEIGHT TICKET #: _____ CUSTOMER EPA I.D. #: N/A

DRIVERS REMARKS: _____

LEFT YARD: 8:30 am

LOADING:			UNLOADING:		
ARRIVAL	START LOAD	FINISH LOAD	ARRIVAL	START UN-LOAD	FINISH UN-LOAD
<u>9:30</u>	<u>(1st) 10:00 am</u> <u>(2nd) 11:00 am</u> <u>(3rd) 2:00 pm</u>	<u>10:30 am</u> <u>12:45 pm</u> <u>2:30 pm</u>	<u>10:45 am</u> <u>11:00 am</u> <u>12:45 pm</u>	<u>11:30 am</u> <u>1:15 pm</u> <u>2:50 pm</u>	<u>12:00 pm</u> <u>1:35 pm</u> <u>3:15 pm</u>

RETURN TO YARD: 4:30 am TOTAL TIME: _____

DRIVER: R. Rodgers TRUCK #: 122-170-A

ACCESSORIAL EQUIPMENT: _____

CUSTOMER NAME: JR Farley CUSTOMER SIGNATURE: JR Farley

(OFFICE USE ONLY)

TRANSPORTATION RATE:	DISPOSAL/RECYCLE
RATE PER HOUR _____	PER GALLON _____ LAB FEE _____
RATE PER LOAD _____	SOLIDS _____ WASHOUT _____
SPECIAL _____	MINIMUM _____ OTHER _____

19943A56

PROJ# 19943A56



105557

ASBURY ENVIRONMENTAL SERVICES

2100 NORTH ALAMEDA STREET □ COMPTON, CALIFORNIA 90222 □ (310) 886-3400

SERVICE ORDER

DATE 10/11/02 JOB LOCATION Sunol, CA
 CUSTOMER Same COMPANY NAME Sunol Tree Gas Station
 BILLING ADDRESS _____ ADDRESS 3004 Andrade Rd.
 _____ Sunol, CA 94586
 _____ PHONE _____ P.O. # _____
 ZIP _____ PHONE _____ PERSON TO CONTACT _____

DRIVERS INSTRUCTIONS: Pump out Baker tanks
 ESTIMATED GALLONS 10,000 WHERE DISPOSED OF Dublin San Ramon Services Dist WWTAP
 RECEIVING TICKET # _____ MANIFEST # Various (12128, 12129)
 WEIGHT TICKET # _____ CUSTOMER EPA I.D. # N/A

DRIVERS REMARKS: _____
 LEFT YARD 7:00 Am

LOADING:			UNLOADING:		
ARRIVAL	START LOAD	FINISH LOAD	ARRIVAL	START UN-LOAD	FINISH UN-LOAD
1st) 8:15 Am	8:35 Am	1:00 pm	11:15 Am	1:30 pm	1:55 pm
2nd) 2:11 pm	2:20 pm	3:18 pm	3:30 pm	3:35	3:55

RETURN TO YARD 530 pm TOTAL TIME _____
 DRIVER R. Rodgers TRUCK # 141-1054A
 ACCESSORIAL EQUIPMENT _____
 CUSTOMER NAME Jessica Chiaro CUSTOMER SIGNATURE _____
PRINT

(OFFICE USE ONLY)

TRANSPORTATION RATE:	DISPOSAL/RECYCLE	LAB FEE
RATE PER HOUR _____	PER GALLON _____	_____
RATE PER LOAD _____	SOLIDS _____	WASHOUT _____
SPECIAL _____	MINIMUM _____	OTHER _____

Rec'd 10/10



105554

ASBURY ENVIRONMENTAL SERVICES

2100 NORTH ALAMEDA STREET COMPTON, CALIFORNIA 90222 (310) 886-3400

SERVICE ORDER

DATE 10/10/02 JOB LOCATION Sunol, CA
 CUSTOMER Same COMPANY NAME Sunol Tree
 BILLING ADDRESS _____ ADDRESS 3004 Andrade Rd
Sunol, CA 94588
 PHONE _____ P.O.# _____
 ZIP _____ PHONE _____ PERSON TO CONTACT _____

DRIVERS INSTRUCTIONS: Pump out baker's tanks

ESTIMATED GALLONS 25,000 WHERE DISPOSED OF Dublin/San Ramon Services Dist WWTP
 RECEIVING TICKET # _____ MANIFEST # VARIOUS (12123-12127)
 WEIGHT TICKET # _____ CUSTOMER EPA I.D. # N/A

DRIVERS REMARKS: _____

LEFT YARD 7:00 Am
 LOADING: 1st) 8:15Am 8:25Am 8:55
 2nd) 9:18Am 9:55Am 10:15Am
 3rd) 11:10Am 11:16Am 11:45
 ARRIVAL: START LOAD FINISH UNLOAD
 1st) 12:44pm 12:47pm 1:15pm
 2nd) 2:15pm 2:20pm 3:00pm
 UNLOADING: 1st) 9:10Am 9:15Am 9:35Am
 2nd) 10:50Am 10:55Am 10:55Am
 3rd) 12:00pm 12:05pm 12:25pm
 ARRIVAL: START UNLOAD FINISH UNLOAD
 4th) 1:30pm 1:33pm 1:50pm
 5th) 3:15pm 3:19pm 3:45pm

RETURN TO YARD 5:00pm TOTAL TIME _____

DRIVER R. Rodgers TRUCK # 141-105-A

ACCESSORIAL EQUIPMENT _____

CUSTOMER NAME Jessica Chiara CUSTOMER SIGNATURE [Signature]
PRINT

(OFFICE USE ONLY)

TRANSPORTATION RATE: _____ DISPOSAL/RECYCLE _____
 RATE PER HOUR _____ PER GALLON _____ LAB FEE _____
 RATE PER LOAD _____ SOLIDS _____ WASHOUT _____
 SPECIAL _____ MINIMUM _____ OTHER _____

PROJ # 19913450

Project # 1994/3A56



105551

ASBURY ENVIRONMENTAL SERVICES

2100 NORTH ALAMEDA STREET □ COMPTON, CALIFORNIA 90222 □ (310) 886-3400

SERVICE ORDER

DATE 10/8/00 JOB LOCATION Sunol, CA
 CUSTOMER _____ COMPANY NAME Sunol Tree Gas Station
 BILLING ADDRESS _____ ADDRESS 3004 Andrade Rd
 _____ Sunol, CA 94586
 _____ PHONE _____ P.O.# _____
 ZIP _____ PHONE _____ PERSON TO CONTACT _____

DRIVERS INSTRUCTIONS: pump out BAKER tank - manif # 12114, 117, 118, 119, 122

ESTIMATED GALLONS _____ WHERE DISPOSED OF Dublin / San Ramon water Dist
 RECEIVING TICKET # _____ MANIFEST # various

WEIGHT TICKET # _____ CUSTOMER EPA ID. # _____
 DRIVERS REMARKS: 5th load Arrival 2:18pm Start 2:33pm Finish 2:45pm Unload 3:00pm Arrival 3:05pm Start 3:05pm Finish 3:35pm

LEFT YARD 6:45 Am

LOADING:			UNLOADING:		
ARRIVAL	START LOAD	FINISH LOAD	ARRIVAL	START UN-LOAD	FINISH UN-LOAD
1st 8:05am	8:15am	8:45am	9:00am	9:05am	9:35am
2nd 9:45am	9:50am	10:15am	10:30am	10:35am	10:55am
3rd 11:15am	11:30am	11:45am	12:00pm	12:05pm	12:20pm
4th 12:35am	12:40pm	1:28pm	1:45pm	1:50pm	2:05pm
5th RETURN TO YARD					
TOTAL TIME			TOTAL TIME		

DRIVER R. Rodgers TRUCK # 119-100-A
 ACCESSORIAL EQUIPMENT _____
 CUSTOMER NAME JR Farley CUSTOMER SIGNATURE JR Farley

(OFFICE USE ONLY)

TRANSPORTATION RATE: _____ DISPOSAL/RECYCLE _____
 RATE PER HOUR _____ PER GALLON _____ LAB FEE _____
 RATE PER LOAD _____ SOLIDS _____ WASHOUT _____
 SPECIAL _____ MINIMUM _____ OTHER _____



ASBURY ENVIRONMENTAL SERVICES

SERVICE ORDER

OTHER LOCATIONS: FONTANA, CA SAN DIEGO, CA RICHMOND, CA

07113

PROJECT # 19943ASL

DRIVER C. SANCHEZ

TRUCK # BF250

ORDER DATA 10-0-02

CUSTOMER PO #

CORPORATE OFFICE: 2100 NORTH ALAMEDA STREET • COMPTON, CALIFORNIA 90222 • (310) 886-3400 • (800) 974-4495 • FAX (310) 763-5922

JOB SITE

NAME SINGL TREE GAS STATION

ADDRESS 3004 ANDRADE RD

CITY SINGL ST CA ZIP 91580

CONTACT MURRAY KELSOE TEL

BILL TO:

NAME CLEARWATER GROUP

ADDRESS 229 TEUKSBURY AVE

CITY POINT RICHMOND ST CA ZIP 94801

CONTACT JIM REARDON TEL 510 307-8943

SPECIAL INSTRUCTIONS: PRESSURE WASH / DECON (2) ABOVE GROUND

PORTABLE STORAGE UNITS RECOVER ALL RINSEATE WATER

BY USE OF VAC TRUCK.

WORK PERFORMED IF DIFFERENT FROM WORK ORDER

PERSONNEL	DESCRIPTION	TRUCK #	START	FINISH
1	SUP > CARLOS SANCHEZ	BF250	1000AM	300PM
2	ENV TECH > JUAN RUBIO	ER-6	"	"
	CARLOS BARRAS	ER-6	"	"
1	VAC TRUCK / OPER > J. BIGELOW	TR # 115	"	"

SUPPLIES / DELIVERY INFORMATION

QUANTITY	UM	DESCRIPTION
4	SET	LEVEL 1/2 PRE
1	SET	CONFINED SPACE ENTRY SAFETY EQUIP
1	EA	PRESSURE WASHER

SUPPLIES / DELIVERY INFORMATION

QUANTITY	UM	DESCRIPTION

PICK UP INFORMATION

QUANTITY	U/N	DESCRIPTION	MANIFEST NUMBER	PAC	ARRIVE	DEPART	COMMENTS
2,500	GAL	NON-HAZ LIQUID		DUBLIN			PWWTC

CUSTOMERS SIGNATURE *PR F...*

DATE 10/11/02



ASBURY ENVIRONMENTAL SERVICES

SERVICE ORDER

OTHER LOCATIONS: FONTANA, CA SAN DIEGO, CA RICHMOND, CA

07059

ORDER DATA 10-11-02

PROJECT # 19943456

DRIVER C. SANCHEZ

TRUCK # BF250

CORPORATE OFFICE: 2100 NORTH ALAMEDA STREET • COMPTON, CALIFORNIA 90222 • (310) 886-3400 • (800) 974-4495 • FAX (310) 763-5922

JOB SITE

NAME SUNOL TREE GAS STATION

ADDRESS 3004 ANGRABE RD

CITY SUNOL ST CA ZIP 94560

CONTACT MURRY KESSE TEL

BILL TO

NAME CLEARWATER GROUP

ADDRESS 225 TEWKSBURY AVE

CITY POINT RICHMOND ST CA ZIP 94801

CONTACT JOHN DEARON TEL 307-443

SPECIAL INSTRUCTIONS: PRESSURE WASH / DELON (2) ABOVE GROUND

PORTABLE STORAGE UNITS BECAUSE ALL RINSATE

WATER BY USE OF VAC TRUCK

WORK PERFORMED IF DIFFERENT FROM WORK ORDER

PERSONNEL	DESCRIPTION	TRUCK #	ONSITE START	OFFSITE FINISH
1	SUP > CARLOS SANCHEZ	BF250	0730A	1300PM
2	ENV TECH > CARLOS BARAJAS JUAN RUBIO	ER-U	"	"
1	VAC TRUCK / OPER > RON R	TIF# 141	0830A	---

SUPPLIES / DELIVERY INFORMATION

QUANTITY	U/M	DESCRIPTION
4	SET	LEVEL 1/2 PPE
1	SET	CONTAINED SPACE ENTRY SAFETY EQUIP
1	EA	PRESSURE WASHER

SUPPLIES / DELIVERY INFORMATION

QUANTITY	U/M	DESCRIPTION

PICK UP INFORMATION

QUANTITY	U/M	DESCRIPTION	MANIFEST NUMBER	PAC	ARRIVE	DEPART	COMMENTS
9		 					

CUSTOMERS SIGNATURE



DATE 10-11-02

NON-HAZARDOUS WASTE MANIFEST

12130

Please print or type

Form designed for use on elite (12 pitch) typewriter

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.		Manifest Document No. NH-	2. Page 1		
3. Generator's Name and Mailing Address Sunol Tree Gas Station 3004 Andrade Road Sunol, CA 94586							
4. Generator's Phone		6. US EPA ID Number		A. State Transporter's ID			
Agbury Environmental Services		CAD 028 277 036		B. Transporter 1 Phone 310 886 3400			
7. Transporter 2 Company Name		8. US EPA ID Number		C. State Transporter's ID			
8. Designated Facility Name and Site Address		10. US EPA ID Number		D. Transporter 2 Phone			
Dublin San Ramon Services Dist WWTP 7399 Johnson Drive Pleasanton, CA 94588				E. State Facility's ID			
				F. Facility's Phone			
9. WASTE DESCRIPTION				12. Containers			
				No.	Type	13. Total Quantity	14. Unit Wt./Vol.
a. Non Hazardous Waste Liquid (Groundwater 99.99% MTBE .001%)				1	TT	5,000	G
b.							
c.							
d.							
G. Additional Descriptions for Materials Listed Above				H. Handling Codes for Wastes Listed Above			
11a) Tank # 255561							
15. Special Handling Instructions and Additional Information							
Use PPR***** Emergency Contact : Mel Harper (310) 466-5010							
Project# 19943A56							
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.							
Printed/Typed Name				Signature		Date	
Jessica Chaco Sor Mulaj Kbe						Month Day Year 10 16 02	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature		Date	
Ronald Rodgers						Month Day Year 10 16 02	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.							
Printed/Typed Name				Signature		Date	
DSRSD				Erin J Kuttner		Month Day Year 10 16 02	



NON-HAZARDOUS WASTE

TRANSPORTER FACILITY

NON-HAZARDOUS WASTE MANIFEST

12131

Please print or type (Form designed for use on a 12 pitch typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.		Manifest Document No. NH-		2. Page 1 of 1				
3. Generator's Name and Mailing Address Sunol Tree Gas Station 3004 Andrade Road Sunol, CA 94586										
4. Generator's Phone ()										
5. Transporter 1 Company Name Achury Environmental Services		6. US EPA ID Number CAD 028 277 036		A. State Transporter's ID						
7. Transporter 2 Company Name		8. US EPA ID Number		B. Transporter 1 Phone 310-886-2400						
9. Designated Facility Name and Site Address Dublin San Ramon Services Dist WWTP 7399 Johnson Drive Dublin, CA 94568		10. US EPA ID Number		C. State Transporter's ID						
				D. Transporter 2 Phone						
				E. State Facility's ID						
				F. Facility's Phone						
11. WASTE DESCRIPTION			12. Containers		13. Total Quantity		14. Unit Wt./Vol.			
			No. Type							
			a. Non Hazardous Waste Liquid (Groundwater 99.99%, MTBE .001%)		1 TT		5,000		G	
			b.							
			c.							
d.										
G. Additional Descriptions for Materials Listed Above 11a) Task # 255561				H. Handling Codes for Wastes Listed Above						
15. Special Handling Instructions and Additional Information Use PPE ***** Emergency Contact : Mel Harper (310) 466-5010 Project# 19943A56										
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.										
Printed/Typed Name James Ching for Murray Koles				Signature 		Date 10/16/02				
17. Transporter 1 Acknowledgement of Receipt of Materials										
Printed/Typed Name VE BILLOW				Signature 		Date 10/16/02				
18. Transporter 2 Acknowledgement of Receipt of Materials										
Printed/Typed Name				Signature		Date				
19. Discrepancy Indication Space										
20. Facility Owner or Operator Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.										
Printed/Typed Name DSKSD				Signature Ann Marie Cigute		Date 10/16/02				

GENERATOR

TRANSPORTER

FACILITY

NON-HAZARDOUS WASTE MANIFEST

12133

Please print or type (Form designed for use on elite (12 pitch) typewriter)




NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.		Manifest Document No. NH-	2. Page 1 of 1		
3. Generator's Name and Mailing Address Sunol Tree Gas Station 3004 Andrade Road Sunol, CA 94586							
4. Generator's Phone ()							
5. Transporter 1 Company Name Abbury Environmental Services		6. US EPA ID Number CAD 028 277 036		A. State Transporter's ID			
7. Transporter 2 Company Name		8. US EPA ID Number		B. Transporter 1 Phone 310-886-3400			
9. Designated Facility Name and Site Address Dublin San Ramon Services Dist WWTP 7399 Johnson Drive El Cerrito, CA 94588		10. US EPA ID Number		C. State Transporter's ID			
				D. Transporter 2 Phone			
				E. State Facility's ID			
				F. Facility's Phone			
11. WASTE DESCRIPTION			12. Containers		13. Total Quantity		
			No.	Type	14. Unit Wt./Vol.		
			a.				
			b.				
			c.				
d.							
G. Additional Descriptions for Materials Listed Above (11a) Tank # 2555611				H. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information Use PPE***** Emergency Contact: Mel Harper (310) 466-5010 Project# 19943A56							
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.							
Printed/Typed Name <i>Wesley Charles for Miriam Valdez</i>				Signature <i>[Signature]</i>			
				Date Month Day Year 10 16 02			
17. Transporter 1 Acknowledgement of Receipt of Materials							
Printed/Typed Name <i>[Signature]</i>				Signature <i>[Signature]</i>			
				Date Month Day Year 10 16 02			
18. Transporter 2 Acknowledgement of Receipt of Materials							
Printed/Typed Name				Signature			
				Date Month Day Year			
19. Discrepancy Indication Space							
20. Facility Owner or Operator, Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.							
Printed/Typed Name Ann Marie Cigutti				Signature <i>[Signature]</i>			
				Date Month Day Year 10 16 02			

GENERATOR'S FACILITY

NON-HAZARDOUS WASTE MANIFEST

12134

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.		Manifest Document No. NTS-	2. Page 1 of 1		
3. Generator's Name and Mailing Address Sunol Tree Gas Station 3004 Andrade Road Sunol, CA 94586							
4. Generator's Phone ()							
5. Transporter 1 Company Name Arbury Environmental Services		6. US EPA ID Number CA028 277 036		A. State Transporter's ID			
7. Transporter 2 Company Name				B. Transporter 1 Phone 310-888-3400			
				C. State Transporter's ID			
				D. Transporter 2 Phone			
9. Designated Facility Name and Site Address Dublin San Ramon Services Dist WWTP 7399 Johnson Drive Dublin, CA 94588		10. US EPA ID Number		E. State Facility's ID			
				F. Facility's Phone			
11. WASTE DESCRIPTION				12. Containers		13. Total Quantity	14. Unit Wt/Vol.
				No.	Type		
a. Non Hazardous Waste Liquid (Groundwater 99.99%, MTBE .001%)				1	TT	5,000	G
b.							
c.							
d.							
G. Additional Descriptions for Materials Listed Above 11a) Tank # 295501				H. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information Use PPE!!!!!! Emergency Contact: Neil Harper (310) 466-5010 Project# 19943A56							
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.							
Printed/Typed Name Jessica Quana Murray Kekoa				Signature 		Date 10/16/02	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature 		Date 10/16/02	
Printed/Typed Name YIP BILKIDW				Signature		Date	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator, Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.							
Printed/Typed Name DIRLO				Signature 		Date 10/16/02	
Printed/Typed Name DIRLO				Signature		Date	

NON-HAZARDOUS WASTE MANIFEST

NON-HAZARDOUS WASTE MANIFEST

12135

Please print or type (Form designed for use on elite (12 pitch) typewriter)




NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.		Manifest Document No. NR-	2. Page 1 of 1
3. Generator's Name and Mailing Address Sunol Tree Gas Station 3004 Andrade Road Sunol, CA 94586					
4. Generator's Phone ()					
5. Transporter 1 Company Name Asbury Environmental Services		6. US EPA ID Number CA028277036		A. State Transporter's ID	
7. Transporter 2 Company Name		8. US EPA ID Number		B. Transporter 1 Phone 310-286-7400	
9. Designated Facility Name and Site Address Dublin San Ramon Services Dist WWT 7399 Johnson Drive Pleasanton CA 94588		10. US EPA ID Number		C. State Transporter's ID	
				D. Transporter 2 Phone	
				E. State Facility's ID	
				F. Facility's Phone	
11. WASTE DESCRIPTION			12. Containers	13. Total Quantity	14. Unit Wt./Vol.
			No.	Type	
a. Non Hazardous Waste Liquid (Groundwater 99.99%, MTBE .001%)			1	TT	5,000 G
b.					
c.					
d.					
G. Additional Descriptions for Materials Listed Above 11a) Tank # 255565			H. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information Use PPE***** Emergency Contact : Mel Barber (310) 466-5010 Project# 19943A56					
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.					
Printed/Typed Name Session Change For Material			Signature <i>[Signature]</i>		Date 10/16/92
17. Transporter 1 Acknowledgement of Receipt of Materials					
Printed/Typed Name [Name]			Signature <i>[Signature]</i>		Date 10/16/92
18. Transporter 2 Acknowledgement of Receipt of Materials					
Printed/Typed Name			Signature		Date
19. Discrepancy Indication Space					
20. Facility Owner or Operator, Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.					
Printed/Typed Name [Name]			Signature <i>[Signature]</i>		Date 10/16/92

GENERATOR FACILITY

NON-HAZARDOUS WASTE MANIFEST

12136

Please print or type (Form designed for use on 8 1/2" (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.		Manifest Document No. NH--		2. Page 1 of 1					
3. Generator's Name and Mailing Address Sunol Tree Gas Station 3004 Andrade Road Sunol, CA 94586											
4. Generator's Phone ()											
5. Transporter 1 Company Name Achury Environmental Services		6. US EPA ID Number CA9 028 777 036		A. State Transporter's ID							
7. Transporter 2 Company Name		8. US EPA ID Number		B. Transporter 1 Phone 310-886-3400							
9. Designated Facility Name and Site Address Dublin San Ramon Services Dist WWTP 7399 Johnson Drive Dublin, CA 94568		10. US EPA ID Number		C. State Transporter's ID							
				D. Transporter 2 Phone							
				E. State Facility's ID							
				F. Facility's Phone							
11. WASTE DESCRIPTION			12. Containers		13. Total Quantity		14. Unit, Wt./Vol.				
			a. Non Hazardous Waste Liquid (Groundwater 99.99%, MTBE .001%)			1 TT		5,000		G	
			b.								
			c.								
			d.								
15. Special Handling Instructions and Additional Information Use PPE***** Emergency Contact : Mel Harper (310) 466-5010 Project# 19943A56				H. Handling Codes for Wastes Listed Above							
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.											
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature		Date							
Yesenia Chavez for Murray Harce				10/16/02							
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Date							
Jeff Bland				10/16/02							
19. Discrepancy Indication Space.											
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in Item 19.											
Printed/Typed Name ERIK J. JOHNSON		Signature 		Date 10/16/02							

HAZARDOUS WASTE MANIFEST

NON-HAZARDOUS WASTE MANIFEST

12137

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No. NII-	2. Page 1 of 1	
3. Generator's Name and Mailing Address Sunol Tree Gas Station 3004 Andrade Road Sunol, CA 94586		4. Generator's Phone ()			
5. Transporter 1 Company Name Asbury Environmental Services	6. US EPA ID Number CAD 028 277 036	A. State Transporter's ID		B. Transporter 1 Phone 310-286-3400	
7. Transporter 2 Company Name	8. US EPA ID Number	C. State Transporter's ID		D. Transporter 2 Phone	
9. Designated Facility Name and Site Address Dublin San Ramon Services Dist WWTF 7399 Johnson Drive Pleasanton, CA 94568		10. US EPA ID Number	E. State Facility's ID		F. Facility's Phone
11. WASTE DESCRIPTION		12. Containers	13. Total Quantity	14. Unit Wt./Vol.	
a. Non Hazardous Waste Liquid (Groundwater 99.99%, MTBE .001%)		No. 1 Type TT	5,000	G	
b.					
c.					
d.					
G. Additional Descriptions for Materials Listed Above 11a) Tank # 265565		H. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information Use PPE***** Emergency Contact : Mel Harper (310) 466-5010 Project# 19943A56					
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.					
Printed/Typed Name		Signature	Date		
[Signature]		[Signature]	Month	Day	Year
17. Transporter 1 Acknowledgement of Receipt of Materials		Date			
Printed/Typed Name		Signature	Date		
[Signature]		[Signature]	Month	Day	Year
18. Transporter 2 Acknowledgement of Receipt of Materials		Date			
Printed/Typed Name		Signature	Date		
[Signature]		[Signature]	Month	Day	Year
19. Discrepancy Indication Space					
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.					
Printed/Typed Name		Signature	Date		
[Signature]		[Signature]	Month	Day	Year




GENERATOR

TRANSPORTER FACILITY

NON-HAZARDOUS WASTE MANIFEST

12138

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No. NH-	2. Page 1 of 1
3. Generator's Name and Mailing Address Sunol Tree Gas Station 3004 Andrade Road Sunol, CA 94586				
4. Generator's Phone ()				
5. Transporter 1 Company Name Asbury Environmental Services	6. US EPA ID Number CA0028277036	A. State Transporter's ID		
		B. Transporter 1 Phone 310-886-3400		
7. Transporter 2 Company Name	8. US EPA ID Number	C. State Transporter's ID		
		D. Transporter 2 Phone		
9. Designated Facility Name and Site Address Dublin San Ramon Services Dist WWTP 7399 Johnson Drive Pleasanton, CA 94588		10. US EPA ID Number	E. State Facility's ID	
		F. Facility's Phone		
11. WASTE DESCRIPTION		12. Containers No.	13. Total Quantity	14. Unit Wt./Vol.
a. Non Hazardous Waste Liquid (Groundwater 99.99%, MTBE .001%)		1	TT	5,000
b.				G
c.				
d.				
G. Additional Descriptions for Materials Listed Above 11a) Tank # 255565		H. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information Use PPE***** Emergency Contact : Mel Harper (310) 466-5010 Project# 19943A56				
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.				
Printed/Typed Name Jessica Chase for Murray Kelsey		Signature 		Date 10/16/02
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature 		Date 10/16/02
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Date
19. Discrepancy Indication Space				
20. Facility Owner or Operator: Certification of receipt of the waste materials covered by this manifest, except as noted in Item 19.				
Printed/Typed Name Ann Marie Cighuti		Signature 		Date 10/16/02

GENERATOR'S FACILITY

TRANSPORTER'S FACILITY

NON-HAZARDOUS WASTE MANIFEST

12142

Please print or type (Form designed for use on elite (12 pin) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No. NH-12142	2. Page 1 of 1
3. Generator's Name and Mailing Address Sunol Tree Gas Station 3004 Andrade Road Sunol, CA 94586		6. US EPA ID Number CAD 028 277 036	A. State Transporter's ID	
5. Transporter 1 Company Name Asbury Environmental Services		7. Transporter 2 Company Name	B. Transporter 1 Phone (310) 886-3400	
9. Designated Facility Name and Site Address Instrat Inc. 1105 Airport Road Suite C Rio Vista, CA 94571		10. US EPA ID Number	C. State Transporter's ID	
			D. Transporter 2 Phone	
			E. State Facility's ID	
			F. Facility's Phone (530) 753-1829	
11. WASTE DESCRIPTION		12. Containers	13. Total Quantity	14. Unit
a. Non-Hazardous Waste, Liquid (Groundwater 99.99% MTBE .001%)		No. 01 Type TT	2200	G
b.				
c.				
d.				
G. Additional Descriptions for Materials Listed Above Tank# 255561, 255569, 255565		H. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information *Use PPE* 24-Hour Emergency Contact: Mel Harper (310) 466-5010 Project# 119143A560 Transfer 170				
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.				
Printed/Typed Name		Signature	Date	
<i>[Signature]</i>		<i>[Signature]</i>	10/23/02	
Printed/Typed Name		Signature	Date	
<i>[Signature]</i>		<i>[Signature]</i>	10/23/02	
Printed/Typed Name		Signature	Date	
<i>[Signature]</i>		<i>[Signature]</i>		
19. Discrepancy Indication Space				
20. Facility Owner or Operator: Certification of receipt of the waste materials covered by this manifest, except as noted in Item 19.				
Printed/Typed Name EST		Signature <i>[Signature]</i>	Date 10/24/02	
<i>[Signature]</i>		<i>[Signature]</i>		

GENERATOR FACILITY

Project # 19943A56
Salesperson: Rick Brown



105335

ASBURY ENVIRONMENTAL SERVICES

2100 NORTH ALAMEDA STREET COMPTON, CALIFORNIA 90222 (B.I.) 886-3400

SERVICE ORDER

DATE: 10/16/02 JOB LOCATION: Sunol, CA
 CUSTOMER: Clearwater Group COMPANY NAME: Sunol Tree Gas Station
 BILLING ADDRESS: 229 Tewksbury ADDRESS: 3904 Andrade Road
Point Richmond, CA 94801 ADDRESS: Sunol, CA 94586
 PHONE: 510-307-9943 P.O.#: _____
 ZIP: _____ PERSON TO CONTACT: Jessica/ John Reardon

DRIVERS INSTRUCTIONS: Pump out Baker tanks

ESTIMATED GALLONS: 5000 WHERE DISPOSED OF: Dublin San Ramon Services
 RECEIVING TICKET # _____ MANIFEST # 12130

WEIGHT TICKET # _____ CUSTOMER EPA I.D. # _____
 DRIVERS REMARKS: _____

LEFT YARD: 6:05 Am

LOADING:			UNLOADING:		
ARRIVAL	START LOAD	FINISH LOAD	ARRIVAL	START UN-LOAD	FINISH UN-LOAD
<u>7:08 am</u>	<u>7:35 am</u>	<u>7:57 am</u>	<u>8:13 am</u>	<u>8:20 am</u>	<u>8:41 am</u>


RETURN TO: Sunol at 9:00 am TOTAL TIME: _____
 DRIVER: R. Rodgers TRUCK # 119-105A

ACCESSORIAL EQUIPMENT: _____
 CUSTOMER NAME: Jessica Charo CUSTOMER SIGNATURE: _____

(OFFICE USE ONLY)

TRANSPORTATION RATE:	DISPOSAL/RECYCLE
RATE PER HOUR: _____	PER GALLON: _____
RATE PER LOAD: _____	SOLIDS: _____
SPECIAL: _____	MINIMUM: _____
	LAB FEE: _____
	WASHOUT: _____
	OTHER: _____

Project # 19943A56
Salesperson: Rick Brown



105334

ASBURY ENVIRONMENTAL SERVICES

2100 NORTH ALAMEDA STREET COMPTON, CALIFORNIA 90222 (310) 886-3400

SERVICE ORDER

DATE 10/16/02 JOB LOCATION Sunol, CA
 CUSTOMER Clearwater Group COMPANY NAME Sunol Tree Gas Station
 BILLING ADDRESS 229 Tewksbury ADDRESS 3004 Andrade Road
Poole Richmond, CA 94801 Sunol, CA 94586
 PHONE 510-307-9943 PERSON TO CONTACT Jessica/ John Reardon

DRIVERS INSTRUCTIONS: Pump out Baker tanks

ESTIMATED GALLONS 5,000 WHERE DISPOSED OF Dublin San Ramon Services
 RECEIVING TICKET # NR 12133 MANIFEST #

WEIGHT TICKET # CUSTOMER EPA I.D. #

DRIVERS REMARKS:
 LEFT YARD 9:00 to 9:55am

LOADING:			UNLOADING:		
ARRIVAL	START LOAD	FINISH LOAD	ARRIVAL	START UN-LOAD	FINISH UN-LOAD
9:00 am	9:45 am	10:08 am	10:20 am	10:28 am	10:48 am

RETURN TO Sunol at 11:00am TOTAL TIME


DRIVER R. Rodgers TRUCK # 1915105-A

CUSTOMER NAME Jessica Chavo CUSTOMER SIGNATURE

(OFFICE USE ONLY)

TRANSPORTATION RATE: <u>4.967/30</u>	DISPOSAL/RECYCLE	LAB FEE
RATE PER HOUR	PER GALLON	WASHOUT
RATE PER LOAD	SOLIDS	OTHER
SPECIAL	MINIMUM	

Project # 19973A56
Salesperson: Rick Brown



105331

ASBURY ENVIRONMENTAL SERVICES

2100 NORTH ALAMEDA STREET COMPTON, CALIFORNIA 90222 (310) 886-3400

SERVICE ORDER

DATE 10/16/02 JOB LOCATION Sunol, CA
 CUSTOMER Clearwater Group COMPANY NAME Sunol Tree Gas Station
 BILLING ADDRESS 229 Tewksbury ADDRESS 3004 Andrade Road
Pointe Richmond, CA 94801 Sunol, CA 94586
 PHONE 510-307-9943 PERSON TO CONTACT Jessica/ John Reardon

DRIVERS INSTRUCTIONS: Pump out Baker tanks
 ESTIMATED GALLONS: 5000 WHERE DISPOSED OF Dublin San Ramon Services
 RECEIVING TICKET # _____ MANIFEST # NR-12135

WEIGHT TICKET # _____ CUSTOMER EPA I.D. # _____
 DRIVERS REMARKS: _____
 LEFT YARD 11:00 6:05 Am


LOADING: ARRIVAL 11:00 am START LOAD 11:30 am FINISH LOAD 11:50 am
 UNLOADING: ARRIVAL 12:05 pm START UN-LOAD 12:10 pm FINISH UN-LOAD 12:26 pm
 RETURN TO Sunol at 12:40 pm TOTAL TIME 3

DRIVER R. Rodgers TRUCK # 119-1105-A
 CUSTOMER NAME Jessica Chiaro CUSTOMER SIGNATURE

(OFFICE USE ONLY)

TRANSPORTATION RATE: _____ DISPOSAL/RECYCLE _____
 RATE PER HOUR _____ PER GALLON _____ LAB FEE _____
 RATE PER LOAD _____ SOLIDS _____ WASHOUT _____
 SPECIAL _____ MINIMUM _____ OTHER _____

Project # 19943A56
Salesperson: Rick Brown



105330

ASBURY ENVIRONMENTAL SERVICES

2100 NORTH ALAMEDA STREET COMPTON, CALIFORNIA 90222 (310) 886-3400

SERVICE ORDER

DATE: 10/16/02 JOB LOCATION: Sunol, CA
CUSTOMER: Clearwater Group COMPANY NAME: Sunol Tree Gas Station
BILLING ADDRESS: 229 Teakbury ADDRESS: 3004 Andrade Road
Point Richmond, CA 94801 Sunol, CA 94586
PHONE: _____ P.O.# _____
ZIP: _____ PHONE: 510-307-9943 PERSON TO CONTACT: Jessica/ John Reardon

DRIVERS INSTRUCTIONS: Pump out lakes tanks

ESTIMATED GALLONS: 5000 WHERE DISPOSED OF: District WTP
RECEIVING TICKET # _____ MANIFEST # NE-12137

WEIGHT TICKET # _____ CUSTOMER EPA I.D. # _____

DRIVERS REMARKS: Sunol left yard 12:40 6:05 am


LOADING: ARRIVAL: 12:40pm START LOAD: 1:00pm FINISH LOAD: 1:40pm
UNLOADING: ARRIVAL: 2:00 START UN-LOAD: 2:05pm FINISH UN-LOAD: 2:20pm
RETURN TO YARD: 3:30pm TOTAL TIME: _____
DRIVER: R. Rodgers TRUCK # 119-105-A

CUSTOMER NAME: R. Farley CUSTOMER SIGNATURE: R. Farley

(OFFICE USE ONLY)

TRANSPORTATION RATE: _____ DISPOSAL/RECYCLE _____
RATE PER HOUR _____ PER GALLON _____ LAB FEE _____
RATE PER LOAD _____ SOLIDS _____ WASHOUT _____
SPECIAL _____ MINIMUM _____ OTHER _____

Project # 356
Salesperson: Rick Brown



105332

ASBURY ENVIRONMENTAL SERVICES

2100 NORTH ALAMEDA STREET COMPTON, CALIFORNIA 90222 (310) 886-3400

SERVICE ORDER

DATE 10/16/02 JOB LOCATION Sunol, CA
CUSTOMER Clearwater Group COMPANY NAME Sunol Tree Gas Station
BILLING ADDRESS 229 Tewksbury ADDRESS 3004 Andrade Road
Point Richmond, CA 94801 Sunol, CA 94586
PHONE 510-307-9943 P.O.#
PERSON TO CONTACT Jessica/ John Reardon

DRIVERS INSTRUCTIONS: PUMP TANKS

ESTIMATED GALLONS 5000 WHERE DISPOSED OF Dublin San Ramon Services
RECEIVING TICKET # 5000 MANIFEST # NH-12138

WEIGHT TICKET # _____ CUSTOMER EPA I.D. # _____
DRIVERS REMARKS: _____
LEFT YARD 1330

LOADING:			UNLOADING:		
ARRIVAL	START LOAD	FINISH LOAD	ARRIVAL	START UN-LOAD	FINISH UN-LOAD
<u>1345</u>	<u>1355</u>	<u>1415</u>	<u>1430</u>	<u>1432</u>	<u>1445</u>

RETURN TO YARD 1615 TOTAL TIME _____
DRIVER J. Biblow TRUCK # 115-1808

ACCESSORIAL EQUIPMENT _____
CUSTOMER NAME J.R. Farley CUSTOMER SIGNATURE J.R. Farley

(OFFICE USE ONLY)

TRANSPORTATION RATE:	DISPOSAL/RECYCLE	
RATE PER HOUR _____	PER GALLON _____	LAB FEE _____
RATE PER LOAD _____	SOLIDS _____	WASHOUT _____
SPECIAL _____	MINIMUM _____	OTHER _____

Project # 19943A56
Salesperson: Rick Brown



105333

ASBURY ENVIRONMENTAL SERVICES

2100 NORTH ALAMEDA STREET □ COMPTON, CALIFORNIA 90222 □ (310) 886-3400

SERVICE ORDER

DATE 10/16/02 JOB LOCATION Sunol, CA
 CUSTOMER Clearwater Group COMPANY NAME Sunol Tree Gas Station
 BILLING ADDRESS 229 Tewksbury ADDRESS 3004 Andrade Road
Point Richmond, CA 94801 Sunol, CA 94586
 PHONE 510-307-9943 PERSON TO CONTACT Jessica/ John Reardon

DRIVERS INSTRUCTIONS: PUMP TANK
 ESTIMATED GALLONS 500 WHERE DISPOSED OF Dublin San Ramon Services
 RECEIVING TICKET # 1130 MANIFEST # 12136

WEIGHT TICKET # _____ CUSTOMER EPA I.D. # _____
 DRIVERS REMARKS: _____
 LEFT YARD 1130

LOADING:			UNLOADING:		
ARRIVAL	START LOAD	FINISH LOAD	ARRIVAL	START UN-LOAD	FINISH UN-LOAD
<u>1130</u>	<u>1215</u>	<u>1245</u>	<u>1300</u>	<u>1305</u>	<u>1319</u>

RETURN TO YARD 1330 TOTAL TIME _____
 DRIVER J. Bigelow TRUCK # 115-180A

ACCESSORIAL EQUIPMENT _____
 CUSTOMER NAME Jana Chard CUSTOMER SIGNATURE _____

(OFFICE USE ONLY)

TRANSPORTATION RATE:	DISPOSAL/RECYCLE	LAB FEE
RATE PER HOUR _____	PER GALLON _____	_____
RATE PER LOAD _____	SOLIDS _____	WASHOUT _____
SPECIAL _____	MINIMUM _____	OTHER _____

Project # 19943A56
Salesperson: Rick Brown



109057

ASBURY ENVIRONMENTAL SERVICES

2100 NORTH ALAMEDA STREET COMPTON, CALIFORNIA 90222 (310) 886-3400

SERVICE ORDER

DATE: 10/16/02
JOB LOCATION: Sunol, CA
CUSTOMER: Clearwater Group
COMPANY NAME: Sunol Tree Gas Station
BILLING ADDRESS: 229 Tewbury Point Richmond, CA 94801
ADDRESS: 3004 Andrade Road Sunol, CA 94586
PHONE: 510-307-9943
PERSON TO CONTACT: Jessica/ John Reardon

DRIVERS INSTRUCTIONS: *WMP Bowed Tanks*

ESTIMATED GALLONS: 5000
WHERE DISPOSED OF: Dublin San Ramon Services District: WJLP

RECEIVING TICKET #
MANIFEST # 12134

WEIGHT TICKET #
CUSTOMER EPA I.D. #

DRIVERS REMARKS:
LEFT YARD: 995 (20357E)

LOADING: UNLOADING:

ARRIVAL: START LOAD FINISH LOAD ARRIVAL START UN-LOAD FINISH UN-LOAD

1000 1015 1045 1100 1105 1120

RETURN TO YARD: 1130 TOTAL TIME


DRIVER: J. BILLOREY TRUCK # 115-180A

CUSTOMER SIGNATURE: *[Signature]*

(OFFICE USE ONLY)

TRANSPORTATION RATE: DISPOSAL/RECYCLE
RATE PER HOUR PER GALLON LAB FEE
RATE PER LOAD SOLIDS WASHOUT
SPECIAL MINIMUM OTHER

proj# 19943A56



107283

ASBURY ENVIRONMENTAL SERVICES

2100 NORTH ALAMEDA STREET COMPTON, CALIFORNIA 90222 (310) 886-3400

SERVICE ORDER

DATE 10/16/02 JOB LOCATION SWOL

CUSTOMER CLEARWATER GROUP COMPANY NAME SWOL TREE GAS

BILLING ADDRESS 229 TANK BURY ADDRESS 3004 ANDRADE RD

Point, RICHMOND, CA SWOL, CA

PHONE _____

ZIP _____ PHONE _____ PERSON TO CONTACT _____

DRIVERS INSTRUCTIONS: PUMP OUT TANKS

ESTIMATED GALLONS 5000 WHERE DISPOSED OF SAN RAMON WWT

RECEIVING TICKET # _____ MANIFEST # NH 12131

WEIGHT TICKET # _____ CUSTOMER EPA I.D. # _____

DRIVERS REMARKS: _____

LEFT YARD 500 (AES ~~TRUCK~~) Richmond

LOADING:			UNLOADING:		
ARRIVAL	START LOAD	FINISH LOAD	ARRIVAL	START UN-LOAD	FINISH UN-LOAD
<u>7:00</u>	<u>6:30</u>	<u>8:00</u>	<u>8:45</u>	<u>8:55</u>	<u>9:45</u>

RETURN TO YARD 10:00 JOB SITE TOTAL TIME _____

DRIVER J. B. BLOW TRUCK # 11S 180A

ACCESSORIAL EQUIPMENT _____

CUSTOMER NAME Carroll Chase CUSTOMER SIGNATURE _____

(OFFICE USE ONLY)

TRANSPORTATION RATE:	DISPOSAL/RECYCLE	
RATE PER HOUR	PER GALLON	LAB FEE
RATE PER LOAD	SOLIDS	WASHOUT
SPECIAL	MINIMUM	OTHER

PROJECT 19943A56

SALESPERSON: Rick Brown

ASBURY ENVIRONMENTAL SERVICES

OTHER LOCATIONS:

- FONTANA, CA
- SAN DIEGO, CA
- RICHMOND, CA

07117

SERVICE ORDER

PROJECT # 19943A56

Sales Rick Brown

(10-23-02)

DRIVER

TRUCK #

CORPORATE OFFICE: 2100 NORTH ALAMEDA STREET • COMPTON, CALIFORNIA 90222 • (310) 886-3400 • (800) 974-4495 • FAX (310) 763-5922

BILL TO

NAME: Clackwater Group

ADDRESS: 228 Bankbury

CITY: Point Richmond ST: CA ZIP: 94801

CONTACT: Jessica/John Reardon (510) 307-9943

Customer Name: [REDACTED]

Address: [REDACTED]

City: [REDACTED] ST: [REDACTED] ZIP: [REDACTED]

DESCRIPTION: PORTABLE

DATE: 10/23/02

DESCRIPTION	QUANTITY	UNIT	START	FINISH
<u>PORTABLE</u>	<u>1</u>	<u>EA</u>	<u>9:30A</u>	<u>12:15</u>
<u>PORTABLE</u>	<u>1</u>	<u>EA</u>	<u>9:30A</u>	<u>12:15</u>
<u>PORTABLE</u>	<u>1</u>	<u>EA</u>	<u>9:30A</u>	<u>12:15</u>
<u>PORTABLE</u>	<u>1</u>	<u>EA</u>	<u>1:00A</u>	<u>12:15</u>

SUPPLIES / DELIVERY INFORMATION

QUANTITY	U/M	DESCRIPTION
<u>1</u>	<u>EA</u>	<u>PORTABLE</u>

SUPPLIES / DELIVERY INFORMATION

QUANTITY	U/M	DESCRIPTION
<u>1</u>	<u>EA</u>	<u>PORTABLE</u>

ARRIVE	DEPART	COMMENTS
<u>[REDACTED]</u>	<u>[REDACTED]</u>	<u>[REDACTED]</u>

CUSTOMERS SIGNATURE [Signature]

DATE 10.23.02



109127

ASBURY ENVIRONMENTAL SERVICES

2100 NORTH ALAMEDA STREET • COMPTON, CALIFORNIA 90222 • (310) 886-3400

SERVICE ORDER

DATE 10/23/02 JOB LOCATION Sunol, CA
 CUSTOMER Clearwater Group COMPANY NAME Sunol Tree Gas Station
 BILLING ADDRESS 229 Tewksbury ADDRESS 3004 Andrade Road
Point Richmond, CA Sunol, CA 94586
 ZIP 94801 PHONE (510) 307-9943 PERSON TO CONTACT Jessica/ John Reardon

DRIVERS INSTRUCTIONS:

ESTIMATED GALLONS 2,200 WHERE DISPOSED OF Instrat Inc.

RECEIVING TICKET # _____ MANIFEST # NH-12142

WEIGHT TICKET # _____ CUSTOMER EPA I.D. # NON HAZ

DRIVERS REMARKS Pumped out 3 Rain for Road Through Bridge Ticket # 9.25

LEFT YARD 9:00 A / 10700 AM

LOADING: UNLOADING: Left yard 0700 Am

ARRIVAL	START LOAD	FINISH LOAD	ARRIVAL	START UNLOAD	FINISH UNLOAD
<u>10:00 A</u>	<u>10:30</u>	<u>4:45 P</u>	<u>8:00</u>	<u>8:45</u>	<u>9:30</u>

RETURN TO YARD 6:00 P / 11:00 AM TOTAL TIME 9:13

DRIVER Buzz Armstrong TRUCK # 122

ACCESSORIAL EQUIPMENT _____ CUSTOMER NAME Asst. Rep. / Clearwater Group CUSTOMER SIGNATURE [Signature]

(OFFICE USE ONLY)

TRANSPORTATION RATE:	DISPOSAL/RECYCLE	LAB FEE
RATE PER HOUR _____	PER GALLON _____	_____
RATE PER LOAD _____	SOLIDS _____	WASHOUT _____
SPECIAL _____	MINIMUM _____	OTHER _____