



**SVLG**

**SILICON VALLEY LAW GROUP**

A LAW CORPORATION

Alameda County

JAN 16 2004

Environmental Health

Jeffrey S. Lawson

[jsl@svlg.com](mailto:jsl@svlg.com)

January 14, 2004

**Via Facsimile & U.S. Mail**

Donna L. Drogos  
LOP Program Manager  
Environmental Health Services  
Environmental Protection  
1131 Harbor Bay Parkway, Ste. 250  
Alameda CA 94502-6577


Re: Sunol Tree Gas Station: 3004 Andrade Road, Sunol, CA  
Fuel Leak Case No.: RO0002448

Dear Ms. Drogos:

I am pleased to present the analytical sampling data of the treatment system installed at the T-Bear Ranch in accordance with paragraph 4 of your letter of October 31, 2003. Pursuant to your directive, Sunol Tree Gas Station was to collect water samples from the influent to vessel one, between the vessels, and the final discharge point every three weeks. Samples from the influent to vessel one and from the between the vessels were submitted for analysis and the effluent sample is being held by the lab. The analytical results do not indicate break through between the vessels and therefore, the effluent sample will not be analyzed. Attached to this letter are the Sequoia Analytical results as Exhibit 1; a diagram of the system as Exhibit 2; and a photograph of the system as Exhibit 3.

Your Department's cooperation with the Sunol Tree Gas Station is appreciated.

Very truly yours,  
Silicon Valley Law Group



JEFFREY S. LAWSON

JSL/lt

Enclosures: Exhibit 1 - Sequoia Analytical Results  
Exhibit 2 - Diagram  
Exhibit 3 - Photograph

Cc: Pat Hoban  
Murray Kelsoe

Sequoia Analytical

885 Jarvis Drive  
Alameda County

Morgan Hill, CA 95037

JAN 16 2004



# FAX

Environmental Health

Date: Jan-13-2004

Number of pages including cover sheet: 7

To:

Jeffrey Lawson

Company/Association:

Murray Kelsae

Fax phone:

408 286-1400

From: Leticia Reyes

Project Manager

Phone: 408-782-8154

Fax phone: 408-782-6308

REMARKS:

Urgent

For your review

Reply ASAP

Please comment

The information contained in this facsimile message may be privileged and confidential. It is intended only for the use of the individual or entity to whom it is sent. If the recipient of this transmittal is not the intended recipient, or an employee of agent responsible to deliver it to the intended recipient, any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please immediately notify Sequoia Analytical at (408) 776-9600. Thank You.

Alameda County

JAN 16 2004

Environmental Health



Sequoia Analytical

885 Jarvis Drive  
Morgan Hill, CA 95037  
(408) 776-9600  
FAX (408) 782-6308  
www.sequoialabs.com

13 January, 2004

Murray  
Murray Kelsoe  
PO Box 178  
Alamo, CA 94507

RE: 3004 Andrade Road, Sunol  
Work Order: MNA0044

Enclosed are the results of analyses for samples received by the laboratory on 01/06/04 14:54. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Leticia Reyes  
Project Manager

CA ELAP Certificate #1210



**Sequoia  
Analytical**

**Alameda County**

**JAN 16 2004**

885 Jarvis Drive  
Morgan Hill, CA 95037  
(408) 776-9600  
FAX (408) 782-6308  
www.sequoialabs.com

**Environmental Health**

Murray Kelsoe PO Box 176 Alamo CA, 94507	Project: 3004 Andrade Road, Sunol Project Number: - Project Manager: Murray	MNA0044 Reported: 01/13/04 15:21
--	---	--

**ANALYTICAL REPORT FOR SAMPLES**

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
Influent	MNA0044-01	Water	01/06/04 13:46	01/06/04 14:54
Mid	MNA0044-02	Water	01/06/04 13:50	01/06/04 14:54
Effluent	MNA0044-03	Water	01/06/04 13:59	01/06/04 14:54

Sequoia Analytical - Morgan Hill

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.*



**Sequoia  
Analytical**

**Alameda County**

**JAN 16 2004**

885 Jarvis Drive  
Morgan Hill, CA 95037  
(408) 776-9600  
FAX (408) 782-6308  
www.sequoialabs.com

**Environmental Health**

Murray Kelsoe  
PO Box 176  
Alamo CA, 94507

Project: 3004 Andrade Road, Sunol  
Project Number: -  
Project Manager: Murray

MNA0044  
Reported:  
01/13/04 15:21

**Volatile Organic Compounds by EPA Method 8260B  
Sequoia Analytical - Morgan Hill**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
<b>Influent (MNA0044-01) Water</b> Sampled: 01/06/04 13:46 Received: 01/06/04 14:54									
Ethanol	ND	100	ug/l	1	4A13001	01/13/04	01/13/04	EPA 8260B	
tert-Butyl alcohol	ND	20	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
tert-Amyl methyl ether	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Gasoline Range Organics	ND	50	"	"	"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		103 %		78-129	"	"	"	"	
<b>Mid (MNA0044-02) Water</b> Sampled: 01/06/04 13:50 Received: 01/06/04 14:54									
Ethanol	ND	100	ug/l	1	4A13001	01/13/04	01/13/04	EPA 8260B	
tert-Butyl alcohol	ND	20	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
tert-Amyl methyl ether	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Gasoline Range Organics	ND	50	"	"	"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		105 %		78-129	"	"	"	"	

Sequoia Analytical - Morgan Hill

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.*

Page 3 of 5

Exhibit 7 Page 4 of 7



**Sequoia  
Analytical**

Alameda County

JAN 16 2004

Environmental Health

885 Jarvis Drive  
Morgan Hill, CA 95037  
(408) 776-9600  
FAX (408) 782-6308  
www.sequoialabs.com

Murray Kelson  
PO Box 176  
Alamo CA, 94507

Project: 3004 Andrade Road, Sunol  
Project Number: -  
Project Manager: Murray

MNA0044  
Reported:  
01/13/04 15:21

**Volatile Organic Compounds by EPA Method 8260B - Quality Control**  
**Sequoia Analytical - Morgan Hill**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

**Batch 4A13001 - EPA 5030B P/T**

Prepared & Analyzed: 01/13/04

**Blank (4A13001-BLK1)**

Ethanol	ND	100	ug/l							
tert-Butyl alcohol	ND	20	"							
Methyl tert-butyl ether	ND	0.50	"							
Di-isopropyl ether	ND	0.50	"							
Ethyl tert-butyl ether	ND	0.50	"							
tert-Amyl methyl ether	ND	0.50	"							
1,2-Dichloroethane	ND	0.50	"							
1,2-Dibromoethane (EDB)	ND	0.50	"							
Benzene	ND	0.50	"							
Toluene	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
Xylenes (total)	ND	0.50	"							
Gasoline Range Organics	ND	50	"							
<i>Surrogate: 1,2-Dichloroethane-d4</i>	5.03		"	5.00		101	78-129			

**Laboratory Control Sample (4A13001-BS1)**

Prepared & Analyzed: 01/13/04

Methyl tert-butyl ether	9.32	0.50	ug/l	10.0		93.2	63-137			
Benzene	9.01	0.50	"	10.0		90.1	69-124			
Toluene	9.49	0.50	"	10.0		94.9	78-129			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	5.01		"	5.00		100	78-129			

**Laboratory Control Sample (4A13001-BS2)**

Prepared & Analyzed: 01/13/04

Methyl tert-butyl ether	8.50	0.50	ug/l	9.92		85.7	63-137			
Benzene	5.08	0.50	"	6.40		79.4	69-124			
Toluene	31.3	0.50	"	29.7		105	78-129			
Gasoline Range Organics	406	50	"	440		92.3	70-113			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	5.22		"	5.00		104	78-129			

Sequoia Analytical - Morgan Hill

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Page 4 of 5

Exhibit 1 Page 5 of 7



**Sequoia Analytical**

**Alameda County**

**JAN 16 2004**

885 Jarvis Drive  
Morgan Hill, CA 95037  
(408) 776-9600  
FAX (408) 782-6308  
www.sequoialabs.com

**Environmental Health**

Murray Kelsoe PO Box 176 Alamo CA, 94507	Project: 3004 Andrade Road, Sunol Project Number: - Project Manager: Murray	MNA0044 Reported: 01/13/04 15:21
--	---	--

**Notes and Definitions**

- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

Sequoia Analytical - Morgan Hill

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.*

JAN 16 2004



SEQUOIA ANALYTICAL  
CHAIN OF CUSTODY  
Environmental Health

- 885 Jarvis Drive • Morgan Hill, CA 95037 • (408) 776-9600 • FAX (408) 782-8308
- 1455 N. McDowell Blvd, Suite D • Petaluma, CA 94954 • (707) 792-1865 • FAX (707) 792-0342
- 819 Striker Ave., Suite 8 • Sacramento, CA 95834 • (916) 921-9600 • FAX (916) 921-0100
- 404 N. Wiget Lane • Walnut Creek, CA 94598 • (925) 988-9800 • FAX (925) 988-9673

Company Name: Murray Kelsoe Project: 3004 Andvacke Road, S. via 1  
 Billing Address (if different):  
 Mailing Address: PO Box 176  
 City: Alamo State: CA Zip Code: 94507  
 Telephone: (925) 862-0404 Fax #: \_\_\_\_\_ P.O. #: \_\_\_\_\_  
 Report To: Murray Kelsoe E-mail Address: \_\_\_\_\_ QC Data:  Level II (standard)  Level III  Level IV  
 Sampler: Greg Keltner Date / Time Results Required: \_\_\_\_\_ Sequoia's Work Order # MNA 0099

Turnaround Time:  15 Working Days (Standard TAT)  7 Working Days  5 Working Days  
 72 Hours  48 Hours  24 Hours  2-8 Hours

- MANDATORY:**
- SDWA (Drinking Water)
  - CWA (Waste Water)
  - RCRA (Hazardous Waste)
  - Other

ANALYSES REQUESTED (Please provide method)

Client Sample I.D.	Date / Time Sampled	Matrix Desc.	# of Cont.	Container Type	Sequoia's Sample #	TPH	STRENGTH	ZINC	LEAD	COPPER	IRON	Comments/Temp (if required)
1. Influent	11/6/04		5		01	X	X	X				Analyze only
2. Mid	11/6/04		5		02	X	X	X				Influent
3. Effluent	11/6/04		5		03	X	X	X				Misc show any concntr. ions
4.												IR not
5.												into
6.												dispose
7.												paid cash
8.												315
9.												11/6/04
10.												

TPH  
STRENGTH  
ZINC  
LEAD  
COPPER  
IRON

SAMPLE

Relinquished by / Co.: [Signature] Received by / Co.: ADD Date / Time / Temp.: 11/6/04 1454  
 Relinquished by / Co.: \_\_\_\_\_ Received by / Co.: \_\_\_\_\_ Date / Time / Temp.: \_\_\_\_\_  
 Relinquished by / Co.: \_\_\_\_\_ Received by / Co.: \_\_\_\_\_ Date / Time / Temp.: \_\_\_\_\_  
 Relinquished by / Co.: \_\_\_\_\_ Received by / Co.: \_\_\_\_\_ Date / Time / Temp.: \_\_\_\_\_

Were Samples Received in Good Condition?  Yes  No Samples on Ice?  Yes  No Method of Shipment: SEP-TR Page 1 of 1

White: Sequoia

Yellow: Sequoia

Pink: Client

Exhibit Page 7 of 7

PAGE 07

SEQUOIA SC


6502329612

17:12

01/13/2004



**INFLUENT**



Alameda County

JAN 16 2004

Environmental Health


**NOTES**

Fill each contactor with of mill of ~~quartz~~ ~~fractured~~ ~~and~~ ~~quartz~~

ESCEJAZIO	VALVE POSITIONS					
	1	2	3	4	5	6
1. NORMAL, THRU (A), THEN (B)	O	X	O	X	X	O
2. SERVICE (BYPASS) (A)	X	O	X	X	X	O
3. THRU (B), THEN THEN (A)	X	O	X	O	O	X
4. SERVICE (BYPASS) (B)	O	X	X	O	X	X

	ENGR	<i>A. L...</i>	<i>7/10/03</i>
	CHECK		
	Page 2 of 2		



**SILICON VALLEY LAW GROUP**  
A LAW CORPORATION

152 NORTH THIRD STREET  
SUITE 900  
SAN JOSE, CA 95112

TELEPHONE: (408) 286-6100  
FACSIMILE: (408) 286-1400  
www.svlg.com

**FACSIMILE COVER SHEET**

**DATE:** January 14, 2004  
**TO:** Donna L. Drogos  
**FROM:** Lisa Tornquist, Paralegal to Jeff Lawson  
**RE:** Fuel Leak Case No. R02448/Sunol Tree Gas Station  
**FACSIMILE NO.:** 510-337-9335 **TELEPHONE NO.:** 510-567-6700

Number of pages including Facsimile Cover Sheet: 11

**COMMENTS:** Please refer to the attached letter of today's date.

**PRIVILEGED AND CONFIDENTIAL** information intended only for the use of the addressee(s) named above. If the reader of this message is not the intended recipient or the employee or agent responsible for delivering the message to the intended recipient(s), please note that any dissemination, distribution or copying of this communication is strictly prohibited. Anyone who receives this communication in error should notify this office immediately by telephone and return the original message to this office at the above address via U.S. Mail.

**SVLG****SILICON VALLEY LAW GROUP**

A LAW CORPORATION

Jeffrey S. Lawson

[jsl@svlg.com](mailto:jsl@svlg.com)

January 14, 2004

Via Facsimile & U.S. Mail

Donna L. Drogos  
LOP Program Manager  
Environmental Health Services  
Environmental Protection  
1131 Harbor Bay Parkway, Ste. 250  
Alameda CA 94502-6577

Re: Sunol Tree Gas Station: 3004 Andrade Road, Sunol, CA  
Fuel Leak Case No.: RO0002448

Dear Ms. Drogos:

I am pleased to present the analytical sampling data of the treatment system installed at the T-Bear Ranch in accordance with paragraph 4 of your letter of October 31, 2003. Pursuant to your directive, Sunol Tree Gas Station was to collect water samples from the influent to vessel one, between the vessels, and the final discharge point every three weeks. Samples from the influent to vessel one and from the between the vessels were submitted for analysis and the effluent sample is being held by the lab. The analytical results do not indicate break through between the vessels and therefore, the effluent sample will not be analyzed. Attached to this letter are the Sequoia Analytical results as Exhibit 1; a diagram of the system as Exhibit 2; and a photograph of the system as Exhibit 3.

Your Department's cooperation with the Sunol Tree Gas Station is appreciated.

Very truly yours,  
Silicon Valley Law Group



JEFFREY S. LAWSON

JSL/lt

Enclosures: Exhibit 1 - Sequoia Analytical Results  
Exhibit 2 - Diagram  
Exhibit 3 - Photograph

Cc: Pat Hoban  
Murray Kelsoe

Sequoia Analytical

885 Jarvis Drive

Morgan Hill, CA 95037



FAX

Date: Jan - 13 - 2004

Number of pages including cover sheet: 7

To:

Jeffrey Lawson

Company/Association:

Murray Kelsae

Fax phone:

408 286-1400

From: Leticia Reyes

Project Manager

Phone: 408-782-8154

Fax phone: 408-782-6308

REMARKS:

Urgent

For your review

Reply ASAP

Please comment

The information contained in this facsimile message may be privileged and confidential. It is intended only for the use of the individual or entity to whom it is sent. If the recipient of this transmittal is not the intended recipient, or an employee of agent responsible to deliver it to the intended recipient, any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please immediately notify Sequoia Analytical at (408) 776-9600. Thank You.



**Sequoia  
Analytical**

885 Jarvis Drive  
Morgan Hill, CA 95037  
(408) 776-9600  
FAX (408) 782-6308  
[www.sequoialabs.com](http://www.sequoialabs.com)

13 January, 2004

Murray  
Murray Kelsoe  
PO Box 178  
Alamo, CA 94507

RE: 3004 Andrade Road, Sunol  
Work Order: MNA0044

Enclosed are the results of analyses for samples received by the laboratory on 01/08/04 14:54. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Leticia Reyes  
Project Manager

CA ELAP Certificate #1210

Page 1 of 5

Exhibit 1 Page 2 of 7



**Sequoia Analytical**

885 Jarvis Drive  
Morgan Hill, CA 95037  
(408) 776-9800  
FAX (408) 782-6308  
www.sequoiabio.com

Murray Kelson PO Box 176 Alamo CA, 94507	Project: 3004 Andrade Road, Sunol Project Number: - Project Manager: Murray	MNA0044 Reported: 01/13/04 15:21
--	---	--

**ANALYTICAL REPORT FOR SAMPLES**

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
Influent	MNA0044-01	Water	01/06/04 13:46	01/06/04 14:54
Mid	MNA0044-02	Water	01/06/04 13:50	01/06/04 14:54
Effluent	MNA0044-03	Water	01/06/04 13:59	01/06/04 14:54

Sequoia Analytical - Morgan Hill

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.*



**Sequoia Analytical**

585 Jarvis Drive  
Morgan Hill, CA 95037  
(408) 776-9600  
FAX (408) 782-6308  
www.sequoialabs.com

Murray Kolsoe PO Box 176 Alamo CA, 94507	Project: 3004 Andrade Road, Sunol Project Number: - Project Manager: Murray	MNA0044 Reported: 01/13/04 15:21
--	---	--

**Volatile Organic Compounds by EPA Method 8260B**  
**Sequoia Analytical - Morgan Hill**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
<b>Influent (MNA0044-01) Water</b> Sampled: 01/06/04 13:46 Received: 01/06/04 14:54									
Ethanol	ND	100	ug/l	1	4A13001	01/13/04	01/13/04	EPA 8260B	
tert-Butyl alcohol	ND	20	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
tert-Amyl methyl ether	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Gasoline Range Organics	ND	50	"	"	"	"	"	"	
<b>Surrogate: 1,2-Dichloroethane-d4</b>		103 %	78-129	"	"	"	"	"	

<b>Mid (MNA0044-02) Water</b> Sampled: 01/06/04 13:50 Received: 01/06/04 14:54									
Ethanol	ND	100	ug/l	1	4A13001	01/13/04	01/13/04	EPA 8260B	
tert-Butyl alcohol	ND	20	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
tert-Amyl methyl ether	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Gasoline Range Organics	ND	50	"	"	"	"	"	"	
<b>Surrogate: 1,2-Dichloroethane-d4</b>		105 %	78-129	"	"	"	"	"	

Sequoia Analytical - Morgan Hill

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.*





**Sequoia Analytical**

885 Jarvis Drive  
Morgan Hill, CA 95037  
(408) 776-9600  
FAX (408) 782-6308  
www.sequoialabs.com

Murray Kalsos PO Box 176 Alamo CA, 94507	Project: 3004 Andrade Road, Sunol Project Number: - Project Manager: Murray	MNA0044 Reported: 01/13/04 15:21
--	---	--

**Volatile Organic Compounds by EPA Method 8260B - Quality Control**  
**Sequoia Analytical - Morgan Hill**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limit	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	------------	-----	-----------	-------

**Batch 4A13001 - EPA 5030B P/T**

**Blank (4A13001-BLK1)**

Prepared & Analyzed: 01/13/04

Ethanol	ND	100	ug/l							
tert-Butyl alcohol	ND	20	"							
Methyl tert-butyl ether	ND	0.50	"							
Di-isopropyl ether	ND	0.50	"							
Ethyl tert-butyl ether	ND	0.50	"							
tert-Amyl methyl ether	ND	0.50	"							
1,2-Dichloroethane	ND	0.50	"							
1,2-Dibromoethane (EDB)	ND	0.50	"							
Benzene	ND	0.50	"							
Toluene	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
Xylenes (total)	ND	0.50	"							
Gasoline Range Organics	ND	50	"							

**Surrogate: 1,2-Dichloroethane-d4**

5.03 " 5.00 101 78-129

**Laboratory Control Sample (4A13001-BS1)**

Prepared & Analyzed: 01/13/04

Methyl tert-butyl ether	9.32	0.50	ug/l	10.0		93.2	63-137
Benzene	9.01	0.50	"	10.0		98.1	69-124
Toluene	9.49	0.50	"	10.0		94.9	78-129

**Surrogate: 1,2-Dichloroethane-d4**

5.01 " 5.00 100 78-129

**Laboratory Control Sample (4A13001-BS2)**

Prepared & Analyzed: 01/13/04

Methyl tert-butyl ether	8.50	0.50	ug/l	9.92		85.7	63-137
Benzene	5.08	0.50	"	6.40		79.4	69-124
Toluene	31.3	0.50	"	29.7		105	78-129
Gasoline Range Organics	406	50	"	440		92.3	70-113

**Surrogate: 1,2-Dichloroethane-d4**

5.22 " 5.00 104 78-129

Sequoia Analytical - Morgan Hill

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.



**Sequoia Analytical**

885 Jarvis Drive  
Morgan Hill, CA 95037  
(408) 776-9600  
FAX (408) 782-8308  
www.sequoialabs.com

Murray Keisoo PO Box 176 Alamo CA, 94507	Project: 3004 Andrade Road, Sunol Project Number: - Project Manager: Murray	MNA0044 Reported: 01/13/04 15:21
--	---	--

**Notes and Definitions**

- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

Sequoia Analytical - Morgan Hill

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.*

F-367  
P. 009/011  
T-238



# SEQUOIA ANALYTICAL CHAIN OF CUSTODY

- 885 Jarvis Drive • Morgan Hill, CA 95037 • (408) 776-0600 • FAX (408) 782-8308
- 1465 N. McDowell Blvd, Suite D • Petaluma, CA 94954 • (707) 792-1865 • FAX (707) 792-0342
- 819 Striker Ave., Suite 8 • Sacramento, CA 95834 • (916) 921-8800 • FAX (916) 921-0100
- 404 N. Wigal Lane • Walnut Creek, CA 94590 • (925) 980-9800 • FAX (925) 988-9573

Company Name: Norway Kelsoe Project: 3004 Anchorage Road, S. No. 1  
 Mailing Address: PO Box 176 Billing Address (if different):  
 City: Akama State: CA Zip Code: 94507  
 Telephone: (925) 862-0404 Fax #: P.O. #:  
 Report To: Norway Kelsoe E-mail Address: QC Data:  Level II (standard)  Level III  Level IV  
 Sampler: Greg Keltcher Date / Time Results Required: Sequoia's Work Order # FINA 0089

Turnaround Time:  15 Working Days (Standard TAT)  
 7 Working Days  
 5 Working Days  
 72 Hours  
 48 Hours  
 24 Hours  
 2-8 Hours

- MANDATORY:**
- SDWA (Drinking Water)
  - CWA (Waste Water)
  - RCRA (Hazardous Waste)
  - Other

### ANALYSES REQUESTED (Please provide matrix)

Client Sample I.D.	Date / Time Sampled	Matrix Desc.	# of Cont.	Container Type	Sequoia's Sample #	TPHO	STRENGTH PLUS ANALYSIS	TBA7 ANAL	Documents / Temp (if required)
1. Inflow	1/6/04		3		01	X	X	X	Analyze on only
2. Mid	1/6/04		3		02	X	X	X	Inflow
3. Effluent	1/6/04		3		03	X	X	X	Misc show day concern
4.									
5.									IF NOT
6.									BE TO DISPOSE
7.									
8.									paid cash
9.									315
10.									1/6/04

**SAMPLE**

Relinquished by / Co.: [Signature] Received by / Co.: ACT Date / Time / Temp.: 1/6/04 1454  
 Relinquished by / Co.: Received by / Co.: Date / Time / Temp.:  
 Relinquished by / Co.: Received by / Co.: Date / Time / Temp.:  
 Relinquished by / Co.: Received by / Co.: Date / Time / Temp.:

Were Samples Received in Good Condition?  Yes  No Samples on Ice?  Yes  No Method of Shipment: SEA-MAIL Page 1 of 1

White: Sequoia


Yellow: Sequoia

Pink: Client

Exhibit Page 7 of 7

FROM-SILICON VALLEY LAW GROUP

JAN-14-2004 12:05PM



NOTES

FILL EACH CONTRACTOR WITH of MILL OF ~~ONEERS FROM ONE FOR ONE~~

SCENARIO	VALVE POSITIONS					
	1	2	3	4	5	6
1. NORMAL, THRU (1), THEN (2)	0	X	0	X	X	0
2. SERVICE (BYPASS) (1)	X	0	X	X	X	0
3. THRU (2), THEN THRU (1)	X	0	X	0	0	X
4. SERVICE (BYPASS) (2)	0	X	X	0	X	X

	ENGR	<i>d. laym</i>	<i>7/10/20</i>
	CHECK		
	Page 2 of 2		

