



**Mike Bauer**  
Project Manager  
Marketing Business Unit

**Chevron Environmental  
Management Company**  
145 S. State College Blvd  
Brea, CA 92821  
Tel (714) 671-3200  
Fax (714) 671-3440  
mbauer@chevron.com

**RECEIVED**

**8:12 am, Mar 01, 2012**

Alameda County  
Environmental Health

February 28, 2012

Mr. Jerry Wickham  
Alameda County Environmental Health  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502-6577

Re: Former Signal Oil Marine Storage and Distribution Facility  
(Former Chevron Bulk Plant 20-6127)  
2301-2311 Blanding Avenue  
Alameda, California  
LOP Case RO0002466

Dear Mr. Wickham:

The purpose of this letter is to verify that as a representative for Chevron Environmental Management Company (Chevron), I reviewed, and concur with, the comments in the *First Quarter 2012 Groundwater Monitoring and Sampling Report* for the referenced facility, prepared on behalf of Chevron by Conestoga-Rovers & Associates. I declare under penalty of perjury that the foregoing is true and correct.

Please feel free to contact me at (714) 671-3207 if you have any questions.

Sincerely,

---

Mike Bauer  
Project Manager



**CONESTOGA-ROVERS  
& ASSOCIATES**

10969 Trade Center Drive  
Rancho Cordova, California 95670  
Telephone: (916) 889-8900 Fax: (916) 889-8999  
<http://www.craworld.com>

February 28, 2012

Reference No. 631916

Mr. Jerry Wickham  
Alameda County Environmental Health (ACEH)  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502-6577

Re: First Quarter 2012  
Groundwater Monitoring and Sampling Report  
Former Signal Oil Marine Storage and Distribution Facility  
(Chevron Bulk Plant 206127)  
2301-2311 Blanding Avenue  
Alameda, California  
ACEH Case RO0002466

---

Dear Mr. Wickham:

Conestoga-Rovers & Associates (CRA) is submitting this *First Quarter 2012 Groundwater Monitoring and Sampling Report* for the site referenced above (Figure 1) on behalf of Chevron Environmental Management Company. Groundwater monitoring and sampling was performed by Gettler-Ryan, Inc. (G-R) of Dublin, California. G-R's January 26, 2012 *Groundwater Monitoring and Sampling Data Package* is included as Attachment A. Current groundwater monitoring and sampling data are presented in Table 1 and well construction specifications are summarized in Table 2. Lancaster Laboratories' February 10, 2012 *Analytical Results* is included as Attachment B. Historical groundwater monitoring and sampling data are included as Attachment C.

### **RESULTS OF FIRST QUARTER 2012 EVENT**

On January 18, 2012, G-R monitored and sampled the site wells per the established schedule.

Results of the current monitoring event indicate the following:

- Groundwater Flow Direction North/Northeast
- Hydraulic Gradient 0.03
- Depth to Water 3.85 to 14.71 feet below grade

---

Equal  
Employment Opportunity  
Employer

---



Results of the current sampling event are presented below in Table A.

<b>TABLE A GROUNDWATER ANALYTICAL DATA</b>						
<i>Well ID</i>	<i>TPHd<sup>1</sup></i> ( $\mu\text{g/L}$ )	<i>TPHg</i> ( $\mu\text{g/L}$ )	<i>Benzene</i> ( $\mu\text{g/L}$ )	<i>Toluene</i> ( $\mu\text{g/L}$ )	<i>Ethylbenzene</i> ( $\mu\text{g/L}$ )	<i>Total Xylenes</i> ( $\mu\text{g/L}$ )
<i>ESLs</i>	<b>100</b>	<b>100</b>	<b>1</b>	<b>40</b>	<b>30</b>	<b>20</b>
MW-1RA	<b>4,300/1,400</b>	<b>6,400</b>	<b>1,300</b>	17	38	12
MW-1RB	<b>2,400/260</b>	<b>340</b>	<b>11</b>	<0.5	<0.5	<0.5
MW-2	<b>140</b> / <b>&lt;50</b>	<50	<0.5	<0.5	<0.5	<0.5
MW-3	<b>1,700</b> / <b>&lt;50</b>	<50	<0.5	<0.5	<0.5	<0.5
MW-4	<b>330</b> / <b>&lt;50</b>	<50	<0.5	<0.5	<0.5	<0.5
MW-5	<b>3,700/460</b>	<b>3,500</b>	<b>140</b>	7	2	10
MW-6	<b>1,300</b> / <b>&lt;50</b>	<b>300</b>	<b>7</b>	<0.5	<0.5	<0.5
ESL Environmental screening level						
<sup>1</sup> TPHd without and with 10 gram silica gel cleanup						
Concentrations in <b>Bold</b> exceed their respective ESL.						

### CONCLUSIONS AND RECOMMENDATIONS

Results of this current quarterly monitoring and sampling of wells MW-1RA through MW-6 are consistent with results from past quarters and indicate the following:

- The highest TPHd, TPHg, and benzene concentrations in groundwater are in the area of the former fuel pumps, and north of the former aboveground storage tanks (Figures 3 through 5).
- Analysis of TPHd using a 10 gram silica gel column cleanup resulted in a significant reduction in dissolved TPHd concentrations; only the sample from MW-1RA was above the ESL.
- Concentrations are generally stable in site wells where concentrations are detected above groundwater ESLs.

CRA recommends continuing quarterly monitoring and sampling of current wells to verify concentration trends over time.



**CONESTOGA-ROVERS  
& ASSOCIATES**

February 28, 2012

Reference No. 631916

- 3 -

**ANTICIPATED FUTURE ACTIVITIES**

***Groundwater Monitoring***

G-R will monitor and sample site wells per the established schedule. CRA will submit a groundwater monitoring and sampling report.

***Additional Activity***

CRA submitted a Draft Corrective Action Plan (CAP) to address residual petroleum impacts at the site on August 18, 2011. Chevron and CRA are currently awaiting comment on and/or approval of the Draft CAP by ACEH.

Please contact Brian Silva at (916) 889-8908 if you have any questions or require additional information.

Sincerely,

CONESTOGA-ROVERS & ASSOCIATES

Brian Silva

Greg Barclay, PG 6260



BS/aa/24

Encl.



**CONESTOGA-ROVERS  
& ASSOCIATES**

February 28, 2012


Reference No. 631916

- 4 -

Figure 1	Vicinity Map
Figure 2	Groundwater Elevation Contour Map - January 18, 2012
Figure 3	TPHd Concentrations in Groundwater - January 18, 2012
Figure 4	TPHg Concentrations in Groundwater - January 18, 2012
Figure 5	Benzene Concentrations in Groundwater - January 18, 2012
Table 1	Groundwater Monitoring and Sampling Data
Table 2	Well Construction Specifications
Attachment A	Monitoring Data Package
Attachment B	Laboratory Analytical Report
Attachment C	Historical Groundwater Monitoring and Sampling Data

cc: Mr. Mike Bauer, Chevron (*electronic only*)  
Ms. Julie Beck Ball  
Mr. Peter Reinhold Beck  
Mr. Monroe Wingate  
Mr. Tom Foley

## FIGURES




SOURCE: TOPOI MAPS.


Figure 1

VICINITY MAP  
 FORMER SIGNAL OIL MARINE STORAGE AND DISTRIBUTION FACILITY  
 (CHEVRON FACILITY 206127)  
 2301-2311 BLANDING AVENUE  
 Alameda, California











**Figure 3**  
**TPHD CONCENTRATION CONTOUR MAP**  
**FORMER SIGNAL OIL MARINE STORAGE AND DISTRIBUTION FACILITY (CHEVRON FACILITY 206127)**  
**2301-2311 BLANDING AVENUE**  
*Alameda, California*  
*January 18, 2012*





KEY PLAN  
SCALE: 1"=250'



HISTORICAL GROUNDWATER FLOW DIRECTION  
FROM 2Q 2009 TO 1Q 2012

**LEGEND**

- MONITORING WELL LOCATION
- SHALLOW ZONE MONITORING WELL LOCATION
- 100 ———— TPHG CONCENTRATION CONTOUR LINE, DASHED WHERE INFERRED
- WELL**  
TPHG CONCENTRATION IN GROUNDWATER IN MICROGRAMS PER LITER (µg/L)
- \* NOT USED IN CONTOURING; CONSTRUCTED IN SHALLOW SAND ZONE
- SITE FEATURES NOTED ON SANBORN FIRE INSURANCE MAP, DATED 1932



2307 BLANDING AVE. SUITES:

- A. ENTERPRISE RENT-A-CAR
- B. ALAMEDA COUNTY INDUSTRIAL DISPOSAL AND RECYCLING SERVICES
- C. ELITE KICKS MARTIAL ARTS STUDIO
- D. ALAMEDA ADVERTISING AND RECOGNITION
- E. STORAGE
- F. DREAM DINNERS
- G. HANSEN RIGGING

2317 BLANDING AVE. SUITES:


- A,B,C. MARK'S PAINT
- D. TRIC TRENCHLESS INSTALLATIONS

TPHG CONCENTRATION CONTOUR MAP  
FORMER SIGNAL OIL MARINE STORAGE AND DISTRIBUTION FACILITY (CHEVRON FACILITY 206127)  
2301-2311 BLANDING AVENUE


Alameda, California  
January 18, 2012

NOTE:  
WELL LOCATIONS ARE BASED ON MAP PROVIDED BY MORROW SURVEYING (DWG NO.0857-149 ct, DATED 7-30-09).  
ALL OTHER LOCATIONS ARE APPROXIMATE.





KEY PLAN  
SCALE: 1"=250'




HISTORICAL GROUNDWATER FLOW DIRECTION  
FROM 2Q 2009 TO 1Q 2012

**LEGEND**

- MONITORING WELL LOCATION
- SHALLOW ZONE MONITORING WELL LOCATION
- 10 — BENZENE CONCENTRATION CONTOUR LINE, DASHED WHERE INFERRED
- WELL**  
**BENZ** WELL DESIGNATION
- BENZ** BENZENE CONCENTRATION IN GROUNDWATER IN MICROGRAMS PER LITER (µg/L)
- \* NOT USED IN CONTOURING; CONSTRUCTED IN SHALLOW SAND ZONE
- SITE FEATURES NOTED ON SANBORN FIRE INSURANCE MAP, DATED 1932

NOTE:  
WELL LOCATIONS ARE BASED ON MAP PROVIDED BY MORROW SURVEYING (DWG NO.0857-149 ct, DATED 7-30-09).  
ALL OTHER LOCATIONS ARE APPROXIMATE.



- 2307 BLANDING AVE. SUITES:
- A. ENTERPRISE RENT-A-CAR
  - B. ALAMEDA COUNTY INDUSTRIAL DISPOSAL AND RECYCLING SERVICES
  - C. ELITE KICKS MARTIAL ARTS STUDIO
  - D. ALAMEDA ADVERTISING AND RECOGNITION
  - E. STORAGE
  - F. DREAM DINNERS
  - G. HANSEN RIGGING

- 2317 BLANDING AVE. SUITES:
- A,B,C. MARK'S PAINT
  - D. TRIC TRENCHLESS INSTALLATIONS




Figure 5  
**BENZENE CONCENTRATION CONTOUR MAP**  
**FORMER SIGNAL OIL MARINE STORAGE AND DISTRIBUTION FACILITY (CHEVRON FACILITY 206127)**  
**2301-2311 BLANDING AVENUE**  
*Alameda, California*  
*January 18, 2012*



## TABLES

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER SIGNAL OIL MARINE STORAGE AND DISTRIBUTION FACILITY  
CHEVRON FACILITY 206127  
2307 BLANDING AVENUE  
ALAMEDA, CALIFORNIA**

Location	Date	TOC	DTW	GWE	HYDROCARBONS			PRIMARY VOCS					
					TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE by SW8260	
	Units	ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-1	07/21/2010	13.49	9.47	4.02	440	-	65 J	<0.5	<0.5	<0.5	<0.5	<0.5	-
MW-1	10/22/2010 <sup>1</sup>	13.49	-	-	-	-	-	-	-	-	-	-	-
MW-1RA	10/28/2010	13.02	9.23	3.79	-	4,000	6,400	830	22	65	20	-	-
MW-1RA	01/14/2011	13.02	7.20	5.82	-	1,500	790	160	2	1	1	-	-
MW-1RA	04/19/2011	13.02	7.42	5.60	-	3,000	3,800	600	9	18	9	-	-
MW-1RA	06/30/2011	13.02	7.51	5.51	-	3,700	6,800	780	13	36	13	-	-
MW-1RA	10/14/2011	13.02	7.96	5.06	6,900	360	6,800	1,300	19	51	14	-	-
<b>MW-1RA</b>	<b>01/18/2012</b>	<b>13.02</b>	<b>7.34</b>	<b>5.68</b>	<b>4,300</b>	<b>1,400</b>	<b>6,400</b>	<b>1,300</b>	<b>17</b>	<b>38</b>	<b>12</b>	-	-
MW-1RB	10/28/2010	13.21	9.00	4.21	-	1,600	650	3	<0.5	0.8	<0.5	-	-
MW-1RB	01/14/2011	13.21	10.97	2.24	-	960	150	1	<0.5	<0.5	<0.5	-	-
MW-1RB	04/19/2011	13.21	12.11	1.10	-	1,200	190	6	<0.5	<0.5	<0.5	-	-
MW-1RB	06/30/2011	13.21	11.86	1.35	-	1,900	310	9	<0.5	<0.5	<0.5	-	-
MW-1RB	10/14/2011	13.21	12.14	1.07	4,000	57	300	15	<0.5	<0.5	<0.5	-	-
<b>MW-1RB</b>	<b>01/18/2012</b>	<b>13.21</b>	<b>14.71</b>	<b>-1.50</b>	<b>2,400</b>	<b>260</b>	<b>340</b>	<b>11</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	-	-
MW-2	07/21/2010	10.63	4.12	6.51	65 J	-	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-2	10/22/2010	10.63	4.31	6.32	-	58	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-2	10/28/2010 <sup>2</sup>	10.63	3.65	6.98	-	-	-	-	-	-	-	-	-

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER SIGNAL OIL MARINE STORAGE AND DISTRIBUTION FACILITY  
CHEVRON FACILITY 206127  
2307 BLANDING AVENUE  
ALAMEDA, CALIFORNIA**

Location	Date	TOC	DTW	GWE	HYDROCARBONS			PRIMARY VOCS				MTBE by SW8260	
					TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X		
	Units	ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-2	01/14/2011	10.63	3.12	7.51	-	68	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-
MW-2	04/19/2011	10.63	3.51	7.12	-	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-
MW-2	06/30/2011	10.63	3.74	6.89	-	120	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-
MW-2	10/14/2011	10.63	3.52	7.11	160	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-
<b>MW-2</b>	<b>01/18/2012</b>	<b>10.63</b>	<b>3.85</b>	<b>6.78</b>	<b>140</b>	<b>&lt;50</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	-
MW-3	07/21/2010	10.72	5.09	5.63	640	-	65 J	0.6 J	<0.5	<0.5	<0.5	<0.5	-
MW-3	10/22/2010	10.72	5.32	5.40	-	570	73	<0.5	<0.5	<0.5	<0.5	<0.5	-
MW-3	10/28/2010 <sup>2</sup>	10.72	4.74	5.98	-	-	-	-	-	-	-	-	-
MW-3	01/14/2011	10.72	4.11	6.61	-	1,000	91	<0.5	<0.5	<0.5	<0.5	<0.5	-
MW-3	04/19/2011	10.72	5.03	5.69	-	1,200	180	<0.5	<0.5	<0.5	<0.5	<0.5	-
MW-3	06/30/2011	10.72	4.97	5.75	-	740	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-
MW-3	10/14/2011	10.72	4.52	6.20	1,800	<50	88	<0.5	<0.5	<0.5	<0.5	<0.5	-
<b>MW-3</b>	<b>01/18/2012</b>	<b>10.72</b>	<b>5.22</b>	<b>5.50</b>	<b>1,700</b>	<b>&lt;50</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	-
MW-4	07/21/2010	11.40	6.72	4.68	<50	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-
MW-4	10/22/2010	11.40	6.87	4.53	-	91	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-
MW-4	10/28/2010 <sup>2</sup>	11.40	6.38	5.02	-	-	-	-	-	-	-	-	-
MW-4	01/14/2011	11.40	5.32	6.08	-	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-
MW-4	04/19/2011	11.40	7.65	3.75	-	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER SIGNAL OIL MARINE STORAGE AND DISTRIBUTION FACILITY  
CHEVRON FACILITY 206127  
2307 BLANDING AVENUE  
ALAMEDA, CALIFORNIA**

Location	Date	TOC	DTW	GWE	HYDROCARBONS			PRIMARY VOCS					
					TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE by SW8260	
	Units	ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-4	06/30/2011	11.40	6.93	4.47	-	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-
MW-4	10/14/2011	11.40	5.66	5.74	440	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-
<b>MW-4</b>	<b>01/18/2012</b>	<b>11.40</b>	<b>8.36</b>	<b>3.04</b>	<b>330</b>	<b>&lt;50</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>-</b>
MW-5	07/21/2010	10.50	5.76	4.74	2,000	-	1,500	80	2	1	2	-	
MW-5	10/22/2010	10.50	5.94	4.56	-	1,500	830	47	<0.5	1	<0.5	-	
MW-5	10/28/2010 <sup>2</sup>	10.50	5.17	5.33	-	-	-	-	-	-	-	-	
MW-5	01/14/2011	10.50	4.40	6.10	-	1,800	2,100	61	4	1	6	-	
MW-5	04/19/2011	10.50	5.69	4.81	-	2,000	2,200	73	4	1	6	-	
MW-5	06/30/2011	10.50	5.82	4.68	-	3,200	2,900	99	6	1	7	-	
MW-5	10/14/2011	10.50	4.51	5.99	4,600	89	2,300	76	5	1	5	-	
<b>MW-5</b>	<b>01/18/2012</b>	<b>10.50</b>	<b>5.98</b>	<b>4.52</b>	<b>3,700</b>	<b>460</b>	<b>3,500</b>	<b>140</b>	<b>7</b>	<b>2</b>	<b>10</b>	<b>-</b>	
MW-6	10/28/2010	12.98	8.35	4.63	-	300	620	7	<0.5	1	2	-	
MW-6	01/14/2011	12.98	7.58	5.40	-	560	120	3	<0.5	<0.5	<0.5	-	
MW-6	04/19/2011	12.98	9.90	3.08	-	590	240	7	<0.5	<0.5	<0.5	-	
MW-6	06/30/2011	12.98	9.97	3.01	-	640	200	3	<0.5	<0.5	<0.5	-	
MW-6	10/14/2011	12.98	7.40	5.58	1,700	<50	510	10	<0.5	<0.5	<0.5	-	
<b>MW-6</b>	<b>01/18/2012</b>	<b>12.98</b>	<b>9.82</b>	<b>3.16</b>	<b>1,300</b>	<b>&lt;50</b>	<b>300</b>	<b>7</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>-</b>	

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER SIGNAL OIL MARINE STORAGE AND DISTRIBUTION FACILITY  
CHEVRON FACILITY 206127  
2307 BLANDING AVENUE  
ALAMEDA, CALIFORNIA**

Location	Date	TOC	DTW	GWE	HYDROCARBONS			PRIMARY VOCS					
					TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE by SW8260	
Units		ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
QA	07/21/2010	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
QA	10/22/2010	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
QA	10/28/2010	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-
QA	01/14/2011	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-
QA	04/19/2011	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-
QA	06/30/2011	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-
QA	10/14/2011	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-
QA	01/18/2012	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-

**Abbreviations and Notes:**

TOC = Top of Casing

DTW = Depth to Water

GWE = Groundwater elevation

(ft-amsl) = Feet Above Mean sea level

ft = Feet

µg/L = Micrograms per Liter

TPH-DRO = Total Petroleum Hydrocarbons - Diesel Range Organics

TPH-GRO = Total Petroleum Hydrocarbons - Gasoline Range Organics

B = Benzene

T = Toluene



**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER SIGNAL OIL MARINE STORAGE AND DISTRIBUTION FACILITY  
CHEVRON FACILITY 206127  
2307 BLANDING AVENUE  
ALAMEDA, CALIFORNIA**

Location	Date	TOC	DTW	GWE	HYDROCARBONS			PRIMARY VOCS				MTBE by SW8260	
					TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X		
Units		ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L

E = Ethylbenzene

X = Xylene

MTBE = Methyl tert butyl ether

-- = Not available / not applicable

<x = Not detected above laboratory method detection limit

J = Estimated concentration

\* TOC elevations for all wells were surveyed on July 30, 2009, by Morrow Surveying. Vertical Datum is NAVD 88 from GPS observations. TOC elevations were surveyed on January 25, 2001, by Virgil Chacez Land Surveying. The benchmark used for the survey was a City of Alameda benchmark being a cut square at the centerline return, south corner of Oak and Blanding, (Benchmark Elevation = 8.236 feet, NGVD 29).

1 Destroyed and re-installed as MW-1RB.

2 Monitored only for the 10/28/10 Special Event

**WELL CONSTRUCTION SPECIFICATIONS  
FORMER SIGNAL OIL MARINE STORAGE AND DISTRIBUTION FACILITY  
(CHEVRON BULK PLANT 20-6127)  
2301-2311 BLANDING AVENUE  
ALAMEDA, CALIFORNIA**

<i>Well ID</i>	<i>Date Installed</i>	<i>TOC</i>	<i>Total Depth (fbg)</i>	<i>Casing Diameter <sup>1</sup> (inches)</i>	<i>Slot Size (inches)</i>	<i>Screen Interval (fbg)</i>	<i>Filter Pack (fbg)</i>	<i>Status</i>
<b><u>Monitoring Wells</u></b>								
MW-1	8/15/1990	13.49	19.5	2	0.020	4-19	3-19.5	Replaced w/MW-1RB
MW-1RA	8/4/2010	13.02	13	2	0.020	8-13	7-13	Active
MW-1RB	8/4/2010	13.21	20	2	0.020	16.5-20	15.5-20	Active
MW-2	6/19/2009	10.63	18	2	0.020	10.5-15.5	10-16	Active
MW-3	6/19/2009	10.72	18.5	2	0.020	13.5-18.5	12.5-18.5	Active
MW-4	6/19/2009	11.40	20.5	2	0.020	15.5-20.5	14.5-20.5	Active
MW-5	6/23/2009	10.50	18	2	0.020	13-18	12-18	Active
MW-6	8/4/2010	12.98	20	2	0.020	16.5-20	15.5-20	Active
<b><u>Vapor Wells</u></b>								
VP-1	7/9/2008	NS	4.25	1	0.020	3.75-4.25	3.5-4.5	Vapor only
VP-2	7/9/2008	NS	4.75	1	0.020	4.25-4.75	4-5	Vapor only
VP-3	7/14/2008	NS	5.75	1	0.020	5.25-5.75	5-6	Vapor only
VP-4	7/14/2008	NS	5.75	1	0.020	5.25-5.75	5-6	Vapor only
VP-5	7/14/2008	NS	5.75	1	0.020	5.25-5.75	5-6	Vapor only
VP-6	7/9/2008	NS	5.75	1	0.020	5.25-5.75	5-6	Vapor only
<b><u>Sub-Slab Vapor Probes</u></b>								
VP-7	7/17/2009	NS	0.5	0.25	NA	NA	NA	Vapor only
VP-8	7/17/2009	NS	0.5	0.25	NA	NA	NA	Vapor only
VP-9	7/22/2009	NS	0.5	0.25	NA	NA	NA	Vapor only
VP-10	7/22/2009	NS	0.5	0.25	NA	NA	NA	Destroyed
VP-11	7/17/2009	NS	0.5	0.25	NA	NA	NA	Destroyed
VP-12	7/22/2009	NS	0.5	0.25	NA	NA	NA	Destroyed
VP-13	7/22/2009	NS	0.5	0.25	NA	NA	NA	Vapor only

**Abbreviations / Notes**

TOC = Top of casing elevation (feet above mean sea level)

<sup>1</sup> = Schedule 40 PVC casing material

fbg = Feet below grade

NA = Not applicable

NS = Not surveyed

ATTACHMENT A


MONITORING DATA PACKAGE



## TRANSMITTAL

January 26, 2012  
G-R #386498

TO: Mr. Brian Silva  
Conestoga-Rovers & Associates  
10969 Trade Center Drive, Suite 107  
Rancho Cordova, California 95670

FROM: Deanna L. Harding  
Project Coordinator   
Gettler-Ryan Inc.  
6747 Sierra Court, Suite J  
Dublin, California 94568

RE: **Chevron #206127**  
**2301-2337 Blanding Avenue**  
**Alameda, California**  
**(Former Signal Oil Marine Terminal)**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DESCRIPTION
VIA PDF	Groundwater Monitoring and Sampling Data Package First Quarter Event of January 18, 2012

COMMENTS:

Pursuant to your request, we are providing you with copies of the above referenced data for your use.

Please provide us the updated historical data prior to the next monitoring and sampling event for our field use.

Please feel free to contact me if you have any comments/questions.

trans/206127

## WELL CONDITION STATUS SHEET

Client/Facility #: Chevron #206127  
 Site Address: 2301-2337 Blanding Avenue  
 City: Alameda, CA

Job # 386498  
 Event Date: 11/10/12  
 Sampler: JW

WELL ID	Vault Frame Condition	Gasket/O-Ring (M)missing	BOLTS (M) Missing (R) Replaced	Bolt Flanges B= Broken S= Stripped R=Retap	APRON Condition C=Cracked B=Broken G=Gone	Grout Seal (Deficient) inches from TOC	Casing (Condition prevents tight cap seal)	REPLACE LOCK Y/N	REPLACE CAP Y/N	WELL VAULT Manufacture/Size/ # of Bolts	Pictures Taken Yes / No
MW-1RA	ok							Y	Y 2"	8" MORRISW	Y
MW-1RB	ok							Y	Y 2"	↓	
MW-2	ok							N	N	12" em ro	
MW-3	ok									↓	
MW-4	ok									↓	
MW-5	ok									↓	
MW-6	ok									8" MORRISW	Y

Comments \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

## STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. (GR) field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. All work is performed in accordance with the GR Health & Safety Plan and all client-specific programs. The scope of work and type of analysis to be performed is determined prior to commencing field work.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, peristaltic or Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging (additional parameters such as dissolved oxygen, oxidation reduction potential, turbidity may also be measured, depending on specific scope of work.). Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards, as directed by the scope of work. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Environmental Management Company, the purge water and decontamination water generated during sampling activities is transported by Clean Harbors Environmental Services to Evergreen Oil located in Newark, California.



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206127 Job Number: 386498  
 Site Address: 2301-2337 Blanding Avenue Event Date: 1/18/12 (inclusive)  
 City: Alameda, CA Sampler: SH

Well ID MW-1RA

Date Monitored: 1/18/12

Well Diameter 2

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Total Depth 12.67 ft.

Depth to Water 7.34 ft.

Check if water column is less than 0.50 ft.

5.33 xVF .17 = .90 x3 case volume = Estimated Purge Volume: 2.71 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 8.40

### Purge Equipment:

Disposable Bailer X  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer X  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbent Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_

Start Time (purge): 1730 Weather Conditions: cloudy  
 Sample Time/Date: 1800 1/18/12 Water Color: tan Odor: Y10  
 Approx. Flow Rate: \_\_\_\_\_ gpm. Sediment Description: L. silt  
 Did well de-water? NO If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: 8.40

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - 15)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1734</u>	<u>1</u>	<u>7.65</u>	<u>817</u>	<u>18.1</u>		
<u>1738</u>	<u>2</u>	<u>7.60</u>	<u>845</u>	<u>18.2</u>		
<u>1742</u>	<u>3</u>	<u>7.47</u>	<u>862</u>	<u>18.0</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-1RA</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX(8260)</u>
	<u>2</u> x 1 liter ambers	<u>YES</u>	<u>NP</u>	<u>LANCASTER</u>	<u>TPH-DRO (8015)</u>
	<u>2</u> x 1 liter ambers	<u>YES</u>	<u>NP</u>	<u>LANCASTER</u>	<u>TPH-DRO w/sgc COLUMN</u>

### COMMENTS:

Add/Replaced Lock: X Add/Replaced Plug: X 2" Add/Replaced Bolt: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206127 Job Number: 386498  
 Site Address: 2301-2337 Blanding Avenue Event Date: 1/18/12 (inclusive)  
 City: Alameda, CA Sampler: JH

Well ID MW-1RB

Date Monitored: 1/18/12

Well Diameter 2

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Total Depth 19.96 ft.

Depth to Water 14.71 ft.

Check if water column is less than 0.50 ft.

5.25 xVF .17 = .89 x3 case volume = Estimated Purge Volume: 2.67 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 15.76

### Purge Equipment:

Disposable Bailer X  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer X  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbent Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_

Start Time (purge): 1700 Weather Conditions: cloudy  
 Sample Time/Date: 1720 1/18/12 Water Color: Grey Odor: (S) / L, D, R  
 Approx. Flow Rate: \_\_\_\_\_ gpm. Sediment Description: Heavy  
 Did well de-water? no If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: 15.70

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - (S))	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1703</u>	<u>1</u>	<u>7.60</u>	<u>864</u>	<u>17.7</u>		
<u>1706</u>	<u>1.5</u>	<u>7.49</u>	<u>890</u>	<u>17.4</u>		
<u>1709</u>	<u>2.5</u>	<u>7.38</u>	<u>903</u>	<u>17.1</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-1RB</u>	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX(8260)
	<u>2</u> x 1 liter ambers	YES	NP	LANCASTER	TPH-DRO (8015)
	<u>2</u> x 1 liter ambers	YES	NP	LANCASTER	TPH-DRO w/sgc COLUMN

### COMMENTS:

Add/Replaced Lock: X Add/Replaced Plug: X 2" Add/Replaced Bolt: \_\_\_\_\_





# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206127 Job Number: 386498  
 Site Address: 2301-2337 Blanding Avenue Event Date: 1/18/12 (inclusive)  
 City: Alameda, CA Sampler: JH

Well ID: MW-2  
 Well Diameter: 2  
 Total Depth: 15.60 ft.  
 Depth to Water: 3.85 ft.  
11.75 x VF .17 = 1.99

Date Monitored: 1/18/12

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 6.20 x3 case volume = Estimated Purge Volume: 5.99 gal.

### Purge Equipment:

Disposable Bailer X  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer X  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbent Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_

Start Time (purge): 1300 Weather Conditions: cloudy  
 Sample Time/Date: 1330 / 1/18/12 Water Color: 6 tan Odor: Y 160  
 Approx. Flow Rate: - gpm. Sediment Description: L. 1.5  
 Did well de-water? NO If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: 5.17

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - <u>DS</u> )	Temperature (° / F)	D.O. (mg/L)	ORP (mV)
<u>1305</u>	<u>2</u>	<u>7.18</u>	<u>412</u>	<u>17.8</u>	_____	_____
<u>1310</u>	<u>4</u>	<u>7.13</u>	<u>419</u>	<u>17.6</u>	_____	_____
<u>1315</u>	<u>6</u>	<u>7.04</u>	<u>434</u>	<u>17.5</u>	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-2	6 x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX(8260)
	2 x 1 liter ambers	YES	NP	LANCASTER	TPH-DRO (8015)
	2 x 1 liter ambers	YES	NP	LANCASTER	TPH-DRO w/sgc COLUMN

### COMMENTS:

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206127 Job Number: 386498  
 Site Address: 2301-2337 Blanding Avenue Event Date: 1/18/12 (inclusive)  
 City: Alameda, CA Sampler: SH

Well ID: MW-3  
 Well Diameter: 2  
 Total Depth: 17.90 ft.  
 Depth to Water: 5.22 ft.

Date Monitored: 1/18/12

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.  
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 7.75  
 x3 case volume = Estimated Purge Volume: 6.46 gal.

### Purge Equipment:

Disposable Bailer X  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer X  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbent Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_

Start Time (purge): 1345 Weather Conditions: cloudy  
 Sample Time/Date: 1420 / 1/18/12 Water Color: clear Odor: Y10  
 Approx. Flow Rate: \_\_\_\_\_ gpm. Sediment Description: none  
 Did well de-water? No If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: 6.61

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - 15)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1350</u>	<u>2</u>	<u>7.39</u>	<u>844</u>	<u>16.8</u>		
<u>1355</u>	<u>4</u>	<u>7.30</u>	<u>867</u>	<u>17.0</u>		
<u>1401</u>	<u>6</u>	<u>7.22</u>	<u>891</u>	<u>16.9</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-3	6 x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX(8260)
	2 x 1 liter ambers	YES	NP	LANCASTER	TPH-DRO (8015)
	2 x 1 liter ambers	YES	NP	LANCASTER	TPH-DRO w/sgc COLUMN

### COMMENTS:

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206127 Job Number: 386498  
 Site Address: 2301-2337 Blanding Avenue Event Date: 1/18/12 (inclusive)  
 City: Alameda, CA Sampler: JH

Well ID: MW-4 Date Monitored: 1/18/12  
 Well Diameter: 2  
 Total Depth: 20.20 ft.  
 Depth to Water: 8.36 ft.  Check if water column is less than 0.50 ft.  
11.84 xVF .17 = 2.01 x3 case volume = Estimated Purge Volume: 6.03 gal.  
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 10.72

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

### Purge Equipment:

Disposable Bailer X  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer X  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_

Start Time (purge): 1445 Weather Conditions: cloudy  
 Sample Time/Date: 1515 / 1/18/12 Water Color: clear Odor: Y10  
 Approx. Flow Rate: \_\_\_\_\_ gpm. Sediment Description: none  
 Did well de-water? no If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: 10.42

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - 25)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1450</u>	<u>2</u>	<u>7.68</u>	<u>725</u>	<u>18.2</u>		
<u>1456</u>	<u>4</u>	<u>7.53</u>	<u>761</u>	<u>18.0</u>		
<u>1502</u>	<u>6</u>	<u>7.47</u>	<u>784</u>	<u>17.9</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-4</u>	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX(8260)
	<u>2</u> x 1 liter ambers	YES	NP	LANCASTER	TPH-DRO (8015)
	<u>2</u> x 1 liter ambers	YES	NP	LANCASTER	TPH-DRO w/sgc COLUMN

### COMMENTS:

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206127 Job Number: 386498  
 Site Address: 2301-2337 Blanding Avenue Event Date: 1/18/12 (inclusive)  
 City: Alameda, CA Sampler: JH

Well ID: MW-5  
 Well Diameter: 2  
 Total Depth: 17.93 ft.  
 Depth to Water: 5.98 ft.  
11.95 xVF .17 = 2.03

Date Monitored: 1/18/12

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 8.37 gal. Estimated Purge Volume: 6.09 gal.

### Purge Equipment:

Disposable Bailer X  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer X  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbent Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_

Start Time (purge): 1530 Weather Conditions: clear  
 Sample Time/Date: 1600 / 1/18/12 Water Color: Tan Odor: Y / W  
 Approx. Flow Rate: \_\_\_\_\_ gpm. Sediment Description: L.S.H.  
 Did well de-water? NO If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: 7.05

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - 10)	Temperature (° F)	D.O. (mg/L)	ORP (mV)
<u>1536</u>	<u>2</u>	<u>7.42</u>	<u>658</u>	<u>17.4</u>		
<u>1541</u>	<u>4</u>	<u>7.56</u>	<u>671</u>	<u>17.3</u>		
<u>1546</u>	<u>6</u>	<u>7.39</u>	<u>690</u>	<u>17.1</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-5</u>	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX(8260)
	<u>2</u> x 1 liter ambers	YES	NP	LANCASTER	TPH-DRO (8015)
	<u>2</u> x 1 liter ambers	YES	NP	LANCASTER	TPH-DRO w/sgc COLUMN

### COMMENTS:

\_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206127 Job Number: 386498  
 Site Address: 2301-2337 Blanding Avenue Event Date: 1/18/12 (inclusive)  
 City: Alameda, CA Sampler: JH

Well ID: MW-6 Date Monitored: 1/18/12  
 Well Diameter: 2  
 Total Depth: 20.04 ft.  
 Depth to Water: 9.82 ft.  Check if water column is less than 0.50 ft.  
10.22 xVF .17 = 1.73 x3 case volume = Estimated Purge Volume: 5.21 gal.  
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 11.86

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

### Purge Equipment:

Disposable Bailer X  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer X  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_

Start Time (purge): 1615 Weather Conditions: cloudy  
 Sample Time/Date: 1645 1/18/12 Water Color: tur Odor: Y 10  
 Approx. Flow Rate: \_\_\_\_\_ gpm. Sediment Description: L.S.H.  
 Did well de-water? NO If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: 11.28

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - US)	Temperature (°C / F)	D.O. (mg/L)	ORP (mV)
<u>1620</u>	<u>1.5</u>	<u>7.39</u>	<u>683</u>	<u>18.5</u>	_____	_____
<u>1625</u>	<u>3.5</u>	<u>7.20</u>	<u>697</u>	<u>18.2</u>	_____	_____
<u>1630</u>	<u>5.0</u>	<u>7.05</u>	<u>714</u>	<u>18.1</u>	_____	_____


### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-6</u>	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX(8260)
	<u>2</u> x 1 liter ambers	YES	NP	LANCASTER	TPH-DRO (8015)
	<u>2</u> x 1 liter ambers	YES	NP	LANCASTER	TPH-DRO w/sgc COLUMN

### COMMENTS:

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_

# Chevron California Region Analysis Request/Chain of Custody



012012-05

For Lancaster Laboratories use only

Acct. #: \_\_\_\_\_ Sample # \_\_\_\_\_ Group #: **008669**

Please refer all sample results directly to the Lead Consultant and cc: G-R.

SS#206127 OMI G-R#386498 GlobalID#T06019744728

Facility #: 2301-2337 BLANDING AVENUE, ALAMEDA, CA  
 Site Address: MB CRASB Silva  
 Chevron PM: G-R, Inc., 6747 Sierra Blvd, Consultant, Dublin, CA 94568  
 Consultant/Office: Deanna L. Harding (deanna@grinc.com)  
 Consultant Prj. Mgr. 925-551-7555 925-551-7899  
 Consultant Phone #: \_\_\_\_\_ Fax #: \_\_\_\_\_  
 Sampler: J. H. 11/22/02

Matrix	Analyses Requested									
	Preservation Codes									
Soil Water Oil <input type="checkbox"/> Air	Total Number of Containers	BTEX <del>8260</del> 8021	TPH 8015 MOD GRO	TPH 8015 MOD DRO	8260 full scan	Oxygenates	Total Lead	Method	Dissolved Lead	Method
				<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

**Preservative Codes**  
 H = HCl      T = Thiosulfate  
 N = HNO<sub>3</sub>      B = NaOH  
 S = H<sub>2</sub>SO<sub>4</sub>      O = Other

J value reporting needed  
 Must meet lowest detection limits possible for 8260 compounds

8021 MTBE Confirmation  
 Confirm highest hit by 8260  
 Confirm all hits by 8260  
 Run \_\_\_ oxy's on highest hit  
 Run \_\_\_ oxy's on all hits

Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil <input type="checkbox"/> Air	Total Number of Containers
<u>QA</u>	<u>11/11/02</u>		<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		<u>2</u>
<u>MW-1RA</u>		<u>1800</u>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		<u>10</u>
<u>MW-1RB</u>		<u>1720</u>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		<u>10</u>
<u>MW-2</u>		<u>1330</u>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		<u>10</u>
<u>MW-3</u>		<u>1420</u>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		<u>10</u>
<u>MW-4</u>		<u>1515</u>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		<u>10</u>
<u>MW-5</u>		<u>1600</u>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		<u>10</u>
<u>MW-6</u>		<u>1645</u>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		<u>10</u>

**Comments / Remarks**

TPH-DRO WITH SILICA GEL REQUESTING 10 GRAM COLUMN CLEAN-UP WITH CAPRIC ACID REVERSE SURROGATE

**Turnaround Time Requested (TAT)** (please circle)

STD. TAT      72 hour      48 hour  
 24 hour      4 day      5 day

**Data Package Options** (please circle if required) **EDF/EDD**

QC Summary      Type I - Full  
 Type VI (Raw Data)       Coelt Deliverable not needed  
 WIP (RWQCB)  
 Disk

Relinquished by: _____	Date: <u>11/18/02</u>	Time: <u>2000</u>	Received by: <u>GETTLEB - RYAN FAIR</u>	Date: <u>11-20-02</u>	Time: <u>0700P</u>
Relinquished by: _____	Date: <u>11-20-02</u>	Time: <u>1414</u>	Received by: _____	Date: <u>26 JAN 02</u>	Time: <u>1414</u>
Relinquished by: _____	Date: _____	Time: _____	Received by: _____	Date: _____	Time: _____
Relinquished by Commercial Carrier:	UPS      FedEx      Other _____		Received by: _____	Date: _____	Time: _____
Temperature Upon Receipt _____ C°	Custody Seals Intact?		Yes	No	

ATTACHMENT B

LABORATORY ANALYTICAL REPORT

## ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories  
2425 New Holland Pike  
Lancaster, PA 17605-2425

Prepared for:

Chevron  
6001 Bollinger Canyon Rd L4310  
San Ramon CA 94583

February 10, 2012

Project: 206127

Submittal Date: 01/21/2012  
Group Number: 1286026  
PO Number: 0015074462  
Release Number: BAUER  
State of Sample Origin: CAClient Sample DescriptionQA-T-120118 NA Water  
MW-1RA-W-120118 Grab Water  
MW-1RB-W-120118 Grab Water  
MW-2-W-120118 Grab Water  
MW-3-W-120118 Grab Water  
MW-4-W-120118 Grab Water  
MW-5-W-120118 Grab Water  
MW-6-W-120118 Grab WaterLancaster Labs (LLI) #6528304  
6528305  
6528306  
6528307  
6528308  
6528309  
6528310  
6528311

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO  
ELECTRONIC COPY TO  
ELECTRONIC COPY TO  
ELECTRONIC COPY TO  
ELECTRONIC COPY TO  
CRA c/o Gettler-Ryan  
Chevron c/o CRA  
Chevron  
CRA

Attn: Rachelle Munoz

Attn: Report Contact


Attn: Anna Avina

Attn: Brian Silva



Questions? Contact your Client Services Representative  
Jill M Parker at (717) 656-2300 Ext. 1241

Respectfully Submitted,



**Susan M. Goshert**  
**Group Leader**

**Sample Description:** QA-T-120118 NA Water  
 Facility# 206127 Job# 386498 GRD  
 2301-2337 Blanding-Alameda T06019744728 QA

LLI Sample # WW 6528304  
 LLI Group # 1286026  
 Account # 10904

**Project Name:** 206127

Collected: 01/18/2012

Chevron

Submitted: 01/21/2012 10:30

6001 Bollinger Canyon Rd L4310

Reported: 02/10/2012 13:50

San Ramon CA 94583

BAAQA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC/MS Volatiles SW-846 8260B ug/l</b>					
10943	Benzene	71-43-2	N.D.	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
<b>GC Volatiles SW-846 8015B ug/l</b>					
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1

### General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX 8260B Water	SW-846 8260B	1	D120261AA	01/26/2012 16:32	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D120261AA	01/26/2012 16:32	Daniel H Heller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12024B07A	01/26/2012 11:42	Laura M Krieger	1
01146	GC VOA Water Prep	SW-846 5030B	1	12024B07A	01/26/2012 11:42	Laura M Krieger	1

**Sample Description:** MW-1RA-W-120118 Grab Water  
**Facility#** 206127 **Job#** 386498 GRD  
 2301-2337 Blanding-Alameda T06019744728 MW-1RA

**LLI Sample #** WW 6528305  
**LLI Group #** 1286026  
**Account #** 10904

**Project Name:** 206127

Collected: 01/18/2012 18:00 by JH

Chevron

6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

Submitted: 01/21/2012 10:30

Reported: 02/10/2012 13:50

BAA1A

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC/MS Volatiles</b>					
		<b>SW-846 8260B</b>	<b>ug/l</b>	<b>ug/l</b>	
10943	Benzene	71-43-2	1,300	5	10
10943	Ethylbenzene	100-41-4	38	5	10
10943	Toluene	108-88-3	17	5	10
10943	Xylene (Total)	1330-20-7	12	5	10
<b>GC Volatiles</b>					
		<b>SW-846 8015B</b>	<b>ug/l</b>	<b>ug/l</b>	
01728	TPH-GRO N. CA water C6-C12	n.a.	6,400	250	5
<b>GC Petroleum Hydrocarbons</b>					
		<b>SW-846 8015B</b>	<b>ug/l</b>	<b>ug/l</b>	
08269	TPH-DRO water C10-C28	n.a.	4,300	50	1
The response for a target analyte(s) in the continuing calibration verification standard is outside the QC acceptance limits. The client was contacted and the data reported.					
02216	TPH-DRO water C10-C28 w/Si Gel	n.a.	1,400	50	1
The reverse surrogate, capric acid, was present at <1%.					

### General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX 8260B Water	SW-846 8260B	1	D120261AA	01/26/2012 16:55	Daniel H Heller	10
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D120261AA	01/26/2012 16:55	Daniel H Heller	10
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12025A20A	01/26/2012 06:22	Marie D John	5
01146	GC VOA Water Prep	SW-846 5030B	1	12025A20A	01/26/2012 06:22	Marie D John	5
08269	TPH-DRO water C10-C28	SW-846 8015B	1	120230021A	01/27/2012 13:32	Lisa A Reinert	1
02216	TPH-DRO water C10-C28 w/Si Gel	SW-846 8015B	1	120230022A	02/01/2012 02:50	Michele D Hamilton	1
11172	DRO by 8015 w/ Silica Gel Ext	SW-846 3510C	1	120230022A	01/24/2012 09:20	Cynthia J Salvatori	1
07003	Extraction - DRO (Waters)	SW-846 3510C	1	120230021A	01/24/2012 09:20	Cynthia J Salvatori	1

**Sample Description:** MW-1RB-W-120118 Grab Water  
**Facility#** 206127 **Job#** 386498 GRD  
 2301-2337 Blanding-Alameda T06019744728 MW-1RB

**LLI Sample #** WW 6528306  
**LLI Group #** 1286026  
**Account #** 10904

**Project Name:** 206127

Collected: 01/18/2012 17:20 by JH

Chevron

6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

Submitted: 01/21/2012 10:30

Reported: 02/10/2012 13:50

BAA1B

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC/MS Volatiles</b>					
	<b>SW-846 8260B</b>		<b>ug/l</b>	<b>ug/l</b>	
10943	Benzene	71-43-2	11	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
<b>GC Volatiles</b>					
	<b>SW-846 8015B</b>		<b>ug/l</b>	<b>ug/l</b>	
01728	TPH-GRO N. CA water C6-C12	n.a.	340	50	1
<b>GC Petroleum Hydrocarbons</b>					
	<b>SW-846 8015B</b>		<b>ug/l</b>	<b>ug/l</b>	
08269	TPH-DRO water C10-C28	n.a.	2,400	50	1
The response for a target analyte(s) in the continuing calibration verification standard is outside the QC acceptance limits. The client was contacted and the data reported.					
02216	TPH-DRO water C10-C28 w/Si Gel	n.a.	260	50	1
The reverse surrogate, capric acid, was present at <1%. Target analytes were detected in the method blank associated with the samples as noted on the QC Summary. The client was contacted and the data reported.					

### General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX 8260B Water	SW-846 8260B	1	D120261AA	01/26/2012 17:18	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D120261AA	01/26/2012 17:18	Daniel H Heller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12025A20A	01/26/2012 01:14	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	12025A20A	01/26/2012 01:14	Marie D John	1
08269	TPH-DRO water C10-C28	SW-846 8015B	1	120230021A	01/27/2012 13:57	Lisa A Reinert	1
02216	TPH-DRO water C10-C28 w/Si Gel	SW-846 8015B	1	120230022A	02/01/2012 03:17	Michele D Hamilton	1
11172	DRO by 8015 w/ Silica Gel Ext	SW-846 3510C	1	120230022A	01/24/2012 09:20	Cynthia J Salvatori	1
07003	Extraction - DRO (Waters)	SW-846 3510C	1	120230021A	01/24/2012 09:20	Cynthia J Salvatori	1

**Sample Description:** MW-2-W-120118 Grab Water  
**Facility#** 206127 **Job#** 386498 GRD  
 2301-2337 Blanding-Alameda T06019744728 MW-2

**LLI Sample #** WW 6528307  
**LLI Group #** 1286026  
**Account #** 10904

**Project Name:** 206127

Collected: 01/18/2012 13:30 by JH

Chevron

6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

Submitted: 01/21/2012 10:30

Reported: 02/10/2012 13:50

BAA02

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC/MS Volatiles SW-846 8260B ug/l</b>					
10943	Benzene	71-43-2	N.D.	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
<b>GC Volatiles SW-846 8015B ug/l</b>					
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1
<b>GC Petroleum SW-846 8015B ug/l</b>					
<b>Hydrocarbons</b>					
08269	TPH-DRO water C10-C28	n.a.	140	50	1
02216	TPH-DRO water C10-C28 w/Si Gel	n.a.	N.D.	50	1
The reverse surrogate, capric acid, was present at <1%.					

### General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX 8260B Water	SW-846 8260B	1	D120262AA	01/26/2012 13:19	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D120262AA	01/26/2012 13:19	Daniel H Heller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12025A20A	01/26/2012 01:36	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	12025A20A	01/26/2012 01:36	Marie D John	1
08269	TPH-DRO water C10-C28	SW-846 8015B	2	120230021A	02/07/2012 00:14	Michele D Hamilton	1
02216	TPH-DRO water C10-C28 w/Si Gel	SW-846 8015B	1	120230022A	02/01/2012 03:44	Michele D Hamilton	1
11172	DRO by 8015 w/ Silica Gel Ext	SW-846 3510C	1	120230022A	01/24/2012 09:20	Cynthia J Salvatori	1
07003	Extraction - DRO (Waters)	SW-846 3510C	1	120230021A	01/24/2012 09:20	Cynthia J Salvatori	1

**Sample Description:** MW-3-W-120118 Grab Water  
**Facility#** 206127 **Job#** 386498 GRD  
 2301-2337 Blanding-Alameda T06019744728 MW-3

**LLI Sample #** WW 6528308  
**LLI Group #** 1286026  
**Account #** 10904

**Project Name:** 206127

Collected: 01/18/2012 14:20 by JH

Chevron

6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

Submitted: 01/21/2012 10:30

Reported: 02/10/2012 13:50

BAA03

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC/MS Volatiles</b>					
		<b>SW-846 8260B</b>	<b>ug/l</b>	<b>ug/l</b>	
10943	Benzene	71-43-2	N.D.	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
<b>GC Volatiles</b>					
		<b>SW-846 8015B</b>	<b>ug/l</b>	<b>ug/l</b>	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1
<b>GC Petroleum Hydrocarbons</b>					
		<b>SW-846 8015B</b>	<b>ug/l</b>	<b>ug/l</b>	
08269	TPH-DRO water C10-C28	n.a.	1,700	50	1
The response for a target analyte(s) in the continuing calibration verification standard is outside the QC acceptance limits. The client was contacted and the data reported.					
02216	TPH-DRO water C10-C28 w/Si Gel	n.a.	N.D.	50	1
The reverse surrogate, capric acid, was present at <1%.					

### General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX 8260B Water	SW-846 8260B	1	D120262AA	01/26/2012 14:28	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D120262AA	01/26/2012 14:28	Daniel H Heller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12025A20A	01/26/2012 01:58	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	12025A20A	01/26/2012 01:58	Marie D John	1
08269	TPH-DRO water C10-C28	SW-846 8015B	1	120230021A	01/27/2012 14:23	Lisa A Reinert	1
02216	TPH-DRO water C10-C28 w/Si Gel	SW-846 8015B	1	120230022A	02/01/2012 04:12	Michele D Hamilton	1
11172	DRO by 8015 w/ Silica Gel Ext	SW-846 3510C	1	120230022A	01/24/2012 09:20	Cynthia J Salvatori	1
07003	Extraction - DRO (Waters)	SW-846 3510C	1	120230021A	01/24/2012 09:20	Cynthia J Salvatori	1

**Sample Description: MW-4-W-120118 Grab Water**  
**Facility# 206127 Job# 386498 GRD**  
**2301-2337 Blanding-Alameda T06019744728 MW-4**

**LLI Sample # WW 6528309**  
**LLI Group # 1286026**  
**Account # 10904**

**Project Name: 206127**

Collected: 01/18/2012 15:15 by JH

Chevron

6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

Submitted: 01/21/2012 10:30

Reported: 02/10/2012 13:50

BAA04

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC/MS Volatiles SW-846 8260B ug/l ug/l</b>					
10943	Benzene	71-43-2	N.D.	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
<b>GC Volatiles SW-846 8015B ug/l ug/l</b>					
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1
<b>GC Petroleum SW-846 8015B ug/l ug/l</b>					
<b>Hydrocarbons</b>					
08269	TPH-DRO water C10-C28	n.a.	330	50	1
The response for a target analyte(s) in the continuing calibration verification standard is outside the QC acceptance limits. The client was contacted and the data reported.					
02216	TPH-DRO water C10-C28 w/Si Gel	n.a.	N.D.	50	1
The reverse surrogate, capric acid, was present at <1%.					

**General Sample Comments**

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

**Laboratory Sample Analysis Record**

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX 8260B Water	SW-846 8260B	1	D120262AA	01/26/2012 14:51	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D120262AA	01/26/2012 14:51	Daniel H Heller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12025A20A	01/26/2012 02:20	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	12025A20A	01/26/2012 02:20	Marie D John	1
08269	TPH-DRO water C10-C28	SW-846 8015B	1	120230021A	01/27/2012 13:07	Lisa A Reinert	1
02216	TPH-DRO water C10-C28 w/Si Gel	SW-846 8015B	1	120230022A	02/01/2012 04:40	Michele D Hamilton	1
11172	DRO by 8015 w/ Silica Gel Ext	SW-846 3510C	1	120230022A	01/24/2012 09:20	Cynthia J Salvatori	1
07003	Extraction - DRO (Waters)	SW-846 3510C	1	120230021A	01/24/2012 09:20	Cynthia J Salvatori	1

**Sample Description: MW-5-W-120118 Grab Water**  
**Facility# 206127 Job# 386498 GRD**  
**2301-2337 Blanding-Alameda T06019744728 MW-5**

**LLI Sample # WW 6528310**  
**LLI Group # 1286026**  
**Account # 10904**

**Project Name: 206127**

Collected: 01/18/2012 16:00 by JH

Chevron

6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

Submitted: 01/21/2012 10:30

Reported: 02/10/2012 13:50

BAA05

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC/MS Volatiles SW-846 8260B ug/l ug/l</b>					
10943	Benzene	71-43-2	140	0.5	1
10943	Ethylbenzene	100-41-4	2	0.5	1
10943	Toluene	108-88-3	7	0.5	1
10943	Xylene (Total)	1330-20-7	10	0.5	1
<b>GC Volatiles SW-846 8015B ug/l ug/l</b>					
01728	TPH-GRO N. CA water C6-C12	n.a.	3,500	50	1
<b>GC Petroleum SW-846 8015B ug/l ug/l</b>					
<b>Hydrocarbons</b>					
08269	TPH-DRO water C10-C28	n.a.	3,700	50	1
02216	TPH-DRO water C10-C28 w/Si Gel	n.a.	460	50	1
The reverse surrogate, capric acid, was present at <1%. Target analytes were detected in the method blank associated with the samples as noted on the QC Summary. The client was contacted and the data reported.					

### General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX 8260B Water	SW-846 8260B	1	D120262AA	01/26/2012 15:14	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D120262AA	01/26/2012 15:14	Daniel H Heller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12025A20A	01/26/2012 02:42	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	12025A20A	01/26/2012 02:42	Marie D John	1
08269	TPH-DRO water C10-C28	SW-846 8015B	1	120230021A	01/27/2012 14:48	Lisa A Reinert	1
02216	TPH-DRO water C10-C28 w/Si Gel	SW-846 8015B	1	120230022A	02/01/2012 05:08	Michele D Hamilton	1
11172	DRO by 8015 w/ Silica Gel Ext	SW-846 3510C	1	120230022A	01/24/2012 09:20	Cynthia J Salvatori	1
07003	Extraction - DRO (Waters)	SW-846 3510C	1	120230021A	01/24/2012 09:20	Cynthia J Salvatori	1



**Sample Description: MW-6-W-120118 Grab Water**  
**Facility# 206127 Job# 386498 GRD**  
**2301-2337 Blanding-Alameda T06019744728 MW-6**

**LLI Sample # WW 6528311**  
**LLI Group # 1286026**  
**Account # 10904**

**Project Name: 206127**

Collected: 01/18/2012 16:45 by JH

Chevron

6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

Submitted: 01/21/2012 10:30

Reported: 02/10/2012 13:50

BAA06

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC/MS Volatiles SW-846 8260B ug/l ug/l</b>					
10943	Benzene	71-43-2	7	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
<b>GC Volatiles SW-846 8015B ug/l ug/l</b>					
01728	TPH-GRO N. CA water C6-C12	n.a.	300	50	1
<b>GC Petroleum SW-846 8015B ug/l ug/l</b>					
<b>Hydrocarbons</b>					
08269	TPH-DRO water C10-C28	n.a.	1,300	50	1
The response for a target analyte(s) in the continuing calibration verification standard is outside the QC acceptance limits. The client was contacted and the data reported.					
02216	TPH-DRO water C10-C28 w/Si Gel	n.a.	N.D.	50	1
The reverse surrogate, capric acid, was present at <1%.					

### General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX 8260B Water	SW-846 8260B	1	D120262AA	01/26/2012 15:36	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D120262AA	01/26/2012 15:36	Daniel H Heller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12025A20A	01/26/2012 03:04	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	12025A20A	01/26/2012 03:04	Marie D John	1
08269	TPH-DRO water C10-C28	SW-846 8015B	1	120230021A	01/27/2012 12:42	Lisa A Reinert	1
02216	TPH-DRO water C10-C28 w/Si Gel	SW-846 8015B	1	120230022A	02/01/2012 05:35	Michele D Hamilton	1
11172	DRO by 8015 w/ Silica Gel Ext	SW-846 3510C	1	120230022A	01/24/2012 09:20	Cynthia J Salvatori	1
07003	Extraction - DRO (Waters)	SW-846 3510C	1	120230021A	01/24/2012 09:20	Cynthia J Salvatori	1

## Quality Control Summary

Client Name: Chevron  
Reported: 02/10/12 at 01:50 PM

Group Number: 1286026

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

### Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: D120261AA	Sample number(s): 6528304-6528306							
Benzene	N.D.	0.5	ug/l	86		79-120		
Ethylbenzene	N.D.	0.5	ug/l	88		79-120		
Toluene	N.D.	0.5	ug/l	88		79-120		
Xylene (Total)	N.D.	0.5	ug/l	92		80-120		
Batch number: D120262AA	Sample number(s): 6528307-6528311							
Benzene	N.D.	0.5	ug/l	102		79-120		
Ethylbenzene	N.D.	0.5	ug/l	89		79-120		
Toluene	N.D.	0.5	ug/l	90		79-120		
Xylene (Total)	N.D.	0.5	ug/l	91		80-120		
Batch number: 12024B07A	Sample number(s): 6528304							
TPH-GRO N. CA water C6-C12	N.D.	50.	ug/l	109	109	75-135	0	30
Batch number: 12025A20A	Sample number(s): 6528305-6528311							
TPH-GRO N. CA water C6-C12	N.D.	50.	ug/l	91	91	75-135	0	30
Batch number: 120230021A	Sample number(s): 6528305-6528311							
TPH-DRO water C10-C28	N.D.	32.	ug/l	94	94	56-122	0	20
Batch number: 120230022A	Sample number(s): 6528305-6528311							
TPH-DRO water C10-C28 w/Si Gel	85	32.	ug/l	81	81	50-124	0	20

### Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike  
Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD</u>	<u>RPD MAX</u>	<u>BKG Conc</u>	<u>DUP Conc</u>	<u>DUP RPD</u>	<u>Dup RPD Max</u>
Batch number: D120261AA	Sample number(s): 6528304-6528306 UNSPK: P527534								
Benzene	98	87	80-126	11	30				
Ethylbenzene	99	85	71-134	7	30				
Toluene	94	86	80-125	9	30				
Xylene (Total)	98	90	79-125	8	30				
Batch number: D120262AA	Sample number(s): 6528307-6528311 UNSPK: 6528307								
Benzene	114	101	80-126	12	30				
Ethylbenzene	98	88	71-134	11	30				
Toluene	97	90	80-125	8	30				
Xylene (Total)	98	89	79-125	10	30				

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: Chevron  
Reported: 02/10/12 at 01:50 PM

Group Number: 1286026

### Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike  
Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS</u> <u>%REC</u>	<u>MSD</u> <u>%REC</u>	<u>MS/MSD</u> <u>Limits</u>	<u>RPD</u>	<u>BKG</u> <u>Conc</u>	<u>DUP</u> <u>Conc</u>	<u>DUP</u> <u>RPD</u>	<u>Dup RPD</u> <u>Max</u>
----------------------	--------------------------	---------------------------	--------------------------------	------------	---------------------------	---------------------------	--------------------------	------------------------------

### Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: UST VOCs by 8260B - Water  
Batch number: D120261AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
6528304	106	103	101	87
6528305	95	100	102	95
6528306	102	101	99	97
Blank	105	98	102	87
LCS	97	95	99	97
MS	96	98	101	101
MSD	96	98	104	105
Limits:	80-116	77-113	80-113	78-113

Analysis Name: UST VOCs by 8260B - Water  
Batch number: D120262AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
6528307	110	102	95	91
6528308	107	102	92	91
6528309	111	99	91	89
6528310	101	97	96	101
6528311	102	102	94	95
Blank	111	99	94	88
LCS	109	102	91	99
MS	106	101	92	99
MSD	106	102	94	101
Limits:	80-116	77-113	80-113	78-113

Analysis Name: TPH-GRO N. CA water C6-C12  
Batch number: 12024B07A

	Trifluorotoluene-F
6528304	111
Blank	112
LCS	117
LCSD	119
Limits:	63-135

Analysis Name: TPH-GRO N. CA water C6-C12  
Batch number: 12025A20A

	Trifluorotoluene-F
--	--------------------

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: Chevron  
Reported: 02/10/12 at 01:50 PM

Group Number: 1286026

### Surrogate Quality Control

---

6528305	119
6528306	94
6528307	87
6528308	84
6528309	84
6528310	194*
6528311	100
Blank	87
LCS	105
LCSD	105

---

Limits: 63-135

Analysis Name: TPH-DRO water C10-C28  
Batch number: 120230021A  
Orthoterphenyl

---

6528305	92
6528306	80
6528307	98
6528308	104
6528309	98
6528310	97
6528311	92
Blank	101
LCS	99
LCSD	99

---

Limits: 54-127

Analysis Name: TPH-DRO water C10-C28 w/Si Gel  
Batch number: 120230022A  
Orthoterphenyl

---

6528305	100
6528306	80
6528307	93
6528308	99
6528309	96
6528310	96
6528311	90
Blank	106
LCS	95
LCSD	94

---

Limits: 54-127

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

# Chevron California Region Analysis Request/Chain of Custody



012012-05

For Lancaster Laboratories use only  
 Acct. #: 10904 Sample # 6528304-11 Group #: 008669

Results directly to the Lead Consultant and cc: G-R.

SS#200127-OML G-R#380498 GlobalID#T00019744728  
 Facility #: 2301-2337 BLANDING AVENUE, ALAMEDA, CA  
 Site Address: MB CRASB Silva  
 Chevron PM: G-R, Inc., 6747 Sierra Court, Suite J, Dublin, CA 94568  
 Consultant/Office: Deanna L. Harding (deanna@grinc.com)  
 Consultant Prj. Mgr: 925-551-7555 925-551-7899  
 Consultant Phone #: Fax #:  
 Sampler: Jim Heenan

Analyses Requested									
Matrix					Preservation Codes				
Soil	Water	Oil	Air	Total Number of Containers	H	H			
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	BTEX + 8260 <input checked="" type="checkbox"/>					
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	TPH 8015 MOD GRO					
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	TPH 8015 MOD DRO <input checked="" type="checkbox"/>					
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8260 full scan					
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Oxygenates					
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Total Lead Method					
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Dissolved Lead Method					
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	TPH-DRO (8015)					

G# 1286026

**Preservative Codes**  
 H = HCl T = Thiosulfate  
 N = HNO<sub>3</sub> B = NaOH  
 S = H<sub>2</sub>SO<sub>4</sub> O = Other

J value reporting needed  
 Must meet lowest detection limits possible for 8260 compounds  
 8021 MTBE Confirmation  
 Confirm highest hit by 8260  
 Confirm all hits by 8260  
 Run \_\_\_ oxy's on highest hit  
 Run \_\_\_ oxy's on all hits

Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	BTEX + 8260	TPH 8015 MOD GRO	TPH 8015 MOD DRO	8260 full scan	Oxygenates	Total Lead Method	Dissolved Lead Method	TPH-DRO (8015)
QA	1/18/12		X			X			2	X	X	X					
MW-1RA		1800	X			X			10	X	X	X					X
MW-1RB		1720	X			X			10	X	X	X					X
MW-2		1330	X			X			10	X	X	X					X
MW-3		1420	X			X			10	X	X	X					X
MW-4		1515	X			X			10	X	X	X					X
MW-5		1600	X			X			10	X	X	X					X
MW-6		1645	X			X			10	X	X	X					X

**Comments / Remarks**

TPH-DRO WITH SILICA GEL REQUESTING 10 GRAM COLUMN CLEAN-UP WITH CAPRIC ACID REVERSE SURROGATE

**Turnaround Time Requested (TAT)** (please circle)  
 24 hour 48 hour 72 hour  
 4 day 5 day

Relinquished by: [Signature] Date: 1/19/12 Time: 2:00  
 Received by: GUTTLER-RYAN FRIDGE Date: 01-20-12 Time: 07:00

**Data Package Options** (please circle if required)  
 QC Summary Type I - Full **EDF/EDD**  
 Type VI (Raw Data)  Coelt Deliverable not needed  
 WIP (RWQCB)  
 Disk

Relinquished by: [Signature] Date: 1-20-12 Time: 14:00  
 Received by: C. Salzer Date: 20 JAN 12 Time: 14:00

Relinquished by: Commercial Carrier: UPS **FedEx** Other \_\_\_\_\_  
 Date: 20 JAN 12 Time: 16:30  
 Received by: [Signature] Date: 1-21-12 Time: 10:30

Temperature Upon Receipt: 0.6-2.4 C°  
 Custody Seals Intact? **Yes** No

# Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

<b>RL</b>	Reporting Limit	<b>BMQL</b>	Below Minimum Quantitation Level
<b>N.D.</b>	none detected	<b>MPN</b>	Most Probable Number
<b>TNTC</b>	Too Numerous To Count	<b>CP Units</b>	cobalt-chloroplatinate units
<b>IU</b>	International Units	<b>NTU</b>	nephelometric turbidity units
<b>umhos/cm</b>	micromhos/cm	<b>ng</b>	nanogram(s)
<b>C</b>	degrees Celsius	<b>F</b>	degrees Fahrenheit
<b>meq</b>	milliequivalents	<b>lb.</b>	pound(s)
<b>g</b>	gram(s)	<b>kg</b>	kilogram(s)
<b>µg</b>	microgram(s)	<b>mg</b>	milligram(s)
<b>mL</b>	milliliter(s)	<b>L</b>	liter(s)
<b>m3</b>	cubic meter(s)	<b>µL</b>	microliter(s)
		<b>pg/L</b>	picogram/liter
<b>&lt;</b>	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
<b>&gt;</b>	greater than		
<b>J</b>	estimated value – The result is $\geq$ the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).		
<b>ppm</b>	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
<b>ppb</b>	parts per billion		
<b>Dry weight basis</b>	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

## U.S. EPA CLP Data Qualifiers:

Organic Qualifiers	Inorganic Qualifiers
<b>A</b> TIC is a possible aldol-condensation product	<b>B</b> Value is $<$ CRDL, but $\geq$ IDL
<b>B</b> Analyte was also detected in the blank	<b>E</b> Estimated due to interference
<b>C</b> Pesticide result confirmed by GC/MS	<b>M</b> Duplicate injection precision not met
<b>D</b> Compound quantitated on a diluted sample	<b>N</b> Spike sample not within control limits
<b>E</b> Concentration exceeds the calibration range of the instrument	<b>S</b> Method of standard additions (MSA) used for calculation
<b>N</b> Presumptive evidence of a compound (TICs only)	<b>U</b> Compound was not detected
<b>P</b> Concentration difference between primary and confirmation columns $>$ 25%	<b>W</b> Post digestion spike out of control limits
<b>U</b> Compound was not detected	<b>*</b> Duplicate analysis not within control limits
<b>X,Y,Z</b> Defined in case narrative	<b>+</b> Correlation coefficient for MSA $<$ 0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as "analyze immediately" are not performed within 15 minutes.

**WARRANTY AND LIMITS OF LIABILITY** - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

ATTACHMENT C

HISTORICAL GROUNDWATER MONITORING AND SAMPLING DATA

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
**Chevron #206127 (Former Signal Oil Marine Terminal)**  
**2301-2337 Blanding Avenue**  
**Alameda, California**

WELL ID/ DATE	TQC* (fL)	DTW (fL)	GWE (msl)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
<b>MW-1</b>										
01/23/01 <sup>1</sup>	--	7.16	--	1,100 <sup>2,3</sup>	5,210 <sup>4</sup>	868	<50.0	<50.0	<50.0	<250
04/09/01	10.62	8.12	2.50	1,200 <sup>6</sup>	3,000 <sup>5</sup>	920	<20	<20	<20	<100
07/30/01	10.62	9.15	1.47	550 <sup>3,8</sup>	2,000 <sup>7</sup>	730	13	<5.0	<5.0	<25
10/08/01	10.62	7.86	2.76	2,200 <sup>9</sup>	1,200	120	2.4	5.9	6.4	<2.5
01/13/02	10.62	7.02	3.60	3,300 <sup>3</sup>	930	320	0.78	0.87	3.8	<2.5
04/08/02	10.62	9.60	1.02	1,200 <sup>3</sup>	960	50	1.4	2.6	9.0	<2.5
07/31/02	10.62	9.27	1.35	2,800 <sup>3</sup>	930	64	1.4	1.9	11	<5.0
10/15/02	10.62	8.00	2.62	1,000 <sup>3</sup>	620	25	0.78	1.4	4.3	<2.5
01/14/03	10.62	7.05	3.57	960 <sup>3</sup>	1,600	20	1.3	1.3	<1.5	<2.5
04/15/03	10.62	8.02	2.60	920 <sup>3</sup>	870	56	1	1.4	3.1	<2.5
07/16/03 <sup>10</sup>	10.62	10.08	0.54	1,400 <sup>3</sup>	780	85	1	0.8	0.7	<0.5
10/18/03 <sup>10</sup>	10.62	8.51	2.11	1,200 <sup>3</sup>	640	42	0.8	<0.5	0.5	<0.5
01/22/04 <sup>10</sup>	10.62	8.95	1.67	1,500 <sup>3</sup>	440	18	<0.5	<0.5	<0.5	<0.5
04/23/04 <sup>10</sup>	10.62	8.95	1.67	2,200 <sup>3</sup>	410	10	<0.5	<0.5	<0.5	<0.5
07/23/04 <sup>10</sup>	10.62	9.21	1.41	1,800 <sup>3</sup>	400	6	<0.5	<0.5	<0.5	<0.5
10/22/04 <sup>10</sup>	10.62	8.36	2.26	2,200 <sup>3</sup>	150	2	<0.5	<0.5	<0.5	<0.5
01/28/05 <sup>10</sup>	10.62	7.09	3.53	1,200 <sup>3</sup>	55	8	<0.5	<0.5	<0.5	<0.5
04/26/05 <sup>10</sup>	10.62	7.84	2.78	480 <sup>3</sup>	<50	5	<0.5	<0.5	<0.5	<0.5
07/15/05 <sup>10</sup>	10.62	8.12	2.50	610 <sup>3,11</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/14/05 <sup>10</sup>	10.62	8.07	2.55	920 <sup>3,12</sup>	<50	10	<0.5	<0.5	<0.5	<0.5
01/12/06 <sup>10</sup>	10.62	6.98	3.64	960 <sup>3,12</sup>	<50	6	<0.5	<0.5	<0.5	<0.5
04/13/06 <sup>10</sup>	10.62	7.04	3.58	1,200 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/13/06 <sup>10</sup>	10.62	7.13	3.49	1,200 <sup>3</sup>	92	14	<0.5	<0.5	<0.5	<0.5
10/17/06 <sup>10</sup>	10.62	7.64	2.98	990 <sup>3</sup>	<50	3	<0.5	<0.5	<0.5	<0.5
01/16/07 <sup>10</sup>	10.62	7.09	3.53	840 <sup>3</sup>	83	4	<0.5	<0.5	<0.5	<0.5
04/17/07 <sup>10</sup>	10.62	7.11	3.51	1,200 <sup>3</sup>	57	<0.5	<0.5	<0.5	<0.5	<0.5
07/17/07 <sup>10</sup>	10.62	7.41	3.21	1,100 <sup>3</sup>	120	8	<0.5	<0.5	<0.5	<0.5
10/16/07 <sup>10</sup>	10.62	7.55	3.07	750 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/16/08 <sup>10</sup>	10.62	6.98	3.64	1,700 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/16/08 <sup>10</sup>	10.62	7.36	3.26	1,100 <sup>3</sup>	62	<0.5	<0.5	<0.5	<0.5	<0.5
07/16/08 <sup>10</sup>	10.62	7.89	2.73	580 <sup>3</sup>	93	3	<0.5	<0.5	<0.5	<0.5
10/15/08 <sup>10</sup>	10.62	7.46	3.16	740 <sup>3</sup>	56	0.7	<0.5	<0.5	0.8	<0.5



**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
 Chevron #206127 (Former Signal Oil Marine Terminal)  
 2301-2337 Blanding Avenue  
 Alameda, California

WELL ID/ DATE	TOC* (fl.)	DTW (ft.)	GWE (msl)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
<b>MW-1 (cont)</b>										
01/21/09 <sup>10</sup>	10.62	7.19	3.43	390 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/15/09 <sup>10</sup>	10.62	6.93	3.69	1,400 <sup>3</sup>	80	0.7	<0.5	<0.5	<0.5	<0.5
07/03/09 <sup>10</sup>	13.49	8.08	5.41	1,300 <sup>3</sup>	51	<0.5	<0.5	<0.5	<0.5	<0.5
10/01/09 <sup>10</sup>	13.49	9.52	3.97	1,500 <sup>3</sup>	86	<0.5	<0.5	<0.5	<0.5	<0.5
01/19/10 <sup>10</sup>	13.49	7.64	5.85	340 <sup>3,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/26/10 <sup>16</sup>	13.49	9.20	4.29	820 <sup>3</sup>	66	<0.5	<0.5	<0.5	<0.5	<0.5
<b>MW-2</b>										
06/30/09 <sup>1</sup>	10.63	3.80	6.83	--	--	--	--	--	--	--
07/03/09 <sup>14</sup>	10.63	3.91	6.72	<50 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	--
10/01/09 <sup>14</sup>	10.63	4.11	6.52	<50 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	--
01/19/10 <sup>14</sup>	10.63	3.90	6.73	<50 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	--
04/26/10 <sup>14</sup>	10.63	4.08	6.55	<50 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	--
<b>MW-3</b>										
06/30/09 <sup>1</sup>	10.72	4.61	6.11	--	--	--	--	--	--	--
07/03/09 <sup>14</sup>	10.72	4.57	6.15	170 <sup>3</sup>	310	1	<0.5	2	<0.5	--
10/01/09 <sup>14</sup>	10.72	5.22	5.50	1,000 <sup>3</sup>	52	<0.5	<0.5	<0.5	<0.5	--
01/19/10 <sup>14</sup>	10.72	4.84	5.88	1,800 <sup>3</sup>	120	2	<0.5	<0.5	<0.5	--
04/26/10 <sup>14</sup>	10.72	4.86	5.86	1,700 <sup>3</sup>	170	2	<0.5	<0.5	<0.5	--
<b>MW-4</b>										
06/30/09 <sup>1</sup>	11.40	6.02	5.38	--	--	--	--	--	--	--
07/03/09 <sup>14</sup>	11.40	5.85	5.55	<50 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	--
10/01/09 <sup>14</sup>	11.40	6.95	4.45	370 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	--
01/19/10 <sup>14</sup>	11.40	6.22	5.18	110 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	--
04/26/10 <sup>14</sup>	11.40	6.61	4.79	210 <sup>5,17</sup>	<50	<0.5	<0.5	<0.5	<0.5	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
 Chevron #206127 (Former Signal Oil Marine Terminal)  
 2301-2337 Blanding Avenue  
 Alameda, California

WELL ID/ DATE	TQC* (ft.)	DTW (ft.)	GWE (msl)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
<b>MW-5</b>										
06/30/09 <sup>1</sup>	10.50	5.20	5.30	--	--	--	--	--	--	--
07/03/09 <sup>14</sup>	10.50	5.17	5.33	110 <sup>3</sup>	930	33	2	0.6	3	--
10/01/09 <sup>14</sup>	10.50	5.66	4.84	2,500 <sup>3</sup>	1,800	57	3	0.9	5	--
01/19/10 <sup>14</sup>	10.50	5.48	5.02	2,600 <sup>3</sup>	2,200	74	4	1	5	--
04/26/10 <sup>14</sup>	10.50	5.91	4.59	1,700 <sup>3</sup>	2,200	94	4	2	5	--
<b>CS-2</b>										
07/30/01	--	--	--	140 <sup>3,5</sup>	<50	<0.50	<0.50	<0.50	<0.50	<2.5
10/08/01	--	--	--	53 <sup>9</sup>	<50	<0.50	<0.50	<0.50	<1.5	<2.5
01/13/02	--	--	--	<50 <sup>3</sup>	<50	<0.50	<0.50	<0.50	<1.5	<2.5
04/08/02	--	--	--	77 <sup>3</sup>	<50	<0.50	<0.50	<0.50	<1.5	<2.5
07/31/02	--	--	--	<50 <sup>3</sup>	<50	<0.50	<0.50	<0.50	<1.5	<2.5
10/15/02	--	--	--	<50 <sup>3</sup>	<50	<0.50	<0.50	<0.50	<1.5	<2.5
01/14/03	--	--	--	<50 <sup>3</sup>	<50	<0.50	<0.50	<0.50	<1.5	<2.5
04/15/03	--	--	--	<50 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5
07/16/03 <sup>10</sup>	--	--	--	<50 <sup>3</sup>	<50	<0.5	0.7	<0.5	0.6	<0.5
10/18/03 <sup>10</sup>	--	--	--	<50 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/22/04 <sup>10</sup>	--	--	--	<50 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/23/04 <sup>10</sup>	--	--	--	<50 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/23/04 <sup>10</sup>	--	--	--	<50 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/22/04 <sup>10</sup>	--	--	--	<50 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/28/05 <sup>10</sup>	--	--	--	<50 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/26/05 <sup>10</sup>	--	--	--	<50 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/15/05 <sup>10</sup>	--	--	--	<50 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/14/05 <sup>10</sup>	--	--	--	<50 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/12/06 <sup>10</sup>	--	--	--	<50 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/13/06 <sup>10</sup>	--	--	--	<50 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/13/06 <sup>10</sup>	--	--	--	140 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/17/06 <sup>10</sup>	--	--	--	<50 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/16/07 <sup>10</sup>	--	--	--	<50 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/17/07 <sup>10</sup>	--	--	--	<50 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
 Chevron #206127 (Former Signal Oil Marine Terminal)  
 2301-2337 Blanding Avenue  
 Alameda, California

WELL ID/ DATE	TOC* (fl.)	DTW (fl.)	GWE (msl)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
<b>CS-2 (cont)</b>										
07/17/07 <sup>10</sup>	--	--	--	<50 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/16/07 <sup>10</sup>	--	--	--	<50 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/16/08 <sup>10</sup>	--	--	--	85 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/16/08 <sup>10</sup>	--	--	--	<50 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/16/08 <sup>10</sup>	--	--	--	<50 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/15/08 <sup>10</sup>	--	--	--	<50 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/21/09 <sup>10</sup>	--	--	--	<50 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/15/09 <sup>10</sup>	--	--	--	86 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/03/09 <sup>10</sup>	--	--	--	<50 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/01/09 <sup>10</sup>	--	--	--	<50 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/19/10 <sup>10</sup>	--	--	--	210 <sup>3,16</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5
<b>TRIP BLANK</b>										
<b>TB-LB</b>										
01/23/01	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50
04/09/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
07/30/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
<b>QA</b>										
10/08/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
01/13/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
04/08/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
07/31/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
10/15/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
01/14/03	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
04/15/03	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5
07/16/03 <sup>10</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/18/03 <sup>10</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/22/04 <sup>10</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/23/04 <sup>10</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/23/04 <sup>10</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/22/04 <sup>10</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
 Chevron #206127 (Former Signal Oil Marine Terminal)  
 2301-2337 Blanding Avenue  
 Alameda, California

WELL ID/ DATE	TOC* (fl.)	DTW (ft.)	GWE (msl)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
QA (cont)										
01/28/05 <sup>10</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/26/05 <sup>10</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/15/05 <sup>10</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/14/05 <sup>10</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/12/06 <sup>10</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/13/06 <sup>10</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/13/06 <sup>10</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/17/06 <sup>10</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/16/07 <sup>10</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/17/07 <sup>10</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/17/07 <sup>10</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/16/07 <sup>10</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/16/08 <sup>10</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/16/08 <sup>10</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/16/08 <sup>10</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/15/08 <sup>10</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/21/09 <sup>10</sup>	--	--	--	--	<50 <sup>13</sup>	<0.5	<0.5	<0.5	<0.5	<0.5
04/15/09 <sup>10</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/03/09 <sup>10</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/01/09 <sup>10</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/19/10 <sup>10</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/26/10 <sup>10</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
**Chevron #206127 (Former Signal Oil Marine Terminal)**  
**2301-2337 Blanding Avenue**  
**Alameda, California**

**EXPLANATIONS:**

TOC = Top of Casing  
(ft.) = Feet

DTW = Depth to Water

GWE = Groundwater Elevation  
(msl) = Mean sea level

TPH = Total Petroleum Hydrocarbons

DRO = Diesel Range Organics

GRO = Gasoline Range Organics

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl Tertiary Butyl Ether

(µg/L) = Micrograms per liter

-- = Not Measured/Not Analyzed

CS-2 = Creek Sample

QA = Quality Assurance/Trip Blank

\* TOC elevations for all wells were surveyed on July 30, 2009, by Morrow Surveying. Vertical Datum is NAVD 88 from GPS observations. TOC elevations were surveyed on January 25, 2001, by Virgil Chavez Land Surveying. The benchmark used for the survey was a City of Alameda benchmark being a cut square at the centerline return, south corner of Oak and Blanding, (Benchmark Elevation = 8.236 feet, NGVD 29).

<sup>1</sup> Well development performed.

<sup>2</sup> Laboratory report indicates unidentified hydrocarbons <C16.

<sup>3</sup> Analyzed with silica gel cleanup.

<sup>4</sup> Laboratory report indicates weathered gasoline C6-C12.

<sup>5</sup> Laboratory report indicates discrete peaks.

<sup>6</sup> Laboratory report indicates diesel C9-C24 + unidentified hydrocarbons <C16.

<sup>7</sup> Laboratory report indicates gasoline C6-C12.

<sup>8</sup> Laboratory report indicates unidentified hydrocarbons C9-C24.

<sup>9</sup> Analysis performed without silica gel cleanup although was requested on the Chain of Custody.

<sup>10</sup> BTEX and MTBE by EPA Method 8260.

<sup>11</sup> Laboratory report indicates the observed sample pattern is not typical of #2 fuel/diesel. It elutes in the DRO range later than #2 fuel.

<sup>12</sup> Laboratory report indicates the observed sample pattern includes #2 fuel/diesel and an additional pattern which elutes later in the DRO range.

<sup>13</sup> Laboratory report indicates the original analysis was performed on an instrument where the ending calibration standard failed the method criteria. The sample was originally analyzed approximately 60 minutes after the LCS/LCSD. The LCS/LCSD showed good GRO recovery and the surrogate recovery for this sample was 85%. The sample was reanalyzed from a vial with headspace since only 1 vial was submitted. The results for the original and the reanalysis were similar. The reanalysis was reported.

<sup>14</sup> BTEX by EPA Method 8260.

<sup>15</sup> Laboratory report indicates DRO was detected in the method blank at a concentration of 38 µg/L. Results from the reextraction are within limits. The hold time had expired prior to the reextraction therefore, all results are reported from the original extract. Similar results were obtained in both extracts.

<sup>16</sup> Laboratory report indicates DRO was detected in the method blank at a concentration of 38 µg/L. Results from the reextraction are within limits. The hold time had expired prior to the reextraction therefore, all results are reported from the original extract. The DRO result for the reextract is 96 µg/L.

<sup>17</sup> Laboratory report indicates DRO was detected in the method blank at a concentration of 47 µg/L. Results from the reextraction are within limits. The hold time had expired prior to the reextraction therefore, all results are reported from the original extract. Similar results were obtained in both extracts.



**Table 2**  
**Groundwater Analytical Results - Metals**  
 Chevron #206127 (Former Signal Oil Marine Terminal)  
 2301-2337 Blanding Avenue  
 Alameda, California

WELL ID/ DATE	Antimony (µg/L)	Arsenic (µg/L)	Barium (µg/L)	Beryllium (µg/L)	Cadmium (µg/L)	Chromium (µg/L)	Cobalt (µg/L)	Copper (µg/L)	Lead (µg/L)	Molybdenum (µg/L)	Nickel (µg/L)	Selenium (µg/L)	Silver (µg/L)	Thallium (µg/L)	Vanadium (µg/L)	Zinc (µg/L)	Mercury (µg/L)
<b>MW-2</b> 07/03/09	<9.7	<7.2	28.1	<1.4	<2.0	14.6	<2.1	<2.7	<6.9	<4.9	10.6	<8.9	<2.3	<14.0	12.6	11.6	<0.056
<b>MW-3</b> 07/03/09	<9.7	<7.2	143	<1.4	<2.0	8.5	<2.1	3.3	<6.9	<4.9	7.8	<8.9	<2.3	<14.0	13.8	18.8	<0.056
<b>MW-4</b> 07/03/09	<9.7	<7.2	83.5	<1.4	<2.0	10.0	<2.1	<2.7	<6.9	<4.9	4.5	<8.9	<2.3	<14.0	6.3	15.8	<0.056
<b>MW-5</b> 07/03/09	<9.7	32.7	148	<1.4	<2.0	<3.4	<2.1	3.1	<6.9	<4.9	3.6	<8.9	<2.3	<14.0	<2.5	19.2	<0.056

**EXPLANATIONS**

(µg/L) = Micrograms per liter

**ANALYTICAL METHODS:**

Metals analyzed by EPA Method SW-846 6010B  
 Mercury analyzed by Method SW-7470A