



RECEIVED

By Alameda County Environmental Health 12:24 pm, May 15, 2015

May 11, 2015

Alameda County Environmental Health Services
Environmental Protection
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577
Attn: Jerry Wickham

**RE: Groundwater Monitoring Results, First Semi-Annual 2015 Monitoring Period,
Cargill Salt – Alameda Facility, Alameda, California,
SLIC Case No. RO0002480**

Dear Mr. Wickham,

The attached report presents the groundwater monitoring results for the first semi-annual 2015 monitoring period for the Cargill Salt Alameda facility. The report presents the results of groundwater monitoring data collected during the first quarter of 2015. Groundwater levels in the site monitoring wells were measured, groundwater samples were collected and analyzed, and the groundwater flow direction and gradient were determined.


I declare, under penalty of perjury, that the information and/or recommendations contained in the attached report are true and correct to the best of my knowledge.

Should you have any questions concerning the report, please don't hesitate to call me at (510) 790-8625.

Sincerely,

Sean Riley
Environmental Health and Safety Manager

**Groundwater Monitoring Results
First Semi-Annual 2015 Monitoring Period
Cargill Salt – Alameda Facility
Alameda, California**



**CRAWFORD
CONSULTING
INC.**

**Groundwater Monitoring Results
First Semi-Annual 2015 Monitoring Period
Cargill Salt – Alameda Facility
Alameda, California**

**Prepared for:
Cargill Salt
7220 Central Avenue
Newark, California 94560**

**Prepared by:
Crawford Consulting, Inc.
4 North Second Street, Suite 650
San Jose, CA 95113
(408) 287-9934**

**Project No. CS1605
May 12, 2015**

Contents

| | | |
|-------|---|----|
| 1 | Introduction | 1 |
| 1.1 | Reporting Period Activities | 1 |
| 1.2 | Background Information | 2 |
| 1.2.1 | Site Description..... | 2 |
| 1.2.2 | Summary of Investigative and Remedial Activities..... | 2 |
| 1.2.3 | Source of VOC Impact..... | 3 |
| 2 | Groundwater Flow Analysis | 4 |
| 2.1 | Water-Level Measurement | 4 |
| 2.2 | Groundwater Flow Direction and Gradient..... | 5 |
| 2.3 | Groundwater Velocity | 5 |
| 3 | Groundwater Sampling and Analysis | 6 |
| 3.1 | Sample Collection and Analysis..... | 6 |
| 3.2 | Analytical Results..... | 6 |
| 3.2.1 | Quality Control | 6 |
| 3.2.2 | Groundwater Results..... | 8 |
| 3.3 | Discussion | 9 |
| 4 | Phytoremediation Project Status | 10 |

Professional Certification
References
Limitations

Tables

- Table 1. Groundwater Level Data
- Table 2. Relative Percent Difference Based on Duplicate Samples
- Table 3a. Summary of Groundwater Monitoring Well Data - First Quarter 2015
- Table 3b. Historical Summary of Groundwater Monitoring Well Data

Illustrations

- Figure 1. Site Location
- Figure 2. Groundwater Monitoring Well Locations
- Figure 3. Graphical Summary of Groundwater Elevations
- Figure 4. Groundwater Elevation Contours – March 2015
- Figure 5. VOC Concentrations in Groundwater – March 2015
- Figure 6. Graphical Summary of PCE Concentrations
- Figure 7. PCE Concentrations vs. Groundwater Elevation

Appendices

(presented in electronic format only)

- Appendix A. Field Data Sheets
- Appendix B. Groundwater Velocity Calculations
- Appendix C. Certified Analytical Reports and Chain-of-Custody Documentation

Electronic File

Entire report presented in electronic file format (pdf) on CD-ROM inside back cover.

1 Introduction

Crawford Consulting, Inc. (Crawford) has prepared this report on behalf of Cargill Salt for the Cargill Salt Dispensing Systems Division facility (hereafter, the Site) in Alameda, California.

Results of groundwater transect sampling and the initial sampling of three groundwater monitoring wells installed in November 1999 were presented in the January 31, 2000 report, *Groundwater Characterization and Monitoring Well Installation, Cargill Salt – Alameda Facility, Alameda, California* (Crawford Consulting, Inc. and Conor Pacific/EFW). The purpose of the groundwater transect sampling and the monitoring well installation and sampling was to help characterize and monitor the occurrence of volatile organic compounds (VOCs), primarily tetrachloroethene (PCE) and its breakdown product, trichloroethene (TCE), previously detected in groundwater at the Site.

One of the recommendations in the report was to confirm the groundwater analytical results of the newly installed monitoring wells (wells MW-1, MW-2, and MW-3) and the groundwater flow direction and gradient via quarterly monitoring. Cargill Salt began groundwater monitoring on a quarterly basis after the initial groundwater monitoring well sampling event in November 1999. For 2000 through 2005, reporting was performed on an annual basis. Cargill Salt began reporting on a semi-annual basis in 2006.

Cargill Salt conducted additional characterization activities in November and December 2001 to evaluate the off-site extent of VOCs in the soil and groundwater. Soil and groundwater samples were collected and analyzed from a neighboring residential property and along Clement Avenue, slug tests were performed in the three existing monitoring wells, and a groundwater monitoring well (MW-4) was installed in Clement Avenue.

A phytoremediation project was implemented at the Site in June 2005. Based on reductions in PCE concentrations in groundwater since 2006, Alameda County Environmental Health suggested in a September 30, 2009 letter that Cargill Salt reduce the groundwater monitoring frequency from quarterly to semi-annually. The second half of 2009 was the first semi-annual monitoring period under the reduced monitoring frequency. Groundwater sampling and analysis is now performed during the first and third quarters.

1.1 Reporting Period Activities

This report presents the results of groundwater monitoring data collected during the first quarter of 2015. Groundwater levels in the site monitoring wells were measured, groundwater samples were collected and analyzed, and the groundwater flow direction and gradient were determined.

The monitoring event for the first semi-annual 2015 monitoring period was conducted on March 3, 2015. Supervision of the monitoring event was conducted for Cargill Salt by Crawford. Groundwater level measurements and collection of groundwater samples were conducted by Field Solutions, Inc. The groundwater samples were analyzed by TestAmerica Laboratories, Inc., a state-certified laboratory in Pleasanton, California.

1.2 Background Information

A description of the Site and a summary of the development of characterization and monitoring programs for the Site are presented in this section.

1.2.1 Site Description

Alameda is an island on the east side of San Francisco Bay, separated from Oakland by a tidal canal (Figure 1). The Cargill Salt Dispensing Systems Division facility is located on a rectangular lot in an industrial and residential neighborhood. The facility building occupies approximately one-third of the Site and is separated from the vacant, unpaved side of the lot by an asphalt driveway (Figure 2). The Site is bordered by a sheet-metal shop and a residential lot to the northwest, an apartment complex to the southwest, and a residential lot to the southeast.

From 1951 to 1978, the Alameda facility produced salt-dispensing units, which required casting and milling aluminum parts.

Constituents of concern associated with site operations have included casting sands with elevated concentrations of metals, and solvents, machine oils, and grease used in casting and milling operations. As discussed below, previous investigations and remedial activities have investigated and remediated metals and solvents (VOCs) in vadose-zone soil.

1.2.2 Summary of Investigative and Remedial Activities

Cargill Salt initiated site investigative activities in 1993 to determine if facility operations had impacted site soils. Cargill Salt submitted the results of the soil sampling investigation to the Alameda County Environmental Health Services (ACEHS) in October 1993 along with a workplan for excavation and disposal of impacted soils and assessment of potential impact to groundwater (Groundworks Environmental, Inc. [Groundworks], 1993).

After approval of the workplan by ACEHS, Cargill Salt conducted several phases of soil remediation and groundwater characterization. Surficial soils impacted by metals were excavated for disposal off site. Vadose-zone soils with the highest degree of impact by VOCs were also excavated for off-site disposal (see "Soil excavation area" on Figure 2).

The results of these activities were submitted to the ACEHS in a report, *Soil and Groundwater Investigations and Remedial Activities, July 1993 – September 1994, Cargill Salt – Alameda Facility, Alameda, California* (Groundworks, 1995). Recommendations for additional work to further delineate the lateral and vertical extent of VOCs in groundwater beneath the Site were presented in the report.

A workplan for the additional delineation of VOCs in groundwater, *Workplan for Groundwater Characterization and Monitoring Well Installation, 2016 Clement Avenue, Alameda, California* (CCI), was submitted to the ACEHS in July 1999.

After approval of the workplan by the ACEHS, Cargill Salt conducted groundwater sampling and well installation activities during August and November of 1999. The results of these activities were submitted to the ACEHS in a report, *Groundwater Characterization and Monitoring Well Installation, Cargill Salt – Alameda Facility, Alameda, California* (Crawford Consulting, Inc. and Conor Pacific/EFW, dated January 31, 2000). After the initial groundwater monitoring well sampling event in November 1999, Cargill Salt began groundwater monitoring on a quarterly basis.

A work plan for remedial investigation activities, *Workplan for Off-Site Characterization, Cargill Salt – Alameda Facility, Alameda, California* (Conor Pacific/EFW), was submitted to the ACEHS in June 2001. After approval of the workplan by the ACEHS, Cargill Salt conducted characterization activities in November and December 2001 to evaluate off-site extent of VOCs in the soil and groundwater. Soil and groundwater samples were collected and analyzed from a neighboring residential property and along Clement Avenue, slug tests were performed in the three existing monitoring wells, and a groundwater monitoring well (MW-4) was installed in Clement Avenue. The results of these activities were submitted to the ACEHS in the August 21, 2002 submittal *Off-Site Groundwater Characterization, Cargill Salt – Alameda Facility, Alameda, California*, prepared by Conor Pacific/EFW.

A phytoremediation project was implemented at the Site in June 2005. The project involved planting 96 bare-root hybrid poplar trees in a grid of 24 rows. The rows are generally 6 feet apart with trees on 7-foot centers on each row. Selection of the phytoremediation approach and implementation of the project were described in the October 20, 2006 report, *Groundwater Monitoring Results, First through Fourth Quarter 2005, Cargill Salt – Alameda Facility, Alameda, California* prepared by Crawford Consulting, Inc. In April 2008, seven additional saplings were planted in the rear of the property near monitoring well MW-2.

The Site groundwater monitoring wells were re-surveyed in September 2006 by CSS Environmental Services in order to provide Geotracker-compliant survey data. Results of the casing elevation survey indicate that each well is approximately 6.4 feet higher than the previous survey conducted in 1999. This difference is due to the use of different datum for the 2006 and 1999 surveys. The casing elevations from the September 2006 survey are shown on Table 1.

1.2.3 Source of VOC Impact

As discussed in the 1995 report, the occurrence of VOCs in soils and groundwater at the Site appears to be the result of a discharge or spill to surficial soils at a location near the rear property line at the southwestern corner of the property. The area with the highest degree of chemical impact was delineated prior to excavation and was then excavated using a backhoe and transported off-site for appropriate disposal. It is possible that the VOCs detected in soils and groundwater at this location were associated with waste products from facility operations. The VOCs may be associated with solvents previously used for degreasing operations at the facility, although there are no records indicating use of PCE. Site records indicate that the solvents used for degreasing operations were not PCE-based solvents.

It is also possible that the VOCs and oil and grease are associated with waste products discarded from neighboring properties. There is an apartment complex next to the rear property line of the facility, and the laundry room for this complex is in the utility shed immediately adjacent to the rear property line. This laundry room is only 4 feet away from the area of highest impact to soil. If PCE associated with laundry cleaning products were spilled in this laundry room, it is possible that it could have drained onto the Cargill Salt property.

2 Groundwater Flow Analysis

Groundwater levels were measured and a groundwater contour map was prepared for the first semi-annual 2015 monitoring event.

2.1 Water-Level Measurement

Water levels in four of the groundwater monitoring wells (MW-1, MW-2, MW-3 and MW-4) were measured on March 3, 2015, before any of the groundwater monitoring wells were purged for sampling for the semi-annual monitoring event. The groundwater monitoring well locations are shown on Figure 2. The water levels were measured with an electric sounder. The depth to water at each well was recorded on a *Water Level Field Data* sheet (see Appendix A).

The water-level data through the first quarter of 2015 are shown on Table 1. The data in Table 1 include the date and time of measurement, the well casing elevation, the measured depth to groundwater, the groundwater elevation, and the change in elevation from the previous measurement. A plot of historical groundwater elevations is shown in Figure 3.

As reviewed in the last semi-annual monitoring report, groundwater levels in the on-site monitoring wells (MW-1, MW-2, and MW-3) and off-site well (MW-4) showed a different pattern in the first and third quarters of 2011 than the general seasonal pattern for the previous nine years (see Figure 3).

Groundwater levels in all four wells generally exhibit similar seasonal fluctuations, and the first quarter groundwater elevations have typically exhibited effects of winter-season recharge. However, the groundwater elevations recorded in March 2011 for the three most downgradient wells showed a decline rather than the typical seasonal rise. The levels measured for those three wells in March 2011 were the lowest recorded to date. That trend continued in 2011, with the September 2011 groundwater elevations recorded for all four wells being the lowest recorded to date for each of the wells.

An overall downward trend had continued from 2011 through the third quarter 2014 measurement event. Seasonal recharge was still apparent but the average groundwater elevation had been declining. The change in the groundwater elevations noted since March 2011 may be related to nearby East Bay Municipal Utility District (EBMUD) sewer pipeline repair and replacement operations as well as to dewatering operations that were conducted at a nearby facility demolition project.

The water levels recorded for the third quarter (March 2015) measurement event indicated a rebound in groundwater elevations, with all the wells showing increases compared to the previous measurements (see Figure 3). The overall downward trend noted through the third quarter 2014 measurement event appears to have ceased.

2.2 Groundwater Flow Direction and Gradient

A groundwater contour map based on the available March 2015 water-level data is shown on Figure 4.

The groundwater flow direction shown on the contour map, to the northeast, is estimated to be representative of the on-site groundwater gradient based on historical groundwater flow direction determinations.

The horizontal hydraulic gradient measured for the first quarter of 2015 was 0.027 and is similar to the gradients previously determined.

2.3 Groundwater Velocity

Average linear groundwater flow velocities (V) were calculated using a form of Darcy's Law,

$$V = Ki/n,$$

where “K” is the hydraulic conductivity, “i” is the horizontal hydraulic gradient, and “n” is the effective porosity. The groundwater velocity calculations for the first quarter of 2015 groundwater data are presented in Appendix B.

Using hydraulic conductivity and porosity values determined for saturated native materials at the Site [based on slug tests and laboratory soil testing, respectively (Conor Pacific/EFW, 2002)], and the horizontal hydraulic gradients determined from the first quarter 2015 groundwater contour map, the groundwater flow velocity beneath the Site is calculated to be approximately 1.7 feet per year (ft/yr) for the first quarter 2015 measurements. The groundwater velocities measured for the Site have historically been in the range of 0.1 to 2 ft/yr.

3 Groundwater Sampling and Analysis

This section summarizes the sample collection and analytical methods, presents an evaluation of quality control data, and summarizes the results of the sampling events.

3.1 Sample Collection and Analysis

Groundwater samples were collected March 3, 2015 from groundwater monitoring wells MW-1, MW-2, MW-3, and MW-4.

Dedicated tubing was installed in wells MW-1, MW-2, and MW-3 prior to the first quarter 2000 sampling event and on December 17, 2001 in well MW-4 to facilitate sampling with a peristaltic pump. Dedicated fluorinated ethylene propylene resin (FEP)-lined polyethylene tubing was installed in each monitoring well. The tubing intake was placed about one foot above the well bottom in each of the wells. Viton[®] dedicated check valves were installed on the tubing intakes to prevent back-flow of water into the well. A short length of dedicated Viton[®] tubing was installed at the well head for use in a peristaltic pump head. Prior to sample collection for each quarterly monitoring event, the wells were purged using a peristaltic pump. Field parameters (pH, electrical conductivity, temperature, and turbidity) were measured in purged groundwater from each well prior to sampling; these data are recorded on the Sample Collection Field Data sheets presented in Appendix A. After purging, groundwater samples were collected using the peristaltic pump and the dedicated Viton[®] pump head discharge tubing.

The groundwater samples were analyzed for VOCs using U.S. Environmental Protection Agency (USEPA) Method 8260. Results for all Method 8010 analytes were reported. The groundwater samples for the first semi-annual 2015 event were delivered with appropriate chain-of-custody documentation to TestAmerica Laboratories, Inc., a state-certified laboratory in Pleasanton, California, for chemical analysis.

3.2 Analytical Results

The results of field and laboratory quality control measures and the results of the groundwater monitoring well samples are reviewed in this section. The certified analytical reports and chain-of-custody documentation are presented in Appendix C.

3.2.1 Quality Control

Quality control (QC) samples were analyzed as part of the sampling and analysis program to evaluate the precision and accuracy of the reported groundwater chemistry data. QC samples included both field and laboratory samples. Descriptions of the purpose of specific field and laboratory QC samples used during the sampling and analysis program and an evaluation of field and laboratory QC results are presented below.

Field Quality Control Samples

A field duplicate was used during the first semi-annual 2015 sampling event for the Site. A field duplicate is used to assess sampling and analytical precision. The duplicate is collected at a selected well (MW-2) and then submitted "blind" to the laboratory for analysis with the same batch as the regular sample for the selected well. An estimate of precision is obtained by calculating the relative percent difference (RPD) between the regular sample and the duplicate sample using the following formula:

$$\text{RPD} = \frac{[x - y] 100}{0.5 (x + y)}$$

where: $[x - y]$ = the absolute value of the difference in concentration between the regular sample (x) and the duplicate sample (y).

Laboratory Quality Control Samples

The following types of laboratory QC samples were used during the first semi-annual 2015 analytical program for the Site:

- surrogate spikes
- matrix spikes/duplicate matrix spikes

A surrogate spike is a check standard added to a sample in a known amount prior to analysis. Surrogate spikes consist of analytes not normally found in environmental samples and not targeted by the analytical procedure. Surrogate spikes provide information on recovery efficiency by comparing the percent recovery of specific surrogate analyses to statistically derived acceptance limits developed by the USEPA or the laboratory (provided such laboratory-specific limits are stricter than those developed by the USEPA). If the recoveries fall within the acceptance limits for the analytes, the analysis exhibits acceptable recovery efficiency. Recoveries that fall outside the acceptance limits indicate a potential problem with the recovery efficiency of analytes, which in turn indicates a potential bias with respect to the reported concentration of the environmental samples analyzed in the same batch.

Matrix spikes and duplicate matrix spikes are analyzed by the laboratory for the purpose of providing a quantitative measure of accuracy and precision, and to document the effect that the sample matrix has on the analysis. A selected sample is spiked in duplicate with known concentrations of analytes. The recoveries of the spiked analytes are compared to statistically derived acceptance limits developed by the USEPA or the laboratory (provided such laboratory-specific limits are stricter than those developed by the USEPA). If the recoveries fall within the acceptance limits for the analytes, the analysis has no statistically significant bias (i.e., the analysis is accurate). Recoveries that fall outside of the acceptance limits have a positive or negative bias, depending on whether the recovery is greater or less than the upper or lower acceptance limit, respectively. Analyses where analyte recoveries fall outside the acceptance limits should be regarded as estimates only.

Precision for matrix spikes is measured by calculating the relative percent differences (RPDs) between the measured concentration of analytes in the matrix and the duplicate matrix spike. The following equation is used for matrix spikes:

$$\text{RPD} = \frac{[\text{MS} - \text{MSD}] 100}{0.5 (\text{MS} + \text{MSD})}$$

where: [MS - MSD] = the absolute value of the difference in concentration between the matrix spike (MS) and the matrix spike duplicate (MSD)

First Quarter 2015 Field QC Results

One field duplicate (DUP-1) was analyzed as part of the first quarter 2015 sampling event at the Site. The duplicate sample was collected at groundwater monitoring well MW-2 and was analyzed for halogenated VOCs using USEPA Method 8260B (8010 list). Table 2 summarizes the calculated RPDs for MW-2 and MW-2 duplicate (DUP-1). The three parameters [cis-1,2-dichloroethene (cis-1,2-DCE), trichloroethene (TCE), and tetrachloroethene (PCE)] for which the RPDs could be calculated (see Table 2), all exhibited a low RPD value (i.e., less than 5%) indicative of good precision.

First Semi-Annual 2015 Laboratory QC Results

A review of the first semi-annual 2015 field data sheets and laboratory reports (presented in Appendices A and C, respectively) indicates that all analyses were performed within USEPA or California Department of Health Services (DHS) recommended maximum sample holding times.

QC data on surrogate spike recoveries and matrix spike recoveries are presented in the laboratory reports. These data indicate: (1) no surrogate spike recoveries were outside of the laboratory's acceptance limits; (2) RPD values for the matrix spikes and duplicate matrix spikes indicate a high overall degree of analytical precision.

No matrix spike or duplicate matrix spike recoveries were outside of the laboratory's control limits.

The laboratory QC data indicate that the results reported herein are of adequate quality for evaluation of site groundwater conditions.

3.2.2 Groundwater Results

The results for the first semi-annual 2015 monitoring event are shown on Table 3a and Figure 5. The results of historical VOC analyses for each quarter for 2000 through first quarter 2015 are summarized in Table 3b, which also shows the VOC results for the initial sampling event for monitoring wells MW-1, MW-2, and MW-3 in November 1999. Historical VOC results for all the wells are plotted on Figure 6.

Consistent with previous monitoring events, PCE and its breakdown product TCE were detected in Site groundwater samples from the first quarter 2015 monitoring event.

For the first semi-annual 2015 event, the concentrations of PCE detected were:

- 130 micrograms per liter ($\mu\text{g/L}$) in monitoring well MW-1
- 600 $\mu\text{g/L}$ in MW-2
- not detected in MW-3 and MW-4

Other VOCs detected included the following:

- TCE was detected at 38 µg/L in monitoring well MW-1 and 10 µg/L in MW-2, but was not detected in MW-3 or MW-4.
- 1,1-Dichloroethene (DCE) was detected at 0.56 µg/L in monitoring well MW-1 and 45 µg/L in MW-3, but was not detected in monitoring wells MW-2 or MW-4.
- Cis-1,2-DCE was detected at 6.6 µg/L in monitoring well MW-1 and 100 µg/L in MW-2, but was not detected in monitoring wells MW-3 or MW-4.
- 1,1-Dichloroethane (DCA) was detected at 2.1 µg/L in monitoring well MW-3, but was not detected in monitoring wells MW-1, MW-2, or MW-4.
- 1,1-Trichloroethane (TCA) was detected at 0.75 µg/L in monitoring well MW-3, but was not detected in monitoring wells MW-1, MW-2, or MW-4.

3.3 Discussion

Variations in VOC concentrations at monitoring well MW-2, the well with historically the highest reported PCE concentrations at the site, generally correlate with variations in groundwater elevations at the Site. An increase in VOC concentrations generally follows a rise in groundwater elevations, and a decrease in VOC concentration generally follows a fall in groundwater levels (see Figure 7). The variations in VOC concentrations sometimes lag one quarter behind the variations in groundwater elevation.

As described in previous monitoring reports, the average seasonal concentration of PCE reported for groundwater monitoring well MW-2 has been lower since the second quarter of 2006 (June 2006 event) compared to results reported since monitoring began in 1999 (see Figure 6). The PCE concentrations reported for MW-2 since June 2006 are an indication that the phytoremediation project implemented in June 2005 has reduced the average seasonal concentration of PCE at the site.

The results for VOC concentrations reported for the first semi-annual 2015 quarterly monitoring event are generally similar to the results reported since the second quarter of 2006 (see Figure 6), with the following exceptions:

- As of the March 2015 sampling event, the concentrations of PCE reported over the last five years (thirteen semi-annual events since June 2009) for well MW-2 have remained lower than previously reported for MW-2.
- The concentrations of DCE reported for well MW-3 for the last nine semi-annual events have been notably higher than the concentrations previously reported, but are not showing a significant upward or downward trend over the last seven monitoring events. The concentration of DCE reported for March 2015 was 45 µg/L.

The higher DCE concentrations noted for well MW-3 may be related to the downward trend in groundwater elevations noted for the site through the third quarter of 2014. As discussed in Section 2.1, the downward groundwater elevation trend measured from March 2011 through September 2014 may be related to nearby EBMUD sewer pipeline repair and replacement operations as well as to dewatering operations that were conducted at a nearby facility demolition project.

4 Phytoremediation Project Status

A phytoremediation project was implemented at the Site in June 2005. The project involved planting 96 bare-root hybrid poplar trees in a grid on the unpaved portion of the site. Selection of the phytoremediation approach and implementation of the project were described in the report, *Groundwater Monitoring Results, First through Fourth Quarter 2005, Cargill Salt – Alameda Facility, Alameda, California* (Crawford Consulting, Inc., October 20, 2006).

The trees were 4-ft-tall, bare-root poles with no foliage when planted in June 2005. During the first two years of growth, the trees developed foliage and most grew 3 to 10 additional feet in height. Photos comparing the appearance of the trees just after planting in 2005 with photos taken in June 2007, September 2009, November 2010, and May 2011 are show below and on the following pages. After three years, most of the trees had grown to heights of 10 to 25 feet. After five years, most of the trees have grown to heights of 25 to 35 feet. In April 2008, seven additional saplings were planted in the rear of the property near monitoring well MW-2. There are currently 101 hybrid poplars at the site (two trees were removed to alleviate overcrowding).

As discussed in Section 3.3, the PCE concentrations reported for monitoring well MW-2 since June 2006 are an indication that the phytoremediation project has been effective at reducing the average seasonal VOC concentration in groundwater at the site.



Bare-root trees planted in June 2005 - View towards rear of property



June 2007 - View from driveway towards rear of property



September 2009 - View from street towards driveway and rear of property



November 2010 – View from street towards driveway and rear of property
(compare tree height to photo on previous page)



May 2011 – Same view as above



May 9, 2013 – Same view as previous picture.



June 2007 - View of front planting strip at Clement Avenue



September 2009 - View of front planting strip at Clement Avenue.
(Note relative height of gate vs. trees in the pictures above and on next page)



November 2010 – Trees dropping foliage. Also, branches on bottom 6 feet of trunks have been cleared for site visibility.



May 11, 2011 – Same view as above



May 9, 2013 – Same view as previous picture.



May 9, 2013 – View from back of property towards the street.

Professional Certification

**Groundwater Monitoring Results
First Semi-Annual 2015 Monitoring Period
Cargill Salt – Alameda Facility
Alameda, California**

This report has been prepared by CRAWFORD CONSULTING, INC. with the professional certification of the California professional geologist whose signature appears below.



Dana C. Johnston
Project Manager



Mark C. Wheeler
Principal Geologist
P.G. 4563

References

- Alameda County Environmental Health Services, 1999. Letter to Cargill Salt: Groundwater Monitoring Well Installation at 2016 Clement Avenue, Alameda, CA, May 7, 1999.
- Conor Pacific/EFW, 2001. Workplan for Off-Site Characterization, Cargill Salt Alameda Facility, June 18, 2001.
- _____, 2002. Off-Site Groundwater Characterization, Cargill Salt – Alameda Facility, Alameda, California, August 21, 2002.
- Crawford Consulting, Inc., 1999. Workplan for Groundwater Characterization and Monitoring Well Installation, 2016 Clement Avenue, Alameda, California, July 7, 1999.
- _____, 2001. Groundwater Monitoring Results, First through Fourth Quarter 2000, Cargill Salt – Alameda Facility, Alameda, California, April 11, 2001.
- _____, 2002. Groundwater Monitoring Results, First through Fourth Quarter 2001, Cargill Salt – Alameda Facility, Alameda, California, August 14, 2002.
- _____, 2003. Groundwater Monitoring Results, First through Fourth Quarter 2002, Cargill Salt – Alameda Facility, Alameda, California, August 13, 2003.
- _____, 2004. Groundwater Monitoring Results, First through Fourth Quarter 2003, Cargill Salt – Alameda Facility, Alameda, California, February 27, 2004.
- _____, 2005. Groundwater Monitoring Results, First through Fourth Quarter 2004, Cargill Salt – Alameda Facility, Alameda, California, November 7, 2005.
- _____, 2006. Groundwater Monitoring Results, First through Fourth Quarter 2005, Cargill Salt – Alameda Facility, Alameda, California, October 20, 2006.
- _____, 2006. Groundwater Monitoring Results, First Semi-Annual 2006 Monitoring Period, Cargill Salt – Alameda Facility, Alameda, California, November 8, 2006.
- _____, 2007. Groundwater Monitoring Results, Second Semi-Annual 2006 Monitoring Period, Cargill Salt – Alameda Facility, Alameda, California, February 28, 2007
- _____, 2007. Groundwater Monitoring Results, First Semi-Annual 2007 Monitoring Period, Cargill Salt – Alameda Facility, Alameda, California, September 28, 2007.
- _____, 2007. Groundwater Monitoring Results, Second Semi-Annual 2007 Monitoring Period, Cargill Salt – Alameda Facility, Alameda, California, February 28, 2008
- _____, 2008. Groundwater Monitoring Results, First Semi-Annual 2008 Monitoring Period, Cargill Salt – Alameda Facility, Alameda, California, December 22, 2008.
- _____, 2008. Groundwater Monitoring Results, Second Semi-Annual 2008 Monitoring Period, Cargill Salt – Alameda Facility, Alameda, California, March 2, 2009
- _____, 2009. Groundwater Monitoring Results, First Semi-Annual 2009 Monitoring Period, Cargill Salt – Alameda Facility, Alameda, California, September 30, 2009.
- _____, 2009. Groundwater Monitoring Results, Second Semi-Annual 2009 Monitoring Period, Cargill Salt – Alameda Facility, Alameda, California, November 11, 2009
- _____, 2010. Groundwater Monitoring Results, First Semi-Annual 2010 Monitoring Period, Cargill Salt – Alameda Facility, Alameda, California, May 12, 2010.
- _____, 2010. Groundwater Monitoring Results, Second Semi-Annual 2010 Monitoring Period, Cargill Salt – Alameda Facility, Alameda, California, November 12, 2010.

References (continued)

- _____, 2011. Groundwater Monitoring Results, First Semi-Annual 2011 Monitoring Period, Cargill Salt – Alameda Facility, Alameda, California, May 11, 2011.
- _____, 2011. Groundwater Monitoring Results, Second Semi-Annual 2011 Monitoring Period, Cargill Salt – Alameda Facility, Alameda, California, November 14, 2011.
- _____, 2012. Groundwater Monitoring Results, First Semi-Annual 2012 Monitoring Period, Cargill Salt – Alameda Facility, Alameda, California, May 14, 2012.
- _____, 2012. Groundwater Monitoring Results, Second Semi-Annual 2012 Monitoring Period, Cargill Salt – Alameda Facility, Alameda, California, November 13, 2012.
- _____, 2013. Groundwater Monitoring Results, First Semi-Annual 2013 Monitoring Period, Cargill Salt – Alameda Facility, Alameda, California, May 14, 2013.
- _____, 2013. Groundwater Monitoring Results, Second Semi-Annual 2013 Monitoring Period, Cargill Salt – Alameda Facility, Alameda, California, November 13, 2013, Revised November 20, 2013.
- _____, 2014. Groundwater Monitoring Results, First Semi-Annual 2014 Monitoring Period, Cargill Salt – Alameda Facility, Alameda, California, May 12, 2014.
- Crawford Consulting, Inc. and Conor Pacific/EFW, 2000. Groundwater Characterization and Monitoring Well Installation, Cargill Salt – Alameda Facility, Alameda, California, January 31, 2000.
- Groundworks Environmental, Inc. (Groundworks), 1993. Results of Soil Sampling and Workplan for Remedial Activities, Alameda facility, October 19, 1993.
- _____, 1995. Soil and Groundwater Investigations and Remedial Activities, July 1993 – September 1994, Cargill Salt – Alameda Facility, Alameda, California, July 31, 1995.
- Hickenbottom, K. S., and Muir, K.S., 1988. Geohydrology and Groundwater-Quality Overview of the East Bay Plain Area, Alameda County, California, 205 (j) Report, prepared for the California Regional Water Quality Control Board, San Francisco Bay Region, by the Alameda County Flood Control and Water Conservation District, June 1988.

Limitations

This report and the evaluations presented herein have been prepared in accordance with generally accepted professional standards and are based solely on the scope of work and services described herein. This report has been prepared solely for the use of Cargill Salt for the purposes noted herein. Any use of this report, in whole or in part, by a third party for other than the purposes noted herein is at such party's sole risk.

Table 1. Groundwater Level Data

| Well/ Piezometer | Date | Time | Casing Elevation (feet, MSL) | Depth to Water (feet) | Water Elevation (feet, MSL) | Elev. Change from Last Measurement (feet) |
|---------------------|------------|-------|------------------------------------|-----------------------------|-----------------------------------|---|
| MW-1 | 11/16/1999 | 09:56 | 13.16 | 3.75 | 9.41 | NA |
| MW-1 | 3/30/2000 | 10:09 | 13.16 | 2.81 | 10.35 | 0.94 |
| MW-1 | 5/16/2000 | 09:43 | 13.16 | 3.32 | 9.84 | -0.51 |
| MW-1 | 7/28/2000 | 09:11 | 13.16 | 3.58 | 9.58 | -0.26 |
| MW-1 | 11/30/2000 | 08:36 | 13.16 | 3.52 | 9.64 | 0.06 |
| MW-1 | 3/26/2001 | 08:47 | 13.16 | 3.15 | 10.01 | 0.37 |
| MW-1 | 6/25/2001 | 10:19 | 13.16 | 3.53 | 9.63 | -0.38 |
| MW-1 | 9/28/2001 | 09:32 | 13.16 | 3.96 | 9.20 | -0.43 |
| MW-1 | 12/17/2001 | 10:47 | 13.16 | 3.23 | 9.93 | 0.73 |
| MW-1 | 3/21/2002 | 07:28 | 13.16 | 2.89 | 10.27 | 0.34 |
| MW-1 | 6/6/2002 | 08:03 | 13.16 | 3.50 | 9.66 | -0.61 |
| MW-1 | 9/20/2002 | 08:30 | 13.16 | 3.86 | 9.30 | -0.36 |
| MW-1 | 12/19/2002 | 08:38 | 13.16 | 3.13 | 10.03 | 0.73 |
| MW-1 | 3/4/2003 | 10:31 | 13.16 | 3.08 | 10.08 | 0.05 |
| MW-1 | 6/9/2003 | 08:32 | 13.16 | 3.29 | 9.87 | -0.21 |
| MW-1 | 9/8/2003 | 10:02 | 13.16 | 3.79 | 9.37 | -0.50 |
| MW-1 | 12/1/2003 | 10:16 | 13.16 | 3.78 | 9.38 | 0.01 |
| MW-1 | 3/4/2004 | 09:31 | 13.16 | 2.88 | 10.28 | 0.90 |
| MW-1 | 6/2/2004 | 08:42 | 13.16 | 3.45 | 9.71 | -0.57 |
| MW-1 | 9/14/2004 | 08:01 | 13.16 | 3.87 | 9.29 | -0.42 |
| MW-1 | 12/8/2004 | 07:44 | 13.16 | 3.23 | 9.93 | 0.64 |
| MW-1 | 3/3/2005 | 08:07 | 13.16 | 2.01 | 11.15 | 1.22 |
| MW-1 | 6/10/2005 | 07:05 | 13.16 | 2.90 | 10.26 | -0.89 |
| MW-1 | 9/16/2005 | 08:00 | 13.16 | 3.62 | 9.54 | -0.72 |
| MW-1 | 12/6/2005 | 08:00 | 13.16 | 3.28 | 9.88 | 0.34 |
| MW-1 | 3/10/2006 | 07:40 | 13.16 | 2.28 | 10.88 | 1.00 |
| MW-1 | 6/9/2006 | 09:45 | 13.16 | 3.09 | 10.07 | -0.81 |
| MW-1 | 9/11/2006 | 10:24 | 13.16 | 3.70 | 9.46 | -0.61 |
| MW-1 | 12/15/2006 | 07:34 | 13.16 | 2.94 | 10.22 | 0.76 |
| MW-1 | 3/6/2007 | 09:18 | 13.16 | 2.87 | 10.29 | 0.07 |
| MW-1 | 6/15/2007 | 07:29 | 13.16 | 3.30 | 9.86 | -0.43 |
| MW-1 | 9/11/2007 | 08:05 | 13.16 | 3.85 | 9.31 | -0.55 |
| MW-1 | 12/4/2007 | 08:53 | 13.16 | 3.58 | 9.58 | 0.27 |
| MW-1 | 3/20/2008 | 08:13 | 13.16 | 3.00 | 10.16 | 0.58 |
| MW-1 | 6/18/2008 | 08:22 | 13.16 | 3.73 | 9.43 | -0.73 |
| MW-1 | 9/3/2008 | 08:06 | 13.16 | 3.93 | 9.23 | -0.20 |
| MW-1 | 12/4/2008 | 08:12 | 13.16 | 3.71 | 9.45 | 0.22 |
| MW-1 | 3/5/2009 | 09:18 | 13.16 | 1.83 | 11.33 | 1.88 |
| MW-1 | 6/11/2009 | 08:40 | 13.16 | 3.52 | 9.64 | -1.69 |
| MW-1 | 9/3/2009 | 07:57 | 13.16 | 3.98 | 9.18 | -0.46 |
| MW-1 | 3/2/2010 | 08:10 | 13.16 | 2.37 | 10.79 | 1.61 |
| MW-1 | 9/3/2010 | 07:01 | 13.16 | 3.80 | 9.36 | -1.43 |
| MW-1 | 3/17/2011 | 08:04 | 13.16 | 4.44 | 8.72 | -0.64 |
| MW-1 | 9/23/2011 | 07:25 | 13.16 | 6.43 | 6.73 | -1.99 |
| MW-1 | 3/22/2012 | 07:47 | 13.16 | 4.47 | 8.69 | 1.96 |
| MW-1 | 9/17/2012 | 08:14 | 13.16 | 6.66 | 6.50 | -2.19 |
| MW-1 | 3/6/2013 | 07:21 | 13.16 | 4.98 | 8.18 | 1.68 |
| MW-1 | 9/4/2013 | 07:46 | 13.16 | 6.89 | 6.27 | -1.91 |
| MW-1 | 3/12/2014 | 07:45 | 13.16 | 5.18 | 7.98 | 1.71 |
| MW-1 | 9/26/2014 | 08:00 | 13.16 | 7.35 | 5.81 | -2.17 |
| MW-1 | 3/3/2015 | 07:50 | 13.16 | 3.95 | 9.21 | 3.40 |

Table 1. Groundwater Level Data

| Well/ Piezometer | Date | Time | Casing Elevation (feet, MSL) | Depth to Water (feet) | Water Elevation (feet, MSL) | Elev. Change from Last Measurement (feet) |
|---------------------|------------|-------|------------------------------------|-----------------------------|-----------------------------------|---|
| MW-2 | 11/16/1999 | 11:15 | 16.22 | 5.22 | 11.00 | NA |
| MW-2 | 3/30/2000 | 10:05 | 16.22 | 2.80 | 13.42 | 2.42 |
| MW-2 | 5/16/2000 | 09:35 | 16.22 | 4.13 | 12.09 | -1.33 |
| MW-2 | 7/28/2000 | 09:17 | 16.22 | 4.85 | 11.37 | -0.72 |
| MW-2 | 11/30/2000 | 08:32 | 16.22 | 4.75 | 11.47 | 0.10 |
| MW-2 | 3/26/2001 | 08:40 | 16.22 | 3.28 | 12.94 | 1.47 |
| MW-2 | 6/25/2001 | 12:12 | 16.22 | 4.75 | 11.47 | -1.47 |
| MW-2 | 9/28/2001 | 12:20 | 16.22 | 5.41 | 10.81 | -0.66 |
| MW-2 | 12/17/2001 | 10:44 | 16.22 | 4.07 | 12.15 | 1.34 |
| MW-2 | 3/28/2002 | 09:37 | 16.22 | 3.40 | 12.82 | 0.67 |
| MW-2 | 6/6/2002 | 08:11 | 16.22 | 4.70 | 11.52 | -1.30 |
| MW-2 | 9/20/2002 | 08:34 | 16.22 | 5.28 | 10.94 | -0.58 |
| MW-2 | 12/19/2002 | 08:45 | 16.22 | 3.37 | 12.85 | 1.91 |
| MW-2 | 3/4/2003 | 10:26 | 16.22 | 3.11 | 13.11 | 0.26 |
| MW-2 | 6/9/2003 | 08:31 | 16.22 | 4.16 | 12.06 | -1.05 |
| MW-2 | 9/8/2003 | 10:08 | 16.22 | 5.26 | 10.96 | -1.10 |
| MW-2 | 12/1/2003 | 10:20 | 16.22 | 5.05 | 11.17 | 0.21 |
| MW-2 | 3/4/2004 | 09:34 | 16.22 | 2.86 | 13.36 | 2.19 |
| MW-2 | 6/2/2004 | 08:53 | 16.22 | 4.47 | 11.75 | -1.61 |
| MW-2 | 9/14/2004 | 07:59 | 16.22 | 5.26 | 10.96 | -0.79 |
| MW-2 | 12/8/2004 | 08:00 | 16.22 | 4.20 | 12.02 | 1.06 |
| MW-2 | 3/3/2005 | 08:04 | 16.22 | 1.90 | 14.32 | 2.30 |
| MW-2 | 6/10/2005 | 07:09 | 16.22 | 3.74 | 12.48 | -1.84 |
| MW-2 | 9/16/2005 | 08:08 | 16.22 | 4.92 | 11.30 | -1.18 |
| MW-2 | 12/6/2005 | 10:58 | 16.22 | 4.39 | 11.83 | 0.53 |
| MW-2 | 3/10/2006 | 07:47 | 16.22 | 2.13 | 14.09 | 2.26 |
| MW-2 | 6/9/2006 | 10:03 | 16.22 | 3.75 | 12.47 | -1.62 |
| MW-2 | 9/11/2006 | 10:22 | 16.22 | 4.94 | 11.28 | -1.19 |
| MW-2 | 12/15/2006 | 07:32 | 16.22 | 4.08 | 12.14 | 0.86 |
| MW-2 | 3/6/2007 | 09:13 | 16.22 | 3.27 | 12.95 | 0.81 |
| MW-2 | 6/15/2007 | 07:31 | 16.22 | 4.57 | 11.65 | -1.30 |
| MW-2 | 9/11/2007 | 08:07 | 16.22 | 5.60 | 10.62 | -1.03 |
| MW-2 | 12/4/2007 | 08:47 | 16.22 | 4.99 | 11.23 | 0.61 |
| MW-2 | 3/20/2008 | 08:17 | 16.22 | 3.48 | 12.74 | 1.51 |
| MW-2 | 6/18/2008 | 08:27 | 16.22 | 4.93 | 11.29 | -1.45 |
| MW-2 | 9/3/2008 | 08:08 | 16.22 | 5.58 | 10.64 | -0.65 |
| MW-2 | 12/4/2008 | 08:14 | 16.22 | 5.07 | 11.15 | 0.51 |
| MW-2 | 3/5/2009 | 11:10 | 16.22 | 2.30 | 13.92 | 2.77 |
| MW-2 | 6/11/2009 | 08:41 | 16.22 | 4.44 | 11.78 | -2.14 |
| MW-2 | 9/3/2009 | 08:01 | 16.22 | 5.55 | 10.67 | -1.11 |
| MW-2 | 3/2/2010 | 08:12 | 16.22 | 2.88 | 13.34 | 2.67 |
| MW-2 | 9/3/2010 | 07:04 | 16.22 | 5.18 | 11.04 | -2.30 |
| MW-2 | 3/17/2011 | 08:08 | 16.22 | 3.14 | 13.08 | 2.04 |
| MW-2 | 9/23/2011 | 07:27 | 16.22 | 6.13 | 10.09 | -2.99 |
| MW-2 | 3/22/2012 | 07:42 | 16.22 | 4.24 | 11.98 | 1.89 |
| MW-2 | 9/17/2012 | 08:18 | 16.22 | 6.77 | 9.45 | -2.53 |
| MW-2 | 3/6/2013 | 07:24 | 16.22 | 4.15 | 12.07 | 2.62 |
| MW-2 | 9/4/2013 | 07:40 | 16.22 | NA | NA | NA |
| MW-2 | 3/12/2014 | 07:47 | 16.22 | 5.12 | 11.10 | NA |
| MW-2 | 9/26/2014 | 08:08 | 16.22 | 7.65 | 8.57 | -2.53 |
| MW-2 | 3/3/2015 | 07:52 | 16.22 | 3.80 | 12.42 | 3.85 |

Table 1. Groundwater Level Data

| Well/ Piezometer | Date | Time | Casing Elevation (feet, MSL) | Depth to Water (feet) | Water Elevation (feet, MSL) | Elev. Change from Last Measurement (feet) |
|---------------------|------------|-------|------------------------------------|-----------------------------|-----------------------------------|---|
| MW-3 | 11/16/1999 | 15:43 | 13.34 | 4.34 | 9.00 | NA |
| MW-3 | 3/30/2000 | 10:01 | 13.34 | 2.77 | 10.57 | 1.57 |
| MW-3 | 5/16/2000 | 09:46 | 13.34 | 3.44 | 9.90 | -0.67 |
| MW-3 | 7/28/2000 | 09:05 | 13.34 | 3.72 | 9.62 | -0.28 |
| MW-3 | 11/30/2000 | 08:34 | 13.34 | 3.73 | 9.61 | -0.01 |
| MW-3 | 3/26/2001 | 08:54 | 13.34 | 3.51 | 9.83 | 0.22 |
| MW-3 | 6/25/2001 | 10:21 | 13.34 | 3.65 | 9.69 | -0.14 |
| MW-3 | 9/28/2001 | 09:30 | 13.34 | 3.96 | 9.38 | -0.31 |
| MW-3 | 12/17/2001 | 10:38 | 13.34 | 3.28 | 10.06 | 0.68 |
| MW-3 | 3/21/2002 | 07:28 | 13.34 | 3.10 | 10.24 | 0.18 |
| MW-3 | 6/6/2002 | 08:07 | 13.34 | 3.63 | 9.71 | -0.53 |
| MW-3 | 9/20/2002 | 08:25 | 13.34 | 3.82 | 9.52 | -0.19 |
| MW-3 | 12/19/2002 | 08:42 | 13.34 | 3.10 | 10.24 | 0.72 |
| MW-3 | 3/4/2003 | 10:36 | 13.34 | 3.29 | 10.05 | -0.19 |
| MW-3 | 6/9/2003 | 08:28 | 13.34 | 3.41 | 9.93 | -0.12 |
| MW-3 | 9/8/2003 | 10:00 | 13.34 | 3.85 | 9.49 | -0.44 |
| MW-3 | 12/1/2003 | 10:30 | 13.34 | 3.90 | 9.44 | -0.05 |
| MW-3 | 3/4/2004 | 09:22 | 13.34 | 3.11 | 10.23 | 0.79 |
| MW-3 | 6/2/2004 | 08:46 | 13.34 | 3.53 | 9.81 | -0.42 |
| MW-3 | 9/14/2004 | 08:05 | 13.34 | 4.07 | 9.27 | -0.54 |
| MW-3 | 12/8/2004 | 07:40 | 13.34 | 3.73 | 9.61 | 0.34 |
| MW-3 | 3/3/2005 | 07:53 | 13.34 | 2.36 | 10.98 | 1.37 |
| MW-3 | 6/10/2005 | 07:14 | 13.34 | 3.15 | 10.19 | -0.79 |
| MW-3 | 9/16/2005 | 08:04 | 13.34 | 3.90 | 9.44 | -0.75 |
| MW-3 | 12/6/2005 | 08:04 | 13.34 | 3.35 | 9.99 | 0.55 |
| MW-3 | 3/10/2006 | 07:43 | 13.34 | 2.89 | 10.45 | 0.46 |
| MW-3 | 6/9/2006 | 09:33 | 13.34 | 3.26 | 10.08 | -0.37 |
| MW-3 | 9/11/2006 | 10:19 | 13.34 | 3.70 | 9.64 | -0.44 |
| MW-3 | 12/15/2006 | 07:37 | 13.34 | 3.10 | 10.24 | 0.60 |
| MW-3 | 3/6/2007 | 09:16 | 13.34 | 3.04 | 10.30 | 0.06 |
| MW-3 | 6/15/2007 | 07:27 | 13.34 | 3.60 | 9.74 | -0.56 |
| MW-3 | 9/11/2007 | 08:03 | 13.34 | 3.87 | 9.47 | -0.27 |
| MW-3 | 12/4/2007 | 08:50 | 13.34 | 3.62 | 9.72 | 0.25 |
| MW-3 | 3/20/2008 | 08:15 | 13.34 | 3.13 | 10.21 | 0.49 |
| MW-3 | 6/18/2008 | 08:24 | 13.34 | 3.90 | 9.44 | -0.77 |
| MW-3 | 9/3/2008 | 08:02 | 13.34 | 3.92 | 9.42 | -0.02 |
| MW-3 | 12/4/2008 | 08:10 | 13.34 | 3.59 | 9.75 | 0.33 |
| MW-3 | 3/5/2009 | 09:23 | 13.34 | 2.79 | 10.55 | 0.80 |
| MW-3 | 6/11/2009 | 08:38 | 13.34 | 3.14 | 10.20 | -0.35 |
| MW-3 | 9/3/2009 | 07:55 | 13.34 | 4.31 | 9.03 | -1.17 |
| MW-3 | 3/2/2010 | 08:09 | 13.34 | 2.94 | 10.40 | 1.37 |
| MW-3 | 9/3/2010 | 07:07 | 13.34 | 3.75 | 9.59 | -0.81 |
| MW-3 | 3/17/2011 | 07:59 | 13.34 | 4.88 | 8.46 | -1.13 |
| MW-3 | 9/23/2011 | 07:23 | 13.34 | 6.33 | 7.01 | -1.45 |
| MW-3 | 3/22/2012 | 07:45 | 13.34 | 5.05 | 8.29 | 1.28 |
| MW-3 | 9/17/2012 | 08:10 | 13.34 | 6.54 | 6.80 | -1.49 |
| MW-3 | 3/6/2013 | 07:12 | 13.34 | 5.22 | 8.12 | 1.32 |
| MW-3 | 9/4/2013 | 07:48 | 13.34 | 6.58 | 6.76 | -1.36 |
| MW-3 | 3/12/2014 | 07:49 | 13.34 | 5.33 | 8.01 | 1.25 |
| MW-3 | 9/26/2014 | 07:50 | 13.34 | NA | NA | NA |
| MW-3 | 3/3/2015 | 07:48 | 13.34 | 4.90 | 8.44 | NA |

Table 1. Groundwater Level Data

| Well/ Piezometer | Date | Time | Casing Elevation (feet, MSL) | Depth to Water (feet) | Water Elevation (feet, MSL) | Elev. Change from Last Measurement (feet) |
|---------------------|------------|-------|------------------------------------|-----------------------------|-----------------------------------|---|
| MW-4 | 12/17/2001 | 10:40 | 12.43 | 2.55 | 9.88 | NA |
| MW-4 | 3/28/2002 | 08:05 | 12.43 | 3.06 | 9.37 | -0.51 |
| MW-4 | 6/6/2002 | 07:57 | 12.43 | 2.85 | 9.58 | 0.21 |
| MW-4 | 9/20/2002 | 08:28 | 12.43 | 3.21 | 9.22 | -0.36 |
| MW-4 | 12/19/2002 | 08:53 | 12.43 | 3.70 | 8.73 | -0.49 |
| MW-4 | 3/4/2003 | 10:34 | 12.43 | 3.14 | 9.29 | 0.56 |
| MW-4 | 6/9/2003 | 08:29 | 12.43 | 2.82 | 9.61 | 0.32 |
| MW-4 | 9/8/2003 | 10:04 | 12.43 | 3.43 | 9.00 | -0.61 |
| MW-4 | 12/1/2003 | 10:14 | 12.43 | 3.12 | 9.31 | 0.31 |
| MW-4 | 3/4/2004 | 09:27 | 12.43 | 2.81 | 9.62 | 0.31 |
| MW-4 | 6/2/2004 | 08:44 | 12.43 | 3.34 | 9.09 | -0.53 |
| MW-4 | 9/14/2004 | 08:03 | 12.43 | 3.51 | 8.92 | -0.17 |
| MW-4 | 12/8/2004 | 07:36 | 12.43 | 3.10 | 9.33 | 0.41 |
| MW-4 | 3/3/2005 | 07:44 | 12.43 | 2.48 | 9.95 | 0.62 |
| MW-4 | 6/10/2005 | 07:02 | 12.43 | 2.47 | 9.96 | 0.01 |
| MW-4 | 9/16/2005 | 08:12 | 12.43 | 3.23 | 9.20 | -0.76 |
| MW-4 | 12/6/2005 | 07:50 | 12.43 | 3.17 | 9.26 | 0.06 |
| MW-4 | 3/10/2006 | 07:37 | 12.43 | 3.77 | 8.66 | -0.60 |
| MW-4 | 6/9/2006 | 07:30 | 12.43 | 2.49 | 9.94 | 1.28 |
| MW-4 | 9/11/2006 | 10:17 | 12.43 | 3.19 | 9.24 | -0.70 |
| MW-4 | 12/21/2006 | NR | 12.43 | 2.90 | 9.53 | 0.29 |
| MW-4 | 3/6/2007 | 09:20 | 12.43 | 2.54 | 9.89 | 0.36 |
| MW-4 | 6/15/2007 | 07:33 | 12.43 | 3.03 | 9.40 | -0.49 |
| MW-4 | 9/11/2007 | 08:11 | 12.43 | 3.27 | 9.16 | -0.24 |
| MW-4 | 12/4/2007 | 08:55 | 12.43 | 3.25 | 9.18 | 0.02 |
| MW-4 | 3/20/2008 | 08:20 | 12.43 | 2.65 | 9.78 | 0.60 |
| MW-4 | 6/18/2008 | 08:31 | 12.43 | 3.35 | 9.08 | -0.70 |
| MW-4 | 9/3/2008 | 07:58 | 12.43 | 3.28 | 9.15 | 0.07 |
| MW-4 | 12/4/2008 | 08:17 | 12.43 | 3.12 | 9.31 | 0.16 |
| MW-4 | 3/5/2009 | 09:27 | 12.43 | 2.16 | 10.27 | 0.96 |
| MW-4 | 6/11/2009 | 08:43 | 12.43 | 2.84 | 9.59 | -0.68 |
| MW-4 | 9/3/2009 | 08:04 | 12.43 | 3.49 | 8.94 | -0.65 |
| MW-4 | 3/2/2010 | 08:14 | 12.43 | 2.32 | 10.11 | 1.17 |
| MW-4 | 9/3/2010 | 07:10 | 12.43 | 3.10 | 9.33 | -0.78 |
| MW-4 | 3/17/2011 | 07:55 | 12.43 | 4.52 | 7.91 | -1.42 |
| MW-4 | 9/23/2011 | 07:21 | 12.43 | 5.38 | 7.05 | -0.86 |
| MW-4 | 3/22/2012 | 07:50 | 12.43 | 4.58 | 7.85 | 0.80 |
| MW-4 | 9/17/2012 | 08:21 | 12.43 | 5.45 | 6.98 | -0.87 |
| MW-4 | 3/6/2013 | 07:27 | 12.43 | 4.65 | 7.78 | 0.80 |
| MW-4 | 9/4/2013 | 07:58 | 12.43 | 5.47 | 6.96 | -0.82 |
| MW-4 | 3/12/2014 | 07:52 | 12.43 | 9.25 | 3.18 | -3.78 |
| MW-4 | 9/26/2014 | 08:14 | 12.43 | 5.57 | 6.86 | 3.68 |
| MW-4 | 3/3/2015 | 07:55 | 12.43 | 4.40 | 8.03 | 1.17 |

Key:

NA = Not available

feet, MSL = feet, relative to Mean Sea Level

Casing elevations for all wells were resurveyed on September 6, 2006 by CSS Environmental Services for Geotracker compliance.

Table 2.
Relative Percent Difference Based on Duplicate Samples

First Quarter 2015

| Analysis | Well MW-2 Results | Duplicate (DUP-1) Results | RPD ¹ (%) |
|---|-------------------------|---------------------------------|-------------------------|
| Volatile Organic Compounds (µg/L) | | | |
| Cis-1,2-Dichloroethene | 100 | 100 | 0 |
| Trichloroethene (TCE) | 10 | 10 | 0 |
| Tetrachloroethene (PCE) | 600 | 610 | 1.65 |
| ¹ RPD = relative percent difference Results measured in micrograms per liter (µg/L) All other 8010 list analytes not detected (by 8260). | | | |

Table 3a. Summary of Groundwater Monitoring Well Data - First Quarter 2015

| Well No. Field Date | MW-1 3/3/2015 | MW-2 3/3/2015 | MW-3 3/3/2015 | MW-4 3/3/2015 | MCL ¹ |
|-----------------------------|------------------|------------------|------------------|------------------|------------------|
| DCE ² | 0.56 | <0.5 | 45 | <0.5 | 6 |
| DCA ³ | <0.5 | <0.5 | 2.1 | <0.5 | 5 |
| cis-1,2-DCE ⁴ | 6.6 | 100 | <0.5 | <0.5 | 6 |
| TCA ⁵ | <0.5 | <0.5 | 0.75 | <0.5 | 200 |
| TCE ⁶ | 38 | 10 | <0.5 | <0.5 | 5 |
| PCE ⁷ | 130 | 600 | <0.5 | <0.5 | 5 |
| Other analytes ⁸ | nd ⁹ | nd | nd | nd | nd |

Notes:

Results measured in micrograms per liter (µg/L)

¹ MCL = California Primary Drinking Water Standard - Maximum Contaminant Level

² DCE = 1,1-Dichloroethene

³ DCA = 1,1-Dichloroethane

⁴ cis-1,2-DCE = cis-1,2-Dichloroethene

⁵ TCA = 1,1,1-Trichloroethane

⁶ TCE = Trichloroethene

⁷ PCE = Tetrachloroethene

⁸ All other 8010 list analytes

⁹ nd = not detected above laboratory reporting limit

Table 3b. Historical Summary of Groundwater Monitoring Well Data

Results measured in micrograms per liter (µg/L)

| Well No. | MW-1 | | | | | | | | | | | | | | | | | | | | | | | MCL ¹ | |
|------------------------------|------------------|--------------|--------------|--------------|------------|--------------|--------------|--------------|--------------|--------------|------------|--------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------------|------------------|
| Field Date | 11/16/99 | 3/30/00 | 5/16/00 | 7/28/00 | 11/30/00 | 3/26/01 | 6/25/01 | 9/28/01 | 12/17/01 | 3/21/02 | 6/6/02 | 9/20/02 | 12/19/02 | 3/4/03 | 6/9/03 | 9/8/03 | 12/1/03 | 3/4/04 | 6/2/04 | 9/14/04 | 12/8/04 | 3/3/05 | 6/10/05 | 9/16/05 | MCL ¹ |
| DCE ² | <50.0 | 13 | <10 | 15 | 14 | <13 | 14 | 15 | <13 | <13 | <13 | <13 | <13 | <10 | 12 | 5.2 | 8.4 | <5.0 | 5.8 | 6.6 | <5.0 | <5.0 | <2.0 | <5.0 | 6 |
| CFC 113 ³ | na ⁴ | 1.4 | <10 | <10 | <8.3 | <50 | <50 | <50 | <50 | <13 | <13 | <13 | <13 | <10 | <10 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <2.0 | <5.0 | ne ⁵ |
| DCA ⁶ | <50.0 | 0.8 | <10 | <10 | <4.2 | <13 | <13 | <13 | <13 | <13 | <13 | <13 | <13 | <10 | <10 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <2.0 | <5.0 | 5 |
| Chloroform | <50.0 | 0.6* | <10 | <10 | <8.3 | <13 | <13 | <13 | <13 | <13 | <13 | <13 | <13 | <10 | <10 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <2.0 | <10 | ne |
| cis-1,2-DCE ⁷ | <10 | <10 | <10 | <10 | <4.2 | <13 | <13 | <13 | <13 | <13 | <13 | <13 | <13 | <10 | <10 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <2.0 | <5.0 | 6 |
| TCA ⁸ | <50.0 | 1.6 | <10 | <10 | <4.2 | <13 | <13 | <13 | <13 | <13 | <13 | <13 | <13 | <10 | <10 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <2.0 | <5.0 | 200 |
| TCE ⁹ | 178 | 150 | 190 | 170 | 130 | 180 | 250 | 210 | 190 | 160 | 140 | 190 | 68 | 97 | 90 | 110 | 130 | 53 | 72 | 81 | 39 | 15 | 23 | 34 | 5 |
| PCE ¹⁰ | 906 | 1,400 | 1,900 | 1,200 | 880 | 1,000 | 1,400 | 1,000 | 1,400 | 1,100 | 980 | 1,100 | 600 | 730 | 770 | 780 | 850 | 370 | 490 | 620 | 380 | 160 | 180 | 240 | 5 |
| Other analytes ¹¹ | nd ¹² | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | -- |

| Well No. | MW-2 | | | | | | | | | | | | | | | | | | | | | | | MCL ¹ | |
|------------------------------|------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|------------------|------------------|
| Field Date | 11/16/99 | 3/30/00 | 5/16/00 | 7/28/00 | 11/30/00 | 3/26/01 | 6/25/01 | 9/28/01 | 12/17/01 | 3/28/02 | 6/6/02 | 9/20/02 | 12/30/02 | 3/4/03 | 6/9/03 | 9/8/03 | 12/1/03 | 3/4/04 | 6/2/04 | 9/14/04 | 12/8/04 | 3/3/05 | 6/10/05 | 9/16/05 | MCL ¹ |
| DCE ² | <50.0 | <0.5 | <25 | <25 | <8.3 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <20 | <20 | <20 | <20 | <20 | <25 | <25 | <20 | <50 | <25 | <20 | 6 |
| CFC 113 ³ | na | <0.5 | <25 | <25 | <17 | <100 | <100 | <100 | <100 | <25 | <25 | <25 | <25 | <20 | <20 | <20 | <20 | <20 | <25 | <25 | <20 | <50 | <25 | <20 | ne ⁵ |
| DCA ⁶ | <50.0 | <0.5 | <25 | <25 | <8.3 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <20 | <20 | <20 | <20 | <20 | <25 | <25 | <20 | <50 | <25 | <20 | 5 |
| Chloroform | <50.0 | <0.5 | <25 | <25 | <17 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <20 | <20 | <20 | <20 | <20 | <25 | <25 | <20 | <50 | <25 | <40 | ne |
| cis-1,2-DCE ⁷ | <50.0 | <0.5 | <25 | <25 | <8.3 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <20 | <20 | <20 | <20 | <20 | <25 | <25 | <20 | <50 | <25 | <20 | 6 |
| TCA ⁸ | <50.0 | 5.0 | <25 | <25 | <8.3 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <20 | <20 | <20 | <20 | <20 | <25 | <25 | <20 | <50 | <25 | <20 | 200 |
| TCE ⁹ | <50 | 29 | 53 | <25 | 20 | 40 | 78 | <25 | <25 | 49 | 52 | 32 | <25 | 58 | 41 | 28 | 25 | 39 | 49 | 37 | 30 | 78 | 43 | 29 | 5 |
| PCE ¹⁰ | 840 | 3,600 | 3,200 | 3,300 | 1,700 | 2,200 | 4,400 | 1,700 | 1,700 | 3,500 | 3,800 | 2,100 | 1,800 | 3,900 | 3,800 | 2,500 | 2,500 | 3,000 | 4,100 | 3,800 | 2,800 | 7,300 | 3,600 | 2,500 | 5 |
| Other analytes ¹¹ | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | -- |

Notes:

¹ MCL = California Primary Drinking Water Standard - Maximum Contaminant Level (in micrograms per liter [µg/L])

² DCE = 1,1-Dichloroethene

³ CFC 113 = Trichlorotrifluoroethane (1,1,2-Trichloro-1,2,2-trifluoroethane)

⁴ na = not analyzed

⁵ ne = not established or none applicable

⁶ DCA = 1,1-Dichloroethane

⁷ cis-1,2-DCE = cis-1,2-Dichloroethene

⁸ TCA = 1,1,1-Trichloroethane

⁹ TCE = Trichloroethene

¹⁰ PCE = Tetrachloroethene

¹¹ All other 8010 list analytes

¹² nd = not detected above laboratory reporting limit

* Chloroform detected in equipment blank at 1.6 µg/L for 3/30/00 event.

Table 3b. Historical Summary of Groundwater Monitoring Well Data

| Well No. Field Date | MW-1 | | | | | | | | | | | | | | | | | | | | | | | | | MCL ¹ | | |
|------------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------------|-------------|-----------------|
| | 12/6/05 | 3/10/06 | 6/9/06 | 9/11/06 | 12/15/06 | 3/6/07 | 6/15/07 | 9/11/07 | 12/4/07 | 3/20/08 | 6/18/08 | 9/3/08 | 12/4/08 | 3/5/09 | 6/11/09 | 9/3/09 | 3/2/10 | 9/3/10 | 3/17/11 | 9/23/11 | 3/22/12 | 9/17/12 | 3/6/13 | 9/4/13 | 3/12/14 | | 9/26/14 | 3/3/15 |
| DCE ² | <2.0 | <0.5 | <2.0 | 3.3 | <2.0 | <2.0 | 3.0 | <5.0 | <5.0 | <2.0 | <5.0 | <5.0 | <5.0 | <0.5 | <2.5 | <10 | <5.0 | <5.0 | <5.0 | 6.1 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <0.5 | 0.56 | 6 |
| CFC 113 ³ | <2.0 | <0.5 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <5.0 | <5.0 | <2.0 | <5.0 | <5.0 | <5.0 | <0.5 | <2.5 | <10 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <2.0 | <0.5 | ne ⁵ |
| DCA ⁶ | <2.0 | <0.5 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <5.0 | <5.0 | <2.0 | <5.0 | <5.0 | <5.0 | <0.5 | <2.5 | <10 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <0.5 | <0.5 | 5 |
| Chloroform | <4.0 | 1.4 | <4.0 | <4.0 | <4.0 | <4.0 | <4.0 | <10 | <10 | <4.0 | <10 | <10 | <10 | 1.9 | <5.0 | <20 | <10 | <10 | <10 | <10 | <10 | <10 | <10 | <10 | <10 | <0.5 | <1.0 | ne |
| cis-1,2-DCE ⁷ | <2.0 | <0.5 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <5.0 | <5.0 | <2.0 | <5.0 | <5.0 | <5.0 | 0.62 | <2.5 | <10 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <0.5 | 6.6 | 6 |
| TCA ⁸ | <2.0 | <0.5 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <5.0 | <5.0 | <2.0 | <5.0 | <5.0 | <5.0 | <0.5 | <2.5 | <10 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <0.5 | <0.5 | 200 |
| TCE ⁹ | 16 | 3.4 | 22 | 47 | 20 | 17 | 38 | 51 | 29 | 18 | 42 | 65 | 42 | 6.5 | 40 | 68 | 27 | 57 | 36 | 89 | 40 | 37 | 60 | 19 | 100 | 8.6 | 38 | 5 |
| PCE ¹⁰ | 140 | 39 | 140 | 400 | 210 | 170 | 310 | 430 | 330 | 170 | 390 | 620 | 320 | 68 | 300 | 640 | 170 | 420 | 330 | 850 | 350 | 380 | 390 | 190 | 180 | 78 | 130 | 5 |
| Other analytes ¹¹ | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | -- |

| Well No. Field Date | MW-2 | | | | | | | | | | | | | | | | | | | | | | | | | MCL ¹ | | |
|------------------------------|--------------|--------------|--------------|------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|------------|------------|------------|------------|-------------|------------|-----------|------------|--------|------------|------------------|------------|-----------------|
| | 12/6/05 | 3/10/06 | 6/9/06 | 9/11/06 | 12/15/06 | 3/6/07 | 6/15/07 | 9/11/07 | 12/4/07 | 3/20/08 | 6/18/08 | 9/3/08 | 12/4/08 | 3/5/09 | 6/11/09 | 9/3/09 | 3/2/10 | 9/3/10 | 3/17/11 | 9/23/11 | 3/22/12 | 9/17/12 | 3/6/13 | 9/4/13 | 3/12/14 | | 9/26/14 | 3/3/15 |
| DCE ² | <25 | <25 | <20 | <20 | <20 | <20 | <20 | <20 | <20 | <20 | <20 | <20 | <20 | <20 | <25 | <5.0 | <5.0 | <5.0 | <5.0 | <0.5 | <0.5 | <0.5 | <0.5 | na | <0.5 | <0.5 | <0.5 | 6 |
| CFC 113 ³ | <25 | <25 | <20 | <20 | <20 | <20 | <20 | <20 | <20 | <20 | <20 | <20 | <20 | <20 | <25 | <5.0 | <5.0 | <5.0 | <5.0 | <0.5 | <0.5 | <0.5 | <0.5 | na | <0.5 | <2.0 | <0.5 | ne ⁵ |
| DCA ⁶ | <25 | <25 | <20 | <20 | <20 | <20 | <20 | <20 | <20 | <20 | <20 | <20 | <20 | <20 | <25 | <5.0 | <5.0 | <5.0 | <5.0 | <0.5 | <0.5 | <0.5 | <0.5 | na | <0.5 | <0.5 | <0.5 | 5 |
| Chloroform | <50 | <50 | <40 | <20 | <40 | <40 | <40 | <40 | <40 | <40 | <40 | <40 | <40 | <40 | <50 | <10 | <10 | <10 | <10 | <1.0 | <1.0 | <1.0 | <1.0 | na | <1.0 | <0.5 | <1.0 | ne |
| cis-1,2-DCE ⁷ | <25 | <25 | <20 | <20 | <20 | <20 | <20 | <20 | <20 | <20 | <20 | <20 | <20 | <20 | <25 | <5.0 | 8.0 | 6.2 | 13 | 1.3 | 3.8 | <0.5 | 32 | na | 3.2 | 0.72 | 100 | 6 |
| TCA ⁸ | <25 | <25 | <20 | <20 | <20 | <20 | <20 | <20 | <20 | <20 | <20 | <20 | <20 | <20 | <25 | <5.0 | <5.0 | <5.0 | <5.0 | <0.5 | <0.5 | <0.5 | <0.5 | na | <0.5 | <0.5 | <0.5 | 200 |
| TCE ⁹ | 45 | 59 | <20 | <20 | <20 | <20 | 22 | 31 | <20 | <20 | 21 | <20 | <20 | <20 | <25 | <5.0 | 9.5 | <5.0 | 6.3 | 0.93 | 2.3 | <0.5 | 3.3 | na | <0.5 | <0.5 | 10 | 5 |
| PCE ¹⁰ | 3,300 | 5,200 | 1,600 | 990 | 1,000 | 1,600 | 2,400 | 1,700 | 1,100 | 2,900 | 1,700 | 1,600 | 2,000 | 2,300 | 1,500 | 410 | 860 | 180 | 530 | 40 | 120 | 18 | 220 | na | 5.4 | 11 | 600 | 5 |
| Other analytes ¹¹ | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | na | nd | nd | nd | -- |

Notes:

¹ MCL = California Primary Drinking Water Standard - Maximum Contaminant Level (in micrograms per liter [µg/L])

² DCE = 1,1-Dichloroethene

³ CFC 113 = Trichlorotrifluoroethane (1,1,2-Trichloro-1,2,2-trifluoroethane)

⁴ na = not analyzed

⁵ ne = not established or none applicable

⁶ DCA = 1,1-Dichloroethane

⁷ cis-1,2-DCE = cis-1,2-Dichloroethene

⁸ TCA = 1,1,1-Trichloroethane

⁹ TCE = Trichloroethene

¹⁰ PCE = Tetrachloroethene

¹¹ All other 8010 list analytes

¹² nd = not detected above laboratory reporting limit

Table 3b. Historical Summary of Groundwater Monitoring Well Data

Results measured in micrograms per liter (µg/L)

| Well No. | MW-3 | | | | | | | | | | | | | | | | | | | | | | | | | | MCL ¹ | | |
|------------------------------|------------|----------|---------|------------|---------|----------|---------|---------|-------------|----------|---------|--------|---------|----------|--------|--------|--------|-------------|--------|-------------|---------|---------|-------------|------------|------------|------------|------------------|-------------|-----------------|
| | Field Date | 11/16/99 | 3/30/00 | 5/16/00 | 7/28/00 | 11/30/00 | 3/26/01 | 6/25/01 | 9/28/01 | 12/17/01 | 3/21/02 | 6/6/02 | 9/20/02 | 12/19/02 | 3/4/03 | 6/9/03 | 9/8/03 | 12/1/03 | 3/4/04 | 6/2/04 | 9/14/04 | 12/8/04 | 3/3/05 | 6/10/05 | 9/16/05 | 12/6/05 | | 3/10/06 | 6/9/06 |
| DCE ² | <0.500 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | 0.51 | <0.5 | 0.81 | <0.5 | <0.5 | 0.68 | 2.4 | 1.5 | 1.1 | 0.86 | 4.3 | 6 |
| CFC 113 ³ | na | <0.5 | <0.5 | <0.5 | <1.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | ne ⁵ |
| DCA ⁶ | <0.500 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | 0.50 | 5 |
| Chloroform | <0.500 | <0.5 | <0.5 | <0.5 | <1.0 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <1.0 | <1.0 | <1.0 | <1.0 | ne |
| cis-1,2-DCE ⁷ | <0.500 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | 6 |
| TCA ⁸ | <0.500 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | 1.0 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | 200 |
| TCE ⁹ | <0.500 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | 5 |
| PCE ¹⁰ | <0.500 | <0.5 | <0.5 | 0.8 | <0.5 | <0.5 | <0.5 | <0.5 | 0.81 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | 0.90 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | 5 |
| Other analytes ¹¹ | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | -- |

| Well No. | MW-4 | | | | | | | | | | | | | | | | | | | | | | | | | | MCL ¹ | | |
|------------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-------------|-------------|------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------------|---------|-----------------|
| | Field Date | 12/17/01 | 3/28/02 | 6/6/02 | 9/20/02 | 12/19/02 | 3/4/03 | 6/9/03 | 9/8/03 | 12/1/03 | 3/4/04 | 6/2/04 | 9/14/04 | 12/8/04 | 3/3/05 | 6/10/05 | 9/16/05 | 12/6/05 | 3/10/06 | 6/9/06 | 9/11/06 | 12/21/06 | 3/6/07 | 6/15/07 | 9/11/07 | 12/4/07 | | 3/20/08 | 6/18/08 |
| DCE ² | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | 6 |
| CFC 113 ³ | <2.0 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | ne ⁵ |
| DCA ⁶ | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | 5 |
| Chloroform | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | ne |
| cis-1,2-DCE ⁷ | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | 6 |
| TCA ⁸ | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | 200 |
| TCE ⁹ | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | 5 |
| PCE ¹⁰ | 2.6 | 2.8 | 2.0 | 2.5 | 1.1 | 2.1 | 2.1 | 1.6 | 1.6 | 1.7 | 1.4 | 1.3 | 1.2 | 0.93 | 0.98 | 0.8 | 1.1 | 0.79 | 0.64 | 0.70 | 0.63 | 0.70 | 0.75 | 0.86 | 0.92 | 0.91 | 0.86 | 5 | |
| Other analytes ¹¹ | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | -- |

Notes:

¹ MCL = California Primary Drinking Water Standard - Maximum Contaminant Level (in micrograms per liter [µg/L])

² DCE = 1,1-Dichloroethene

³ CFC 113 = Trichlorotrifluoroethane (1,1,2-Trichloro-1,2,2-trifluoroethane)

⁴ na = not analyzed

⁵ ne = not established or none applicable

⁶ DCA = 1,1-Dichloroethane

⁷ cis-1,2-DCE = cis-1,2-Dichloroethene

⁸ TCA = 1,1,1-Trichloroethane

⁹ TCE = Trichloroethene

¹⁰ PCE = Tetrachloroethene

¹¹ All other 8010 list analytes

¹² nd = not detected above laboratory reporting limit

Table 3b. Historical Summary of Groundwater Monitoring Well Data

| Well No. | MW-3 | | | | | | | | | | | | | | | | | | | | | | | | MCL ¹ |
|------------------------------|---------|----------|--------|---------|---------|---------|---------|---------|--------|---------|--------|---------|--------|--------|--------|---------|---------|---------|---------|--------|--------|---------|---------|--------|------------------|
| Field Date | 9/11/06 | 12/15/06 | 3/6/07 | 6/15/07 | 9/11/07 | 12/4/07 | 3/20/08 | 6/18/08 | 9/3/08 | 12/4/08 | 3/5/09 | 6/11/09 | 9/3/09 | 3/2/10 | 9/3/10 | 3/17/11 | 9/23/11 | 3/22/12 | 9/17/12 | 3/6/13 | 9/4/13 | 3/12/14 | 9/26/14 | 3/3/15 | |
| DCE ² | 2.8 | 1.6 | 1.5 | 2.4 | 1.4 | 1.1 | 1.0 | 1.4 | 0.79 | 0.59 | <0.5 | 0.95 | 0.51 | <0.5 | 0.64 | 13 | 34 | 45 | 53 | 50 | 43 | 61 | 53 | 45 | 6 |
| CFC 113 ³ | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | <2.0 | <0.5 | ne ⁵ |
| DCA ⁶ | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | 0.90 | 1.4 | 1.4 | 1.7 | 2.2 | 1.5 | <2.5 | 1.8 | 2.1 | 5 |
| Chloroform | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <5.0 | <0.5 | <1.0 | ne |
| cis-1,2-DCE ⁷ | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | <0.5 | <0.5 | 6 |
| TCA ⁸ | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | 1.3 | 1.5 | 1.5 | 1.2 | 1.1 | <2.5 | 0.87 | 0.75 | 200 |
| TCE ⁹ | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | <0.5 | <0.5 | 5 |
| PCE ¹⁰ | <0.5 | 0.56 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | 1.2 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | 0.79 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | <0.5 | <0.5 | 5 |
| Other analytes ¹¹ | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | -- |

| Well No. | MW-4 | | | | | | | | | | | | | | | | MCL ¹ |
|------------------------------|--------|---------|--------|---------|--------|--------|--------|---------|---------|---------|---------|--------|--------|---------|---------|--------|------------------|
| Field Date | 9/3/08 | 12/4/08 | 3/5/09 | 6/11/09 | 9/3/09 | 3/2/10 | 9/3/10 | 3/17/11 | 9/23/11 | 3/22/12 | 9/17/12 | 3/6/13 | 9/4/13 | 3/12/14 | 9/26/14 | 3/3/15 | |
| DCE ² | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | 6 |
| CFC 113 ³ | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | ne ⁵ |
| DCA ⁶ | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | 5 |
| Chloroform | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | ne |
| cis-1,2-DCE ⁷ | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | 6 |
| TCA ⁸ | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | 200 |
| TCE ⁹ | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | 5 |
| PCE ¹⁰ | 0.84 | 0.65 | 0.62 | 0.70 | 0.79 | 0.78 | 0.64 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | 5 |
| Other analytes ¹¹ | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | nd | -- |

Notes:

¹ MCL = California Primary Drinking Water Standard - Maximum Contaminant Level (in micrograms per liter [µg/L])

² DCE = 1,1-Dichloroethene

³ CFC 113 = Trichlorotrifluoroethane (1,1,2-Trichloro-1,2,2-trifluoroethane)

⁴ na = not analyzed

⁵ ne = not established or none applicable

⁶ DCA = 1,1-Dichloroethane

⁷ cis-1,2-DCE = cis-1,2-Dichloroethene



⁸ TCA = 1,1,1-Trichloroethane

⁹ TCE = Trichloroethene


¹⁰ PCE = Tetrachloroethene

¹¹ All other 8010 list analytes

¹² nd = not detected above laboratory reporting limit




Base map (upper): U.S.G.S. 1:1,000,000-scale series (Topographic)
 San Francisco Quadrangle, California, 1978.
 Base map (lower): U.S.G.S. 7.5 minute series (Topographic)
 Oakland East and Oakland West Quadrangles, California,
 1959, Photorevised 1980.



**CRAWFORD
 CONSULTING
 INC.**

Project No. CS1605
 Cargill Salt Dispensing Systems Division
 2016 Clement Avenue, Alameda, California
Figure 1. Site Location




MW-4

Curb line (Typ.)




Clement Avenue



EXPLANATION

- Groundwater monitoring well
- * Excavated in February 1994




1605fig212Q3.dsf 11/5/12


Base map from Conor Pacific/EFW, Off-Site Groundwater Characterization, August 21, 2002.



Project No. CS1605
 Cargill Salt Dispensing Systems Division
 2016 Clement Avenue, Alameda, California
Figure 2. Groundwater Monitoring Well Locations



Figure 3. Graphical Summary of Groundwater Elevations





Curb line (Typ.)

Clement Avenue




EXPLANATION

● Monitoring well

(8.4) Groundwater elevation (Ft.-MSL);
measured 3/3/15

? - 8.0 - ? Groundwater elevation contour
(Ft.-MSL)




Base map from Conor Pacific/EFW, Off-Site
Groundwater Characterization, August 21, 2002.

1605fig415Q1.dsf 513/15



Project No. CS1605
 Cargill Salt Dispensing Systems Division
 2016 Clement Avenue, Alameda, California
Figure 4. Groundwater Elevation Contours - March 2015



Curb line (Typ.)

Clement Avenue

MW-4

| | |
|-------------|------|
| DCE | <0.5 |
| DCA | <0.5 |
| cis-1,2-DCE | <0.5 |
| TCA | <0.5 |
| TCE | <0.5 |
| PCE | <0.5 |

MW-1

MW-3

Paved

| | |
|-------------|------|
| DCE | 0.56 |
| DCA | <0.5 |
| cis-1,2-DCE | 6.6 |
| TCA | <0.5 |
| TCE | 38 |
| PCE | 130 |

| | |
|-------------|------|
| DCE | 45 |
| DCA | 2.1 |
| cis-1,2-DCE | <0.5 |
| TCA | 0.75 |
| TCE | <0.5 |
| PCE | <0.5 |

Unpaved

Driveway

Building

| | |
|-------------|------|
| DCE | <0.5 |
| DCA | <0.5 |
| cis-1,2-DCE | 100 |
| TCA | <0.5 |
| TCE | 10 |
| PCE | 600 |

Property boundary

MW-2

Soil excavation area

EXPLANATION

● Groundwater monitoring well location


All concentrations reported in micrograms per liter (µg/L), in groundwater. All other 8010 list analytes were below detection limits.

Analyte concentration

| | |
|-------------|------|
| DCE | <0.5 |
| DCA | <0.5 |
| cis-1,2-DCE | 100 |
| TCA | <0.5 |
| TCE | 10 |
| PCE | 600 |

Analytical parameter

DCE = 1,1-Dichloroethene
 DCA = 1,1-Dichloroethane
 PCE = Tetrachloroethene
 TCA = 1,1,1-Trichloroethane
 TCE = Trichloroethene
 VOCs = Volatile organic compounds
 cis-1,2-DCE = cis-1,2-Dichloroethene



1605fig515Q1.dsf 5/13/15

Base map from Conor Pacific/EFW, Off-Site Groundwater Characterization, August 21, 2002.



**CRAWFORD
CONSULTING
INC.**

Project No. CS1605
 Cargill Salt Dispensing Systems Division
 2016 Clement Avenue, Alameda, California
**Figure 5. VOC Concentrations in Groundwater –
 March 2015**

Figure 6. Graphical Summary of PCE Concentrations





Figure 7. PCE Concentrations vs. Groundwater Elevation



Appendix A
Field Data Sheets

WATER LEVEL FIELD DATA

Cargill Salt
 Alameda Facility
 Alameda, California
 Project No. CS1605

| Well ID | Date | Time | Depth to Water (1st Msmt.) (feet) | Depth to Water (2nd Msmt.) (feet) | Comments |
|---------|--------|------|---|---|--------------------------------------|
| MW-1 | 3/3/15 | 0750 | 3.95 | 3.95 | water in box, needs bolts |
| MW-2 | 3/3/15 | 0752 | 3.80 | 3.80 | water in box, needs bolts |
| MW-3 | 3/3/15 | 0748 | 4.90 | 4.90 | water in box, needs bolts |
| MW-4 | 3/3/15 | 0755 | 4.40 | 4.40 | NEED NEW BOX, bolts eye hooks busted |

Data Collection

| | |
|--|--|
| Field measurements by: Print: <u>R. Quana</u> Signature: <u>[Signature]</u> Date: <u>3/3/15</u> | Reviewed by: Print: <u>J. Butera</u> Signature: <u>[Signature]</u> Date: <u>3/18/15</u> |
|--|--|

SAMPLE COLLECTION FIELD DATA

Project No.: CS1605
 Project Name: Alameda Facility
 Location: Alameda, CA
 Client: Cargill Salt

Well ID: MW-1
 Sample ID: MW-1
 Start Date: 3/3/15
 Finish Date: 3/3/15

WELL INFORMATION

Casing diameter (in.): 1.0 Depth to water (ft): 3.95 Well depth (ft): 18.3
 One casing volume (gal.): 0.59 Calculated purge volume (gal.) (3 x casing volume): 1.77
 $One\ casing\ volume = \pi \times [casing\ radius\ (in.) \times 1\ ft/12\ in.]^2 \times [well\ depth\ (ft) - depth\ to\ water\ (ft)] \times 7.48\ gal/ft^3$
 Gallons per linear ft for casing diameter of: 1" = 0.041 2" = 0.16 4" = 0.65 5" = 1.0 6" = 1.5 8" = 2.6
 Floating product thickness (ft): N/A Method for checking: Interface probe Clear bailer

WELL PURGING

Date purged: 3/3/15 Start time: 0955 End time: 1038
 Purging equipment: Submersible pump Bladder pump Peristaltic pump
 PVC bailer Teflon bailer Other
 Purge rate: 0.16 L/min Well yield (H/L): High
 Purge water disposal: Water Drum on site

| Time (2400 hr) | Cumulative Vol. Purged (gal.) | pH (units) | EC ($\mu S/cm$) | T ($^{\circ}C$) | Color (Visual) | Turbidity (Visual or NTU) |
|--------------------------------|-------------------------------|-------------|-------------------|-------------------|----------------|---------------------------|
| <u>1011</u> | <u>2.2</u> | <u>6.69</u> | <u>777</u> | <u>16.4</u> | <u>Clean</u> | <u>9.3</u> |
| <u>1024</u> | <u>4.6</u> | <u>6.79</u> | <u>727</u> | <u>16.4</u> | <u>Clean</u> | <u>5.2</u> |
| <u>1038</u> | <u>6.7</u> | <u>6.81</u> | <u>652</u> | <u>16.4</u> | <u>Clean</u> | <u>6.0</u> |
| Total Purged (gal.) <u>6.7</u> | | | | | | |

WELL SAMPLING

Date sampled: 3/3/15 Start time: 1039 End time: 1042
 Depth to water (ft) before sampling: 10.98
 Sampling equipment: Peristaltic pump Bladder pump Teflon bailer
 PVC bailer Other

Weather conditions: Clean Ambient temperature ($^{\circ}F$): 60
 Well condition/Remarks: Needs parts, peristaltic tubing needs to be replaced
All samples collected

Meter calibration: EC SEE MW-1 pH _____
 Temperature _____ Turbidity _____
 Purged and sampled by (print): R. Guevra
 Signature: [Signature] Reviewed by: [Signature]

SAMPLE COLLECTION FIELD DATA

Project No.: CS1605
 Project Name: Alameda Facility
 Location: Alameda, CA
 Client: Cargill Salt

Well ID: MW-2
 Sample ID: MW-2
 Start Date: 3/3/15
 Finish Date: 3/3/15

WELL INFORMATION

Casing diameter (in.): 1.0 Depth to water (ft): 3.80 Well depth (ft): 17.5
 One casing volume (gal.): 0.56 Calculated purge volume (gal.) (3 x casing volume): 1.68
 $One\ casing\ volume = \pi \times [casing\ radius\ (in.) \times 1\ ft/12\ in.]^2 \times [well\ depth\ (ft) - depth\ to\ water\ (ft)] \times 7.48\ gal/ft^3$
 Gallons per linear ft for casing diameter of: 1" = 0.041 2" = 0.16 4" = 0.65 5" = 1.0 6" = 1.5 8" = 2.6
 Floating product thickness (ft): NP Method for checking: Interface probe Clear bailer

WELL PURGING

Date purged: 3/3/15 Start time: 1054 End time: 1127
 Purging equipment: Submersible pump Bladder pump Peristaltic pump
 PVC bailer Teflon bailer Other
 Purge rate: 0.19 L/min Well yield (H/L): High
 Purge water disposal: Water Drum

| Time (2400 hr) | Cumulative Vol. Purged (gal) | pH (units) | EC ($\mu S/cm$) | T ($^{\circ}C$) | Color (Visual) | Turbidity (Visual or NTU) |
|--------------------------------|------------------------------|-------------|-------------------|-------------------|----------------|---------------------------|
| <u>1106</u> | <u>2.1</u> | <u>6.56</u> | <u>927</u> | <u>16.3</u> | <u>Clean</u> | <u>7.9</u> |
| <u>1116</u> | <u>4.2</u> | <u>6.64</u> | <u>791</u> | <u>16.2</u> | <u>Clean</u> | <u>4.2</u> |
| <u>1127</u> | <u>6.4</u> | <u>6.68</u> | <u>729</u> | <u>16.5</u> | <u>Clean</u> | <u>3.5</u> |
| Total Purged (gal): <u>6.4</u> | | | | | | |

WELL SAMPLING

Date sampled: 3/3/15 Start time: 1128 End time: 1138
 Depth to water (ft) before sampling: 5.58
 Sampling equipment: Peristaltic pump Bladder pump Teflon bailer
 PVC bailer Other

Weather conditions: Clean Ambient temperature ($^{\circ}F$): 62
 Well condition/Remarks: Dupli collector, Needs new bolts for well (6.0)

All samples collected

Meter calibration: EC SEE MW-4 pH _____
 Temperature _____ Turbidity _____

Purged and sampled by (print): R. G. Lewis
 Signature: [Signature] Reviewed by: [Signature]

Appendix B

Groundwater Velocity Calculations

APPENDIX B
GROUNDWATER VELOCITY CALCULATIONS

FOR CARGILL ALAMEDA SITE

GROUNDWATER VELOCITY FORMULA

$V = Ki/n$ where:

V = average linear groundwater velocity i = hydraulic gradient
 K = hydraulic conductivity n = effective porosity

PARAMETERS

Range of hydraulic conductivity values (K) from slug tests:

| Material | Well | K (cm/sec) |
|--------------------------------------|------|------------|
| Silty sand (SM) and Clayey sand (SC) | MW-1 | 0.00002 |
| Silty sand (SM) and Clayey sand (SC) | MW-2 | 0.00002 |
| Silty sand (SM) and Clayey sand (SC) | MW-3 | 0.000003 |

Highest measured K = 0.00002

Porosity (n) = 33% (from laboratory analysis of boring B21 soil sample)

Hydraulic gradient (i) calculated from groundwater contours:

Mar-15 0.027

UNIT CONVERSIONS

1 day = 86,400 sec 1 cm/sec = 2,834.65 ft/day
 1 foot = 30.48 cm 1 cm/sec = 1,034,645.67 ft/yr

CALCULATED VELOCITIES

| Measurement Event | Flow Direction | K (cm/sec) | i (ft/ft) | n | V (ft/yr) |
|-------------------|----------------|------------|-----------|------|-----------|
| Mar-15 | NE | 0.00002 | 0.027 | 0.33 | 1.7 |

Calculations and assumptions prepared by:

Mark C. Wheeler

Date: 5/8/2015

Appendix C

Certified Analytical Reports and Chain-of-Custody Documentation

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Pleasanton
1220 Quarry Lane
Pleasanton, CA 94566
Tel: (925)484-1919

TestAmerica Job ID: 720-63284-1
Client Project/Site: Alameda Facility CS1605

For:
Crawford Consulting Inc
4 North First Street Suite 650
San Jose, California 95113-1326

Attn: Ms. Dana Johnston



Authorized for release by:
3/10/2015 4:52:23 PM

Micah Smith, Project Manager II
(925)484-1919
micah.smith@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Table of Contents

| | |
|----------------------------------|----|
| Cover Page | 1 |
| Table of Contents | 2 |
| Definitions/Glossary | 3 |
| Case Narrative | 4 |
| Detection Summary | 5 |
| Client Sample Results | 6 |
| QC Sample Results | 12 |
| QC Association Summary | 16 |
| Lab Chronicle | 17 |
| Certification Summary | 18 |
| Method Summary | 19 |
| Sample Summary | 20 |
| Chain of Custody | 21 |
| Receipt Checklists | 22 |

Definitions/Glossary

Client: Crawford Consulting Inc
Project/Site: Alameda Facility CS1605

TestAmerica Job ID: 720-63284-1

Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|----------------|---|
| □ | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CFL | Contains Free Liquid |
| CNF | Contains no Free Liquid |
| DER | Duplicate error ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision level concentration |
| MDA | Minimum detectable activity |
| EDL | Estimated Detection Limit |
| MDC | Minimum detectable concentration |
| MDL | Method Detection Limit |
| ML | Minimum Level (Dioxin) |
| NC | Not Calculated |
| ND | Not detected at the reporting limit (or MDL or EDL if shown) |
| PQL | Practical Quantitation Limit |
| QC | Quality Control |
| RER | Relative error ratio |
| RL | Reporting Limit or Requested Limit (Radiochemistry) |
| RPD | Relative Percent Difference, a measure of the relative difference between two points |
| TEF | Toxicity Equivalent Factor (Dioxin) |
| TEQ | Toxicity Equivalent Quotient (Dioxin) |

Case Narrative

Client: Crawford Consulting Inc
Project/Site: Alameda Facility CS1605

TestAmerica Job ID: 720-63284-1

Job ID: 720-63284-1

Laboratory: TestAmerica Pleasanton

Narrative

Job Narrative
720-63284-1

Comments

No additional comments.

Receipt

The samples were received on 3/3/2015 12:45 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 4.4° C.

GC/MS VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.



Detection Summary

Client: Crawford Consulting Inc
Project/Site: Alameda Facility CS1605

TestAmerica Job ID: 720-63284-1

Client Sample ID: MW-1

Lab Sample ID: 720-63284-1

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------------------|--------|-----------|------|-----|------|---------|---|--------|-----------|
| 1,1-Dichloroethene | 0.56 | | 0.50 | | ug/L | 1 | | 8260B | Total/NA |
| cis-1,2-Dichloroethene | 6.6 | | 0.50 | | ug/L | 1 | | 8260B | Total/NA |
| Trichloroethene | 38 | | 0.50 | | ug/L | 1 | | 8260B | Total/NA |
| Tetrachloroethene | 130 | | 0.50 | | ug/L | 1 | | 8260B | Total/NA |

Client Sample ID: MW-2

Lab Sample ID: 720-63284-2

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------------------|--------|-----------|------|-----|------|---------|---|--------|-----------|
| cis-1,2-Dichloroethene | 100 | | 0.50 | | ug/L | 1 | | 8260B | Total/NA |
| Trichloroethene | 10 | | 0.50 | | ug/L | 1 | | 8260B | Total/NA |
| Tetrachloroethene | 600 | | 10 | | ug/L | 20 | | 8260B | Total/NA |

Client Sample ID: MW-3

Lab Sample ID: 720-63284-3

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-----------------------|--------|-----------|------|-----|------|---------|---|--------|-----------|
| 1,1-Dichloroethene | 45 | | 0.50 | | ug/L | 1 | | 8260B | Total/NA |
| 1,1-Dichloroethane | 2.1 | | 0.50 | | ug/L | 1 | | 8260B | Total/NA |
| 1,1,1-Trichloroethane | 0.75 | | 0.50 | | ug/L | 1 | | 8260B | Total/NA |

Client Sample ID: MW-4

Lab Sample ID: 720-63284-4

No Detections.

Client Sample ID: DUP-1

Lab Sample ID: 720-63284-5

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------------------|--------|-----------|------|-----|------|---------|---|--------|-----------|
| cis-1,2-Dichloroethene | 100 | | 0.50 | | ug/L | 1 | | 8260B | Total/NA |
| Trichloroethene | 10 | | 0.50 | | ug/L | 1 | | 8260B | Total/NA |
| Tetrachloroethene | 610 | | 10 | | ug/L | 20 | | 8260B | Total/NA |

Client Sample ID: TB-1

Lab Sample ID: 720-63284-6

No Detections.

This Detection Summary does not include radiochemical test results.

TestAmerica Pleasanton

Client Sample Results

Client: Crawford Consulting Inc
 Project/Site: Alameda Facility CS1605

TestAmerica Job ID: 720-63284-1

Client Sample ID: MW-1
Date Collected: 03/03/15 10:39
Date Received: 03/03/15 12:45

Lab Sample ID: 720-63284-1
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------------|------------------|------------------|---------------|-----|------|---|-----------------|-----------------|----------------|
| 1,1-Dichloroethene | 0.56 | | 0.50 | | ug/L | | | 03/04/15 13:32 | 1 |
| 1,1-Dichloroethane | ND | | 0.50 | | ug/L | | | 03/04/15 13:32 | 1 |
| Dichlorodifluoromethane | ND | | 0.50 | | ug/L | | | 03/04/15 13:32 | 1 |
| Vinyl chloride | ND | | 0.50 | | ug/L | | | 03/04/15 13:32 | 1 |
| Chloroethane | ND | | 1.0 | | ug/L | | | 03/04/15 13:32 | 1 |
| Trichlorofluoromethane | ND | | 1.0 | | ug/L | | | 03/04/15 13:32 | 1 |
| Methylene Chloride | ND | | 5.0 | | ug/L | | | 03/04/15 13:32 | 1 |
| trans-1,2-Dichloroethene | ND | | 0.50 | | ug/L | | | 03/04/15 13:32 | 1 |
| cis-1,2-Dichloroethene | 6.6 | | 0.50 | | ug/L | | | 03/04/15 13:32 | 1 |
| Chloroform | ND | | 1.0 | | ug/L | | | 03/04/15 13:32 | 1 |
| 1,1,1-Trichloroethane | ND | | 0.50 | | ug/L | | | 03/04/15 13:32 | 1 |
| Carbon tetrachloride | ND | | 0.50 | | ug/L | | | 03/04/15 13:32 | 1 |
| 1,2-Dichloroethane | ND | | 0.50 | | ug/L | | | 03/04/15 13:32 | 1 |
| Trichloroethene | 38 | | 0.50 | | ug/L | | | 03/04/15 13:32 | 1 |
| 1,2-Dichloropropane | ND | | 0.50 | | ug/L | | | 03/04/15 13:32 | 1 |
| Dichlorobromomethane | ND | | 0.50 | | ug/L | | | 03/04/15 13:32 | 1 |
| trans-1,3-Dichloropropene | ND | | 0.50 | | ug/L | | | 03/04/15 13:32 | 1 |
| cis-1,3-Dichloropropene | ND | | 0.50 | | ug/L | | | 03/04/15 13:32 | 1 |
| 1,1,2-Trichloroethane | ND | | 0.50 | | ug/L | | | 03/04/15 13:32 | 1 |
| Tetrachloroethene | 130 | | 0.50 | | ug/L | | | 03/04/15 13:32 | 1 |
| Chlorodibromomethane | ND | | 0.50 | | ug/L | | | 03/04/15 13:32 | 1 |
| Chlorobenzene | ND | | 0.50 | | ug/L | | | 03/04/15 13:32 | 1 |
| Bromoform | ND | | 1.0 | | ug/L | | | 03/04/15 13:32 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | 0.50 | | ug/L | | | 03/04/15 13:32 | 1 |
| 1,3-Dichlorobenzene | ND | | 0.50 | | ug/L | | | 03/04/15 13:32 | 1 |
| 1,4-Dichlorobenzene | ND | | 0.50 | | ug/L | | | 03/04/15 13:32 | 1 |
| 1,2-Dichlorobenzene | ND | | 0.50 | | ug/L | | | 03/04/15 13:32 | 1 |
| Chloromethane | ND | | 1.0 | | ug/L | | | 03/04/15 13:32 | 1 |
| Bromomethane | ND | | 1.0 | | ug/L | | | 03/04/15 13:32 | 1 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND | | 0.50 | | ug/L | | | 03/04/15 13:32 | 1 |
| EDB | ND | | 0.50 | | ug/L | | | 03/04/15 13:32 | 1 |
| 1,2,4-Trichlorobenzene | ND | | 1.0 | | ug/L | | | 03/04/15 13:32 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| Toluene-d8 (Surr) | 100 | | 70 - 130 | | | | | 03/04/15 13:32 | 1 |
| 4-Bromofluorobenzene | 101 | | 67 - 130 | | | | | 03/04/15 13:32 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 106 | | 72 - 130 | | | | | 03/04/15 13:32 | 1 |

Client Sample Results

Client: Crawford Consulting Inc
 Project/Site: Alameda Facility CS1605

TestAmerica Job ID: 720-63284-1

Client Sample ID: MW-2

Lab Sample ID: 720-63284-2

Date Collected: 03/03/15 11:28

Matrix: Water

Date Received: 03/03/15 12:45

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------------|------------|-----------|----------|-----|------|---|----------|----------------|---------|
| 1,1-Dichloroethene | ND | | 0.50 | | ug/L | | | 03/04/15 14:02 | 1 |
| 1,1-Dichloroethane | ND | | 0.50 | | ug/L | | | 03/04/15 14:02 | 1 |
| Dichlorodifluoromethane | ND | | 0.50 | | ug/L | | | 03/04/15 14:02 | 1 |
| Vinyl chloride | ND | | 0.50 | | ug/L | | | 03/04/15 14:02 | 1 |
| Chloroethane | ND | | 1.0 | | ug/L | | | 03/04/15 14:02 | 1 |
| Trichlorofluoromethane | ND | | 1.0 | | ug/L | | | 03/04/15 14:02 | 1 |
| Methylene Chloride | ND | | 5.0 | | ug/L | | | 03/04/15 14:02 | 1 |
| trans-1,2-Dichloroethene | ND | | 0.50 | | ug/L | | | 03/04/15 14:02 | 1 |
| cis-1,2-Dichloroethene | 100 | | 0.50 | | ug/L | | | 03/04/15 14:02 | 1 |
| Chloroform | ND | | 1.0 | | ug/L | | | 03/04/15 14:02 | 1 |
| 1,1,1-Trichloroethane | ND | | 0.50 | | ug/L | | | 03/04/15 14:02 | 1 |
| Carbon tetrachloride | ND | | 0.50 | | ug/L | | | 03/04/15 14:02 | 1 |
| 1,2-Dichloroethane | ND | | 0.50 | | ug/L | | | 03/04/15 14:02 | 1 |
| Trichloroethene | 10 | | 0.50 | | ug/L | | | 03/04/15 14:02 | 1 |
| 1,2-Dichloropropane | ND | | 0.50 | | ug/L | | | 03/04/15 14:02 | 1 |
| Dichlorobromomethane | ND | | 0.50 | | ug/L | | | 03/04/15 14:02 | 1 |
| trans-1,3-Dichloropropene | ND | | 0.50 | | ug/L | | | 03/04/15 14:02 | 1 |
| cis-1,3-Dichloropropene | ND | | 0.50 | | ug/L | | | 03/04/15 14:02 | 1 |
| 1,1,2-Trichloroethane | ND | | 0.50 | | ug/L | | | 03/04/15 14:02 | 1 |
| Tetrachloroethene | 600 | | 10 | | ug/L | | | 03/05/15 13:41 | 20 |
| Chlorodibromomethane | ND | | 0.50 | | ug/L | | | 03/04/15 14:02 | 1 |
| Chlorobenzene | ND | | 0.50 | | ug/L | | | 03/04/15 14:02 | 1 |
| Bromoform | ND | | 1.0 | | ug/L | | | 03/04/15 14:02 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | 0.50 | | ug/L | | | 03/04/15 14:02 | 1 |
| 1,3-Dichlorobenzene | ND | | 0.50 | | ug/L | | | 03/04/15 14:02 | 1 |
| 1,4-Dichlorobenzene | ND | | 0.50 | | ug/L | | | 03/04/15 14:02 | 1 |
| 1,2-Dichlorobenzene | ND | | 0.50 | | ug/L | | | 03/04/15 14:02 | 1 |
| Chloromethane | ND | | 1.0 | | ug/L | | | 03/04/15 14:02 | 1 |
| Bromomethane | ND | | 1.0 | | ug/L | | | 03/04/15 14:02 | 1 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND | | 0.50 | | ug/L | | | 03/04/15 14:02 | 1 |
| EDB | ND | | 0.50 | | ug/L | | | 03/04/15 14:02 | 1 |
| 1,2,4-Trichlorobenzene | ND | | 1.0 | | ug/L | | | 03/04/15 14:02 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| Toluene-d8 (Surr) | 100 | | 70 - 130 | | | | | 03/04/15 14:02 | 1 |
| Toluene-d8 (Surr) | 100 | | 70 - 130 | | | | | 03/05/15 13:41 | 20 |
| 4-Bromofluorobenzene | 102 | | 67 - 130 | | | | | 03/04/15 14:02 | 1 |
| 4-Bromofluorobenzene | 102 | | 67 - 130 | | | | | 03/05/15 13:41 | 20 |
| 1,2-Dichloroethane-d4 (Surr) | 108 | | 72 - 130 | | | | | 03/04/15 14:02 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 110 | | 72 - 130 | | | | | 03/05/15 13:41 | 20 |

Client Sample Results

Client: Crawford Consulting Inc
Project/Site: Alameda Facility CS1605

TestAmerica Job ID: 720-63284-1

Client Sample ID: MW-3

Lab Sample ID: 720-63284-3

Date Collected: 03/03/15 09:38

Matrix: Water

Date Received: 03/03/15 12:45

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------------|------------------|------------------|---------------|-----|------|---|-----------------|-----------------|----------------|
| 1,1-Dichloroethene | 45 | | 0.50 | | ug/L | | | 03/04/15 14:32 | 1 |
| 1,1-Dichloroethane | 2.1 | | 0.50 | | ug/L | | | 03/04/15 14:32 | 1 |
| Dichlorodifluoromethane | ND | | 0.50 | | ug/L | | | 03/04/15 14:32 | 1 |
| Vinyl chloride | ND | | 0.50 | | ug/L | | | 03/04/15 14:32 | 1 |
| Chloroethane | ND | | 1.0 | | ug/L | | | 03/04/15 14:32 | 1 |
| Trichlorofluoromethane | ND | | 1.0 | | ug/L | | | 03/04/15 14:32 | 1 |
| Methylene Chloride | ND | | 5.0 | | ug/L | | | 03/04/15 14:32 | 1 |
| trans-1,2-Dichloroethene | ND | | 0.50 | | ug/L | | | 03/04/15 14:32 | 1 |
| cis-1,2-Dichloroethene | ND | | 0.50 | | ug/L | | | 03/04/15 14:32 | 1 |
| Chloroform | ND | | 1.0 | | ug/L | | | 03/04/15 14:32 | 1 |
| 1,1,1-Trichloroethane | 0.75 | | 0.50 | | ug/L | | | 03/04/15 14:32 | 1 |
| Carbon tetrachloride | ND | | 0.50 | | ug/L | | | 03/04/15 14:32 | 1 |
| 1,2-Dichloroethane | ND | | 0.50 | | ug/L | | | 03/04/15 14:32 | 1 |
| Trichloroethene | ND | | 0.50 | | ug/L | | | 03/04/15 14:32 | 1 |
| 1,2-Dichloropropane | ND | | 0.50 | | ug/L | | | 03/04/15 14:32 | 1 |
| Dichlorobromomethane | ND | | 0.50 | | ug/L | | | 03/04/15 14:32 | 1 |
| trans-1,3-Dichloropropene | ND | | 0.50 | | ug/L | | | 03/04/15 14:32 | 1 |
| cis-1,3-Dichloropropene | ND | | 0.50 | | ug/L | | | 03/04/15 14:32 | 1 |
| 1,1,2-Trichloroethane | ND | | 0.50 | | ug/L | | | 03/04/15 14:32 | 1 |
| Tetrachloroethene | ND | | 0.50 | | ug/L | | | 03/04/15 14:32 | 1 |
| Chlorodibromomethane | ND | | 0.50 | | ug/L | | | 03/04/15 14:32 | 1 |
| Chlorobenzene | ND | | 0.50 | | ug/L | | | 03/04/15 14:32 | 1 |
| Bromoform | ND | | 1.0 | | ug/L | | | 03/04/15 14:32 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | 0.50 | | ug/L | | | 03/04/15 14:32 | 1 |
| 1,3-Dichlorobenzene | ND | | 0.50 | | ug/L | | | 03/04/15 14:32 | 1 |
| 1,4-Dichlorobenzene | ND | | 0.50 | | ug/L | | | 03/04/15 14:32 | 1 |
| 1,2-Dichlorobenzene | ND | | 0.50 | | ug/L | | | 03/04/15 14:32 | 1 |
| Chloromethane | ND | | 1.0 | | ug/L | | | 03/04/15 14:32 | 1 |
| Bromomethane | ND | | 1.0 | | ug/L | | | 03/04/15 14:32 | 1 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND | | 0.50 | | ug/L | | | 03/04/15 14:32 | 1 |
| EDB | ND | | 0.50 | | ug/L | | | 03/04/15 14:32 | 1 |
| 1,2,4-Trichlorobenzene | ND | | 1.0 | | ug/L | | | 03/04/15 14:32 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| Toluene-d8 (Surr) | 100 | | 70 - 130 | | | | | 03/04/15 14:32 | 1 |
| 4-Bromofluorobenzene | 103 | | 67 - 130 | | | | | 03/04/15 14:32 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 109 | | 72 - 130 | | | | | 03/04/15 14:32 | 1 |

Client Sample Results

Client: Crawford Consulting Inc
Project/Site: Alameda Facility CS1605

TestAmerica Job ID: 720-63284-1

Client Sample ID: MW-4

Lab Sample ID: 720-63284-4

Date Collected: 03/03/15 08:40

Matrix: Water

Date Received: 03/03/15 12:45

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------------|------------------|------------------|---------------|-----|------|---|-----------------|-----------------|----------------|
| 1,1-Dichloroethene | ND | | 0.50 | | ug/L | | | 03/04/15 15:01 | 1 |
| 1,1-Dichloroethane | ND | | 0.50 | | ug/L | | | 03/04/15 15:01 | 1 |
| Dichlorodifluoromethane | ND | | 0.50 | | ug/L | | | 03/04/15 15:01 | 1 |
| Vinyl chloride | ND | | 0.50 | | ug/L | | | 03/04/15 15:01 | 1 |
| Chloroethane | ND | | 1.0 | | ug/L | | | 03/04/15 15:01 | 1 |
| Trichlorofluoromethane | ND | | 1.0 | | ug/L | | | 03/04/15 15:01 | 1 |
| Methylene Chloride | ND | | 5.0 | | ug/L | | | 03/04/15 15:01 | 1 |
| trans-1,2-Dichloroethene | ND | | 0.50 | | ug/L | | | 03/04/15 15:01 | 1 |
| cis-1,2-Dichloroethene | ND | | 0.50 | | ug/L | | | 03/04/15 15:01 | 1 |
| Chloroform | ND | | 1.0 | | ug/L | | | 03/04/15 15:01 | 1 |
| 1,1,1-Trichloroethane | ND | | 0.50 | | ug/L | | | 03/04/15 15:01 | 1 |
| Carbon tetrachloride | ND | | 0.50 | | ug/L | | | 03/04/15 15:01 | 1 |
| 1,2-Dichloroethane | ND | | 0.50 | | ug/L | | | 03/04/15 15:01 | 1 |
| Trichloroethene | ND | | 0.50 | | ug/L | | | 03/04/15 15:01 | 1 |
| 1,2-Dichloropropane | ND | | 0.50 | | ug/L | | | 03/04/15 15:01 | 1 |
| Dichlorobromomethane | ND | | 0.50 | | ug/L | | | 03/04/15 15:01 | 1 |
| trans-1,3-Dichloropropene | ND | | 0.50 | | ug/L | | | 03/04/15 15:01 | 1 |
| cis-1,3-Dichloropropene | ND | | 0.50 | | ug/L | | | 03/04/15 15:01 | 1 |
| 1,1,2-Trichloroethane | ND | | 0.50 | | ug/L | | | 03/04/15 15:01 | 1 |
| Tetrachloroethene | ND | | 0.50 | | ug/L | | | 03/04/15 15:01 | 1 |
| Chlorodibromomethane | ND | | 0.50 | | ug/L | | | 03/04/15 15:01 | 1 |
| Chlorobenzene | ND | | 0.50 | | ug/L | | | 03/04/15 15:01 | 1 |
| Bromoform | ND | | 1.0 | | ug/L | | | 03/04/15 15:01 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | 0.50 | | ug/L | | | 03/04/15 15:01 | 1 |
| 1,3-Dichlorobenzene | ND | | 0.50 | | ug/L | | | 03/04/15 15:01 | 1 |
| 1,4-Dichlorobenzene | ND | | 0.50 | | ug/L | | | 03/04/15 15:01 | 1 |
| 1,2-Dichlorobenzene | ND | | 0.50 | | ug/L | | | 03/04/15 15:01 | 1 |
| Chloromethane | ND | | 1.0 | | ug/L | | | 03/04/15 15:01 | 1 |
| Bromomethane | ND | | 1.0 | | ug/L | | | 03/04/15 15:01 | 1 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND | | 0.50 | | ug/L | | | 03/04/15 15:01 | 1 |
| EDB | ND | | 0.50 | | ug/L | | | 03/04/15 15:01 | 1 |
| 1,2,4-Trichlorobenzene | ND | | 1.0 | | ug/L | | | 03/04/15 15:01 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| <i>Toluene-d8 (Surr)</i> | 99 | | 70 - 130 | | | | | 03/04/15 15:01 | 1 |
| <i>4-Bromofluorobenzene</i> | 102 | | 67 - 130 | | | | | 03/04/15 15:01 | 1 |
| <i>1,2-Dichloroethane-d4 (Surr)</i> | 107 | | 72 - 130 | | | | | 03/04/15 15:01 | 1 |

Client Sample Results

Client: Crawford Consulting Inc
 Project/Site: Alameda Facility CS1605

TestAmerica Job ID: 720-63284-1

Client Sample ID: DUP-1

Lab Sample ID: 720-63284-5

Date Collected: 03/03/15 00:00

Matrix: Water

Date Received: 03/03/15 12:45

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------------|------------|-----------|------|-----|------|---|----------|----------------|---------|
| 1,1-Dichloroethene | ND | | 0.50 | | ug/L | | | 03/04/15 15:31 | 1 |
| 1,1-Dichloroethane | ND | | 0.50 | | ug/L | | | 03/04/15 15:31 | 1 |
| Dichlorodifluoromethane | ND | | 0.50 | | ug/L | | | 03/04/15 15:31 | 1 |
| Vinyl chloride | ND | | 0.50 | | ug/L | | | 03/04/15 15:31 | 1 |
| Chloroethane | ND | | 1.0 | | ug/L | | | 03/04/15 15:31 | 1 |
| Trichlorofluoromethane | ND | | 1.0 | | ug/L | | | 03/04/15 15:31 | 1 |
| Methylene Chloride | ND | | 5.0 | | ug/L | | | 03/04/15 15:31 | 1 |
| trans-1,2-Dichloroethene | ND | | 0.50 | | ug/L | | | 03/04/15 15:31 | 1 |
| cis-1,2-Dichloroethene | 100 | | 0.50 | | ug/L | | | 03/04/15 15:31 | 1 |
| Chloroform | ND | | 1.0 | | ug/L | | | 03/04/15 15:31 | 1 |
| 1,1,1-Trichloroethane | ND | | 0.50 | | ug/L | | | 03/04/15 15:31 | 1 |
| Carbon tetrachloride | ND | | 0.50 | | ug/L | | | 03/04/15 15:31 | 1 |
| 1,2-Dichloroethane | ND | | 0.50 | | ug/L | | | 03/04/15 15:31 | 1 |
| Trichloroethene | 10 | | 0.50 | | ug/L | | | 03/04/15 15:31 | 1 |
| 1,2-Dichloropropane | ND | | 0.50 | | ug/L | | | 03/04/15 15:31 | 1 |
| Dichlorobromomethane | ND | | 0.50 | | ug/L | | | 03/04/15 15:31 | 1 |
| trans-1,3-Dichloropropene | ND | | 0.50 | | ug/L | | | 03/04/15 15:31 | 1 |
| cis-1,3-Dichloropropene | ND | | 0.50 | | ug/L | | | 03/04/15 15:31 | 1 |
| 1,1,2-Trichloroethane | ND | | 0.50 | | ug/L | | | 03/04/15 15:31 | 1 |
| Tetrachloroethene | 610 | | 10 | | ug/L | | | 03/05/15 14:10 | 20 |
| Chlorodibromomethane | ND | | 0.50 | | ug/L | | | 03/04/15 15:31 | 1 |
| Chlorobenzene | ND | | 0.50 | | ug/L | | | 03/04/15 15:31 | 1 |
| Bromoform | ND | | 1.0 | | ug/L | | | 03/04/15 15:31 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | 0.50 | | ug/L | | | 03/04/15 15:31 | 1 |
| 1,3-Dichlorobenzene | ND | | 0.50 | | ug/L | | | 03/04/15 15:31 | 1 |
| 1,4-Dichlorobenzene | ND | | 0.50 | | ug/L | | | 03/04/15 15:31 | 1 |
| 1,2-Dichlorobenzene | ND | | 0.50 | | ug/L | | | 03/04/15 15:31 | 1 |
| Chloromethane | ND | | 1.0 | | ug/L | | | 03/04/15 15:31 | 1 |
| Bromomethane | ND | | 1.0 | | ug/L | | | 03/04/15 15:31 | 1 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND | | 0.50 | | ug/L | | | 03/04/15 15:31 | 1 |
| EDB | ND | | 0.50 | | ug/L | | | 03/04/15 15:31 | 1 |
| 1,2,4-Trichlorobenzene | ND | | 1.0 | | ug/L | | | 03/04/15 15:31 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| Toluene-d8 (Surr) | 100 | | 70 - 130 | | 03/04/15 15:31 | 1 |
| Toluene-d8 (Surr) | 100 | | 70 - 130 | | 03/05/15 14:10 | 20 |
| 4-Bromofluorobenzene | 102 | | 67 - 130 | | 03/04/15 15:31 | 1 |
| 4-Bromofluorobenzene | 102 | | 67 - 130 | | 03/05/15 14:10 | 20 |
| 1,2-Dichloroethane-d4 (Surr) | 108 | | 72 - 130 | | 03/04/15 15:31 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 109 | | 72 - 130 | | 03/05/15 14:10 | 20 |

TestAmerica Pleasanton

Client Sample Results

Client: Crawford Consulting Inc
 Project/Site: Alameda Facility CS1605

TestAmerica Job ID: 720-63284-1

Client Sample ID: TB-1

Lab Sample ID: 720-63284-6

Date Collected: 03/03/15 00:00

Matrix: Water

Date Received: 03/03/15 12:45

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------------|------------------|------------------|---------------|-----|------|---|-----------------|-----------------|----------------|
| 1,1-Dichloroethene | ND | | 0.50 | | ug/L | | | 03/04/15 13:03 | 1 |
| 1,1-Dichloroethane | ND | | 0.50 | | ug/L | | | 03/04/15 13:03 | 1 |
| Dichlorodifluoromethane | ND | | 0.50 | | ug/L | | | 03/04/15 13:03 | 1 |
| Vinyl chloride | ND | | 0.50 | | ug/L | | | 03/04/15 13:03 | 1 |
| Chloroethane | ND | | 1.0 | | ug/L | | | 03/04/15 13:03 | 1 |
| Trichlorofluoromethane | ND | | 1.0 | | ug/L | | | 03/04/15 13:03 | 1 |
| Methylene Chloride | ND | | 5.0 | | ug/L | | | 03/04/15 13:03 | 1 |
| trans-1,2-Dichloroethene | ND | | 0.50 | | ug/L | | | 03/04/15 13:03 | 1 |
| cis-1,2-Dichloroethene | ND | | 0.50 | | ug/L | | | 03/04/15 13:03 | 1 |
| Chloroform | ND | | 1.0 | | ug/L | | | 03/04/15 13:03 | 1 |
| 1,1,1-Trichloroethane | ND | | 0.50 | | ug/L | | | 03/04/15 13:03 | 1 |
| Carbon tetrachloride | ND | | 0.50 | | ug/L | | | 03/04/15 13:03 | 1 |
| 1,2-Dichloroethane | ND | | 0.50 | | ug/L | | | 03/04/15 13:03 | 1 |
| Trichloroethene | ND | | 0.50 | | ug/L | | | 03/04/15 13:03 | 1 |
| 1,2-Dichloropropane | ND | | 0.50 | | ug/L | | | 03/04/15 13:03 | 1 |
| Dichlorobromomethane | ND | | 0.50 | | ug/L | | | 03/04/15 13:03 | 1 |
| trans-1,3-Dichloropropene | ND | | 0.50 | | ug/L | | | 03/04/15 13:03 | 1 |
| cis-1,3-Dichloropropene | ND | | 0.50 | | ug/L | | | 03/04/15 13:03 | 1 |
| 1,1,2-Trichloroethane | ND | | 0.50 | | ug/L | | | 03/04/15 13:03 | 1 |
| Tetrachloroethene | ND | | 0.50 | | ug/L | | | 03/04/15 13:03 | 1 |
| Chlorodibromomethane | ND | | 0.50 | | ug/L | | | 03/04/15 13:03 | 1 |
| Chlorobenzene | ND | | 0.50 | | ug/L | | | 03/04/15 13:03 | 1 |
| Bromoform | ND | | 1.0 | | ug/L | | | 03/04/15 13:03 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | 0.50 | | ug/L | | | 03/04/15 13:03 | 1 |
| 1,3-Dichlorobenzene | ND | | 0.50 | | ug/L | | | 03/04/15 13:03 | 1 |
| 1,4-Dichlorobenzene | ND | | 0.50 | | ug/L | | | 03/04/15 13:03 | 1 |
| 1,2-Dichlorobenzene | ND | | 0.50 | | ug/L | | | 03/04/15 13:03 | 1 |
| Chloromethane | ND | | 1.0 | | ug/L | | | 03/04/15 13:03 | 1 |
| Bromomethane | ND | | 1.0 | | ug/L | | | 03/04/15 13:03 | 1 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND | | 0.50 | | ug/L | | | 03/04/15 13:03 | 1 |
| EDB | ND | | 0.50 | | ug/L | | | 03/04/15 13:03 | 1 |
| 1,2,4-Trichlorobenzene | ND | | 1.0 | | ug/L | | | 03/04/15 13:03 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| <i>Toluene-d8 (Surr)</i> | 100 | | 70 - 130 | | | | | 03/04/15 13:03 | 1 |
| <i>4-Bromofluorobenzene</i> | 101 | | 67 - 130 | | | | | 03/04/15 13:03 | 1 |
| <i>1,2-Dichloroethane-d4 (Surr)</i> | 108 | | 72 - 130 | | | | | 03/04/15 13:03 | 1 |

QC Sample Results

Client: Crawford Consulting Inc
Project/Site: Alameda Facility CS1605

TestAmerica Job ID: 720-63284-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 720-176959/4

Matrix: Water

Analysis Batch: 176959

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------------|-----------|--------------|------|-----|------|---|----------|----------------|---------|
| 1,1-Dichloroethene | ND | | 0.50 | | ug/L | | | 03/04/15 08:35 | 1 |
| 1,1-Dichloroethane | ND | | 0.50 | | ug/L | | | 03/04/15 08:35 | 1 |
| Dichlorodifluoromethane | ND | | 0.50 | | ug/L | | | 03/04/15 08:35 | 1 |
| Vinyl chloride | ND | | 0.50 | | ug/L | | | 03/04/15 08:35 | 1 |
| Chloroethane | ND | | 1.0 | | ug/L | | | 03/04/15 08:35 | 1 |
| Trichlorofluoromethane | ND | | 1.0 | | ug/L | | | 03/04/15 08:35 | 1 |
| Methylene Chloride | ND | | 5.0 | | ug/L | | | 03/04/15 08:35 | 1 |
| trans-1,2-Dichloroethene | ND | | 0.50 | | ug/L | | | 03/04/15 08:35 | 1 |
| cis-1,2-Dichloroethene | ND | | 0.50 | | ug/L | | | 03/04/15 08:35 | 1 |
| Chloroform | ND | | 1.0 | | ug/L | | | 03/04/15 08:35 | 1 |
| 1,1,1-Trichloroethane | ND | | 0.50 | | ug/L | | | 03/04/15 08:35 | 1 |
| Carbon tetrachloride | ND | | 0.50 | | ug/L | | | 03/04/15 08:35 | 1 |
| 1,2-Dichloroethane | ND | | 0.50 | | ug/L | | | 03/04/15 08:35 | 1 |
| Trichloroethene | ND | | 0.50 | | ug/L | | | 03/04/15 08:35 | 1 |
| 1,2-Dichloropropane | ND | | 0.50 | | ug/L | | | 03/04/15 08:35 | 1 |
| Dichlorobromomethane | ND | | 0.50 | | ug/L | | | 03/04/15 08:35 | 1 |
| trans-1,3-Dichloropropene | ND | | 0.50 | | ug/L | | | 03/04/15 08:35 | 1 |
| cis-1,3-Dichloropropene | ND | | 0.50 | | ug/L | | | 03/04/15 08:35 | 1 |
| 1,1,2-Trichloroethane | ND | | 0.50 | | ug/L | | | 03/04/15 08:35 | 1 |
| Tetrachloroethene | ND | | 0.50 | | ug/L | | | 03/04/15 08:35 | 1 |
| Chlorodibromomethane | ND | | 0.50 | | ug/L | | | 03/04/15 08:35 | 1 |
| Chlorobenzene | ND | | 0.50 | | ug/L | | | 03/04/15 08:35 | 1 |
| Bromoform | ND | | 1.0 | | ug/L | | | 03/04/15 08:35 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | 0.50 | | ug/L | | | 03/04/15 08:35 | 1 |
| 1,3-Dichlorobenzene | ND | | 0.50 | | ug/L | | | 03/04/15 08:35 | 1 |
| 1,4-Dichlorobenzene | ND | | 0.50 | | ug/L | | | 03/04/15 08:35 | 1 |
| 1,2-Dichlorobenzene | ND | | 0.50 | | ug/L | | | 03/04/15 08:35 | 1 |
| Chloromethane | ND | | 1.0 | | ug/L | | | 03/04/15 08:35 | 1 |
| Bromomethane | ND | | 1.0 | | ug/L | | | 03/04/15 08:35 | 1 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND | | 0.50 | | ug/L | | | 03/04/15 08:35 | 1 |
| EDB | ND | | 0.50 | | ug/L | | | 03/04/15 08:35 | 1 |
| 1,2,4-Trichlorobenzene | ND | | 1.0 | | ug/L | | | 03/04/15 08:35 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|--------------|--------------|----------|----------|----------------|---------|
| Toluene-d8 (Surr) | 100 | | 70 - 130 | | 03/04/15 08:35 | 1 |
| 4-Bromofluorobenzene | 103 | | 67 - 130 | | 03/04/15 08:35 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 104 | | 72 - 130 | | 03/04/15 08:35 | 1 |

Lab Sample ID: LCS 720-176959/5

Matrix: Water

Analysis Batch: 176959

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------------------|-------------|------------|---------------|------|---|------|--------------|
| 1,1-Dichloroethene | 25.0 | 23.5 | | ug/L | | 94 | 64 - 128 |
| 1,1-Dichloroethane | 25.0 | 26.2 | | ug/L | | 105 | 70 - 130 |
| Dichlorodifluoromethane | 25.0 | 28.1 | | ug/L | | 112 | 34 - 132 |
| Vinyl chloride | 25.0 | 27.7 | | ug/L | | 111 | 54 - 135 |
| Chloroethane | 25.0 | 27.5 | | ug/L | | 110 | 62 - 138 |

TestAmerica Pleasanton

QC Sample Results

Client: Crawford Consulting Inc
Project/Site: Alameda Facility CS1605

TestAmerica Job ID: 720-63284-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 720-176959/5

Matrix: Water

Analysis Batch: 176959

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------------------------|-------------|------------|---------------|------|---|------|--------------|
| Trichlorofluoromethane | 25.0 | 27.8 | | ug/L | | 111 | 66 - 132 |
| Methylene Chloride | 25.0 | 24.6 | | ug/L | | 99 | 70 - 147 |
| trans-1,2-Dichloroethene | 25.0 | 25.2 | | ug/L | | 101 | 68 - 130 |
| cis-1,2-Dichloroethene | 25.0 | 26.4 | | ug/L | | 105 | 70 - 130 |
| Chloroform | 25.0 | 26.1 | | ug/L | | 105 | 70 - 130 |
| 1,1,1-Trichloroethane | 25.0 | 26.1 | | ug/L | | 105 | 70 - 130 |
| Carbon tetrachloride | 25.0 | 26.8 | | ug/L | | 107 | 70 - 146 |
| 1,2-Dichloroethane | 25.0 | 26.5 | | ug/L | | 106 | 61 - 132 |
| Trichloroethene | 25.0 | 25.5 | | ug/L | | 102 | 70 - 130 |
| 1,2-Dichloropropane | 25.0 | 26.5 | | ug/L | | 106 | 70 - 130 |
| Dichlorobromomethane | 25.0 | 26.9 | | ug/L | | 107 | 70 - 130 |
| trans-1,3-Dichloropropene | 25.0 | 30.0 | | ug/L | | 120 | 70 - 140 |
| cis-1,3-Dichloropropene | 25.0 | 28.0 | | ug/L | | 112 | 70 - 130 |
| 1,1,2-Trichloroethane | 25.0 | 26.6 | | ug/L | | 106 | 70 - 130 |
| Tetrachloroethene | 25.0 | 24.8 | | ug/L | | 99 | 70 - 130 |
| Chlorodibromomethane | 25.0 | 28.4 | | ug/L | | 114 | 70 - 145 |
| Chlorobenzene | 25.0 | 26.8 | | ug/L | | 107 | 70 - 130 |
| Bromoform | 25.0 | 27.8 | | ug/L | | 111 | 68 - 136 |
| 1,1,2,2-Tetrachloroethane | 25.0 | 27.0 | | ug/L | | 108 | 70 - 130 |
| 1,3-Dichlorobenzene | 25.0 | 26.0 | | ug/L | | 104 | 70 - 130 |
| 1,4-Dichlorobenzene | 25.0 | 26.3 | | ug/L | | 105 | 70 - 130 |
| 1,2-Dichlorobenzene | 25.0 | 26.2 | | ug/L | | 105 | 70 - 130 |
| Chloromethane | 25.0 | 28.2 | | ug/L | | 113 | 52 - 175 |
| Bromomethane | 25.0 | 28.8 | | ug/L | | 115 | 43 - 151 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 25.0 | 24.0 | | ug/L | | 96 | 42 - 162 |
| EDB | 25.0 | 26.8 | | ug/L | | 107 | 70 - 130 |
| 1,2,4-Trichlorobenzene | 25.0 | 26.9 | | ug/L | | 107 | 70 - 130 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|------------------------------|---------------|---------------|----------|
| Toluene-d8 (Surr) | 102 | | 70 - 130 |
| 4-Bromofluorobenzene | 107 | | 67 - 130 |
| 1,2-Dichloroethane-d4 (Surr) | 105 | | 72 - 130 |

Lab Sample ID: LCSD 720-176959/6

Matrix: Water

Analysis Batch: 176959

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | Limit |
|--------------------------|-------------|-------------|----------------|------|---|------|--------------|-----|-------|
| 1,1-Dichloroethene | 25.0 | 23.3 | | ug/L | | 93 | 64 - 128 | 1 | 20 |
| 1,1-Dichloroethane | 25.0 | 26.1 | | ug/L | | 105 | 70 - 130 | 0 | 20 |
| Dichlorodifluoromethane | 25.0 | 25.4 | | ug/L | | 102 | 34 - 132 | 10 | 20 |
| Vinyl chloride | 25.0 | 25.1 | | ug/L | | 100 | 54 - 135 | 10 | 20 |
| Chloroethane | 25.0 | 25.4 | | ug/L | | 101 | 62 - 138 | 8 | 20 |
| Trichlorofluoromethane | 25.0 | 25.8 | | ug/L | | 103 | 66 - 132 | 8 | 20 |
| Methylene Chloride | 25.0 | 24.4 | | ug/L | | 98 | 70 - 147 | 1 | 20 |
| trans-1,2-Dichloroethene | 25.0 | 25.0 | | ug/L | | 100 | 68 - 130 | 1 | 20 |
| cis-1,2-Dichloroethene | 25.0 | 26.0 | | ug/L | | 104 | 70 - 130 | 1 | 20 |

TestAmerica Pleasanton

QC Sample Results

Client: Crawford Consulting Inc
Project/Site: Alameda Facility CS1605

TestAmerica Job ID: 720-63284-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 720-176959/6

Matrix: Water

Analysis Batch: 176959

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | | RPD | |
|---------------------------------------|-------------|-------------|----------------|------|---|------|--------------|-------|-----|-------|
| | | | | | | | RPD | Limit | RPD | Limit |
| Chloroform | 25.0 | 25.8 | | ug/L | | 103 | 70 - 130 | 1 | 20 | |
| 1,1,1-Trichloroethane | 25.0 | 25.8 | | ug/L | | 103 | 70 - 130 | 1 | 20 | |
| Carbon tetrachloride | 25.0 | 26.5 | | ug/L | | 106 | 70 - 146 | 1 | 20 | |
| 1,2-Dichloroethane | 25.0 | 26.1 | | ug/L | | 105 | 61 - 132 | 1 | 20 | |
| Trichloroethene | 25.0 | 25.3 | | ug/L | | 101 | 70 - 130 | 1 | 20 | |
| 1,2-Dichloropropane | 25.0 | 25.9 | | ug/L | | 104 | 70 - 130 | 2 | 20 | |
| Dichlorobromomethane | 25.0 | 26.5 | | ug/L | | 106 | 70 - 130 | 1 | 20 | |
| trans-1,3-Dichloropropene | 25.0 | 30.0 | | ug/L | | 120 | 70 - 140 | 0 | 20 | |
| cis-1,3-Dichloropropene | 25.0 | 27.5 | | ug/L | | 110 | 70 - 130 | 2 | 20 | |
| 1,1,2-Trichloroethane | 25.0 | 25.9 | | ug/L | | 104 | 70 - 130 | 2 | 20 | |
| Tetrachloroethene | 25.0 | 24.4 | | ug/L | | 98 | 70 - 130 | 2 | 20 | |
| Chlorodibromomethane | 25.0 | 28.0 | | ug/L | | 112 | 70 - 145 | 2 | 20 | |
| Chlorobenzene | 25.0 | 26.5 | | ug/L | | 106 | 70 - 130 | 1 | 20 | |
| Bromoform | 25.0 | 27.8 | | ug/L | | 111 | 68 - 136 | 0 | 20 | |
| 1,1,2,2-Tetrachloroethane | 25.0 | 26.8 | | ug/L | | 107 | 70 - 130 | 1 | 20 | |
| 1,3-Dichlorobenzene | 25.0 | 25.7 | | ug/L | | 103 | 70 - 130 | 1 | 20 | |
| 1,4-Dichlorobenzene | 25.0 | 25.5 | | ug/L | | 102 | 70 - 130 | 3 | 20 | |
| 1,2-Dichlorobenzene | 25.0 | 25.8 | | ug/L | | 103 | 70 - 130 | 2 | 20 | |
| Chloromethane | 25.0 | 25.8 | | ug/L | | 103 | 52 - 175 | 9 | 20 | |
| Bromomethane | 25.0 | 26.5 | | ug/L | | 106 | 43 - 151 | 9 | 20 | |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 25.0 | 24.0 | | ug/L | | 96 | 42 - 162 | 0 | 20 | |
| EDB | 25.0 | 26.3 | | ug/L | | 105 | 70 - 130 | 2 | 20 | |
| 1,2,4-Trichlorobenzene | 25.0 | 25.7 | | ug/L | | 103 | 70 - 130 | 4 | 20 | |

| Surrogate | LCSD LCSD | | Limits |
|------------------------------|-----------|-----------|----------|
| | %Recovery | Qualifier | |
| Toluene-d8 (Surr) | 101 | | 70 - 130 |
| 4-Bromofluorobenzene | 106 | | 67 - 130 |
| 1,2-Dichloroethane-d4 (Surr) | 102 | | 72 - 130 |

Lab Sample ID: MB 720-177045/4

Matrix: Water

Analysis Batch: 177045

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB MB | | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------|--------|-----------|------|-----|------|---|----------|----------------|---------|
| | Result | Qualifier | | | | | | | |
| Tetrachloroethene | ND | | 0.50 | | ug/L | | | 03/05/15 08:44 | 1 |

| Surrogate | MB MB | | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| | %Recovery | Qualifier | | | | |
| Toluene-d8 (Surr) | 100 | | 70 - 130 | | 03/05/15 08:44 | 1 |
| 4-Bromofluorobenzene | 102 | | 67 - 130 | | 03/05/15 08:44 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 105 | | 72 - 130 | | 03/05/15 08:44 | 1 |

Lab Sample ID: LCS 720-177045/5

Matrix: Water

Analysis Batch: 177045

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits | |
|-------------------|-------------|------------|---------------|------|---|------|--------------|-------|
| | | | | | | | RPD | Limit |
| Tetrachloroethene | 25.0 | 24.6 | | ug/L | | 98 | 70 - 130 | |

TestAmerica Pleasanton

QC Sample Results

Client: Crawford Consulting Inc
 Project/Site: Alameda Facility CS1605

TestAmerica Job ID: 720-63284-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 720-177045/5

Matrix: Water

Analysis Batch: 177045

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Surrogate | LCS | | Limits |
|------------------------------|-----------|-----------|----------|
| | %Recovery | Qualifier | |
| Toluene-d8 (Surr) | 101 | | 70 - 130 |
| 4-Bromofluorobenzene | 104 | | 67 - 130 |
| 1,2-Dichloroethane-d4 (Surr) | 102 | | 72 - 130 |

Lab Sample ID: LCSD 720-177045/6

Matrix: Water

Analysis Batch: 177045

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD | | Unit | D | %Rec | %Rec. | | RPD | |
|-------------------|-------------|--------|-----------|------|---|------|----------|-----|-------|--|
| | | Result | Qualifier | | | | Limits | RPD | Limit | |
| Tetrachloroethene | 25.0 | 24.4 | | ug/L | | 98 | 70 - 130 | 1 | 20 | |

| Surrogate | LCSD | | Limits |
|------------------------------|-----------|-----------|----------|
| | %Recovery | Qualifier | |
| Toluene-d8 (Surr) | 101 | | 70 - 130 |
| 4-Bromofluorobenzene | 106 | | 67 - 130 |
| 1,2-Dichloroethane-d4 (Surr) | 104 | | 72 - 130 |

QC Association Summary

Client: Crawford Consulting Inc
Project/Site: Alameda Facility CS1605

TestAmerica Job ID: 720-63284-1

GC/MS VOA

Analysis Batch: 176959

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|------------------------|-----------|--------|--------|------------|
| 720-63284-1 | MW-1 | Total/NA | Water | 8260B | |
| 720-63284-2 | MW-2 | Total/NA | Water | 8260B | |
| 720-63284-3 | MW-3 | Total/NA | Water | 8260B | |
| 720-63284-4 | MW-4 | Total/NA | Water | 8260B | |
| 720-63284-5 | DUP-1 | Total/NA | Water | 8260B | |
| 720-63284-6 | TB-1 | Total/NA | Water | 8260B | |
| LCS 720-176959/5 | Lab Control Sample | Total/NA | Water | 8260B | |
| LCSD 720-176959/6 | Lab Control Sample Dup | Total/NA | Water | 8260B | |
| MB 720-176959/4 | Method Blank | Total/NA | Water | 8260B | |

Analysis Batch: 177045

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|------------------------|-----------|--------|--------|------------|
| 720-63284-2 | MW-2 | Total/NA | Water | 8260B | |
| 720-63284-5 | DUP-1 | Total/NA | Water | 8260B | |
| LCS 720-177045/5 | Lab Control Sample | Total/NA | Water | 8260B | |
| LCSD 720-177045/6 | Lab Control Sample Dup | Total/NA | Water | 8260B | |
| MB 720-177045/4 | Method Blank | Total/NA | Water | 8260B | |

Lab Chronicle

Client: Crawford Consulting Inc
 Project/Site: Alameda Facility CS1605

TestAmerica Job ID: 720-63284-1

Client Sample ID: MW-1

Date Collected: 03/03/15 10:39

Date Received: 03/03/15 12:45

Lab Sample ID: 720-63284-1

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 176959 | 03/04/15 13:32 | PDR | TAL PLS |

Client Sample ID: MW-2

Date Collected: 03/03/15 11:28

Date Received: 03/03/15 12:45

Lab Sample ID: 720-63284-2

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 176959 | 03/04/15 14:02 | PDR | TAL PLS |
| Total/NA | Analysis | 8260B | | 20 | 177045 | 03/05/15 13:41 | PDR | TAL PLS |

Client Sample ID: MW-3

Date Collected: 03/03/15 09:38

Date Received: 03/03/15 12:45

Lab Sample ID: 720-63284-3

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 176959 | 03/04/15 14:32 | PDR | TAL PLS |

Client Sample ID: MW-4

Date Collected: 03/03/15 08:40

Date Received: 03/03/15 12:45

Lab Sample ID: 720-63284-4

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 176959 | 03/04/15 15:01 | PDR | TAL PLS |

Client Sample ID: DUP-1

Date Collected: 03/03/15 00:00

Date Received: 03/03/15 12:45

Lab Sample ID: 720-63284-5

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 176959 | 03/04/15 15:31 | PDR | TAL PLS |
| Total/NA | Analysis | 8260B | | 20 | 177045 | 03/05/15 14:10 | PDR | TAL PLS |

Client Sample ID: TB-1

Date Collected: 03/03/15 00:00

Date Received: 03/03/15 12:45

Lab Sample ID: 720-63284-6

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 176959 | 03/04/15 13:03 | PDR | TAL PLS |

Laboratory References:

TAL PLS = TestAmerica Pleasanton, 1220 Quarry Lane, Pleasanton, CA 94566, TEL (925)484-1919

TestAmerica Pleasanton

Certification Summary

Client: Crawford Consulting Inc
Project/Site: Alameda Facility CS1605

TestAmerica Job ID: 720-63284-1

Laboratory: TestAmerica Pleasanton

Unless otherwise noted, all analytes for this laboratory were covered under each certification below.

| Authority | Program | EPA Region | Certification ID | Expiration Date |
|------------|---------------|------------|------------------|-----------------|
| California | State Program | 9 | 2496 | 01-31-16 |

| Analysis Method | Prep Method | Matrix | Analyte |
|-----------------|-------------|--------|---------|
|-----------------|-------------|--------|---------|

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: Crawford Consulting Inc
Project/Site: Alameda Facility CS1605

TestAmerica Job ID: 720-63284-1

| Method | Method Description | Protocol | Laboratory |
|--------|------------------------------------|----------|------------|
| 8260B | Volatile Organic Compounds (GC/MS) | SW846 | TAL PLS |

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL PLS = TestAmerica Pleasanton, 1220 Quarry Lane, Pleasanton, CA 94566, TEL (925)484-1919



Sample Summary

Client: Crawford Consulting Inc
Project/Site: Alameda Facility CS1605

TestAmerica Job ID: 720-63284-1

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received |
|---------------|------------------|--------|----------------|----------------|
| 720-63284-1 | MW-1 | Water | 03/03/15 10:39 | 03/03/15 12:45 |
| 720-63284-2 | MW-2 | Water | 03/03/15 11:28 | 03/03/15 12:45 |
| 720-63284-3 | MW-3 | Water | 03/03/15 09:38 | 03/03/15 12:45 |
| 720-63284-4 | MW-4 | Water | 03/03/15 08:40 | 03/03/15 12:45 |
| 720-63284-5 | DUP-1 | Water | 03/03/15 00:00 | 03/03/15 12:45 |
| 720-63284-6 | TB-1 | Water | 03/03/15 00:00 | 03/03/15 12:45 |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Test America

1220 Quarry Lane, Pleasanton, CA 94566
 (925) 484-1919 FAX (925) 484-1096

720-63284

CHAIN OF CUSTODY / LABORATORY ANALYSIS REQUEST FORM

159643

Service Request:

Date: 3/3/15

Project Name: Alameda Facility
Project Number: CS1605
Project Manager: Dana Johnston
Company/Address: Crawford Consulting, Inc.
 4 North Second St, Suite 650
 San Jose, CA 95113
Phone: (408) 287-9934

Sampler's Signature: *R. G.*

| Sample LD. | Date | Time | LAB I.D. | Sample Matrix |
|------------|--------|------|----------|---------------|
| MW-1 | 3/3/15 | 1039 | | water |
| MW-2 | 3/3/15 | 1129 | | water |
| MW-3 | 3/3/15 | 0938 | | water |
| MW-4 | 3/3/15 | 0840 | | water |
| DUP-1 | 3/3/15 | — | | water |
| TB-1 | 3/3/15 | — | | water |

| Number of Containers | Analysis Requested | | | | | | | | | | | REMARKS | | |
|----------------------|--------------------------------------|----------------------|----------------|----------|---|-------------------|-------------------|------------------|-------------------|---------------|---|---------|---|----------|
| | Volatile Organics (VOCs) (EPA 8021B) | Pb (7421), As (7060) | Same as Metals | COD, TKN | 500 ml plastic H ₂ SO ₄ | Chloride, Nitrate | 500 ml plastic NP | pH, Conductivity | 500 ml plastic NP | Total Phenols | 2 x 500 ml glass H ₂ SO ₄ | | Volatile Organics (8010) 2 x 40 ml vial | TPH/BTEX |
| 3 | | | | | | | | | | | X | | | |
| 3 | | | | | | | | | | | X | | | |
| 3 | | | | | | | | | | | X | | | |
| 3 | | | | | | | | | | | X | | | |
| 3 | | | | | | | | | | | X | | | |
| 3 | | | | | | | | | | | X | | | |

| Relinquished By | Received By |
|------------------------------------|-------------------------------|
| Signature: <i>R. G.</i> | Signature: <i>[Signature]</i> |
| Printed Name: <i>Ruben Guevara</i> | Printed Name: <i>[Name]</i> |
| Firm: <i>F.S.</i> | Firm: <i>[Firm]</i> |
| Date/Time: <i>3/3/15 1245</i> | Date/Time: <i>3/3/15 1245</i> |

| TURNAROUND REQUIREMENTS | REPORT REQUIREMENTS | INVOICE INFORMATION | SAMPLE RECEIPT |
|---|--|-------------------------------|--|
| 24 hr _____ 48 hr _____ 5 day _____ <input checked="" type="checkbox"/> Standard (5 working days) <input type="checkbox"/> Provide Verbal Preliminary Results <input checked="" type="checkbox"/> Provide pdf Results Due Date: _____ | I. Routine Report <input checked="" type="checkbox"/> II Report (includes DUP, MS MSD, as required, may be charged as samples) III Data Validation Report (includes All Raw Data) RWQCB (MDLs/PQLs/TRACE#) | P.O # _____ Bill to: _____ | Shipping VIA: _____ Shipping #: _____ Condition: _____ |

| Relinquished By | Received By |
|-----------------|--------------|
| Signature | Signature |
| Printed Name | Printed Name |
| Firm | Firm |
| Date/Time | Date/Time |


Special Instructions/Comments:

Please report MRLs only

Please pdf results to: Dana Johnston at dana@crawfordconsulting.com

Please provide EDF for Geotracker. Global ID is SLO600177511

4.4°C



720-63284 Chain of Custody

Page 21 of 22 3/10/2015

Login Sample Receipt Checklist

Client: Crawford Consulting Inc

Job Number: 720-63284-1

Login Number: 63284

List Source: TestAmerica Pleasanton

List Number: 1

Creator: Gonzales, Justinn

| Question | Answer | Comment |
|--|--------|---------|
| Radioactivity wasn't checked or is \leq background as measured by a survey meter. | N/A | |
| The cooler's custody seal, if present, is intact. | N/A | |
| Sample custody seals, if present, are intact. | N/A | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| Is the Field Sampler's name present on COC? | True | |
| There are no discrepancies between the containers received and the COC. | True | |
| Samples are received within Holding Time. | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | N/A | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4"). | True | |
| Multiphasic samples are not present. | True | |
| Samples do not require splitting or compositing. | True | |
| Residual Chlorine Checked. | N/A | |

