

**ExxonMobil**  
**Environmental Services Company**  
4096 Piedmont Avenue #194  
Oakland, California 94611  
510 547 8196 Telephone  
510 547 8706 Facsimile

**Jennifer C. Sedlachek**  
Project Manager

**RECEIVED**

By Alameda County Environmental Health at 3:58 pm, Dec 23, 2013

**ExxonMobil**

December 19, 2013

Mr. Keith Nowell  
Alameda County Health Care Services Agency  
Department of Environmental Health  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502-6577

**Subject: Report of Groundwater Monitoring, Fourth Quarter 2013**  
**Former Exxon RAS #70234**  
**3450 35<sup>th</sup> Avenue, Oakland, California**  
**ACHCSA File No. RO0002515**


Dear Mr. Nowell:

Attached for your review and comment is a copy of the *Report of Groundwater Monitoring, Fourth Quarter 2013* for the above-referenced site. The document, prepared by ETIC Engineering, Inc. of Pleasant Hill, California, details the results of the November 2013 sampling event.

Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached document is true and correct.

If you have any questions or comments, please contact me at 510.547.8196.

Sincerely,




Jennifer C. Sedlachek  
Project Manager

Attachment: ETIC Groundwater Monitoring Report

c: w/ attachment:  
Mr. Zack D. Spencer, FWS Highland LLC, 99 South Hill Drive, Brisbane, CA 94005  
Mr. Shay Wideman, The Valero Companies, Environ. Liability Mgt., P.O. Box 696000, San Antonio, TX 78269

c: w/o attachment:  
Mr. Thomas E. Neely, ETIC Engineering, Inc.



**Report of Groundwater Monitoring  
Fourth Quarter 2013**

**Former Exxon Service Station 70234  
3450 35<sup>th</sup> Avenue  
Oakland, California**

Prepared for


ExxonMobil Oil Corporation

Prepared by

ETIC Engineering, Inc.  
2285 Morello Avenue  
Pleasant Hill, California 94523  
(925) 602-4710

A handwritten signature in black ink, appearing to read "T. E. Neely", written over a horizontal line.

Thomas E. Neely, PG, CHG, QSD  
Senior Hydrogeologist



December 19, 2013  
Date

December 2013

## **SITE CONTACTS**

Site Name: Former Exxon Service Station 70234

Site Address: 3450 35<sup>th</sup> Avenue  
Oakland, California

ExxonMobil Project Manager: Jennifer C. Sedlachek  
ExxonMobil Environmental Services Company  
4096 Piedmont Avenue #194  
Oakland, California 94611  
(510) 547-8196

Consultant to ExxonMobil: ETIC Engineering, Inc.  
2285 Morello Avenue  
Pleasant Hill, California 94523  
(925) 602-4710

ETIC Project Manager: Joseph Muehleck

Regulatory Oversight: Keith Nowell  
Alameda County Health Care Services Agency  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502-6577  
(510) 567-6764

## INTRODUCTION

ETIC Engineering, Inc. (ETIC) has prepared this semiannual groundwater monitoring report for ExxonMobil Environmental Services Company on behalf of ExxonMobil Oil Corporation (ExxonMobil) for Former Exxon Service Station 70234. This report presents the results for the most recent groundwater monitoring conducted at the site and summarizes recent site activities. This report covers site activities conducted from 2 and 3 May 2013, the dates of the previous monitoring event, until 9 November 2013, the date of the most recent monitoring event. Groundwater monitoring results, well construction details, and a groundwater monitoring plan are provided in the attached figures and tables. Groundwater monitoring protocols, field data, and analytical results are provided in the attached appendixes, including groundwater data for Unocal No. 6129, located across Quigley Street southwest of site 70234.

## GENERAL SITE INFORMATION

**Site name:** Former Exxon Service Station 70234  
**Site address:** 3450 35<sup>th</sup> Avenue, Oakland, California  
**Current property owner:** Mr. Zack Spencer  
**Current site use:** Vacant  
**Current phase of project:** Groundwater monitoring  
**Number of groundwater monitoring wells:** 7

## GROUNDWATER MONITORING SUMMARY

**Gauging and sampling date:** 9 November 2013  
**Wells gauged and sampled:** MW4, MW5, MW6, MW7, MW8, RW1  
**Wells gauged only:** None  
**Wells inaccessible:** MW9  
**Groundwater flow direction:** Southwest  
**Hydraulic gradient:** 0.02  
**Well screens submerged:** None  
**Well screens not submerged:** MW4, MW5, MW6, MW7, MW8, RW1  
**Liquid-phase hydrocarbons:** Not observed or detected  
**Laboratory:** Calscience Environmental Laboratories, Inc., Garden Grove, California  
**Concurrently sampled:** Unocal No. 6129, 3420 35<sup>th</sup> Avenue (however, not concurrent for fourth quarter 2013)  
**Unocal Data provided by:** AECOM, Sacramento, California

### Analyses performed:

- Total Petroleum Hydrocarbons as gasoline by EPA Method 8015B (M)
- Benzene, toluene, ethylbenzene, and xylenes by EPA Method 8260B
- Methyl tertiary butyl ether, tertiary butyl alcohol, diisopropyl ether, ethyl tertiary butyl ether, tertiary amyl methyl ether, 1,2-dibromoethane, and 1,2-dichloroethane by EPA Method 8260B

## **ADDITIONAL ACTIVITIES PERFORMED**

In accordance with the work plan approval letter from the Alameda County Health Care Services Agency (ACHCSA) dated 6 September 2013, ETIC has been making arrangements to perform a subsurface investigation and to update the site conceptual model (SCM). In November 2013, due to property access issues, ETIC requested an extension of the investigation and SCM report due date to 10 March 2014. The extension was approved by the ACHCSA in e-mail correspondence dated 7 November 2013.

## **WORK PROPOSED FOR NEXT QUARTER**

In accordance with ACHCSA directives, ETIC plans to oversee a subsurface investigation, update the SCM, and submit an investigation and SCM report. ETIC will keep the ACHCSA informed of any ongoing property access issues.

In accordance with ACHCSA directives, groundwater monitoring will not be conducted in the first quarter of 2014. The next semiannual groundwater monitoring event will be conducted in the second quarter of 2014, and the results will be submitted under separate cover.

### **Attachments:**

- Figure 1: Site Location and Topographic Map
- Figure 2: Site Map
- Figure 3: Groundwater Elevation Contour Map
- Figure 4: Groundwater Analytical Data

- Table 1: Well Construction Details
- Table 2: Groundwater Monitoring Data
- Table 3: Additional Groundwater Monitoring Data
- Table 4: Groundwater Monitoring Plan


- Appendix A: Field Protocols
- Appendix B: Field Documents
- Appendix C: Laboratory Analytical Reports and Chain-of-Custody Documentation
- Appendix D: Groundwater Monitoring and Sampling Data for Unocal No. 6129

## **Figures**




COORDINATE SYSTEM: NAD 1983 HARN CALIFORNIA TEALE ALBERS  
 PROJECTION: ALBERS  
 DATUM: NORTH AMERICAN 1983 HARN  
 FALSE EASTING: 0.0000  
 FALSE NORTING: -4,000,000.0000  
 CENTRAL MERIDIAN: -120.0000  
 STANDARD PARALLEL 1: 34.0000  
 STANDARD PARALLEL 2: 40.5000  
 LATITUDE OF ORIGIN: 0.0000  
 UNITS: METER

0 1000 2000  
 Feet  
 1 inch = 2,000 feet





12/18/2015, 15:02, G:\Graphics\121070234\OAKN-4013.dwg, Tab: E

 <p>2285 MORELLO AVENUE          PLEASANT HILL, CA 94523          (925) 602-4710          eticeng.com</p>	13-070234-UP	<b>EXXONMOBIL OIL CORPORATION</b>	FIGURE: <b>1</b>
	DR: TEN	<b>SITE LOCATION AND TOPOGRAPHIC MAP          FORMER EXXON SERVICE STATION 70234          3450 35th AVENUE          OAKLAND, CALIFORNIA</b>	
	DR: AJW		
	CK:		
	FR:		

12/18/2013 15:02 G:\graphics\13070234\016-4013.dwg Plot: P2

- LEGEND:**
- ⊞ EXCAVATED AREA
  - ⊕ GROUNDWATER MONITORING WELL
  - GROUNDWATER MONITORING WELL (by others)
  - ⊗ DESTROYED GROUNDWATER MONITORING WELL
  - ⊠ GROUNDWATER RECOVERY WELL
  - ◆ SOIL BORING (GTI, 1986)
  - SOIL BORING (HLA, 1988)
  - ▲ SOIL BORING (Alton, 1991)
  - ✦ SOIL SAMPLE (Alton, 1991)
  - ✦ SOIL SAMPLE (TRC, 2002)
  - SOIL BORING (ERI, 2007)
  - ⊙ SOIL BORING (ERI, 2009)



13-070234-UP		EXXONMOBIL OIL CORPORATION	
OR: TEN		SITE MAP FORMER EXXON SERVICE STATION 70234 3450 35th AVENUE OAKLAND, CALIFORNIA	
DR: AJW			
CK:		FIGURE:	
FR:		2	

**ETIC**  
ENGINEERING  
2285 MORELLO AVENUE  
PLEASANT HILL, CA 94523  
(925) 602-4710  
eticeng.com



- LEGEND:**
- ▭ EXCAVATED AREA
  - ◆ GROUNDWATER MONITORING WELL
  - ◆ GROUNDWATER MONITORING WELL (by others)
  - ⊛ DESTROYED GROUNDWATER MONITORING WELL
  - GROUNDWATER RECOVERY WELL


(161.09) GROUNDWATER ELEVATION (ft msl)

160.5 — GROUNDWATER ELEVATION CONTOUR (ft msl)



ft msl FEET ABOVE MEAN SEA LEVEL

NM NOT MEASURED

\* UNOCAL WELLS WERE GAUGED ON 13 NOVEMBER 2013;  
THEREFORE THE DATA WERE NOT USED IN CONTOURING.



GROUNDWATER FLOW DIRECTION AND HYDRAULIC GRADIENT



12/18/2013, 15:02, G:\Projects\13-070234\01-4013.dwg, Tab: F3

**KEY**  
 ◆ Historical  
 ◆ Current (0.02 ft/ft; S 40° W)

	2285 MORELLO AVENUE PLEASANT HILL, CA 94523 (925) 602-4710 eticeng.com		13-070234-UP	<b>EXXONMOBIL OIL CORPORATION</b> <b>GROUNDWATER ELEVATION CONTOUR MAP</b> 9 NOVEMBER 2013 FORMER EXXON SERVICE STATION 70234 3450 35th AVENUE OAKLAND, CALIFORNIA	<b>FIGURE:</b> <b>3</b>
	OR:	TEN			
	DR:	AJW			
	CK:				
			FR:		

- LEGEND:**
- ▭ EXCAVATED AREA
  - ⊕ GROUNDWATER MONITORING WELL
  - ⊙ GROUNDWATER MONITORING WELL (by others)
  - ⊗ DESTROYED GROUNDWATER MONITORING WELL
  - GROUNDWATER RECOVERY WELL

TPH-g TOTAL PETROLEUM HYDROCARBONS AS GASOLINE


MTBE METHYL TERTIARY BUTYL ETHER

TBA TERTIARY BUTYL ALCOHOL

NS NOT SAMPLED

**NOTES:**

1. CONCENTRATIONS IN MICROGRAMS PER LITER.
2. UNOCAL WELLS WERE SAMPLED ON 13 NOVEMBER 2013.



MW4	
TPH-g	<50
Benzene	<0.50
MTBE	<0.50
TBA	<10

MW7	
TPH-g	370
Benzene	<10
MTBE	460
TBA	<200

MW6	
TPH-g	3,600
Benzene	<40
MTBE	4,800
TBA	2,100

MW-1	
TPH-g	240
Benzene	<0.50
MTBE	270
TBA	<10

MW-3	
TPH-g	110
Benzene	<0.50
MTBE	100
TBA	<10


MW5	
TPH-g	1,300
Benzene	120
MTBE	370
TBA	1,100

MW9	
NS	

RW1	
TPH-g	810
Benzene	210
MTBE	520
TBA	1,100

MW-2	
TPH-g	1,200
Benzene	<0.50
MTBE	1,300
TBA	<10

MW8	
TPH-g	<50
Benzene	<0.50
MTBE	<0.50
TBA	<10



12/18/2013, 15:02, G:\graphics\13\070234\QDW-4013.dwg, Tab: F4

<p>2285 MORELLO AVENUE PLEASANT HILL, CA 94523 (925) 602-4710 eticeng.com</p>	13-070234-UP	EXXONMOBIL OIL CORPORATION	FIGURE: <b>4</b>
	OR: TEN	GROUNDWATER ANALYTICAL DATA	
	DR: AJW	9 NOVEMBER 2013	
	CK:	FORMER EXXON SERVICE STATION 70234	
	FR:	3450 35th AVENUE	
		OAKLAND, CALIFORNIA	

## **Tables**

TABLE 1 WELL CONSTRUCTION DETAILS, FORMER EXXON SERVICE STATION 70234, 3450 35TH AVENUE, OAKLAND, CALIFORNIA

Well Number	Date Installed	Date Destroyed	Elevation TOC (feet)	Borehole Diameter (inches)	Total Depth of Boring (feet bgs)	Well Depth (feet bgs)	Casing Diameter (inches)	Casing Material	Screened Interval (feet bgs)	Slot Size (inches)	Filter Pack Interval (feet bgs)	Filter Pack Material
MW1	07/15/92	Jun-00	192.00	11	45	45	4	Schedule 40 PVC	25-45	0.010	23-45	2/12 Lonestar Sand
MW2	07/15/92	Jun-00	194.85	11	45	45	4	Schedule 40 PVC	25-45	0.010	23-45	2/12 Lonestar Sand
MW3	07/15/92	Jun-00	196.90	11	45	45	4	Schedule 40 PVC	25-45	0.010	23-45	2/12 Lonestar Sand
MW4	03/02/09	---	197.62	8	45	45	2	Schedule 40 PVC	35-45	0.020	33-45	#3 Sand
MW5	03/06/09	---	196.35	8	40	40	2	Schedule 40 PVC	30-40	0.020	28-40	#3 Sand
MW6	03/09/09	---	192.41	8	40	39	2	Schedule 40 PVC	29-39	0.020	27-39	#3 Sand
MW7	03/09/09	---	194.34	8	40	40	2	Schedule 40 PVC	30-40	0.020	28-40	#3 Sand
MW8	03/04/09	---	192.96	8	40	40	2	Schedule 40 PVC	30-40	0.020	28-40	#3 Sand
MW9	03/05/09	---	195.16	8	40	40	2	Schedule 40 PVC	30-40	0.020	28-40	#3 Sand
RW1	12/22/11	---	195.15	10	40	40	4	Stainless Steel	25-39.5	0.020	23-40	#2/12 Sand

Notes: Data prior to 2013 provided by Cardno ERI.

TOC Top of well casing elevation; datum is mean sea level.

PVC Polyvinyl chloride.

feet bgs Feet below ground surface.

--- Not applicable.

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON SERVICE STATION 70234, 3450 35TH AVENUE, OAKLAND, CALIFORNIA

Well Number	Date	Depth (feet)	TOC Elev. (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	NAPL (feet)	Concentration (µg/L)						Total Pb (µg/L)	Organic Pb (mg/L)	
							TPH-g	MTBE 8260B	B	T	E	X			
MW1	07/15/92	---	---	Well installed.											
MW1	07/17/92	---	192.00	33.02	158.98	No	67	---	6.6	6.9	2.0	4.5	17	---	
MW1	10/22/92	---	192.00	34.07	157.93	No	<50	---	2.9	<0.5	<0.5	<0.5	16	---	
MW1	02/04/93	---	192.00	29.43	162.57	No	<50	---	0.8	<0.5	<0.5	<0.5	4	---	
MW1	05/03/93	---	192.00	29.72	162.28	No	71	---	2.8	7.2	2.2	22	40	---	
MW1	07/30/93	---	192.00	32.95	159.05	No	<50	---	<0.5	<0.5	<0.5	<0.5	5	---	
MW1	10/19/93	---	192.00	34.34	157.66	No	<50	---	<0.5	<0.5	<0.5	<0.5	12	---	
MW1	02/23/94	---	192.00	31.72	160.28	No	<50	---	<0.5	<0.5	<0.5	<0.5	4	---	
MW1	06/06/94	---	192.00	31.77	160.23	No	<50	---	<0.5	<0.5	<0.5	<0.5	<3	---	
MW1	08/18/94	---	192.00	33.76	158.24	No	<50	---	<0.5	<0.5	<0.5	<0.5	130	---	
MW1	11/15/94	---	192.00	34.08	157.92	No	<50	---	<0.5	<0.5	<0.5	<0.5	<3.0	<100	
MW1	02/06/95	---	192.00	28.50	163.50	No	<50	---	<0.5	<0.5	<0.5	<0.5	---	---	
MW1	05/10/95	---	192.00	29.30	162.70	No	<50	---	<0.5	<0.5	<0.5	<0.5	---	---	
MW1	09/20/99	---	192.00	33.30	158.70	No	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<75	<50	
MW1		---	Well destroyed in June 2000.												
MW2	07/15/92	---	---	Well installed.											
MW2	07/17/92	---	194.85	34.65	160.20	No	<50	---	<0.5	<0.5	<0.5	<0.5	<3	---	
MW2	10/22/92	---	194.85	35.64	159.21	No	<50	---	<0.5	<0.5	<0.5	<0.5	--	---	
MW2	02/04/93	---	194.85	31.13	163.72	No	<50	---	<0.5	<0.5	<0.5	<0.5	<3	---	
MW2	05/03/93	---	194.85	31.08	163.77	No	<50	---	<0.5	<0.5	<0.5	<0.5	3	---	
MW2	07/30/93	---	194.85	34.34	160.51	No	<50	---	<0.5	<0.5	<0.5	<0.5	14	---	
MW2	10/19/93	---	194.85	36.00	158.85	No	<50	---	<0.5	<0.5	<0.5	<0.5	<3	---	
MW2	02/23/94	---	194.85	33.92	160.93	No	<50	---	<0.5	<0.5	<0.5	<0.5	<3	---	
MW2	06/06/94	---	194.85	33.50	161.35	No	<50	---	<0.5	<0.5	<0.5	<0.5	<3	---	
MW2	08/18/94	---	194.85	35.38	159.47	No	<50	---	<0.5	<0.5	<0.5	<0.5	<3.0	---	
MW2	11/15/94	---	194.85	35.93	158.92	No	<50	---	<0.5	<0.5	<0.5	<0.5	<3.0	<100	
MW2	02/06/95	---	194.85	30.38	164.47	No	<50	---	<0.5	<0.5	<0.5	<0.5	---	---	
MW2	05/10/95	---	194.85	30.77	164.08	No	<50	---	<0.5	<0.5	<0.5	<0.5	---	---	
MW2	09/20/99	---	194.85	35.15	159.70	No	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<75	<0.5	
MW2		---	Well destroyed in June 2000.												

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON SERVICE STATION 70234, 3450 35TH AVENUE, OAKLAND, CALIFORNIA

Well Number	Date	Depth (feet)	TOC Elev. (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	NAPL (feet)	Concentration (µg/L)						Total Pb (µg/L)	Organic Pb (mg/L)
							TPH-g	MTBE 8260B	B	T	E	X		
MW3	07/15/92	---	---	Well installed.										
MW3	07/17/92	---	196.90	37.24	159.66	No	<50	---	<0.5	<0.5	<0.5	<0.5	50	---
MW3	10/22/92	---	196.90	35.95	160.95	No	<50	---	<0.5	<0.5	<0.5	<0.5	9	---
MW3	02/04/93	---	196.90	29.85	167.05	No	<50	---	<0.5	<0.5	<0.5	<0.5	<3	---
MW3	05/03/93	---	196.90	29.87	167.03	No	<50	---	<0.5	<0.5	<0.5	<0.5	3	---
MW3	07/30/93	---	196.90	33.85	163.05	No	<50	---	<0.5	<0.5	<0.5	<0.5	22	---
MW3	10/19/93	---	196.90	35.89	161.01	No	<50	---	<0.5	<0.5	<0.5	<0.5	12	---
MW3	02/23/94	---	196.90	32.88	164.02	No	<50	---	<0.5	<0.5	<0.5	<0.5	25	---
MW3	06/06/94	---	196.90	32.40	164.50	No	<50	---	<0.5	<0.5	<0.5	<0.5	<3	---
MW3	08/18/94	---	196.90	35.07	161.83	No	<50	---	<0.5	<0.5	<0.5	<0.5	<3.0	---
MW3	11/15/94	---	196.90	35.97	160.93	No	<50	---	<0.5	<0.5	<0.5	<0.5	<3.0	<100
MW3	02/06/95	---	196.90	28.39	168.51	No	<50	---	<0.5	<0.5	<0.5	<0.5	---	---
MW3	05/10/95	---	196.90	28.90	168.00	No	<50	---	<0.5	<0.5	<0.5	<0.5	---	---
MW3	09/20/99	---	196.90	34.68	162.22	No	75.0	1.87	<0.5	11.5	1.8	18.0	<75	<0.5
MW3		---	Well destroyed in June 2000.											
MW4	03/02/09	---	---	Well installed.										
MW4	03/30/09	---	197.62	30.94	166.68	No	<50	<0.50	<0.50	<0.50	<0.50	<0.50	---	---
MW4	04/02/09	---	197.62	Well surveyed.										
MW4	05/28/09	---	197.62	32.00	165.62	No	<50	<0.50	<0.50	<0.50	<0.50	<0.50	---	---
MW4	08/31/09	---	197.62	35.43	162.19	No	<50	<0.50	<0.50	<0.50	<0.50	<0.50	---	---
MW4	12/11/09	---	197.62	35.01	162.61	No	<50	<0.50	<0.50	0.83	<0.50	1.1	---	---
MW4	05/07/10	---	197.62	29.11	168.51	No	<50	<0.50	<0.50	<0.50	<0.50	<1.0	---	---
MW4	11/01/10	---	197.62	34.95	162.67	No	<50	<0.50	<0.50	<0.50	<0.50	<1.0	---	---
MW4	05/27/11	d	197.62	30.65	166.97	No	---	---	---	---	---	---	---	---
MW4	11/23/11	---	197.62	33.49	164.13	No	<50	<0.50	<0.50	<0.50	<0.50	<1.0	---	---
MW4	05/24/12	---	197.62	30.02	167.60	No	58	<0.50	0.84	4.4	0.64c	3.5	---	---
MW4	10/31/12	---	197.62	35.14	162.48	No	110	<0.50	5.3	45	4.2	21	---	---
MW4	05/02/13	e	197.62	32.03	165.59	No	<50	<0.50	<0.50	<0.50	<0.50	<0.50	---	---
<b>MW4</b>	<b>11/09/13</b>	---	<b>197.62</b>	<b>36.53</b>	<b>161.09</b>	<b>No</b>	<b>&lt;50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	---	---
MW5	03/06/09	---	---	Well installed.										
MW5	03/30/09	---	196.35	30.05	166.30	No	4,200	1,900	540	140	<12	310	---	---
MW5	04/02/09	---	196.35	Well surveyed.										

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON SERVICE STATION 70234, 3450 35TH AVENUE, OAKLAND, CALIFORNIA

Well Number	Date	Depth (feet)	TOC Elev. (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	NAPL (feet)	Concentration (µg/L)						Total Pb (µg/L)	Organic Pb (mg/L)
							TPH-g	MTBE 8260B	B	T	E	X		
MW5	05/28/09	---	196.35	31.45	164.90	No	5,300	3,600	890	150	<25	140	---	---
MW5	08/31/09	---	196.35	34.70	161.65	No	5,800	3,500	550	<100	<100	<100	---	---
MW5	12/11/09	---	196.35	34.52	161.83	No	4,000b	3,800	230	<100	<100	<100	---	---
MW5	05/07/10	---	196.35	30.84	165.51	No	2,700b	1,700	73	5.3	3.6	6.5	---	---
MW5	11/01/10	---	196.35	33.93	162.42	No	2,400b	3,400	320	71	21	40	---	---
MW5	05/27/11 d	---	196.35	31.65	164.70	No	---	---	---	---	---	---	---	---
MW5	11/23/11	---	196.35	32.58	163.77	No	1,900b	3,200	72	2.7	3.1	8.1	---	---
MW5	05/24/12	---	196.35	30.26	166.09	No	2,900b	1,700	54	31	5.2	17	---	---
MW5	10/31/12	---	196.35	33.94	162.41	No	2,200b	2,700	220	72	8.7	47	---	---
MW5	05/02/13 e	---	196.35	31.33	165.02	No	2,200b	1,300	61	<0.50	3.8	7.9	---	---
<b>MW5</b>	<b>11/09/13</b>	---	<b>196.35</b>	<b>35.69</b>	<b>160.66</b>	<b>No</b>	<b>1,300b</b>	<b>370</b>	<b>120</b>	<b>&lt;5.0</b>	<b>&lt;5.0</b>	<b>8.8</b>	---	---
MW6	03/09/09	---	---	Well installed.										
MW6	03/30/09	---	192.41	26.94	165.47	No	2,800	4,800	0.91	<0.50	<0.50	<0.50	---	---
MW6	04/02/09	---	192.41	Well surveyed.										
MW6	05/28/09	---	192.41	28.04	164.37	No	2,800	6,000	<100	<100	<100	<100	---	---
MW6	08/31/09	---	192.41	30.57	161.84	No	4,900	6,600	<100	<100	<100	<100	---	---
MW6	12/11/09	---	192.41	30.78	161.63	No	4,900b	6,200	<100	<100	<100	<100	---	---
MW6	05/07/10	---	192.41	25.42	166.99	No	2,900b	3,700	2.7	<0.50	0.74c	<1.0	---	---
MW6	11/01/10	---	192.41	30.68	161.73	No	850b	6,100	2.1	<0.50	<0.50	<1.0	---	---
MW6	05/27/11 d	---	192.41	27.07	165.34	No	---	---	---	---	---	---	---	---
MW6	11/23/11	---	192.41	29.25	163.16	No	1,600b	6,400	<0.50	<0.50	<0.50	<1.0	---	---
MW6	05/24/12	---	192.41	26.36	166.05	No	2,000b	3,400	1.3c	9.7	0.97c	5.5	---	---
MW6	10/31/12	---	192.41	30.74	161.67	No	1,400b	5,400	3.8	28	2.2	11	---	---
MW6	05/02/13	---	192.41	27.91	164.50	No	1,900b	2,600	<0.50	<0.50	<0.50	<0.50	---	---
<b>MW6</b>	<b>11/09/13</b>	---	<b>192.41</b>	<b>32.15</b>	<b>160.26</b>	<b>No</b>	<b>3,600b</b>	<b>4,800</b>	<b>&lt;40</b>	<b>&lt;40</b>	<b>&lt;40</b>	<b>&lt;40</b>	---	---
MW7	03/09/09	---	---	Well installed.										
MW7	03/30/09	---	194.34	29.15	165.19	No	55	66	<0.50	<0.50	<0.50	<0.50	---	---
MW7	04/02/09	---	194.34	Well surveyed.										
MW7	05/28/09	---	194.34	30.16	164.18	No	50	67	<1.0	<1.0	<1.0	<1.0	---	---
MW7	08/31/09	---	194.34	33.31	161.03	No	<50	12	<0.50	0.60	<0.50	<0.50	---	---
MW7	12/11/09	---	194.34	32.71	161.63	No	<50	31	0.78	1.7	0.62	2.4	---	---
MW7	05/07/10	---	194.34	27.54	166.80	No	510b	700	<0.50	<0.50	<0.50	<1.0	---	---

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON SERVICE STATION 70234, 3450 35TH AVENUE, OAKLAND, CALIFORNIA

Well Number	Date	Depth (feet)	TOC Elev. (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	NAPL (feet)	Concentration (µg/L)						Total Pb (µg/L)	Organic Pb (mg/L)
							TPH-g	MTBE 8260B	B	T	E	X		
MW7	11/01/10	---	194.34	32.82	161.52	No	68b	140	<0.50	<0.50	<0.50	<1.0	---	---
MW7	05/27/11	d	194.34	28.85	165.49	No	---	---	---	---	---	---	---	---
MW7	11/23/11	---	194.34	31.39	162.95	No	190b	300	<0.50	<0.50	<0.50	<1.0	---	---
MW7	05/24/12	d	194.34	28.31	166.03	No	---	---	---	---	---	---	---	---
MW7	10/31/12	---	194.34	32.86	161.48	No	230b	290	2.9	21	1.8	9.2	---	---
MW7	05/02/13	---	194.34	29.93	164.41	No	570b	790	<0.50	<0.50	<0.50	<0.50	---	---
<b>MW7</b>	<b>11/09/13</b>	---	<b>194.34</b>	<b>34.23</b>	<b>160.11</b>	No	<b>370b</b>	<b>460</b>	<b>&lt;10</b>	<b>&lt;10</b>	<b>&lt;10</b>	<b>&lt;10</b>	---	---
MW8	03/04/09	---	---	Well installed.										
MW8	03/30/09	---	192.96	27.35	165.61	No	<50	<0.50	<0.50	<0.50	<0.50	<0.50	---	---
MW8	04/02/09	---	192.96	Well surveyed.										
MW8	05/28/09	---	192.96	28.72	164.24	No	<50	<0.50	<0.50	<0.50	<0.50	<0.50	---	---
MW8	08/31/09	---	192.96	31.93	161.03	No	<50	<0.50	<0.50	<0.50	<0.50	<0.50	---	---
MW8	12/11/09	---	192.96	31.24	161.72	No	<50	<0.50	0.74	1.6	0.59	2.3	---	---
MW8	05/07/10	---	192.96	25.68	167.28	No	<50	<0.50	<0.50	<0.50	<0.50	<1.0	---	---
MW8	11/01/10	---	192.96	31.18	161.78	No	<50	<0.50	<0.50	<0.50	<0.50	<1.0	---	---
MW8	05/27/11	---	192.96	27.55	165.41	No	<50	<0.50	<0.50	<0.50	<0.50	<1.0	---	---
MW8	11/23/11	---	192.96	29.74	163.22	No	<50	<0.50	<0.50	<0.50	<0.50	<1.0	---	---
MW8	05/24/12	---	192.96	26.93	166.03	No	<50	<0.50	<0.50	<0.50	<0.50	<1.0	---	---
MW8	10/31/12	---	192.96	31.35	161.61	No	75	<0.50	2.5	19	1.7	8.7	---	---
MW8	05/02/13	---	192.96	28.44	164.52	No	<50	<0.50	<0.50	<0.50	<0.50	<0.50	---	---
<b>MW8</b>	<b>11/09/13</b>	---	<b>192.96</b>	<b>32.89</b>	<b>160.07</b>	No	<b>&lt;50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	---	---
MW9	03/05/09	---	---	Well installed.										
MW9	03/30/09	---	195.16	28.31	166.85	No	<50	<0.50	<0.50	<0.50	<0.50	<0.50	---	---
MW9	04/02/09	---	195.16	Well surveyed.										
MW9	05/28/09	---	195.16	29.69	165.47	No	<50	<0.50	<0.50	<0.50	<0.50	<0.50	---	---
MW9	08/31/09	---	195.16	33.20	161.96	No	<50	<0.50	<0.50	<0.50	<0.50	<0.50	---	---
MW9	12/11/09	---	195.16	32.62	162.54	No	<50	<0.50	0.73	1.7	0.54	2.2	---	---
MW9	05/07/10	---	195.16	26.59	168.57	No	<50	<0.50	<0.50	<0.50	<0.50	<1.0	---	---
MW9	11/01/10	---	195.16	32.45	162.71	No	<50	<0.50	<0.50	<0.50	<0.50	<1.0	---	---
MW9	05/27/11	---	195.16	29.62	165.54	No	<50	<0.50	<0.50	<0.50	<0.50	<1.0	---	---
MW9	11/23/11	---	195.16	30.56	164.60	No	<50	<0.50	<0.50	<0.50	<0.50	<1.0	---	---
MW9	05/24/12	---	195.16	27.94	167.22	No	<50	<0.50	<0.50	<0.50	<0.50	<1.0	---	---



TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON SERVICE STATION 70234, 3450 35TH AVENUE, OAKLAND, CALIFORNIA

Well Number	Date	Depth (feet)	TOC Elev. (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	NAPL (feet)	Concentration (µg/L)						Total Pb (µg/L)	Organic Pb (mg/L)
							TPH-g	MTBE 8260B	B	T	E	X		
MW9	10/31/12	---	195.16	32.66	162.50	No	140	<0.50	6.9	38	2.7	13	---	---
MW9	05/02/13	---	195.16	29.58	165.58	No	<50	<0.50	<0.50	<0.50	<0.50	<0.50	---	---
<b>MW9</b>	<b>11/09/13</b>	---	<b>195.16</b>	<b>Well inaccessible.</b>										
RW1	12/22/11	---	---	Well installed.										
RW1	12/30/11	---	195.15	Well surveyed.										
RW1	05/24/12	---	195.15	28.55	166.60	No	5,500b	2,500	920	5.9c	51	14	---	---
RW1	10/31/12 d	---	195.15	---	---	---	---	---	---	---	---	---	---	---
RW1	05/02/13 e	---	195.15	30.27	164.88	No	4,300b	2,300	1,200	<2.5	41	14	---	---
<b>RW1</b>	<b>11/09/13</b>	---	<b>195.15</b>	<b>34.64</b>	<b>160.51</b>	<b>No</b>	<b>810b</b>	<b>520</b>	<b>210</b>	<b>&lt;10</b>	<b>&lt;10</b>	<b>&lt;10</b>	---	---

**Grab Groundwater Samples**

Pit Water	06/14/02	11.5a	---	---	---	---	5,600	12,000	140	840	100	530	---	---
UST Pit	06/19/02	13.5a	---	---	---	---	680	640	2.7	36	18	130	---	---
W-38-B11	11/14/07	38	---	---	---	---	<50	<0.50	<0.50	<0.50	<0.50	<0.50	---	---
W-15-B12	11/13/07	15	---	---	---	---	8,400	78	67	<5.0	140	150	---	---
W-40-B13	11/12/07	40	---	---	---	---	<50	0.53	<0.50	<0.50	<0.50	<0.50	---	---
W-15-B14	11/13/07	15	---	---	---	---	2,500	16	1.7	3.0	26	13	---	---
W-38-B15	11/15/07	38	---	---	---	---	18,000	12,000	3,400	2,500	330	2,000	---	---
W-40-B16	11/15/07	40	---	---	---	---	<50	7.7	<0.50	<0.50	<0.50	<0.50	---	---
W-37-B17	11/13/07	37	---	---	---	---	630	2,200	1.8	<0.50	4.1	1.4	---	---
W-38-B18	11/12/07	38	---	---	---	---	4,300	1,400	52	<12	56	96	---	---
W-35-B19	03/03/09	35	---	---	---	---	4,400	7,100	<0.50	<0.50	<0.50	<1.0	---	---
W-35-B20	03/03/09	35	---	---	---	---	640	440	<0.50	<0.50	<0.50	<1.0	---	---
W-35-B21	03/03/09	35	---	---	---	---	<50	1.4	<0.50	<0.50	<0.50	<1.0	---	---

Notes: Data prior to 1999 provided by EA Engineering, Science, and Technology. Data prior to 2013 provided by Cardno ERI.

TOC Elev. Top of well casing elevation; datum is NAVD88.

DTW Depth to water.

GW Elev. Groundwater elevation; datum is NAVD88.

NAPL Non-aqueous phase liquid.

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON SERVICE STATION 70234, 3450 35TH AVENUE, OAKLAND, CALIFORNIA

Well Number	Date	Depth (feet)	TOC Elev. (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	NAPL (feet)	Concentration (µg/L)						
							TPH-g	MTBE 8260B	B	T	E	X	Total Pb (µg/L)
TPH-g	Total Petroleum Hydrocarbons as gasoline analyzed using EPA Method 8015B.												
MTBE	Methyl tertiary butyl ether analyzed using EPA Method 8260B.												
BTEX	Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 8021B; from April 2009 to October 2010, analyzed using EPA Method 8260B.												
Total Pb	Total lead analyzed using EPA Method 6010.												
Organic Pb	Organic lead analyzed using CA DHS LUFT method.												
EDB	1,2-Dibromoethane analyzed using EPA Method 8260B.												
1,2-DCA	1,2-Dichloroethane analyzed using EPA Method 8260B.												
TBA	Tertiary butyl alcohol analyzed using EPA Method 8260B.												
TAME	Tertiary amyl methyl ether analyzed using EPA Method 8260B.												
ETBE	Ethyl tertiary butyl ether analyzed using EPA Method 8260B.												
DIPE	Di-isopropyl ether analyzed using EPA Method 8260B.												
Ethanol	Ethanol analyzed using EPA Method 8260B.												
µg/L	Micrograms per liter.												
mg/L	Milligrams per liter.												
<	Less than the stated laboratory reporting limit.												
---	Not sampled/Not analyzed/Not measured/Not applicable.												
a	Approximate depth to groundwater surface at time of sampling.												
b	Hydrocarbon pattern does not match that of the specified standard.												
c	Analyte presence was not confirmed by second column or GC/MS analysis.												
d	Well inaccessible.												
e	Well sampled the following day.												

TABLE 3 ADDITIONAL GROUNDWATER MONITORING DATA,  
FORMER EXXON SERVICE STATION 70234, 3450 35TH AVENUE, OAKLAND, CALIFORNIA

Well Number	Date	Depth (feet)	Concentration (µg/L)						
			EDB	1,2-DCA	TAME	TBA	ETBE	DIPE	Ethanol
MW1	07/17/92 - 09/20/99		Not analyzed for these analytes.						
MW1	Well destroyed in June 2000.								
MW2	07/17/92 - 09/20/99		Not analyzed for these analytes.						
MW2	Well destroyed in June 2000.								
MW3	07/17/92 - 09/20/99		Not analyzed for these analytes.						
MW3	Well destroyed in June 2000.								
MW4	03/30/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW4	05/28/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW4	08/31/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW4	12/11/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW4	05/07/10	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW4	11/01/10	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW4	05/27/11	d	---	---	---	---	---	---	---
MW4	11/23/11	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW4	05/24/12	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW4	10/31/12	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW4	05/03/13	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
<b>MW4</b>	<b>11/09/13</b>	---	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;10</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	---
MW5	03/30/09	---	<12	17	<12	450	<12	<12	---
MW5	05/28/09	---	<25	<25	<25	530	<25	<25	---
MW5	08/31/09	---	<100	<100	<100	<1,000	<100	<100	---
MW5	12/11/09	---	<100	<100	<100	2,000	<100	<100	---
MW5	05/07/10	---	<25	<25	<25	400	<25	<25	---
MW5	11/01/10	---	<50	<50	<50	1,500	<50	<50	---
MW5	05/27/11	d	---	---	---	---	---	---	---
MW5	11/23/11	---	<50	<50	<50	<500	<50	<50	---
MW5	05/24/12	---	<50	<50	<50	1,400	<50	<50	---
MW5	10/31/12	---	<50	<50	<50	730	<50	<50	---
MW5	05/03/13	---	<20	<20	<20	590	<20	<20	---
<b>MW5</b>	<b>11/09/13</b>	---	<b>&lt;5.0</b>	<b>&lt;5.0</b>	<b>&lt;5.0</b>	<b>1,100</b>	<b>&lt;5.0</b>	<b>&lt;5.0</b>	---
MW6	03/30/09	---	<0.50	<0.50	1.3	410	<0.50	0.82	---
MW6	05/28/09	---	<100	<100	<100	<1,000	<100	<100	---
MW6	08/31/09	---	<100	<100	<100	1,100	<100	<100	---
MW6	12/11/09	---	<100	<100	<100	2,600	<100	<100	---
MW6	05/07/10	---	<100	<100	<100	<1,000	<100	<100	---
MW6	11/01/10	---	<50	<50	<50	2,400	<50	<50	---
MW6	05/27/11	d	---	---	---	---	---	---	---
MW6	11/23/11	---	<100	<100	<100	<1,000	<100	<100	---
MW6	05/24/12	---	<100	<100	<100	2,700	<100	<100	---
MW6	10/31/12	---	<100	<100	<100	<1,000	<100	<100	---

TABLE 3 ADDITIONAL GROUNDWATER MONITORING DATA,  
FORMER EXXON SERVICE STATION 70234, 3450 35TH AVENUE, OAKLAND, CALIFORNIA

Well Number	Date	Depth (feet)	Concentration (µg/L)						
			EDB	1,2-DCA	TAME	TBA	ETBE	DIPE	Ethanol
MW6	05/02/13	---	<40	<40	<40	570	<40	<40	---
<b>MW6</b>	<b>11/09/13</b>	---	<b>&lt;40</b>	<b>&lt;40</b>	<b>&lt;40</b>	<b>2,100</b>	<b>&lt;40</b>	<b>&lt;40</b>	---
MW7	03/30/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW7	05/28/09	---	<1.0	<1.0	<1.0	<10	<1.0	<1.0	---
MW7	08/31/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW7	12/11/09	---	<0.50	<0.50	<0.50	12	<0.50	<0.50	---
MW7	05/07/10	---	<0.50	<0.50	<0.50	130	<0.50	<0.50	---
MW7	11/01/10	---	<2.5	<2.5	<2.5	27	<2.5	<2.5	---
MW7	05/27/11	d	---	---	---	---	---	---	---
MW7	11/23/11	---	<5.0	<5.0	<5.0	<50	<5.0	<5.0	---
MW7	05/24/12	d	---	---	---	---	---	---	---
MW7	10/31/12	---	<5.0	<5.0	<5.0	<50	<5.0	<5.0	---
MW7	05/02/13	---	<5.0	<5.0	<5.0	57	<5.0	<5.0	---
<b>MW7</b>	<b>11/09/13</b>	---	<b>&lt;10</b>	<b>&lt;10</b>	<b>&lt;10</b>	<b>&lt;200</b>	<b>&lt;10</b>	<b>&lt;10</b>	---
MW8	03/30/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	05/28/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	08/31/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	12/11/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	05/07/10	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	11/01/10	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	05/27/11	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	11/23/11	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	05/24/12	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	10/31/12	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	05/02/13	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
<b>MW8</b>	<b>11/09/13</b>	---	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;10</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	---
MW9	03/30/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	05/28/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	08/31/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	12/11/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	05/07/10	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	11/01/10	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	05/27/11	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	11/23/11	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	05/24/12	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	10/31/12	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	05/02/13	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
<b>MW9</b>	<b>11/09/13</b>	---	<b>Well inaccessible.</b>						
RW1	05/24/12	---	<50	<50	<50	1,900	<50	<50	---
RW1	10/31/12	d	---	---	---	---	---	---	---
RW1	05/03/13	---	<40	<40	<40	880	<40	<40	---

TABLE 3 ADDITIONAL GROUNDWATER MONITORING DATA,  
FORMER EXXON SERVICE STATION 70234, 3450 35TH AVENUE, OAKLAND, CALIFORNIA

Well Number	Date	Depth (feet)	Concentration (µg/L)						
			EDB	1,2-DCA	TAME	TBA	ETBE	DIPE	Ethanol
RW1	11/09/13	---	<10	<10	<10	1,100	<10	<10	---
<b>Grab Groundwater Samples</b>									
Pit Water	06/14/02	11.5a	---	---	---	---	---	---	---
UST Pit	06/19/02	13.5a	---	---	---	---	---	---	---
W-38-B11	11/14/07	38	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<50
W-15-B12	11/13/07	15	<5.0	<5.0	<5.0	<100	<5.0	<5.0	<500
W-40-B13	11/12/07	40	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<50
W-15-B14	11/13/07	15	<1.0	<1.0	<1.0	<20	<1.0	<1.0	<100
W-38-B15	11/15/07	38	<25	<25	<25	1,900	<25	<25	<2,500
W-40-B16	11/15/07	40	<0.50	<0.50	<0.50	<10	<0.50	<0.50	85
W-37-B17	11/13/07	37	<0.50	<0.50	<0.50	58	<0.50	<0.50	<50
W-38-B18	11/12/07	38	<12	<12	<12	<250	<12	<12	<1,200
W-35-B19	03/03/09	35	<50	<50	<50	<500	<50	<50	<5,000
W-35-B20	03/03/09	35	<0.50	<0.50	<0.50	12	<0.50	<0.50	<50
W-35-B21	03/03/09	35	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50

- Notes: Data prior to 1999 provided by EA Engineering, Science, and Technology.  
Data prior to 2013 provided by Cardno ERI.
- TOC Elev. Top of well casing elevation; datum is NAVD88.
- DTW Depth to water.
- GW Elev. Groundwater elevation; datum is NAVD88.
- NAPL Non-aqueous phase liquid.
- TPH-g Total Petroleum Hydrocarbons as gasoline analyzed using EPA Method 8015B.
- MTBE Methyl tertiary butyl ether analyzed using EPA Method 8260B.
- BTEX Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 8021B; from April 2009 to October 2010, analyzed using EPA Method 8260B.
- Total Pb Total lead analyzed using EPA Method 6010.
- Organic Pb Organic lead analyzed using CA DHS LUFT method.
- EDB 1,2-Dibromoethane analyzed using EPA Method 8260B.
- 1,2-DCA 1,2-Dichloroethane analyzed using EPA Method 8260B.
- TBA Tertiary butyl alcohol analyzed using EPA Method 8260B.
- TAME Tertiary amyl methyl ether analyzed using EPA Method 8260B.
- ETBE Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
- DIPE Di-isopropyl ether analyzed using EPA Method 8260B.
- Ethanol Ethanol analyzed using EPA Method 8260B.
- µg/L Micrograms per liter.
- mg/L Milligrams per liter.
- < Less than the stated laboratory reporting limit.
- Not sampled/Not analyzed/Not measured/Not applicable.
- a Approximate depth to groundwater surface at time of sampling.
- b Hydrocarbon pattern does not match that of the specified standard.

TABLE 3 ADDITIONAL GROUNDWATER MONITORING DATA,  
FORMER EXXON SERVICE STATION 70234, 3450 35TH AVENUE, OAKLAND, CALIFORNIA

Well Number	Date	Depth (feet)	Concentration (µg/L)						
			EDB	1,2-DCA	TAME	TBA	ETBE	DIPE	Ethanol

c Analyte presence was not confirmed by second column or GC/MS analysis.  
d Well inaccessible.

TABLE 4 GROUNDWATER MONITORING PLAN, FORMER EXXON SERVICE STATION  
70234, 3450 35th AVENUE, OAKLAND, CALIFORNIA

Well Number	Groundwater Gauging Frequency	Groundwater Sampling and Analysis Frequency			
		BTEX	TPH-g	MTBE	TBA
MW4	SA	SA	SA	SA	SA
MW5	SA	SA	SA	SA	SA
MW6	SA	SA	SA	SA	SA
MW7	SA	SA	SA	SA	SA
MW8	SA	SA	SA	SA	SA
MW9	SA	SA	SA	SA	SA
RW1	SA	SA	SA	SA	SA

Notes:

- BTEX Benzene, toluene, ethylbenzene, and xylenes.
- TPH-g Total Petroleum Hydrocarbons as gasoline.
- MTBE Methyl tertiary butyl ether.
- TBA Tertiary butyl alcohol.
- SA Semiannually (performed during the second and fourth quarters of each year).

**Appendix A**  
**Field Protocols**



## **PROTOCOLS FOR QUARTERLY GROUNDWATER MONITORING**

### **GROUNDWATER GAUGING**

Wells are opened prior to gauging to allow the groundwater level in the wells to equilibrate with atmospheric pressure. The depth to groundwater and depth to liquid-phase hydrocarbons, if present, are then measured to the nearest 0.01 foot using an electronic water level meter or optical interface probe. The measurements are made from a permanent reference point at the top of the well casing. If less than 1 foot of water is measured in a well, or if the water is bailed from the well and, if the well does not recover, the well is considered "functionally dry." Wells with a sheen or measurable liquid-phase hydrocarbons are generally not purged or sampled.

### **WELL PURGING**

After the wells are gauged, each well is purged of approximately 3 well casing volumes of water to provide representative groundwater samples for analysis. Field parameters of pH, temperature, and electrical conductance are measured during purging to ensure that these parameters have stabilized before groundwater in a well is sampled. Groundwater in each well is purged using an inertial pump (WaTerra), an electric submersible pump, or a bailer. After the well is purged, the water level is checked to ensure that the well has recharged to at least 80 percent of its original water level.

### **GROUNDWATER SAMPLING**

After purging, groundwater in each well is sampled using dedicated tubing and an inertial pump (WaTerra) or a factory-cleaned disposable bailer. Samples from extraction wells are typically collected from sample ports associated with the groundwater remediation system. Samples collected for volatile organic analysis are placed in Teflon septum-sealed 40-milliliter glass vials. Samples collected for diesel analysis are placed in 1-liter amber glass bottles. Each sample bottle is labeled with the site name, well number, date, sampler's initials, and preservative. The samples are placed in a cooler with ice for delivery to a state-certified laboratory. The information for each sample is entered on a chain-of-custody form prior to transport to the laboratory.

**Appendix B**  
**Field Documents**



## MONITORING WELL DATA FORM

Client: ExxonMobil

Date: 11/29/13

Project Number: UP70234, Activity 4

Station Number: 70234

Site Location: 3450 35th Avenue, Oakland, CA

Sampler: C, M. Felice //

MONITORING WELL NUMBER	DEPTH TO WATER (FEET)	DEPTH TO PRODUCT (FEET)	APPARENT PRODUCT THICKNESS (FEET)	AMOUNT OF PRODUCT REMOVED	SHEEN (Y/N)	MONITORING WELL INTEGRITY	DEPTH TO BOTTOM (FEET)	WELL CASING DIAMETER
MW4	36.53				N		44.62	2"
MW5	35.69				N		39.69	2"
MW6	32.15				N		38.20	2"
MW7	34.23				N		39.50	2"
MW8	32.89	—	—	—	N	Good	39.66	2"
MW9	Not	accessible		—	—	—	—	2"
RW1	34.64				N		40.09	4"



**GROUNDWATER PURGE AND SAMPLE**

Project Name: Former Exxon 70234 Well No: MW4 Date: 11/9/13  
 Project No: UP70234. Activity 4 Monitoring and Sampling Personnel: C. Mitchell

GAUGING DATA						
Water Level Measuring Method: WLM / IP				Measuring Point Description: TOC		
WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter		Total Purge Volume (gal)
	44.62	- 36.53	= 8.09	1	2	4 6
				0.04	0.16	0.64 1.44
						1.29 = 3.88

PURGING DATA						
Purge Method: WATERRA / BAILER / SUB		Purge Depth: Screen		Purge Rate: (gpm)		
Time	10:45	10:49	10:53			
Volume Purge (gal)	1.5	3.0	4.5			
Temperature (C)	18.5	18.6	18.7			
pH	7.69	7.83	7.56			
Spec. Cond. (uS/cm)	490.8	492.0	500.3			
Turbidity/Color	Heavy/Brown	Heavy/Brown	Heavy/Brown			
Odor (Y/N)	N	N	N			
Casing Volumes	1	2	3			
Dewatered (Y/N)	N	N	N			
Comments/Observations:						

**SAMPLING DATA**  
 Time Sampled: 10:55 Approximate Depth to Water During Sampling: 37 (feet)  
 Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW4	6	VOA	HCL	40 ml		See COC

Total Purge Volume: 4.5 (gallons) Disposal: SYSTEM

Weather Conditions: Sunny Day BOLTS (Y) / (N)

Condition of Well Box and Casing at Time of Sampling: Good CAP & LOCK (Y) / (N)

Well Head Conditions Requiring Correction: None GROUT (Y) / (N)

Problems Encountered During Purging and Sampling: None WELL BOX (Y) / (N)

Comments: SECURED (Y) / (N)



**GROUNDWATER PURGE AND SAMPLE**

Project Name: Former Exxon 70234 Well No: MW5 Date: 11/9/13  
 Project No: UP70234. Activity 4 Monitoring and Sampling Personnel: C. Mitchell

**GAUGING DATA**  
 Water Level Measuring Method: WLM / IP Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
		39.69	35.69	4.0	1	2	4	6	0.64
				0.04	0.16	0.64	1.44		

**PURGING DATA**  
 Purge Method: WATERRA BAILER / SUB Purge Depth: Screen Purge Rate: (gpm)

Time	12:27	12:30	12:35			
Volume Purge (gal)	1	2	3			
Temperature (C)	17.8	18.0	18.0			
pH	6.91	6.65	6.68			
Spec. Cond. (uS/cm)	680.7	693.6	697.7			
Turbidity/Color	Mod/6.2	Mod/6.2	Mod/6.2			
Odor (Y/N)	Y	Y	Y			
Casing Volumes	1	2	3			
Dewatered (Y/N)	N	N	N			

Comments/Observations: Purge rate dropped fast Casing Vol.

**SAMPLING DATA**  
 Time Sampled: 13:05 Approximate Depth to Water During Sampling: 36 (feet)  
 Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW5	6	VOA	HCL	40 ml		See COC

Total Purge Volume: 3 (gallons) Disposal: SYSTEM

Weather Conditions: Sunny / Dry BOLTS  / N

Condition of Well Box and Casing at Time of Sampling: Good CAP & LOCK  / N

Well Head Conditions Requiring Correction: None GROUT  / N

Problems Encountered During Purging and Sampling: Drop in purge rate WELL BOX  / N

Comments: SECURED  / N



**GROUNDWATER PURGE AND SAMPLE**

Project Name: Former Exxon 70234	Well No: MW6	Date: 11/9/13
Project No: UP70234. Activity 4 Monitoring and Sampling	Personnel: E. Mitchell	

<b>GAUGING DATA</b>						
Water Level Measuring Method: <u>WLM</u> / IP				Measuring Point Description: TOC		
WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter		Total Purge Volume (gal)
	38.20	32.15	6.05	1	2	0.97
				0.04	0.16	0.64
				4	6	1.44
						2.90

<b>PURGING DATA</b>						
Purge Method: WATERRA / <u>BAILER</u> / SUB		Purge Depth: Screen	Purge Rate: (gpm)			
Time	11:53	11:56	11:59			
Volume Purge (gal)	1	2	3			
Temperature (C)	18.4	18.5	18.5			
pH	7.33	7.24	7.21			
Spec. Cond. (uS/cm)	928.3	946.5	949.0			
Turbidity/Color	Heavy/Brown	Heavy/Brown	Heavy/Brown			
Odor (Y/N)	N	N	N			
Casing Volumes	1	2	3			
Dewatered (Y/N)	N	N	N			
Comments/Observations:						

<b>SAMPLING DATA</b>	
Time Sampled: 12:05	Approximate Depth to Water During Sampling: 32.5 (feet)
Comments:	

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW6	6	VOA	HCL	40 ml	/	See COC

Total Purge Volume: 3 (gallons)	Disposal: SYSTEM
Weather Conditions: Sunny / Dry	BOLTS (Y) / N
Condition of Well Box and Casing at Time of Sampling: Good	CAP & LOCK (Y) / N
Well Head Conditions Requiring Correction: None	GROUT (Y) / N
Problems Encountered During Purging and Sampling: None	WELL BOX (Y) / N
Comments:	SECURED (Y) / N



### GROUNDWATER PURGE AND SAMPLE

Project Name: Former Exxon 70234	Well No: MW7	Date: 11/9/17
Project No: UP70234. Activity 4 Monitoring and Sampling	Personnel: C. Mitchell	

GAUGING DATA									
Water Level Measuring Method: <u>WLM</u> / IP				Measuring Point Description: TOC					
WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
	39.50	34.23	5.27	1	2	4	6	0.84	2.53
				0.04	0.16	0.64	1.44		

PURGING DATA						
Purge Method: WATERRA / <u>BAILER</u> / SUB		Purge Depth: Screen		Purge Rate: (gpm)		
Time	11:21	11:24	11:28			
Volume Purge (gal)	1	2	3			
Temperature (C)	16.9	19.3	19.4			
pH	7.55	7.21	7.16			
Spec. Cond. (uS/cm)	633.9	625.8	620.7			
Turbidity/Color	Heavy/Blue	Heavy/Yellow	Heavy/Yellow			
Odor (Y/N)	N	N	N			
Casing Volumes	1	2	3			
Dewatered (Y/N)	N	N	N			
Comments/Observations:						

SAMPLING DATA	
Time Sampled: 11:35	Approximate Depth to Water During Sampling: 34.5 (feet)
Comments:	

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW7	6	VOA	HCL	40 ml	/	See COC

Total Purge Volume: 3 (gallons)	Disposal: SYSTEM
Weather Conditions: Sunny / Dry	BOLTS <input checked="" type="checkbox"/> / N
Condition of Well Box and Casing at Time of Sampling: Good	CAP & LOCK <input checked="" type="checkbox"/> / N
Well Head Conditions Requiring Correction: None	GROUT <input checked="" type="checkbox"/> / N
Problems Encountered During Purging and Sampling: None	WELL BOX <input checked="" type="checkbox"/> / N
Comments:	SECURED <input checked="" type="checkbox"/> / N



**GROUNDWATER PURGE AND SAMPLE**

Project Name: Former Exxon 70234 Well No: MW8 Date: 11/9/13  
 Project No: UP70234. Activity 4 Monitoring and Sampling Personnel: C. Mitchell

GAUGING DATA										
Water Level Measuring Method: <u>WLM</u> / IP				Measuring Point Description: TOC						
WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)	
		39.66	- 32.89	= 6.77	X	1	2	4	6	1.08
					0.04	0.16	0.64	1.44		

PURGING DATA						
Purge Method: WATERRA / <u>BAILER</u> / SUB		Purge Depth: Screen		Purge Rate: (gpm)		
Time	09:54	09:59	10:04			
Volume Purge (gal)	1.5	3.0	4.5			
Temperature (C)	17.4	17.6	17.6			
pH	6.23	6.60	6.69			
Spec. Cond. (uS/cm)	721.8	752.1	747.3			
Turbidity/Color	Clear/Blue	Heavy/Brn	Heavy/Brn			
Odor (Y/N)	N	N	N			
Casing Volumes	1	2	3			
Dewatered (Y/N)	N	N	N			
Comments/Observations:						

**SAMPLING DATA**  
 Time Sampled: 10:15 Approximate Depth to Water During Sampling: 33 (feet)  
 Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW8	6	VOA	HCL	40 ml	/	See COC

Total Purge Volume: 4.5 (gallons) Disposal: SYSTEM

Weather Conditions: Sunny / Dry	BOLTS	(Y) / N
Condition of Well Box and Casing at Time of Sampling: Good	CAP & LOCK	(Y) / N
Well Head Conditions Requiring Correction: None	GROUT	(Y) / N
Problems Encountered During Purging and Sampling: None	WELL BOX	(Y) / N
Comments:	SECURED	(Y) / N





**GROUNDWATER PURGE AND SAMPLE**

Project Name: Former Exxon 70234	Well No: MW <sup>9</sup>	Date: 11/1/13
Project No: UP70234. Activity 4 Monitoring and Sampling	Personnel: C. Mitchell	

**GAUGING DATA**

Water Level Measuring Method: WLM / IP      Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter	Casing Volume (gal)	Total Purge Volume (gal)
	-	=	X	1 2 4 6 0.04 0.16 0.64 1.44		=

**PURGING DATA**

Purge Method: WATERRA / BAILER / SUB      Purge Depth: Screen      Purge Rate: (gpm)

Time										
Volume Purge (gal)										
Temperature (C)										
pH										
Spec. Cond. (uS/cm)										
Turbidity/Color										
Odor (Y/N)										
Casing Volumes						1	2	3		
Dewatered (Y/N)										

Comments/Observations:

**SAMPLING DATA**

Time Sampled: \_\_\_\_\_      Approximate Depth to Water During Sampling: \_\_\_\_\_ (feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
<u>MW<sup>9</sup></u>	6	VOA	HCL	40 ml		See COC

Total Purge Volume: \_\_\_\_\_ (gallons)      Disposal: **SYSTEM**

Weather Conditions:	BOLTS	Y / N
Condition of Well Box and Casing at Time of Sampling:	CAP & LOCK	Y / N
Well Head Conditions Requiring Correction:	GROUT	Y / N
Problems Encountered During Purging and Sampling:	WELL BOX	Y / N
Comments: <u>Well not accessible</u>	SECURED	Y / N



**GROUNDWATER PURGE AND SAMPLE**

Project Name: Former Exxon 70234	Well No: RW1	Date: 11/9/13
Project No: UP70234. Activity 4 Monitoring and Sampling	Personnel: C. Mitchell	

**GAUGING DATA**  
 Water Level Measuring Method: WLM / IP      Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
		40.09	34.64	5.45	1 0.04	2 0.16	4 0.64	6 1.44	3.49

**PURGING DATA**  
 Purge Method: WATERRA / BAILER / SUB      Purge Depth:      Screen      Purge Rate:      (gpm)

Time	1	2	3			
Volume Purge (gal)	3.5	7.0	10.5			
Temperature (C)	18.5	18.3				
pH	7.12	7.09				
Spec. Cond. (uS/cm)	773.6	788.4				
Turbidity/Color	light / 0.11	Mod / 0.11				
Odor (Y/N)	N	N				
Casing Volumes	1	2	3			
Dewatered (Y/N)	N	N	Y			

Comments/Observations: Well dewatered at ~ 3.5 gal.

**SAMPLING DATA**  
 Time Sampled: 14:30      Approximate Depth to Water During Sampling: 35 (feet)

Comments:



Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
RW1	6	VOA	HCL	40 ml		See COC

Total Purge Volume: 8.5 (gallons)      Disposal: SYSTEM

Weather Conditions: Sunny / Dry	BOLTS	<input checked="" type="checkbox"/> / N
Condition of Well Box and Casing at Time of Sampling: Good	CAP & LOCK	<input checked="" type="checkbox"/> / N
Well Head Conditions Requiring Correction: None	GROUT	<input checked="" type="checkbox"/> / N
Problems Encountered During Purging and Sampling: Well dewatered	WELL BOX	<input checked="" type="checkbox"/> / N
Comments:	SECURED	<input checked="" type="checkbox"/> / N

## **Appendix C**


### **Laboratory Analytical Reports and Chain-of-Custody Documentation**



# CALSCIENCE

## WORK ORDER NUMBER: 13-11-0848

*The difference is service*



AIR | SOIL | WATER | MARINE CHEMISTRY

### Analytical Report For

**Client:** ETIC Engineering, Inc.

**Client Project Name:** ExxonMobil 70234

**Attention:** Joe Muehleck  
2285 Morello Avenue  
Pleasant Hill, CA 94523-1850

*Cecile L. deGuia*

Approved for release on 11/22/2013 by:  
Cecile deGuia  
Project Manager

ResultLink >

Email your PM >



Calscience Environmental Laboratories, Inc. (Calscience) certifies that the test results provided in this report meet all NELAC requirements for parameters for which accreditation is required or available. Any exceptions to NELAC requirements are noted in the case narrative. The original report of subcontracted analyses, if any, is attached to this report. The results in this report are limited to the sample(s) tested and any reproduction thereof must be made in its entirety. The client or recipient of this report is specifically prohibited from making material changes to said report and, to the extent that such changes are made, Calscience is not responsible, legally or otherwise. The client or recipient agrees to indemnify Calscience for any defense to any litigation which may arise.



1400 Ring Rd., Hayward, CA 94541 | TEL: 925-786-3000 | FAX: 925-786-3001 | [www.calscience.com](http://www.calscience.com)


NELAP ID: 03220CA | DoD-ELAP ID: L10-41 | CSDLAC ID: 10109 | SCAQMD ID: 93LA0830

# Contents

---

Client Project Name: ExxonMobil 70234  
Work Order Number: 13-11-0848

1	Work Order Narrative. . . . .	3
2	Sample Summary. . . . .	4
3	Client Sample Data. . . . .	5
	3.1 EPA 8015B (M) TPH Gasoline (Aqueous). . . . .	5
	3.2 EPA 8260B Volatile Organics (Aqueous). . . . .	7
4	Quality Control Sample Data. . . . .	15
	4.1 MS/MSD. . . . .	15
	4.2 LCS/LCSD. . . . .	18
5	Glossary of Terms and Qualifiers. . . . .	21
6	Chain of Custody/Sample Receipt Form. . . . .	22



## Work Order Narrative

---

Work Order: 13-11-0848

Page 1 of 1

---

### **Condition Upon Receipt:**

Samples were received under Chain of Custody (COC) on 11/12/13. They were assigned to Work Order 13-11-0848.

Unless otherwise noted on the Sample Receiving forms all samples were received in good condition and within the recommended EPA temperature criteria for the methods noted on the COC. The COC and Sample Receiving Documents are integral elements of the analytical report and are presented at the back of the report.

### **Holding Times:**

All samples were analyzed within prescribed holding times (HT) and/or in accordance with the CalScience Sample Acceptance Policy unless otherwise noted in the analytical report and/or comprehensive case narrative, if required.

Any parameter identified in 40CFR Part 136.3 Table II that is designated as "analyze immediately" with a holding time of  $\leq 15$  minutes (40CFR-136.3 Table II, footnote 4), is considered a "field" test and the reported results will be qualified as being received outside of the stated holding time unless received at the laboratory within 15 minutes of the collection time.

### **Quality Control:**

All quality control parameters (QC) were within established control limits except where noted in the QC summary forms or described further within this report.

### **Additional Comments:**


Air - Sorbent-extracted air methods (EPA TO-4A, EPA TO-10, EPA TO-13A, EPA TO-17): Analytical results are converted from mass/sample basis to mass/volume basis using client-supplied air volumes.

New York NELAP air certification does not certify for all reported methods and analytes, reference the accredited items here: [http://www.calscience.com/PDF/New\\_York.pdf](http://www.calscience.com/PDF/New_York.pdf)

Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture. All QC results are always reported on a wet weight basis.

### **Subcontractor Information:**


Unless otherwise noted below (or on the subcontract form), no samples were subcontracted.



## Sample Summary

Client: ETIC Engineering, Inc.	Work Order: 13-11-0848
2285 Morello Avenue	Project Name: ExxonMobil 70234
Pleasant Hill, CA 94523-1850	PO Number: 4410075963
	Date/Time Received: 11/12/13 10:45
	Number of Containers: 36
Attn: Joe Muehleck	

Sample Identification	Lab Number	Collection Date and Time	Number of Containers	Matrix
MW4	13-11-0848-1	11/09/13 10:55	6	Aqueous
MW5	13-11-0848-2	11/09/13 13:05	6	Aqueous
MW6	13-11-0848-3	11/09/13 12:05	6	Aqueous
MW7	13-11-0848-4	11/09/13 11:35	6	Aqueous
MW8	13-11-0848-5	11/09/13 10:15	6	Aqueous
RW1	13-11-0848-6	11/09/13 14:30	6	Aqueous



Analytical Report

ETIC Engineering, Inc.
2285 Morello Avenue
Pleasant Hill, CA 94523-1850

Date Received: 11/12/13
Work Order: 13-11-0848
Preparation: EPA 5030C
Method: EPA 8015B (M)
Units: ug/L

Project: ExxonMobil 70234

Table with 8 columns: Client Sample Number, Lab Sample Number, Date/Time Collected, Matrix, Instrument, Date Prepared, Date/Time Analyzed, QC Batch ID. Row 1: MW4, 13-11-0848-1-E, 11/09/13 10:55, Aqueous, GC 29, 11/15/13, 11/15/13 13:26, 131115B01

Table with 5 columns: Parameter, Result, RL, DF, Qualifiers. Row 1: TPH as Gasoline, ND, 50, 1, Qualifiers

Table with 5 columns: Surrogate, Rec. (%), Control Limits, Qualifiers. Row 1: 1,4-Bromofluorobenzene, 67, 38-134, Qualifiers

Table with 8 columns: Client Sample Number, Lab Sample Number, Date/Time Collected, Matrix, Instrument, Date Prepared, Date/Time Analyzed, QC Batch ID. Row 1: MW5, 13-11-0848-2-E, 11/09/13 13:05, Aqueous, GC 29, 11/15/13, 11/15/13 15:13, 131115B01

Table with 5 columns: Parameter, Result, RL, DF, Qualifiers. Row 1: TPH as Gasoline, 1300, 50, 1, HD

Table with 5 columns: Surrogate, Rec. (%), Control Limits, Qualifiers. Row 1: 1,4-Bromofluorobenzene, 72, 38-134, Qualifiers

Table with 8 columns: Client Sample Number, Lab Sample Number, Date/Time Collected, Matrix, Instrument, Date Prepared, Date/Time Analyzed, QC Batch ID. Row 1: MW6, 13-11-0848-3-E, 11/09/13 12:05, Aqueous, GC 29, 11/15/13, 11/15/13 15:50, 131115B01

Table with 5 columns: Parameter, Result, RL, DF, Qualifiers. Row 1: TPH as Gasoline, 3600, 50, 1, HD

Table with 5 columns: Surrogate, Rec. (%), Control Limits, Qualifiers. Row 1: 1,4-Bromofluorobenzene, 66, 38-134, Qualifiers

Table with 8 columns: Client Sample Number, Lab Sample Number, Date/Time Collected, Matrix, Instrument, Date Prepared, Date/Time Analyzed, QC Batch ID. Row 1: MW7, 13-11-0848-4-E, 11/09/13 11:35, Aqueous, GC 29, 11/15/13, 11/15/13 16:25, 131115B01

Table with 5 columns: Parameter, Result, RL, DF, Qualifiers. Row 1: TPH as Gasoline, 370, 50, 1, HD

Table with 5 columns: Surrogate, Rec. (%), Control Limits, Qualifiers. Row 1: 1,4-Bromofluorobenzene, 66, 38-134, Qualifiers


Table with 8 columns: Client Sample Number, Lab Sample Number, Date/Time Collected, Matrix, Instrument, Date Prepared, Date/Time Analyzed, QC Batch ID. Row 1: MW8, 13-11-0848-5-E, 11/09/13 10:15, Aqueous, GC 29, 11/15/13, 11/15/13 17:01, 131115B01

Table with 5 columns: Parameter, Result, RL, DF, Qualifiers. Row 1: TPH as Gasoline, ND, 50, 1, Qualifiers

Table with 5 columns: Surrogate, Rec. (%), Control Limits, Qualifiers. Row 1: 1,4-Bromofluorobenzene, 68, 38-134, Qualifiers

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.





### Analytical Report

ETIC Engineering, Inc.  
 2285 Morello Avenue  
 Pleasant Hill, CA 94523-1850

Date Received: 11/12/13  
 Work Order: 13-11-0848  
 Preparation: EPA 5030C  
 Method: EPA 8015B (M)  
 Units: ug/L

Project: ExxonMobil 70234

Page 2 of 2


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
<b>RW1</b>	<b>13-11-0848-6-E</b>	<b>11/09/13 14:30</b>	<b>Aqueous</b>	<b>GC 29</b>	<b>11/15/13</b>	<b>11/15/13 18:27</b>	<b>131115B01</b>

Parameter	Result	RL	DF	Qualifiers
TPH as Gasoline	810	50	1	HD
Surrogate	Rec. (%)	Control Limits	Qualifiers	
1,4-Bromofluorobenzene	67	38-134		

Method Blank	099-12-436-8966	N/A	Aqueous	GC 29	11/15/13	11/15/13 10:59	131115B01
--------------	-----------------	-----	---------	-------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qualifiers
TPH as Gasoline	ND	50	1	
Surrogate	Rec. (%)	Control Limits	Qualifiers	
1,4-Bromofluorobenzene	65	38-134		

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



## Analytical Report

ETIC Engineering, Inc.  
2285 Morello Avenue  
Pleasant Hill, CA 94523-1850

Date Received: 11/12/13  
Work Order: 13-11-0848  
Preparation: EPA 5030C  
Method: EPA 8260B  
Units: ug/L


Project: ExxonMobil 70234

Page 1 of 8

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW4	13-11-0848-1-A	11/09/13 10:55	Aqueous	GC/MS L	11/18/13	11/19/13 03:29	131118L03

Parameter	Result	RL	DF	Qualifiers
Benzene	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1	
Ethylbenzene	ND	0.50	1	
Toluene	ND	0.50	1	
p/m-Xylene	ND	0.50	1	
o-Xylene	ND	0.50	1	
Xylenes (total)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	10	1	
Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Surrogate	Rec. (%)	Control Limits	Qualifiers	
1,4-Bromofluorobenzene	94	68-120		
Dibromofluoromethane	108	80-127		
1,2-Dichloroethane-d4	113	80-128		
Toluene-d8	106	80-120		

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



## Analytical Report

ETIC Engineering, Inc.  
2285 Morello Avenue  
Pleasant Hill, CA 94523-1850

Date Received: 11/12/13  
Work Order: 13-11-0848  
Preparation: EPA 5030C  
Method: EPA 8260B  
Units: ug/L


Project: ExxonMobil 70234

Page 2 of 8

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW5	13-11-0848-2-B	11/09/13 13:05	Aqueous	GC/MS L	11/19/13	11/19/13 17:09	131119L02

Parameter	Result	RL	DF	Qualifiers
Benzene	120	5.0	10	
1,2-Dibromoethane	ND	5.0	10	
1,2-Dichloroethane	ND	5.0	10	
Ethylbenzene	ND	5.0	10	
Toluene	ND	5.0	10	
p/m-Xylene	8.8	5.0	10	
o-Xylene	ND	5.0	10	
Xylenes (total)	8.8	5.0	1	
Methyl-t-Butyl Ether (MTBE)	370	5.0	10	
Tert-Butyl Alcohol (TBA)	1100	100	10	
Diisopropyl Ether (DIPE)	ND	5.0	10	
Ethyl-t-Butyl Ether (ETBE)	ND	5.0	10	
Tert-Amyl-Methyl Ether (TAME)	ND	5.0	10	
Surrogate	Rec. (%)	Control Limits	Qualifiers	
1,4-Bromofluorobenzene	97	68-120		
Dibromofluoromethane	110	80-127		
1,2-Dichloroethane-d4	107	80-128		
Toluene-d8	106	80-120		

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



## Analytical Report

ETIC Engineering, Inc.  
2285 Morello Avenue  
Pleasant Hill, CA 94523-1850

Date Received: 11/12/13  
Work Order: 13-11-0848  
Preparation: EPA 5030C  
Method: EPA 8260B  
Units: ug/L

Project: ExxonMobil 70234

Page 3 of 8

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6	13-11-0848-3-A	11/09/13 12:05	Aqueous	GC/MS L	11/18/13	11/19/13 04:24	131118L03

Parameter	Result	RL	DF	Qualifiers
Benzene	ND	40	80	
1,2-Dibromoethane	ND	40	80	
1,2-Dichloroethane	ND	40	80	
Ethylbenzene	ND	40	80	
Toluene	ND	40	80	
p/m-Xylene	ND	40	80	
o-Xylene	ND	40	80	
Xylenes (total)	ND	40	1	
Tert-Butyl Alcohol (TBA)	2100	800	80	
Diisopropyl Ether (DIPE)	ND	40	80	
Ethyl-t-Butyl Ether (ETBE)	ND	40	80	
Tert-Amyl-Methyl Ether (TAME)	ND	40	80	


Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	94	68-120	
Dibromofluoromethane	114	80-127	
1,2-Dichloroethane-d4	118	80-128	
Toluene-d8	105	80-120	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6	13-11-0848-3-B	11/09/13 12:05	Aqueous	GC/MS L	11/19/13	11/19/13 15:46	131119L02

Parameter	Result	RL	DF	Qualifiers
Methyl-t-Butyl Ether (MTBE)	4800	100	200	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	95	68-120	
Dibromofluoromethane	112	80-127	
1,2-Dichloroethane-d4	108	80-128	
Toluene-d8	105	80-120	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



## Analytical Report

ETIC Engineering, Inc.  
2285 Morello Avenue  
Pleasant Hill, CA 94523-1850

Date Received: 11/12/13  
Work Order: 13-11-0848  
Preparation: EPA 5030C  
Method: EPA 8260B  
Units: ug/L

Project: ExxonMobil 70234


Page 4 of 8

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW7	13-11-0848-4-B	11/09/13 11:35	Aqueous	GC/MS L	11/19/13	11/19/13 17:37	131119L02

Parameter	Result	RL	DF	Qualifiers
Benzene	ND	10	20	
1,2-Dibromoethane	ND	10	20	
1,2-Dichloroethane	ND	10	20	
Ethylbenzene	ND	10	20	
Toluene	ND	10	20	
p/m-Xylene	ND	10	20	
o-Xylene	ND	10	20	
Xylenes (total)	ND	10	1	
Methyl-t-Butyl Ether (MTBE)	460	10	20	
Tert-Butyl Alcohol (TBA)	ND	200	20	
Diisopropyl Ether (DIPE)	ND	10	20	
Ethyl-t-Butyl Ether (ETBE)	ND	10	20	
Tert-Amyl-Methyl Ether (TAME)	ND	10	20	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	93	68-120	
Dibromofluoromethane	113	80-127	
1,2-Dichloroethane-d4	111	80-128	
Toluene-d8	105	80-120	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



## Analytical Report

ETIC Engineering, Inc.  
2285 Morello Avenue  
Pleasant Hill, CA 94523-1850

Date Received: 11/12/13  
Work Order: 13-11-0848  
Preparation: EPA 5030C  
Method: EPA 8260B  
Units: ug/L


Project: ExxonMobil 70234

Page 5 of 8

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW8	13-11-0848-5-A	11/09/13 10:15	Aqueous	GC/MS L	11/18/13	11/19/13 05:20	131118L03

Parameter	Result	RL	DF	Qualifiers
Benzene	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1	
Ethylbenzene	ND	0.50	1	
Toluene	ND	0.50	1	
p/m-Xylene	ND	0.50	1	
o-Xylene	ND	0.50	1	
Xylenes (total)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	10	1	
Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Surrogate	Rec. (%)	Control Limits	Qualifiers	
1,4-Bromofluorobenzene	96	68-120		
Dibromofluoromethane	110	80-127		
1,2-Dichloroethane-d4	121	80-128		
Toluene-d8	107	80-120		

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



## Analytical Report

ETIC Engineering, Inc.  
2285 Morello Avenue  
Pleasant Hill, CA 94523-1850

Date Received: 11/12/13  
Work Order: 13-11-0848  
Preparation: EPA 5030C  
Method: EPA 8260B  
Units: ug/L

Project: ExxonMobil 70234


Page 6 of 8

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
RW1	13-11-0848-6-B	11/09/13 14:30	Aqueous	GC/MS L	11/19/13	11/19/13 18:04	131119L02

Parameter	Result	RL	DF	Qualifiers
Benzene	210	10	20	
1,2-Dibromoethane	ND	10	20	
1,2-Dichloroethane	ND	10	20	
Ethylbenzene	ND	10	20	
Toluene	ND	10	20	
p/m-Xylene	ND	10	20	
o-Xylene	ND	10	20	
Xylenes (total)	ND	10	1	
Methyl-t-Butyl Ether (MTBE)	520	10	20	
Tert-Butyl Alcohol (TBA)	1100	200	20	
Diisopropyl Ether (DIPE)	ND	10	20	
Ethyl-t-Butyl Ether (ETBE)	ND	10	20	
Tert-Amyl-Methyl Ether (TAME)	ND	10	20	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	96	68-120	
Dibromofluoromethane	113	80-127	
1,2-Dichloroethane-d4	120	80-128	
Toluene-d8	96	80-120	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



## Analytical Report

ETIC Engineering, Inc.  
2285 Morello Avenue  
Pleasant Hill, CA 94523-1850

Date Received: 11/12/13  
Work Order: 13-11-0848  
Preparation: EPA 5030C  
Method: EPA 8260B  
Units: ug/L

Project: ExxonMobil 70234


Page 7 of 8

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-10-025-2868	N/A	Aqueous	GC/MS L	11/18/13	11/18/13 23:47	131118L03

Parameter	Result	RL	DF	Qualifiers
Benzene	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1	
Ethylbenzene	ND	0.50	1	
Toluene	ND	0.50	1	
p/m-Xylene	ND	0.50	1	
o-Xylene	ND	0.50	1	
Xylenes (total)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	10	1	
Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Surrogate	Rec. (%)	Control Limits	Qualifiers	
1,4-Bromofluorobenzene	94	68-120		
Dibromofluoromethane	113	80-127		
1,2-Dichloroethane-d4	106	80-128		
Toluene-d8	106	80-120		

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.





## Analytical Report

ETIC Engineering, Inc.  
2285 Morello Avenue  
Pleasant Hill, CA 94523-1850

Date Received: 11/12/13  
Work Order: 13-11-0848  
Preparation: EPA 5030C  
Method: EPA 8260B  
Units: ug/L

Project: ExxonMobil 70234


Page 8 of 8

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-10-025-2871	N/A	Aqueous	GC/MS L	11/19/13	11/19/13 12:04	131119L02

Parameter	Result	RL	DF	Qualifiers
Benzene	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1	
Ethylbenzene	ND	0.50	1	
Toluene	ND	0.50	1	
p/m-Xylene	ND	0.50	1	
o-Xylene	ND	0.50	1	
Xylenes (total)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	10	1	
Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	96	68-120	
Dibromofluoromethane	115	80-127	
1,2-Dichloroethane-d4	118	80-128	
Toluene-d8	107	80-120	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



## Quality Control - Spike/Spike Duplicate

ETIC Engineering, Inc.  
2285 Morello Avenue  
Pleasant Hill, CA 94523-1850


Date Received: 11/12/13  
Work Order: 13-11-0848  
Preparation: EPA 5030C  
Method: EPA 8015B (M)

Project: ExxonMobil 70234

Page 1 of 3

Quality Control Sample ID	Matrix		Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number				
MW4	Aqueous		GC 29	11/15/13	11/15/13 14:02	131115S01				
Parameter	Sample Conc.	Spike Added	MS Conc.	MS %Rec.	MSD Conc.	MSD %Rec.	%Rec. CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	ND	2000	1967	98	1906	95	68-122	3	0-18	

RPD: Relative Percent Difference. CL: Control Limits



## Quality Control - Spike/Spike Duplicate

ETIC Engineering, Inc.  
2285 Morello Avenue  
Pleasant Hill, CA 94523-1850


Date Received: 11/12/13  
Work Order: 13-11-0848  
Preparation: EPA 5030C  
Method: EPA 8260B

Project: ExxonMobil 70234

Page 2 of 3

Quality Control Sample ID	Matrix		Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number				
<b>13-11-1329-2</b>	<b>Aqueous</b>		<b>GC/MS L</b>	<b>11/18/13</b>	<b>11/19/13 02:06</b>	<b>131118S02</b>				
Parameter	Sample Conc.	Spike Added	MS Conc.	MS %Rec.	MSD Conc.	MSD %Rec.	%Rec. CL	RPD	RPD CL	Qualifiers
Benzene	ND	10.00	11.10	111	11.01	110	76-124	1	0-20	
1,2-Dibromoethane	ND	10.00	10.46	105	10.71	107	80-120	2	0-20	
1,2-Dichloroethane	ND	10.00	12.21	122	12.25	123	80-120	0	0-20	HX
Ethylbenzene	ND	10.00	10.77	108	10.73	107	78-126	0	0-20	
Toluene	ND	10.00	10.57	106	11.18	112	80-120	6	0-20	
p/m-Xylene	ND	20.00	21.11	106	20.71	104	70-130	2	0-30	
o-Xylene	ND	10.00	9.883	99	9.914	99	70-130	0	0-30	
Methyl-t-Butyl Ether (MTBE)	ND	10.00	9.656	97	10.22	102	67-121	6	0-49	
Tert-Butyl Alcohol (TBA)	ND	50.00	52.60	105	61.34	123	36-162	15	0-30	
Diisopropyl Ether (DIPE)	ND	10.00	9.958	100	10.26	103	60-138	3	0-45	
Ethyl-t-Butyl Ether (ETBE)	ND	10.00	8.978	90	9.342	93	69-123	4	0-30	
Tert-Amyl-Methyl Ether (TAME)	ND	10.00	8.652	87	8.577	86	65-120	1	0-20	

RPD: Relative Percent Difference. CL: Control Limits



## Quality Control - Spike/Spike Duplicate

ETIC Engineering, Inc.  
2285 Morello Avenue  
Pleasant Hill, CA 94523-1850


Date Received: 11/12/13  
Work Order: 13-11-0848  
Preparation: EPA 5030C  
Method: EPA 8260B

Project: ExxonMobil 70234

Page 3 of 3

Quality Control Sample ID	Matrix		Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number				
<b>13-11-1360-4</b>	<b>Aqueous</b>		<b>GC/MS L</b>	<b>11/19/13</b>	<b>11/19/13 14:51</b>	<b>131119S01</b>				
Parameter	Sample Conc.	Spike Added	MS Conc.	MS %Rec.	MSD Conc.	MSD %Rec.	%Rec. CL	RPD	RPD CL	Qualifiers
Benzene	12.89	10.00	23.47	106	22.99	101	76-124	2	0-20	
1,2-Dibromoethane	ND	10.00	11.10	111	10.81	108	80-120	3	0-20	
1,2-Dichloroethane	ND	10.00	12.80	128	12.57	126	80-120	2	0-20	HX
Ethylbenzene	ND	10.00	10.80	108	10.51	105	78-126	3	0-20	
Toluene	ND	10.00	10.46	105	10.21	102	80-120	2	0-20	
p/m-Xylene	ND	20.00	21.09	105	20.64	103	70-130	2	0-30	
o-Xylene	ND	10.00	10.11	101	9.922	99	70-130	2	0-30	
Methyl-t-Butyl Ether (MTBE)	ND	10.00	10.11	101	10.16	102	67-121	1	0-49	
Tert-Butyl Alcohol (TBA)	ND	50.00	39.64	79	57.70	115	36-162	37	0-30	BA
Diisopropyl Ether (DIPE)	ND	10.00	9.841	98	10.04	100	60-138	2	0-45	
Ethyl-t-Butyl Ether (ETBE)	ND	10.00	9.390	94	9.676	97	69-123	3	0-30	
Tert-Amyl-Methyl Ether (TAME)	ND	10.00	9.022	90	9.225	92	65-120	2	0-20	

RPD: Relative Percent Difference. CL: Control Limits



## Quality Control - LCS

ETIC Engineering, Inc.  
2285 Morello Avenue  
Pleasant Hill, CA 94523-1850

Date Received: 11/12/13  
Work Order: 13-11-0848  
Preparation: EPA 5030C  
Method: EPA 8015B (M)


Project: ExxonMobil 70234

Page 1 of 3

Quality Control Sample ID	Matrix	Instrument	Date Analyzed	LCS Batch Number
099-12-436-8966	Aqueous	GC 29	11/15/13 11:35	131115B01

Parameter	Spike Added	Conc. Recovered	LCS %Rec.	%Rec. CL	Qualifiers
TPH as Gasoline	2000	1957	98	78-120	

RPD: Relative Percent Difference. CL: Control Limits



## Quality Control - LCS

ETIC Engineering, Inc.  
2285 Morello Avenue  
Pleasant Hill, CA 94523-1850

Date Received: 11/12/13  
Work Order: 13-11-0848  
Preparation: EPA 5030C  
Method: EPA 8260B


Project: ExxonMobil 70234

Page 2 of 3

Quality Control Sample ID	Matrix	Instrument	Date Analyzed	LCS Batch Number		
<b>099-10-025-2868</b>	<b>Aqueous</b>	<b>GC/MS I</b>	<b>11/18/13 22:52</b>	<b>131118L03</b>		
Parameter	Spike Added	Conc. Recovered	LCS %Rec.	%Rec. CL	ME CL	Qualifiers
Benzene	10.00	10.79	108	80-120	73-127	
1,2-Dibromoethane	10.00	10.19	102	79-121	72-128	
1,2-Dichloroethane	10.00	11.50	115	80-120	73-127	
Ethylbenzene	10.00	10.56	106	80-120	73-127	
Toluene	10.00	10.84	108	80-120	73-127	
p/m-Xylene	20.00	20.34	102	75-125	67-133	
o-Xylene	10.00	9.810	98	75-125	67-133	
Methyl-t-Butyl Ether (MTBE)	10.00	9.592	96	69-123	60-132	
Tert-Butyl Alcohol (TBA)	50.00	52.62	105	63-123	53-133	
Diisopropyl Ether (DIPE)	10.00	9.995	100	59-137	46-150	
Ethyl-t-Butyl Ether (ETBE)	10.00	9.132	91	69-123	60-132	
Tert-Amyl-Methyl Ether (TAME)	10.00	8.391	84	70-120	62-128	

Total number of LCS compounds: 12  
Total number of ME compounds: 0  
Total number of ME compounds allowed: 1  
LCS ME CL validation result: Pass

RPD: Relative Percent Difference. CL: Control Limits



## Quality Control - LCS

ETIC Engineering, Inc.  
2285 Morello Avenue  
Pleasant Hill, CA 94523-1850

Date Received: 11/12/13  
Work Order: 13-11-0848  
Preparation: EPA 5030C  
Method: EPA 8260B

Project: ExxonMobil 70234

Page 3 of 3

Quality Control Sample ID	Matrix	Instrument	Date Analyzed	LCS Batch Number		
099-10-025-2871	Aqueous	GC/MS L	11/19/13 10:56	131119L02		
Parameter	Spike Added	Conc. Recovered	LCS %Rec.	%Rec. CL	ME CL	Qualifiers
Benzene	10.00	10.52	105	80-120	73-127	
1,2-Dibromoethane	10.00	10.76	108	79-121	72-128	
1,2-Dichloroethane	10.00	11.62	116	80-120	73-127	
Ethylbenzene	10.00	10.71	107	80-120	73-127	
Toluene	10.00	10.97	110	80-120	73-127	
p/m-Xylene	20.00	20.76	104	75-125	67-133	
o-Xylene	10.00	9.918	99	75-125	67-133	
Methyl-t-Butyl Ether (MTBE)	10.00	10.22	102	69-123	60-132	
Tert-Butyl Alcohol (TBA)	50.00	47.78	96	63-123	53-133	
Diisopropyl Ether (DIPE)	10.00	10.07	101	59-137	46-150	
Ethyl-t-Butyl Ether (ETBE)	10.00	9.802	98	69-123	60-132	
Tert-Amyl-Methyl Ether (TAME)	10.00	9.056	91	70-120	62-128	

Total number of LCS compounds: 12  
Total number of ME compounds: 0  
Total number of ME compounds allowed: 1  
LCS ME CL validation result: Pass

RPD: Relative Percent Difference. CL: Control Limits


## Glossary of Terms and Qualifiers

Work Order: 13-11-0848

Page 1 of 1

<u>Qualifiers</u>	<u>Definition</u>
AZ	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
B	Analyte was present in the associated method blank.
BA	The MS/MSD RPD was out of control due to suspected matrix interference.
BB	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
BU	Sample analyzed after holding time expired.
BV	Sample received after holding time expired.
DF	Reporting limits elevated due to matrix interferences.
E	Concentration exceeds the calibration range.
ET	Sample was extracted past end of recommended max. holding time.
GE	The PDS/PDSD or PES/PESD associated with this batch of samples was out of control due to suspected matrix interference.
HD	Chromat. profile inconsistent with pattern(s) of ref. fuel stdns.
HO	High concentration matrix spike recovery out of limits
HT	Analytical value calculated using results from associated tests.
HX	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS was in control.
IL	Relative percent difference out of control.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
JA	Analyte positively identified but quantitation is an estimate.
LD	Analyte presence was not confirmed by second column or GC/MS analysis.
LP	The LCS and/or LCSD recoveries for this analyte were above the upper control limit. The associated sample was non-detected. Therefore, the sample data was reported without further clarification.
LQ	LCS recovery above method control limits.
LR	LCS recovery below method control limits.
ND	Parameter not detected at the indicated reporting limit.
QO	Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.
RU	LCS Recovery Percentage is within Marginal Exceedance (ME) Control Limit range (+/- 4 SD from the mean).
SG	A silica gel cleanup procedure was performed.
SN	See applicable analysis comment.
	Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture. All QC results are reported on a wet weight basis.
	Any parameter identified in 40CFR Part 136.3 Table II that is designated as "analyze immediately" with a holding time of <= 15 minutes (40CFR-136.3 Table II, footnote 4), is considered a "field" test and the reported results will be qualified as being received outside of the stated holding time unless received at the laboratory within 15 minutes of the collection time.
	A calculated total result (Example: Total Pesticides) is the summation of each component concentration and/or, if "J" flags are reported, estimated concentration. Component concentrations showing not detected (ND) are summed into the calculated total result as zero concentrations.





7440 LINCOLN WAY  
 GARDEN GROVE, CA 92841-1432  
 TEL: (714) 895-5494 . FAX: (714) 894-7501

**Site Name**

Provide MRN for retail or AFE for major projects

Retail Project (MRN)

Major Project (AFE)

Project Name

Former Retail Site 70234

**CHAIN OF CUSTODY RECORD**

DATE: 11/19/13  
 PAGE: 1 OF 1

ExxonMobil PM: Jennifer Sedlachek

LABORATORY CLIENT: <b>ExxonMobil C/O ETIC Engineering, Inc.</b>							GLOBAL ID # / COELT LOG CODE: <b>T06019757161</b>				P.O. <b>4410075963</b>																																																																																																																																																																																																					
ADDRESS: <b>2285 Morello Avenue</b>							PROJECT CONTACT: <b>Joe Muehleck, ETIC Engineering, Inc.</b>				<b>13-11-0848</b>																																																																																																																																																																																																					
CITY: <b>Pleasant Hill, CA</b>							SAMPLER(S): (SIGNATURE) <i>[Signature]</i>																																																																																																																																																																																																									
TEL: <b>925-602-4710 Ext. 2127</b>		FAX: <b>925-602-4720</b>		EMAIL: <i>See Instructions</i>			COOLER RECEIPT Temp - _____ °C																																																																																																																																																																																																									
TURNAROUND TIME <input type="checkbox"/> SAME DAY <input type="checkbox"/> 24 HR <input type="checkbox"/> 48 HR <input type="checkbox"/> 72 HR <input type="checkbox"/> 5 DAYS <input checked="" type="checkbox"/> 10 DAYS							<b>REQUESTED ANALYSIS</b>																																																																																																																																																																																																									
SPECIAL REQUIREMENTS (ADDITIONAL COSTS MAY APPLY) <input type="checkbox"/> RWQCB REPORTING <input type="checkbox"/> ARCHIVE SAMPLES UNTIL _____ / _____ / _____																																																																																																																																																																																																																
SPECIAL INSTRUCTIONS: <b>edf file required, Global ID #T06019757161</b>  <b>email report to eticlabreports@eticeng.com</b> <b>Fuel Oxygenates and Additives include: MTBE, TBA, ETBE, DIPE, TAME, 1,2-DCA and 1,2-DBA.</b> <b>Set TBA detection limit at or below 12 ug/L.</b>																																																																																																																																																																																																																
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">LAB USE ONLY</th> <th rowspan="2">SAMPLE ID</th> <th rowspan="2">LOCATION/ DESCRIPTION</th> <th colspan="2">SAMPLING</th> <th rowspan="2">MATRIX</th> <th rowspan="2">NO. OF CONT.</th> <th rowspan="2">TPH-g BY 8015B(M)</th> <th rowspan="2">BTEX15 Oxy's, EDB, 1,2-DCA By 8260B</th> <th colspan="10"></th> <th rowspan="2">CONTAINER TYPE</th> </tr> <tr> <th>DATE</th> <th>TIME</th> <th colspan="10"></th> </tr> </thead> <tbody> <tr> <td></td> <td>1</td> <td>MW4</td> <td>11/19/13</td> <td>1055</td> <td>water</td> <td>6</td> <td>X</td> <td>X</td> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>6 X40 ml clear VOA VIALS w/HCl</td> </tr> <tr> <td></td> <td>2</td> <td>MW5</td> <td rowspan="4" style="text-align: center;">↓</td> <td>1305</td> <td>water</td> <td>6</td> <td>X</td> <td>X</td> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>6 X40 ml clear VOA VIALS w/HCl</td> </tr> <tr> <td></td> <td>3</td> <td>MW6</td> <td>1205</td> <td>water</td> <td>6</td> <td>X</td> <td>X</td> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>6 X40 ml clear VOA VIALS w/HCl</td> </tr> <tr> <td></td> <td>4</td> <td>MW7</td> <td>1135</td> <td>water</td> <td>6</td> <td>X</td> <td>X</td> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>6 X40 ml clear VOA VIALS w/HCl</td> </tr> <tr> <td></td> <td>5</td> <td>MW8</td> <td>1015</td> <td>water</td> <td>6</td> <td>X</td> <td>X</td> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>6 X40 ml clear VOA VIALS w/HCl</td> </tr> <tr> <td></td> <td></td> <td>MW9</td> <td></td> <td></td> <td>water</td> <td>6</td> <td>X</td> <td>X</td> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>6 X40 ml clear VOA VIALS w/HCl</td> </tr> <tr> <td></td> <td>6</td> <td>RW1</td> <td>11/19/13</td> <td>1430</td> <td>water</td> <td>6</td> <td>X</td> <td>X</td> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>6 X40 ml clear VOA VIALS w/HCl</td> </tr> </tbody> </table>							LAB USE ONLY	SAMPLE ID	LOCATION/ DESCRIPTION	SAMPLING		MATRIX	NO. OF CONT.	TPH-g BY 8015B(M)	BTEX15 Oxy's, EDB, 1,2-DCA By 8260B											CONTAINER TYPE	DATE	TIME												1	MW4	11/19/13	1055	water	6	X	X															6 X40 ml clear VOA VIALS w/HCl		2	MW5	↓	1305	water	6	X	X															6 X40 ml clear VOA VIALS w/HCl		3	MW6	1205	water	6	X	X																6 X40 ml clear VOA VIALS w/HCl		4	MW7	1135	water	6	X	X																6 X40 ml clear VOA VIALS w/HCl		5	MW8	1015	water	6	X	X																6 X40 ml clear VOA VIALS w/HCl			MW9			water	6	X	X															6 X40 ml clear VOA VIALS w/HCl		6	RW1	11/19/13	1430	water	6	X	X															6 X40 ml clear VOA VIALS w/HCl		
LAB USE ONLY	SAMPLE ID	LOCATION/ DESCRIPTION	SAMPLING		MATRIX	NO. OF CONT.				TPH-g BY 8015B(M)	BTEX15 Oxy's, EDB, 1,2-DCA By 8260B																CONTAINER TYPE																																																																																																																																																																																					
			DATE	TIME																																																																																																																																																																																																												
	1	MW4	11/19/13	1055	water	6	X	X															6 X40 ml clear VOA VIALS w/HCl																																																																																																																																																																																									
	2	MW5	↓	1305	water	6	X	X															6 X40 ml clear VOA VIALS w/HCl																																																																																																																																																																																									
	3	MW6		1205	water	6	X	X																6 X40 ml clear VOA VIALS w/HCl																																																																																																																																																																																								
	4	MW7		1135	water	6	X	X																6 X40 ml clear VOA VIALS w/HCl																																																																																																																																																																																								
	5	MW8		1015	water	6	X	X																6 X40 ml clear VOA VIALS w/HCl																																																																																																																																																																																								
		MW9			water	6	X	X															6 X40 ml clear VOA VIALS w/HCl																																																																																																																																																																																									
	6	RW1	11/19/13	1430	water	6	X	X															6 X40 ml clear VOA VIALS w/HCl																																																																																																																																																																																									
Relinquished by: (Signature) <i>[Signature]</i>							Received by: (Signature) <i>[Signature]</i> CEL				Date, & Time: <b>11/11/13/1730</b>																																																																																																																																																																																																					
Relinquished by: (Signature) <i>[Signature]</i> to 980 11/11/13 1730							Received by: (Signature) <i>[Signature]</i>				Date, & Time: _____																																																																																																																																																																																																					
Relinquished by: (Signature) <i>[Signature]</i>							Received by: (Signature) <i>[Signature]</i>				Date, & Time: <b>11/12/13 1045</b>																																																																																																																																																																																																					



**< WebShip > > > >**  
800-322-5555 www.gso.com

*PHS*

**Ship From:**  
ALAN KEMP  
CAL SCIENCE- CONCORD  
5063 COMMERCIAL CIRCLE #H  
CONCORD, CA 94520

**Tracking #:** 523194121

**NPS**


**ORC**  
**GARDEN GROVE**

**A**

**Ship To:**  
SAMPLE RECEIVING  
CEL  
7440 LINCOLN WAY  
GARDEN GROVE, CA 92841

**D92841A**

**COD:**  
\$0.00



18018061

**Reference:**  
ETIC

**Delivery Instructions:**

**Signature Type:**  
SIGNATURE REQUIRED

Print Date : 11/11/13 15:30 PM

**Package 1 of 1**

Send Label To Printer

Print All

Edit Shipment

Finish

**LABEL INSTRUCTIONS:**

- Do not copy or reprint this label for additional shipments - each package must have a unique barcode.
- STEP 1 - Use the "Send Label to Printer" button on this page to print the shipping label on a laser or inkjet printer.
- STEP 2 - Fold this page in half.
- STEP 3 - Securely attach this label to your package, do not cover the barcode.
- STEP 4 - Request an on-call pickup for your package, if you do not have scheduled daily pickup service or Drop-off your package at the nearest GSO drop box. Locate nearest GSO dropbox locations using this link.

**ADDITIONAL OPTIONS:**

Send Label Via Email

Create Return Label

**TERMS AND CONDITIONS:**

By giving us your shipment to deliver, you agree to all the service terms and conditions described in this section. Our liability for loss or damage to any package is limited to your actual damages or \$100 whichever is less, unless you pay for and declare a higher authorized value. If you declare a higher value and pay the additional charge, our liability will be the lesser of your declared value or the actual value of your loss or damage. In any event, we will not be liable for any damage, whether direct, incidental, special or consequential, in excess of the declared value of a shipment whether or not we had knowledge that such damage might be incurred including but not limited to loss of income or profit. We will not be liable for your acts or omissions, including but not limited to improper or insufficient packaging, securing, marking or addressing. Also, we will not be liable if you or the recipient violates any of the terms of our agreement. We will not be liable for loss, damage or delay caused by events we cannot control, including but not limited to acts of God, perils of the air, weather conditions, act of public enemies, war, strikes, or civil commotion. The highest declared value for our GSO Priority Letter or GSO Priority Package is \$500. For other shipments the highest declared value is \$10,000 unless your package contains items of "extraordinary value", in which case the highest declared value we allow is \$500. Items of "extraordinary value" include, but or not limited to, artwork, jewelry, furs, precious metals, tickets, negotiable instruments and other items with intrinsic value.

WORK ORDER #: **13-11-0848**

**SAMPLE RECEIPT FORM**

Cooler 1 of 1

CLIENT: ETIC

DATE: 11/12/13

**TEMPERATURE:** Thermometer ID: SC2 (Criteria: 0.0°C – 6.0°C, not frozen except sediment/tissue)

Temperature 2.4 °C - 0.2°C (CF) = 2.2 °C  Blank  Sample

Sample(s) outside temperature criteria (PM/APM contacted by: \_\_\_\_\_).

Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling.

Received at ambient temperature, placed on ice for transport by Courier.

Ambient Temperature:  Air  Filter Checked by: 15

**CUSTODY SEALS INTACT:**

Cooler  \_\_\_\_\_  No (Not Intact)  Not Present  N/A Checked by: 15

Sample  \_\_\_\_\_  No (Not Intact)  Not Present Checked by: 836

SAMPLE CONDITION:	Yes	No	N/A
Chain-Of-Custody (COC) document(s) received with samples.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
COC document(s) received complete.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Collection date/time, matrix, and/or # of containers logged in based on sample labels.			
<input type="checkbox"/> No analysis requested. <input type="checkbox"/> Not relinquished. <input type="checkbox"/> No date/time relinquished.			
Sampler's name indicated on COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container label(s) consistent with COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container(s) intact and good condition.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper containers and sufficient volume for analyses requested.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Analyses received within holding time.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Aqueous samples received within 15-minute holding time			
<input type="checkbox"/> pH <input type="checkbox"/> Residual Chlorine <input type="checkbox"/> Dissolved Sulfides <input type="checkbox"/> Dissolved Oxygen..... <input type="checkbox"/>			
Proper preservation noted on COC or sample container.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Unpreserved vials received for Volatiles analysis			
Volatile analysis container(s) free of headspace.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tedlar bag(s) free of condensation.....	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

**CONTAINER TYPE:**

Solid:  4ozCGJ  8ozCGJ  16ozCGJ  Sleeve (\_\_\_\_)  EnCores®  TerraCores®  \_\_\_\_\_

Aqueous:  VOA  VOAn  VOAna<sub>2</sub>  125AGB  125AGBh  125AGBp  1AGB  1AGBna<sub>2</sub>  1AGBs

500AGB  500AGJ  500AGJs  250AGB  250CGB  250CGBs  1PB  1PBna  500PB

250PB  250PBn  125PB  125PBzanna  100PJ  100PJna<sub>2</sub>  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Air:  Tedlar®  Canister Other:  \_\_\_\_\_ Trip Blank Lot#: \_\_\_\_\_ Labeled/Checked by: 836

Container: C: Clear A: Amber P: Plastic G: Glass J: Jar B: Bottle Z: Ziploc/Resealable Bag E: Envelope Reviewed by: 836

Preservative: h: HCL n: HNO<sub>3</sub> na<sub>2</sub>: Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub> na: NaOH p: H<sub>3</sub>PO<sub>4</sub> s: H<sub>2</sub>SO<sub>4</sub> u: Ultra-pure zanna: ZnAc<sub>2</sub>+NaOH f: Filtered Scanned by: 836

## **Appendix D**

### **Groundwater Monitoring and Sampling Data for Unocal No. 6129**

**Table 1**  
**Current Groundwater Monitoring Data and Analytical Results**  
**Unocal No. 6129 (351639)**  
**3420 35th Avenue**  
**Oakland, California**

WELL ID	TOC* (ft)	DATE	DTW (ft)	GWE* (ft)	LNAPL (ft)	TPH-g (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	COMMENTS
MW-1	190.79	11/13/2013	31.65	159.14	0	240	<0.50	<0.50	<0.50	<1.0	
MW-2	190.80	11/13/2013	31.37	159.43	0	1,200	<0.50	<0.50	<0.50	<1.0	
MW-3	188.58	11/13/2013	30.28	158.30	0	110	<0.50	<0.50	<0.50	<1.0	

**NOTES:**

\* TOC and GWE are in feet above mean sea level.

<# = Analyte not detected at or above indicated laboratory practical quantitation limit

BTEX compounds analyzed by Unites States Environmental Protection Agency Method 8260B

TPH-g analyzed by Luft-GC/MS method.

ID = Identification

TOC = Top of casing

ft = Feet

DTW = Depth to water

GWE = Groundwater elevation

µg/L = Micrograms per liter

LNAPL = Light Non-Aqueous Phase Liquid

B = Benzene

T = Toluene

E = Ethylbenzene

X = Total Xylenes

TPH-g = Total Petroleum Hydrocarbons as Gasoline

TPH-g reported as total purgeable petroluem hydrocarbons

**Table 2**  
**Current Groundwater Analytical Results - Oxygenate Compounds**  
**Unocal No. 6129 (351639)**  
**3420 35th Avenue**  
**Oakland, California**

WELL ID	DATE	MTBE (µg/L)	TBA (µg/L)	ETHANOL (µg/L)	ETBE (µg/L)	DIPE (µg/L)	TAME (µg/L)	EDB (µg/L)	EDC (µg/L)
MW-1	11/13/2013	270	<10	<250	<0.50	<0.50	<0.50	<0.50	<0.50
MW-2	11/13/2013	1,300	<10	<250	<0.50	17	<0.50	<0.50	<0.50
MW-3	11/13/2013	100	<10	<250	<0.50	<0.50	<0.50	<0.50	<0.50

**NOTES:**

Oxygenate compounds analyzed by Unites States Environmental Protection Agency Method 8260B

<# = Analyte not detected at or above indicated laboratory practical quantitation limit

ID = Identification

µg/L = Micrograms per liter

MTBE = Methyl t-butyl ether

TBA = T-butyl alcohol

DIPE = Diisopropyl ether

ETBE = Ethyl t-butyl ether

TAME = T-amyl methyl ether

EDB = 1,2-Dibromoethane

EDC = 1,2-Dichloroethane

**Table 3**  
**Historical Groundwater Monitoring Data and Analytical Results**  
**Unocal No. 6129 (351639)**  
**3420 35th Avenue**  
**Oakland, California**

WELL ID	TOC* (ft)	DATE	DTW (ft)	GWE* (ft)	LNAPL (ft)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	Comments
MW-1	--	1/5/1990	--	--	--	ND	ND	ND	ND	ND	
	--	5/11/1990	--	--	--	ND	ND	7.10	ND	ND	
	--	8/9/1990	--	--	--	ND	ND	ND	ND	ND	
	--	11/14/1990	--	--	--	ND	ND	ND	ND	ND	
	--	2/12/1991	--	--	--	ND	0.32	ND	ND	ND	
	--	5/9/1991	--	--	--	ND	ND	ND	ND	ND	
	--	11/13/2003	--	--	--	180	<1.0	<1.0	<1.0	<2.0	
	190.79	8/27/2004	30.65	160.14	0	<50	<0.50	<0.50	<0.50	<1.0	
	190.79	11/23/2004	29.35	161.44	0	<50	<0.50	<0.50	<0.50	<1.0	
	190.79	2/9/2005	26.89	163.90	0	<50	<0.50	<0.50	<0.50	<1.0	
	190.79	5/17/2005	26.56	164.23	0	<50	<0.50	<0.50	<0.50	<1.0	
	190.79	7/27/2005	27.33	163.46	0	<50	<0.50	<0.50	<0.50	<1.0	
	190.79	12/6/2005	29.59	161.20	0	<50	<0.50	0.93	<0.50	1.80	
	190.79	2/21/2006	28.27	162.52	0	<50	<0.50	<0.50	<0.50	<1.0	
	190.79	6/8/2006	26.07	164.72	0	<50	<0.50	<0.50	<0.50	<1.0	
	190.79	9/15/2006	28.86	161.93	0	<50	<0.50	<0.50	<0.50	<0.50	
	190.79	12/14/2006	29.49	161.30	0	<50	<0.50	<0.50	<0.50	<0.50	
	190.79	3/28/2007	27.24	163.55	0	<50	<0.50	<0.50	<0.50	<0.50	
	190.79	6/25/2007	28.30	162.49	0	<50	<0.50	<0.50	<0.50	<0.50	
	190.79	9/22/2007	30.61	160.18	0	<50	<0.50	<0.50	<0.50	<0.50	
	190.79	12/14/2007	30.30	160.49	0	<50	<0.50	<0.50	<0.50	<1.0	
	190.79	3/17/2008	27.22	163.57	0	<50	<0.50	<0.50	<0.50	<1.0	
	190.79	6/20/2008	30.10	160.69	0	<50	<0.50	<0.50	<0.50	<1.0	
	190.79	9/11/2008	31.04	159.75	0	<50	<0.50	<0.50	<0.50	<1.0	
	190.79	11/25/2008	30.88	159.91	0	<50	<0.50	<0.50	<0.50	<1.0	
	190.79	3/9/2009	27.50	163.29	0	<50	<0.50	<0.50	<0.50	<1.0	
	190.79	5/28/2009	28.25	162.54	0	<50	<0.50	<0.50	<0.50	<1.0	
	190.79	12/11/2009	30.60	160.19	0	<50	<0.50	<0.50	<0.50	<1.0	
	190.79	5/7/2010	26.06	164.73	0	67	<0.50	<0.50	<0.50	<1.0	
	190.79	11/1/2010	30.18	160.61	0	<50	<0.50	<0.50	<0.50	<1.0	
	190.79	5/27/2011	26.87	163.92	0	110	<0.50	<0.50	<0.50	<1.0	
	190.79	11/23/2011	29.14	161.65	0	1,101	<0.50	<0.50	<0.50	<1.0	

**Table 3**  
**Historical Groundwater Monitoring Data and Analytical Results**  
**Unocal No. 6129 (351639)**  
**3420 35th Avenue**  
**Oakland, California**

WELL ID	TOC* (ft)	DATE	DTW (ft)	GWE* (ft)	LNAPL (ft)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	Comments
<b>MW-1 cont.</b>	190.79	5/24/2012	26.58	164.21	0	140	<0.50	<0.50	<0.50	<1.0	
	190.79	10/23/2012	30.51	160.28	0	130	<0.50	<0.50	<0.50	<1.0	
	190.79	5/2/2013	28.30	162.49	0	150 <sup>1</sup>	<0.50	<0.50	<0.50	<1.0	
	<b>190.79</b>	<b>11/13/2013</b>	<b>31.65</b>	<b>159.14</b>	<b>0</b>	<b>240</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>	
<b>MW-2</b>	--	1/5/1990	--	--	--	ND	ND	ND	ND	ND	
	--	5/11/1990	--	--	--	ND	ND	ND	ND	ND	
	--	8/9/1990	--	--	--	ND	ND	ND	ND	ND	
	--	11/14/1990	--	--	--	ND	ND	ND	ND	ND	
	--	2/12/1991	--	--	--	ND	ND	0.42	ND	0.51	
	--	5/9/1991	--	--	--	ND	ND	ND	ND	ND	
	--	11/13/2003	--	--	--	<2,000	<20	<20	<20	<40	
	190.80	8/27/2004	30.28	160.52	0	950	<5.0	<5.0	<5.0	<10	
	190.80	11/23/2004	28.75	162.05	0	53	<0.50	<0.50	<0.50	<1.0	
	190.80	2/9/2005	26.08	164.72	0	<500	<0.50	<0.50	<0.50	<1.0	
	190.80	5/17/2005	24.53	166.27	0	<50	<0.50	<0.50	<0.50	<1.0	
	190.80	7/27/2005	27.51	163.29	0	<500	<5.0	<5.0	<5.0	<10	
	190.80	12/6/2005	29.13	161.67	0	340	<0.50	<0.50	<0.50	<1.0	
	190.80	2/21/2006	29.23	161.57	0	190	<0.50	<0.50	<0.50	<1.0	
	190.80	6/8/2006	25.76	165.04	0	<500	<5.0	<5.0	<5.0	<10	
	190.80	9/15/2006	29.17	161.63	0	<500	<5.0	<5.0	<5.0	<5.0	
	190.80	12/14/2006	29.11	161.69	0	520	<0.50	<0.50	<0.50	<0.50	
	190.80	3/28/2007	26.68	164.12	0	290	<0.50	<0.50	<0.50	<0.50	
	190.80	6/25/2007	25.91	164.89	0	<50	<0.50	<0.50	<0.50	<0.50	
	190.80	9/22/2007	30.18	160.62	0	400	<0.50	<0.50	<0.50	<0.50	
190.80	12/14/2007	29.96	160.84	0	400	<0.50	<0.50	<0.50	<1.0		
190.80	3/17/2008	26.74	164.06	0	570	<5.0	<5.0	<5.0	<10		
190.80	6/20/2008	29.78	161.02	0	580	<0.50	<0.50	<0.50	<1.0		
190.80	9/11/2008	30.62	160.18	0	220	<0.50	<0.50	<0.50	<1.0		
190.80	11/25/2008	30.48	160.32	0	500	<0.50	<0.50	<0.50	<1.0		
190.80	3/9/2009	25.75	165.05	0	910	<5.0	<5.0	<5.0	<10		
190.80	5/28/2009	27.71	163.09	0	460	<0.50	<0.50	<0.50	<1.0		



**Table 3**  
**Historical Groundwater Monitoring Data and Analytical Results**  
**Unocal No. 6129 (351639)**  
**3420 35th Avenue**  
**Oakland, California**

WELL ID	TOC* (ft)	DATE	DTW (ft)	GWE* (ft)	LNAPL (ft)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	Comments
MW-2 cont.	190.80	12/11/2009	29.80	161.00	0	640	<5.0	<5.0	<5.0	<10	
	190.80	5/7/2010	25.11	165.69	0	600	<1.0	<1.0	<1.0	<2.0	
	190.80	11/1/2010	29.90	160.90	0	140	<0.50	<0.50	<0.50	<1.0	
	190.80	5/27/2011	26.44	164.36	0	560	<0.50	<0.50	<0.50	<1.0	
	190.80	11/23/2011	28.53	162.27	0	830	<0.50	<0.50	<0.50	<1.0	
	190.80	5/24/2012	25.97	164.83	0	1,000	<0.50	<0.50	<0.50	<1.0	
	190.80	10/23/2012	30.14	160.66	0	750	<0.50	<0.50	<0.50	<1.0	
	190.80	5/2/2013	27.14	163.66	0	290 <sup>1</sup>	<0.50	<0.50	<0.50	<1.0	
	<b>190.80</b>	<b>11/13/2013</b>	<b>31.37</b>	<b>159.43</b>	<b>0</b>	<b>1,200</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>	
MW-3	--	1/5/1990	--	--	--	ND	ND	ND	ND	ND	
	--	5/11/1990	--	--	--	ND	ND	ND	ND	ND	
	--	8/9/1990	--	--	--	ND	ND	ND	ND	ND	
	--	11/14/1990	--	--	--	ND	ND	ND	ND	ND	
	--	2/12/1991	--	--	--	ND	ND	ND	ND	ND	
	--	5/9/1991	--	--	--	ND	ND	ND	ND	ND	
	--	11/13/2003	--	--	--	2,600	<20	<20	<20	<40	
	188.58	8/27/2004	29.61	158.97	0	1,700	<10	<10	<10	<20	
	188.58	11/23/2004	28.48	160.10	0	1,500	<10	<10	<10	<20	
	188.58	2/9/2005	26.45	162.13	0	<1,000	<0.50	<0.50	<0.50	<1.0	
	188.58	5/17/2005	25.61	162.97	0	<1,000	<0.50	<0.50	<0.50	<1.0	
	188.58	7/27/2005	27.35	161.23	0	<1,000	<10	<10	<10	<20	
	188.58	12/6/2005	28.78	159.80	0	430	<0.50	1.6	<0.50	3.6	
	188.58	2/21/2006	28.91	159.67	0	420	<0.50	<0.50	<0.50	<1.0	
	188.58	6/8/2006	25.97	162.61	0	<1,200	<12	<12	<12	<25	
	188.58	9/15/2006	28.73	159.85	0	<1,200	<12	<12	<12	<12	
	188.58	12/14/2006	28.62	159.96	0	<1,000	<10	<10	<10	<10	
	188.58	3/28/2007	26.69	161.89	0	500	<1.0	<1.0	<1.0	<1.0	
	188.58	6/25/2007	26.74	161.84	0	270	<0.50	<0.50	<0.50	<0.50	
	188.58	9/22/2007	29.57	159.01	0	500	<0.50	<0.50	<0.50	<0.50	
188.58	12/14/2007	29.30	159.28	0	270	<0.50	<0.50	<0.50	<1.0		
188.58	3/17/2008	26.82	161.76	0	220	<0.50	<0.50	<0.50	<1.0		

**Table 3**  
**Historical Groundwater Monitoring Data and Analytical Results**  
**Unocal No. 6129 (351639)**  
**3420 35th Avenue**  
**Oakland, California**

WELL ID	TOC* (ft)	DATE	DTW (ft)	GWE* (ft)	LNAPL (ft)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	Comments
	188.58	6/20/2008	29.10	159.48	0	490	<0.50	<0.50	<0.50	<1.0	
	188.58	9/11/2008	29.89	158.69	0	630	<5.0	<5.0	<5.0	<10	
<b>MW-3 cont.</b>	188.58	11/25/2008	29.74	158.84	0	380	<0.50	<0.50	<0.50	<1.0	
	188.58	3/9/2009	25.56	163.02	0	310	<0.50	<0.50	<0.50	<1.0	
	188.58	5/28/2009	27.55	161.03	0	410	<0.50	<0.50	<0.50	<1.0	
	188.58	12/11/2009	29.10	159.48	0	220	<0.50	<0.50	<0.50	<1.0	
	188.58	5/7/2010	25.72	162.86	0	360	<0.50	<0.50	<0.50	<1.0	
	188.58	11/1/2010	29.29	159.29	0	120	<0.50	<0.50	<0.50	<1.0	
	188.58	5/27/2011	26.53	162.05	0	340	<0.50	<0.50	<0.50	<1.0	
	188.58	5/24/2012	25.95	162.63	0	660	<0.50	<0.50	<0.50	<1.0	
	188.58	10/23/2012	29.39	159.19	0	480	<0.50	<0.50	<0.50	<1.0	
	188.58	5/2/2013	26.98	161.60	0	130 <sup>1</sup>	<0.50	<0.50	<0.50	<1.0	
	<b>188.58</b>	<b>11/13/2013</b>	<b>30.28</b>	<b>158.30</b>	<b>0</b>	<b>110</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>	

**NOTES:**

\* TOC and GWE are in feet above mean sea level.

<# = Analyte not detected at or above indicated laboratory practical quantitation limit

BTEX compounds analyzed by United States Environmental Protection Agency Method 8260B

TPH-g analyzed by Luft-GC/MS method.

ID = Identification

TOC = Top of casing

ft = Feet

fbg = feet below grade

DTW = Depth to water

GWE = Groundwater elevation

-- = Not available/Not analyzed

µg/L = Micrograms per liter

LNAPL = Light Non-Aqueous Phase Liquid

ND = Not Detected

B = Benzene

T = Toluene

E = Ethylbenzene

X = Total Xylenes

TPH-g = Total Petroleum Hydrocarbons as Gasoline

<sup>1</sup> = TPH-g does not exhibit a "gasoline" pattern. TPH-g is entirely due to MTBE.

TPH-g reported as total purgeable petroleum hydrocarbons

**Table 4**  
**Historical Groundwater Analytical Results - Oxygenate Compounds**  
**Unocal No. 6129 (351639)**  
**3420 35th Avenue**  
**Oakland, California**

WELL ID	DATE	MTBE (µg/L)	TBA (µg/L)	ETHANOL (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDB (µg/L)	EDC (µg/L)
MW-1	1/5/1990	--	--	--	--	--	--	--	--
	5/11/1990	--	--	--	--	--	--	--	--
	8/9/1990	--	--	--	--	--	--	--	--
	11/14/1990	--	--	--	--	--	--	--	--
	2/12/1991	--	--	--	--	--	--	--	--
	5/9/1991	--	--	--	--	--	--	--	--
	11/13/2003	240	<200	<1,000	<4.0	<4.0	<4.0	<4.0	<4.0
	8/27/2004	<0.50	<5.0	<50	<0.50	<1.0	<0.50	<0.50	<0.50
	11/23/2004	<0.50	<5.0	<50	<0.50	<1.0	<0.50	<0.50	<0.50
	2/9/2005	9.3	<5.0	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	5/17/2005	1.9	<5.0	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	7/27/2005	<0.50	<5.0	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	12/6/2005	<0.50	<10	<250	<0.50	<0.50	<0.50	<0.50	<0.50
	2/21/2006	2.6	<10	<250	<0.50	<0.50	<0.50	<0.50	<0.50
	6/8/2006	11	<10	<250	<0.50	<0.50	<0.50	<0.50	<0.50
	9/15/2006	1.4	<10	<250	<0.50	<0.50	<0.50	<0.50	<0.50
	12/14/2006	3.5	<10	<250	<0.50	<0.50	<0.50	<0.50	<0.50
	3/28/2007	0.64	<10	<250	<0.50	<0.50	<0.50	<0.50	<0.50
	6/25/2007	<0.50	<10	<250	<0.50	<0.50	<0.50	<0.50	<0.50
	9/22/2007	4.10	<10	<250	<0.50	<0.50	<0.50	<0.50	<0.50
	12/14/2007	0.65	<10	<250	<0.50	<0.50	<0.50	<0.50	<0.50
	3/17/2008	14	<10	<250	<0.50	<0.50	<0.50	<0.50	<0.50
	6/20/2008	11	<10	<250	<0.50	<0.50	<0.50	<0.50	<0.50
	9/11/2008	1.3	<10	<250	<0.50	<0.50	<0.50	<0.50	<0.50
	11/25/2008	5.8	<10	<250	<0.50	<0.50	<0.50	<0.50	<0.50
	3/9/2009	25	<10	<250	<0.50	<0.50	<0.50	<0.50	<0.50
	5/28/2009	17	<10	<250	<0.50	<0.50	<0.50	<0.50	<0.50
	12/11/2009	18	<10	<250	<0.50	<0.50	<0.50	<0.50	<0.50
	5/7/2010	64	<10	<250	<0.50	<0.50	<0.50	<0.50	<0.50
	11/1/2010	92	<10	<250	<0.50	<0.50	<0.50	<0.50	<0.50

**Table 4**  
**Historical Groundwater Analytical Results - Oxygenate Compounds**  
**Unocal No. 6129 (351639)**  
**3420 35th Avenue**  
**Oakland, California**

WELL ID	DATE	MTBE (µg/L)	TBA (µg/L)	ETHANOL (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDB (µg/L)	EDC (µg/L)
MW-1 cont.	5/27/2011	220	<10	<250	<0.50	<0.50	<0.50	<0.50	<0.50
	11/23/2011	150	41	<250	<0.50	<0.50	<0.50	<0.50	<0.50
	5/24/2012	190	66	<250	<0.50	<0.50	<0.50	<0.50	<0.50
	10/23/2012	140	47	<250	<0.50	<0.50	<0.50	<0.50	<0.50
	5/2/2013	270	<10	<250	<0.50	<0.50	<0.50	<0.50	<0.50
	11/13/2013	270	<10	<250	<0.50	<0.50	<0.50	<0.50	<0.50
MW-2	1/5/1990	--	--	--	--	--	--	--	--
	5/11/1990	--	--	--	--	--	--	--	--
	8/9/1990	--	--	--	--	--	--	--	--
	11/14/1990	--	--	--	--	--	--	--	--
	2/12/1991	--	--	--	--	--	--	--	--
	5/9/1991	--	--	--	--	--	--	--	--
	11/13/2003	2,100	<4,000	<20,000	<80	<80	<80	<80	<80
	8/27/2004	1,400	<5.0	<500	<5.0	24	<5.0	<5.0	<5.0
	11/23/2004	4.2	<5.0	<50	<0.50	18	<0.50	<0.50	<0.50
	2/9/2005	400	<5.0	<500	<5.0	19	<5.0	<5.0	<5.0
	5/17/2005	330	<5.0	<50	<0.50	12	<0.50	<0.50	<0.50
	7/27/2005	580	140	<500	<5.0	16	<5.0	<5.0	<5.0
	12/6/2005	780	61	<250	<0.50	15	<0.50	<0.50	<0.50
	2/21/2006	340	<10	<250	<0.50	18	<0.50	<0.50	<0.50
	6/8/2006	440	<100	<2,500	<5.0	14	<5.0	<5.0	<5.0
	9/15/2006	570	<100	<2,500	<5.0	17	<5.0	<5.0	<5.0
	12/14/2006	770	27	<250	<0.50	20	<0.50	<0.50	<0.50
	3/28/2007	460	260	<250	<0.50	23	<0.50	<0.50	<0.50
	6/25/2007	1.2	<10	<250	<0.50	23	<0.50	<0.50	<0.50
	9/22/2007	530	<10	<250	<0.50	35	<0.50	<0.50	<0.50
12/14/2007	930	48	<250	<0.50	24	<0.50	<0.50	<0.50	
3/17/2008	630	<100	<2,500	<5.0	18	<5.0	<5.0	<5.0	
6/20/2008	1,200	<10	<250	<0.50	16	<0.50	<0.50	<0.50	

**Table 4**  
**Historical Groundwater Analytical Results - Oxygenate Compounds**  
**Unocal No. 6129 (351639)**  
**3420 35th Avenue**  
**Oakland, California**

WELL ID	DATE	MTBE (µg/L)	TBA (µg/L)	ETHANOL (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDB (µg/L)	EDC (µg/L)
MW-2 cont.	9/11/2008	29	<10	<250	<0.50	<0.50	<0.50	<0.50	<0.50
	11/25/2008	1,500	<10	<250	<0.50	19	<0.50	<0.50	<0.50
	3/9/2009	1,400	<100	<2,500	<5.0	15	<5.0	<5.0	<5.0
	5/28/2009	740	<10	<250	<0.50	20	<0.50	<0.50	<0.50
	12/11/2009	1,300	<100	<2,500	<5.0	19	<5.0	<5.0	<5.0
	5/7/2010	940	<20	<500	<1.0	14	<1.0	<1.0	<1.0
	11/1/2010	730	<10	<250	<0.50	28	<0.50	<0.50	<0.50
	5/27/2011	1,100	210.00	<250	<0.50	<0.50	<0.50	<0.50	<0.50
	11/23/2011	1,500	400.00	<250	<0.50	9.00	<0.50	<0.50	<0.50
	5/24/2012	1,200	430	<250	<0.50	8.8	<0.50	<0.50	<0.50
	10/23/2012	1,300	420	<250	<0.50	14	<0.50	<0.50	<0.50
	5/2/2013	460	<10	<250	6.2	<0.50	<0.50	<0.50	<0.50
	11/13/2013	1,300	<10	<250	17	<0.50	<0.50	<0.50	<0.50
MW-3	1/5/1990	--	--	--	--	--	--	--	--
	5/11/1990	--	--	--	--	--	--	--	--
	8/9/1990	--	--	--	--	--	--	--	--
	11/14/1990	--	--	--	--	--	--	--	--
	2/12/1991	--	--	--	--	--	--	--	--
	5/9/1991	--	--	--	--	--	--	--	--
	11/13/2003	3,700	<4,000	<20,000	<80	<80	<80	<80	<80
	8/27/2004	2,600	<100	<1,000	<10	<20	<10	<10	<10
	11/23/2004	1,800	<100	<1,000	<10	<20	<10	<10	<10
	2/9/2005	2,100	130	<1,000	<10	<10	<10	<10	<10
	5/17/2005	1,200	<100	<1,000	<10	<10	<10	<10	<10
	7/27/2005	1,400	360	<1,000	<10	<10	<10	<10	<10
	12/6/2005	1,800	160	<250	<0.50	<0.50	<0.50	<0.50	<0.50
2/21/2006	1,100	88	<250	<0.50	<0.50	0.58	<0.50	<0.50	
6/8/2006	1,000	<250	<6,200	<12	<12	<12	<12	<12	
9/15/2006	1,200	<250	<6,200	<12	<12	<12	<12	<12	

**Table 4**  
**Historical Groundwater Analytical Results - Oxygenate Compounds**  
**Unocal No. 6129 (351639)**  
**3420 35th Avenue**  
**Oakland, California**

WELL ID	DATE	MTBE (µg/L)	TBA (µg/L)	ETHANOL (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDB (µg/L)	EDC (µg/L)
MW-3 cont.	12/14/2006	1,300	<200	<5,000	<10	<10	<10	<10	<10
	3/28/2007	860	500	<500	<1.0	<1.0	<1.0	<1.0	<1.0
	6/25/2007	570	11	<250	<0.50	<0.50	<0.50	<0.50	0.65
	9/22/2007	980	<10	<250	<0.50	<0.50	<0.50	<0.50	<0.50
	12/14/2007	570	26	<250	<0.50	<0.50	<0.50	<0.50	<0.50
	3/17/2008	520	<10	<250	<0.50	<0.50	<0.50	<0.50	0.65
	6/20/2008	1,300	49	<250	<0.50	<0.50	<0.50	<0.50	<0.50
	9/11/2008	1,200	<100	<2,500	<5.0	<5.0	<5.0	<5.0	<5.0
	11/25/2008	870	<10	<250	<0.50	<0.50	<0.50	<0.50	<0.50
	3/9/2009	720	15	<250	<0.50	<0.50	<0.50	<0.50	<0.50
	5/28/2009	750	<10	<250	<0.50	<0.50	<0.50	<0.50	<0.50
	12/11/2009	620	63	<250	<0.50	<0.50	<0.50	<0.50	<0.50
	5/7/2010	660	<10	<250	<0.50	<0.50	<0.50	<0.50	<0.50
	11/1/2010	490	<10	<250	<0.50	<0.50	<0.50	<0.50	<0.50
	5/27/2011	890	73	<250	<0.50	<0.50	<0.50	<0.50	<0.50
	5/24/2012	1,100	300	<250	<0.50	<0.50	<0.50	<0.50	<0.50
10/23/2012	500	160	<250	<0.50	<0.50	<0.50	<0.50	<0.50	
5/2/2013	220	<10	<250	<0.50	<0.50	<0.50	<0.50	<0.50	
11/13/2013	100	<10	<250	<0.50	<0.50	<0.50	<0.50	<0.50	

**NOTES:**

Oxygenate compounds analyzed by Unites States Environmental Protection Agency Method 8260B

<# = Analyte not detected at or above indicated laboratory practical quantitation limit

ID = Identification

-- = Not available/Not Analyzed

µg/L = Micrograms per liter

MTBE = Methyl t-butyl ether

TBA = T-butyl alcohol

DIPE = Diisopropyl ether

ETBE = Ethyl t-butyl ether

TAME = T-amyl methyl ether

EDB = 1,2-Dibromoethane

EDC = 1,2-Dichloroethane