

RECEIVED

9:56 am, Dec 10, 2010

Alameda County Environmental Health

December 9, 2010

Project 0147400000

Mr. Jerry Wickham Alameda County Environmental Health 1131 Harbor Bay Parkway Alameda, CA 94502-6577

> Re: Well Destruction Report Pacific Shops, Inc. 1829 Clement Avenue Alameda, California <u>SLIC Case No. RO0002624 and GeoTracker Global ID T2000414</u>

Dear Mr. Wickham:

Attached please find the *Well Destruction Report* dated December 9, 2010 for the Pacific Shops Site, SLIC Case No. RO0002624. This report was prepared by AMEC Geomatrix, Inc. (AMEC) on behalf of Pacific Shops. The wells were destroyed as requested in your November 3, 2010 letter to Pacific Shops.

I declare under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

Sincerely yours,

Sean E. Svendsen Chief Operating Officer

Attachment: Well Destruction Report



December 9, 2010

Project 014740000.00004

Mr. Sean Svendsen Pacific Shops, Inc. 1829 Clement Avenue Alameda, California 94501

Subject: Well Destruction Report Pacific Shops, Inc. 1829 Clement Avenue Alameda, California SLIC Case No. RO0002624 and GeoTracker Global ID SLT2O00414

Dear Mr. Svendsen:

On behalf of Pacific Shops Inc., AMEC Geomatrix, Inc. (AMEC), has prepared this *Well Destruction Report* to document well destruction activities at Pacific Shops Inc., located at 1829 Clement Avenue in Alameda, California (the site, Figure 1). As requested in the letter from the Alameda County Environmental Health Department (ACEHD) letter to Mr. Sean Svendsen of Pacific Shops Inc., dated November 3, 2010, groundwater monitoring wells MW-1, MW-2, and MW-3 (Figure 2) were destroyed on November 19, 2010. We understand that ACEHD will prepare a closure letter for SLIC Case No. RO0002624 upon receipt of this well destruction report.

Prior to performing well destruction activities, AMEC obtained well destruction permits from the Alameda County Public Works Agency (ACPWA). Copies of the permits are presented in Attachment A.

AMEC contracted with PeneCore Drilling, of Woodland, California, a California-licensed driller, to destroy monitoring wells MW-1, MW-2, and MW-3. The well destruction activities were observed by an AMEC geologist, under the supervision of a California Professional Geologist. Monitoring well construction and destruction information for the three wells that were destroyed is presented in Table 1.

Each well was destroyed by pressure grouting, using the following methodology. The driller first ensured that the well was free of sediment and obstructions and confirmed the total depth of the well casing using a weighted measuring tape. The well casing was then filled with Type I-II neat cement grout from the bottom of the well to ground surface using a tremie pipe. The volume of the well casing was calculated prior to emplacement of the grout to ensure that the volume of grout emplaced was at least as great as the volume of the well casing (Table 1). The neat cement grout was then placed under a minimum pressure of 25 pounds per square inch for a minimum of 5 minutes and grout was allowed to spill over the top of the well casing.

AMEC Geomatrix, Inc. 2101 Webster Street, 12th Floor Oakland, California USA 94612-3066 Tel (510) 663-4100 Fax (510) 663-4141 www.amecgeomatrixinc.com Mr. Sean Svendsen Pacific Shops Inc. December 9, 2010 Page 2



Following pressure grouting, the well box at each location was removed using a jackhammer. Following removal of the well boxes, each location was backfilled with cement to the ground surface.

An ACPWA inspector observed the pressure grouting of well MW-3 and approved use of the same methodology for wells MW-1 and MW-2. The ACPWA inspector was not present for the destruction of wells MW-1 and MW-2.

Following well destruction activities, a State of California Well Completion Report for each well was prepared, signed by PeneCore Drilling, and submitted to ACPWA as required. It is ACPWA's policy that well completion reports are to be submitted to ACPWA, which in turns submits them to the Department of Water Resources. Copies of the well completion reports for the destroyed wells are included in Attachment B.

Investigation derived waste from the well destruction activities, consisting of displaced well water, concrete, and 3 well boxes, was disposed of by Pacific Shops in accordance with applicable regulations. Disposal documentation for the displaced well water is presented in Attachment C.

Please feel free to call either of the undersigned if you have any questions.

Sincerely yours, AMEC Geomatrix, Inc.

two hel

Darren Croteau, PG, #7495 Senior Geologist

Édward P. Conti, CÉG, CHG Principal Geologist

DRC/EPC/jd \\Oad-fs1\doc_safe\14000s\14740.000\4000 REGULATORY\Well Destruction Report\Text\Text.doc

Attachments: Table 1 – Monitoring Well Construction and Destruction Details Figure 1 – Site Location Map Figure 2 – Destroyed Monitoring Well Location Map Attachment A – Well Destruction Permits Attachment B – State of California Well Completion Reports Attachment C – Waste Disposal Documentation



TABLE



TABLE 1

MONITORING WELL CONSTRUCTION AND DESTRUCTION DETAILS

Pacific Shops Inc. 1829 Clement Avenue Alameda, California

Well ID	Date Installed	Date Destroyed ¹	Boring Diameter (inches)	Top of Casing Elevation (feet MSL)	Total Depth of Well (feet bgs)	Diameter	Interval ²	Sand Pack Interval (feet bgs)	Bentonite Seal Interval (feet bgs)			Calculated Well Casing Volume (gallons)	
MW-1	9/11/1990	11/19/2010	8	91.52	15.0	2	5.0 - 15.0	4.5 - 15.0	4.0 - 4.5	0.5 - 4.0	0.5 - 15.0	2.5	10.0
MW-2	9/11/1990	11/19/2010	8	91.36	15.0	2	5.0 - 15.0	4.5 - 15.0	4.0 - 4.5	0.5 - 4.0	0.5 - 15.0	2.5	10.0
MW-3	9/11/1990	11/19/2010	8	90.81	15.0	2	5.0 - 15.0	4.5 - 15.0	4.0 - 4.5	0.5 - 4.0	0.5 - 15.0	2.5	10.0

<u>Notes</u>

1. Wells were destroyed by Penecore Drilling, of Woodland, Califonia by pressure grouting.

2. Schedule 40 PVC casing with 0.010-inch slots.


Abbreviations


feet bgs = feet below ground surface MSL = Mean Sea Level

I:\Doc_Safe\5000s\5619.002\2002_QTR_Reports\Table 1.xls



FIGURES







ATTACHMENT A

Well Destruction Permits

Alameda County Public Works Agency - Water Resources Well Permit

Public

399 Elmhurst Street Hayward, CA 94544-1395 Telephone: (510)670-6633 Fax:(510)782-1939

Application Approved on: 11/12/2010 By jamesy

Permit Numbers: W2010-0844 to W2010-0846 Permits Valid from 11/17/2010 to 11/17/2010

Application Id: Site Location: Project Start Date: Assigned Inspector:	1289344508173 1829 Clement Avenue 11/17/2010 Contact Vicky Hamlin at (510) 670-5443 or	City of Project Site:Alameda Completion Date:11/17/2010 vickyh@acpwa.org
Applicant:	AMEC Geomatrix - Chuck Payne	Phone: 510-663-4177
Property Owner:	2101 Webster Street, 12th floor, Oakland, C Sean Svendsen	Phone:
Client:	1815 Clement Avenue, Alameda, CA 9450 Sean Svendsen 1815 Clement Avenue, Alameda, CA 9450	Phone:
Contact:	Chuck Payne	Phone: Cell: 510-379-8800

	Total Due:	\$1191.00
Receipt Number: WR2010-0381	Total Amount Paid:	<u>\$1191.00</u>
Payer Name : charles w payne	Paid By: MC	PAID IN FULL

Works Requesting Permits:

Specifications

Well Destruction-Monitoring - 3 Wells Driller: Penecore Drilling - Lic #: 906899 - Method: press

Work Total: \$1191.00

Specification	15									
Permit #	Issued Date	Expire Date	Owner Well Id	Hole Diam.	Casing Diam.	Seal Depth	Max. Depth	State Well #	Orig. Permit #	DWR #
W2010- 0844	11/12/2010	02/15/2011	MW-1	8.00 in.	2.00 in.	4.50 ft	15.00 ft	2S/4W12B2	90549	No Records
W2010- 0845	11/12/2010	02/15/2011	MW-2	8.00 in.	2.00 in.	4.50 ft	15.00 ft	2S/4W12B3	90549	No Records
W2010- 0846	11/12/2010	02/15/2011	MW-3	8.00 in.	2.00 in.	4.50 ft	15.00 ft	2S/4W12B4	90549	No Records

Specific Work Permit Conditions

1. Drilling Permit(s) can be voided/ cancelled only in writing. It is the applicant's responsibility to notify Alameda County Public Works Agency, Water Resources Section in writing for an extension or to cancel the drilling permit application. No drilling permit application(s) shall be extended beyond ninety (90) days from the original start date. Applicants may not cancel a drilling permit application after the completion date of the permit issued has passed.

2. Prior to any drilling activities, it shall be the applicant's responsibility to contact and coordinate an Underground Service Alert (USA), obtain encroachment permit(s), excavation permit(s) or any other permits or agreements required for that Federal, State, County or City, and follow all City or County Ordinances. No work shall begin until all the permits and requirements have been approved or obtained. It shall also be the applicants responsibilities to provide to the Cities or to Alameda County an Traffic Safety Plan for any lane closures or detours planned. No work shall begin until all the permits and requirements have been approved or obtained.

3. Compliance with the well-sealing specifications shall not exempt the well-sealing contractor from complying with appropriate State reporting-requirements related to well construction or destruction (Sections 13750 through 13755 (Division 7, Chapter 10, Article 3) of the California Water Code). Contractor must complete State DWR Form 188 and mail original to the Alameda County Public Works Agency, Water Resources Section, within 60 days. Including permit number and site map.

Alameda County Public Works Agency - Water Resources Well Permit

4. Applicant shall submit the copies of the approved encroachment permit to this office within 60 days.

5. Permittee shall assume entire responsibility for all activities and uses under this permit and shall indemnify, defend and save the Alameda County Public Works Agency, its officers, agents, and employees free and harmless from any and all expense, cost and liability in connection with or resulting from the exercise of this Permit including, but not limited to, property damage, personal injury and wrongful death.

6. Applicant shall contact Vicky Hamlin for an inspection time at 510-670-5443 or email to vickyh@acpwa.org at least five(5) working days prior to starting, once the permit has been approved. Confirm the scheduled date(s) at least 24 hours prior to drilling.

7. Permittee, permittee's contractors, consultants or agents shall be responsible to assure that all material or waters generated during drilling, boring destruction, and/or other activities associated with this Permit will be safely handled, properly managed, and disposed of according to all applicable federal, state, and local statutes regulating such. In no case shall these materials and/or waters be allowed to enter, or potentially enter, on or off-site storm sewers, dry wells, or waterways or be allowed to move off the property where work is being completed.

8. Remove the Christy box or similar structure.

Destroy well by grouting neat cement with a tremie pipe or pressure grouting (25 psi for 5min.) to the bottom of the well and by filling with neat cement to three (3-5) feet below surface grade. Allow the sealing material to spill over the top of the casing to fill any annular space between casing and soil.

After the seal has set, backfill the remaining hole with concrete or compacted material to match existing conditions.

9. Copy of approved drilling permit must be on site at all times. Failure to present or show proof of the approved permit application on site shall result in a fine of \$500.00.



ATTACHMENT B

State of California Well Completion Reports

CONFIDENTIAL

STATE OF CALIFORNIA DWR WELL COMPLETION REPORT (WELL LOGS)

REMOVED

CONFIDENTIAL

STATE OF CALIFORNIA DWR WELL COMPLETION REPORT (WELL LOGS)

REMOVED

CONFIDENTIAL

STATE OF CALIFORNIA DWR WELL COMPLETION REPORT (WELL LOGS)

REMOVED



ATTACHMENT C

Waste Disposal Documentation

٨	NON-HAZARDOUS 1. Generator ID Number 2. Pa	ige 1 of	3. Eme	rgency Response	Phone	4. Waste Ti	racking Numb	er					
IT.	WASTE MANIFEST EXEMPT	48-1390	55507										
	5. Generator's Name and Mailing Address PACIFIC SHOPS, INC. (SEAN SVENDSEN) 1829 CLEMENT AVENUE												
ALAMEDA MO 94501													
	Generator's Phone: 510 521-1133 6. Transporter 1 Company Name	Number	· · · · · · · · · · · · · · · · · · ·										
	NRC ENVIRONMENTAL SERVICES INC.				030	4 4	л						
	7. Transporter 2 Company Name		U.S. EPA ID		4 5 4	1 1	<u> </u>						
	8. Designated ya&ut-Natatetano sho Address 1030 W. 17th Street					u.s. Epa 1d	Number						
	Long Beach CA 30013												
	681 ATT 6006					ICAE	028	4 បិ មិ	មិន	â			
				10. Conta	iners	11. Total	12. Unit			Ť			
	9. Waste Shipping Name and Description			No.	Туре	Quantity	Wt.Vol.						
ŭ	1. NON-HAZARDOUS WASTE LIQUID (PURGE WATER)												
R				an	DM	25	G						
GENERATOR	2.			00.	V 1 1	~~~ <u>~</u>		· · · · · · · · · · · · · · · · · · ·					
ß	L ,												
	3.					•							
	4.												
	4.												
	13. Special Handling Instructions and Additional Information				·		· · · · ·						
	WEAR APPROPRIATE PERSON PROTECTECTIVE EQU CONSULTANT: AMEC-GEOMATRIX 2101 WEBSTER	IPME	INT (108%/20% 12TH FL(1:5550 YOR OX	7 PROFI KLAND	(LE# 51 C2	545		and the second se			
	NRCES 1605 FERRY POINT, ALAMEDA, CA.	DINL			WK VA	C DIMID /	5-42 +						
	· · · · · · · · · · · · · · · · · · ·												
	14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consig marked and labeled/placarded, and are in all respects in proper condition for transport according to a	nment al ipplicable	re fully a e interna	nd accurately des tional and nationa	cribed above b al governmenta	y the proper shi I regulations.	ipping name, a	nd are classified	, packag	ed,			
	Generator's/Offeror's Printed/Typed Name		nature	DT_{i}		Month Day Year							
V	Kelvin Janracius		\square	ejun	^	and	cin	312	8	2010			
I HI	15. International Shipments Import to U.S.	ort from l	J.S.	Port of en	•								
				Date leav	ing U.S.;								
TRANSPORTER	Transporter 1 Printed/Typed Name	Sig	nature					Month	Day	Year			
P.	Robert Radriquez			Heren	/	férel,	N	12	81	10			
ANS	Transporter 2 Printed/Typed Name	Sig	nature *		0		/	Month	Day	Year			
۴						_(/							
≬	17. Discrepancy 17a. Discrepancy Indication Space		r-										
	Quantity Type		L	Residue		Partial Rej	ection	E Fu	II Rejecti	ion			
	: ,		Mai	nifest Reference I	lumber								
Ł	17b. Alternate Facility (or Generator)						Number						
FACILITY													
R O	Facility's Phone:												
ATEI	17c. Signature of Alternate Facility (or Generator)	ı						Month	Day 1	Year			
								1					
DESIGNATED													
	18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manife	st excep	t as note	d in Item 17a									
I.	Printed/Typed Name	Sig	nature					Month	Day	Year			
Y	1												

Net all