

August 20, 1998
Job No. 2182.901

BGC
BERLOGAR
GEOTECHNICAL
CONSULTANTS



Charter Properties
6601 Owens Drive, Suite 100
Pleasanton, California 94566

Attention: Mr. Dave Schneider

Subject: Addendum
Supplemental Post-Remediation
Environmental Testing
Casterson Property
Tassajara Road
Dublin, California

Gentlemen:

This addendum reflects the request from Mr. Gary Tompkins of Ecology Recovery Associates, as follows:

1. The plan entitled: "Water Resources Engineering, Fall 1991, Ground Water Level Contours", dated January 30, 1992, prepared by Zone 7 Water Agency (File #B-325), was reviewed by our office to determine the downgradient information for the subject site. Based on the information from this Ground Water Level Contours Map, two borings were drilled south of the excavation in Area D. One boring (B-5) was drilled 20 feet south of the excavation and one boring (B-6) was drilled 40 feet south and southwest of the excavation.
2. The boring logs for Borings B-5 and B-6 are attached to this addendum.
3. The Sample Location Map showing the designated areas of remediation work (Areas A through D) is attached to this addendum.
4. The chain-of-custody forms are also attached to this addendum.

We trust this letter provides the information required at this time. If you have any questions, please call.

Respectfully submitted,


BERLOGAR GEOTECHNICAL CONSULTANTS

FOR THE CLIENT

Dona Hickmott
Project Engineer

Philip Tse

Philip Tse
Principal Engineer
REA 784, Exp. 6/30/99



DH/PT:pv

Attachments:

- Plates 1 through 6 - Boring Logs
- Plate 7 - Unified Soil Classification
- Sample Location Map
- Chain-of-Custody

Copies: Addressee (6)
Ecology Recovery Associates (1)
Attention: Mr. Gary Tompkins

BORING LOG B-5

JOB NUMBER: 2182.901 **DATE DRILLED:** 8-13-98

JOB NAME: Casterson Property **SURFACE ELEVATION:** 391 feet

DRILL RIG: Solid Flight Auger **DATUM:** Mean Sea Level

SAMPLER TYPE: 2.5" I. D. Split Barrel **DRIVE WEIGHT - LB** 140 **HEIGHT OF FALL - IN** 30

BLOWS PER FT.	MOISTURE CONTENT %	DRY UNIT WEIGHT p.c.f.	DEPTH IN FEET	USCS CLASSIFICATION	DESCRIPTION
			0	CL	SILTY CLAY, gray-brown, moist (Fill)
			5	CL	SILTY CLAY, light brown, moist
			10	SM	SILTY SAND, brown, moist, fine to medium-grained
			15		
			20	ML	SANDY SILT, brown, moist

BORING LOG

B-5

JOB NUMBER: 2182.901

SHEET: 2 OF: 3

JOB NAME: Casterson Property

DEPTH: 20 TO 40 feet

NOTES:

BLOWS PER FT.	MOISTURE CONTENT %	DRY UNIT WEIGHT p.c.f.	DEPTH IN FEET	USCS CLASSIFICATION	DESCRIPTION
				M L	SANDY SILT, brown, moist
					GRAVEL, gray-brown
			25	C L	SILTY CLAY, brown, moist
			30		
			35		
			40		
					below 33 feet, light brown, moist to wet

BORING LOG

B-5

JOB NUMBER: 2182.901

SHEET: 3 OF: 3

JOB NAME: Casterson Property

DEPTH: 40 TO 50 feet

NOTES:

BLOWS PER FT.	MOISTURE CONTENT %	DRY UNIT WEIGHT p.c.f.	DEPTH IN FEET	USCS CLASSIFICATION	DESCRIPTION
			45	C L	SILTY CLAY, light brown, moist to wet
			48	M L	SANDY SILT, brown, moist to wet, with fine gravel
8	-	-	50	S M	SILTY SAND, brown to gray-brown, saturated, very loose, fine to medium-grained sand
			55		Boring terminated at 50 feet. Water encountered at 48 feet.
			60		

BORING LOG B-6

JOB NUMBER: 2182.901 **DATE DRILLED:** 8-13-98

JOB NAME: Casterson Property **SURFACE ELEVATION:** 391 feet

DRILL RIG: Solid Flight Auger **DATUM:** Mean Sea Level

SAMPLER TYPE: 2.5" I. D. Split Barrel **DRIVE WEIGHT - LB** 140 **HEIGHT OF FALL - IN** 30

BLOWS PER FT.	MOISTURE CONTENT %	DRY UNIT WEIGHT p.c.f.	DEPTH IN FEET	USCS CLASSIFICATION	DESCRIPTION
			5	C L	SILTY CLAY, gray-brown, moist (Fill)
			5	C L	SILTY CLAY, light brown
			10	M L	SANDY SILT, light brown, moist
			15	C L	SILTY CLAY, light brown, moist
			20	M L	SANDY SILT, light brown, moist
					below 17 feet, moist to wet

BORING LOG

B-6

JOB NUMBER: 2182.901

SHEET: 2 **OF:** 3

JOB NAME: Casterson Property

DEPTH: 20 **TO** 40 feet

NOTES:

BLOWS PER FT.	MOISTURE CONTENT %	DRY UNIT WEIGHT p.c.f.	DEPTH IN FEET	USCS CLASSIFICATION	DESCRIPTION
			25	M L	SANDY SILT, light brown, moist
			30	C L	SILTY CLAY, gray-brown, moist to wet
			35		below 26 feet, brown
			40		below 36 feet, becomes gravelly

BORING LOG

B-6

JOB NUMBER: 2182.901

SHEET: 3 OF: 3

JOB NAME: Casterson Property

DEPTH: 40 TO 52-1/2 feet

NOTES:

BLOWS PER FT.	MOISTURE CONTENT %	DRY UNIT WEIGHT p.c.f.	DEPTH IN FEET	USCS CLASSIFICATION	DESCRIPTION
			45	CL	SILTY CLAY, brown, moist to wet, some gravel
48	-	-	50	SM	SILTY SAND, brown, saturated, dense, fine to medium-grained sand
			55		Boring terminated at 52-1/2 feet. Water encountered at 51 feet.
			60		

DATE: 8-19-98

JOB NUMBER: Z182.901

MAJOR DIVISIONS			CLASSIFICATION	TYPICAL NAMES
COARSE GRAINED SOILS MORE THAN HALF IS LARGER THAN #200 SIEVE	GRAVELS MORE THAN HALF COARSE FRACTION IS LARGER THAN NO. 4 SIEVE SIZE	CLEAN GRAVELS WITH LITTLE OR NO FINES	G W	WELL GRADED GRAVELS, GRAVEL - SAND MIXTURES
		GRAVEL WITH OVER 12% FINES	G P	POORLY GRADED GRAVELS, GRAVEL - SAND MIXTURES
			G M	SILTY GRAVELS, POORLY GRADED GRAVEL - SAND - SILT MIXTURES
		G C	CLAYEY GRAVELS, POORLY GRADED GRAVEL - SAND - CLAY MIXTURES	
	SANDS MORE THAN HALF COARSE FRACTION IS SMALLER THAN NO.4 SIEVE SIZE	CLEAN SANDS WITH LITTLE OR NO FINES	S W	WELL GRADED SANDS, GRAVELLY SANDS
		SANDS WITH OVER 12% FINES	S P	POORLY GRADED SANDS, GRAVELLY SANDS
			S M	SILTY SANDS, POORLY GRADED SAND- SILT MIXTURES
			S C	CLAYEY SANDS, POORLY GRADED SAND - CLAY MIXTURES
FINE GRAINED SOILS MORE THAN HALF IS SMALLER THAN #200 SIEVE	SILTS AND CLAYS LIQUID LIMIT LESS THAN 50		M L	INORGANIC SILTS AND VERY FINE SANDS, ROCK FLOUR, SILTY OR CLAYEY FINE SANDS, OR CLAYEY SILTS WITH SLIGHT PLASTICITY
			C L	INORGANIC CLAYS OF LOW TO MEDIUM PLASTICITY, GRAVELLY CLAYS, SANDY CLAYS, SILTY CLAYS, LEAN CLAYS
			O L	ORGANIC CLAYS AND ORGANIC SILTY CLAYS OF LOW PLASTICITY
	SILTS AND CLAYS LIQUID LIMIT GREATER THAN 50		M H	INORGANIC SILTS, MICACEOUS OR DIATOMACIOUS FINE SANDY OR SILTY SOILS, ELASTIC SILTS
			C H	INORGANIC CLAYS OF HIGH PLASTICITY, FAT CLAYS
			O H	ORGANIC CLAYS OF MEDIUM TO HIGH PLASTICITY, ORGANIC SILTS
	HIGHLY ORGANIC SOILS			P t

UNIFIED SOIL CLASSIFICATION SYSTEM

Blows per ft.	Moisture Content %	Dry Unit Weight (pcf)	Depth in Feet	USCS Classification	
					<p>Bulk Sample</p> <p>2.5" I.D. Split Barrel Sample</p> <p>2.8" I.D. Shelby Tube Sample</p> <p>No sample recovered</p> <p>Standard Penetration Test interval</p> <p>Well defined stratum change</p> <p>Gradual stratum change</p> <p>Interpreted stratum change</p> <p>Apparent ground water level at date noted. Seasonal weather conditions, site topography, etc., may cause changes in water level indicated on logs.</p>
<p>Note: Soils described as dry, moist, and wet are estimated to be dry of optimum, near optimum, and wet of optimum moisture content, respectively. Saturated soils are estimated to be within areas of free groundwater.</p>					

KEY TO BORING LOG SYMBOLS

CHROMALAB, INC.

1220 Quarry Lane • Pleasanton, California 94566-4756
510/484-1919 • Facsimile 510/484-1096

Chain of Custody

Environmental Services (SDB) (DOHS 1094)

DATE 6/25/98 PAGE 1 OF 1

40594

PROJ. MGR Paul Li
 COMPANY Berlogan
 ADDRESS 5587 Sunol
Miles Hunter
 SAMPLERS (SIGNATURE) (PHONE NO.)
 (925) 484-0220
 (FAX NO.)
 (925) 846-9645

SAMPLE ID.	DATE	TIME	MATRIX PRESERV.	ANALYSIS REPORT														NUMBER OF CONTAINERS										
				TPH - Gasoline (EPA 5030, 8015)	TPH - Gasoline (5030, 8015) w/BTEX (EPA 602, 8020)	TPH - Diesel, TEPH (EPA 3510/3550, 8015)	PURGEABLE AROMATICS BTEX (EPA 602, 8020)	PURGEABLE HALOCARBONS (EPA 601, 8010)	VOLATILE ORGANICS (EPA 624, 8240, 524.2)	BASE/NEUTRALS, ACIDS (EPA 625/627, 8270, 525)	TOTAL OIL & GREASE (EPA 5520, B+F, E+F)	PCB (EPA 608, 8080)	PESTICIDES (EPA 608, 8080)	TOTAL RECOVERABLE HYDROCARBONS (EPA 418.1)	LUFT METALS: Cd, Cr, Pb, Zn, Ni	CAM METALS (17)	PRIORITY POLLUTANT METALS (13)		TOTAL LEAD	EXTRACTION (TCLP, STLC)								
1	6/25/98	10:00				X																						
2	}	10:00				X																						
3		10:00				X																						
4		10:00					X																					
5		10:05																										
6		10:05																										

PROJECT INFORMATION		SAMPLE RECEIPT			
PROJECT NAME: <u>2182.906</u>	TOTAL NO. OF CONTAINERS				
PROJECT NUMBER <u>CATERSON Prep.</u>	HEAD SPACE				
P.O. #	REC'D GOOD CONDITION/COLD				
TAT	STANDARD 5-DAY	24	48	72	OTHER
SPECIAL INSTRUCTIONS/COMMENTS:					

RELINQUISHED BY 1		RELINQUISHED BY 2		RELINQUISHED BY 3	
<u>Miles Hunter</u> (SIGNATURE)	<u>1331</u> (TIME)				
<u>Miles Hunter</u> (PRINTED NAME)	<u>6/25/98</u> (DATE)				
<u>Berlogan Geotechnical</u> (COMPANY)					
RECEIVED BY 1		RECEIVED BY 2		RECEIVED BY (LABORATORY) 3	
				<u>C. Cassidy</u> (SIGNATURE)	<u>13:30</u> (TIME)
				<u>C. Cassidy</u> (PRINTED NAME)	
				<u>4/L</u> (LAB)	<u>6/25/98</u> (DATE)

CHROMALAB, INC.

Environmental Services (SDB) (DOHS 1094)

1220 Quarry Lane • Pleasanton, California 94566-4756
510/404-1919 • Facsimile 510/404-1096

Reference #: 40631

Chain of Custody

DATE 6/29/97 PAGE 1 OF 1

PROJ MGR <u>Paul Lai</u> COMPANY <u>Berlogan Grobchemical</u> ADDRESS <u>5587 Serris Blvd</u> <u>Pleasanton, CA</u> SAMPLERS (SIGNATURE) <u>[Signature]</u> (PHONE NO.) <u>(925) 484-2220</u> (FAX NO.)		ANALYSIS REPORT																				
SAMPLE ID	DATE	TIME	MATRIX	PRESERV.	<input type="checkbox"/> TPH (EPA 8015, 8020) <input type="checkbox"/> Gas w/ <input type="checkbox"/> BTEX DM/TBE	PURGEABLE AROMATICS BTEX (EPA 8020)	TPH-Diesel (EPA 8015M)	TEPH (EPA 8015M) <input type="checkbox"/> Kerosene, <input type="checkbox"/> Diesel, <input type="checkbox"/> OM.G.	PURGEABLE HALOCARBONS (HYOCs) (EPA 8010 by 8260)	VOLATILE ORGANICS (VOCs) (EPA 8260)	SEMIVOLATILES (EPA 8270)	TOTAL OIL AND GREASE (SM 5520 B + F, E + F)	TOTAL RECOVERABLE HYDROCARBONS (EPA 418.1)	<input type="checkbox"/> PESTICIDES (EPA 8080) <input type="checkbox"/> PCB'S (EPA 8080)	PNA's by <input type="checkbox"/> 8270 <input type="checkbox"/> 8310	<input type="checkbox"/> pH <input type="checkbox"/> Spec. Cond. <input type="checkbox"/> TSS <input type="checkbox"/> TDS	LUFT METALS: Cd, Cr, Pb, Ni, Zn	CAM 17 METALS (EPA 6010/7470/7471)	TOTAL LEAD	<input type="checkbox"/> W.E.T. <input type="checkbox"/> TCLP	NUMBER OF CONTAINERS	
H 7	6/29/97	11:45					X															
H 8	S	11:45					K															
PROJECT INFORMATION					SAMPLE RECEIPT					RELINQUISHED BY 1			RELINQUISHED BY 2			RELINQUISHED BY 3						
PROJECT NAME <u>Caterson Property</u> PROJECT NUMBER <u>2182 90A</u> P.O. #					TOTAL NO OF CONTAINERS HEAD SPACE TEMPERATURE CONFORMS TO RECORD					SIGNATURE <u>[Signature]</u> (TIME) <u>12:05</u> PRINTED NAME <u>Miles Hinton</u> (DATE) <u>6/29/97</u> COMPANY <u>Berlogan</u>			SIGNATURE _____ (TIME) _____ PRINTED NAME _____ (DATE) _____ COMPANY _____			SIGNATURE _____ (TIME) _____ PRINTED NAME _____ (DATE) _____ COMPANY _____						
Report: <input type="checkbox"/> Routine <input checked="" type="checkbox"/> Level 2 <input type="checkbox"/> Level 3 <input type="checkbox"/> Level 4 SPECIAL INSTRUCTIONS/COMMENTS:					RECEIVED BY 1 SIGNATURE _____ (TIME) _____ PRINTED NAME _____ (DATE) _____ COMPANY _____			RECEIVED BY 2 SIGNATURE _____ (TIME) _____ PRINTED NAME _____ (DATE) _____ COMPANY _____			RECEIVED BY (LABORATORY) 3 SIGNATURE <u>[Signature]</u> (TIME) <u>12:05</u> PRINTED NAME <u>C. Cassidy</u> (DATE) <u>6/29/97</u> COMPANY <u>C/L</u>											

CHROMALAB, INC.

1220 Quarry Lane • Pleasanton, California 94566-4756
510/484-1919 • Facsimile 510/404-1096

Reference #: 40901
Chain of Custody

Environmental Services (SDB) (DOHS 1094)

DATE

PAGE

01

PROJ MGR Paul Li
 COMPANY Berlogan
 ADDRESS _____

 SAMPLERS (SIGNATURE) [Signature] (PHONE NO.) _____
 (FAX NO.) _____

ANALYSIS REPORT

SAMPLE ID	DATE	TIME	MATRIX	PRESERV.	TPH-EPA 8015, 8020 <input type="checkbox"/> Gas w/ <input type="checkbox"/> STEK <input type="checkbox"/> MTBE	PURGEABLE AROMATICS BTX (EPA 8020)	TPH-Diesel (EPA 8015M)	TEPH (EPA 8015M) <input type="checkbox"/> Kerosene, <input type="checkbox"/> Diesel, <input type="checkbox"/> O.M.O.	PURGEABLE HALOCARBONS (HVOCS) (EPA 8010 by 8260)	VOLATILE ORGANICS (VOCs) (EPA 8260)	SEMI-VOLATILES (EPA 8270)	TOTAL OIL AND GREASE (SM 5520 B-F, E-F)	TOTAL RECOVERABLE HYDROCARBONS (EPA 418.1)	<input type="checkbox"/> PESTICIDES (EPA 8080) <input type="checkbox"/> PCB'S (EPA 8080)	PNA's by <input type="checkbox"/> 8270 <input type="checkbox"/> 8310	<input type="checkbox"/> pH <input type="checkbox"/> Spec. Cond. <input type="checkbox"/> TSS <input type="checkbox"/> TDS	LUFT METALS: Cd, Cr, Pb, Ni, Zn	CAM 17 METALS (EPA 6010/7470/7471)	TOTAL LEAD	<input type="checkbox"/> W.E.T. <input type="checkbox"/> TCLP	NUMBER OF CONTAINERS	
#9	7/17/96	10:52					X	X														
10		10:54					X	X														
11		10:58					X	X														
12		11:00					X	X														

RUSH

PROJECT INFORMATION
 PROJECT NAME CASTORSON
Chemical Preparation
 PROJECT NUMBER 2182.901
 P.O. # _____

SAMPLE RECEIPT
 TOTAL NO OF CONTAINERS _____
 HEAD SPACE _____
 TEMPERATURE _____
 CONTAINS TO RECORD _____

TAT STANDARD 5-DAY 24 48 72 OTHER _____

RELINQUISHED BY 1
[Signature] 11:20 (TIME)
 (SIGNATURE) _____ (TIME) _____
Miles Hunter 7/17/96 (DATE)
 (PRINTED NAME) _____ (DATE) _____
Berlogan
 (COMPANY) _____

RECEIVED BY 1
 (SIGNATURE) _____ (TIME) _____
 (PRINTED NAME) _____ (DATE) _____

RELINQUISHED BY 2
 (SIGNATURE) _____ (TIME) _____
 (PRINTED NAME) _____ (DATE) _____
 (COMPANY) _____

RECEIVED BY 2
[Signature] 11:18 (TIME)
 (SIGNATURE) _____ (TIME) _____
[Signature] 7/17/96 (DATE)
 (PRINTED NAME) _____ (DATE) _____
 (COMPANY) Chromalab

RELINQUISHED BY 3
 (SIGNATURE) _____ (TIME) _____
 (PRINTED NAME) _____ (DATE) _____
 (COMPANY) _____

RECEIVED BY 3
 (SIGNATURE) _____ (TIME) _____
 (PRINTED NAME) _____ (DATE) _____
 (COMPANY) _____

Report: Routine Level 2 Level 3 Level 4
 SPECIAL INSTRUCTIONS/COMMENTS:

CHROMALAB, INC.

Environmental Services (SOB) (DOHS 1094)

1220 Quarry Lane • Pleasanton, California 94566-4756
510/484-1919 • Facsimile 510/484-1096

Reference #: 41074
Chain of Custody

DATE 7/27/98 PAGE 1 OF 1

PROJ MGR Miles Hunter
 COMPANY Borlegan
 ADDRESS 5587 Sunol Blvd

SAMPLERS (SIGNATURE) [Signature] (PHONE NO.) 484-2220
 (FAX NO.)

ANALYSIS REPORT				TPH (EPA 8015, 8020) <input type="checkbox"/> Gas w/ <input type="checkbox"/> BTEX DMTR	PURGEABLE AROMATICS BTX (EPA 8020)	TPH-Diesel (EPA 8015M)	TEPH (EPA 8015M) <input type="checkbox"/> Kerosene, <input type="checkbox"/> Diesel, <input type="checkbox"/> O.M.O.	PURGEABLE HALOCARBONS (HYOCs) (EPA 8010 by 8260)	VOLATILE ORGANICS (VOCs) (EPA 8260)	SEMI-VOLATILES (EPA 8270)	TOTAL OIL AND GREASE (SM 5520 B - F, E + F)	TOTAL RECOVERABLE HYDROCARBONS (EPA 418.1)	<input type="checkbox"/> PESTICIDES (EPA 8080) <input type="checkbox"/> PCB'S (EPA 8090)	PNA's by <input type="checkbox"/> 8270 <input type="checkbox"/> 8310	<input type="checkbox"/> pH <input type="checkbox"/> Spec. Cond. <input type="checkbox"/> TSS <input type="checkbox"/> TDS	LUFT METALS: Cd, Cr, Pb, Ni, Zn	CAM 17 METALS (EPA 6010/7470/7471)	TOTAL LEAD	<input type="checkbox"/> W.E.T. <input type="checkbox"/> TCLP	NUMBER OF CONTAINERS	
SAMPLE ID.	DATE	TIME	MATRIX																		PRESERV.
# 13	7/23	11:25				X															
# 14	7/23	13:00				X															
RUSH																					

PROJECT INFORMATION				SAMPLE RECEIPT			
PROJECT NAME <u>CATERSON</u>				TOTAL NO OF CONTAINERS <u>1400</u>			
PROJECT NUMBER <u>2182-901</u>				HEAD SPACE			
P.O. #				TEMPERATURE			
TAT				CONTINERS TO RECORD			
STANDARD 5-DAY		<u>24</u> 48 72 OTHER		Report: <input type="checkbox"/> Routine <input type="checkbox"/> Level 2 <input type="checkbox"/> Level 3 <input type="checkbox"/> Level 4			
SPECIAL INSTRUCTIONS/COMMENTS:							

RELINQUISHED BY 1	RELINQUISHED BY 2	RELINQUISHED BY 3
<u>[Signature]</u> 1400 (SIGNATURE) (TIME)		
<u>Miles Hunter</u> 7/27/98 (PRINTED NAME) (DATE)		
(COMPANY)	(COMPANY)	(COMPANY)
RECEIVED BY 1	RECEIVED BY 2	RECEIVED BY (LABORATORY) 3
		<u>[Signature]</u> 1400 (SIGNATURE) (TIME)
		<u>[Signature]</u> (PRINTED NAME) (DATE)
		<u>Chromalab</u> (PRINTED NAME) (DATE)

CHROMALAB, INC.

1220 Quarry Lane • Pleasanton, California 94566-4756
510/484-1919 • Facsimile 510/484-1098

Chain of Custody

41136

Environmental Services (SDB) (DOHS 1094)

DATE 7/29/98 PAGE 1 OF 1

PROJECT INFORMATION					ANALYSIS REPORT															NUMBER OF CONTAINERS				
PROJECT NO.	PROJECT NAME	PROJECT NUMBER	P.O. #	TAT	DATE	TIME	MATRIX	PRESERV.	1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
PROJ MGR <u>Philos Hunter</u>	COMPANY <u>Brologan</u>	ADDRESS _____	SAMPLERS (SIGNATURE) <u>Philos Hunter</u>	(PHONE NO.) <u>484-2220</u>	(FAX NO.) _____																			
<u>H 15</u>	<u>14:26</u>	<u>7/29/98</u>				<u>1</u>																		
<u>16</u>	<u>14:23</u>					<u>1</u>																		
<u>17</u>	<u>14:25</u>					<u>1</u>																		
<u>18</u>	<u>14:28</u>					<u>1</u>																		
<u>19</u>	<u>14:33</u>					<u>1</u>																		

RUSH

PROJECT INFORMATION				SAMPLE RECEIPT				RELINQUISHED BY 1			RELINQUISHED BY 2			RELINQUISHED BY 3		
PROJECT NAME <u>CASPERSON</u>	PROJECT NUMBER <u>2182.901</u>	P.O. #	TAT	TOTAL NO. OF CONTAINERS <u>24</u>	HEAD SPACE	NEED GOOD CONDITION/COLD	CONFORMS TO RECORD	SIGNATURE <u>Philos Hunter</u>	(TIME) <u>1500</u>	(DATE) <u>7/29/98</u>	SIGNATURE	(TIME)	(DATE)	SIGNATURE	(TIME)	(DATE)
SPECIAL INSTRUCTIONS/COMMENTS <u>phone Thursday am w/results</u>								RECEIVED BY 1	RECEIVED BY 2	RECEIVED BY LABORATORY 3	SIGNATURE <u>C. Cassidy</u> (TIME) <u>15:00</u> (DATE) <u>7-29-98</u>					

CHROMALAB, INC.

1220 Quarry Lane • Placenton, California 94566-4756
510/484-1919 • Facsimile 510/484-1096

Reference #: 41174
Chain of Custody

Environmental Services (SDB) (DOHS 1094)

DATE 7/31/98 PAGE 1 OF 1

PROJ MGR Mike Hunter
 COMPANY Boylegas
 ADDRESS 5507 Small Blvd
Placenton

SAMPLERS (SIGNATURE) [Signature] (PHONE NO.) (925) 484-0200
 (FAX NO.)

ANALYSIS REPORT																
TPH (EPA 8015, 8020) <input type="checkbox"/> Gas w/ <input type="checkbox"/> BTEX OMTBE	PURGEABLE AROMATICS BTEX (EPA 8020)	TPH-Diesel (EPA 8015M)	TEPH (EPA 8015M) <i>Diesel, Diesel, G.M.O.</i>	PURGEABLE HALOCARBONS (VOCs) (EPA 8010 by 8260)	VOLATILE ORGANICS (VOCs) (EPA 8260)	SEMI-VOLATILES (EPA 8270)	TOTAL OIL AND GREASE (SM 5520 B - F, E - F)	TOTAL RECOVERABLE HYDROCARBONS (EPA 418.1)	<input type="checkbox"/> PESTICIDES (EPA 8080) <input type="checkbox"/> PCB'S (EPA 8080)	PNA's by <input type="checkbox"/> 8270 <input type="checkbox"/> 8310	<input type="checkbox"/> pH <input type="checkbox"/> Spec. Cond. <input type="checkbox"/> TSS <input type="checkbox"/> TDS	LUFT METALS: Cd, Cr, Pb, Ni, Zn	CAM 17 METALS (EPA 6010/7470/7471)	TOTAL LEAD	<input type="checkbox"/> W.E.T. <input type="checkbox"/> TCLP	NUMBER OF CONTAINERS
			X													
			X													
			X													
			X													

RUSH

PROJECT INFORMATION

PROJECT NAME Chlorocou
 PROJECT NUMBER 2182.901
 P.O. #

SAMPLE RECEIPT

TOTAL NO OF CONTAINERS

HEAD SPACE

TEMPERATURE

CONTINERS TO RECORD

TA1 STANDARD 5-DAY

Report: Routine Level 2 Level 3 Level 4

SPECIAL INSTRUCTIONS/COMMENTS:

RELINQUISHED BY <u>[Signature]</u> 1359 (SIGNATURE) (TIME)	RELINQUISHED BY	RELINQUISHED BY
PRINTED NAME: <u>Mike Hunter</u> (DATE) <u>7/31/98</u>	(SIGNATURE) (TIME)	(SIGNATURE) (TIME)
(COMPANY)	(COMPANY)	(COMPANY)
RECEIVED BY 1	RECEIVED BY 2	RECEIVED BY 3
(SIGNATURE) (TIME)	(SIGNATURE) (TIME)	(SIGNATURE) (TIME)
PRINTED NAME (DATE)	PRINTED NAME (DATE)	PRINTED NAME (DATE)

[Signature] 7/31/98
[Signature] 7/31/98
 Chromalab

CHROMALAB, INC.

1220 Quarry Lane • Pleasanton, California 94566-4756
510/484-1919 • Facsimile 510/484-1096

Reference #: 41429
Chain of Custody

Environmental Services (SDB) (DOHS 1094)

DATE 8/13/98 PAGE 1 OF 1

ANALYSIS REPORT

PROJECT MGR: FRANK BERLOGAR
 COMPANY: BERLOGAR GEOTECHNICAL
 ADDRESS: 5587 SUNDOL BLVD
PLEASANTON CA 94566
 SAMPLE NO. (SIGNATURE): _____ (PHONE NO.) _____
 (FAX NO.) _____

SAMPLE ID	DATE	TIME	MATRIX	PRESERV.	TPH (EPA 8015, 8020) By Gas w/ <input checked="" type="checkbox"/> BTEX CIMTBE	PURGEABLE AROMATICS BTEX (EPA 8020)	TPH-Diesel (EPA 8015M)	TEPH (EPA 8015M) D.Kerosene, Diesel, O.M.O.	PURGEABLE HALOCARBONS (HVOCs) (EPA 8010 by 8260)	VOLATILE ORGANICS (VOCs) (EPA 8260)	SEMI-VOLATILES (EPA 8270)	TOTAL OIL AND GREASE (SM 5520 B - F, E + F)	TOTAL RECOVERABLE HYDROCARBONS (EPA 418.1)	<input type="checkbox"/> PESTICIDES (EPA 8080) <input type="checkbox"/> PCB'S (EPA 8080)	PNA's by <input type="checkbox"/> 8270 <input type="checkbox"/> 8310	<input type="checkbox"/> pH <input type="checkbox"/> Spec. Cond. <input type="checkbox"/> TSS <input type="checkbox"/> TDS	LUFT METALS: Cd, Cr, Pb, Ni, Zn	CAM 17 METALS (EPA 6010/7470/7471)	TOTAL LEAD	<input type="checkbox"/> W.E.T. <input type="checkbox"/> TSCP	OTHER	NUMBER OF CONTAINERS	
B-5				W	X		X														X		
B-6				W	X		X														X		
B-5				S	X		X														X		
B-6				S	X		X														X		

RUSH

PROJECT INFORMATION				SAMPLE RECEIPT				RECEIVED BY 1			RECEIVED BY 2			RECEIVED BY 3		
PROJECT NAME <u>CASTROCK PROP.</u>				TOTAL NO. OF CONTAINERS _____				RELINQUISHED BY <u>Greg Hedson 9:00</u> (SIGNATURE) (TIME)			RELINQUISHED BY _____ (SIGNATURE) (TIME)			RELINQUISHED BY _____ (SIGNATURE) (TIME)		
PROJECT NUMBER <u>2182.901</u>				HEAD SPACE _____				RELINQUISHED BY <u>GREG HEDSON 8/13/98</u> (PRINTED NAME) (DATE)			RELINQUISHED BY _____ (PRINTED NAME) (DATE)			RELINQUISHED BY _____ (PRINTED NAME) (DATE)		
P.O. # _____				TEMPERATURE _____				COMPANY _____			COMPANY _____			COMPANY _____		
Report: <input type="checkbox"/> Routine <input type="checkbox"/> Level 2 <input type="checkbox"/> Level 3 <input type="checkbox"/> Level 4				COMMENTS TO RECORD _____				RECEIVED BY _____ (SIGNATURE) (TIME)			RECEIVED BY _____ (SIGNATURE) (TIME)			RECEIVED BY <u>W. Cassidy 15:45</u> (SIGNATURE) (TIME)		
SPECIAL INSTRUCTIONS/COMMENTS: <u>24 hr RUSH. OrganoLead only if hits for gasoline.</u>								RECEIVED BY _____ (PRINTED NAME) (DATE)			RECEIVED BY _____ (PRINTED NAME) (DATE)			RECEIVED BY <u>W. Cassidy 15:45</u> (PRINTED NAME) (DATE)		

W. Cassidy
9-13-99