

ALAMEDA COUNTY
HEALTH CARE SERVICES

AGENCY
DAVID J. KEARS, Agency Director



Sent 12/9/99
Including cc's

RO2742/2943

December 7, 1999

Mr. Gordon Taylor
CBS Corporation
11 Stanwix Street
Pittsburg, PA 15222-1384

ENVIRONMENTAL HEALTH SERVICES
ENVIRONMENTAL PROTECTION
1131 Harbor Bay Parkway
Alameda, CA 94502-6577
(510) 567-6700
(510) 337-9432

**RE: Project # 3471 A - Type M (STID # 5560)
Former Westinghouse Facility - 4899 Peladeau St., Emeryville, CA 94608**

Dear Mr. Taylor:

Our records indicate the deposit / refund account for the above project has fallen below the minimum deposit amount. To replenish the account, please submit an additional deposit of \$5,000.00 payable to Alameda County, Environmental Health Services.

We must receive this deposit so that future regulatory oversight on the subject site can proceed in a timely fashion. At the completion of this project, any unused monies will be refunded to you or your designee.

The deposit refund mechanism is authorized in Section 6.92.040L of the Alameda County Ordinance Code. Work on this project will be debited at the Ordinance specified rate, currently at \$ 100 per hour.

Please be sure to write the following on the check to identify your account:

- project #,
- type of project and
- site address (see RE: line above).

If you have any questions, please contact me at (510) 567-6780.

Sincerely,


Susan L. Hugo
Hazardous Materials Specialist

c: Thomas Peacock, Program Manager
Mansour Sepehr, Soma, 2680 Bishop Drive, Suite 203, San Ramon, CA 94583
SH / files

ALAMEDA COUNTY
HEALTH CARE SERVICES

AGENCY
DAVID J. KEARS, Agency Director



Ro # 2743

July 23, 1998

Mr. Gordon Taylor
CBS Corporation
11 Stanwix Street
Pittsburg, PA 15222-1384

ENVIRONMENTAL HEALTH SERVICES

1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502 6577
(510) 567-6700
(510) 337-9335 (FAX)

RE: Project # 3471 A - Type M (STID # 5560)
Former Westinghouse Facility - 4899 Peladeau St., Emeryville, CA 94608

Dear Mr. Taylor:

Our records indicate the deposit / refund account for the above project has fallen below the minimum deposit amount. To replenish the account, please submit an additional deposit of \$8,000.00 payable to Alameda County, Environmental Health Services.

We must receive this deposit so that future regulatory oversight on the subject site can proceed in a timely fashion. At the completion of this project, any unused monies will be refunded to you or your designee.

The deposit refund mechanism is authorized in Section 6.92.040L of the Alameda County Ordinance Code. Work on this project will be debited at the Ordinance specified rate, currently at \$ 100 per hour.

Please be sure to write the following on the check to identify your account:

- project #,
- type of project and
- site address (see RE: line above).

If you have any questions, please contact me at (510) 567-6780.

Sincerely,

Susan L. Hugo
Hazardous Materials Specialist

c: Thomas Peacock, Program Manager
Mansour Sepehr, Soma, 2680 Bishop Drive, Suite 203, San Ramon, CA 94583
SH / files

ALAMEDA COUNTY
HEALTH CARE SERVICES
AGENCY

DAVID J. KEARS, Agency Director



R02743

RAFAT A. SHAHID, DIRECTOR

June 29, 1995

DEPARTMENT OF ENVIRONMENTAL HEALTH
State Water Resources Control Board
Division of Clean Water Programs
UST Local Oversight Program
1131 Harbor Bay Parkway
Alameda, CA 94502-6577
(510) 567-6700

Mr. Gordon Taylor
Westinghouse Electric Company
Environmental Affairs
Gateway Center
Pittsburgh, Pennsylvania 15222

RE: Investigation / Remediation at Westinghouse Electric
Corporation - 4899 Peladeau Street, Emeryville, CA 94608

Dear Mr. Taylor:

A review of our records indicate that no deposit has been submitted in regards to the investigation / remediation project being conducted at the referenced site. This deposit is authorized under Section 3-141.6 of the Ordinance Code of the County of Alameda and is used to cover the expenses incurred by the County personnel in the execution of their oversight responsibilities associated with the project. Records of the time County employees commit to the project are maintained and the deposit is charged an hourly rate of \$90.00. Upon completion of the project, the balance of the deposit will be refunded to the responsible party or their designee.

Please submit a deposit of \$ 1800.00 made payable to Environmental Health Services within ten days upon receipt of this letter.

If you have any questions concerning this letter, please contact me at (510) 567-6780.

Sincerely,

Susan L. Hugo
Senior Hazardous Materials Specialist

cc: Rafat A. Shahid, Agency Director, Environmental Health
Jun Makishima, Acting Chief, Environmental Protection
Division / file
Alex Tula, Alta Geosciences, Inc., 22833 Bothell-Everett
Highway, Suite 1168, Bothell, Washington 98021