



**CONESTOGA-ROVERS  
& ASSOCIATES**

5900 Hollis Street, Suite A  
Emeryville, California 94608  
Telephone: (510) 420-0700 Fax: (510) 420-9170  
www.CRAworld.com

**TRANSMITTAL**

DATE: April 2, 2012 REFERENCE NO.: 240467

PROJECT NAME: 1601 Webster Street, Alameda

TO: Barbara Jakub  
Alameda County Environmental Health  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502-6577

**RECEIVED**  
*1:37 pm, Apr 03, 2012*  
Alameda County  
Environmental Health

Please find enclosed:  Draft  Final  
 Originals  Other  
 Prints

Sent via:  Mail  Same Day Courier  
 Overnight Courier  Other GeoTracker and Alameda County FTP

| QUANTITY | DESCRIPTION  |
|----------|--|
| 1        | Groundwater Monitoring Report - First Quarter 2012 |
|          |  |
|          |  |

As Requested  For Review and Comment  
 For Your Use  \_\_\_\_\_  
 \_\_\_\_\_

**COMMENTS:**  
If you have any questions regarding the contents of this document, please call Peter Schaefer at (510) 420-3319.

Copy to: Denis Brown, Shell Oil Products US (electronic copy)  
Thomas H. Kosel, ConocoPhillips Risk Management & Remediation, 76 Broadway,  
Sacramento, CA 95818  
James C. Kirschner, ATC Associates, Inc., 6602 Owens Drive, Suite 100, Pleasanton, CA  
94588  
SF Data Room (electronic copy)

Completed by: Peter Schaefer Signed:

Filing: **Correspondence File**



Barbara Jakub  
Alameda County Environmental Health  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502-6577

**Denis L. Brown**  
**Shell Oil Products US**  
HSE – Environmental Services  
20945 S. Wilmington Ave.  
Carson, CA 90810-1039  
Tel (707) 865 0251  
Fax (707) 865 2542  
Email [denis.l.brown@shell.com](mailto:denis.l.brown@shell.com)

Re: Shell-branded Service Station  
1601 Webster Street  
Alameda, California  
SAP Code 135032  
Incident No. 97564701  
ACEH Case No. RO0002745

Dear Ms. Jakub:

The attached document is provided for your review and comment. Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached document is true and correct.

If you have any questions or concerns, please call me at (707) 865-0251.

Sincerely,

A handwritten signature in black ink, appearing to read "Denis L. Brown", is located below the "Sincerely," text.

Denis L. Brown  
Senior Program Manager



## **GROUNDWATER MONITORING REPORT - FIRST QUARTER 2012**

**SHELL-BRANDED SERVICE STATION  
1601 WEBSTER STREET  
ALAMEDA, CALIFORNIA**

**SAP CODE           135032  
INCIDENT NO.    97564701  
AGENCY NO.      RO0002745**

**APRIL 2, 2012**

**REF. NO. 240467 (10)**

This report is printed on recycled paper.

**Prepared by:  
Conestoga-Rovers  
& Associates**

5900 Hollis Street, Suite A  
Emeryville, California  
U.S.A. 94608

Office: (510) 420-0700  
Fax: (510) 420-9170

web: <http://www.CRAworld.com>

TABLE OF CONTENTS

|  | <u>Page</u> |
|--|-------------|
| 1.0 INTRODUCTION.....                              | 1           |
| 1.1 SITE INFORMATION .....                         | 1           |
| 2.0 SITE ACTIVITIES, FINDINGS, AND DISCUSSION..... | 1           |
| 2.1 CURRENT QUARTER'S ACTIVITIES .....             | 1           |
| 2.2 CURRENT QUARTER'S FINDINGS .....               | 2           |
| 2.3 PROPOSED ACTIVITIES.....                       | 2           |
| 2.4 DISCUSSION.....                                | 2           |

LIST OF FIGURES  
(Following Text)

- FIGURE 1 VICINITY MAP  
FIGURE 2 GROUNDWATER CONTOUR AND CHEMICAL CONCENTRATION MAP

LIST OF TABLES  
(Following Text)

- TABLE 1 GROUNDWATER DATA

LIST OF APPENDICES

- APPENDIX A BLAINE TECH SERVICES, INC. - FIELD NOTES  
APPENDIX B TEST AMERICA - LABORATORY REPORT  
APPENDIX C TRC - DATA TABLES FOR FORMER 76 STATION No. 0843

**1.0 INTRODUCTION**

Conestoga-Rovers & Associates (CRA) prepared this report on behalf of Equilon Enterprises LLC dba Shell Oil Products US (Shell).

**1.1 SITE INFORMATION**

|                         |                               |
|-------------------------|-------------------------------|
| Site Address            | 1601 Webster Street, Alameda  |
| Site Use                | Shell-branded Service Station |
| Shell Project Manager   | Denis Brown                   |
| CRA Project Manager     | Peter Schaefer                |
| Lead Agency and Contact | ACEH, Barbara Jakub           |
| Agency Case No.         | RO0002745                     |
| Shell SAP Code          | 135032                        |
| Shell Incident No.      | 97564701                      |

Date of most recent agency correspondence was September 13, 2011 (electronic).

**2.0 SITE ACTIVITIES, FINDINGS, AND DISCUSSION**

**2.1 CURRENT QUARTER'S ACTIVITIES**

Blaine Tech Services, Inc. (Blaine) gauged and sampled the wells according to the modified monitoring program for this site. Blaine coordinated groundwater sampling with the adjacent former 76 Station No. 0834 located at 1629 Webster Street, Alameda.

CRA prepared a vicinity map (Figure 1), a groundwater contour and chemical concentration map (Figure 2) including data from both sites, and a groundwater data table (Table 1). Blaine's field notes are presented in Appendix A, and the laboratory report is presented in Appendix B. The data table for the former 76 Station is included in Appendix C.

Per Alameda County Environmental Health's September 13, 2011 electronic correspondence, we discontinued semiannual analysis of groundwater samples from all

wells for di-isopropyl ether (DIPE), ethyl tertiary-butyl ether (ETBE), and tertiary-amyl methyl ether (TAME) and conducted a one-time only analysis of groundwater samples from all wells for 1,2-dichloroethane (1,2-DCA) and ethylene dibromide (EDB) during the first quarter of 2012. 1,2-DCA and EDB were not detected in the groundwater samples collected during the first quarter 2012.

## **2.2 CURRENT QUARTER'S FINDINGS**

|                            |  |
|----------------------------|--|
| Groundwater Flow Direction | Northerly to northeasterly                 |
| Hydraulic Gradient         | 0.004                                      |
| Depth to Water             | 6.27 to 8.08 feet below top of well casing |


## **2.3 PROPOSED ACTIVITIES**

Blaine will gauge and sample wells according to the modified monitoring program for this site. This site is monitored semiannually during the first and third quarters, and CRA will issue groundwater monitoring reports semiannually following the sampling events. In accordance with Shell internal standards, we will analyze groundwater samples from wells S-4, S-7, and S-8 for DIPE, ETBE, and TAME on an annual basis during the third quarter.


## **2.4 DISCUSSION**

Shell and Union Oil Company have filed a claim with the California State Water Resources Control Board (SWRCB) to combine investigation, remediation, and monitoring activities for the subject site and the adjacent former 76 Station No. 0834 located at 1629 Webster Street, Alameda with the Underground Storage Tank Cleanup Fund Commingled Plume Account Program. The claim is under review by the SWRCB.

All of Which is Respectfully Submitted,  
CONESTOGA-ROVERS & ASSOCIATES




Peter Schaefer, CHG, CEG



Aubrey K. Cool, PG



## FIGURES



### Shell-branded Service Station

1601 Webster Street  
Alameda, California




**CONESTOGA-ROVERS  
& ASSOCIATES**

### Vicinity Map

I:\Shell\6-chars\240467-1\240467-REPORTS\240467-RPT-10-31\121240467\_1QM12-GW.DWG

LINCOLN AVENUE



### EXPLANATION

- S-2** ● Monitoring well location (Shell)
- S-4B\*** ● Deeper monitoring well location (Shell) (not used in contouring)
- TBW-N** ▲ Tank backfill well location (Shell)
- MW-1** ■ Monitoring well location (Former 76)
- MW-1** ☒ Destroyed monitoring well location (Shell)
- MW-2A** ☒ Destroyed monitoring well location (Former 76)
- P — Product piping line (P)
- - - Former product piping line (P)
- - - V — Vent piping line (V)
- x.xx Groundwater flow direction and gradient
- xx.xx Groundwater elevation contour, in feet above mean sea level (ft MSL)

| Well   | ELEV  | Benzene | MTBE  |
|--------|-------|---------|-------|
| S-8    | 12.03 | 1,400   | NDa   |
| S-7    | 12.05 | 93      | NDa   |
| S-9    | 12.12 | 85      | NDa   |
| S-6    | 12.02 | 1.4     | ND    |
| S-5    | 11.81 | ND      | 0.75  |
| S-4B*  | 12.21 | ND      | 1.1   |
| S-4    | 11.60 | ND      | ND    |
| S-3    | 11.61 | ND      | ND    |
| S-2    | 11.73 | ND      | 3.8   |
| TBW-N  | 11.81 | 4.8     | ND    |
| MW-1   | 11.53 | ND      | 380   |
| MW-1AR | 11.21 | ND      | 23    |
| MW-1BR | 11.06 | ND      | 15    |
| MW-10  | 11.32 | ND      | 1.4   |
| MW-11  | 11.40 | ND      | 2,500 |
| MW-9   | 11.28 | ND      | 6.1   |
| MW-2A  | 11.12 | ND      | 6,400 |
| MW-7   | 11.12 | ND      | 6,400 |
| MW-8   | 11.16 | ND      | 2,400 |
| MW-3   | 11.15 | ND      | 1.3   |
| MW-4   | 11.31 | ND      | 10    |
| MW-6   | 10.66 | ND      | 94    |
| MW-5   | 10.23 | ND      | 2.1   |

**Notes:**  
 ND = Not detected  
 NDa = Elevated reporting limit, see laboratory report for details



CONESTOGA-ROVERS & ASSOCIATES

Groundwater Contour and Chemical Concentration Map

February 2, 2012

Shell-branded Service Station

1601 Webster Avenue  
Alameda, California

FIGURE 2

TABLE

TABLE 1

**GROUNDWATER DATA  
SHELL-BRANDED SERVICE STATION  
1601 WEBSTER STREET, ALAMEDA, CALIFORNIA**

| Well ID | Date       | TPHg<br>(µg/L) | B<br>(µg/L) | T<br>(µg/L) | E<br>(µg/L) | X<br>(µg/L) | MTBE<br>(µg/L) | TBA<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | 1,2-<br>DCA<br>(µg/L) | EDB<br>(µg/L) | Ethanol<br>(µg/L) | TOC<br>(ft MSL) | Depth to<br>Water<br>(ft TOC) | SPH<br>Thickness<br>(ft) | GW<br>Elevation<br>(ft MSL) |
|---------|------------|----------------|-------------|-------------|-------------|-------------|----------------|---------------|----------------|----------------|----------------|-----------------------|---------------|-------------------|-----------------|-------------------------------|--------------------------|-----------------------------|
| S-2     | 11/14/2005 | ---            | ---         | ---         | ---         | ---         | ---            | ---           | ---            | ---            | ---            | ---                   | ---           | ---               | 19.73           | 7.60                          | ---                      | 12.13                       |
| S-2     | 11/22/2005 | 996            | 0.630       | 0.500       | 0.500       | 3.10        | 406            | 18.0          | <0.500         | <0.500         | 0.570          | ---                   | ---           | ---               | 19.73           | 7.70                          | ---                      | 12.03                       |
| S-2     | 02/24/2006 | <50 b          | <0.50       | <0.50       | <0.50       | <0.50       | 2.0            | <5.0          | <0.50          | <0.50          | <0.50          | ---                   | ---           | ---               | 19.73           | 6.29                          | ---                      | 13.44                       |
| S-2     | 05/30/2006 | <50.0          | <0.500      | <0.500      | <0.500      | <0.500      | <0.500         | <10.0         | <0.500         | <0.500         | <0.500         | ---                   | ---           | ---               | 19.73           | 6.14                          | ---                      | 13.59                       |
| S-2     | 08/30/2006 | 420            | <0.500      | <0.500      | <0.500      | <0.500      | 4.42           | <10.0         | <0.500         | <0.500         | <0.500         | ---                   | ---           | ---               | 19.73           | 7.18                          | ---                      | 12.55                       |
| S-2     | 11/22/2006 | 110            | <0.50       | <0.50       | <0.50       | <1.0        | 62             | <5.0          | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 19.73           | 7.55                          | ---                      | 12.18                       |
| S-2     | 02/23/2007 | 140            | <0.50       | <0.50       | <0.50       | <1.0        | 110            | <5.0          | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 19.73           | 6.77                          | ---                      | 12.96                       |
| S-2     | 05/18/2007 | <50 h          | <0.50       | <1.0        | <1.0        | <1.0        | 18             | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 19.73           | 7.02                          | ---                      | 12.71                       |
| S-2     | 08/10/2007 | <50 h          | <0.50       | <1.0        | <1.0        | <1.0        | 40             | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 19.73           | 7.65                          | ---                      | 12.08                       |
| S-2     | 11/09/2007 | 130 h,i        | <0.50       | <1.0        | <1.0        | <1.0        | 190            | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 19.73           | 7.87                          | ---                      | 11.86                       |
| S-2     | 02/08/2008 | 83 h,i         | <1.0        | <2.0        | <2.0        | <2.0        | 180            | <20           | <4.0           | <4.0           | <4.0           | ---                   | ---           | ---               | 19.73           | 6.52                          | ---                      | 13.21                       |
| S-2     | 05/16/2008 | <50            | <0.50       | <1.0        | <1.0        | <1.0        | <1.0           | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 19.73           | 7.30                          | ---                      | 12.43                       |
| S-2     | 08/15/2008 | <50            | <0.50       | <1.0        | <1.0        | <1.0        | 7.1            | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 19.73           | 8.38                          | ---                      | 11.35                       |
| S-2     | 11/26/2008 | <50            | <0.50       | <1.0        | <1.0        | <1.0        | 32             | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 19.73           | 9.13                          | ---                      | 10.60                       |
| S-2     | 02/27/2009 | 90             | <0.50       | <1.0        | <1.0        | <1.0        | 85             | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 19.73           | 7.05                          | ---                      | 12.68                       |
| S-2     | 05/28/2009 | <50            | <0.50       | <1.0        | <1.0        | <1.0        | 8.0            | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 19.73           | 6.93                          | ---                      | 12.80                       |
| S-2     | 09/14/2009 | <50            | <0.50       | <1.0        | <1.0        | <1.0        | 17             | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 19.73           | 8.20                          | ---                      | 11.53                       |
| S-2     | 02/05/2010 | 68             | <0.50       | <1.0        | <1.0        | <1.0        | 52             | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 19.73           | 7.12                          | ---                      | 12.61                       |
| S-2     | 08/03/2010 | <50            | <0.50       | <1.0        | <1.0        | <1.0        | 1.7            | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 19.73           | 7.59                          | ---                      | 12.14                       |
| S-2     | 02/14/2011 | <50            | 2.6         | 3.5         | 1.2         | 5.7         | <1.0           | <10           | <1.0           | <1.0           | <1.0           | ---                   | ---           | ---               | 19.73           | 7.16                          | ---                      | 12.57                       |
| S-2     | 08/04/2011 | <50            | <0.50       | <0.50       | <0.50       | <1.0        | <1.0           | <10           | <1.0           | <1.0           | <1.0           | ---                   | ---           | ---               | 19.73           | 7.20                          | ---                      | 12.53                       |
| S-2     | 02/02/2012 | <50            | <0.50       | <0.50       | <0.50       | <1.0        | 3.8            | <10           | <0.50          | <0.50          | <0.50          | <0.50                 | <0.50         | ---               | 19.73           | 8.00                          | ---                      | 11.73                       |
| S-3     | 11/14/2005 | ---            | ---         | ---         | ---         | ---         | ---            | ---           | ---            | ---            | ---            | ---                   | ---           | ---               | 19.14           | 7.01                          | ---                      | 12.13                       |
| S-3     | 11/22/2005 | 3,900          | <0.500      | <0.500      | <0.500      | 0.900       | 3,730          | 26.0          | <0.500         | <0.500         | 3.44           | ---                   | ---           | ---               | 19.14           | 7.15                          | ---                      | 11.99                       |
| S-3     | 02/24/2006 | 580 b          | <0.50       | <0.50       | <0.50       | <0.50       | 360            | <5.0          | <0.50          | <0.50          | <0.50          | ---                   | ---           | ---               | 19.14           | 5.95                          | ---                      | 13.19                       |
| S-3     | 05/30/2006 | <50.0          | <0.500      | <0.500      | <0.500      | 0.510       | 52.2           | <10.0         | <0.500         | <0.500         | <0.500         | ---                   | ---           | ---               | 19.14           | 5.85                          | ---                      | 13.29                       |
| S-3     | 08/30/2006 | 2,910          | <0.500      | <0.500      | <0.500      | <0.500      | 882            | <10.0         | <0.500         | <0.500         | <0.500         | ---                   | ---           | ---               | 19.14           | 6.71                          | ---                      | 12.43                       |
| S-3     | 11/22/2006 | 240            | <0.50       | <0.50       | <0.50       | <1.0        | 150            | 30            | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 19.14           | 7.05                          | ---                      | 12.09                       |
| S-3     | 02/23/2007 | 78             | <0.50       | <0.50       | <0.50       | <1.0        | 78             | 5.4           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 19.14           | 6.30                          | ---                      | 12.84                       |
| S-3     | 05/18/2007 | 120 h,i        | <0.50       | <1.0        | <1.0        | <1.0        | 150            | 73            | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 19.14           | 6.58                          | ---                      | 12.56                       |
| S-3     | 08/10/2007 | <50 h          | <1.0        | <2.0        | <2.0        | <2.0        | 200            | 21            | <4.0           | <4.0           | <4.0           | ---                   | ---           | ---               | 19.14           | 7.09                          | ---                      | 12.05                       |
| S-3     | 11/09/2007 | 69 h,i         | <0.50       | <1.0        | <1.0        | <1.0        | 100            | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 19.14           | 7.28                          | ---                      | 11.86                       |
| S-3     | 02/08/2008 | <50 h          | <0.50       | <1.0        | <1.0        | <1.0        | 8.5            | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 19.14           | 6.06                          | ---                      | 13.08                       |

TABLE 1

**GROUNDWATER DATA  
SHELL-BRANDED SERVICE STATION  
1601 WEBSTER STREET, ALAMEDA, CALIFORNIA**

| Well ID | Date       | TPHg<br>(µg/L) | B<br>(µg/L) | T<br>(µg/L) | E<br>(µg/L) | X<br>(µg/L) | MTBE<br>(µg/L) | TBA<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | 1,2-<br>DCA<br>(µg/L) | EDB<br>(µg/L) | Ethanol<br>(µg/L) | TOC<br>(ft MSL) | Depth to<br>Water<br>(ft TOC) | SPH<br>Thickness<br>(ft) | GW<br>Elevation<br>(ft MSL) |
|---------|------------|----------------|-------------|-------------|-------------|-------------|----------------|---------------|----------------|----------------|----------------|-----------------------|---------------|-------------------|-----------------|-------------------------------|--------------------------|-----------------------------|
| S-3     | 05/16/2008 | 71             | <0.50       | <1.0        | <1.0        | <1.0        | 100            | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 19.14           | 6.84                          | ---                      | 12.30                       |
| S-3     | 08/15/2008 | <50            | <0.50       | <1.0        | <1.0        | <1.0        | 9.0            | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 19.14           | 7.83                          | ---                      | 11.31                       |
| S-3     | 11/26/2008 | <50            | 0.53        | <1.0        | <1.0        | 1.5         | 12             | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 19.14           | 8.70                          | ---                      | 10.44                       |
| S-3     | 02/27/2009 | <50            | <0.50       | <1.0        | <1.0        | <1.0        | 3.2            | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 19.14           | 6.97                          | ---                      | 12.17                       |
| S-3     | 05/28/2009 | <50            | <0.50       | <1.0        | <1.0        | <1.0        | <1.0           | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 19.14           | 6.41                          | ---                      | 12.73                       |
| S-3     | 09/14/2009 | <50            | <0.50       | <1.0        | <1.0        | <1.0        | 6.1            | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 19.14           | 7.60                          | ---                      | 11.54                       |
| S-3     | 02/05/2010 | <50            | <0.50       | <1.0        | <1.0        | <1.0        | 1.8            | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 19.14           | 6.63                          | ---                      | 12.51                       |
| S-3     | 08/03/2010 | <50            | <0.50       | <1.0        | <1.0        | <1.0        | 5.4            | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 19.14           | 7.05                          | ---                      | 12.09                       |
| S-3     | 02/14/2011 | <50            | 1.7         | 2.6         | 0.95        | 4.6         | <1.0           | <10           | <1.0           | <1.0           | <1.0           | ---                   | ---           | ---               | 19.14           | 6.71                          | ---                      | 12.43                       |
| S-3     | 08/04/2011 | <50            | <0.50       | <0.50       | <0.50       | <1.0        | <1.0           | <10           | <1.0           | <1.0           | <1.0           | ---                   | ---           | ---               | 19.14           | 6.75                          | ---                      | 12.39                       |
| S-3     | 02/02/2012 | <50            | <0.50       | <0.50       | <0.50       | <1.0        | <0.50          | <10           | <0.50          | <0.50          | <0.50          | <0.50                 | <0.50         | ---               | 19.14           | 7.53                          | ---                      | 11.61                       |
| S-4     | 11/14/2005 | ---            | ---         | ---         | ---         | ---         | ---            | ---           | ---            | ---            | ---            | ---                   | ---           | ---               | 18.16           | 6.00                          | ---                      | 12.16                       |
| S-4     | 11/22/2005 | 4,570          | <0.500      | <0.500      | <0.500      | 0.660       | 3,450          | 26.0          | <0.500         | <0.500         | 3.57           | ---                   | ---           | ---               | 18.16           | 6.10                          | ---                      | 12.06                       |
| S-4     | 02/24/2006 | 2,200 b        | <0.50       | <0.50       | <0.50       | <0.50       | 1,400          | 13 c          | <0.50          | <0.50          | 1.4            | ---                   | ---           | ---               | 18.16           | 5.09                          | ---                      | 13.07                       |
| S-4     | 05/30/2006 | 1,100          | <0.500      | <0.500      | <0.500      | <0.500      | 1,060          | 87.5          | <0.500         | <0.500         | 1.04           | ---                   | ---           | ---               | 18.16           | 5.00                          | ---                      | 13.16                       |
| S-4     | 08/30/2006 | 3,170          | <0.500      | <0.500      | <0.500      | <0.500      | 1,000          | 120           | <0.500         | <0.500         | 0.850          | ---                   | ---           | ---               | 18.16           | 5.81                          | ---                      | 12.35                       |
| S-4     | 11/22/2006 | 520            | <0.50       | <0.50       | <0.50       | <1.0        | 480            | 5.2           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 18.16           | 5.93                          | ---                      | 12.23                       |
| S-4     | 02/23/2007 | 180            | <0.50       | <0.50       | <0.50       | <1.0        | 130            | 9.6           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 18.16           | 5.40                          | ---                      | 12.76                       |
| S-4     | 05/18/2007 | 220 h,i        | <2.5        | <5.0        | <5.0        | 2.5 j       | 420            | <50           | <10            | <10            | <10            | ---                   | ---           | ---               | 18.16           | 5.62                          | ---                      | 12.54                       |
| S-4     | 08/10/2007 | 98 h,i         | <2.5        | <5.0        | <5.0        | <5.0        | 540            | 29 j          | <10            | <10            | <10            | ---                   | ---           | ---               | 18.16           | 6.00                          | ---                      | 12.16                       |
| S-4     | 11/09/2007 | 190 h,i        | <2.5        | <5.0        | <5.0        | <5.0        | 350            | <50           | <10            | <10            | <10            | ---                   | ---           | ---               | 18.16           | 6.20                          | ---                      | 11.96                       |
| S-4     | 02/08/2008 | <50 h          | <0.50       | <1.0        | <1.0        | <1.0        | 13             | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 18.16           | 5.47                          | ---                      | 12.69                       |
| S-4     | 05/16/2008 | 87             | <0.50       | <1.0        | <1.0        | <1.0        | 120            | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 18.16           | 6.00                          | ---                      | 12.16                       |
| S-4     | 08/15/2008 | <50            | <0.50       | <1.0        | <1.0        | <1.0        | 42             | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 18.16           | 6.85                          | ---                      | 11.31                       |
| S-4     | 11/26/2008 | 140            | <0.50       | <1.0        | <1.0        | <1.0        | 140            | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 18.16           | 7.62                          | ---                      | 10.54                       |
| S-4     | 02/27/2009 | 56             | <0.50       | <1.0        | <1.0        | <1.0        | 43             | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 18.16           | 5.35                          | ---                      | 12.81                       |
| S-4     | 05/28/2009 | <50            | <0.50       | <1.0        | <1.0        | <1.0        | 12             | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 18.16           | 5.40                          | ---                      | 12.76                       |
| S-4     | 09/14/2009 | <50            | <0.50       | <1.0        | <1.0        | <1.0        | 6.7            | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 18.16           | 6.55                          | ---                      | 11.61                       |
| S-4     | 02/05/2010 | <50            | <0.50       | <1.0        | <1.0        | <1.0        | 4.3            | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 18.16           | 5.62                          | ---                      | 12.54                       |
| S-4     | 08/03/2010 | <50            | <0.50       | <1.0        | <1.0        | <1.0        | 10             | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 18.16           | 6.09                          | ---                      | 12.07                       |
| S-4     | 02/14/2011 | <50            | 1.3         | 2.2         | 0.91        | 4.4         | 1.6            | <10           | <1.0           | <1.0           | <1.0           | ---                   | ---           | ---               | 18.16           | 5.80                          | ---                      | 12.36                       |
| S-4     | 08/04/2011 | <50            | <0.50       | <0.50       | <0.50       | <1.0        | <1.0           | <10           | <1.0           | <1.0           | <1.0           | ---                   | ---           | ---               | 18.16           | 5.79                          | ---                      | 12.37                       |
| S-4     | 02/02/2012 | <50            | <0.50       | <0.50       | <0.50       | <1.0        | <0.50          | <10           | <0.50          | <0.50          | <0.50          | <0.50                 | <0.50         | ---               | 18.16           | 6.56                          | ---                      | 11.60                       |



TABLE 1

**GROUNDWATER DATA  
SHELL-BRANDED SERVICE STATION  
1601 WEBSTER STREET, ALAMEDA, CALIFORNIA**

| Well ID | Date       | TPHg<br>(µg/L) | B<br>(µg/L) | T<br>(µg/L) | E<br>(µg/L) | X<br>(µg/L) | MTBE<br>(µg/L) | TBA<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | 1,2-<br>DCA<br>(µg/L) | EDB<br>(µg/L) | Ethanol<br>(µg/L) | TOC<br>(ft MSL) | Depth to<br>Water<br>(ft TOC) | SPH<br>Thickness<br>(ft) | GW<br>Elevation<br>(ft MSL) |
|---------|------------|----------------|-------------|-------------|-------------|-------------|----------------|---------------|----------------|----------------|----------------|-----------------------|---------------|-------------------|-----------------|-------------------------------|--------------------------|-----------------------------|
| S-4B    | 08/21/2006 | ---            | ---         | ---         | ---         | ---         | ---            | ---           | ---            | ---            | ---            | ---                   | ---           | ---               | 18.78           | 6.14                          | ---                      | 12.64                       |
| S-4B    | 08/30/2006 | 3,630          | <0.500      | <0.500      | 5.32        | <0.500      | 1,130          | 643           | <0.500         | <0.500         | 1.47           | ---                   | ---           | ---               | 18.78           | 6.32                          | ---                      | 12.46                       |
| S-4B    | 11/22/2006 | 620            | <0.50       | <0.50       | 0.66        | <1.0        | 580            | 680           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 18.78           | 6.46                          | ---                      | 12.32                       |
| S-4B    | 02/23/2007 | 230            | <1.0        | <1.0        | <1.0        | <2.0        | 190            | 450           | <4.0           | <4.0           | <4.0           | ---                   | ---           | ---               | 18.78           | 6.64                          | ---                      | 12.14                       |
| S-4B    | 05/18/2007 | 200 h          | <0.50       | <1.0        | <1.0        | <1.0        | 130            | 360           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 18.78           | 6.19                          | ---                      | 12.59                       |
| S-4B    | 08/10/2007 | 150 h          | 0.47 j      | <1.0        | <1.0        | <1.0        | 67             | 230           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 18.78           | 6.48                          | ---                      | 12.30                       |
| S-4B    | 11/09/2007 | <50 h          | <0.50       | <1.0        | <1.0        | <1.0        | 32             | 67            | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 18.78           | 6.59                          | ---                      | 12.19                       |
| S-4B    | 02/08/2008 | <50 h          | <0.50       | <1.0        | <1.0        | <1.0        | 5.3            | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 18.78           | 6.12                          | ---                      | 12.66                       |
| S-4B    | 05/16/2008 | <50            | <0.50       | <1.0        | <1.0        | <1.0        | 2.2            | 15            | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 18.78           | 6.45                          | ---                      | 12.33                       |
| S-4B    | 08/15/2008 | <50            | <0.50       | <1.0        | <1.0        | <1.0        | 1.4            | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 18.78           | 6.90                          | ---                      | 11.88                       |
| S-4B    | 11/26/2008 | <50            | <0.50       | <1.0        | <1.0        | <1.0        | 2.5            | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 18.78           | 8.19                          | ---                      | 10.59                       |
| S-4B    | 02/27/2009 | <50            | <0.50       | <1.0        | <1.0        | <1.0        | 1.4            | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 18.78           | 6.03                          | ---                      | 12.75                       |
| S-4B    | 05/28/2009 | <50            | <0.50       | <1.0        | <1.0        | <1.0        | 2.0            | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 18.78           | 6.01                          | ---                      | 12.77                       |
| S-4B    | 09/14/2009 | <50            | <0.50       | <1.0        | <1.0        | <1.0        | 3.7            | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 18.78           | 6.90                          | ---                      | 11.88                       |
| S-4B    | 02/05/2010 | <50            | <0.50       | <1.0        | <1.0        | <1.0        | 2.0            | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 18.78           | 7.23                          | ---                      | 11.55                       |
| S-4B    | 08/03/2010 | <50            | <0.50       | <1.0        | <1.0        | <1.0        | 1.2            | 25            | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 18.78           | 6.64                          | ---                      | 12.14                       |
| S-4B    | 02/14/2011 | <50            | 1.3         | 2.1         | 0.82        | 3.9         | <1.0           | <10           | <1.0           | <1.0           | <1.0           | ---                   | ---           | ---               | 18.78           | 6.70                          | ---                      | 12.08                       |
| S-4B    | 08/04/2011 | <50            | <0.50       | <0.50       | <0.50       | <1.0        | 1.1            | 22            | <1.0           | <1.0           | <1.0           | ---                   | ---           | ---               | 18.78           | 7.13                          | ---                      | 11.65                       |
| S-4B    | 02/02/2012 | <50            | <0.50       | <0.50       | <0.50       | <1.0        | 1.1            | <10           | <0.50          | <0.50          | <0.50          | <0.50                 | <0.50         | ---               | 18.78           | 6.57                          | ---                      | 12.21                       |
| S-5     | 11/14/2005 | ---            | ---         | ---         | ---         | ---         | ---            | ---           | ---            | ---            | ---            | ---                   | ---           | ---               | 18.68           | 6.33                          | ---                      | 12.35                       |
| S-5     | 11/22/2005 | 1,010          | 0.900       | <0.500      | 1.79        | 4.91        | 302            | 397           | <0.500         | <0.500         | <0.500         | ---                   | ---           | ---               | 18.68           | 6.44                          | ---                      | 12.24                       |
| S-5     | 02/24/2006 | <50 b          | <0.50       | <0.50       | <0.50       | <0.50       | 19             | <5.0          | <0.50          | <0.50          | <0.50          | ---                   | ---           | ---               | 18.68           | 5.44                          | ---                      | 13.24                       |
| S-5     | 05/30/2006 | 2,000          | 4.13        | 0.670       | <0.500      | 3.28        | 143            | <10.0         | <0.500         | <0.500         | <0.500         | ---                   | ---           | ---               | 18.68           | 5.33                          | ---                      | 13.35                       |
| S-5     | 08/30/2006 | 1,380          | <0.500      | <0.500      | 1.43        | <0.500      | 211            | 106           | <0.500         | <0.500         | <0.500         | ---                   | ---           | ---               | 18.68           | 6.16                          | ---                      | 12.52                       |
| S-5     | 11/22/2006 | 82             | <0.50       | <0.50       | <0.50       | <1.0        | 28             | 13            | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 18.68           | 6.28                          | ---                      | 12.40                       |
| S-5     | 02/23/2007 | <50            | <0.50       | <0.50       | <0.50       | <1.0        | 1.2            | <5.0          | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 18.68           | 5.68                          | ---                      | 13.00                       |
| S-5     | 05/18/2007 | <50 h,i        | <0.50       | <1.0        | <1.0        | <1.0        | 2.6            | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 18.68           | 5.91                          | ---                      | 12.77                       |
| S-5     | 08/10/2007 | <50 h          | <0.50       | <1.0        | <1.0        | <1.0        | 1.0            | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 18.68           | 6.36                          | ---                      | 12.32                       |
| S-5     | 11/09/2007 | <50 h          | <0.50       | <1.0        | <1.0        | <1.0        | <10            | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 18.68           | 6.47                          | ---                      | 12.21                       |
| S-5     | 02/08/2008 | <50 h          | <0.50       | <1.0        | <1.0        | <1.0        | <1.0           | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 18.68           | 5.52                          | ---                      | 13.16                       |
| S-5     | 05/16/2008 | <50            | <0.50       | <1.0        | <1.0        | <1.0        | <1.0           | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 18.68           | 6.22                          | ---                      | 12.46                       |
| S-5     | 08/15/2008 | <50            | <0.50       | <1.0        | <1.0        | <1.0        | <1.0           | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 18.68           | 7.26                          | ---                      | 11.42                       |

TABLE 1

**GROUNDWATER DATA  
SHELL-BRANDED SERVICE STATION  
1601 WEBSTER STREET, ALAMEDA, CALIFORNIA**

| <i>Well ID</i> | <i>Date</i> | <i>TPHg<br/>(µg/L)</i> | <i>B<br/>(µg/L)</i> | <i>T<br/>(µg/L)</i> | <i>E<br/>(µg/L)</i> | <i>X<br/>(µg/L)</i> | <i>MTBE<br/>(µg/L)</i> | <i>TBA<br/>(µg/L)</i> | <i>DIPE<br/>(µg/L)</i> | <i>ETBE<br/>(µg/L)</i> | <i>TAME<br/>(µg/L)</i> | <i>1,2-<br/>DCA<br/>(µg/L)</i> | <i>EDB<br/>(µg/L)</i> | <i>Ethanol<br/>(µg/L)</i> | <i>TOC<br/>(ft MSL)</i> | <i>Depth to<br/>Water<br/>(ft TOC)</i> | <i>SPH<br/>Thickness<br/>(ft)</i> | <i>GW<br/>Elevation<br/>(ft MSL)</i> |
|----------------|-------------|------------------------|---------------------|---------------------|---------------------|---------------------|------------------------|-----------------------|------------------------|------------------------|------------------------|--------------------------------|-----------------------|---------------------------|-------------------------|--|-----------------------------------|--------------------------------------|
| S-5            | 11/26/2008  | <50                    | <0.50               | <1.0                | <1.0                | <1.0                | <1.0                   | <10                   | <2.0                   | <2.0                   | <2.0                   | ---                            | ---                   | ---                       | 18.68                   | 8.03                                   | ---                               | 10.65                                |
| S-5            | 02/27/2009  | <50                    | <0.50               | <1.0                | <1.0                | <1.0                | <1.0                   | <10                   | <2.0                   | <2.0                   | <2.0                   | ---                            | ---                   | ---                       | 18.68                   | 5.83                                   | ---                               | 12.85                                |
| S-5            | 05/28/2009  | <50                    | <0.50               | <1.0                | <1.0                | <1.0                | <1.0                   | <10                   | <2.0                   | <2.0                   | <2.0                   | ---                            | ---                   | ---                       | 18.68                   | 5.73                                   | ---                               | 12.95                                |
| S-5            | 09/14/2009  | <50                    | <0.50               | <1.0                | <1.0                | <1.0                | <1.0                   | <10                   | <2.0                   | <2.0                   | <2.0                   | ---                            | ---                   | ---                       | 18.68                   | 6.95                                   | ---                               | 11.73                                |
| S-5            | 02/05/2010  | <50                    | <0.50               | <1.0                | <1.0                | <1.0                | <1.0                   | <10                   | <2.0                   | <2.0                   | <2.0                   | ---                            | ---                   | ---                       | 18.68                   | 6.01                                   | ---                               | 12.67                                |
| S-5            | 08/03/2010  | <50                    | <0.50               | <1.0                | <1.0                | <1.0                | <1.0                   | <10                   | <2.0                   | <2.0                   | <2.0                   | ---                            | ---                   | ---                       | 18.68                   | 6.46                                   | ---                               | 12.22                                |
| S-5            | 02/14/2011  | <50                    | 3.9                 | 3.8                 | 1.2                 | 5.3                 | 1.8                    | <10                   | <1.0                   | <1.0                   | <1.0                   | ---                            | ---                   | ---                       | 18.68                   | 6.20                                   | ---                               | 12.48                                |
| S-5            | 08/04/2011  | <50                    | <0.50               | <0.50               | <0.50               | <1.0                | 1.8                    | <10                   | <1.0                   | <1.0                   | <1.0                   | ---                            | ---                   | ---                       | 18.68                   | 6.15                                   | ---                               | 12.53                                |
| S-5            | 02/02/2012  | <50                    | <0.50               | <0.50               | <0.50               | <1.0                | 0.75                   | <10                   | <0.50                  | <0.50                  | <0.50                  | <0.50                          | <0.50                 | ---                       | 18.68                   | 6.87                                   | ---                               | 11.81                                |
| S-6            | 11/14/2005  | ---                    | ---                 | ---                 | ---                 | ---                 | ---                    | ---                   | ---                    | ---                    | ---                    | ---                            | ---                   | ---                       | 19.32                   | 6.36                                   | ---                               | 12.96                                |
| S-6            | 11/22/2005  | 15,800                 | 5.14                | 0.690               | 32.1                | 934                 | <0.500                 | 14.2                  | <0.500                 | <0.500                 | <0.500                 | ---                            | ---                   | ---                       | 19.32                   | 6.53                                   | ---                               | 12.79                                |
| S-6            | 01/19/2006  | ---                    | ---                 | ---                 | ---                 | ---                 | ---                    | ---                   | ---                    | ---                    | ---                    | ---                            | ---                   | ---                       | 19.32                   | 5.50                                   | ---                               | 13.82                                |
| S-6            | 02/24/2006  | 7,900 b                | 4.4                 | <1.5                | 260                 | 380                 | <1.5                   | <7.0                  | <1.5                   | <1.5                   | <1.5                   | ---                            | ---                   | ---                       | 19.32                   | 5.76                                   | ---                               | 13.56                                |
| S-6            | 05/30/2006  | 4,170                  | 4.98                | <0.500              | 76.6                | 44.2                | <0.500                 | <10.0                 | <0.500                 | <0.500                 | <0.500                 | ---                            | ---                   | ---                       | 19.32                   | 5.68                                   | ---                               | 13.64                                |
| S-6            | 08/30/2006  | 16,400                 | 10.7                | <0.500              | 353                 | 292                 | <0.500                 | <10.0                 | <0.500                 | <0.500                 | <0.500                 | ---                            | ---                   | ---                       | 19.32                   | 6.38                                   | ---                               | 12.94                                |
| S-6            | 11/22/2006  | 6,900                  | 7.7                 | <2.5                | 250                 | 450                 | <2.5                   | <25                   | <10                    | <10                    | <10                    | ---                            | ---                   | ---                       | 19.32                   | 6.62                                   | ---                               | 12.70                                |
| S-6            | 02/23/2007  | 7,900                  | 4.4                 | <2.5                | 400                 | 940                 | <2.5                   | <25                   | <10                    | <10                    | <10                    | ---                            | ---                   | ---                       | 19.32                   | 6.06                                   | ---                               | 13.26                                |
| S-6            | 05/18/2007  | 2,600 h                | 3.1                 | <1.0                | 85                  | 147.3               | <1.0                   | <10                   | <2.0                   | <2.0                   | <2.0                   | ---                            | ---                   | ---                       | 19.32                   | 6.12                                   | ---                               | 13.20                                |
| S-6            | 08/10/2007  | 3,100 h                | 3.5                 | 0.28 j              | 110                 | 202                 | <1.0                   | <10                   | <2.0                   | <2.0                   | <2.0                   | ---                            | ---                   | ---                       | 19.32                   | 6.60                                   | ---                               | 12.72                                |
| S-6            | 11/09/2007  | 3,700 h                | 2.1                 | 0.34 j              | 160                 | 335                 | <1.0                   | <10                   | <2.0                   | <2.0                   | <2.0                   | ---                            | ---                   | ---                       | 19.32                   | 6.80                                   | ---                               | 12.52                                |
| S-6            | 02/08/2008  | 2,600 h                | 2.7                 | <1.0                | 72                  | 156.0               | <1.0                   | <10                   | <2.0                   | <2.0                   | <2.0                   | ---                            | ---                   | ---                       | 19.32                   | 6.11                                   | ---                               | 13.21                                |
| S-6            | 05/16/2008  | 350                    | <0.50               | <1.0                | 8.4                 | 5.3                 | <1.0                   | <10                   | <2.0                   | <2.0                   | <2.0                   | ---                            | ---                   | ---                       | 19.32                   | 6.60                                   | ---                               | 12.72                                |
| S-6            | 08/15/2008  | 3,600                  | 0.99                | <1.0                | 100                 | 164.9               | <1.0                   | <10                   | <2.0                   | <2.0                   | <2.0                   | ---                            | ---                   | ---                       | 19.32                   | 7.70                                   | ---                               | 11.62                                |
| S-6            | 11/26/2008  | 1,500                  | 2.9                 | <1.0                | 13                  | 3.1                 | <1.0                   | <10                   | <2.0                   | <2.0                   | <2.0                   | ---                            | ---                   | ---                       | 19.32                   | 8.41                                   | ---                               | 10.91                                |
| S-6            | 02/27/2009  | 2,800                  | 4.3                 | <1.0                | 17                  | 23                  | <1.0                   | <10                   | <2.0                   | <2.0                   | <2.0                   | ---                            | ---                   | ---                       | 19.32                   | 6.22                                   | ---                               | 13.10                                |
| S-6            | 05/28/2009  | 570                    | 0.74                | <1.0                | 3.1                 | 1.3                 | <1.0                   | <10                   | <2.0                   | <2.0                   | <2.0                   | ---                            | ---                   | ---                       | 19.32                   | 6.10                                   | ---                               | 13.22                                |
| S-6            | 09/14/2009  | 440                    | 0.55                | <1.0                | 1.5                 | 2.3                 | <1.0                   | <10                   | <2.0                   | <2.0                   | <2.0                   | ---                            | ---                   | ---                       | 19.32                   | 7.43                                   | ---                               | 11.89                                |
| S-6            | 02/05/2010  | 2,200                  | 1.7                 | <1.0                | 5.2                 | 8.3                 | <1.0                   | <10                   | <2.0                   | <2.0                   | <2.0                   | ---                            | ---                   | ---                       | 19.32                   | 6.34                                   | ---                               | 12.98                                |
| S-6            | 08/03/2010  | 340                    | <0.50               | <1.0                | <1.0                | 1.0                 | <1.0                   | <10                   | <2.0                   | <2.0                   | <2.0                   | ---                            | ---                   | ---                       | 19.32                   | 6.85                                   | ---                               | 12.47                                |
| S-6            | 02/14/2011  | 590                    | 1.0                 | 1.0                 | 1.4                 | 3.7                 | <1.0                   | <10                   | <1.0                   | <1.0                   | <1.0                   | ---                            | ---                   | ---                       | 19.32                   | 6.50                                   | ---                               | 12.82                                |
| S-6            | 08/04/2011  | 820                    | 1.2                 | <0.50               | 1.7                 | 1.2                 | <1.0                   | <10                   | <1.0                   | <1.0                   | <1.0                   | ---                            | ---                   | ---                       | 19.32                   | 6.52                                   | ---                               | 12.80                                |
| S-6            | 02/02/2012  | 1,500                  | 1.4                 | <0.50               | 2.4                 | 1.4                 | <0.50                  | <10                   | <0.50                  | <0.50                  | <0.50                  | <0.50                          | <0.50                 | ---                       | 19.32                   | 7.30                                   | ---                               | 12.02                                |



TABLE 1

**GROUNDWATER DATA  
SHELL-BRANDED SERVICE STATION  
1601 WEBSTER STREET, ALAMEDA, CALIFORNIA**

| Well ID | Date       | TPHg<br>(µg/L)    | B<br>(µg/L) | T<br>(µg/L) | E<br>(µg/L) | X<br>(µg/L) | MTBE<br>(µg/L) | TBA<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | 1,2-<br>DCA<br>(µg/L) | EDB<br>(µg/L) | Ethanol<br>(µg/L) | TOC<br>(ft MSL) | Depth to<br>Water<br>(ft TOC) | SPH<br>Thickness<br>(ft) | GW<br>Elevation<br>(ft MSL) |
|---------|------------|-------------------|-------------|-------------|-------------|-------------|----------------|---------------|----------------|----------------|----------------|-----------------------|---------------|-------------------|-----------------|-------------------------------|--------------------------|-----------------------------|
| S-7     | 11/14/2005 | ---               | ---         | ---         | ---         | ---         | ---            | ---           | ---            | ---            | ---            | ---                   | ---           | ---               | 19.44           | 6.76                          | ---                      | 12.68                       |
| S-7     | 11/22/2005 | 51,100            | 2,680       | 2,980       | 969         | 6,360       | 1.49           | 53.3          | <0.500         | <0.500         | <0.500         | ---                   | ---           | ---               | 19.44           | 6.88                          | ---                      | 12.56                       |
| S-7     | 02/24/2006 | 22,000 b/25,000 d | 1,700       | 1,200       | 1,200       | 2,800       | <2.5           | 58            | <2.5           | <2.5           | <2.5           | ---                   | ---           | ---               | 19.44           | 5.73                          | ---                      | 13.71                       |
| S-7     | 05/30/2006 | 35,600            | 1,720       | 641         | 1,600       | 3,630       | 2.83           | <10.0         | <0.500         | <0.500         | <0.500         | ---                   | ---           | ---               | 19.44           | 5.61                          | ---                      | 13.83                       |
| S-7     | 08/30/2006 | 83,900            | 5,060       | 62.5        | 1,640       | 4,010       | 2.38           | 43.4          | <0.500         | <0.500         | <0.500         | ---                   | ---           | ---               | 19.44           | 6.43                          | ---                      | 13.01                       |
| S-7     | 11/22/2006 | 13,000            | 4,300       | 27          | 710         | 1,900       | <2.5           | 54            | <10            | <10            | <10            | ---                   | ---           | ---               | 19.44           | 6.68                          | ---                      | 12.76                       |
| S-7     | 02/23/2007 | 15,000            | 2,000       | 43          | 1,100       | 3,300       | <12            | <120          | <50            | <50            | <50            | ---                   | ---           | ---               | 19.44           | 5.82                          | ---                      | 13.62                       |
| S-7     | 05/18/2007 | 6,100 h           | 3,900       | 22 j        | 520         | 2,010       | <50            | <500          | <100           | <100           | <100           | ---                   | ---           | ---               | 19.44           | 6.20                          | ---                      | 13.24                       |
| S-7     | 08/10/2007 | 14,000 h          | 4,900       | 19 j        | 670         | 2,046 j     | <50            | <500          | <100           | <100           | <100           | ---                   | ---           | ---               | 19.44           | 6.74                          | ---                      | 12.70                       |
| S-7     | 11/09/2007 | 16,000 h          | 4,400       | 21 j        | 550         | 2,052       | <50            | <500          | <100           | <100           | <100           | ---                   | ---           | ---               | 19.44           | 6.93                          | ---                      | 12.51                       |
| S-7     | 02/08/2008 | 2,400 h           | 160         | <2.0        | 70          | 160         | <2.0           | <20           | <4.0           | <4.0           | <4.0           | ---                   | ---           | ---               | 19.44           | 6.23                          | ---                      | 13.21                       |
| S-7     | 05/16/2008 | 6,200             | 1,200       | 21          | 320         | 736.9       | <2.0           | <20           | <4.0           | <4.0           | <4.0           | ---                   | ---           | ---               | 19.44           | 6.62                          | ---                      | 12.82                       |
| S-7     | 08/15/2008 | 15,000            | 4,500       | 19          | 450         | 1,300       | <10            | <100          | <20            | <20            | <20            | ---                   | ---           | ---               | 19.44           | 7.81                          | ---                      | 11.63                       |
| S-7     | 11/26/2008 | 9,300             | 3,200       | <25         | 77          | 250         | <25            | <250          | <50            | <50            | <50            | ---                   | ---           | ---               | 19.44           | 8.53                          | ---                      | 10.91                       |
| S-7     | 02/27/2009 | 3,900             | 900         | <25         | 49          | 160         | <25            | <250          | <50            | <50            | <50            | ---                   | ---           | ---               | 19.44           | 6.27                          | ---                      | 13.17                       |
| S-7     | 05/28/2009 | 7,100             | 1,200       | <10         | 81          | 600         | <10            | <100          | <20            | <20            | <20            | ---                   | ---           | ---               | 19.44           | 6.18                          | ---                      | 13.26                       |
| S-7     | 09/14/2009 | 11,000            | 4,000       | 19          | 73          | 66          | <10            | <100          | <20            | <20            | <20            | ---                   | ---           | ---               | 19.44           | 7.58                          | ---                      | 11.86                       |
| S-7     | 02/05/2010 | 4,700             | 1,200       | <10         | 33          | 17          | <10            | <100          | <20            | <20            | <20            | ---                   | ---           | ---               | 19.44           | 6.36                          | ---                      | 13.08                       |
| S-7     | 08/03/2010 | 7,600             | 2,600       | 14          | 15          | 10          | <10            | <100          | <20            | <20            | <20            | ---                   | ---           | ---               | 19.44           | 6.90                          | ---                      | 12.54                       |
| S-7     | 02/14/2011 | 2,200             | 800         | <10         | <10         | <20         | <20            | <200          | <20            | <20            | <20            | ---                   | ---           | ---               | 19.44           | 6.53                          | ---                      | 12.91                       |
| S-7     | 08/04/2011 | 4,600             | 1,200       | 16          | <10         | <20         | <20            | <200          | <20            | <20            | <20            | ---                   | ---           | ---               | 19.44           | 6.53                          | ---                      | 12.91                       |
| S-7     | 02/02/2012 | 1,600             | 93          | 4.7         | 4.0         | 7.4         | <1.0           | <20           | <1.0           | <1.0           | <1.0           | <1.0                  | <1.0          | ---               | 19.44           | 7.39                          | ---                      | 12.05                       |
| S-8     | 08/21/2006 | ---               | ---         | ---         | ---         | ---         | ---            | ---           | ---            | ---            | ---            | ---                   | ---           | ---               | 20.11           | 7.02                          | ---                      | 13.09                       |
| S-8     | 08/30/2006 | 90,600            | 5,150       | 28.2        | 3,230       | 4,450       | 4.30           | <10.0         | <0.500         | <0.500         | <0.500         | ---                   | ---           | ---               | 20.11           | 7.19                          | ---                      | 12.92                       |
| S-8     | 11/22/2006 | 41,000            | 4,900       | 58          | 3,300       | 7,200       | 2.6            | <25           | <10            | <10            | <10            | ---                   | ---           | ---               | 20.11           | 7.48                          | ---                      | 12.63                       |
| S-8     | 02/23/2007 | 28,000            | 2,900       | 28          | 2,900       | 4,900       | <25            | <250          | <100           | <100           | <100           | ---                   | ---           | ---               | 20.11           | 6.73                          | ---                      | 13.38                       |
| S-8     | 05/18/2007 | 24,000 h          | 4,400       | 33 j        | 3,800       | 4,470       | <50            | <500          | <100           | <100           | <100           | ---                   | ---           | ---               | 20.11           | 6.98                          | ---                      | 13.13                       |
| S-8     | 08/10/2007 | 22,000 h          | 5,000       | 30 j        | 3,100       | 3,660       | <50            | <500          | <100           | <100           | <100           | ---                   | ---           | ---               | 20.11           | 7.57                          | ---                      | 12.54                       |
| S-8     | 11/09/2007 | 22,000 h          | 4,600       | 24 j        | 3,000       | 2,770       | <50            | <500          | <100           | <100           | <100           | ---                   | ---           | ---               | 20.11           | 7.80                          | ---                      | 12.31                       |
| S-8     | 02/08/2008 | 11,000 h          | 5,900       | <50         | 410         | 310         | <50            | <500          | <100           | <100           | <100           | ---                   | ---           | ---               | 20.11           | 6.55                          | ---                      | 13.56                       |
| S-8     | 05/16/2008 | 20,000            | 1,600       | 32          | 2,300       | 2,136       | <20            | <200          | <40            | <40            | <40            | ---                   | ---           | ---               | 20.11           | 7.30                          | ---                      | 12.81                       |
| S-8     | 08/15/2008 | 26,000            | 2,400       | 20          | 4,900       | 2,432       | <20            | <200          | <40            | <40            | <40            | ---                   | ---           | ---               | 20.11           | 8.60                          | ---                      | 11.51                       |
| S-8     | 11/26/2008 | 10,000            | 890         | 6.6         | 790         | 302         | <5.0           | <50           | <10            | <10            | <10            | ---                   | ---           | ---               | 20.11           | 9.20                          | ---                      | 10.91                       |

TABLE 1

**GROUNDWATER DATA  
SHELL-BRANDED SERVICE STATION  
1601 WEBSTER STREET, ALAMEDA, CALIFORNIA**

| Well ID | Date       | TPHg<br>(µg/L) | B<br>(µg/L) | T<br>(µg/L) | E<br>(µg/L) | X<br>(µg/L) | MTBE<br>(µg/L) | TBA<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | 1,2-<br>DCA<br>(µg/L) | EDB<br>(µg/L) | Ethanol<br>(µg/L) | TOC<br>(ft MSL) | Depth to<br>Water<br>(ft TOC) | SPH<br>Thickness<br>(ft) | GW<br>Elevation<br>(ft MSL) |
|---------|------------|----------------|-------------|-------------|-------------|-------------|----------------|---------------|----------------|----------------|----------------|-----------------------|---------------|-------------------|-----------------|-------------------------------|--------------------------|-----------------------------|
| S-8     | 02/27/2009 | 770            | 30          | <1.0        | 9.9         | 6.0         | <1.0           | 12            | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 20.11           | 7.04                          | ---                      | 13.07                       |
| S-8     | 05/28/2009 | 5,800          | 620         | 3.1         | 390         | 380         | <1.0           | 40            | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 20.11           | 6.91                          | ---                      | 13.20                       |
| S-8     | 09/14/2009 | 7,700          | 1,600       | <10         | 110         | 750         | <10            | <100          | <20            | <20            | <20            | ---                   | ---           | ---               | 20.11           | 8.32                          | ---                      | 11.79                       |
| S-8     | 02/05/2010 | 10,000         | 2,000       | <10         | 150         | 260         | <10            | <100          | <20            | <20            | <20            | ---                   | ---           | ---               | 20.11           | 7.08                          | ---                      | 13.03                       |
| S-8     | 08/03/2010 | 12,000         | 2,000       | <20         | 47          | 82          | <20            | <200          | <40            | <40            | <40            | ---                   | ---           | ---               | 20.11           | 7.64                          | ---                      | 12.47                       |
| S-8     | 02/14/2011 | 4,900          | 960         | <10         | 89          | 78          | <20            | <200          | <20            | <20            | <20            | ---                   | ---           | ---               | 20.11           | 7.20                          | ---                      | 12.91                       |
| S-8     | 08/04/2011 | 7,200          | 830         | <5.0        | 26          | 13          | <10            | <100          | <10            | <10            | <10            | ---                   | ---           | ---               | 20.11           | 7.24                          | ---                      | 12.87                       |
| S-8     | 02/02/2012 | 12,000         | 1,400       | 4.0         | 29          | 9.8         | <2.5           | <50           | <2.5           | <2.5           | <2.5           | <2.5                  | <2.5          | ---               | 20.11           | 8.08                          | ---                      | 12.03                       |
| S-9     | 08/21/2006 | ---            | ---         | ---         | ---         | ---         | ---            | ---           | ---            | ---            | ---            | ---                   | ---           | ---               | 19.60           | 6.93                          | ---                      | 12.67                       |
| S-9     | 08/30/2006 | 162,000        | 3,620       | 5,040       | 3,810       | 22,500      | <0.500         | <10.0         | <0.500         | <0.500         | <0.500         | ---                   | ---           | ---               | 19.60           | 6.52                          | ---                      | 13.08                       |
| S-9     | 11/22/2006 | 47,000         | 2,100       | 840         | 3,000       | 12,000      | <2.5           | <25           | <10            | <10            | <10            | ---                   | ---           | ---               | 19.60           | 6.78                          | ---                      | 12.82                       |
| S-9     | 02/23/2007 | 18,000         | 890         | 120         | 1,800       | 3,600       | <12            | <120          | <50            | <50            | <50            | ---                   | ---           | ---               | 19.60           | 6.13                          | ---                      | 13.47                       |
| S-9     | 05/18/2007 | 22,000 h       | 1,300       | 630         | 2,400       | 7,300       | <50            | <500          | <100           | <100           | <100           | ---                   | ---           | ---               | 19.60           | 6.35                          | ---                      | 13.25                       |
| S-9     | 08/10/2007 | 36,000 h       | 2,600       | 920         | 4,200       | 14,900      | <50            | <500          | <100           | <100           | <100           | ---                   | ---           | ---               | 19.60           | 6.86                          | ---                      | 12.74                       |
| S-9     | 11/09/2007 | 34,000 h       | 2,100       | 320         | 3,700       | 12,000      | <50            | <500          | <100           | <100           | <100           | ---                   | ---           | ---               | 19.60           | 7.09                          | ---                      | 12.51                       |
| S-9     | 02/08/2008 | 7,400 h        | 410         | 51          | 1,100       | 1,620       | <10            | <100          | <20            | <20            | <20            | ---                   | ---           | ---               | 19.60           | 6.00                          | ---                      | 13.60                       |
| S-9     | 05/16/2008 | 19,000         | 910         | 230         | 1,600       | 4,200       | <10            | <100          | <20            | <20            | <20            | ---                   | ---           | ---               | 19.60           | 6.67                          | ---                      | 12.93                       |
| S-9     | 08/15/2008 | 65,000         | 2,600       | 540         | 5,200       | 19,000      | <10            | <100          | <20            | <20            | <20            | ---                   | ---           | ---               | 19.60           | 7.93                          | ---                      | 11.67                       |
| S-9     | 11/26/2008 | 18,000         | 910         | <100        | 2,000       | 3,340       | <100           | <1,000        | <200           | <200           | <200           | ---                   | ---           | ---               | 19.60           | 8.60                          | ---                      | 11.00                       |
| S-9     | 02/27/2009 | 1,000          | 55          | 2.3         | 100         | 61          | <1.0           | <10           | <2.0           | <2.0           | <2.0           | ---                   | ---           | ---               | 19.60           | 6.35                          | ---                      | 13.25                       |
| S-9     | 05/28/2009 | 9,700          | 410         | 120         | 810         | 1,400       | <10            | <100          | <20            | <20            | <20            | ---                   | ---           | ---               | 19.60           | 6.22                          | ---                      | 13.38                       |
| S-9     | 09/14/2009 | 24,000         | 960         | 120         | 2,200       | 6,500       | <5.0           | <50           | <10            | <10            | <10            | ---                   | ---           | ---               | 19.60           | 7.73                          | ---                      | 11.87                       |
| S-9     | 02/05/2010 | 4,900          | 310         | 6.2         | 180         | 240         | <5.0           | <50           | <10            | <10            | <10            | ---                   | ---           | ---               | 19.60           | 6.51                          | ---                      | 13.09                       |
| S-9     | 08/03/2010 | 17,000         | 940         | 25          | 500         | 2,800       | <2.0           | 29            | <4.0           | <4.0           | <4.0           | ---                   | ---           | ---               | 19.60           | 7.02                          | ---                      | 12.58                       |
| S-9     | 02/14/2011 | 1,500          | 190         | 3.6         | 11          | 38          | <4.0           | <40           | <4.0           | <4.0           | <4.0           | ---                   | ---           | ---               | 19.60           | 6.60                          | ---                      | 13.00                       |
| S-9     | 08/04/2011 | 5,300          | 370         | 18          | 53          | 370         | <5.0           | <50           | <5.0           | <5.0           | <5.0           | ---                   | ---           | ---               | 19.60           | 6.62                          | ---                      | 12.98                       |
| S-9     | 02/02/2012 | 1,100          | 85          | 2.1         | 3.4         | 2.9         | <1.0           | <20           | <1.0           | <1.0           | <1.0           | <1.0                  | <1.0          | ---               | 19.60           | 7.48                          | ---                      | 12.12                       |
| TBW-E   | 11/23/2004 | ---            | ---         | ---         | ---         | ---         | ---            | ---           | ---            | ---            | ---            | ---                   | ---           | ---               | ---             | 6.31                          | ---                      | ---                         |
| TBW-E   | 12/01/2004 | ---            | ---         | ---         | ---         | ---         | ---            | ---           | ---            | ---            | ---            | ---                   | ---           | ---               | ---             | 7.01                          | ---                      | ---                         |
| TBW-E   | 12/07/2004 | ---            | ---         | ---         | ---         | ---         | ---            | ---           | ---            | ---            | ---            | ---                   | ---           | ---               | ---             | 6.32                          | ---                      | ---                         |
| TBW-E   | 12/15/2004 | ---            | ---         | ---         | ---         | ---         | ---            | ---           | ---            | ---            | ---            | ---                   | ---           | ---               | ---             | 6.55                          | ---                      | ---                         |
| TBW-E   | 12/23/2004 | ---            | ---         | ---         | ---         | ---         | ---            | ---           | ---            | ---            | ---            | ---                   | ---           | ---               | ---             | 5.95                          | ---                      | ---                         |

TABLE 1

**GROUNDWATER DATA  
SHELL-BRANDED SERVICE STATION  
1601 WEBSTER STREET, ALAMEDA, CALIFORNIA**

| Well ID | Date       | TPHg<br>(µg/L)    | B<br>(µg/L) | T<br>(µg/L) | E<br>(µg/L) | X<br>(µg/L) | MTBE<br>(µg/L) | TBA<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | 1,2-          |               |                   | TOC<br>(ft MSL) | Depth to<br>Water<br>(ft TOC) | SPH<br>Thickness<br>(ft) | GW<br>Elevation<br>(ft MSL) |
|---------|------------|-------------------|-------------|-------------|-------------|-------------|----------------|---------------|----------------|----------------|----------------|---------------|---------------|-------------------|-----------------|-------------------------------|--------------------------|-----------------------------|
|         |            |                   |             |             |             |             |                |               |                |                |                | DCA<br>(µg/L) | EDB<br>(µg/L) | Ethanol<br>(µg/L) |                 |                               |                          |                             |
| TBW-E   | 12/27/2004 | ---               | ---         | ---         | ---         | ---         | ---            | ---           | ---            | ---            | ---            | ---           | ---           | ---               | ---             | 8.47                          | ---                      | ---                         |
| TBW-N   | 11/23/2004 | 83,000            | 640         | 27,000      | 1,700       | 20,000      | 2,300          | 1,300         | <400           | <400           | <400           | <100          | <100          | <10,000           | ---             | 5.64                          | ---                      | ---                         |
| TBW-N   | 12/01/2004 | 160,000           | 700         | 31,000      | 2,300       | 24,000      | 2,900          | 1,200         | <400           | <400           | <400           | <100          | <100          | <10,000           | ---             | 6.35                          | ---                      | ---                         |
| TBW-N   | 12/07/2004 | 130,000           | 590         | 29,000      | 2,300       | 24,000      | 2,700          | 1,300         | <400           | <400           | <400           | <100          | <100          | <10,000           | ---             | 5.65                          | ---                      | ---                         |
| TBW-N   | 12/15/2004 | 120,000           | 420         | 26,000      | 2,000       | 22,000      | 3,300          | <1,000        | <400           | <400           | <400           | <100          | <100          | <10,000           | ---             | 5.85                          | ---                      | ---                         |
| TBW-N   | 12/23/2004 | 100,000           | 220         | 23,000      | 1,900       | 20,000      | 1,900          | <1,000        | <400           | <400           | <400           | <100          | <100          | <10,000           | ---             | 5.30                          | ---                      | ---                         |
| TBW-N   | 12/27/2004 | 110,000           | 470         | 26,000      | 2,300       | 22,000      | 1,800          | <1,000        | <400           | <400           | <400           | <100          | <100          | <10,000           | ---             | 7.80                          | ---                      | ---                         |
| TBW-N   | 01/17/2005 | 86,000            | 330         | 22,000      | 2,200       | 21,000      | 1,600          | 1,600         | <400           | <400           | <400           | <100          | <100          | <10,000           | ---             | 6.59                          | ---                      | ---                         |
| TBW-N   | 02/04/2005 | 97,000            | 290         | 23,000      | 1,800       | 20,000      | 1,900          | <1,000        | <400           | <400           | <400           | <100          | <100          | <10,000           | ---             | 4.50                          | ---                      | ---                         |
| TBW-N   | 03/02/2005 | 94,000            | 360         | 24,000      | 2,000       | 19,000      | 1,200          | <1,000        | <400           | <400           | <400           | <100          | <100          | <10,000           | ---             | 4.11                          | ---                      | ---                         |
| TBW-N   | 04/12/2005 | 27,000            | 130         | 9,300       | 1,100       | 8,700       | 1,400          | 390           | <100           | <100           | <20            | <25           | <25           | <2,500            | ---             | 4.08                          | ---                      | ---                         |
| TBW-N   | 05/13/2005 | 42,000            | 130         | 8,700       | 1,500       | 12,000      | 1,400          | 440           | <100           | <100           | <100           | <25           | <25           | <2,500            | ---             | 4.45                          | ---                      | ---                         |
| TBW-N   | 06/10/2005 | 46,000            | 63          | 5,500       | 1,300       | 11,000      | 500            | <250          | <100           | <100           | <100           | <25           | <25           | <2,500            | ---             | 4.97                          | ---                      | ---                         |
| TBW-N   | 07/15/2005 | 48,000            | 88          | 8,400       | 1,300       | 9,500       | 660            | 310           | <100           | <100           | <100           | <25           | <25           | <2,500            | ---             | 5.18                          | ---                      | ---                         |
| TBW-N   | 08/17/2005 | 36,000 a          | 85 a        | 8,500 a     | 1,200 a     | 11,000 a    | 510 a          | <500 a        | <200 a         | <200 a         | <200 a         | <50 a         | <50 a         | <5,000 a          | 18.08           | 5.28                          | ---                      | 12.80                       |
| TBW-N   | 09/15/2005 | 20,000            | 59          | 2,400       | 730         | 9,300       | 600            | 500           | <40            | <40            | <40            | ---           | ---           | <1,000            | 18.08           | 5.92                          | ---                      | 12.16                       |
| TBW-N   | 10/17/2005 | 59,000            | 58          | 4,900       | 1,200       | 16,000      | 490            | <250          | <100           | <100           | <100           | <25           | <25           | <2,500            | 18.08           | 5.96                          | ---                      | 12.12                       |
| TBW-N   | 11/22/2005 | 105,000           | 41.3        | 8,750       | 1,550       | 18,300      | 443            | 248           | <0.500         | <0.500         | <0.500         | <0.500        | <0.500        | <50.0             | 18.08           | 5.82                          | ---                      | 12.26                       |
| TBW-N   | 12/09/2005 | 65,900            | 43.4        | 5,110       | 1,110       | 13,500      | 493            | 259           | <0.500         | <0.500         | <0.500         | <0.500        | <0.500        | <50.0             | 18.08           | 5.60                          | ---                      | 12.48                       |
| TBW-N   | 01/05/2006 | 80,100            | 33.8        | 4,910       | 1,620       | 19,400      | 410            | <10.0         | <0.500         | <0.500         | <0.500         | <0.500        | <0.500        | <50.0             | 18.08           | 4.44                          | ---                      | 13.64                       |
| TBW-N   | 02/24/2006 | 56,000 b/60,000 d | 15          | 2,700       | 1,000       | 12,000      | 270            | 180           | <15            | <15            | <15            | <15           | <15           | <150              | 18.08           | 4.67                          | ---                      | 13.41                       |
| TBW-N   | 03/08/2006 | 60,200            | 23.4        | 3,820       | 1,370       | 16,500      | 293            | 93.8          | <0.500         | <0.500         | <0.500         | <0.500        | <0.500        | <50.0             | 18.08           | 4.18                          | ---                      | 13.90                       |
| TBW-N   | 04/13/2006 | 73,000            | 21.8        | 2,900       | 1,220       | 14,600      | 277            | 68.5          | <0.500         | <0.500         | <0.500         | <0.500        | <0.500        | <50.0             | 18.08           | 3.49                          | ---                      | 14.59                       |
| TBW-N   | 05/30/2006 | 59,300            | 18.7        | 1,170       | 1,800       | 10,200      | 119 e          | <10.0         | <0.500         | <0.500         | <0.500         | 0.860         | <0.500        | <50.0             | 18.08           | 4.52                          | ---                      | 13.56                       |
| TBW-N   | 06/05/2006 | 83,700            | 16.0        | 1,510       | 2,090       | 11,400      | 146 e          | <10.0         | <0.500         | <0.500         | <0.500         | <0.500        | <0.500        | <50.0             | 18.08           | 4.55                          | ---                      | 13.53                       |
| TBW-N   | 07/19/2006 | 80,100            | 16.4        | 632         | 1,550       | 13,900      | 85.7           | <10.0         | <0.500         | <0.500         | <0.500         | <0.500        | <0.500        | <50.0             | 18.08           | 4.99                          | ---                      | 13.09                       |
| TBW-N   | 08/30/2006 | 52,700            | 18.2        | 747         | 1,900       | 13,400      | 82.9           | <100          | <5.00          | <5.00          | <5.00          | <5.00         | <5.00         | <500              | 18.08           | 5.47                          | ---                      | 12.61                       |
| TBW-N   | 09/06/2006 | 77,500            | 21.3        | 1,100       | 1,650       | 11,800      | 116            | 12.4          | <0.500         | <0.500         | <0.500         | <0.500        | <0.500        | <50.0             | 18.08           | 5.39                          | ---                      | 12.69                       |
| TBW-N   | 10/13/2006 | 33,000            | 22          | 1,300       | 1,700       | 27,000      | 160            | <50           | <20            | <20            | <20            | <5.0          | <5.0          | <500              | 18.08           | 5.57                          | ---                      | 12.51                       |
| TBW-N   | 11/22/2006 | 36,000            | 18          | 680         | 1,200       | 14,000      | 110            | <50           | <20            | <20            | <20            | <5.0          | <5.0          | <500              | 18.08           | 5.65                          | ---                      | 12.43                       |
| TBW-N   | 12/12/2006 | 34,000            | <25         | 330         | 1,400       | 11,000      | 89             | <1,000        | <25            | <25            | <25            | <25           | <25           | <5,000            | 18.08           | 5.34                          | ---                      | 12.74                       |
| TBW-N   | 01/05/2007 | 26,000 g          | 16          | 450         | 1,400       | 13,000 f    | 96             | <50           | <20            | <20            | <20            | <5.0          | <5.0          | <500              | 18.08           | 5.23                          | ---                      | 12.85                       |
| TBW-N   | 02/23/2007 | 41,000            | <25         | 400         | 1,500       | 15,000      | 120            | <250          | <100           | <100           | <100           | <25           | <25           | <2,500            | 18.08           | 4.96                          | ---                      | 13.12                       |

TABLE 1

**GROUNDWATER DATA  
SHELL-BRANDED SERVICE STATION  
1601 WEBSTER STREET, ALAMEDA, CALIFORNIA**

| Well ID | Date       | TPHg<br>(µg/L) | B<br>(µg/L) | T<br>(µg/L) | E<br>(µg/L) | X<br>(µg/L) | MTBE<br>(µg/L) | TBA<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | 1,2-<br>DCA<br>(µg/L) | EDB<br>(µg/L) | Ethanol<br>(µg/L) | TOC<br>(ft MSL) | Depth to<br>Water<br>(ft TOC) | SPH<br>Thickness<br>(ft) | GW<br>Elevation<br>(ft MSL) |
|---------|------------|----------------|-------------|-------------|-------------|-------------|----------------|---------------|----------------|----------------|----------------|-----------------------|---------------|-------------------|-----------------|-------------------------------|--------------------------|-----------------------------|
| TBW-N   | 03/08/2007 | 15,000         | <25         | 320         | 1,300       | 15,000      | 110            | <250          | <100           | <100           | <100           | <25                   | <25           | <2,500            | 18.08           | 4.93                          | ---                      | 13.15                       |
| TBW-N   | 04/06/2007 | 24,000 h       | 15          | 360         | 1,100       | 12,300      | 130            | <50           | <10            | <10            | <10            | <2.5                  | ---           | <500              | 18.08           | 5.07                          | ---                      | 13.01                       |
| TBW-N   | 05/18/2007 | 30,000 h       | 15 j        | 140         | 1,100       | 9,960       | 100            | <50           | <100           | <100           | <100           | <25                   | <50           | <5,000            | 18.08           | 5.25                          | ---                      | 12.83                       |
| TBW-N   | 06/11/2007 | 26,000 h       | 15 j        | 160         | 1,300       | 9,150       | 120            | <500          | <100           | <100           | <100           | <25                   | <50           | <5,000            | 18.08           | 5.33                          | ---                      | 12.75                       |
| TBW-N   | 07/03/2007 | 36,000 h       | 9.3 j       | 150         | 990         | 8,400       | 130            | <500          | <100           | <100           | <100           | <25                   | <50           | <5,000            | 18.08           | 5.46                          | ---                      | 12.62                       |
| TBW-N   | 08/10/2007 | 24,000 h       | 14          | 200         | 1,200       | 5,240       | 120            | <200          | <40            | <40            | <40            | <10                   | <20           | <2,000            | 18.08           | 5.78                          | ---                      | 12.30                       |
| TBW-N   | 09/25/2007 | 28,000 h       | 15          | 560         | 1,400       | 7,600       | <20            | 160 j         | <40            | <40            | <40            | <10                   | <20           | <2,000            | 18.08           | 6.02                          | ---                      | 12.06                       |
| TBW-N   | 11/09/2007 | 42,000 h       | 18          | 610         | 1,700       | 14,500      | 140            | <250          | <50            | <50            | <50            | <12                   | <25           | <2,500            | 18.08           | 5.91                          | 0.01                     | 12.18                       |
| TBW-N   | 02/08/2008 | 36,000 h       | <25         | 450         | 1,400       | 15,100      | 97             | <500          | <100           | <100           | <100           | <25                   | <50           | <5,000            | 18.08           | 4.79                          | ---                      | 13.29                       |
| TBW-N   | 05/16/2008 | 26,000         | 80          | 99          | 970         | 5,130       | 130            | <500          | <100           | <100           | <100           | ---                   | ---           | ---               | 18.08           | 5.50                          | ---                      | 12.58                       |
| TBW-N   | 08/15/2008 | 24,000         | <25         | 1,300       | 1,300       | 2,400       | 90             | <500          | <100           | <100           | <100           | <25                   | <50           | <5,000            | 18.08           | 6.59                          | ---                      | 11.49                       |
| TBW-N   | 11/26/2008 | 24,000         | <25         | 140         | 810         | 5,580       | 52             | <500          | <100           | <100           | <100           | <25                   | <50           | <5,000            | 18.08           | 7.40                          | ---                      | 10.68                       |
| TBW-N   | 02/27/2009 | 22,000         | <25         | 110         | 520         | 5,000       | <50            | <500          | <100           | <100           | <100           | <25                   | <50           | <5,000            | 18.08           | 5.86                          | ---                      | 12.22                       |
| TBW-N   | 05/28/2009 | 32,000         | 8.9         | 160         | 860         | 5,600       | 53             | 160           | <10            | <10            | <10            | ---                   | ---           | ---               | 18.08           | 5.50                          | ---                      | 12.58                       |
| TBW-N   | 09/14/2009 | 28,000         | 10          | 110         | 890         | 4,700       | 60             | <200          | <40            | <40            | <40            | <10                   | <20           | <2000             | 18.08           | 6.31                          | ---                      | 11.77                       |
| TBW-N   | 02/05/2010 | 27,000         | <10         | 71          | 630         | 4,900       | 28             | <200          | <40            | <40            | <40            | <10                   | <20           | <2000             | 18.08           | 5.28                          | ---                      | 12.80                       |
| TBW-N   | 08/03/2010 | 20,000         | 9.8         | 46          | 130         | 890         | 64             | <100          | <20            | <20            | <20            | <5.0                  | <10           | <1000             | 18.08           | 5.75                          | ---                      | 12.33                       |
| TBW-N   | 02/14/2011 | 15,000         | 7.5         | 38          | 320         | 1,800       | 18             | <10           | <10            | <10            | <10            | <5.0                  | <5.0          | <1500             | 18.08           | 5.40                          | ---                      | 12.68                       |
| TBW-N   | 08/04/2011 | 11,000         | 5.7         | 26          | 77          | 120         | 21             | 12            | <1.0           | <1.0           | <1.0           | <0.50                 | <0.50         | <150              | 18.08           | 5.43                          | ---                      | 12.65                       |
| TBW-N   | 02/02/2012 | 11,000         | 4.8         | 15          | 150         | 200         | <0.50          | <10           | <0.50          | <0.50          | <0.50          | <0.50                 | <0.50         | <150              | 18.08           | 6.27                          | ---                      | 11.81                       |
| TBW-S   | 11/23/2004 | ---            | ---         | ---         | ---         | ---         | ---            | ---           | ---            | ---            | ---            | ---                   | ---           | ---               | ---             | 6.18                          | ---                      | ---                         |
| TBW-S   | 12/01/2004 | ---            | ---         | ---         | ---         | ---         | ---            | ---           | ---            | ---            | ---            | ---                   | ---           | ---               | ---             | 6.87                          | ---                      | ---                         |
| TBW-S   | 12/07/2004 | ---            | ---         | ---         | ---         | ---         | ---            | ---           | ---            | ---            | ---            | ---                   | ---           | ---               | ---             | 6.15                          | ---                      | ---                         |
| TBW-S   | 12/15/2004 | ---            | ---         | ---         | ---         | ---         | ---            | ---           | ---            | ---            | ---            | ---                   | ---           | ---               | ---             | 6.38                          | ---                      | ---                         |
| TBW-S   | 12/23/2004 | ---            | ---         | ---         | ---         | ---         | ---            | ---           | ---            | ---            | ---            | ---                   | ---           | ---               | ---             | 5.81                          | ---                      | ---                         |
| TBW-S   | 12/27/2004 | ---            | ---         | ---         | ---         | ---         | ---            | ---           | ---            | ---            | ---            | ---                   | ---           | ---               | ---             | 8.35                          | ---                      | ---                         |
| TBW-W   | 11/23/2004 | ---            | ---         | ---         | ---         | ---         | ---            | ---           | ---            | ---            | ---            | ---                   | ---           | ---               | ---             | 6.14                          | ---                      | ---                         |
| TBW-W   | 12/01/2004 | ---            | ---         | ---         | ---         | ---         | ---            | ---           | ---            | ---            | ---            | ---                   | ---           | ---               | ---             | 6.86                          | ---                      | ---                         |
| TBW-W   | 12/07/2004 | ---            | ---         | ---         | ---         | ---         | ---            | ---           | ---            | ---            | ---            | ---                   | ---           | ---               | ---             | 6.13                          | ---                      | ---                         |
| TBW-W   | 12/15/2004 | ---            | ---         | ---         | ---         | ---         | ---            | ---           | ---            | ---            | ---            | ---                   | ---           | ---               | ---             | 6.37                          | ---                      | ---                         |
| TBW-W   | 12/23/2004 | ---            | ---         | ---         | ---         | ---         | ---            | ---           | ---            | ---            | ---            | ---                   | ---           | ---               | ---             | 5.79                          | ---                      | ---                         |
| TBW-W   | 12/27/2004 | ---            | ---         | ---         | ---         | ---         | ---            | ---           | ---            | ---            | ---            | ---                   | ---           | ---               | ---             | 8.32                          | ---                      | ---                         |

**GROUNDWATER DATA  
SHELL-BRANDED SERVICE STATION  
1601 WEBSTER STREET, ALAMEDA, CALIFORNIA**

| <i>Well ID</i> | <i>Date</i> | <i>TPHg</i><br>( $\mu\text{g/L}$ ) | <i>B</i><br>( $\mu\text{g/L}$ ) | <i>T</i><br>( $\mu\text{g/L}$ ) | <i>E</i><br>( $\mu\text{g/L}$ ) | <i>X</i><br>( $\mu\text{g/L}$ ) | <i>MTBE</i><br>( $\mu\text{g/L}$ ) | <i>TBA</i><br>( $\mu\text{g/L}$ ) | <i>DIPE</i><br>( $\mu\text{g/L}$ ) | <i>ETBE</i><br>( $\mu\text{g/L}$ ) | <i>TAME</i><br>( $\mu\text{g/L}$ ) | <i>1,2-DCA</i><br>( $\mu\text{g/L}$ ) | <i>EDB</i><br>( $\mu\text{g/L}$ ) | <i>Ethanol</i><br>( $\mu\text{g/L}$ ) | <i>TOC</i><br>(ft MSL) | <i>Depth to Water</i><br>(ft TOC) | <i>SPH Thickness</i><br>(ft) | <i>GW Elevation</i><br>(ft MSL) |
|----------------|-------------|------------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|------------------------------------|-----------------------------------|------------------------------------|------------------------------------|------------------------------------|---------------------------------------|-----------------------------------|---------------------------------------|------------------------|-----------------------------------|------------------------------|---------------------------------|
|----------------|-------------|------------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|------------------------------------|-----------------------------------|------------------------------------|------------------------------------|------------------------------------|---------------------------------------|-----------------------------------|---------------------------------------|------------------------|-----------------------------------|------------------------------|---------------------------------|

Notes:

TPHg = Total petroleum hydrocarbons as gasoline analyzed by EPA Method 8260B unless otherwise noted.

BTEX = Benzene, toluene, ethylbenzene, and total xylenes analyzed by EPA Method 8260B

MTBE = Methyl tertiary-butyl ether analyzed by EPA Method 8260B

TBA = Tertiary-butyl alcohol analyzed by EPA Method 8260B

DIPE = Di-isopropyl ether analyzed by EPA Method 8260B

ETBE = Ethyl tertiary-butyl ether analyzed by EPA Method 8260B

TAME = Tertiary-amyl methyl ether analyzed by EPA Method 8260B

1,2-DCA = 1,2-Dichloroethane analyzed by EPA Method 8260B

EDB = Ethylene dibromide analyzed by EPA Method 8260B

Ethanol analyzed by EPA Method 8260B

TOC = Top of casing elevation, in feet relative to mean sea level

SPH = Separate-phase hydrocarbons

GW = Groundwater

$\mu\text{g/L}$  = Micrograms per liter

<x = Not detected at reporting limit x

--- = Not analyzed or available

a = Extracted out of holding time.

b = Result with a carbon range of C4-C12.

c = Result may be biased slightly high. See lab report case narrative.

d = Result with a carbon range of C6-C12.

e = Secondary ion abundances were outside method requirements. Identification based on analytical judgment.

f = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.

g = Laboratory Control Sample and/or Laboratory Control Sample Duplicate recovery was below the acceptance limits. A low bias to sample results is indicated.

h = Analyzed by EPA Method 8015B (M).

i = The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

j = Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.

Well TBW-N surveyed September 1, 2005 by Virgil Chavez Land Surveying

Wells S-2 through S-7 surveyed on November 30, 2005 by Virgil Chavez Land Surveying

Wells S-4B and S-7 through S-9 surveyed on August 17, 2006 by Virgil Chavez Land Surveying

APPENDIX A

BLAINE TECH SERVICES, INC. -  
FIELD NOTES

## WELL GAUGING DATA

Project # 120202-BPI Date 2-2-12 Client Shell

Site 1601 Webster St Alameda CA

| Well ID | Time | Well Size (in.) | Sheen / Odor | Depth to Immiscible Liquid (ft.) | Thickness of Immiscible Liquid (ft.) | Volume of Immiscibles Removed (ml) | Depth to water (ft.) | Depth to well bottom (ft.) | Survey Point: TOB or TOC | Notes |
|---------|------|-----------------|--------------|----------------------------------|--------------------------------------|------------------------------------|----------------------|----------------------------|--------------------------|-------|
| TBW-N   | 0855 | 4               | —            | —                                | —                                    | —                                  | 6.27                 | 10.59                      | ↓                        |       |
| S-2     | 0750 | 4               |              |                                  |                                      |                                    | 8.00                 | 11.70                      |                          |       |
| S-3     | 0756 | 4               |              |                                  |                                      |                                    | 7.53                 | 11.70                      |                          |       |
| S-4     | 0801 | 4               |              |                                  |                                      |                                    | 6.56                 | 11.37                      |                          |       |
| S-4B    | 0808 | 4               |              |                                  |                                      |                                    | 6.57                 | 19.91                      |                          |       |
| S-5     | 0816 | 4               |              |                                  |                                      |                                    | 6.87                 | 11.32                      |                          |       |
| S-6     | 0824 | 4               |              |                                  |                                      |                                    | 7.30                 | 11.46                      |                          |       |
| S-7     | 0830 | 4               |              |                                  |                                      |                                    | 7.39                 | 10.98                      |                          |       |
| S-8     | 0843 | 4               |              |                                  |                                      |                                    | 8.08                 | 11.79                      |                          |       |
| S-9     | 0836 | 4               |              |                                  |                                      |                                    | 7.48                 | 11.88                      |                          |       |
|         |      |                 |              |                                  |                                      |                                    | Ambient              | well head                  |                          |       |
|         |      |                 |              |                                  |                                      |                                    | PID READING @ TBW-N  | 0.0 ppm                    | 0.0 ppm                  |       |
|         |      |                 |              |                                  |                                      |                                    |                      |                            |                          |       |
|         |      |                 |              |                                  |                                      |                                    |                      |                            |                          |       |
|         |      |                 |              |                                  |                                      |                                    |                      |                            |                          |       |
|         |      |                 |              |                                  |                                      |                                    |                      |                            |                          |       |

## SHELL WELL MONITORING DATA SHEET

|  |                                      |
|--|--------------------------------------|
| BTS #: <u>120202-BP1</u>   | Site: <u>1001 Webster St Alameda</u> |
| Sampler: <u>BP</u>   | Date: <u>2-2-12</u>                  |
| Well I.D.: <u>TBW-N</u>  | Well Diameter: 2 3 <u>(4)</u> 6 8    |
| Total Well Depth (TD): <u>10.59</u>  | Depth to Water (DTW): <u>6.27</u>    |
| Depth to Free Product:   | Thickness of Free Product (feet):    |
| Referenced to: <u>PVC</u> Grade  | D.O. Meter (if req'd): YSI HACH      |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>7.13</u> |                                      |

|   |  |   |
|---|--|---|
| Purge Method: Bailer<br>Disposable Bailer<br>Positive Air Displacement<br><u>Electric Submersible</u> | Waterra<br>Peristaltic<br>Extraction Pump<br>Other _____ | Sampling Method: <u>Bailer</u> <u>BP</u><br><u>Disposable Bailer</u><br>Extraction Port<br>Dedicated Tubing<br>Other: _____ |
|---|--|---|

2.8 (Gals.) X 3 = 8.4 Gals.  
 I Case Volume      Specified Volumes      Calculated Volume

| Well Diameter | Multiplier | Well Diameter | Multiplier                  |
|---------------|------------|---------------|-----------------------------|
| 1"            | 0.04       | 4"            | 0.65                        |
| 2"            | 0.16       | 6"            | 1.47                        |
| 3"            | 0.37       | Other         | radius <sup>2</sup> * 0.163 |

| Time        | Temp (°F)   | pH          | Cond. (mS or <u>µS</u> ) | Turbidity (NTUs) | Gals. Removed | Observations |
|-------------|-------------|-------------|--------------------------|------------------|---------------|--------------|
| <u>1054</u> | <u>64.3</u> | <u>6.62</u> | <u>563</u>               | <u>163</u>       | <u>3.0</u>    |              |
| <u>1056</u> | <u>64.1</u> | <u>6.59</u> | <u>566</u>               | <u>98</u>        | <u>6.0</u>    |              |
| <u>1057</u> | <u>63.9</u> | <u>6.58</u> | <u>567</u>               | <u>65</u>        | <u>8.5</u>    |              |
|             |             |             |                          |                  |               |              |
|             |             |             |                          |                  |               |              |

Did well dewater? Yes No      Gallons actually evacuated: 8.5

Sampling Date: 2-2-12      Sampling Time: 1100      Depth to Water: 6.29

Sample I.D.: TBW-N      Laboratory: Test America Other \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: SEE COC

EB I.D. (if applicable): @ Time      Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

|                    |            |      |             |      |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd):   | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV   | Post-purge: | mV   |



## SHELL WELL MONITORING DATA SHEET

|  |   |
|--|---|
| BTS #: <u>120202-BP1</u>   | Site: <u>1601 Webster St Alameda</u>    |
| Sampler: <u>BP</u>   | Date: <u>2-2-12</u>                     |
| Well I.D.: <u>S-2</u>  | Well Diameter: 2 3 <u>(4)</u> 6 8 _____ |
| Total Well Depth (TD): <u>11.70</u>  | Depth to Water (DTW): <u>8.00</u>       |
| Depth to Free Product:   | Thickness of Free Product (feet):       |
| Referenced to: <u>PVC</u> Grade  | D.O. Meter (if req'd): YSI HACH         |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>8.74</u> |   |

Purge Method:  Bailer       Waterra      Sampling Method:  Bailer  
 Disposable Bailer       Peristaltic       Disposable Bailer  
 Positive Air Displacement       Extraction Pump       Extraction Port  
 Electric Submersible      Other \_\_\_\_\_       Dedicated Tubing

| $\underline{2.4} \text{ (Gals.)} \times \underline{3} = \underline{7.2} \text{ Gals.}$ <p>1 Case Volume      Specified Volumes      Calculated Volume</p> | <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table> | Well Diameter | Multiplier                  | Well Diameter | Multiplier | 1" | 0.04 | 4" | 0.65 | 2" | 0.16 | 6" | 1.47 | 3" | 0.37 | Other | radius <sup>2</sup> * 0.163 |
|---|--|---------------|-----------------------------|---------------|------------|----|------|----|------|----|------|----|------|----|------|-------|-----------------------------|
| Well Diameter   | Multiplier   | Well Diameter | Multiplier                  |               |            |    |      |    |      |    |      |    |      |    |      |       |                             |
| 1"  | 0.04   | 4"            | 0.65                        |               |            |    |      |    |      |    |      |    |      |    |      |       |                             |
| 2"  | 0.16   | 6"            | 1.47                        |               |            |    |      |    |      |    |      |    |      |    |      |       |                             |
| 3"  | 0.37   | Other         | radius <sup>2</sup> * 0.163 |               |            |    |      |    |      |    |      |    |      |    |      |       |                             |

| Time | Temp (°F)                   | pH   | Cond. (mS or $\mu$ S) | Turbidity (NTUs) | Gals. Removed | Observations |
|------|-----------------------------|------|-----------------------|------------------|---------------|--------------|
| 0910 | 62.1                        | 6.16 | 665.1                 | 39               | 2.4           |              |
|      | Well dewatered at 3 gallons |      |                       |                  |               |              |
| 1110 | 65.6                        | 6.7  | 690.2                 | 84               |               |              |

Did well dewater?  Yes      No      Gallons actually evacuated: 3 gallons

Sampling Date: 2-2-12      Sampling Time: 1110      Depth to Water: 8.10

Sample I.D.: S-2      Laboratory: Test America      Other \_\_\_\_\_

Analyzed for: TPH-G    BTEX    MTBE    TPH-D    Oxygenates (5)    Other: SEE COC

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time      Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G    BTEX    MTBE    TPH-D    Oxygenates (5)    Other: \_\_\_\_\_

|                    |            |      |             |      |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd):   | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV   | Post-purge: | mV   |

## SHELL WELL MONITORING DATA SHEET

|  |                                      |
|--|--------------------------------------|
| BTS #: <u>120202-BP1</u>   | Site: <u>1601 Webster St Alameda</u> |
| Sampler: <u>BP</u>   | Date: <u>2-2-12</u>                  |
| Well I.D.: <u>S-3</u>  | Well Diameter: 2 3 <u>4</u> 6 8 ____ |
| Total Well Depth (TD): <u>11.70</u>  | Depth to Water (DTW): <u>7.53</u>    |
| Depth to Free Product:   | Thickness of Free Product (feet):    |
| Referenced to: <u>PVC</u> Grade  | D.O. Meter (if req'd): YSI HACH      |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>8.36</u> |                                      |

Purge Method:  Bailer       Watera      Sampling Method:  Bailer  
 Disposable Bailer       Peristaltic       Disposable Bailer  
 Positive Air Displacement       Extraction Pump       Extraction Port  
 Electric Submersible       Other \_\_\_\_\_       Dedicated Tubing

| $\underline{2.7} \text{ (Gals.)} \times \underline{3} = \underline{8.1} \text{ Gals.}$ | <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </table> | Well Diameter     | Multiplier                  | Well Diameter | Multiplier | 1" | 0.04 | 4" | 0.65 | 2" | 0.16 | 6" | 1.47 | 3" | 0.37 | Other | radius <sup>2</sup> * 0.163 |
|--|--|-------------------|-----------------------------|---------------|------------|----|------|----|------|----|------|----|------|----|------|-------|-----------------------------|
| Well Diameter  | Multiplier   | Well Diameter     | Multiplier                  |               |            |    |      |    |      |    |      |    |      |    |      |       |                             |
| 1"   | 0.04   | 4"                | 0.65                        |               |            |    |      |    |      |    |      |    |      |    |      |       |                             |
| 2"   | 0.16   | 6"                | 1.47                        |               |            |    |      |    |      |    |      |    |      |    |      |       |                             |
| 3"   | 0.37   | Other             | radius <sup>2</sup> * 0.163 |               |            |    |      |    |      |    |      |    |      |    |      |       |                             |
| I Case Volume  | Specified Volumes  | Calculated Volume |                             |               |            |    |      |    |      |    |      |    |      |    |      |       |                             |

| Time | Temp (°F) | pH   | Cond. (mS or <u>µS</u> ) | Turbidity (NTUs) | Gals. Removed | Observations              |
|------|-----------|------|--------------------------|------------------|---------------|---------------------------|
| 0920 | 64.8      | 6.53 | 598                      | 49               | 3.0           |                           |
|      |           |      |                          |                  |               | Well Dewatered @ 4.0 Gals |
|      |           |      |                          |                  |               |                           |
|      |           |      |                          |                  |               |                           |
| 1125 | 69.3      | 7.06 | 589.9                    | 57               |               |                           |

Did well dewater?  Yes    No      Gallons actually evacuated: 4.0

Sampling Date: 2-2-12    Sampling Time: 1125    Depth to Water: 7.53

Sample I.D.: S-3      Laboratory:  Test America    Other \_\_\_\_\_

Analyzed for: TPH-G    BTEX    MTBE    TPH-D    Oxygenates (5)    Other: SEE COC

EB I.D. (if applicable): @ \_\_\_\_\_      Duplicate I.D. (if applicable):

Analyzed for: TPH-G    BTEX    MTBE    TPH-D    Oxygenates (5)    Other:

|                    |            |      |             |      |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd):   | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV   | Post-purge: | mV   |

**SHELL WELL MONITORING DATA SHEET**

|   |                                      |
|---|--------------------------------------|
| BTS #: <u>120202-BP1</u>  | Site: <u>1601 Webster St Alameda</u> |
| Sampler: <u>BP</u>  | Date: <u>2-2-12</u>                  |
| Well I.D.: <u>5-4</u>   | Well Diameter: 2 3 <u>4</u> 6 8      |
| Total Well Depth (TD): <u>11.37</u>                                       | Depth to Water (DTW): <u>6.56</u>    |
| Depth to Free Product:  | Thickness of Free Product (feet):    |
| Referenced to: <u>PVC</u> Grade   | D.O. Meter (if req'd): YSI HACH      |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>9.4</u> |                                      |

Purge Method: Bailer      Waterra      Sampling Method: Bailer  
 Disposable Bailer      Peristaltic      Disposable Bailer  
 Positive Air Displacement      Extraction Pump      Extraction Port  
Electric Submersible      Other \_\_\_\_\_      Dedicated Tubing

| $\underline{3.1} \text{ (Gals.)} \times \underline{3} = \underline{9.3} \text{ Gals.}$ 1 Case Volume      Specified Volumes      Calculated Volume | <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table> | Well Diameter | Multiplier                  | Well Diameter | Multiplier | 1" | 0.04 | 4" | 0.65 | 2" | 0.16 | 6" | 1.47 | 3" | 0.37 | Other | radius <sup>2</sup> * 0.163 |
|--|---|---------------|-----------------------------|---------------|------------|----|------|----|------|----|------|----|------|----|------|-------|-----------------------------|
| Well Diameter  | Multiplier  | Well Diameter | Multiplier                  |               |            |    |      |    |      |    |      |    |      |    |      |       |                             |
| 1"   | 0.04  | 4"            | 0.65                        |               |            |    |      |    |      |    |      |    |      |    |      |       |                             |
| 2"   | 0.16  | 6"            | 1.47                        |               |            |    |      |    |      |    |      |    |      |    |      |       |                             |
| 3"   | 0.37  | Other         | radius <sup>2</sup> * 0.163 |               |            |    |      |    |      |    |      |    |      |    |      |       |                             |

| Time        | Temp (°F)   | pH          | Cond. (mS or <u>µS</u> ) | Turbidity (NTUs) | Gals. Removed | Observations                       |
|-------------|-------------|-------------|--------------------------|------------------|---------------|------------------------------------|
| <u>0930</u> | <u>64.3</u> | <u>6.73</u> | <u>293.7</u>             | <u>13</u>        | <u>3.1</u>    |                                    |
|             |             |             |                          |                  |               | <u>Well Dewatered at 5 gallons</u> |
| <u>1140</u> | <u>66.9</u> | <u>7.42</u> | <u>287.3</u>             | <u>34</u>        |               |                                    |

Did well dewater? Yes No      Gallons actually evacuated: 5 gallons

Sampling Date: 2-2-12      Sampling Time: 1140      Depth to Water: 6.56

Sample I.D.: 5-4      Laboratory: Test America Other \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: SEE COC

EB I.D. (if applicable): @ Time      Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

|                    |            |      |             |      |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd):   | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV   | Post-purge: | mV   |

## SHELL WELL MONITORING DATA SHEET

|  |                                      |
|--|--------------------------------------|
| BTS #: <u>120202-BP1</u>   | Site: <u>1601 Webster St Alameda</u> |
| Sampler: <u>BP</u>   | Date: <u>2-2-12</u>                  |
| Well I.D.: <u>S-4B</u>   | Well Diameter: 2 3 <u>(4)</u> 6 8    |
| Total Well Depth (TD): <u>19.91</u>  | Depth to Water (DTW): <u>6.57</u>    |
| Depth to Free Product:   | Thickness of Free Product (feet):    |
| Referenced to: <u>PVC</u> Grade  | D.O. Meter (if req'd): YSI HACH      |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>9.23</u> |                                      |

|  |  |  |
|--|--|--|
| Purge Method: Bailer<br>Disposable Bailer<br>Positive Air Displacement<br><u>Electric Submersible</u><br>Other _____ | Waterra<br>Peristaltic<br>Extraction Pump<br>Other _____ | Sampling Method: <u>Bailer</u><br>Disposable Bailer<br>Extraction Port<br>Dedicated Tubing<br>Other: _____ |
|--|--|--|

|                      |                   |                     |
|----------------------|-------------------|---------------------|
| <u>8.7</u> (Gals.) X | <u>3</u>          | = <u>26.1</u> Gals. |
| 1 Case Volume        | Specified Volumes | Calculated Volume   |

| Well Diameter | Multiplier | Well Diameter | Multiplier                  |
|---------------|------------|---------------|-----------------------------|
| 1"            | 0.04       | 4"            | 0.65                        |
| 2"            | 0.16       | 6"            | 1.47                        |
| 3"            | 0.37       | Other         | radius <sup>2</sup> * 0.163 |

| Time        | Temp (°F)   | pH          | Cond. (mS or <u>µS</u> ) | Turbidity (NTUs)             | Gals. Removed | Observations |
|-------------|-------------|-------------|--------------------------|------------------------------|---------------|--------------|
| <u>0940</u> | <u>65.4</u> | <u>6.51</u> | <u>442</u>               | <u>24</u>                    | <u>9.0</u>    |              |
|             |             |             |                          | <u>Well Dewatered @ 14.0</u> | <u>Gals</u>   |              |
|             |             |             |                          |                              |               |              |
|             |             |             |                          |                              |               |              |
| <u>1155</u> | <u>68.0</u> | <u>6.66</u> | <u>573.3</u>             | <u>59</u>                    |               |              |

Did well dewater? Yes No      Gallons actually evacuated: 14.0

Sampling Date: 2-2-12      Sampling Time: 1155      Depth to Water: 7.13

Sample I.D.: S-4B      Laboratory: Test America Other \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: SEE COC

EB I.D. (if applicable): @ \_\_\_\_\_ Time Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: \_\_\_\_\_

|                    |            |      |             |      |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd):   | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV   | Post-purge: | mV   |

## SHELL WELL MONITORING DATA SHEET

|   |                                   |
|---|-----------------------------------|
| BTS #: 120202-BP1   | Site: 1601 Webster St Alameda     |
| Sampler: BP   | Date: 2-2-12                      |
| Well I.D.: S-5  | Well Diameter: 2 3 <u>4</u> 6 8   |
| Total Well Depth (TD): 11.32  | Depth to Water (DTW): 6.87        |
| Depth to Free Product:  | Thickness of Free Product (feet): |
| Referenced to: <u>PVC</u> Grade                                     | D.O. Meter (if req'd): YSI HACH   |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 7.76 |                                   |

Purge Method: Bailer      Waterra      Sampling Method: Bailer  
 Disposable Bailer      Peristaltic      Disposable Bailer  
 Positive Air Displacement      Extraction Pump      Extraction Port  
Electric Submersible      Other \_\_\_\_\_      Dedicated Tubing  
 Other: \_\_\_\_\_

| $2.9 \text{ (Gals.)} \times 3 = 8.7 \text{ Gals.}$ <p style="font-size: small; margin: 0;">1 Case Volume      Specified Volumes      Calculated Volume</p> | <table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table> | Well Diameter | Multiplier                  | Well Diameter | Multiplier | 1" | 0.04 | 4" | 0.65 | 2" | 0.16 | 6" | 1.47 | 3" | 0.37 | Other | radius <sup>2</sup> * 0.163 |
|--|--|---------------|-----------------------------|---------------|------------|----|------|----|------|----|------|----|------|----|------|-------|-----------------------------|
| Well Diameter  | Multiplier   | Well Diameter | Multiplier                  |               |            |    |      |    |      |    |      |    |      |    |      |       |                             |
| 1"   | 0.04   | 4"            | 0.65                        |               |            |    |      |    |      |    |      |    |      |    |      |       |                             |
| 2"   | 0.16   | 6"            | 1.47                        |               |            |    |      |    |      |    |      |    |      |    |      |       |                             |
| 3"   | 0.37   | Other         | radius <sup>2</sup> * 0.163 |               |            |    |      |    |      |    |      |    |      |    |      |       |                             |

| Time                        | Temp (°F) | pH   | Cond. (mS or <del>µS</del> ) | Turbidity (NTUs) | Gals. Removed | Observations |
|-----------------------------|-----------|------|------------------------------|------------------|---------------|--------------|
| 0955                        | 63.4      | 6.76 | 426.2                        | 14               | 2.9           |              |
| Well dewatered at 5 gallons |           |      |                              |                  |               |              |
| 1210                        | 64.1      | 7.03 | 429.3                        | 22               |               |              |

Did well dewater?  Yes      No      Gallons actually evacuated: 5 gallons

Sampling Date: 2-2-12      Sampling Time: 1210      Depth to Water: 6.96

Sample I.D.: S-5      Laboratory: Test America      Other \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5)      Other: SEE COC

EB I.D. (if applicable): @ \_\_\_\_\_      Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5)      Other:

|                    |            |      |             |      |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd):   | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV   | Post-purge: | mV   |

## SHELL WELL MONITORING DATA SHEET

|   |                                   |
|---|-----------------------------------|
| BTS #: 120202-BP1   | Site: 1601 Webster St Alameda     |
| Sampler: BP   | Date: 2-2-12                      |
| Well I.D.: 5-6  | Well Diameter: 2 3 4 6 8          |
| Total Well Depth (TD): 11.46  | Depth to Water (DTW): 7.30        |
| Depth to Free Product:  | Thickness of Free Product (feet): |
| Referenced to: PVC Grade  | D.O. Meter (if req'd): YSI HACH   |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 8.13 |                                   |

Purge Method: Bailer      Waterra      Sampling Method: Bailer  
 Disposable Bailer      Peristaltic      Disposable Bailer  
 Positive Air Displacement      Extraction Pump      Extraction Port  
Electric Submersible      Other \_\_\_\_\_      Dedicated Tubing  
 Other: \_\_\_\_\_

| $2.7 \text{ (Gals.)} \times 3 = 8.1 \text{ Gals.}$<br>I Case Volume      Specified Volumes      Calculated Volume | <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table> | Well Diameter | Multiplier                  | Well Diameter | Multiplier | 1" | 0.04 | 4" | 0.65 | 2" | 0.16 | 6" | 1.47 | 3" | 0.37 | Other | radius <sup>2</sup> * 0.163 |
|---|--|---------------|-----------------------------|---------------|------------|----|------|----|------|----|------|----|------|----|------|-------|-----------------------------|
| Well Diameter   | Multiplier   | Well Diameter | Multiplier                  |               |            |    |      |    |      |    |      |    |      |    |      |       |                             |
| 1"  | 0.04   | 4"            | 0.65                        |               |            |    |      |    |      |    |      |    |      |    |      |       |                             |
| 2"  | 0.16   | 6"            | 1.47                        |               |            |    |      |    |      |    |      |    |      |    |      |       |                             |
| 3"  | 0.37   | Other         | radius <sup>2</sup> * 0.163 |               |            |    |      |    |      |    |      |    |      |    |      |       |                             |

| Time  | Temp (°F) | pH   | Cond. (mS or $\mu$ S) | Turbidity (NTUs) | Gals. Removed | Observations              |
|-------|-----------|------|-----------------------|------------------|---------------|---------------------------|
| 10 05 | 63.7      | 6.78 | 1010                  | 83               | 3.0           |                           |
|       |           |      |                       |                  |               | Well dewatered @ 3.5 Gals |
| 12 20 | 64.6      | 6.94 | 1102                  | 54               |               |                           |

Did well dewater?  Yes    No      Gallons actually evacuated: 3.5

Sampling Date: 2-2-12    Sampling Time: 1220    Depth to Water: 7.42

Sample I.D.: S-6      Laboratory: Test America    Other \_\_\_\_\_

Analyzed for: TPH-G    BTEX    MTBE    TPH-D    Oxygenates (5)    Other: SEE COC

EB I.D. (if applicable): @ Time      Duplicate I.D. (if applicable):

Analyzed for: TPH-G    BTEX    MTBE    TPH-D    Oxygenates (5)    Other: \_\_\_\_\_

|  |                        |
|--|------------------------|
| D.O. (if req'd): Pre-purge: _____ mg/L | Post-purge: _____ mg/L |
| O.R.P. (if req'd): Pre-purge: _____ mV | Post-purge: _____ mV   |

# SHELL WELL MONITORING DATA SHEET

|  |   |
|--|---|
| BTS #: <u>120202-BP1</u>   | Site: <u>1601 Webster St Alameda</u>    |
| Sampler: <u>BP</u>   | Date: <u>2-2-12</u>                     |
| Well I.D.: <u>5-7</u>  | Well Diameter: 2 3 <u>(4)</u> 6 8 _____ |
| Total Well Depth (TD): <u>10.98</u>  | Depth to Water (DTW): <u>7.39</u>       |
| Depth to Free Product:   | Thickness of Free Product (feet):       |
| Referenced to: <u>(PVC)</u> Grade  | D.O. Meter (if req'd): YSI HACH         |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>8.10</u> |   |

Purge Method:  Bailer  Disposable Bailer  Positive Air Displacement  Electric Submersible  Other \_\_\_\_\_

Water:  Waterra  Peristaltic  Extraction Pump  Other \_\_\_\_\_

Sampling Method:  Bailer  Disposable Bailer  Extraction Port  Dedicated Tubing  Other: \_\_\_\_\_

| $\underline{2.5} \text{ (Gals.)} \times \underline{3} = \underline{7.5} \text{ Gals.}$ | <table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table> | Well Diameter     | Multiplier                  | Well Diameter | Multiplier | 1" | 0.04 | 4" | 0.65 | 2" | 0.16 | 6" | 1.47 | 3" | 0.37 | Other | radius <sup>2</sup> * 0.163 |
|--|--|-------------------|-----------------------------|---------------|------------|----|------|----|------|----|------|----|------|----|------|-------|-----------------------------|
| Well Diameter  | Multiplier   | Well Diameter     | Multiplier                  |               |            |    |      |    |      |    |      |    |      |    |      |       |                             |
| 1"   | 0.04   | 4"                | 0.65                        |               |            |    |      |    |      |    |      |    |      |    |      |       |                             |
| 2"   | 0.16   | 6"                | 1.47                        |               |            |    |      |    |      |    |      |    |      |    |      |       |                             |
| 3"   | 0.37   | Other             | radius <sup>2</sup> * 0.163 |               |            |    |      |    |      |    |      |    |      |    |      |       |                             |
| 1 Case Volume  | Specified Volumes  | Calculated Volume |                             |               |            |    |      |    |      |    |      |    |      |    |      |       |                             |

| Time        | Temp (°F)   | pH          | Cond. (mS or <u>µS</u> ) | Turbidity (NTUs) | Gals. Removed | Observations                      |
|-------------|-------------|-------------|--------------------------|------------------|---------------|-----------------------------------|
| <u>1015</u> | <u>65</u>   | <u>6.58</u> | <u>878.1</u>             | <u>24</u>        | <u>2.5</u>    |                                   |
|             |             |             |                          |                  |               | <u>Well Dewatered @ 3 gallons</u> |
|             |             |             |                          |                  |               |                                   |
| <u>1235</u> | <u>67.2</u> | <u>6.58</u> | <u>1359</u>              | <u>28</u>        |               |                                   |

Did well dewater?  Yes  No Gallons actually evacuated: 3

Sampling Date: 2-2-12 Sampling Time: 1235 Depth to Water: 7.55

Sample I.D.: 5-7 Laboratory: (Test America) Other \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: SEE COC

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: \_\_\_\_\_

|                               |      |             |      |
|-------------------------------|------|-------------|------|
| D.O. (if req'd): Pre-purge:   | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): Pre-purge: | mV   | Post-purge: | mV   |

## SHELL WELL MONITORING DATA SHEET

|  |                                      |
|--|--------------------------------------|
| BTS #: <u>120202-BP1</u>   | Site: <u>1601 Webster St Alameda</u> |
| Sampler: <u>BP</u>   | Date: <u>2-2-12</u>                  |
| Well I.D.: <u>5-8</u>  | Well Diameter: 2 3 <u>(4)</u> 6 8    |
| Total Well Depth (TD): <u>16.79</u>  | Depth to Water (DTW): <u>8.08</u>    |
| Depth to Free Product:   | Thickness of Free Product (feet):    |
| Referenced to: <u>PVC</u> Grade  | D.O. Meter (if req'd): YSI HACH      |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>8.82</u> |                                      |

|   |  |  |
|---|--|--|
| Purge Method: Bailer<br>Disposable Bailer<br>Positive Air Displacement<br><u>Electric Submersible</u> | Waterra<br>Peristaltic<br>Extraction Pump<br>Other _____ | Sampling Method: <u>Bailer</u><br>Disposable Bailer<br>Extraction Port<br>Dedicated Tubing<br>Other: _____ |
|---|--|--|

|                      |                   |                    |
|----------------------|-------------------|--------------------|
| <u>2.4</u> (Gals.) X | <u>3</u>          | = <u>7.2</u> Gals. |
| 1 Case Volume        | Specified Volumes | Calculated Volume  |

| Well Diameter | Multiplier | Well Diameter | Multiplier                  |
|---------------|------------|---------------|-----------------------------|
| 1"            | 0.04       | 4"            | 0.65                        |
| 2"            | 0.16       | 6"            | 1.47                        |
| 3"            | 0.37       | Other         | radius <sup>2</sup> * 0.163 |

| Time                    | Temp (°F)   | pH          | Cond. (mS or <del>µS</del> ) | Turbidity (NTUs) | Gals. Removed | Observations |
|-------------------------|-------------|-------------|------------------------------|------------------|---------------|--------------|
| <u>1040</u>             | <u>66.6</u> | <u>6.88</u> | <u>439.1</u>                 | <u>49</u>        | <u>2.5</u>    |              |
| <u>Well dewatered @</u> |             |             |                              | <u>3 gallons</u> |               |              |
| <u>1305</u>             | <u>67.0</u> | <u>6.63</u> | <u>897.1</u>                 | <u>48</u>        |               |              |

Did well dewater? Yes No      Gallons actually evacuated: 3

Sampling Date: 2-2-12      Sampling Time: 1305      Depth to Water: 8.10

Sample I.D.: 5-8      Laboratory: Test America      Other \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5)      Other: SEE COC

EB I.D. (if applicable): @ \_\_\_\_\_ Time      Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5)      Other:

|                    |            |      |             |      |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd):   | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV   | Post-purge: | mV   |



## SHELL WELL MONITORING DATA SHEET

|  |   |
|--|---|
| BTS #: <u>120202-BP1</u>   | Site: <u>1601 Webster St Alameda</u>          |
| Sampler: <u>BP</u>   | Date: <u>2-2-12</u>                           |
| Well I.D.: <u>5-9</u>  | Well Diameter: 2 3 <u>(4)</u> 6 8 <u>    </u> |
| Total Well Depth (TD): <u>11.98</u>                                      | Depth to Water (DTW): <u>7.48</u>             |
| Depth to Free Product:   | Thickness of Free Product (feet):             |
| Referenced to: <u>PVC</u> Grade <u>    </u>                              | D.O. Meter (if req'd): YSI HACH               |
| DTW with 80% Recharge [(Height of Water Column x 20) + DTW]: <u>8.36</u> |   |

Purge Method: Bailer  Disposable Bailer  Positive Air Displacement  Electric Submersible  Waterra  Peristaltic  Extraction Pump  Other  Sampling Method: Bailer  Disposable Bailer  Extraction Port  Dedicated Tubing  Other:

|                      |                   |                    |
|----------------------|-------------------|--------------------|
| <u>2.9</u> (Gals.) X | <u>3</u>          | = <u>8.7</u> Gals. |
| 1 Case Volume        | Specified Volumes | Calculated Volume  |

| Well Diameter | Multiplier | Well Diameter | Multiplier                  |
|---------------|------------|---------------|-----------------------------|
| 1"            | 0.04       | 4"            | 0.65                        |
| 2"            | 0.16       | 6"            | 1.47                        |
| 3"            | 0.37       | Other         | radius <sup>2</sup> * 0.163 |

| Time        | Temp (°F)               | pH          | Cond. (mS or <u>µS</u> ) | Turbidity (NTUs) | Gals. Removed | Observations |
|-------------|-------------------------|-------------|--------------------------|------------------|---------------|--------------|
| <u>1020</u> | <u>65.9</u>             | <u>6.52</u> | <u>1418</u>              | <u>74</u>        | <u>3.0</u>    | <u>ODOR</u>  |
|             | <u>Well dewatered @</u> |             |                          | <u>3.5 Gals</u>  |               |              |
| <u>1250</u> | <u>66.4</u>             | <u>6.88</u> | <u>1235</u>              | <u>47</u>        |               |              |

Did well dewater? Yes  No  Gallons actually evacuated: 3.5

Sampling Date: 2-2-12 Sampling Time: 1250 Depth to Water: 7.50

Sample I.D.: 5-9 Laboratory: Test America  Other

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: SEE COC

EB I.D. (if applicable): @  Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

|                    |            |      |             |      |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd):   | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV   | Post-purge: | mV   |

INCIDENT #

975 64701

ADDRESS

1601 Webster St

DATE:

2-2-12

CITY & STATE

Alameda CA

| Well ID   | Observations Upon Arrival                           |                        |  |   |                                       |  |  |   |   |   |  |                                   |                             | Note Repairs Made<br>Detailed Explanation of Maintenance Recommended<br>and Performed | Photos of<br>Well<br>Condition                        | Repair Date<br>and PM<br>Initials |   |   |
|---|---|------------------------|--|---|---------------------------------------|--|--|---|---|---|--|-----------------------------------|-----------------------------|---|---|-----------------------------------|---|---|
|   | Manway Cover, Type, Condition & Size                |                        |  |   | Well Labeled/<br>Painted<br>Properly* |  | Well Cap<br>(Gripper)<br>Condition           |   | Well/Lock Condition                           |   |  | Well/Pad/<br>Surface<br>Condition |                             |   |   |                                   |   |   |
| TBW-N   | Standpipe   | Flush                  | G  | P | 36                                    | Y  | N  | G | R   | G | R  | NL                                | G                           | P   | NO TAG, VAULT MISSING<br>HANDLE                       | Y                                 | N |   |
| S-2   | Standpipe   | Flush                  | G  | P | 12                                    | Y  | N  | G | R   | G | R  | NL                                | G                           | P   |   | Y                                 | N |   |
| S-3   | Standpipe   | Flush                  | G  | P | 12                                    | Y  | N  | G | R   | G | R  | NL                                | G                           | P   |   | Y                                 | N |   |
| S-4   | Standpipe   | Flush                  | G  | P | 12                                    | Y  | N  | G | R   | G | R  | NL                                | G                           | P   |   | Y                                 | N |   |
| S-4B  | Standpipe   | Flush                  | G  | P | 12                                    | Y  | N  | G | R   | G | R  | NL                                | G                           | P   |   | Y                                 | N |   |
| S-5   | Standpipe   | Flush                  | G  | P | 12                                    | Y  | N  | G | R   | G | R  | NL                                | G                           | P   |   | Y                                 | N |   |
| S-6   | Standpipe   | Flush                  | G  | P | 12                                    | Y  | N  | G | R   | G | R  | NL                                | G                           | P   |   | Y                                 | N |   |
| S-7   | Standpipe   | Flush                  | G  | P | 12                                    | Y  | N  | G | R   | G | R  | NL                                | G                           | P   |   | Y                                 | N |   |
| S-8   | Standpipe   | Flush                  | G  | P | 12                                    | Y  | N  | G | R   | G | R  | NL                                | G                           | P   |   | NO TAG                            | Y | N |
| S-9   | Standpipe   | Flush                  | G  | P | 12                                    | Y  | N  | G | R   | G | R  | NL                                | G                           | P   |   | Y                                 | N |   |
|   | Standpipe   | Flush                  | G  | P |                                       | Y  | N  | G | R   | G | R  | NL                                | G                           | P   | Y   | N                                 |   |   |
| TOTAL # CAPS REPLACED =   |   |                        |  |   |                                       |  |  | 0 |   | 0 |  |                                   | = TOTAL # OF LOCKS REPLACED |   |   |                                   |   |   |
| Condition of Soil Boring Patches or<br>Abandoned Monitoring Wells |   |                        | G  | P | N/A                                   | IF PQOR, Boring Well IDs or Location Description |  |   |   |   |  | Y                                 | N                           |   |   |                                   |   |   |
| Remediation Compound Type<br>(Check boxes that apply)             |   | Condition of Enclosure |  |   | Condition of Area Inside<br>Enclosure |  | Compound Security                            |   | Emergency Contact Info<br>Visible             |   | Cleaning / Repairs Recommended and Conducted |                                   |                             | Photos of<br>Condition  | Repair Date<br>and PM<br>Initials                     |                                   |   |   |
| NA  |   | G                      |  |   | G                                     |  | G  |   | Y   |   |  |                                   |                             | Y   | N   |                                   |   |   |
| Building  |   | G                      |  |   | G                                     |  | G  |   | Y   |   |  |                                   |                             | Y   | N   |                                   |   |   |
| Building w/ Fence Comp.   |   | G                      |  |   | G                                     |  | G  |   | Y   |   |  |                                   |                             | Y   | N   |                                   |   |   |
| Fenced Compound   |   | G                      |  |   | G                                     |  | G  |   | Y   |   |  |                                   |                             | Y   | N   |                                   |   |   |
| Trailer   |   | G                      |  |   | G                                     |  | G  |   | Y   |   |  |                                   |                             | Y   | N   |                                   |   |   |
| Number of<br>Drums On-site  | Does the Label Reveal the<br>Source of the Contents |                        | Labeled Correctly and<br>Writing Legible |   | Drum Condition                        |  | Confirm Drums<br>Related to<br>Environmental |   | Drums Located to Min<br>Business Interference |   | Detailed Explanation of Any Issues Resolved  |                                   |                             | Photos of<br>Drum<br>Condition  | Data Drums<br>Removed from<br>Site<br>and PM Initials |                                   |   |   |
| 0   | Y   | N                      | N/A                                      |   | Y                                     | N  | N/A  |   | Y   | N |  |                                   |                             | Y   | N   |                                   |   |   |

G = Good (Acceptable) R = Replaced  
P = Poor (needs attention) NL = No Lock Required

Note: All repairs other than locks and grippers require Shell PM approval prior to repair.

\* = Groundwater monitoring well covers must be painted and labeled in accordance with applicable regulations.

Version 2.4, March 2008

All environmental wells and the remediation compound were in good condition, locked, and secured upon my departure (unless otherwise noted above).

Ben Panell Blaine Tech Services  
Print or type Name of Field Personnel & Consultant Company

APPENDIX B

TEST AMERICA -  
LABORATORY REPORT

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING


## ANALYTICAL REPORT

TestAmerica Laboratories, Inc.  
TestAmerica Irvine  
17461 Derian Ave  
Suite 100  
Irvine, CA 92614-5817  
Tel: (949)261-1022

TestAmerica Job ID: 440-1535-1  
Client Project/Site: 1601 Webster St., Alameda, CA

For:  
Conestoga-Rovers & Associates, Inc.  
5900 Hollis Street  
Suite A  
Emeryville, California 94608

Attn: Peter Schaefer



Authorized for release by:  
2/22/2012 5:44:17 PM

Philip Sanelle  
Project Manager I  
philip.sanelle@testamericainc.com

### LINKS

Review your project  
results through

**TotalAccess**

Have a Question?

**Ask  
The  
Expert**

Visit us at:

[www.testamericainc.com](http://www.testamericainc.com)

*The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.*

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*

# Table of Contents

|                                 |    |
|---------------------------------|----|
| Cover Page . . . . .            | 1  |
| Table of Contents . . . . .     | 2  |
| Sample Summary . . . . .        | 3  |
| Client Sample Results . . . . . | 4  |
| Chronicle . . . . .             | 11 |
| QC Sample Results . . . . .     | 13 |
| QC Association . . . . .        | 17 |
| Definitions . . . . .           | 18 |
| Certification Summary . . . . . | 19 |
| Chain of Custody . . . . .      | 20 |
| Receipt Checklists . . . . .    | 21 |

# Sample Summary

Client: Conestoga-Rovers & Associates, Inc.  
Project/Site: 1601 Webster St., Alameda, CA

TestAmerica Job ID: 440-1535-1

| Lab Sample ID | Client Sample ID | Matrix | Collected      | Received       |
|---------------|------------------|--------|----------------|----------------|
| 440-1535-1    | TBW-N            | Water  | 02/02/12 11:00 | 02/04/12 10:20 |
| 440-1535-2    | S-2              | Water  | 02/02/12 11:10 | 02/04/12 10:20 |
| 440-1535-3    | S-3              | Water  | 02/02/12 11:25 | 02/04/12 10:20 |
| 440-1535-4    | S-4              | Water  | 02/02/12 11:40 | 02/04/12 10:20 |
| 440-1535-5    | S-4B             | Water  | 02/02/12 11:55 | 02/04/12 10:20 |
| 440-1535-6    | S-5              | Water  | 02/02/12 12:10 | 02/04/12 10:20 |
| 440-1535-7    | S-6              | Water  | 02/02/12 12:20 | 02/04/12 10:20 |
| 440-1535-8    | S-7              | Water  | 02/02/12 12:35 | 02/04/12 10:20 |
| 440-1535-9    | S-8              | Water  | 02/02/12 13:05 | 02/04/12 10:20 |
| 440-1535-10   | S-9              | Water  | 02/02/12 12:50 | 02/04/12 10:20 |

## Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.  
 Project/Site: 1601 Webster St., Alameda, CA

TestAmerica Job ID: 440-1535-1

**Client Sample ID: TBW-N**

**Lab Sample ID: 440-1535-1**

Date Collected: 02/02/12 11:00

Matrix: Water

Date Received: 02/04/12 10:20

**Method: 8260B/CA\_LUFTMS - Volatile Organic Compounds by GC/MS**

| Analyte                             | Result           | Qualifier        | RL            | MDL | Unit | D | Prepared        | Analyzed        | Dil Fac        |
|-------------------------------------|------------------|------------------|---------------|-----|------|---|-----------------|-----------------|----------------|
| Volatile Fuel Hydrocarbons (C4-C12) | 11000            |                  | 1000          |     | ug/L |   |                 | 02/14/12 14:27  | 20             |
| <b>Surrogate</b>                    | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |      |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| Dibromofluoromethane (Surr)         | 90               |                  | 80 - 120      |     |      |   |                 | 02/05/12 17:20  | 1              |
| Dibromofluoromethane (Surr)         | 99               |                  | 80 - 120      |     |      |   |                 | 02/14/12 14:27  | 20             |
| 4-Bromofluorobenzene (Surr)         | 103              |                  | 80 - 120      |     |      |   |                 | 02/05/12 17:20  | 1              |
| 4-Bromofluorobenzene (Surr)         | 114              |                  | 80 - 120      |     |      |   |                 | 02/14/12 14:27  | 20             |
| Toluene-d8 (Surr)                   | 103              |                  | 80 - 120      |     |      |   |                 | 02/05/12 17:20  | 1              |
| Toluene-d8 (Surr)                   | 101              |                  | 80 - 120      |     |      |   |                 | 02/14/12 14:27  | 20             |

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

| Analyte                       | Result           | Qualifier        | RL            | MDL | Unit | D | Prepared        | Analyzed        | Dil Fac        |
|-------------------------------|------------------|------------------|---------------|-----|------|---|-----------------|-----------------|----------------|
| Benzene                       | 4.8              |                  | 0.50          |     | ug/L |   |                 | 02/05/12 17:20  | 1              |
| Isopropyl Ether (DIPE)        | ND               |                  | 0.50          |     | ug/L |   |                 | 02/05/12 17:20  | 1              |
| Ethanol                       | ND               |                  | 150           |     | ug/L |   |                 | 02/05/12 17:20  | 1              |
| Ethyl-t-butyl ether (ETBE)    | ND               |                  | 0.50          |     | ug/L |   |                 | 02/05/12 17:20  | 1              |
| Ethylbenzene                  | 150              |                  | 0.50          |     | ug/L |   |                 | 02/05/12 17:20  | 1              |
| Methyl-t-Butyl Ether (MTBE)   | ND               |                  | 0.50          |     | ug/L |   |                 | 02/05/12 17:20  | 1              |
| Tert-amyl-methyl ether (TAME) | ND               |                  | 0.50          |     | ug/L |   |                 | 02/05/12 17:20  | 1              |
| tert-Butyl alcohol (TBA)      | ND               |                  | 10            |     | ug/L |   |                 | 02/05/12 17:20  | 1              |
| Toluene                       | 15               |                  | 0.50          |     | ug/L |   |                 | 02/05/12 17:20  | 1              |
| Xylenes, Total                | 200              |                  | 1.0           |     | ug/L |   |                 | 02/05/12 17:20  | 1              |
| 1,2-Dichloroethane            | ND               |                  | 0.50          |     | ug/L |   |                 | 02/05/12 17:20  | 1              |
| 1,2-Dibromoethane (EDB)       | ND               |                  | 0.50          |     | ug/L |   |                 | 02/05/12 17:20  | 1              |
| <b>Surrogate</b>              | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |      |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| 4-Bromofluorobenzene (Surr)   | 103              |                  | 80 - 120      |     |      |   |                 | 02/05/12 17:20  | 1              |
| Dibromofluoromethane (Surr)   | 90               |                  | 80 - 120      |     |      |   |                 | 02/05/12 17:20  | 1              |
| Toluene-d8 (Surr)             | 103              |                  | 80 - 120      |     |      |   |                 | 02/05/12 17:20  | 1              |

**Client Sample ID: S-2**

**Lab Sample ID: 440-1535-2**

Date Collected: 02/02/12 11:10

Matrix: Water

Date Received: 02/04/12 10:20

**Method: 8260B/CA\_LUFTMS - Volatile Organic Compounds by GC/MS**

| Analyte                             | Result           | Qualifier        | RL            | MDL | Unit | D | Prepared        | Analyzed        | Dil Fac        |
|-------------------------------------|------------------|------------------|---------------|-----|------|---|-----------------|-----------------|----------------|
| Volatile Fuel Hydrocarbons (C4-C12) | ND               |                  | 50            |     | ug/L |   |                 | 02/05/12 17:49  | 1              |
| <b>Surrogate</b>                    | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |      |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| Dibromofluoromethane (Surr)         | 90               |                  | 80 - 120      |     |      |   |                 | 02/05/12 17:49  | 1              |
| 4-Bromofluorobenzene (Surr)         | 99               |                  | 80 - 120      |     |      |   |                 | 02/05/12 17:49  | 1              |
| Toluene-d8 (Surr)                   | 103              |                  | 80 - 120      |     |      |   |                 | 02/05/12 17:49  | 1              |

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

| Analyte                       | Result | Qualifier | RL   | MDL | Unit | D | Prepared | Analyzed       | Dil Fac |
|-------------------------------|--------|-----------|------|-----|------|---|----------|----------------|---------|
| Benzene                       | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 17:49 | 1       |
| Isopropyl Ether (DIPE)        | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 17:49 | 1       |
| Ethyl-t-butyl ether (ETBE)    | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 17:49 | 1       |
| Ethylbenzene                  | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 17:49 | 1       |
| Methyl-t-Butyl Ether (MTBE)   | 3.8    |           | 0.50 |     | ug/L |   |          | 02/05/12 17:49 | 1       |
| Tert-amyl-methyl ether (TAME) | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 17:49 | 1       |

## Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.  
Project/Site: 1601 Webster St., Alameda, CA

TestAmerica Job ID: 440-1535-1

**Client Sample ID: S-2**

**Lab Sample ID: 440-1535-2**

Date Collected: 02/02/12 11:10

Matrix: Water

Date Received: 02/04/12 10:20

**Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)**

| Analyte                     | Result           | Qualifier        | RL            | MDL | Unit | D | Prepared        | Analyzed        | Dil Fac        |
|-----------------------------|------------------|------------------|---------------|-----|------|---|-----------------|-----------------|----------------|
| tert-Butyl alcohol (TBA)    | ND               |                  | 10            |     | ug/L |   |                 | 02/05/12 17:49  | 1              |
| Toluene                     | ND               |                  | 0.50          |     | ug/L |   |                 | 02/05/12 17:49  | 1              |
| Xylenes, Total              | ND               |                  | 1.0           |     | ug/L |   |                 | 02/05/12 17:49  | 1              |
| 1,2-Dichloroethane          | ND               |                  | 0.50          |     | ug/L |   |                 | 02/05/12 17:49  | 1              |
| 1,2-Dibromoethane (EDB)     | ND               |                  | 0.50          |     | ug/L |   |                 | 02/05/12 17:49  | 1              |
| <b>Surrogate</b>            | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |      |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| 4-Bromofluorobenzene (Surr) | 99               |                  | 80 - 120      |     |      |   |                 | 02/05/12 17:49  | 1              |
| Dibromofluoromethane (Surr) | 90               |                  | 80 - 120      |     |      |   |                 | 02/05/12 17:49  | 1              |
| Toluene-d8 (Surr)           | 103              |                  | 80 - 120      |     |      |   |                 | 02/05/12 17:49  | 1              |

**Client Sample ID: S-3**

**Lab Sample ID: 440-1535-3**

Date Collected: 02/02/12 11:25

Matrix: Water

Date Received: 02/04/12 10:20

**Method: 8260B/CA\_LUFTMS - Volatile Organic Compounds by GC/MS**

| Analyte                             | Result           | Qualifier        | RL            | MDL | Unit | D | Prepared        | Analyzed        | Dil Fac        |
|-------------------------------------|------------------|------------------|---------------|-----|------|---|-----------------|-----------------|----------------|
| Volatile Fuel Hydrocarbons (C4-C12) | ND               |                  | 50            |     | ug/L |   |                 | 02/05/12 18:18  | 1              |
| <b>Surrogate</b>                    | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |      |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| Dibromofluoromethane (Surr)         | 90               |                  | 80 - 120      |     |      |   |                 | 02/05/12 18:18  | 1              |
| 4-Bromofluorobenzene (Surr)         | 97               |                  | 80 - 120      |     |      |   |                 | 02/05/12 18:18  | 1              |
| Toluene-d8 (Surr)                   | 101              |                  | 80 - 120      |     |      |   |                 | 02/05/12 18:18  | 1              |

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

| Analyte                       | Result           | Qualifier        | RL            | MDL | Unit | D | Prepared        | Analyzed        | Dil Fac        |
|-------------------------------|------------------|------------------|---------------|-----|------|---|-----------------|-----------------|----------------|
| Benzene                       | ND               |                  | 0.50          |     | ug/L |   |                 | 02/05/12 18:18  | 1              |
| Isopropyl Ether (DIPE)        | ND               |                  | 0.50          |     | ug/L |   |                 | 02/05/12 18:18  | 1              |
| Ethyl-t-butyl ether (ETBE)    | ND               |                  | 0.50          |     | ug/L |   |                 | 02/05/12 18:18  | 1              |
| Ethylbenzene                  | ND               |                  | 0.50          |     | ug/L |   |                 | 02/05/12 18:18  | 1              |
| Methyl-t-Butyl Ether (MTBE)   | ND               |                  | 0.50          |     | ug/L |   |                 | 02/05/12 18:18  | 1              |
| Tert-amyl-methyl ether (TAME) | ND               |                  | 0.50          |     | ug/L |   |                 | 02/05/12 18:18  | 1              |
| tert-Butyl alcohol (TBA)      | ND               |                  | 10            |     | ug/L |   |                 | 02/05/12 18:18  | 1              |
| Toluene                       | ND               |                  | 0.50          |     | ug/L |   |                 | 02/05/12 18:18  | 1              |
| Xylenes, Total                | ND               |                  | 1.0           |     | ug/L |   |                 | 02/05/12 18:18  | 1              |
| 1,2-Dichloroethane            | ND               |                  | 0.50          |     | ug/L |   |                 | 02/05/12 18:18  | 1              |
| 1,2-Dibromoethane (EDB)       | ND               |                  | 0.50          |     | ug/L |   |                 | 02/05/12 18:18  | 1              |
| <b>Surrogate</b>              | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |      |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| 4-Bromofluorobenzene (Surr)   | 97               |                  | 80 - 120      |     |      |   |                 | 02/05/12 18:18  | 1              |
| Dibromofluoromethane (Surr)   | 90               |                  | 80 - 120      |     |      |   |                 | 02/05/12 18:18  | 1              |
| Toluene-d8 (Surr)             | 101              |                  | 80 - 120      |     |      |   |                 | 02/05/12 18:18  | 1              |

**Client Sample ID: S-4**

**Lab Sample ID: 440-1535-4**

Date Collected: 02/02/12 11:40

Matrix: Water

Date Received: 02/04/12 10:20

**Method: 8260B/CA\_LUFTMS - Volatile Organic Compounds by GC/MS**

| Analyte                             | Result           | Qualifier        | RL            | MDL | Unit | D | Prepared        | Analyzed        | Dil Fac        |
|-------------------------------------|------------------|------------------|---------------|-----|------|---|-----------------|-----------------|----------------|
| Volatile Fuel Hydrocarbons (C4-C12) | ND               |                  | 50            |     | ug/L |   |                 | 02/05/12 18:47  | 1              |
| <b>Surrogate</b>                    | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |      |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| Dibromofluoromethane (Surr)         | 92               |                  | 80 - 120      |     |      |   |                 | 02/05/12 18:47  | 1              |



# Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.  
 Project/Site: 1601 Webster St., Alameda, CA

TestAmerica Job ID: 440-1535-1

**Client Sample ID: S-4**

**Lab Sample ID: 440-1535-4**

Date Collected: 02/02/12 11:40

Matrix: Water

Date Received: 02/04/12 10:20

**Method: 8260B/CA\_LUFTMS - Volatile Organic Compounds by GC/MS (Continued)**

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 98        |           | 80 - 120 |          | 02/05/12 18:47 | 1       |
| Toluene-d8 (Surr)           | 103       |           | 80 - 120 |          | 02/05/12 18:47 | 1       |

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

| Analyte                       | Result | Qualifier | RL   | MDL | Unit | D | Prepared | Analyzed       | Dil Fac |
|-------------------------------|--------|-----------|------|-----|------|---|----------|----------------|---------|
| Benzene                       | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 18:47 | 1       |
| Isopropyl Ether (DIPE)        | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 18:47 | 1       |
| Ethyl-t-butyl ether (ETBE)    | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 18:47 | 1       |
| Ethylbenzene                  | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 18:47 | 1       |
| Methyl-t-Butyl Ether (MTBE)   | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 18:47 | 1       |
| Tert-amyl-methyl ether (TAME) | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 18:47 | 1       |
| tert-Butyl alcohol (TBA)      | ND     |           | 10   |     | ug/L |   |          | 02/05/12 18:47 | 1       |
| Toluene                       | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 18:47 | 1       |
| Xylenes, Total                | ND     |           | 1.0  |     | ug/L |   |          | 02/05/12 18:47 | 1       |
| 1,2-Dichloroethane            | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 18:47 | 1       |
| 1,2-Dibromoethane (EDB)       | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 18:47 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 98        |           | 80 - 120 |          | 02/05/12 18:47 | 1       |
| Dibromofluoromethane (Surr) | 92        |           | 80 - 120 |          | 02/05/12 18:47 | 1       |
| Toluene-d8 (Surr)           | 103       |           | 80 - 120 |          | 02/05/12 18:47 | 1       |

**Client Sample ID: S-4B**

**Lab Sample ID: 440-1535-5**

Date Collected: 02/02/12 11:55

Matrix: Water

Date Received: 02/04/12 10:20

**Method: 8260B/CA\_LUFTMS - Volatile Organic Compounds by GC/MS**

| Analyte                             | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed       | Dil Fac |
|-------------------------------------|--------|-----------|----|-----|------|---|----------|----------------|---------|
| Volatile Fuel Hydrocarbons (C4-C12) | ND     |           | 50 |     | ug/L |   |          | 02/05/12 19:16 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| Dibromofluoromethane (Surr) | 96        |           | 80 - 120 |          | 02/05/12 19:16 | 1       |
| 4-Bromofluorobenzene (Surr) | 98        |           | 80 - 120 |          | 02/05/12 19:16 | 1       |
| Toluene-d8 (Surr)           | 102       |           | 80 - 120 |          | 02/05/12 19:16 | 1       |

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

| Analyte                       | Result | Qualifier | RL   | MDL | Unit | D | Prepared | Analyzed       | Dil Fac |
|-------------------------------|--------|-----------|------|-----|------|---|----------|----------------|---------|
| Benzene                       | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 19:16 | 1       |
| Isopropyl Ether (DIPE)        | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 19:16 | 1       |
| Ethyl-t-butyl ether (ETBE)    | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 19:16 | 1       |
| Ethylbenzene                  | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 19:16 | 1       |
| Methyl-t-Butyl Ether (MTBE)   | 1.1    |           | 0.50 |     | ug/L |   |          | 02/05/12 19:16 | 1       |
| Tert-amyl-methyl ether (TAME) | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 19:16 | 1       |
| tert-Butyl alcohol (TBA)      | ND     |           | 10   |     | ug/L |   |          | 02/05/12 19:16 | 1       |
| Toluene                       | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 19:16 | 1       |
| Xylenes, Total                | ND     |           | 1.0  |     | ug/L |   |          | 02/05/12 19:16 | 1       |
| 1,2-Dichloroethane            | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 19:16 | 1       |
| 1,2-Dibromoethane (EDB)       | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 19:16 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 98        |           | 80 - 120 |          | 02/05/12 19:16 | 1       |
| Dibromofluoromethane (Surr) | 96        |           | 80 - 120 |          | 02/05/12 19:16 | 1       |

## Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.  
 Project/Site: 1601 Webster St., Alameda, CA

TestAmerica Job ID: 440-1535-1

**Client Sample ID: S-4B**

**Lab Sample ID: 440-1535-5**

Date Collected: 02/02/12 11:55

Matrix: Water

Date Received: 02/04/12 10:20

**Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)**

| Surrogate         | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|-------------------|-----------|-----------|----------|----------|----------------|---------|
| Toluene-d8 (Surr) | 102       |           | 80 - 120 |          | 02/05/12 19:16 | 1       |

**Client Sample ID: S-5**

**Lab Sample ID: 440-1535-6**

Date Collected: 02/02/12 12:10

Matrix: Water

Date Received: 02/04/12 10:20

**Method: 8260B/CA\_LUFTMS - Volatile Organic Compounds by GC/MS**

| Analyte                             | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed       | Dil Fac |
|-------------------------------------|--------|-----------|----|-----|------|---|----------|----------------|---------|
| Volatile Fuel Hydrocarbons (C4-C12) | ND     |           | 50 |     | ug/L |   |          | 02/05/12 19:45 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| Dibromofluoromethane (Surr) | 94        |           | 80 - 120 |          | 02/05/12 19:45 | 1       |
| 4-Bromofluorobenzene (Surr) | 99        |           | 80 - 120 |          | 02/05/12 19:45 | 1       |
| Toluene-d8 (Surr)           | 104       |           | 80 - 120 |          | 02/05/12 19:45 | 1       |

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

| Analyte                       | Result | Qualifier | RL   | MDL | Unit | D | Prepared | Analyzed       | Dil Fac |
|-------------------------------|--------|-----------|------|-----|------|---|----------|----------------|---------|
| Benzene                       | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 19:45 | 1       |
| Isopropyl Ether (DIPE)        | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 19:45 | 1       |
| Ethyl-t-butyl ether (ETBE)    | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 19:45 | 1       |
| Ethylbenzene                  | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 19:45 | 1       |
| Methyl-t-Butyl Ether (MTBE)   | 0.75   |           | 0.50 |     | ug/L |   |          | 02/05/12 19:45 | 1       |
| Tert-amyl-methyl ether (TAME) | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 19:45 | 1       |
| tert-Butyl alcohol (TBA)      | ND     |           | 10   |     | ug/L |   |          | 02/05/12 19:45 | 1       |
| Toluene                       | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 19:45 | 1       |
| Xylenes, Total                | ND     |           | 1.0  |     | ug/L |   |          | 02/05/12 19:45 | 1       |
| 1,2-Dichloroethane            | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 19:45 | 1       |
| 1,2-Dibromoethane (EDB)       | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 19:45 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 99        |           | 80 - 120 |          | 02/05/12 19:45 | 1       |
| Dibromofluoromethane (Surr) | 94        |           | 80 - 120 |          | 02/05/12 19:45 | 1       |
| Toluene-d8 (Surr)           | 104       |           | 80 - 120 |          | 02/05/12 19:45 | 1       |

**Client Sample ID: S-6**

**Lab Sample ID: 440-1535-7**

Date Collected: 02/02/12 12:20

Matrix: Water

Date Received: 02/04/12 10:20

**Method: 8260B/CA\_LUFTMS - Volatile Organic Compounds by GC/MS**

| Analyte                             | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed       | Dil Fac |
|-------------------------------------|--------|-----------|----|-----|------|---|----------|----------------|---------|
| Volatile Fuel Hydrocarbons (C4-C12) | 1500   |           | 50 |     | ug/L |   |          | 02/05/12 20:15 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| Dibromofluoromethane (Surr) | 98        |           | 80 - 120 |          | 02/05/12 20:15 | 1       |
| 4-Bromofluorobenzene (Surr) | 103       |           | 80 - 120 |          | 02/05/12 20:15 | 1       |
| Toluene-d8 (Surr)           | 103       |           | 80 - 120 |          | 02/05/12 20:15 | 1       |

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

| Analyte                | Result | Qualifier | RL   | MDL | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------------|--------|-----------|------|-----|------|---|----------|----------------|---------|
| Benzene                | 1.4    |           | 0.50 |     | ug/L |   |          | 02/05/12 20:15 | 1       |
| Isopropyl Ether (DIPE) | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 20:15 | 1       |

## Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.  
 Project/Site: 1601 Webster St., Alameda, CA

TestAmerica Job ID: 440-1535-1

**Client Sample ID: S-6**

**Lab Sample ID: 440-1535-7**

Date Collected: 02/02/12 12:20

Matrix: Water

Date Received: 02/04/12 10:20

| Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued) |            |           |          |     |      |   |          |                |         |
|--|------------|-----------|----------|-----|------|---|----------|----------------|---------|
| Analyte  | Result     | Qualifier | RL       | MDL | Unit | D | Prepared | Analyzed       | Dil Fac |
| Ethyl-t-butyl ether (ETBE)                                     | ND         |           | 0.50     |     | ug/L |   |          | 02/05/12 20:15 | 1       |
| <b>Ethylbenzene</b>  | <b>2.4</b> |           | 0.50     |     | ug/L |   |          | 02/05/12 20:15 | 1       |
| Methyl-t-Butyl Ether (MTBE)                                    | ND         |           | 0.50     |     | ug/L |   |          | 02/05/12 20:15 | 1       |
| Tert-amyl-methyl ether (TAME)                                  | ND         |           | 0.50     |     | ug/L |   |          | 02/05/12 20:15 | 1       |
| tert-Butyl alcohol (TBA)                                       | ND         |           | 10       |     | ug/L |   |          | 02/05/12 20:15 | 1       |
| Toluene  | ND         |           | 0.50     |     | ug/L |   |          | 02/05/12 20:15 | 1       |
| <b>Xylenes, Total</b>  | <b>1.4</b> |           | 1.0      |     | ug/L |   |          | 02/05/12 20:15 | 1       |
| 1,2-Dichloroethane   | ND         |           | 0.50     |     | ug/L |   |          | 02/05/12 20:15 | 1       |
| 1,2-Dibromoethane (EDB)  | ND         |           | 0.50     |     | ug/L |   |          | 02/05/12 20:15 | 1       |
| Surrogate  | %Recovery  | Qualifier | Limits   |     |      |   | Prepared | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene (Surr)                                    | 103        |           | 80 - 120 |     |      |   |          | 02/05/12 20:15 | 1       |
| Dibromofluoromethane (Surr)                                    | 98         |           | 80 - 120 |     |      |   |          | 02/05/12 20:15 | 1       |
| Toluene-d8 (Surr)  | 103        |           | 80 - 120 |     |      |   |          | 02/05/12 20:15 | 1       |

**Client Sample ID: S-7**

**Lab Sample ID: 440-1535-8**

Date Collected: 02/02/12 12:35

Matrix: Water

Date Received: 02/04/12 10:20

| Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS |           |           |          |     |      |   |          |                |         |
|---|-----------|-----------|----------|-----|------|---|----------|----------------|---------|
| Analyte   | Result    | Qualifier | RL       | MDL | Unit | D | Prepared | Analyzed       | Dil Fac |
| Volatile Fuel Hydrocarbons (C4-C12)                           | 1600      |           | 100      |     | ug/L |   |          | 02/05/12 20:44 | 2       |
| Surrogate   | %Recovery | Qualifier | Limits   |     |      |   | Prepared | Analyzed       | Dil Fac |
| Dibromofluoromethane (Surr)                                   | 94        |           | 80 - 120 |     |      |   |          | 02/05/12 20:44 | 2       |
| 4-Bromofluorobenzene (Surr)                                   | 101       |           | 80 - 120 |     |      |   |          | 02/05/12 20:44 | 2       |
| Toluene-d8 (Surr)   | 104       |           | 80 - 120 |     |      |   |          | 02/05/12 20:44 | 2       |

| Method: 8260B - Volatile Organic Compounds (GC/MS) |            |           |          |     |      |   |          |                |         |
|--|------------|-----------|----------|-----|------|---|----------|----------------|---------|
| Analyte  | Result     | Qualifier | RL       | MDL | Unit | D | Prepared | Analyzed       | Dil Fac |
| Benzene  | 93         |           | 1.0      |     | ug/L |   |          | 02/05/12 20:44 | 2       |
| Isopropyl Ether (DIPE)                             | ND         |           | 1.0      |     | ug/L |   |          | 02/05/12 20:44 | 2       |
| Ethyl-t-butyl ether (ETBE)                         | ND         |           | 1.0      |     | ug/L |   |          | 02/05/12 20:44 | 2       |
| <b>Ethylbenzene</b>                                | <b>4.0</b> |           | 1.0      |     | ug/L |   |          | 02/05/12 20:44 | 2       |
| Methyl-t-Butyl Ether (MTBE)                        | ND         |           | 1.0      |     | ug/L |   |          | 02/05/12 20:44 | 2       |
| Tert-amyl-methyl ether (TAME)                      | ND         |           | 1.0      |     | ug/L |   |          | 02/05/12 20:44 | 2       |
| tert-Butyl alcohol (TBA)                           | ND         |           | 20       |     | ug/L |   |          | 02/05/12 20:44 | 2       |
| Toluene  | 4.7        |           | 1.0      |     | ug/L |   |          | 02/05/12 20:44 | 2       |
| <b>Xylenes, Total</b>                              | <b>7.4</b> |           | 2.0      |     | ug/L |   |          | 02/05/12 20:44 | 2       |
| 1,2-Dichloroethane                                 | ND         |           | 1.0      |     | ug/L |   |          | 02/05/12 20:44 | 2       |
| 1,2-Dibromoethane (EDB)                            | ND         |           | 1.0      |     | ug/L |   |          | 02/05/12 20:44 | 2       |
| Surrogate  | %Recovery  | Qualifier | Limits   |     |      |   | Prepared | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene (Surr)                        | 101        |           | 80 - 120 |     |      |   |          | 02/05/12 20:44 | 2       |
| Dibromofluoromethane (Surr)                        | 94         |           | 80 - 120 |     |      |   |          | 02/05/12 20:44 | 2       |
| Toluene-d8 (Surr)                                  | 104        |           | 80 - 120 |     |      |   |          | 02/05/12 20:44 | 2       |

## Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.  
 Project/Site: 1601 Webster St., Alameda, CA

TestAmerica Job ID: 440-1535-1

**Client Sample ID: S-8**

**Lab Sample ID: 440-1535-9**

Date Collected: 02/02/12 13:05

Matrix: Water

Date Received: 02/04/12 10:20

**Method: 8260B/CA\_LUFTMS - Volatile Organic Compounds by GC/MS**

| Analyte                             | Result           | Qualifier        | RL            | MDL | Unit | D | Prepared        | Analyzed        | Dil Fac        |
|-------------------------------------|------------------|------------------|---------------|-----|------|---|-----------------|-----------------|----------------|
| Volatile Fuel Hydrocarbons (C4-C12) | 12000            |                  | 250           |     | ug/L |   |                 | 02/05/12 21:14  | 5              |
| <b>Surrogate</b>                    | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |      |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| Dibromofluoromethane (Surr)         | 94               |                  | 80 - 120      |     |      |   |                 | 02/05/12 21:14  | 5              |
| 4-Bromofluorobenzene (Surr)         | 100              |                  | 80 - 120      |     |      |   |                 | 02/05/12 21:14  | 5              |
| Toluene-d8 (Surr)                   | 104              |                  | 80 - 120      |     |      |   |                 | 02/05/12 21:14  | 5              |

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

| Analyte                       | Result           | Qualifier        | RL            | MDL | Unit | D | Prepared        | Analyzed        | Dil Fac        |
|-------------------------------|------------------|------------------|---------------|-----|------|---|-----------------|-----------------|----------------|
| Benzene                       | 1400             |                  | 2.5           |     | ug/L |   |                 | 02/05/12 21:14  | 5              |
| Isopropyl Ether (DIPE)        | ND               |                  | 2.5           |     | ug/L |   |                 | 02/05/12 21:14  | 5              |
| Ethyl-t-butyl ether (ETBE)    | ND               |                  | 2.5           |     | ug/L |   |                 | 02/05/12 21:14  | 5              |
| Ethylbenzene                  | 29               |                  | 2.5           |     | ug/L |   |                 | 02/05/12 21:14  | 5              |
| Methyl-t-Butyl Ether (MTBE)   | ND               |                  | 2.5           |     | ug/L |   |                 | 02/05/12 21:14  | 5              |
| Tert-amyl-methyl ether (TAME) | ND               |                  | 2.5           |     | ug/L |   |                 | 02/05/12 21:14  | 5              |
| tert-Butyl alcohol (TBA)      | ND               |                  | 50            |     | ug/L |   |                 | 02/05/12 21:14  | 5              |
| Toluene                       | 4.0              |                  | 2.5           |     | ug/L |   |                 | 02/05/12 21:14  | 5              |
| Xylenes, Total                | 9.8              |                  | 5.0           |     | ug/L |   |                 | 02/05/12 21:14  | 5              |
| 1,2-Dichloroethane            | ND               |                  | 2.5           |     | ug/L |   |                 | 02/05/12 21:14  | 5              |
| 1,2-Dibromoethane (EDB)       | ND               |                  | 2.5           |     | ug/L |   |                 | 02/05/12 21:14  | 5              |
| <b>Surrogate</b>              | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |      |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| 4-Bromofluorobenzene (Surr)   | 100              |                  | 80 - 120      |     |      |   |                 | 02/05/12 21:14  | 5              |
| Dibromofluoromethane (Surr)   | 94               |                  | 80 - 120      |     |      |   |                 | 02/05/12 21:14  | 5              |
| Toluene-d8 (Surr)             | 104              |                  | 80 - 120      |     |      |   |                 | 02/05/12 21:14  | 5              |

**Client Sample ID: S-9**

**Lab Sample ID: 440-1535-10**

Date Collected: 02/02/12 12:50

Matrix: Water

Date Received: 02/04/12 10:20

**Method: 8260B/CA\_LUFTMS - Volatile Organic Compounds by GC/MS**

| Analyte                             | Result           | Qualifier        | RL            | MDL | Unit | D | Prepared        | Analyzed        | Dil Fac        |
|-------------------------------------|------------------|------------------|---------------|-----|------|---|-----------------|-----------------|----------------|
| Volatile Fuel Hydrocarbons (C4-C12) | 1100             |                  | 100           |     | ug/L |   |                 | 02/05/12 21:43  | 2              |
| <b>Surrogate</b>                    | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |      |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| Dibromofluoromethane (Surr)         | 92               |                  | 80 - 120      |     |      |   |                 | 02/05/12 21:43  | 2              |
| 4-Bromofluorobenzene (Surr)         | 98               |                  | 80 - 120      |     |      |   |                 | 02/05/12 21:43  | 2              |
| Toluene-d8 (Surr)                   | 102              |                  | 80 - 120      |     |      |   |                 | 02/05/12 21:43  | 2              |

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

| Analyte                       | Result | Qualifier | RL  | MDL | Unit | D | Prepared | Analyzed       | Dil Fac |
|-------------------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Benzene                       | 85     |           | 1.0 |     | ug/L |   |          | 02/05/12 21:43 | 2       |
| Isopropyl Ether (DIPE)        | ND     |           | 1.0 |     | ug/L |   |          | 02/05/12 21:43 | 2       |
| Ethyl-t-butyl ether (ETBE)    | ND     |           | 1.0 |     | ug/L |   |          | 02/05/12 21:43 | 2       |
| Ethylbenzene                  | 3.4    |           | 1.0 |     | ug/L |   |          | 02/05/12 21:43 | 2       |
| Methyl-t-Butyl Ether (MTBE)   | ND     |           | 1.0 |     | ug/L |   |          | 02/05/12 21:43 | 2       |
| Tert-amyl-methyl ether (TAME) | ND     |           | 1.0 |     | ug/L |   |          | 02/05/12 21:43 | 2       |
| tert-Butyl alcohol (TBA)      | ND     |           | 20  |     | ug/L |   |          | 02/05/12 21:43 | 2       |
| Toluene                       | 2.1    |           | 1.0 |     | ug/L |   |          | 02/05/12 21:43 | 2       |
| Xylenes, Total                | 2.9    |           | 2.0 |     | ug/L |   |          | 02/05/12 21:43 | 2       |
| 1,2-Dichloroethane            | ND     |           | 1.0 |     | ug/L |   |          | 02/05/12 21:43 | 2       |

# Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.  
Project/Site: 1601 Webster St., Alameda, CA

TestAmerica Job ID: 440-1535-1

**Client Sample ID: S-9**

**Lab Sample ID: 440-1535-10**

**Date Collected: 02/02/12 12:50**

**Matrix: Water**

**Date Received: 02/04/12 10:20**

| Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued) |           |           |          |     |      |   |          |                |         |
|--|-----------|-----------|----------|-----|------|---|----------|----------------|---------|
| Analyte  | Result    | Qualifier | RL       | MDL | Unit | D | Prepared | Analyzed       | Dil Fac |
| 1,2-Dibromoethane (EDB)  | ND        |           | 1.0      |     | ug/L |   |          | 02/05/12 21:43 | 2       |
| Surrogate  | %Recovery | Qualifier | Limits   |     |      |   | Prepared | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene (Surr)                                    | 98        |           | 80 - 120 |     |      |   |          | 02/05/12 21:43 | 2       |
| Dibromofluoromethane (Surr)                                    | 92        |           | 80 - 120 |     |      |   |          | 02/05/12 21:43 | 2       |
| Toluene-d8 (Surr)  | 102       |           | 80 - 120 |     |      |   |          | 02/05/12 21:43 | 2       |

# Lab Chronicle

Client: Conestoga-Rovers & Associates, Inc.  
 Project/Site: 1601 Webster St., Alameda, CA

TestAmerica Job ID: 440-1535-1

**Client Sample ID: TBW-N**

**Lab Sample ID: 440-1535-1**

Date Collected: 02/02/12 11:00

Matrix: Water

Date Received: 02/04/12 10:20

| Prep Type | Batch Type | Batch Method    | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|-----------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260B           |     | 1          | 10 mL          | 10 mL        | 5242         | 02/05/12 17:20       | RM      | TAL IRV |
| Total/NA  | Analysis   | 8260B/CA_LUFTMS |     | 1          | 10 mL          | 10 mL        | 5243         | 02/05/12 17:20       | VH      | TAL IRV |
| Total/NA  | Analysis   | 8260B/CA_LUFTMS |     | 20         | 10 mL          | 10 mL        | 6922         | 02/14/12 14:27       | JP      | TAL IRV |

**Client Sample ID: S-2**

**Lab Sample ID: 440-1535-2**

Date Collected: 02/02/12 11:10

Matrix: Water

Date Received: 02/04/12 10:20

| Prep Type | Batch Type | Batch Method    | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|-----------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260B           |     | 1          | 10 mL          | 10 mL        | 5242         | 02/05/12 17:49       | RM      | TAL IRV |
| Total/NA  | Analysis   | 8260B/CA_LUFTMS |     | 1          | 10 mL          | 10 mL        | 5243         | 02/05/12 17:49       | VH      | TAL IRV |

**Client Sample ID: S-3**

**Lab Sample ID: 440-1535-3**

Date Collected: 02/02/12 11:25

Matrix: Water

Date Received: 02/04/12 10:20

| Prep Type | Batch Type | Batch Method    | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|-----------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260B           |     | 1          | 10 mL          | 10 mL        | 5242         | 02/05/12 18:18       | RM      | TAL IRV |
| Total/NA  | Analysis   | 8260B/CA_LUFTMS |     | 1          | 10 mL          | 10 mL        | 5243         | 02/05/12 18:18       | VH      | TAL IRV |

**Client Sample ID: S-4**

**Lab Sample ID: 440-1535-4**

Date Collected: 02/02/12 11:40

Matrix: Water

Date Received: 02/04/12 10:20

| Prep Type | Batch Type | Batch Method    | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|-----------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260B           |     | 1          | 10 mL          | 10 mL        | 5242         | 02/05/12 18:47       | RM      | TAL IRV |
| Total/NA  | Analysis   | 8260B/CA_LUFTMS |     | 1          | 10 mL          | 10 mL        | 5243         | 02/05/12 18:47       | VH      | TAL IRV |

**Client Sample ID: S-4B**

**Lab Sample ID: 440-1535-5**

Date Collected: 02/02/12 11:55

Matrix: Water

Date Received: 02/04/12 10:20

| Prep Type | Batch Type | Batch Method    | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|-----------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260B           |     | 1          | 10 mL          | 10 mL        | 5242         | 02/05/12 19:16       | RM      | TAL IRV |
| Total/NA  | Analysis   | 8260B/CA_LUFTMS |     | 1          | 10 mL          | 10 mL        | 5243         | 02/05/12 19:16       | VH      | TAL IRV |

**Client Sample ID: S-5**

**Lab Sample ID: 440-1535-6**

Date Collected: 02/02/12 12:10

Matrix: Water

Date Received: 02/04/12 10:20

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260B        |     | 1          | 10 mL          | 10 mL        | 5242         | 02/05/12 19:45       | RM      | TAL IRV |

# Lab Chronicle

Client: Conestoga-Rovers & Associates, Inc.  
 Project/Site: 1601 Webster St., Alameda, CA

TestAmerica Job ID: 440-1535-1

**Client Sample ID: S-5**

**Lab Sample ID: 440-1535-6**

Date Collected: 02/02/12 12:10

Matrix: Water

Date Received: 02/04/12 10:20

| Prep Type | Batch Type | Batch Method    | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|-----------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260B/CA_LUFTMS |     | 1          | 10 mL          | 10 mL        | 5243         | 02/05/12 19:45       | VH      | TAL IRV |

**Client Sample ID: S-6**

**Lab Sample ID: 440-1535-7**

Date Collected: 02/02/12 12:20

Matrix: Water

Date Received: 02/04/12 10:20

| Prep Type | Batch Type | Batch Method    | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|-----------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260B           |     | 1          | 10 mL          | 10 mL        | 5242         | 02/05/12 20:15       | RM      | TAL IRV |
| Total/NA  | Analysis   | 8260B/CA_LUFTMS |     | 1          | 10 mL          | 10 mL        | 5243         | 02/05/12 20:15       | VH      | TAL IRV |

**Client Sample ID: S-7**

**Lab Sample ID: 440-1535-8**

Date Collected: 02/02/12 12:35

Matrix: Water

Date Received: 02/04/12 10:20

| Prep Type | Batch Type | Batch Method    | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|-----------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260B           |     | 2          | 10 mL          | 10 mL        | 5242         | 02/05/12 20:44       | RM      | TAL IRV |
| Total/NA  | Analysis   | 8260B/CA_LUFTMS |     | 2          | 10 mL          | 10 mL        | 5243         | 02/05/12 20:44       | VH      | TAL IRV |

**Client Sample ID: S-8**

**Lab Sample ID: 440-1535-9**

Date Collected: 02/02/12 13:05

Matrix: Water

Date Received: 02/04/12 10:20

| Prep Type | Batch Type | Batch Method    | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|-----------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260B           |     | 5          | 10 mL          | 10 mL        | 5242         | 02/05/12 21:14       | RM      | TAL IRV |
| Total/NA  | Analysis   | 8260B/CA_LUFTMS |     | 5          | 10 mL          | 10 mL        | 5243         | 02/05/12 21:14       | VH      | TAL IRV |

**Client Sample ID: S-9**

**Lab Sample ID: 440-1535-10**

Date Collected: 02/02/12 12:50

Matrix: Water

Date Received: 02/04/12 10:20

| Prep Type | Batch Type | Batch Method    | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|-----------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260B           |     | 2          | 10 mL          | 10 mL        | 5242         | 02/05/12 21:43       | RM      | TAL IRV |
| Total/NA  | Analysis   | 8260B/CA_LUFTMS |     | 2          | 10 mL          | 10 mL        | 5243         | 02/05/12 21:43       | VH      | TAL IRV |

**Laboratory References:**

TAL IRV = TestAmerica Irvine, 17461 Derian Ave, Suite 100, Irvine, CA 92614-5817, TEL (949)261-1022

## QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.  
Project/Site: 1601 Webster St., Alameda, CA

TestAmerica Job ID: 440-1535-1

### Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 440-5242/4

Matrix: Water

Analysis Batch: 5242

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte                       | MB MB  |           | RL   | MDL | Unit | D | Prepared | Analyzed       | Dil Fac |
|-------------------------------|--------|-----------|------|-----|------|---|----------|----------------|---------|
|                               | Result | Qualifier |      |     |      |   |          |                |         |
| Benzene                       | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 12:57 | 1       |
| Isopropyl Ether (DIPE)        | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 12:57 | 1       |
| Ethanol                       | ND     |           | 150  |     | ug/L |   |          | 02/05/12 12:57 | 1       |
| Ethyl-t-butyl ether (ETBE)    | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 12:57 | 1       |
| Ethylbenzene                  | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 12:57 | 1       |
| Methyl-t-Butyl Ether (MTBE)   | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 12:57 | 1       |
| Tert-amyl-methyl ether (TAME) | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 12:57 | 1       |
| tert-Butyl alcohol (TBA)      | ND     |           | 10   |     | ug/L |   |          | 02/05/12 12:57 | 1       |
| Toluene                       | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 12:57 | 1       |
| Xylenes, Total                | ND     |           | 1.0  |     | ug/L |   |          | 02/05/12 12:57 | 1       |
| 1,2-Dichloroethane            | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 12:57 | 1       |
| 1,2-Dibromoethane (EDB)       | ND     |           | 0.50 |     | ug/L |   |          | 02/05/12 12:57 | 1       |

| Surrogate                   | MB MB     |           | Limits   | Prepared | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
|                             | %Recovery | Qualifier |          |          |                |         |
| 4-Bromofluorobenzene (Surr) | 99        |           | 80 - 120 |          | 02/05/12 12:57 | 1       |
| Dibromofluoromethane (Surr) | 89        |           | 80 - 120 |          | 02/05/12 12:57 | 1       |
| Toluene-d8 (Surr)           | 101       |           | 80 - 120 |          | 02/05/12 12:57 | 1       |

Lab Sample ID: LCS 440-5242/5

Matrix: Water

Analysis Batch: 5242

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte                       | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------------------------|-------------|------------|---------------|------|---|------|--------------|
|                               |             |            |               |      |   |      |              |
| Isopropyl Ether (DIPE)        | 25.0        | 19.4       |               | ug/L |   | 78   | 60 - 135     |
| Ethanol                       | 250         | 235        |               | ug/L |   | 94   | 40 - 155     |
| Ethyl-t-butyl ether (ETBE)    | 25.0        | 18.3       |               | ug/L |   | 73   | 65 - 135     |
| Ethylbenzene                  | 25.0        | 23.1       |               | ug/L |   | 92   | 75 - 125     |
| m,p-Xylene                    | 50.0        | 48.2       |               | ug/L |   | 96   | 75 - 125     |
| Methyl-t-Butyl Ether (MTBE)   | 25.0        | 19.0       |               | ug/L |   | 76   | 60 - 135     |
| o-Xylene                      | 25.0        | 23.4       |               | ug/L |   | 94   | 75 - 125     |
| Tert-amyl-methyl ether (TAME) | 25.0        | 20.0       |               | ug/L |   | 80   | 60 - 135     |
| tert-Butyl alcohol (TBA)      | 125         | 122        |               | ug/L |   | 98   | 70 - 135     |
| Toluene                       | 25.0        | 22.6       |               | ug/L |   | 90   | 70 - 120     |
| 1,2-Dichloroethane            | 25.0        | 16.8       |               | ug/L |   | 67   | 60 - 140     |
| 1,2-Dibromoethane (EDB)       | 25.0        | 22.9       |               | ug/L |   | 92   | 75 - 125     |

| Surrogate                   | LCS LCS   |           | Limits   |
|-----------------------------|-----------|-----------|----------|
|                             | %Recovery | Qualifier |          |
| 4-Bromofluorobenzene (Surr) | 98        |           | 80 - 120 |
| Dibromofluoromethane (Surr) | 88        |           | 80 - 120 |
| Toluene-d8 (Surr)           | 103       |           | 80 - 120 |

Lab Sample ID: 440-1441-A-1 MS

Matrix: Water

Analysis Batch: 5242

Client Sample ID: Matrix Spike

Prep Type: Total/NA

| Analyte                | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|------------------------|---------------|------------------|-------------|-----------|--------------|------|---|------|--------------|
|                        |               |                  |             |           |              |      |   |      |              |
| Isopropyl Ether (DIPE) | ND            |                  | 25.0        | 21.3      |              | ug/L |   | 85   | 60 - 140     |



## QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.  
Project/Site: 1601 Webster St., Alameda, CA

TestAmerica Job ID: 440-1535-1

### Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 440-1441-A-1 MS

Client Sample ID: Matrix Spike

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 5242

| Analyte                       | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------------------------|---------------|------------------|-------------|-----------|--------------|------|---|------|--------------|
| Ethanol                       |               |                  | 250         | 264       |              | ug/L |   |      |              |
| Ethyl-t-butyl ether (ETBE)    | ND            |                  | 25.0        | 20.2      |              | ug/L |   | 81   | 60 - 135     |
| Ethylbenzene                  | ND            |                  | 25.0        | 23.7      |              | ug/L |   | 95   | 65 - 130     |
| m,p-Xylene                    | ND            |                  | 50.0        | 48.8      |              | ug/L |   | 98   | 65 - 130     |
| Methyl-t-Butyl Ether (MTBE)   | 68            |                  | 25.0        | 80.2      | F            | ug/L |   | 50   | 55 - 145     |
| o-Xylene                      | ND            |                  | 25.0        | 23.7      |              | ug/L |   | 95   | 65 - 125     |
| Tert-amyl-methyl ether (TAME) | ND            |                  | 25.0        | 21.7      |              | ug/L |   | 87   | 60 - 140     |
| tert-Butyl alcohol (TBA)      | ND            |                  | 125         | 130       |              | ug/L |   | 104  | 65 - 140     |
| Toluene                       | ND            |                  | 25.0        | 24.1      |              | ug/L |   | 96   | 70 - 125     |
| 1,2-Dichloroethane            |               |                  | 25.0        | 18.6      |              | ug/L |   |      |              |
| 1,2-Dibromoethane (EDB)       |               |                  | 25.0        | 22.6      |              | ug/L |   |      |              |

| Surrogate                   | MS %Recovery | MS Qualifier | Limits   |
|-----------------------------|--------------|--------------|----------|
| 4-Bromofluorobenzene (Surr) | 97           |              | 80 - 120 |
| Dibromofluoromethane (Surr) | 91           |              | 80 - 120 |
| Toluene-d8 (Surr)           | 103          |              | 80 - 120 |

Lab Sample ID: 440-1441-A-1 MSD

Client Sample ID: Matrix Spike Duplicate

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 5242

| Analyte                       | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-------------------------------|---------------|------------------|-------------|------------|---------------|------|---|------|--------------|-----|-----------|
| Benzene                       | ND            |                  | 25.0        | 25.2       |               | ug/L |   | 101  | 65 - 125     | 7   | 20        |
| Isopropyl Ether (DIPE)        | ND            |                  | 25.0        | 24.2       |               | ug/L |   | 97   | 60 - 140     | 13  | 25        |
| Ethanol                       |               |                  | 250         | 286        |               | ug/L |   |      |              |     |           |
| Ethyl-t-butyl ether (ETBE)    | ND            |                  | 25.0        | 23.1       |               | ug/L |   | 92   | 60 - 135     | 13  | 25        |
| Ethylbenzene                  | ND            |                  | 25.0        | 25.8       |               | ug/L |   | 103  | 65 - 130     | 8   | 20        |
| m,p-Xylene                    | ND            |                  | 50.0        | 52.8       |               | ug/L |   | 106  | 65 - 130     | 8   | 25        |
| Methyl-t-Butyl Ether (MTBE)   | 68            |                  | 25.0        | 94.3       |               | ug/L |   | 106  | 55 - 145     | 16  | 25        |
| o-Xylene                      | ND            |                  | 25.0        | 26.4       |               | ug/L |   | 106  | 65 - 125     | 11  | 20        |
| Tert-amyl-methyl ether (TAME) | ND            |                  | 25.0        | 26.2       |               | ug/L |   | 105  | 60 - 140     | 19  | 30        |
| tert-Butyl alcohol (TBA)      | ND            |                  | 125         | 143        |               | ug/L |   | 114  | 65 - 140     | 10  | 25        |
| Toluene                       | ND            |                  | 25.0        | 25.8       |               | ug/L |   | 103  | 70 - 125     | 7   | 20        |
| 1,2-Dichloroethane            |               |                  | 25.0        | 20.2       |               | ug/L |   |      |              |     |           |
| 1,2-Dibromoethane (EDB)       |               |                  | 25.0        | 26.4       |               | ug/L |   |      |              |     |           |

| Surrogate                   | MSD %Recovery | MSD Qualifier | Limits   |
|-----------------------------|---------------|---------------|----------|
| 4-Bromofluorobenzene (Surr) | 98            |               | 80 - 120 |
| Dibromofluoromethane (Surr) | 94            |               | 80 - 120 |
| Toluene-d8 (Surr)           | 102           |               | 80 - 120 |

### Method: 8260B/CA\_LUFTMS - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 440-5243/4

Client Sample ID: Method Blank

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 5243

| Analyte                             | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed       | Dil Fac |
|-------------------------------------|-----------|--------------|----|-----|------|---|----------|----------------|---------|
| Volatile Fuel Hydrocarbons (C4-C12) | ND        |              | 50 |     | ug/L |   |          | 02/05/12 12:57 | 1       |

# QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.  
 Project/Site: 1601 Webster St., Alameda, CA

TestAmerica Job ID: 440-1535-1

## Method: 8260B/CA\_LUFTMS - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 440-5243/4

Matrix: Water

Analysis Batch: 5243

Client Sample ID: Method Blank

Prep Type: Total/NA

| Surrogate                   | MB MB     |           | Limits   | Prepared | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
|                             | %Recovery | Qualifier |          |          |                |         |
| Dibromofluoromethane (Surr) | 89        |           | 80 - 120 |          | 02/05/12 12:57 | 1       |
| 4-Bromofluorobenzene (Surr) | 99        |           | 80 - 120 |          | 02/05/12 12:57 | 1       |
| Toluene-d8 (Surr)           | 101       |           | 80 - 120 |          | 02/05/12 12:57 | 1       |

Lab Sample ID: LCS 440-5243/6

Matrix: Water

Analysis Batch: 5243

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte                             | Spike Added | LCS LCS |           | Unit | D | %Rec | %Rec. Limits |
|-------------------------------------|-------------|---------|-----------|------|---|------|--------------|
|                                     |             | Result  | Qualifier |      |   |      |              |
| Volatile Fuel Hydrocarbons (C4-C12) | 500         | 470     |           | ug/L |   | 94   | 55 - 130     |

| Surrogate                   | LCS LCS   |           | Limits   |
|-----------------------------|-----------|-----------|----------|
|                             | %Recovery | Qualifier |          |
| Dibromofluoromethane (Surr) | 87        |           | 80 - 120 |
| 4-Bromofluorobenzene (Surr) | 98        |           | 80 - 120 |
| Toluene-d8 (Surr)           | 100       |           | 80 - 120 |

Lab Sample ID: 440-1441-A-1 MS

Matrix: Water

Analysis Batch: 5243

Client Sample ID: Matrix Spike

Prep Type: Total/NA

| Analyte                             | Sample Result | Sample Qualifier | Spike Added | MS MS  |           | Unit | D | %Rec | %Rec. Limits |
|-------------------------------------|---------------|------------------|-------------|--------|-----------|------|---|------|--------------|
|                                     |               |                  |             | Result | Qualifier |      |   |      |              |
| Volatile Fuel Hydrocarbons (C4-C12) | 60            |                  | 1730        | 1300   |           | ug/L |   | 72   | 50 - 145     |

| Surrogate                   | MS MS     |           | Limits   |
|-----------------------------|-----------|-----------|----------|
|                             | %Recovery | Qualifier |          |
| Dibromofluoromethane (Surr) | 91        |           | 80 - 120 |
| 4-Bromofluorobenzene (Surr) | 97        |           | 80 - 120 |
| Toluene-d8 (Surr)           | 103       |           | 80 - 120 |

Lab Sample ID: 440-1441-A-1 MSD

Matrix: Water

Analysis Batch: 5243

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

| Analyte                             | Sample Result | Sample Qualifier | Spike Added | MSD MSD |           | Unit | D | %Rec | %Rec. Limits | RPD | Limit |
|-------------------------------------|---------------|------------------|-------------|---------|-----------|------|---|------|--------------|-----|-------|
|                                     |               |                  |             | Result  | Qualifier |      |   |      |              |     |       |
| Volatile Fuel Hydrocarbons (C4-C12) | 60            |                  | 1730        | 1450    |           | ug/L |   | 80   | 50 - 145     | 10  | 20    |

| Surrogate                   | MSD MSD   |           | Limits   |
|-----------------------------|-----------|-----------|----------|
|                             | %Recovery | Qualifier |          |
| Dibromofluoromethane (Surr) | 94        |           | 80 - 120 |
| 4-Bromofluorobenzene (Surr) | 98        |           | 80 - 120 |
| Toluene-d8 (Surr)           | 102       |           | 80 - 120 |

Lab Sample ID: MB 440-6922/5

Matrix: Water

Analysis Batch: 6922

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte                             | MB MB  |           | RL | MDL | Unit | D | Prepared | Analyzed       | Dil Fac |
|-------------------------------------|--------|-----------|----|-----|------|---|----------|----------------|---------|
|                                     | Result | Qualifier |    |     |      |   |          |                |         |
| Volatile Fuel Hydrocarbons (C4-C12) | ND     |           | 50 |     | ug/L |   |          | 02/14/12 09:10 | 1       |

# QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.  
 Project/Site: 1601 Webster St., Alameda, CA

TestAmerica Job ID: 440-1535-1

## Method: 8260B/CA\_LUFTMS - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 440-6922/5

Matrix: Water

Analysis Batch: 6922

Client Sample ID: Method Blank

Prep Type: Total/NA

| Surrogate                   | MB MB     |           | Limits   | Prepared | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
|                             | %Recovery | Qualifier |          |          |                |         |
| Dibromofluoromethane (Surr) | 96        |           | 80 - 120 |          | 02/14/12 09:10 | 1       |
| 4-Bromofluorobenzene (Surr) | 110       |           | 80 - 120 |          | 02/14/12 09:10 | 1       |
| Toluene-d8 (Surr)           | 102       |           | 80 - 120 |          | 02/14/12 09:10 | 1       |

Lab Sample ID: LCS 440-6922/8

Matrix: Water

Analysis Batch: 6922

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte                             | Spike Added | LCS LCS |           | Unit | D | %Rec | %Rec. Limits |
|-------------------------------------|-------------|---------|-----------|------|---|------|--------------|
|                                     |             | Result  | Qualifier |      |   |      |              |
| Volatile Fuel Hydrocarbons (C4-C12) | 500         | 489     |           | ug/L |   | 98   | 55 - 130     |

| Surrogate                   | LCS LCS   |           | Limits   |
|-----------------------------|-----------|-----------|----------|
|                             | %Recovery | Qualifier |          |
| Dibromofluoromethane (Surr) | 94        |           | 80 - 120 |
| 4-Bromofluorobenzene (Surr) | 110       |           | 80 - 120 |
| Toluene-d8 (Surr)           | 102       |           | 80 - 120 |

## QC Association Summary

Client: Conestoga-Rovers & Associates, Inc.  
 Project/Site: 1601 Webster St., Alameda, CA

TestAmerica Job ID: 440-1535-1

### GC/MS VOA

#### Analysis Batch: 5242

| Lab Sample ID    | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|------------------|------------------------|-----------|--------|--------|------------|
| 440-1441-A-1 MS  | Matrix Spike           | Total/NA  | Water  | 8260B  |            |
| 440-1441-A-1 MSD | Matrix Spike Duplicate | Total/NA  | Water  | 8260B  |            |
| 440-1535-1       | TBW-N                  | Total/NA  | Water  | 8260B  |            |
| 440-1535-2       | S-2                    | Total/NA  | Water  | 8260B  |            |
| 440-1535-3       | S-3                    | Total/NA  | Water  | 8260B  |            |
| 440-1535-4       | S-4                    | Total/NA  | Water  | 8260B  |            |
| 440-1535-5       | S-4B                   | Total/NA  | Water  | 8260B  |            |
| 440-1535-6       | S-5                    | Total/NA  | Water  | 8260B  |            |
| 440-1535-7       | S-6                    | Total/NA  | Water  | 8260B  |            |
| 440-1535-8       | S-7                    | Total/NA  | Water  | 8260B  |            |
| 440-1535-9       | S-8                    | Total/NA  | Water  | 8260B  |            |
| 440-1535-10      | S-9                    | Total/NA  | Water  | 8260B  |            |
| LCS 440-5242/5   | Lab Control Sample     | Total/NA  | Water  | 8260B  |            |
| MB 440-5242/4    | Method Blank           | Total/NA  | Water  | 8260B  |            |

#### Analysis Batch: 5243

| Lab Sample ID    | Client Sample ID       | Prep Type | Matrix | Method              | Prep Batch |
|------------------|------------------------|-----------|--------|---------------------|------------|
| 440-1441-A-1 MS  | Matrix Spike           | Total/NA  | Water  | 8260B/CA_LUFT<br>MS |            |
| 440-1441-A-1 MSD | Matrix Spike Duplicate | Total/NA  | Water  | 8260B/CA_LUFT<br>MS |            |
| 440-1535-1       | TBW-N                  | Total/NA  | Water  | 8260B/CA_LUFT<br>MS |            |
| 440-1535-2       | S-2                    | Total/NA  | Water  | 8260B/CA_LUFT<br>MS |            |
| 440-1535-3       | S-3                    | Total/NA  | Water  | 8260B/CA_LUFT<br>MS |            |
| 440-1535-4       | S-4                    | Total/NA  | Water  | 8260B/CA_LUFT<br>MS |            |
| 440-1535-5       | S-4B                   | Total/NA  | Water  | 8260B/CA_LUFT<br>MS |            |
| 440-1535-6       | S-5                    | Total/NA  | Water  | 8260B/CA_LUFT<br>MS |            |
| 440-1535-7       | S-6                    | Total/NA  | Water  | 8260B/CA_LUFT<br>MS |            |
| 440-1535-8       | S-7                    | Total/NA  | Water  | 8260B/CA_LUFT<br>MS |            |
| 440-1535-9       | S-8                    | Total/NA  | Water  | 8260B/CA_LUFT<br>MS |            |
| 440-1535-10      | S-9                    | Total/NA  | Water  | 8260B/CA_LUFT<br>MS |            |
| LCS 440-5243/6   | Lab Control Sample     | Total/NA  | Water  | 8260B/CA_LUFT<br>MS |            |
| MB 440-5243/4    | Method Blank           | Total/NA  | Water  | 8260B/CA_LUFT<br>MS |            |

#### Analysis Batch: 6922

| Lab Sample ID  | Client Sample ID   | Prep Type | Matrix | Method              | Prep Batch |
|----------------|--------------------|-----------|--------|---------------------|------------|
| 440-1535-1     | TBW-N              | Total/NA  | Water  | 8260B/CA_LUFT<br>MS |            |
| LCS 440-6922/8 | Lab Control Sample | Total/NA  | Water  | 8260B/CA_LUFT<br>MS |            |
| MB 440-6922/5  | Method Blank       | Total/NA  | Water  | 8260B/CA_LUFT<br>MS |            |

## Definitions/Glossary

Client: Conestoga-Rovers & Associates, Inc.  
Project/Site: 1601 Webster St., Alameda, CA

TestAmerica Job ID: 440-1535-1

---

### Qualifiers

#### GC/MS VOA

| Qualifier | Qualifier Description                |
|-----------|--------------------------------------|
| F         | MS or MSD exceeds the control limits |

---

### Glossary

| Abbreviation   | These commonly used abbreviations may or may not be present in this report.                                |
|----------------|--|
| ☼              | Listed under the "D" column to designate that the result is reported on a dry weight basis                 |
| %R             | Percent Recovery   |
| CNF            | Contains no Free Liquid  |
| DL, RA, RE, IN | Indicates a Dilution, Reanalysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| EDL            | Estimated Detection Limit  |
| EPA            | United States Environmental Protection Agency  |
| MDL            | Method Detection Limit   |
| ML             | Minimum Level (Dioxin)   |
| ND             | Not detected at the reporting limit (or MDL or EDL if shown)   |
| PQL            | Practical Quantitation Limit   |
| QC             | Quality Control  |
| RL             | Reporting Limit  |
| RPD            | Relative Percent Difference, a measure of the relative difference between two points                       |
| TEF            | Toxicity Equivalent Factor (Dioxin)  |
| TEQ            | Toxicity Equivalent Quotient (Dioxin)  |

## Certification Summary

Client: Conestoga-Rovers & Associates, Inc.  
Project/Site: 1601 Webster St., Alameda, CA

TestAmerica Job ID: 440-1535-1

---

| Laboratory         | Authority  | Program       | EPA Region | Certification ID |
|--------------------|------------|---------------|------------|------------------|
| TestAmerica Irvine | Arizona    | State Program | 9          | AZ0671           |
| TestAmerica Irvine | California | State Program | 9          | 2706             |
| TestAmerica Irvine | Nevada     | State Program | 9          | CA015312007A     |
| TestAmerica Irvine | Oregon     | NELAC         | 10         | 4005             |
| TestAmerica Irvine | USDA       | USDA          |            | P330-09-00080    |

---

Accreditation may not be offered or required for all methods and analytes reported in this package . Please contact your project manager for the laboratory's current list of certified methods and analytes.

440-1535

LAB (LOCATION)

- CALSCIENCE ( )
- SPL ( )
- XENCO ( )
- TEST AMERICA (IRVINE)
- OTHER ( )



Shell Oil Products Chain Of Custody Record

Please Check Appropriate Box:

|   |  |                                       |
|---|--|---------------------------------------|
| <input type="checkbox"/> ENV. SERVICES  | <input type="checkbox"/> MOTIVA RETAIL         | <input type="checkbox"/> SHELL RETAIL |
| <input type="checkbox"/> MOTIVA SD&CM   | <input checked="" type="checkbox"/> CONSULTANT | <input type="checkbox"/> LUBES        |
| <input type="checkbox"/> SHELL PIPELINE | <input type="checkbox"/> OTHER                 |                                       |

Print Bill To Contact Name: Peter Schaefer 240467

INCIDENT # (ENV SERVICES): 9 7 5 6 4 7 0 1

PO #: 4 0 - 4 0 3 4 9 7 3

SAP #: \_\_\_\_\_

DATE: 2-2-12

PAGE: 1 of 1

SAMPLING COMPANY: Blaine Tech Services

LOG CODE: BTSS

SITE ADDRESS: 1601 Webster St., Alameda

State: CA

GLOBAL ID NO.: T0600137103

EDF DELIVERABLE TO (Name, Company, Office Location): Brenda Carter, CRA, Emeryville

PHONE NO.: 510-420-3343

E-MAIL: shelledf@craworld.com

CONSULTANT PROJECT NO.: 120202-BPI

PROJECT CONTACT (Hardcopy or PDF Report to): Lorin King

TELEPHONE: 310-995-4455 x 108

FAX: 310-637-5802

E-MAIL: lking@blainetech.com

SAMPLER NAME(S) (Print): Ben Panel II

TURNAROUND TIME (CALENDAR DAYS):

STANDARD (14 DAY)  5 DAYS  3 DAYS  2 DAYS  24 HOURS

RESULTS NEEDED ON WEEKEND

LA - RWQCB REPORT FORMAT  UST AGENCY:

SPECIAL INSTRUCTIONS OR NOTES:

Email invoice and copy of final report to Shell.Lab.Billing@craworld.com

SHELL CONTRACT RATE APPLIES

STATE REIMBURSEMENT RATE APPLIES

EDD NOT NEEDED

RECEIPT VERIFICATION REQUESTED

REQUESTED ANALYSIS

|                            |                               |              |              |                     |                           |  |                       |                          |                 |             |                 |                  |                           |
|----------------------------|-------------------------------|--------------|--------------|---------------------|---------------------------|--|-----------------------|--------------------------|-----------------|-------------|-----------------|------------------|---------------------------|
| TPH -GRO, Purgable (8260B) | TPH -DRO, Extractable (8015M) | TPHg (8015M) | BTEX (8260B) | BTEX + MTBE (8260B) | BTEX + MTBE + TBA (8260B) | BTEX + 5 OXYs (MTBE, TBA, DIPE, TAMIE, FTBE) 8260B | Full VOC list (8260B) | Single Compound: (8260B) | 1,2-DCA (8260B) | EDB (8260B) | Ethanol (8260B) | Methanol (8015M) | TEMPERATURE ON RECEIPT C° |
|----------------------------|-------------------------------|--------------|--------------|---------------------|---------------------------|--|-----------------------|--------------------------|-----------------|-------------|-----------------|------------------|---------------------------|

| LAB USE ONLY | Field Sample Identification | SAMPLING |      | MATRIX | PRESERVATIVE |      |       |      |       | NO. OF CONT. | REQUESTED ANALYSIS         |                               |              |              |                     |                           |  |                       |                          |                 |             |                 | Container PID Readings or Laboratory Notes |                  |  |
|--------------|-----------------------------|----------|------|--------|--------------|------|-------|------|-------|--------------|----------------------------|-------------------------------|--------------|--------------|---------------------|---------------------------|--|-----------------------|--------------------------|-----------------|-------------|-----------------|--|------------------|--|
|              |                             | DATE     | TIME |        | HCL          | HNO3 | H2SO4 | NONE | OTHER |              | TPH -GRO, Purgable (8260B) | TPH -DRO, Extractable (8015M) | TPHg (8015M) | BTEX (8260B) | BTEX + MTBE (8260B) | BTEX + MTBE + TBA (8260B) | BTEX + 5 OXYs (MTBE, TBA, DIPE, TAMIE, FTBE) 8260B | Full VOC list (8260B) | Single Compound: (8260B) | 1,2-DCA (8260B) | EDB (8260B) | Ethanol (8260B) |  | Methanol (8015M) |  |
|              | TBW-N                       | 2-2-12   | 1100 | W      | X            |      |       |      |       |              | 3                          | X                             |              |              |                     |                           |  | X                     | X                        | X               |             |                 |  |                  |  |
|              | S-2                         | 2-2-12   | 1110 | W      | X            |      |       |      |       |              | 3                          | X                             |              |              |                     |                           |  | X                     | X                        |                 |             |                 |  |                  |  |
|              | S-3                         | 2-2-12   | 1125 | W      | X            |      |       |      |       |              | 3                          | X                             |              |              |                     |                           |  | X                     | X                        |                 |             |                 |  |                  |  |
|              | S-4                         | 2-2-12   | 1140 | W      | X            |      |       |      |       |              | 3                          | X                             |              |              |                     |                           |  | X                     | X                        |                 |             |                 |  |                  |  |
|              | S-4B                        | 2-2-12   | 1155 | W      | X            |      |       |      |       |              | 3                          | X                             |              |              |                     |                           |  | X                     | X                        |                 |             |                 |  |                  |  |
|              | S-5                         | 2-2-12   | 1210 | W      | X            |      |       |      |       |              | 3                          | X                             |              |              |                     |                           |  | X                     | X                        |                 |             |                 |  |                  |  |
|              | S-6                         | 2-2-12   | 1220 | W      | X            |      |       |      |       |              | 3                          | X                             |              |              |                     |                           |  | X                     | X                        |                 |             |                 |  |                  |  |
|              | S-7                         | 2-2-12   | 1235 | W      | X            |      |       |      |       |              | 3                          | X                             |              |              |                     |                           |  | X                     | X                        |                 |             |                 |  |                  |  |
|              | S-8                         | 2-2-12   | 1305 | W      | X            |      |       |      |       |              | 3                          | X                             |              |              |                     |                           |  | X                     | X                        |                 |             |                 |  |                  |  |
|              | S-9                         | 2-2-12   | 1250 | W      | X            |      |       |      |       |              | 3                          | X                             |              |              |                     |                           |  | X                     | X                        |                 |             |                 |  |                  |  |

|  |  |              |             |
|--|--|--------------|-------------|
| Relinquished by: (Signature) <i>[Signature]</i>                    | Received by: (Signature) <i>[Signature]</i> (sample custodian) | Date: 2-2-12 | Time: 1440  |
| Relinquished by: (Signature) <i>[Signature]</i> (Sample Custodian) | Received by: (Signature) <i>[Signature]</i>                    | Date: 2/3/12 | Time: 1145  |
| Relinquished by: (Signature) <i>[Signature]</i> 2-3-12 1700        | Received by: (Signature) <i>[Signature]</i>                    | Date: 2/4/12 | Time: 10:20 |

Page 20 of 21 2/22/2012

5.0 2.1 4.4

## Login Sample Receipt Checklist

Client: Conestoga-Rovers & Associates, Inc.

Job Number: 440-1535-1

**Login Number: 1535**

**List Source: TestAmerica Irvine**

**List Number: 1**

**Creator: Robb, Kathleen**

| Question   | Answer | Comment    |
|--|--------|------------|
| Radioactivity either was not measured or, if measured, is at or below background | True   |            |
| The cooler's custody seal, if present, is intact.                                | N/A    |            |
| The cooler or samples do not appear to have been compromised or tampered with.   | True   |            |
| Samples were received on ice.  | True   |            |
| Cooler Temperature is acceptable.  | True   |            |
| Cooler Temperature is recorded.  | True   |            |
| COC is present.  | True   |            |
| COC is filled out in ink and legible.  | True   |            |
| COC is filled out with all pertinent information.                                | True   |            |
| Is the Field Sampler's name present on COC?                                      | True   | Ben Panell |
| There are no discrepancies between the sample IDs on the containers and the COC. | True   |            |
| Samples are received within Holding Time.  | True   |            |
| Sample containers have legible labels.   | True   |            |
| Containers are not broken or leaking.  | True   |            |
| Sample collection date/times are provided.                                       | True   |            |
| Appropriate sample containers are used.  | True   |            |
| Sample bottles are completely filled.  | True   |            |
| Sample Preservation Verified.  | True   |            |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True   |            |
| VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.     | True   |            |
| Multiphasic samples are not present.   | True   |            |
| Samples do not require splitting or compositing.                                 | True   |            |
| Residual Chlorine Checked.   | N/A    |            |



APPENDIX C

TRC -  
DATA TABLE FOR FORMER 76 STATION NO. 0843

**Table 1**  
**Current Groundwater Gauging and Analytical Results**  
**Union Oil of California**  
**Unocal Site 0843**  
**1629 Webster Street, Alameda, California**

| Well ID | Date Sampled | TOC Elevation (feet AMSL) | DTW (feet bTOC) | LPH Thickness (feet) | GW Elevation (feet AMSL) | TPH-G 8015B | Benzene | Toluene | Ethyl-benzene | Total Xylenes | MTBE  | TBA   | TAME  | ETBE  | DIPE  | EDB   | EDC   | Ethanol | Comments |
|---------|--------------|---------------------------|-----------------|----------------------|--------------------------|-------------|---------|---------|---------------|---------------|-------|-------|-------|-------|-------|-------|-------|---------|----------|
| MW-1    | 2/2/2012     | 19.13                     | 7.60            | 0.00                 | 11.53                    | <50         | <0.50   | <0.50   | <0.50         | 1.0           | 380   | 94    | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250    | A01      |
| MW-1AR  | 2/2/2012     | 19.29                     | 8.08            | 0.00                 | 11.21                    | <50         | <0.50   | <0.50   | <0.50         | 1.4           | 23    | <10   | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250    |          |
| MW-1BR  | 2/2/2012     | 19.13                     | 8.07            | 0.00                 | 11.06                    | <50         | <0.50   | <0.50   | <0.50         | 1.7           | 15    | <10   | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250    |          |
| MW-3    | 2/2/2012     | 18.05                     | 6.90            | 0.00                 | 11.15                    | <50         | <0.50   | <0.50   | <0.50         | <1.0          | 1.3   | <10   | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250    |          |
| MW-4    | 2/2/2012     | 18.14                     | 6.83            | 0.00                 | 11.31                    | <50         | <0.50   | <0.50   | <0.50         | <1.0          | 10    | <10   | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250    |          |
| MW-5    | 2/2/2012     | 16.45                     | 6.22            | 0.00                 | 10.23                    | <50         | <0.50   | <0.50   | <0.50         | <1.0          | 2.1   | <10   | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250    |          |
| MW-6    | 2/2/2012     | 16.97                     | 6.31            | 0.00                 | 10.66                    | <50         | <0.50   | <0.50   | <0.50         | <1.0          | 94    | 21    | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250    |          |
| MW-7    | 2/2/2012     | 17.81                     | 6.69            | 0.00                 | 11.12                    | <50         | <0.50   | <0.50   | <0.50         | <1.0          | 6,400 | 2,800 | 5.0   | <0.50 | <0.50 | <0.50 | <0.50 | <250    | A01      |
| MW-8    | 2/2/2012     | 18.13                     | 6.97            | 0.00                 | 11.16                    | <50         | <0.50   | <0.50   | <0.50         | <1.0          | 2,400 | 740   | 2.3   | <0.50 | <0.50 | <0.50 | <0.50 | <250    | A01      |
| MW-9    | 2/2/2012     | 18.75                     | 7.47            | 0.00                 | 11.28                    | <50         | <0.50   | <0.50   | <0.50         | <1.0          | 6.1   | <10   | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250    |          |
| MW-10   | 2/2/2012     | 18.84                     | 7.52            | 0.00                 | 11.32                    | <50         | <0.50   | <0.50   | <0.50         | 3.2           | 1.4   | <10   | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250    |          |
| MW-11   | 2/2/2012     | 18.72                     | 7.32            | 0.00                 | 11.40                    | <50         | <0.50   | <0.50   | <0.50         | <1.0          | 2,500 | 730   | 2.0   | <0.50 | <0.50 | <0.50 | <0.50 | <250    | A01      |

**Note**

Analytical results given in micrograms per liter (µg/l) unless otherwise noted

**Standard Abbreviations**

|       |   |
|-------|---|
| <     | not detected at or above laboratory detection limit                       |
| µg/l  | micrograms per liter (approx. equivalent to parts per billion, ppb)       |
| TOC   | top of casing (surveyed reference elevation)                              |
| AMSL  | above mean sea level  |
| DTW   | depth to water  |
| bTOC  | below top of casing   |
| LPH   | liquid-phase hydrocarbons   |
| GW    | groundwater   |
| TPH-G | total petroleum hydrocarbons as gasoline                                  |
| MTBE  | methyl tertiary butyl ether   |
| TBA   | tertiary butyl alcohol  |
| TAME  | tertiary amyl methyl ether  |
| ETBE  | ethyl tertiary butyl ether  |
| DIPE  | di-isopropyl ether  |
| EDB   | 1,2-dibromoethane   |
| EDC   | 1,2-dichloroethane (same as ethylene dichloride)                          |
| 8015B | EPA Method 8015B for TPH-G  |
| 8260B | EPA Method 8260B for BTEX/MTBE/Oxygenates                                 |
| A01   | PQL's and MDL's are raised due to sample dilution.                        |
| A90   | TPPH does not exhibit a "gasoline" pattern. TPPH is entirely due to MTBE. |
| *     | TPPH (C6 through C12)   |
| J     | Estimated Value   |