

ALAMEDA COUNTY  
HEALTH CARE SERVICES



AGENCY  
DAVID J. KEARS, Agency Director

R02806

May 12, 1998

ENVIRONMENTAL HEALTH SERVICES  
ENVIRONMENTAL PROTECTION  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577  
(510) 567-6700

ATTN: Mr. Chuck Epstein

F M C Corporation  
8787 Enterprise Dr  
Newark CA 94560

RE: Project # 4640A - Type M  
at 8787 Enterprise Dr in Newark 94560

Dear Property Owner/Designee:

Our records indicate the deposit/refund account for the above project has fallen below the minimum deposit amount. To replenish the account, please submit an additional deposit of \$646.00, payable to Alameda County, Environmental Health Services, within two weeks of receipt of this letter.

It is expected that the amount requested will allow the project to be completed with a zero balance. Otherwise, more money will be requested or any unused monies will be refunded to you or your designee.

The deposit refund mechanism is authorized in Section 6.92.040L of the Alameda County Ordinance Code. Work on this project will be debited at the Ordinance specified rate, currently \$94 per hour.

Please be sure to write the following identifying information on your check:

- project #
- type of project and
- site address

(see RE: line above).

If you have any questions, please contact Amir Gholami at (510) 567-6876.

Sincerely,

Tom Peacock, Manager  
Environmental Protection

c: files

ALAMEDA COUNTY  
HEALTH CARE SERVICES

AGENCY  
DAVID J. KEARS, Agency Director



R02806

ENVIRONMENTAL HEALTH SERVICES  
ENVIRONMENTAL PROTECTION (LOP)  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577  
(510) 567-6700  
FAX (510) 337-9335

October 25, 1996

ATTN: Mr. Chuck Epstein

F M C Corporation  
8787 Enterprise Dr  
Newark CA 94560

RE: Project # 4640A - Type M  
at 8787 Enterprise Dr in Newark 94560

Dear Property Owner/Designee:

Our records indicate the deposit/refund account for the above project has fallen below the minimum deposit amount. To replenish the account, please submit an additional deposit of \$1,500.00, payable to Alameda County, Environmental Health Services.

We must receive this deposit so that future regulatory oversight on the subject site can proceed in a timely fashion. At the completion of this project, any unused monies will be refunded to you or your designee.

The deposit refund mechanism is authorized in Section 3-140.5 of the Alameda County Ordinance Code. Work on this project will be debited at the Ordinance specified rate, currently \$94 per hour.

Please be sure to write the following on the check to identify your account:

- project #,
- type of project and
- site address

(see RE: line above).

If you have any questions, please contact Madhulla Logan at (510) 567-6764.

Sincerely,

Tom Peacock, Area Manager  
Environmental Protection

c: files/inspector

ALAMEDA COUNTY  
HEALTH CARE SERVICES  
AGENCY

DAVID J. KEARS, Agency Director



✓ R02806 (SLIC)

R0906 (LOP)

RAFAT A. SHAHID, ASST. AGENCY DIRECTOR

DEPARTMENT OF ENVIRONMENTAL HEALTH  
State Water Resources Control Board  
Division of Clean Water Programs  
UST Local Oversight Program  
80 Swan Way, Rm 200  
Oakland, CA 94621  
(510) 271-4530

March 23, 1993

Mr. Don Gilmore  
City of Alameda  
Housing Authority  
701 Atlantic Avenue  
Alameda, CA 94501

STID 4035

Re: Investigations at 1916 Webster St., Alameda, California

Dear Mr. Gilmore,

This office has received and reviewed Versar's Quarterly Ground Water Sampling Report, dated March 12, 1993, which included a detailed description of the most recent investigations at the site involving the sampling of six soil borings. In this report, Versar recommends the installation of an upgradient monitoring well and remediation of the soil contamination. This office finds these recommendations acceptable. In addition to Versar's recommendations, however, this office is requiring that a monitoring well be placed downgradient of Boring B-9, due to the fact that ground water samples recently collected from this boring identified 2,000 ppb Total Petroleum Hydrocarbons as gasoline, and 620 ppb Benzene.

Additionally, quarterly ground water monitoring should continue, with the inclusion of lead analysis as part of the sampling events.

Please be reminded that prior to any further work at the site, a work plan detailing the proposed work shall be submitted to this office for our review and approval.

If you have any questions or comments, please contact me at (510) 271-4530.

Sincerely

Juliet Shin  
Hazardous Materials Specialist

Mr. Don Gilmore  
Re: 1916 Webster Street  
March 23, 1993  
Page 2 of 2

cc: Richard Hiett, RWQCB

John C. Bird  
Versar, Inc.  
5330 Primrose Drive, Ste 228  
Fair Oaks, CA 95628

Edgar Howell-File(JS)

ALAMEDA COUNTY  
HEALTH CARE SERVICES

AGENCY

DAVID J. KEARS, Agency Director



R02806

RAFAT A. SHAHID, Assistant Agency Director

DEPARTMENT OF ENVIRONMENTAL HEALTH  
Hazardous Materials Division  
80 Swan Way, Rm. 200  
Oakland, CA 94621  
(510) 271-4320

September 16, 1992

Jody Sparks, President  
Toxics Assessment Group  
P.O. Box 73620  
Davis CA. 95617-3620

Dear Ms. Sparks:

I apologize for the late response to your request, in the future if you will address any request directly to the Hazardous Materials Division for information regarding sites in Alameda County we may be able to expedite the request.

In response to your request of August 7, 1992, I have had the files pulled for the property at 8787 Enterprise Drive, Newark, CA.. There are two files with a total of 278 pages.

As these files are numbered you may review them upon appointment as for copies you may bring your own copy machine or we will provide copies at the county rate of \$1.00 per page. We will require that your representative sign a statement of responsibility for the files they review. There is a fee of \$71.00 per hour for our time, this fee is for service and not for the information you obtain.

If you have any questions please call me at (510) 271-4320.

Sincerely:

A handwritten signature in cursive script that reads "Edgar B. Howell III".

Edgar B. Howell III, Chief  
Hazardous Materials Division

c; files