



Quarterly Groundwater Monitoring Report

for January 1 to March 31, 1999
Site Cleanup Requirements (SCR)
Order No. 98-009

The Sherwin-Williams Facility
Emeryville, California

April 16, 1999
6495.00-003

Prepared for



1450 Sherwin Avenue, Emeryville, CA



1900 Powell Street, 12th Floor, Emeryville, CA 94608
(510) 652-4500 Fax (510) 652-2246
www.lfr.com

April 13, 1999

6495.00-003

Mr. Mark Johnson
Regional Water Quality Control Board
1515 Clay Street, Suite 1400
Oakland, California 94612

Subject: Quarterly Self-Monitoring Report, January 1 to March 31, 1999, Site Cleanup Requirements (SCR) Order No. 98-009, The Sherwin-Williams Company, Emeryville, California

Dear Mr. Johnson:

Enclosed is the self-monitoring report, prepared by LFR Levine-Fricke (LFR) on behalf of The Sherwin-Williams Company, for the quarterly period of January 1 through March 31, 1999. This self-monitoring report is submitted pursuant to the requirements of SCR Order No. 98-009, issued by the Regional Water Quality Control Board on February 19, 1998. Self-monitoring activities conducted at The Sherwin-Williams Company site in Emeryville, California ("the Site") during this quarterly reporting period were in compliance with requirements of the SCR and self-monitoring program.

This report presents historical data and the results of the quarterly groundwater monitoring program conducted at the Site in January 1999. In addition, this report includes summaries of the operation of the Sherwin-Williams groundwater extraction and treatment systems and information about removal of contaminants from extracted groundwater at the Site, as required by the SCR.

I certify, under penalty of perjury, that this document and all attachments are prepared under my direction or supervision and the information submitted is, to the best of my knowledge and belief, true, accurate, and complete.

If you have any questions or comments regarding this report, please call Larry Mencin at (216) 566-1768 or me at (510) 652-4500.

Sincerely,

Michael B. Marsden, R.G., C.HG.
Senior Hydrogeologist

Enclosure

cc: Distribution List

DISTRIBUTION LIST (CD Only):

Susan Hugo
Alameda County Department of
Environmental Health
Hazardous Materials Division
1131 Harbor Bay Parkway, 2nd floor
Alameda, California 94502-6577

Ignacio Dayrit
Projects Coordinator
Development Services Department
Project Development Division
City of Emeryville, Redevelopment
Agency
2200 Powell Street, 12th Floor
Emeryville, California 94608

George Stavnes
The Sherwin-Williams Company
1450 Sherwin Avenue
Emeryville, California 94608

Vera Nelson
Erler & Kalinowski, Inc.
1730 So. Amphlett Blvd., Suite 320
San Mateo, California 94402

Jay Grover
Chiron Corporation
4560 Horton Street
Emeryville, California 94608-2916

Barbara Cook
California Environmental Protection
Agency, Dept. of Toxic Substances
Control, Region 2
700 Heinz Ave., Suite 200
Berkeley, California 94710

Peggy Peischl
Treadwell and Rollo
2 Theater Square, #216
Orinda, California 94563

Jane Riggan, M.S.W.
Environmental Investigations Branch
California Dept. of Health Services
5900 Hollis Street, Suite E
Emeryville, California 94608

Robert Cave
Air Quality Engineer
BAAQMD
939 Ellis Street
San Francisco, California 94109

Jody Sparks
Toxics Assessment Group
1801 Hanover Drive, Suite C
PO Box 73620
Davis, California 95617-3620

Sandra Maxfield
ENTRIX, Inc.
590 Ygnacio Valley Road, Suite 200
Walnut Creek, California 94596

DISTRIBUTION LIST (CD/Hard Copy):

Larry Mencin
The Sherwin-Williams Company
101 Prospect Avenue, N.W.
Cleveland, Ohio 44115-1075

Mara Feeney, Principal
Mara Feeney & Associates
19 Beaver Street
San Francisco, California 94114-1514

Melissa Mednick
Community Relations and Socioeconomic
Analysis
5689 Oak Grove Avenue
Oakland, California 94618

Randi Parker-Germains
45th Street Artists Cooperative
1420 45th Street
Emeryville, California 94608

CONTENTS

CERTIFICATION.....	iv
1.0 INTRODUCTION AND SCOPE	1
2.0 GROUNDWATER GRADIENT AND POTENTIAL DIFFERENCES	1
2.1 Horizontal Groundwater Gradient.....	2
2.2 Groundwater Potential Differences Across Slurry Wall.....	2
2.3 Groundwater Potential Differences Across A/B Aquitard	3
3.0 GROUNDWATER QUALITY SAMPLING	3
4.0 GROUNDWATER QUALITY ANALYSIS RESULTS	4
4.1 Volatile Organic Compounds	4
4.1.1 A Zone (Outside Slurry Wall).....	4
4.1.2 A Zone (Inside Slurry Wall).....	5
4.1.3 B Zone	5
4.2 TPHd.....	6
4.2.1 A Zone (Outside Slurry Wall).....	6
4.2.2 A Zone (Inside Slurry Wall).....	6
4.2.3 B Zone	6
4.3 TPHg.....	7
4.3.1 A Zone (Outside Slurry Wall).....	7
4.3.2 A Zone (Inside Slurry Wall).....	7
4.3.3 B Zone	7
4.4 Arsenic	7
4.4.1 A Zone (Outside Slurry Wall).....	8
4.4.2 A Zone (Inside Slurry Wall).....	8
4.4.3 B Zone	8
5.0 QA/QC PROCEDURES AND RESULTS	9

6.0 OPERATION OF THE SHERWIN-WILLIAMS GROUNDWATER EXTRACTION SYSTEM	9
---	---

REFERENCES.....	11
-----------------	----

TABLES

1	Historical Groundwater Elevation Data Including January 1999
2	Horizontal Groundwater Potential Differences Across the Slurry Wall
3	Vertical Groundwater Potential Differences Across the A and B Aquifer Zones
4	Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
5	Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline in Groundwater Monitoring Wells
6	Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
7	Groundwater Extraction Flow Data
8	Contaminant Removal Results

FIGURES

1	Site Location Map
2	Site Plan
3	Groundwater Elevation Contours, A-Zone Groundwater, January 8, 1999
4	Groundwater Elevation Contours, B-Zone Groundwater, January 8, 1999
5a	Volatile Organic Compounds, A-Zone Groundwater, January 1999
5b	Chlorinated Volatile Organic Compounds, A-Zone Groundwater, January 1999
6	Volatile Organic Compounds, B-Zone Groundwater, January 1999
7	Total Petroleum Hydrocarbons as Diesel, A-Zone and B-Zone Groundwater, January 1999
8	Total Petroleum Hydrocarbons as Gasoline, A-Zone and B-Zone Groundwater, January 1999
9	Concentrations of Arsenic, A-Zone Groundwater, January 1999
10	Concentrations of Arsenic, B-Zone Groundwater, January 1999

APPENDICES

- A Summary of QA/QC
 - A-1 Summary of Sampling QA/QC
 - A-2 Summary of Analytical QA/QC
- B Field Parameters Measured During Groundwater Sampling, January 1999
 - B-1 Field Parameters Measured During Purging and Sampling, January 1999
- C Complete Analytical Results for Groundwater Monitoring Wells, January 1999
 - C-1 Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
 - C-2 Complete Analytical Results for Field Quality Control (Field and Trip Blanks) for January 1999 (First Quarter 1999 Monitoring)

CERTIFICATION

All hydrogeologic and geologic information, conclusions, and recommendations in this document have been prepared under the supervision of and reviewed by an LFR Levine-Fricke California Registered Geologist.

Michael B. Marsden
Senior Hydrogeologist
California Registered Geologist (6536)

Date

1.0 INTRODUCTION AND SCOPE

LFR Levine-Fricke (LFR) prepared this quarterly groundwater monitoring report for the period from January 1 to March 31, 1999, on behalf of The Sherwin-Williams Company, as part of a self-monitoring program for the manufacturing facility located at 1450 Sherwin Avenue in Emeryville, California ("the Site"; [Figures 1 and 2](#)).

This quarterly report is submitted in accordance with the self-monitoring requirements specified in Site Cleanup Requirements (SCR) Order No. 98-009, issued to The Sherwin-Williams Company by the California Regional Water Quality Control Board, San Francisco Bay Region (RWQCB) on February 19, 1998 (RWQCB 1998).

In January 1999, LFR conducted the groundwater monitoring activities for this quarter. The quarterly monitoring activities included the following:

- Groundwater elevations were measured in 46 on- and off-site monitoring wells (LF-3, LF-4, LF-7, LF-8, LF-10 through LF-13, LF-17 through LF-30, LF-B3 through LF-B6, EX-1 through EX-10, RP-1 through RP-5, and MW-1 through MW-5) and 20 on-site piezometers (LFPZ-1 through LFPZ-20).
- Groundwater samples were collected at the Site from 25 A-zone monitoring wells located outside the site slurry wall, 7 A-zone monitoring wells located inside the site slurry wall, 10 A-zone extraction wells located inside the site slurry wall, and 4 B-zone monitoring wells. The samples were analyzed for volatile organic compounds (VOCs) using EPA Method 8260; total petroleum hydrocarbon (TPH) as diesel (TPHd) using EPA Extraction Method 3510; TPH as gasoline (TPHg) using EPA Extraction Method 5030; and dissolved arsenic using EPA Method 7060.

This report also presents data on groundwater extraction and removal of contaminants from groundwater at the Site, as required by SCR Order No. 98-009.

2.0 GROUNDWATER GRADIENT AND POTENTIAL DIFFERENCES

Groundwater elevations were measured in site extraction wells, monitoring wells, and piezometers on January 8, 1999. Groundwater elevation data are presented in [Table 1](#). Groundwater elevations in the A zone and the B zone are illustrated in [Figures 3 and 4](#), respectively.

In general, groundwater elevations have increased since the start of the 1999 rainy season. Between October 16, 1998, and January 8, 1999, groundwater elevations increased by an average of approximately 1.2 feet inside the slurry wall and approximately 0.3 foot outside the slurry wall. This increase contrasts with the decrease in water levels observed during the 1998 dry season. Between February 24 and October 16, 1998, water levels decreased by an average of approximately 4.2 feet

inside the slurry wall and approximately 2.2 feet outside the slurry wall. In the B zone, which is not laterally confined by the slurry wall, water levels dropped on average approximately 0.1 foot between October 16, 1998, and January 8, 1999.

2.1 Horizontal Groundwater Gradient

A Zone (Outside Slurry Wall)

As shown in [Figure 3](#), the A-zone groundwater gradient south of the slurry wall is generally 0.003 foot per foot toward the northwest (between wells LF-13 and LF-11). Gradients appear to change in isolated areas as a result of influence from the site slurry wall and Temescal Creek. West of the slurry wall and in the vicinity of Temescal Creek, the groundwater gradient is generally to the northwest.

A Zone (Inside Slurry Wall)

Extraction wells EX-1 through EX-3, EX-5, and EX-7 through EX-10 were operational at the time water levels were measured on January 8, 1999. Groundwater extraction appears to influence groundwater elevations measured in the A zone inside the slurry wall. During the four quarters of 1998, the extraction wells were operational for a total of 265 days, and extracted 1,048,197 gallons of groundwater. Additional information regarding groundwater extraction is presented in Section 6.0. This groundwater extraction resulted in an overall decrease of groundwater elevations in the A zone inside the slurry wall and has also influenced the groundwater gradient, as measured on January 8, 1998. The groundwater gradient in the western portion of the area enclosed by the slurry wall is nearly flat with flow toward extraction wells EX-1, EX-2 and EX-5. The groundwater gradient is steeper in the southern portion of the area enclosed by the slurry wall and is generally toward the west and extraction wells EX-3 and EX-7 through EX-10. In the southeastern corner of the area enclosed by the slurry wall, there is a steep gradient away from the corner toward EX-3.

B Zone

As shown in [Figure 4](#), the groundwater elevations in the two B-zone monitoring wells in the northwestern part of the Site (LF-B3 and LF-B6) are slightly lower than the groundwater elevations in the two B-zone monitoring wells in the southeastern part of the Site (LF-B4 and LF-B5). These elevations indicate that B-zone groundwater at the Site on January 8, 1999, generally flowed from the southeast to the northwest.

2.2 Groundwater Potential Differences Across Slurry Wall

As indicated in [Table 2](#), the horizontal groundwater potential across the slurry wall on January 8, 1999, is inward in 6 of the 10 well pairs that are located along the slurry wall. In other words, in 6 of the 10 well pairs, the groundwater elevation of the well outside the slurry wall is greater than the groundwater elevation of the adjacent well

inside the slurry wall. The number of well pairs with an inward potential has decreased from the 10 reported in the final quarter of 1998 (measured on October 16, 1998). However, this quarter's horizontal potential across the slurry wall contrasts with the groundwater potential difference measured on the first quarter of 1998, when all 10 well pairs had an outward potential. This indicates that within the past year, the groundwater elevation inside the slurry wall has decreased more than the groundwater level outside the slurry wall. This decrease likely results from increased extraction rates resulting from improvements to the groundwater treatment system (GWTS). The marked decrease in water levels inside the slurry wall is also an indication that the slurry wall is inhibiting the movement of A-zone groundwater out of the area enclosed by the slurry wall.

2.3 Groundwater Potential Differences Across A/B Aquitard

As indicated in [Table 3](#), the vertical groundwater potential difference across the A/B aquitard wall on January 8, 1999, is upward at three of the four A- and B-zone well pairs. The groundwater potential difference across the A/B aquitard in the remaining well pair (LF-B4 and LF-12) is downward. This well pair is also upgradient from the Site and outside the slurry wall. The three well pairs with upward potential are inside the slurry wall, and this shows that the groundwater extraction system is lowering the groundwater elevations in the A zone inside the slurry wall. Last quarter, the vertical groundwater potential difference across the A/B aquitard was also upward in three well pairs. This is in contrast to the groundwater potential difference across the A/B aquitard measured in the first quarter of 1998, when all four well pairs showed downward or near zero potential. This indicates that within the past year, the groundwater potential in the A zone inside the slurry wall has decreased more than the groundwater potential in the B zone inside the slurry wall. It is important to note that the vertical groundwater potential difference at the well pair of LFPZ-5 and LF-B5 may not be representative because LF-B5 is screened in the A/B aquitard.

3.0 GROUNDWATER QUALITY SAMPLING

Groundwater samples were collected for chemical analysis from January 11 through 15, 1999. Groundwater samples were collected from all site extraction wells, A-zone monitoring wells, and B-zone monitoring wells.

A minimum of 3 well volumes of water was purged from each monitoring well before sampling. The wells were purged either by pumping with a centrifugal pump or by hand bailing with a disposable polyethylene bailer. Wells that recovered slowly were purged dry and allowed to recover to a minimum of 80 percent of the initial well volume (or after a maximum of two hours) before they were sampled. The hoses attached to the centrifugal pump were cleaned with high-pressure hot water (steam cleaned) before each use. The evacuated water was pumped into a portable storage tank and then transferred and discharged into the site groundwater treatment system. Field

parameters (temperature, pH, and specific conductance of the evacuated water) were recorded during purging; wells were sampled after the parameters had stabilized.

After each well had been purged, a sample was collected from that monitoring well for laboratory analysis using a new, disposable polyethylene bailer. Samples collected from operational extraction wells were collected at discharge ports at the site treatment system. All work was conducted in compliance with the Quality Assurance Project Plan (Entrix 1998) and the Health and Safety Plan (LFR 1998a) for the Site. The samples designated for chemical analysis were analyzed according to EPA Method protocol by Curtis and Tompkins of Berkeley, California, a state-certified laboratory. In accordance with the RWQCB's letter dated November 5, 1996, and SCR Order No. 98-009, analytical laboratory reports and chain-of-custody forms for these samples are not presented in this report. The data will be kept on file at LFR's Emeryville office. [Appendix A](#) is provided in lieu of raw data such as field data sheets, laboratory data sheets, quality assurance/quality control (QA/QC) data, and chain-of-custody forms. [Appendix A](#) includes a QA/QC review of groundwater sampling and analytical results.

4.0 GROUNDWATER QUALITY ANALYSIS RESULTS

Results of groundwater sample analyses are presented in [Table 4](#) for VOCs, [Table 5](#) for TPHd and TPHg, and [Table 6](#) for inorganic compounds. Field parameters collected during groundwater sampling, including pH, are presented in Table B-1 in [Appendix B](#). A complete listing of laboratory results, including QA/QC data, is provided in [Appendix C](#).

[Figures 5a and 5b](#) show concentrations of VOCs detected in A-zone groundwater, [Figure 6](#) shows concentrations of VOCs detected in B-zone groundwater, [Figure 7](#) shows concentrations of TPHd in A- and B-zone groundwater, [Figure 8](#) shows concentrations of TPHg in A- and B-zone groundwater, [Figure 9](#) shows concentrations of arsenic in A-zone groundwater, and [Figure 10](#) shows concentrations of arsenic in B-zone groundwater.

4.1 Volatile Organic Compounds

4.1.1 A Zone (Outside Slurry Wall)

Analytical results for groundwater samples collected from A-zone wells that are outside the slurry wall and downgradient from the Site (excluding Rifkin Property wells; LF-3, LF-11, LF-18, LF-20, LF-21, LF-23, LF-24, and LF-25) did not contain VOCs above the laboratory detection limits, with the exception of samples from wells LF-3, LF-11, and LF-20 ([Figures 5a and 5b](#)). The sample collected from well LF-3 contained ethylbenzene, toluene, and xylenes at concentrations of 2.8 parts per million (ppm), 52 ppm, and 13.4 ppm, respectively. The sample collected from well LF-20 contained 0.0043/0.0041 ppm (primary/duplicate) chlorobenzene. In addition, the sample from well LF-11 contained 0.0005 ppm tert-butylbenzene ([Table 4](#)).

The sample collected from the A-zone well (LF-13) that is outside the slurry wall and upgradient from the Site contained 0.0049 ppm 1,1,1-trichloroethane, 0.0005 ppm 1,1-dichloroethane (DCA) and 0.001 ppm tetrachloroethene (PCE). In addition, the sample collected from well LF-12, which is upgradient from the Site and downgradient from the former Shell Development property, contained 0.0015 ppm PCE and 0.0014 ppm trichloroethene (TCE; [Table 4](#)).

Analytical results for samples collected during this sampling event from the Rifkin Property A-zone wells (RP-1 through RP-5, MW-1 through MW-5, LF-19, and LF-27 through LF-30) indicated that 14 of the 15 wells contained concentrations of at least one VOC above laboratory detection limits ([Figures 5a and 5b](#)). The highest VOC concentrations were detected in well MW-5 and the greatest number of VOC contaminants were detected in wells LF-27 through LF-30. The sample from well MW-5 contained acetone, ethylbenzene, methyl ethyl ketone, toluene, xylenes, and 4-methyl-2-pentanone at concentrations of 130 ppm, 1.6 ppm, 52 ppm, 93 ppm, 7.1 ppm, and 21 ppm, respectively. Wells LF-27 through LF-30, which are downgradient from the former Shell Development Property and upgradient from the Rifkin Property ([Figures 5a and 5b](#)), contained one or more of the following compounds in concentrations above the detection limit: TCE, 1,2-dichloroethene (DCE), cis-1,2-DCE, trans-1,2-DCE, dichlorodifluoromethane, 1,2-dichloropropane, benzene, chlorobenzene, chloroform, 1,2,3-trichloropropane, 1,1-DCA, 1,2-DCA, tert-butylbenzene, vinyl chloride, and xylenes ([Table 4](#)). In addition, wells LF-28, MW-2, MW-3, RP-1, RP-2 and RP-4 contained MTBE ([Table 5](#)) in concentrations ranging from 0.0014/0.0013 (primary/duplicate; LF-28) to 0.0042 (MW-2).

Many of the compounds detected in wells LF-12, LF-13, and LF-27 through LF-30 have not been detected at significant levels on the Site, and the sources of these contaminants are likely upgradient from the Site.

4.1.2 A Zone (Inside Slurry Wall)

Nine of the 17 A-zone wells that are inside the slurry wall contained at least two of the four BTEX compounds (benzene, toluene, ethylbenzene, and total xylenes). One or more of the following chlorinated VOCs were detected in the A-zone wells that are inside the slurry wall: 1,2-DCA, cis-1,2-DCE, trans-1,2-DCE, chlorobenzene, and TCE. The highest chlorinated VOC detection in the A-zone wells that are inside the slurry wall was 1,2-DCA at a concentration of 0.24 ppm in well EX-9. Other VOCs in samples collected from A-zone wells that are inside the slurry wall are shown in [Figures 5a and 5b](#) and [Table 4](#).

4.1.3 B Zone

1,2-DCA was detected in samples collected from wells LF-B3, LF-B5, and LF-B6 at concentrations of 0.018 ppm, 0.3 ppm, and 0.085 ppm, respectively ([Table 4](#)). In addition, groundwater from wells LF-B3, LF-B5, and LF-B6 contained MTBE in concentrations of 0.014 ppm, 0.0069 ppm, and 0.0089 ppm, respectively. The sample

collected from well LF-B5 contained 0.0032 ppm 1,2,3-trichloropropane and 0.003 ppm cis-1,2-DCE. The sample collected from well LF-B5 is representative of groundwater quality in the aquitard between the A zone and the B zone, because the well is screened within the aquitard. The actual water quality in the B zone in the area of LF-B5 is uncertain. Other VOCs were not detected above analytical detection limits in samples from the B zone.

4.2 TPHd

The following sections present the analytical results for TPHd in samples collected from groundwater monitoring wells at and around the Site. Some samples were reported as unknown hydrocarbon mixtures with peak patterns atypical of diesel. These samples are quantified as diesel for a range of n-C10 to n-C24 (Table 5).

4.2.1 A Zone (Outside Slurry Wall)

With the exception of wells LF-3, LF-20, and LF-21, relatively low concentrations of TPHd (less than 1 ppm) were detected in samples collected from A-zone wells that are outside the slurry wall and downgradient from the Site (excluding the Rifkin Property wells). Wells LF-3, LF-20, and LF-21 contained 10/10 ppm (primary/duplicate), 1.7/1.7 ppm (primary/duplicate), and 1.4 ppm TPHd, respectively. The two wells upgradient from the Site (LF-12 and LF-13) did not contain TPHd in concentrations above the 0.048 ppm detection limit (Table 5).

Fourteen of the 15 Rifkin Property and adjacent Horton Street wells contained concentrations of TPHd above the laboratory detection limit of 0.05 ppm. Samples collected from wells LF-19, LF-28, LF-29, LF-30, MW-1, MW-2, and RP-1 through RP-5 contained TPHd ranging in concentration from 0.073/0.049 ppm (MW-3) to 2.2 ppm (LF-19). Samples collected from wells MW-4 and MW-5 contained 6.6 ppm and 19 ppm TPHd, respectively (Table 5).

4.2.2 A Zone (Inside Slurry Wall)

TPHd was detected in all 17 A-zone wells inside the slurry wall. Concentrations of TPHd in samples collected from A-zone wells inside the slurry wall (except for well LF-17) ranged from 0.24 ppm in well EX-3 to 13 ppm in well LF-4. The sample collected from well LF-17 contained 19 ppm TPHd (Table 5).

4.2.3 B Zone

TPHd was detected in samples collected from B-zone wells LF-B3, LF-B4, and LF-B5 at concentrations of 0.39 ppm, 0.055 ppm and 0.053 ppm, respectively. The TPHd concentration in the sample collected from well LF-B6 did not exceed the laboratory detection limit (Table 5).

4.3 TPHg

The following sections present the analytical results for TPHg from samples collected from groundwater monitoring wells at and around the Site. Some samples were reported as unknown hydrocarbon mixtures with peak patterns atypical of gasoline. These samples are quantified as gasoline for a range of n-C7 to n-C12 (Table 5).

4.3.1 A Zone (Outside Slurry Wall)

With the exception of wells LF-3, LF-11, LF-20, and LF-25 concentrations of TPHg did not exceed the detection limit of 0.05 ppm in samples from A-zone wells that are outside the slurry wall and downgradient from the Site (excluding the Rifkin Property wells). Samples collected from wells LF-11, LF-20, and LF-25 each contained less than 1 ppm TPHg. The sample collected from well LF-3 contained 110/110 ppm (primary/duplicate) TPHg. The samples collected from the two wells upgradient from the Site (LF-12 and LF-13) were both below the laboratory detection limit of 0.05 ppm (Table 5).

Fourteen of the 15 Rifkin Property and adjacent Horton Street wells contained concentrations of TPHg above the laboratory detection limit of 0.05 ppm. Samples collected from wells MW-1 through MW-4, LF-28 through LF-30, RP-1 through RP-5, and LF-19 contained TPHg concentrations ranging from 0.053 ppm (RP-2) to 1.3 ppm (MW-1). The sample collected from well MW-5 contained 230 ppm TPHg (Table 5).

4.3.2 A Zone (Inside Slurry Wall)

TPHg was detected in samples collected from all 17 of the 14 A-zone wells inside the slurry. TPHg was detected at concentrations ranging from 0.053 ppm in LF-8 to 51 ppm in EX-2 (Table 5).

4.3.3 B Zone

TPHg was detected in the samples collected from B-zone wells LF-B5 and LF-B6 at concentrations of 0.057 ppm and 0.063 ppm, respectively. TPHg concentrations in the samples collected from wells LF-B3 and LF-B4 did not exceed the laboratory detection limit (Table 5).

4.4 Arsenic

The following sections present the analytical results for dissolved arsenic from samples collected from groundwater monitoring wells at and around the Site. All samples were filtered using a 0.45-micron filter before analysis.

4.4.1 A Zone (Outside Slurry Wall)

Arsenic was detected in samples collected from seven of the eight A-zone wells located outside the slurry wall and downgradient from the Site (Table 6). Most samples contained less than 0.5 ppm arsenic, with the exception of wells LF-3 and LF-11, which had arsenic concentrations of 29/31 ppm (primary/duplicate) and 1.7 ppm, respectively. The concentration of arsenic in well LF-3 has decreased from the 142 ppm detected last quarter. The samples collected from well LF-23 did not contain arsenic in concentrations above the laboratory detection limit of 0.005 ppm. The samples collected from the two wells upgradient from the Site (LF-12 and LF-13) did not contain arsenic above the laboratory detection limit of 0.005 ppm.

Eleven of the 15 Rifkin Property and adjacent Horton Street wells contained concentrations of arsenic above the laboratory detection limit of 0.005 ppm. The samples collected from wells MW-4 and MW-5 contained arsenic concentrations of 0.81 ppm and 290 ppm, respectively. The concentration of arsenic in well MW-4 has decreased from the concentration of 8.6 detected last quarter. The sample collected from well LF-28, downgradient from the former Shell Development property, contained an arsenic concentration of 0.35/0.37 ppm. Wells MW-3, LF-27, and RP-2 (located south of LF-28 and between the Sherwin-Williams arsenic source area and LF-28) had low arsenic concentrations of 0.029/0.026 ppm, 0.006 ppm, and 0.0053 ppm, respectively. Samples from the nine remaining wells that contained concentrations of arsenic above the detection limit ranged from 0.014 ppm (LF-19) to 0.063 ppm (RP-1).

4.4.2 A Zone (Inside Slurry Wall)

Fourteen of the 17 A-zone wells inside the slurry wall that were sampled this quarter contained arsenic above the laboratory detection limit. Arsenic concentrations in these 14 wells ranged from 0.024 ppm (LF-26) to 140 ppm (EX-9). The sample collected from EX-2 had 8.5 ppm arsenic, a significant increase from the 0.007 ppm reported last quarter. However, the 8.5 ppm detected in EX-2 this quarter is significantly lower than the historical groundwater concentrations (Table 6). The samples collected from EX-1, EX-4, and EX-5 did not contain arsenic above the 0.005 ppm detection limit.

4.4.3 B Zone

Arsenic was detected in samples collected from wells LF-B5 and LF-B6 at concentrations of 0.032 ppm and 0.0083 ppm, respectively. The concentrations of arsenic in the samples collected from well LF-B3 and LF-B4 did not exceed the laboratory detection limit of 0.005 ppm. Historically, samples collected from LF-B5 have contained arsenic in concentrations higher than the other B-zone wells. It is important to note that the sample collected from well LF-B5 is representative of groundwater quality in the aquitard between the A zone and B zone, because the well is screened within the aquitard. The actual water quality in the B zone in the area of LF-B5 is uncertain.

5.0 QA/QC PROCEDURES AND RESULTS

QA/QC measures were implemented for the purpose of maintaining data quality and minimizing the potential for field and laboratory cross contamination of samples. QA/QC procedures included collecting trip blank and bailer rinsate blank samples, controlling sampling order, using disposable bailers, and steam cleaning of pump hoses daily before and after use.

Tables A-1 and A-2 ([Appendix A](#)) are summary tables that provide data typically included on the laboratory reports.

6.0 OPERATION OF THE SHERWIN-WILLIAMS GROUNDWATER EXTRACTION SYSTEM

As specified by the SCR self-monitoring program, [Table 7](#) presents groundwater extraction results for each extraction well and for the Site. [Table 8](#) presents arsenic and total VOC removal results from the groundwater extraction wells.

During the first quarter 1999, groundwater extraction wells EX-1 through EX-10 (except wells EX-4 and EX-6) operated for an estimated 79 days, and wells EX-4 and EX-6 operated for 66 days and 54 days, respectively. The combined groundwater extraction from EX-1 through EX-10 for the first quarter 1999 was 558,405 gallons, which is more than double the total volume extracted in the previous quarter.

Between February and July 1998, an extensive effort was made to modify the groundwater treatment system (GWTS), revise operation and maintenance procedures, and adjust treatment system operation parameters at the Site. These improvements have resulted in an increase in the mass removal of site contaminants and in the volume of water processed by the GWTS, which was approximately 1.4 million gallons in 1998. This total exceeds previous yearly totals of approximately 706,000 gallons in 1996 and 490,000 gallons in 1997.

In 1998, the actual volume of groundwater extracted by the groundwater extraction system from within the slurry wall (wells EX-1 through EX-10) was approximately 1 million gallons. The difference between the volume of water processed by the GWTS and the volume of groundwater extracted results from the occasional recirculation of treated water within the GWTS and treatment of the groundwater and rainwater mixture stored on site in portable tanks during early 1998.

In 1998, an estimated 370 pounds of arsenic and 53 pounds of total VOCs in groundwater were extracted from within the slurry wall area ([Table 8](#)). For comparison, an estimated 223 pounds of arsenic and 23 pounds of total VOCs were removed in 1996, and 172 pounds of arsenic and 17 pounds of total VOCs were removed in 1997 (LFR 1998b). In January 1998, totalizers were installed on each of the extraction wells. The mass of arsenic and VOCs is calculated using the total volume

of groundwater extracted from the wells. In previous years, the mass removed was calculated using volume of water processed by the GWTS. The increase in the treatment efficiency has significantly improved the performance of the Interim Remedial Measures.

Construction for the new MSE groundwater treatment system began during the fourth quarter of 1998. This new treatment system was selected to replace the Andco system to handle increased flow rates expected as a result of groundwater extraction system (GWES) expansion. The new treatment system was brought on line in January 1999. As part of the GWES expansion, seven new extraction wells (EX-4 through EX-10) were brought on line. These extraction wells were selected because they are expected to be the most beneficial to maintaining an inward gradient across the slurry wall and extracting surface water infiltration along the railroad tracks. Although the additional extraction wells were brought on line, the maximum flow rate through the treatment system did not exceed 7 gallons per minute (gpm) during the first quarter of 1999. The 7 gpm treatment system flow rate was due to the recirculation of treated effluent through the Andco system during the startup and adjustment of the new MSE system to confirm NPDES compliance.

Sampling and analysis results for the GWTS are included in a self-monitoring report required by General Waste Discharge Requirements Order No. 94-087, National Pollution Discharge Elimination System No. CAG912003, to be submitted under separate cover to the RWQCB.

REFERENCES

- Entrix. 1988. Quality Assurance Project Plan for the Sherwin-Williams Facility, Emeryville, California. April 27.
- LFR. 1998a. Health and Safety Plan for Site Investigation Activities at the Sherwin-Williams Facility, Emeryville, California. July 2.
- . 1998b. Revised Evaluation of Existing Interim Remedial Measures and Work Plan for Implementation of Future Interim Remedial Measures, Sherwin-Williams Facility, Emeryville, California. August 7.
- RWQCB. 1998. Adoption of Site Cleanup Requirements, Order 98-009. Signed by Loretta K. Barsamian. February 18.

Table 1
Historical Groundwater Elevation Data Including January 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
EX-1	04/24/96	10.08	15.42	-5.34
	07/29/96		15.70	-5.62
	12/13/96		3.20	6.88
	04/15/97		15.50	-5.42
	09/19/97		4.34	5.74
	12/03/97		3.35	6.73
	12/15/97		1.99	8.09
	01/13/98		2.15	7.93
	01/30/98		0.67	9.41
	02/24/98		13.80	-3.72
	04/06/98		3.43	6.65
	07/02/98		5.68	4.40
	07/13/98		15.38	-5.30
	09/28/98		15.36	-5.28
	10/16/98		15.50	-5.42
01/08/99	13.84	-3.76		
EX-2	04/24/96	10.08	14.87	-4.79
	07/29/96		14.50	-4.42
	12/13/96		2.21	7.87
	04/15/97		10.55	-0.47
	09/19/97		3.80	6.28
	12/03/97		3.19	6.89
	12/15/97		1.75	8.33
	01/13/98		0.34	9.74
	01/30/98		0.66	9.42
	02/24/98		2.50	7.58
	04/06/98		3.02	7.06
	07/02/98		5.68	4.40
	07/13/98		5.20	4.88
	09/28/98		15.53	-5.45
	10/16/98		15.30	-5.22
01/08/99	7.15	2.93		
EX-3	04/24/96	14.90	16.95	-2.05
	07/29/96		17.20	-2.30
	12/13/96		5.10	9.80
	04/15/97		17.20	-2.30
	09/19/97		6.15	8.75

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including January 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
EX-3	12/03/97	14.90	6.92	7.98
	12/15/97		NM	NM
	01/13/98		5.17	9.73
	01/30/98		5.28	9.62
	02/24/98		4.72	10.18
	04/06/98		6.64	8.26
	07/02/98		8.82	6.08
	07/13/98		16.95	-2.05
	09/28/98		16.95	-2.05
	10/16/98		16.90	-2.00
	01/08/99		20.00	-5.10
EX-4	09/28/98	10.84	6.33	4.51
	10/16/98		6.60	4.24
	01/08/99	10.41	4.21	6.20
EX-5	09/28/98	11.08	6.89	4.19
	10/16/98		7.03	4.05
	01/08/99	10.34	4.90	5.44
EX-6	09/28/98	10.28	5.93	4.35
	10/16/98		6.07	4.21
	01/08/99	9.76	3.70	6.06
EX-7	09/28/98	11.71	5.83	5.88
	10/16/98		5.95	5.76
	01/08/99	11.32	12.38	-1.06
EX-8	09/28/98	16.65	10.68	5.97
	10/16/98		10.78	5.87
	01/08/99	16.28	17.00	-0.72
EX-9	09/28/98	17.94	11.04	6.90
	10/16/98		11.17	6.77
	01/08/99	17.45	24.25	-6.80
EX-10	09/28/98	11.78	5.71	6.07
	10/16/98		5.96	5.82
	01/08/99	11.79	15.11	-3.32
LF-1	06/14/89	16.92	8.56	8.36

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including January 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-1	01/10/90 (a)	16.92	8.31	8.61
	01/18/90 (b)		7.83	9.09
	01/18/90 (c)		7.84	9.08
	01/30/91		8.97	7.95
	06/19/91		8.86	8.06
	12/16/91		9.07	7.85
	07/10/92		9.08	7.84
	12/30/92		8.22	8.70
	06/08/93		8.89	8.03
	01/05/94		NM	NM
LF-2	06/14/89	12.24	4.99	7.25
	01/10/90 (a)		4.65	7.59
	01/18/90 (b)		3.99	8.25
	01/18/90 (c)		4.05	8.19
	01/30/91		5.60	6.64
	06/19/91		5.57	6.67
	12/16/91		5.49	6.75
	07/10/92		NM	NM
	12/30/92		NM	NM
	06/08/93		5.11	7.13
01/05/94	4.19	8.05		
LF-3	06/14/89	11.98	4.95	7.03
	01/10/90 (a)		4.60	7.38
	01/18/90 (b)		3.87	8.11
	01/18/90 (c)		3.92	8.06
	01/30/91		5.11	6.87
	06/19/91		5.10	6.88
	12/16/91		5.19	6.79
	07/10/92		5.09	6.89
	12/30/92		4.08	7.90
	06/08/93		4.79	7.19
	01/05/94		5.09	6.89
	09/08/94		5.70	6.28
	03/29/95		NM	NM
	04/24/96		12.00	4.87
	07/29/96	5.57	6.43	
12/13/96	4.89	7.11		

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including January 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation	
LF-3	04/15/97	12.00	5.78	6.22	
	09/19/97		5.71	6.29	
	12/03/97		5.18	6.82	
	12/15/97		4.61	7.39	
	01/13/98		3.62	8.38	
	01/30/98		4.18	7.82	
	02/24/98		3.65	8.35	
	04/06/98		5.05	6.95	
	07/02/98		5.85	6.15	
	07/13/98		5.89	6.11	
	09/28/98		6.06	5.94	
	10/16/98		6.07	5.93	
	01/08/99		5.63	6.37	
LF-4	06/14/89	13.05	7.14	5.91	
	01/10/90 (a)		6.71	6.34	
	01/18/90 (b)		5.64	7.41	
	01/18/90 (c)		5.70	7.35	
	01/30/91		7.23	5.82	
	06/19/91		7.12	5.93	
	12/16/91		7.33	5.72	
	07/10/92		7.21	5.84	
	12/30/92		5.84	7.21	
	06/08/93		6.86	6.19	
	01/05/94		NM	NM	
	04/24/96		12.53	6.72	5.81
	07/29/96			NM	NM
	12/13/96	5.62		6.91	
	04/15/97	NM		NM	
	09/19/97	6.37		6.16	
	12/03/97	5.64		6.89	
	12/15/97	4.29	8.24		
	01/13/98	4.24	8.29		
	01/30/98	3.33	9.20		
	02/24/98	3.58	8.95		
	04/06/98	5.92	6.61		
07/02/98	7.68	4.85			
07/13/98	12.61	7.81	4.80		

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including January 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-4	09/28/98	12.61	8.38	4.23
	10/16/98		8.54	4.07
	01/08/99		6.64	5.97
LF-5	06/14/89	10.48	4.75	5.73
	01/10/90 (a)		4.83	5.65
	01/18/90 (b)		2.49	7.99
	01/18/90 (c)		2.55	7.93
	01/30/91		4.24	6.24
	06/19/91		10.25	4.28
	12/16/91	4.68		5.57
	07/10/92	4.21		6.04
	12/30/92	1.96		8.29
	06/08/93	3.71		6.54
	01/05/94	3.65		6.60
	LF-6	06/14/89	10.67	4.89
01/10/90 (a)		4.26		6.41
01/18/90 (b)		3.15		7.52
01/18/90 (c)		3.21		7.46
LF-7	06/14/89	11.08	5.79	5.29
	01/10/90 (a)		4.31	6.77
	01/18/90 (b)		3.30	7.78
	01/18/90 (c)		3.35	7.73
	01/30/91		4.82	6.26
	06/19/91		4.73	6.35
	12/16/91		4.87	6.21
	07/10/92		4.82	6.26
	12/30/92		3.10	7.98
	06/08/93		4.31	6.77
	01/05/94		4.36	6.72
	09/08/94		4.97	6.11
	03/29/95		3.77	7.31
	08/09/95		NM	NM
	04/24/96	14.44	8.65	5.79
07/29/96	9.70		4.74	
12/13/96	6.99		7.45	
04/15/97	8.21		6.23	

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including January 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation	
LF-7	09/19/97	14.44	8.22	6.22	
	12/03/97		7.42	7.02	
	12/15/97		5.95	8.49	
	01/13/98		4.89	9.55	
	01/30/98		5.02	9.42	
	02/24/98		5.22	9.22	
	04/06/98		7.52	6.92	
	07/02/98		9.74	4.70	
	07/13/98		9.85	4.59	
	09/28/98		10.40	4.04	
	10/16/98		10.55	3.89	
	01/08/99		8.45	5.99	
	LF-8		01/10/90 (a)	12.47	7.08
01/18/90 (b)		6.22	6.25		
01/18/90 (c)		6.27	6.20		
01/30/91		12.75	7.32	5.43	
06/19/91			7.22	5.53	
12/16/91			7.18	5.57	
07/10/92			7.14	5.61	
12/30/92			5.85	6.90	
06/08/93			6.57	6.18	
01/05/94			6.72	6.03	
09/08/94			7.34	5.41	
03/29/95			4.88	7.87	
08/09/95			NM	NM	
04/24/96			12.91	7.14	5.77
07/29/96				8.21	4.70
12/13/96				5.12	7.79
04/15/97		7.21		5.70	
09/19/97		7.25		5.66	
12/03/97		5.65		7.26	
12/15/97		4.56		8.35	
01/13/98	3.51	9.40			
01/30/98	3.63	9.28			
02/24/98	3.68	9.23			
04/06/98	5.91	7.00			
07/02/98	7.97	4.94			

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including January 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-8	07/13/98	12.91	8.18	4.73
	09/28/98		8.59	4.32
	10/16/98		8.78	4.13
	01/08/99		6.71	6.20
LF-9	01/10/90 (a)	10.44	4.81	5.63
	01/18/90 (b)		3.24	7.20
	01/18/90 (c)		3.29	7.15
	01/30/91		5.39	5.05
	06/19/91		5.01	5.43
	12/16/91		5.46	4.98
	07/10/92		5.27	5.17
	12/30/92		3.65	6.79
	06/08/93		4.88	5.56
	01/05/94		NM	NM
LF-10	01/10/90 (a)	10.44	3.36	7.08
	01/18/90 (b)		2.65	7.79
	01/18/90 (c)		2.71	7.73
	01/30/91	10.32	4.15	6.17
	06/19/91		4.13	6.19
	12/16/91		4.28	6.04
	07/10/92	10.99	4.17	6.15
	12/30/92		2.70	7.62
	06/08/93		3.87	6.45
	01/05/94		3.72	6.60
	04/24/96		5.10	5.89
	07/29/96		NM	NM
	12/13/96		3.68	7.31
	04/15/97		4.67	6.32
	09/19/97		4.65	6.34
	12/03/97		4.05	6.94
	12/15/97	2.81	8.18	
	01/13/98	1.77	9.22	
	01/30/98	1.95	9.04	
	02/24/98	2.13	8.86	
04/06/98	4.36	6.63		
07/02/98	6.16	4.83		
07/13/98	6.26	4.73		

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including January 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-10	09/28/98	10.99	6.83	4.16
	10/16/98		7.00	3.99
	01/08/99		4.96	6.03
LF-11	01/10/90 (a)	10.08	3.18	6.90
	01/18/90 (b)		2.28	7.80
	01/18/90 (c)		2.33	7.75
	01/30/91		3.69	6.39
	06/19/91		3.68	6.40
	12/16/91		3.80	6.28
	07/10/92		3.68	6.40
	12/30/92		2.33	7.75
	06/08/93		3.43	6.65
	01/05/94		3.42	6.66
	04/24/96	10.05	3.19	6.86
	07/29/96		3.93	6.12
	12/13/96		4.31	5.74
	04/15/97		4.76	5.29
	09/19/97		4.63	5.42
	12/03/97		4.39	5.66
	12/15/97		4.28	5.77
	01/13/98		3.94	6.11
	01/30/98		4.07	5.98
	02/24/98		4.00	6.05
04/06/98	4.27	5.78		
07/02/98	4.61	5.44		
07/13/98	4.63	5.42		
09/28/98	4.70	5.35		
10/16/98	4.68	5.37		
01/08/99	4.25	5.80		
LF-12	01/10/90 (a)	14.97	6.32	8.65
	01/18/90 (b)		5.86	9.11
	01/18/90 (c)		5.87	9.10
	01/30/91		6.95	8.02
	06/19/91		6.90	8.07
	12/16/91		7.09	7.88
	07/10/92		7.08	7.89
12/30/92	6.26	8.71		

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including January 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-12	06/08/93	14.97	6.90	8.07
	01/05/94		6.98	7.99
	04/24/96	14.95	6.57	8.38
	07/29/96		7.29	7.66
	12/13/96		5.69	9.26
	04/15/97		6.94	8.01
	09/19/97		7.00	7.95
	12/03/97		6.12	8.83
	12/15/97		6.11	8.84
	01/13/98		5.53	9.42
	01/30/98		5.85	9.10
	02/24/98		5.57	9.38
	04/06/98		6.27	8.68
	07/02/98		6.95	8.00
	07/13/98		7.01	7.94
	09/28/98		7.14	7.81
	10/16/98		7.31	7.64
	01/08/99		7.06	7.89
LF-13	01/10/90 (a)	14.76	6.12	8.64
	01/18/90 (b)		5.69	9.07
	01/18/90 (c)		5.72	9.04
	01/30/91		6.70	8.06
	06/19/91		6.60	8.16
	12/16/91		6.76	8.00
	07/10/92		6.68	8.08
	12/30/92		5.93	8.83
	06/08/93		6.52	8.24
	01/05/94		6.62	8.14
	04/24/96	14.78	6.21	8.57
	07/29/96		6.96	7.82
	12/13/96		5.50	9.28
	04/15/97		6.71	8.07
	09/19/97		6.76	8.02
	12/03/97		NM	NM
	12/15/97		NM	NM
01/13/98		5.22	9.56	
01/30/98		5.53	9.25	

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including January 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-13	02/24/98	14.78	5.31	9.47
	04/06/98		5.91	8.87
	07/02/98		6.50	8.28
	07/13/98		6.54	8.24
	09/28/98		6.73	8.05
	10/16/98		6.89	7.89
	01/08/99		6.64	8.14
LF-14	01/30/91	10.03	5.89	4.14
	06/19/91		5.87	4.16
	12/16/91		5.99	4.04
	07/10/92		5.74	4.29
	12/30/92		4.38	5.65
	06/08/93		5.45	4.58
	01/05/94		NM	NM
LF-15	01/30/91	9.80	5.02	4.78
	06/19/91		4.83	4.97
	12/16/91		5.02	4.78
	07/10/92		4.83	4.97
	12/30/92		3.44	6.36
	06/08/93		4.40	5.40
	01/05/94		NM	NM
LF-16	01/30/91	10.10	4.68	5.42
	06/19/91		4.53	5.57
	12/16/91		4.71	5.39
	07/10/92		4.56	5.54
	12/30/92		3.46	6.64
	06/08/93		4.17	5.93
	01/05/94		NM	NM
LF-17	04/24/96	12.53	5.35	7.18
	07/29/96		6.10	6.43
	12/13/96		2.59	9.94
	04/15/97		4.04	8.49
	09/19/97		4.00	8.53
	12/03/97		4.55	7.98
	12/15/97		3.79	8.74

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including January 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-17	01/13/98	12.53	2.45	10.08
	01/30/98		2.80	9.73
	02/24/98		2.40	10.13
	04/06/98	12.56	4.13	8.40
	07/02/98		6.21	6.32
	07/13/98		6.40	6.16
	09/28/98		6.51	6.05
	10/16/98		6.68	5.88
	01/08/99		6.80	5.76
LF-18	04/24/96		13.05	8.21
	07/29/96	8.65		4.40
	12/13/96	6.44		6.61
	04/15/97	8.50		4.55
	09/19/97	8.31		4.74
	12/03/97	7.32		5.73
	12/15/97	7.02		6.03
	01/13/98	5.89		7.16
	01/30/98	6.32		6.73
	02/24/98	6.34		6.71
	04/06/98	7.49		5.56
	07/02/98	8.51		4.54
	07/13/98	8.39		4.66
	09/28/98	8.62		4.43
	10/16/98	8.75		4.30
01/08/99	8.62	4.43		
LF-19	04/24/96	14.18	7.92	6.26
	07/29/96		7.76	6.42
	12/13/96		4.85	9.33
	04/15/97		7.36	6.82
	09/19/97		7.69	6.49
	12/03/97		6.80	7.38
	12/15/97		7.86	6.32
	01/13/98		NM	NM
	01/30/98		6.01	8.17
	02/24/98		5.28	8.90
	04/06/98		6.51	7.67
	07/02/98		7.17	7.01

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including January 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation	
LF-19	07/13/98	14.18	7.32	6.86	
	09/28/98		7.60	6.58	
	10/16/98		7.70	6.48	
	01/08/99		7.48	6.70	
LF-20	04/24/96	11.77	7.55	4.22	
	07/29/96		7.91	3.86	
	12/13/96		7.71	4.06	
	04/15/97		7.85	3.92	
	09/19/97		7.91	3.86	
	12/03/97		7.58	4.19	
	12/15/97		7.53	4.24	
	01/13/98		7.30	4.47	
	01/30/98		7.42	4.35	
	02/24/98		7.43	4.34	
	04/06/98		7.61	4.16	
	07/02/98		7.81	3.96	
	07/13/98		7.86	3.91	
	09/28/98		6.98	4.79	
10/16/98	6.78	4.99			
01/08/99	6.24	5.53			
LF-21	04/24/96	10.37	3.65	6.72	
	07/29/96		4.61	5.76	
	12/13/96		5.06	5.31	
	04/15/97		5.58	4.79	
	09/19/97		5.42	4.95	
	12/03/97		5.32	5.05	
	12/15/97		5.27	5.10	
	01/13/98		5.03	5.34	
	01/30/98		5.04	5.33	
	02/24/98		4.83	5.54	
	04/06/98		5.00	5.37	
	07/02/98		5.35	5.02	
	07/13/98		10.47	5.37	5.10
	09/28/98		5.33	5.14	
	10/16/98		5.24	5.23	
	01/08/99	4.81	5.66		

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including January 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-22	04/24/96	19.16	11.55	7.61
	07/29/96		12.22	6.94
	12/13/96		9.07	10.09
	04/15/97		10.14	9.02
	09/19/97		10.01	9.15
	12/03/97		10.72	8.44
	12/15/97		10.40	8.76
	01/13/98		9.57	9.59
	01/30/98		9.60	9.56
	02/24/98		9.08	10.08
	04/06/98		10.74	8.42
	07/02/98		12.34	6.82
	07/13/98		12.58	6.58
	09/28/98		12.66	6.50
	10/16/98		12.86	6.30
	01/08/99		12.03	7.13
LF-23	04/24/96	10.64	4.08	6.56
	07/29/96		5.28	5.36
	12/13/96		3.76	6.88
	04/15/97		5.51	5.13
	09/19/97		5.90	4.74
	12/03/97		4.37	6.27
	12/15/97		4.08	6.56
	01/13/98		3.33	7.31
	01/30/98		3.32	7.32
	02/24/98		2.75	7.89
	04/06/98		3.88	6.76
	07/02/98		5.30	5.34
	07/13/98		5.39	5.25
	09/28/98		5.73	4.91
	10/16/98		5.69	4.95
	01/08/99		5.20	5.44
LF-24	04/24/96	10.22	4.40	5.82
	07/29/96		5.24	4.98
	12/13/96		4.10	6.12
	04/15/97		5.56	4.66
	09/19/97		6.15	4.07

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including January 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-24	12/03/97	10.22	4.51	5.71
	12/15/97		4.26	5.96
	01/13/98		3.56	6.66
	01/30/98		3.33	6.89
	02/24/98		2.48	7.74
	04/06/98		4.01	6.21
	07/02/98		5.34	4.88
	07/13/98		5.42	4.80
	09/28/98		5.74	4.48
	10/16/98		5.67	4.55
	01/08/99		5.11	5.11
LF-25	04/24/96	11.31	7.15	4.16
	07/29/96		7.66	3.65
	12/13/96		6.85	4.46
	04/15/97		8.02	3.29
	09/19/97		7.86	3.45
	12/03/97		7.07	4.24
	12/15/97		6.99	4.32
	01/13/98		6.43	4.88
	01/30/98		6.52	4.79
	02/24/98		5.91	5.40
	04/06/98		7.09	4.22
	07/02/98		7.92	3.39
	07/13/98		7.90	3.41
	09/28/98		7.73	3.58
	10/16/98		8.56	2.75
01/08/99	7.31	4.00		
LF-26	04/24/96	12.90	7.90	5.00
	07/29/96		8.08	4.82
	12/13/96		6.75	6.15
	04/15/97		7.21	5.69
	09/19/97		7.61	5.29
	12/03/97		8.96	3.94
	12/15/97		7.11	5.79
	01/13/98		4.05	8.85
	01/30/98		3.85	9.05
	02/24/98		3.89	9.01

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including January 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-26	04/06/98	12.90	5.91	6.99
	07/02/98		8.12	4.78
	07/13/98		7.96	4.94
	09/28/98		9.07	3.83
	10/16/98		9.00	3.90
	01/08/99		6.61	6.29
LF-27	12/29/97	15.13	7.07	8.06
	01/30/98		6.25	8.88
	02/24/98		5.92	9.21
	04/06/98		6.67	8.46
	07/02/98		7.08	8.05
	07/13/98		7.38	7.75
	09/28/98		7.53	7.60
	10/16/98		7.70	7.43
	01/08/99		7.47	7.66
LF-28	12/29/97	14.39	7.52	6.87
	01/30/98		6.17	8.22
	02/24/98		5.51	8.88
	04/06/98		6.62	7.77
	07/02/98		7.37	7.02
	07/13/98		7.17	7.22
	09/28/98		7.72	6.67
	10/16/98		7.81	6.58
	01/08/99		7.18	7.21
LF-29	12/29/97	13.70	6.79	6.91
	01/30/98		5.57	8.13
	02/24/98		4.95	8.75
	04/06/98		6.61	7.09
	07/02/98		6.95	6.75
	07/13/98		7.01	6.69
	09/28/98		7.22	6.48
	10/16/98		7.35	6.35
	01/08/99		7.10	6.60
LF-30	12/29/97	13.16	10.43	2.73
	01/30/98		9.24	3.92

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including January 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-30	02/24/98	13.16	9.05	4.11
	04/06/98		6.14	7.02
	07/02/98		10.29	2.87
	07/13/98		10.21	2.95
	09/28/98		10.23	2.93
	10/16/98		10.21	2.95
	01/08/99		10.66	2.50
LF-B1	01/10/90 (a)	17.12	10.68	6.44
	01/18/90 (b)		10.24	6.88
	01/18/90 (c)		10.27	6.85
	01/30/91		10.77	6.35
	06/19/91	17.11	10.38	6.73
	12/16/91		10.32	6.79
	07/10/92		10.09	7.02
	12/30/92		9.54	7.57
	06/08/93		9.68	7.43
	01/05/94		NM	NM
LF-B2	01/10/90 (a)	11.23	4.25	6.98
	01/18/90 (b)		3.65	7.58
	01/18/90 (c)		3.66	7.57
	01/30/91		3.25	7.98
	06/19/91	9.72	NM	NM
	12/16/91		3.27	6.45
	07/10/92		3.20	6.52
	12/30/92		NM	NM
	06/08/93		2.96	6.76
	01/05/94		3.05	6.67
LF-B3	01/10/90 (a)	10.36	3.30	7.06
	01/18/90 (b)		2.79	7.57
	01/18/90 (c)		2.80	7.56
	01/30/91	10.35	3.88	6.48
	06/19/91		3.81	6.54
	12/16/91		3.89	6.46
	07/10/92		3.81	6.54
	12/30/92		3.03	7.32
	06/08/93		3.56	6.79

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including January 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-B3	01/05/94	10.35	3.68	6.67
	04/24/96	10.30	3.44	6.86
	07/29/96		4.12	6.18
	12/13/96		2.70	7.60
	04/15/97		3.95	6.35
	09/19/97		4.08	6.22
	12/03/97		3.10	7.20
	12/15/97		NM	NM
	01/13/98		2.54	7.76
	01/30/98		2.62	7.68
	02/24/98		1.70	8.60
	04/06/98		2.76	7.54
	07/02/98		3.86	6.44
	07/13/98		3.95	6.35
	09/28/98		4.21	6.09
	10/16/98		4.22	6.08
	01/08/99		4.01	6.29
LF-B4	01/30/91	14.54	6.88	7.66
	06/19/91		6.78	7.76
	12/16/91		6.85	7.69
	07/10/92		6.79	7.75
	12/30/92		6.17	8.37
	06/08/93		6.53	8.01
	01/05/94		6.62	7.92
	04/24/96	14.55	6.39	8.16
	07/29/96		6.97	7.58
	12/13/96		5.64	8.91
	04/15/97		6.68	7.87
	09/19/97		6.75	7.80
	12/03/97		5.90	8.65
	12/15/97		5.89	8.66
	01/13/98		5.45	9.10
	01/30/98		5.69	8.86
	02/24/98		5.26	9.29
04/06/98		5.99	8.56	
07/02/98		6.61	7.94	
07/13/98		6.67	7.88	

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including January 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-B4	09/28/98	14.55	6.85	7.70
	10/16/98		6.99	7.56
	01/08/99		6.85	7.70
LF-B5	04/24/96	18.29	10.35	7.94
	07/29/96		11.03	7.26
	12/13/96		9.25	9.04
	04/15/97		10.68	7.61
	09/19/97		10.78	7.51
	12/03/97		9.94	8.35
	12/15/97		2.88	15.41
	01/13/98		9.33	8.96
	01/30/98		9.48	8.81
	02/24/98		9.07	9.22
	04/06/98		9.93	8.36
	07/02/98		10.67	7.62
	07/13/98		10.71	7.58
	09/28/98		10.95	7.34
	10/16/98		11.07	7.22
01/08/99	11.31	6.98		
LF-B6	04/24/96	11.99	5.12	6.87
	07/29/96		5.81	6.18
	12/13/96		4.33	7.66
	04/15/97		5.61	6.38
	09/19/97		5.75	6.24
	12/03/97		4.82	7.17
	12/15/97		4.71	7.28
	01/13/98		4.25	7.74
	01/30/98		5.41	6.58
	02/24/98		3.83	8.16
	04/06/98		4.67	7.32
	07/02/98		5.54	6.45
	07/13/98		5.61	6.38
	09/28/98		5.87	6.12
	10/16/98		5.89	6.10
01/08/99	5.65	6.34		
LF-PZ1	12/15/97	14.92	6.13	8.79

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including January 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-PZ1	01/13/98	14.92	4.94	9.98
	01/30/98		5.20	9.72
	02/24/98		4.77	10.15
	04/06/98		6.67	8.25
	07/02/98		8.62	6.30
	07/13/98		9.05	5.87
	09/28/98		9.20	5.72
	10/16/98		9.33	5.59
	01/08/99		9.04	5.88
LF-PZ2	12/15/97	18.04	9.32	8.72
	01/13/98		10.11	7.93
	01/30/98		9.43	8.61
	02/24/98		8.76	9.28
	04/06/98		9.79	8.25
	07/02/98		10.55	7.49
	07/13/98		10.66	7.38
	09/28/98		11.12	6.92
	10/16/98		11.22	6.82
	01/08/99		10.90	7.14
LF-PZ3	12/15/97	18.00	9.45	8.55
	01/13/98		8.31	9.69
	01/30/98		8.46	9.54
	02/24/98		7.81	10.19
	04/06/98		9.95	8.05
	07/02/98		11.29	6.71
	07/13/98		11.33	6.67
	09/28/98		11.72	6.28
	10/16/98		11.96	6.04
	01/08/99		11.25	6.75
LF-PZ4	12/15/97	18.99	10.98	8.01
	01/13/98		10.57	8.42
	01/30/98		10.50	8.49
	02/24/98		10.05	8.94
	04/06/98		10.94	8.05
	07/02/98		11.65	7.34
	07/13/98		11.74	7.25

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including January 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-PZ4	09/28/98	18.99	12.01	6.98
	10/16/98		12.11	6.88
	01/08/99		11.82	7.17
LF-PZ5	12/15/97	18.75	10.28	8.47
	01/13/98		10.04	8.71
	01/30/98		9.44	9.31
	02/24/98		8.72	10.03
	04/06/98		10.45	8.30
	07/02/98		11.50	7.25
	07/13/98		11.60	7.15
	09/28/98		11.83	6.92
	10/16/98		11.95	6.80
	01/08/99		11.81	6.94
LF-PZ6	12/15/97	18.44	9.81	8.63
	01/13/98		9.13	9.31
	01/30/98		8.97	9.47
	02/24/98		8.32	10.12
	04/06/98		10.08	8.36
	07/02/98		11.51	6.93
	07/13/98		11.67	6.77
	09/28/98		11.78	6.66
	10/16/98		12.00	6.44
	01/08/99		11.50	6.94
LF-PZ7	12/15/97	19.05	10.01	9.04
	01/13/98		9.51	9.54
	01/30/98		9.78	9.27
	02/24/98		9.62	9.43
	04/06/98		10.21	8.84
	07/02/98		10.89	8.16
	07/13/98		19.04	10.92
	09/28/98	11.07	7.97	
	10/16/98	11.25	7.79	
	01/08/99	10.99	8.05	
LF-PZ8	12/15/97	17.03	8.35	8.68
	01/13/98		7.23	9.80

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including January 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-PZ8	01/30/98	17.03	7.46	9.57
	02/24/98		6.90	10.13
	04/06/98		8.94	8.09
	07/02/98		10.74	6.29
	07/13/98		10.91	6.12
	09/28/98		11.14	5.89
	10/16/98		11.29	5.74
	01/08/99		10.72	6.31
LF-PZ9	12/15/97	12.76	3.91	8.85
	01/13/98		2.66	10.10
	01/30/98		3.09	9.67
	02/24/98		2.64	10.12
	04/06/98		4.41	8.35
	07/02/98		6.34	6.42
	07/13/98		6.46	6.30
	09/28/98		6.62	6.14
	10/16/98		6.75	6.01
	01/08/99		6.93	5.83
LF-PZ10	12/15/97	12.26	3.49	8.77
	01/13/98		2.33	9.93
	01/30/98		2.69	9.57
	02/24/98		2.31	9.95
	04/06/98		4.27	7.99
	07/02/98		6.11	6.15
	07/13/98		6.29	5.97
	09/28/98		6.52	5.74
	10/16/98		6.66	5.60
	01/08/99		6.22	6.04
LF-PZ11	12/15/97	12.79	5.92	6.87
	01/13/98		3.77	9.02
	01/30/98		4.41	8.38
	02/24/98		4.04	8.75
	04/06/98		5.15	7.64
	07/02/98		5.85	6.94
	07/13/98		5.88	6.91
	09/28/98		6.14	6.65

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including January 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-PZ11	10/16/98	12.79	6.22	6.57
	01/08/99		5.81	6.98
LF-PZ12	12/15/97	11.01	4.38	6.63
	01/13/98		3.67	7.34
	01/30/98		4.04	6.97
	02/24/98		3.68	7.33
	04/07/98		4.61	6.40
	07/02/98		5.21	5.80
	07/13/98		5.23	5.78
	09/28/98		5.38	5.63
	10/16/98		5.38	5.63
	01/08/99		4.89	6.12
LF-PZ13	12/15/97	10.93	2.78	8.15
	01/13/98		1.78	9.15
	01/30/98		2.05	8.88
	02/24/98		2.01	8.92
	04/07/98		4.03	6.90
	07/02/98		5.76	5.17
	07/13/98		5.87	5.06
	09/28/98		6.41	4.52
	10/16/98		6.55	4.38
	01/08/99		4.80	6.13
LF-PZ14	12/15/97	10.21	2.05	8.16
	01/13/98		1.02	9.19
	01/30/98		1.23	8.98
	02/24/98		1.35	8.86
	04/06/98		3.46	6.75
	07/02/98		5.20	5.01
	07/13/98		5.29	4.92
	09/28/98		5.86	4.35
	10/16/98		6.01	4.20
	01/08/99		4.09	6.12
LF-PZ15	12/15/97	14.33	5.84	8.49
	01/13/98		4.81	9.52
	01/30/98		4.91	9.42

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including January 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-PZ15	02/24/98	14.33	5.09	9.24
	04/06/98		7.25	7.08
	07/02/98		9.37	4.96
	07/13/98		9.57	4.76
	09/28/98		10.00	4.33
	10/16/98		10.17	4.16
	01/08/99		8.15	6.18
LF-PZ16	12/15/97	11.03	2.52	8.51
	01/13/98		1.35	9.68
	01/30/98		1.61	9.42
	02/24/98		2.41	8.62
	04/06/98		3.99	7.04
	07/02/98		6.55	4.48
	07/13/98		6.50	4.53
	09/28/98		7.33	3.70
	10/16/98		7.46	3.57
	01/08/99		5.10	5.93
LF-PZ17	12/15/97	10.12	1.72	8.40
	01/13/98		0.62	9.50
	01/30/98		0.82	9.30
	02/24/98		1.16	8.96
	04/06/98		3.54	6.58
	07/02/98		5.36	4.76
	07/13/98		5.41	4.71
	09/28/98		6.05	4.07
	10/16/98		6.19	3.93
	01/08/99		3.92	6.20
LF-PZ18	12/15/97	13.01	5.85	7.16
	01/13/98		4.77	8.24
	01/30/98		4.78	8.23
	02/24/98		4.66	8.35
	04/06/98		6.17	6.84
	07/02/98		7.66	5.35
	07/13/98		7.87	5.14
	09/28/98		8.34	4.67
	10/16/98		8.18	4.83

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including January 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-PZ18	01/08/99	13.01	6.55	6.46
LF-PZ19	12/15/97	14.64	5.16	9.48
	01/13/98		4.11	10.53
	01/30/98		4.19	10.45
	02/24/98		5.08	9.56
	04/06/98		6.61	8.03
	07/02/98		8.95	5.69
	07/13/98	13.67	9.29	4.38
	09/28/98		9.69	3.98
	10/16/98		8.83	4.84
	01/08/99		7.48	6.19
LF-PZ20	12/15/97	13.45	5.78	7.67
	01/13/98		3.81	9.64
	01/30/98		5.28	8.17
	02/24/98		3.21	10.24
	04/06/98		4.97	8.48
	07/02/98		6.61	6.84
	07/13/98		7.83	5.62
	09/28/98		6.85	6.60
	10/16/98		7.12	6.33
	01/08/99		6.53	6.92
MW-1	01/09/95	13.79	5.14	8.65
	01/27/95		4.78	9.01
	02/17/95		6.73	7.06
	04/13/95		6.63	7.16
	06/08/95		6.98	6.81
	08/09/95		7.50	6.29
	11/17/95		8.00	5.79
	01/09/96	13.78	7.19	6.59
	04/24/96		6.93	6.85
	07/29/96		7.76	6.02
	12/13/96		5.19	8.59
	04/15/97		7.34	6.44
	09/19/97		7.56	6.22
	12/03/97		6.50	7.28
12/15/97		6.47	7.31	

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including January 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
MW-1	01/13/98	13.78	5.80	7.98
	01/30/98		5.90	7.88
	02/24/98		5.24	8.54
	04/06/98		6.37	7.41
	07/02/98		7.11	6.67
	07/13/98		7.19	6.59
	09/28/98		7.44	6.34
	10/16/98		7.53	6.25
	01/08/99		7.30	6.48
MW-2	01/09/95	13.59	4.93	8.66
	01/27/95		4.53	9.06
	02/17/95		6.58	7.01
	04/13/95		6.46	7.13
	06/08/95		6.82	6.77
	08/09/95	13.39	7.31	6.08
	11/17/95		8.12	5.27
	01/09/96	13.58	7.04	6.54
	04/24/96		6.56	7.02
	07/29/96		7.59	5.99
	12/13/96		5.04	8.54
	04/15/97		7.17	6.41
	09/19/97		7.41	6.17
	12/03/97		6.33	7.25
	12/15/97		6.26	7.32
	01/13/98		5.47	8.11
	01/30/98		5.65	7.93
	02/24/98		5.06	8.52
	04/06/98		6.17	7.41
	07/02/98		6.79	6.79
07/13/98	7.02	6.56		
09/28/98	7.27	6.31		
10/16/98	7.35	6.23		
01/08/99	7.12	6.46		
MW-3	01/09/95	14.64	5.38	9.26
	01/27/95		4.66	9.98
	02/17/95		7.01	7.63
	04/13/95		6.93	7.71

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including January 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
MW-3	06/08/95	14.64	7.39	7.25
	08/09/95		7.89	6.75
	11/17/95		8.40	6.24
	01/09/96	14.60	7.48	7.12
	04/24/96		7.19	7.41
	07/29/96		8.08	6.52
	12/13/96		5.33	9.27
	04/15/97		7.70	6.90
	09/19/97		7.93	6.67
	12/03/97		6.77	7.83
	12/15/97		6.81	7.79
	01/13/98		6.19	8.41
	01/30/98		6.29	8.31
	02/24/98		5.61	8.99
	04/06/98		6.76	7.84
	07/02/98		7.49	7.11
	07/13/98		7.60	7.00
	09/28/98		7.87	6.73
	10/16/98		7.96	6.64
	01/08/99		7.71	6.89
MW-4	01/09/95	15.55	6.87	8.68
	01/27/95		6.75	8.80
	02/17/95		7.24	8.31
	04/13/95		7.42	8.13
	06/08/95		7.64	7.91
	08/09/95	15.35	7.93	7.42
	11/17/95		8.67	6.68
	01/09/96	15.53	8.12	7.41
	04/24/96		7.72	7.81
	07/29/96		8.29	7.24
	12/13/96		6.75	8.78
	04/15/97		NM	NM
	09/19/97		7.76	7.77
	12/03/97		NM	NM
	12/15/97		7.08	8.45
	01/13/98		7.28	8.25
01/30/98		6.78	8.75	

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including January 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
MW-4	02/24/98	15.53	6.13	9.40
	04/06/98		7.13	8.40
	07/02/98		7.80	7.73
	07/13/98	15.56	7.89	7.67
	09/28/98		8.29	7.27
	10/16/98		8.40	7.16
	01/08/99		7.71	7.85
MW-5	01/09/95	15.27	6.14	9.13
	01/27/95		5.71	9.56
	02/17/95		6.59	8.68
	04/13/95		6.55	8.72
	06/08/95		7.44	7.83
	08/09/95	15.87	7.87	8.00
	11/17/95		8.65	7.22
	01/09/96	15.24	7.93	7.31
	04/24/96		7.49	7.75
	07/29/96		8.24	7.00
	12/13/96		6.97	8.27
	04/15/97		NM	NM
	09/19/97		8.11	7.13
	12/03/97		7.68	7.56
	12/15/97		7.61	7.63
	01/13/98		7.48	7.76
	01/30/98		6.82	8.42
	02/24/98		5.98	9.26
	04/06/98		7.16	8.08
	07/02/98		7.85	7.39
07/13/98	15.27	7.96	7.31	
09/28/98		8.37	6.90	
10/16/98		8.46	6.81	
01/08/99		8.25	7.02	
RP-1	09/08/94	15.12	8.65	6.47
	01/27/95	15.14	5.96	9.18
	02/17/95		7.46	7.68
	02/28/95		7.83	7.31
	04/13/95		7.43	7.71
	05/10/95		7.53	7.61

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including January 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
RP-1	08/09/95	15.14	8.39	6.75
	11/17/95		8.91	6.23
	01/09/96		7.95	7.19
	04/24/96		7.81	7.33
	07/29/96		8.58	6.56
	12/13/96		6	9.14
	04/15/97		8.18	6.96
	09/19/97		8.46	6.68
	12/03/97		7.45	7.69
	12/15/97		7.41	7.73
	01/13/98		7.02	8.12
	01/30/98		6.88	8.26
	02/24/98		6.18	8.96
	04/06/98		7.32	7.82
	07/02/98		8.03	7.11
	07/13/98		8.14	7.00
	09/28/98		8.42	6.72
	10/16/98		8.50	6.64
	01/08/99		8.26	6.88
RP-2	09/08/94	15.23	8.99	6.24
	01/09/95	15.24	6.40	8.84
	01/27/95		5.95	9.29
	02/17/95		7.76	7.48
	02/28/95		8.11	7.13
	04/13/95		7.69	7.55
	05/10/95		7.77	7.47
	08/09/95		8.67	6.57
	11/17/95		9.27	5.97
	01/09/96		8.27	6.97
	04/24/96		8.04	7.20
	07/29/96		8.89	6.35
	12/13/96		6.20	9.04
	04/15/97		8.46	6.78
	09/19/97		8.74	6.50
	12/03/97		7.74	7.50
12/15/97		7.66	7.58	
01/13/98		7.14	8.10	

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including January 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
RP-2	01/30/98	15.24	7.10	8.14
	02/24/98		6.40	8.84
	04/06/98		7.57	7.67
	07/02/98		8.27	6.97
	07/13/98		8.37	6.87
	09/28/98		8.65	6.59
	10/16/98		8.42	6.82
	01/08/99		8.44	6.80
RP-3	09/08/94	15.15	8.80	6.35
	01/09/95	15.17	6.55	8.62
	01/27/95		6.12	9.05
	02/17/95		7.45	7.72
	02/28/95		7.87	7.30
	04/13/95		7.44	7.73
	05/10/95		7.61	7.56
	08/09/95		8.48	6.69
	11/17/95		9.09	6.08
	01/09/96		8.07	7.10
	04/24/96		7.92	7.25
	07/29/96		8.71	6.46
	12/13/96		6.03	9.14
	04/15/97		8.27	6.90
	09/19/97		8.58	6.59
	12/03/97		7.65	7.52
	12/15/97		7.58	7.59
	01/13/98		7.23	7.94
	01/30/98		6.97	8.20
	02/24/98		6.22	8.95
04/06/98		7.43	7.74	
07/02/98		8.12	7.05	
07/13/98		8.23	6.94	
09/28/98		8.53	6.64	
10/16/98		8.61	6.56	
01/08/99		8.25	6.92	
RP-4	09/08/94	15.10	9.02	6.08
	01/09/95	15.12	6.31	8.81
	01/27/95		5.97	9.15

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including January 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
RP-4	02/17/95	15.12	7.79	7.33
	02/28/95		8.13	6.99
	04/13/95		7.69	7.43
	05/10/95		7.77	7.35
	08/09/95		8.65	6.47
	11/17/95		9.28	5.84
	01/09/96	15.13	8.28	6.85
	04/24/96		8.05	7.08
	07/29/96		8.88	6.25
	12/13/96		6.12	9.01
	04/15/97		8.44	6.69
	09/19/97		8.72	6.41
	12/03/97		7.75	7.38
	12/15/97		7.62	7.51
	01/13/98		7.05	8.08
	01/30/98		7.02	8.11
	02/24/98		6.39	8.74
	04/06/98		7.50	7.63
	07/02/98		8.23	6.90
	07/13/98		8.34	6.79
09/28/98		8.61	6.52	
10/16/98		8.70	6.43	
01/08/99		8.43	6.70	
RP-5	09/08/94	15.03	8.95	6.08
	01/09/95	15.04	6.22	8.82
	01/27/95		5.93	9.11
	02/17/95		7.71	7.33
	02/28/95		8.06	6.98
	04/13/95		7.56	7.48
	05/10/95		7.69	7.35
	08/09/95		8.57	6.47
	11/17/95		9.23	5.81
	01/09/96		8.21	6.83
	04/24/96		7.96	7.08
	07/29/96		8.81	6.23
	12/13/96		5.93	9.11
	04/15/97		8.35	6.69

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including January 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
RP-5	09/19/97	15.04	8.64	6.40
	12/03/97		7.64	7.40
	12/15/97		7.55	7.49
	01/13/98		7.02	8.02
	01/30/98		6.97	8.07
	02/24/98		6.27	8.77
	04/06/98		7.44	7.60
	07/02/98		8.16	6.88
	07/13/98		8.26	6.78
	09/28/98		8.54	6.50
	10/16/98		8.62	6.42
	01/08/99		8.37	6.67

Data entered by LXG. Proofed by JRB.

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 2
Horizontal Groundwater Potential Differences Across the Slurry Wall
The Sherwin-Williams Company
Emeryville, California

Well Number	Date Measured	Groundwater Elevation (ft)	Horizontal Distance Between Center of Well Screens (ft)	Groundwater Potential Difference (ft/ft) (a)
LF-7	01/08/99	5.99		
LF-19	01/08/99	6.70	13.1	-0.05
LF-8	01/08/99	6.20		
LF-18	01/08/99	4.43	7.7	+ 0.23
LF-26	01/08/99	6.29		
LF-20	01/08/99	5.53	20.5	+ 0.04
LF-10	01/08/99	6.03		
LF-21	01/08/99	5.66	30.5	+ 0.01
LF-PZ13	01/08/99	6.13		
LF-PZ12	01/08/99	6.12	16.5	+ 0.00 (b)
LF-17	01/08/99	5.76		
LF-3	01/08/99	6.37	27.2	-0.02
LF-PZ9	01/08/99	5.83		
LF-PZ11	01/08/99	6.98	17.5	-0.07
LF-22	01/08/99	7.13		
LF-12	01/08/99	7.89	38.3	-0.02
LF-PZ3	01/08/99	6.75		
LF-PZ2	01/08/99	7.14	16.3	-0.02
LF-PZ5	01/08/99	6.94		
LF-PZ4	01/08/99	7.17	14.9	-0.02

Notes:

(a) Positive potential indicates outward hydraulic gradient; negative potential indicates inward hydraulic gradient

(b) Less than 0.01 ft/ft potential difference

Data entered by LXG. Proofed by JRB.

Table 3
Vertical Groundwater Potential Differences Across the A and B Aquifer Zones
The Sherwin-Williams Company
Emeryville, California

Well Number	Date Measured	Groundwater Elevation (ft)	Vertical Distance Between Center of Well Screens (ft)	Groundwater Potential Difference (ft/ft) (a)
LF-B3	01/08/99	6.29		
LF-10	01/08/99	6.03	26.4	+0.01
LF-B4	01/08/99	7.70		
LF-12	01/08/99	7.89	30.5	-0.01
LF-B5 (b)	01/08/99	6.98		
LF-PZ5	01/08/99	6.94	24.3	+0.00 (c)
LF-B6	01/08/99	6.34		
LF-7	01/08/99	5.99	21.2	+0.02

Notes:

- (a) Positive potential indicates upward hydraulic gradient; negative potential indicates downward hydraulic gradient
- (b) Groundwater elevations in LF-B5 may not represent the B-zone groundwater elevations because LF-B5 is screened in the aquitard between the A and B zones
- (c) Less than 0.01 ft/ft potential difference

Data entered by LXG. Proofed by JRB.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa- none	Acetone	Benzene	Chloro- benzene	Chloro- form	cis-1,2- DCE	Ethyl- benzene	Methyl Ethyl Ketone	PCE	Toluene	trans- 1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total	
LF-1	01-Jun-89	<0.2	<0.2	na	15	30	<0.2	<0.2	na	na	0.9	20	<0.2	6	na	<0.2	na	3.6	
LF-1	07-Dec-89	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	0.002	<0.001	na	<0.001	na	0.04	
LF-1	20-Jul-90	<0.001	<0.001	na	<0.001	0.45	0.002	<0.001	na	0.001	<0.001	0.2	0.005	0.018	na	0.004	na	0.16	
LF-1	21-Jun-91	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	0.019	<0.02	0.002	<0.005	na	<0.005	na	0.01	
LF-1	09-Jul-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	0.008	<0.02	<0.005	<0.005	na	<0.005	na	<0.005	
LF-1	09-Jun-93	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005	
LF-1	Destroyed under permit																		
LF-2	02-Jun-89	<0.005	<0.005	na	<0.005	<0.05	0.015	<0.005	na	na	0.015	<0.1	<0.005	<0.005	na	<0.005	na	0.3	
LF-2	07-Dec-89	<0.02	<0.02	na	<0.02	0.35	<0.02	<0.02	na	na	<0.02	<0.4	<0.02	0.029	na	<0.02	na	0.84	
LF-2	20-Jul-90	<0.05	<0.05	na	12	<0.5	<0.05	0.050	na	na	0.066	8.8	<0.05	0.051	na	<0.05	na	0.91	
LF-2	Destroyed or lost during slurry wall and cap construction activities																		
LF-3	02-Jun-89	<0.1	<0.1	na	<0.1	<1	<0.1	<0.1	na	na	2.5	<2	<0.1	17	na	<0.1	na	12	
LF-3	07-Dec-89	<0.5	<0.5	na	<0.5	<5	<0.5	<0.5	na	na	6.3	<10	<0.5	77	na	<0.5	na	32	
LF-3	20-Jul-90	<0.05	<0.05	na	1.9	10	0.11	<0.05	na	na	5	7.7	<0.05	52	na	<0.05	na	22	
LF-3	21-Jun-91	<1	<1	na	<2	9.9	<1	<1	na	na	7.5	8.2	<1	62	na	<1	na	44	
LF-3	09-Jul-92	<2.5	<2.5	na	<5	<10	<2.5	<2.5	na	na	8.9	<10	<2.5	92	na	<2.5	na	43	
DUP	09-Jul-92	<5	<5	na	<10	<20	<5	<5	na	na	8.8	<20	<5	100	na	<5	na	45	
LF-3	09-Jun-93	<2.5	<2.5	na	<5	<10	<2.5	<2.5	na	na	9.8	<10	<2.5	120	na	<2.5	na	48	
DUP	09-Jun-93	<2.5	<2.5	na	<5	<10	<2.5	<2.5	na	na	7.6	<10	<2.5	110	na	<2.5	na	37	
LF-3	16-Apr-96	<3	<3	<3	<30	<50	<3	<3	<3	<3	5.5	<50	<3	45	<3	<3	<5	27	
LF-3	31-Jul-96	<3	<3	<3	<30	<50	<3	<3	<3	<3	4.5	<50	<3	44	<3	<3	<5	24	
LF-3	20-Nov-96	<3	<3	<3	<30	<50	<3	<3	<3	<3	4	<50	<3	41	<3	<3	<5	12	
LF-3	19-Mar-97	<3	<3	<3	<30	<50	<3	<3	<3	<3	3	<50	<3	43	<3	<3	<5	16	
LF-3	12-Jun-97	<3	<3	<3	<30	<50	<3	<3	<3	<3	7	<50	<3	70	<3	<3	<5	31	
LF-3	19-Aug-97	<5	<5	<5	<50	<100	<5	<5	<5	<5	6	<100	<5	91	<5	<5	<10	31	
LF-3	17-Dec-97	<5	<5	<5	<50	<100	<5	<5	<5	<5	<5	<100	<5	40	<5	<5	<10	<10	
DUP	17-Dec-97	<5	<5	<5	<50	<100	<5	<5	<5	<5	<5	<100	<5	38	<5	<5	<10	<10	
LF-3	02-Mar-98	<0.5	<0.5	<0.5	<10	<10	<0.5	<0.5	<0.5	<0.5	3	<10	<0.5	67.8	<0.5	<0.5	<1	15.9	
LF-3	10-Apr-98	<0.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<0.5	<0.5	0.59	<2.5	<0.5	17.4	<0.5	<0.5	<0.5	2.9	
LF-3	16-Jul-98	<2.5	<2.5	<2.5	<12	<12	<2.5	<2.5	<2.5	<2.5	3.6	<12	<2.5	52	<2.5	<2.5	<2.5	17	
LF-3	19-Oct-98	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<12 UJ2	<12 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	4.6 J2	<12 UJ2	<2.5 UJ2	57 J2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	
LF-3	15-Jan-99	<0.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<0.5	<0.5	2.8	<2.5	<0.5	52	<0.5	<0.5	<0.5	13.4	
DUP	15-Jan-99	<0.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<0.5	<0.5	2.6	<2.5	<0.5	58	<0.5	<0.5	<0.5	13.5	

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-1	01-Jun-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-1	07-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-1	20-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-1	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-1	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-1	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-1	Destroyed under permit															
LF-2	02-Jun-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-2	07-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-2	20-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-2	Destroyed or lost during slurry wall and cap construction activities															
LF-3	02-Jun-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-3	07-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-3	20-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-3	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-3	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-3	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-3	16-Apr-96	<3	<0.1	<3	<3	na	na	na	<30	na	<5	<5	<5	na	na	na
LF-3	31-Jul-96	<3	na	<3	<3	na	na	na	<30	na	<5	<5	<5	na	na	na
LF-3	20-Nov-96	<3	na	<3	<3	na	na	na	<30	na	<5	<5	<5	na	na	na
LF-3	19-Mar-97	<3	na	<3	<3	na	na	na	<30	na	<5	<5	<5	na	na	na
LF-3	12-Jun-97	<3	na	<3	<3	na	na	na	<30	na	<5	<5	<5	na	na	na
LF-3	19-Aug-97	<5	na	<5	<5	na	na	na	<50	na	<10	<10	<10	na	na	na
LF-3	17-Dec-97	<5	na	<5	<5	na	na	na	<50	na	<10	<10	<10	na	na	na
DUP	17-Dec-97	<5	na	<5	<5	na	na	na	<50	na	<10	<10	<10	na	na	na
LF-3	02-Mar-98	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<1	<1	<0.5	<0.5
LF-3	10-Apr-98	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
LF-3	16-Jul-98	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<12	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
LF-3	19-Oct-98	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<12 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2
LF-3	15-Jan-99	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
DUP	15-Jan-99	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naphthalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-1	01-Jun-89	na	na	0.018	na	na	na
LF-1	07-Dec-89	na	na	<0.004	na	na	na
LF-1	20-Jul-90	na	na	<0.002	na	na	na
LF-1	21-Jun-91	na	na	<0.011	na	na	na
LF-1	09-Jul-92	na	na	<0.01	na	na	na
LF-1	09-Jun-93	na	na	<0.01	na	na	na
LF-1	Destroyed under permit						
LF-2	02-Jun-89	na	na	0.65	na	na	na
LF-2	07-Dec-89	na	na	0.32	na	na	na
LF-2	20-Jul-90	na	na	0.33	na	na	na
LF-2	Destroyed or lost during slurry wall and cap construction activities						
LF-3	02-Jun-89	na	na	0.091	na	na	na
LF-3	07-Dec-89	na	na	0.14	na	na	na
LF-3	20-Jul-90	na	na	0.16	na	na	na
LF-3	21-Jun-91	na	na	0.11	na	na	na
LF-3	09-Jul-92	na	na	0.150	na	na	na
DUP	09-Jul-92	na	na	0.140	na	na	na
LF-3	09-Jun-93	na	na	0.170	na	na	na
DUP	09-Jun-93	na	na	0.160	na	na	na
LF-3	16-Apr-96	na	na	<0.1	<3	na	na
LF-3	31-Jul-96	na	na	na	<3	na	na
LF-3	20-Nov-96	na	na	na	<3	na	na
LF-3	19-Mar-97	na	na	na	<3	na	na
LF-3	12-Jun-97	na	na	na	<3	na	na
LF-3	19-Aug-97	na	na	na	<5	na	na
LF-3	17-Dec-97	na	na	na	<5	na	na
DUP	17-Dec-97	na	na	na	<5	na	na
LF-3	02-Mar-98	<0.5	<0.5	<2.5	<0.5	<0.5	<0.5
LF-3	10-Apr-98	na	<0.5	<0.5	<0.5	<0.5	<0.5
LF-3	16-Jul-98	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
LF-3	19-Oct-98	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2
LF-3	15-Jan-99	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
DUP	15-Jan-99	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexanone	Acetone	Benzene	Chlorobenzene	Chloroform	cis-1,2-DCE	Ethylbenzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total	
LF-4	02-Jun-89	<0.02	<0.02	na	0.26	1.3	<0.2	<0.02	na	na	1.3	4.7	<0.02	<0.2	na	<0.02	na	3.8	
DUP	02-Jun-89	<0.02	<0.02	na	0.28	1.3	<0.2	<0.02	na	na	1.7	4.7	<0.02	<0.02	na	<0.02	na	4.1	
LF-4	06-Dec-89	<0.002	<0.002	na	<0.002	<0.02	<0.02	<0.002	na	na	0.2	<0.04	<0.002	<0.004	na	<0.002	na	0.65	
DUP	06-Dec-89	<0.005	<0.005	na	<0.005	<0.05	<0.005	<0.005	na	na	0.25	<0.1	<0.005	<0.005	na	<0.005	na	0.75	
LF-4	20-Jul-90	<0.1	<0.1	na	<0.1	<1	<1	<0.1	na	na	<0.1	<2	<0.1	<0.1	na	<0.1	na	0.38	
LF-4	21-Jun-91	<0.01	<0.01	na	<0.02	0.079	0.039	0.005	na	na	0.058	<0.04	<0.01	0.007	na	<0.01	na	0.35	
DUP	21-Jun-91	<0.01	<0.01	na	<0.02	<0.04	0.04	0.006	na	0.020	0.14	<0.04	<0.01	0.008	na	<0.01	na	0.38	
LF-4	09-Jul-92	<0.005	<0.005	na	<0.01	<0.02	0.016	0.008	na	na	0.015	<0.02	<0.005	<0.005	na	<0.005	na	0.069	
LF-4	09-Jun-93	<0.05	<0.05	na	<0.1	<0.2	0.051	<0.05	na	na	0.210	<0.2	<0.05	<0.05	na	<0.05	na	1.5	
LF-4	02-Mar-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	0.0013	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	
LF-4	09-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0039 J3	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	
LF-4	16-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0038	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	
LF-4	19-Oct-98	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.005 UJ2	<0.005 UJ2	<0.001 UJ2	0.0037 J2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.005 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	
LF-4	14-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	0.0007 J11	0.0045	<0.001	0.0007 J11	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	
LF-5	01-Jun-89	<1	<1	na	<2	220	<2	<1	na	na	2	390	<1	300	na	<2	na	8	
LF-5	06-Dec-89	<1	<1	na	<1	51	<1	<1	na	na	<1	320	<1	310	na	<1	na	<1	
LF-5	20-Jul-90	<1	<1	na	6.7	<10	<1	<1	na	na	1.1	170	<1	170	na	<1	na	2.6	
LF-5	21-Jun-91	<5	<5	na	<10	<20	<5	<5	na	na	<5	<20	<5	200 GT	na	<5	na	5.4	
LF-5	06-Aug-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
LF-5	09-Jul-92	<5	<5	na	<10	<20	<5	<5	na	na	<5	<20	<5	150	na	<5	na	<5	
LF-5	09-Jun-93	<2.5	<2.5	na	<5	<10	<2.5	<2.5	na	na	<2.5	<10	<2.5	83	na	<2.5	na	4.5	
LF-5	Destroyed or lost during slurry wall and cap construction activities																		
LF-6	01-Jun-89	<0.2	<0.2	na	<1	280	<1	<0.2	na	na	6	470	<0.2	22	na	<1	na	210	
LF-6	05-Dec-89	<1	<1	na	<1	64	<1	<1	na	na	5	320	<1	59	na	<1	na	17	
LF-6	20-Jul-90	<1	<1	na	24	200	<1	<1	na	na	4	720	45	45	na	<1	na	13	
LF-6	Sealed August 2, 1990																		
LF-7	01-Jun-89	<0.001	<0.001	na	<0.005	<0.005	0.05	<0.001	na	na	<0.005	<0.005	<0.001	0.27	na	<0.005	na	0.58	
LF-7	06-Dec-89	<0.001	<0.001	na	<0.001	<0.01	0.031	0.007	na	na	0.052	<0.02	<0.001	0.003	na	<0.001	na	0.15	
LF-7	19-Jul-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	0.001	na	na	0.007	<0.02	<0.001	<0.001	na	<0.001	na	0.044	
LF-7	08-Aug-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-4	02-Jun-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	02-Jun-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-4	06-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	06-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-4	20-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-4	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-4	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-4	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-4	02-Mar-98	<0.001	<0.001	<0.001	<0.001	<0.001	0.0018	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	0.001	<0.001
LF-4	09-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.0014 J3	<0.001
LF-4	16-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-4	19-Oct-98	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.005 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2
LF-4	14-Jan-99	<0.001	0.0013	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-5	01-Jun-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-5	06-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-5	20-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-5	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-5	06-Aug-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-5	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-5	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-5	Destroyed or lost during slurry wall and cap construction activities															
LF-6	01-Jun-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-6	05-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-6	20-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-6	Sealed August 2, 1990															
LF-7	01-Jun-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-7	06-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-7	19-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-7	08-Aug-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naphthalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-4	02-Jun-89	na	na	0.14	na	na	na
DUP	02-Jun-89	na	na	0.095	na	na	na
LF-4	06-Dec-89	na	na	0.015	na	na	na
DUP	06-Dec-89	na	na	0.007	na	na	na
LF-4	20-Jul-90	na	na	0.01	na	na	na
LF-4	21-Jun-91	na	na	<0.011	na	na	na
DUP	21-Jun-91	na	na	<0.011	na	na	na
LF-4	09-Jul-92	na	na	<0.01	na	na	na
LF-4	09-Jun-93	na	na	0.010	na	na	na
LF-4	02-Mar-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-4	09-Apr-98	na	<0.001	0.0014 J3	<0.001	<0.001	<0.001
LF-4	16-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-4	19-Oct-98	<0.001 UJ2	<0.001 UJ2	<0.0021 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2
LF-4	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-5	01-Jun-89	na	na	0.02	na	na	na
LF-5	06-Dec-89	na	na	0.025	na	na	na
LF-5	20-Jul-90	na	na	<0.02	na	na	na
LF-5	21-Jun-91	na	na	na	na	na	na
LF-5	06-Aug-91	na	na	<0.05	na	na	na
LF-5	09-Jul-92	na	na	<0.02	na	na	na
LF-5	09-Jun-93	na	na	0.010	na	na	na
LF-5	Destroyed or lost during slurry wall and cap construction activities						
LF-6	01-Jun-89	na	na	na	na	na	na
LF-6	05-Dec-89	na	na	0.06	na	na	na
LF-6	20-Jul-90	na	na	<0.02	na	na	na
LF-6	Sealed August 2, 1990						
LF-7	01-Jun-89	na	na	0.008	na	na	na
LF-7	06-Dec-89	na	na	<0.002	na	na	na
LF-7	19-Jul-90	na	na	na	na	na	na
LF-7	08-Aug-90	na	na	<0.002	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa- none	Acetone	Benzene	Chloro- benzene	Chloro- form	cis-1,2- DCE	Ethyl- benzene	Methyl Ethyl Ketone	PCE	Toluene	trans- 1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-7	20-Jun-91	<0.005	<0.005	na	<0.01	<0.02	0.061	0.007	na	na	0.045	<0.02	<0.005	<0.005	na	<0.005	na	0.120
LF-7	06-Aug-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-7	17-Dec-91	<0.005	<0.005	na	<0.010	<0.020	0.006	0.005	na	na	0.006	<0.020	<0.005	<0.005	na	<0.005	na	0.009
LF-7	09-Jul-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
DUP	09-Jul-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-7	09-Jun-93	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
DUP	09-Jun-93	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-7	06-Jan-94	<0.003	<0.003	<0.003	<0.03	<0.05	0.031	0.009	<0.003	<0.003	0.003	<0.05	<0.003	0.12	<0.003	<0.003	<0.005	0.014
LF-7	27-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	0.004	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
DUP	27-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	0.0037	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
LF-7	13-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0038	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	05-Dec-89	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	0.003	na	<0.001	na	<0.001
LF-8	19-Jul-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	0.001	na	na	0.007	<0.02	<0.001	<0.001	na	<0.001	na	0.002
LF-8	08-Aug-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-8	21-Dec-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-8	20-Jun-91	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-8	17-Dec-91	<0.005	<0.005	na	<0.010	<0.020	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.005	na	<0.005	na	<0.005
LF-8	09-Jul-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-8	30-Dec-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-8	09-Jun-93	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-8	06-Jan-94	<0.003	<0.003	<0.003	<0.03	<0.05	<0.003	<0.003	<0.003	<0.003	<0.003	<0.05	<0.003	<0.003	<0.003	<0.003	<0.005	<0.005
LF-8	27-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
LF-8	08-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	15-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	21-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	13-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-9	05-Dec-89	<0.001	<0.001	na	<0.001	<0.01	<0.001	0.005	na	na	0.022	<0.02	<0.001	0.003	na	<0.001	na	<0.001
LF-9	19-Jul-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	0.004	na	na	0.011	<0.02	<0.001	<0.001	na	<0.001	na	0.002
LF-9	21-Dec-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-9	21-Jun-91	<0.005	<0.005	na	<0.01	<0.02	<0.005	0.006	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-9	16-Dec-91	<0.005	<0.005	na	<0.010	<0.020	<0.005	<0.005	na	na	0.009	<0.020	<0.005	<0.005	na	<0.005	na	<0.005

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-7	20-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-7	06-Aug-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-7	17-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-7	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-7	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-7	06-Jan-94	<0.003	na	<0.003	<0.003	na	na	na	<0.03	na	<0.005	<0.005	<0.005	na	na	na
LF-7	27-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
DUP	27-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-7	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	05-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-8	19-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-8	08-Aug-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-8	21-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-8	20-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-8	17-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-8	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-8	30-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-8	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-8	06-Jan-94	<0.003	na	<0.003	<0.003	na	na	na	<0.03	na	<0.005	<0.005	<0.005	na	na	na
LF-8	27-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-8	08-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-9	05-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-9	19-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-9	21-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-9	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-9	16-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naphthalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-7	20-Jun-91	na	na	na	na	na	na
LF-7	06-Aug-91	na	na	0.005	na	na	na
LF-7	17-Dec-91	na	na	na	na	na	na
LF-7	09-Jul-92	na	na	<0.01	na	na	na
DUP	09-Jul-92	na	na	<0.01	na	na	na
LF-7	09-Jun-93	na	na	<0.01	na	na	na
DUP	09-Jun-93	na	na	<0.01	na	na	na
LF-7	06-Jan-94	na	na	na	<0.003	na	na
LF-7	27-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
DUP	27-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-7	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	05-Dec-89	na	na	0.06	na	na	na
LF-8	19-Jul-90	na	na	na	na	na	na
LF-8	08-Aug-90	na	na	<0.002	na	na	na
LF-8	21-Dec-90	na	na	<0.002	na	na	na
LF-8	20-Jun-91	na	na	<0.013	na	na	na
LF-8	17-Dec-91	na	na	na	na	na	na
LF-8	09-Jul-92	na	na	<0.01	na	na	na
LF-8	30-Dec-92	na	na	na	na	na	na
LF-8	09-Jun-93	na	na	<0.01	na	na	na
LF-8	06-Jan-94	na	na	na	<0.003	na	na
LF-8	27-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-8	08-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-9	05-Dec-89	na	na	<0.002	na	na	na
LF-9	19-Jul-90	na	na	<0.002	na	na	na
LF-9	21-Dec-90	na	na	<0.002	na	na	na
LF-9	21-Jun-91	na	na	<0.01	na	na	na
LF-9	16-Dec-91	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa- none	Acetone	Benzene	Chloro- benzene	Chloro- form	cis-1,2- DCE	Ethyl- benzene	Methyl Ethyl Ketone	PCE	Toluene	trans- 1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total	
LF-9	09-Jul-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005	
LF-9	30-Dec-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	0.005	na	na	0.007	<0.02	<0.005	<0.005	na	<0.005	na	<0.005	
LF-9	09-Jun-93	<0.005	<0.005	na	<0.01	<0.02	0.005	0.005	na	na	<0.005	<0.02	<0.005	0.005	na	<0.005	na	<0.005	
LF-9	Destroyed or lost during slurry wall and cap construction activities																		
LF-10	05-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
LF-10	07-Dec-89	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001	
LF-10	19-Jul-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001	
DUP	19-Jul-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001	
LF-10	19-Dec-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001	
DUP	19-Dec-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001	
LF-10	21-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
DUP	21-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
LF-10	21-Jun-91	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005	
LF-10	18-Dec-91	<0.005	<0.005	na	<0.010	<0.020	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.005	na	<0.005	na	<0.005	
DUP	18-Dec-91	<0.005	<0.005	na	<0.010	<0.020	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.005	na	<0.005	na	<0.005	
LF-10	09-Jul-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005	
LF-10	31-Dec-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005	
DUP	31-Dec-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005	
LF-10	09-Jun-93	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005	
LF-10	06-Jan-94	<0.003	<0.003	<0.003	<0.03	<0.05	<0.003	<0.003	<0.003	<0.003	<0.003	<0.05	<0.003	<0.003	<0.003	<0.003	<0.005	<0.005	
DUP	06-Jan-94	<0.003	<0.003	<0.003	<0.03	<0.05	<0.003	<0.003	<0.003	<0.003	<0.003	<0.05	<0.003	<0.003	<0.003	<0.003	<0.005	<0.005	
LF-10	27-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	0.011	<0.001	<0.001	0.0022	0.0017	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	0.0062	
LF-10	15-Jan-99	<0.001	<0.001	<0.001	<0.005	0.035	<0.001	<0.001	<0.001	0.0009 J11	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	0.0006 J11	<0.001	
LF-11	05-Dec-89	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	0.002	na	<0.001	na	<0.001	
DUP	05-Dec-89	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.023	na	<0.001	na	<0.001	
LF-11	19-Jul-90	<0.001	<0.001	na	<0.001	0.015	<0.001	<0.001	na	na	<0.001	<0.02	0.001	<0.001	na	<0.001	na	<0.001	
LF-11	08-Aug-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
LF-11	21-Dec-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001	
LF-11	21-Jun-91	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005	
DUP	21-Jun-91	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005	
LF-11	17-Dec-91	<0.005	<0.005	na	<0.010	<0.020	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.005	na	<0.005	na	<0.005	
LF-11	09-Jul-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005	

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-9	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-9	30-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-9	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-9	Destroyed or lost during slurry wall and cap construction activities															
LF-10	05-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-10	07-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-10	19-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	19-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-10	19-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	19-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-10	21-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	21-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-10	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-10	18-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	18-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-10	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-10	31-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	31-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-10	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-10	06-Jan-94	<0.003	na	<0.003	<0.003	na	na	na	<0.03	na	<0.005	<0.005	<0.005	na	na	na
DUP	06-Jan-94	<0.003	na	<0.003	<0.003	na	na	na	<0.03	na	<0.005	<0.005	<0.005	na	na	na
LF-10	27-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-10	15-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-11	05-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	05-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-11	19-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-11	08-Aug-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-11	21-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-11	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-11	17-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-11	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naphthalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-9	09-Jul-92	na	na	<0.01	na	na	na
LF-9	30-Dec-92	na	na	na	na	na	na
LF-9	09-Jun-93	na	na	<0.01	na	na	na
LF-9	Destroyed or lost during slurry wall and cap construction activities						
LF-10	05-Dec-89	na	na	0.14	na	na	na
LF-10	07-Dec-89	na	na	na	na	na	na
LF-10	19-Jul-90	na	na	<0.002	na	na	na
DUP	19-Jul-90	na	na	na	na	na	na
LF-10	19-Dec-90	na	na	na	na	na	na
DUP	19-Dec-90	na	na	na	na	na	na
LF-10	21-Dec-90	na	na	<0.002	na	na	na
DUP	21-Dec-90	na	na	<0.002	na	na	na
LF-10	21-Jun-91	na	na	<0.01	na	na	na
LF-10	18-Dec-91	na	na	na	na	na	na
DUP	18-Dec-91	na	na	na	na	na	na
LF-10	09-Jul-92	na	na	<0.01	na	na	na
LF-10	31-Dec-92	na	na	na	na	na	na
DUP	31-Dec-92	na	na	na	na	na	na
LF-10	09-Jun-93	na	na	<0.01	na	na	na
LF-10	06-Jan-94	na	na	na	<0.003	na	na
DUP	06-Jan-94	na	na	na	<0.003	na	na
LF-10	27-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-10	15-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0007 J11
LF-11	05-Dec-89	na	na	<0.002	na	na	na
DUP	05-Dec-89	na	na	na	na	na	na
LF-11	19-Jul-90	na	na	na	na	na	na
LF-11	08-Aug-90	na	na	<0.002	na	na	na
LF-11	21-Dec-90	na	na	<0.002	na	na	na
LF-11	21-Jun-91	na	na	<0.01	na	na	na
DUP	21-Jun-91	na	na	<0.01	na	na	na
LF-11	17-Dec-91	na	na	na	na	na	na
LF-11	09-Jul-92	na	na	<0.01	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa- none	Acetone	Benzene	Chloro- benzene	Chloro- form	cis-1,2- DCE	Ethyl- benzene	Methyl Ethyl Ketone	PCE	Toluene	trans- 1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-11	31-Dec-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-11	09-Jun-93	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-11	05-Jan-94	<0.003	<0.003	<0.003	<0.03	<0.05	<0.003	<0.003	<0.003	<0.003	<0.003	<0.05	<0.003	<0.003	<0.003	<0.003	<0.005	<0.005
LF-11	16-Apr-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-11	31-Jul-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-11	20-Nov-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-11	18-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
DUP	18-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-11	11-Jun-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-11	19-Aug-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
DUP	19-Aug-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-11	17-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	0.024
LF-11	02-Mar-98	<0.001	<0.001	<0.001	<0.02	<0.02	0.0085	<0.001	<0.001	<0.001	0.14	<0.02	<0.001	0.31 J1	<0.001	0.0014	<0.002	0.513 J1
LF-11	10-Apr-98	<0.01	<0.01	<0.01	<0.05	<0.05	<0.01	<0.01	<0.01	<0.01	0.1	<0.05	<0.01	<0.01	<0.01	<0.01	<0.01	0.47
DUP	10-Apr-98	<0.005	<0.005	<0.005	<0.025	<0.025	0.0078	<0.005	<0.005	<0.005	0.1	<0.025	<0.005	<0.005	<0.005	<0.005	<0.005	0.47
LF-11	16-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-11	23-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-11	14-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-12	06-Dec-89	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	0.005	na	<0.001	na	<0.001
LF-12	18-Jul-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	0.001	<0.001	na	0.002	na	<0.001
LF-12	19-Dec-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	0.002	<0.001	na	0.003	na	<0.001
LF-12	19-Jun-91	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	0.002	na	<0.005
LF-12	16-Dec-91	<0.005	<0.005	na	<0.010	<0.020	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.005	na	<0.005	na	<0.005
LF-12	08-Jul-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-12	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-12	30-Dec-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-12	08-Jun-93	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-12	06-Jan-94	<0.003	<0.003	<0.003	<0.03	<0.05	<0.003	<0.003	<0.003	<0.003	<0.003	<0.05	<0.003	<0.003	<0.003	<0.003	<0.005	<0.005
LF-12	16-Apr-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-12	30-Jul-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-12	20-Nov-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-12	17-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-11	31-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-11	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-11	05-Jan-94	<0.003	na	<0.003	<0.003	na	na	na	<0.03	na	<0.005	<0.005	<0.005	na	na	na
LF-11	16-Apr-96	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-11	31-Jul-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-11	20-Nov-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-11	18-Mar-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
DUP	18-Mar-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-11	11-Jun-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	0.016	<0.01	<0.01	na	na	na
LF-11	19-Aug-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
DUP	19-Aug-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-11	17-Dec-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-11	02-Mar-98	<0.001	<0.001	<0.001	<0.001	<0.001	0.0025	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	0.0028	<0.001
LF-11	10-Apr-98	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
DUP	10-Apr-98	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.025	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
LF-11	16-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-11	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-11	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-12	06-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-12	18-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-12	19-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-12	19-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-12	16-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-12	08-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-12	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-12	30-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-12	08-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-12	06-Jan-94	<0.003	na	<0.003	<0.003	na	na	na	<0.03	na	<0.005	<0.005	<0.005	na	na	na
LF-12	16-Apr-96	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-12	30-Jul-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-12	20-Nov-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-12	17-Mar-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-11	31-Dec-92	na	na	na	na	na	na
LF-11	09-Jun-93	na	na	<0.01	na	na	na
LF-11	05-Jan-94	na	na	na	<0.003	na	na
LF-11	16-Apr-96	na	na	<0.01	<0.005	na	na
LF-11	31-Jul-96	na	na	na	<0.005	na	na
LF-11	20-Nov-96	na	na	na	<0.005	na	na
LF-11	18-Mar-97	na	na	na	<0.005	na	na
DUP	18-Mar-97	na	na	na	<0.005	na	na
LF-11	11-Jun-97	na	na	na	<0.005	na	na
LF-11	19-Aug-97	na	na	na	<0.005	na	na
DUP	19-Aug-97	na	na	na	<0.005	na	na
LF-11	17-Dec-97	na	na	na	<0.005	na	na
LF-11	02-Mar-98	<0.001	0.0012	<0.005	<0.001	<0.001	<0.001
LF-11	10-Apr-98	na	<0.01	<0.01	<0.01	<0.01	<0.01
DUP	10-Apr-98	na	<0.005	<0.005	<0.005	<0.005	<0.005
LF-11	16-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-11	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-11	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0005 J11
LF-12	06-Dec-89	na	na	<0.002	na	na	na
LF-12	18-Jul-90	na	na	<0.002	na	na	na
LF-12	19-Dec-90	na	na	<0.002	na	na	na
LF-12	19-Jun-91	na	na	<0.012	na	na	na
LF-12	16-Dec-91	na	na	na	na	na	na
LF-12	08-Jul-92	na	na	na	na	na	na
LF-12	09-Jul-92	na	na	<0.01	na	na	na
LF-12	30-Dec-92	na	na	na	na	na	na
LF-12	08-Jun-93	na	na	<0.01	na	na	na
LF-12	06-Jan-94	na	na	na	<0.003	na	na
LF-12	16-Apr-96	na	na	<0.01	<0.005	na	na
LF-12	30-Jul-96	na	na	na	<0.005	na	na
LF-12	20-Nov-96	na	na	na	<0.005	na	na
LF-12	17-Mar-97	na	na	na	<0.005	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa- none	Acetone	Benzene	Chloro- benzene	Chloro- form	cis-1,2- DCE	Ethyl- benzene	Methyl Ethyl Ketone	PCE	Toluene	trans- 1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-12	01-Jul-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
DUP	01-Jul-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-12	20-Aug-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-12	18-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-12	26-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	0.0018	<0.001	<0.001	0.0017	<0.002	<0.002
LF-12	08-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	0.0022	<0.001	<0.001	0.0018	<0.001	<0.001
LF-12	14-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	0.0014	<0.001	<0.001	0.0015	<0.001	<0.001
LF-12	21-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	0.0013	<0.001	<0.001	0.0012	<0.001	<0.001
LF-12	12-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	0.0015	<0.001	<0.001	0.0014	<0.001	<0.001
LF-13	06-Dec-89	0.029	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	0.002	na	<0.001	na	<0.001
LF-13	18-Jul-90	0.056	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	0.001	0.002	na	<0.001	na	0.001
LF-13	19-Dec-90	0.042	0.002	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	0.002	<0.001	na	<0.001	na	<0.001
LF-13	19-Jun-91	0.032	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-13	16-Dec-91	0.018	<0.005	na	<0.010	<0.020	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.005	na	<0.005	na	<0.005
LF-13	08-Jul-92	0.010	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-13	30-Dec-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-13	08-Jun-93	0.008	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-13	05-Jan-94	0.004	<0.003	<0.003	<0.03	<0.05	<0.003	<0.003	<0.003	<0.003	<0.003	<0.05	<0.003	<0.003	<0.003	<0.003	<0.005	<0.005
LF-13	16-Apr-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-13	30-Jul-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
DUP	30-Jul-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-13	20-Nov-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-13	17-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
DUP	17-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-13	12-Jun-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-13	19-Aug-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-13	18-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-13	25-Feb-98	0.0025	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	0.015	<0.002	<0.002
LF-13	07-Apr-98	0.0047	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	0.0061	<0.001	<0.001
DUP	07-Apr-98	0.0048	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	0.0085	<0.001	<0.001
LF-13	13-Jul-98	0.0047	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-13	19-Oct-98	0.0049 UJ2	<0.001 UJ2	<0.001 UJ2	<0.005 UJ2	<0.005 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.005 UJ2	0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-12	01-Jul-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
DUP	01-Jul-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-12	20-Aug-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-12	18-Dec-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-12	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-12	08-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-12	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-12	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-12	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-13	06-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-13	18-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-13	19-Dec-90	0.002	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-13	19-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-13	16-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-13	08-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-13	30-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-13	08-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-13	05-Jan-94	<0.003	na	<0.003	<0.003	na	na	na	<0.03	na	<0.005	<0.005	<0.005	na	na	na
LF-13	16-Apr-96	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-13	30-Jul-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
DUP	30-Jul-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-13	20-Nov-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-13	17-Mar-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
DUP	17-Mar-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-13	12-Jun-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-13	19-Aug-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-13	18-Dec-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-13	25-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-13	07-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	07-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-13	13-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-13	19-Oct-98	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.005 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naphthalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-12	01-Jul-97	na	na	na	<0.005	na	na
DUP	01-Jul-97	na	na	na	<0.005	na	na
LF-12	20-Aug-97	na	na	na	<0.005	na	na
LF-12	18-Dec-97	na	na	na	<0.005	na	na
LF-12	26-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-12	08-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-12	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-12	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-12	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-13	06-Dec-89	na	na	<0.002	na	na	na
LF-13	18-Jul-90	na	na	<0.002	na	na	na
LF-13	19-Dec-90	na	na	<0.002	na	na	na
LF-13	19-Jun-91	na	na	<0.01	na	na	na
LF-13	16-Dec-91	na	na	na	na	na	na
LF-13	08-Jul-92	na	na	<0.01	na	na	na
LF-13	30-Dec-92	na	na	na	na	na	na
LF-13	08-Jun-93	na	na	<0.01	na	na	na
LF-13	05-Jan-94	na	na	na	<0.003	na	na
LF-13	16-Apr-96	na	na	<0.01	<0.005	na	na
LF-13	30-Jul-96	na	na	na	<0.005	na	na
DUP	30-Jul-96	na	na	na	<0.005	na	na
LF-13	20-Nov-96	na	na	na	<0.005	na	na
LF-13	17-Mar-97	na	na	na	<0.005	na	na
DUP	17-Mar-97	na	na	na	<0.005	na	na
LF-13	12-Jun-97	na	na	na	<0.005	na	na
LF-13	19-Aug-97	na	na	na	<0.005	na	na
LF-13	18-Dec-97	na	na	na	<0.005	na	na
LF-13	25-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-13	07-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	07-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-13	13-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-13	19-Oct-98	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa- none	Acetone	Benzene	Chloro- benzene	Chloro- form	cis-1,2- DCE	Ethyl- benzene	Methyl Ethyl Ketone	PCE	Toluene	trans- 1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total	
LF-13	11-Jan-99	0.0049	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	0.001 J11	<0.001	<0.001	<0.001	<0.001	<0.001	
LF-14	04-Sep-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001	
LF-14	20-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
LF-14	21-Dec-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001	
LF-14	20-Jun-91	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005	
LF-14	17-Dec-91	<0.005	<0.005	na	<0.010	<0.020	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.005	na	<0.005	na	<0.005	
LF-14	08-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
LF-14	09-Jul-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005	
LF-14	31-Dec-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005	
LF-14	09-Jun-93	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005	
LF-14	Destroyed during railway expansion activities																		
LF-15	04-Sep-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001	
LF-15	20-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
LF-15	21-Dec-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001	
LF-15	20-Jun-91	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005	
LF-15	17-Dec-91	<0.005	<0.005	na	<0.010	<0.020	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.005	na	<0.005	na	<0.005	
LF-15	08-Jul-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005	
LF-15	30-Dec-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005	
LF-15	09-Jun-93	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005	
LF-15	Destroyed during railway expansion activities																		
LF-16	04-Sep-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001	
LF-16	20-Dec-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001	
LF-16	20-Jun-91	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005	
LF-16	17-Dec-91	<0.005	<0.005	na	<0.010	<0.020	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.005	na	<0.005	na	<0.005	
LF-16	09-Jul-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005	
LF-16	30-Dec-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005	
LF-16	09-Jun-93	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005	
LF-16	Destroyed under permit																		
LF-17	02-Mar-98	<0.001	<0.001	<0.001	<0.02	<0.02	0.042	<0.001	<0.001	0.017	0.043	<0.02	<0.001	0.028	0.017	<0.001	0.012	0.054	
LF-17	10-Apr-98	<0.01	<0.01	<0.01	<0.05	<0.05	0.052	<0.01	<0.01	0.032	0.048	<0.05	<0.01	<0.01	0.02	<0.01	0.016	0.076	
LF-17	16-Jul-98	<0.01	<0.01	<0.01	<0.05	<0.05	0.048	<0.01	<0.01	0.024	0.054	<0.05	<0.01	0.12	0.015	<0.01	0.012	0.13	

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-13	11-Jan-99	0.0005 J11	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-14	04-Sep-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-14	20-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-14	21-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-14	20-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-14	17-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-14	08-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-14	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-14	31-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-14	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-14	Destroyed during railway expansion activities															
LF-15	04-Sep-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-15	20-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-15	21-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-15	20-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-15	17-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-15	08-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-15	30-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-15	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-15	Destroyed during railway expansion activities															
LF-16	04-Sep-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-16	20-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-16	20-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-16	17-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-16	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-16	30-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-16	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-16	Destroyed under permit															
LF-17	02-Mar-98	<0.001	<0.001	<0.001	<0.001	<0.001	0.01	0.0017	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	0.0074	0.014
LF-17	10-Apr-98	<0.01	<0.01	<0.01	<0.01	<0.01	0.028	<0.01	<0.05	<0.01	<0.01	<0.01	<0.01	<0.01	0.016	<0.01
LF-17	16-Jul-98	<0.01	<0.01	<0.01	<0.01	<0.01	0.041	<0.01	<0.05	<0.01	<0.01	<0.01	<0.01	<0.01	0.024	0.051

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-13	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-14	04-Sep-90	na	na	<0.002	na	na	na
LF-14	20-Dec-90	na	na	<0.002	na	na	na
LF-14	21-Dec-90	na	na	na	na	na	na
LF-14	20-Jun-91	na	na	<0.011	na	na	na
LF-14	17-Dec-91	na	na	na	na	na	na
LF-14	08-Jul-92	na	na	<0.01	na	na	na
LF-14	09-Jul-92	na	na	na	na	na	na
LF-14	31-Dec-92	na	na	na	na	na	na
LF-14	09-Jun-93	na	na	<0.01	na	na	na
LF-14	Destroyed during railway expansion activities						
LF-15	04-Sep-90	na	na	<0.002	na	na	na
LF-15	20-Dec-90	na	na	<0.002	na	na	na
LF-15	21-Dec-90	na	na	na	na	na	na
LF-15	20-Jun-91	na	na	<0.011	na	na	na
LF-15	17-Dec-91	na	na	na	na	na	na
LF-15	08-Jul-92	na	na	<0.01	na	na	na
LF-15	30-Dec-92	na	na	na	na	na	na
LF-15	09-Jun-93	na	na	<0.01	na	na	na
LF-15	Destroyed during railway expansion activities						
LF-16	04-Sep-90	na	na	<0.002	na	na	na
LF-16	20-Dec-90	na	na	<0.002	na	na	na
LF-16	20-Jun-91	na	na	<0.011	na	na	na
LF-16	17-Dec-91	na	na	na	na	na	na
LF-16	09-Jul-92	na	na	<0.01	na	na	na
LF-16	30-Dec-92	na	na	na	na	na	na
LF-16	09-Jun-93	na	na	<0.01	na	na	na
LF-16	Destroyed under permit						
LF-17	02-Mar-98	0.0037	0.0052	0.11	<0.001	0.0052	<0.001
LF-17	10-Apr-98	na	0.017	0.29	<0.01	<0.01	<0.01
LF-17	16-Jul-98	0.019	0.031	0.37	<0.01	0.016	<0.01

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa- none	Acetone	Benzene	Chloro- benzene	Chloro- form	cis-1,2- DCE	Ethyl- benzene	Methyl Ethyl Ketone	PCE	Toluene	trans- 1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-17	23-Oct-98	<0.001	0.0014	<0.001	<0.005	<0.005	0.046	<0.001	<0.001	0.021	0.035	<0.005	<0.001	0.0042	0.016	<0.001	0.013	0.062
LF-17	15-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	0.058	<0.001	<0.001	0.015	0.042	<0.005	<0.001	0.0038	0.018	<0.001	0.011	0.0452
LF-18	11-Apr-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-18	30-Jul-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-18	20-Nov-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-18	19-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-18	11-Jun-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
DUP	11-Jun-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-18	19-Aug-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-18	17-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-18	27-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002
LF-18	08-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-18	15-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	15-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-18	21-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-18	13-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	13-Jun-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-19	19-Aug-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	0.0006	na	na	na	<0.002
LF-19	27-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	0.0023	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002
LF-19	08-Apr-98	<0.001	<0.001	<0.001	<0.005	0.0074	<0.001	0.0025	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	15-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0028	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	23-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0024	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	23-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0025	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	13-Jan-99	<0.001	<0.001	<0.001	<0.005	0.0066	<0.001	0.003	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	11-Apr-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-20	30-Jul-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-20	21-Nov-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-20	18-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-20	11-Jun-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-17	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	0.028	0.0029	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.016	0.023
LF-17	15-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.028	0.0024	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.016	0.023
LF-18	11-Apr-96	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-18	30-Jul-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-18	20-Nov-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-18	19-Mar-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-18	11-Jun-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
DUP	11-Jun-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-18	19-Aug-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-18	17-Dec-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-18	27-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-18	08-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-18	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-18	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-18	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	13-Jun-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-19	19-Aug-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-19	27-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-19	08-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	11-Apr-96	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-20	30-Jul-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-20	21-Nov-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-20	18-Mar-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-20	11-Jun-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naphthalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-17	23-Oct-98	0.011	0.021	0.38	<0.001	0.0084	<0.001
LF-17	15-Jan-99	0.0084	0.017	0.27	<0.001	0.0073	<0.001
LF-18	11-Apr-96	na	na	<0.01	<0.005	na	na
LF-18	30-Jul-96	na	na	na	<0.005	na	na
LF-18	20-Nov-96	na	na	na	<0.005	na	na
LF-18	19-Mar-97	na	na	na	<0.005	na	na
LF-18	11-Jun-97	na	na	na	<0.005	na	na
DUP	11-Jun-97	na	na	na	<0.005	na	na
LF-18	19-Aug-97	na	na	na	<0.005	na	na
LF-18	17-Dec-97	na	na	na	<0.005	na	na
LF-18	27-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-18	08-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-18	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-18	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-18	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	13-Jun-97	na	na	na	<0.005	na	na
LF-19	19-Aug-97	na	na	na	na	na	na
LF-19	27-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-19	08-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	11-Apr-96	na	na	<0.01	<0.005	na	na
LF-20	30-Jul-96	na	na	na	<0.005	na	na
LF-20	21-Nov-96	na	na	na	<0.005	na	na
LF-20	18-Mar-97	na	na	na	<0.005	na	na
LF-20	11-Jun-97	na	na	na	<0.005	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa- none	Acetone	Benzene	Chloro- benzene	Chloro- form	cis-1,2- DCE	Ethyl- benzene	Methyl Ethyl Ketone	PCE	Toluene	trans- 1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-20	19-Aug-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-20	18-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-20	27-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	0.0041	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
LF-20	09-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0042	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	09-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.004	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	16-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0044	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	23-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0039	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	13-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0043	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	13-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0041	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	10-Apr-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-21	31-Jul-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-21	21-Nov-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-21	18-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-21	11-Jun-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-21	19-Aug-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-21	17-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-21	02-Mar-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
DUP	02-Mar-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
LF-21	09-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	16-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	23-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	14-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-22	02-Mar-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	0.0049	<0.001	<0.02	<0.001	<0.001	<0.001	0.0049	<0.002	<0.002
LF-22	10-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0071	<0.001	<0.005	<0.001	<0.001	<0.001	0.0058	<0.001	<0.001
LF-22	15-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0041	<0.001	<0.005	0.0009 J11	<0.001	0.0013	0.01	<0.001	<0.001
LF-23	10-Apr-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
DUP	10-Apr-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-23	02-Aug-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-23	21-Nov-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-20	19-Aug-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-20	18-Dec-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-20	27-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-20	09-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	09-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	16-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	10-Apr-96	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-21	31-Jul-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-21	21-Nov-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-21	18-Mar-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-21	11-Jun-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-21	19-Aug-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-21	17-Dec-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-21	02-Mar-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
DUP	02-Mar-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-21	09-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	16-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-22	02-Mar-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-22	10-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-22	15-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	10-Apr-96	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
DUP	10-Apr-96	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-23	02-Aug-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-23	21-Nov-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naphthalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-20	19-Aug-97	na	na	na	<0.005	na	na
LF-20	18-Dec-97	na	na	na	<0.005	na	na
LF-20	27-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-20	09-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	09-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	16-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	10-Apr-96	na	na	<0.01	<0.005	na	na
LF-21	31-Jul-96	na	na	na	<0.005	na	na
LF-21	21-Nov-96	na	na	na	<0.005	na	na
LF-21	18-Mar-97	na	na	na	<0.005	na	na
LF-21	11-Jun-97	na	na	na	<0.005	na	na
LF-21	19-Aug-97	na	na	na	<0.005	na	na
LF-21	17-Dec-97	na	na	na	<0.005	na	na
LF-21	02-Mar-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
DUP	02-Mar-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-21	09-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	16-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-22	02-Mar-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-22	10-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-22	15-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	10-Apr-96	na	na	<0.01	<0.005	na	na
DUP	10-Apr-96	na	na	<0.01	<0.005	na	na
LF-23	02-Aug-96	na	na	na	<0.005	na	na
LF-23	21-Nov-96	na	na	na	<0.005	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa- none	Acetone	Benzene	Chloro- benzene	Chloro- form	cis-1,2- DCE	Ethyl- benzene	Methyl Ethyl Ketone	PCE	Toluene	trans- 1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-23	18-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	0.01	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-23	11-Jun-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-23	20-Aug-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-23	18-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-23	26-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
LF-23	08-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	0.002	<0.001	<0.001	<0.001	0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	15-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.0095 U5	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	21-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	12-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	11-Apr-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-24	02-Aug-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-24	21-Nov-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-24	18-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-24	11-Jun-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-24	20-Aug-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-24	18-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-24	26-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
LF-24	08-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	15-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	21-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	12-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-25	11-Apr-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-25	02-Aug-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-25	21-Nov-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-25	18-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-25	11-Jun-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-25	20-Aug-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-25	18-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-25	26-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
LF-25	08-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-25	15-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-23	18-Mar-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-23	11-Jun-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-23	20-Aug-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-23	18-Dec-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-23	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-23	08-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	11-Apr-96	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-24	02-Aug-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-24	21-Nov-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-24	18-Mar-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-24	11-Jun-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-24	20-Aug-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-24	18-Dec-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-24	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-24	08-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-25	11-Apr-96	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-25	02-Aug-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-25	21-Nov-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-25	18-Mar-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-25	11-Jun-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-25	20-Aug-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-25	18-Dec-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-25	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-25	08-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-25	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naphthalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-23	18-Mar-97	na	na	na	<0.005	na	na
LF-23	11-Jun-97	na	na	na	<0.005	na	na
LF-23	20-Aug-97	na	na	na	<0.005	na	na
LF-23	18-Dec-97	na	na	na	<0.005	na	na
LF-23	26-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-23	08-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	11-Apr-96	na	na	<0.01	<0.005	na	na
LF-24	02-Aug-96	na	na	na	<0.005	na	na
LF-24	21-Nov-96	na	na	na	<0.005	na	na
LF-24	18-Mar-97	na	na	na	<0.005	na	na
LF-24	11-Jun-97	na	na	na	<0.005	na	na
LF-24	20-Aug-97	na	na	na	<0.005	na	na
LF-24	18-Dec-97	na	na	na	<0.005	na	na
LF-24	26-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-24	08-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-25	11-Apr-96	na	na	<0.01	<0.005	na	na
LF-25	02-Aug-96	na	na	na	<0.005	na	na
LF-25	21-Nov-96	na	na	na	<0.005	na	na
LF-25	18-Mar-97	na	na	na	<0.005	na	na
LF-25	11-Jun-97	na	na	na	<0.005	na	na
LF-25	20-Aug-97	na	na	na	<0.005	na	na
LF-25	18-Dec-97	na	na	na	<0.005	na	na
LF-25	26-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-25	08-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-25	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa- none	Acetone	Benzene	Chloro- benzene	Chloro- form	cis-1,2- DCE	Ethyl- benzene	Methyl Ethyl Ketone	PCE	Toluene	trans- 1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-25	21-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-25	12-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	27-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	0.0036	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
LF-26	09-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.0056 U5	<0.001	0.0033	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	16-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0033	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	23-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0024	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	13-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0034	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-27	29-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-27	26-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	0.0022	<0.002	<0.002
LF-27	08-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	0.0021	<0.001	<0.001
LF-27	14-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	0.0019	<0.001	<0.001
LF-27	21-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	0.0017	<0.001	<0.001
LF-27	12-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	0.0006 J11	<0.001	<0.001	0.0018	<0.001	<0.001
LF-28	29-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	0.029	<0.005	<0.1	<0.005	<0.005	0.011	0.005	<0.01	<0.01
LF-28	26-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	0.02	<0.001	<0.02	<0.001	<0.001	0.0066	0.0034	<0.002	<0.002
LF-28	08-Apr-98	<0.001	0.0018	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.029	<0.001	<0.005	<0.001	<0.001	0.0088	0.0061	<0.001	<0.001
LF-28	14-Jul-98	<0.001	0.0022	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.029	<0.001	<0.005	<0.001	<0.001	0.0097	0.0071	<0.001	<0.001
LF-28	21-Oct-98	<0.002	0.0037	<0.002	<0.01	<0.01	<0.002	<0.002	<0.002	0.041	<0.002	<0.01	<0.002	<0.002	0.015	0.013	<0.002	<0.002
LF-28	12-Jan-99	<0.001	0.0026	<0.001	<0.005	<0.005	0.0006 J11	<0.001	<0.001	0.029	<0.001	<0.005	<0.001	<0.001	0.011	0.0088	<0.001	<0.001
DUP	12-Jan-99	<0.001	0.0023	<0.001	<0.005	<0.005	0.0006 J11	<0.001	<0.001	0.027	<0.001	<0.005	<0.001	<0.001	0.011	0.0074	0.0005 J11	<0.001
LF-29	29-Dec-97	<0.03	<0.03	0.21	<0.3	<0.5	<0.03	<0.03	<0.03	<0.03	<0.03	<0.5	<0.03	<0.03	<0.03	<0.03	<0.05	<0.05
LF-29	25-Feb-98	<0.002	0.013	0.17	<0.04	<0.04	0.016	<0.002	0.0039	<0.002	<0.002	<0.04	<0.002	<0.002	<0.002	0.011	<0.004	<0.004
LF-29	07-Apr-98	<0.01	0.015	0.19	<0.05	<0.05	0.019	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01	0.013	<0.01	<0.001
LF-29	14-Jul-98	<0.01	0.013	0.22	<0.05	<0.05	0.02	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01	0.012	<0.01	<0.01
LF-29	20-Oct-98	<0.005	0.012	0.19	<0.025	<0.025	0.018	<0.005	<0.005	<0.005	<0.005	<0.025	<0.005	<0.005	<0.005	0.0087	<0.005	<0.005
LF-29	11-Jan-99	<0.001	0.012	0.2	<0.005	<0.005	0.014	0.0009 J11	0.0029	0.0023	<0.001	<0.005	0.0006 J11	0.016	<0.001	0.012	0.0036	0.0021
LF-30	30-Dec-97	<0.005	0.02	0.099	<0.05	<0.1	<0.005	<0.005	<0.005	0.01	<0.005	<0.1	<0.005	<0.005	<0.005	0.023	<0.01	<0.01

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-25	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-25	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	27-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	0.0012	<0.001
LF-26	09-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001
LF-26	16-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	23-Oct-98	<0.001	<0.001	0.0011	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	13-Jan-99	<0.001	0.0006 J11	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.0006 J11	<0.001
LF-27	29-Dec-97	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-27	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-27	08-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-27	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-27	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-27	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-28	29-Dec-97	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-28	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-28	08-Apr-98	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-28	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-28	21-Oct-98	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.01	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
LF-28	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-29	29-Dec-97	<0.03	<0.01	<0.03	<0.03	na	na	na	<0.3	na	<0.05	<0.05	<0.05	na	na	na
LF-29	25-Feb-98	<0.002	<0.002	<0.002	<0.002	0.019	<0.002	<0.002	<0.002	<0.002	<0.002	<0.004	<0.004	<0.004	<0.002	<0.002
LF-29	07-Apr-98	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
LF-29	14-Jul-98	<0.01	<0.01	<0.01	<0.01	0.021	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
LF-29	20-Oct-98	<0.005	<0.005	<0.005	<0.005	0.013	<0.005	<0.005	<0.025	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
LF-29	11-Jan-99	<0.001	<0.001	<0.001	<0.001	0.017	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.0007 J11	<0.001
LF-30	30-Dec-97	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naphthalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-25	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-25	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	27-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-26	09-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	16-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-27	29-Dec-97	na	na	<0.01	<0.005	na	na
LF-27	26-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-27	08-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-27	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-27	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-27	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-28	29-Dec-97	na	na	<0.01	<0.005	na	na
LF-28	26-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-28	08-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-28	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-28	21-Oct-98	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
LF-28	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-29	29-Dec-97	na	na	<0.01	<0.03	na	na
LF-29	25-Feb-98	<0.002	<0.002	<0.01	<0.002	<0.002	0.008
LF-29	07-Apr-98	na	<0.01	<0.01	<0.01	<0.01	<0.01
LF-29	14-Jul-98	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
LF-29	20-Oct-98	<0.005	<0.005	<0.005	<0.005	<0.005	0.0074
LF-29	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0081
LF-30	30-Dec-97	na	na	<0.01	<0.005	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa- none	Acetone	Benzene	Chloro- benzene	Chloro- form	cis-1,2- DCE	Ethyl- benzene	Methyl Ethyl Ketone	PCE	Toluene	trans- 1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-30	25-Feb-98	<0.001	0.0016	0.019	<0.02	<0.02	<0.001	<0.001	<0.001	0.0015	<0.001	<0.02	<0.001	<0.001	<0.001	0.0092	<0.002	<0.002
DUP	25-Feb-98	<0.001	0.0026	0.023	<0.02	<0.02	<0.001	<0.001	<0.001	0.0017	<0.001	<0.02	<0.001	<0.001	<0.001	0.01	<0.002	<0.002
LF-30	07-Apr-98	<0.001	0.0076	0.037	<0.005	<0.005	<0.001	<0.001	<0.001	0.0051	<0.001	<0.005	<0.001	<0.001	<0.001	0.012	0.0021	<0.001
LF-30	14-Jul-98	<0.002	0.0055	0.034	<0.01	<0.01	<0.002	<0.002	<0.002	0.005	<0.002	<0.01	<0.002	<0.002	<0.002	0.011	<0.002	<0.002
LF-30	20-Oct-98	<0.001	0.005	0.034	<0.005	<0.005	<0.001	<0.001	<0.001	0.0035	<0.001	<0.005	<0.001	<0.001	<0.001	0.0097	0.0015	<0.001
LF-30	11-Jan-99	<0.001	0.0095	0.053	<0.005	<0.005	0.001 J11	<0.001	<0.001	0.0056	<0.001	<0.005	<0.001	0.004	<0.001	0.015	0.0034	<0.001
LF-B1 (a)	07-Dec-89	<0.001	0.051	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-B1 (a)	18-Jul-90	<0.001	0.17	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	0.001	<0.002	na	<0.001	na	<0.001
LF-B1 (a)	20-Dec-90	<0.001	0.13	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-B1 (a)	20-Jun-91	<0.005	0.18	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B1 (a)	16-Dec-91	<0.005	0.160	na	<0.010	<0.020	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.005	na	<0.005	na	<0.005
LF-B1 (a)	08-Jul-92	<0.005	0.150	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B1 (a)	30-Dec-92	<0.005	0.140	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B1 (a)	08-Jun-93	<0.005	0.160	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B1	Destroyed under permit																	
LF-B2	06-Dec-89	<0.001	0.007	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	0.013
LF-B2	18-Jul-90	<0.001	0.007	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	0.002	na	<0.001	na	<0.001
DUP	18-Jul-90	<0.001	0.007	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	0.002	na	<0.001	na	<0.001
LF-B2	19-Dec-90	<0.001	0.004	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	0.002	<0.001	na	<0.001	na	<0.001
LF-B2	20-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B2	20-Jun-91	<0.005	0.150	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B2	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B2	16-Dec-91	<0.005	<0.005	na	<0.010	<0.020	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.005	na	<0.005	na	<0.005
LF-B2	08-Jul-92	<0.005	0.006	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B2	08-Jun-93	<0.005	0.006	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B2	Destroyed or lost during slurry wall and cap construction activities																	
LF-B3	07-Dec-89	<0.001	0.1	na	0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
DUP	07-Dec-89	<0.001	0.073	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-B3	18-Jul-90	<0.001	0.086	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	0.002	na	<0.001	na	<0.001
LF-B3	20-Dec-90	<0.001	0.084	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-B3	19-Jun-91	<0.005	0.11	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-30	25-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
DUP	25-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-30	07-Apr-98	0.0013	<0.001	<0.001	<0.001	0.0025	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	0.0041	<0.001	<0.001
LF-30	14-Jul-98	<0.002	<0.002	<0.002	<0.002	0.0022	<0.002	<0.002	<0.01	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
LF-30	20-Oct-98	0.001	<0.001	<0.001	<0.001	0.0017	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	0.0038	<0.001	<0.001
LF-30	11-Jan-99	0.0014	<0.001	<0.001	<0.001	0.0033	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	0.0054	<0.001	<0.001
LF-B1 (a)	07-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B1 (a)	18-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B1 (a)	20-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B1 (a)	20-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B1 (a)	16-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B1 (a)	08-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B1 (a)	30-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B1 (a)	08-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B1	Destroyed under permit															
LF-B2	06-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B2	18-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	18-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B2	19-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B2	20-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B2	20-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B2	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B2	16-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B2	08-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B2	08-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B2	Destroyed or lost during slurry wall and cap construction activities															
LF-B3	07-Dec-89	na	na	na	na	na	na	na	0.001	na	na	na	na	na	na	na
DUP	07-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B3	18-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B3	20-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B3	19-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naphthalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-30	25-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
DUP	25-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-30	07-Apr-98	na	<0.001	<0.001	<0.001	<0.001	0.0011
LF-30	14-Jul-98	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
LF-30	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-30	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0015
LF-B1 (a)	07-Dec-89	na	na	<0.002	na	na	na
LF-B1 (a)	18-Jul-90	na	na	<0.002	na	na	na
LF-B1 (a)	20-Dec-90	na	na	<0.002	na	na	na
LF-B1 (a)	20-Jun-91	na	na	<0.011	na	na	na
LF-B1 (a)	16-Dec-91	na	na	na	na	na	na
LF-B1 (a)	08-Jul-92	na	na	<0.01	na	na	na
LF-B1 (a)	30-Dec-92	na	na	na	na	na	na
LF-B1 (a)	08-Jun-93	na	na	<0.01	na	na	na
LF-B1	Destroyed under permit						
LF-B2	06-Dec-89	na	na	<0.002	na	na	na
LF-B2	18-Jul-90	na	na	<0.002	na	na	na
DUP	18-Jul-90	na	na	<0.002	na	na	na
LF-B2	19-Dec-90	na	na	na	na	na	na
LF-B2	20-Dec-90	na	na	<0.002	na	na	na
LF-B2	20-Jun-91	na	na	na	na	na	na
LF-B2	21-Jun-91	na	na	<0.011	na	na	na
LF-B2	16-Dec-91	na	na	na	na	na	na
LF-B2	08-Jul-92	na	na	<0.01	na	na	na
LF-B2	08-Jun-93	na	na	<0.01	na	na	na
LF-B2	Destroyed or lost during slurry wall and cap construction activities						
LF-B3	07-Dec-89	na	na	<0.002	0.001	na	na
DUP	07-Dec-89	na	na	na	na	na	na
LF-B3	18-Jul-90	na	na	<0.002	na	na	na
LF-B3	20-Dec-90	na	na	<0.002	na	na	na
LF-B3	19-Jun-91	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-B3	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B3	16-Dec-91	<0.005	0.087	na	<0.010	0.026	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.005	na	<0.005	na	<0.005
LF-B3	08-Jul-92	<0.005	0.110	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B3	30-Dec-92	<0.005	0.110	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B3	08-Jun-93	<0.005	0.110	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B3	05-Jan-94	<0.003	0.099	<0.003	<0.03	<0.05	<0.003	<0.003	<0.003	<0.003	<0.003	<0.05	<0.003	<0.003	<0.003	<0.003	<0.005	<0.005
LF-B3	16-Apr-96	<0.005	0.013	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B3	01-Aug-96	<0.005	0.022	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B3	21-Nov-96	<0.005	0.036	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
DUP	21-Nov-96	<0.005	0.021	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B3	17-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B3	12-Jun-97	<0.005	0.034	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B3	20-Aug-97	<0.005	0.032	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B3	17-Dec-97	<0.005	0.018	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B3	27-Feb-98	<0.001	0.022	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
LF-B3	08-Apr-98	<0.001	0.0059	<0.001	<0.005	0.014	<0.001	<0.001	<0.001	<0.001	<0.001	0.0057	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	15-Jul-98	<0.001	0.019	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	21-Oct-98	<0.001	0.017	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	13-Jan-99	<0.001	0.018	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B4	18-Jul-90	<0.001	0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	0.002	na	<0.001	na	<0.001
LF-B4	19-Dec-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	0.002	na	<0.001	na	<0.001
LF-B4	19-Jun-91	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B4	17-Dec-91	<0.005	<0.005	na	<0.010	<0.020	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.050	na	<0.005	na	<0.005
LF-B4	08-Jul-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B4	30-Dec-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B4	08-Jun-93	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B4	05-Jan-94	<0.003	<0.003	<0.003	<0.03	<0.05	<0.003	<0.003	<0.003	<0.003	<0.003	<0.05	<0.003	<0.003	<0.003	0.012	<0.005	<0.005
LF-B4	16-Apr-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B4	30-Jul-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B4	22-Nov-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	0.01	<0.005	<0.005	<0.01	<0.01
DUP	22-Nov-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B4	17-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-B3	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B3	16-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B3	08-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B3	30-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B3	08-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B3	05-Jan-94	<0.003	na	<0.003	<0.003	na	na	na	<0.03	na	<0.005	<0.005	<0.005	na	na	na
LF-B3	16-Apr-96	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B3	01-Aug-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B3	21-Nov-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
DUP	21-Nov-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B3	17-Mar-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B3	12-Jun-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B3	20-Aug-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B3	17-Dec-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B3	27-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-B3	08-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B4	18-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B4	19-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B4	19-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B4	17-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B4	08-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B4	30-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B4	08-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B4	05-Jan-94	<0.003	na	<0.003	<0.003	na	na	na	<0.03	na	<0.005	<0.005	<0.005	na	na	na
LF-B4	16-Apr-96	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B4	30-Jul-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B4	22-Nov-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
DUP	22-Nov-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B4	17-Mar-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naphthalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-B3	21-Jun-91	na	na	<0.011	na	na	na
LF-B3	16-Dec-91	na	na	na	na	na	na
LF-B3	08-Jul-92	na	na	<0.01	na	na	na
LF-B3	30-Dec-92	na	na	na	na	na	na
LF-B3	08-Jun-93	na	na	<0.01	na	na	na
LF-B3	05-Jan-94	na	na	na	<0.003	na	na
LF-B3	16-Apr-96	na	na	<0.01	<0.005	na	na
LF-B3	01-Aug-96	na	na	na	<0.005	na	na
LF-B3	21-Nov-96	na	na	na	<0.005	na	na
DUP	21-Nov-96	na	na	na	<0.005	na	na
LF-B3	17-Mar-97	na	na	na	<0.005	na	na
LF-B3	12-Jun-97	na	na	na	<0.005	na	na
LF-B3	20-Aug-97	na	na	na	<0.005	na	na
LF-B3	17-Dec-97	na	na	na	<0.005	na	na
LF-B3	27-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-B3	08-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B4	18-Jul-90	na	na	<0.002	na	na	na
LF-B4	19-Dec-90	na	na	<0.002	na	na	na
LF-B4	19-Jun-91	na	na	<0.01	na	na	na
LF-B4	17-Dec-91	na	na	na	na	na	na
LF-B4	08-Jul-92	na	na	<0.01	na	na	na
LF-B4	30-Dec-92	na	na	na	na	na	na
LF-B4	08-Jun-93	na	na	<0.01	na	na	na
LF-B4	05-Jan-94	na	na	na	<0.003	na	na
LF-B4	16-Apr-96	na	na	<0.01	<0.005	na	na
LF-B4	30-Jul-96	na	na	na	<0.005	na	na
LF-B4	22-Nov-96	na	na	na	<0.005	na	na
DUP	22-Nov-96	na	na	na	<0.005	na	na
LF-B4	17-Mar-97	na	na	na	<0.005	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa- none	Acetone	Benzene	Chloro- benzene	Chloro- form	cis-1,2- DCE	Ethyl- benzene	Methyl Ethyl Ketone	PCE	Toluene	trans- 1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-B4	01-Jul-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B4	20-Aug-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B4	18-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B4	25-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
LF-B4	07-Apr-98	<0.001	0.0012	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B4	15-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B4	19-Oct-98	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.005 UJ2	<0.005 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.005 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2
LF-B4	11-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B5 (b)	09-Apr-96	<0.05	0.28	<0.05	<0.5	<1	<0.05	<0.05	<0.05	<0.05	<0.05	<1	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1
LF-B5 (b)	01-Aug-96	<0.03	0.38	<0.03	<0.3	<0.5	<0.03	<0.03	<0.03	<0.03	<0.03	<0.5	<0.03	<0.03	<0.03	<0.03	<0.05	<0.05
LF-B5 (b)	22-Nov-96	<0.03	0.32	<0.03	<0.3	<0.5	<0.03	<0.03	<0.03	<0.03	<0.03	<0.5	<0.03	<0.03	<0.03	<0.03	<0.05	<0.05
LF-B5 (b)	17-Mar-97	<0.03	0.29	<0.03	<0.3	<0.5	<0.03	<0.03	<0.03	<0.03	<0.03	<0.5	<0.03	<0.03	<0.03	<0.03	<0.05	<0.05
LF-B5 (b)	12-Jun-97	<0.03	0.31	<0.03	<0.3	<0.5	<0.03	<0.03	<0.03	<0.03	<0.03	<0.5	<0.03	<0.03	<0.03	<0.03	<0.05	<0.05
LF-B5 (b)	20-Aug-97	<0.05	0.38	<0.05	<0.5	<1	<0.05	<0.05	<0.05	<0.05	<0.05	<1	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1
LF-B5 (b)	17-Dec-97	<0.05	0.34	<0.05	<0.5	<1	<0.05	<0.05	<0.05	<0.05	<0.05	<1	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1
LF-B5 (b)	27-Feb-98	<0.001	0.24	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	0.0048	<0.001	<0.02	<0.001	<0.001	0.0023	0.009	<0.002	<0.002
LF-B5 (b)	09-Apr-98	<0.01	0.34	<0.01	<0.05	<0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.001
LF-B5 (b)	16-Jul-98	<0.012	0.28	<0.012	<0.062	<0.062	<0.012	<0.012	<0.012	<0.012	<0.012	<0.062	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012
DUP	16-Jul-98	<0.012	0.27	<0.012	<0.062	<0.062	<0.012	<0.012	<0.012	<0.012	<0.012	<0.062	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012
LF-B5 (b)	23-Oct-98	<0.0025	0.24	<0.0025	<0.012	0.03	<0.0025	<0.0025	<0.0025	0.003	<0.0025	<0.012	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
LF-B5 (b)	13-Jan-99	<0.002	0.3	<0.002	<0.01	<0.01	<0.002	<0.002	<0.002	0.003	<0.002	<0.01	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
LF-B6	09-Apr-96	<0.1	<0.1	<0.1	<1	<2	<0.1	<0.1	<0.1	<0.1	0.29	<2	<0.1	0.29	<0.1	<0.1	<0.2	0.97
LF-B6	01-Aug-96	<0.005	0.03	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	0.11	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B6	25-Nov-96	<0.005	0.046	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
DUP	25-Nov-96	<0.005	0.047	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B6	17-Mar-97	<0.005	0.025	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B6	12-Jun-97	<0.005	0.041	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B6	19-Aug-97	<0.005	0.07	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B6	18-Dec-97	<0.005	0.067	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B6	27-Feb-98	<0.001	0.059	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
LF-B6	08-Apr-98	<0.005	0.072	<0.005	<0.025	<0.025	<0.005	<0.005	<0.005	<0.005	<0.005	<0.025	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-B4	01-Jul-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B4	20-Aug-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B4	18-Dec-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B4	25-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-B4	07-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B4	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B4	19-Oct-98	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.005 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2
LF-B4	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B5 (b)	09-Apr-96	<0.05	<0.01	<0.05	<0.05	na	na	na	<0.5	na	<0.1	<0.1	<0.1	na	na	na
LF-B5 (b)	01-Aug-96	<0.03	na	<0.03	<0.03	na	na	na	<0.3	na	<0.05	<0.05	<0.05	na	na	na
LF-B5 (b)	22-Nov-96	<0.03	na	<0.03	<0.03	na	na	na	<0.3	na	<0.05	<0.05	<0.05	na	na	na
LF-B5 (b)	17-Mar-97	<0.03	na	<0.03	<0.03	na	na	na	<0.3	na	<0.05	<0.05	<0.05	na	na	na
LF-B5 (b)	12-Jun-97	<0.03	na	<0.03	<0.03	na	na	na	<0.3	na	<0.05	<0.05	<0.05	na	na	na
LF-B5 (b)	20-Aug-97	<0.05	na	<0.05	<0.05	na	na	na	<0.5	na	<0.1	<0.1	<0.1	na	na	na
LF-B5 (b)	17-Dec-97	<0.05	na	<0.05	<0.05	na	na	na	<0.5	na	<0.1	<0.1	<0.1	na	na	na
LF-B5 (b)	27-Feb-98	<0.001	<0.001	<0.001	<0.001	0.0018	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-B5 (b)	09-Apr-98	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
LF-B5 (b)	16-Jul-98	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012	<0.062	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012
DUP	16-Jul-98	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012	<0.062	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012
LF-B5 (b)	23-Oct-98	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.012	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
LF-B5 (b)	13-Jan-99	<0.002	<0.002	<0.002	<0.002	0.0032	<0.002	<0.002	<0.01	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
LF-B6	09-Apr-96	<0.1	<0.01	<0.1	<0.1	na	na	na	<1	na	<0.2	<0.2	<0.2	na	na	na
LF-B6	01-Aug-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B6	25-Nov-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
DUP	25-Nov-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B6	17-Mar-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B6	12-Jun-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B6	19-Aug-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B6	18-Dec-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B6	27-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-B6	08-Apr-98	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.025	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naphthalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-B4	01-Jul-97	na	na	na	<0.005	na	na
LF-B4	20-Aug-97	na	na	na	<0.005	na	na
LF-B4	18-Dec-97	na	na	na	<0.005	na	na
LF-B4	25-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-B4	07-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B4	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B4	19-Oct-98	<0.001 UJ2	<0.001 UJ2	0.002 J2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2
LF-B4	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B5 (b)	09-Apr-96	na	na	<0.01	<0.05	na	na
LF-B5 (b)	01-Aug-96	na	na	na	<0.03	na	na
LF-B5 (b)	22-Nov-96	na	na	na	<0.03	na	na
LF-B5 (b)	17-Mar-97	na	na	na	<0.03	na	na
LF-B5 (b)	12-Jun-97	na	na	na	<0.03	na	na
LF-B5 (b)	20-Aug-97	na	na	na	<0.05	na	na
LF-B5 (b)	17-Dec-97	na	na	na	<0.05	na	na
LF-B5 (b)	27-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-B5 (b)	09-Apr-98	na	<0.01	<0.01	<0.01	<0.01	<0.01
LF-B5 (b)	16-Jul-98	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012
DUP	16-Jul-98	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012
LF-B5 (b)	23-Oct-98	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
LF-B5 (b)	13-Jan-99	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
LF-B6	09-Apr-96	na	na	0.01	<0.1	na	na
LF-B6	01-Aug-96	na	na	na	<0.005	na	na
LF-B6	25-Nov-96	na	na	na	<0.005	na	na
DUP	25-Nov-96	na	na	na	<0.005	na	na
LF-B6	17-Mar-97	na	na	na	<0.005	na	na
LF-B6	12-Jun-97	na	na	na	<0.005	na	na
LF-B6	19-Aug-97	na	na	na	<0.005	na	na
LF-B6	18-Dec-97	na	na	na	<0.005	na	na
LF-B6	27-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-B6	08-Apr-98	na	<0.005	<0.005	<0.005	<0.005	<0.005

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-B6	15-Jul-98	<0.0025	0.064	<0.0025	<0.012	<0.012	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.012	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
LF-B6	19-Oct-98	<0.05 UJ2	<0.083 UJ2	<0.05 UJ2	<0.25 UJ2	<0.35 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.25 UJ2	<0.05 UJ2	<0.09 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2
LF-B6	13-Jan-99	<0.001	0.085	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-1	18-Apr-96	<0.005	<0.005	<0.005	<0.05	<0.1	0.0011	<0.005	<0.005	<0.005	0.006	<0.1	<0.005	0.0009	<0.005	<0.005	<0.01	0.02
EX-1	01-Aug-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	0.027	<0.005	<0.005	<0.01	0.019
EX-1	18-Dec-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	0.031	<0.1	<0.005	0.87	<0.005	<0.005	<0.01	1.4
EX-1	15-Apr-97	<0.5	<0.5	<0.5	<5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	3.2	<0.5	<0.5	<1	2.2
EX-1	01-Jul-97	<0.1	<0.1	<0.1	<1	<2	<0.1	<0.1	<0.1	<0.1	0.1	<2	<0.1	2	<0.1	<0.1	<0.2	1.8
EX-1	22-Sep-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	0.21
EX-1	18-Dec-97	<0.03	<0.03	<0.03	<0.3	<0.5	<0.03	<0.03	<0.03	<0.03	0.22	<0.5	<0.03	0.2	<0.03	<0.03	<0.05	0.74
EX-1	27-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	0.0023	0.002	<0.001	0.0012	0.11	<0.02	<0.001	0.0039	<0.001	<0.001	<0.002	0.248
EX-1	09-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.011
EX-1	17-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0022	<0.001	<0.001	0.0017	<0.005	<0.001	0.0051	<0.001	<0.001	<0.001	0.015
EX-1	23-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0018	<0.001	<0.001	0.0026	<0.005	<0.001	0.0038	<0.001	<0.001	<0.001	0.014
EX-1	14-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0017	<0.001	<0.001	0.001 J11	<0.005	<0.001	0.0042	<0.001	<0.001	<0.001	0.0063
EX-2	18-Apr-96	<3	<3	<3	<30	<50	0.11	<3	<3	<3	8	<50	<3	24	<3	<3	<5	7.7
EX-2	01-Aug-96	<0.5	<0.5	<0.5	<5	<10	<0.5	<0.5	<0.5	<0.5	0.65	<10	<0.5	6.6	<0.5	<0.5	<1	3.7
EX-2	18-Dec-96	<1	<1	<1	<10	<20	<1	<1	<1	<1	2.5	<20	<1	23	<1	<1	<2	12
EX-2	15-Apr-97	<3	<3	<3	<30	<50	<3	<3	<3	<3	<3	<50	<3	26	<3	<3	<5	10
EX-2	01-Jul-97	<1	<1	<1	<10	<30	<1	<1	<1	<1	2	<30	<1	27	<1	<1	<3	10
EX-2	22-Sep-97	<1	<1	<1	<10	<30	<1	<1	<1	<1	1.8	<30	<1	21	<1	8.2	<3	8.4
EX-2	22-Dec-97	<0.5	<0.5	<0.5	<5	<10	<0.5	<0.5	<0.5	<0.5	1.6	<10	<0.5	8.3	<0.5	<0.5	<1	6.6
EX-2	02-Mar-98	<0.1	<0.1	<0.1	<2	<2	<0.1	<0.1	<0.1	<0.1	1.1	<2	<0.1	7.7	<0.1	<0.1	<0.2	4.8
EX-2	09-Apr-98	<0.05	<0.05	<0.05	<0.25	<0.25	<0.05	<0.05	<0.05	<0.05	0.52	<0.25	<0.05	8.1	<0.05	<0.05	<0.05	4
EX-2	17-Jul-98	<0.25	<0.25	<0.25	<1.2	<1.2	<0.25	<0.25	<0.25	<0.25	<0.25	<1.2	<0.25	4.2	<0.25	<0.25	<0.25	4.4
EX-2	23-Oct-98	<0.0025	<0.0025	<0.0025	<0.012	<0.012	0.0032	<0.0025	<0.0025	<0.0025	0.031	<0.012	<0.0025	0.13	<0.0025	<0.0025	<0.0025	0.24
EX-2	14-Jan-99	<0.1	<0.1	<0.1	<0.5	<0.5	0.059 J11	<0.1	<0.1	<0.1	1.2	<0.5	<0.1	11	<0.1	<0.1	<0.1	6.4
EX-3	18-Apr-96	<0.3	<0.3	<0.3	<3	<5	0.0009	<0.3	<0.3	<0.3	<0.3	<5	<0.3	<0.3	<0.3	<0.3	<0.5	<0.5
EX-3	01-Aug-96	<0.005	0.006	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-B6	15-Jul-98	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.012	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
LF-B6	19-Oct-98	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.25 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2
LF-B6	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-1	18-Apr-96	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
EX-1	01-Aug-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
EX-1	18-Dec-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
EX-1	15-Apr-97	<0.5	na	<0.5	<0.5	na	na	na	<5	na	<1	<1	<1	na	na	na
EX-1	01-Jul-97	<0.1	na	<0.1	<0.1	na	na	na	<1	na	<0.2	<0.2	<0.2	na	na	na
EX-1	22-Sep-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
EX-1	18-Dec-97	<0.03	na	<0.03	<0.03	na	na	na	<0.3	na	<0.05	<0.05	<0.05	na	na	na
EX-1	27-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	0.039	0.016	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	0.0066	<0.001
EX-1	09-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	0.0012	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-1	17-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	0.0022	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-1	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	0.0029	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-1	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0009 J11	<0.001	<0.005	<0.001	0.0026	<0.001	<0.001	<0.001	<0.001	<0.001
EX-2	18-Apr-96	<3	<0.1	<3	<3	na	na	na	<30	na	<5	<5	<5	na	na	na
EX-2	01-Aug-96	<0.5	na	<0.5	<0.5	na	na	na	<5	na	<1	<1	<1	na	na	na
EX-2	18-Dec-96	<1	na	<1	<1	na	na	na	<10	na	<2	<2	<2	na	na	na
EX-2	15-Apr-97	<3	na	<3	<3	na	na	na	<30	na	<5	<5	<5	na	na	na
EX-2	01-Jul-97	<1	na	<1	<1	na	na	na	<10	na	<3	<3	<3	na	na	na
EX-2	22-Sep-97	<1	na	<1	<1	na	na	na	<10	na	<3	<3	<3	na	na	na
EX-2	22-Dec-97	<0.5	na	<0.5	<0.5	na	na	na	<5	na	<1	<1	<1	na	na	na
EX-2	02-Mar-98	<0.1	<0.1	<0.1	<0.1	<0.1	0.51	0.14	<0.1	<0.1	<0.1	<0.2	<0.2	<0.2	<0.1	<0.1
EX-2	09-Apr-98	<0.05	<0.05	<0.05	<0.05	<0.05	0.38	0.14	<0.25	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
EX-2	17-Jul-98	<0.25	<0.25	<0.25	<0.25	<0.25	0.39	<0.25	<1.2	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
EX-2	23-Oct-98	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	0.022	0.013	<0.012	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
EX-2	14-Jan-99	<0.1	<0.1	<0.1	<0.1	<0.1	0.62	0.19	<0.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
EX-3	18-Apr-96	<0.3	<0.01	<0.3	<0.3	na	na	na	<3	na	<0.5	<0.5	<0.5	na	na	na
EX-3	01-Aug-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naphthalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-B6	15-Jul-98	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
LF-B6	19-Oct-98	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2
LF-B6	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-1	18-Apr-96	na	na	<0.01	<0.005	na	na
EX-1	01-Aug-96	na	na	na	<0.005	na	na
EX-1	18-Dec-96	na	na	na	<0.005	na	na
EX-1	15-Apr-97	na	na	na	<0.5	na	na
EX-1	01-Jul-97	na	na	na	<0.1	na	na
EX-1	22-Sep-97	na	na	na	<0.005	na	na
EX-1	18-Dec-97	na	na	na	<0.03	na	na
EX-1	27-Feb-98	<0.001	0.005	0.0068	<0.001	0.0011	<0.001
EX-1	09-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
EX-1	17-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	0.001
EX-1	23-Oct-98	<0.001	<0.001	0.008	<0.001	<0.001	<0.001
EX-1	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0006 J11
EX-2	18-Apr-96	na	na	<0.1	<3	na	na
EX-2	01-Aug-96	na	na	na	<0.5	na	na
EX-2	18-Dec-96	na	na	na	<1	na	na
EX-2	15-Apr-97	na	na	na	<3	na	na
EX-2	01-Jul-97	na	na	na	<1	na	na
EX-2	22-Sep-97	na	na	na	<1	na	na
EX-2	22-Dec-97	na	na	na	<0.5	na	na
EX-2	02-Mar-98	<0.1	<0.1	<0.5	<0.1	<0.1	<0.1
EX-2	09-Apr-98	na	<0.05	<0.05	<0.05	<0.05	<0.05
EX-2	17-Jul-98	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
EX-2	23-Oct-98	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	0.0025
EX-2	14-Jan-99	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
EX-3	18-Apr-96	na	na	<0.01	<0.3	na	na
EX-3	01-Aug-96	na	na	na	<0.005	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa- none	Acetone	Benzene	Chloro- benzene	Chloro- form	cis-1,2- DCE	Ethyl- benzene	Methyl Ethyl Ketone	PCE	Toluene	trans- 1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
EX-3	18-Dec-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
EX-3	15-Apr-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
EX-3	01-Jul-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
EX-3	22-Sep-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	0.009	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
EX-3	19-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	0.017	<0.1	<0.005	0.05	<0.005	<0.005	<0.01	0.073
EX-3	02-Mar-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	0.0017	<0.001	<0.02	<0.001	<0.001	<0.001	0.0015	<0.002	<0.002
EX-3	09-Apr-98	<0.001	0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0015	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.0011
EX-3	17-Jul-98	<0.001	0.0023	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0031	<0.001	<0.005	<0.001	<0.001	0.0015	0.0017	<0.001	<0.001
EX-3	22-Oct-98	<0.001	0.0042	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0048	<0.001	<0.005	<0.001	<0.001	0.0028	0.0016	<0.001	<0.001
DUP	22-Oct-98	<0.001	0.004	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0043	<0.001	<0.005	<0.001	<0.001	0.0024	0.0014	<0.001	<0.001
EX-3	14-Jan-99	<0.001	0.0086	<0.001	<0.005	<0.005	<0.001	0.001	<0.001	0.004	<0.001	<0.005	<0.001	0.002	0.0024	0.0018	<0.001	<0.001
EX-4	11-Sep-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-4	22-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-4	14-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0006 J11	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	14-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0006 J11	<0.001	<0.001	<0.001	<0.005	<0.001	0.0022	<0.001	<0.001	<0.001	<0.001
EX-5	11-Sep-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.003	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-5	22-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0024	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-5	14-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	0.0052	0.0019	<0.001	0.0009 J11	0.0022	<0.005	<0.001	0.0007 J11	<0.001	<0.001	<0.001	0.0043
EX-6	11-Sep-98	<0.1	<0.1	<0.1	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	0.92	<0.5	<0.1	0.14	<0.1	<0.1	<0.1	4.4
DUP	11-Sep-98	<0.1	<0.1	<0.1	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	0.93	<0.5	<0.1	<0.1	<0.1	<0.1	<0.1	4.5
EX-6	22-Oct-98	<0.012	<0.012	<0.012	<0.062	<0.062	0.046	<0.012	<0.012	<0.012	0.54	<0.062	<0.012	<0.012	<0.012	<0.012	<0.012	2.1
EX-6	15-Jan-99	<0.02	<0.02	<0.02	<0.1	<0.1	0.091	<0.02	<0.02	<0.02	1.6	<0.1	<0.02	0.93	<0.02	<0.02	<0.02	6.08
EX-7	11-Sep-98	<0.1	<0.1	<0.1	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	0.54	<0.5	<0.1	3.6	<0.1	<0.1	<0.1	2.7
EX-7	22-Oct-98	<0.005	0.0072	<0.005	<0.025	<0.025	0.0083	<0.005	<0.005	<0.005	0.091	<0.025	<0.005	0.47	<0.005	<0.005	<0.005	0.32
EX-7	14-Jan-99	<0.001	0.012	<0.001	0.011	1.6	0.028	<0.001	<0.001	0.0068	0.21	0.86	<0.001	2.2	0.0008 J11	0.0006 J11	0.0015	1.43
EX-8	11-Sep-98	<5	<5	<5	<25	110	<5	<5	<5	<5	<5	62	<5	49	<5	<5	<5	<5
EX-8	22-Oct-98	<1.2	<1.2	<1.2	<6.2	62	<1.2	<1.2	<1.2	<1.2	<1.2	40	<1.2	28	<1.2	<1.2	<1.2	2.2

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
EX-3	18-Dec-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
EX-3	15-Apr-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
EX-3	01-Jul-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
EX-3	22-Sep-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
EX-3	19-Dec-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
EX-3	02-Mar-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
EX-3	09-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-3	17-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-3	22-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	22-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-3	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	0.003	<0.001	<0.001	<0.001	<0.001	<0.001
EX-4	11-Sep-98	<0.001	<0.01 UJ3	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-4	22-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-4	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-5	11-Sep-98	<0.001	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-5	22-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-5	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0033	0.0007 J11	<0.005	<0.001	0.16	<0.001	<0.001	<0.001	<0.001	<0.001
EX-6	11-Sep-98	<0.1	<0.1	<0.1	<0.1	<0.1	0.16	<0.1	<0.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
DUP	11-Sep-98	<0.1	<0.1	<0.1	<0.1	<0.1	0.15	<0.1	<0.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
EX-6	22-Oct-98	<0.012	<0.012	<0.012	<0.012	<0.012	0.1	0.039	<0.062	<0.012	<0.012	<0.012	<0.012	<0.012	0.024	<0.012
EX-6	15-Jan-99	<0.02	<0.02	<0.02	<0.02	<0.02	0.17	0.057	<0.1	<0.02	0.014 J11	<0.02	<0.02	<0.02	0.035	<0.02
EX-7	11-Sep-98	<0.1	<0.1	<0.1	<0.1	<0.1	0.25	<0.1	<0.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
EX-7	22-Oct-98	<0.005	<0.005	<0.005	<0.005	<0.005	0.031	0.0083	<0.025	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
EX-7	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.21	0.073	0.23	<0.001	0.0046	<0.001	<0.001	<0.001	0.0083	0.0008 J11
EX-8	11-Sep-98	<5	<5	<5	<5	<5	<5	<5	31	<5	<5	<5	<5	<5	<5	<5
EX-8	22-Oct-98	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	16	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naphthalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
EX-3	18-Dec-96	na	na	na	<0.005	na	na
EX-3	15-Apr-97	na	na	na	<0.005	na	na
EX-3	01-Jul-97	na	na	na	<0.005	na	na
EX-3	22-Sep-97	na	na	na	<0.005	na	na
EX-3	19-Dec-97	na	na	na	<0.005	na	na
EX-3	02-Mar-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
EX-3	09-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
EX-3	17-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-3	22-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	22-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-3	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-4	11-Sep-98	<0.001	<0.001	<0.01 UJ3	<0.001	<0.001	<0.001
EX-4	22-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-4	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0011
DUP	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.001 J11
EX-5	11-Sep-98	<0.001	<0.001	0.0013	<0.001	<0.001	<0.001
EX-5	22-Oct-98	<0.001	<0.001	0.001	<0.001	<0.001	<0.001
EX-5	14-Jan-99	<0.001	<0.001	<0.001	0.0016	<0.001	<0.001
EX-6	11-Sep-98	<0.1	<0.1	0.012 J3	<0.1	<0.1	<0.1
DUP	11-Sep-98	<0.1	<0.1	0.013	<0.1	<0.1	<0.1
EX-6	22-Oct-98	<0.012	0.026	0.014	<0.012	<0.012	<0.012
EX-6	15-Jan-99	<0.02	0.04	0.021	<0.02	<0.02	<0.02
EX-7	11-Sep-98	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
EX-7	22-Oct-98	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
EX-7	14-Jan-99	0.0015	0.0083	0.0092	<0.001	<0.001	<0.001
EX-8	11-Sep-98	<5	<5	<5	<5	<5	<5
EX-8	22-Oct-98	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa- none	Acetone	Benzene	Chloro- benzene	Chloro- form	cis-1,2- DCE	Ethyl- benzene	Methyl Ethyl Ketone	PCE	Toluene	trans- 1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
EX-8	14-Jan-99	<0.13	<0.13	<0.13	<0.63	42	<0.13	<0.13	<0.13	<0.13	0.067 J11	19	<0.13	6.2	<0.13	<0.13	<0.13	0.56
EX-9	11-Sep-98	<0.2	<0.2	<0.2	<1	1.6	<0.2	<0.2	<0.2	<0.2	0.34	1.2	<0.2	7.3	<0.2	<0.2	<0.2	1.6
EX-9	22-Oct-98	<0.025	0.18	<0.025	<0.12	0.64	<0.025	<0.025	<0.025	<0.025	0.14	0.56	<0.025	2.1	<0.025	<0.025	<0.025	0.57
EX-9	14-Jan-99	<0.025	0.24	<0.025	<0.13	0.53	<0.025	<0.025	<0.025	<0.025	0.059	0.37	<0.025	3.5	<0.025	<0.025	<0.025	0.85
EX-10	11-Sep-98	<0.01	0.028	<0.01	<0.05	<0.05	<0.01	<0.01	<0.01	<0.01	0.041	<0.05	<0.01	0.15	<0.01	<0.01	<0.01	0.047
EX-10	22-Oct-98	<0.002	0.041	<0.002	<0.01	<0.01	<0.002	<0.002	<0.002	<0.002	0.049	<0.01	<0.002	0.13	<0.002	<0.002	<0.002	0.042
EX-10	14-Jan-99	<0.001	0.034	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0012	0.0015	<0.005	<0.001	0.0016	<0.001	0.0008 J11	<0.001	0.0034
RP-1	08-Sep-94	<0.005	0.002	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	0.003	<0.005	<0.1	<0.005	<0.005	0.001	<0.005	<0.01	<0.01
RP-1	28-Feb-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-1	29-Mar-95	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
RP-1	10-May-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-1	09-Aug-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-1	17-Nov-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	0.0008	na	na	na	<0.002
RP-1	10-Jan-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	0.001	<0.005	<0.005	<0.01	<0.01
RP-1	17-Apr-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
DUP	17-Apr-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-1	31-Jul-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-1	19-Nov-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-1	25-Mar-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-1	10-Jun-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-1	18-Aug-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-1	19-Dec-97	na	na	na	na	na	<0.0005	na	na	na	0.0006	na	na	0.0006	na	na	na	0.002
DUP	19-Dec-97	na	na	na	na	na	<0.0005	na	na	na	0.0011	na	na	0.001	na	na	na	0.003
RP-1	26-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	0.0013	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002
DUP	26-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	0.0013	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002
RP-1	07-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0018	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-1	14-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.002	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-1	20-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0022	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-1	12-Jan-99	<0.001	0.0008 J11	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0022	<0.001	<0.005	<0.001	<0.001	0.0008 J11	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
EX-8	14-Jan-99	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	6.9	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
EX-9	11-Sep-98	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<1	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
EX-9	22-Oct-98	<0.025	<0.025	<0.025	<0.025	<0.025	0.025	<0.025	0.13	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
EX-9	14-Jan-99	<0.025	<0.025	<0.025	<0.025	<0.025	0.025	<0.025	<0.13	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
EX-10	11-Sep-98	<0.01	<0.01 UJ3	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01	<0.01	<0.01	0.016	<0.01
EX-10	22-Oct-98	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.01	<0.002	<0.002	<0.002	<0.002	<0.002	0.016	0.0043
EX-10	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	0.0006 J11	<0.001	<0.001	<0.001	0.0005 J11	<0.001
RP-1	08-Sep-94	<0.005	<0.0005	<0.005	<0.005	na	na	na	<0.05	na	0.01	<0.01	<0.01	<0.0005	na	na
RP-1	28-Feb-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-1	29-Mar-95	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
RP-1	10-May-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-1	09-Aug-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-1	17-Nov-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-1	10-Jan-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
RP-1	17-Apr-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	17-Apr-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-1	31-Jul-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-1	19-Nov-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-1	25-Mar-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-1	10-Jun-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-1	18-Aug-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-1	19-Dec-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	19-Dec-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-1	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
DUP	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	0.0029	<0.002	<0.001	<0.001
RP-1	07-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-1	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-1	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-1	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naphthalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
EX-8	14-Jan-99	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
EX-9	11-Sep-98	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
EX-9	22-Oct-98	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
EX-9	14-Jan-99	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
EX-10	11-Sep-98	<0.01	0.014	0.015	0.011	<0.01	<0.01
EX-10	22-Oct-98	0.005	0.017	0.017	<0.002	0.007	<0.002
EX-10	14-Jan-99	<0.001	<0.001	0.0006 J11	<0.001	0.0007 J11	0.0009 J11
RP-1	08-Sep-94	na	na	na	<0.005	na	na
RP-1	28-Feb-95	na	na	na	na	na	na
RP-1	29-Mar-95	na	na	na	<0.005	na	na
RP-1	10-May-95	na	na	na	na	na	na
RP-1	09-Aug-95	na	na	na	na	na	na
RP-1	17-Nov-95	na	na	na	na	na	na
RP-1	10-Jan-96	na	na	na	<0.005	na	na
RP-1	17-Apr-96	na	na	na	na	na	na
DUP	17-Apr-96	na	na	na	na	na	na
RP-1	31-Jul-96	na	na	na	na	na	na
RP-1	19-Nov-96	na	na	na	na	na	na
RP-1	25-Mar-97	na	na	na	na	na	na
RP-1	10-Jun-97	na	na	na	na	na	na
RP-1	18-Aug-97	na	na	na	na	na	na
RP-1	19-Dec-97	na	na	na	na	na	na
DUP	19-Dec-97	na	na	na	na	na	na
RP-1	26-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
DUP	26-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
RP-1	07-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
RP-1	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-1	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-1	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa- none	Acetone	Benzene	Chloro- benzene	Chloro- form	cis-1,2- DCE	Ethyl- benzene	Methyl Ethyl Ketone	PCE	Toluene	trans- 1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
RP-2	08-Sep-94	<0.005	0.001	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	0.001	<0.005	<0.1	<0.005	0.0005	<0.005	0.0006	<0.01	<0.01
DUP	08-Sep-94	<0.005	0.001	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	0.001	<0.005	<0.1	<0.005	<0.005	<0.005	0.0005	<0.01	<0.01
RP-2	28-Feb-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-2	29-Mar-95	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
RP-2	10-May-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-2	09-Aug-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-2	17-Nov-95	na	na	na	na	na	0.002	na	na	na	0.0009	na	na	0.003	na	na	na	0.004
RP-2	10-Jan-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
RP-2	17-Apr-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-2	31-Jul-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-2	19-Nov-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-2	25-Mar-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-2	10-Jun-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-2	18-Aug-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
DUP	18-Aug-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-2	19-Dec-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-2	26-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
RP-2	07-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0014	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	13-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0012	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	20-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	11-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0011	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	08-Sep-94	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
RP-3	28-Feb-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	0.0007	na	na	na	<0.002
RP-3	29-Mar-95	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
RP-3	10-May-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-3	09-Aug-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	0.0009	na	na	na	0.0094
RP-3	17-Nov-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	0.001	na	na	na	0.005
RP-3	10-Jan-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	0.0006	<0.005	<0.005	<0.01	0.003
RP-3	17-Apr-96	na	na	na	na	na	<0.0005	na	na	na	0.0006	na	na	<0.0005	na	na	na	0.008
RP-3	31-Jul-96	na	na	na	na	na	<0.0005	na	na	na	0.0005	na	na	0.0005	na	na	na	0.007
RP-3	19-Nov-96	na	na	na	na	na	<0.0005	na	na	na	0.0005	na	na	0.0005	na	na	na	0.003

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
RP-2	08-Sep-94	<0.005	<0.0005	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	<0.0005	na	na
DUP	08-Sep-94	<0.005	<0.0005	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	<0.0005	na	na
RP-2	28-Feb-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-2	29-Mar-95	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	0.015	<0.01	<0.01	na	na	na
RP-2	10-May-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-2	09-Aug-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-2	17-Nov-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-2	10-Jan-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
RP-2	17-Apr-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-2	31-Jul-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-2	19-Nov-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-2	25-Mar-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-2	10-Jun-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-2	18-Aug-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	18-Aug-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-2	19-Dec-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-2	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
RP-2	07-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	13-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	08-Sep-94	<0.005	<0.0005	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	<0.0005	na	na
RP-3	28-Feb-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-3	29-Mar-95	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
RP-3	10-May-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-3	09-Aug-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-3	17-Nov-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-3	10-Jan-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
RP-3	17-Apr-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-3	31-Jul-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-3	19-Nov-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
RP-2	08-Sep-94	na	na	na	<0.005	na	na
DUP	08-Sep-94	na	na	na	<0.005	na	na
RP-2	28-Feb-95	na	na	na	na	na	na
RP-2	29-Mar-95	na	na	na	<0.005	na	na
RP-2	10-May-95	na	na	na	na	na	na
RP-2	09-Aug-95	na	na	na	na	na	na
RP-2	17-Nov-95	na	na	na	na	na	na
RP-2	10-Jan-96	na	na	na	<0.005	na	na
RP-2	17-Apr-96	na	na	na	na	na	na
RP-2	31-Jul-96	na	na	na	na	na	na
RP-2	19-Nov-96	na	na	na	na	na	na
RP-2	25-Mar-97	na	na	na	na	na	na
RP-2	10-Jun-97	na	na	na	na	na	na
RP-2	18-Aug-97	na	na	na	na	na	na
DUP	18-Aug-97	na	na	na	na	na	na
RP-2	19-Dec-97	na	na	na	na	na	na
RP-2	26-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
RP-2	07-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	13-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	08-Sep-94	na	na	na	<0.005	na	na
RP-3	28-Feb-95	na	na	na	na	na	na
RP-3	29-Mar-95	na	na	na	<0.005	na	na
RP-3	10-May-95	na	na	na	na	na	na
RP-3	09-Aug-95	na	na	na	na	na	na
RP-3	17-Nov-95	na	na	na	na	na	na
RP-3	10-Jan-96	na	na	na	<0.005	na	na
RP-3	17-Apr-96	na	na	na	na	na	na
RP-3	31-Jul-96	na	na	na	na	na	na
RP-3	19-Nov-96	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa- none	Acetone	Benzene	Chloro- benzene	Chloro- form	cis-1,2- DCE	Ethyl- benzene	Methyl Ethyl Ketone	PCE	Toluene	trans- 1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
RP-3	25-Mar-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	0.004
RP-3	10-Jun-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-3	18-Aug-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	0.0041
RP-3	19-Dec-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	0.0006	na	na	na	0.003
RP-3	25-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
RP-3	07-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	13-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	20-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	20-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	11-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-4	08-Sep-94	<0.005	0.001	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	0.009	<0.005	<0.1	<0.005	<0.005	0.004	0.002	<0.01	<0.01
RP-4	28-Feb-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
DUP	28-Feb-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-4	29-Mar-95	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
RP-4	10-May-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
DUP	10-May-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-4	09-Aug-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
DUP	09-Aug-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-4	17-Nov-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
DUP	17-Nov-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-4	09-Jan-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	0.006	0.0005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
RP-4	17-Apr-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-4	31-Jul-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
DUP	31-Jul-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-4	19-Nov-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-4	25-Mar-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-4	10-Jun-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
DUP	10-Jun-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-4	18-Aug-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-4	19-Dec-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	0.0006	na	na	na	<0.002
RP-4	25-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	0.0055	<0.001	<0.02	<0.001	<0.001	0.0016	0.0011	<0.002	<0.002
RP-4	07-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0061	<0.001	<0.005	<0.001	<0.001	0.0015	0.0013	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
RP-3	25-Mar-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-3	10-Jun-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-3	18-Aug-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-3	19-Dec-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-3	25-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
RP-3	07-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	13-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-4	08-Sep-94	<0.005	<0.0005	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	<0.0005	na	na
RP-4	28-Feb-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	28-Feb-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-4	29-Mar-95	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
RP-4	10-May-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	10-May-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-4	09-Aug-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	09-Aug-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-4	17-Nov-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	17-Nov-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-4	09-Jan-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
RP-4	17-Apr-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-4	31-Jul-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	31-Jul-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-4	19-Nov-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-4	25-Mar-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-4	10-Jun-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	10-Jun-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-4	18-Aug-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-4	19-Dec-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-4	25-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
RP-4	07-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
RP-3	25-Mar-97	na	na	na	na	na	na
RP-3	10-Jun-97	na	na	na	na	na	na
RP-3	18-Aug-97	na	na	na	na	na	na
RP-3	19-Dec-97	na	na	na	na	na	na
RP-3	25-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
RP-3	07-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	13-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-4	08-Sep-94	na	na	na	<0.005	na	na
RP-4	28-Feb-95	na	na	na	na	na	na
DUP	28-Feb-95	na	na	na	na	na	na
RP-4	29-Mar-95	na	na	na	<0.005	na	na
RP-4	10-May-95	na	na	na	na	na	na
DUP	10-May-95	na	na	na	na	na	na
RP-4	09-Aug-95	na	na	na	na	na	na
DUP	09-Aug-95	na	na	na	na	na	na
RP-4	17-Nov-95	na	na	na	na	na	na
DUP	17-Nov-95	na	na	na	na	na	na
RP-4	09-Jan-96	na	na	na	<0.005	na	na
RP-4	17-Apr-96	na	na	na	na	na	na
RP-4	31-Jul-96	na	na	na	na	na	na
DUP	31-Jul-96	na	na	na	na	na	na
RP-4	19-Nov-96	na	na	na	na	na	na
RP-4	25-Mar-97	na	na	na	na	na	na
RP-4	10-Jun-97	na	na	na	na	na	na
DUP	10-Jun-97	na	na	na	na	na	na
RP-4	18-Aug-97	na	na	na	na	na	na
RP-4	19-Dec-97	na	na	na	na	na	na
RP-4	25-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
RP-4	07-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa- none	Acetone	Benzene	Chloro- benzene	Chloro- form	cis-1,2- DCE	Ethyl- benzene	Methyl Ethyl Ketone	PCE	Toluene	trans- 1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
RP-4	13-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0067	<0.001	<0.005	<0.001	<0.001	0.0019	0.0014	<0.001	<0.001
DUP	13-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0064	<0.001	<0.005	<0.001	<0.001	0.0017	0.0013	<0.001	<0.001
RP-4	20-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0076	<0.001	<0.005	<0.001	<0.001	0.0023	0.0011	<0.001	<0.001
RP-4	11-Jan-99	<0.001	0.0007 J11	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0098	<0.001	<0.005	<0.001	<0.001	0.0033	0.0015	0.0006 J11	<0.001
RP-5	08-Sep-94	<0.005	0.0008	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	0.0005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
RP-5	28-Feb-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	0.0009	na	na	na	<0.002
RP-5	29-Mar-95	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
RP-5	10-May-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-5	09-Aug-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-5	17-Nov-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-5	09-Jan-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
DUP	09-Jan-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
RP-5	17-Apr-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-5	31-Jul-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-5	19-Nov-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
DUP	19-Nov-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-5	25-Mar-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
DUP	25-Mar-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-5	10-Jun-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-5	18-Aug-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	0.0006	na	na	na	<0.002
RP-5	19-Dec-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	0.0025	na	na	na	<0.002
RP-5	26-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
RP-5	07-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	13-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	20-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	12-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0007 J11	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
MW-1	16-Dec-94	na	<0.0009	0.032	0.0028	<0.0042	0.016	na	0.001	na	<0.0005	<0.0011	na	0.0027	<0.0011	0.0028	0.0022	0.0031
MW-1	29-Mar-95	ND	0.017	0.068	<0.002	<0.005	0.028	0.0017	0.002	na	0.0093	0.013	ND	0.0013	0.0013	0.0065	0.005	0.0025
MW-1	08-Jun-95	ND	0.024	0.089	ND	ND	0.037	0.0022	0.0026	na	0.003	0.025	0.0013	0.0016	ND	0.01	0.009	0.0023
MW-1	09-Jan-96	<0.005	0.052	0.13	<0.05	<0.1	0.065	<0.005	<0.005	0.012	0.002	<0.1	<0.005	0.003	<0.005	<0.005	0.015	0.006
MW-1	17-Apr-96	na	na	na	na	na	0.065	na	na	na	0.0055	na	na	0.0035	na	na	na	0.007

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-pentane	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
RP-4	13-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	13-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-4	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-4	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	08-Sep-94	<0.005	<0.0005	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	<0.0005	na	na
RP-5	28-Feb-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-5	29-Mar-95	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
RP-5	10-May-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-5	09-Aug-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-5	17-Nov-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-5	09-Jan-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
DUP	09-Jan-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
RP-5	17-Apr-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-5	31-Jul-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-5	19-Nov-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	19-Nov-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-5	25-Mar-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	25-Mar-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-5	10-Jun-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-5	18-Aug-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-5	19-Dec-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-5	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
RP-5	07-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	13-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
MW-1	16-Dec-94	na	na	na	<0.0008	na	na	na	<0.0014	na	<0.0012	na	na	na	na	na
MW-1	29-Mar-95	ND	na	ND	ND	na	na	na	<0.002	na	0.0053	na	na	na	na	na
MW-1	08-Jun-95	0.0006	na	0.0028	ND	na	na	na	ND	na	ND	na	na	na	na	na
MW-1	09-Jan-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
MW-1	17-Apr-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naphthalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
RP-4	13-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	13-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-4	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-4	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	08-Sep-94	na	na	na	<0.005	na	na
RP-5	28-Feb-95	na	na	na	na	na	na
RP-5	29-Mar-95	na	na	na	<0.005	na	na
RP-5	10-May-95	na	na	na	na	na	na
RP-5	09-Aug-95	na	na	na	na	na	na
RP-5	17-Nov-95	na	na	na	na	na	na
RP-5	09-Jan-96	na	na	na	<0.005	na	na
DUP	09-Jan-96	na	na	na	<0.005	na	na
RP-5	17-Apr-96	na	na	na	na	na	na
RP-5	31-Jul-96	na	na	na	na	na	na
RP-5	19-Nov-96	na	na	na	na	na	na
DUP	19-Nov-96	na	na	na	na	na	na
RP-5	25-Mar-97	na	na	na	na	na	na
DUP	25-Mar-97	na	na	na	na	na	na
RP-5	10-Jun-97	na	na	na	na	na	na
RP-5	18-Aug-97	na	na	na	na	na	na
RP-5	19-Dec-97	na	na	na	na	na	na
RP-5	26-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
RP-5	07-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	13-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
MW-1	16-Dec-94	na	na	na	na	na	na
MW-1	29-Mar-95	na	na	na	na	na	na
MW-1	08-Jun-95	na	na	na	na	na	na
MW-1	09-Jan-96	na	na	na	<0.005	na	na
MW-1	17-Apr-96	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
MW-1	31-Jul-96	na	na	na	na	na	0.053	na	na	na	0.012	na	na	0.0098	na	na	na	0.014
MW-1	19-Nov-96	na	na	na	na	na	0.032	na	na	na	0.0017	na	na	0.0017	na	na	na	0.005
MW-1	25-Mar-97	na	na	na	na	na	0.049	na	na	na	0.0024	na	na	0.0022	na	na	na	0.005
MW-1	10-Jun-97	na	na	na	na	na	0.032	na	na	na	0.0007	na	na	0.0009	na	na	na	0.003
MW-1	18-Aug-97	na	na	na	na	na	0.033	na	na	na	0.0014	na	na	0.0015	na	na	na	0.004
MW-1	19-Dec-97	na	na	na	na	na	0.083	na	na	na	0.0038	na	na	0.0078	na	na	na	0.011
MW-1	26-Feb-98	<0.001	0.041	0.17	<0.02	<0.02	0.056	0.0036	0.0033	0.0087	0.0024	<0.02	<0.001	0.0032	0.0014	0.013	0.0077	0.0053
MW-1	08-Apr-98	<0.005	0.046	0.15	<0.025	<0.025	0.053	<0.005	<0.005	0.011	<0.005	<0.025	<0.005	<0.005	<0.005	0.014	0.013	<0.001
DUP	08-Apr-98	<0.005	0.043	0.13	<0.025	<0.025	0.049	<0.005	<0.005	0.0099	<0.005	<0.025	<0.005	<0.005	<0.005	0.013	0.011	<0.001
MW-1	14-Jul-98	<0.005	0.045	0.14	<0.025	<0.025	0.06	<0.005	<0.005	0.0095	<0.005	<0.025	<0.005	<0.005	<0.005	0.012	0.014	<0.005
MW-1	21-Oct-98	<0.01	0.052	0.15	<0.05	<0.05	0.062	<0.01	<0.01	0.01	<0.01	<0.05	<0.01	<0.01	<0.01	0.014	0.015	<0.01
MW-1	12-Jan-99	<0.001	0.055	0.17	<0.005	<0.005	0.073	0.0046	0.0033	0.011	0.0019	<0.005	0.0006 J11	0.011	0.0015	0.017	0.017	0.0053
MW-2	16-Dec-94	na	<0.0009	0.0047	<0.0018	<0.0042	0.017	na	<0.0008	na	<0.0005	<0.0011	na	0.0019	<0.0011	0.0018	<0.0014	0.0012
MW-2	29-Mar-95	ND	<0.0009	0.0022	<0.002	<0.005	0.016	<0.0006	<0.0008	na	<0.0004	<0.002	ND	0.0011	<0.002	0.0009	<0.002	0.0009
MW-2	08-Jun-95	ND	0.0025	ND	ND	ND	0.022	ND	ND	na	0.0005	ND	ND	0.0009	ND	0.0049	0.0022	0.0009
MW-2	09-Jan-96	<0.005	0.007	0.02	<0.05	<0.1	0.051	<0.005	<0.005	0.023	0.0009	<0.1	<0.005	0.001	0.008	<0.005	<0.01	0.002
MW-2	17-Apr-96	na	na	na	na	na	0.032	na	na	na	0.0008	na	na	0.0013	na	na	na	<0.002
MW-2	31-Jul-96	na	na	na	na	na	0.042	na	na	na	0.0009	na	na	0.0016	na	na	na	<0.002
MW-2	19-Nov-96	na	na	na	na	na	0.018	na	na	na	0.0007	na	na	0.0017	na	na	na	0.004
MW-2	25-Mar-97	na	na	na	na	na	0.024	na	na	na	0.001	na	na	0.0007	na	na	na	<0.002
MW-2	10-Jun-97	na	na	na	na	na	0.027	na	na	na	<0.0005	na	na	0.0005	na	na	na	0.002
MW-2	18-Aug-97	na	na	na	na	na	0.033	na	na	na	<0.0005	na	na	0.0008	na	na	na	<0.002
MW-2	19-Dec-97	na	na	na	na	na	0.019	na	na	na	0.0021	na	na	0.0019	na	na	na	0.006
MW-2	26-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	0.014	<0.001	<0.001	0.0064	<0.001	<0.02	<0.001	<0.001	0.0037	0.0027	<0.002	<0.002
MW-2	08-Apr-98	<0.001	0.0012	0.0018	<0.005	<0.005	0.016	0.001	<0.001	0.0069	<0.001	<0.005	<0.001	<0.001	0.0022	0.0025	0.0017	<0.001
MW-2	14-Jul-98	<0.001	0.0043	0.0095	<0.005	<0.005	0.036	0.0025	<0.001	0.024	<0.001	<0.005	<0.001	<0.001	0.0083	0.0095	0.005	<0.001
MW-2	21-Oct-98	<0.002	0.0039	0.0067	<0.01	<0.01	0.037	0.0032	<0.002	0.026	<0.002	<0.01	<0.002	<0.002	0.01	0.012	0.0055	<0.002
DUP	21-Oct-98	<0.002	0.004	0.0074	<0.01	<0.01	0.037	0.0031	<0.002	0.027	<0.002	<0.01	<0.002	<0.002	0.01	0.012	0.0056	<0.002
MW-2	12-Jan-99	<0.001	0.0015	0.0033	<0.005	<0.005	0.032	0.0025	<0.001	0.019	<0.001	<0.005	<0.001	<0.001	0.0077	0.0083	0.0047	<0.001
MW-3	16-Dec-94	na	<0.0009	<0.0022	<0.0018	<0.0042	<0.0008	na	<0.0008	na	<0.0005	<0.0011	na	<0.0005	0.0028	<0.0008	<0.0014	<0.0005
MW-3	29-Mar-95	ND	<0.0009	<0.003	<0.002	<0.005	<0.0008	<0.0006	<0.0008	na	<0.0004	<0.002	ND	<0.0004	<0.002	<0.0008	<0.002	<0.0004

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
MW-1	31-Jul-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-1	19-Nov-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-1	25-Mar-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-1	10-Jun-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-1	18-Aug-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-1	19-Dec-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-1	26-Feb-98	<0.001	<0.001	<0.001	<0.001	0.01	<0.001	<0.001	<0.001	0.0034	<0.001	<0.002	0.0021	<0.002	0.0044	<0.001
MW-1	08-Apr-98	<0.005	<0.005	<0.005	<0.005	0.0086	<0.005	<0.005	<0.025	0.005	<0.005	<0.005	<0.005	<0.005	0.0058	<0.005
DUP	08-Apr-98	<0.005	<0.005	<0.005	<0.005	0.0099	<0.005	<0.005	<0.025	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
MW-1	14-Jul-98	<0.005	<0.005	<0.005	<0.005	0.0092	<0.005	<0.005	<0.025	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
MW-1	21-Oct-98	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
MW-1	12-Jan-99	0.0011	<0.001	<0.001	<0.001	0.01	<0.001	<0.001	<0.005	0.0059	<0.001	0.001	<0.001	<0.001	0.0029	0.0005 J11
MW-2	16-Dec-94	na	na	na	<0.0008	na	na	na	<0.0014	na	<0.0012	na	na	na	na	na
MW-2	29-Mar-95	ND	na	ND	ND	na	na	na	<0.002	na	<0.002	na	na	na	na	na
MW-2	08-Jun-95	ND	na	ND	ND	na	na	na	ND	na	ND	na	na	na	na	na
MW-2	09-Jan-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
MW-2	17-Apr-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-2	31-Jul-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-2	19-Nov-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-2	25-Mar-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-2	10-Jun-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-2	18-Aug-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-2	19-Dec-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-2	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	0.003	<0.001
MW-2	08-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.0036	<0.001
MW-2	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	0.0011	<0.001	<0.001	<0.001	<0.001	0.0027	<0.001
MW-2	21-Oct-98	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.01	<0.002	<0.002	<0.002	<0.002	<0.002	0.0022	<0.002
DUP	21-Oct-98	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.01	<0.002	<0.002	<0.002	<0.002	<0.002	0.0021	<0.002
MW-2	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	0.0009 J11	<0.001	<0.001	<0.001	<0.001	0.0026	<0.001
MW-3	16-Dec-94	na	na	na	0.018	na	na	na	<0.0014	na	0.0034	na	na	na	na	na
MW-3	29-Mar-95	ND	na	ND	ND	na	na	na	<0.002	na	0.014	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
MW-1	31-Jul-96	na	na	na	na	na	na
MW-1	19-Nov-96	na	na	na	na	na	na
MW-1	25-Mar-97	na	na	na	na	na	na
MW-1	10-Jun-97	na	na	na	na	na	na
MW-1	18-Aug-97	na	na	na	na	na	na
MW-1	19-Dec-97	na	na	na	na	na	na
MW-1	26-Feb-98	0.021	0.0049	<0.005	<0.001	<0.001	0.021
MW-1	08-Apr-98	na	0.0087	<0.005	<0.005	<0.005	0.02
DUP	08-Apr-98	na	0.0065	<0.005	<0.005	<0.005	0.018
MW-1	14-Jul-98	<0.005	<0.005	<0.005	<0.005	<0.005	0.019
MW-1	21-Oct-98	<0.01	<0.01	<0.01	<0.01	<0.01	0.019
MW-1	12-Jan-99	<0.001	0.0006 J11	<0.001	<0.001	<0.001	0.025
MW-2	16-Dec-94	na	na	na	na	na	na
MW-2	29-Mar-95	na	na	na	na	na	na
MW-2	08-Jun-95	na	na	na	na	na	na
MW-2	09-Jan-96	na	na	na	<0.005	na	na
MW-2	17-Apr-96	na	na	na	na	na	na
MW-2	31-Jul-96	na	na	na	na	na	na
MW-2	19-Nov-96	na	na	na	na	na	na
MW-2	25-Mar-97	na	na	na	na	na	na
MW-2	10-Jun-97	na	na	na	na	na	na
MW-2	18-Aug-97	na	na	na	na	na	na
MW-2	19-Dec-97	na	na	na	na	na	na
MW-2	26-Feb-98	0.002	0.0014	<0.005	<0.001	0.0012	0.002
MW-2	08-Apr-98	na	0.0012	<0.001	<0.001	0.0013	0.0018
MW-2	14-Jul-98	<0.001	<0.001	<0.001	<0.001	0.0011	0.004
MW-2	21-Oct-98	<0.002	<0.002	<0.002	<0.002	<0.002	0.0046
DUP	21-Oct-98	<0.002	<0.002	<0.002	<0.002	<0.002	0.0044
MW-2	12-Jan-99	<0.001	<0.001	<0.001	<0.001	0.0008 J11	0.0038
MW-3	16-Dec-94	na	na	na	na	na	na
MW-3	29-Mar-95	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
MW-3	08-Jun-95	ND	0.0019	ND	ND	ND	ND	ND	ND	na	ND	0.0052	ND	ND	0.011	0.0011	0.0007	ND
MW-3	09-Jan-96	<0.005	0.01	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	0.037	<0.005	<0.1	<0.005	<0.005	0.029	0.006	<0.01	<0.01
MW-3	17-Apr-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
MW-3	31-Jul-96	na	na	na	na	na	<0.005	na	na	na	<0.005	na	na	<0.005	na	na	na	<0.02
MW-3	19-Nov-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	0.0006	na	na	na	0.004
MW-3	25-Mar-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
MW-3	10-Jun-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
MW-3	18-Aug-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
MW-3	19-Dec-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
MW-3	26-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	0.0099	<0.001	<0.02	<0.001	<0.001	0.0084	<0.001	<0.002	<0.002
MW-3	07-Apr-98	<0.001	0.0037	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.018	<0.001	<0.005	<0.001	<0.001	0.013	0.0014	<0.001	<0.001
MW-3	14-Jul-98	<0.001	0.0046	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.022	<0.001	<0.005	<0.001	<0.001	0.016	0.0016	<0.001	<0.001
DUP	14-Jul-98	<0.001	0.0041	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.022	<0.001	<0.005	<0.001	<0.001	0.015	0.0013	0.0014	<0.001
MW-3	20-Oct-98	<0.001	0.0044	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.024	<0.001	<0.005	<0.001	<0.001	0.017	0.0014	0.002	<0.001
MW-3	11-Jan-99	<0.001	0.0042	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.025	<0.001	<0.005	<0.001	<0.001	0.019	0.0023	0.0012	<0.001
DUP	11-Jan-99	<0.001	0.0042	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.025	<0.001	<0.005	<0.001	<0.001	0.019	0.0022	0.0013	<0.001
MW-4	16-Dec-94	na	<0.0009	<0.0022	<0.0018	<0.0042	0.0014	na	<0.0008	na	0.0006	<0.0011	na	0.0021	<0.0011	0.013	<0.0014	0.0023
MW-4	29-Mar-95	ND	<0.0009	<0.003	<0.002	<0.005	0.0015	<0.0006	<0.0008	na	0.0007	<0.002	ND	0.001	<0.002	0.0069	<0.002	0.0037
MW-4	08-Jun-95	ND	ND	ND	ND	ND	0.0018	ND	ND	na	0.0011	ND	ND	0.0022	ND	0.0016	ND	0.0079
MW-4	10-Jan-96	<0.005	<0.005	<0.005	<0.05	<0.1	0.002	<0.005	<0.005	<0.005	0.002	<0.1	<0.005	0.027	<0.005	<0.005	<0.01	0.012
MW-4	19-Nov-96	na	na	na	na	na	0.0024	na	na	na	0.0017	na	na	0.0021	na	na	na	0.01
MW-4	18-Aug-97	na	na	na	na	na	0.0017	na	na	na	0.0017	na	na	0.0016	na	na	na	0.014
MW-4	19-Dec-97	na	na	na	na	na	0.0008	na	na	na	0.0011	na	na	0.001	na	na	na	0.006
MW-4	02-Mar-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	0.002
MW-4	10-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.0033
MW-4	17-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.0058
MW-4	23-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.005
MW-4	15-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	0.0014	<0.001	<0.001	0.0006 J11	0.0011	<0.005	<0.001	0.0018	<0.001	0.0017	<0.001	0.0054
MW-5	16-Dec-94	na	<0.018	<0.0022	<0.0018	1300	0.57	na	<0.0008	na	1.8	1700	na	73	<0.0011	<0.0008	<0.0014	7.8
MW-5	29-Mar-95	ND	<0.0009	<0.003	<0.002	290	0.47	<0.0006	<0.0008	na	1.3	42	ND	92	<0.002	<0.0008	<0.002	6.8
MW-5	08-Jun-95	0.0041	ND	ND	ND	82	0.4	ND	0.0009	na	1.9	95	0.0019	91	ND	0.011	ND	9.7

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
MW-3	08-Jun-95	ND	na	ND	ND	na	na	na	ND	na	0.0016	na	na	na	na	na
MW-3	09-Jan-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
MW-3	17-Apr-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-3	31-Jul-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-3	19-Nov-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-3	25-Mar-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-3	10-Jun-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-3	18-Aug-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-3	19-Dec-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-3	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
MW-3	07-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
MW-3	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
MW-3	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
MW-3	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
MW-4	16-Dec-94	na	na	na	<0.0008	na	na	na	<0.0014	na	<0.0012	na	na	na	na	na
MW-4	29-Mar-95	ND	na	ND	ND	na	na	na	<0.002	na	<0.002	na	na	na	na	na
MW-4	08-Jun-95	ND	na	ND	ND	na	na	na	ND	na	ND	na	na	na	na	na
MW-4	10-Jan-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
MW-4	19-Nov-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-4	18-Aug-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-4	19-Dec-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-4	02-Mar-98	<0.001	<0.001	<0.001	<0.001	<0.001	0.0037	0.0037	0.004	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
MW-4	10-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	0.0024	0.0026	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
MW-4	17-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	0.0039	0.0045	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
MW-4	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	0.0029	0.0033	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
MW-4	15-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0028	0.0032	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.0007 J11	0.0008 J11
MW-5	16-Dec-94	na	na	na	<0.0008	na	na	na	0.13	na	<0.0012	na	na	na	na	na
MW-5	29-Mar-95	ND	na	ND	ND	na	na	na	39	na	<0.002	na	na	na	na	na
MW-5	08-Jun-95	ND	na	ND	ND	na	na	na	27	na	0.0023	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naphthalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
MW-3	08-Jun-95	na	na	na	na	na	na
MW-3	09-Jan-96	na	na	na	<0.005	na	na
MW-3	17-Apr-96	na	na	na	na	na	na
MW-3	31-Jul-96	na	na	na	na	na	na
MW-3	19-Nov-96	na	na	na	na	na	na
MW-3	25-Mar-97	na	na	na	na	na	na
MW-3	10-Jun-97	na	na	na	na	na	na
MW-3	18-Aug-97	na	na	na	na	na	na
MW-3	19-Dec-97	na	na	na	na	na	na
MW-3	26-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
MW-3	07-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
MW-3	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
MW-3	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
MW-3	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
MW-4	16-Dec-94	na	na	na	na	na	na
MW-4	29-Mar-95	na	na	na	na	na	na
MW-4	08-Jun-95	na	na	na	na	na	na
MW-4	10-Jan-96	na	na	na	<0.005	na	na
MW-4	19-Nov-96	na	na	na	na	na	na
MW-4	18-Aug-97	na	na	na	na	na	na
MW-4	19-Dec-97	na	na	na	na	na	na
MW-4	02-Mar-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
MW-4	10-Apr-98	na	<0.001	0.0047	<0.001	<0.001	<0.001
MW-4	17-Jul-98	<0.001	<0.001	0.011	<0.001	<0.001	<0.001
MW-4	23-Oct-98	0.001	<0.001	0.0082	<0.001	<0.001	<0.001
MW-4	15-Jan-99	0.0006 J11	0.0007 J11	0.0064	<0.001	0.0005 J11	<0.001
MW-5	16-Dec-94	na	na	na	na	na	na
MW-5	29-Mar-95	na	na	na	na	na	na
MW-5	08-Jun-95	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
MW-5	10-Jan-96	<5	<5	<5	<50	130	0.95	<5	<5	<5	3	<100	<5	81	<5	<5	<10	15
MW-5	19-Nov-96	na	na	na	na	na	0.7	na	na	na	2.1	na	na	120	na	na	na	10
MW-5	18-Aug-97	na	na	na	na	na	0.4	na	na	na	1.6	na	na	84	na	na	na	8.1
MW-5	19-Dec-97	na	na	na	na	na	<0.5	na	na	na	2.5	na	na	120	na	na	na	11
MW-5	02-Mar-98	<5	<5	<5	<100	374	<5	<5	<5	<5	<5	<100	<5	59.4	<5	<5	<10	<10
MW-5	10-Apr-98	<10	<10	<10	<50	260	<10	<10	<10	<10	<10	68	<10	94 J4	<10	<10	<10	<10
MW-5	17-Jul-98	<5	<5	<5	<25	94	<5	<5	<5	<5	<5	39	<5	100	<5	<5	<5	6.3
DUP	17-Jul-98	<5	<5	<5	<25	100	<5	<5	<5	<5	<5	46	<5	96	<5	<5	<5	5.6
MW-5	19-Oct-98	<5 UJ2	<5 UJ2	<5 UJ2	<25 UJ2	99 J2	<5 UJ2	<5 UJ2	<5 UJ2	<5 UJ2	<5 UJ2	48 J2	<5 UJ2	67 J2	<5 UJ2	<5 UJ2	<5 UJ2	<5 UJ2
MW-5	15-Jan-99	<1	<1	<1	<5	130	<1	<1	<1	<1	1.6	52	<1	93	<1	<1	<1	7.1

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
MW-5	10-Jan-96	<5	na	<5	<5	na	na	na	<50	na	<10	<10	<10	na	na	na
MW-5	19-Nov-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-5	18-Aug-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-5	19-Dec-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-5	02-Mar-98	<5	<5	<5	<5	<5	<5	<5	36.1	<5	<5	<10	<10	<10	<5	<5
MW-5	10-Apr-98	<10	<10	<10	<10	<10	<10	<10	<50	<10	<10	<10	<10	<10	<10	<10
MW-5	17-Jul-98	<5	<5	<5	<5	<5	<5	<5	<25	<5	<5	<5	<5	<5	<5	<5
DUP	17-Jul-98	<5	<5	<5	<5	<5	<5	<5	<25	<5	<5	<5	<5	<5	<5	<5
MW-5	19-Oct-98	<5 UJ2	<5 UJ2	<5 UJ2	<5 UJ2	140 J2	<5 UJ2	<5 UJ2	<25 UJ2	<5 UJ2	<5 UJ2	<5 UJ2	<5 UJ2	<5 UJ2	<5 UJ2	<5 UJ2
MW-5	15-Jan-99	<1	<1	<1	<1	<1	<1	<1	21	<1	<1	<1	<1	<1	<1	<1

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naphthalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
MW-5	10-Jan-96	na	na	na	<5	na	na
MW-5	19-Nov-96	na	na	na	na	na	na
MW-5	18-Aug-97	na	na	na	na	na	na
MW-5	19-Dec-97	na	na	na	na	na	na
MW-5	02-Mar-98	<5	<5	<25	<5	<5	<5
MW-5	10-Apr-98	na	<10	<10	<10	<10	<10
MW-5	17-Jul-98	<5	<5	<5	<5	<5	<5
DUP	17-Jul-98	<5	<5	<5	<5	<5	<5
MW-5	19-Oct-98	<5 UJ2	<5 UJ2	<5 UJ2	<5 UJ2	<5 UJ2	<5 UJ2
MW-5	15-Jan-99	<1	<1	<1	<1	<1	<1

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa- none	Acetone	Benzene	Chloro- benzene	Chloro- form	cis-1,2- DCE	Ethyl- benzene	Methyl Ethyl Ketone	PCE	Toluene	trans- 1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
-------------	--------------	-----------	---------	---------	-----------------	---------	---------	--------------------	-----------------	-----------------	-------------------	---------------------------	-----	---------	-------------------	-----	-------------------	-------------------

Data QA/QC performed by LXG.

Notes: * = Analysis method changed from EPA 8240 to EPA 8260 beginning in February-March 1998 (1st Quarter 1998)

< = Analyte was not detected at or greater than the detection limit reported

ND = Not detected (no associated detection limit was reported)

na = Not analyzed

DUP = Duplicate sample (field duplicate)

(a) Concentrations for LF-B1 may not represent the B-zone water quality because LF-B1 is screened in the aquitard between the A and B zones.

(b) Concentrations for LF-B5 may not represent the B-zone water quality because LF-B5 is screened in the aquitard between the A and B zones.

GT = Concentration is greater than value reported (concentration exceeds upper limit of test)

Abbreviations for analytes:

1,1,1-TCA = 1,1,1-Trichloroethane

1,2-DCB = 1,2-Dichlorobenzene

trans-1,2-DCE = trans-1,2-Dichloroethene

1,1,2-TCA = 1,1,2-Trichloroethane

1,2-DCP = 1,2-Dichloropropane

TCE = Trichloroethene

1,1-DCA = 1,1-Dichloroethane

1,3,5-TMB = 1,3,5-Trimethylbenzene

1,2,4-TMB = 1,2,4-Trimethylbenzene

cis-1,2-DCE = cis-1,2-Dichloroethene

1,2-DCA = 1,2-Dichloroethane

PCE = Tetrachloroethene

Data qualifiers:

J1 = Concentration is estimated because the concentration exceeded the calibration range of the analytical instrument.

J2 = Concentration is estimated because the sample was analyzed outside of holding time.

J3 = Concentration is estimated due to surrogate recoveries outside of control limits.

J4 = Concentration is estimated due to relative percent difference (RPD) outside of control limits for laboratory control samples (LCS)

J11 = Concentration is estimated because it was reported at a concentration less than the detection limit.

U5 = Quantified as non-detect (U) based on blank contamination evaluation.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
LF-1		21-Jun-91	<0.05	na	na
LF-1		09-Jul-92	0.11	<0.05	na
LF-1		09-Jun-93	0.083	<0.05	na
LF-1	Destroyed under permit				
LF-3		21-Jun-91	2	na	na
LF-3		09-Jul-92	3	190	na
DUP		09-Jul-92	3.3	180	na
LF-3		09-Jun-93	100 (f)	150	na
DUP		09-Jun-93	110 (f)	150	na
LF-3		16-Apr-96	2.6	87	na
LF-3		31-Jul-96	0.64	90	na
LF-3		20-Nov-96	9.3	75	na
LF-3		19-Mar-97	0.65	61	na
LF-3		12-Jun-97	1.1	130	na
LF-3		19-Aug-97	0.97	200	na
LF-3		17-Dec-97	1.1	30	na
DUP		17-Dec-97	1.6	43	na
LF-3		02-Mar-98	1.3	167	<1
LF-3		10-Apr-98	3.9 (c)	47 J1,2	<1
LF-3		16-Jul-98	6.1 (c)	140 (d)	<5
LF-3		19-Oct-98	7.8 (c)	150	<5 UJ2
LF-3		15-Jan-99	10 (c,e,f)	110	<1
DUP		15-Jan-99	10 (c,e,f)	110	<1
LF-4		21-Jun-91	0.78	na	na
DUP		21-Jun-91	0.51	na	na
LF-4		09-Jul-92	1.2	14.0	na
LF-4		09-Jun-93	1.2 (f)	2.2	na
LF-4		02-Mar-98	2.8	2.6	<0.002
LF-4		09-Apr-98	2.9 (c)	0.97 J3 (d)	<0.002
LF-4		16-Jul-98	0.99 J3 (c)	1.3 (d)	<0.002
LF-4		19-Oct-98	0.6 (c)	0.39 (d)	<0.002 UJ2
LF-4		14-Jan-99	13 (c)	1.9 (h)	<0.002
LF-5		06-Aug-91	4.7	na	na
LF-5		09-Jul-92	0.83	69.0	na
LF-5		09-Jun-93	2 (f)	95.0	na
LF-5	Destroyed or lost during slurry wall and cap construction activities				

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
LF-7		20-Jun-91	<0.05	na	na
LF-7		17-Dec-91	0.540	na	na
LF-7		09-Jul-92	0.3	0.140	na
DUP		09-Jul-92	0.48	0.130	na
LF-7		09-Jun-93	0.34	0.110	na
DUP		09-Jun-93	0.32	0.1	na
LF-7		06-Jan-94	0.54	0.5	na
LF-7		27-Feb-98	0.79	0.14	<0.002
DUP		27-Feb-98	0.88	0.14	<0.002
LF-7		13-Jan-99	0.53 (e)	0.16	<0.002
LF-8		20-Jun-91	<0.05	na	na
LF-8		17-Dec-91	0.220	na	na
LF-8		09-Jul-92	0.25	<0.05	na
LF-8		30-Dec-92	0.15	0.120 (h)	na
LF-8		09-Jun-93	0.33	<0.05 (h)	na
LF-8		06-Jan-94	1.7	<0.05	na
LF-8		27-Feb-98	0.20	<0.05	<0.002
LF-8		08-Apr-98	0.19 (c)	<0.05	<0.002
LF-8		15-Jul-98	0.24 J4 (c)	<0.05	<0.002
LF-8		21-Oct-98	0.2 (c)	<0.05	<0.002
LF-8		13-Jan-99	0.44 (e)	0.053	<0.002
LF-9		21-Jun-91	0.2	na	na
LF-9		16-Dec-91	0.600	na	na
LF-9		09-Jul-92	0.3	0.620	na
LF-9		30-Dec-92	0.3	0.510 (h)	na
LF-9		09-Jun-93	0.56	0.430 (h)	na
LF-9		Destroyed or lost during slurry wall and cap construction activities			
LF-10		21-Jun-91	0.27	na	na
LF-10		18-Dec-91	0.990	na	na
DUP		18-Dec-91	0.570	na	na
LF-10		09-Jul-92	0.42	0.7	na
LF-10		31-Dec-92	0.33 (e)	0.190	na
DUP		31-Dec-92	0.37 (e)	0.180	na
LF-10		09-Jun-93	0.47	0.180	na
LF-10		06-Jan-94	1.5	0.2	na
DUP		06-Jan-94	1.2	0.2 (h)	na

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
LF-10		27-Feb-98	0.86	0.56	<0.002
LF-10		15-Jan-99	2.4 (c,e,f)	0.45	<0.002
LF-11		21-Jun-91	0.13	na	na
DUP		21-Jun-91	0.12	na	na
LF-11		17-Dec-91	0.410	na	na
LF-11		09-Jul-92	0.26	<0.05	na
LF-11		31-Dec-92	0.31 (e)	0.058	na
LF-11		09-Jun-93	0.27	<0.05	na
LF-11		05-Jan-94	0.8	0.06	na
LF-11		16-Apr-96	0.93	<0.05	na
LF-11		31-Jul-96	0.58	<0.05	na
LF-11		20-Nov-96	1.5	<0.05	na
LF-11		18-Mar-97	1.9	0.19	na
DUP		18-Mar-97	1.8	<0.05	na
LF-11		11-Jun-97	0.41	0.17	na
LF-11		19-Aug-97	0.47	0.16	na
DUP		19-Aug-97	0.41	0.15	na
LF-11		17-Dec-97	<0.05	0.22	na
LF-11		02-Mar-98	0.64	2.2	<0.002
LF-11		10-Apr-98	0.82 (c)	2	<0.02
DUP		10-Apr-98	0.77 (c)	2.6	<0.01
LF-11		16-Jul-98	0.62 J3 (c)	0.12 (d)	<0.002
LF-11		23-Oct-98	0.44 (c)	0.15 (d)	<0.002
LF-11		14-Jan-99	0.66 (c,e)	0.15	<0.002
LF-12		19-Jun-91	<0.05	na	na
LF-12		16-Dec-91	<0.050	na	na
LF-12		08-Jul-92	<0.05	<0.05	na
LF-12		30-Dec-92	<0.05	<0.05	na
LF-12		08-Jun-93	0.099	<0.05	na
LF-12		06-Jan-94	<0.05	<0.05	na
LF-12		16-Apr-96	<0.05	<0.05	na
LF-12		30-Jul-96	<0.05	<0.05	na
LF-12		20-Nov-96	<0.05	<0.05	na
LF-12		17-Mar-97	<0.05	<0.05	na
LF-12		01-Jul-97	<0.05	<0.05	na
DUP		01-Jul-97	<0.05	<0.05	na
LF-12		20-Aug-97	<0.05	<0.05	na

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
LF-12		18-Dec-97	<0.05	<0.05	na
LF-12		26-Feb-98	0.15	<0.05	<0.002
LF-12		08-Apr-98	<0.05	<0.05	<0.002
LF-12		14-Jul-98	<0.05	<0.05	<0.002
LF-12		21-Oct-98	<0.05	<0.05	<0.002
LF-12		12-Jan-99	<0.048	<0.05	<0.002
LF-13		19-Jun-91	<0.05	na	na
LF-13		16-Dec-91	<0.050	na	na
LF-13		08-Jul-92	<0.05	<0.05	na
LF-13		30-Dec-92	<0.05	<0.05	na
LF-13		08-Jun-93	0.052	<0.05	na
LF-13		05-Jan-94	<0.05	<0.05	na
LF-13		16-Apr-96	<0.05	<0.05	na
LF-13		30-Jul-96	<0.05	<0.05	na
DUP		30-Jul-96	<0.05	<0.05	na
LF-13		20-Nov-96	<0.05	<0.05	na
LF-13		17-Mar-97	<0.05	<0.05	na
DUP		17-Mar-97	<0.05	<0.05	na
LF-13		12-Jun-97	<0.05	<0.05	na
LF-13		19-Aug-97	<0.05	<0.05	na
LF-13		18-Dec-97	<0.05	<0.05	na
LF-13		25-Feb-98	<0.05	<0.05	<0.002
LF-13		07-Apr-98	0.088 (c)	<0.05	<0.002
DUP		07-Apr-98	<0.05	<0.05	<0.002
LF-13		13-Jul-98	<0.05	<0.05	<0.002
LF-13		19-Oct-98	<0.05	<0.05	<0.002 UJ2
LF-13		11-Jan-99	<0.048	<0.05	<0.002
LF-14		20-Jun-91	<0.05	na	na
LF-14		17-Dec-91	0.086	na	na
LF-14		09-Jul-92	0.18	<0.05	na
LF-14		31-Dec-92	0.19 (e)	0.068	na
LF-14		09-Jun-93	0.24	<0.05	na
LF-14		Destroyed during railway expansion activities			
LF-15		20-Jun-91	<0.05	na	na
LF-15		17-Dec-91	<0.050	na	na
LF-15		08-Jul-92	<0.05	<0.05	na

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
LF-15		30-Dec-92	<0.05	<0.05	na
LF-15		09-Jun-93	0.098	<0.05	na
LF-15	Destroyed during railway expansion activities				
LF-16		20-Jun-91	<0.05	na	na
LF-16		17-Dec-91	0.094	na	na
LF-16		09-Jul-92	0.075	<0.05	na
LF-16		30-Dec-92	<0.05	0.050	na
LF-16		09-Jun-93	0.083	<0.05	na
LF-16	Destroyed under permit				
LF-17		02-Mar-98	11	3.2	<0.002
LF-17		10-Apr-98	20 (c)	14 J3 (d)	<0.02
LF-17		16-Jul-98	22 (c)	6.5 (d)	<0.02
LF-17		23-Oct-98	7.9 (c)	3.8 (d)	<0.002
LF-17		15-Jan-99	19 (c,e,f)	4.7 (h)	<0.002
LF-18		11-Apr-96	0.32	<0.05	na
LF-18		30-Jul-96	0.32	<0.05	na
LF-18		20-Nov-96	0.5	<0.05	na
LF-18		19-Mar-97	0.26	<0.05	na
LF-18		11-Jun-97	0.18	<0.05	na
DUP		11-Jun-97	0.18	<0.05	na
LF-18		19-Aug-97	0.31	<0.05	na
LF-18		17-Dec-97	0.21	<0.05	na
LF-18		27-Feb-98	0.10	<0.05	<0.002
LF-18		08-Apr-98	0.096 (c)	<0.05	<0.002
LF-18		15-Jul-98	0.2 J4 (c)	<0.05	<0.002
DUP		15-Jul-98	0.24 J4 (c)	<0.05	<0.002
LF-18		21-Oct-98	0.14 (c)	<0.05	<0.002
LF-18		13-Jan-99	0.29 (c,e)	<0.05	<0.002
LF-19		13-Jun-97	0.6	0.07	na
LF-19		19-Aug-97	0.78	0.15	na
LF-19		27-Feb-98	0.69	0.19	<0.002
LF-19		08-Apr-98	0.56 J3 (c)	0.15 (d)	<0.002
LF-19		15-Jul-98	0.73 J3,4 (c)	0.15 (d)	<0.002
LF-19		23-Oct-98	0.8 (c)	0.13 (d)	<0.002
DUP		23-Oct-98	0.76 (c)	0.14 (d)	<0.002
LF-19		13-Jan-99	2.2 (e,i)	0.17	<0.002

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
LF-20		11-Apr-96	0.96	0.23	na
LF-20		30-Jul-96	0.56	0.2	na
LF-20		21-Nov-96	3.2	0.25	na
LF-20		18-Mar-97	0.61	0.2	na
LF-20		11-Jun-97	0.54	0.2	na
LF-20		19-Aug-97	0.67	0.22	na
LF-20		18-Dec-97	0.79	<0.05	na
LF-20		27-Feb-98	0.74	0.43	<0.002
LF-20		09-Apr-98	0.62 (c)	0.64 J3 (d)	<0.002
DUP		09-Apr-98	0.64 (c)	0.67 J3 (d)	<0.002
LF-20		16-Jul-98	0.38 (c)	0.51	<0.002
LF-20		23-Oct-98	0.57 (c)	0.5 (d)	<0.002
LF-20		13-Jan-99	1.7 (e)	0.51	<0.002
DUP		13-Jan-99	1.7 (e)	0.53	<0.002
LF-21		10-Apr-96	2.8	<0.05	na
LF-21		31-Jul-96	1.4	0.06	na
LF-21		21-Nov-96	2.4	0.06	na
LF-21		18-Mar-97	1.7	<0.05	na
LF-21		11-Jun-97	0.83	<0.05	na
LF-21		19-Aug-97	0.78	<0.05	na
LF-21		17-Dec-97	1.0	<0.05	na
LF-21		02-Mar-98	3.0	<0.05	<0.002
DUP		02-Mar-98	3.2	<0.05	<0.002
LF-21		09-Apr-98	2.1 J3 (c)	<0.05	<0.002
LF-21		16-Jul-98	1.6 J3 (c)	0.056 J3 (d)	<0.002
LF-21		23-Oct-98	1.3 J3 (c)	0.05 (d)	<0.002
LF-21		14-Jan-99	1.4 (c,e)	<0.05	<0.002
LF-22		02-Mar-98	0.06	<0.05	<0.002
LF-22		10-Apr-98	0.051 (c)	<0.05	<0.002
LF-22		15-Jan-99	<0.048	<0.05	<0.002
LF-23		10-Apr-96	1.7	<0.05	na
DUP		10-Apr-96	1.3	<0.05	na
LF-23		02-Aug-96	5.6	<0.05	na
LF-23		21-Nov-96	1.3	<0.05	na

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
LF-23		18-Mar-97	1.5	<0.05	na
LF-23		11-Jun-97	0.41	<0.05	na
LF-23		20-Aug-97	0.29	<0.05	na
LF-23		18-Dec-97	0.30	<0.05	na
LF-23		26-Feb-98	0.56	<0.05	<0.002
LF-23		08-Apr-98	0.99 J3 (c)	<0.05	<0.002
LF-23		15-Jul-98	<0.05	<0.05	<0.002
LF-23		21-Oct-98	0.54 (c)	<0.05	<0.002
LF-23		12-Jan-99	0.26 (c,e)	<0.05	<0.002
LF-24		11-Apr-96	0.09	<0.05	na
LF-24		02-Aug-96	0.16	<0.05	na
LF-24		21-Nov-96	0.14	<0.05	na
LF-24		18-Mar-97	<0.05	<0.05	na
LF-24		11-Jun-97	0.06	<0.05	na
LF-24		20-Aug-97	0.06	<0.05	na
LF-24		18-Dec-97	0.06	<0.05	na
LF-24		26-Feb-98	0.05	<0.05	<0.002
LF-24		08-Apr-98	<0.05	<0.05	<0.002
LF-24		15-Jul-98	1.3 J3,4 (c)	<0.05	<0.002
LF-24		21-Oct-98	0.059 (c)	<0.05	<0.002
LF-24		12-Jan-99	<0.047	<0.05	<0.002
LF-25		11-Apr-96	0.18	<0.05	na
LF-25		02-Aug-96	0.3	<0.05	na
LF-25		21-Nov-96	0.31	<0.05	na
LF-25		18-Mar-97	0.11	<0.05	na
LF-25		11-Jun-97	0.11	<0.05	na
LF-25		20-Aug-97	0.13	<0.05	na
LF-25		18-Dec-97	0.15	<0.05	na
LF-25		26-Feb-98	0.31	<0.05	<0.002
LF-25		08-Apr-98	0.063 (c)	<0.05	<0.002
LF-25		15-Jul-98	0.11 J4 (c)	<0.05	<0.002
LF-25		21-Oct-98	0.1 (c)	<0.05	<0.002
LF-25		12-Jan-99	0.14 (c,e)	0.054 (g)	<0.002
LF-26		27-Feb-98	0.51	0.39	<0.002
LF-26		09-Apr-98	0.5 (c)	0.29 (d)	<0.002

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
LF-26		16-Jul-98	0.32 (c)	0.29 J3	<0.002
LF-26		23-Oct-98	0.35 (c)	0.21 (d)	<0.002
LF-26		13-Jan-99	1.5 (e,i)	0.36	<0.002
LF-27		29-Dec-97	<0.05	<0.05	na
LF-27		26-Feb-98	<0.05	<0.05	<0.002
LF-27		08-Apr-98	<0.05	<0.05	<0.002
LF-27		14-Jul-98	<0.05	<0.05	<0.002
LF-27		21-Oct-98	<0.05	<0.05	<0.002
LF-27		12-Jan-99	<0.047	<0.05	<0.002
LF-28		29-Dec-97	0.13	0.08	na
LF-28		26-Feb-98	<0.05	0.065	<0.002
LF-28		08-Apr-98	0.26 (c)	0.064 J3 (d)	<0.002
LF-28		14-Jul-98	0.3 (c)	0.064 (d)	<0.002
LF-28		21-Oct-98	0.36 (c)	0.061 (d)	<0.004
LF-28		12-Jan-99	0.25 (c,i)	0.11	0.0014 J11
DUP		12-Jan-99	0.27 (c,i)	0.11	0.0013 J11
LF-29		29-Dec-97	1.1	0.8	na
LF-29		25-Feb-98	0.57	1.2	<0.004
LF-29		07-Apr-98	0.79 (c)	1.2 J3 (d)	<0.002
LF-29		14-Jul-98	0.81 (c)	1.4 (d)	<0.002
LF-29		20-Oct-98	1 (c)	1.8 J3 (d)	<0.01
LF-29		11-Jan-99	0.95 (c)	0.9	<0.002
LF-30		30-Dec-97	0.24	<0.05	na
LF-30		25-Feb-98	0.11	0.14	<0.002
DUP		25-Feb-98	0.14	0.18	<0.002
LF-30		07-Apr-98	0.16 (c)	0.23 (d)	<0.002
LF-30		14-Jul-98	0.16 (c)	0.35 (d)	<0.002
LF-30		20-Oct-98	0.15 (c)	0.38 (d)	<0.002
LF-30		11-Jan-99	0.2 (c,f)	0.34	0.0014 J11
LF-B1	(a)	20-Jun-91	<0.05	na	na
LF-B1	(a)	16-Dec-91	<0.050	na	na
LF-B1	(a)	08-Jul-92	<0.05	0.180	na
LF-B1	(a)	30-Dec-92	<0.05	0.2 (g)	na

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
LF-B1	(a)	08-Jun-93	0.061	0.180 (g)	na
LF-B1	Destroyed under permit				
LF-B2		21-Jun-91	<0.05	na	na
LF-B2		16-Dec-91	<0.050	na	na
LF-B2		08-Jul-92	<0.05	<0.05	na
LF-B2		08-Jun-93	<0.05	<0.05	na
LF-B2	Destroyed or lost during slurry wall and cap construction activities				
LF-B3		19-Jun-91	<0.05	na	na
LF-B3		16-Dec-91	<0.050	na	na
LF-B3		08-Jul-92	<0.05	0.140	na
LF-B3		30-Dec-92	<0.05	0.150 (g)	na
LF-B3		08-Jun-93	0.06	0.090 (g)	na
LF-B3		05-Jan-94	<0.05	<0.05	na
LF-B3		16-Apr-96	2.7	<0.05	na
LF-B3		01-Aug-96	0.6	<0.05	na
LF-B3		21-Nov-96	0.44	<0.05	na
DUP		21-Nov-96	0.53	<0.05	na
LF-B3		17-Mar-97	0.85	<0.05	na
LF-B3		12-Jun-97	0.93	0.06	na
LF-B3		20-Aug-97	0.2	0.06	na
LF-B3		17-Dec-97	0.70	<0.05	na
LF-B3		27-Feb-98	0.42	<0.05	0.011
LF-B3		08-Apr-98	0.97 (c)	<0.05	<0.002
LF-B3		15-Jul-98	0.16 J4 (c)	<0.05	0.012
LF-B3		21-Oct-98	0.12 J3 (c)	<0.05	0.019
LF-B3		13-Jan-99	0.39 (c,e)	<0.05	0.014
LF-B4		19-Jun-91	<0.05	na	na
LF-B4		17-Dec-91	<0.050	na	na
LF-B4		08-Jul-92	<0.05	<0.05	na
LF-B4		30-Dec-92	<0.05	0.160 (g)	na
LF-B4		08-Jun-93	0.066	<0.05 (g)	na
LF-B4		05-Jan-94	<0.05	<0.05	na
LF-B4		16-Apr-96	<0.05	<0.05	na
LF-B4		30-Jul-96	<0.05	<0.05	na
LF-B4		22-Nov-96	0.16	<0.05	na
DUP		22-Nov-96	<0.05	<0.05	na
LF-B4		17-Mar-97	<0.05	<0.05	na

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
LF-B4		01-Jul-97	<0.05	<0.05	na
LF-B4		20-Aug-97	<0.05	<0.05	na
LF-B4		18-Dec-97	<0.05	<0.05	na
LF-B4		25-Feb-98	<0.05	<0.05	<0.002
LF-B4		07-Apr-98	<0.05	<0.05	<0.002
LF-B4		15-Jul-98	<0.05	<0.05	<0.002
LF-B4		19-Oct-98	<0.05	<0.05	<0.002 UJ2
LF-B4		11-Jan-99	0.055 (i)	<0.05	<0.002
LF-B5	(b)	09-Apr-96	0.1	<0.05	na
LF-B5	(b)	01-Aug-96	<0.05	0.15	na
LF-B5	(b)	22-Nov-96	<0.05	0.06	na
LF-B5	(b)	17-Mar-97	<0.05	0.12	na
LF-B5	(b)	12-Jun-97	<0.05	0.09	na
LF-B5	(b)	20-Aug-97	<0.05	0.12	na
LF-B5	(b)	17-Dec-97	0.64	0.12	na
LF-B5	(b)	27-Feb-98	<0.05	0.1	0.0038
LF-B5	(b)	09-Apr-98	<0.05	<0.05	<0.002
LF-B5	(b)	16-Jul-98	<0.05	0.15 (d)	<0.025
DUP	(b)	16-Jul-98	<0.05	0.14 (d)	<0.025
LF-B5	(b)	23-Oct-98	<0.05	0.16 (d)	0.0064
LF-B5	(b)	13-Jan-99	0.053 (c,i)	0.057 (g)	0.0069
LF-B6		09-Apr-96	1	2.7	na
LF-B6		01-Aug-96	0.08	0.38	na
LF-B6		25-Nov-96	0.34	0.21	na
DUP		25-Nov-96	0.34	0.18	na
LF-B6		17-Mar-97	0.14	0.1	na
LF-B6		12-Jun-97	0.21	0.2	na
LF-B6		19-Aug-97	0.19	0.16	na
LF-B6		18-Dec-97	<0.05	0.14	na
LF-B6		27-Feb-98	<0.05	0.082	0.011
LF-B6		08-Apr-98	0.18 (c)	0.085 (d)	<0.002
LF-B6		15-Jul-98	0.095 J4 (c)	0.074 (d)	0.0087
LF-B6		19-Oct-98	0.052 (c)	<0.05	<0.1 UJ2
LF-B6		13-Jan-99	<0.047	0.063	0.0089
EX-1		18-Apr-96	4.3	0.42	na

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
EX-1		01-Aug-96	4.1	0.22	na
EX-1		18-Dec-96	2.4	3.1	na
EX-1		15-Apr-97	0.99	7.1	na
EX-1		01-Jul-97	0.94	4.7	na
EX-1		22-Sep-97	1.4	0.32	na
EX-1		18-Dec-97	1.7	1.6	na
EX-1		27-Feb-98	0.80	1.8	<0.002
EX-1		09-Apr-98	4.4 (c)	0.11 (d)	<0.002
EX-1		17-Jul-98	1.2 (c)	0.32	<0.002
EX-1		23-Oct-98	1.3 (c)	0.19 (d)	<0.002
EX-1		14-Jan-99	1.6 (i)	0.28	<0.002
EX-2		12-Jan-96	2	na	na
EX-2		18-Apr-96	1.3	41	na
EX-2		01-Aug-96	3.7	34	na
EX-2		18-Dec-96	0.69	45	na
EX-2		15-Apr-97	0.72	47	na
EX-2		01-Jul-97	0.64	70	na
EX-2		22-Sep-97	0.64	39	na
EX-2		22-Dec-97	0.55	10	na
EX-2		02-Mar-98	0.97	29.6	<0.2
EX-2		09-Apr-98	8.8 (c)	31 J2,3	<0.002
EX-2		17-Jul-98	1.3 (c)	22 (d)	<0.5
EX-2		23-Oct-98	0.88 (c)	1.2 (d)	<0.005
EX-2		14-Jan-99	2.7 (c,e,f)	51	<0.2
EX-3		12-Jan-96	<0.05	na	na
EX-3		18-Apr-96	0.43	<0.05	na
EX-3		01-Aug-96	0.82	<0.05	na
EX-3		18-Dec-96	0.21	<0.05	na
EX-3		15-Apr-97	0.09	<0.05	na
EX-3		01-Jul-97	0.13	<0.05	na
EX-3		22-Sep-97	0.08	<0.05	na
EX-3		19-Dec-97	0.18	0.22	na
EX-3		02-Mar-98	0.19	<0.05	<0.002
EX-3		09-Apr-98	32 (c)	<0.05 UJ2	<0.002
EX-3		17-Jul-98	0.16 (c)	0.13 (d)	<0.002
EX-3		22-Oct-98	<0.25	<0.05	<0.002
DUP		22-Oct-98	<0.25	<0.05	<0.002

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
EX-3		14-Jan-99	0.24 (c,e)	0.082	<0.002
EX-4		11-Sep-98	0.13 J3,8 (c)	<0.05	<0.002
EX-4		22-Oct-98	0.19 (c)	<0.05	<0.002
EX-4		14-Jan-99	1.4 (c,i)	0.24	<0.002
DUP		14-Jan-99	1.7 (c,i)	0.25	<0.002
EX-5		11-Sep-98	0.64 J3,8 (c)	0.44 (d)	<0.002
EX-5		22-Oct-98	0.83 (c)	0.38	<0.002
EX-5		14-Jan-99	2.6 (c,e)	0.41	<0.002
EX-6		11-Sep-98	0.95 J3,8 (c)	11	<0.2
DUP		11-Sep-98	0.92 J3,8 (c)	12 (d)	<0.2
EX-6		22-Oct-98	0.58 (c)	7.8	<0.025
EX-6		15-Jan-99	1.9 (c,e,f)	24	<0.04
EX-7		11-Sep-98	0.77 J3,8 (c)	12 J3 (d)	<0.2
EX-7		22-Oct-98	0.3 (c)	1.3	<0.01
EX-7		14-Jan-99	1.1 (c,e,f)	5.3	0.0027
EX-8		11-Sep-98	1.4 J3,8 (c)	120 (d)	<10
EX-8		22-Oct-98	0.86 (c)	88 (d)	<2.5
EX-8		14-Jan-99	2.7 (c,f,i)	26	<0.25
EX-9		11-Sep-98	0.16 J3,8 (c)	7.4 (d)	<0.4
EX-9		22-Oct-98	0.06 (c)	5.4 J2 (d)	<0.05
EX-9		14-Jan-99	0.73 (c,f,i)	6.9	<0.05
EX-10		11-Sep-98	1.3 J8 (c)	2.3 J3 (d)	<0.02
EX-10		22-Oct-98	1.5 (c)	2 J3	<0.004
EX-10		14-Jan-99	1.4 (c,e,f)	1.1	0.001 J11
RP-1		08-Sep-94	4.4	1.9	na
RP-1		28-Feb-95	1.8	0.3	na
RP-1		29-Mar-95	0.78	<0.05	na
RP-1		10-May-95	1.4	2.6	na

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
RP-1		09-Aug-95	1.4	1.4	na
RP-1		17-Nov-95	0.96	1.2	na
RP-1		10-Jan-96	0.55	0.8	na
RP-1		17-Apr-96	0.59	0.12	na
DUP		17-Apr-96	0.72	0.15	na
RP-1		31-Jul-96	1.1	1.4	na
RP-1		19-Nov-96	2.3	0.6	na
RP-1		25-Mar-97	1.2	0.68	na
RP-1		10-Jun-97	0.9	0.55	na
RP-1		18-Aug-97	1.4	1.2	na
RP-1		19-Dec-97	0.86	0.70	na
DUP		19-Dec-97	0.79	0.46	na
RP-1		26-Feb-98	0.42	<0.05	<0.002
DUP		26-Feb-98	0.50	<0.05	<0.002
RP-1		07-Apr-98	1.5 J3 (c)	<0.05	<0.002
RP-1		14-Jul-98	0.59 (c)	<0.05	0.002
RP-1		20-Oct-98	2.4 J3 (c)	<0.05	<0.002
RP-1		12-Jan-99	1.1	0.063 (d,h)	0.0011 J11
RP-2		08-Sep-94	0.4	0.09	na
DUP		08-Sep-94	0.3	0.09	na
RP-2		28-Feb-95	<0.05	0.09	na
RP-2		29-Mar-95	0.4	0.07	na
RP-2		10-May-95	0.3	<0.05	na
RP-2		09-Aug-95	0.2	<0.05	na
RP-2		17-Nov-95	0.2	0.1	na
RP-2		10-Jan-96	0.1	0.05	na
RP-2		17-Apr-96	0.17	<0.05	na
RP-2		31-Jul-96	<0.05	<0.05	na
RP-2		19-Nov-96	0.18	<0.05	na
RP-2		25-Mar-97	0.2	<0.05	na
RP-2		10-Jun-97	0.13	<0.05	na
RP-2		18-Aug-97	0.17	<0.05	na
DUP		18-Aug-97	0.16	<0.05	na
RP-2		19-Dec-97	0.16	<0.05	na
RP-2		26-Feb-98	0.14	<0.05	<0.002
RP-2		07-Apr-98	0.12 (c)	<0.05	<0.002
RP-2		13-Jul-98	0.097 (c)	<0.05	<0.002
RP-2		20-Oct-98	0.18 (c)	<0.05	<0.002

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
RP-2		11-Jan-99	0.22 (c,e,f)	0.053 (g)	0.0015 J11
RP-3		08-Sep-94	0.7	0.1	na
RP-3		28-Feb-95	1.2	0.2	na
RP-3		29-Mar-95	1.9	0.3	na
RP-3		10-May-95	1.7	0.1	na
RP-3		09-Aug-95	1.2	0.2	na
RP-3		17-Nov-95	1.1	0.1	na
RP-3		10-Jan-96	0.56	0.1	na
RP-3		17-Apr-96	0.42	0.13	na
RP-3		31-Jul-96	0.39	0.1	na
RP-3		19-Nov-96	1.2	0.07	na
RP-3		25-Mar-97	0.47	0.09	na
RP-3		10-Jun-97	0.53	0.1	na
RP-3		18-Aug-97	0.5	0.09	na
RP-3		19-Dec-97	0.48	0.08	na
RP-3		25-Feb-98	0.49	0.15	<0.002
RP-3		07-Apr-98	0.47 (c)	0.38 (d)	<0.002
RP-3		13-Jul-98	0.41 (c)	0.31 (d)	<0.002
RP-3		20-Oct-98	0.45 (c)	0.22 (d)	<0.002
DUP		20-Oct-98	0.44 (c)	0.22 (d)	<0.002
RP-3		11-Jan-99	0.75 (c,e,f)	0.13 (g)	<0.002
RP-4		08-Sep-94	0.2	0.1	na
RP-4		28-Feb-95	0.07	0.08	na
DUP		28-Feb-95	0.07	0.07	na
RP-4		29-Mar-95	0.3	0.07	na
RP-4		10-May-95	0.2	<0.05	na
DUP		10-May-95	0.2	<0.05	na
RP-4		09-Aug-95	0.2	<0.05	na
DUP		09-Aug-95	0.2	<0.05	na
RP-4		17-Nov-95	0.1	<0.05	na
DUP		17-Nov-95	0.3	<0.05	na
RP-4		09-Jan-96	0.1	0.05	na
RP-4		17-Apr-96	0.14	<0.05	na
RP-4		31-Jul-96	0.24	<0.05	na
DUP		31-Jul-96	0.21	<0.05	na
RP-4		19-Nov-96	0.12	<0.05	na
RP-4		25-Mar-97	0.19	<0.05	na

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
RP-4		10-Jun-97	0.19	<0.05	na
DUP		10-Jun-97	0.12	<0.05	na
RP-4		18-Aug-97	0.07	<0.05	na
RP-4		19-Dec-97	0.07	<0.05	na
RP-4		25-Feb-98	0.07	0.062	0.0027
RP-4		07-Apr-98	0.097 (c)	<0.05	0.0025
RP-4		13-Jul-98	0.061 (c)	0.059 (d)	<0.002
DUP		13-Jul-98	0.071 (c)	0.051 (d)	<0.002
RP-4		20-Oct-98	0.1 (c)	<0.05	0.0047
RP-4		11-Jan-99	0.077 (i)	0.075 (g)	0.0034
RP-5		08-Sep-94	0.6	0.09	na
RP-5		28-Feb-95	0.2	0.06	na
RP-5		29-Mar-95	0.8	<0.05	na
RP-5		10-May-95	1.1	<0.05	na
RP-5		09-Aug-95	0.69	<0.05	na
RP-5		17-Nov-95	0.5	<0.05	na
RP-5		09-Jan-96	0.2	<0.05	na
DUP		09-Jan-96	0.2	<0.05	na
RP-5		17-Apr-96	0.64	<0.05	na
RP-5		31-Jul-96	0.79	<0.05	na
RP-5		19-Nov-96	0.41	<0.05	na
DUP		19-Nov-96	0.53	<0.05	na
RP-5		25-Mar-97	0.54	<0.05	na
DUP		25-Mar-97	0.59	<0.05	na
RP-5		10-Jun-97	0.59	<0.05	na
RP-5		18-Aug-97	0.67	<0.05	na
RP-5		19-Dec-97	0.65	<0.05	na
RP-5		26-Feb-98	0.34	0.055	<0.002
RP-5		07-Apr-98	0.41 J3 (c)	<0.05	<0.002
RP-5		13-Jul-98	0.37 (c)	<0.05	<0.002
RP-5		20-Oct-98	0.47 (c)	0.054 (d)	<0.002
RP-5		12-Jan-99	0.43 (c,e)	0.07 (g)	<0.002
MW-1		29-Mar-95	3.6	7.41	na
MW-1		08-Jun-95	2.6	2.1	na
MW-1		09-Jan-96	4	1.3	na
MW-1		17-Apr-96	1.1	1.7	na
MW-1		31-Jul-96	12	2.4	na

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
MW-1		19-Nov-96	1.5	0.85	na
MW-1		25-Mar-97	1.8	0.99	na
MW-1		10-Jun-97	1.3	0.94	na
MW-1		18-Aug-97	1.6	0.88	na
MW-1		19-Dec-97	1.2	1.1	na
MW-1		26-Feb-98	1.1	1.8	<0.002
MW-1		08-Apr-98	1.3 (c)	1.6 J3 (d)	<0.002
	DUP	08-Apr-98	1.1 (c)	1.5 J3 (d)	<0.002
MW-1		14-Jul-98	1 (c)	1.7 J3 (d)	<0.01
MW-1		21-Oct-98	1.1 (c)	1.6 (d)	<0.02
MW-1		12-Jan-99	1.6 (c)	1.3	<0.002
MW-2		29-Mar-95	4.4	3	na
MW-2		08-Jun-95	3.8	1.3	na
MW-2		09-Jan-96	2.5	0.9	na
MW-2		17-Apr-96	4.6	0.62	na
MW-2		31-Jul-96	3.2	0.71	na
MW-2		19-Nov-96	3.2	0.37	na
MW-2		25-Mar-97	3.3	0.52	na
MW-2		10-Jun-97	1.5	0.5	na
MW-2		18-Aug-97	1.8	0.73	na
MW-2		19-Dec-97	1.5	0.4	na
MW-2		26-Feb-98	2.4	0.45	<0.002
MW-2		08-Apr-98	1.8 (c)	0.34 J3 (d)	<0.002
MW-2		14-Jul-98	2.2 J3 (c)	0.38 (d)	0.0053
MW-2		21-Oct-98	1.4 (c)	0.43 (d)	<0.004
	DUP	21-Oct-98	1.2 (c)	0.49 (d)	<0.004
MW-2		12-Jan-99	1.1	0.33	0.0042
MW-3		29-Mar-95	1.5	2	na
MW-3		08-Jun-95	0.55	0.43	na
MW-3		09-Jan-96	0.3	0.2	na
MW-3		17-Apr-96	0.18	0.16	na
MW-3		31-Jul-96	0.42	9.4	na
MW-3		19-Nov-96	0.46	0.47	na
MW-3		25-Mar-97	<0.05	0.31	na
MW-3		10-Jun-97	<0.05	0.07	na
MW-3		18-Aug-97	<0.05	0.1	na
MW-3		19-Dec-97	0.06	0.07	na

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
MW-3		26-Feb-98	<0.05	0.11	<0.002
MW-3		07-Apr-98	0.089 (c)	0.091 J3 (d)	0.0036
MW-3		14-Jul-98	0.053 (c)	<0.05	0.0064
DUP		14-Jul-98	0.067 (c)	0.068 (d)	0.0075
MW-3		20-Oct-98	0.084 (c)	<0.05	0.0059
MW-3		11-Jan-99	0.073 (c)	0.069	0.0036
DUP		11-Jan-99	0.049 (c)	0.065	0.0032
MW-4		29-Mar-95	2.5	1.9	na
MW-4		08-Jun-95	4.5	1.1	na
MW-4		10-Jan-96	6.3	0.7	na
MW-4		19-Nov-96	6.9	0.7	na
MW-4		18-Aug-97	9.9	1.1	na
MW-4		19-Dec-97	12	0.18	na
MW-4		02-Mar-98	3.7	0.22	<0.002
MW-4		10-Apr-98	4.4 J3 (c)	0.18 (d)	<0.002
MW-4		17-Jul-98	4.7 J3 (c)	0.26 (d)	<0.002
MW-4		23-Oct-98	5.3 (c)	0.27 (d)	<0.002
MW-4		15-Jan-99	6.6 (c,e,f)	0.27 (h)	<0.002
MW-5		29-Mar-95	1.1	660	na
MW-5		08-Jun-95	13	38	na
MW-5		10-Jan-96	5.4	160	na
MW-5		19-Nov-96	3.7	180	na
MW-5		18-Aug-97	15	120	na
MW-5		19-Dec-97	6.0	160	na
MW-5		02-Mar-98	3.8	198	<10
MW-5		10-Apr-98	5.2 (c)	250 J2	<20
MW-5		17-Jul-98	4.6 (c)	180 (d)	<10
DUP		17-Jul-98	4.2 (c)	170 J3 (d)	<10
MW-5		19-Oct-98	33 (c)	130	<10 UJ2
MW-5		15-Jan-99	19 (c,e,f,i)	230	<2

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
-------------	-------	--------------	--	--	------

Data QA/QC performed by LXG.

Notes: < = Analyte was not detected at or greater than the detection limit reported
 ND = Not detected (no associated detection limit was reported)
 na = Not analyzed

(a) Concentrations for LF-B1 may not represent the B-zone water quality because LF-B1 is screened in the aquitard between the A and B zones.

(b) Concentrations for LF-B5 may not represent the B-zone water quality because LF-B5 is screened in the aquitard between the A and B zones.

Data qualifiers and notes for TPH data:

J1= Concentration is estimated because the concentration exceeded the calibration range of the analytical instrument.

J2 = Concentration is estimated because the sample was analyzed outside of holding time.

J3 = Concentration is estimated due to surrogate recoveries outside of control limits.

J4= Concentration is estimated due to relative percent difference (RPD) outside of control limit for the laboratory control sample

(c) = Unknown hydrocarbon mixture with peak patterns atypical of diesel is quantified as diesel for a range of n-C10 to n-C24.

(d) = Unknown hydrocarbon mixture with peak patterns atypical of gasoline is quantified as gasoline for a range of n-C07 to n-C12.

(e) = The concentration reported for diesel is due primarily to the presence of a heavier petroleum product, possibly motor oil.

(f) = The concentration reported for diesel is due primarily to the presence of a lighter petroleum product (range C06-C12), possibly gasoline.

(g) = The concentration reported for gasoline is due to the presence of a discrete hydrocarbon peak not indicative of gasoline.

(h) = The concentration reported for gasoline is due primarily to the presence of a heavier hydrocarbon peak not indicative of gasoline.

(i) = The concentration reported for diesel is due to the presence of a discrete hydrocarbon peak not indicative of diesel.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-1		01-Jun-89	200	na	na	<0.04	<0.3	na	na	na	na	na	0.59
LF-1		07-Dec-89	190	na	na	<0.04	<0.3	na	na	na	na	na	0.02
LF-1		20-Jul-90	120	0.06	na	<0.05	<0.2	na	na	na	na	na	0.26
LF-1		20-Jun-91	58	na	na	<0.005	<0.004	na	na	na	na	na	0.236
LF-1		09-Jul-92	53.2	<0.1	na	0.058	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-1		09-Jun-93	39.8	<0.1	na	<0.03	0.0039	<0.01	<0.0002	<0.05	<0.01	na	na
LF-1	Destroyed under permit												
LF-2		02-Jun-89	2.6	na	na	<0.04	<0.3	na	na	na	na	na	0.01
LF-2		07-Dec-89	17	na	na	<0.04	<0.3	na	na	na	na	na	<0.01
LF-2		20-Jul-90	110	0.45	na	<0.05	<0.2	na	na	na	na	na	<0.05
LF-2	Destroyed or lost during slurry wall and cap construction activities												
LF-3		02-Jun-89	27	na	na	<0.04	<0.3	na	na	na	na	na	<0.01
LF-3		07-Dec-89	30	na	na	<0.04	<0.3	na	na	na	na	na	<0.01
LF-3		20-Jul-90	21	0.42	na	<0.05	<0.2	na	na	na	na	na	<0.05
LF-3		20-Jun-91	60.4	na	na	<0.005	<0.004	na	na	na	na	na	0.028
LF-3		09-Jul-92	70.8	0.473	na	0.0205	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
DUP		09-Jul-92	66.6	0.452	na	0.0361	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-3		09-Jun-93	142	0.625	na	<0.1	<0.003	<0.01	<0.0002	<0.05	<0.01	na	na
DUP		09-Jun-93	141	0.635	na	<0.1	<0.003	<0.01	<0.0002	<0.05	<0.01	na	na
LF-3		16-Apr-96	58	na	na	na	<0.002	na	na	na	na	na	na
LF-3		31-Jul-96	72	na	na	na	na	na	na	na	na	na	na
LF-3		20-Nov-96	72	na	na	na	na	na	na	na	na	na	na
LF-3		19-Mar-97	110	na	na	na	na	na	na	na	na	na	na
LF-3		12-Jun-97	180	na	na	na	na	na	na	na	na	na	na
LF-3		19-Aug-97	120	na	na	na	na	na	na	na	na	na	na
LF-3		02-Dec-97	na	na	na	na	na	na	na	na	na	na	0.04
LF-3		17-Dec-97	60	na	na	na	na	na	na	na	na	na	na
DUP		17-Dec-97	67	na	na	na	na	na	na	na	na	na	na
LF-3		02-Mar-98	65	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-3		10-Apr-98	25.7	na	na	na	na	na	na	na	na	na	na
LF-3		16-Jul-98	117	na	na	na	na	na	na	na	na	na	na
LF-3		19-Oct-98	142	na	na	na	na	na	na	na	na	na	na
LF-3		15-Jan-99	29	na	na	na	na	na	na	na	na	na	na
DUP		15-Jan-99	31	na	na	na	na	na	na	na	na	na	na
LF-4		02-Jun-89	0.53	na	na	<0.04	<0.3	na	na	na	na	na	<0.01
DUP		02-Jun-89	0.58	na	na	<0.04	<0.3	na	na	na	na	na	7
LF-4		06-Dec-89	0.420	na	na	<0.04	<0.3	na	na	na	na	na	<0.01
DUP		06-Dec-89	0.550	na	na	<0.04	<0.3	na	na	na	na	na	0.010
LF-4		20-Jul-90	0.19	0.16	na	<0.05	<0.2	na	na	na	na	na	<0.05
LF-4		20-Jun-91	0.51	na	na	<0.005	0.015	na	na	na	na	na	0.071
DUP		20-Jun-91	0.493	na	na	<0.005	0.01	na	na	na	na	na	0.109
LF-4		09-Jul-92	0.367	0.119	na	<0.005	<0.04	<0.01	<0.00027	<0.025	<0.01	na	na
LF-4		09-Jun-93	1.520	0.250	na	<0.015	<0.003	<0.01	<0.0002	<0.025	<0.01	na	na
LF-4		02-Dec-97	na	na	na	na	na	na	na	na	na	na	0.05
LF-4		02-Mar-98	0.34	na	na	na	na	na	na	na	na	na	na
LF-4		09-Apr-98	0.73	na	na	na	na	na	na	na	na	na	na
LF-4		16-Jul-98	0.17	na	na	na	na	na	na	na	na	na	na
LF-4		19-Oct-98	0.47	na	na	na	na	na	na	na	na	na	na
LF-4		14-Jan-99	0.39	na	na	na	na	na	na	na	na	na	na
LF-5		01-Jun-89	0.017	na	na	<0.04	<0.3	na	na	na	na	na	0.04
LF-5		06-Dec-89	<0.07 U5,6	na	na	<0.04	<0.3	na	na	na	na	na	<0.01
LF-5		20-Jul-90	0.020	0.17	na	<0.05	<0.2	na	na	na	na	na	0.05
LF-5		20-Jun-91	0.038	na	na	<0.005	0.003	na	na	na	na	na	<0.02
LF-5		09-Jul-92	<0.01	0.111	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-5		09-Jun-93	0.0283	0.257	na	<0.005	<0.003	<0.01	<0.00027	<0.005	<0.01	na	na
LF-5		Destroyed or lost during slurry wall and cap construction activities											

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-6		01-Jun-89	13	na	na	0.09	<0.3	na	na	na	na	na	0.12
LF-6		05-Dec-89	16	na	na	0.06	<0.3	na	na	na	na	na	<0.01
LF-6		20-Jul-90	14	0.21	na	<0.05	<0.2	na	na	na	na	na	0.06
LF-6		Sealed August 2, 1990											
LF-7		01-Jun-89	0.008	na	na	<0.04	<0.3	na	na	na	na	na	<0.01
LF-7		06-Dec-89	<0.07 U5,6	na	na	<0.04	<0.3	na	na	na	na	na	0.02
LF-7		19-Jul-90	<0.002	0.06	na	<0.05	<0.2	na	na	na	na	na	<0.05
LF-7		20-Jun-91	0.012	na	na	<0.005	<0.004	na	na	na	na	na	<0.02
LF-7		17-Dec-91	<0.010	na	na	<0.005	<0.003	<0.010	na	na	na	na	<0.020
LF-7		09-Jul-92	<0.01	<0.1	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
DUP		09-Jul-92	<0.01	<0.1	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-7		09-Jun-93	<0.01	0.191	na	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.01	na	na
DUP		09-Jun-93	<0.01	0.201	na	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.01	na	na
LF-7		06-Jan-94	<0.002	0.07	na	<0.001	0.001	<0.002	<0.0002	<0.004	<0.001	na	na
LF-7		01-Aug-96	na	na	na	na	na	na	na	na	na	na	26
LF-7		22-Nov-96	na	na	na	na	na	na	na	na	na	na	0.12
LF-7		25-Nov-97	na	na	na	na	na	na	na	na	na	na	0.49
LF-7		27-Feb-98	0.020	na	na	na	na	na	na	na	na	na	na
DUP		27-Feb-98	0.020	na	na	na	na	na	na	na	na	na	na
LF-7		13-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-8		05-Dec-89	<0.07 U5,6	na	na	<0.04	<0.3	na	na	na	na	na	<0.01
LF-8		19-Jul-90	<0.002	0.12	na	<0.05	<0.2	na	na	na	na	na	<0.05
LF-8		21-Dec-90	0.02	0.59	na	0.0015	<0.2	na	na	na	na	na	0.25
LF-8		20-Jun-91	0.021	na	na	<0.005	<0.004	na	na	na	na	na	<0.02
LF-8		17-Dec-91	0.016	na	na	<0.005	<0.003	<0.010	na	na	na	na	<0.020
LF-8		09-Jul-92	<0.01	<0.1	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-8		30-Dec-92	0.029	0.177	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
LF-8		09-Jun-93	0.0384	0.121	na	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.01	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-8		06-Jan-94	0.055	0.1	na	<0.001	<0.001	<0.002	<0.0002	0.005	<0.001	na	na
LF-8		25-Nov-97	na	na	na	na	na	na	na	na	na	na	0.01
LF-8		27-Feb-98	0.022	na	na	na	na	na	na	na	na	na	na
LF-8		08-Apr-98	0.026	na	na	na	na	na	na	na	na	na	na
LF-8		15-Jul-98	0.019	na	na	na	na	na	na	na	na	na	na
LF-8		21-Oct-98	0.030	na	na	na	na	na	na	na	na	na	na
LF-8		13-Jan-99	0.029	na	na	na	na	na	na	na	na	na	na
LF-9		05-Dec-89	0.067	na	na	<0.04	<0.3	na	na	na	na	na	0.02
LF-9		19-Jul-90	0.008	0.11	na	<0.05	<0.2	na	na	na	na	na	<0.05
LF-9		21-Dec-90	0.12	0.27	na	0.0029	<0.2	na	na	na	na	na	0.73
LF-9		20-Jun-91	0.075	na	na	<0.005	0.012	na	na	na	na	na	0.1
LF-9		06-Aug-91	0.131	na	na	na	na	na	na	na	na	na	na
LF-9		16-Dec-91	0.046	na	na	<0.005	<0.003	<0.010	na	na	na	na	0.039
LF-9		09-Jul-92	<0.01	<0.1	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-9		30-Dec-92	0.106	<0.1	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
LF-9		09-Jun-93	0.158	0.169	na	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.01	na	na
LF-9		Destroyed or lost during slurry wall and cap construction activities											
LF-10		07-Dec-89	0.650	na	na	<0.04	<0.3	na	na	na	na	na	<0.01
LF-10		19-Jul-90	0.012	0.11	na	<0.05	<0.2	na	na	na	na	na	<0.05
DUP		19-Jul-90	0.008	0.14	na	<0.05	<0.3	na	na	na	na	na	0.07
LF-10		21-Dec-90	1	0.33	na	0.0009	<0.2	na	na	na	na	na	<0.05
DUP		21-Dec-90	1.1	0.35	na	0.0007	<0.3	na	na	na	na	na	0.07
LF-10		20-Jun-91	0.657	na	na	<0.005	0.013	na	na	na	na	na	0.064
LF-10		06-Aug-91	1.09	na	na	na	na	na	na	na	na	na	na
LF-10		18-Dec-91	0.704	na	na	<0.005	<0.003	<0.010	na	na	na	na	0.028
DUP		18-Dec-91	0.549	na	na	<0.005	<0.003	<0.010	na	na	na	na	<0.020
LF-10		09-Jul-92	0.328	<0.1	na	<0.005	<0.04	<0.01	<0.00027	<0.025	<0.01	na	na
LF-10		31-Dec-92	0.550	<0.1	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
DUP		31-Dec-92	0.552	<0.1	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
LF-10		09-Jun-93	0.958	0.249	na	<0.005	<0.003	<0.01	<0.0002	<0.05	<0.01	na	na
LF-10		06-Jan-94	0.94	0.19	na	<0.001	<0.001	<0.002	<0.0002	<0.004	0.002	na	na
DUP		06-Jan-94	0.82	0.18	na	<0.001	0.001	<0.002	<0.0002	<0.004	0.002	na	na
LF-10		01-Aug-96	na	na	na	na	na	na	na	na	na	na	2.3
LF-10		20-Nov-96	na	na	na	na	na	na	na	na	na	na	0.13
LF-10		02-Dec-97	na	na	na	na	na	na	na	na	na	na	0.02
LF-10		27-Feb-98	0.77	na	na	na	na	na	na	na	na	na	na
LF-10		15-Jan-99	0.26	na	na	na	na	na	na	na	na	na	na
LF-11		05-Dec-89	<0.07 U5,6	na	na	<0.04	<0.3	na	na	na	na	na	0.02
LF-11		19-Jul-90	0.007	0.12	na	<0.05	<0.2	na	na	na	na	na	<0.05
LF-11		21-Dec-90	0.011	0.18	na	0.0006	<0.2	na	na	na	na	na	<0.05
LF-11		21-Jun-91	0.023	na	na	<0.005	0.007	na	na	na	na	na	<0.02
DUP		21-Jun-91	0.024	na	na	<0.005	0.006	na	na	na	na	na	<0.02
LF-11		06-Aug-91	0.021	na	na	na	na	na	na	na	na	na	na
LF-11		17-Dec-91	0.011	na	na	<0.005	<0.003	<0.010	na	na	na	na	<0.020
LF-11		09-Jul-92	<0.01	0.169	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-11		31-Dec-92	<0.01	<0.1	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
LF-11		09-Jun-93	0.0116	0.152	na	<0.005	<0.003	<0.01	<0.0002	<0.05	<0.01	na	na
LF-11		05-Jan-94	0.019	0.13	na	<0.001	<0.001	<0.002	<0.0002	<0.004	0.001	na	na
LF-11		16-Apr-96	0.048	na	na	na	<0.002	na	na	na	na	na	na
LF-11		31-Jul-96	0.11	na	na	na	na	na	na	na	na	na	na
LF-11		20-Nov-96	0.45	na	na	na	na	na	na	na	na	na	na
LF-11		18-Mar-97	1.2	na	na	na	na	na	na	na	na	na	na
DUP		18-Mar-97	1.2	na	na	na	na	na	na	na	na	na	na
LF-11		11-Jun-97	0.62	na	na	na	na	na	na	na	na	na	na
LF-11		19-Aug-97	1.3	na	na	na	na	na	na	na	na	na	na
DUP		19-Aug-97	1.1	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-11		17-Dec-97	2.1	na	na	na	na	na	na	na	na	na	na
LF-11		02-Mar-98	2.7	na	na	na	na	na	na	na	na	na	na
LF-11		10-Apr-98	2.9	na	na	na	na	na	na	na	na	na	na
DUP		10-Apr-98	2.5	na	na	na	na	na	na	na	na	na	na
LF-11		16-Jul-98	3.2	na	na	na	na	na	na	na	na	na	na
LF-11		23-Oct-98	2.0	na	na	na	na	na	na	na	na	na	na
LF-11		14-Jan-99	1.7	na	na	na	na	na	na	na	na	na	na
LF-12		06-Dec-89	<0.07 U5,6	na	na	<0.04	<0.3	na	na	na	na	na	0.02
LF-12		18-Jul-90	0.004	0.06	na	<0.05	<0.3	na	na	na	na	na	<0.2
LF-12		19-Jun-91	<0.01	na	na	<0.005	<0.004	na	na	na	na	na	<0.02
LF-12		16-Dec-91	<0.010	na	na	<0.005	<0.003	<0.010	na	na	na	na	0.024
LF-12		08-Jul-92	<0.01	<0.1	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-12		30-Dec-92	0.014	<0.1	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
LF-12		08-Jun-93	0.0152	<0.1	na	<0.005	<0.003	<0.01	<0.0002	<0.05	<0.01	na	na
LF-12		06-Jan-94	0.013	0.06	na	<0.001	<0.001	0.006	<0.0002	0.005	<0.001	na	na
LF-12		16-Apr-96	0.043	na	na	na	<0.002	na	na	na	na	na	na
LF-12		30-Jul-96	0.006	na	na	na	na	na	na	na	na	na	0.81
LF-12		20-Nov-96	0.022	na	na	na	na	na	na	na	na	na	0.1
LF-12		17-Mar-97	0.014	na	na	na	na	na	na	na	na	na	na
LF-12		01-Jul-97	0.014	na	na	na	na	na	na	na	na	na	na
DUP		01-Jul-97	0.014	na	na	na	na	na	na	na	na	na	na
LF-12		20-Aug-97	0.018	na	na	na	na	na	na	na	na	na	na
LF-12		02-Dec-97	na	na	na	na	na	na	na	na	na	na	0.03
LF-12		18-Dec-97	0.013	na	na	na	na	na	na	na	na	na	na
LF-12		26-Feb-98	0.014	na	na	na	na	na	na	na	na	na	na
LF-12		08-Apr-98	0.014	na	na	na	na	na	na	na	na	na	na
LF-12		14-Jul-98	0.012	na	na	na	na	na	na	na	na	na	na
LF-12		21-Oct-98	0.013	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-12		12-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-13		06-Dec-89	<0.07 U5,6	na	na	<0.04	<0.3	na	na	na	na	na	0.02
LF-13		18-Jul-90	<0.002	<0.05	na	<0.05	<0.2	na	na	na	na	na	<0.05
LF-13		19-Dec-90	<0.002	0.1	na	<0.0005	<0.2	na	na	na	na	na	<0.05
LF-13		19-Jun-91	<0.01	na	na	<0.005	<0.004	na	na	na	na	na	<0.02
LF-13		16-Dec-91	<0.010	na	na	<0.005	<0.003	<0.010	na	na	na	na	<0.020
LF-13		09-Jul-92	<0.01	<0.1	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-13		30-Dec-92	<0.01	<0.1	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
LF-13		08-Jun-93	<0.01	<0.1	na	<0.005	<0.003	<0.01	<0.0002	<0.05	<0.01	na	na
LF-13		05-Jan-94	0.003	0.04	na	<0.005	<0.001	<0.002	<0.0002	<0.004	<0.001	na	na
LF-13		16-Apr-96	<0.002	na	na	na	<0.002	na	na	na	na	na	na
LF-13		30-Jul-96	<0.002	na	na	na	na	na	na	na	na	na	na
DUP		30-Jul-96	<0.002	na	na	na	na	na	na	na	na	na	na
LF-13		20-Nov-96	<0.002	na	na	na	na	na	na	na	na	na	na
LF-13		17-Mar-97	<0.002	na	na	na	na	na	na	na	na	na	na
DUP		17-Mar-97	<0.002	na	na	na	na	na	na	na	na	na	na
LF-13		12-Jun-97	<0.002	na	na	na	na	na	na	na	na	na	na
LF-13		19-Aug-97	<0.002	na	na	na	na	na	na	na	na	na	na
LF-13		18-Dec-97	<0.002	na	na	na	na	na	na	na	na	na	na
LF-13		25-Feb-98	<0.005	na	na	na	na	na	na	na	na	na	na
LF-13		07-Apr-98	<0.0050	na	na	na	na	na	na	na	na	na	na
DUP		07-Apr-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-13		13-Jul-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-13		19-Oct-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-13		11-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-14		04-Sep-90	0.092	0.06	na	<0.0005	0.007	na	na	na	na	na	<0.05
LF-14		02-Oct-90	0.077	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-14		20-Dec-90	0.15	0.47	na	0.0036	<0.2	na	na	na	na	na	0.41
LF-14		20-Jun-91	0.095	na	na	<0.005	<0.004	na	na	na	na	na	<0.02
LF-14		17-Dec-91	0.104	na	na	<0.005	<0.003	<0.010	na	na	na	na	<0.020
LF-14		31-Dec-92	0.121	<0.1	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
LF-14		09-Jun-93	0.102	<0.1	na	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.01	na	na
LF-14		Destroyed during railway expansion activities											
LF-15		04-Sep-90	0.002	0.06	na	<0.0005	0.043	na	na	na	na	na	<0.05
LF-15		20-Dec-90	0.007	0.23	na	0.0007	<0.2	na	na	na	na	na	0.1
LF-15		20-Jun-91	<0.01	na	na	<0.005	<0.004	na	na	na	na	na	<0.02
LF-15		17-Dec-91	<0.010	na	na	<0.005	<0.003	<0.010	na	na	na	na	0.026
LF-15		08-Jul-92	<0.01	0.105	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-15		30-Dec-92	<0.01	<0.1	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
LF-15		09-Jun-93	<0.01	<0.1	na	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.01	na	na
LF-15		Destroyed during railway expansion activities											
LF-16		04-Sep-90	0.003	0.06	na	<0.0005	<0.002	na	na	na	na	na	<0.05
LF-16		20-Dec-90	0.003	0.17	na	0.0007	<0.2	na	na	na	na	na	0.07
LF-16		20-Jun-91	0.01	na	na	<0.005	<0.004	na	na	na	na	na	<0.02
LF-16		17-Dec-91	<0.010	na	na	<0.005	<0.003	<0.010	na	na	na	na	0.025
LF-16		09-Jul-92	<0.01	<0.1	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-16		30-Dec-92	<0.01	<0.1	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
LF-16		09-Jun-93	<0.01	<0.1	na	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.01	na	na
LF-16		Destroyed under permit											
LF-17		24-Nov-97	na	na	na	na	na	na	na	na	na	na	<0.01
LF-17		02-Mar-98	65	na	na	na	na	na	na	na	na	na	na
LF-17		10-Apr-98	80.9	na	na	na	na	na	na	na	na	na	na
LF-17		16-Jul-98	58.7	na	na	na	na	na	na	na	na	na	na
LF-17		23-Oct-98	76.8	na	na	na	na	na	na	na	na	na	na
LF-17		15-Jan-99	46	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-18		11-Apr-96	0.012	na	na	na	<0.002	na	na	na	na	na	na
LF-18		30-Jul-96	0.037	na	na	na	na	na	na	na	na	na	na
LF-18		20-Nov-96	0.043	na	na	na	na	na	na	na	na	na	na
LF-18		19-Mar-97	0.023	na	na	na	na	na	na	na	na	na	na
LF-18		11-Jun-97	0.026	na	na	na	na	na	na	na	na	na	na
DUP		11-Jun-97	0.032	na	na	na	na	na	na	na	na	na	na
LF-18		19-Aug-97	0.048	na	na	na	na	na	na	na	na	na	na
LF-18		25-Nov-97	na	na	na	na	na	na	na	na	na	na	<0.01
LF-18		17-Dec-97	0.008	na	na	na	na	na	na	na	na	na	na
LF-18		27-Feb-98	<0.005	na	na	na	na	na	na	na	na	na	na
LF-18		08-Apr-98	0.0066	na	na	na	na	na	na	na	na	na	na
LF-18		15-Jul-98	0.011	na	na	na	na	na	na	na	na	na	na
DUP		15-Jul-98	0.011	na	na	na	na	na	na	na	na	na	na
LF-18		21-Oct-98	0.0091	na	na	na	na	na	na	na	na	na	na
LF-18		13-Jan-99	0.0068	na	na	na	na	na	na	na	na	na	na
LF-19		13-Jun-97	<0.002	na	na	na	na	na	na	na	na	na	na
LF-19		19-Aug-97	0.007	na	na	na	na	na	na	na	na	na	na
LF-19		01-Dec-97	na	na	na	na	na	na	na	na	na	na	0.19
LF-19		27-Feb-98	0.007	na	na	na	na	na	na	na	na	na	na
LF-19		08-Apr-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-19		15-Jul-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-19		23-Oct-98	<0.0050	na	na	na	na	na	na	na	na	na	na
DUP		23-Oct-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-19		13-Jan-99	0.014	na	na	na	na	na	na	na	na	na	na
LF-20		11-Apr-96	<0.002	na	na	na	<0.002	na	na	na	na	na	na
LF-20		30-Jul-96	0.085	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-20		21-Nov-96	0.12	na	na	na	na	na	na	na	na	na	na
LF-20		18-Mar-97	0.11	na	na	na	na	na	na	na	na	na	na
LF-20		11-Jun-97	0.18	na	na	na	na	na	na	na	na	na	na
LF-20		19-Aug-97	0.18	na	na	na	na	na	na	na	na	na	na
LF-20		01-Dec-97	na	na	na	na	na	na	na	na	na	na	0.01
LF-20		18-Dec-97	0.15	na	na	na	na	na	na	na	na	na	na
LF-20		27-Feb-98	0.13	na	na	na	na	na	na	na	na	na	na
LF-20		09-Apr-98	0.075	na	na	na	na	na	na	na	na	na	na
DUP		09-Apr-98	0.093	na	na	na	na	na	na	na	na	na	na
LF-20		16-Jul-98	0.035	na	na	na	na	na	na	na	na	na	na
LF-20		23-Oct-98	0.056	na	na	na	na	na	na	na	na	na	na
LF-20		13-Jan-99	0.096	na	na	na	na	na	na	na	na	na	na
DUP		13-Jan-99	0.079	na	na	na	na	na	na	na	na	na	na
LF-21		10-Apr-96	<0.002	na	na	na	<0.002	na	na	na	na	na	na
LF-21		31-Jul-96	0.43	na	na	na	na	na	na	na	na	na	na
LF-21		21-Nov-96	0.38	na	na	na	na	na	na	na	na	na	na
LF-21		18-Mar-97	0.4	na	na	na	na	na	na	na	na	na	na
LF-21		11-Jun-97	0.43	na	na	na	na	na	na	na	na	na	na
LF-21		19-Aug-97	0.53	na	na	na	na	na	na	na	na	na	na
LF-21		02-Dec-97	na	na	na	na	na	na	na	na	na	na	0.02
LF-21		17-Dec-97	0.48	na	na	na	na	na	na	na	na	na	na
LF-21		02-Mar-98	0.35	na	na	na	na	na	na	na	na	na	na
DUP		02-Mar-98	0.41	na	na	na	na	na	na	na	na	na	na
LF-21		09-Apr-98	0.36	na	na	na	na	na	na	na	na	na	na
LF-21		16-Jul-98	0.19	na	na	na	na	na	na	na	na	na	na
LF-21		23-Oct-98	0.21	na	na	na	na	na	na	na	na	na	na
LF-21		14-Jan-99	0.08	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-22		01-Aug-96	na	na	na	na	na	na	na	na	na	na	4.1
LF-22		20-Nov-96	na	na	na	na	na	na	na	na	na	na	0.19
LF-22		24-Nov-97	na	na	na	na	na	na	na	na	na	na	<0.01
LF-22		02-Mar-98	160	na	na	na	na	na	na	na	na	na	na
LF-22		10-Apr-98	147	na	na	na	na	na	na	na	na	na	na
LF-22		15-Jan-99	84	na	na	na	na	na	na	na	na	na	na
LF-23		10-Apr-96	<0.002	na	na	na	<0.002	na	na	na	na	na	na
DUP		10-Apr-96	0.004	na	na	na	<0.002	na	na	na	na	na	na
LF-23		02-Aug-96	<0.009 U5	na	na	na	na	na	na	na	na	na	na
LF-23		21-Nov-96	0.027	na	na	na	na	na	na	na	na	na	na
LF-23		18-Mar-97	0.01	na	na	na	na	na	na	na	na	na	na
LF-23		11-Jun-97	0.009	na	na	na	na	na	na	na	na	na	na
LF-23		20-Aug-97	0.009	na	na	na	na	na	na	na	na	na	na
LF-23		18-Dec-97	0.006	na	na	na	na	na	na	na	na	na	na
LF-23		26-Feb-98	0.008	na	na	na	na	na	na	na	na	na	na
LF-23		08-Apr-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-23		15-Jul-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-23		21-Oct-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-23		12-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-24		11-Apr-96	0.005	na	na	na	<0.002	na	na	na	na	na	na
LF-24		02-Aug-96	<0.01 U5	na	na	na	na	na	na	na	na	na	na
LF-24		21-Nov-96	0.01	na	na	na	na	na	na	na	na	na	na
LF-24		18-Mar-97	0.006	na	na	na	na	na	na	na	na	na	na
LF-24		11-Jun-97	0.005	na	na	na	na	na	na	na	na	na	na
LF-24		20-Aug-97	0.008	na	na	na	na	na	na	na	na	na	na
LF-24		18-Dec-97	0.004	na	na	na	na	na	na	na	na	na	na
LF-24		26-Feb-98	0.007	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-24		08-Apr-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-24		15-Jul-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-24		21-Oct-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-24		12-Jan-99	0.0072	na	na	na	na	na	na	na	na	na	na
LF-25		11-Apr-96	<0.002	na	na	na	<0.002	na	na	na	na	na	na
LF-25		02-Aug-96	0.07	na	na	na	na	na	na	na	na	na	na
LF-25		21-Nov-96	0.14	na	na	na	na	na	na	na	na	na	na
LF-25		18-Mar-97	0.13	na	na	na	na	na	na	na	na	na	na
LF-25		11-Jun-97	0.16	na	na	na	na	na	na	na	na	na	na
LF-25		20-Aug-97	0.16	na	na	na	na	na	na	na	na	na	na
LF-25		18-Dec-97	0.12	na	na	na	na	na	na	na	na	na	na
LF-25		26-Feb-98	0.094	na	na	na	na	na	na	na	na	na	na
LF-25		08-Apr-98	0.055	na	na	na	na	na	na	na	na	na	na
LF-25		15-Jul-98	0.063	na	na	na	na	na	na	na	na	na	na
LF-25		21-Oct-98	0.044	na	na	na	na	na	na	na	na	na	na
LF-25		12-Jan-99	0.11	na	na	na	na	na	na	na	na	na	na
LF-26		01-Dec-97	na	na	na	na	na	na	na	na	na	na	<0.01
LF-26		27-Feb-98	0.070	na	na	na	na	na	na	na	na	na	na
LF-26		09-Apr-98	0.037	na	na	na	na	na	na	na	na	na	na
LF-26		16-Jul-98	0.026	na	na	na	na	na	na	na	na	na	na
LF-26		23-Oct-98	0.028	na	na	na	na	na	na	na	na	na	na
LF-26		13-Jan-99	0.024	na	na	na	na	na	na	na	na	na	na
LF-27		29-Dec-97	0.011	na	na	na	na	na	na	na	na	na	na
LF-27		26-Feb-98	0.007	na	na	na	na	na	na	na	na	na	na
LF-27		08-Apr-98	0.0097	na	na	na	na	na	na	na	na	na	na
LF-27		14-Jul-98	0.0080	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-27		21-Oct-98	0.0086	na	na	na	na	na	na	na	na	na	na
LF-27		12-Jan-99	0.006	na	na	na	na	na	na	na	na	na	na
LF-28		29-Dec-97	0.66	na	na	na	na	na	na	na	na	na	na
LF-28		26-Feb-98	0.51	na	na	na	na	na	na	na	na	na	na
LF-28		08-Apr-98	0.19	na	na	na	na	na	na	na	na	na	na
LF-28		14-Jul-98	0.22	na	na	na	na	na	na	na	na	na	na
LF-28		21-Oct-98	0.17	na	na	na	na	na	na	na	na	na	na
LF-28		12-Jan-99	0.35	na	na	na	na	na	na	na	na	na	na
DUP		12-Jan-99	0.37	na	na	na	na	na	na	na	na	na	na
LF-29		29-Dec-97	0.006	na	na	na	na	na	na	na	na	na	na
LF-29		25-Feb-98	<0.005	na	na	na	na	na	na	na	na	na	na
LF-29		07-Apr-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-29		14-Jul-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-29		20-Oct-98	<0.0050 UJ8	na	na	na	na	na	na	na	na	na	na
LF-29		11-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-30		30-Dec-97	<0.002	na	na	na	na	na	na	na	na	na	na
LF-30		25-Feb-98	<0.005	na	na	na	na	na	na	na	na	na	na
DUP		25-Feb-98	<0.005	na	na	na	na	na	na	na	na	na	na
LF-30		07-Apr-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-30		14-Jul-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-30		20-Oct-98	<0.0050 UJ8	na	na	na	na	na	na	na	na	na	na
LF-30		11-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-B1	(a)	07-Dec-89	<0.07 U5,6	na	na	<0.04	<0.3	na	na	na	na	na	<0.01
LF-B1	(a)	18-Jul-90	0.007	0.08	na	<0.05	<0.2	na	na	na	na	na	<0.05

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-B1	(a)	20-Dec-90	0.005	0.1	na	0.001	<0.2	na	na	na	na	na	<0.05
LF-B1	(a)	20-Jun-91	<0.01	na	na	<0.005	0.004	na	na	na	na	na	<0.02
LF-B1	(a)	16-Dec-91	<0.010	na	na	<0.005	<0.003	<0.010	na	na	na	na	<0.020
LF-B1	(a)	09-Jul-92	<0.01	0.122	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-B1	(a)	30-Dec-92	<0.01	<0.1	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
LF-B1	(a)	08-Jun-93	<0.01	<0.1	na	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.01	na	na
LF-B1	Destroyed under permit												
LF-B2		06-Dec-89	<0.07 U5,6	na	na	<0.04	<0.3	na	na	na	na	na	0.02
LF-B2		18-Jul-90	0.005	0.14	na	<0.05	<0.2	na	na	na	na	na	<0.05
DUP		18-Jul-90	0.004	0.15	na	<0.05	<0.2	na	na	na	na	na	<0.05
LF-B2		19-Dec-90	0.008	0.32	na	0.0026	<0.2	na	na	na	na	na	0.17
LF-B2		20-Jun-91	<0.01	na	na	<0.005	0.005	na	na	na	na	na	0.075
LF-B2		16-Dec-91	<0.010	na	na	<0.005	<0.003	<0.010	na	na	na	na	<0.020
LF-B2		08-Jul-92	<0.01	0.245	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-B2		08-Jun-93	<0.01	0.233	na	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.01	na	na
LF-B2	Destroyed or lost during slurry wall and cap construction activities												
LF-B3		07-Dec-89	<0.07 U5,6	na	na	<0.04	<0.3	na	na	na	na	na	0.01
LF-B3		18-Jul-90	0.003	0.1	na	<0.05	<0.2	na	na	na	na	na	<0.05
LF-B3		20-Dec-90	0.002	0.16	na	<0.0005	<0.2	na	na	na	na	na	<0.05
LF-B3		19-Jun-91	<0.01	na	na	<0.005	<0.004	na	na	na	na	na	<0.02
LF-B3		16-Dec-91	<0.010	na	na	<0.005	<0.003	<0.010	na	na	na	na	<0.020
LF-B3		08-Jul-92	<0.01	0.133	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-B3		30-Dec-92	<0.01	0.112	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
LF-B3		08-Jun-93	<0.01	<0.1	na	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.01	na	na
LF-B3		05-Jan-94	0.004	0.11	na	0.006	<0.001	<0.002	<0.0002	<0.004	<0.001	na	na
LF-B3		16-Apr-96	0.036	na	na	na	<0.002	na	na	na	na	na	na
LF-B3		01-Aug-96	0.004	na	na	na	na	na	na	na	na	na	2.2
LF-B3		21-Nov-96	0.006	na	na	na	na	na	na	na	na	na	0.05
DUP		21-Nov-96	0.004	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-B3		17-Mar-97	<0.002	na	na	na	na	na	na	na	na	na	na
LF-B3		12-Jun-97	<0.002	na	na	na	na	na	na	na	na	na	na
LF-B3		20-Aug-97	0.005	na	na	na	na	na	na	na	na	na	na
LF-B3		17-Dec-97	0.017	na	na	na	na	na	na	na	na	na	na
LF-B3		27-Feb-98	0.009	na	na	na	na	na	na	na	na	na	na
LF-B3		08-Apr-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-B3		15-Jul-98	0.0058	na	na	na	na	na	na	na	na	na	na
LF-B3		21-Oct-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-B3		13-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-B4		17-Jul-90	0.003	0.08	na	<0.05	<0.2	na	na	na	na	na	<0.05
LF-B4		19-Dec-90	<0.002	0.08	na	0.0014	<0.2	na	na	na	na	na	0.08
LF-B4		19-Jun-91	<0.01	na	na	<0.005	<0.004	na	na	na	na	na	<0.02
LF-B4		17-Dec-91	<0.010	na	na	<0.005	<0.003	<0.010	na	na	na	na	0.029
LF-B4		08-Jul-92	<0.01	0.140	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-B4		30-Dec-92	<0.01	0.110	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
LF-B4		08-Jun-93	<0.01	<0.1	na	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.01	na	na
LF-B4		05-Jan-94	0.003	0.07	na	<0.001	0.001	<0.002	<0.0002	<0.004	<0.001	na	na
LF-B4		16-Apr-96	<0.002	na	na	na	<0.002	na	na	na	na	na	na
LF-B4		30-Jul-96	<0.002	na	na	na	na	na	na	na	na	na	0.08
LF-B4		22-Nov-96	<0.002	na	na	na	na	na	na	na	na	na	0.04
DUP		22-Nov-96	<0.002	na	na	na	na	na	na	na	na	na	na
LF-B4		17-Mar-97	<0.002	na	na	na	na	na	na	na	na	na	na
LF-B4		01-Jul-97	<0.002	na	na	na	na	na	na	na	na	na	na
LF-B4		20-Aug-97	0.005	na	na	na	na	na	na	na	na	na	na
LF-B4		18-Dec-97	<0.002	na	na	na	na	na	na	na	na	na	na
LF-B4		25-Feb-98	<0.005	na	na	na	na	na	na	na	na	na	na
LF-B4		07-Apr-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-B4		15-Jul-98	<0.0050	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-B4		19-Oct-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-B4		11-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-B5	(b)	09-Apr-96	0.32	na	na	na	<0.002	na	na	na	na	na	na
LF-B5	(b)	01-Aug-96	0.097	na	na	na	na	na	na	na	na	na	0.15
LF-B5	(b)	22-Nov-96	0.11	na	na	na	na	na	na	na	na	na	0.03
LF-B5	(b)	17-Mar-97	0.11	na	na	na	na	na	na	na	na	na	na
LF-B5	(b)	12-Jun-97	0.18	na	na	na	na	na	na	na	na	na	na
LF-B5	(b)	20-Aug-97	0.14	na	na	na	na	na	na	na	na	na	na
LF-B5	(b)	17-Dec-97	0.20	na	na	na	na	na	na	na	na	na	na
LF-B5	(b)	27-Feb-98	0.22	na	na	na	na	na	na	na	na	na	na
LF-B5	(b)	09-Apr-98	0.13	na	na	na	na	na	na	na	na	na	na
LF-B5	(b)	16-Jul-98	0.051	na	na	na	na	na	na	na	na	na	na
DUP	(b)	16-Jul-98	0.053	na	na	na	na	na	na	na	na	na	na
LF-B5	(b)	23-Oct-98	0.041	na	na	na	na	na	na	na	na	na	na
LF-B5	(b)	13-Jan-99	0.032	na	na	na	na	na	na	na	na	na	na
LF-B6		09-Apr-96	0.08	na	na	na	<0.002	na	na	na	na	na	na
LF-B6		01-Aug-96	0.033	na	na	na	na	na	na	na	na	na	0.06
LF-B6		25-Nov-96	0.027	na	na	na	na	na	na	na	na	na	0.04
DUP		25-Nov-96	0.03	na	na	na	na	na	na	na	na	na	na
LF-B6		17-Mar-97	0.021	na	na	na	na	na	na	na	na	na	na
LF-B6		12-Jun-97	0.035	na	na	na	na	na	na	na	na	na	na
LF-B6		19-Aug-97	0.01	na	na	na	na	na	na	na	na	na	na
LF-B6		18-Dec-97	0.010	na	na	na	na	na	na	na	na	na	na
LF-B6		27-Feb-98	0.009	na	na	na	na	na	na	na	na	na	na
LF-B6		08-Apr-98	0.0067	na	na	na	na	na	na	na	na	na	na
LF-B6		15-Jul-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-B6		19-Oct-98	0.0080	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-B6		13-Jan-99	0.0083	na	na	na	na	na	na	na	na	na	na
EX-1		15-Sep-95	0.15	na	na	na	na	na	na	na	na	na	na
EX-1		18-Oct-95	15	na	na	na	na	na	na	na	na	na	na
EX-1		18-Apr-96	0.002	na	na	na	<0.002	na	na	na	na	na	na
EX-1		01-Aug-96	0.022	na	na	na	na	na	na	na	na	na	na
EX-1		18-Dec-96	0.015	na	na	na	na	na	na	na	na	na	na
EX-1		15-Apr-97	0.072	na	na	na	na	na	na	na	na	na	na
EX-1		01-Jul-97	0.013	na	na	na	na	na	na	na	na	na	na
EX-1		22-Sep-97	0.028	na	na	na	na	na	na	na	na	na	na
EX-1		02-Dec-97	na	na	na	na	na	na	na	na	na	na	0.04
EX-1		18-Dec-97	0.31	na	na	na	na	na	na	na	na	na	na
EX-1		27-Feb-98	0.24	na	na	na	na	na	na	na	na	na	na
EX-1		09-Apr-98	<0.0050	na	na	na	na	na	na	na	na	na	na
EX-1		17-Jul-98	<0.010 U5	na	na	na	na	na	na	na	na	na	na
EX-1		23-Oct-98	<0.0050	na	na	na	na	na	na	na	na	na	na
EX-1		14-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
EX-2		15-Sep-95	8.6	na	na	na	na	na	na	na	na	na	na
EX-2		18-Oct-95	<0.002	na	na	na	na	na	na	na	na	na	na
EX-2		18-Apr-96	9.3	na	na	na	<0.002	na	na	na	na	na	na
EX-2		01-Aug-96	57	na	na	na	na	na	na	na	na	na	na
EX-2		18-Dec-96	34	na	na	na	na	na	na	na	na	na	na
EX-2		04-Feb-97	38	na	na	na	na	na	na	na	na	na	na
EX-2		15-Apr-97	44	na	na	na	na	na	na	na	na	na	na
EX-2		01-Jul-97	49	na	na	na	na	na	na	na	na	na	na
EX-2		22-Sep-97	42	na	na	na	na	na	na	na	na	na	na
EX-2		02-Dec-97	na	na	na	na	na	na	na	na	na	na	<0.01
EX-2		22-Dec-97	36	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
EX-2		02-Mar-98	18	na	na	na	na	na	na	na	na	na	na
EX-2		09-Apr-98	51.8	na	na	na	na	na	na	na	na	na	na
EX-2		17-Jul-98	6.3	na	na	na	na	na	na	na	na	na	na
EX-2		23-Oct-98	0.0070	na	na	na	na	na	na	na	na	na	na
EX-2		14-Jan-99	8.5	na	na	na	na	na	na	na	na	na	na
EX-3		15-Sep-95	180	na	na	na	na	na	na	na	na	na	na
EX-3		18-Oct-95	170	na	na	na	na	na	na	na	na	na	na
EX-3		18-Apr-96	200	na	na	na	<0.002	na	na	na	na	na	na
EX-3		01-Aug-96	170	na	na	na	na	na	na	na	na	na	na
EX-3		18-Dec-96	270	na	na	na	na	na	na	na	na	na	na
EX-3		15-Apr-97	220	na	na	na	na	na	na	na	na	na	na
EX-3		01-Jul-97	190	na	na	na	na	na	na	na	na	na	na
EX-3		22-Sep-97	150	na	na	na	na	na	na	na	na	na	na
EX-3		02-Dec-97	na	na	na	na	na	na	na	na	na	na	0.02
EX-3		19-Dec-97	180	na	na	na	na	na	na	na	na	na	na
EX-3		02-Mar-98	240	na	na	na	na	na	na	na	na	na	na
EX-3		09-Apr-98	141	na	na	na	na	na	na	na	na	na	na
EX-3		17-Jul-98	125	na	na	na	na	na	na	na	na	na	na
EX-3		22-Oct-98	130	na	na	na	na	na	na	na	na	na	na
DUP		22-Oct-98	122	na	na	na	na	na	na	na	na	na	na
EX-3		14-Jan-99	120	na	na	na	na	na	na	na	na	na	na
EX-4		11-Sep-98	0.0062	<0.20	<0.0050	<0.0050	<0.0050	<0.010	<0.00020	<0.0050	<0.010	<0.050	<0.020
EX-4		22-Oct-98	<0.0094 U5	na	na	na	na	na	na	na	na	na	na
EX-4		14-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
DUP		14-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
EX-5		11-Sep-98	0.072	<0.20	<0.0050	<0.0050	<0.0050	<0.010	<0.00020	<0.0050	<0.010	<0.050	<0.020

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
EX-5		22-Oct-98	0.29	na	na	na	na	na	na	na	na	na	na
EX-5		14-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
EX-6		11-Sep-98	4.3	<0.20	<0.0050	<0.0050	<0.0050	<0.010	<0.00020	<0.0050	<0.010	<0.050	<0.020
DUP		11-Sep-98	4.2	<0.20	<0.0050	<0.0050	<0.0050	<0.010	<0.00020	<0.0050	<0.010	<0.050	<0.020
EX-6		22-Oct-98	7.3	na	na	na	na	na	na	na	na	na	na
EX-6		15-Jan-99	5.8	na	na	na	na	na	na	na	na	na	na
EX-7		11-Sep-98	138	<0.40	<0.010	<0.010	<0.0050	<0.020	<0.00020	<0.0050	<0.020	<0.10	<0.040
EX-7		22-Oct-98	12.4	na	na	na	na	na	na	na	na	na	na
EX-7		14-Jan-99	100	na	na	na	na	na	na	na	na	na	na
EX-8		11-Sep-98	364	<0.80	<0.020	<0.020	<0.0050	<0.040	<0.00020	<0.0050	<0.040	<0.20	0.44
EX-8		22-Oct-98	133	na	na	na	na	na	na	na	na	na	na
EX-8		14-Jan-99	57	na	na	na	na	na	na	na	na	na	na
EX-9		11-Sep-98	109	<0.20	<0.0050	<0.0050	<0.0050	<0.010	<0.00020	<0.0050	<0.010	<0.050	0.44
EX-9		22-Oct-98	28.9	na	na	na	na	na	na	na	na	na	na
EX-9		14-Jan-99	140	na	na	na	na	na	na	na	na	na	na
EX-10		11-Sep-98	0.70	<0.20	<0.0050	<0.0050	<0.0050	<0.010	<0.00020	<0.0050	<0.010	<0.050	<0.020
EX-10		22-Oct-98	0.51	na	na	na	na	na	na	na	na	na	na
EX-10		14-Jan-99	0.88	na	na	na	na	na	na	na	na	na	na
RP-1		28-Jul-94	0.07	na	na	na	na	na	na	na	na	na	na
RP-1		08-Sep-94	0.08	na	na	na	na	na	na	na	na	na	na
RP-1		28-Feb-95	0.046	na	na	na	na	na	na	na	na	na	na
RP-1		29-Mar-95	0.035	0.04	<0.002	<0.005	<0.04	<0.01	<0.0002	<0.004	<0.005	<0.005	0.01

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
RP-1		10-May-95	0.095	na	na	na	na	na	na	na	na	na	na
RP-1		09-Aug-95	0.059	na	na	na	na	na	na	na	na	na	na
RP-1		17-Nov-95	0.086	na	na	na	na	na	na	na	na	na	na
RP-1		10-Jan-96	0.061	na	na	na	na	na	na	na	na	na	na
RP-1		17-Apr-96	0.058	na	na	na	na	na	na	na	na	na	na
DUP		17-Apr-96	0.069	na	na	na	na	na	na	na	na	na	na
RP-1		31-Jul-96	0.068	na	na	na	na	na	na	na	na	na	na
RP-1		19-Nov-96	0.041	na	na	na	na	na	na	na	na	na	na
RP-1		25-Mar-97	0.054	na	na	na	na	na	na	na	na	na	na
RP-1		10-Jun-97	0.077	na	na	na	na	na	na	na	na	na	na
RP-1		18-Aug-97	0.047	na	na	na	na	na	na	na	na	na	na
RP-1		19-Dec-97	0.022	na	na	na	na	na	na	na	na	na	na
DUP		19-Dec-97	0.010	na	na	na	na	na	na	na	na	na	na
RP-1		26-Feb-98	0.036	na	na	na	na	na	na	na	na	na	na
DUP		26-Feb-98	0.012	na	na	na	na	na	na	na	na	na	na
RP-1		07-Apr-98	0.039	na	na	na	na	na	na	na	na	na	na
RP-1		14-Jul-98	0.044	na	na	na	na	na	na	na	na	na	na
RP-1		20-Oct-98	<0.0050 UJ8	na	na	na	na	na	na	na	na	na	na
RP-1		12-Jan-99	0.063	na	na	na	na	na	na	na	na	na	na
RP-2		28-Jul-94	0.01	na	na	na	na	na	na	na	na	na	na
RP-2		08-Sep-94	0.024	na	na	na	na	na	na	na	na	na	na
DUP		08-Sep-94	0.02	na	na	na	na	na	na	na	na	na	na
RP-2		28-Feb-95	0.013	na	na	na	na	na	na	na	na	na	na
RP-2		29-Mar-95	0.01	0.08	<0.002	<0.005	<0.04	<0.01	<0.0002	<0.004	<0.005	<0.005	0.03
RP-2		10-May-95	0.029	na	na	na	na	na	na	na	na	na	na
RP-2		09-Aug-95	0.01	na	na	na	na	na	na	na	na	na	na
RP-2		17-Nov-95	0.011	na	na	na	na	na	na	na	na	na	na
RP-2		10-Jan-96	0.031	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
RP-2		17-Apr-96	0.01	na	na	na	na	na	na	na	na	na	na
RP-2		31-Jul-96	0.007	na	na	na	na	na	na	na	na	na	na
RP-2		19-Nov-96	0.016	na	na	na	na	na	na	na	na	na	na
RP-2		25-Mar-97	0.012	na	na	na	na	na	na	na	na	na	na
RP-2		10-Jun-97	0.014	na	na	na	na	na	na	na	na	na	na
RP-2		18-Aug-97	0.017	na	na	na	na	na	na	na	na	na	na
DUP		18-Aug-97	0.018	na	na	na	na	na	na	na	na	na	na
RP-2		19-Dec-97	0.011	na	na	na	na	na	na	na	na	na	na
RP-2		26-Feb-98	0.008	na	na	na	na	na	na	na	na	na	na
RP-2		07-Apr-98	0.011	na	na	na	na	na	na	na	na	na	na
RP-2		13-Jul-98	0.0072	na	na	na	na	na	na	na	na	na	na
RP-2		20-Oct-98	0.010 J8	na	na	na	na	na	na	na	na	na	na
RP-2		11-Jan-99	0.0053	na	na	na	na	na	na	na	na	na	na
RP-3		28-Jul-94	<0.01	na	na	na	na	na	na	na	na	na	na
RP-3		08-Sep-94	0.004	na	na	na	na	na	na	na	na	na	na
RP-3		28-Feb-95	0.004	na	na	na	na	na	na	na	na	na	na
RP-3		29-Mar-95	0.004	0.18	<0.002	<0.005	<0.04	<0.01	<0.0002	<0.004	<0.005	0.015	0.01
RP-3		10-May-95	0.013	na	na	na	na	na	na	na	na	na	na
RP-3		09-Aug-95	0.003	na	na	na	na	na	na	na	na	na	na
RP-3		17-Nov-95	0.006	na	na	na	na	na	na	na	na	na	na
RP-3		10-Jan-96	0.014	na	na	na	na	na	na	na	na	na	na
RP-3		17-Apr-96	0.006	na	na	na	na	na	na	na	na	na	na
RP-3		31-Jul-96	0.009	na	na	na	na	na	na	na	na	na	na
RP-3		19-Nov-96	0.005	na	na	na	na	na	na	na	na	na	na
RP-3		25-Mar-97	0.004	na	na	na	na	na	na	na	na	na	na
RP-3		10-Jun-97	0.008	na	na	na	na	na	na	na	na	na	na
RP-3		18-Aug-97	0.008	na	na	na	na	na	na	na	na	na	na
RP-3		19-Dec-97	0.003	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
RP-3		25-Feb-98	<0.005	na	na	na	na	na	na	na	na	na	na
RP-3		07-Apr-98	<0.0050	na	na	na	na	na	na	na	na	na	na
RP-3		13-Jul-98	<0.0050	na	na	na	na	na	na	na	na	na	na
RP-3		20-Oct-98	0.023 J8,10	na	na	na	na	na	na	na	na	na	na
DUP		20-Oct-98	0.013 J8,10	na	na	na	na	na	na	na	na	na	na
RP-3		11-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
RP-4		28-Jul-94	<0.01	na	na	na	na	na	na	na	na	na	na
RP-4		08-Sep-94	0.009	na	na	na	na	na	na	na	na	na	na
RP-4		28-Feb-95	0.007	na	na	na	na	na	na	na	na	na	na
DUP		28-Feb-95	0.006	na	na	na	na	na	na	na	na	na	na
RP-4		29-Mar-95	0.008	0.06	<0.002	<0.005	0.15	<0.01	<0.0002	<0.004	<0.005	<0.005	0.16
RP-4		10-May-95	0.013	na	na	na	na	na	na	na	na	na	na
DUP		10-May-95	0.011	na	na	na	na	na	na	na	na	na	na
RP-4		09-Aug-95	0.007	na	na	na	na	na	na	na	na	na	na
DUP		09-Aug-95	0.007	na	na	na	na	na	na	na	na	na	na
RP-4		17-Nov-95	0.011	na	na	na	na	na	na	na	na	na	na
DUP		17-Nov-95	0.011	na	na	na	na	na	na	na	na	na	na
RP-4		09-Jan-96	0.004	na	na	na	na	na	na	na	na	na	na
RP-4		17-Apr-96	0.009	na	na	na	na	na	na	na	na	na	na
RP-4		31-Jul-96	0.005	na	na	na	na	na	na	na	na	na	na
DUP		31-Jul-96	0.003	na	na	na	na	na	na	na	na	na	na
RP-4		19-Nov-96	0.009	na	na	na	na	na	na	na	na	na	na
RP-4		25-Mar-97	0.009	na	na	na	na	na	na	na	na	na	na
RP-4		10-Jun-97	0.011	na	na	na	na	na	na	na	na	na	na
DUP		10-Jun-97	0.009	na	na	na	na	na	na	na	na	na	na
RP-4		18-Aug-97	0.014	na	na	na	na	na	na	na	na	na	na
RP-4		19-Dec-97	0.006	na	na	na	na	na	na	na	na	na	na
RP-4		25-Feb-98	0.011	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
RP-4		07-Apr-98	0.0061	na	na	na	na	na	na	na	na	na	na
RP-4		13-Jul-98	0.0052	na	na	na	na	na	na	na	na	na	na
DUP		13-Jul-98	<0.0050	na	na	na	na	na	na	na	na	na	na
RP-4		20-Oct-98	0.0084 J8	na	na	na	na	na	na	na	na	na	na
RP-4		11-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
RP-5		28-Jul-94	<0.01	na	na	na	na	na	na	na	na	na	na
DUP		28-Jul-94	<0.01	na	na	na	na	na	na	na	na	na	na
RP-5		08-Sep-94	0.003	na	na	na	na	na	na	na	na	na	na
RP-5		28-Feb-95	0.007	na	na	na	na	na	na	na	na	na	na
RP-5		29-Mar-95	0.006	0.04	<0.002	<0.005	<0.04	<0.01	<0.0002	<0.004	<0.005	<0.005	0.03
RP-5		10-May-95	0.018	na	na	na	na	na	na	na	na	na	na
RP-5		09-Aug-95	0.003	na	na	na	na	na	na	na	na	na	na
RP-5		17-Nov-95	0.008	na	na	na	na	na	na	na	na	na	na
RP-5		09-Jan-96	0.005	na	na	na	na	na	na	na	na	na	na
DUP		09-Jan-96	0.004	na	na	na	na	na	na	na	na	na	na
RP-5		17-Apr-96	0.008	na	na	na	na	na	na	na	na	na	na
RP-5		31-Jul-96	<0.002	na	na	na	na	na	na	na	na	na	na
RP-5		19-Nov-96	0.007	na	na	na	na	na	na	na	na	na	na
DUP		19-Nov-96	0.008	na	na	na	na	na	na	na	na	na	na
RP-5		25-Mar-97	0.006	na	na	na	na	na	na	na	na	na	na
DUP		25-Mar-97	0.004	na	na	na	na	na	na	na	na	na	na
RP-5		10-Jun-97	0.006	na	na	na	na	na	na	na	na	na	na
RP-5		18-Aug-97	0.011	na	na	na	na	na	na	na	na	na	na
RP-5		19-Dec-97	0.038	na	na	na	na	na	na	na	na	na	na
RP-5		26-Feb-98	<0.005	na	na	na	na	na	na	na	na	na	na
RP-5		07-Apr-98	0.0058	na	na	na	na	na	na	na	na	na	na
RP-5		13-Jul-98	<0.0050	na	na	na	na	na	na	na	na	na	na
RP-5		20-Oct-98	0.053 J8	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
RP-5		12-Jan-99	0.012	na	na	na	na	na	na	na	na	na	na
MW-1		29-Mar-95	0.0786	0.548	ND	0.0068	0.0308	0.091	ND	ND	ND	na	0.462
MW-1		08-Jun-95	0.04	0.35	ND	ND	0.02	ND	ND	ND	ND	na	0.16
MW-1		09-Jan-96	0.022	na	na	na	na	na	na	na	na	na	na
MW-1		17-Apr-96	0.034	na	na	na	na	na	na	na	na	na	na
MW-1		31-Jul-96	0.037	na	na	na	na	na	na	na	na	na	na
MW-1		19-Nov-96	0.071	na	na	na	na	na	na	na	na	na	na
MW-1		25-Mar-97	0.042	na	na	na	na	na	na	na	na	na	na
MW-1		10-Jun-97	0.05	na	na	na	na	na	na	na	na	na	na
MW-1		18-Aug-97	0.077	na	na	na	na	na	na	na	na	na	na
MW-1		19-Dec-97	0.010	na	na	na	na	na	na	na	na	na	na
MW-1		26-Feb-98	0.028	na	na	na	na	na	na	na	na	na	na
MW-1		08-Apr-98	0.028	na	na	na	na	na	na	na	na	na	na
DUP		08-Apr-98	0.037	na	na	na	na	na	na	na	na	na	na
MW-1		14-Jul-98	0.023	na	na	na	na	na	na	na	na	na	na
MW-1		21-Oct-98	0.020	na	na	na	na	na	na	na	na	na	na
MW-1		12-Jan-99	0.018	na	na	na	na	na	na	na	na	na	na
MW-2		29-Mar-95	0.0452	0.772	ND	ND	0.0557	0.188	ND	ND	ND	na	0.449
MW-2		08-Jun-95	ND	0.59	ND	0.01	0.03	ND	ND	ND	ND	na	0.24
MW-2		09-Jan-96	0.016	na	na	na	na	na	na	na	na	na	na
MW-2		17-Apr-96	0.028	na	na	na	na	na	na	na	na	na	na
MW-2		31-Jul-96	0.037	na	na	na	na	na	na	na	na	na	na
MW-2		19-Nov-96	0.041	na	na	na	na	na	na	na	na	na	na
MW-2		25-Mar-97	0.038	na	na	na	na	na	na	na	na	na	na
MW-2		10-Jun-97	0.039	na	na	na	na	na	na	na	na	na	na
MW-2		18-Aug-97	0.038	na	na	na	na	na	na	na	na	na	na
MW-2		19-Dec-97	0.050	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
MW-2		26-Feb-98	0.019	na	na	na	na	na	na	na	na	na	na
MW-2		08-Apr-98	0.022	na	na	na	na	na	na	na	na	na	na
MW-2		14-Jul-98	0.020	na	na	na	na	na	na	na	na	na	na
MW-2		21-Oct-98	0.015	na	na	na	na	na	na	na	na	na	na
DUP		21-Oct-98	0.014	na	na	na	na	na	na	na	na	na	na
MW-2		12-Jan-99	0.021	na	na	na	na	na	na	na	na	na	na
MW-3		29-Mar-95	0.0276	0.102	ND	ND	0.007	0.0105	ND	ND	ND	na	0.19
MW-3		08-Jun-95	0.03	0.21	ND	ND	0.01	ND	ND	ND	ND	na	0.38
MW-3		09-Jan-96	0.015	na	na	na	na	na	na	na	na	na	na
MW-3		17-Apr-96	0.018	na	na	na	na	na	na	na	na	na	na
MW-3		31-Jul-96	0.059	na	na	na	na	na	na	na	na	na	na
MW-3		19-Nov-96	0.048	na	na	na	na	na	na	na	na	na	na
MW-3		25-Mar-97	0.019	na	na	na	na	na	na	na	na	na	na
MW-3		10-Jun-97	0.027	na	na	na	na	na	na	na	na	na	na
MW-3		18-Aug-97	0.027	na	na	na	na	na	na	na	na	na	na
MW-3		19-Dec-97	0.011	na	na	na	na	na	na	na	na	na	na
MW-3		26-Feb-98	0.007	na	na	na	na	na	na	na	na	na	na
MW-3		07-Apr-98	0.018	na	na	na	na	na	na	na	na	na	na
MW-3		14-Jul-98	0.017	na	na	na	na	na	na	na	na	na	na
DUP		14-Jul-98	0.022	na	na	na	na	na	na	na	na	na	na
MW-3		20-Oct-98	0.018 J8	na	na	na	na	na	na	na	na	na	na
MW-3		11-Jan-99	0.029	na	na	na	na	na	na	na	na	na	na
DUP		11-Jan-99	0.026	na	na	na	na	na	na	na	na	na	na
MW-4		16-Dec-94	8.87	0.163	ND	0.141	0.0304	0.0359	<0.0002	0.0275	0.0134	na	71
MW-4		29-Mar-95	22	0.333	ND	0.286	0.0636	0.031	ND	ND	ND	na	171
MW-4		08-Jun-95	46	0.56	0.01	0.42	0.06	ND	ND	ND	ND	na	97
MW-4		10-Jan-96	15	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
MW-4		19-Nov-96	3.1	na	na	na	<0.04	na	na	na	na	na	230
MW-4		18-Aug-97	120	na	na	na	na	na	na	na	na	na	na
MW-4		19-Dec-97	42	na	na	na	na	na	na	na	na	na	na
MW-4		02-Mar-98	18	na	na	na	na	na	na	na	na	na	na
MW-4		10-Apr-98	19.0	na	na	na	na	na	na	na	na	na	na
MW-4		17-Jul-98	19.5	na	na	na	na	na	na	na	na	na	na
MW-4		23-Oct-98	8.6	na	na	na	na	na	na	na	na	na	na
MW-4		15-Jan-99	0.81	na	na	na	na	na	na	na	na	na	na
MW-5		16-Dec-94	41.5	0.236	ND	0.156	0.0317	0.056	0.00023	0.009	<0.01	na	11
MW-5		29-Mar-95	35.3	0.137	ND	ND	0.0317	0.0103	ND	ND	ND	na	4.67
MW-5		08-Jun-95	99	0.45	ND	0.03	0.05	ND	ND	ND	ND	na	13.8
MW-5		10-Jan-96	79	na	na	na	na	na	na	na	na	na	na
MW-5		19-Nov-96	192	na	na	na	0.07	na	na	na	na	na	21
MW-5		18-Aug-97	310	na	na	na	na	na	na	na	na	na	na
MW-5		19-Dec-97	380	na	na	na	na	na	na	na	na	na	na
MW-5		02-Mar-98	190	na	na	na	na	na	na	na	na	na	na
MW-5		10-Apr-98	208	na	na	na	na	na	na	na	na	na	na
MW-5		17-Jul-98	340	na	na	na	na	na	na	na	na	na	na
DUP		17-Jul-98	368	na	na	na	na	na	na	na	na	na	na
MW-5		19-Oct-98	231	na	na	na	na	na	na	na	na	na	na
MW-5		15-Jan-99	290	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
-------------	-------	--------------	---------	--------	-----------	---------	------	----------------	---------	----------	--------	----------	------

Data QA/QC performed by LXG.

Notes: Analyses were done by EPA Method 200/6000/7000 Series for selected metals

< = Analyte was not detected at or greater than the detection limit reported

ND = Not detected (no associated detection limit was reported)

na = Not analyzed

DUP = Duplicate sample (field duplicate)

(a) Concentrations for LF-B1 may not represent the B-zone water quality because LF-B1 is screened in the aquitard between the A and B zones.

(b) Concentrations for LF-B5 may not represent the B-zone water quality because LF-B5 is screened in the aquitard between the A and B zones.

Data Qualifiers:

U5 = Qualified as non-detect (U) based on field blank contamination evaluation

U6 = Qualified as non-detect (U) based on trip blank contamination evaluation

U5,6 = For samples analyzed in December, 1989, data were qualified as non-detect (U) based on positive results of both the trip blank (0.014 mg/L) and the bailer rinsate blank (0.013 mg/L) of associated samples. The detection limit for arsenic for this sampling period was set at 0.070 (5 times the reported value of 0.014 mg/L detected in the trip blank sample).

UJ8 = Non-detected value is estimated due to LCS and/or LCD spike percent recoveries outside of control limits.

J8 = Concentration is estimated due to LCS and/or LCD spike percent recoveries outside of control limits.

J10 = Concentration is estimated due to field duplicate RPD outside of control limit

Table 7
Groundwater Extraction Flow Data
The Sherwin-Williams Company, Emeryville, California

Extraction Well Number	Reporting Period	Notes	Number of Operating Days During Period	Total Volume of Groundwater Extracted (gallons)	Average Flow Rate (gpm)
EX-1	1-Jan-98 to 31-Mar-98	(1)	35	59,650	1.2
	1-Apr-98 to 31-Jun-98		82	107,173	0.9
	1-Jul-98 to 30-Sep-98		79	28,333	0.2
	1-Oct-98 to 31-Dec-98		69	36,342	0.4
	1-Jan-99 to 26-Mar-99		79	70,547	0.6
EX-2	1-Jan-98 to 31-Mar-98	(2)	35	136,880	2.7
	1-Apr-98 to 31-Jun-98		82	214,187	1.8
	1-Jul-98 to 30-Sep-98		79	123,099	1.1
	1-Oct-98 to 31-Dec-98		69	98,695	1.0
	1-Jan-99 to 26-Mar-99		79	49,166	0.4
EX-3	1-Jan-98 to 31-Mar-98	(3)	3	1,587	0.4
	1-Apr-98 to 31-Jun-98		40	67,578	1.2
	1-Jul-98 to 30-Sep-98		79	79,585	0.7
	1-Oct-98 to 31-Dec-98		69	76,470	0.8
	1-Jan-99 to 26-Mar-99		79	87,817	0.8
EX-4	1-Oct-98 to 31-Dec-98	(4)	1	340	0.2
	1-Jan-99 to 26-Mar-99		66	22,124	0.2
EX-5	1-Oct-98 to 31-Dec-98	(4)	1	1,948	1.4
	1-Jan-99 to 26-Mar-99		79	49,502	0.4
EX-6	1-Oct-98 to 31-Dec-98	(4)	1	2,448	1.7
	1-Jan-99 to 26-Mar-99		54	43,729	0.6
EX-7	1-Oct-98 to 31-Dec-98	(4)	1	2,660	1.8
	1-Jan-99 to 26-Mar-99		79	48,729	0.4
EX-8	1-Oct-98 to 31-Dec-98	(4)	1	372	0.3
	1-Jan-99 to 26-Mar-99		79	19,970	0.2
EX-9	1-Oct-98 to 31-Dec-98	(4)	1	3,439	2.4
	1-Jan-99 to 26-Mar-99		79	35,835	0.3
EX-10	1-Oct-98 to 31-Dec-98	(4)	1	7,411	5.1
	1-Jan-99 to 26-Mar-99		79	130,986	1.2
Extraction System Total	1-Jan-98 to 31-Mar-98		35	198,117	3.9
	1-Apr-98 to 31-Jun-98		82	388,938	3.3
	1-Jul-98 to 30-Sep-98		79	231,017	2.0
	1-Oct-98 to 31-Dec-98		69	230,125	2.3
	1-Jan-99 to 26-Mar-99		79	558,405	4.9

Data entered by LXG. Proofed by ABT.

Notes:

- (1) EX-1 totalizer was installed and brought on line on February 23, 1998.
- (2) EX-2 totalizer was installed and brought on line on February 20, 1998.
- (3) EX-3 totalizer was installed and brought on line on March 6, 1998.
- (4) EX-4 through EX-10 were brought on line for a total of one day each as part of trial runs in December 1998.

**Table 8
Contaminant Removal Results
The Sherwin-Williams Company, Emeryville, California**

Extraction Well Number	Reporting Period	Notes	Number of Operating Days During Period	Total Volume of Groundwater Extracted (gallons)	Influent Arsenic Concentration (mg/l)	Pounds of Arsenic Removed During Quarter (lbs)	Pounds of Arsenic Removed (lbs/day)	Influent VOC Concentration (mg/l)	Pounds of VOCs Removed During Quarter (lbs)	Pounds of VOCs Removed (lbs/day)
EX-1	1-Jan-98 to 31-Mar-98	(1)	35	59,650	0.240	0.119	0.003	0.440	0.219	0.006
	1-Apr-98 to 31-Jun-98		82	107,173	0.000	0.000	0.000	1.013	0.906	0.011
	1-Jul-98 to 30-Sep-98		79	28,333	0.000	0.000	0.000	0.026	0.006	0.000
	1-Oct-98 to 31-Dec-98		69	36,342	0.000	0.000	0.000	0.033	0.010	0.000
	1-Jan-99 to 26-Mar-99		79	70,547	0.000	0.000	0.000	0.017	0.010	0.000
EX-2	1-Jan-98 to 31-Mar-98	(2)	35	136,880	18.000	20.563	0.588	14.000	15.993	0.457
	1-Apr-98 to 31-Jun-98		82	214,187	52.800	94.385	1.151	14.140	25.277	0.308
	1-Jul-98 to 30-Sep-98		79	123,099	6.300	6.472	0.082	8.990	9.236	0.117
	1-Oct-98 to 31-Dec-98		69	98,695	0.007	0.006	0.000	0.442	0.364	0.005
	1-Jan-99 to 26-Mar-99		79	49,166	8.500	3.488	0.044	19.469	7.989	0.101
EX-3	1-Jan-98 to 31-Mar-98	(3)	3	1,587	240.000	3.179	1.060	0.003	0.000	0.000
	1-Apr-98 to 31-Jun-98		40	67,578	142.000	80.088	2.002	1.004	0.566	0.014
	1-Jul-98 to 30-Sep-98		79	79,585	125.000	83.026	1.051	0.009	0.006	0.000
	1-Oct-98 to 31-Dec-98		69	76,470	130.000	82.968	1.202	0.016	0.010	0.000
	1-Jan-99 to 26-Mar-99		79	87,817	130.000	95.279	1.206	0.023	0.017	0.000
EX-4	1-Oct-98 to 31-Dec-98	(4)	1	340	0.000	0.000	0.000	0.000	0.000	0.000
	1-Jan-99 to 26-Mar-99		66	22,124	0.000	0.000	0.000	0.002	0.000	0.000
EX-5	1-Oct-98 to 31-Dec-98	(4)	1	1,948	0.290	0.005	0.005	0.003	0.000	0.000
	1-Jan-99 to 26-Mar-99		79	49,502	0.000	0.000	0.000	0.181	0.075	0.001
EX-6	1-Oct-98 to 31-Dec-98	(4)	1	2,448	7.300	0.149	0.149	2.889	0.059	0.059
	1-Jan-99 to 26-Mar-99		54	43,729	5.800	2.117	0.039	9.038	3.298	0.061
EX-7	1-Oct-98 to 31-Dec-98	(4)	1	2,660	12.400	0.275	0.275	0.936	0.021	0.021
	1-Jan-99 to 26-Mar-99		79	48,729	100.000	40.669	0.515	6.909	2.810	0.036
EX-8	1-Oct-98 to 31-Dec-98	(4)	1	372	133.000	0.413	0.413	148.200	0.460	0.460
	1-Jan-99 to 26-Mar-99		79	19,970	57.000	9.500	0.120	74.727	12.455	0.158
EX-9	1-Oct-98 to 31-Dec-98	(4)	1	3,439	28.900	0.829	0.829	4.345	0.125	0.125
	1-Jan-99 to 26-Mar-99		79	35,835	140.000	41.871	0.530	5.574	1.667	0.021
EX-10	1-Oct-98 to 31-Dec-98	(4)	1	7,411	0.510	0.032	0.032	0.328	0.020	0.020
	1-Jan-99 to 26-Mar-99		79	130,986	0.880	0.962	0.012	0.047	0.051	0.001


Table 8
Contaminant Removal Results
The Sherwin-Williams Company, Emeryville, California

Extraction Well Number	Reporting Period	Notes	Number of Operating Days During Period	Total Volume of Groundwater Extracted (gallons)	Influent Arsenic Concentration (mg/l)	Pounds of Arsenic Removed During Quarter (lbs)	Pounds of Arsenic Removed (lbs/day)	Influent VOC Concentration (mg/l)	Pounds of VOCs Removed During Quarter (lbs)	Pounds of VOCs Removed (lbs/day)
Extractor	1-Jan-98 to 31-Mar-98		35	198,117	14.431	23.861	1.651	9.805	16.213	0.463
System	1-Apr-98 to 31-Jun-98		82	388,938	53.749	174.473	3.153	8.240	26.749	0.326
Total	1-Jul-98 to 30-Sep-98		79	231,017	46.419	89.499	1.133	4.797	9.248	0.117
	1-Oct-98 to 31-Dec-98		69	230,125	44.088	84.677	1.227	0.557	1.069	0.015
	1-Jan-99 to 26-Mar-99		79	558,405	41.603	193.885	2.454	6.088	28.372	0.359

Data entered by LXG. Proofed by ABT.

Notes:

- (1) EX-1 totalizer was installed and brought on line on February 23, 1998.
- (2) EX-2 totalizer was installed and brought on line on February 20, 1998.
- (3) EX-3 totalizer was installed and brought on line on March 6, 1998.
- (4) EX-4 through EX-10 were brought on line for a total of one day each as part of trial runs in December 1998.



Map Source:
The Thomas Guide
Alameda/Contra Costa Counties
Street Guide and Directory



0 1/2 MILE




SHERWIN-WILLIAMS

Site Location Map



Figure 1


3435SV200.CDR 041699



- Property Boundary
- Storage Tanks
- - - Fence
- ▒ Buildings
- Slurry Wall
- ⊕ Railroad Tracks
- ⊕ LF-10 A-Zone Monitoring Well
- ⊕ LF-B3 B-Zone Monitoring Well
- ⊕ EX-1 Groundwater Extraction Well
- ⊕ RP-1 Rifkin Property Monitoring Well
- ⊕ MW-4 Rifkin Property Monitoring Well
- ⊕ LF-PZ1 A-Zone Piezometer
- ⊕ Monitoring Well Destroyed or Abandoned

- 9.0 Groundwater Elevation Contour
- - - Depression in Groundwater Surface


Note: Groundwater elevations are based on mean sea level.



SHERWIN-WILLIAMS
Groundwater Elevation Contours
A-Zone Groundwater
January 8, 1999




Figure 3



- Property Boundary
- Storage Tanks
- - - Fence
- Buildings
- Slurry Wall
- ⊘ Railroad Tracks
- ◆ LF-10 A-Zone Monitoring Well
- ◆ LF-B3 B-Zone Monitoring Well
- ◆ EX-1 Groundwater Extraction Well
- ◆ RP-1 Rifkin Property Monitoring Well
- ◆ MW-4 Rifkin Property Monitoring Well
- ◆ LF-PZ1 A-Zone Piezometer
- ◆ Monitoring Well Destroyed or Abandoned

9.0 Groundwater Elevation Contour
 Depression in Groundwater Surface


Note: Groundwater elevations are based on mean sea level.
 Groundwater elevations measured at LF-B5 may not be representative of B-zone because LF-B5 is screened in the A/B aquitard.



SHERWIN-WILLIAMS
Groundwater Elevation Contours
B-Zone Groundwater
January 8, 1999




Figure 4



Key to Chemicals	
Ace	Acetone
B	Benzene
E	Ethylbenzene
X	Total Xylenes
T	Toluene

- Property Boundary
- Storage Tanks
- - - Fence
- Buildings
- Slurry Wall
- ⋯ Railroad Tracks
- ◆ LF-10 A-Zone Monitoring Well
- ◆ LF-B3 B-Zone Monitoring Well
- ◆ EX-1 Groundwater Extraction Well
- ◆ RP-1 Rifkin Property Monitoring Well
- ◆ MW-4 Rifkin Property Monitoring Well
- ◆ LF-PZ1 A-Zone Piezometer
- ◆ Monitoring Well Destroyed or Abandoned


LF-7
 0.85/0.82 Ace
 Station ID
 Chemical
 Duplicate Sample
 Concentration in parts
 per million
 Note: Samples collected January 11
 through January 15, 1999



SHERWIN-WILLIAMS

Volatile Organic Compounds A-Zone Groundwater January 1999

Figure 5a




99.1

- Property Boundary
- Storage Tanks
- - - Fence
- Buildings
- ▬ Slurry Wall
- ⊘ Railroad Tracks
- ◆ LF-10 A-Zone Monitoring Well
- ◆ LF-B3 B-Zone Monitoring Well
- ◆ EX-1 Groundwater Extraction Well
- ◆ RP-1 Rifkin Property Monitoring Well
- ◆ MW-4 Rifkin Property Monitoring Well
- ◆ LF-PZ1 A-Zone Piezometer
- ◆ Monitoring Well Destroyed or Abandoned

LF-7
0.85/0.82 Ace


Station ID
Chemical
Duplicate Sample
Concentration in parts
per million
Note: Samples collected January 11
through January 15, 1999



SHERWIN-WILLIAMS

Chlorinated Volatile Organic Compounds A-Zone Groundwater January 1999

Figure 5b



- Property Boundary
- Storage Tanks
- - - Fence
- Buildings
- Slurry Wall
- ⊘ Railroad Tracks
- ◆ LF-10 A-Zone Monitoring Well
- ◆ LF-B3 B-Zone Monitoring Well
- ◆ EX-1 Groundwater Extraction Well
- ◆ RP-1 Rifkin Property Monitoring Well
- ◆ MW-4 Rifkin Property Monitoring Well
- ◆ LF-PZ1 A-Zone Piezometer
- ◆ Monitoring Well Destroyed or Abandoned


LF-7
0.85/0.82 Ace

Station ID

Chemical Duplicate Sample Concentration in parts per million

Note: Samples collected January 11 through January 15, 1999

Concentration of chemicals detected in LF-B5 may not be representative of B-zone groundwater quality because LF-B5 is only screened within the aquitard between the A zone and B zone.




SHERWIN-WILLIAMS

Volatile Organic Compounds B-Zone Groundwater January 1999

LFR
LEVINE • FRICKE

Figure 6




Note: Samples collected January 11 through January 15, 1999

Some samples were reported as unknown hydrocarbon mixtures with peak patterns atypical of diesel. These samples are qualified as diesel for a range of n-C10 to n-C24 (see Table 5).

Concentration of chemicals detected in LF-B5 may not be representative of B-zone groundwater quality because LF-B5 is only screened within the aquitard between the A zone and B zone.

- Property Boundary
- Storage Tanks
- - - Fence
- Buildings
- Slurry Wall
- ⊘ Railroad Tracks
- ◆ LF-10 A-Zone Monitoring Well
- ◆ LF-B3 B-Zone Monitoring Well
- ◆ EX-1 Groundwater Extraction Well
- ◆ RP-1 Rifkin Property Monitoring Well
- ◆ MW-4 Rifkin Property Monitoring Well
- ◆ LF-PZ1 A-Zone Piezometer
- ◆ Monitoring Well Destroyed or Abandoned


LF-7 — Station ID
 0.85/0.82 — Duplicate Sample
 Concentration in parts per million



SHERWIN-WILLIAMS

Total Petroleum Hydrocarbons as Diesel A-Zone and B-Zone Groundwater January 1999

Figure 7



Note: Samples collected January 11 through January 15, 1999


Some samples were reported as unknown hydrocarbon mixtures with peak patterns atypical of gasoline. These samples are qualified as gasoline for a range of n-C7 to n-C12 (see Table 5).

Concentration of chemicals detected in LF-B5 may not be representative of B-zone groundwater quality because LF-B5 is only screened within the aquitard between the A zone and B zone.

8.1

- Property Boundary
- Storage Tanks
- - - Fence
- Buildings
- ▬ Slurry Wall
- ⊥ Railroad Tracks
- ◆ LF-10 A-Zone Monitoring Well
- ◆ LF-B3 B-Zone Monitoring Well
- ◆ EX-1 Groundwater Extraction Well
- ◆ RP-1 Rifkin Property Monitoring Well
- ◆ MW-4 Rifkin Property Monitoring Well
- ◆ LF-PZ1 A-Zone Piezometer
- ◆ Monitoring Well Destroyed or Abandoned

LF-7
 0.85/0.82
 Station ID
 Duplicate Sample
 Concentration in parts per million




SHERWIN-WILLIAMS

Total Petroleum Hydrocarbons as Gasoline A-Zone and B-Zone Groundwater January 1999

LFR
LEVINE • FRICKE


Figure 8



- Property Boundary
- Storage Tanks
- - - Fence
- Buildings
- Slurry Wall
- ⊥ Railroad Tracks
- ⊕ LF-10 A-Zone Monitoring Well
- ⊕ LF-B3 B-Zone Monitoring Well
- ⊕ EX-1 Groundwater Extraction Well
- ⊕ RP-1 Rifkin Property Monitoring Well
- ⊕ MW-4 Rifkin Property Monitoring Well
- ⊕ LF-PZ1 A-Zone Piezometer
- ⊕ Monitoring Well Destroyed or Abandoned

LF-7
 0.85/0.82
 Station ID
 Duplicate Sample
 Concentration in parts per million


Note: Samples collected January 11 through January 15, 1999



SHERWIN-WILLIAMS

Concentrations of Arsenic A-Zone Groundwater January 1999

Figure 9




- Property Boundary
- Storage Tanks
- - - Fence
- Buildings
- Slurry Wall
- ⊞ Railroad Tracks
- ⊞ LF-10 A-Zone Monitoring Well
- ⊞ LF-B3 B-Zone Monitoring Well
- ⊞ EX-1 Groundwater Extraction Well
- ⊞ RP-1 Rifkin Property Monitoring Well
- ⊞ MW-4 Rifkin Property Monitoring Well
- ⊞ LF-PZ1 A-Zone Piezometer
- ⊞ Monitoring Well Destroyed or Abandoned

LF-7
 0.85/0.82
 Station ID
 Duplicate Sample
 Concentration in parts per million

Concentration of chemicals detected in LF-B5 may not be representative of B-zone groundwater quality because LF-B5 is only screened within the aquitard between the A zone and B zone.

Note: Samples collected January 11 through January 15, 1999



SHERWIN WILLIAMS
**Concentrations of Arsenic
 B-Zone Groundwater
 January 1999**



Figure 10

Appendix A

Summary of QA/QC

A-2 Summary of Analytical QA/QC

Site Name: The Sherwin-Williams Plant	Site Address: 1450 Sherwin Avenue Emeryville, CA	Monitoring Period Covered: January 1 to March 31, 1999
---	---	--

Analysis Performed By:
 Lab Name: Curtis and Tompkins, Ltd.
 Lab Address: 2323 Fifth Street, Berkeley, CA 94710
 Lab Contact: Tracy Babjar
 Lab Telephone Number: (510) 486-0925

- Analytical Method Used: (check applicable methods)
- Total Dissolved Solids by EPA Method _____
 - Bioassay 96-hr % survival by Standard Method
 - Turbidity (NTU) by EPA Method _____
 - Dissolved Oxygen (mg/l and % saturation) by Standard Method
 - Hardness (mg/l CaCO3) by EPA Method _____
 - Arsenic by EPA Method 206.2 or 7060 or 6010
 - Cadmium by EPA Method _____
 - Chromium (total) by EPA Method _____
 - Chromium (hexavalent)
 - Copper by EPA Method _____
 - Lead by EPA Method _____
 - Mercury by EPA Method _____
 - Nickel by EPA Method _____
 - Selenium by EPA Method _____
 - Silver by EPA Method _____
 - Zinc by EPA Method _____
 - Halogenated Volatile Organics by EPA Method 601 or 8010
 - Aromatic and Unsaturated Volatile Organics by EPA 602 or 8020
 - Volatile Organics by EPA Method 624 or 8240 or 8260
 - Semivolatile Organics by EPA Method 625 or 8270
 - EDB and DBCP by EPA Method 504
 - TPH gasoline by EPA Method 8015 modified
 - TPH diesel by EPA Method 8015 modified

Is the lab state-certified for the above analytical method(s)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Were analyses performed according to standard methods?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Were sample holding times met?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Were all reported analytical results values above MDLs?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Were QA/QC samples (i.e., blanks, field replicates, spikes, and surrogates) analyzed in accordance and consistent with the analytical method?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Did QA/QC results meet all acceptance criteria?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Are QA/QC results and acceptance criteria on file?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

For any questions above answered with "No", please provide an explanation: *

Data entered by LXG. QA/QC by SXS.

* The explanation should describe any modifications to standard methods and whether approved by Board staff, and describe corrective actions taken in response to any QA/QC results that fall outside acceptance criteria.

Appendix B

**Field Parameters Measured During
Groundwater Sampling
January 1999**

Table B-1
Field Parameters Measured During Purging and Sampling, January 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date Sampled	Well Volume (gallons)	Volume Purged (gallons)	pH	Temperature (Deg C)	Specific Conductance (µmhos/cm)
LF-3	01/15/99	0.8	3.0	7.04	16.1	954
LF-4	01/14/99	1.0	3.0	6.74	17.6	960
LF-7	01/13/99	0.5	1.0	6.57	19.9	940
LF-8	01/13/99	1.8	5.3	7.16	20.1	633
LF-10	01/15/99	1.3	3.8	7.09	19.8	905
LF-11	01/14/99	2.0	6.0	7.29	15.2	668
LF-12	01/12/99	1.8	5.3	6.32	17.7	481
LF-13	01/11/99	1.8	5.3	6.44	16.7	604
LF-17	01/15/99	1.0	3.0	7.04	16.5	966
LF-18	01/13/99	1.8	5.3	7.05	19.6	687
LF-19	01/13/99	2.5	7.5	6.47	20.2	1540
LF-20	01/13/99	2.0	6.0	6.98	17.7	1045
LF-21	01/14/99	2.0	6.0	7.09	17.1	782
LF-22	01/15/99	1.7	6.0	7.15	22.4	553
LF-23	01/12/99	2.3	6.8	6.58	16.8	950
LF-24	01/12/99	2.5	7.5	6.47	17.8	602
LF-25	01/12/99	2.3	6.8	6.64	16.5	736
LF-26	01/13/99	2.0	6.0	7.05	18.6	1044
LF-27	01/12/99	2.0	6.0	6.21	17.5	432
LF-28	01/12/99	1.8	5.3	6.51	17.8	609
LF-29	01/11/99	2.0	6.0	4.42	17.6	493
LF-30	01/11/99	1.3	5.0	6.89	19.2	959
LF-B3	01/13/99	5.5	27.5	8.15	19.5	538
LF-B4	01/11/99	6.5	19.5	6.88	18.5	598
LF-B5	01/13/99	5.5	16.5	7.32	22.5	558
LF-B6	01/13/99	5.5	16.5	7.08	19.3	939
EX-1*	01/14/99	NM	NM	6.64	11.6	748
EX-2*	01/14/99	NM	NM	6.77	11.8	701
EX-3*	01/14/99	NM	NM	7.00	12.5	540
EX-4*	01/14/99	NM	NM	7.53	16.8	897
EX-5*	01/14/99	NM	NM	6.83	12.1	974
EX-6*	01/15/99	NM	NM	7.20	15.9	960
EX-7*	01/14/99	NM	NM	6.85	11.6	801
EX-8*	01/14/99	NM	NM	6.47	13.3	1290
EX-9*	01/14/99	NM	NM	6.31	12.3	1078
EX-10*	01/14/99	NM	NM	7.24	11.5	653
RP-1	01/12/99	1.0	3.0	6.12	19.0	669
RP-2	01/11/99	1.0	3.0	6.24	19.7	941
RP-3	01/11/99	1.0	3.0	6.08	20.0	2350
RP-4	01/11/99	1.5	4.5	6.07	20.1	945
RP-5	01/12/99	1.0	3.0	6.10	19.7	899
MW-1	01/12/99	1.5	4.5	5.68	18.1	1059
MW-2	01/12/99	1.5	4.5	5.82	18.8	1086
MW-3	01/11/99	2.0	6.0	6.46	18.2	553

Table B-1
Field Parameters Measured During Purging and Sampling, January 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date Sampled	Well Volume (gallons)	Volume Purged (gallons)	pH	Temperature (Deg C)	Specific Conductance (µmhos/cm)
MW-4	01/15/99	1.5	4.5	3.76	19.4	2820
MW-5	01/15/99	1.5	4.5	4.73	19.5	1503

* = Operational extraction well
 NM = No measurement obtained

Data entered by LXG. Proofed by JRB.

Appendix C

**Complete Analytical Results for
Groundwater Monitoring Wells
January 1999**

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-1	01/14/99	Metals (EPA 6010A)	Arsenic	<5.0	U	5.0	ug/L	50-54-001-011499
		VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,1-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1,2,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,2-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethene	<1.0	U	1.0	ug/L	
			1,1-Dichloropropene	<1.0	U	1.0	ug/L	
			1,2,3-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,3-Trichloropropane	<1.0	U	1.0	ug/L	
			1,2,4-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,4-Trimethylbenzene	0.9	J11	1.0	ug/L	
			1,2-Dibromo-3-chloropropane	<1.0	U	1.0	ug/L	
			1,2-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,2-Dichloroethane	<1.0	U	1.0	ug/L	
			1,2-Dichloropropane	<1.0	U	1.0	ug/L	
			1,3,5-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,3-Dichloropropane	<1.0	U	1.0	ug/L	
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L	
			2,2-Dichloropropane	<1.0	U	1.0	ug/L	
			2-Butanone	<5.0	U	5.0	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	<1.0	U	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	2.6		1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	1.7		1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	
			Ethylbenzene	1.0	J11	1.0	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field and Trip Blanks) for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
FB1-011199	01/11/99	Metals (EPA 6010A)	Arsenic	<5.0	U	5.0	ug/L	991-011199
		VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,1-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1,2,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,2-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethene	<1.0	U	1.0	ug/L	
			1,1-Dichloropropene	<1.0	U	1.0	ug/L	
			1,2,3-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,3-Trichloropropane	<1.0	U	1.0	ug/L	
			1,2,4-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,4-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,2-Dibromo-3-chloropropane	<1.0	U	1.0	ug/L	
			1,2-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,2-Dichloroethane	<1.0	U	1.0	ug/L	
			1,2-Dichloropropane	<1.0	U	1.0	ug/L	
			1,3,5-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,3-Dichloropropane	<1.0	U	1.0	ug/L	
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L	
			2,2-Dichloropropane	<1.0	U	1.0	ug/L	
			2-Butanone	<5.0	U	5.0	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	<1.0	U	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	<1.0	U	1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	<1.0	U	1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	
			Ethylbenzene	<1.0	U	1.0	ug/L	
			Hexachlorobutadiene	<1.0	U	1.0	ug/L	
			Isopropylbenzene	<1.0	U	1.0	ug/L	
			m,p-Xylenes	<1.0	U	1.0	ug/L	
			Methylene Chloride	<5.0	U	5.0	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field and Trip Blanks) for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
FB1-011199	01/11/99	VOCs (EPA 8260)	MTBE	<2.0	U	2.0	ug/L	991-011199	
			n-Butylbenzene	<1.0	U	1.0	ug/L		
			n-Propylbenzene	<1.0	U	1.0	ug/L		
			Naphthalene	<1.0	U	1.0	ug/L		
			o-Xylene	<1.0	U	1.0	ug/L		
			p-Isopropyltoluene	<1.0	U	1.0	ug/L		
			sec-Butylbenzene	<1.0	U	1.0	ug/L		
			Styrene	<1.0	U	1.0	ug/L		
			tert-Butylbenzene	<1.0	U	1.0	ug/L		
			Tetrachloroethene	<1.0	U	1.0	ug/L		
			Toluene	<1.0	U	1.0	ug/L		
			trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L		
			Trichloroethene	<1.0	U	1.0	ug/L		
			Trichlorofluoromethane	<1.0	U	1.0	ug/L		
			Vinyl Chloride	<1.0	U	1.0	ug/L		
			Xylenes (total)	<1.0	U	1.0	ug/L		
			TPH (EPA 8015M)	TPH as Diesel	<47	U	47		ug/L
TPH as Gas	<50	U			50	ug/L			
FB1-011299	01/12/99	Metals (EPA 6010A)	Arsenic	<5.0	U	5.0	ug/L	991-011299	
			VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0		ug/L
				1,1,1-Trichloroethane	<1.0	U	1.0		ug/L
				1,1,2,2-Tetrachloroethane	<1.0	U	1.0		ug/L
				1,1,2-Trichloroethane	<1.0	U	1.0		ug/L
				1,1-Dichloroethane	<1.0	U	1.0		ug/L
				1,1-Dichloroethene	<1.0	U	1.0		ug/L
				1,1-Dichloropropene	<1.0	U	1.0		ug/L
				1,2,3-Trichlorobenzene	<1.0	U	1.0		ug/L
				1,2,3-Trichloropropane	<1.0	U	1.0		ug/L
				1,2,4-Trichlorobenzene	<1.0	U	1.0		ug/L
				1,2,4-Trimethylbenzene	<1.0	U	1.0		ug/L
				1,2-Dibromo-3-chloropropane	<1.0	U	1.0		ug/L
				1,2-Dichlorobenzene	<1.0	U	1.0		ug/L
				1,2-Dichloroethane	<1.0	U	1.0		ug/L
				1,2-Dichloropropane	<1.0	U	1.0		ug/L
				1,3,5-Trimethylbenzene	<1.0	U	1.0		ug/L
				1,3-Dichlorobenzene	<1.0	U	1.0		ug/L
				1,3-Dichloropropane	<1.0	U	1.0		ug/L
				1,4-Dichlorobenzene	<1.0	U	1.0		ug/L
				2,2-Dichloropropane	<1.0	U	1.0		ug/L
				2-Butanone	<5.0	U	5.0		ug/L
				2-Chloroethylvinylether	<10	U	10		ug/L
				2-Chlorotoluene	<1.0	U	1.0		ug/L
				2-Hexanone	<5.0	U	5.0		ug/L
				4-Chlorotoluene	<1.0	U	1.0		ug/L
				4-Methyl-2-pentanone	<5.0	U	5.0		ug/L
				Acetone	<5.0	U	5.0		ug/L
				Benzene	<1.0	U	1.0		ug/L
				Bromobenzene	<1.0	U	1.0		ug/L

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field and Trip Blanks) for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
FB1-011299	01/12/99	VOCs (EPA 8260)	Bromochloromethane	<1.0	U	1.0	ug/L	991-011299	
			Bromodichloromethane	<1.0	U	1.0	ug/L		
			Bromoform	<1.0	U	1.0	ug/L		
			Bromomethane	<1.0	U	1.0	ug/L		
			Carbon Disulfide	<1.0	U	1.0	ug/L		
			Carbon Tetrachloride	<1.0	U	1.0	ug/L		
			Chlorobenzene	<1.0	U	1.0	ug/L		
			Chloroethane	<1.0	U	1.0	ug/L		
			Chloroform	<1.0	U	1.0	ug/L		
			Chloromethane	<1.0	U	1.0	ug/L		
			cis-1,2-Dichloroethene	<1.0	U	1.0	ug/L		
			Dibromochloromethane	<1.0	U	1.0	ug/L		
			Dibromomethane	<1.0	U	1.0	ug/L		
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L		
			Ethylbenzene	<1.0	U	1.0	ug/L		
			Hexachlorobutadiene	<1.0	U	1.0	ug/L		
			Isopropylbenzene	<1.0	U	1.0	ug/L		
			m,p-Xylenes	<1.0	U	1.0	ug/L		
			Methylene Chloride	<5.0	U	5.0	ug/L		
			MTBE	<2.0	U	2.0	ug/L		
			n-Butylbenzene	<1.0	U	1.0	ug/L		
			n-Propylbenzene	<1.0	U	1.0	ug/L		
			Naphthalene	<1.0	U	1.0	ug/L		
			o-Xylene	<1.0	U	1.0	ug/L		
			p-Isopropyltoluene	<1.0	U	1.0	ug/L		
			sec-Butylbenzene	<1.0	U	1.0	ug/L		
			Styrene	<1.0	U	1.0	ug/L		
			tert-Butylbenzene	<1.0	U	1.0	ug/L		
			Tetrachloroethene	<1.0	U	1.0	ug/L		
			Toluene	<1.0	U	1.0	ug/L		
			trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L		
			Trichloroethene	<1.0	U	1.0	ug/L		
			Trichlorofluoromethane	<1.0	U	1.0	ug/L		
Vinyl Chloride	<1.0	U	1.0	ug/L					
Xylenes (total)	<1.0	U	1.0	ug/L					
		TPH (EPA 8015M)	TPH as Diesel	<47	U	47	ug/L		
			TPH as Gas	<50	U	50	ug/L		
FB1-011399	01/13/99	Metals (EPA 6010A)	Arsenic	<5.0	U	5.0	ug/L	991-011399	
			VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0		ug/L
				1,1,1-Trichloroethane	<1.0	U	1.0		ug/L
				1,1,2,2-Tetrachloroethane	<1.0	U	1.0		ug/L
				1,1,2-Trichloroethane	<1.0	U	1.0		ug/L
				1,1-Dichloroethane	<1.0	U	1.0		ug/L
				1,1-Dichloroethene	<1.0	U	1.0		ug/L
				1,1-Dichloropropene	<1.0	U	1.0		ug/L
				1,2,3-Trichlorobenzene	<1.0	U	1.0		ug/L
				1,2,3-Trichloropropane	<1.0	U	1.0		ug/L
				1,2,4-Trichlorobenzene	<1.0	U	1.0		ug/L

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field and Trip Blanks) for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
FB1-011399	01/13/99	VOCs (EPA 8260)	1,2,4-Trimethylbenzene	<1.0	U	1.0	ug/L	991-011399
			1,2-Dibromo-3-chloropropane	<1.0	U	1.0	ug/L	
			1,2-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,2-Dichloroethane	<1.0	U	1.0	ug/L	
			1,2-Dichloropropane	<1.0	U	1.0	ug/L	
			1,3,5-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,3-Dichloropropane	<1.0	U	1.0	ug/L	
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L	
			2,2-Dichloropropane	<1.0	U	1.0	ug/L	
			2-Butanone	<5.0	U	5.0	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	<1.0	U	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	<1.0	U	1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	<1.0	U	1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	
			Ethylbenzene	<1.0	U	1.0	ug/L	
			Hexachlorobutadiene	<1.0	U	1.0	ug/L	
			Isopropylbenzene	<1.0	U	1.0	ug/L	
			m,p-Xylenes	<1.0	U	1.0	ug/L	
			Methylene Chloride	<5.0	U	5.0	ug/L	
			MTBE	<2.0	U	2.0	ug/L	
			n-Butylbenzene	<1.0	U	1.0	ug/L	
n-Propylbenzene	<1.0	U	1.0	ug/L				
Naphthalene	<1.0	U	1.0	ug/L				
o-Xylene	<1.0	U	1.0	ug/L				
p-Isopropyltoluene	<1.0	U	1.0	ug/L				
sec-Butylbenzene	<1.0	U	1.0	ug/L				
Styrene	<1.0	U	1.0	ug/L				
tert-Butylbenzene	<1.0	U	1.0	ug/L				
Tetrachloroethene	<1.0	U	1.0	ug/L				
Toluene	<1.0	U	1.0	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field and Trip Blanks) for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
FB1-011399	01/13/99	VOCs (EPA 8260)	trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L	991-011399	
			Trichloroethene	<1.0	U	1.0	ug/L		
			Trichlorofluoromethane	<1.0	U	1.0	ug/L		
			Vinyl Chloride	<1.0	U	1.0	ug/L		
			Xylenes (total)	<1.0	U	1.0	ug/L		
			TPH (EPA 8015M) TPH as Diesel	<48	U	48	ug/L		
			TPH as Gas	<50	U	50	ug/L		
FB1-011499	01/14/99	Metals (EPA 6010A)	Arsenic	<5.0	U	5.0	ug/L	991-011499	
			VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0		ug/L
				1,1,1-Trichloroethane	<1.0	U	1.0		ug/L
				1,1,2,2-Tetrachloroethane	<1.0	U	1.0		ug/L
				1,1,2-Trichloroethane	<1.0	U	1.0		ug/L
				1,1-Dichloroethane	<1.0	U	1.0		ug/L
				1,1-Dichloroethene	<1.0	U	1.0		ug/L
				1,1-Dichloropropene	<1.0	U	1.0		ug/L
				1,2,3-Trichlorobenzene	<1.0	U	1.0		ug/L
				1,2,3-Trichloropropane	<1.0	U	1.0		ug/L
				1,2,4-Trichlorobenzene	<1.0	U	1.0		ug/L
				1,2,4-Trimethylbenzene	<1.0	U	1.0		ug/L
				1,2-Dibromo-3-chloropropane	<1.0	U	1.0		ug/L
				1,2-Dichlorobenzene	<1.0	U	1.0		ug/L
				1,2-Dichloroethane	<1.0	U	1.0		ug/L
				1,2-Dichloropropane	<1.0	U	1.0		ug/L
				1,3,5-Trimethylbenzene	<1.0	U	1.0		ug/L
				1,3-Dichlorobenzene	<1.0	U	1.0		ug/L
				1,3-Dichloropropane	<1.0	U	1.0		ug/L
				1,4-Dichlorobenzene	<1.0	U	1.0		ug/L
				2,2-Dichloropropane	<1.0	U	1.0		ug/L
				2-Butanone	<5.0	U	5.0		ug/L
				2-Chloroethylvinylether	<10	U	10		ug/L
				2-Chlorotoluene	<1.0	U	1.0		ug/L
				2-Hexanone	<5.0	U	5.0		ug/L
				4-Chlorotoluene	<1.0	U	1.0		ug/L
				4-Methyl-2-pentanone	<5.0	U	5.0		ug/L
				Acetone	<5.0	U	5.0		ug/L
				Benzene	<1.0	U	1.0		ug/L
				Bromobenzene	<1.0	U	1.0		ug/L
				Bromochloromethane	<1.0	U	1.0		ug/L
				Bromodichloromethane	<1.0	U	1.0		ug/L
				Bromoform	<1.0	U	1.0		ug/L
				Bromomethane	<1.0	U	1.0		ug/L
				Carbon Disulfide	<1.0	U	1.0		ug/L
				Carbon Tetrachloride	<1.0	U	1.0		ug/L
				Chlorobenzene	<1.0	U	1.0		ug/L
				Chloroethane	<1.0	U	1.0		ug/L
				Chloroform	<1.0	U	1.0		ug/L
				Chloromethane	<1.0	U	1.0		ug/L
				cis-1,2-Dichloroethene	<1.0	U	1.0		ug/L

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field and Trip Blanks) for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
FB1-011499	01/14/99	VOCs (EPA 8260)	Dibromochloromethane	<1.0	U	1.0	ug/L	991-011499	
			Dibromomethane	<1.0	U	1.0	ug/L		
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L		
			Ethylbenzene	<1.0	U	1.0	ug/L		
			Hexachlorobutadiene	<1.0	U	1.0	ug/L		
			Isopropylbenzene	<1.0	U	1.0	ug/L		
			m,p-Xylenes	<1.0	U	1.0	ug/L		
			Methylene Chloride	<5.0	U	5.0	ug/L		
			MTBE	<2.0	U	2.0	ug/L		
			n-Butylbenzene	<1.0	U	1.0	ug/L		
			n-Propylbenzene	<1.0	U	1.0	ug/L		
			Naphthalene	<1.0	U	1.0	ug/L		
			o-Xylene	<1.0	U	1.0	ug/L		
			p-Isopropyltoluene	<1.0	U	1.0	ug/L		
			sec-Butylbenzene	<1.0	U	1.0	ug/L		
			Styrene	<1.0	U	1.0	ug/L		
			tert-Butylbenzene	<1.0	U	1.0	ug/L		
			Tetrachloroethene	<1.0	U	1.0	ug/L		
			Toluene	<1.0	U	1.0	ug/L		
			trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L		
			Trichloroethene	<1.0	U	1.0	ug/L		
			Trichlorofluoromethane	<1.0	U	1.0	ug/L		
			Vinyl Chloride	<1.0	U	1.0	ug/L		
Xylenes (total)	<1.0	U	1.0	ug/L					
TPH (EPA 8015M)			TPH as Diesel	<47	U	47	ug/L		
			TPH as Gas	<50	U	50	ug/L		
FB1-011599	01/15/99	Metals (EPA 6010A)	Arsenic	<5.0	U	5.0	ug/L	991-011599	
			VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0		ug/L
				1,1,1-Trichloroethane	<1.0	U	1.0		ug/L
				1,1,2,2-Tetrachloroethane	<1.0	U	1.0		ug/L
				1,1,2-Trichloroethane	<1.0	U	1.0		ug/L
				1,1-Dichloroethane	<1.0	U	1.0		ug/L
				1,1-Dichloroethene	<1.0	U	1.0		ug/L
				1,1-Dichloropropene	<1.0	U	1.0		ug/L
				1,2,3-Trichlorobenzene	<1.0	U	1.0		ug/L
				1,2,3-Trichloropropane	<1.0	U	1.0		ug/L
				1,2,4-Trichlorobenzene	<1.0	U	1.0		ug/L
				1,2,4-Trimethylbenzene	<1.0	U	1.0		ug/L
				1,2-Dibromo-3-chloropropane	<1.0	U	1.0		ug/L
				1,2-Dichlorobenzene	<1.0	U	1.0		ug/L
				1,2-Dichloroethane	<1.0	U	1.0		ug/L
				1,2-Dichloropropane	<1.0	U	1.0		ug/L
				1,3,5-Trimethylbenzene	<1.0	U	1.0		ug/L
				1,3-Dichlorobenzene	<1.0	U	1.0		ug/L
				1,3-Dichloropropane	<1.0	U	1.0		ug/L
				1,4-Dichlorobenzene	<1.0	U	1.0		ug/L
				2,2-Dichloropropane	<1.0	U	1.0		ug/L
2-Butanone	<5.0	U	5.0	ug/L					

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field and Trip Blanks) for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
FB1-011599	01/15/99	VOCs (EPA 8260)	2-Chloroethylvinylether	<10	U	10	ug/L	991-011599
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	<1.0	U	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	<1.0	U	1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	<1.0	U	1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	
			Ethylbenzene	<1.0	U	1.0	ug/L	
			Hexachlorobutadiene	<1.0	U	1.0	ug/L	
			Isopropylbenzene	<1.0	U	1.0	ug/L	
			m,p-Xylenes	<1.0	U	1.0	ug/L	
			Methylene Chloride	<5.0	U	5.0	ug/L	
			MTBE	<2.0	U	2.0	ug/L	
			n-Butylbenzene	<1.0	U	1.0	ug/L	
			n-Propylbenzene	<1.0	U	1.0	ug/L	
			Naphthalene	<1.0	U	1.0	ug/L	
			o-Xylene	<1.0	U	1.0	ug/L	
			p-Isopropyltoluene	<1.0	U	1.0	ug/L	
sec-Butylbenzene	<1.0	U	1.0	ug/L				
Styrene	<1.0	U	1.0	ug/L				
tert-Butylbenzene	<1.0	U	1.0	ug/L				
Tetrachloroethene	<1.0	U	1.0	ug/L				
Toluene	<1.0	U	1.0	ug/L				
trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L				
Trichloroethene	<1.0	U	1.0	ug/L				
Trichlorofluoromethane	<1.0	U	1.0	ug/L				
Vinyl Chloride	<1.0	U	1.0	ug/L				
Xylenes (total)	<1.0	U	1.0	ug/L				
TPH (EPA 8015M)		TPH as Diesel	<48	U	48	ug/L		
		TPH as Gas	<50	U	50	ug/L		
TB1-011199	01/11/99	VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0	ug/L	981-011199
			1,1,1-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1,2,2-Tetrachloroethane	<1.0	U	1.0	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field and Trip Blanks) for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
TB1-011199	01/11/99	VOCs (EPA 8260)	1,1,2-Trichloroethane	<1.0	U	1.0	ug/L	981-011199
			1,1-Dichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethene	<1.0	U	1.0	ug/L	
			1,1-Dichloropropene	<1.0	U	1.0	ug/L	
			1,2,3-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,3-Trichloropropane	<1.0	U	1.0	ug/L	
			1,2,4-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,4-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,2-Dibromo-3-chloropropane	<1.0	U	1.0	ug/L	
			1,2-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,2-Dichloroethane	<1.0	U	1.0	ug/L	
			1,2-Dichloropropane	<1.0	U	1.0	ug/L	
			1,3,5-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,3-Dichloropropane	<1.0	U	1.0	ug/L	
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L	
			2,2-Dichloropropane	<1.0	U	1.0	ug/L	
			2-Butanone	<5.0	U	5.0	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	<1.0	U	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	<1.0	U	1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	<1.0	U	1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	
Ethylbenzene	<1.0	U	1.0	ug/L				
Hexachlorobutadiene	<1.0	U	1.0	ug/L				
Isopropylbenzene	<1.0	U	1.0	ug/L				
m,p-Xylenes	<1.0	U	1.0	ug/L				
Methylene Chloride	<5.0	U	5.0	ug/L				
MTBE	<2.0	U	2.0	ug/L				
n-Butylbenzene	<1.0	U	1.0	ug/L				
n-Propylbenzene	<1.0	U	1.0	ug/L				
Naphthalene	<1.0	U	1.0	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field and Trip Blanks) for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
TB1-011199	01/11/99	VOCs (EPA 8260)	o-Xylene	<1.0	U	1.0	ug/L	981-011199
			p-Isopropyltoluene	<1.0	U	1.0	ug/L	
			sec-Butylbenzene	<1.0	U	1.0	ug/L	
			Styrene	<1.0	U	1.0	ug/L	
			tert-Butylbenzene	<1.0	U	1.0	ug/L	
			Tetrachloroethene	<1.0	U	1.0	ug/L	
			Toluene	<1.0	U	1.0	ug/L	
			trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Trichloroethene	<1.0	U	1.0	ug/L	
			Trichlorofluoromethane	<1.0	U	1.0	ug/L	
			Vinyl Chloride	<1.0	U	1.0	ug/L	
			Xylenes (total)	<1.0	U	1.0	ug/L	
			TB1-011299	01/12/99	VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	
1,1,1-Trichloroethane	<1.0	U				1.0	ug/L	
1,1,2,2-Tetrachloroethane	<1.0	U				1.0	ug/L	
1,1,2-Trichloroethane	<1.0	U				1.0	ug/L	
1,1-Dichloroethane	<1.0	U				1.0	ug/L	
1,1-Dichloroethene	<1.0	U				1.0	ug/L	
1,1-Dichloropropene	<1.0	U				1.0	ug/L	
1,2,3-Trichlorobenzene	<1.0	U				1.0	ug/L	
1,2,3-Trichloropropane	<1.0	U				1.0	ug/L	
1,2,4-Trichlorobenzene	<1.0	U				1.0	ug/L	
1,2,4-Trimethylbenzene	<1.0	U				1.0	ug/L	
1,2-Dibromo-3-chloropropane	<1.0	U				1.0	ug/L	
1,2-Dichlorobenzene	<1.0	U				1.0	ug/L	
1,2-Dichloroethane	<1.0	U				1.0	ug/L	
1,2-Dichloropropane	<1.0	U				1.0	ug/L	
1,3,5-Trimethylbenzene	<1.0	U				1.0	ug/L	
1,3-Dichlorobenzene	<1.0	U				1.0	ug/L	
1,3-Dichloropropane	<1.0	U				1.0	ug/L	
1,4-Dichlorobenzene	<1.0	U				1.0	ug/L	
2,2-Dichloropropane	<1.0	U				1.0	ug/L	
2-Butanone	<5.0	U				5.0	ug/L	
2-Chloroethylvinylether	<10	U				10	ug/L	
2-Chlorotoluene	<1.0	U				1.0	ug/L	
2-Hexanone	<5.0	U				5.0	ug/L	
4-Chlorotoluene	<1.0	U				1.0	ug/L	
4-Methyl-2-pentanone	<5.0	U				5.0	ug/L	
Acetone	<5.0	U				5.0	ug/L	
Benzene	<1.0	U				1.0	ug/L	
Bromobenzene	<1.0	U				1.0	ug/L	
Bromochloromethane	<1.0	U				1.0	ug/L	
Bromodichloromethane	<1.0	U				1.0	ug/L	
Bromoform	<1.0	U				1.0	ug/L	
Bromomethane	<1.0	U				1.0	ug/L	
Carbon Disulfide	<1.0	U	1.0	ug/L				
Carbon Tetrachloride	<1.0	U	1.0	ug/L				
Chlorobenzene	<1.0	U	1.0	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field and Trip Blanks) for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
TB1-011299	01/12/99	VOCs (EPA 8260)	Chloroethane	<1.0	U	1.0	ug/L	981-011299
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	
			Ethylbenzene	<1.0	U	1.0	ug/L	
			Hexachlorobutadiene	<1.0	U	1.0	ug/L	
			Isopropylbenzene	<1.0	U	1.0	ug/L	
			m,p-Xylenes	<1.0	U	1.0	ug/L	
			Methylene Chloride	<5.0	U	5.0	ug/L	
			MTBE	<2.0	U	2.0	ug/L	
			n-Butylbenzene	<1.0	U	1.0	ug/L	
			n-Propylbenzene	<1.0	U	1.0	ug/L	
			Naphthalene	<1.0	U	1.0	ug/L	
			o-Xylene	<1.0	U	1.0	ug/L	
			p-Isopropyltoluene	<1.0	U	1.0	ug/L	
			sec-Butylbenzene	<1.0	U	1.0	ug/L	
			Styrene	<1.0	U	1.0	ug/L	
			tert-Butylbenzene	<1.0	U	1.0	ug/L	
			Tetrachloroethene	<1.0	U	1.0	ug/L	
			Toluene	<1.0	U	1.0	ug/L	
			trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Trichloroethene	<1.0	U	1.0	ug/L	
			Trichlorofluoromethane	<1.0	U	1.0	ug/L	
			Vinyl Chloride	<1.0	U	1.0	ug/L	
			Xylenes (total)	<1.0	U	1.0	ug/L	
TB1-011399	01/13/99	VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0	ug/L	981-011399
			1,1,1-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1,2,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,2-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethene	<1.0	U	1.0	ug/L	
			1,1-Dichloropropene	<1.0	U	1.0	ug/L	
			1,2,3-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,3-Trichloropropane	<1.0	U	1.0	ug/L	
			1,2,4-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,4-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,2-Dibromo-3-chloropropane	<1.0	U	1.0	ug/L	
			1,2-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,2-Dichloroethane	<1.0	U	1.0	ug/L	
			1,2-Dichloropropane	<1.0	U	1.0	ug/L	
			1,3,5-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,3-Dichloropropane	<1.0	U	1.0	ug/L	
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L	
			2,2-Dichloropropane	<1.0	U	1.0	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field and Trip Blanks) for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
TB1-011399	01/13/99	VOCs (EPA 8260)	2-Butanone	<5.0	U	5.0	ug/L	981-011399
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	<1.0	U	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	<1.0	U	1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	<1.0	U	1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	
			Ethylbenzene	<1.0	U	1.0	ug/L	
			Hexachlorobutadiene	<1.0	U	1.0	ug/L	
			Isopropylbenzene	<1.0	U	1.0	ug/L	
			m,p-Xylenes	<1.0	U	1.0	ug/L	
			Methylene Chloride	<5.0	U	5.0	ug/L	
			MTBE	<2.0	U	2.0	ug/L	
			n-Butylbenzene	<1.0	U	1.0	ug/L	
			n-Propylbenzene	<1.0	U	1.0	ug/L	
			Naphthalene	<1.0	U	1.0	ug/L	
			o-Xylene	<1.0	U	1.0	ug/L	
			p-Isopropyltoluene	<1.0	U	1.0	ug/L	
sec-Butylbenzene	<1.0	U	1.0	ug/L				
Styrene	<1.0	U	1.0	ug/L				
tert-Butylbenzene	<1.0	U	1.0	ug/L				
Tetrachloroethene	<1.0	U	1.0	ug/L				
Toluene	<1.0	U	1.0	ug/L				
trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L				
Trichloroethene	<1.0	U	1.0	ug/L				
Trichlorofluoromethane	<1.0	U	1.0	ug/L				
Vinyl Chloride	<1.0	U	1.0	ug/L				
Xylenes (total)	<1.0	U	1.0	ug/L				
TB1-011499	01/14/99	VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0	ug/L	981-011499
			1,1,1-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1,2,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,2-Trichloroethane	<1.0	U	1.0	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field and Trip Blanks) for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
TB1-011499	01/14/99	VOCs (EPA 8260)	1,1-Dichloroethane	<1.0	U	1.0	ug/L	981-011499
			1,1-Dichloroethene	<1.0	U	1.0	ug/L	
			1,1-Dichloropropene	<1.0	U	1.0	ug/L	
			1,2,3-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,3-Trichloropropane	<1.0	U	1.0	ug/L	
			1,2,4-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,4-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,2-Dibromo-3-chloropropane	<1.0	U	1.0	ug/L	
			1,2-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,2-Dichloroethane	<1.0	U	1.0	ug/L	
			1,2-Dichloropropane	<1.0	U	1.0	ug/L	
			1,3,5-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,3-Dichloropropane	<1.0	U	1.0	ug/L	
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L	
			2,2-Dichloropropane	<1.0	U	1.0	ug/L	
			2-Butanone	<5.0	U	5.0	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	<1.0	U	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	<1.0	U	1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	<1.0	U	1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	
			Ethylbenzene	<1.0	U	1.0	ug/L	
Hexachlorobutadiene	<1.0	U	1.0	ug/L				
Isopropylbenzene	<1.0	U	1.0	ug/L				
m,p-Xylenes	<1.0	U	1.0	ug/L				
Methylene Chloride	<5.0	U	5.0	ug/L				
MTBE	<2.0	U	2.0	ug/L				
n-Butylbenzene	<1.0	U	1.0	ug/L				
n-Propylbenzene	<1.0	U	1.0	ug/L				
Naphthalene	<1.0	U	1.0	ug/L				
o-Xylene	<1.0	U	1.0	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field and Trip Blanks) for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
TB1-011499	01/14/99	VOCs (EPA 8260)	p-Isopropyltoluene	<1.0	U	1.0	ug/L	981-011499
			sec-Butylbenzene	<1.0	U	1.0	ug/L	
			Styrene	<1.0	U	1.0	ug/L	
			tert-Butylbenzene	<1.0	U	1.0	ug/L	
			Tetrachloroethene	<1.0	U	1.0	ug/L	
			Toluene	<1.0	U	1.0	ug/L	
			trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Trichloroethene	<1.0	U	1.0	ug/L	
			Trichlorofluoromethane	<1.0	U	1.0	ug/L	
			Vinyl Chloride	<1.0	U	1.0	ug/L	
			Xylenes (total)	<1.0	U	1.0	ug/L	
TB1-011599	01/15/99	VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0	ug/L	981-011599
			1,1,1-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1,2,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,2-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethene	<1.0	U	1.0	ug/L	
			1,1-Dichloropropene	<1.0	U	1.0	ug/L	
			1,2,3-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,3-Trichloropropane	<1.0	U	1.0	ug/L	
			1,2,4-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,4-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,2-Dibromo-3-chloropropane	<1.0	U	1.0	ug/L	
			1,2-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,2-Dichloroethane	<1.0	U	1.0	ug/L	
			1,2-Dichloropropane	<1.0	U	1.0	ug/L	
			1,3,5-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,3-Dichloropropane	<1.0	U	1.0	ug/L	
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L	
			2,2-Dichloropropane	<1.0	U	1.0	ug/L	
			2-Butanone	<5.0	U	5.0	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	<1.0	U	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
Carbon Disulfide	<1.0	U	1.0	ug/L				
Carbon Tetrachloride	<1.0	U	1.0	ug/L				
Chlorobenzene	<1.0	U	1.0	ug/L				
Chloroethane	<1.0	U	1.0	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field and Trip Blanks) for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
TB1-011599	01/15/99	VOCs (EPA 8260)	Chloroform	<1.0	U	1.0	ug/L	981-011599
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	
			Ethylbenzene	<1.0	U	1.0	ug/L	
			Hexachlorobutadiene	<1.0	U	1.0	ug/L	
			Isopropylbenzene	<1.0	U	1.0	ug/L	
			m,p-Xylenes	<1.0	U	1.0	ug/L	
			Methylene Chloride	<5.0	U	5.0	ug/L	
			MTBE	<2.0	U	2.0	ug/L	
			n-Butylbenzene	<1.0	U	1.0	ug/L	
			n-Propylbenzene	<1.0	U	1.0	ug/L	
			Naphthalene	<1.0	U	1.0	ug/L	
			o-Xylene	<1.0	U	1.0	ug/L	
			p-Isopropyltoluene	<1.0	U	1.0	ug/L	
			sec-Butylbenzene	<1.0	U	1.0	ug/L	
			Styrene	<1.0	U	1.0	ug/L	
			tert-Butylbenzene	<1.0	U	1.0	ug/L	
			Tetrachloroethene	<1.0	U	1.0	ug/L	
			Toluene	<1.0	U	1.0	ug/L	
			trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
Trichloroethene	<1.0	U	1.0	ug/L				
Trichlorofluoromethane	<1.0	U	1.0	ug/L				
Vinyl Chloride	<1.0	U	1.0	ug/L				
Xylenes (total)	<1.0	U	1.0	ug/L				

Notes: < = Analyte was not detected at or greater than the detection limit reported

Abbreviations:

FB = Field blank

TB = Trip blank

TPH = Total Petroleum Hydrocarbons

VOCs = Volatile Organic Compounds

Data Qualifiers:

U = Not detected at or greater than the detection limit reported

U5 = Qualified as non-detect (U) based on field blank contamination evaluation

U6 = Qualified as non-detect (U) based on trip blank contamination evaluation

J1 = Concentration is estimated because the concentration exceeded the calibration range of the analytical instrument.

J2 = Concentration is estimated because the sample was analyzed outside of holding time.

J3 = Concentration is estimated due to surrogate recoveries outside of control limits.

J4 = Concentration is estimated due to relative percent difference (RPD) outside of control limits for laboratory control samples (LCS)

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID		
EX-1	01/14/99	VOCs (EPA 8260)	Hexachlorobutadiene	<1.0	U	1.0	ug/L	50-54-001-011499		
			Isopropylbenzene	<1.0	U	1.0	ug/L			
			m,p-Xylenes	4.7		1.0	ug/L			
			Methylene Chloride	<5.0	U	5.0	ug/L			
			MTBE	<2.0	U	2.0	ug/L			
			n-Butylbenzene	<1.0	U	1.0	ug/L			
			n-Propylbenzene	<1.0	U	1.0	ug/L			
			Naphthalene	<1.0	U	1.0	ug/L			
			o-Xylene	1.6		1.0	ug/L			
			p-Isopropyltoluene	<1.0	U	1.0	ug/L			
			sec-Butylbenzene	<1.0	U	1.0	ug/L			
			Styrene	<1.0	U	1.0	ug/L			
			tert-Butylbenzene	0.6	J11	1.0	ug/L			
			Tetrachloroethene	<1.0	U	1.0	ug/L			
			Toluene	4.2		1.0	ug/L			
			trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L			
			Trichloroethene	<1.0	U	1.0	ug/L			
			Trichlorofluoromethane	<1.0	U	1.0	ug/L			
			Vinyl Chloride	<1.0	U	1.0	ug/L			
			Xylenes (total)	6.3		1.0	ug/L			
				TPH (EPA 8015M)	TPH as Diesel	1600			48	ug/L
					TPH as Gas	280			50	ug/L
			EX-2	01/14/99	Metals (EPA 6010A)	Arsenic	8500			5.0
VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<100				U	100	ug/L		
1,1,1-Trichloroethane	<100	U				100	ug/L			
1,1,2,2-Tetrachloroethane	<100	U				100	ug/L			
1,1,2-Trichloroethane	<100	U				100	ug/L			
1,1-Dichloroethane	<100	U				100	ug/L			
1,1-Dichloroethene	<100	U				100	ug/L			
1,1-Dichloropropene	<100	U				100	ug/L			
1,2,3-Trichlorobenzene	<100	U				100	ug/L			
1,2,3-Trichloropropane	<100	U				100	ug/L			
1,2,4-Trichlorobenzene	<100	U				100	ug/L			
1,2,4-Trimethylbenzene	620					100	ug/L			
1,2-Dibromo-3-chloropropane	<100	U				100	ug/L			
1,2-Dichlorobenzene	<100	U				100	ug/L			
1,2-Dichloroethane	<100	U				100	ug/L			
1,2-Dichloropropane	<100	U				100	ug/L			
1,3,5-Trimethylbenzene	190					100	ug/L			
1,3-Dichlorobenzene	<100	U				100	ug/L			
1,3-Dichloropropane	<100	U				100	ug/L			
1,4-Dichlorobenzene	<100	U				100	ug/L			
2,2-Dichloropropane	<100	U				100	ug/L			
2-Butanone	<500	U				500	ug/L			

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-2	01/14/99	VOCs (EPA 8260)	2-Chloroethylvinylether	<1000	U	1000	ug/L	50-54-002-011499
			2-Chlorotoluene	<100	U	100	ug/L	
			2-Hexanone	<500	U	500	ug/L	
			4-Chlorotoluene	<100	U	100	ug/L	
			4-Methyl-2-pentanone	<500	U	500	ug/L	
			Acetone	<500	U	500	ug/L	
			Benzene	59	J11	100	ug/L	
			Bromobenzene	<100	U	100	ug/L	
			Bromochloromethane	<100	U	100	ug/L	
			Bromodichloromethane	<100	U	100	ug/L	
			Bromoform	<100	U	100	ug/L	
			Bromomethane	<100	U	100	ug/L	
			Carbon Disulfide	<100	U	100	ug/L	
			Carbon Tetrachloride	<100	U	100	ug/L	
			Chlorobenzene	<100	U	100	ug/L	
			Chloroethane	<100	U	100	ug/L	
			Chloroform	<100	U	100	ug/L	
			Chloromethane	<100	U	100	ug/L	
			cis-1,2-Dichloroethene	<100	U	100	ug/L	
			Dibromochloromethane	<100	U	100	ug/L	
			Dibromomethane	<100	U	100	ug/L	
			Dichlorodifluoromethane	<100	U	100	ug/L	
			Ethylbenzene	1200		100	ug/L	
			Hexachlorobutadiene	<100	U	100	ug/L	
			Isopropylbenzene	<100	U	100	ug/L	
			m,p-Xylenes	5000		100	ug/L	
			Methylene Chloride	<500	U	500	ug/L	
			MTBE	<200	U	200	ug/L	
			n-Butylbenzene	<100	U	100	ug/L	
			n-Propylbenzene	<100	U	100	ug/L	
			Naphthalene	<100	U	100	ug/L	
			o-Xylene	1400		100	ug/L	
			p-Isopropyltoluene	<100	U	100	ug/L	
			sec-Butylbenzene	<100	U	100	ug/L	
			Styrene	<100	U	100	ug/L	
			tert-Butylbenzene	<100	U	100	ug/L	
			Tetrachloroethene	<100	U	100	ug/L	
			Toluene	11000		100	ug/L	
			trans-1,2-Dichloroethene	<100	U	100	ug/L	
			Trichloroethene	<100	U	100	ug/L	
			Trichlorofluoromethane	<100	U	100	ug/L	
Vinyl Chloride	<100	U	100	ug/L				
Xylenes (total)	6400		100	ug/L				
TPH (EPA 8015M)	TPH as Diesel		2700	48	ug/L			
	TPH as Gas		51000	2500	ug/L			

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-3	01/14/99	Metals (EPA 6010A)	Arsenic	120000		50	ug/L	50-54-003-011499
		VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,1-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1,2,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,2-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethene	<1.0	U	1.0	ug/L	
			1,1-Dichloropropene	<1.0	U	1.0	ug/L	
			1,2,3-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,3-Trichloropropane	<1.0	U	1.0	ug/L	
			1,2,4-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,4-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,2-Dibromo-3-chloropropane	<1.0	U	1.0	ug/L	
			1,2-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,2-Dichloroethane	8.6		1.0	ug/L	
			1,2-Dichloropropane	<1.0	U	1.0	ug/L	
			1,3,5-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,3-Dichloropropane	<1.0	U	1.0	ug/L	
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L	
			2,2-Dichloropropane	<1.0	U	1.0	ug/L	
			2-Butanone	<5.0	U	5.0	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	<1.0	U	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	3.0		1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	1.0		1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	4.0		1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
EX-3	01/14/99	VOCs (EPA 8260)	Ethylbenzene	<1.0	U	1.0	ug/L	50-54-003-011499	
			Hexachlorobutadiene	<1.0	U	1.0	ug/L		
			Isopropylbenzene	<1.0	U	1.0	ug/L		
			m,p-Xylenes	<1.0	U	1.0	ug/L		
			Methylene Chloride	<5.0	U	5.0	ug/L		
			MTBE	<2.0	U	2.0	ug/L		
			n-Butylbenzene	<1.0	U	1.0	ug/L		
			n-Propylbenzene	<1.0	U	1.0	ug/L		
			Naphthalene	<1.0	U	1.0	ug/L		
			o-Xylene	<1.0	U	1.0	ug/L		
			p-Isopropyltoluene	<1.0	U	1.0	ug/L		
			sec-Butylbenzene	<1.0	U	1.0	ug/L		
			Styrene	<1.0	U	1.0	ug/L		
			tert-Butylbenzene	<1.0	U	1.0	ug/L		
			Tetrachloroethene	<1.0	U	1.0	ug/L		
			Toluene	2.0		1.0	ug/L		
			trans-1,2-Dichloroethene	2.4		1.0	ug/L		
			Trichloroethene	1.8		1.0	ug/L		
			Trichlorofluoromethane	<1.0	U	1.0	ug/L		
			Vinyl Chloride	<1.0	U	1.0	ug/L		
			Xylenes (total)	<1.0	U	1.0	ug/L		
			TPH (EPA 8015M)	TPH as Diesel	240	47	ug/L		
				TPH as Gas	82	50	ug/L		
EX-4	01/14/99	Metals (EPA 6010A)	Arsenic	<5.0	U	5.0	ug/L	50-54-004-011499	
			VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0		ug/L
				1,1,1-Trichloroethane	<1.0	U	1.0		ug/L
				1,1,2,2-Tetrachloroethane	<1.0	U	1.0		ug/L
				1,1,2-Trichloroethane	<1.0	U	1.0		ug/L
				1,1-Dichloroethane	<1.0	U	1.0		ug/L
				1,1-Dichloroethene	<1.0	U	1.0		ug/L
				1,1-Dichloropropene	<1.0	U	1.0		ug/L
				1,2,3-Trichlorobenzene	<1.0	U	1.0		ug/L
				1,2,3-Trichloropropane	<1.0	U	1.0		ug/L
				1,2,4-Trichlorobenzene	<1.0	U	1.0		ug/L
				1,2,4-Trimethylbenzene	<1.0	U	1.0		ug/L
				1,2-Dibromo-3-chloropropane	<1.0	U	1.0		ug/L
				1,2-Dichlorobenzene	<1.0	U	1.0		ug/L
				1,2-Dichloroethane	<1.0	U	1.0		ug/L
				1,2-Dichloropropane	<1.0	U	1.0		ug/L
				1,3,5-Trimethylbenzene	<1.0	U	1.0		ug/L
				1,3-Dichlorobenzene	<1.0	U	1.0		ug/L
				1,3-Dichloropropane	<1.0	U	1.0		ug/L
				1,4-Dichlorobenzene	<1.0	U	1.0		ug/L
				2,2-Dichloropropane	<1.0	U	1.0		ug/L

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-4	01/14/99	VOCs (EPA 8260)	2-Butanone	<5.0	U	5.0	ug/L	50-54-004-011499
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	<1.0	U	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	<1.0	U	1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	0.6	J11	1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	
			Ethylbenzene	<1.0	U	1.0	ug/L	
			Hexachlorobutadiene	<1.0	U	1.0	ug/L	
			Isopropylbenzene	<1.0	U	1.0	ug/L	
			m,p-Xylenes	<1.0	U	1.0	ug/L	
			Methylene Chloride	<5.0	U	5.0	ug/L	
			MTBE	<2.0	U	2.0	ug/L	
			n-Butylbenzene	<1.0	U	1.0	ug/L	
			n-Propylbenzene	<1.0	U	1.0	ug/L	
			Naphthalene	<1.0	U	1.0	ug/L	
			o-Xylene	<1.0	U	1.0	ug/L	
p-Isopropyltoluene	<1.0	U	1.0	ug/L				
sec-Butylbenzene	<1.0	U	1.0	ug/L				
Styrene	<1.0	U	1.0	ug/L				
tert-Butylbenzene	1.1		1.0	ug/L				
Tetrachloroethene	<1.0	U	1.0	ug/L				
Toluene	<1.0	U	1.0	ug/L				
trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L				
Trichloroethene	<1.0	U	1.0	ug/L				
Trichlorofluoromethane	<1.0	U	1.0	ug/L				
Vinyl Chloride	<1.0	U	1.0	ug/L				
Xylenes (total)	<1.0	U	1.0	ug/L				
TPH (EPA 8015M)	TPH as Diesel		1400	47	ug/L			

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-4	01/14/99	TPH (EPA 8015M)	TPH as Gas	240		50	ug/L	50-54-004-011499
EX-4-DUP	01/14/99	Metals (EPA 6010A)	Arsenic	<5.0	U	5.0	ug/L	50-54-004-011499-D
		VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,1-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1,2,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,2-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethene	<1.0	U	1.0	ug/L	
			1,1-Dichloropropene	<1.0	U	1.0	ug/L	
			1,2,3-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,3-Trichloropropane	<1.0	U	1.0	ug/L	
			1,2,4-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,4-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,2-Dibromo-3-chloropropane	<1.0	U	1.0	ug/L	
			1,2-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,2-Dichloroethane	<1.0	U	1.0	ug/L	
			1,2-Dichloropropane	<1.0	U	1.0	ug/L	
			1,3,5-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,3-Dichloropropane	<1.0	U	1.0	ug/L	
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L	
			2,2-Dichloropropane	<1.0	U	1.0	ug/L	
			2-Butanone	<5.0	U	5.0	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	<1.0	U	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	<1.0	U	1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	0.6	J11	1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
EX-4-DUP	01/14/99	VOCs (EPA 8260)	Dichlorodifluoromethane	<1.0	U	1.0	ug/L	50-54-004-011499-D	
			Ethylbenzene	<1.0	U	1.0	ug/L		
			Hexachlorobutadiene	<1.0	U	1.0	ug/L		
			Isopropylbenzene	<1.0	U	1.0	ug/L		
			m,p-Xylenes	<1.0	U	1.0	ug/L		
			Methylene Chloride	<5.0	U	5.0	ug/L		
			MTBE	<2.0	U	2.0	ug/L		
			n-Butylbenzene	<1.0	U	1.0	ug/L		
			n-Propylbenzene	<1.0	U	1.0	ug/L		
			Naphthalene	<1.0	U	1.0	ug/L		
			o-Xylene	<1.0	U	1.0	ug/L		
			p-Isopropyltoluene	<1.0	U	1.0	ug/L		
			sec-Butylbenzene	<1.0	U	1.0	ug/L		
			Styrene	<1.0	U	1.0	ug/L		
			tert-Butylbenzene	1.0	J11	1.0	ug/L		
			Tetrachloroethene	<1.0	U	1.0	ug/L		
			Toluene	2.2		1.0	ug/L		
			trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L		
			Trichloroethene	<1.0	U	1.0	ug/L		
			Trichlorofluoromethane	<1.0	U	1.0	ug/L		
			Vinyl Chloride	<1.0	U	1.0	ug/L		
			Xylenes (total)	<1.0	U	1.0	ug/L		
				TPH (EPA 8015M)	TPH as Diesel	1700			47
		TPH as Gas	250		50	ug/L			
EX-5	01/14/99	Metals (EPA 6010A)	Arsenic	<5.0	U	5.0	ug/L	50-54-005-011499	
			VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0		ug/L
				1,1,1-Trichloroethane	<1.0	U	1.0		ug/L
				1,1,2,2-Tetrachloroethane	<1.0	U	1.0		ug/L
				1,1,2-Trichloroethane	<1.0	U	1.0		ug/L
				1,1-Dichloroethane	<1.0	U	1.0		ug/L
				1,1-Dichloroethene	<1.0	U	1.0		ug/L
				1,1-Dichloropropene	<1.0	U	1.0		ug/L
				1,2,3-Trichlorobenzene	<1.0	U	1.0		ug/L
				1,2,3-Trichloropropane	<1.0	U	1.0		ug/L
				1,2,4-Trichlorobenzene	<1.0	U	1.0		ug/L
				1,2,4-Trimethylbenzene	3.3		1.0		ug/L
				1,2-Dibromo-3-chloropropane	<1.0	U	1.0		ug/L
				1,2-Dichlorobenzene	<1.0	U	1.0		ug/L
				1,2-Dichloroethane	<1.0	U	1.0		ug/L
				1,2-Dichloropropane	<1.0	U	1.0		ug/L
				1,3,5-Trimethylbenzene	0.7	J11	1.0		ug/L
				1,3-Dichlorobenzene	<1.0	U	1.0		ug/L
				1,3-Dichloropropane	<1.0	U	1.0		ug/L
				1,4-Dichlorobenzene	<1.0	U	1.0		ug/L

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-5	01/14/99	VOCs (EPA 8260)	2,2-Dichloropropane	<1.0	U	1.0	ug/L	50-54-005-011499
			2-Butanone	<5.0	U	5.0	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	5.2		1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	160		1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	1.9		1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	0.9	J11	1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	
			Ethylbenzene	2.2		1.0	ug/L	
			Hexachlorobutadiene	<1.0	U	1.0	ug/L	
			Isopropylbenzene	<1.0	U	1.0	ug/L	
			m,p-Xylenes	3.4		1.0	ug/L	
			Methylene Chloride	<5.0	U	5.0	ug/L	
			MTBE	<2.0	U	2.0	ug/L	
			n-Butylbenzene	<1.0	U	1.0	ug/L	
			n-Propylbenzene	<1.0	U	1.0	ug/L	
			Naphthalene	<1.0	U	1.0	ug/L	
			o-Xylene	0.9	J11	1.0	ug/L	
			p-Isopropyltoluene	<1.0	U	1.0	ug/L	
			sec-Butylbenzene	<1.0	U	1.0	ug/L	
			Styrene	1.6		1.0	ug/L	
			tert-Butylbenzene	<1.0	U	1.0	ug/L	
			Tetrachloroethene	<1.0	U	1.0	ug/L	
			Toluene	0.7	J11	1.0	ug/L	
			trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Trichloroethene	<1.0	U	1.0	ug/L	
			Trichlorofluoromethane	<1.0	U	1.0	ug/L	
			Vinyl Chloride	<1.0	U	1.0	ug/L	
			Xylenes (total)	4.3		1.0	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-5	01/14/99	TPH (EPA 8015M)	TPH as Diesel	2600		47	ug/L	50-54-005-011499
			TPH as Gas	410		50	ug/L	
EX-6	01/15/99	Metals (EPA 6010A)	Arsenic	5800		5.0	ug/L	50-54-006-011599
			VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<20	U	20	
		1,1,1-Trichloroethane	<20	U	20	ug/L		
		1,1,2,2-Tetrachloroethane	<20	U	20	ug/L		
		1,1,2-Trichloroethane	<20	U	20	ug/L		
		1,1-Dichloroethane	<20	U	20	ug/L		
		1,1-Dichloroethene	<20	U	20	ug/L		
		1,1-Dichloropropene	<20	U	20	ug/L		
		1,2,3-Trichlorobenzene	<20	U	20	ug/L		
		1,2,3-Trichloropropane	<20	U	20	ug/L		
		1,2,4-Trichlorobenzene	<20	U	20	ug/L		
		1,2,4-Trimethylbenzene	170		20	ug/L		
		1,2-Dibromo-3-chloropropane	<20	U	20	ug/L		
		1,2-Dichlorobenzene	<20	U	20	ug/L		
		1,2-Dichloroethane	<20	U	20	ug/L		
		1,2-Dichloropropane	<20	U	20	ug/L		
		1,3,5-Trimethylbenzene	57		20	ug/L		
		1,3-Dichlorobenzene	<20	U	20	ug/L		
		1,3-Dichloropropane	<20	U	20	ug/L		
		1,4-Dichlorobenzene	<20	U	20	ug/L		
		2,2-Dichloropropane	<20	U	20	ug/L		
		2-Butanone	<100	U	100	ug/L		
		2-Chloroethylvinylether	<200	U	200	ug/L		
		2-Chlorotoluene	<20	U	20	ug/L		
		2-Hexanone	<100	U	100	ug/L		
		4-Chlorotoluene	<20	U	20	ug/L		
		4-Methyl-2-pentanone	<100	U	100	ug/L		
		Acetone	<100	U	100	ug/L		
		Benzene	91		20	ug/L		
		Bromobenzene	<20	U	20	ug/L		
		Bromochloromethane	<20	U	20	ug/L		
		Bromodichloromethane	<20	U	20	ug/L		
Bromoform	<20	U	20	ug/L				
Bromomethane	<20	U	20	ug/L				
Carbon Disulfide	14	J11	20	ug/L				
Carbon Tetrachloride	<20	U	20	ug/L				
Chlorobenzene	<20	U	20	ug/L				
Chloroethane	<20	U	20	ug/L				
Chloroform	<20	U	20	ug/L				
Chloromethane	<20	U	20	ug/L				
cis-1,2-Dichloroethene	<20	U	20	ug/L				
Dibromochloromethane	<20	U	20	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID					
EX-6	01/15/99	VOCs (EPA 8260)	Dibromomethane	<20	U	20	ug/L	50-54-006-011599					
			Dichlorodifluoromethane	<20	U	20	ug/L						
			Ethylbenzene	1600		20	ug/L						
			Hexachlorobutadiene	<20	U	20	ug/L						
			Isopropylbenzene	35		20	ug/L						
			m,p-Xylenes	5400		20	ug/L						
			Methylene Chloride	<100	U	100	ug/L						
			MTBE	<40	U	40	ug/L						
			n-Butylbenzene	<20	U	20	ug/L						
			n-Propylbenzene	40		20	ug/L						
			Naphthalene	21		20	ug/L						
			o-Xylene	680		20	ug/L						
			p-Isopropyltoluene	<20	U	20	ug/L						
			sec-Butylbenzene	<20	U	20	ug/L						
			Styrene	<20	U	20	ug/L						
			tert-Butylbenzene	<20	U	20	ug/L						
			Tetrachloroethene	<20	U	20	ug/L						
			Toluene	930		20	ug/L						
			trans-1,2-Dichloroethene	<20	U	20	ug/L						
			Trichloroethene	<20	U	20	ug/L						
			Trichlorofluoromethane	<20	U	20	ug/L						
			Vinyl Chloride	<20	U	20	ug/L						
			Xylenes (total)	6080		20	ug/L						
			TPH (EPA 8015M)	TPH as Diesel	1900	48	ug/L						
				TPH as Gas	24000	1000	ug/L						
			EX-7	01/14/99	Metals (EPA 6010A)	Arsenic	100000			50	ug/L	50-54-007-011499	
						VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane		<1.0	U	1.0		ug/L
							1,1,1-Trichloroethane		<1.0	U	1.0		ug/L
1,1,2,2-Tetrachloroethane	<1.0	U					1.0	ug/L					
1,1,2-Trichloroethane	<1.0	U					1.0	ug/L					
1,1-Dichloroethane	<1.0	U					1.0	ug/L					
1,1-Dichloroethene	<1.0	U					1.0	ug/L					
1,1-Dichloropropene	<1.0	U					1.0	ug/L					
1,2,3-Trichlorobenzene	<1.0	U					1.0	ug/L					
1,2,3-Trichloropropane	<1.0	U					1.0	ug/L					
1,2,4-Trichlorobenzene	<1.0	U					1.0	ug/L					
1,2,4-Trimethylbenzene	210						25	ug/L					
1,2-Dibromo-3-chloropropane	<1.0	U					1.0	ug/L					
1,2-Dichlorobenzene	<1.0	U					1.0	ug/L					
1,2-Dichloroethane	12						1.0	ug/L					
1,2-Dichloropropane	<1.0	U					1.0	ug/L					
1,3,5-Trimethylbenzene	73						1.0	ug/L					
1,3-Dichlorobenzene	<1.0	U					1.0	ug/L					
1,3-Dichloropropane	<1.0	U					1.0	ug/L					

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-7	01/14/99	VOCs (EPA 8260)	1,4-Dichlorobenzene	<1.0	U	1.0	ug/L	50-54-007-011499
			2,2-Dichloropropane	<1.0	U	1.0	ug/L	
			2-Butanone	860		130	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	11		5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	230		130	ug/L	
			Acetone	1600		130	ug/L	
			Benzene	28		1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	4.6		1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	<1.0	U	1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	6.8		1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	
			Ethylbenzene	210		25	ug/L	
			Hexachlorobutadiene	<1.0	U	1.0	ug/L	
			Isopropylbenzene	8.3		1.0	ug/L	
			m,p-Xylenes	1200		25	ug/L	
			Methylene Chloride	<5.0	U	5.0	ug/L	
			MTBE	2.7		2.0	ug/L	
			n-Butylbenzene	0.8	J11	1.0	ug/L	
			n-Propylbenzene	8.3		1.0	ug/L	
			Naphthalene	9.2		1.0	ug/L	
			o-Xylene	230		25	ug/L	
			p-Isopropyltoluene	1.5		1.0	ug/L	
			sec-Butylbenzene	<1.0	U	1.0	ug/L	
			Styrene	<1.0	U	1.0	ug/L	
			tert-Butylbenzene	<1.0	U	1.0	ug/L	
			Tetrachloroethene	<1.0	U	1.0	ug/L	
			Toluene	2200		25	ug/L	
			trans-1,2-Dichloroethene	0.8	J11	1.0	ug/L	
			Trichloroethene	0.6	J11	1.0	ug/L	
			Trichlorofluoromethane	<1.0	U	1.0	ug/L	
			Vinyl Chloride	1.5		1.0	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-7	01/14/99	VOCs (EPA 8260) TPH (EPA 8015M)	Xylenes (total)	1430		25	ug/L	50-54-007-011499
			TPH as Diesel	1100		47	ug/L	
			TPH as Gas	5300		500	ug/L	
EX-8	01/14/99	Metals (EPA 6010A) VOCs (EPA 8260)	Arsenic	57000		25	ug/L	50-54-008-011499
			1,1,1,2-Tetrachloroethane	<130	U	130	ug/L	
			1,1,1-Trichloroethane	<130	U	130	ug/L	
			1,1,2,2-Tetrachloroethane	<130	U	130	ug/L	
			1,1,2-Trichloroethane	<130	U	130	ug/L	
			1,1-Dichloroethane	<130	U	130	ug/L	
			1,1-Dichloroethene	<130	U	130	ug/L	
			1,1-Dichloropropene	<130	U	130	ug/L	
			1,2,3-Trichlorobenzene	<130	U	130	ug/L	
			1,2,3-Trichloropropane	<130	U	130	ug/L	
			1,2,4-Trichlorobenzene	<130	U	130	ug/L	
			1,2,4-Trimethylbenzene	<130	U	130	ug/L	
			1,2-Dibromo-3-chloropropane	<130	U	130	ug/L	
			1,2-Dichlorobenzene	<130	U	130	ug/L	
			1,2-Dichloroethane	<130	U	130	ug/L	
			1,2-Dichloropropane	<130	U	130	ug/L	
			1,3,5-Trimethylbenzene	<130	U	130	ug/L	
			1,3-Dichlorobenzene	<130	U	130	ug/L	
			1,3-Dichloropropane	<130	U	130	ug/L	
			1,4-Dichlorobenzene	<130	U	130	ug/L	
			2,2-Dichloropropane	<130	U	130	ug/L	
			2-Butanone	19000		630	ug/L	
			2-Chloroethylvinylether	<1300	U	1300	ug/L	
			2-Chlorotoluene	<130	U	130	ug/L	
			2-Hexanone	<630	U	630	ug/L	
			4-Chlorotoluene	<130	U	130	ug/L	
			4-Methyl-2-pentanone	6900		630	ug/L	
			Acetone	42000		1300	ug/L	
			Benzene	<130	U	130	ug/L	
			Bromobenzene	<130	U	130	ug/L	
			Bromochloromethane	<130	U	130	ug/L	
			Bromodichloromethane	<130	U	130	ug/L	
			Bromoform	<130	U	130	ug/L	
Bromomethane	<130	U	130	ug/L				
Carbon Disulfide	<130	U	130	ug/L				
Carbon Tetrachloride	<130	U	130	ug/L				
Chlorobenzene	<130	U	130	ug/L				
Chloroethane	<130	U	130	ug/L				
Chloroform	<130	U	130	ug/L				
Chloromethane	<130	U	130	ug/L				
cis-1,2-Dichloroethene	<130	U	130	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID			
EX-8	01/14/99	VOCs (EPA 8260)	Dibromochloromethane	<130	U	130	ug/L	50-54-008-011499			
			Dibromomethane	<130	U	130	ug/L				
			Dichlorodifluoromethane	<130	U	130	ug/L				
			Ethylbenzene	67	J11	130	ug/L				
			Hexachlorobutadiene	<130	U	130	ug/L				
			Isopropylbenzene	<130	U	130	ug/L				
			m,p-Xylenes	450		130	ug/L				
			Methylene Chloride	<630	U	630	ug/L				
			MTBE	<250	U	250	ug/L				
			n-Butylbenzene	<130	U	130	ug/L				
			n-Propylbenzene	<130	U	130	ug/L				
			Naphthalene	<130	U	130	ug/L				
			o-Xylene	110	J11	130	ug/L				
			p-Isopropyltoluene	<130	U	130	ug/L				
			sec-Butylbenzene	<130	U	130	ug/L				
			Styrene	<130	U	130	ug/L				
			tert-Butylbenzene	<130	U	130	ug/L				
			Tetrachloroethene	<130	U	130	ug/L				
			Toluene	6200		130	ug/L				
			trans-1,2-Dichloroethene	<130	U	130	ug/L				
			Trichloroethene	<130	U	130	ug/L				
			Trichlorofluoromethane	<130	U	130	ug/L				
			Vinyl Chloride	<130	U	130	ug/L				
			Xylenes (total)	560		130	ug/L				
			TPH (EPA 8015M)	TPH as Diesel	2700	47	ug/L				
				TPH as Gas	26000	1000	ug/L				
				<hr/>							
		EX-9	01/14/99	Metals (EPA 6010A)	Arsenic	140000			100	ug/L	50-54-009-011499
				VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<25	U		25	ug/L	
					1,1,1-Trichloroethane	<25	U		25	ug/L	
1,1,2,2-Tetrachloroethane	<25				U	25	ug/L				
1,1,2-Trichloroethane	<25				U	25	ug/L				
1,1-Dichloroethane	<25				U	25	ug/L				
1,1-Dichloroethene	<25				U	25	ug/L				
1,1-Dichloropropene	<25				U	25	ug/L				
1,2,3-Trichlorobenzene	<25				U	25	ug/L				
1,2,3-Trichloropropane	<25				U	25	ug/L				
1,2,4-Trichlorobenzene	<25				U	25	ug/L				
1,2,4-Trimethylbenzene	25					25	ug/L				
1,2-Dibromo-3-chloropropane	<25				U	25	ug/L				
1,2-Dichlorobenzene	<25				U	25	ug/L				
1,2-Dichloroethane	240					25	ug/L				
1,2-Dichloropropane	<25				U	25	ug/L				
1,3,5-Trimethylbenzene	<25				U	25	ug/L				
1,3-Dichlorobenzene	<25				U	25	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-9	01/14/99	VOCs (EPA 8260)	1,3-Dichloropropane	<25	U	25	ug/L	50-54-009-011499
			1,4-Dichlorobenzene	<25	U	25	ug/L	
			2,2-Dichloropropane	<25	U	25	ug/L	
			2-Butanone	370		130	ug/L	
			2-Chloroethylvinylether	<250	U	250	ug/L	
			2-Chlorotoluene	<25	U	25	ug/L	
			2-Hexanone	<130	U	130	ug/L	
			4-Chlorotoluene	<25	U	25	ug/L	
			4-Methyl-2-pentanone	<130	U	130	ug/L	
			Acetone	530		130	ug/L	
			Benzene	<25	U	25	ug/L	
			Bromobenzene	<25	U	25	ug/L	
			Bromochloromethane	<25	U	25	ug/L	
			Bromodichloromethane	<25	U	25	ug/L	
			Bromoform	<25	U	25	ug/L	
			Bromomethane	<25	U	25	ug/L	
			Carbon Disulfide	<25	U	25	ug/L	
			Carbon Tetrachloride	<25	U	25	ug/L	
			Chlorobenzene	<25	U	25	ug/L	
			Chloroethane	<25	U	25	ug/L	
			Chloroform	<25	U	25	ug/L	
			Chloromethane	<25	U	25	ug/L	
			cis-1,2-Dichloroethene	<25	U	25	ug/L	
			Dibromochloromethane	<25	U	25	ug/L	
			Dibromomethane	<25	U	25	ug/L	
			Dichlorodifluoromethane	<25	U	25	ug/L	
			Ethylbenzene	59		25	ug/L	
			Hexachlorobutadiene	<25	U	25	ug/L	
			Isopropylbenzene	<25	U	25	ug/L	
			m,p-Xylenes	690		25	ug/L	
			Methylene Chloride	<130	U	130	ug/L	
			MTBE	<50	U	50	ug/L	
			n-Butylbenzene	<25	U	25	ug/L	
			n-Propylbenzene	<25	U	25	ug/L	
			Naphthalene	<25	U	25	ug/L	
			o-Xylene	160		25	ug/L	
			p-Isopropyltoluene	<25	U	25	ug/L	
			sec-Butylbenzene	<25	U	25	ug/L	
			Styrene	<25	U	25	ug/L	
			tert-Butylbenzene	<25	U	25	ug/L	
Tetrachloroethene	<25	U	25	ug/L				
Toluene	3500		25	ug/L				
trans-1,2-Dichloroethene	<25	U	25	ug/L				
Trichloroethene	<25	U	25	ug/L				
Trichlorofluoromethane	<25	U	25	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
EX-9	01/14/99	VOCs (EPA 8260)	Vinyl Chloride	<25	U	25	ug/L	50-54-009-011499	
			Xylenes (total)	850		25	ug/L		
			TPH (EPA 8015M)	TPH as Diesel	730		47		ug/L
				TPH as Gas	6900		250		ug/L
EX-10	01/14/99	Metals (EPA 6010A)	Arsenic	880		5.0	ug/L	50-54-010-011499	
		VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0	ug/L		
			1,1,1-Trichloroethane	<1.0	U	1.0	ug/L		
			1,1,2,2-Tetrachloroethane	<1.0	U	1.0	ug/L		
			1,1,2-Trichloroethane	<1.0	U	1.0	ug/L		
			1,1-Dichloroethane	<1.0	U	1.0	ug/L		
			1,1-Dichloroethene	<1.0	U	1.0	ug/L		
			1,1-Dichloropropene	<1.0	U	1.0	ug/L		
			1,2,3-Trichlorobenzene	<1.0	U	1.0	ug/L		
			1,2,3-Trichloropropane	<1.0	U	1.0	ug/L		
			1,2,4-Trichlorobenzene	<1.0	U	1.0	ug/L		
			1,2,4-Trimethylbenzene	<1.0	U	1.0	ug/L		
			1,2-Dibromo-3-chloropropane	<1.0	U	1.0	ug/L		
			1,2-Dichlorobenzene	<1.0	U	1.0	ug/L		
			1,2-Dichloroethane	34		1.0	ug/L		
			1,2-Dichloropropane	<1.0	U	1.0	ug/L		
			1,3,5-Trimethylbenzene	<1.0	U	1.0	ug/L		
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L		
			1,3-Dichloropropane	<1.0	U	1.0	ug/L		
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L		
			2,2-Dichloropropane	<1.0	U	1.0	ug/L		
			2-Butanone	<5.0	U	5.0	ug/L		
			2-Chloroethylvinylether	<10	U	10	ug/L		
			2-Chlorotoluene	<1.0	U	1.0	ug/L		
			2-Hexanone	<5.0	U	5.0	ug/L		
			4-Chlorotoluene	<1.0	U	1.0	ug/L		
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L		
			Acetone	<5.0	U	5.0	ug/L		
			Benzene	<1.0	U	1.0	ug/L		
			Bromobenzene	<1.0	U	1.0	ug/L		
			Bromochloromethane	<1.0	U	1.0	ug/L		
			Bromodichloromethane	<1.0	U	1.0	ug/L		
			Bromoform	<1.0	U	1.0	ug/L		
Bromomethane	<1.0	U	1.0	ug/L					
Carbon Disulfide	0.6	J11	1.0	ug/L					
Carbon Tetrachloride	<1.0	U	1.0	ug/L					
Chlorobenzene	<1.0	U	1.0	ug/L					
Chloroethane	<1.0	U	1.0	ug/L					
Chloroform	<1.0	U	1.0	ug/L					
Chloromethane	<1.0	U	1.0	ug/L					

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
EX-10	01/14/99	VOCs (EPA 8260)	cis-1,2-Dichloroethene	1.2		1.0	ug/L	50-54-010-011499	
			Dibromochloromethane	<1.0	U	1.0	ug/L		
			Dibromomethane	<1.0	U	1.0	ug/L		
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L		
			Ethylbenzene	1.5		1.0	ug/L		
			Hexachlorobutadiene	<1.0	U	1.0	ug/L		
			Isopropylbenzene	0.5	J11	1.0	ug/L		
			m,p-Xylenes	2.1		1.0	ug/L		
			Methylene Chloride	<5.0	U	5.0	ug/L		
			MTBE	1.0	J11	2.0	ug/L		
			n-Butylbenzene	<1.0	U	1.0	ug/L		
			n-Propylbenzene	<1.0	U	1.0	ug/L		
			Naphthalene	0.6	J11	1.0	ug/L		
			o-Xylene	1.3		1.0	ug/L		
			p-Isopropyltoluene	<1.0	U	1.0	ug/L		
			sec-Butylbenzene	0.7	J11	1.0	ug/L		
			Styrene	<1.0	U	1.0	ug/L		
			tert-Butylbenzene	0.9	J11	1.0	ug/L		
			Tetrachloroethene	<1.0	U	1.0	ug/L		
			Toluene	1.6		1.0	ug/L		
			trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L		
			Trichloroethene	0.8	J11	1.0	ug/L		
			Trichlorofluoromethane	<1.0	U	1.0	ug/L		
Vinyl Chloride	<1.0	U	1.0	ug/L					
Xylenes (total)	3.4		1.0	ug/L					
TPH (EPA 8015M)			TPH as Diesel	1400		47	ug/L		
			TPH as Gas	1100		50	ug/L		
LF-3	01/15/99	Metals (EPA 6010A)	Arsenic	29000		10	ug/L	60-36-003-011599	
			VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<500	U	500		ug/L
				1,1,1-Trichloroethane	<500	U	500		ug/L
				1,1,2,2-Tetrachloroethane	<500	U	500		ug/L
				1,1,2-Trichloroethane	<500	U	500		ug/L
				1,1-Dichloroethane	<500	U	500		ug/L
				1,1-Dichloroethene	<500	U	500		ug/L
				1,1-Dichloropropene	<500	U	500		ug/L
				1,2,3-Trichlorobenzene	<500	U	500		ug/L
				1,2,3-Trichloropropane	<500	U	500		ug/L
				1,2,4-Trichlorobenzene	<500	U	500		ug/L
				1,2,4-Trimethylbenzene	<500	U	500		ug/L
				1,2-Dibromo-3-chloropropane	<500	U	500		ug/L
				1,2-Dichlorobenzene	<500	U	500		ug/L
				1,2-Dichloroethane	<500	U	500		ug/L
				1,2-Dichloropropane	<500	U	500		ug/L
				1,3,5-Trimethylbenzene	<500	U	500		ug/L

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-3	01/15/99	VOCs (EPA 8260)	1,3-Dichlorobenzene	<500	U	500	ug/L	60-36-003-011599
			1,3-Dichloropropane	<500	U	500	ug/L	
			1,4-Dichlorobenzene	<500	U	500	ug/L	
			2,2-Dichloropropane	<500	U	500	ug/L	
			2-Butanone	<2500	U	2500	ug/L	
			2-Chloroethylvinylether	<5000	U	5000	ug/L	
			2-Chlorotoluene	<500	U	500	ug/L	
			2-Hexanone	<2500	U	2500	ug/L	
			4-Chlorotoluene	<500	U	500	ug/L	
			4-Methyl-2-pentanone	<2500	U	2500	ug/L	
			Acetone	<2500	U	2500	ug/L	
			Benzene	<500	U	500	ug/L	
			Bromobenzene	<500	U	500	ug/L	
			Bromochloromethane	<500	U	500	ug/L	
			Bromodichloromethane	<500	U	500	ug/L	
			Bromoform	<500	U	500	ug/L	
			Bromomethane	<500	U	500	ug/L	
			Carbon Disulfide	<500	U	500	ug/L	
			Carbon Tetrachloride	<500	U	500	ug/L	
			Chlorobenzene	<500	U	500	ug/L	
			Chloroethane	<500	U	500	ug/L	
			Chloroform	<500	U	500	ug/L	
			Chloromethane	<500	U	500	ug/L	
			cis-1,2-Dichloroethene	<500	U	500	ug/L	
			Dibromochloromethane	<500	U	500	ug/L	
			Dibromomethane	<500	U	500	ug/L	
			Dichlorodifluoromethane	<500	U	500	ug/L	
			Ethylbenzene	2800		500	ug/L	
			Hexachlorobutadiene	<500	U	500	ug/L	
			Isopropylbenzene	<500	U	500	ug/L	
			m,p-Xylenes	11000		500	ug/L	
			Methylene Chloride	<2500	U	2500	ug/L	
			MTBE	<1000	U	1000	ug/L	
			n-Butylbenzene	<500	U	500	ug/L	
			n-Propylbenzene	<500	U	500	ug/L	
			Naphthalene	<500	U	500	ug/L	
			o-Xylene	2400		500	ug/L	
			p-Isopropyltoluene	<500	U	500	ug/L	
			sec-Butylbenzene	<500	U	500	ug/L	
			Styrene	<500	U	500	ug/L	
			tert-Butylbenzene	<500	U	500	ug/L	
Tetrachloroethene	<500	U	500	ug/L				
Toluene	52000		500	ug/L				
trans-1,2-Dichloroethene	<500	U	500	ug/L				
Trichloroethene	<500	U	500	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-3	01/15/99	VOCs (EPA 8260)	Trichlorofluoromethane	<500	U	500	ug/L	60-36-003-011599
			Vinyl Chloride	<500	U	500	ug/L	
			Xylenes (total)	13400		500	ug/L	
			TPH (EPA 8015M) TPH as Diesel	10000		94	ug/L	
			TPH as Gas	110000		5000	ug/L	
LF-3-DUP	01/15/99	Metals (EPA 6010A)	Arsenic	31000		10	ug/L	60-36-003-011599-D
		VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<500	U	500	ug/L	
			1,1,1-Trichloroethane	<500	U	500	ug/L	
			1,1,2,2-Tetrachloroethane	<500	U	500	ug/L	
			1,1,2-Trichloroethane	<500	U	500	ug/L	
			1,1-Dichloroethane	<500	U	500	ug/L	
			1,1-Dichloroethene	<500	U	500	ug/L	
			1,1-Dichloropropene	<500	U	500	ug/L	
			1,2,3-Trichlorobenzene	<500	U	500	ug/L	
			1,2,3-Trichloropropane	<500	U	500	ug/L	
			1,2,4-Trichlorobenzene	<500	U	500	ug/L	
			1,2,4-Trimethylbenzene	<500	U	500	ug/L	
			1,2-Dibromo-3-chloropropane	<500	U	500	ug/L	
			1,2-Dichlorobenzene	<500	U	500	ug/L	
			1,2-Dichloroethane	<500	U	500	ug/L	
			1,2-Dichloropropane	<500	U	500	ug/L	
			1,3,5-Trimethylbenzene	<500	U	500	ug/L	
			1,3-Dichlorobenzene	<500	U	500	ug/L	
			1,3-Dichloropropane	<500	U	500	ug/L	
			1,4-Dichlorobenzene	<500	U	500	ug/L	
			2,2-Dichloropropane	<500	U	500	ug/L	
			2-Butanone	<2500	U	2500	ug/L	
			2-Chloroethylvinylether	<5000	U	5000	ug/L	
			2-Chlorotoluene	<500	U	500	ug/L	
			2-Hexanone	<2500	U	2500	ug/L	
			4-Chlorotoluene	<500	U	500	ug/L	
			4-Methyl-2-pentanone	<2500	U	2500	ug/L	
			Acetone	<2500	U	2500	ug/L	
			Benzene	<500	U	500	ug/L	
			Bromobenzene	<500	U	500	ug/L	
			Bromochloromethane	<500	U	500	ug/L	
			Bromodichloromethane	<500	U	500	ug/L	
			Bromoform	<500	U	500	ug/L	
			Bromomethane	<500	U	500	ug/L	
			Carbon Disulfide	<500	U	500	ug/L	
			Carbon Tetrachloride	<500	U	500	ug/L	
			Chlorobenzene	<500	U	500	ug/L	
			Chloroethane	<500	U	500	ug/L	
			Chloroform	<500	U	500	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID				
LF-3-DUP	01/15/99	VOCs (EPA 8260)	Chloromethane	<500	U	500	ug/L	50-36-003-011599-D				
			cis-1,2-Dichloroethene	<500	U	500	ug/L					
			Dibromochloromethane	<500	U	500	ug/L					
			Dibromomethane	<500	U	500	ug/L					
			Dichlorodifluoromethane	<500	U	500	ug/L					
			Ethylbenzene	2600		500	ug/L					
			Hexachlorobutadiene	<500	U	500	ug/L					
			Isopropylbenzene	<500	U	500	ug/L					
			m,p-Xylenes	11000		500	ug/L					
			Methylene Chloride	<2500	U	2500	ug/L					
			MTBE	<1000	U	1000	ug/L					
			n-Butylbenzene	<500	U	500	ug/L					
			n-Propylbenzene	<500	U	500	ug/L					
			Naphthalene	<500	U	500	ug/L					
			o-Xylene	2500		500	ug/L					
			p-Isopropyltoluene	<500	U	500	ug/L					
			sec-Butylbenzene	<500	U	500	ug/L					
			Styrene	<500	U	500	ug/L					
			tert-Butylbenzene	<500	U	500	ug/L					
			Tetrachloroethene	<500	U	500	ug/L					
			Toluene	58000		500	ug/L					
			trans-1,2-Dichloroethene	<500	U	500	ug/L					
			Trichloroethene	<500	U	500	ug/L					
			Trichlorofluoromethane	<500	U	500	ug/L					
			Vinyl Chloride	<500	U	500	ug/L					
			Xylenes (total)	13500		500	ug/L					
				TPH (EPA 8015M)	TPH as Diesel	10000			94	ug/L		
					TPH as Gas	110000			5000	ug/L		
			LF-4	01/14/99	Metals (EPA 6010A)	Arsenic	390			5.0	ug/L	50-36-004-011499
						VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane		<1.0	U	1.0	
1,1,1-Trichloroethane	<1.0	U					1.0	ug/L				
1,1,2,2-Tetrachloroethane	<1.0	U					1.0	ug/L				
1,1,2-Trichloroethane	<1.0	U					1.0	ug/L				
1,1-Dichloroethane	<1.0	U					1.0	ug/L				
1,1-Dichloroethene	<1.0	U					1.0	ug/L				
1,1-Dichloropropene	<1.0	U					1.0	ug/L				
1,2,3-Trichlorobenzene	<1.0	U					1.0	ug/L				
1,2,3-Trichloropropane	<1.0	U					1.0	ug/L				
1,2,4-Trichlorobenzene	<1.0	U					1.0	ug/L				
1,2,4-Trimethylbenzene	<1.0	U					1.0	ug/L				
1,2-Dibromo-3-chloropropane	<1.0	U					1.0	ug/L				
1,2-Dichlorobenzene	1.3						1.0	ug/L				
1,2-Dichloroethane	<1.0	U					1.0	ug/L				
1,2-Dichloropropane	<1.0	U					1.0	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-4	01/14/99	VOCs (EPA 8260)	1,3,5-Trimethylbenzene	<1.0	U	1.0	ug/L	50-36-004-011499
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,3-Dichloropropane	<1.0	U	1.0	ug/L	
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L	
			2,2-Dichloropropane	<1.0	U	1.0	ug/L	
			2-Butanone	<5.0	U	5.0	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	0.7	J11	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	<1.0	U	1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	4.5		1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	0.7	J11	1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	
			Ethylbenzene	<1.0	U	1.0	ug/L	
			Hexachlorobutadiene	<1.0	U	1.0	ug/L	
			Isopropylbenzene	<1.0	U	1.0	ug/L	
			m,p-Xylenes	<1.0	U	1.0	ug/L	
			Methylene Chloride	<5.0	U	5.0	ug/L	
			MTBE	<2.0	U	2.0	ug/L	
			n-Butylbenzene	<1.0	U	1.0	ug/L	
			n-Propylbenzene	<1.0	U	1.0	ug/L	
			Naphthalene	<1.0	U	1.0	ug/L	
			o-Xylene	<1.0	U	1.0	ug/L	
			p-Isopropyltoluene	<1.0	U	1.0	ug/L	
			sec-Butylbenzene	<1.0	U	1.0	ug/L	
			Styrene	<1.0	U	1.0	ug/L	
tert-Butylbenzene	<1.0	U	1.0	ug/L				
Tetrachloroethene	<1.0	U	1.0	ug/L				
Toluene	<1.0	U	1.0	ug/L				
trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-4	01/14/99	VOCs (EPA 8260)	Trichloroethene	<1.0	U	1.0	ug/L	50-36-004-011499
			Trichlorofluoromethane	<1.0	U	1.0	ug/L	
			Vinyl Chloride	<1.0	U	1.0	ug/L	
			Xylenes (total)	<1.0	U	1.0	ug/L	
		TPH (EPA 8015M)	TPH as Diesel	13000	48	ug/L		
			TPH as Gas	1900	50	ug/L		
LF-7	01/13/99	Metals (EPA 6010A)	Arsenic	<5.0	U	5.0	ug/L	50-36-007-011399
		VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,1-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1,2,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,2-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethene	<1.0	U	1.0	ug/L	
			1,1-Dichloropropene	<1.0	U	1.0	ug/L	
			1,2,3-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,3-Trichloropropane	<1.0	U	1.0	ug/L	
			1,2,4-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,4-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,2-Dibromo-3-chloropropane	<1.0	U	1.0	ug/L	
			1,2-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,2-Dichloroethane	<1.0	U	1.0	ug/L	
			1,2-Dichloropropane	<1.0	U	1.0	ug/L	
			1,3,5-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,3-Dichloropropane	<1.0	U	1.0	ug/L	
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L	
			2,2-Dichloropropane	<1.0	U	1.0	ug/L	
			2-Butanone	<5.0	U	5.0	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	<1.0	U	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
Bromodichloromethane	<1.0	U	1.0	ug/L				
Bromoform	<1.0	U	1.0	ug/L				
Bromomethane	<1.0	U	1.0	ug/L				
Carbon Disulfide	<1.0	U	1.0	ug/L				
Carbon Tetrachloride	<1.0	U	1.0	ug/L				
Chlorobenzene	3.8	1.0	ug/L					
Chloroethane	<1.0	U	1.0	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
LF-7	01/13/99	VOCs (EPA 8260)	Chloroform	<1.0	U	1.0	ug/L	50-36-007-011399	
			Chloromethane	<1.0	U	1.0	ug/L		
			cis-1,2-Dichloroethene	<1.0	U	1.0	ug/L		
			Dibromochloromethane	<1.0	U	1.0	ug/L		
			Dibromomethane	<1.0	U	1.0	ug/L		
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L		
			Ethylbenzene	<1.0	U	1.0	ug/L		
			Hexachlorobutadiene	<1.0	U	1.0	ug/L		
			Isopropylbenzene	<1.0	U	1.0	ug/L		
			m,p-Xylenes	<1.0	U	1.0	ug/L		
			Methylene Chloride	<5.0	U	5.0	ug/L		
			MTBE	<2.0	U	2.0	ug/L		
			n-Butylbenzene	<1.0	U	1.0	ug/L		
			n-Propylbenzene	<1.0	U	1.0	ug/L		
			Naphthalene	<1.0	U	1.0	ug/L		
			o-Xylene	<1.0	U	1.0	ug/L		
			p-Isopropyltoluene	<1.0	U	1.0	ug/L		
			sec-Butylbenzene	<1.0	U	1.0	ug/L		
			Styrene	<1.0	U	1.0	ug/L		
			tert-Butylbenzene	<1.0	U	1.0	ug/L		
			Tetrachloroethene	<1.0	U	1.0	ug/L		
			Toluene	<1.0	U	1.0	ug/L		
			trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L		
			Trichloroethene	<1.0	U	1.0	ug/L		
			Trichlorofluoromethane	<1.0	U	1.0	ug/L		
			Vinyl Chloride	<1.0	U	1.0	ug/L		
			Xylenes (total)	<1.0	U	1.0	ug/L		
					TPH (EPA 8015M)	TPH as Diesel	530		
			TPH as Gas	160		50	ug/L		
LF-8	01/13/99	Metals (EPA 6010A)	Arsenic	29		5.0	ug/L	50-36-008-011399	
			VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0		ug/L
				1,1,1-Trichloroethane	<1.0	U	1.0		ug/L
				1,1,2,2-Tetrachloroethane	<1.0	U	1.0		ug/L
				1,1,2-Trichloroethane	<1.0	U	1.0		ug/L
				1,1-Dichloroethane	<1.0	U	1.0		ug/L
				1,1-Dichloroethene	<1.0	U	1.0		ug/L
				1,1-Dichloropropene	<1.0	U	1.0		ug/L
				1,2,3-Trichlorobenzene	<1.0	U	1.0		ug/L
				1,2,3-Trichloropropane	<1.0	U	1.0		ug/L
				1,2,4-Trichlorobenzene	<1.0	U	1.0		ug/L
				1,2,4-Trimethylbenzene	<1.0	U	1.0		ug/L
				1,2-Dibromo-3-chloropropane	<1.0	U	1.0		ug/L
				1,2-Dichlorobenzene	<1.0	U	1.0		ug/L
				1,2-Dichloroethane	<1.0	U	1.0		ug/L

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-8	01/13/99	VOCs (EPA 8260)	1,2-Dichloropropane	<1.0	U	1.0	ug/L	50-36-008-011399
			1,3,5-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,3-Dichloropropane	<1.0	U	1.0	ug/L	
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L	
			2,2-Dichloropropane	<1.0	U	1.0	ug/L	
			2-Butanone	<5.0	U	5.0	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	<1.0	U	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	<1.0	U	1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	1.0		1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	
			Ethylbenzene	<1.0	U	1.0	ug/L	
			Hexachlorobutadiene	<1.0	U	1.0	ug/L	
			Isopropylbenzene	<1.0	U	1.0	ug/L	
			m,p-Xylenes	<1.0	U	1.0	ug/L	
			Methylene Chloride	<5.0	U	5.0	ug/L	
			MTBE	<2.0	U	2.0	ug/L	
			n-Butylbenzene	<1.0	U	1.0	ug/L	
			n-Propylbenzene	<1.0	U	1.0	ug/L	
			Naphthalene	<1.0	U	1.0	ug/L	
			o-Xylene	<1.0	U	1.0	ug/L	
			p-Isopropyltoluene	<1.0	U	1.0	ug/L	
			sec-Butylbenzene	<1.0	U	1.0	ug/L	
Styrene	<1.0	U	1.0	ug/L				
tert-Butylbenzene	<1.0	U	1.0	ug/L				
Tetrachloroethene	<1.0	U	1.0	ug/L				
Toluene	<1.0	U	1.0	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-8	01/13/99	VOCs (EPA 8260)	trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L	50-36-008-011399
			Trichloroethene	<1.0	U	1.0	ug/L	
			Trichlorofluoromethane	<1.0	U	1.0	ug/L	
			Vinyl Chloride	<1.0	U	1.0	ug/L	
			Xylenes (total)	<1.0	U	1.0	ug/L	
		TPH (EPA 8015M)	TPH as Diesel	440	47	ug/L		
			TPH as Gas	53	50	ug/L		
LF-10	01/15/99	Metals (EPA 6010A)	Arsenic	260		5.0	ug/L	50-36-010-011599
		VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,1-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1,2,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,2-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethene	<1.0	U	1.0	ug/L	
			1,1-Dichloropropene	<1.0	U	1.0	ug/L	
			1,2,3-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,3-Trichloropropane	<1.0	U	1.0	ug/L	
			1,2,4-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,4-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,2-Dibromo-3-chloropropane	<1.0	U	1.0	ug/L	
			1,2-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,2-Dichloroethane	<1.0	U	1.0	ug/L	
			1,2-Dichloropropane	<1.0	U	1.0	ug/L	
			1,3,5-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,3-Dichloropropane	<1.0	U	1.0	ug/L	
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L	
			2,2-Dichloropropane	<1.0	U	1.0	ug/L	
			2-Butanone	<5.0	U	5.0	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	35	5.0	ug/L		
			Benzene	<1.0	U	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
Bromomethane	<1.0	U	1.0	ug/L				
Carbon Disulfide	<1.0	U	1.0	ug/L				
Carbon Tetrachloride	<1.0	U	1.0	ug/L				
Chlorobenzene	<1.0	U	1.0	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
LF-10	01/15/99	VOCs (EPA 8260)	Chloroethane	<1.0	U	1.0	ug/L	50-36-010-011599	
			Chloroform	<1.0	U	1.0	ug/L		
			Chloromethane	<1.0	U	1.0	ug/L		
			cis-1,2-Dichloroethene	0.9	J11	1.0	ug/L		
			Dibromochloromethane	<1.0	U	1.0	ug/L		
			Dibromomethane	<1.0	U	1.0	ug/L		
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L		
			Ethylbenzene	<1.0	U	1.0	ug/L		
			Hexachlorobutadiene	<1.0	U	1.0	ug/L		
			Isopropylbenzene	<1.0	U	1.0	ug/L		
			m,p-Xylenes	<1.0	U	1.0	ug/L		
			Methylene Chloride	<5.0	U	5.0	ug/L		
			MTBE	<2.0	U	2.0	ug/L		
			n-Butylbenzene	<1.0	U	1.0	ug/L		
			n-Propylbenzene	<1.0	U	1.0	ug/L		
			Naphthalene	<1.0	U	1.0	ug/L		
			o-Xylene	<1.0	U	1.0	ug/L		
			p-Isopropyltoluene	<1.0	U	1.0	ug/L		
			sec-Butylbenzene	<1.0	U	1.0	ug/L		
			Styrene	<1.0	U	1.0	ug/L		
			tert-Butylbenzene	0.7	J11	1.0	ug/L		
			Tetrachloroethene	<1.0	U	1.0	ug/L		
			Toluene	<1.0	U	1.0	ug/L		
			trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L		
			Trichloroethene	<1.0	U	1.0	ug/L		
			Trichlorofluoromethane	<1.0	U	1.0	ug/L		
			Vinyl Chloride	0.6	J11	1.0	ug/L		
			Xylenes (total)	<1.0	U	1.0	ug/L		
			TPH (EPA 8015M)	TPH as Diesel	2400	47	ug/L		
				TPH as Gas	450	50	ug/L		
LF-11	01/14/99	Metals (EPA 6010A)	Arsenic	1700		5.0	ug/L	60-36-001-011499	
			VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0		ug/L
				1,1,1-Trichloroethane	<1.0	U	1.0		ug/L
				1,1,2,2-Tetrachloroethane	<1.0	U	1.0		ug/L
				1,1,2-Trichloroethane	<1.0	U	1.0		ug/L
				1,1-Dichloroethane	<1.0	U	1.0		ug/L
				1,1-Dichloroethene	<1.0	U	1.0		ug/L
				1,1-Dichloropropene	<1.0	U	1.0		ug/L
				1,2,3-Trichlorobenzene	<1.0	U	1.0		ug/L
				1,2,3-Trichloropropane	<1.0	U	1.0		ug/L
				1,2,4-Trichlorobenzene	<1.0	U	1.0		ug/L
				1,2,4-Trimethylbenzene	<1.0	U	1.0		ug/L
				1,2-Dibromo-3-chloropropane	<1.0	U	1.0		ug/L
				1,2-Dichlorobenzene	<1.0	U	1.0		ug/L

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-11	01/14/99	VOCs (EPA 8260)	1,2-Dichloroethane	<1.0	U	1.0	ug/L	60-36-001-011499
			1,2-Dichloropropane	<1.0	U	1.0	ug/L	
			1,3,5-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,3-Dichloropropane	<1.0	U	1.0	ug/L	
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L	
			2,2-Dichloropropane	<1.0	U	1.0	ug/L	
			2-Butanone	<5.0	U	5.0	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	<1.0	U	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	<1.0	U	1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	<1.0	U	1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	
			Ethylbenzene	<1.0	U	1.0	ug/L	
			Hexachlorobutadiene	<1.0	U	1.0	ug/L	
			Isopropylbenzene	<1.0	U	1.0	ug/L	
			m,p-Xylenes	<1.0	U	1.0	ug/L	
			Methylene Chloride	<5.0	U	5.0	ug/L	
			MTBE	<2.0	U	2.0	ug/L	
			n-Butylbenzene	<1.0	U	1.0	ug/L	
			n-Propylbenzene	<1.0	U	1.0	ug/L	
			Naphthalene	<1.0	U	1.0	ug/L	
			o-Xylene	<1.0	U	1.0	ug/L	
			p-Isopropyltoluene	<1.0	U	1.0	ug/L	
sec-Butylbenzene	<1.0	U	1.0	ug/L				
Styrene	<1.0	U	1.0	ug/L				
tert-Butylbenzene	0.5	J11	1.0	ug/L				
Tetrachloroethene	<1.0	U	1.0	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-11	01/14/99	VOCs (EPA 8260)	Toluene	<1.0	U	1.0	ug/L	60-36-001-011499
			trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Trichloroethene	<1.0	U	1.0	ug/L	
			Trichlorofluoromethane	<1.0	U	1.0	ug/L	
			Vinyl Chloride	<1.0	U	1.0	ug/L	
			Xylenes (total)	<1.0	U	1.0	ug/L	
		TPH (EPA 8015M)	TPH as Diesel	660	48	ug/L		
			TPH as Gas	150	50	ug/L		
LF-12	01/12/99	Metals (EPA 6010A)	Arsenic	<5.0	U	5.0	ug/L	10-36-012-011299
		VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,1-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1,2,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,2-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethene	<1.0	U	1.0	ug/L	
			1,1-Dichloropropene	<1.0	U	1.0	ug/L	
			1,2,3-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,3-Trichloropropane	<1.0	U	1.0	ug/L	
			1,2,4-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,4-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,2-Dibromo-3-chloropropane	<1.0	U	1.0	ug/L	
			1,2-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,2-Dichloroethane	<1.0	U	1.0	ug/L	
			1,2-Dichloropropane	<1.0	U	1.0	ug/L	
			1,3,5-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,3-Dichloropropane	<1.0	U	1.0	ug/L	
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L	
			2,2-Dichloropropane	<1.0	U	1.0	ug/L	
			2-Butanone	<5.0	U	5.0	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	<1.0	U	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
Bromoform	<1.0	U	1.0	ug/L				
Bromomethane	<1.0	U	1.0	ug/L				
Carbon Disulfide	<1.0	U	1.0	ug/L				
Carbon Tetrachloride	<1.0	U	1.0	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-12	01/12/99	VOCs (EPA 8260)	Chlorobenzene	<1.0	U	1.0	ug/L	10-36-012-011299
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	
			Ethylbenzene	<1.0	U	1.0	ug/L	
			Hexachlorobutadiene	<1.0	U	1.0	ug/L	
			Isopropylbenzene	<1.0	U	1.0	ug/L	
			m,p-Xylenes	<1.0	U	1.0	ug/L	
			Methylene Chloride	<5.0	U	5.0	ug/L	
			MTBE	<2.0	U	2.0	ug/L	
			n-Butylbenzene	<1.0	U	1.0	ug/L	
			n-Propylbenzene	<1.0	U	1.0	ug/L	
			Naphthalene	<1.0	U	1.0	ug/L	
			o-Xylene	<1.0	U	1.0	ug/L	
			p-Isopropyltoluene	<1.0	U	1.0	ug/L	
			sec-Butylbenzene	<1.0	U	1.0	ug/L	
			Styrene	<1.0	U	1.0	ug/L	
			tert-Butylbenzene	<1.0	U	1.0	ug/L	
			Tetrachloroethene	1.5		1.0	ug/L	
			Toluene	<1.0	U	1.0	ug/L	
			trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Trichloroethene	1.4		1.0	ug/L	
			Trichlorofluoromethane	<1.0	U	1.0	ug/L	
			Vinyl Chloride	<1.0	U	1.0	ug/L	
Xylenes (total)	<1.0	U	1.0	ug/L				
TPH (EPA 8015M)	TPH as Diesel	<48	U	48	ug/L			
	TPH as Gas	<50	U	50	ug/L			
LF-13	01/11/99	Metals (EPA 6010A)	Arsenic	<5.0	U	5.0	ug/L	10-36-013-011199
			VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0	
		1,1,1-Trichloroethane		4.9		1.0	ug/L	
		1,1,2,2-Tetrachloroethane		<1.0	U	1.0	ug/L	
		1,1,2-Trichloroethane		<1.0	U	1.0	ug/L	
		1,1-Dichloroethane		0.5	J11	1.0	ug/L	
		1,1-Dichloroethene		<1.0	U	1.0	ug/L	
		1,1-Dichloropropene		<1.0	U	1.0	ug/L	
		1,2,3-Trichlorobenzene		<1.0	U	1.0	ug/L	
		1,2,3-Trichloropropane		<1.0	U	1.0	ug/L	
		1,2,4-Trichlorobenzene		<1.0	U	1.0	ug/L	
		1,2,4-Trimethylbenzene		<1.0	U	1.0	ug/L	
		1,2-Dibromo-3-chloropropane		<1.0	U	1.0	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-13	01/11/99	VOCs (EPA 8260)	1,2-Dichlorobenzene	<1.0	U	1.0	ug/L	10-36-013-011199
			1,2-Dichloroethane	<1.0	U	1.0	ug/L	
			1,2-Dichloropropane	<1.0	U	1.0	ug/L	
			1,3,5-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,3-Dichloropropane	<1.0	U	1.0	ug/L	
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L	
			2,2-Dichloropropane	<1.0	U	1.0	ug/L	
			2-Butanone	<5.0	U	5.0	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	<1.0	U	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	<1.0	U	1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	<1.0	U	1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	
			Ethylbenzene	<1.0	U	1.0	ug/L	
			Hexachlorobutadiene	<1.0	U	1.0	ug/L	
			Isopropylbenzene	<1.0	U	1.0	ug/L	
			m,p-Xylenes	<1.0	U	1.0	ug/L	
			Methylene Chloride	<5.0	U	5.0	ug/L	
			MTBE	<2.0	U	2.0	ug/L	
			n-Butylbenzene	<1.0	U	1.0	ug/L	
			n-Propylbenzene	<1.0	U	1.0	ug/L	
			Naphthalene	<1.0	U	1.0	ug/L	
o-Xylene	<1.0	U	1.0	ug/L				
p-Isopropyltoluene	<1.0	U	1.0	ug/L				
sec-Butylbenzene	<1.0	U	1.0	ug/L				
Styrene	<1.0	U	1.0	ug/L				
tert-Butylbenzene	<1.0	U	1.0	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-13	01/11/99	VOCs (EPA 8260)	Tetrachloroethene	1.0	J11	1.0	ug/L	10-36-013-011199
			Toluene	<1.0	U	1.0	ug/L	
			trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Trichloroethene	<1.0	U	1.0	ug/L	
			Trichlorofluoromethane	<1.0	U	1.0	ug/L	
			Vinyl Chloride	<1.0	U	1.0	ug/L	
			Xylenes (total)	<1.0	U	1.0	ug/L	
		TPH (EPA 8015M)	TPH as Diesel	<48	U	48	ug/L	
			TPH as Gas	<50	U	50	ug/L	
LF-17	01/15/99	Metals (EPA 6010A)	Arsenic	46000		25	ug/L	50-36-017-011599
		VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,1-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1,2,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,2-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethene	<1.0	U	1.0	ug/L	
			1,1-Dichloropropene	<1.0	U	1.0	ug/L	
			1,2,3-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,3-Trichloropropane	<1.0	U	1.0	ug/L	
			1,2,4-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,4-Trimethylbenzene	28		1.0	ug/L	
			1,2-Dibromo-3-chloropropane	<1.0	U	1.0	ug/L	
			1,2-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,2-Dichloroethane	<1.0	U	1.0	ug/L	
			1,2-Dichloropropane	<1.0	U	1.0	ug/L	
			1,3,5-Trimethylbenzene	2.4		1.0	ug/L	
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,3-Dichloropropane	<1.0	U	1.0	ug/L	
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L	
			2,2-Dichloropropane	<1.0	U	1.0	ug/L	
			2-Butanone	<5.0	U	5.0	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	58		1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	<1.0	U	1.0	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-17	01/15/99	VOCs (EPA 8260)	Carbon Tetrachloride	<1.0	U	1.0	ug/L	50-36-017-011599
			Chlorobenzene	<1.0	U	1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	15	1.0	ug/L		
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	
			Ethylbenzene	42	1.0	ug/L		
			Hexachlorobutadiene	<1.0	U	1.0	ug/L	
			Isopropylbenzene	16	1.0	ug/L		
			m,p-Xylenes	36	1.0	ug/L		
			Methylene Chloride	<5.0	U	5.0	ug/L	
			MTBE	<2.0	U	2.0	ug/L	
			n-Butylbenzene	23	1.0	ug/L		
			n-Propylbenzene	17	1.0	ug/L		
			Naphthalene	270	4.0	ug/L		
			o-Xylene	9.2	1.0	ug/L		
			p-Isopropyltoluene	8.4	1.0	ug/L		
			sec-Butylbenzene	7.3	1.0	ug/L		
			Styrene	<1.0	U	1.0	ug/L	
			tert-Butylbenzene	<1.0	U	1.0	ug/L	
			Tetrachloroethene	<1.0	U	1.0	ug/L	
			Toluene	3.8	1.0	ug/L		
			trans-1,2-Dichloroethene	18	1.0	ug/L		
			Trichloroethene	<1.0	U	1.0	ug/L	
			Trichlorofluoromethane	<1.0	U	1.0	ug/L	
			Vinyl Chloride	11	1.0	ug/L		
			Xylenes (total)	45.2	1.0	ug/L		
TPH (EPA 8015M)	TPH as Diesel	19000	240	ug/L				
	TPH as Gas	4700	250	ug/L				
LF-18	01/13/99	Metals (EPA 6010A)	Arsenic	6.8		5.0	ug/L	30-36-018-011399
			VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0	
			1,1,1-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1,2,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,2-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethene	<1.0	U	1.0	ug/L	
			1,1-Dichloropropene	<1.0	U	1.0	ug/L	
			1,2,3-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,3-Trichloropropane	<1.0	U	1.0	ug/L	
			1,2,4-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,4-Trimethylbenzene	<1.0	U	1.0	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-18	01/13/99	VOCs (EPA 8260)	1,2-Dibromo-3-chloropropane	<1.0	U	1.0	ug/L	30-36-018-011399
			1,2-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,2-Dichloroethane	<1.0	U	1.0	ug/L	
			1,2-Dichloropropane	<1.0	U	1.0	ug/L	
			1,3,5-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,3-Dichloropropane	<1.0	U	1.0	ug/L	
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L	
			2,2-Dichloropropane	<1.0	U	1.0	ug/L	
			2-Butanone	<5.0	U	5.0	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	<1.0	U	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	<1.0	U	1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	<1.0	U	1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	
			Ethylbenzene	<1.0	U	1.0	ug/L	
Hexachlorobutadiene	<1.0	U	1.0	ug/L				
Isopropylbenzene	<1.0	U	1.0	ug/L				
m,p-Xylenes	<1.0	U	1.0	ug/L				
Methylene Chloride	<5.0	U	5.0	ug/L				
MTBE	<2.0	U	2.0	ug/L				
n-Butylbenzene	<1.0	U	1.0	ug/L				
n-Propylbenzene	<1.0	U	1.0	ug/L				
Naphthalene	<1.0	U	1.0	ug/L				
o-Xylene	<1.0	U	1.0	ug/L				
p-Isopropyltoluene	<1.0	U	1.0	ug/L				
sec-Butylbenzene	<1.0	U	1.0	ug/L				
Styrene	<1.0	U	1.0	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
LF-18	01/13/99	VOCs (EPA 8260)	tert-Butylbenzene	<1.0	U	1.0	ug/L	30-36-018-011399	
			Tetrachloroethene	<1.0	U	1.0	ug/L		
			Toluene	<1.0	U	1.0	ug/L		
			trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L		
			Trichloroethene	<1.0	U	1.0	ug/L		
			Trichlorofluoromethane	<1.0	U	1.0	ug/L		
			Vinyl Chloride	<1.0	U	1.0	ug/L		
			Xylenes (total)	<1.0	U	1.0	ug/L		
		TPH (EPA 8015M)	TPH as Diesel	290		48	ug/L		
	TPH as Gas	<50	U	50	ug/L				
LF-19	01/13/99	Metals (EPA 6010A)	Arsenic	14		5.0	ug/L	40-36-019-011399	
		VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0	ug/L		
			1,1,1-Trichloroethane	<1.0	U	1.0	ug/L		
			1,1,2,2-Tetrachloroethane	<1.0	U	1.0	ug/L		
			1,1,2-Trichloroethane	<1.0	U	1.0	ug/L		
			1,1-Dichloroethane	<1.0	U	1.0	ug/L		
			1,1-Dichloroethene	<1.0	U	1.0	ug/L		
			1,1-Dichloropropene	<1.0	U	1.0	ug/L		
			1,2,3-Trichlorobenzene	<1.0	U	1.0	ug/L		
			1,2,3-Trichloropropane	<1.0	U	1.0	ug/L		
			1,2,4-Trichlorobenzene	<1.0	U	1.0	ug/L		
			1,2,4-Trimethylbenzene	<1.0	U	1.0	ug/L		
			1,2-Dibromo-3-chloropropane	<1.0	U	1.0	ug/L		
			1,2-Dichlorobenzene	<1.0	U	1.0	ug/L		
			1,2-Dichloroethane	<1.0	U	1.0	ug/L		
			1,2-Dichloropropane	<1.0	U	1.0	ug/L		
			1,3,5-Trimethylbenzene	<1.0	U	1.0	ug/L		
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L		
			1,3-Dichloropropane	<1.0	U	1.0	ug/L		
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L		
			2,2-Dichloropropane	<1.0	U	1.0	ug/L		
			2-Butanone	<5.0	U	5.0	ug/L		
			2-Chloroethylvinylether	<10	U	10	ug/L		
			2-Chlorotoluene	<1.0	U	1.0	ug/L		
			2-Hexanone	<5.0	U	5.0	ug/L		
			4-Chlorotoluene	<1.0	U	1.0	ug/L		
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L		
				Acetone	6.6		5.0		ug/L
				Benzene	<1.0	U	1.0		ug/L
				Bromobenzene	<1.0	U	1.0		ug/L
				Bromochloromethane	<1.0	U	1.0		ug/L
	Bromodichloromethane	<1.0	U	1.0	ug/L				
	Bromoform	<1.0	U	1.0	ug/L				
	Bromomethane	<1.0	U	1.0	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID			
LF-19	01/13/99	VOCs (EPA 8260)	Carbon Disulfide	<1.0	U	1.0	ug/L	40-36-019-011399			
			Carbon Tetrachloride	<1.0	U	1.0	ug/L				
			Chlorobenzene	3.0		1.0	ug/L				
			Chloroethane	<1.0	U	1.0	ug/L				
			Chloroform	<1.0	U	1.0	ug/L				
			Chloromethane	<1.0	U	1.0	ug/L				
			cis-1,2-Dichloroethene	<1.0	U	1.0	ug/L				
			Dibromochloromethane	<1.0	U	1.0	ug/L				
			Dibromomethane	<1.0	U	1.0	ug/L				
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L				
			Ethylbenzene	<1.0	U	1.0	ug/L				
			Hexachlorobutadiene	<1.0	U	1.0	ug/L				
			Isopropylbenzene	<1.0	U	1.0	ug/L				
			m,p-Xylenes	<1.0	U	1.0	ug/L				
			Methylene Chloride	<5.0	U	5.0	ug/L				
			MTBE	<2.0	U	2.0	ug/L				
			n-Butylbenzene	<1.0	U	1.0	ug/L				
			n-Propylbenzene	<1.0	U	1.0	ug/L				
			Naphthalene	<1.0	U	1.0	ug/L				
			o-Xylene	<1.0	U	1.0	ug/L				
			p-Isopropyltoluene	<1.0	U	1.0	ug/L				
			sec-Butylbenzene	<1.0	U	1.0	ug/L				
			Styrene	<1.0	U	1.0	ug/L				
			tert-Butylbenzene	<1.0	U	1.0	ug/L				
			Tetrachloroethene	<1.0	U	1.0	ug/L				
			Toluene	<1.0	U	1.0	ug/L				
			trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L				
			Trichloroethene	<1.0	U	1.0	ug/L				
			Trichlorofluoromethane	<1.0	U	1.0	ug/L				
			Vinyl Chloride	<1.0	U	1.0	ug/L				
			Xylenes (total)	<1.0	U	1.0	ug/L				
					TPH (EPA 8015M)	TPH as Diesel	2200			48	ug/L
						TPH as Gas	170			50	ug/L
LF-20	01/13/99	Metals (EPA 6010A)	Arsenic	96		5.0	ug/L	30-36-020-011399			
			VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0		ug/L		
				1,1,1-Trichloroethane	<1.0	U	1.0		ug/L		
				1,1,2,2-Tetrachloroethane	<1.0	U	1.0		ug/L		
				1,1,2-Trichloroethane	<1.0	U	1.0		ug/L		
				1,1-Dichloroethane	<1.0	U	1.0		ug/L		
				1,1-Dichloroethene	<1.0	U	1.0		ug/L		
				1,1-Dichloropropene	<1.0	U	1.0		ug/L		
				1,2,3-Trichlorobenzene	<1.0	U	1.0		ug/L		
				1,2,3-Trichloropropane	<1.0	U	1.0		ug/L		
				1,2,4-Trichlorobenzene	<1.0	U	1.0		ug/L		

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-20	01/13/99	VOCs (EPA 8260)	1,2,4-Trimethylbenzene	<1.0	U	1.0	ug/L	30-36-020-011399
			1,2-Dibromo-3-chloropropane	<1.0	U	1.0	ug/L	
			1,2-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,2-Dichloroethane	<1.0	U	1.0	ug/L	
			1,2-Dichloropropane	<1.0	U	1.0	ug/L	
			1,3,5-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,3-Dichloropropane	<1.0	U	1.0	ug/L	
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L	
			2,2-Dichloropropane	<1.0	U	1.0	ug/L	
			2-Butanone	<5.0	U	5.0	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	<1.0	U	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	<1.0	U	1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	4.3		1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	
			Ethylbenzene	<1.0	U	1.0	ug/L	
			Hexachlorobutadiene	<1.0	U	1.0	ug/L	
			Isopropylbenzene	<1.0	U	1.0	ug/L	
			m,p-Xylenes	<1.0	U	1.0	ug/L	
			Methylene Chloride	<5.0	U	5.0	ug/L	
			MTBE	<2.0	U	2.0	ug/L	
			n-Butylbenzene	<1.0	U	1.0	ug/L	
n-Propylbenzene	<1.0	U	1.0	ug/L				
Naphthalene	<1.0	U	1.0	ug/L				
o-Xylene	<1.0	U	1.0	ug/L				
p-Isopropyltoluene	<1.0	U	1.0	ug/L				
sec-Butylbenzene	<1.0	U	1.0	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-20	01/13/99	VOCs (EPA 8260)	Styrene	<1.0	U	1.0	ug/L	30-36-020-011399
			tert-Butylbenzene	<1.0	U	1.0	ug/L	
			Tetrachloroethene	<1.0	U	1.0	ug/L	
			Toluene	<1.0	U	1.0	ug/L	
			trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Trichloroethene	<1.0	U	1.0	ug/L	
			Trichlorofluoromethane	<1.0	U	1.0	ug/L	
			Vinyl Chloride	<1.0	U	1.0	ug/L	
			Xylenes (total)	<1.0	U	1.0	ug/L	
			TPH (EPA 8015M)			TPH as Diesel	1700	
TPH as Gas	510					50	ug/L	
LF-20-DUP	01/13/99	Metals (EPA 6010A)	Arsenic	79		5.0	ug/L	30-36-020-011399-D
		VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,1-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1,2,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,2-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethene	<1.0	U	1.0	ug/L	
			1,1-Dichloropropene	<1.0	U	1.0	ug/L	
			1,2,3-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,3-Trichloropropane	<1.0	U	1.0	ug/L	
			1,2,4-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,4-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,2-Dibromo-3-chloropropane	<1.0	U	1.0	ug/L	
			1,2-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,2-Dichloroethane	<1.0	U	1.0	ug/L	
			1,2-Dichloropropane	<1.0	U	1.0	ug/L	
			1,3,5-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,3-Dichloropropane	<1.0	U	1.0	ug/L	
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L	
			2,2-Dichloropropane	<1.0	U	1.0	ug/L	
			2-Butanone	<5.0	U	5.0	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	<1.0	U	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
LF-20-DUP	01/13/99	VOCs (EPA 8260)	Bromomethane	<1.0	U	1.0	ug/L	30-36-020-011399-D	
			Carbon Disulfide	<1.0	U	1.0	ug/L		
			Carbon Tetrachloride	<1.0	U	1.0	ug/L		
			Chlorobenzene	4.1		1.0	ug/L		
			Chloroethane	<1.0	U	1.0	ug/L		
			Chloroform	<1.0	U	1.0	ug/L		
			Chloromethane	<1.0	U	1.0	ug/L		
			cis-1,2-Dichloroethene	<1.0	U	1.0	ug/L		
			Dibromochloromethane	<1.0	U	1.0	ug/L		
			Dibromomethane	<1.0	U	1.0	ug/L		
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L		
			Ethylbenzene	<1.0	U	1.0	ug/L		
			Hexachlorobutadiene	<1.0	U	1.0	ug/L		
			Isopropylbenzene	<1.0	U	1.0	ug/L		
			m,p-Xylenes	<1.0	U	1.0	ug/L		
			Methylene Chloride	<5.0	U	5.0	ug/L		
			MTBE	<2.0	U	2.0	ug/L		
			n-Butylbenzene	<1.0	U	1.0	ug/L		
			n-Propylbenzene	<1.0	U	1.0	ug/L		
			Naphthalene	<1.0	U	1.0	ug/L		
			o-Xylene	<1.0	U	1.0	ug/L		
			p-Isopropyltoluene	<1.0	U	1.0	ug/L		
			sec-Butylbenzene	<1.0	U	1.0	ug/L		
			Styrene	<1.0	U	1.0	ug/L		
			tert-Butylbenzene	<1.0	U	1.0	ug/L		
			Tetrachloroethene	<1.0	U	1.0	ug/L		
			Toluene	<1.0	U	1.0	ug/L		
			trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L		
			Trichloroethene	<1.0	U	1.0	ug/L		
			Trichlorofluoromethane	<1.0	U	1.0	ug/L		
			Vinyl Chloride	<1.0	U	1.0	ug/L		
			Xylenes (total)	<1.0	U	1.0	ug/L		
					TPH (EPA 8015M)	TPH as Diesel	1700		
			TPH as Gas	530		50	ug/L		
LF-21	01/14/99	Metals (EPA 6010A)	Arsenic	80		5.0	ug/L	30-36-021-011499	
			VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0		ug/L
				1,1,1-Trichloroethane	<1.0	U	1.0		ug/L
				1,1,2,2-Tetrachloroethane	<1.0	U	1.0		ug/L
				1,1,2-Trichloroethane	<1.0	U	1.0		ug/L
				1,1-Dichloroethane	<1.0	U	1.0		ug/L
				1,1-Dichloroethene	<1.0	U	1.0		ug/L
				1,1-Dichloropropene	<1.0	U	1.0		ug/L
				1,2,3-Trichlorobenzene	<1.0	U	1.0		ug/L
				1,2,3-Trichloropropane	<1.0	U	1.0		ug/L

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-21	01/14/99	VOCs (EPA 8260)	1,2,4-Trichlorobenzene	<1.0	U	1.0	ug/L	30-36-021-011499
			1,2,4-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,2-Dibromo-3-chloropropane	<1.0	U	1.0	ug/L	
			1,2-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,2-Dichloroethane	<1.0	U	1.0	ug/L	
			1,2-Dichloropropane	<1.0	U	1.0	ug/L	
			1,3,5-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,3-Dichloropropane	<1.0	U	1.0	ug/L	
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L	
			2,2-Dichloropropane	<1.0	U	1.0	ug/L	
			2-Butanone	<5.0	U	5.0	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	<1.0	U	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	<1.0	U	1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	<1.0	U	1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	
			Ethylbenzene	<1.0	U	1.0	ug/L	
			Hexachlorobutadiene	<1.0	U	1.0	ug/L	
			Isopropylbenzene	<1.0	U	1.0	ug/L	
			m,p-Xylenes	<1.0	U	1.0	ug/L	
			Methylene Chloride	<5.0	U	5.0	ug/L	
			MTBE	<2.0	U	2.0	ug/L	
n-Butylbenzene	<1.0	U	1.0	ug/L				
n-Propylbenzene	<1.0	U	1.0	ug/L				
Naphthalene	<1.0	U	1.0	ug/L				
o-Xylene	<1.0	U	1.0	ug/L				
p-Isopropyltoluene	<1.0	U	1.0	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
LF-21	01/14/99	VOCs (EPA 8260)	sec-Butylbenzene	<1.0	U	1.0	ug/L	30-36-021-011499	
			Styrene	<1.0	U	1.0	ug/L		
			tert-Butylbenzene	<1.0	U	1.0	ug/L		
			Tetrachloroethene	<1.0	U	1.0	ug/L		
			Toluene	<1.0	U	1.0	ug/L		
			trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L		
			Trichloroethene	<1.0	U	1.0	ug/L		
			Trichlorofluoromethane	<1.0	U	1.0	ug/L		
			Vinyl Chloride	<1.0	U	1.0	ug/L		
			Xylenes (total)	<1.0	U	1.0	ug/L		
			TPH (EPA 8015M)	TPH as Diesel	1400		47		ug/L
				TPH as Gas	<50	U	50		ug/L
			LF-22	01/15/99	Metals (EPA 6010A)	Arsenic	84000		
VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0				U	1.0	ug/L	
	1,1,1-Trichloroethane	<1.0				U	1.0	ug/L	
	1,1,2,2-Tetrachloroethane	<1.0				U	1.0	ug/L	
	1,1,2-Trichloroethane	<1.0				U	1.0	ug/L	
	1,1-Dichloroethane	<1.0				U	1.0	ug/L	
	1,1-Dichloroethene	<1.0				U	1.0	ug/L	
	1,1-Dichloropropene	<1.0				U	1.0	ug/L	
	1,2,3-Trichlorobenzene	<1.0				U	1.0	ug/L	
	1,2,3-Trichloropropane	<1.0				U	1.0	ug/L	
	1,2,4-Trichlorobenzene	<1.0				U	1.0	ug/L	
	1,2,4-Trimethylbenzene	<1.0				U	1.0	ug/L	
	1,2-Dibromo-3-chloropropane	<1.0				U	1.0	ug/L	
	1,2-Dichlorobenzene	<1.0				U	1.0	ug/L	
	1,2-Dichloroethane	<1.0				U	1.0	ug/L	
	1,2-Dichloropropane	<1.0				U	1.0	ug/L	
	1,3,5-Trimethylbenzene	<1.0				U	1.0	ug/L	
	1,3-Dichlorobenzene	<1.0				U	1.0	ug/L	
	1,3-Dichloropropane	<1.0				U	1.0	ug/L	
	1,4-Dichlorobenzene	<1.0				U	1.0	ug/L	
	2,2-Dichloropropane	<1.0				U	1.0	ug/L	
	2-Butanone	<5.0				U	5.0	ug/L	
	2-Chloroethylvinylether	<10				U	10	ug/L	
	2-Chlorotoluene	<1.0				U	1.0	ug/L	
	2-Hexanone	<5.0				U	5.0	ug/L	
	4-Chlorotoluene	<1.0				U	1.0	ug/L	
	4-Methyl-2-pentanone	<5.0				U	5.0	ug/L	
	Acetone	<5.0				U	5.0	ug/L	
	Benzene	<1.0				U	1.0	ug/L	
	Bromobenzene	<1.0				U	1.0	ug/L	
	Bromochloromethane	<1.0				U	1.0	ug/L	
	Bromodichloromethane	<1.0				U	1.0	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
LF-22	01/15/99	VOCs (EPA 8260)	Bromoform	<1.0	U	1.0	ug/L	50-36-022-011599	
			Bromomethane	<1.0	U	1.0	ug/L		
			Carbon Disulfide	<1.0	U	1.0	ug/L		
			Carbon Tetrachloride	<1.0	U	1.0	ug/L		
			Chlorobenzene	<1.0	U	1.0	ug/L		
			Chloroethane	<1.0	U	1.0	ug/L		
			Chloroform	<1.0	U	1.0	ug/L		
			Chloromethane	<1.0	U	1.0	ug/L		
			cis-1,2-Dichloroethene	4.1		1.0	ug/L		
			Dibromochloromethane	<1.0	U	1.0	ug/L		
			Dibromomethane	<1.0	U	1.0	ug/L		
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L		
			Ethylbenzene	<1.0	U	1.0	ug/L		
			Hexachlorobutadiene	<1.0	U	1.0	ug/L		
			Isopropylbenzene	<1.0	U	1.0	ug/L		
			m,p-Xylenes	<1.0	U	1.0	ug/L		
			Methylene Chloride	<5.0	U	5.0	ug/L		
			MTBE	<2.0	U	2.0	ug/L		
			n-Butylbenzene	<1.0	U	1.0	ug/L		
			n-Propylbenzene	<1.0	U	1.0	ug/L		
			Naphthalene	<1.0	U	1.0	ug/L		
			o-Xylene	<1.0	U	1.0	ug/L		
			p-Isopropyltoluene	<1.0	U	1.0	ug/L		
			sec-Butylbenzene	<1.0	U	1.0	ug/L		
			Styrene	<1.0	U	1.0	ug/L		
			tert-Butylbenzene	<1.0	U	1.0	ug/L		
			Tetrachloroethene	0.9	J11	1.0	ug/L		
			Toluene	<1.0	U	1.0	ug/L		
			trans-1,2-Dichloroethene	1.3		1.0	ug/L		
			Trichloroethene	10		1.0	ug/L		
			Trichlorofluoromethane	<1.0	U	1.0	ug/L		
			Vinyl Chloride	<1.0	U	1.0	ug/L		
			Xylenes (total)	<1.0	U	1.0	ug/L		
TPH (EPA 8015M)	TPH as Diesel	<48	U	48	ug/L				
	TPH as Gas	<50	U	50	ug/L				
LF-23	01/12/99	Metals (EPA 6010A)	Arsenic	<5.0	U	5.0	ug/L	30-36-023-011299	
			VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0		ug/L
				1,1,1-Trichloroethane	<1.0	U	1.0		ug/L
				1,1,2,2-Tetrachloroethane	<1.0	U	1.0		ug/L
				1,1,2-Trichloroethane	<1.0	U	1.0		ug/L
				1,1-Dichloroethane	<1.0	U	1.0		ug/L
				1,1-Dichloroethene	<1.0	U	1.0		ug/L
				1,1-Dichloropropene	<1.0	U	1.0		ug/L
				1,2,3-Trichlorobenzene	<1.0	U	1.0		ug/L

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-23	01/12/99	VOCs (EPA 8260)	1,2,3-Trichloropropane	<1.0	U	1.0	ug/L	30-36-023-011299
			1,2,4-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,4-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,2-Dibromo-3-chloropropane	<1.0	U	1.0	ug/L	
			1,2-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,2-Dichloroethane	<1.0	U	1.0	ug/L	
			1,2-Dichloropropane	<1.0	U	1.0	ug/L	
			1,3,5-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,3-Dichloropropane	<1.0	U	1.0	ug/L	
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L	
			2,2-Dichloropropane	<1.0	U	1.0	ug/L	
			2-Butanone	<5.0	U	5.0	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	<1.0	U	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	<1.0	U	1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	<1.0	U	1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	
			Ethylbenzene	<1.0	U	1.0	ug/L	
			Hexachlorobutadiene	<1.0	U	1.0	ug/L	
			Isopropylbenzene	<1.0	U	1.0	ug/L	
			m,p-Xylenes	<1.0	U	1.0	ug/L	
			Methylene Chloride	<5.0	U	5.0	ug/L	
MTBE	<2.0	U	2.0	ug/L				
n-Butylbenzene	<1.0	U	1.0	ug/L				
n-Propylbenzene	<1.0	U	1.0	ug/L				
Naphthalene	<1.0	U	1.0	ug/L				
o-Xylene	<1.0	U	1.0	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
LF-23	01/12/99	VOCs (EPA 8260)	p-Isopropyltoluene	<1.0	U	1.0	ug/L	30-36-023-011299	
			sec-Butylbenzene	<1.0	U	1.0	ug/L		
			Styrene	<1.0	U	1.0	ug/L		
			tert-Butylbenzene	<1.0	U	1.0	ug/L		
			Tetrachloroethene	<1.0	U	1.0	ug/L		
			Toluene	<1.0	U	1.0	ug/L		
			trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L		
			Trichloroethene	<1.0	U	1.0	ug/L		
			Trichlorofluoromethane	<1.0	U	1.0	ug/L		
			Vinyl Chloride	<1.0	U	1.0	ug/L		
			Xylenes (total)	<1.0	U	1.0	ug/L		
			TPH (EPA 8015M)	TPH as Diesel	260		49		ug/L
				TPH as Gas	<50	U	50		ug/L
			LF-24	01/12/99	Metals (EPA 6010A)	Arsenic	7.2		
VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0			U	1.0	ug/L		
	1,1,1-Trichloroethane	<1.0			U	1.0	ug/L		
	1,1,2,2-Tetrachloroethane	<1.0			U	1.0	ug/L		
	1,1,2-Trichloroethane	<1.0			U	1.0	ug/L		
	1,1-Dichloroethane	<1.0			U	1.0	ug/L		
	1,1-Dichloroethene	<1.0			U	1.0	ug/L		
	1,1-Dichloropropene	<1.0			U	1.0	ug/L		
	1,2,3-Trichlorobenzene	<1.0			U	1.0	ug/L		
	1,2,3-Trichloropropane	<1.0			U	1.0	ug/L		
	1,2,4-Trichlorobenzene	<1.0			U	1.0	ug/L		
	1,2,4-Trimethylbenzene	<1.0			U	1.0	ug/L		
	1,2-Dibromo-3-chloropropane	<1.0			U	1.0	ug/L		
	1,2-Dichlorobenzene	<1.0			U	1.0	ug/L		
	1,2-Dichloroethane	<1.0			U	1.0	ug/L		
	1,2-Dichloropropane	<1.0			U	1.0	ug/L		
	1,3,5-Trimethylbenzene	<1.0			U	1.0	ug/L		
	1,3-Dichlorobenzene	<1.0			U	1.0	ug/L		
	1,3-Dichloropropane	<1.0			U	1.0	ug/L		
	1,4-Dichlorobenzene	<1.0			U	1.0	ug/L		
	2,2-Dichloropropane	<1.0			U	1.0	ug/L		
	2-Butanone	<5.0			U	5.0	ug/L		
	2-Chloroethylvinylether	<10			U	10	ug/L		
	2-Chlorotoluene	<1.0			U	1.0	ug/L		
	2-Hexanone	<5.0			U	5.0	ug/L		
	4-Chlorotoluene	<1.0			U	1.0	ug/L		
	4-Methyl-2-pentanone	<5.0			U	5.0	ug/L		
	Acetone	<5.0			U	5.0	ug/L		
	Benzene	<1.0			U	1.0	ug/L		
	Bromobenzene	<1.0			U	1.0	ug/L		
	Bromochloromethane	<1.0			U	1.0	ug/L		

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-24	01/12/99	VOCs (EPA 8260)	Bromodichloromethane	<1.0	U	1.0	ug/L	30-36-024-011299
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	<1.0	U	1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	<1.0	U	1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	
			Ethylbenzene	<1.0	U	1.0	ug/L	
			Hexachlorobutadiene	<1.0	U	1.0	ug/L	
			Isopropylbenzene	<1.0	U	1.0	ug/L	
			m,p-Xylenes	<1.0	U	1.0	ug/L	
			Methylene Chloride	<5.0	U	5.0	ug/L	
			MTBE	<2.0	U	2.0	ug/L	
			n-Butylbenzene	<1.0	U	1.0	ug/L	
			n-Propylbenzene	<1.0	U	1.0	ug/L	
			Naphthalene	<1.0	U	1.0	ug/L	
			o-Xylene	<1.0	U	1.0	ug/L	
			p-Isopropyltoluene	<1.0	U	1.0	ug/L	
			sec-Butylbenzene	<1.0	U	1.0	ug/L	
			Styrene	<1.0	U	1.0	ug/L	
			tert-Butylbenzene	<1.0	U	1.0	ug/L	
			Tetrachloroethene	<1.0	U	1.0	ug/L	
			Toluene	<1.0	U	1.0	ug/L	
			trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Trichloroethene	<1.0	U	1.0	ug/L	
			Trichlorofluoromethane	<1.0	U	1.0	ug/L	
			Vinyl Chloride	<1.0	U	1.0	ug/L	
Xylenes (total)	<1.0	U	1.0	ug/L				
TPH (EPA 8015M)	TPH as Diesel	<47	U	47	ug/L			
	TPH as Gas	<50	U	50	ug/L			
LF-25	01/12/99	Metals (EPA 6010A)	Arsenic	110		5.0	ug/L	30-36-025-011299
		VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,1-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1,2,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,2-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethene	<1.0	U	1.0	ug/L	
			1,1-Dichloropropene	<1.0	U	1.0	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-25	01/12/99	VOCs (EPA 8260)	1,2,3-Trichlorobenzene	<1.0	U	1.0	ug/L	30-36-025-011299
			1,2,3-Trichloropropane	<1.0	U	1.0	ug/L	
			1,2,4-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,4-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,2-Dibromo-3-chloropropane	<1.0	U	1.0	ug/L	
			1,2-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,2-Dichloroethane	<1.0	U	1.0	ug/L	
			1,2-Dichloropropane	<1.0	U	1.0	ug/L	
			1,3,5-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,3-Dichloropropane	<1.0	U	1.0	ug/L	
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L	
			2,2-Dichloropropane	<1.0	U	1.0	ug/L	
			2-Butanone	<5.0	U	5.0	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	<1.0	U	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	<1.0	U	1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	<1.0	U	1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	
			Ethylbenzene	<1.0	U	1.0	ug/L	
			Hexachlorobutadiene	<1.0	U	1.0	ug/L	
			Isopropylbenzene	<1.0	U	1.0	ug/L	
			m,p-Xylenes	<1.0	U	1.0	ug/L	
			Methylene Chloride	<5.0	U	5.0	ug/L	
			MTBE	<2.0	U	2.0	ug/L	
			n-Butylbenzene	<1.0	U	1.0	ug/L	
			n-Propylbenzene	<1.0	U	1.0	ug/L	
			Naphthalene	<1.0	U	1.0	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-25	01/12/99	VOCs (EPA 8260)	o-Xylene	<1.0	U	1.0	ug/L	30-36-025-011299
			p-Isopropyltoluene	<1.0	U	1.0	ug/L	
			sec-Butylbenzene	<1.0	U	1.0	ug/L	
			Styrene	<1.0	U	1.0	ug/L	
			tert-Butylbenzene	<1.0	U	1.0	ug/L	
			Tetrachloroethene	<1.0	U	1.0	ug/L	
			Toluene	<1.0	U	1.0	ug/L	
			trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Trichloroethene	<1.0	U	1.0	ug/L	
			Trichlorofluoromethane	<1.0	U	1.0	ug/L	
			Vinyl Chloride	<1.0	U	1.0	ug/L	
			Xylenes (total)	<1.0	U	1.0	ug/L	
			TPH (EPA 8015M)	TPH as Diesel	140	49	ug/L	
				TPH as Gas	54	50	ug/L	
LF-26	01/13/99	Metals (EPA 6010A)	Arsenic	24		5.0	ug/L	50-36-026-011399
		VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,1-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1,2,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,2-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethene	<1.0	U	1.0	ug/L	
			1,1-Dichloropropene	<1.0	U	1.0	ug/L	
			1,2,3-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,3-Trichloropropane	<1.0	U	1.0	ug/L	
			1,2,4-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,4-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,2-Dibromo-3-chloropropane	<1.0	U	1.0	ug/L	
			1,2-Dichlorobenzene	0.6	J11	1.0	ug/L	
			1,2-Dichloroethane	<1.0	U	1.0	ug/L	
			1,2-Dichloropropane	<1.0	U	1.0	ug/L	
			1,3,5-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,3-Dichloropropane	<1.0	U	1.0	ug/L	
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L	
			2,2-Dichloropropane	<1.0	U	1.0	ug/L	
			2-Butanone	<5.0	U	5.0	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	<1.0	U	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-26	01/13/99	VOCs (EPA 8260)	Bromochloromethane	<1.0	U	1.0	ug/L	50-36-026-011399
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	<1.0	U	1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	3.4		1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	
			Ethylbenzene	<1.0	U	1.0	ug/L	
			Hexachlorobutadiene	<1.0	U	1.0	ug/L	
			Isopropylbenzene	0.6	J11	1.0	ug/L	
			m,p-Xylenes	<1.0	U	1.0	ug/L	
			Methylene Chloride	<5.0	U	5.0	ug/L	
			MTBE	<2.0	U	2.0	ug/L	
			n-Butylbenzene	<1.0	U	1.0	ug/L	
			n-Propylbenzene	<1.0	U	1.0	ug/L	
			Naphthalene	<1.0	U	1.0	ug/L	
			o-Xylene	<1.0	U	1.0	ug/L	
			p-Isopropyltoluene	<1.0	U	1.0	ug/L	
			sec-Butylbenzene	<1.0	U	1.0	ug/L	
			Styrene	<1.0	U	1.0	ug/L	
			tert-Butylbenzene	<1.0	U	1.0	ug/L	
			Tetrachloroethene	<1.0	U	1.0	ug/L	
			Toluene	<1.0	U	1.0	ug/L	
			trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Trichloroethene	<1.0	U	1.0	ug/L	
			Trichlorofluoromethane	<1.0	U	1.0	ug/L	
Vinyl Chloride	<1.0	U	1.0	ug/L				
Xylenes (total)	<1.0	U	1.0	ug/L				
		TPH (EPA 8015M)	TPH as Diesel	1500		47	ug/L	
			TPH as Gas	360		50	ug/L	
LF-27	01/12/99	Metals (EPA 6010A)	Arsenic	6.0		5.0	ug/L	10-36-027-011299
		VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,1-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1,2,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,2-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethene	<1.0	U	1.0	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-27	01/12/99	VOCs (EPA 8260)	1,1-Dichloropropene	<1.0	U	1.0	ug/L	10-36-027-011299
			1,2,3-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,3-Trichloropropane	<1.0	U	1.0	ug/L	
			1,2,4-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,4-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,2-Dibromo-3-chloropropane	<1.0	U	1.0	ug/L	
			1,2-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,2-Dichloroethane	<1.0	U	1.0	ug/L	
			1,2-Dichloropropane	<1.0	U	1.0	ug/L	
			1,3,5-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,3-Dichloropropane	<1.0	U	1.0	ug/L	
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L	
			2,2-Dichloropropane	<1.0	U	1.0	ug/L	
			2-Butanone	<5.0	U	5.0	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	<1.0	U	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	<1.0	U	1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	<1.0	U	1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
cis-1,2-Dichloroethene	<1.0	U	1.0	ug/L				
Dibromochloromethane	<1.0	U	1.0	ug/L				
Dibromomethane	<1.0	U	1.0	ug/L				
Dichlorodifluoromethane	<1.0	U	1.0	ug/L				
Ethylbenzene	<1.0	U	1.0	ug/L				
Hexachlorobutadiene	<1.0	U	1.0	ug/L				
Isopropylbenzene	<1.0	U	1.0	ug/L				
m,p-Xylenes	<1.0	U	1.0	ug/L				
Methylene Chloride	<5.0	U	5.0	ug/L				
MTBE	<2.0	U	2.0	ug/L				
n-Butylbenzene	<1.0	U	1.0	ug/L				
n-Propylbenzene	<1.0	U	1.0	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID				
LF-27	01/12/99	VOCs (EPA 8260)	Naphthalene	<1.0	U	1.0	ug/L	10-36-027-011299				
			o-Xylene	<1.0	U	1.0	ug/L					
			p-Isopropyltoluene	<1.0	U	1.0	ug/L					
			sec-Butylbenzene	<1.0	U	1.0	ug/L					
			Styrene	<1.0	U	1.0	ug/L					
			tert-Butylbenzene	<1.0	U	1.0	ug/L					
			Tetrachloroethene	0.6	J11	1.0	ug/L					
			Toluene	<1.0	U	1.0	ug/L					
			trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L					
			Trichloroethene	1.8		1.0	ug/L					
			Trichlorofluoromethane	<1.0	U	1.0	ug/L					
			Vinyl Chloride	<1.0	U	1.0	ug/L					
			Xylenes (total)	<1.0	U	1.0	ug/L					
			TPH (EPA 8015M)	TPH as Diesel	<47	U	47		ug/L			
				TPH as Gas	<50	U	50		ug/L			
			LF-28	01/12/99	Metals (EPA 6010A)	Arsenic	350			5.0	ug/L	10-36-028-011299
					VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0		U	1.0	ug/L	
1,1,1-Trichloroethane	<1.0	U				1.0	ug/L					
1,1,2,2-Tetrachloroethane	<1.0	U				1.0	ug/L					
1,1,2-Trichloroethane	<1.0	U				1.0	ug/L					
1,1-Dichloroethane	<1.0	U				1.0	ug/L					
1,1-Dichloroethene	<1.0	U				1.0	ug/L					
1,1-Dichloropropene	<1.0	U				1.0	ug/L					
1,2,3-Trichlorobenzene	<1.0	U				1.0	ug/L					
1,2,3-Trichloropropane	<1.0	U				1.0	ug/L					
1,2,4-Trichlorobenzene	<1.0	U				1.0	ug/L					
1,2,4-Trimethylbenzene	<1.0	U				1.0	ug/L					
1,2-Dibromo-3-chloropropane	<1.0	U				1.0	ug/L					
1,2-Dichlorobenzene	<1.0	U				1.0	ug/L					
1,2-Dichloroethane	2.6					1.0	ug/L					
1,2-Dichloropropane	<1.0	U				1.0	ug/L					
1,3,5-Trimethylbenzene	<1.0	U				1.0	ug/L					
1,3-Dichlorobenzene	<1.0	U				1.0	ug/L					
1,3-Dichloropropane	<1.0	U				1.0	ug/L					
1,4-Dichlorobenzene	<1.0	U				1.0	ug/L					
2,2-Dichloropropane	<1.0	U				1.0	ug/L					
2-Butanone	<5.0	U				5.0	ug/L					
2-Chloroethylvinylether	<10	U				10	ug/L					
2-Chlorotoluene	<1.0	U				1.0	ug/L					
2-Hexanone	<5.0	U				5.0	ug/L					
4-Chlorotoluene	<1.0	U				1.0	ug/L					
4-Methyl-2-pentanone	<5.0	U				5.0	ug/L					
Acetone	<5.0	U				5.0	ug/L					
Benzene	0.6	J11				1.0	ug/L					

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-28	01/12/99	VOCs (EPA 8260)	Bromobenzene	<1.0	U	1.0	ug/L	10-36-028-011299
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	<1.0	U	1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	<1.0	U	1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	29		1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	
			Ethylbenzene	<1.0	U	1.0	ug/L	
			Hexachlorobutadiene	<1.0	U	1.0	ug/L	
			Isopropylbenzene	<1.0	U	1.0	ug/L	
			m,p-Xylenes	<1.0	U	1.0	ug/L	
			Methylene Chloride	<5.0	U	5.0	ug/L	
			MTBE	1.4	J11	2.0	ug/L	
			n-Butylbenzene	<1.0	U	1.0	ug/L	
			n-Propylbenzene	<1.0	U	1.0	ug/L	
			Naphthalene	<1.0	U	1.0	ug/L	
			o-Xylene	<1.0	U	1.0	ug/L	
			p-Isopropyltoluene	<1.0	U	1.0	ug/L	
			sec-Butylbenzene	<1.0	U	1.0	ug/L	
			Styrene	<1.0	U	1.0	ug/L	
			tert-Butylbenzene	<1.0	U	1.0	ug/L	
			Tetrachloroethene	<1.0	U	1.0	ug/L	
			Toluene	<1.0	U	1.0	ug/L	
			trans-1,2-Dichloroethene	11		1.0	ug/L	
			Trichloroethene	8.8		1.0	ug/L	
Trichlorofluoromethane	<1.0	U	1.0	ug/L				
Vinyl Chloride	<1.0	U	1.0	ug/L				
Xylenes (total)	<1.0	U	1.0	ug/L				
TPH (EPA 8015M)	TPH as Diesel	250	47	ug/L				
	TPH as Gas	110	50	ug/L				
LF-28-DUP	01/12/99	Metals (EPA 6010A)	Arsenic	370		5.0	ug/L	10-36-028-011299-D
		VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,1-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1,2,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,2-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethane	<1.0	U	1.0	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-28-DUP	01/12/99	VOCs (EPA 8260)	1,1-Dichloroethene	<1.0	U	1.0	ug/L	0-36-028-011299-D
			1,1-Dichloropropene	<1.0	U	1.0	ug/L	
			1,2,3-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,3-Trichloropropane	<1.0	U	1.0	ug/L	
			1,2,4-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,4-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,2-Dibromo-3-chloropropane	<1.0	U	1.0	ug/L	
			1,2-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,2-Dichloroethane	2.3		1.0	ug/L	
			1,2-Dichloropropane	<1.0	U	1.0	ug/L	
			1,3,5-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,3-Dichloropropane	<1.0	U	1.0	ug/L	
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L	
			2,2-Dichloropropane	<1.0	U	1.0	ug/L	
			2-Butanone	<5.0	U	5.0	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	0.6	J11	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	<1.0	U	1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	<1.0	U	1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	27		1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	
			Ethylbenzene	<1.0	U	1.0	ug/L	
			Hexachlorobutadiene	<1.0	U	1.0	ug/L	
			Isopropylbenzene	<1.0	U	1.0	ug/L	
			m,p-Xylenes	<1.0	U	1.0	ug/L	
Methylene Chloride	<5.0	U	5.0	ug/L				
MTBE	1.3	J11	2.0	ug/L				
n-Butylbenzene	<1.0	U	1.0	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-28-DUP	01/12/99	VOCs (EPA 8260)	n-Propylbenzene	<1.0	U	1.0	ug/L	10-36-028-011299-D
			Naphthalene	<1.0	U	1.0	ug/L	
			o-Xylene	<1.0	U	1.0	ug/L	
			p-Isopropyltoluene	<1.0	U	1.0	ug/L	
			sec-Butylbenzene	<1.0	U	1.0	ug/L	
			Styrene	<1.0	U	1.0	ug/L	
			tert-Butylbenzene	<1.0	U	1.0	ug/L	
			Tetrachloroethene	<1.0	U	1.0	ug/L	
			Toluene	<1.0	U	1.0	ug/L	
			trans-1,2-Dichloroethene	11	1.0	ug/L		
			Trichloroethene	7.4	1.0	ug/L		
			Trichlorofluoromethane	<1.0	U	1.0	ug/L	
			Vinyl Chloride	0.5	J11	1.0	ug/L	
			Xylenes (total)	<1.0	U	1.0	ug/L	
			TPH (EPA 8015M)	TPH as Diesel	270	48	ug/L	
				TPH as Gas	110	50	ug/L	
			LF-29	01/11/99	Metals (EPA 6010A)	Arsenic	<5.0	
VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0			U	1.0	ug/L	
	1,1,1-Trichloroethane	<1.0			U	1.0	ug/L	
	1,1,2,2-Tetrachloroethane	<1.0			U	1.0	ug/L	
	1,1,2-Trichloroethane	<1.0			U	1.0	ug/L	
	1,1-Dichloroethane	<1.0			U	1.0	ug/L	
	1,1-Dichloroethene	<1.0			U	1.0	ug/L	
	1,1-Dichloropropene	<1.0			U	1.0	ug/L	
	1,2,3-Trichlorobenzene	<1.0			U	1.0	ug/L	
	1,2,3-Trichloropropane	17			1.0	ug/L		
	1,2,4-Trichlorobenzene	<1.0			U	1.0	ug/L	
	1,2,4-Trimethylbenzene	<1.0			U	1.0	ug/L	
	1,2-Dibromo-3-chloropropane	<1.0			U	1.0	ug/L	
	1,2-Dichlorobenzene	<1.0			U	1.0	ug/L	
	1,2-Dichloroethane	12			1.0	ug/L		
	1,2-Dichloropropane	200			1.0	ug/L		
	1,3,5-Trimethylbenzene	<1.0			U	1.0	ug/L	
	1,3-Dichlorobenzene	<1.0			U	1.0	ug/L	
	1,3-Dichloropropane	<1.0			U	1.0	ug/L	
	1,4-Dichlorobenzene	<1.0			U	1.0	ug/L	
	2,2-Dichloropropane	<1.0			U	1.0	ug/L	
	2-Butanone	<5.0			U	5.0	ug/L	
	2-Chloroethylvinylether	<10			U	10	ug/L	
	2-Chlorotoluene	<1.0			U	1.0	ug/L	
	2-Hexanone	<5.0			U	5.0	ug/L	
	4-Chlorotoluene	<1.0			U	1.0	ug/L	
	4-Methyl-2-pentanone	<5.0			U	5.0	ug/L	
	Acetone	<5.0			U	5.0	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
LF-29	01/11/99	VOCs (EPA 8260)	Benzene	14		1.0	ug/L	10-36-029-011199	
			Bromobenzene	<1.0	U	1.0	ug/L		
			Bromochloromethane	<1.0	U	1.0	ug/L		
			Bromodichloromethane	<1.0	U	1.0	ug/L		
			Bromoform	<1.0	U	1.0	ug/L		
			Bromomethane	<1.0	U	1.0	ug/L		
			Carbon Disulfide	<1.0	U	1.0	ug/L		
			Carbon Tetrachloride	<1.0	U	1.0	ug/L		
			Chlorobenzene	0.9	J11	1.0	ug/L		
			Chloroethane	<1.0	U	1.0	ug/L		
			Chloroform	2.9		1.0	ug/L		
			Chloromethane	<1.0	U	1.0	ug/L		
			cis-1,2-Dichloroethene	2.3		1.0	ug/L		
			Dibromochloromethane	<1.0	U	1.0	ug/L		
			Dibromomethane	<1.0	U	1.0	ug/L		
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L		
			Ethylbenzene	<1.0	U	1.0	ug/L		
			Hexachlorobutadiene	<1.0	U	1.0	ug/L		
			Isopropylbenzene	0.7	J11	1.0	ug/L		
			m,p-Xylenes	0.6	J11	1.0	ug/L		
			Methylene Chloride	<5.0	U	5.0	ug/L		
			MTBE	<2.0	U	2.0	ug/L		
			n-Butylbenzene	<1.0	U	1.0	ug/L		
			n-Propylbenzene	<1.0	U	1.0	ug/L		
			Naphthalene	<1.0	U	1.0	ug/L		
			o-Xylene	1.5		1.0	ug/L		
			p-Isopropyltoluene	<1.0	U	1.0	ug/L		
			sec-Butylbenzene	<1.0	U	1.0	ug/L		
			Styrene	<1.0	U	1.0	ug/L		
			tert-Butylbenzene	8.1		1.0	ug/L		
			Tetrachloroethene	0.6	J11	1.0	ug/L		
			Toluene	16		1.0	ug/L		
			trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L		
Trichloroethene	12		1.0	ug/L					
Trichlorofluoromethane	<1.0	U	1.0	ug/L					
Vinyl Chloride	3.6		1.0	ug/L					
Xylenes (total)	2.1		1.0	ug/L					
TPH (EPA 8015M)	TPH as Diesel	950	47	ug/L					
	TPH as Gas	900	50	ug/L					
LF-30	01/11/99	Metals (EPA 6010A)	Arsenic	<5.0	U	5.0	ug/L	10-36-030-011199	
			VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0		ug/L
				1,1,1-Trichloroethane	<1.0	U	1.0		ug/L
				1,1,2,2-Tetrachloroethane	<1.0	U	1.0		ug/L
				1,1,2-Trichloroethane	<1.0	U	1.0		ug/L

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-30	01/11/99	VOCs (EPA 8260)	1,1-Dichloroethane	1.4		1.0	ug/L	10-36-030-011199
			1,1-Dichloroethene	<1.0	U	1.0	ug/L	
			1,1-Dichloropropene	<1.0	U	1.0	ug/L	
			1,2,3-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,3-Trichloropropane	3.3		1.0	ug/L	
			1,2,4-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,4-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,2-Dibromo-3-chloropropane	<1.0	U	1.0	ug/L	
			1,2-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,2-Dichloroethane	9.5		1.0	ug/L	
			1,2-Dichloropropane	53		1.0	ug/L	
			1,3,5-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,3-Dichloropropane	<1.0	U	1.0	ug/L	
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L	
			2,2-Dichloropropane	<1.0	U	1.0	ug/L	
			2-Butanone	<5.0	U	5.0	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	1.0	J11	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	<1.0	U	1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	<1.0	U	1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	5.6		1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	5.4		1.0	ug/L	
			Ethylbenzene	<1.0	U	1.0	ug/L	
			Hexachlorobutadiene	<1.0	U	1.0	ug/L	
			Isopropylbenzene	<1.0	U	1.0	ug/L	
			m,p-Xylenes	<1.0	U	1.0	ug/L	
			Methylene Chloride	<5.0	U	5.0	ug/L	
			MTBE	1.4	J11	2.0	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
LF-30	01/11/99	VOCs (EPA 8260)	n-Butylbenzene	<1.0	U	1.0	ug/L	10-36-030-011199	
			n-Propylbenzene	<1.0	U	1.0	ug/L		
			Naphthalene	<1.0	U	1.0	ug/L		
			o-Xylene	<1.0	U	1.0	ug/L		
			p-Isopropyltoluene	<1.0	U	1.0	ug/L		
			sec-Butylbenzene	<1.0	U	1.0	ug/L		
			Styrene	<1.0	U	1.0	ug/L		
			tert-Butylbenzene	1.5		1.0	ug/L		
			Tetrachloroethene	<1.0	U	1.0	ug/L		
			Toluene	4.0		1.0	ug/L		
			trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L		
			Trichloroethene	15		1.0	ug/L		
			Trichlorofluoromethane	<1.0	U	1.0	ug/L		
			Vinyl Chloride	3.4		1.0	ug/L		
			Xylenes (total)	<1.0	U	1.0	ug/L		
			TPH (EPA 8015M)	TPH as Diesel	200		47		ug/L
				TPH as Gas	340		50		ug/L
			LF-B3	01/13/99	Metals (EPA 6010A)	Arsenic	<5.0		U
VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0				U	1.0	ug/L	
	1,1,1-Trichloroethane	<1.0				U	1.0	ug/L	
	1,1,2,2-Tetrachloroethane	<1.0				U	1.0	ug/L	
	1,1,2-Trichloroethane	<1.0				U	1.0	ug/L	
	1,1-Dichloroethane	<1.0				U	1.0	ug/L	
	1,1-Dichloroethene	<1.0				U	1.0	ug/L	
	1,1-Dichloropropene	<1.0				U	1.0	ug/L	
	1,2,3-Trichlorobenzene	<1.0				U	1.0	ug/L	
	1,2,3-Trichloropropane	<1.0				U	1.0	ug/L	
	1,2,4-Trichlorobenzene	<1.0				U	1.0	ug/L	
	1,2,4-Trimethylbenzene	<1.0				U	1.0	ug/L	
	1,2-Dibromo-3-chloropropane	<1.0				U	1.0	ug/L	
	1,2-Dichlorobenzene	<1.0				U	1.0	ug/L	
	1,2-Dichloroethane	18					1.0	ug/L	
	1,2-Dichloropropane	<1.0				U	1.0	ug/L	
	1,3,5-Trimethylbenzene	<1.0				U	1.0	ug/L	
	1,3-Dichlorobenzene	<1.0				U	1.0	ug/L	
	1,3-Dichloropropane	<1.0				U	1.0	ug/L	
	1,4-Dichlorobenzene	<1.0				U	1.0	ug/L	
	2,2-Dichloropropane	<1.0				U	1.0	ug/L	
	2-Butanone	<5.0				U	5.0	ug/L	
	2-Chloroethylvinylether	<10				U	10	ug/L	
	2-Chlorotoluene	<1.0				U	1.0	ug/L	
	2-Hexanone	<5.0				U	5.0	ug/L	
	4-Chlorotoluene	<1.0				U	1.0	ug/L	
	4-Methyl-2-pentanone	<5.0				U	5.0	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
LF-B3	01/13/99	VOCs (EPA 8260)	Acetone	<5.0	U	5.0	ug/L	70-36-003-011399	
			Benzene	<1.0	U	1.0	ug/L		
			Bromobenzene	<1.0	U	1.0	ug/L		
			Bromochloromethane	<1.0	U	1.0	ug/L		
			Bromodichloromethane	<1.0	U	1.0	ug/L		
			Bromoform	<1.0	U	1.0	ug/L		
			Bromomethane	<1.0	U	1.0	ug/L		
			Carbon Disulfide	<1.0	U	1.0	ug/L		
			Carbon Tetrachloride	<1.0	U	1.0	ug/L		
			Chlorobenzene	<1.0	U	1.0	ug/L		
			Chloroethane	<1.0	U	1.0	ug/L		
			Chloroform	<1.0	U	1.0	ug/L		
			Chloromethane	<1.0	U	1.0	ug/L		
			cis-1,2-Dichloroethene	<1.0	U	1.0	ug/L		
			Dibromochloromethane	<1.0	U	1.0	ug/L		
			Dibromomethane	<1.0	U	1.0	ug/L		
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L		
			Ethylbenzene	<1.0	U	1.0	ug/L		
			Hexachlorobutadiene	<1.0	U	1.0	ug/L		
			Isopropylbenzene	<1.0	U	1.0	ug/L		
			m,p-Xylenes	<1.0	U	1.0	ug/L		
			Methylene Chloride	<5.0	U	5.0	ug/L		
			MTBE	14		2.0	ug/L		
			n-Butylbenzene	<1.0	U	1.0	ug/L		
			n-Propylbenzene	<1.0	U	1.0	ug/L		
			Naphthalene	<1.0	U	1.0	ug/L		
			o-Xylene	<1.0	U	1.0	ug/L		
			p-Isopropyltoluene	<1.0	U	1.0	ug/L		
			sec-Butylbenzene	<1.0	U	1.0	ug/L		
			Styrene	<1.0	U	1.0	ug/L		
			tert-Butylbenzene	<1.0	U	1.0	ug/L		
			Tetrachloroethene	<1.0	U	1.0	ug/L		
			Toluene	<1.0	U	1.0	ug/L		
			trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L		
			Trichloroethene	<1.0	U	1.0	ug/L		
			Trichlorofluoromethane	<1.0	U	1.0	ug/L		
Vinyl Chloride	<1.0	U	1.0	ug/L					
Xylenes (total)	<1.0	U	1.0	ug/L					
TPH (EPA 8015M)	TPH as Diesel		48	ug/L					
	TPH as Gas		<50	U	50	ug/L			
LF-B4	01/11/99	Metals (EPA 6010A)	Arsenic	<5.0	U	5.0	ug/L	70-36-004-011199	
			VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0		ug/L
				1,1,1-Trichloroethane	<1.0	U	1.0		ug/L
				1,1,2,2-Tetrachloroethane	<1.0	U	1.0		ug/L

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-B4	01/11/99	VOCs (EPA 8260)	1,1,2-Trichloroethane	<1.0	U	1.0	ug/L	70-36-004-011199
			1,1-Dichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethene	<1.0	U	1.0	ug/L	
			1,1-Dichloropropene	<1.0	U	1.0	ug/L	
			1,2,3-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,3-Trichloropropane	<1.0	U	1.0	ug/L	
			1,2,4-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,4-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,2-Dibromo-3-chloropropane	<1.0	U	1.0	ug/L	
			1,2-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,2-Dichloroethane	<1.0	U	1.0	ug/L	
			1,2-Dichloropropane	<1.0	U	1.0	ug/L	
			1,3,5-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,3-Dichloropropane	<1.0	U	1.0	ug/L	
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L	
			2,2-Dichloropropane	<1.0	U	1.0	ug/L	
			2-Butanone	<5.0	U	5.0	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	<1.0	U	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	<1.0	U	1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	<1.0	U	1.0	ug/L	
Chloroethane	<1.0	U	1.0	ug/L				
Chloroform	<1.0	U	1.0	ug/L				
Chloromethane	<1.0	U	1.0	ug/L				
cis-1,2-Dichloroethene	<1.0	U	1.0	ug/L				
Dibromochloromethane	<1.0	U	1.0	ug/L				
Dibromomethane	<1.0	U	1.0	ug/L				
Dichlorodifluoromethane	<1.0	U	1.0	ug/L				
Ethylbenzene	<1.0	U	1.0	ug/L				
Hexachlorobutadiene	<1.0	U	1.0	ug/L				
Isopropylbenzene	<1.0	U	1.0	ug/L				
m,p-Xylenes	<1.0	U	1.0	ug/L				
Methylene Chloride	<5.0	U	5.0	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID			
LF-B4	01/11/99	VOCs (EPA 8260)	MTBE	<2.0	U	2.0	ug/L	70-36-004-011199			
			n-Butylbenzene	<1.0	U	1.0	ug/L				
			n-Propylbenzene	<1.0	U	1.0	ug/L				
			Naphthalene	<1.0	U	1.0	ug/L				
			o-Xylene	<1.0	U	1.0	ug/L				
			p-Isopropyltoluene	<1.0	U	1.0	ug/L				
			sec-Butylbenzene	<1.0	U	1.0	ug/L				
			Styrene	<1.0	U	1.0	ug/L				
			tert-Butylbenzene	<1.0	U	1.0	ug/L				
			Tetrachloroethene	<1.0	U	1.0	ug/L				
			Toluene	<1.0	U	1.0	ug/L				
			trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L				
			Trichloroethene	<1.0	U	1.0	ug/L				
			Trichlorofluoromethane	<1.0	U	1.0	ug/L				
			Vinyl Chloride	<1.0	U	1.0	ug/L				
			Xylenes (total)	<1.0	U	1.0	ug/L				
			TPH (EPA 8015M)	TPH as Diesel	55	47	ug/L				
			TPH as Gas	<50	U	50	ug/L				
		LF-B5	01/13/99	Metals (EPA 6010A)	Arsenic	32			5.0	ug/L	70-36-005-011399
				VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<2.0	U		2.0	ug/L	
1,1,1-Trichloroethane	<2.0				U	2.0	ug/L				
1,1,2,2-Tetrachloroethane	<2.0				U	2.0	ug/L				
1,1,2-Trichloroethane	<2.0				U	2.0	ug/L				
1,1-Dichloroethane	<2.0				U	2.0	ug/L				
1,1-Dichloroethene	<2.0				U	2.0	ug/L				
1,1-Dichloropropene	<2.0				U	2.0	ug/L				
1,2,3-Trichlorobenzene	<2.0				U	2.0	ug/L				
1,2,3-Trichloropropane	3.2					2.0	ug/L				
1,2,4-Trichlorobenzene	<2.0				U	2.0	ug/L				
1,2,4-Trimethylbenzene	<2.0				U	2.0	ug/L				
1,2-Dibromo-3-chloropropane	<2.0				U	2.0	ug/L				
1,2-Dichlorobenzene	<2.0				U	2.0	ug/L				
1,2-Dichloroethane	300					2.0	ug/L				
1,2-Dichloropropane	<2.0				U	2.0	ug/L				
1,3,5-Trimethylbenzene	<2.0				U	2.0	ug/L				
1,3-Dichlorobenzene	<2.0				U	2.0	ug/L				
1,3-Dichloropropane	<2.0				U	2.0	ug/L				
1,4-Dichlorobenzene	<2.0				U	2.0	ug/L				
2,2-Dichloropropane	<2.0				U	2.0	ug/L				
2-Butanone	<10				U	10	ug/L				
2-Chloroethylvinylether	<20				U	20	ug/L				
2-Chlorotoluene	<2.0				U	2.0	ug/L				
2-Hexanone	<10				U	10	ug/L				
4-Chlorotoluene	<2.0				U	2.0	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
LF-B5	01/13/99	VOCs (EPA 8260)	4-Methyl-2-pentanone	<10	U	10	ug/L	70-36-005-011399	
			Acetone	<10	U	10	ug/L		
			Benzene	<2.0	U	2.0	ug/L		
			Bromobenzene	<2.0	U	2.0	ug/L		
			Bromochloromethane	<2.0	U	2.0	ug/L		
			Bromodichloromethane	<2.0	U	2.0	ug/L		
			Bromoform	<2.0	U	2.0	ug/L		
			Bromomethane	<2.0	U	2.0	ug/L		
			Carbon Disulfide	<2.0	U	2.0	ug/L		
			Carbon Tetrachloride	<2.0	U	2.0	ug/L		
			Chlorobenzene	<2.0	U	2.0	ug/L		
			Chloroethane	<2.0	U	2.0	ug/L		
			Chloroform	<2.0	U	2.0	ug/L		
			Chloromethane	<2.0	U	2.0	ug/L		
			cis-1,2-Dichloroethene	3.0		2.0	ug/L		
			Dibromochloromethane	<2.0	U	2.0	ug/L		
			Dibromomethane	<2.0	U	2.0	ug/L		
			Dichlorodifluoromethane	<2.0	U	2.0	ug/L		
			Ethylbenzene	<2.0	U	2.0	ug/L		
			Hexachlorobutadiene	<2.0	U	2.0	ug/L		
			Isopropylbenzene	<2.0	U	2.0	ug/L		
			m,p-Xylenes	<2.0	U	2.0	ug/L		
			Methylene Chloride	<10	U	10	ug/L		
			MTBE	6.9		4.0	ug/L		
			n-Butylbenzene	<2.0	U	2.0	ug/L		
			n-Propylbenzene	<2.0	U	2.0	ug/L		
			Naphthalene	<2.0	U	2.0	ug/L		
			o-Xylene	<2.0	U	2.0	ug/L		
			p-Isopropyltoluene	<2.0	U	2.0	ug/L		
			sec-Butylbenzene	<2.0	U	2.0	ug/L		
			Styrene	<2.0	U	2.0	ug/L		
			tert-Butylbenzene	<2.0	U	2.0	ug/L		
			Tetrachloroethene	<2.0	U	2.0	ug/L		
			Toluene	<2.0	U	2.0	ug/L		
			trans-1,2-Dichloroethene	<2.0	U	2.0	ug/L		
			Trichloroethene	<2.0	U	2.0	ug/L		
Trichlorofluoromethane	<2.0	U	2.0	ug/L					
Vinyl Chloride	<2.0	U	2.0	ug/L					
Xylenes (total)	<2.0	U	2.0	ug/L					
TPH (EPA 8015M)	TPH as Diesel	53	48	ug/L					
	TPH as Gas	57	50	ug/L					
LF-B6	01/13/99	Metals (EPA 6010A)	Arsenic	8.3		5.0	ug/L	70-36-006-011399	
			VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0		ug/L
				1,1,1-Trichloroethane	<1.0	U	1.0		ug/L

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-B6	01/13/99	VOCs (EPA 8260)	1,1,2,2-Tetrachloroethane	<1.0	U	1.0	ug/L	70-36-006-011399
			1,1,2-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethene	<1.0	U	1.0	ug/L	
			1,1-Dichloropropene	<1.0	U	1.0	ug/L	
			1,2,3-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,3-Trichloropropane	<1.0	U	1.0	ug/L	
			1,2,4-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,4-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,2-Dibromo-3-chloropropane	<1.0	U	1.0	ug/L	
			1,2-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,2-Dichloroethane	85		1.0	ug/L	
			1,2-Dichloropropane	<1.0	U	1.0	ug/L	
			1,3,5-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,3-Dichloropropane	<1.0	U	1.0	ug/L	
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L	
			2,2-Dichloropropane	<1.0	U	1.0	ug/L	
			2-Butanone	<5.0	U	5.0	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	<1.0	U	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	<1.0	U	1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	<1.0	U	1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	
			Ethylbenzene	<1.0	U	1.0	ug/L	
Hexachlorobutadiene	<1.0	U	1.0	ug/L				
Isopropylbenzene	<1.0	U	1.0	ug/L				
m,p-Xylenes	<1.0	U	1.0	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
LF-B6	01/13/99	VOCs (EPA 8260)	Methylene Chloride	<5.0	U	5.0	ug/L	70-36-006-011399	
			MTBE	8.9		2.0	ug/L		
			n-Butylbenzene	<1.0	U	1.0	ug/L		
			n-Propylbenzene	<1.0	U	1.0	ug/L		
			Naphthalene	<1.0	U	1.0	ug/L		
			o-Xylene	<1.0	U	1.0	ug/L		
			p-Isopropyltoluene	<1.0	U	1.0	ug/L		
			sec-Butylbenzene	<1.0	U	1.0	ug/L		
			Styrene	<1.0	U	1.0	ug/L		
			tert-Butylbenzene	<1.0	U	1.0	ug/L		
			Tetrachloroethene	<1.0	U	1.0	ug/L		
			Toluene	<1.0	U	1.0	ug/L		
			trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L		
			Trichloroethene	<1.0	U	1.0	ug/L		
			Trichlorofluoromethane	<1.0	U	1.0	ug/L		
			Vinyl Chloride	<1.0	U	1.0	ug/L		
			Xylenes (total)	<1.0	U	1.0	ug/L		
			TPH (EPA 8015M)	TPH as Diesel	<47	U	47		ug/L
				TPH as Gas	63		50		ug/L
			MW-1	01/12/99	Metals (EPA 6010A)	Arsenic	18		
VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0			U	1.0	ug/L		
	1,1,1-Trichloroethane	<1.0			U	1.0	ug/L		
	1,1,2,2-Tetrachloroethane	<1.0			U	1.0	ug/L		
	1,1,2-Trichloroethane	<1.0			U	1.0	ug/L		
	1,1-Dichloroethane	1.1				1.0	ug/L		
	1,1-Dichloroethene	<1.0			U	1.0	ug/L		
	1,1-Dichloropropene	<1.0			U	1.0	ug/L		
	1,2,3-Trichlorobenzene	<1.0			U	1.0	ug/L		
	1,2,3-Trichloropropane	10				1.0	ug/L		
	1,2,4-Trichlorobenzene	<1.0			U	1.0	ug/L		
	1,2,4-Trimethylbenzene	<1.0			U	1.0	ug/L		
	1,2-Dibromo-3-chloropropane	<1.0			U	1.0	ug/L		
	1,2-Dichlorobenzene	<1.0			U	1.0	ug/L		
	1,2-Dichloroethane	55				1.0	ug/L		
	1,2-Dichloropropane	170				1.0	ug/L		
	1,3,5-Trimethylbenzene	<1.0			U	1.0	ug/L		
	1,3-Dichlorobenzene	<1.0			U	1.0	ug/L		
	1,3-Dichloropropane	<1.0			U	1.0	ug/L		
	1,4-Dichlorobenzene	<1.0			U	1.0	ug/L		
	2,2-Dichloropropane	<1.0			U	1.0	ug/L		
	2-Butanone	<5.0			U	5.0	ug/L		
	2-Chloroethylvinylether	<10			U	10	ug/L		
	2-Chlorotoluene	<1.0			U	1.0	ug/L		
	2-Hexanone	<5.0			U	5.0	ug/L		

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
MW-1	01/12/99	VOCs (EPA 8260)	4-Chlorotoluene	<1.0	U	1.0	ug/L	10-36-001-011299
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	73		1.0	ug/L	
			Bromobenzene	5.9		1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	<1.0	U	1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	4.6		1.0	ug/L	
			Chloroethane	1.0		1.0	ug/L	
			Chloroform	3.3		1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	11		1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	
			Ethylbenzene	1.9		1.0	ug/L	
			Hexachlorobutadiene	<1.0	U	1.0	ug/L	
			Isopropylbenzene	2.9		1.0	ug/L	
			m,p-Xylenes	3.1		1.0	ug/L	
			Methylene Chloride	<5.0	U	5.0	ug/L	
			MTBE	<2.0	U	2.0	ug/L	
			n-Butylbenzene	0.5	J11	1.0	ug/L	
			n-Propylbenzene	0.6	J11	1.0	ug/L	
			Naphthalene	<1.0	U	1.0	ug/L	
			o-Xylene	2.2		1.0	ug/L	
			p-Isopropyltoluene	<1.0	U	1.0	ug/L	
			sec-Butylbenzene	<1.0	U	1.0	ug/L	
			Styrene	<1.0	U	1.0	ug/L	
			tert-Butylbenzene	25		1.0	ug/L	
			Tetrachloroethene	0.6	J11	1.0	ug/L	
			Toluene	11		1.0	ug/L	
			trans-1,2-Dichloroethene	1.5		1.0	ug/L	
			Trichloroethene	17		1.0	ug/L	
Trichlorofluoromethane	<1.0	U	1.0	ug/L				
Vinyl Chloride	17		1.0	ug/L				
Xylenes (total)	5.3		1.0	ug/L				
TPH (EPA 8015M)	TPH as Diesel	1600	48	ug/L				
	TPH as Gas	1300	50	ug/L				
MW-2	01/12/99	Metals (EPA 6010A)	Arsenic	21		5.0	ug/L	10-36-002-011299
		VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
MW-2	01/12/99	VOCs (EPA 8260)	1,1,1-Trichloroethane	<1.0	U	1.0	ug/L	10-36-002-011299
			1,1,2,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,2-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethene	<1.0	U	1.0	ug/L	
			1,1-Dichloropropene	<1.0	U	1.0	ug/L	
			1,2,3-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,3-Trichloropropane	<1.0	U	1.0	ug/L	
			1,2,4-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,4-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,2-Dibromo-3-chloropropane	<1.0	U	1.0	ug/L	
			1,2-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,2-Dichloroethane	1.5		1.0	ug/L	
			1,2-Dichloropropane	3.3		1.0	ug/L	
			1,3,5-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,3-Dichloropropane	<1.0	U	1.0	ug/L	
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L	
			2,2-Dichloropropane	<1.0	U	1.0	ug/L	
			2-Butanone	<5.0	U	5.0	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	32		1.0	ug/L	
			Bromobenzene	0.9	J11	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	<1.0	U	1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	2.5		1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	19		1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	
			Ethylbenzene	<1.0	U	1.0	ug/L	
			Hexachlorobutadiene	<1.0	U	1.0	ug/L	
			Isopropylbenzene	2.6		1.0	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID			
MW-2	01/12/99	VOCs (EPA 8260)	m,p-Xylenes	<1.0	U	1.0	ug/L	10-36-002-011299			
			Methylene Chloride	<5.0	U	5.0	ug/L				
			MTBE	4.2		2.0	ug/L				
			n-Butylbenzene	<1.0	U	1.0	ug/L				
			n-Propylbenzene	<1.0	U	1.0	ug/L				
			Naphthalene	<1.0	U	1.0	ug/L				
			o-Xylene	<1.0	U	1.0	ug/L				
			p-Isopropyltoluene	<1.0	U	1.0	ug/L				
			sec-Butylbenzene	0.8	J11	1.0	ug/L				
			Styrene	<1.0	U	1.0	ug/L				
			tert-Butylbenzene	3.8		1.0	ug/L				
			Tetrachloroethene	<1.0	U	1.0	ug/L				
			Toluene	<1.0	U	1.0	ug/L				
			trans-1,2-Dichloroethene	7.7		1.0	ug/L				
			Trichloroethene	8.3		1.0	ug/L				
			Trichlorofluoromethane	<1.0	U	1.0	ug/L				
			Vinyl Chloride	4.7		1.0	ug/L				
			Xylenes (total)	<1.0	U	1.0	ug/L				
			TPH (EPA 8015M)			TPH as Diesel	1100			47	ug/L
						TPH as Gas	330			50	ug/L
MW-3	01/11/99	Metals (EPA 6010A)	Arsenic	29		5.0	ug/L	10-36-003-011199			
		VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0	ug/L				
			1,1,1-Trichloroethane	<1.0	U	1.0	ug/L				
			1,1,2,2-Tetrachloroethane	<1.0	U	1.0	ug/L				
			1,1,2-Trichloroethane	<1.0	U	1.0	ug/L				
			1,1-Dichloroethane	<1.0	U	1.0	ug/L				
			1,1-Dichloroethene	<1.0	U	1.0	ug/L				
			1,1-Dichloropropene	<1.0	U	1.0	ug/L				
			1,2,3-Trichlorobenzene	<1.0	U	1.0	ug/L				
			1,2,3-Trichloropropane	<1.0	U	1.0	ug/L				
			1,2,4-Trichlorobenzene	<1.0	U	1.0	ug/L				
			1,2,4-Trimethylbenzene	<1.0	U	1.0	ug/L				
			1,2-Dibromo-3-chloropropane	<1.0	U	1.0	ug/L				
			1,2-Dichlorobenzene	<1.0	U	1.0	ug/L				
			1,2-Dichloroethane	4.2		1.0	ug/L				
			1,2-Dichloropropane	<1.0	U	1.0	ug/L				
			1,3,5-Trimethylbenzene	<1.0	U	1.0	ug/L				
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L				
			1,3-Dichloropropane	<1.0	U	1.0	ug/L				
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L				
			2,2-Dichloropropane	<1.0	U	1.0	ug/L				
			2-Butanone	<5.0	U	5.0	ug/L				
			2-Chloroethylvinylether	<10	U	10	ug/L				
			2-Chlorotoluene	<1.0	U	1.0	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
MW-3	01/11/99	VOCs (EPA 8260)	2-Hexanone	<5.0	U	5.0	ug/L	10-36-003-011199
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	<1.0	U	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	<1.0	U	1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	<1.0	U	1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	25		1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	
			Ethylbenzene	<1.0	U	1.0	ug/L	
			Hexachlorobutadiene	<1.0	U	1.0	ug/L	
			Isopropylbenzene	<1.0	U	1.0	ug/L	
			m,p-Xylenes	<1.0	U	1.0	ug/L	
			Methylene Chloride	<5.0	U	5.0	ug/L	
			MTBE	3.6		2.0	ug/L	
			n-Butylbenzene	<1.0	U	1.0	ug/L	
			n-Propylbenzene	<1.0	U	1.0	ug/L	
			Naphthalene	<1.0	U	1.0	ug/L	
			o-Xylene	<1.0	U	1.0	ug/L	
			p-Isopropyltoluene	<1.0	U	1.0	ug/L	
			sec-Butylbenzene	<1.0	U	1.0	ug/L	
			Styrene	<1.0	U	1.0	ug/L	
			tert-Butylbenzene	<1.0	U	1.0	ug/L	
			Tetrachloroethene	<1.0	U	1.0	ug/L	
			Toluene	<1.0	U	1.0	ug/L	
			trans-1,2-Dichloroethene	19		1.0	ug/L	
			Trichloroethene	2.3		1.0	ug/L	
Trichlorofluoromethane	<1.0	U	1.0	ug/L				
Vinyl Chloride	1.2		1.0	ug/L				
Xylenes (total)	<1.0	U	1.0	ug/L				
TPH (EPA 8015M)	TPH as Diesel	73	47	ug/L				
	TPH as Gas	69	50	ug/L				
MW-3-DUP	01/11/99	Metals (EPA 6010A)	Arsenic	26		5.0	ug/L	10-36-003-011199-D

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
MW-3-DUP	01/11/99	VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0	ug/L	0-36-003-011199-D
			1,1,1-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1,2,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,2-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethene	<1.0	U	1.0	ug/L	
			1,1-Dichloropropene	<1.0	U	1.0	ug/L	
			1,2,3-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,3-Trichloropropane	<1.0	U	1.0	ug/L	
			1,2,4-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,4-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,2-Dibromo-3-chloropropane	<1.0	U	1.0	ug/L	
			1,2-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,2-Dichloroethane	4.2		1.0	ug/L	
			1,2-Dichloropropane	<1.0	U	1.0	ug/L	
			1,3,5-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,3-Dichloropropane	<1.0	U	1.0	ug/L	
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L	
			2,2-Dichloropropane	<1.0	U	1.0	ug/L	
			2-Butanone	<5.0	U	5.0	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	<1.0	U	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	<1.0	U	1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	<1.0	U	1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	25		1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	
			Ethylbenzene	<1.0	U	1.0	ug/L	
			Hexachlorobutadiene	<1.0	U	1.0	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
MW-3-DUP	01/11/99	VOCs (EPA 8260)	Isopropylbenzene	<1.0	U	1.0	ug/L	40-36-003-011199-D	
			m,p-Xylenes	<1.0	U	1.0	ug/L		
			Methylene Chloride	<5.0	U	5.0	ug/L		
			MTBE	3.2		2.0	ug/L		
			n-Butylbenzene	<1.0	U	1.0	ug/L		
			n-Propylbenzene	<1.0	U	1.0	ug/L		
			Naphthalene	<1.0	U	1.0	ug/L		
			o-Xylene	<1.0	U	1.0	ug/L		
			p-Isopropyltoluene	<1.0	U	1.0	ug/L		
			sec-Butylbenzene	<1.0	U	1.0	ug/L		
			Styrene	<1.0	U	1.0	ug/L		
			tert-Butylbenzene	<1.0	U	1.0	ug/L		
			Tetrachloroethene	<1.0	U	1.0	ug/L		
			Toluene	<1.0	U	1.0	ug/L		
			trans-1,2-Dichloroethene	19		1.0	ug/L		
			Trichloroethene	2.2		1.0	ug/L		
			Trichlorofluoromethane	<1.0	U	1.0	ug/L		
			Vinyl Chloride	1.3		1.0	ug/L		
			Xylenes (total)	<1.0	U	1.0	ug/L		
			TPH (EPA 8015M)	TPH as Diesel	49	47	ug/L		
				TPH as Gas	65	50	ug/L		
MW-4	01/15/99	Metals (EPA 6010A)	Arsenic	810		5.0	ug/L	40-36-004-0111599	
			VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0		ug/L
			1,1,1-Trichloroethane	<1.0	U	1.0	ug/L		
			1,1,2,2-Tetrachloroethane	<1.0	U	1.0	ug/L		
			1,1,2-Trichloroethane	<1.0	U	1.0	ug/L		
			1,1-Dichloroethane	<1.0	U	1.0	ug/L		
			1,1-Dichloroethene	<1.0	U	1.0	ug/L		
			1,1-Dichloropropene	<1.0	U	1.0	ug/L		
			1,2,3-Trichlorobenzene	<1.0	U	1.0	ug/L		
			1,2,3-Trichloropropane	<1.0	U	1.0	ug/L		
			1,2,4-Trichlorobenzene	<1.0	U	1.0	ug/L		
			1,2,4-Trimethylbenzene	2.8		1.0	ug/L		
			1,2-Dibromo-3-chloropropane	<1.0	U	1.0	ug/L		
			1,2-Dichlorobenzene	<1.0	U	1.0	ug/L		
			1,2-Dichloroethane	<1.0	U	1.0	ug/L		
			1,2-Dichloropropane	<1.0	U	1.0	ug/L		
			1,3,5-Trimethylbenzene	3.2		1.0	ug/L		
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L		
			1,3-Dichloropropane	<1.0	U	1.0	ug/L		
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L		
			2,2-Dichloropropane	<1.0	U	1.0	ug/L		
			2-Butanone	<5.0	U	5.0	ug/L		
			2-Chloroethylvinylether	<10	U	10	ug/L		

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
MW-4	01/15/99	VOCs (EPA 8260)	2-Chlorotoluene	<1.0	U	1.0	ug/L	40-36-004-011599
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	1.4		1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	<1.0	U	1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	<1.0	U	1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	0.6	J11	1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	
			Ethylbenzene	1.1		1.0	ug/L	
			Hexachlorobutadiene	<1.0	U	1.0	ug/L	
			Isopropylbenzene	0.7	J11	1.0	ug/L	
			m,p-Xylenes	1.7		1.0	ug/L	
			Methylene Chloride	<5.0	U	5.0	ug/L	
			MTBE	<2.0	U	2.0	ug/L	
			n-Butylbenzene	0.8	J11	1.0	ug/L	
			n-Propylbenzene	0.7	J11	1.0	ug/L	
			Naphthalene	6.4		1.0	ug/L	
			o-Xylene	3.7		1.0	ug/L	
			p-Isopropyltoluene	0.6	J11	1.0	ug/L	
			sec-Butylbenzene	0.5	J11	1.0	ug/L	
			Styrene	<1.0	U	1.0	ug/L	
			tert-Butylbenzene	<1.0	U	1.0	ug/L	
			Tetrachloroethene	<1.0	U	1.0	ug/L	
			Toluene	1.8		1.0	ug/L	
			trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Trichloroethene	1.7		1.0	ug/L	
			Trichlorofluoromethane	<1.0	U	1.0	ug/L	
Vinyl Chloride	<1.0	U	1.0	ug/L				
Xylenes (total)	5.4		1.0	ug/L				
TPH (EPA 8015M)	TPH as Diesel	6600	47	ug/L				
	TPH as Gas	270	50	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
MW-5	01/15/99	Metals (EPA 6010A)	Arsenic	290000		100	ug/L	40-36-005-011599
		VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1000	U	1000	ug/L	
			1,1,1-Trichloroethane	<1000	U	1000	ug/L	
			1,1,2,2-Tetrachloroethane	<1000	U	1000	ug/L	
			1,1,2-Trichloroethane	<1000	U	1000	ug/L	
			1,1-Dichloroethane	<1000	U	1000	ug/L	
			1,1-Dichloroethene	<1000	U	1000	ug/L	
			1,1-Dichloropropene	<1000	U	1000	ug/L	
			1,2,3-Trichlorobenzene	<1000	U	1000	ug/L	
			1,2,3-Trichloropropane	<1000	U	1000	ug/L	
			1,2,4-Trichlorobenzene	<1000	U	1000	ug/L	
			1,2,4-Trimethylbenzene	<1000	U	1000	ug/L	
			1,2-Dibromo-3-chloropropane	<1000	U	1000	ug/L	
			1,2-Dichlorobenzene	<1000	U	1000	ug/L	
			1,2-Dichloroethane	<1000	U	1000	ug/L	
			1,2-Dichloropropane	<1000	U	1000	ug/L	
			1,3,5-Trimethylbenzene	<1000	U	1000	ug/L	
			1,3-Dichlorobenzene	<1000	U	1000	ug/L	
			1,3-Dichloropropane	<1000	U	1000	ug/L	
			1,4-Dichlorobenzene	<1000	U	1000	ug/L	
			2,2-Dichloropropane	<1000	U	1000	ug/L	
			2-Butanone	52000		5000	ug/L	
			2-Chloroethylvinylether	<10000	U	10000	ug/L	
			2-Chlorotoluene	<1000	U	1000	ug/L	
			2-Hexanone	<5000	U	5000	ug/L	
			4-Chlorotoluene	<1000	U	1000	ug/L	
			4-Methyl-2-pentanone	21000		5000	ug/L	
			Acetone	130000		5000	ug/L	
			Benzene	<1000	U	1000	ug/L	
			Bromobenzene	<1000	U	1000	ug/L	
			Bromochloromethane	<1000	U	1000	ug/L	
			Bromodichloromethane	<1000	U	1000	ug/L	
			Bromoform	<1000	U	1000	ug/L	
			Bromomethane	<1000	U	1000	ug/L	
			Carbon Disulfide	<1000	U	1000	ug/L	
			Carbon Tetrachloride	<1000	U	1000	ug/L	
			Chlorobenzene	<1000	U	1000	ug/L	
			Chloroethane	<1000	U	1000	ug/L	
			Chloroform	<1000	U	1000	ug/L	
			Chloromethane	<1000	U	1000	ug/L	
			cis-1,2-Dichloroethene	<1000	U	1000	ug/L	
			Dibromochloromethane	<1000	U	1000	ug/L	
			Dibromomethane	<1000	U	1000	ug/L	
			Dichlorodifluoromethane	<1000	U	1000	ug/L	
			Ethylbenzene	1600		1000	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
MW-5	01/15/99	VOCs (EPA 8260)	Hexachlorobutadiene	<1000	U	1000	ug/L	40-36-005-011599	
			Isopropylbenzene	<1000	U	1000	ug/L		
			m,p-Xylenes	5700		1000	ug/L		
			Methylene Chloride	<5000	U	5000	ug/L		
			MTBE	<2000	U	2000	ug/L		
			n-Butylbenzene	<1000	U	1000	ug/L		
			n-Propylbenzene	<1000	U	1000	ug/L		
			Naphthalene	<1000	U	1000	ug/L		
			o-Xylene	1400		1000	ug/L		
			p-Isopropyltoluene	<1000	U	1000	ug/L		
			sec-Butylbenzene	<1000	U	1000	ug/L		
			Styrene	<1000	U	1000	ug/L		
			tert-Butylbenzene	<1000	U	1000	ug/L		
			Tetrachloroethene	<1000	U	1000	ug/L		
			Toluene	93000		1000	ug/L		
			trans-1,2-Dichloroethene	<1000	U	1000	ug/L		
			Trichloroethene	<1000	U	1000	ug/L		
			Trichlorofluoromethane	<1000	U	1000	ug/L		
			Vinyl Chloride	<1000	U	1000	ug/L		
			Xylenes (total)	7100		1000	ug/L		
			TPH (EPA 8015M)	TPH as Diesel	19000	97	ug/L		
				TPH as Gas	230000	10000	ug/L		
			RP-1	01/12/99	Metals (EPA 6010A)	Arsenic	63		
VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0				U	1.0	ug/L	
1,1,1-Trichloroethane	<1.0	U				1.0	ug/L		
1,1,2,2-Tetrachloroethane	<1.0	U				1.0	ug/L		
1,1,2-Trichloroethane	<1.0	U				1.0	ug/L		
1,1-Dichloroethane	<1.0	U				1.0	ug/L		
1,1-Dichloroethene	<1.0	U				1.0	ug/L		
1,1-Dichloropropene	<1.0	U				1.0	ug/L		
1,2,3-Trichlorobenzene	<1.0	U				1.0	ug/L		
1,2,3-Trichloropropane	<1.0	U				1.0	ug/L		
1,2,4-Trichlorobenzene	<1.0	U				1.0	ug/L		
1,2,4-Trimethylbenzene	<1.0	U				1.0	ug/L		
1,2-Dibromo-3-chloropropane	<1.0	U				1.0	ug/L		
1,2-Dichlorobenzene	<1.0	U				1.0	ug/L		
1,2-Dichloroethane	0.8	J11				1.0	ug/L		
1,2-Dichloropropane	<1.0	U				1.0	ug/L		
1,3,5-Trimethylbenzene	<1.0	U				1.0	ug/L		
1,3-Dichlorobenzene	<1.0	U				1.0	ug/L		
1,3-Dichloropropane	<1.0	U				1.0	ug/L		
1,4-Dichlorobenzene	<1.0	U				1.0	ug/L		
2,2-Dichloropropane	<1.0	U				1.0	ug/L		
2-Butanone	<5.0	U				5.0	ug/L		

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
RP-1	01/12/99	VOCs (EPA 8260)	2-Chloroethylvinylether	<10	U	10	ug/L	40-36-001-011299
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	<1.0	U	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	<1.0	U	1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	<1.0	U	1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	2.2		1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	
			Ethylbenzene	<1.0	U	1.0	ug/L	
			Hexachlorobutadiene	<1.0	U	1.0	ug/L	
			Isopropylbenzene	<1.0	U	1.0	ug/L	
			m,p-Xylenes	<1.0	U	1.0	ug/L	
			Methylene Chloride	<5.0	U	5.0	ug/L	
			MTBE	1.1	J11	2.0	ug/L	
			n-Butylbenzene	<1.0	U	1.0	ug/L	
			n-Propylbenzene	<1.0	U	1.0	ug/L	
			Naphthalene	<1.0	U	1.0	ug/L	
			o-Xylene	<1.0	U	1.0	ug/L	
			p-Isopropyltoluene	<1.0	U	1.0	ug/L	
			sec-Butylbenzene	<1.0	U	1.0	ug/L	
			Styrene	<1.0	U	1.0	ug/L	
			tert-Butylbenzene	<1.0	U	1.0	ug/L	
			Tetrachloroethene	<1.0	U	1.0	ug/L	
			Toluene	<1.0	U	1.0	ug/L	
			trans-1,2-Dichloroethene	0.8	J11	1.0	ug/L	
			Trichloroethene	<1.0	U	1.0	ug/L	
Trichlorofluoromethane	<1.0	U	1.0	ug/L				
Vinyl Chloride	<1.0	U	1.0	ug/L				
Xylenes (total)	<1.0	U	1.0	ug/L				
TPH (EPA 8015M)	TPH as Diesel	1100	47	ug/L				
	TPH as Gas	63	50	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
RP-2	01/11/99	Metals (EPA 6010A)	Arsenic	5.3		5.0	ug/L	40-36-002-011199
		VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,1-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1,2,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,2-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethene	<1.0	U	1.0	ug/L	
			1,1-Dichloropropene	<1.0	U	1.0	ug/L	
			1,2,3-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,3-Trichloropropane	<1.0	U	1.0	ug/L	
			1,2,4-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,4-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,2-Dibromo-3-chloropropane	<1.0	U	1.0	ug/L	
			1,2-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,2-Dichloroethane	<1.0	U	1.0	ug/L	
			1,2-Dichloropropane	<1.0	U	1.0	ug/L	
			1,3,5-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,3-Dichloropropane	<1.0	U	1.0	ug/L	
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L	
			2,2-Dichloropropane	<1.0	U	1.0	ug/L	
			2-Butanone	<5.0	U	5.0	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	<1.0	U	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	<1.0	U	1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	<1.0	U	1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	1.1		1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID		
RP-2	01/11/99	VOCs (EPA 8260)	Ethylbenzene	<1.0	U	1.0	ug/L	40-36-002-011199		
			Hexachlorobutadiene	<1.0	U	1.0	ug/L			
			Isopropylbenzene	<1.0	U	1.0	ug/L			
			m,p-Xylenes	<1.0	U	1.0	ug/L			
			Methylene Chloride	<5.0	U	5.0	ug/L			
			MTBE	1.5	J11	2.0	ug/L			
			n-Butylbenzene	<1.0	U	1.0	ug/L			
			n-Propylbenzene	<1.0	U	1.0	ug/L			
			Naphthalene	<1.0	U	1.0	ug/L			
			o-Xylene	<1.0	U	1.0	ug/L			
			p-Isopropyltoluene	<1.0	U	1.0	ug/L			
			sec-Butylbenzene	<1.0	U	1.0	ug/L			
			Styrene	<1.0	U	1.0	ug/L			
			tert-Butylbenzene	<1.0	U	1.0	ug/L			
			Tetrachloroethene	<1.0	U	1.0	ug/L			
			Toluene	<1.0	U	1.0	ug/L			
			trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L			
			Trichloroethene	<1.0	U	1.0	ug/L			
			Trichlorofluoromethane	<1.0	U	1.0	ug/L			
			Vinyl Chloride	<1.0	U	1.0	ug/L			
			Xylenes (total)	<1.0	U	1.0	ug/L			
				TPH (EPA 8015M)	TPH as Diesel	220			47	ug/L
					TPH as Gas	53			50	ug/L
RP-3	01/11/99	Metals (EPA 6010A)	Arsenic	<5.0	U	5.0	ug/L	40-36-003-011199		
			VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0		ug/L	
				1,1,1-Trichloroethane	<1.0	U	1.0		ug/L	
				1,1,2,2-Tetrachloroethane	<1.0	U	1.0		ug/L	
				1,1,2-Trichloroethane	<1.0	U	1.0		ug/L	
				1,1-Dichloroethane	<1.0	U	1.0		ug/L	
				1,1-Dichloroethene	<1.0	U	1.0		ug/L	
				1,1-Dichloropropene	<1.0	U	1.0		ug/L	
				1,2,3-Trichlorobenzene	<1.0	U	1.0		ug/L	
				1,2,3-Trichloropropane	<1.0	U	1.0		ug/L	
				1,2,4-Trichlorobenzene	<1.0	U	1.0		ug/L	
				1,2,4-Trimethylbenzene	<1.0	U	1.0		ug/L	
				1,2-Dibromo-3-chloropropane	<1.0	U	1.0		ug/L	
				1,2-Dichlorobenzene	<1.0	U	1.0		ug/L	
				1,2-Dichloroethane	<1.0	U	1.0		ug/L	
				1,2-Dichloropropane	<1.0	U	1.0		ug/L	
				1,3,5-Trimethylbenzene	<1.0	U	1.0		ug/L	
				1,3-Dichlorobenzene	<1.0	U	1.0		ug/L	
				1,3-Dichloropropane	<1.0	U	1.0		ug/L	
				1,4-Dichlorobenzene	<1.0	U	1.0		ug/L	
				2,2-Dichloropropane	<1.0	U	1.0		ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
RP-3	01/11/99	VOCs (EPA 8260)	2-Butanone	<5.0	U	5.0	ug/L	40-36-003-011199
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	<1.0	U	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	<1.0	U	1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	<1.0	U	1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	
			Ethylbenzene	<1.0	U	1.0	ug/L	
			Hexachlorobutadiene	<1.0	U	1.0	ug/L	
			Isopropylbenzene	<1.0	U	1.0	ug/L	
			m,p-Xylenes	<1.0	U	1.0	ug/L	
			Methylene Chloride	<5.0	U	5.0	ug/L	
			MTBE	<2.0	U	2.0	ug/L	
			n-Butylbenzene	<1.0	U	1.0	ug/L	
			n-Propylbenzene	<1.0	U	1.0	ug/L	
			Naphthalene	<1.0	U	1.0	ug/L	
			o-Xylene	<1.0	U	1.0	ug/L	
			p-Isopropyltoluene	<1.0	U	1.0	ug/L	
			sec-Butylbenzene	<1.0	U	1.0	ug/L	
			Styrene	<1.0	U	1.0	ug/L	
			tert-Butylbenzene	<1.0	U	1.0	ug/L	
			Tetrachloroethene	<1.0	U	1.0	ug/L	
			Toluene	<1.0	U	1.0	ug/L	
			trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Trichloroethene	<1.0	U	1.0	ug/L	
			Trichlorofluoromethane	<1.0	U	1.0	ug/L	
			Vinyl Chloride	<1.0	U	1.0	ug/L	
			Xylenes (total)	<1.0	U	1.0	ug/L	
		TPH (EPA 8015M)	TPH as Diesel	750		47	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
RP-3	01/11/99	TPH (EPA 8015M)	TPH as Gas	130		50	ug/L	40-36-003-011199
RP-4	01/11/99	Metals (EPA 6010A)	Arsenic	<5.0	U	5.0	ug/L	40-36-004R-011199
		VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,1-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1,2,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,2-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethene	<1.0	U	1.0	ug/L	
			1,1-Dichloropropene	<1.0	U	1.0	ug/L	
			1,2,3-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,3-Trichloropropane	<1.0	U	1.0	ug/L	
			1,2,4-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,4-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,2-Dibromo-3-chloropropane	<1.0	U	1.0	ug/L	
			1,2-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,2-Dichloroethane	0.7	J11	1.0	ug/L	
			1,2-Dichloropropane	<1.0	U	1.0	ug/L	
			1,3,5-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,3-Dichloropropane	<1.0	U	1.0	ug/L	
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L	
			2,2-Dichloropropane	<1.0	U	1.0	ug/L	
			2-Butanone	<5.0	U	5.0	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	<1.0	U	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	<1.0	U	1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	<1.0	U	1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	9.8		1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
RP-4	01/11/99	VOCs (EPA 8260)	Dichlorodifluoromethane	<1.0	U	1.0	ug/L	40-36-004R-011199
			Ethylbenzene	<1.0	U	1.0	ug/L	
			Hexachlorobutadiene	<1.0	U	1.0	ug/L	
			Isopropylbenzene	<1.0	U	1.0	ug/L	
			m,p-Xylenes	<1.0	U	1.0	ug/L	
			Methylene Chloride	<5.0	U	5.0	ug/L	
			MTBE	3.4		2.0	ug/L	
			n-Butylbenzene	<1.0	U	1.0	ug/L	
			n-Propylbenzene	<1.0	U	1.0	ug/L	
			Naphthalene	<1.0	U	1.0	ug/L	
			o-Xylene	<1.0	U	1.0	ug/L	
			p-Isopropyltoluene	<1.0	U	1.0	ug/L	
			sec-Butylbenzene	<1.0	U	1.0	ug/L	
			Styrene	<1.0	U	1.0	ug/L	
			tert-Butylbenzene	<1.0	U	1.0	ug/L	
			Tetrachloroethene	<1.0	U	1.0	ug/L	
			Toluene	<1.0	U	1.0	ug/L	
			trans-1,2-Dichloroethene	3.3		1.0	ug/L	
			Trichloroethene	1.5		1.0	ug/L	
			Trichlorofluoromethane	<1.0	U	1.0	ug/L	
			Vinyl Chloride	0.6	J11	1.0	ug/L	
			Xylenes (total)	<1.0	U	1.0	ug/L	
			TPH (EPA 8015M)			TPH as Diesel	77	
TPH as Gas	75					50	ug/L	
RP-5	01/12/99	Metals (EPA 6010A)	Arsenic	12		5.0	ug/L	40-36-005R-011299
		VOCs (EPA 8260)	1,1,1,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,1-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1,2,2-Tetrachloroethane	<1.0	U	1.0	ug/L	
			1,1,2-Trichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethane	<1.0	U	1.0	ug/L	
			1,1-Dichloroethene	<1.0	U	1.0	ug/L	
			1,1-Dichloropropene	<1.0	U	1.0	ug/L	
			1,2,3-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,3-Trichloropropane	<1.0	U	1.0	ug/L	
			1,2,4-Trichlorobenzene	<1.0	U	1.0	ug/L	
			1,2,4-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,2-Dibromo-3-chloropropane	<1.0	U	1.0	ug/L	
			1,2-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,2-Dichloroethane	<1.0	U	1.0	ug/L	
			1,2-Dichloropropane	<1.0	U	1.0	ug/L	
			1,3,5-Trimethylbenzene	<1.0	U	1.0	ug/L	
			1,3-Dichlorobenzene	<1.0	U	1.0	ug/L	
			1,3-Dichloropropane	<1.0	U	1.0	ug/L	
			1,4-Dichlorobenzene	<1.0	U	1.0	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
RP-5	01/12/99	VOCs (EPA 8260)	2,2-Dichloropropane	<1.0	U	1.0	ug/L	40-36-005R-011299
			2-Butanone	<5.0	U	5.0	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<1.0	U	1.0	ug/L	
			2-Hexanone	<5.0	U	5.0	ug/L	
			4-Chlorotoluene	<1.0	U	1.0	ug/L	
			4-Methyl-2-pentanone	<5.0	U	5.0	ug/L	
			Acetone	<5.0	U	5.0	ug/L	
			Benzene	<1.0	U	1.0	ug/L	
			Bromobenzene	<1.0	U	1.0	ug/L	
			Bromochloromethane	<1.0	U	1.0	ug/L	
			Bromodichloromethane	<1.0	U	1.0	ug/L	
			Bromoform	<1.0	U	1.0	ug/L	
			Bromomethane	<1.0	U	1.0	ug/L	
			Carbon Disulfide	<1.0	U	1.0	ug/L	
			Carbon Tetrachloride	<1.0	U	1.0	ug/L	
			Chlorobenzene	0.7	J11	1.0	ug/L	
			Chloroethane	<1.0	U	1.0	ug/L	
			Chloroform	<1.0	U	1.0	ug/L	
			Chloromethane	<1.0	U	1.0	ug/L	
			cis-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Dibromochloromethane	<1.0	U	1.0	ug/L	
			Dibromomethane	<1.0	U	1.0	ug/L	
			Dichlorodifluoromethane	<1.0	U	1.0	ug/L	
			Ethylbenzene	<1.0	U	1.0	ug/L	
			Hexachlorobutadiene	<1.0	U	1.0	ug/L	
			Isopropylbenzene	<1.0	U	1.0	ug/L	
			m,p-Xylenes	<1.0	U	1.0	ug/L	
			Methylene Chloride	<5.0	U	5.0	ug/L	
			MTBE	<2.0	U	2.0	ug/L	
			n-Butylbenzene	<1.0	U	1.0	ug/L	
			n-Propylbenzene	<1.0	U	1.0	ug/L	
			Naphthalene	<1.0	U	1.0	ug/L	
			o-Xylene	<1.0	U	1.0	ug/L	
			p-Isopropyltoluene	<1.0	U	1.0	ug/L	
			sec-Butylbenzene	<1.0	U	1.0	ug/L	
			Styrene	<1.0	U	1.0	ug/L	
			tert-Butylbenzene	<1.0	U	1.0	ug/L	
			Tetrachloroethene	<1.0	U	1.0	ug/L	
			Toluene	<1.0	U	1.0	ug/L	
			trans-1,2-Dichloroethene	<1.0	U	1.0	ug/L	
			Trichloroethene	<1.0	U	1.0	ug/L	
			Trichlorofluoromethane	<1.0	U	1.0	ug/L	
			Vinyl Chloride	<1.0	U	1.0	ug/L	
			Xylenes (total)	<1.0	U	1.0	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for January 1999 (First Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
RP-5	01/12/99	TPH (EPA 8015M)	TPH as Diesel	430		47	ug/L	40-36-005R-011299
			TPH as Gas	70		50	ug/L	

Notes: < = Analyte was not detected at or greater than the detection limit reported

Abreviations:

DUP = Duplicate sample (field duplicate)

TPH = Total Petroleum Hydrocarbons

VOCs = Volatile Organic Compounds

Data Qualifiers:

U = Not detected at or greater than the detection limit reported

U5 = Qualified as non-detect (U) based on field blank contamination evaluation

U6 = Qualified as non-detect (U) based on trip blank contamination evaluation

J1= Concentration is estimated because the concentration exceeded the calibration range of the analytical instrument.

J2 = Concentration is estimated because the sample was analyzed outside of holding time.

J3 = Concentration is estimated due to surrogate recoveries outside of control limits.

J4 = Concentration is estimated due to relative percent difference (RPD) outside of control limits for laboratory control samples (LCS)

J11 = Concentration is estimated because it was reported at a concentration less than the detection limit.