



Quarterly Groundwater Monitoring Report

for July 1 to September 30, 1999
Site Cleanup Requirements (SCR)
Order No. 98-009

The Sherwin-Williams Facility
Emeryville, California

October 29, 1999
6495.99-003

Prepared for



1450 Sherwin Avenue, Emeryville, CA



1900 Powell Street, 12th Floor, Emeryville, CA 94608
(510) 652 4500 Fax (510) 652 2246
www.lfr.com

October 29, 1999

6495.99-003

Mr. Mark Johnson
Regional Water Quality Control Board
1515 Clay Street, Suite 1400
Oakland, California 94612

Subject: Quarterly Self-Monitoring Report, July 1 to September 30, 1999, Site Cleanup Requirements (SCR) Order No. 98-009, The Sherwin-Williams Company, Emeryville, California

Dear Mr. Johnson:

Enclosed is the self-monitoring report, prepared by LFR Levine-Fricke (LFR) on behalf of The Sherwin-Williams Company, for the quarterly period of July 1 through September 30, 1999. This self-monitoring report is submitted pursuant to the requirements of SCR Order No. 98-009, issued by the Regional Water Quality Control Board on February 19, 1998. Self-monitoring activities conducted at The Sherwin-Williams Company site in Emeryville, California ("the Site") during this quarterly reporting period were in compliance with requirements of the SCR and self-monitoring program.

This report presents historical data and the results of the quarterly groundwater monitoring program conducted at the Site in July 1999. In addition, this report includes summaries of the operation of the Sherwin-Williams groundwater extraction and treatment systems and information about removal of contaminants from extracted groundwater at the Site, as required by the SCR.

I certify, under penalty of perjury, that this document and all attachments are prepared under my direction or supervision and the information submitted is, to the best of my knowledge and belief, true, accurate, and complete.

If you have any questions or comments regarding this report, please call Larry Mencin at (216) 566-1768 or me at (510) 652-4500.

Sincerely,

(original, signed letter filed with the Regional Water Quality Control Board)
Michael B. Marsden, R.G., C.HG.
Senior Associate Hydrogeologist

Enclosure

cc: Distribution List

DISTRIBUTION LIST (CD Only):

Susan Hugo
Alameda County Department of
Environmental Health
Hazardous Materials Division
1131 Harbor Bay Parkway, 2nd floor
Alameda, California 94502-6577

Ignacio Dayrit
Projects Coordinator
Development Services Department
Project Development Division
City of Emeryville, Redevelopment Agency
2200 Powell Street, 12th Floor
Emeryville, California 94608

George Stavnes
The Sherwin-Williams Company
1450 Sherwin Avenue
Emeryville, California 94608

Vera Nelson
Erler & Kalinowski, Inc.
1730 So. Amphlett Blvd., Suite 320
San Mateo, California 94402

Jay Grover
Chiron Corporation
4560 Horton Street
Emeryville, California 94608-2916

Barbara Cook
California Environmental Protection Agency,
Dept. of Toxic Substances Control, Region 2
700 Heinz Ave., Suite 200
Berkeley, California 94710

Peggy Peischl
Treadwell and Rollo
2 Theater Square, #216
Orinda, California 94563

Reber Brown, Ph.D.
Environmental Investigations Branch
California Dept. of Health Services
5900 Hollis Street, Suite E
Emeryville, California 94608

Robert Cave
Air Quality Engineer
BAAQMD
939 Ellis Street
San Francisco, California 94109

Jody Sparks
Toxics Assessment Group
1801 Hanover Drive, Suite C
PO Box 73620
Davis, California 95617-3620

Sandra Maxfield
ENTRIX, Inc.
590 Ygnacio Valley Road, Suite 200
Walnut Creek, California 94596

DISTRIBUTION LIST (CD/Hard Copy):

Larry Mencin
The Sherwin-Williams Company
101 Prospect Avenue, N.W.
Cleveland, Ohio 44115-1075

Randi Parker-Germains
45th Street Artists' Cooperative
1420 45th Street
Emeryville, California 94608

Melissa Mednick (2 copies)
Community Relations and Socioeconomic
Analysis
5689 Oak Grove Avenue
Oakland, California 94618

DISTRIBUTION LIST (Letter Only):

Mara Feeney, Principal
Mara Feeney & Associates
19 Beaver Street
San Francisco, California 94114-1514

CONTENTS

CERTIFICATION.....	iv
1.0 INTRODUCTION AND SCOPE	1
2.0 GROUNDWATER GRADIENT AND POTENTIAL DIFFERENCES	1
2.1 Horizontal Groundwater Gradient	2
2.2 Groundwater Potential Differences Across the Slurry Wall	2
2.3 Groundwater Potential Differences Across the A/B Aquitard	3
3.0 GROUNDWATER QUALITY SAMPLING	3
4.0 GROUNDWATER QUALITY ANALYSIS RESULTS	4
4.1 Volatile Organic Compounds	4
4.1.1 A Zone (Outside Slurry Wall)	4
4.1.2 A Zone (Inside Slurry Wall)	5
4.1.3 B Zone	6
4.2 TPHd.....	6
4.2.1 A Zone (Outside Slurry Wall)	6
4.2.2 A Zone (Inside Slurry Wall)	7
4.2.3 B Zone	7
4.3 TPHg.....	7
4.3.1 A Zone (Outside Slurry Wall)	7
4.3.2 A Zone (Inside Slurry Wall)	7
4.3.3 B Zone	8
4.4 Arsenic	8
4.4.1 A Zone (Outside Slurry Wall)	8
4.4.2 A Zone (Inside Slurry Wall)	8
4.4.3 B Zone	9
4.4.4 Arsenic Concentration Trends	9
5.0 QA/QC PROCEDURES AND RESULTS	9

6.0 OPERATION OF THE SHERWIN-WILLIAMS GROUNDWATER EXTRACTION SYSTEM	9
---	---

REFERENCES.....	11
-----------------	----

TABLES

1	Historical Groundwater Elevation Data Including July 1999
2	Horizontal Groundwater Potential Differences Across the Slurry Wall
3	Vertical Groundwater Potential Differences Across the A- and B-Aquifer Zones
4	Summary of Historical Volatile Organic Compounds (EPA Methods 8240 and 8260) in Groundwater Monitoring Wells
5	Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline in Groundwater Monitoring Wells
6	Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
7	Results of Mann-Kendall Evaluation, Through July 1999
8	Groundwater Extraction Flow Data
9	Contaminant Removal Results

FIGURES

1	Site Location Map
2	Site Plan
3	Groundwater Elevation Contours, A-Zone Groundwater, July 12, 1999
4	Groundwater Elevation Contours, B-Zone Groundwater, July 12, 1999
5a	Volatile Organic Compounds, A-Zone Groundwater, Inside Slurry Wall, July 1999
5b	Volatile Organic Compounds, A-Zone Groundwater, Outside Slurry Wall, July 1999
5c	Chlorinated Volatile Organic Compounds, A-Zone Groundwater, Inside Slurry Wall, July 1999
5d	Chlorinated Volatile Organic Compounds, A-Zone Groundwater, Outside Slurry Wall, July 1999
6	Volatile Organic Compounds, B-Zone Groundwater, July 1999
7	Total Petroleum Hydrocarbons as Diesel, A-Zone and B-Zone Groundwater, July 1999
8	Total Petroleum Hydrocarbons as Gasoline, A-Zone and B-Zone Groundwater, July 1999
9	Concentrations of Arsenic, A-Zone Groundwater, July 1999

10 Concentrations of Arsenic, B-Zone Groundwater, July 1999

APPENDICES

A Summary of QA/QC

A-1 Summary of Sampling QA/QC

A-2 Summary of Analytical QA/QC

B Field Parameters Measured During Groundwater Sampling, July 1999

B-1 Field Parameters Measured During Purging and Sampling, July 1999

C Complete Analytical Results for Groundwater Monitoring Wells, July 1999

C-1 Complete Analytical Results for Groundwater Monitoring Wells for July 1999
(Third Quarter 1999 Monitoring)

C-2 Complete Analytical Results for Field QC (Field, Trip Blanks, and Source Water)
for July 1999 (Third Quarter 1999 Monitoring)

CERTIFICATION

All hydrogeologic and geologic information, conclusions, and recommendations in this document have been prepared under the supervision of and reviewed by an LFR Levine·Fricke California Certified Hydrogeologist.

(original, signed Certification filed with the Regional Water Quality Control Board)

Michael B. Marsden

Date

Senior Associate Hydrogeologist

California Registered Geologist (6536)

California Certified Hydrogeologist (566)

1.0 INTRODUCTION AND SCOPE

LFR Levine-Fricke (LFR) prepared this quarterly groundwater monitoring report for the period of July 1 through September 30, 1999, on behalf of The Sherwin-Williams Company, as part of a self-monitoring program for the manufacturing facility located at 1450 Sherwin Avenue in Emeryville, California ("the Site"; [Figures 1 and 2](#)).

This quarterly report is submitted in accordance with the self-monitoring requirements specified in Site Cleanup Requirements (SCR) Order No. 98-009, issued to The Sherwin-Williams Company by the California Regional Water Quality Control Board, San Francisco Bay Region (RWQCB) on February 19, 1998 (RWQCB 1998).

In July 1999, LFR conducted the following groundwater monitoring activities for this quarter:

- Groundwater elevations were measured in 53 on- and off-site monitoring wells (LF-3, LF-4, LF-7, LF-8, LF-10 through LF-13, LF-17 through LF-34, LF-B3 through LF-B6, EX-1 through EX-13, RP-1 through RP-5, and MW-1 through MW-5), 22 on-site piezometers (LFPZ-1 through LFPZ-22), and 3 off-site piezometers (LFPZ-23 through LFPZ-25).
- Groundwater samples were collected at the Site from 27 A-zone monitoring wells located outside the site slurry wall, 3 A-zone extraction wells located outside the site slurry wall, 4 A-zone monitoring wells located inside the site slurry wall, 10 A-zone extraction wells located inside the site slurry wall, and 4 B-zone monitoring wells. The samples were analyzed for volatile organic compounds (VOCs) using EPA Method 8260; total petroleum hydrocarbon (TPH) as diesel (TPHd) using EPA Extraction Method 3510; TPH as gasoline (TPHg) using EPA Extraction Method 5030; and dissolved arsenic using EPA Method 7060.

Extraction wells EX-11, EX-12, and EX13; monitoring wells LF-31 through LF-34; and piezometers LFPZ-21 through LFPZ-25 were installed in June 1999. Data from these monitoring points are presented in this report for the first time.

This report also presents data on groundwater extraction and removal of contaminants from groundwater at the Site, as required by SCR Order No. 98-009.

2.0 GROUNDWATER GRADIENT AND POTENTIAL DIFFERENCES

Groundwater elevations were measured in extraction wells, monitoring wells, and piezometers on July 12, 1999. Groundwater elevation data are presented in [Table 1](#). Groundwater elevations in the A zone and the B zone are illustrated in [Figures 3 and 4](#), respectively.

Between the previous quarter (as measured on April 16, 1999) and the current quarter (as measured on July 12, 1999), water levels decreased by an average of approximately 2.5 feet inside the slurry wall and approximately 1.2 feet outside the slurry wall. In the B zone, which is not laterally confined by the slurry wall, during the previous quarter, water levels decreased on average approximately 0.9 feet. The decrease in water levels observed inside and outside the slurry wall and in both groundwater zones is consistent with the dry months (April through November) and contrasts the increase in water levels observed during the wet months (December through March). Water levels have decreased at a greater rate inside the slurry wall because of groundwater extraction.

2.1 Horizontal Groundwater Gradient

A Zone (Outside Slurry Wall)

As shown in [Figure 3](#), the A-zone groundwater gradient south of the slurry wall is generally 0.004 foot per foot toward the northwest (between wells LF-13 and LF-11). Gradients appear to change in isolated areas as a result of influence from the site slurry wall and Temescal Creek. West of the slurry wall and in the vicinity of Temescal Creek, the groundwater gradient is generally to the northwest.

A Zone (Inside Slurry Wall)

All 10 extraction wells located inside the slurry wall (EX-1 through EX-10) were operational at the time water levels were measured on July 12, 1999. Groundwater extraction has influenced groundwater elevations measured in the A zone inside the slurry wall. The groundwater gradient in the western portion of the area enclosed by the slurry wall is nearly flat with flow toward extraction wells EX-1, EX-2, and EX-4 through EX-6. The groundwater gradient is steeper in the southern portion of the area enclosed by the slurry wall and is generally toward the west and extraction wells EX-3 and EX-7 through EX-10. In the southeastern corner of the area enclosed by the slurry wall, there is a steep gradient away from the corner toward extraction well EX-3.

B Zone

As shown in [Figure 4](#), the groundwater elevations in the two B-zone monitoring wells in the northwestern part of the Site (LF-B3 and LF-B6) are slightly lower than the groundwater elevations in the two B-zone monitoring wells in the southeastern part of the Site (LF-B4 and LF-B5). These elevations indicate that B-zone groundwater at the Site on July 12, 1999, generally flowed from the southeast to the northwest.

2.2 Groundwater Potential Differences Across the Slurry Wall

As indicated in [Table 2](#), the horizontal groundwater potential across the slurry wall on July 12, 1999, was inward in all 11 well pairs that are located along the slurry wall. In other words, in all well pairs, the groundwater elevation of the well outside the slurry

wall is greater than the groundwater elevation of the adjacent well inside the slurry wall. The number of well pairs with an inward potential has increased from the 8 reported in the previous quarter (measured on April 16, 1999). The horizontal potential across the slurry wall measured this quarter contrasts with the groundwater potential difference measured on the first quarter of 1998, when all well pairs had an outward potential. This indicates that within the past year, the groundwater elevation inside the slurry wall has decreased more than the groundwater level outside the slurry wall. This decrease is likely associated with increased extraction volumes resulting from improvements to the groundwater treatment system (GWTS). The marked decrease in water levels inside the slurry wall is also an indication that the slurry wall is inhibiting the movement of A-zone groundwater out of the area enclosed by the slurry wall.

2.3 Groundwater Potential Differences Across the A/B Aquitard

As indicated in [Table 3](#), the vertical groundwater potential difference across the A/B aquitard wall on July 12, 1999, was upward at three of the four A- and B-zone well pairs. The groundwater potential difference across the A/B aquitard in the remaining well pair (LF-12/LF-B4) was downward. This well pair is also upgradient from the Site and outside the slurry wall. The three well pairs with upward potential are inside the slurry wall, and this shows that the groundwater extraction system is lowering the groundwater elevations in the A zone inside the slurry wall. Last quarter, the vertical groundwater potential difference across the A/B aquitard was also upward in three well pairs. This is in contrast to the groundwater potential difference across the A/B aquitard measured in the first quarter of 1998, when all four well pairs showed downward or near zero potential. This indicates that within the past year, the groundwater potential in the A zone inside the slurry wall has decreased more than the groundwater potential in the B zone. Once again, this decrease is associated with increased extraction rates resulting from improvements to the GWTS. It is important to note that the vertical groundwater potential difference at the well pair of LFPZ-6/LF-B5 may not be representative because LF-B5 is screened in the A/B aquitard.

3.0 GROUNDWATER QUALITY SAMPLING

Groundwater samples were collected for chemical analysis from July 13 through 23, 1999. Groundwater samples were collected and analyzed from all the site extraction wells, A-zone monitoring wells, and B-zone monitoring wells required by the SCR, except for well MW-2. The water sample from well MW-2 was not analyzed during this sampling event because of the presence of light nonaqueous phase liquid (LNAPL).

A minimum of three well volumes of water was purged from each monitoring well before sampling. The wells were purged either by pumping with a centrifugal pump or by hand bailing with a disposable polyethylene bailer. Wells that recovered slowly were purged dry and allowed to recover to a minimum of 80 percent of the initial well volume (or after a maximum of two hours) before they were sampled. The hoses

attached to the centrifugal pump were cleaned with high-pressure hot water (steam cleaned) before each use. The evacuated water was pumped into a portable storage tank and then transferred and discharged into the GWTS. Field parameters (temperature, pH, and specific conductance of the evacuated water) were recorded during purging; wells were sampled after the parameters had stabilized.

After each well had been purged, a sample was collected from that monitoring well for laboratory analysis using a new, disposable polyethylene bailer. Samples from operational extraction wells were collected at discharge ports at the site treatment system. All work was conducted in compliance with the Quality Assurance Project Plan (ENTRIX 1998) and the Health and Safety Plan (LFR 1998) for the Site. The samples designated for chemical analysis were analyzed according to EPA Method protocol by Curtis and Tompkins, Ltd., a state-certified laboratory located in Berkeley, California. In accordance with the RWQCB's letter dated November 5, 1996, and SCR Order No. 98-009, analytical laboratory reports and chain-of-custody forms for these samples are not presented in this report. The data will be kept on file at LFR's Emeryville office. [Appendix A](#) includes a quality assurance/quality control (QA/QC) review of groundwater sampling and analytical results, and is provided in lieu of raw data such as field data sheets, laboratory data sheets, QA/QC data, and chain-of-custody forms.

4.0 GROUNDWATER QUALITY ANALYSIS RESULTS

Results of groundwater sample analyses are presented in [Table 4](#) for VOCs, [Table 5](#) for TPHd and TPHg, and [Table 6](#) for inorganic compounds. [Table 7](#) presents a summary of arsenic concentration trends interpreted using the Mann-Kendall statistical evaluation method. Field parameters collected during groundwater sampling, including pH, are presented in Table B-1 in [Appendix B](#). A complete listing of laboratory results, including QA/QC data, is provided in [Appendix C](#).

[Figures 5a through 5d](#) show concentrations of VOCs detected in A-zone groundwater, [Figure 6](#) shows concentrations of VOCs detected in B-zone groundwater, [Figure 7](#) shows concentrations of TPHd in A- and B-zone groundwater, [Figure 8](#) shows concentrations of TPHg in A- and B-zone groundwater, [Figure 9](#) shows concentrations of arsenic in A-zone groundwater, and [Figure 10](#) shows concentrations of arsenic in B-zone groundwater.

4.1 Volatile Organic Compounds

The following sections present the analytical results for VOCs in samples collected from groundwater monitoring wells at and around the Site.

4.1.1 A Zone (Outside Slurry Wall)

Analytical results for groundwater samples collected from A-zone wells that are outside the slurry wall and downgradient from the Site (LF-3, LF-11, LF-18, LF-20, LF-21,

LF-23, LF-24, and LF-25 [excluding former Rifkin Property wells]) did not contain VOCs above the laboratory detection limits, with the exception of samples from wells LF-3 and LF-20 (Figures 5a through 5d). The sample collected from well LF-3 contained, ethylbenzene, toluene, and xylenes at concentrations of 4.1 parts per million (ppm), 56 ppm, and 20 ppm, respectively. The sample collected from well LF-20 contained 0.0039 ppm chlorobenzene.

The sample collected from the A-zone well (LF-13) that is outside the slurry wall and upgradient from the Site contained 0.0007 ppm 1,1,1-trichloroethane. In addition, the sample collected from well LF-12, which is upgradient from the Site and downgradient from the former Shell Development property, contained 0.0014 ppm tetrachloroethene (PCE) and 0.0011 ppm trichloroethene (TCE; Table 4).

Analytical results for samples collected during this sampling event from the former Rifkin Property and adjacent Horton Street A-zone wells (EX-11 through EX-13, RP-1 through RP-5, MW-1 through MW-5, LF-19, and LF-27 through LF-34) indicated that all 21 of former Rifkin property and adjacent Horton Street wells sampled this quarter contained concentrations of at least one VOC above laboratory detection limits (Figures 5a and 5b). The highest VOC concentrations were detected in well MW-5 and the greatest number of VOC contaminants were detected in wells LF-27 through LF-30. The sample from well MW-5 contained 130 ppm acetone, 65 ppm methyl ethyl ketone, 1.4 ppm ethylbenzene, 26 ppm 4-methyl-2-pentanone, 72 ppm toluene, and 6.6 ppm xylenes.

Wells LF-27 through LF-30, which are downgradient from the former Shell Development Property and upgradient from the former Rifkin Property (Figures 5a and 5b), contained one or more of the following compounds in concentrations above the detection limit: benzene, chlorobenzene, chloroform, 1,2-dichloroethene (1,2-DCE), cis-1,2-DCE, trans-1,2-DCE, 1,2-dichloropropane, PCE, 1,1-dichloroethane (1,1-DCA), 1,2-DCA, isopropylbenzene, methyl tertiary-butyl ether (MTBE), TCE, tert-butylbenzene, toluene, 1,2,3-trichloropropane, vinyl chloride, and xylenes (Table 4). In addition, MTBE was detected in a number of wells at concentrations ranging from 0.0006 (RP-3) to 0.0081 (LF-31; Table 5).

Many of the compounds detected in wells LF-12, LF-13, and LF-27 through LF-30 have not been detected at significant levels at the Site, and the sources of these contaminants are likely upgradient from the Site.

4.1.2 A Zone (Inside Slurry Wall)

Nine of the 14 A-zone wells that are inside the slurry wall (EX-1 through EX-10, LF-4, LF-8, LF-17, and LF-26) sampled this quarter contained at least two of the four BTEX compounds (benzene, toluene, ethylbenzene, and total xylenes). One or more of the following chlorinated VOCs were detected in the A-zone wells that are inside the slurry wall: 1,2-DCA, cis-1,2-DCE, trans-1,2-DCE, chlorobenzene, and TCE. The highest chlorinated VOC detection in the A-zone wells that are inside the slurry wall

was 1,2-DCA at a concentration of 0.15 ppm in well EX-9. Other VOCs in samples collected from A-zone wells that are inside the slurry wall are shown in [Figures 5a and 5c](#) and [Table 4](#). In addition, MTBE was detected in a number of wells at concentrations ranging from 0.0006 (EX-5) to 0.0072 (EX-7; [Table 5](#)).

4.1.3 B Zone

1,2-DCA was detected in samples collected from wells LF-B3, LF-B5, and LF-B6 at concentrations of 0.014 ppm, 0.26 ppm, and 0.079 ppm, respectively ([Table 4](#)). In addition, groundwater from wells LF-B3, LF-B4, LF-B5, and LF-B6 contained MTBE in concentrations of 0.014 ppm, 0.0006 ppm, 0.0066, and 0.01 ppm, respectively ([Table 5](#)). The sample collected from well LF-B5 contained 0.0039 ppm 1,2,3-trichloropropane, and 0.0025 ppm cis-1,2-DCE. The sample collected from well LF-B5 is representative of groundwater quality in the aquitard between the A zone and the B zone, because the well is screened within the aquitard. The actual water quality in the B zone in the area of LF-B5 is uncertain. Other VOCs were not detected above analytical detection limits in samples from the B zone. In addition, MTBE was detected in a number of wells at concentrations ranging from 0.0006 (LF-B4) to 0.014 (LF-B3; [Table 5](#)).

4.2 TPHd

The following sections present the analytical results for TPHd in samples collected from groundwater monitoring wells at and around the Site. Some samples were reported as unknown hydrocarbon mixtures with peak patterns atypical of diesel. These samples with unknown mixtures are quantified as diesel for a range of n-C10 to n-C24 ([Table 5](#)).

4.2.1 A Zone (Outside Slurry Wall)

With the exception of wells LF-3, LF-11, LF-20, and LF-21, relatively low concentrations of TPHd (less than 1 ppm) were detected in samples collected from A-zone wells that are outside the slurry wall and downgradient from the Site (excluding the former Rifkin Property wells). Wells LF-3, LF-11, LF-20, and LF-21 contained 14 ppm, 1.1 ppm, 1.5 ppm, and 6.1/5 ppm (primary/duplicate) TPHd, respectively. The two wells upgradient from the Site (LF-12 and LF-13) did not contain TPHd in concentrations above the detection limit ([Table 5](#)).

Twenty of the 21 former Rifkin Property and adjacent Horton Street wells sampled this quarter contained concentrations of TPHd above the laboratory detection limit of 0.048 ppm. Samples collected from wells EX-11 through EX-13, LF-19, LF-28 through LF-34, MW-1, MW-3, and RP-1 through RP-5 contained TPHd ranging in concentration from 0.062/0.073 ppm (primary/duplicate) in RP-4 to 4.2 ppm in EX-11. LNAPL was observed in the groundwater in MW-2, and therefore, the sample from this well was not analyzed. Samples collected from wells MW-4 and MW-5 contained 9.1 ppm and 20/18 ppm (primary/duplicate) TPHd, respectively ([Table 5](#)).

4.2.2 A Zone (Inside Slurry Wall)

TPHd was detected in all 14 A-zone wells inside the slurry wall sampled this quarter. Samples collected from A-zone wells inside the slurry wall (except for well LF-17) contained TPHd in concentrations ranging from 0.048 ppm in well EX-3 to 3.8 ppm in well EX-5. The sample collected from well LF-17 contained 23 ppm TPHd (Table 5).

4.2.3 B Zone

TPHd was detected in samples collected from B-zone well LF-B3 at 0.11 ppm. The TPHd concentration in the sample collected from wells LF-B4, LF-B5, and LF-B6 did not exceed the laboratory detection limit (Table 5).

4.3 TPHg

The following sections present the analytical results for TPHg from samples collected from groundwater monitoring wells at and around the Site. Some samples were reported as unknown hydrocarbon mixtures with peak patterns atypical of gasoline. These samples with unknown mixtures are quantified as gasoline for a range of n-C7 to n-C12 (Table 5).

4.3.1 A Zone (Outside Slurry Wall)

With the exception of wells LF-3, LF-11, LF-20, and LF-25, concentrations of TPHg did not exceed the detection limit of 0.05 ppm in samples from A-zone wells that are outside the slurry wall and downgradient from the Site (excluding the former Rifkin Property wells). Samples collected from wells LF-11, LF-20, and LF-25 each contained less than 1 ppm TPHg. The sample collected from well LF-3 contained 100 ppm TPHg. The samples collected from the two wells upgradient from the Site (LF-12 and LF-13) were both below the laboratory detection limit of 0.05 ppm (Table 5).

Seventeen of the 21 former Rifkin Property and adjacent Horton Street wells sampled this quarter contained concentrations of TPHg above the laboratory detection limit of 0.05 ppm. Samples collected from wells MW-1, MW-3, MW-4, LF-19, LF-28 through LF-30, LF-33, LF-34, RP-1, and RP-3 through RP-5 contained TPHg concentrations ranging from 0.077/0.061 ppm (primary/duplicate) in RP-4 to 1 ppm in MW-1. LNAPL was observed in the water in MW-2, and therefore, the sample from this well was not analyzed. The sample collected from well MW-5 contained 130/130 ppm TPHg (primary/duplicate; Table 5).

4.3.2 A Zone (Inside Slurry Wall)

TPHg was detected in samples collected from 13 of the 14 A-zone wells sampled inside the slurry wall this quarter. TPHg was detected at concentrations ranging from 0.053

ppm in LF-8 to 69 ppm in EX-8 (Table 5). Well EX-3 did not contain concentrations about the sample detection limit.

4.3.3 B Zone

TPHg was detected in the samples collected from B-zone well LF-B5 at a concentration of 0.14 ppm. TPHg concentrations in the samples collected from wells LF-B3, LF-B4, and LF-B6 did not exceed the laboratory detection limit (Table 5).

4.4 Arsenic

The following sections present the analytical results for dissolved arsenic from samples collected from groundwater monitoring wells at and around the Site. All samples were filtered using a 0.45-micron filter before analysis.

4.4.1 A Zone (Outside Slurry Wall)

Arsenic was detected in samples collected from five of the eight A-zone wells located outside the slurry wall and downgradient from the Site (Table 6). Most samples contained less than 0.5 ppm arsenic, with the exception of wells LF-3 and LF-11, which had arsenic concentrations of 50 ppm and 2.4 ppm, respectively. The samples collected from the two wells upgradient from the Site (LF-12 and LF-13) contained 0.016 ppm and less than 0.005 ppm arsenic, respectively.

Nineteen of the 21 former Rifkin Property and adjacent Horton Street wells sampled this quarter contained concentrations of arsenic above the laboratory detection limit of 0.005 ppm. The samples collected from wells MW-4 and MW-5 contained arsenic concentrations of 1.2 ppm and 250/250 ppm (primary/duplicate), respectively. The sample collected from well LF-28, downgradient from the former Shell Development property, contained an arsenic concentration of 0.20 ppm. Wells MW-3, LF-27, LF-31, and RP-2 (located south of LF-28 and between the Sherwin-Williams arsenic source area and LF-28) had low arsenic concentrations of 0.033 ppm, 0.0057/0.0064 ppm (primary/duplicate), less than 0.005 ppm and 0.01 ppm, respectively. Samples from the nine remaining wells that contained concentrations of arsenic above the detection limit ranged from 0.0059/less than 0.005 ppm (primary/duplicate) in RP-4 to 0.1 ppm in RP-1.

4.4.2 A Zone (Inside Slurry Wall)

Thirteen of the 14 of the A-zone wells inside the slurry wall sampled this quarter contained arsenic above the laboratory detection limit. Arsenic concentrations in these 13 wells ranged from 0.0086 ppm in EX-5 to 430 ppm EX-9. Well EX-4 did not contain arsenic above the 0.005 ppm screening criteria. The samples from wells located in the southeastern portion of the area enclosed by the slurry wall contained elevated arsenic concentrations (greater than 1 ppm and as high as 430 ppm). In contrast, wells

located in the northern and eastern portion of the area enclosed by the slurry wall contained low arsenic concentrations (less than 1 ppm).

4.4.3 B Zone

Arsenic was detected in the sample collected from wells LF-B3 and LF-B5 at a concentration of 0.013 ppm and 0.033 ppm, respectively. The concentrations of arsenic in the samples collected from wells LF-B3 and LF-B6 did not exceed the laboratory detection limit. Historically, samples collected from LF-B5 have contained arsenic in concentrations higher than the other B-zone wells. It is important to note that the sample collected from well LF-B5 is representative of groundwater quality in the aquitard between the A zone and B zone, because the well is screened within the aquitard. The actual water quality in the B zone in the area of LF-B5 is uncertain.

4.4.4 Arsenic Concentration Trends

Arsenic concentration trends for each monitoring well were evaluated with the Mann-Kendall statistical analysis method (Gilbert 1987; [Table 7](#)). A decreasing trend is observed in wells LF-21, MW-1, and LF-B6. An increasing concentration trend is observed in wells EX-9, EX-10, LF-8, LF-11, MW-5, and RP-5. The remainder of the wells present no trend or have insufficient data for a conclusive trend analyses. Of the six wells presenting increasing arsenic concentration trends, three are located inside the slurry wall (EX-9, EX-10, and LF-8), one is located west of the area enclosed by the slurry wall (LF-11), and two are located on the former Rifkin property adjacent to the Sherwin-Williams Property (MW-5 and RP-5).

5.0 QA/QC PROCEDURES AND RESULTS

QA/QC measures were implemented for the purpose of maintaining data quality and minimizing the potential for field and laboratory cross contamination of samples. QA/QC procedures included collecting trip blank and bailer rinsate blank samples, controlling sampling order, using disposable bailers, and steam cleaning pump hoses daily before and after use.

Tables A-1 and A-2 ([Appendix A](#)) are summary tables that provide data typically included on the laboratory reports.

6.0 OPERATION OF THE SHERWIN-WILLIAMS GROUNDWATER EXTRACTION SYSTEM

As specified by the SCR self-monitoring program, [Table 8](#) presents groundwater extraction results for each extraction well and for the Site. [Table 9](#) presents arsenic and total VOC removal results from the groundwater extraction wells.

During the third quarter 1999, groundwater extraction wells EX-1 through EX-10 operated for an estimated 81 days and former Rifkin property extraction wells EX-11 through EX-13 operated for 4 days as part of start-up hydraulic testing activities. In early July 1999, it was discovered that several of the pneumatic pumps in the extraction wells were recirculating supply air instead of pumping groundwater. LFR identified the cause of the problem to be associated with the internal float system in the pneumatic pumps and is working on a permanent solution to this problem. The recirculating air in the discharge lines results in erroneous readings on the individual extraction well flow totalizers located at the treatment system influent manifold system. This problem does not affect the GWTS flow totalizer. Therefore, the total of extracted groundwater from each well for the second and third quarters of 1999 is estimated based on the treatment system totalizer reading (297,859 gallons from July 1 through September 30, 1999) and the total extracted for each well during the first quarter 1999. The combined groundwater extraction from EX-1 through EX-13 for the first, second and third quarters of 1999 is approximately 1,519,915 gallons, which is more than the total volume extracted during all of 1998 (1 million gallons).

Sampling and analysis results for the GWTS are included in a self-monitoring report required by General Waste Discharge Requirements Order No. 94-087, NPDES No. CAG912003, to be submitted under separate cover to the RWQCB.

REFERENCES

- ENTRIX, Inc. 1988. Quality Assurance Project Plan for the Sherwin-Williams Facility, Emeryville, California. July 27.
- Gilbert, Richard. 1987. Statistical Methods for Environmental Pollution Monitoring. Von Nostrand Reinhold. New York.
- LFR. 1998. Health and Safety Plan for Site Investigation Activities at the Sherwin-Williams Facility, Emeryville, California. July 2.
- RWQCB. 1998. Adoption of Site Cleanup Requirements, Order 98-009. Signed by Loretta K. Barsamian. February 19.

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
EX-1	04/24/96	10.08	15.42	-5.34
	07/29/96		15.70	-5.62
	12/13/96		3.20	6.88
	04/15/97		15.50	-5.42
	09/19/97		4.34	5.74
	12/03/97		3.35	6.73
	12/15/97		1.99	8.09
	01/13/98		2.15	7.93
	01/30/98		0.67	9.41
	02/24/98		13.80	-3.72
	04/06/98		3.43	6.65
	07/02/98		5.68	4.40
	07/13/98		15.38	-5.30
	09/28/98		15.36	-5.28
	10/16/98		15.50	-5.42
	01/08/99		13.84	-3.76
	04/16/99		15.50	-5.42
06/21/99	15.40	-5.32		
07/12/99	15.60	-5.52		
EX-2	04/24/96	10.08	14.87	-4.79
	07/29/96		14.50	-4.42
	12/13/96		2.21	7.87
	04/15/97		10.55	-0.47
	09/19/97		3.80	6.28
	12/03/97		3.19	6.89
	12/15/97		1.75	8.33
	01/13/98		0.34	9.74
	01/30/98		0.66	9.42
	02/24/98		2.50	7.58
	04/06/98		3.02	7.06
	07/02/98		5.68	4.40
	07/13/98		5.20	4.88
	09/28/98		15.53	-5.45
	10/16/98		15.30	-5.22
	01/08/99		7.15	2.93
	04/16/99		4.46	5.62
06/21/99	11.40	-1.32		

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
EX-2	07/12/99	10.08	15.65	-5.57
EX-3	04/24/96	14.90	16.95	-2.05
	07/29/96		17.20	-2.30
	12/13/96		5.10	9.80
	04/15/97		17.20	-2.30
	09/19/97		6.15	8.75
	12/03/97		6.92	7.98
	12/15/97		NM	NM
	01/13/98		5.17	9.73
	01/30/98		5.28	9.62
	02/24/98		4.72	10.18
	04/06/98		6.64	8.26
	07/02/98		8.82	6.08
	07/13/98		16.95	-2.05
	09/28/98		16.95	-2.05
	10/16/98		16.90	-2.00
	01/08/99		20.00	-5.10
04/16/99		16.92	-2.02	
06/21/99	16.28	16.95	-0.67	
07/12/99		16.99	-0.71	
EX-4	09/28/98	10.84	6.33	4.51
	10/16/98		6.60	4.24
	01/08/99	10.41	4.21	6.20
	04/16/99		19.80	-9.39
	06/21/99		5.89	4.52
	07/12/99		20.20	-9.79
EX-5	09/28/98	11.08	6.89	4.19
	10/16/98		7.03	4.05
	01/08/99	10.34	4.90	5.44
	04/16/99		6.20	4.14
	06/21/99		15.88	-5.54
	07/12/99		7.31	3.03
EX-6	09/28/98	10.28	5.93	4.35
	10/16/98		6.07	4.21
	01/08/99	9.76	3.70	6.06

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
EX-6	04/16/99	9.76	4.45	5.31
	06/21/99		15.65	-5.89
	07/12/99		9.60	0.16
EX-7	09/28/98	11.71	5.83	5.88
	10/16/98		5.95	5.76
	01/08/99	11.32	12.38	-1.06
	04/16/99		15.38	-4.06
	06/21/99		14.20	-2.88
	07/12/99		15.48	-4.16
EX-8	09/28/98	16.65	10.68	5.97
	10/16/98		10.78	5.87
	01/08/99	16.28	17.00	-0.72
	04/16/99		24.03	-7.75
	06/21/99	17.45	23.98	-6.53
	07/12/99		24.28	-6.83
EX-9	09/28/98	17.94	11.04	6.90
	10/16/98		11.17	6.77
	01/08/99	17.45	24.25	-6.80
	04/16/99		20.00	-2.55
	06/21/99	14.90	20.15	-5.25
	07/12/99		11.03	3.87
EX-10	09/28/98	11.78	5.71	6.07
	10/16/98		5.96	5.82
	01/08/99	11.79	15.11	-3.32
	04/16/99		18.00	-6.21
	06/21/99		18.30	-6.51
	07/12/99		18.58	-6.79
EX-11	06/21/99	15.27	8.79	6.48
	07/12/99		9.07	6.20
EX-12	06/21/99	15.63	8.97	6.66
	07/12/99		9.15	6.48
EX-13	06/21/99	14.50	7.86	6.64
	07/12/99		8.20	6.30

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation		
LF-1	06/14/89	16.92	8.56	8.36		
	01/10/90 (a)		8.31	8.61		
	01/18/90 (b)		7.83	9.09		
	01/18/90 (c)		7.84	9.08		
	01/30/91		8.97	7.95		
	06/19/91		8.86	8.06		
	12/16/91		9.07	7.85		
	07/10/92		9.08	7.84		
	12/30/92		8.22	8.70		
	06/08/93		8.89	8.03		
	01/05/94		NM	NM		
	LF-2		06/14/89	12.24	4.99	7.25
			01/10/90 (a)		4.65	7.59
01/18/90 (b)		3.99	8.25			
01/18/90 (c)		4.05	8.19			
01/30/91		5.60	6.64			
06/19/91		5.57	6.67			
12/16/91		5.49	6.75			
07/10/92		NM	NM			
12/30/92		NM	NM			
06/08/93		5.11	7.13			
01/05/94		4.19	8.05			
LF-3		06/14/89	11.98		4.95	7.03
		01/10/90 (a)			4.60	7.38
	01/18/90 (b)	3.87		8.11		
	01/18/90 (c)	3.92		8.06		
	01/30/91	5.11		6.87		
	06/19/91	5.10		6.88		
	12/16/91	5.19		6.79		
	07/10/92	5.09		6.89		
	12/30/92	4.08		7.90		
	06/08/93	4.79		7.19		
	01/05/94	5.09		6.89		
	09/08/94	5.70		6.28		
	03/29/95	NM		NM		
	04/24/96	12.00		4.87	7.13	
	07/29/96		5.57	6.43		

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation	
LF-3	12/13/96	12.00	4.89	7.11	
	04/15/97		5.78	6.22	
	09/19/97		5.71	6.29	
	12/03/97		5.18	6.82	
	12/15/97		4.61	7.39	
	01/13/98		3.62	8.38	
	01/30/98		4.18	7.82	
	02/24/98		3.65	8.35	
	04/06/98		5.05	6.95	
	07/02/98		5.85	6.15	
	07/13/98		5.89	6.11	
	09/28/98		6.06	5.94	
	10/16/98		6.07	5.93	
	01/08/99		5.63	6.37	
	04/16/99		4.41	7.59	
	06/21/99		6.03	5.97	
07/12/99	6.06	5.94			
LF-4	06/14/89	13.05	7.14	5.91	
	01/10/90 (a)		6.71	6.34	
	01/18/90 (b)		5.64	7.41	
	01/18/90 (c)		5.70	7.35	
	01/30/91		7.23	5.82	
	06/19/91		7.12	5.93	
	12/16/91		7.33	5.72	
	07/10/92		7.21	5.84	
	12/30/92		5.84	7.21	
	06/08/93		6.86	6.19	
	01/05/94		NM	NM	
	04/24/96		12.53	6.72	5.81
	07/29/96			NM	NM
	12/13/96	5.62		6.91	
	04/15/97	NM		NM	
	09/19/97	6.37		6.16	
	12/03/97	5.64		6.89	
	12/15/97	4.29	8.24		
	01/13/98	4.24	8.29		
01/30/98	3.33	9.20			

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-4	02/24/98	12.53	3.58	8.95
	04/06/98		5.92	6.61
	07/02/98		7.68	4.85
	07/13/98	12.61	7.81	4.80
	09/28/98		8.38	4.23
	10/16/98		8.54	4.07
	01/08/99		6.64	5.97
	04/16/99		6.20	6.41
	06/21/99		9.73	2.88
	07/12/99		9.52	3.09
LF-5	06/14/89	10.48	4.75	5.73
	01/10/90 (a)		4.83	5.65
	01/18/90 (b)		2.49	7.99
	01/18/90 (c)		2.55	7.93
	01/30/91		4.24	6.24
	06/19/91	10.25	4.28	5.97
	12/16/91		4.68	5.57
	07/10/92		4.21	6.04
	12/30/92		1.96	8.29
	06/08/93		3.71	6.54
	01/05/94		3.65	6.60
	LF-6	06/14/89	10.67	4.89
01/10/90 (a)			4.26	6.41
01/18/90 (b)			3.15	7.52
01/18/90 (c)			3.21	7.46
LF-7	06/14/89	11.08	5.79	5.29
	01/10/90 (a)		4.31	6.77
	01/18/90 (b)		3.30	7.78
	01/18/90 (c)		3.35	7.73
	01/30/91		4.82	6.26
	06/19/91		4.73	6.35
	12/16/91		4.87	6.21
	07/10/92		4.82	6.26
	12/30/92		3.10	7.98
	06/08/93		4.31	6.77
01/05/94		4.36	6.72	

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-7	09/08/94	11.08	4.97	6.11
	03/29/95		3.77	7.31
	08/09/95		NM	NM
	04/24/96	14.44	8.65	5.79
	07/29/96		9.70	4.74
	12/13/96		6.99	7.45
	04/15/97		8.21	6.23
	09/19/97		8.22	6.22
	12/03/97		7.42	7.02
	12/15/97		5.95	8.49
	01/13/98		4.89	9.55
	01/30/98		5.02	9.42
	02/24/98		5.22	9.22
	04/06/98		7.52	6.92
	07/02/98		9.74	4.70
	07/13/98		9.85	4.59
	09/28/98		10.40	4.04
	10/16/98		10.55	3.89
	01/08/99		8.45	5.99
	04/16/99		7.63	6.81
06/21/99		11.07	3.37	
07/12/99		11.23	3.21	
LF-8	01/10/90 (a)	12.47	7.08	5.39
	01/18/90 (b)		6.22	6.25
	01/18/90 (c)		6.27	6.20
	01/30/91	12.75	7.32	5.43
	06/19/91		7.22	5.53
	12/16/91		7.18	5.57
	07/10/92		7.14	5.61
	12/30/92		5.85	6.90
	06/08/93		6.57	6.18
	01/05/94		6.72	6.03
	09/08/94		7.34	5.41
	03/29/95		4.88	7.87
	08/09/95		NM	NM
	04/24/96	12.91	7.14	5.77
	07/29/96		8.21	4.70

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-8	12/13/96	12.91	5.12	7.79
	04/15/97		7.21	5.70
	09/19/97		7.25	5.66
	12/03/97		5.65	7.26
	12/15/97		4.56	8.35
	01/13/98		3.51	9.40
	01/30/98		3.63	9.28
	02/24/98		3.68	9.23
	04/06/98		5.91	7.00
	07/02/98		7.97	4.94
	07/13/98		8.18	4.73
	09/28/98		8.59	4.32
	10/16/98		8.78	4.13
	01/08/99		6.71	6.20
	04/16/99		5.95	6.96
	06/21/99		8.46	4.45
07/12/99	8.79	4.12		
LF-9	01/10/90 (a)	10.44	4.81	5.63
	01/18/90 (b)		3.24	7.20
	01/18/90 (c)		3.29	7.15
	01/30/91		5.39	5.05
	06/19/91		5.01	5.43
	12/16/91		5.46	4.98
	07/10/92		5.27	5.17
	12/30/92		3.65	6.79
	06/08/93		4.88	5.56
	01/05/94		NM	NM
LF-10	01/10/90 (a)	10.44	3.36	7.08
	01/18/90 (b)		2.65	7.79
	01/18/90 (c)		2.71	7.73
	01/30/91	10.32	4.15	6.17
	06/19/91		4.13	6.19
	12/16/91		4.28	6.04
	07/10/92		4.17	6.15
	12/30/92		2.70	7.62
	06/08/93		3.87	6.45
	01/05/94		3.72	6.60

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-10	04/24/96	10.99	5.10	5.89
	07/29/96		NM	NM
	12/13/96		3.68	7.31
	04/15/97		4.67	6.32
	09/19/97		4.65	6.34
	12/03/97		4.05	6.94
	12/15/97		2.81	8.18
	01/13/98		1.77	9.22
	01/30/98		1.95	9.04
	02/24/98		2.13	8.86
	04/06/98		4.36	6.63
	07/02/98		6.16	4.83
	07/13/98		6.26	4.73
	09/28/98		6.83	4.16
	10/16/98		7.00	3.99
	01/08/99		4.96	6.03
	04/16/99		4.35	6.64
	06/21/99		8.09	2.90
	07/12/99		8.04	2.95
LF-11	01/10/90 (a)	10.08	3.18	6.90
	01/18/90 (b)		2.28	7.80
	01/18/90 (c)		2.33	7.75
	01/30/91		3.69	6.39
	06/19/91		3.68	6.40
	12/16/91		3.80	6.28
	07/10/92		3.68	6.40
	12/30/92		2.33	7.75
	06/08/93		3.43	6.65
	01/05/94		3.42	6.66
	04/24/96	10.05	3.19	6.86
	07/29/96		3.93	6.12
	12/13/96		4.31	5.74
	04/15/97		4.76	5.29
	09/19/97		4.63	5.42
	12/03/97		4.39	5.66
	12/15/97		4.28	5.77
01/13/98	3.94	6.11		

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-11	01/30/98	10.05	4.07	5.98
	02/24/98		4.00	6.05
	04/06/98		4.27	5.78
	07/02/98		4.61	5.44
	07/13/98		4.63	5.42
	09/28/98		4.70	5.35
	10/16/98		4.68	5.37
	01/08/99		4.25	5.80
	04/16/99		2.96	7.09
	06/21/99		4.62	5.43
	07/12/99		4.60	5.45
LF-12	01/10/90 (a)	14.97	6.32	8.65
	01/18/90 (b)		5.86	9.11
	01/18/90 (c)		5.87	9.10
	01/30/91		6.95	8.02
	06/19/91		6.90	8.07
	12/16/91		7.09	7.88
	07/10/92		7.08	7.89
	12/30/92		6.26	8.71
	06/08/93		6.90	8.07
	01/05/94		6.98	7.99
	04/24/96		14.95	6.57
	07/29/96	7.29		7.66
	12/13/96	5.69		9.26
	04/15/97	6.94		8.01
	09/19/97	7.00		7.95
	12/03/97	6.12		8.83
	12/15/97	6.11		8.84
	01/13/98	5.53		9.42
	01/30/98	5.85		9.10
	02/24/98	5.57		9.38
	04/06/98	6.27		8.68
	07/02/98	6.95	8.00	
07/13/98	7.01	7.94		
09/28/98	7.14	7.81		
10/16/98	7.31	7.64		
01/08/99	7.06	7.89		

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation	
LF-12	04/16/99	14.95	6.39	8.56	
	06/21/99		7.16	7.79	
	07/12/99		7.25	7.70	
LF-13	01/10/90 (a)	14.76	6.12	8.64	
	01/18/90 (b)		5.69	9.07	
	01/18/90 (c)		5.72	9.04	
	01/30/91		6.70	8.06	
	06/19/91		6.60	8.16	
	12/16/91		6.76	8.00	
	07/10/92		6.68	8.08	
	12/30/92		5.93	8.83	
	06/08/93		6.52	8.24	
	01/05/94		6.62	8.14	
	04/24/96		14.78	6.21	8.57
	07/29/96			6.96	7.82
	12/13/96	5.50		9.28	
	04/15/97	6.71		8.07	
	09/19/97	6.76		8.02	
	12/03/97	NM		NM	
	12/15/97	NM		NM	
	01/13/98	5.22		9.56	
	01/30/98	5.53		9.25	
	02/24/98	5.31		9.47	
	04/06/98	5.91		8.87	
	07/02/98	6.50	8.28		
	07/13/98	6.54	8.24		
09/28/98	6.73	8.05			
10/16/98	6.89	7.89			
01/08/99	6.64	8.14			
04/16/99	5.94	8.84			
06/21/99	6.70	8.08			
07/12/99	6.78	8.00			
LF-14	01/30/91	10.03	5.89	4.14	
	06/19/91		5.87	4.16	
	12/16/91		5.99	4.04	
	07/10/92		5.74	4.29	
	12/30/92		4.38	5.65	

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation	
LF-14	06/08/93	10.03	5.45	4.58	
	01/05/94		NM	NM	
LF-15	01/30/91	9.80	5.02	4.78	
	06/19/91		4.83	4.97	
	12/16/91		5.02	4.78	
	07/10/92		4.83	4.97	
	12/30/92		3.44	6.36	
	06/08/93		4.40	5.40	
	01/05/94		NM	NM	
LF-16	01/30/91	10.10	4.68	5.42	
	06/19/91		4.53	5.57	
	12/16/91		4.71	5.39	
	07/10/92		4.56	5.54	
	12/30/92		3.46	6.64	
	06/08/93		4.17	5.93	
	01/05/94		NM	NM	
LF-17	04/24/96	12.53	5.35	7.18	
	07/29/96		6.10	6.43	
	12/13/96		2.59	9.94	
	04/15/97		4.04	8.49	
	09/19/97		4.00	8.53	
	12/03/97		4.55	7.98	
	12/15/97		3.79	8.74	
	01/13/98		2.45	10.08	
	01/30/98		2.80	9.73	
	02/24/98		2.40	10.13	
	04/06/98		4.13	8.40	
	07/02/98		6.21	6.32	
	07/13/98		12.56	6.40	6.16
	09/28/98		6.51	6.05	
	10/16/98		6.68	5.88	
	01/08/99	6.80	5.76		
04/16/99	6.34	6.22			
06/21/99	8.01	4.55			
07/12/99	8.15	4.41			

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-18	04/24/96	13.05	8.21	4.84
	07/29/96		8.65	4.40
	12/13/96		6.44	6.61
	04/15/97		8.50	4.55
	09/19/97		8.31	4.74
	12/03/97		7.32	5.73
	12/15/97		7.02	6.03
	01/13/98		5.89	7.16
	01/30/98		6.32	6.73
	02/24/98		6.34	6.71
	04/06/98		7.49	5.56
	07/02/98		8.51	4.54
	07/13/98		8.39	4.66
	09/28/98		8.62	4.43
	10/16/98		8.75	4.30
	01/08/99		8.62	4.43
	04/16/99		7.63	5.42
06/21/99	8.71	4.34		
07/12/99	8.61	4.44		
LF-19	04/24/96	14.18	7.92	6.26
	07/29/96		7.76	6.42
	12/13/96		4.85	9.33
	04/15/97		7.36	6.82
	09/19/97		7.69	6.49
	12/03/97		6.80	7.38
	12/15/97		7.86	6.32
	01/13/98		NM	NM
	01/30/98		6.01	8.17
	02/24/98		5.28	8.90
	04/06/98		6.51	7.67
	07/02/98		7.17	7.01
	07/13/98		7.32	6.86
	09/28/98		7.60	6.58
	10/16/98		7.70	6.48
01/08/99	7.48	6.70		
04/16/99	6.44	7.74		
06/21/99	7.57	6.61		

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-19	07/12/99	14.18	7.83	6.35
LF-20	04/24/96	11.77	7.55	4.22
	07/29/96		7.91	3.86
	12/13/96		7.71	4.06
	04/15/97		7.85	3.92
	09/19/97		7.91	3.86
	12/03/97		7.58	4.19
	12/15/97		7.53	4.24
	01/13/98		7.30	4.47
	01/30/98		7.42	4.35
	02/24/98		7.43	4.34
	04/06/98		7.61	4.16
	07/02/98		7.81	3.96
	07/13/98		7.86	3.91
	09/28/98		6.98	4.79
	10/16/98		6.78	4.99
	01/08/99		6.24	5.53
	04/16/99		4.89	6.88
	06/21/99		6.68	5.09
	07/12/99		6.67	5.10
LF-21	04/24/96	10.37	3.65	6.72
	07/29/96		4.61	5.76
	12/13/96		5.06	5.31
	04/15/97		5.58	4.79
	09/19/97		5.42	4.95
	12/03/97		5.32	5.05
	12/15/97		5.27	5.10
	01/13/98		5.03	5.34
	01/30/98		5.04	5.33
	02/24/98		4.83	5.54
	04/06/98		5.00	5.37
	07/02/98		5.35	5.02
	07/13/98	10.47	5.37	5.10
	09/28/98		5.33	5.14
	10/16/98		5.24	5.23
	01/08/99		4.81	5.66
	04/16/99		3.37	7.10

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-21	06/21/99	10.47	5.22	5.25
	07/12/99		5.18	5.29
LF-22	04/24/96	19.16	11.55	7.61
	07/29/96		12.22	6.94
	12/13/96		9.07	10.09
	04/15/97		10.14	9.02
	09/19/97		10.01	9.15
	12/03/97		10.72	8.44
	12/15/97		10.40	8.76
	01/13/98		9.57	9.59
	01/30/98		9.60	9.56
	02/24/98		9.08	10.08
	04/06/98		10.74	8.42
	07/02/98		12.34	6.82
	07/13/98		12.58	6.58
	09/28/98		12.66	6.50
	10/16/98		12.86	6.30
	01/08/99		12.03	7.13
	04/16/99		11.33	7.83
06/21/99	12.71	6.45		
07/12/99	12.83	6.33		
LF-23	04/24/96	10.64	4.08	6.56
	07/29/96		5.28	5.36
	12/13/96		3.76	6.88
	04/15/97		5.51	5.13
	09/19/97		5.90	4.74
	12/03/97		4.37	6.27
	12/15/97		4.08	6.56
	01/13/98		3.33	7.31
	01/30/98		3.32	7.32
	02/24/98		2.75	7.89
	04/06/98		3.88	6.76
	07/02/98		5.30	5.34
	07/13/98		5.39	5.25
	09/28/98		5.73	4.91
10/16/98	5.69	4.95		
01/08/99	5.20	5.44		

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-23	04/16/99	10.64	4.11	6.53
	06/21/99		5.76	4.88
	07/12/99		5.80	4.84
LF-24	04/24/96	10.22	4.40	5.82
	07/29/96		5.24	4.98
	12/13/96		4.10	6.12
	04/15/97		5.56	4.66
	09/19/97		6.15	4.07
	12/03/97		4.51	5.71
	12/15/97		4.26	5.96
	01/13/98		3.56	6.66
	01/30/98		3.33	6.89
	02/24/98		2.48	7.74
	04/06/98		4.01	6.21
	07/02/98		5.34	4.88
	07/13/98		5.42	4.80
	09/28/98		5.74	4.48
	10/16/98		5.67	4.55
	01/08/99		5.11	5.11
	04/16/99		4.41	5.81
06/21/99	5.96	4.26		
07/12/99	5.96	4.26		
LF-25	04/24/96	11.31	7.15	4.16
	07/29/96		7.66	3.65
	12/13/96		6.85	4.46
	04/15/97		8.02	3.29
	09/19/97		7.86	3.45
	12/03/97		7.07	4.24
	12/15/97		6.99	4.32
	01/13/98		6.43	4.88
	01/30/98		6.52	4.79
	02/24/98		5.91	5.40
	04/06/98		7.09	4.22
	07/02/98		7.92	3.39
	07/13/98		7.90	3.41
	09/28/98		7.73	3.58
10/16/98	8.56	2.75		

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-25	01/08/99	11.31	7.31	4.00
	04/16/99		6.51	4.80
	06/21/99		7.80	3.51
	07/12/99		7.74	3.57
LF-26	04/24/96	12.90	7.90	5.00
	07/29/96		8.08	4.82
	12/13/96		6.75	6.15
	04/15/97		7.21	5.69
	09/19/97		7.61	5.29
	12/03/97		8.96	3.94
	12/15/97		7.11	5.79
	01/13/98		4.05	8.85
	01/30/98		3.85	9.05
	02/24/98		3.89	9.01
	04/06/98		5.91	6.99
	07/02/98		8.12	4.78
	07/13/98		7.96	4.94
	09/28/98		9.07	3.83
	10/16/98		9.00	3.90
	01/08/99		6.61	6.29
04/16/99	5.88	7.02		
06/21/99	8.39	4.51		
07/12/99	8.73	4.17		
LF-27	12/29/97	15.13	7.07	8.06
	01/30/98		6.25	8.88
	02/24/98		5.92	9.21
	04/06/98		6.67	8.46
	07/02/98		7.08	8.05
	07/13/98		7.38	7.75
	09/28/98		7.53	7.60
	10/16/98		7.70	7.43
	01/08/99		7.47	7.66
	04/16/99		6.83	8.30
06/21/99	7.60	7.53		
07/12/99	7.71	7.42		
LF-28	12/29/97	14.39	7.52	6.87

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-28	01/30/98	14.39	6.17	8.22
	02/24/98		5.51	8.88
	04/06/98		6.62	7.77
	07/02/98		7.37	7.02
	07/13/98		7.17	7.22
	09/28/98		7.72	6.67
	10/16/98		7.81	6.58
	01/08/99		7.18	7.21
	04/16/99		6.62	7.77
	06/21/99		7.73	6.66
	07/12/99	7.90	6.49	
LF-29	12/29/97	13.70	6.79	6.91
	01/30/98		5.57	8.13
	02/24/98		4.95	8.75
	04/06/98		6.61	7.09
	07/02/98		6.95	6.75
	07/13/98		7.01	6.69
	09/28/98		7.22	6.48
	10/16/98		7.35	6.35
	01/08/99		7.10	6.60
	04/16/99		6.14	7.56
	06/21/99	7.26	6.44	
	07/12/99	7.44	6.26	
LF-30	12/29/97	13.16	10.43	2.73
	01/30/98		9.24	3.92
	02/24/98		9.05	4.11
	04/06/98		6.14	7.02
	07/02/98		10.29	2.87
	07/13/98		10.21	2.95
	09/28/98		10.23	2.93
	10/16/98		10.21	2.95
	01/08/99		10.66	2.50
	04/16/99		10.25	2.91
	06/21/99	10.81	2.35	
	07/12/99	10.58	2.58	
LF-32	06/21/99	16.03	9.42	6.61

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-31	06/21/99	15.70	9.06	6.64
	07/12/99		9.26	6.44
LF-32		16.03	9.62	6.41
LF-33	06/21/99	15.85	9.28	6.57
	07/12/99		9.51	6.34
LF-34	06/21/99	16.26	9.74	6.52
	07/12/99		9.91	6.35
LF-B1	01/10/90 (a)	17.12	10.68	6.44
	01/18/90 (b)		10.24	6.88
	01/18/90 (c)		10.27	6.85
	01/30/91		10.77	6.35
	06/19/91	17.11	10.38	6.73
	12/16/91		10.32	6.79
	07/10/92		10.09	7.02
	12/30/92		9.54	7.57
	06/08/93		9.68	7.43
	01/05/94		NM	NM
LF-B2	01/10/90 (a)	11.23	4.25	6.98
	01/18/90 (b)		3.65	7.58
	01/18/90 (c)		3.66	7.57
	01/30/91		3.25	7.98
	06/19/91	9.72	NM	NM
	12/16/91		3.27	6.45
	07/10/92		3.20	6.52
	12/30/92		NM	NM
	06/08/93		2.96	6.76
	01/05/94		3.05	6.67
LF-B3	01/10/90 (a)	10.36	3.30	7.06
	01/18/90 (b)		2.79	7.57
	01/18/90 (c)		2.80	7.56
	01/30/91		3.88	6.48
	06/19/91	10.35	3.81	6.54
	12/16/91		3.89	6.46
	07/10/92		3.81	6.54
	12/30/92		3.03	7.32

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-B3	06/08/93	10.35	3.56	6.79
	01/05/94		3.68	6.67
	04/24/96	10.30	3.44	6.86
	07/29/96		4.12	6.18
	12/13/96		2.70	7.60
	04/15/97		3.95	6.35
	09/19/97		4.08	6.22
	12/03/97		3.10	7.20
	12/15/97		NM	NM
	01/13/98		2.54	7.76
	01/30/98		2.62	7.68
	02/24/98		1.70	8.60
	04/06/98		2.76	7.54
	07/02/98		3.86	6.44
	07/13/98		3.95	6.35
	09/28/98		4.21	6.09
	10/16/98		4.22	6.08
	01/08/99		4.01	6.29
	04/16/99		3.24	7.06
	06/21/99		4.41	5.89
07/12/99		4.40	5.90	
LF-B4	01/30/91	14.54	6.88	7.66
	06/19/91		6.78	7.76
	12/16/91		6.85	7.69
	07/10/92		6.79	7.75
	12/30/92		6.17	8.37
	06/08/93		6.53	8.01
	01/05/94		6.62	7.92
	04/24/96	14.55	6.39	8.16
	07/29/96		6.97	7.58
	12/13/96		5.64	8.91
	04/15/97		6.68	7.87
	09/19/97		6.75	7.80
	12/03/97		5.90	8.65
	12/15/97		5.89	8.66
	01/13/98		5.45	9.10
	01/30/98		5.69	8.86

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-B4	02/24/98	14.55	5.26	9.29
	04/06/98		5.99	8.56
	07/02/98		6.61	7.94
	07/13/98		6.67	7.88
	09/28/98		6.85	7.70
	10/16/98		6.99	7.56
	01/08/99		6.85	7.70
	04/16/99		6.35	8.20
	06/21/99		7.18	7.37
	07/12/99		7.22	7.33
LF-B5	04/24/96	18.29	10.35	7.94
	07/29/96		11.03	7.26
	12/13/96		9.25	9.04
	04/15/97		10.68	7.61
	09/19/97		10.78	7.51
	12/03/97		9.94	8.35
	12/15/97		2.88	15.41
	01/13/98		9.33	8.96
	01/30/98		9.48	8.81
	02/24/98		9.07	9.22
	04/06/98		9.93	8.36
	07/02/98		10.67	7.62
	07/13/98		10.71	7.58
	09/28/98		10.95	7.34
	10/16/98		11.07	7.22
	01/08/99		11.31	6.98
04/16/99	10.78	7.51		
06/21/99	11.54	6.75		
07/12/99	11.36	6.93		
LF-B6	04/24/96	11.99	5.12	6.87
	07/29/96		5.81	6.18
	12/13/96		4.33	7.66
	04/15/97		5.61	6.38
	09/19/97		5.75	6.24
	12/03/97		4.82	7.17
	12/15/97		4.71	7.28
	01/13/98		4.25	7.74

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-B6	01/30/98	11.99	5.41	6.58
	02/24/98		3.83	8.16
	04/06/98		4.67	7.32
	07/02/98		5.54	6.45
	07/13/98		5.61	6.38
	09/28/98		5.87	6.12
	10/16/98		5.89	6.10
	01/08/99		5.65	6.34
	04/16/99		4.97	7.02
	06/21/99		6.00	5.99
	07/12/99		6.10	5.89
LF-PZ1	12/15/97	14.92	6.13	8.79
	01/13/98		4.94	9.98
	01/30/98		5.20	9.72
	02/24/98		4.77	10.15
	04/06/98		6.67	8.25
	07/02/98		8.62	6.30
	07/13/98		9.05	5.87
	09/28/98		9.20	5.72
	10/16/98		9.33	5.59
	01/08/99		9.04	5.88
	04/16/99		7.93	6.99
	06/21/99		10.34	4.58
	07/12/99		10.51	4.41
LF-PZ2	12/15/97	18.04	9.32	8.72
	01/13/98		10.11	7.93
	01/30/98		9.43	8.61
	02/24/98		8.76	9.28
	04/06/98		9.79	8.25
	07/02/98		10.55	7.49
	07/13/98		10.66	7.38
	09/28/98		11.12	6.92
	10/16/98		11.22	6.82
	01/08/99		10.90	7.14
	04/16/99		9.82	8.22
	06/21/99		11.02	7.02
	07/12/99		11.30	6.74

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-PZ3	12/15/97	18.00	9.45	8.55
	01/13/98		8.31	9.69
	01/30/98		8.46	9.54
	02/24/98		7.81	10.19
	04/06/98		9.95	8.05
	07/02/98		11.29	6.71
	07/13/98		11.33	6.67
	09/28/98		11.72	6.28
	10/16/98		11.96	6.04
	01/08/99		11.25	6.75
	04/16/99		10.70	7.30
	06/21/99		12.38	5.62
	07/12/99		12.42	5.58
LF-PZ4	12/15/97	18.99	10.98	8.01
	01/13/98		10.57	8.42
	01/30/98		10.50	8.49
	02/24/98		10.05	8.94
	04/06/98		10.94	8.05
	07/02/98		11.65	7.34
	07/13/98		11.74	7.25
	09/28/98		12.01	6.98
	10/16/98		12.11	6.88
	01/08/99		11.82	7.17
	04/16/99		11.17	7.82
	06/21/99		12.11	6.88
	07/12/99		12.28	6.71
LF-PZ5	12/15/97	18.75	10.28	8.47
	01/13/98		10.04	8.71
	01/30/98		9.44	9.31
	02/24/98		8.72	10.03
	04/06/98		10.45	8.30
	07/02/98		11.50	7.25
	07/13/98		11.60	7.15
	09/28/98		11.83	6.92
	10/16/98		11.95	6.80
	01/08/99		11.81	6.94

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-PZ5	04/16/99	18.75	11.35	7.40
	06/21/99		12.50	6.25
	07/12/99		12.42	6.33
LF-PZ6	12/15/97	18.44	9.81	8.63
	01/13/98		9.13	9.31
	01/30/98		8.97	9.47
	02/24/98		8.32	10.12
	04/06/98		10.08	8.36
	07/02/98		11.51	6.93
	07/13/98		11.67	6.77
	09/28/98		11.78	6.66
	10/16/98		12.00	6.44
	01/08/99		11.50	6.94
	04/16/99		11.19	7.25
	06/21/99		12.35	6.09
	07/12/99		12.31	6.13
LF-PZ7	12/15/97	19.05	10.01	9.04
	01/13/98		9.51	9.54
	01/30/98		9.78	9.27
	02/24/98		9.62	9.43
	04/06/98		10.21	8.84
	07/02/98		10.89	8.16
	07/13/98	19.04	10.92	8.12
	09/28/98		11.07	7.97
	10/16/98		11.25	7.79
	01/08/99		10.99	8.05
	04/16/99		10.29	8.75
	06/21/99		11.09	7.95
	07/12/99		11.18	7.86
LF-PZ8	12/15/97	17.03	8.35	8.68
	01/13/98		7.23	9.80
	01/30/98		7.46	9.57
	02/24/98		6.90	10.13
	04/06/98		8.94	8.09
	07/02/98		10.74	6.29
	07/13/98		10.91	6.12

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-PZ8	09/28/98	17.03	11.14	5.89
	10/16/98		11.29	5.74
	01/08/99		10.72	6.31
	04/16/99		10.03	7.00
	06/21/99		11.71	5.32
	07/12/99		11.83	5.20
LF-PZ9	12/15/97	12.76	3.91	8.85
	01/13/98		2.66	10.10
	01/30/98		3.09	9.67
	02/24/98		2.64	10.12
	04/06/98		4.41	8.35
	07/02/98		6.34	6.42
	07/13/98		6.46	6.30
	09/28/98		6.62	6.14
	10/16/98		6.75	6.01
	01/08/99		6.93	5.83
	04/16/99		6.29	6.47
	06/21/99		7.90	4.86
	07/12/99		8.04	4.72
LF-PZ10	12/15/97	12.26	3.49	8.77
	01/13/98		2.33	9.93
	01/30/98		2.69	9.57
	02/24/98		2.31	9.95
	04/06/98		4.27	7.99
	07/02/98		6.11	6.15
	07/13/98		6.29	5.97
	09/28/98		6.52	5.74
	10/16/98		6.66	5.60
	01/08/99		6.22	6.04
	04/16/99		5.34	6.92
	06/21/99		7.72	4.54
	07/12/99		7.90	4.36
LF-PZ11	12/15/97	12.79	5.92	6.87
	01/13/98		3.77	9.02
	01/30/98		4.41	8.38
	02/24/98		4.04	8.75

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-PZ11	04/06/98	12.79	5.15	7.64
	07/02/98		5.85	6.94
	07/13/98		5.88	6.91
	09/28/98		6.14	6.65
	10/16/98		6.22	6.57
	01/08/99		5.81	6.98
	04/16/99		4.78	8.01
	06/21/99		6.19	6.60
	07/12/99		6.21	6.58
LF-PZ12	12/15/97	11.01	4.38	6.63
	01/13/98		3.67	7.34
	01/30/98		4.04	6.97
	02/24/98		3.68	7.33
	04/07/98		4.61	6.40
	07/02/98		5.21	5.80
	07/13/98		5.23	5.78
	09/28/98		5.38	5.63
	10/16/98		5.38	5.63
	01/08/99		4.89	6.12
	04/16/99		3.64	7.37
	06/21/99		5.37	5.64
	07/12/99		5.36	5.65
LF-PZ13	12/15/97	10.93	2.78	8.15
	01/13/98		1.78	9.15
	01/30/98		2.05	8.88
	02/24/98		2.01	8.92
	04/07/98		4.03	6.90
	07/02/98		5.76	5.17
	07/13/98		5.87	5.06
	09/28/98		6.41	4.52
	10/16/98		6.55	4.38
	01/08/99		4.80	6.13
	04/16/99		3.80	7.13
	06/21/99		7.45	3.48
07/12/99	7.56	3.37		
LF-PZ14	12/15/97	10.21	2.05	8.16

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-PZ14	01/13/98	10.21	1.02	9.19
	01/30/98		1.23	8.98
	02/24/98		1.35	8.86
	04/06/98		3.46	6.75
	07/02/98		5.20	5.01
	07/13/98		5.29	4.92
	09/28/98		5.86	4.35
	10/16/98		6.01	4.20
	01/08/99		4.09	6.12
	04/16/99		3.19	7.02
	06/21/99		7.07	3.14
	07/12/99		7.07	3.14
	LF-PZ15		12/15/97	14.33
01/13/98		4.81	9.52	
01/30/98		4.91	9.42	
02/24/98		5.09	9.24	
04/06/98		7.25	7.08	
07/02/98		9.37	4.96	
07/13/98		9.57	4.76	
09/28/98		10.00	4.33	
10/16/98		10.17	4.16	
01/08/99		8.15	6.18	
04/16/99		7.30	7.03	
06/21/99		9.87	4.46	
07/12/99		10.19	4.14	
LF-PZ16	12/15/97	11.03	2.52	8.51
	01/13/98		1.35	9.68
	01/30/98		1.61	9.42
	02/24/98		2.41	8.62
	04/06/98		3.99	7.04
	07/02/98		6.55	4.48
	07/13/98		6.50	4.53
	09/28/98		7.33	3.70
	10/16/98		7.46	3.57
	01/08/99		5.10	5.93
	04/16/99		4.09	6.94
	06/21/99		7.90	3.13

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-PZ16	07/12/99	11.03	8.28	2.75
LF-PZ17	12/15/97	10.12	1.72	8.40
	01/13/98		0.62	9.50
	01/30/98		0.82	9.30
	02/24/98		1.16	8.96
	04/06/98		3.54	6.58
	07/02/98		5.36	4.76
	07/13/98		5.41	4.71
	09/28/98		6.05	4.07
	10/16/98		6.19	3.93
	01/08/99		3.92	6.20
	04/16/99		3.37	6.75
	06/21/99		7.09	3.03
	07/12/99		7.14	2.98
LF-PZ18	12/15/97	13.01	5.85	7.16
	01/13/98		4.77	8.24
	01/30/98		4.78	8.23
	02/24/98		4.66	8.35
	04/06/98		6.17	6.84
	07/02/98		7.66	5.35
	07/13/98		7.87	5.14
	09/28/98		8.34	4.67
	10/16/98		8.18	4.83
	01/08/99		6.55	6.46
	04/16/99		5.37	7.64
	06/21/99		7.08	5.93
	07/12/99		7.66	5.35
LF-PZ19	12/15/97	14.64	5.16	9.48
	01/13/98		4.11	10.53
	01/30/98		4.19	10.45
	02/24/98		5.08	9.56
	04/06/98		6.61	8.03
	07/02/98		8.95	5.69
	07/13/98	13.67	9.29	4.38
	09/28/98		9.69	3.98
	10/16/98		8.83	4.84

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-PZ19	01/08/99	13.67	7.48	6.19
	04/16/99		6.82	6.85
	06/21/99		9.52	4.15
	07/12/99		9.81	3.86
LF-PZ20	12/15/97	13.45	5.78	7.67
	01/13/98		3.81	9.64
	01/30/98		5.28	8.17
	02/24/98		3.21	10.24
	04/06/98		4.97	8.48
	07/02/98		6.61	6.84
	07/13/98		7.83	5.62
	09/28/98		6.85	6.60
	10/16/98		7.12	6.33
	01/08/99		6.53	6.92
	04/16/99		5.39	8.06
	06/21/99		7.24	6.21
	07/12/99		7.45	6.00
LF-PZ21	06/21/99	12.00	7.23	4.77
	07/12/99		7.61	4.39
LF-PZ22	06/21/99	12.26	5.58	6.68
	07/12/99		5.96	6.30
LF-PZ23	06/21/99	15.64	8.71	6.93
	07/12/99		8.83	6.81
LF-PZ24	06/21/99	16.27	9.74	6.53
	07/12/99		9.91	6.36
LF-PZ25	06/21/99	16.36	9.77	6.59
	07/12/99		9.96	6.40
MW-1	01/09/95	13.79	5.14	8.65
	01/27/95		4.78	9.01
	02/17/95		6.73	7.06
	04/13/95		6.63	7.16
	06/08/95		6.98	6.81
	08/09/95		7.50	6.29

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
MW-1	11/17/95	13.79	8.00	5.79
	01/09/96	13.78	7.19	6.59
	04/24/96		6.93	6.85
	07/29/96		7.76	6.02
	12/13/96		5.19	8.59
	04/15/97		7.34	6.44
	09/19/97		7.56	6.22
	12/03/97		6.50	7.28
	12/15/97		6.47	7.31
	01/13/98		5.80	7.98
	01/30/98		5.90	7.88
	02/24/98		5.24	8.54
	04/06/98		6.37	7.41
	07/02/98		7.11	6.67
	07/13/98		7.19	6.59
	09/28/98		7.44	6.34
	10/16/98		7.53	6.25
	01/08/99		7.30	6.48
	04/16/99		6.34	7.44
	06/21/99		7.40	6.38
07/12/99		7.56	6.22	
MW-2	01/09/95	13.59	4.93	8.66
	01/27/95		4.53	9.06
	02/17/95		6.58	7.01
	04/13/95		6.46	7.13
	06/08/95		6.82	6.77
	08/09/95	13.39	7.31	6.08
	11/17/95		8.12	5.27
	01/09/96	13.58	7.04	6.54
	04/24/96		6.56	7.02
	07/29/96		7.59	5.99
	12/13/96		5.04	8.54
	04/15/97		7.17	6.41
	09/19/97		7.41	6.17
	12/03/97		6.33	7.25
	12/15/97		6.26	7.32
01/13/98		5.47	8.11	

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation	
MW-2	01/30/98	13.58	5.65	7.93	
	02/24/98		5.06	8.52	
	04/06/98		6.17	7.41	
	07/02/98		6.79	6.79	
	07/13/98		7.02	6.56	
	09/28/98		7.27	6.31	
	10/16/98		7.35	6.23	
	01/08/99		7.12	6.46	
	04/16/99		6.32	7.26	
	06/21/99		7.21	6.37	
	07/12/99		7.38	6.20	
MW-3	01/09/95	14.64	5.38	9.26	
	01/27/95		4.66	9.98	
	02/17/95		7.01	7.63	
	04/13/95		6.93	7.71	
	06/08/95		7.39	7.25	
	08/09/95		7.89	6.75	
	11/17/95		8.40	6.24	
	01/09/96		14.60	7.48	7.12
	04/24/96			7.19	7.41
	07/29/96			8.08	6.52
	12/13/96	5.33		9.27	
	04/15/97	7.70		6.90	
	09/19/97	7.93		6.67	
	12/03/97	6.77		7.83	
	12/15/97	6.81		7.79	
	01/13/98	6.19		8.41	
	01/30/98	6.29		8.31	
	02/24/98	5.61	8.99		
	04/06/98	6.76	7.84		
	07/02/98	7.49	7.11		
07/13/98	7.60	7.00			
09/28/98	7.87	6.73			
10/16/98	7.96	6.64			
01/08/99	7.71	6.89			
04/16/99	6.79	7.81			
06/21/99	7.89	6.71			

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
MW-3	07/12/99	14.60	8.06	6.54
MW-4	01/09/95	15.55	6.87	8.68
	01/27/95		6.75	8.80
	02/17/95		7.24	8.31
	04/13/95		7.42	8.13
	06/08/95		7.64	7.91
	08/09/95	15.35	7.93	7.42
	11/17/95		8.67	6.68
	01/09/96	15.53	8.12	7.41
	04/24/96		7.72	7.81
	07/29/96		8.29	7.24
	12/13/96		6.75	8.78
	04/15/97		NM	NM
	09/19/97		7.76	7.77
	12/03/97		NM	NM
	12/15/97		7.08	8.45
	01/13/98		7.28	8.25
	01/30/98		6.78	8.75
	02/24/98		6.13	9.40
	04/06/98		7.13	8.40
	07/02/98		7.80	7.73
07/13/98	15.56	7.89	7.67	
09/28/98		8.29	7.27	
10/16/98		8.40	7.16	
01/08/99		7.71	7.85	
04/16/99		7.42	8.14	
06/21/99		8.16	7.40	
07/12/99		8.29	7.27	
MW-5	01/09/95	15.27	6.14	9.13
	01/27/95		5.71	9.56
	02/17/95		6.59	8.68
	04/13/95		6.55	8.72
	06/08/95		7.44	7.83
	08/09/95	15.87	7.87	8.00
	11/17/95		8.65	7.22
	01/09/96	15.24	7.93	7.31
	04/24/96		7.49	7.75

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
MW-5	07/29/96	15.24	8.24	7.00
	12/13/96		6.97	8.27
	04/15/97		NM	NM
	09/19/97		8.11	7.13
	12/03/97		7.68	7.56
	12/15/97		7.61	7.63
	01/13/98		7.48	7.76
	01/30/98		6.82	8.42
	02/24/98		5.98	9.26
	04/06/98		7.16	8.08
	07/02/98		7.85	7.39
	07/13/98	15.27	7.96	7.31
	09/28/98		8.37	6.90
	10/16/98		8.46	6.81
	01/08/99		8.25	7.02
	04/16/99		7.17	8.10
	06/21/99		8.30	6.97
	07/12/99		8.61	6.66
RP-1	09/08/94	15.12	8.65	6.47
	01/27/95	15.14	5.96	9.18
	02/17/95		7.46	7.68
	02/28/95		7.83	7.31
	04/13/95		7.43	7.71
	05/10/95		7.53	7.61
	08/09/95		8.39	6.75
	11/17/95		8.91	6.23
	01/09/96		7.95	7.19
	04/24/96		7.81	7.33
	07/29/96		8.58	6.56
	12/13/96		6	9.14
	04/15/97		8.18	6.96
	09/19/97		8.46	6.68
	12/03/97		7.45	7.69
	12/15/97		7.41	7.73
01/13/98		7.02	8.12	
01/30/98		6.88	8.26	
02/24/98		6.18	8.96	

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
RP-1	04/06/98	15.14	7.32	7.82
	07/02/98		8.03	7.11
	07/13/98		8.14	7.00
	09/28/98		8.42	6.72
	10/16/98		8.50	6.64
	01/08/99		8.26	6.88
	04/16/99		7.33	7.81
	06/21/99		8.43	6.71
	07/12/99		8.63	6.51
RP-2	09/08/94	15.23	8.99	6.24
	01/09/95	15.24	6.40	8.84
	01/27/95		5.95	9.29
	02/17/95		7.76	7.48
	02/28/95		8.11	7.13
	04/13/95		7.69	7.55
	05/10/95		7.77	7.47
	08/09/95		8.67	6.57
	11/17/95		9.27	5.97
	01/09/96		8.27	6.97
	04/24/96		8.04	7.20
	07/29/96		8.89	6.35
	12/13/96		6.20	9.04
	04/15/97		8.46	6.78
	09/19/97		8.74	6.50
	12/03/97		7.74	7.50
	12/15/97		7.66	7.58
	01/13/98		7.14	8.10
	01/30/98		7.10	8.14
	02/24/98		6.40	8.84
04/06/98		7.57	7.67	
07/02/98		8.27	6.97	
07/13/98		8.37	6.87	
09/28/98		8.65	6.59	
10/16/98		8.42	6.82	
01/08/99		8.44	6.80	
04/16/99		7.53	7.71	
06/21/99		8.64	6.60	

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
RP-2	07/12/99	15.24	8.82	6.42
RP-3	09/08/94	15.15	8.80	6.35
	01/09/95	15.17	6.55	8.62
	01/27/95		6.12	9.05
	02/17/95		7.45	7.72
	02/28/95		7.87	7.30
	04/13/95		7.44	7.73
	05/10/95		7.61	7.56
	08/09/95		8.48	6.69
	11/17/95		9.09	6.08
	01/09/96		8.07	7.10
	04/24/96		7.92	7.25
	07/29/96		8.71	6.46
	12/13/96		6.03	9.14
	04/15/97		8.27	6.90
	09/19/97		8.58	6.59
	12/03/97		7.65	7.52
	12/15/97		7.58	7.59
	01/13/98		7.23	7.94
	01/30/98		6.97	8.20
	02/24/98		6.22	8.95
	04/06/98		7.43	7.74
	07/02/98		8.12	7.05
	07/13/98		8.23	6.94
	09/28/98		8.53	6.64
	10/16/98		8.61	6.56
	01/08/99		8.25	6.92
	04/16/99		7.40	7.77
	06/21/99		8.51	6.66
	07/12/99		8.75	6.42
RP-4	09/08/94	15.10	9.02	6.08
	01/09/95	15.12	6.31	8.81
	01/27/95		5.97	9.15
	02/17/95		7.79	7.33
	02/28/95		8.13	6.99
	04/13/95		7.69	7.43
	05/10/95		7.77	7.35

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
RP-4	08/09/95	15.12	8.65	6.47
	11/17/95		9.28	5.84
	01/09/96	15.13	8.28	6.85
	04/24/96		8.05	7.08
	07/29/96		8.88	6.25
	12/13/96		6.12	9.01
	04/15/97		8.44	6.69
	09/19/97		8.72	6.41
	12/03/97		7.75	7.38
	12/15/97		7.62	7.51
	01/13/98		7.05	8.08
	01/30/98		7.02	8.11
	02/24/98		6.39	8.74
	04/06/98		7.50	7.63
	07/02/98		8.23	6.90
	07/13/98		8.34	6.79
	09/28/98		8.61	6.52
	10/16/98		8.70	6.43
	01/08/99		8.43	6.70
	04/16/99		7.49	7.64
06/21/99		8.59	6.54	
07/12/99		8.77	6.36	
RP-5	09/08/94	15.03	8.95	6.08
	01/09/95	15.04	6.22	8.82
	01/27/95		5.93	9.11
	02/17/95		7.71	7.33
	02/28/95		8.06	6.98
	04/13/95		7.56	7.48
	05/10/95		7.69	7.35
	08/09/95		8.57	6.47
	11/17/95		9.23	5.81
	01/09/96		8.21	6.83
	04/24/96		7.96	7.08
	07/29/96		8.81	6.23
	12/13/96		5.93	9.11
	04/15/97		8.35	6.69
	09/19/97		8.64	6.40

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 1
Historical Groundwater Elevation Data Including July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
RP-5	12/03/97	15.04	7.64	7.40
	12/15/97		7.55	7.49
	01/13/98		7.02	8.02
	01/30/98		6.97	8.07
	02/24/98		6.27	8.77
	04/06/98		7.44	7.60
	07/02/98		8.16	6.88
	07/13/98		8.26	6.78
	09/28/98		8.54	6.50
	10/16/98		8.62	6.42
	01/08/99		8.37	6.67
	04/16/99		7.43	7.61
	06/21/99		8.51	6.53
	07/12/99		8.70	6.34

Data entered by LXG. Proofed by KLF.

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
NM = No measurement

Table 2
Horizontal Groundwater Potential Differences Across the Slurry Wall
The Sherwin-Williams Company
Emeryville, California

Well Number	Date Measured	Groundwater Elevation (ft)	Horizontal Distance Between Center of Well Screens (ft)	Groundwater Potential Difference (ft/ft) (a)
LF-7	07/12/99	3.21		
LF-19	07/12/99	6.35	13.1	-0.24
LF-8	07/12/99	4.12		
LF-18	07/12/99	4.44	7.7	-0.04
LF-26	07/12/99	4.17		
LF-20	07/12/99	5.10	20.5	-0.05
LF-10	07/12/99	2.95		
LF-21	07/12/99	5.29	30.5	-0.08
LF-PZ13	07/12/99	3.37		
LF-PZ12	07/12/99	5.65	16.5	-0.14
LF-17	07/12/99	4.41		
LF-3	07/12/99	5.94	27.2	-0.06
LF-PZ9	07/12/99	4.72		
LF-PZ11	07/12/99	6.58	17.5	-0.11
LF-22	07/12/99	6.33		
LF-12	07/12/99	7.70	38.3	-0.04
LF-PZ3	07/12/99	5.58		
LF-PZ2	07/12/99	6.74	16.3	-0.07
LF-PZ5	07/12/99	6.33		
LF-PZ4	07/12/99	6.71	14.9	-0.03
LF-PZ21	07/12/99	4.39		
LF-PZ22	07/12/99	6.30	12.0	-0.16

Notes:

(a) Positive potential indicates outward hydraulic gradient; negative potential indicates inward hydraulic gradient

(b) Less than 0.01 ft/ft potential difference

Data entered by LXG. Proofed by KLF.

Table 3
Vertical Groundwater Potential Differences Across the A and B Aquifer Zones
The Sherwin-Williams Company
Emeryville, California

Well Number	Date Measured	Groundwater Elevation (ft)	Vertical Distance Between Center of Well Screens (ft)	Groundwater Potential Difference (ft/ft) (a)
LF-B3	07/12/99	5.90		
LF-10	07/12/99	2.95	26.4	+0.11
LF-B4	07/12/99	7.33		
LF-12	07/12/99	7.70	30.5	-0.01
LF-B5 (b)	07/12/99	6.93		
LF-PZ5	07/12/99	6.33	24.3	+0.02
LF-B6	07/12/99	5.89		
LF-7	07/12/99	3.21	21.2	+0.13

Notes:

- (a) Positive potential indicates upward hydraulic gradient; negative potential indicates downward hydraulic gradient
- (b) Groundwater elevations in LF-B5 may not represent the B-zone groundwater elevations because LF-B5 is screened in the aquitard between the A and B zones
- (c) Less than 0.01 ft/ft potential difference

Data entered by LXG. Proofed by KLF.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total	
LF-1	01-Jun-89	<0.2	<0.2	na	15	30	<0.2	<0.2	na	na	0.9	20	<0.2	6	na	<0.2	na	3.6	
LF-1	07-Dec-89	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	0.002	<0.001	na	<0.001	na	0.04	
LF-1	20-Jul-90	<0.001	<0.001	na	<0.001	0.45	0.002	<0.001	na	0.001	<0.001	0.2	0.005	0.018	na	0.004	na	0.16	
LF-1	21-Jun-91	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	0.019	<0.02	0.002	<0.005	na	<0.005	na	0.01	
LF-1	09-Jul-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	0.008	<0.02	<0.005	<0.005	na	<0.005	na	<0.005	
LF-1	09-Jun-93	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005	
LF-1	Destroyed under permit																		
LF-2	02-Jun-89	<0.005	<0.005	na	<0.005	<0.05	0.015	<0.005	na	na	0.015	<0.1	<0.005	<0.005	na	<0.005	na	0.3	
LF-2	07-Dec-89	<0.02	<0.02	na	<0.02	0.35	<0.02	<0.02	na	na	<0.02	<0.4	<0.02	0.029	na	<0.02	na	0.84	
LF-2	20-Jul-90	<0.05	<0.05	na	12	<0.5	<0.05	0.050	na	na	0.066	8.8	<0.05	0.051	na	<0.05	na	0.91	
LF-2	Destroyed or lost during slurry wall and cap construction activities																		
LF-3	02-Jun-89	<0.1	<0.1	na	<0.1	<1	<0.1	<0.1	na	na	2.5	<2	<0.1	17	na	<0.1	na	12	
LF-3	07-Dec-89	<0.5	<0.5	na	<0.5	<5	<0.5	<0.5	na	na	6.3	<10	<0.5	77	na	<0.5	na	32	
LF-3	20-Jul-90	<0.05	<0.05	na	1.9	10	0.11	<0.05	na	na	5	7.7	<0.05	52	na	<0.05	na	22	
LF-3	21-Jun-91	<1	<1	na	<2	9.9	<1	<1	na	na	7.5	8.2	<1	62	na	<1	na	44	
LF-3	09-Jul-92	<2.5	<2.5	na	<5	<10	<2.5	<2.5	na	na	8.9	<10	<2.5	92	na	<2.5	na	43	
DUP	09-Jul-92	<5	<5	na	<10	<20	<5	<5	na	na	8.8	<20	<5	100	na	<5	na	45	
LF-3	09-Jun-93	<2.5	<2.5	na	<5	<10	<2.5	<2.5	na	na	9.8	<10	<2.5	120	na	<2.5	na	48	
DUP	09-Jun-93	<2.5	<2.5	na	<5	<10	<2.5	<2.5	na	na	7.6	<10	<2.5	110	na	<2.5	na	37	
LF-3	16-Apr-96	<3	<3	<3	<30	<50	<3	<3	<3	<3	5.5	<50	<3	45	<3	<3	<5	27	
LF-3	31-Jul-96	<3	<3	<3	<30	<50	<3	<3	<3	<3	4.5	<50	<3	44	<3	<3	<5	24	
LF-3	20-Nov-96	<3	<3	<3	<30	<50	<3	<3	<3	<3	4	<50	<3	41	<3	<3	<5	12	
LF-3	19-Mar-97	<3	<3	<3	<30	<50	<3	<3	<3	<3	3	<50	<3	43	<3	<3	<5	16	
LF-3	12-Jun-97	<3	<3	<3	<30	<50	<3	<3	<3	<3	7	<50	<3	70	<3	<3	<5	31	
LF-3	19-Aug-97	<5	<5	<5	<50	<100	<5	<5	<5	<5	6	<100	<5	91	<5	<5	<10	31	
LF-3	17-Dec-97	<5	<5	<5	<50	<100	<5	<5	<5	<5	<5	<100	<5	40	<5	<5	<10	<10	
DUP	17-Dec-97	<5	<5	<5	<50	<100	<5	<5	<5	<5	<5	<100	<5	38	<5	<5	<10	<10	
LF-3	02-Mar-98	<0.5	<0.5	<0.5	<10	<10	<0.5	<0.5	<0.5	<0.5	3	<10	<0.5	67.8	<0.5	<0.5	<1	15.9	
LF-3	10-Apr-98	<0.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<0.5	<0.5	0.59	<2.5	<0.5	17 J4	<0.5	<0.5	<0.5	2.9	
LF-3	16-Jul-98	<2.5	<2.5	<2.5	<12	<12	<2.5	<2.5	<2.5	<2.5	3.6	<12	<2.5	52	<2.5	<2.5	<2.5	17	
LF-3	19-Oct-98	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<12 UJ2	<12 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	4.6 J2	<12 UJ2	<2.5 UJ2	57 J2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	
LF-3	15-Jan-99	<0.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<0.5	<0.5	2.8	<2.5	<0.5	52	<0.5	<0.5	<0.5	13.4	
DUP	15-Jan-99	<0.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<0.5	<0.5	2.6	<2.5	<0.5	58	<0.5	<0.5	<0.5	13.5	

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-pentane-one	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-1	01-Jun-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-1	07-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-1	20-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-1	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-1	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-1	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-1	Destroyed under permit															
LF-2	02-Jun-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-2	07-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-2	20-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-2	Destroyed or lost during slurry wall and cap construction activities															
LF-3	02-Jun-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-3	07-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-3	20-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-3	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-3	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-3	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-3	16-Apr-96	<3	<0.1	<3	<3	na	na	na	<30	na	<5	<5	<5	na	na	na
LF-3	31-Jul-96	<3	na	<3	<3	na	na	na	<30	na	<5	<5	<5	na	na	na
LF-3	20-Nov-96	<3	na	<3	<3	na	na	na	<30	na	<5	<5	<5	na	na	na
LF-3	19-Mar-97	<3	na	<3	<3	na	na	na	<30	na	<5	<5	<5	na	na	na
LF-3	12-Jun-97	<3	na	<3	<3	na	na	na	<30	na	<5	<5	<5	na	na	na
LF-3	19-Aug-97	<5	na	<5	<5	na	na	na	<50	na	<10	<10	<10	na	na	na
LF-3	17-Dec-97	<5	na	<5	<5	na	na	na	<50	na	<10	<10	<10	na	na	na
DUP	17-Dec-97	<5	na	<5	<5	na	na	na	<50	na	<10	<10	<10	na	na	na
LF-3	02-Mar-98	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<1	<1	<0.5	<0.5
LF-3	10-Apr-98	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
LF-3	16-Jul-98	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<12	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
LF-3	19-Oct-98	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<12 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2
LF-3	15-Jan-99	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
DUP	15-Jan-99	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-1	01-Jun-89	na	na	0.018	na	na	na
LF-1	07-Dec-89	na	na	<0.004	na	na	na
LF-1	20-Jul-90	na	na	<0.002	na	na	na
LF-1	21-Jun-91	na	na	<0.011	na	na	na
LF-1	09-Jul-92	na	na	<0.01	na	na	na
LF-1	09-Jun-93	na	na	<0.01	na	na	na
LF-1	Destroyed under permit						
LF-2	02-Jun-89	na	na	0.65	na	na	na
LF-2	07-Dec-89	na	na	0.32	na	na	na
LF-2	20-Jul-90	na	na	0.33	na	na	na
LF-2	Destroyed or lost during slurry wall and cap construction activities						
LF-3	02-Jun-89	na	na	0.091	na	na	na
LF-3	07-Dec-89	na	na	0.14	na	na	na
LF-3	20-Jul-90	na	na	0.16	na	na	na
LF-3	21-Jun-91	na	na	0.11	na	na	na
LF-3	09-Jul-92	na	na	0.150	na	na	na
DUP	09-Jul-92	na	na	0.140	na	na	na
LF-3	09-Jun-93	na	na	0.170	na	na	na
DUP	09-Jun-93	na	na	0.160	na	na	na
LF-3	16-Apr-96	na	na	<0.1	<3	na	na
LF-3	31-Jul-96	na	na	na	<3	na	na
LF-3	20-Nov-96	na	na	na	<3	na	na
LF-3	19-Mar-97	na	na	na	<3	na	na
LF-3	12-Jun-97	na	na	na	<3	na	na
LF-3	19-Aug-97	na	na	na	<5	na	na
LF-3	17-Dec-97	na	na	na	<5	na	na
DUP	17-Dec-97	na	na	na	<5	na	na
LF-3	02-Mar-98	<0.5	<0.5	<2.5	<0.5	<0.5	<0.5
LF-3	10-Apr-98	na	<0.5	<0.5	<0.5	<0.5	<0.5
LF-3	16-Jul-98	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
LF-3	19-Oct-98	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2
LF-3	15-Jan-99	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
DUP	15-Jan-99	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total	
LF-3	22-Apr-99	<0.13	<0.13	<0.13	<0.63	<0.63	<0.13	<0.13	<0.13	0.1 J11	1	<0.63	<0.13	23	<0.13	<0.13	<0.13	4.8	
LF-3	19-Jul-99	<0.2	<0.2	<0.2	<4	<4	<0.2	<0.2	<0.2	<0.2	4.1	<4	<0.2	56	<0.2	<0.2	<0.2	20	
LF-4	02-Jun-89	<0.02	<0.02	na	0.26	1.3	<0.2	<0.02	na	na	1.3	4.7	<0.02	<0.2	na	<0.02	na	3.8	
DUP	02-Jun-89	<0.02	<0.02	na	0.28	1.3	<0.2	<0.02	na	na	1.7	4.7	<0.02	<0.02	na	<0.02	na	4.1	
LF-4	06-Dec-89	<0.002	<0.002	na	<0.002	<0.02	<0.02	<0.002	na	na	0.2	<0.04	<0.002	<0.004	na	<0.002	na	0.65	
DUP	06-Dec-89	<0.005	<0.005	na	<0.005	<0.05	<0.005	<0.005	na	na	0.25	<0.1	<0.005	<0.005	na	<0.005	na	0.75	
LF-4	20-Jul-90	<0.1	<0.1	na	<0.1	<1	<1	<0.1	na	na	<0.1	<2	<0.1	<0.1	na	<0.1	na	0.38	
LF-4	21-Jun-91	<0.01	<0.01	na	<0.02	0.079	0.039	0.005	na	na	0.058	<0.04	<0.01	0.007	na	<0.01	na	0.35	
DUP	21-Jun-91	<0.01	<0.01	na	<0.02	<0.04	0.04	0.006	na	0.020	0.14	<0.04	<0.01	0.008	na	<0.01	na	0.38	
LF-4	09-Jul-92	<0.005	<0.005	na	<0.01	<0.02	0.016	0.008	na	na	0.015	<0.02	<0.005	<0.005	na	<0.005	na	0.069	
LF-4	09-Jun-93	<0.05	<0.05	na	<0.1	<0.2	0.051	<0.05	na	na	0.210	<0.2	<0.05	<0.05	na	<0.05	na	1.5	
LF-4	02-Mar-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	0.0013	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	
LF-4	09-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0039 J3	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	
LF-4	16-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0038	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	
LF-4	19-Oct-98	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.005 UJ2	<0.005 UJ2	<0.001 UJ2	0.0037 J2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.005 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	
LF-4	14-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	0.0007 J11	0.0045	<0.001	0.0007 J11	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	
LF-4	22-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	0.0007 J11	0.0051	<0.001	0.0009 J11	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.0005 J11	
LF-4	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	0.0043	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
DUP	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	0.0042	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
LF-5	01-Jun-89	<1	<1	na	<2	220	<2	<1	na	na	2	390	<1	300	na	<2	na	8	
LF-5	06-Dec-89	<1	<1	na	<1	51	<1	<1	na	na	<1	320	<1	310	na	<1	na	<1	
LF-5	20-Jul-90	<1	<1	na	6.7	<10	<1	<1	na	na	1.1	170	<1	170	na	<1	na	2.6	
LF-5	21-Jun-91	<5	<5	na	<10	<20	<5	<5	na	na	<5	<20	<5	200 GT	na	<5	na	5.4	
LF-5	06-Aug-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
LF-5	09-Jul-92	<5	<5	na	<10	<20	<5	<5	na	na	<5	<20	<5	150	na	<5	na	<5	
LF-5	09-Jun-93	<2.5	<2.5	na	<5	<10	<2.5	<2.5	na	na	<2.5	<10	<2.5	83	na	<2.5	na	4.5	
LF-5	Destroyed or lost during slurry wall and cap construction activities																		
LF-6	01-Jun-89	<0.2	<0.2	na	<1	280	<1	<0.2	na	na	6	470	<0.2	22	na	<1	na	210	
LF-6	05-Dec-89	<1	<1	na	<1	64	<1	<1	na	na	5	320	<1	59	na	<1	na	17	
LF-6	20-Jul-90	<1	<1	na	24	200	<1	<1	na	na	4	720	45	45	na	<1	na	13	

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-3	22-Apr-99	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.63	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
LF-3	19-Jul-99	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<4	<0.2	<0.2	<0.4	<0.4	<0.4	<0.2	<0.2
LF-4	02-Jun-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	02-Jun-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-4	06-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	06-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-4	20-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-4	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-4	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-4	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-4	02-Mar-98	<0.001	<0.001	<0.001	<0.001	<0.001	0.0018	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	0.001	<0.001
LF-4	09-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.0014 J3	<0.001
LF-4	16-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-4	19-Oct-98	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.005 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2
LF-4	14-Jan-99	<0.001	0.0013	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-4	22-Apr-99	<0.001	0.0015	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-4	16-Jul-99	<0.0005	0.0008	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
DUP	16-Jul-99	<0.0005	0.0007	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-5	01-Jun-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-5	06-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-5	20-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-5	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-5	06-Aug-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-5	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-5	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-5	Destroyed or lost during slurry wall and cap construction activities															
LF-6	01-Jun-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-6	05-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-6	20-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-3	22-Apr-99	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
LF-3	19-Jul-99	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
LF-4	02-Jun-89	na	na	0.14	na	na	na
DUP	02-Jun-89	na	na	0.095	na	na	na
LF-4	06-Dec-89	na	na	0.015	na	na	na
DUP	06-Dec-89	na	na	0.007	na	na	na
LF-4	20-Jul-90	na	na	0.01	na	na	na
LF-4	21-Jun-91	na	na	<0.011	na	na	na
DUP	21-Jun-91	na	na	<0.011	na	na	na
LF-4	09-Jul-92	na	na	<0.01	na	na	na
LF-4	09-Jun-93	na	na	0.010	na	na	na
LF-4	02-Mar-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-4	09-Apr-98	na	<0.001	0.0014 J3	<0.001	<0.001	<0.001
LF-4	16-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-4	19-Oct-98	<0.001 UJ2	<0.001 UJ2	<0.0021 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2
LF-4	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-4	22-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-4	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
DUP	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-5	01-Jun-89	na	na	0.02	na	na	na
LF-5	06-Dec-89	na	na	0.025	na	na	na
LF-5	20-Jul-90	na	na	<0.02	na	na	na
LF-5	21-Jun-91	na	na	na	na	na	na
LF-5	06-Aug-91	na	na	<0.05	na	na	na
LF-5	09-Jul-92	na	na	<0.02	na	na	na
LF-5	09-Jun-93	na	na	0.010	na	na	na
LF-5	Destroyed or lost during slurry wall and cap construction activities						
LF-6	01-Jun-89	na	na	na	na	na	na
LF-6	05-Dec-89	na	na	0.06	na	na	na
LF-6	20-Jul-90	na	na	<0.02	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total	
LF-6	Sealed August 2, 1990																		
LF-7	01-Jun-89	<0.001	<0.001	na	<0.005	<0.005	0.05	<0.001	na	na	<0.005	<0.005	<0.001	0.27	na	<0.005	na	0.58	
LF-7	06-Dec-89	<0.001	<0.001	na	<0.001	<0.01	0.031	0.007	na	na	0.052	<0.02	<0.001	0.003	na	<0.001	na	0.15	
LF-7	19-Jul-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	0.001	na	na	0.007	<0.02	<0.001	<0.001	na	<0.001	na	0.044	
LF-7	08-Aug-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
LF-7	20-Jun-91	<0.005	<0.005	na	<0.01	<0.02	0.061	0.007	na	na	0.045	<0.02	<0.005	<0.005	na	<0.005	na	0.120	
LF-7	06-Aug-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
LF-7	17-Dec-91	<0.005	<0.005	na	<0.010	<0.020	0.006	0.005	na	na	0.006	<0.020	<0.005	<0.005	na	<0.005	na	0.009	
LF-7	09-Jul-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005	
DUP	09-Jul-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005	
LF-7	09-Jun-93	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005	
DUP	09-Jun-93	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005	
LF-7	06-Jan-94	<0.003	<0.003	<0.003	<0.03	<0.05	0.031	0.009	<0.003	<0.003	0.003	<0.05	<0.003	0.12	<0.003	<0.003	<0.005	0.014	
LF-7	27-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	0.004	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	
DUP	27-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	0.0037	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	
LF-7	13-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0038	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	
LF-8	05-Dec-89	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	0.003	na	<0.001	na	<0.001	
LF-8	19-Jul-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	0.001	na	na	0.007	<0.02	<0.001	<0.001	na	<0.001	na	0.002	
LF-8	08-Aug-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
LF-8	21-Dec-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001	
LF-8	20-Jun-91	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005	
LF-8	17-Dec-91	<0.005	<0.005	na	<0.010	<0.020	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.005	na	<0.005	na	<0.005	
LF-8	09-Jul-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005	
LF-8	30-Dec-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005	
LF-8	09-Jun-93	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005	
LF-8	06-Jan-94	<0.003	<0.003	<0.003	<0.03	<0.05	<0.003	<0.003	<0.003	<0.003	<0.003	<0.05	<0.003	<0.003	<0.003	<0.003	<0.005	<0.005	
LF-8	27-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	
LF-8	08-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	
LF-8	15-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	
LF-8	21-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	
LF-8	13-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	
LF-8	21-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0012	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-pentane	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-6	Sealed August 2, 1990															
LF-7	01-Jun-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-7	06-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-7	19-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-7	08-Aug-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-7	20-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-7	06-Aug-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-7	17-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-7	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-7	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-7	06-Jan-94	<0.003	na	<0.003	<0.003	na	na	na	<0.03	na	<0.005	<0.005	<0.005	na	na	na
LF-7	27-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
DUP	27-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-7	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	05-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-8	19-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-8	08-Aug-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-8	21-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-8	20-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-8	17-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-8	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-8	30-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-8	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-8	06-Jan-94	<0.003	na	<0.003	<0.003	na	na	na	<0.03	na	<0.005	<0.005	<0.005	na	na	na
LF-8	27-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-8	08-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-6	Sealed August 2, 1990						
LF-7	01-Jun-89	na	na	0.008	na	na	na
LF-7	06-Dec-89	na	na	<0.002	na	na	na
LF-7	19-Jul-90	na	na	na	na	na	na
LF-7	08-Aug-90	na	na	<0.002	na	na	na
LF-7	20-Jun-91	na	na	na	na	na	na
LF-7	06-Aug-91	na	na	0.005	na	na	na
LF-7	17-Dec-91	na	na	na	na	na	na
LF-7	09-Jul-92	na	na	<0.01	na	na	na
DUP	09-Jul-92	na	na	<0.01	na	na	na
LF-7	09-Jun-93	na	na	<0.01	na	na	na
DUP	09-Jun-93	na	na	<0.01	na	na	na
LF-7	06-Jan-94	na	na	na	<0.003	na	na
LF-7	27-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
DUP	27-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-7	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	05-Dec-89	na	na	0.06	na	na	na
LF-8	19-Jul-90	na	na	na	na	na	na
LF-8	08-Aug-90	na	na	<0.002	na	na	na
LF-8	21-Dec-90	na	na	<0.002	na	na	na
LF-8	20-Jun-91	na	na	<0.013	na	na	na
LF-8	17-Dec-91	na	na	na	na	na	na
LF-8	09-Jul-92	na	na	<0.01	na	na	na
LF-8	30-Dec-92	na	na	na	na	na	na
LF-8	09-Jun-93	na	na	<0.01	na	na	na
LF-8	06-Jan-94	na	na	na	<0.003	na	na
LF-8	27-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-8	08-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-8	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	0.0012	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-9	05-Dec-89	<0.001	<0.001	na	<0.001	<0.01	<0.001	0.005	na	na	0.022	<0.02	<0.001	0.003	na	<0.001	na	<0.001
LF-9	19-Jul-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	0.004	na	na	0.011	<0.02	<0.001	<0.001	na	<0.001	na	0.002
LF-9	21-Dec-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-9	21-Jun-91	<0.005	<0.005	na	<0.01	<0.02	<0.005	0.006	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-9	16-Dec-91	<0.005	<0.005	na	<0.010	<0.020	<0.005	<0.005	na	na	0.009	<0.020	<0.005	<0.005	na	<0.005	na	<0.005
LF-9	09-Jul-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-9	30-Dec-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	0.005	na	na	0.007	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-9	09-Jun-93	<0.005	<0.005	na	<0.01	<0.02	0.005	0.005	na	na	<0.005	<0.02	<0.005	0.005	na	<0.005	na	<0.005
LF-9	Destroyed or lost during slurry wall and cap construction activities																	
LF-10	05-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-10	07-Dec-89	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-10	19-Jul-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
DUP	19-Jul-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-10	19-Dec-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
DUP	19-Dec-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-10	21-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	21-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-10	21-Jun-91	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-10	18-Dec-91	<0.005	<0.005	na	<0.010	<0.020	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.005	na	<0.005	na	<0.005
DUP	18-Dec-91	<0.005	<0.005	na	<0.010	<0.020	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.005	na	<0.005	na	<0.005
LF-10	09-Jul-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-10	31-Dec-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
DUP	31-Dec-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-10	09-Jun-93	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-10	06-Jan-94	<0.003	<0.003	<0.003	<0.03	<0.05	<0.003	<0.003	<0.003	<0.003	<0.003	<0.05	<0.003	<0.003	<0.003	<0.003	<0.005	<0.005
DUP	06-Jan-94	<0.003	<0.003	<0.003	<0.03	<0.05	<0.003	<0.003	<0.003	<0.003	<0.003	<0.05	<0.003	<0.003	<0.003	<0.003	<0.005	<0.005
LF-10	27-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	0.011	<0.001	<0.001	0.0022	0.0017	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	0.0062
LF-10	15-Jan-99	<0.001	<0.001	<0.001	<0.005	0.035	<0.001	<0.001	<0.001	0.0009 J11	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	0.0006 J11	<0.001
LF-11	05-Dec-89	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	0.002	na	<0.001	na	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-8	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-9	05-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-9	19-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-9	21-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-9	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-9	16-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-9	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-9	30-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-9	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-9	Destroyed or lost during slurry wall and cap construction activities															
LF-10	05-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-10	07-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-10	19-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	19-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-10	19-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	19-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-10	21-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	21-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-10	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-10	18-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	18-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-10	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-10	31-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	31-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-10	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-10	06-Jan-94	<0.003	na	<0.003	<0.003	na	na	na	<0.03	na	<0.005	<0.005	<0.005	na	na	na
DUP	06-Jan-94	<0.003	na	<0.003	<0.003	na	na	na	<0.03	na	<0.005	<0.005	<0.005	na	na	na
LF-10	27-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-10	15-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-11	05-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-8	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-9	05-Dec-89	na	na	<0.002	na	na	na
LF-9	19-Jul-90	na	na	<0.002	na	na	na
LF-9	21-Dec-90	na	na	<0.002	na	na	na
LF-9	21-Jun-91	na	na	<0.01	na	na	na
LF-9	16-Dec-91	na	na	na	na	na	na
LF-9	09-Jul-92	na	na	<0.01	na	na	na
LF-9	30-Dec-92	na	na	na	na	na	na
LF-9	09-Jun-93	na	na	<0.01	na	na	na
LF-9	Destroyed or lost during slurry wall and cap construction activities						
LF-10	05-Dec-89	na	na	0.14	na	na	na
LF-10	07-Dec-89	na	na	na	na	na	na
LF-10	19-Jul-90	na	na	<0.002	na	na	na
DUP	19-Jul-90	na	na	na	na	na	na
LF-10	19-Dec-90	na	na	na	na	na	na
DUP	19-Dec-90	na	na	na	na	na	na
LF-10	21-Dec-90	na	na	<0.002	na	na	na
DUP	21-Dec-90	na	na	<0.002	na	na	na
LF-10	21-Jun-91	na	na	<0.01	na	na	na
LF-10	18-Dec-91	na	na	na	na	na	na
DUP	18-Dec-91	na	na	na	na	na	na
LF-10	09-Jul-92	na	na	<0.01	na	na	na
LF-10	31-Dec-92	na	na	na	na	na	na
DUP	31-Dec-92	na	na	na	na	na	na
LF-10	09-Jun-93	na	na	<0.01	na	na	na
LF-10	06-Jan-94	na	na	na	<0.003	na	na
DUP	06-Jan-94	na	na	na	<0.003	na	na
LF-10	27-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-10	15-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0007 J11
LF-11	05-Dec-89	na	na	<0.002	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
DUP	05-Dec-89	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.023	na	<0.001	na	<0.001
LF-11	19-Jul-90	<0.001	<0.001	na	<0.001	0.015	<0.001	<0.001	na	na	<0.001	<0.02	0.001	<0.001	na	<0.001	na	<0.001
LF-11	08-Aug-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-11	21-Dec-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-11	21-Jun-91	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
DUP	21-Jun-91	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-11	17-Dec-91	<0.005	<0.005	na	<0.010	<0.020	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.005	na	<0.005	na	<0.005
LF-11	09-Jul-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-11	31-Dec-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-11	09-Jun-93	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-11	05-Jan-94	<0.003	<0.003	<0.003	<0.03	<0.05	<0.003	<0.003	<0.003	<0.003	<0.003	<0.05	<0.003	<0.003	<0.003	<0.003	<0.005	<0.005
LF-11	16-Apr-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-11	31-Jul-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-11	20-Nov-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-11	18-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
DUP	18-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-11	11-Jun-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-11	19-Aug-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
DUP	19-Aug-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-11	17-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	0.024
LF-11	02-Mar-98	<0.001	<0.001	<0.001	<0.02	<0.02	0.0085	<0.001	<0.001	<0.001	0.14	<0.02	<0.001	0.31 J1	<0.001	0.0014	<0.002	0.513 J1
LF-11	10-Apr-98	<0.01	<0.01	<0.01	<0.05	<0.05	<0.01	<0.01	<0.01	<0.01	0.1	<0.05	<0.01	<0.01	<0.01	<0.01	<0.01	0.47
DUP	10-Apr-98	<0.005	<0.005	<0.005	<0.025	<0.025	0.0078	<0.005	<0.005	<0.005	0.1	<0.025	<0.005	<0.005	<0.005	<0.005	<0.005	0.47
LF-11	16-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-11	23-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-11	14-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-11	22-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	22-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-11	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-12	06-Dec-89	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	0.005	na	<0.001	na	<0.001
LF-12	18-Jul-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	0.001	<0.001	na	0.002	na	<0.001
LF-12	19-Dec-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	0.002	<0.001	na	0.003	na	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
DUP	05-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-11	19-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-11	08-Aug-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-11	21-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-11	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-11	17-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-11	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-11	31-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-11	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-11	05-Jan-94	<0.003	na	<0.003	<0.003	na	na	<0.03	na	<0.005	<0.005	<0.005	na	na	na	na
LF-11	16-Apr-96	<0.005	<0.01	<0.005	<0.005	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na	na
LF-11	31-Jul-96	<0.005	na	<0.005	<0.005	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na	na
LF-11	20-Nov-96	<0.005	na	<0.005	<0.005	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na	na
LF-11	18-Mar-97	<0.005	na	<0.005	<0.005	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na	na
DUP	18-Mar-97	<0.005	na	<0.005	<0.005	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na	na
LF-11	11-Jun-97	<0.005	na	<0.005	<0.005	na	na	<0.05	na	0.016	<0.01	<0.01	na	na	na	na
LF-11	19-Aug-97	<0.005	na	<0.005	<0.005	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na	na
DUP	19-Aug-97	<0.005	na	<0.005	<0.005	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na	na
LF-11	17-Dec-97	<0.005	na	<0.005	<0.005	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na	na
LF-11	02-Mar-98	<0.001	<0.001	<0.001	<0.001	<0.001	0.0025	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	0.0028	<0.001
LF-11	10-Apr-98	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
DUP	10-Apr-98	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.025	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
LF-11	16-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-11	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-11	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-11	22-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	22-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-11	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-12	06-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-12	18-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-12	19-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
DUP	05-Dec-89	na	na	na	na	na	na
LF-11	19-Jul-90	na	na	na	na	na	na
LF-11	08-Aug-90	na	na	<0.002	na	na	na
LF-11	21-Dec-90	na	na	<0.002	na	na	na
LF-11	21-Jun-91	na	na	<0.01	na	na	na
DUP	21-Jun-91	na	na	<0.01	na	na	na
LF-11	17-Dec-91	na	na	na	na	na	na
LF-11	09-Jul-92	na	na	<0.01	na	na	na
LF-11	31-Dec-92	na	na	na	na	na	na
LF-11	09-Jun-93	na	na	<0.01	na	na	na
LF-11	05-Jan-94	na	na	na	<0.003	na	na
LF-11	16-Apr-96	na	na	<0.01	<0.005	na	na
LF-11	31-Jul-96	na	na	na	<0.005	na	na
LF-11	20-Nov-96	na	na	na	<0.005	na	na
LF-11	18-Mar-97	na	na	na	<0.005	na	na
DUP	18-Mar-97	na	na	na	<0.005	na	na
LF-11	11-Jun-97	na	na	na	<0.005	na	na
LF-11	19-Aug-97	na	na	na	<0.005	na	na
DUP	19-Aug-97	na	na	na	<0.005	na	na
LF-11	17-Dec-97	na	na	na	<0.005	na	na
LF-11	02-Mar-98	<0.001	0.0012	<0.005	<0.001	<0.001	<0.001
LF-11	10-Apr-98	na	<0.01	<0.01	<0.01	<0.01	<0.01
DUP	10-Apr-98	na	<0.005	<0.005	<0.005	<0.005	<0.005
LF-11	16-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-11	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-11	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0005 J11
LF-11	22-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	22-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-11	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0007
LF-12	06-Dec-89	na	na	<0.002	na	na	na
LF-12	18-Jul-90	na	na	<0.002	na	na	na
LF-12	19-Dec-90	na	na	<0.002	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-12	19-Jun-91	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	0.002	na	<0.005
LF-12	16-Dec-91	<0.005	<0.005	na	<0.010	<0.020	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.005	na	<0.005	na	<0.005
LF-12	08-Jul-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-12	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-12	30-Dec-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-12	08-Jun-93	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-12	06-Jan-94	<0.003	<0.003	<0.003	<0.03	<0.05	<0.003	<0.003	<0.003	<0.003	<0.003	<0.05	<0.003	<0.003	<0.003	<0.003	<0.005	<0.005
LF-12	16-Apr-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-12	30-Jul-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-12	20-Nov-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-12	17-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-12	01-Jul-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
DUP	01-Jul-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-12	20-Aug-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-12	18-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-12	26-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	0.0018	<0.001	<0.001	0.0017	<0.002	<0.002
LF-12	08-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	0.0022	<0.001	<0.001	0.0018	<0.001	<0.001
LF-12	14-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	0.0014	<0.001	<0.001	0.0015	<0.001	<0.001
LF-12	21-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	0.0013	<0.001	<0.001	0.0012	<0.001	<0.001
LF-12	12-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	0.0015	<0.001	<0.001	0.0014	<0.001	<0.001
LF-12	20-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	0.0017	<0.001	<0.001	0.0015	<0.001	<0.001
LF-12	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	0.0014	<0.0005	<0.0005	0.0011	<0.0005	<0.0005
LF-13	06-Dec-89	0.029	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	0.002	na	<0.001	na	<0.001
LF-13	18-Jul-90	0.056	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	0.001	0.002	na	<0.001	na	0.001
LF-13	19-Dec-90	0.042	0.002	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	0.002	<0.001	na	<0.001	na	<0.001
LF-13	19-Jun-91	0.032	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-13	16-Dec-91	0.018	<0.005	na	<0.010	<0.020	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.005	na	<0.005	na	<0.005
LF-13	08-Jul-92	0.010	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-13	30-Dec-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-13	08-Jun-93	0.008	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-13	05-Jan-94	0.004	<0.003	<0.003	<0.03	<0.05	<0.003	<0.003	<0.003	<0.003	<0.003	<0.05	<0.003	<0.003	<0.003	<0.003	<0.005	<0.005
LF-13	16-Apr-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-pentanone	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-12	19-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-12	16-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-12	08-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-12	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-12	30-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-12	08-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-12	06-Jan-94	<0.003	na	<0.003	<0.003	na	na	<0.03	na	<0.005	<0.005	<0.005	na	na	na	na
LF-12	16-Apr-96	<0.005	<0.01	<0.005	<0.005	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na	na
LF-12	30-Jul-96	<0.005	na	<0.005	<0.005	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na	na
LF-12	20-Nov-96	<0.005	na	<0.005	<0.005	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na	na
LF-12	17-Mar-97	<0.005	na	<0.005	<0.005	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na	na
LF-12	01-Jul-97	<0.005	na	<0.005	<0.005	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na	na
DUP	01-Jul-97	<0.005	na	<0.005	<0.005	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na	na
LF-12	20-Aug-97	<0.005	na	<0.005	<0.005	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na	na
LF-12	18-Dec-97	<0.005	na	<0.005	<0.005	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na	na
LF-12	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.002	<0.001	<0.001
LF-12	08-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-12	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-12	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-12	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-12	20-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-12	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-13	06-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-13	18-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-13	19-Dec-90	0.002	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-13	19-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-13	16-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-13	08-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-13	30-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-13	08-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-13	05-Jan-94	<0.003	na	<0.003	<0.003	na	na	<0.03	na	<0.005	<0.005	<0.005	na	na	na	na
LF-13	16-Apr-96	<0.005	<0.01	<0.005	<0.005	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-12	19-Jun-91	na	na	<0.012	na	na	na
LF-12	16-Dec-91	na	na	na	na	na	na
LF-12	08-Jul-92	na	na	na	na	na	na
LF-12	09-Jul-92	na	na	<0.01	na	na	na
LF-12	30-Dec-92	na	na	na	na	na	na
LF-12	08-Jun-93	na	na	<0.01	na	na	na
LF-12	06-Jan-94	na	na	na	<0.003	na	na
LF-12	16-Apr-96	na	na	<0.01	<0.005	na	na
LF-12	30-Jul-96	na	na	na	<0.005	na	na
LF-12	20-Nov-96	na	na	na	<0.005	na	na
LF-12	17-Mar-97	na	na	na	<0.005	na	na
LF-12	01-Jul-97	na	na	na	<0.005	na	na
DUP	01-Jul-97	na	na	na	<0.005	na	na
LF-12	20-Aug-97	na	na	na	<0.005	na	na
LF-12	18-Dec-97	na	na	na	<0.005	na	na
LF-12	26-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-12	08-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-12	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-12	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-12	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-12	20-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-12	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-13	06-Dec-89	na	na	<0.002	na	na	na
LF-13	18-Jul-90	na	na	<0.002	na	na	na
LF-13	19-Dec-90	na	na	<0.002	na	na	na
LF-13	19-Jun-91	na	na	<0.01	na	na	na
LF-13	16-Dec-91	na	na	na	na	na	na
LF-13	08-Jul-92	na	na	<0.01	na	na	na
LF-13	30-Dec-92	na	na	na	na	na	na
LF-13	08-Jun-93	na	na	<0.01	na	na	na
LF-13	05-Jan-94	na	na	na	<0.003	na	na
LF-13	16-Apr-96	na	na	<0.01	<0.005	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-13	30-Jul-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
DUP	30-Jul-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-13	20-Nov-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-13	17-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
DUP	17-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-13	12-Jun-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-13	19-Aug-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-13	18-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-13	25-Feb-98	0.0025	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	0.015	<0.002	<0.002
LF-13	07-Apr-98	0.0047	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	0.0061	<0.001	<0.001
DUP	07-Apr-98	0.0048	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	0.0085	<0.001	<0.001
LF-13	13-Jul-98	0.0047	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-13	19-Oct-98	0.0049 J2	<0.001 UJ2	<0.001 UJ2	<0.005 UJ2	<0.005 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.005 UJ2	0.001 J2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2
LF-13	11-Jan-99	0.0049	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	0.001 J11	<0.001	<0.001	<0.001	<0.001	<0.001
LF-13	19-Apr-99	0.0059	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	0.0009 J11	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	19-Apr-99	0.0057	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	0.001 J11	<0.001	<0.001	<0.001	<0.001	<0.001
LF-13	13-Jul-99	0.0007	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-14	04-Sep-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-14	20-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-14	21-Dec-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-14	20-Jun-91	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-14	17-Dec-91	<0.005	<0.005	na	<0.010	<0.020	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.005	na	<0.005	na	<0.005
LF-14	08-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-14	09-Jul-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-14	31-Dec-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-14	09-Jun-93	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-14	Destroyed during railway expansion activities																	
LF-15	04-Sep-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-15	20-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-15	21-Dec-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-15	20-Jun-91	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-15	17-Dec-91	<0.005	<0.005	na	<0.010	<0.020	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.005	na	<0.005	na	<0.005

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-pentanone	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-13	30-Jul-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
DUP	30-Jul-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-13	20-Nov-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-13	17-Mar-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
DUP	17-Mar-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-13	12-Jun-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-13	19-Aug-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-13	18-Dec-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-13	25-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-13	07-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	07-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-13	13-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-13	19-Oct-98	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.005 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2
LF-13	11-Jan-99	0.0005 J11	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-13	19-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	19-Apr-99	0.0006 J11	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-13	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-14	04-Sep-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-14	20-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-14	21-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-14	20-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-14	17-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-14	08-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-14	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-14	31-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-14	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-14	Destroyed during railway expansion activities															
LF-15	04-Sep-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-15	20-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-15	21-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-15	20-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-15	17-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-13	30-Jul-96	na	na	na	<0.005	na	na
DUP	30-Jul-96	na	na	na	<0.005	na	na
LF-13	20-Nov-96	na	na	na	<0.005	na	na
LF-13	17-Mar-97	na	na	na	<0.005	na	na
DUP	17-Mar-97	na	na	na	<0.005	na	na
LF-13	12-Jun-97	na	na	na	<0.005	na	na
LF-13	19-Aug-97	na	na	na	<0.005	na	na
LF-13	18-Dec-97	na	na	na	<0.005	na	na
LF-13	25-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-13	07-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	07-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-13	13-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-13	19-Oct-98	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2
LF-13	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-13	19-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	19-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-13	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-14	04-Sep-90	na	na	<0.002	na	na	na
LF-14	20-Dec-90	na	na	<0.002	na	na	na
LF-14	21-Dec-90	na	na	na	na	na	na
LF-14	20-Jun-91	na	na	<0.011	na	na	na
LF-14	17-Dec-91	na	na	na	na	na	na
LF-14	08-Jul-92	na	na	<0.01	na	na	na
LF-14	09-Jul-92	na	na	na	na	na	na
LF-14	31-Dec-92	na	na	na	na	na	na
LF-14	09-Jun-93	na	na	<0.01	na	na	na
LF-14	Destroyed during railway expansion activities						
LF-15	04-Sep-90	na	na	<0.002	na	na	na
LF-15	20-Dec-90	na	na	<0.002	na	na	na
LF-15	21-Dec-90	na	na	na	na	na	na
LF-15	20-Jun-91	na	na	<0.011	na	na	na
LF-15	17-Dec-91	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-15	08-Jul-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-15	30-Dec-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-15	09-Jun-93	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-15	Destroyed during railway expansion activities																	
LF-16	04-Sep-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-16	20-Dec-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-16	20-Jun-91	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-16	17-Dec-91	<0.005	<0.005	na	<0.010	<0.020	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.005	na	<0.005	na	<0.005
LF-16	09-Jul-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-16	30-Dec-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-16	09-Jun-93	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-16	Destroyed under permit																	
LF-17	02-Mar-98	<0.001	<0.001	<0.001	<0.02	<0.02	0.042	<0.001	<0.001	0.017	0.043	<0.02	<0.001	0.028	0.017	<0.001	0.012	0.054
LF-17	10-Apr-98	<0.01	<0.01	<0.01	<0.05	<0.05	0.052	<0.01	<0.01	0.032	0.048	<0.05	<0.01	<0.01	0.02	<0.01	0.016	0.076
LF-17	16-Jul-98	<0.01	<0.01	<0.01	<0.05	<0.05	0.048	<0.01	<0.01	0.024	0.054	<0.05	<0.01	0.12	0.015	<0.01	0.012	0.13
LF-17	23-Oct-98	<0.001	0.0014	<0.001	<0.005	<0.005	0.046	<0.001	<0.001	0.021	0.035	<0.005	<0.001	0.0042	0.016	<0.001	0.013	0.062
LF-17	15-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	0.058	<0.001	<0.001	0.015	0.042	<0.005	<0.001	0.0038	0.018	<0.001	0.011	0.0452
LF-17	22-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	0.061	<0.001	<0.001	0.013	0.045	<0.005	<0.001	0.0029	0.016	<0.001	0.0084	0.0794
LF-17	16-Jul-99	<0.001	<0.001	<0.001	<0.02	<0.02	0.049	<0.001	<0.001	0.0068	0.037	<0.02	<0.001	0.0024	0.014	<0.001	0.0023	0.0657
LF-18	11-Apr-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-18	30-Jul-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-18	20-Nov-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-18	19-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-18	11-Jun-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
DUP	11-Jun-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-18	19-Aug-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-18	17-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-18	27-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
LF-18	08-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-18	15-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	15-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-pentane	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-15	08-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-15	30-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-15	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-15	Destroyed during railway expansion activities															
LF-16	04-Sep-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-16	20-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-16	20-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-16	17-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-16	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-16	30-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-16	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-16	Destroyed under permit															
LF-17	02-Mar-98	<0.001	<0.001	<0.001	<0.001	<0.001	0.01	0.0017	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	0.0074	0.014
LF-17	10-Apr-98	<0.01	<0.01	<0.01	<0.01	<0.01	0.028	<0.01	<0.05	<0.01	<0.01	<0.01	<0.01	<0.01	0.016	<0.01
LF-17	16-Jul-98	<0.01	<0.01	<0.01	<0.01	<0.01	0.041	<0.01	<0.05	<0.01	<0.01	<0.01	<0.01	<0.01	0.024	0.051
LF-17	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	0.028	0.0029	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.016	0.023
LF-17	15-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.028	0.0024	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.016	0.023
LF-17	22-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.036	0.0032	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.021	0.028
LF-17	16-Jul-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.024	0.0022	<0.02	<0.001	<0.001	<0.002	<0.002	<0.002	0.013	0.024
LF-18	11-Apr-96	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-18	30-Jul-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-18	20-Nov-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-18	19-Mar-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-18	11-Jun-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
DUP	11-Jun-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-18	19-Aug-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-18	17-Dec-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-18	27-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-18	08-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-18	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-15	08-Jul-92	na	na	<0.01	na	na	na
LF-15	30-Dec-92	na	na	na	na	na	na
LF-15	09-Jun-93	na	na	<0.01	na	na	na
LF-15	Destroyed during railway expansion activities						
LF-16	04-Sep-90	na	na	<0.002	na	na	na
LF-16	20-Dec-90	na	na	<0.002	na	na	na
LF-16	20-Jun-91	na	na	<0.011	na	na	na
LF-16	17-Dec-91	na	na	na	na	na	na
LF-16	09-Jul-92	na	na	<0.01	na	na	na
LF-16	30-Dec-92	na	na	na	na	na	na
LF-16	09-Jun-93	na	na	<0.01	na	na	na
LF-16	Destroyed under permit						
LF-17	02-Mar-98	0.0037	0.0052	0.11	<0.001	0.0052	<0.001
LF-17	10-Apr-98	na	0.017	0.29	<0.01	<0.01	<0.01
LF-17	16-Jul-98	0.019	0.031	0.37	<0.01	0.016	<0.01
LF-17	23-Oct-98	0.011	0.021	0.38	<0.001	0.0084	<0.001
LF-17	15-Jan-99	0.0084	0.017	0.27	<0.001	0.0073	<0.001
LF-17	22-Apr-99	0.011	0.023	0.39	<0.001	0.0095	0.0006 J11
LF-17	16-Jul-99	0.0074	0.013	0.27	<0.001	0.0073	<0.001
LF-18	11-Apr-96	na	na	<0.01	<0.005	na	na
LF-18	30-Jul-96	na	na	na	<0.005	na	na
LF-18	20-Nov-96	na	na	na	<0.005	na	na
LF-18	19-Mar-97	na	na	na	<0.005	na	na
LF-18	11-Jun-97	na	na	na	<0.005	na	na
DUP	11-Jun-97	na	na	na	<0.005	na	na
LF-18	19-Aug-97	na	na	na	<0.005	na	na
LF-18	17-Dec-97	na	na	na	<0.005	na	na
LF-18	27-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-18	08-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-18	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-18	21-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-18	13-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-18	21-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	21-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-18	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-19	13-Jun-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-19	19-Aug-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	0.0006	na	na	na	<0.002
LF-19	27-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	0.0023	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
LF-19	08-Apr-98	<0.001	<0.001	<0.001	<0.005	0.0074	<0.001	0.0025	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	15-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0028	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	23-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0024	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	23-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0025	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	13-Jan-99	<0.001	<0.001	<0.001	<0.005	0.0066	<0.001	0.003	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	20-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.01 U5,6	<0.001	0.0033	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	0.0033	<0.0005	<0.0005	0.0006	<0.01	<0.0005	0.026	<0.0005	<0.0005	<0.0005	0.0022
LF-20	11-Apr-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-20	30-Jul-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-20	21-Nov-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-20	18-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-20	11-Jun-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-20	19-Aug-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-20	18-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-20	27-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	0.0041	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
LF-20	09-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0042	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	09-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.004	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	16-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0044	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	23-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0039	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	13-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0043	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	13-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0041	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	21-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0036	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	0.0039	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-pentane	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-18	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-18	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-18	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-18	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-19	13-Jun-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-19	19-Aug-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-19	27-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-19	08-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	20-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-20	11-Apr-96	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-20	30-Jul-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-20	21-Nov-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-20	18-Mar-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-20	11-Jun-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-20	19-Aug-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-20	18-Dec-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-20	27-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-20	09-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	09-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	16-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-18	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-18	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-18	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-18	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-19	13-Jun-97	na	na	na	<0.005	na	na
LF-19	19-Aug-97	na	na	na	na	na	na
LF-19	27-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-19	08-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	20-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-20	11-Apr-96	na	na	<0.01	<0.005	na	na
LF-20	30-Jul-96	na	na	na	<0.005	na	na
LF-20	21-Nov-96	na	na	na	<0.005	na	na
LF-20	18-Mar-97	na	na	na	<0.005	na	na
LF-20	11-Jun-97	na	na	na	<0.005	na	na
LF-20	19-Aug-97	na	na	na	<0.005	na	na
LF-20	18-Dec-97	na	na	na	<0.005	na	na
LF-20	27-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-20	09-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	09-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	16-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0005 J11
LF-20	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-21	10-Apr-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-21	31-Jul-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-21	21-Nov-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-21	18-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-21	11-Jun-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-21	19-Aug-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-21	17-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-21	02-Mar-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
DUP	02-Mar-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
LF-21	09-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	16-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	23-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	14-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	22-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
DUP	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-22	02-Mar-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	0.0049	<0.001	<0.02	<0.001	<0.001	<0.001	0.0049	<0.002	<0.002
LF-22	10-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0071	<0.001	<0.005	<0.001	<0.001	<0.001	0.0058	<0.001	<0.001
LF-22	15-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0041	<0.001	<0.005	0.0009 J11	<0.001	0.0013	0.01	<0.001	<0.001
LF-23	10-Apr-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
DUP	10-Apr-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-23	02-Aug-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-23	21-Nov-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-23	18-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	0.01	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-23	11-Jun-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-23	20-Aug-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-23	18-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-23	26-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
LF-23	08-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	0.002	<0.001	<0.001	<0.001	0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-21	10-Apr-96	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-21	31-Jul-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-21	21-Nov-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-21	18-Mar-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-21	11-Jun-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-21	19-Aug-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-21	17-Dec-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-21	02-Mar-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
DUP	02-Mar-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-21	09-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	16-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	22-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
DUP	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-22	02-Mar-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-22	10-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-22	15-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	10-Apr-96	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
DUP	10-Apr-96	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-23	02-Aug-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-23	21-Nov-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-23	18-Mar-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-23	11-Jun-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-23	20-Aug-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-23	18-Dec-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-23	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-23	08-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-21	10-Apr-96	na	na	<0.01	<0.005	na	na
LF-21	31-Jul-96	na	na	na	<0.005	na	na
LF-21	21-Nov-96	na	na	na	<0.005	na	na
LF-21	18-Mar-97	na	na	na	<0.005	na	na
LF-21	11-Jun-97	na	na	na	<0.005	na	na
LF-21	19-Aug-97	na	na	na	<0.005	na	na
LF-21	17-Dec-97	na	na	na	<0.005	na	na
LF-21	02-Mar-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
DUP	02-Mar-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-21	09-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	16-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	22-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
DUP	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-22	02-Mar-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-22	10-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-22	15-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	10-Apr-96	na	na	<0.01	<0.005	na	na
DUP	10-Apr-96	na	na	<0.01	<0.005	na	na
LF-23	02-Aug-96	na	na	na	<0.005	na	na
LF-23	21-Nov-96	na	na	na	<0.005	na	na
LF-23	18-Mar-97	na	na	na	<0.005	na	na
LF-23	11-Jun-97	na	na	na	<0.005	na	na
LF-23	20-Aug-97	na	na	na	<0.005	na	na
LF-23	18-Dec-97	na	na	na	<0.005	na	na
LF-23	26-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-23	08-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-23	15-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.0095 U5	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	21-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	12-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	21-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-24	11-Apr-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-24	02-Aug-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-24	21-Nov-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-24	18-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-24	11-Jun-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-24	20-Aug-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-24	18-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-24	26-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
LF-24	08-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	15-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	21-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	12-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	21-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-25	11-Apr-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-25	02-Aug-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-25	21-Nov-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-25	18-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-25	11-Jun-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-25	20-Aug-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-25	18-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-25	26-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
LF-25	08-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-25	15-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-25	21-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-25	12-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-pentanone	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-23	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-24	11-Apr-96	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-24	02-Aug-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-24	21-Nov-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-24	18-Mar-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-24	11-Jun-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-24	20-Aug-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-24	18-Dec-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-24	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-24	08-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-25	11-Apr-96	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-25	02-Aug-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-25	21-Nov-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-25	18-Mar-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-25	11-Jun-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-25	20-Aug-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-25	18-Dec-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-25	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-25	08-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-25	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-25	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-25	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-23	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-24	11-Apr-96	na	na	<0.01	<0.005	na	na
LF-24	02-Aug-96	na	na	na	<0.005	na	na
LF-24	21-Nov-96	na	na	na	<0.005	na	na
LF-24	18-Mar-97	na	na	na	<0.005	na	na
LF-24	11-Jun-97	na	na	na	<0.005	na	na
LF-24	20-Aug-97	na	na	na	<0.005	na	na
LF-24	18-Dec-97	na	na	na	<0.005	na	na
LF-24	26-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-24	08-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-25	11-Apr-96	na	na	<0.01	<0.005	na	na
LF-25	02-Aug-96	na	na	na	<0.005	na	na
LF-25	21-Nov-96	na	na	na	<0.005	na	na
LF-25	18-Mar-97	na	na	na	<0.005	na	na
LF-25	11-Jun-97	na	na	na	<0.005	na	na
LF-25	20-Aug-97	na	na	na	<0.005	na	na
LF-25	18-Dec-97	na	na	na	<0.005	na	na
LF-25	26-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-25	08-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-25	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-25	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-25	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-25	21-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-25	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-26	27-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	0.0036	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
LF-26	09-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.0056 U5	<0.001	0.0033	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	16-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0033	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	23-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0024	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	13-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0034	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	21-Apr-99	<0.001	<0.001	<0.001	<0.005	0.0062	<0.001	0.0031	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	0.0025	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-27	29-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-27	26-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	0.0022	<0.002	<0.002
LF-27	08-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	0.0021	<0.001	<0.001
LF-27	14-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	0.0019	<0.001	<0.001
LF-27	21-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	0.0017	<0.001	<0.001
LF-27	12-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	0.0006 J11	<0.001	<0.001	0.0018	<0.001	<0.001
LF-27	20-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	0.0007 J11	<0.001	<0.001	0.0019	<0.001	<0.001
LF-27	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	0.0006	<0.0005	<0.0005	0.0016	<0.0005	<0.0005
DUP	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	0.0006	<0.0005	<0.0005	0.0015	<0.0005	<0.0005
LF-28	29-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	0.029	<0.005	<0.1	<0.005	<0.005	0.011	0.005	<0.01	<0.01
LF-28	26-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	0.02	<0.001	<0.02	<0.001	<0.001	0.0066	0.0034	<0.002	<0.002
LF-28	08-Apr-98	<0.001	0.0018	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.029	<0.001	<0.005	<0.001	<0.001	0.0088	0.0061	<0.001	<0.001
LF-28	14-Jul-98	<0.001	0.0022	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.029	<0.001	<0.005	<0.001	<0.001	0.0097	0.0071	<0.001	<0.001
LF-28	21-Oct-98	<0.002	0.0037	<0.002	<0.01	<0.01	<0.002	<0.002	<0.002	0.041	<0.002	<0.01	<0.002	<0.002	0.015	0.013	<0.002	<0.002
LF-28	12-Jan-99	<0.001	0.0026	<0.001	<0.005	<0.005	0.0006 J11	<0.001	<0.001	0.029	<0.001	<0.005	<0.001	<0.001	0.011	0.0088	<0.001	<0.001
DUP	12-Jan-99	<0.001	0.0023	<0.001	<0.005	<0.005	0.0006 J11	<0.001	<0.001	0.027	<0.001	<0.005	<0.001	<0.001	0.011	0.0074	0.0005 J11	<0.001
LF-28	20-Apr-99	<0.001	0.0021	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.026	<0.001	<0.005	<0.001	<0.001	0.01	0.0059	0.0005 J11	<0.001
LF-28	14-Jul-99	<0.0005	0.003	<0.0005	<0.01	<0.01	0.0006	<0.0005	<0.0005	0.034	<0.0005	<0.01	<0.0005	<0.0005	0.014	0.0094	<0.0005	<0.0005
LF-29	29-Dec-97	<0.03	<0.03	0.21	<0.3	<0.5	<0.03	<0.03	<0.03	<0.03	<0.03	<0.5	<0.03	<0.03	<0.03	<0.03	<0.05	<0.05

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-pentane	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-25	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-25	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-26	27-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	0.0012	<0.001
LF-26	09-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001
LF-26	16-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	23-Oct-98	<0.001	<0.001	0.0011	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	13-Jan-99	<0.001	0.0006 J11	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.0006 J11	<0.001
LF-26	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-27	29-Dec-97	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-27	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-27	08-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-27	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-27	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-27	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-27	20-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-27	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
DUP	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-28	29-Dec-97	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-28	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-28	08-Apr-98	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-28	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-28	21-Oct-98	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.01	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
LF-28	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-28	20-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-28	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-29	29-Dec-97	<0.03	<0.01	<0.03	<0.03	na	na	na	<0.3	na	<0.05	<0.05	<0.05	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-25	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-25	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-26	27-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-26	09-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	16-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-27	29-Dec-97	na	na	<0.01	<0.005	na	na
LF-27	26-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-27	08-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-27	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-27	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-27	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-27	20-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-27	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
DUP	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-28	29-Dec-97	na	na	<0.01	<0.005	na	na
LF-28	26-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-28	08-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-28	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-28	21-Oct-98	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
LF-28	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-28	20-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-28	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-29	29-Dec-97	na	na	<0.01	<0.03	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-29	25-Feb-98	<0.002	0.013	0.17	<0.04	<0.04	0.016	<0.002	0.0039	<0.002	<0.002	<0.04	<0.002	<0.002	<0.002	0.011	<0.004	<0.004
LF-29	07-Apr-98	<0.01	0.015	0.19	<0.05	<0.05	0.019	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01	0.013	<0.01	<0.001
LF-29	14-Jul-98	<0.01	0.013	0.22	<0.05	<0.05	0.02	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01	0.012	<0.01	<0.01
LF-29	20-Oct-98	<0.005	0.012	0.19	<0.025	<0.025	0.018	<0.005	<0.005	<0.005	<0.005	<0.025	<0.005	<0.005	<0.005	0.0087	<0.005	<0.005
LF-29	11-Jan-99	<0.001	0.012	0.2	<0.005	<0.005	0.014	0.0009 J11	0.0029	0.0023	<0.001	<0.005	0.0006 J11	0.016	<0.001	0.012	0.0036	0.0021
LF-29	20-Apr-99	<0.001	0.01	0.16	<0.005	<0.005	0.016	0.0009 J11	0.003	0.0022	<0.001	<0.005	0.0006 J11	<0.001	<0.001	0.012	0.003	0.0015
DUP	20-Apr-99	<0.001	0.01	0.16	<0.005	<0.005	0.017	0.0009 J11	0.0031	0.0023	<0.001	<0.005	0.0006 J11	<0.001	<0.001	0.011	0.0027	0.002 J11
LF-29	13-Jul-99	<0.0005	0.012	0.17	<0.01	<0.01	0.02	0.0011	0.0029	0.0026	<0.0005	<0.01	0.0005	0.018	<0.0005	0.012	0.0037	0.0023
LF-30	30-Dec-97	<0.005	0.02	0.099	<0.05	<0.1	<0.005	<0.005	<0.005	0.01	<0.005	<0.1	<0.005	<0.005	<0.005	0.023	<0.01	<0.01
LF-30	25-Feb-98	<0.001	0.0016	0.019	<0.02	<0.02	<0.001	<0.001	<0.001	0.0015	<0.001	<0.02	<0.001	<0.001	<0.001	0.0092	<0.002	<0.002
DUP	25-Feb-98	<0.001	0.0026	0.023	<0.02	<0.02	<0.001	<0.001	<0.001	0.0017	<0.001	<0.02	<0.001	<0.001	<0.001	0.01	<0.002	<0.002
LF-30	07-Apr-98	<0.001	0.0076	0.037	<0.005	<0.005	<0.001	<0.001	<0.001	0.0051	<0.001	<0.005	<0.001	<0.001	<0.001	0.012	0.0021	<0.001
LF-30	14-Jul-98	<0.002	0.0055	0.034	<0.01	<0.01	<0.002	<0.002	<0.002	0.005	<0.002	<0.01	<0.002	<0.002	<0.002	0.011	<0.002	<0.002
LF-30	20-Oct-98	<0.001	0.005	0.034	<0.005	<0.005	<0.001	<0.001	<0.001	0.0035	<0.001	<0.005	<0.001	<0.001	<0.001	0.0097	0.0015	<0.001
LF-30	11-Jan-99	<0.001	0.0095	0.053	<0.005	<0.005	0.001 J11	<0.001	<0.001	0.0056	<0.001	<0.005	<0.001	0.004	<0.001	0.015	0.0034	<0.001
LF-30	20-Apr-99	<0.001	0.0033	0.021	<0.005	<0.005	<0.001	<0.001	<0.001	0.003	<0.001	<0.005	<0.001	<0.001	<0.001	0.0092	0.0011	<0.001
LF-30	13-Jul-99	<0.0005	0.0094	0.048	<0.01	<0.01	0.0011	<0.0005	<0.0005	0.006	<0.0005	<0.01	<0.0005	0.0051	<0.0005	0.018	0.0023	<0.0005
LF-31	02-Jun-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.0005	<0.001	<0.001	0.0058	<0.001	<0.005	<0.001	<0.001	0.0022	<0.001	0.0006	<0.001
LF-31	13-Jul-99	<0.0005	0.0007	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.0054	<0.0005	<0.01	<0.0005	<0.0005	0.0024	0.0006	0.0006	<0.0005
LF-32	22-Jun-99	<0.0005	0.0098	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.0018	<0.0005	<0.01	0.0009	<0.0005	<0.0005	0.0069	<0.0005	<0.0005
LF-32	16-Jul-99	<0.0005	0.0091	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.0018	<0.0005	<0.01	0.001	<0.0005	<0.0005	0.0067	<0.0005	<0.0005
LF-33	22-Jun-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	0.0005	<0.0013 U5,6	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
DUP	22-Jun-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	0.0005	<0.0009 U5,6	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-33	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	0.0005	0.0006	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-34	22-Jun-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.014	<0.0005	<0.01	<0.0005	<0.0005	0.0056	0.0005	<0.0005	<0.0005
LF-34	13-Jul-99	<0.0005	0.0007	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.015	<0.0005	<0.01	<0.0005	<0.0005	0.0059	0.0008	<0.0005	<0.0005

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-pentane	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-29	25-Feb-98	<0.002	<0.002	<0.002	<0.002	0.019	<0.002	<0.002	<0.002	<0.002	<0.002	<0.004	<0.004	<0.004	<0.002	<0.002
LF-29	07-Apr-98	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
LF-29	14-Jul-98	<0.01	<0.01	<0.01	<0.01	0.021	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
LF-29	20-Oct-98	<0.005	<0.005	<0.005	<0.005	0.013	<0.005	<0.005	<0.025	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
LF-29	11-Jan-99	<0.001	<0.001	<0.001	<0.001	0.017	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.0007 J11	<0.001
LF-29	20-Apr-99	0.0005 J11	<0.001	<0.001	<0.001	0.014	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.0008 J11	<0.001
DUP	20-Apr-99	<0.001	<0.001	<0.001	<0.001	0.016	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.0008 J11	<0.001
LF-29	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	0.016	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	0.0008	<0.0005
LF-30	30-Dec-97	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-30	25-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
DUP	25-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-30	07-Apr-98	0.0013	<0.001	<0.001	<0.001	0.0025	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	0.0041	<0.001	<0.001
LF-30	14-Jul-98	<0.002	<0.002	<0.002	<0.002	0.0022	<0.002	<0.002	<0.01	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
LF-30	20-Oct-98	0.001	<0.001	<0.001	<0.001	0.0017	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	0.0038	<0.001	<0.001
LF-30	11-Jan-99	0.0014	<0.001	<0.001	<0.001	0.0033	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	0.0054	<0.001	<0.001
LF-30	20-Apr-99	0.0008 J11	<0.001	<0.001	<0.001	0.0018	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-30	13-Jul-99	0.0014	<0.0005	<0.0005	<0.0005	0.0033	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-31	02-Jun-99	<0.0005	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-31	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-32	22-Jun-99	<0.0005	<0.0095	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-32	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-33	22-Jun-99	<0.0005	<0.0094	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
DUP	22-Jun-99	<0.0005	<0.0095	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-33	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-34	22-Jun-99	<0.0005	<0.0095	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-34	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-29	25-Feb-98	<0.002	<0.002	<0.01	<0.002	<0.002	0.008
LF-29	07-Apr-98	na	<0.01	<0.01	<0.01	<0.01	<0.01
LF-29	14-Jul-98	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
LF-29	20-Oct-98	<0.005	<0.005	<0.005	<0.005	<0.005	0.0074
LF-29	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0081
LF-29	20-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0089
DUP	20-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0085
LF-29	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0084
LF-30	30-Dec-97	na	na	<0.01	<0.005	na	na
LF-30	25-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
DUP	25-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-30	07-Apr-98	na	<0.001	<0.001	<0.001	<0.001	0.0011
LF-30	14-Jul-98	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
LF-30	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-30	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0015
LF-30	20-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0008 J11
LF-30	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0016
LF-31	02-Jun-99	<0.001	<0.001	<0.01	<0.001	<0.001	<0.001
LF-31	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-32	22-Jun-99	<0.0005	<0.0005	<0.0095	<0.0005	<0.0005	<0.0005
LF-32	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-33	22-Jun-99	<0.0005	<0.0005	<0.0094	<0.0005	<0.0005	<0.0005
DUP	22-Jun-99	<0.0005	<0.0005	<0.0095	<0.0005	<0.0005	<0.0005
LF-33	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-34	22-Jun-99	<0.0005	<0.0005	<0.0095	<0.0005	<0.0005	<0.0005
LF-34	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-B1 (a)	07-Dec-89	<0.001	0.051	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-B1 (a)	18-Jul-90	<0.001	0.17	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	0.001	<0.002	na	<0.001	na	<0.001
LF-B1 (a)	20-Dec-90	<0.001	0.13	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-B1 (a)	20-Jun-91	<0.005	0.18	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B1 (a)	16-Dec-91	<0.005	0.160	na	<0.010	<0.020	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.005	na	<0.005	na	<0.005
LF-B1 (a)	08-Jul-92	<0.005	0.150	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B1 (a)	30-Dec-92	<0.005	0.140	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B1 (a)	08-Jun-93	<0.005	0.160	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B1	Destroyed under permit																	
LF-B2	06-Dec-89	<0.001	0.007	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	0.013
LF-B2	18-Jul-90	<0.001	0.007	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	0.002	na	<0.001	na	<0.001
DUP	18-Jul-90	<0.001	0.007	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	0.002	na	<0.001	na	<0.001
LF-B2	19-Dec-90	<0.001	0.004	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	0.002	<0.001	na	<0.001	na	<0.001
LF-B2	20-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B2	20-Jun-91	<0.005	0.150	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B2	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B2	16-Dec-91	<0.005	<0.005	na	<0.010	<0.020	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.005	na	<0.005	na	<0.005
LF-B2	08-Jul-92	<0.005	0.006	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B2	08-Jun-93	<0.005	0.006	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B2	Destroyed or lost during slurry wall and cap construction activities																	
LF-B3	07-Dec-89	<0.001	0.1	na	0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
DUP	07-Dec-89	<0.001	0.073	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-B3	18-Jul-90	<0.001	0.086	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	0.002	na	<0.001	na	<0.001
LF-B3	20-Dec-90	<0.001	0.084	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-B3	19-Jun-91	<0.005	0.11	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B3	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B3	16-Dec-91	<0.005	0.087	na	<0.010	0.026	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.005	na	<0.005	na	<0.005
LF-B3	08-Jul-92	<0.005	0.110	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B3	30-Dec-92	<0.005	0.110	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B3	08-Jun-93	<0.005	0.110	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B3	05-Jan-94	<0.003	0.099	<0.003	<0.03	<0.05	<0.003	<0.003	<0.003	<0.003	<0.003	<0.05	<0.003	<0.003	<0.003	<0.003	<0.005	<0.005

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-pentane	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-B1 (a)	07-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B1 (a)	18-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B1 (a)	20-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B1 (a)	20-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B1 (a)	16-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B1 (a)	08-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B1 (a)	30-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B1 (a)	08-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B1	Destroyed under permit															
LF-B2	06-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B2	18-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	18-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B2	19-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B2	20-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B2	20-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B2	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B2	16-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B2	08-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B2	08-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B2	Destroyed or lost during slurry wall and cap construction activities															
LF-B3	07-Dec-89	na	na	na	na	na	na	na	0.001	na	na	na	na	na	na	na
DUP	07-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B3	18-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B3	20-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B3	19-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B3	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B3	16-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B3	08-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B3	30-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B3	08-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B3	05-Jan-94	<0.003	na	<0.003	<0.003	na	na	na	<0.03	na	<0.005	<0.005	<0.005	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-B1 (a)	07-Dec-89	na	na	<0.002	na	na	na
LF-B1 (a)	18-Jul-90	na	na	<0.002	na	na	na
LF-B1 (a)	20-Dec-90	na	na	<0.002	na	na	na
LF-B1 (a)	20-Jun-91	na	na	<0.011	na	na	na
LF-B1 (a)	16-Dec-91	na	na	na	na	na	na
LF-B1 (a)	08-Jul-92	na	na	<0.01	na	na	na
LF-B1 (a)	30-Dec-92	na	na	na	na	na	na
LF-B1 (a)	08-Jun-93	na	na	<0.01	na	na	na
LF-B1	Destroyed under permit						
LF-B2	06-Dec-89	na	na	<0.002	na	na	na
LF-B2	18-Jul-90	na	na	<0.002	na	na	na
DUP	18-Jul-90	na	na	<0.002	na	na	na
LF-B2	19-Dec-90	na	na	na	na	na	na
LF-B2	20-Dec-90	na	na	<0.002	na	na	na
LF-B2	20-Jun-91	na	na	na	na	na	na
LF-B2	21-Jun-91	na	na	<0.011	na	na	na
LF-B2	16-Dec-91	na	na	na	na	na	na
LF-B2	08-Jul-92	na	na	<0.01	na	na	na
LF-B2	08-Jun-93	na	na	<0.01	na	na	na
LF-B2	Destroyed or lost during slurry wall and cap construction activities						
LF-B3	07-Dec-89	na	na	<0.002	0.001	na	na
DUP	07-Dec-89	na	na	na	na	na	na
LF-B3	18-Jul-90	na	na	<0.002	na	na	na
LF-B3	20-Dec-90	na	na	<0.002	na	na	na
LF-B3	19-Jun-91	na	na	na	na	na	na
LF-B3	21-Jun-91	na	na	<0.011	na	na	na
LF-B3	16-Dec-91	na	na	na	na	na	na
LF-B3	08-Jul-92	na	na	<0.01	na	na	na
LF-B3	30-Dec-92	na	na	na	na	na	na
LF-B3	08-Jun-93	na	na	<0.01	na	na	na
LF-B3	05-Jan-94	na	na	na	<0.003	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-B3	16-Apr-96	<0.005	0.013	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B3	01-Aug-96	<0.005	0.022	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B3	21-Nov-96	<0.005	0.036	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
DUP	21-Nov-96	<0.005	0.021	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B3	17-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B3	12-Jun-97	<0.005	0.034	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B3	20-Aug-97	<0.005	0.032	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B3	17-Dec-97	<0.005	0.018	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B3	27-Feb-98	<0.001	0.022	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
LF-B3	08-Apr-98	<0.001	0.0059	<0.001	<0.005	0.014	<0.001	<0.001	<0.001	<0.001	<0.001	0.0057	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	15-Jul-98	<0.001	0.019	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	21-Oct-98	<0.001	0.017	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	13-Jan-99	<0.001	0.018	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	22-Apr-99	<0.001	0.014	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	15-Jul-99	<0.0005	0.014	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-B4	18-Jul-90	<0.001	0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	0.002	na	<0.001	na	<0.001
LF-B4	19-Dec-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	0.002	na	<0.001	na	<0.001
LF-B4	19-Jun-91	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B4	17-Dec-91	<0.005	<0.005	na	<0.010	<0.020	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.050	na	<0.005	na	<0.005
LF-B4	08-Jul-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B4	30-Dec-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B4	08-Jun-93	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B4	05-Jan-94	<0.003	<0.003	<0.003	<0.03	<0.05	<0.003	<0.003	<0.003	<0.003	<0.003	<0.05	<0.003	<0.003	<0.003	0.012	<0.005	<0.005
LF-B4	16-Apr-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B4	30-Jul-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B4	22-Nov-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	0.01	<0.005	<0.005	<0.01	<0.01
DUP	22-Nov-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B4	17-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B4	01-Jul-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B4	20-Aug-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B4	18-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B4	25-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-pentanone	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-B3	16-Apr-96	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B3	01-Aug-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B3	21-Nov-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
DUP	21-Nov-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B3	17-Mar-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B3	12-Jun-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B3	20-Aug-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B3	17-Dec-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B3	27-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-B3	08-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	22-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-B4	18-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B4	19-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B4	19-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B4	17-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B4	08-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B4	30-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B4	08-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B4	05-Jan-94	<0.003	na	<0.003	<0.003	na	na	na	<0.03	na	<0.005	<0.005	<0.005	na	na	na
LF-B4	16-Apr-96	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B4	30-Jul-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B4	22-Nov-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
DUP	22-Nov-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B4	17-Mar-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B4	01-Jul-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B4	20-Aug-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B4	18-Dec-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B4	25-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-B3	16-Apr-96	na	na	<0.01	<0.005	na	na
LF-B3	01-Aug-96	na	na	na	<0.005	na	na
LF-B3	21-Nov-96	na	na	na	<0.005	na	na
DUP	21-Nov-96	na	na	na	<0.005	na	na
LF-B3	17-Mar-97	na	na	na	<0.005	na	na
LF-B3	12-Jun-97	na	na	na	<0.005	na	na
LF-B3	20-Aug-97	na	na	na	<0.005	na	na
LF-B3	17-Dec-97	na	na	na	<0.005	na	na
LF-B3	27-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-B3	08-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	22-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-B4	18-Jul-90	na	na	<0.002	na	na	na
LF-B4	19-Dec-90	na	na	<0.002	na	na	na
LF-B4	19-Jun-91	na	na	<0.01	na	na	na
LF-B4	17-Dec-91	na	na	na	na	na	na
LF-B4	08-Jul-92	na	na	<0.01	na	na	na
LF-B4	30-Dec-92	na	na	na	na	na	na
LF-B4	08-Jun-93	na	na	<0.01	na	na	na
LF-B4	05-Jan-94	na	na	na	<0.003	na	na
LF-B4	16-Apr-96	na	na	<0.01	<0.005	na	na
LF-B4	30-Jul-96	na	na	na	<0.005	na	na
LF-B4	22-Nov-96	na	na	na	<0.005	na	na
DUP	22-Nov-96	na	na	na	<0.005	na	na
LF-B4	17-Mar-97	na	na	na	<0.005	na	na
LF-B4	01-Jul-97	na	na	na	<0.005	na	na
LF-B4	20-Aug-97	na	na	na	<0.005	na	na
LF-B4	18-Dec-97	na	na	na	<0.005	na	na
LF-B4	25-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-B4	07-Apr-98	<0.001	0.0012	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B4	15-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B4	19-Oct-98	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.005 UJ2	<0.005 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.005 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2
LF-B4	11-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B4	20-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B4	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-B5 (b)	09-Apr-96	<0.05	0.28	<0.05	<0.5	<1	<0.05	<0.05	<0.05	<0.05	<0.05	<1	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1
LF-B5 (b)	01-Aug-96	<0.03	0.38	<0.03	<0.3	<0.5	<0.03	<0.03	<0.03	<0.03	<0.03	<0.5	<0.03	<0.03	<0.03	<0.03	<0.05	<0.05
LF-B5 (b)	22-Nov-96	<0.03	0.32	<0.03	<0.3	<0.5	<0.03	<0.03	<0.03	<0.03	<0.03	<0.5	<0.03	<0.03	<0.03	<0.03	<0.05	<0.05
LF-B5 (b)	17-Mar-97	<0.03	0.29	<0.03	<0.3	<0.5	<0.03	<0.03	<0.03	<0.03	<0.03	<0.5	<0.03	<0.03	<0.03	<0.03	<0.05	<0.05
LF-B5 (b)	12-Jun-97	<0.03	0.31	<0.03	<0.3	<0.5	<0.03	<0.03	<0.03	<0.03	<0.03	<0.5	<0.03	<0.03	<0.03	<0.03	<0.05	<0.05
LF-B5 (b)	20-Aug-97	<0.05	0.38	<0.05	<0.5	<1	<0.05	<0.05	<0.05	<0.05	<0.05	<1	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1
LF-B5 (b)	17-Dec-97	<0.05	0.34	<0.05	<0.5	<1	<0.05	<0.05	<0.05	<0.05	<0.05	<1	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1
LF-B5 (b)	27-Feb-98	<0.001	0.24	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	0.0048	<0.001	<0.02	<0.001	<0.001	0.0023	0.009	<0.002	<0.002
LF-B5 (b)	09-Apr-98	<0.01	0.34	<0.01	<0.05	<0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.001
LF-B5 (b)	16-Jul-98	<0.012	0.28	<0.012	<0.062	<0.062	<0.012	<0.012	<0.012	<0.012	<0.012	<0.062	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012
DUP	16-Jul-98	<0.012	0.27	<0.012	<0.062	<0.062	<0.012	<0.012	<0.012	<0.012	<0.012	<0.062	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012
LF-B5 (b)	23-Oct-98	<0.0025	0.24	<0.0025	<0.012	0.03	<0.0025	<0.0025	<0.0025	0.003	<0.0025	<0.012	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
LF-B5 (b)	13-Jan-99	<0.002	0.3	<0.002	<0.01	<0.01	<0.002	<0.002	<0.002	0.003	<0.002	<0.01	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
LF-B5 (b)	21-Apr-99	<0.001	0.31	0.0009 J11	<0.005	<0.005	<0.001	<0.001	<0.001	0.003	<0.001	<0.005	<0.001	<0.001	<0.001	0.0009 J11	<0.001	<0.001
LF-B5 (b)	15-Jul-99	<0.001	0.26	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	0.0025	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B6	09-Apr-96	<0.1	<0.1	<0.1	<1	<2	<0.1	<0.1	<0.1	<0.1	0.29	<2	<0.1	0.29	<0.1	<0.1	<0.2	0.97
LF-B6	01-Aug-96	<0.005	0.03	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	0.11	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B6	25-Nov-96	<0.005	0.046	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
DUP	25-Nov-96	<0.005	0.047	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B6	17-Mar-97	<0.005	0.025	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B6	12-Jun-97	<0.005	0.041	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B6	19-Aug-97	<0.005	0.07	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B6	18-Dec-97	<0.005	0.067	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B6	27-Feb-98	<0.001	0.059	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
LF-B6	08-Apr-98	<0.005	0.072	<0.005	<0.025	<0.025	<0.005	<0.005	<0.005	<0.005	<0.005	<0.025	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-pentane	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-B4	07-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B4	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B4	19-Oct-98	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.005 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2
LF-B4	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B4	20-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B4	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-B5 (b)	09-Apr-96	<0.05	<0.01	<0.05	<0.05	na	na	na	<0.5	na	<0.1	<0.1	<0.1	na	na	na
LF-B5 (b)	01-Aug-96	<0.03	na	<0.03	<0.03	na	na	na	<0.3	na	<0.05	<0.05	<0.05	na	na	na
LF-B5 (b)	22-Nov-96	<0.03	na	<0.03	<0.03	na	na	na	<0.3	na	<0.05	<0.05	<0.05	na	na	na
LF-B5 (b)	17-Mar-97	<0.03	na	<0.03	<0.03	na	na	na	<0.3	na	<0.05	<0.05	<0.05	na	na	na
LF-B5 (b)	12-Jun-97	<0.03	na	<0.03	<0.03	na	na	na	<0.3	na	<0.05	<0.05	<0.05	na	na	na
LF-B5 (b)	20-Aug-97	<0.05	na	<0.05	<0.05	na	na	na	<0.5	na	<0.1	<0.1	<0.1	na	na	na
LF-B5 (b)	17-Dec-97	<0.05	na	<0.05	<0.05	na	na	na	<0.5	na	<0.1	<0.1	<0.1	na	na	na
LF-B5 (b)	27-Feb-98	<0.001	<0.001	<0.001	<0.001	0.0018	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-B5 (b)	09-Apr-98	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
LF-B5 (b)	16-Jul-98	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012	<0.062	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012
DUP	16-Jul-98	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012	<0.062	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012
LF-B5 (b)	23-Oct-98	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.012	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
LF-B5 (b)	13-Jan-99	<0.002	<0.002	<0.002	<0.002	0.0032	<0.002	<0.002	<0.01	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
LF-B5 (b)	21-Apr-99	<0.001	<0.001	<0.001	<0.001	0.0036	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B5 (b)	15-Jul-99	<0.001	<0.001	<0.001	<0.001	0.0039	<0.001	<0.001	<0.02	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-B6	09-Apr-96	<0.1	<0.01	<0.1	<0.1	na	na	na	<1	na	<0.2	<0.2	<0.2	na	na	na
LF-B6	01-Aug-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B6	25-Nov-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
DUP	25-Nov-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B6	17-Mar-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B6	12-Jun-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B6	19-Aug-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B6	18-Dec-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B6	27-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-B6	08-Apr-98	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.025	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-B4	07-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B4	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B4	19-Oct-98	<0.001 UJ2	<0.001 UJ2	0.002 J2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2
LF-B4	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B4	20-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B4	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-B5 (b)	09-Apr-96	na	na	<0.01	<0.05	na	na
LF-B5 (b)	01-Aug-96	na	na	na	<0.03	na	na
LF-B5 (b)	22-Nov-96	na	na	na	<0.03	na	na
LF-B5 (b)	17-Mar-97	na	na	na	<0.03	na	na
LF-B5 (b)	12-Jun-97	na	na	na	<0.03	na	na
LF-B5 (b)	20-Aug-97	na	na	na	<0.05	na	na
LF-B5 (b)	17-Dec-97	na	na	na	<0.05	na	na
LF-B5 (b)	27-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-B5 (b)	09-Apr-98	na	<0.01	<0.01	<0.01	<0.01	<0.01
LF-B5 (b)	16-Jul-98	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012
DUP	16-Jul-98	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012
LF-B5 (b)	23-Oct-98	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
LF-B5 (b)	13-Jan-99	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
LF-B5 (b)	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B5 (b)	15-Jul-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B6	09-Apr-96	na	na	0.01	<0.1	na	na
LF-B6	01-Aug-96	na	na	na	<0.005	na	na
LF-B6	25-Nov-96	na	na	na	<0.005	na	na
DUP	25-Nov-96	na	na	na	<0.005	na	na
LF-B6	17-Mar-97	na	na	na	<0.005	na	na
LF-B6	12-Jun-97	na	na	na	<0.005	na	na
LF-B6	19-Aug-97	na	na	na	<0.005	na	na
LF-B6	18-Dec-97	na	na	na	<0.005	na	na
LF-B6	27-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-B6	08-Apr-98	na	<0.005	<0.005	<0.005	<0.005	<0.005

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-B6	15-Jul-98	<0.0025	0.064	<0.0025	<0.012	<0.012	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.012	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
LF-B6	19-Oct-98	<0.05 UJ2	<0.083 UJ2,	<0.05 UJ2	<0.25 UJ2	<0.35 UJ2,	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.25 UJ2	<0.05 UJ2	<0.09 UJ2,	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2
LF-B6	13-Jan-99	<0.001	0.085	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B6	21-Apr-99	<0.001	0.084	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B6	14-Jul-99	<0.0005	0.079	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
EX-1	18-Apr-96	<0.005	<0.005	<0.005	<0.05	<0.1	0.0011	<0.005	<0.005	<0.005	0.006	<0.1	<0.005	0.0009	<0.005	<0.005	<0.01	0.02
EX-1	01-Aug-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	0.027	<0.005	<0.005	<0.01	0.019
EX-1	18-Dec-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	0.031	<0.1	<0.005	0.87	<0.005	<0.005	<0.01	1.4
EX-1	15-Apr-97	<0.5	<0.5	<0.5	<5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	3.2	<0.5	<0.5	<1	2.2
EX-1	01-Jul-97	<0.1	<0.1	<0.1	<1	<2	<0.1	<0.1	<0.1	<0.1	0.1	<2	<0.1	2	<0.1	<0.1	<0.2	1.8
EX-1	22-Sep-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	0.21
EX-1	18-Dec-97	<0.03	<0.03	<0.03	<0.3	<0.5	<0.03	<0.03	<0.03	<0.03	0.22	<0.5	<0.03	0.2	<0.03	<0.03	<0.05	0.74
EX-1	27-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	0.0023	0.002	<0.001	0.0012	0.11	<0.02	<0.001	0.0039	<0.001	<0.001	<0.002	0.248
EX-1	09-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.011
EX-1	17-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0022	<0.001	<0.001	0.0017	<0.005	<0.001	0.0051	<0.001	<0.001	<0.001	0.015
EX-1	23-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0018	<0.001	<0.001	0.0026	<0.005	<0.001	0.0038	<0.001	<0.001	<0.001	0.014
EX-1	14-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0017	<0.001	<0.001	0.001 J11	<0.005	<0.001	0.0042	<0.001	<0.001	<0.001	0.0063
EX-1	23-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0008 J11	<0.001	<0.001	0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-1	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	0.0008	<0.0005	<0.0005	0.0039	<0.01	<0.0005	0.0059	<0.0005	<0.0005	<0.0005	0.033
EX-2	18-Apr-96	<3	<3	<3	<30	<50	0.11	<3	<3	<3	8	<50	<3	24	<3	<3	<5	7.7
EX-2	01-Aug-96	<0.5	<0.5	<0.5	<5	<10	<0.5	<0.5	<0.5	<0.5	0.65	<10	<0.5	6.6	<0.5	<0.5	<1	3.7
EX-2	18-Dec-96	<1	<1	<1	<10	<20	<1	<1	<1	<1	2.5	<20	<1	23	<1	<1	<2	12
EX-2	15-Apr-97	<3	<3	<3	<30	<50	<3	<3	<3	<3	<3	<50	<3	26	<3	<3	<5	10
EX-2	01-Jul-97	<1	<1	<1	<10	<30	<1	<1	<1	<1	2	<30	<1	27	<1	<1	<3	10
EX-2	22-Sep-97	<1	<1	<1	<10	<30	<1	<1	<1	<1	1.8	<30	<1	21	<1	8.2	<3	8.4
EX-2	22-Dec-97	<0.5	<0.5	<0.5	<5	<10	<0.5	<0.5	<0.5	<0.5	1.6	<10	<0.5	8.3	<0.5	<0.5	<1	6.6
EX-2	02-Mar-98	<0.1	<0.1	<0.1	<2	<2	<0.1	<0.1	<0.1	<0.1	1.1	<2	<0.1	7.7	<0.1	<0.1	<0.2	4.8
EX-2	09-Apr-98	<0.05	<0.05	<0.05	<0.25	<0.25	<0.05	<0.05	<0.05	<0.05	0.52	<0.25	<0.05	8.1	<0.05	<0.05	<0.05	4
EX-2	17-Jul-98	<0.25	<0.25	<0.25	<1.2	<1.2	<0.25	<0.25	<0.25	<0.25	<0.25	<1.2	<0.25	4.2	<0.25	<0.25	<0.25	4.4
EX-2	23-Oct-98	<0.0025	<0.0025	<0.0025	<0.012	<0.012	0.0032	<0.0025	<0.0025	<0.0025	0.031	<0.012	<0.0025	0.13	<0.0025	<0.0025	<0.0025	0.24
EX-2	14-Jan-99	<0.1	<0.1	<0.1	<0.5	<0.5	0.059 J11	<0.1	<0.1	<0.1	1.2	<0.5	<0.1	11	<0.1	<0.1	<0.1	6.4

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-pentane	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-B6	15-Jul-98	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.012	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
LF-B6	19-Oct-98	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.25 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2
LF-B6	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B6	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B6	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
EX-1	18-Apr-96	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
EX-1	01-Aug-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
EX-1	18-Dec-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
EX-1	15-Apr-97	<0.5	na	<0.5	<0.5	na	na	na	<5	na	<1	<1	<1	na	na	na
EX-1	01-Jul-97	<0.1	na	<0.1	<0.1	na	na	na	<1	na	<0.2	<0.2	<0.2	na	na	na
EX-1	22-Sep-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
EX-1	18-Dec-97	<0.03	na	<0.03	<0.03	na	na	na	<0.3	na	<0.05	<0.05	<0.05	na	na	na
EX-1	27-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	0.039	0.016	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	0.0066	<0.001
EX-1	09-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	0.0012	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-1	17-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	0.0022	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-1	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	0.0029	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-1	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0009 J11	<0.001	<0.005	<0.001	0.0026	<0.001	<0.001	<0.001	<0.001	<0.001
EX-1	23-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	0.0011	<0.001	<0.001	<0.001	<0.001	<0.001
EX-1	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0065	0.0033	<0.01	<0.0005	0.013	<0.001	<0.001	<0.001	<0.0005	<0.0005
EX-2	18-Apr-96	<3	<0.1	<3	<3	na	na	na	<30	na	<5	<5	<5	na	na	na
EX-2	01-Aug-96	<0.5	na	<0.5	<0.5	na	na	na	<5	na	<1	<1	<1	na	na	na
EX-2	18-Dec-96	<1	na	<1	<1	na	na	na	<10	na	<2	<2	<2	na	na	na
EX-2	15-Apr-97	<3	na	<3	<3	na	na	na	<30	na	<5	<5	<5	na	na	na
EX-2	01-Jul-97	<1	na	<1	<1	na	na	na	<10	na	<3	<3	<3	na	na	na
EX-2	22-Sep-97	<1	na	<1	<1	na	na	na	<10	na	<3	<3	<3	na	na	na
EX-2	22-Dec-97	<0.5	na	<0.5	<0.5	na	na	na	<5	na	<1	<1	<1	na	na	na
EX-2	02-Mar-98	<0.1	<0.1	<0.1	<0.1	<0.1	0.51	0.14	<0.1	<0.1	<0.1	<0.2	<0.2	<0.2	<0.1	<0.1
EX-2	09-Apr-98	<0.05	<0.05	<0.05	<0.05	<0.05	0.38	0.14	<0.25	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
EX-2	17-Jul-98	<0.25	<0.25	<0.25	<0.25	<0.25	0.39	<0.25	<1.2	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
EX-2	23-Oct-98	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	0.022	0.013	<0.012	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
EX-2	14-Jan-99	<0.1	<0.1	<0.1	<0.1	<0.1	0.62	0.19	<0.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-B6	15-Jul-98	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
LF-B6	19-Oct-98	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2
LF-B6	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B6	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B6	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
EX-1	18-Apr-96	na	na	<0.01	<0.005	na	na
EX-1	01-Aug-96	na	na	na	<0.005	na	na
EX-1	18-Dec-96	na	na	na	<0.005	na	na
EX-1	15-Apr-97	na	na	na	<0.5	na	na
EX-1	01-Jul-97	na	na	na	<0.1	na	na
EX-1	22-Sep-97	na	na	na	<0.005	na	na
EX-1	18-Dec-97	na	na	na	<0.03	na	na
EX-1	27-Feb-98	<0.001	0.005	0.0068	<0.001	0.0011	<0.001
EX-1	09-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
EX-1	17-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	0.001
EX-1	23-Oct-98	<0.001	<0.001	0.008	<0.001	<0.001	<0.001
EX-1	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0006 J11
EX-1	23-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-1	16-Jul-99	<0.0005	<0.0005	0.001	<0.0005	<0.0005	<0.0005
EX-2	18-Apr-96	na	na	<0.1	<3	na	na
EX-2	01-Aug-96	na	na	na	<0.5	na	na
EX-2	18-Dec-96	na	na	na	<1	na	na
EX-2	15-Apr-97	na	na	na	<3	na	na
EX-2	01-Jul-97	na	na	na	<1	na	na
EX-2	22-Sep-97	na	na	na	<1	na	na
EX-2	22-Dec-97	na	na	na	<0.5	na	na
EX-2	02-Mar-98	<0.1	<0.1	<0.5	<0.1	<0.1	<0.1
EX-2	09-Apr-98	na	<0.05	<0.05	<0.05	<0.05	<0.05
EX-2	17-Jul-98	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
EX-2	23-Oct-98	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	0.0025
EX-2	14-Jan-99	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
EX-2	23-Apr-99	<0.013	<0.013	<0.013	<0.063	<0.068 U6	0.0069 J11	<0.013	<0.013	0.0081 J11	0.17	<0.063	<0.013	1.6	<0.013	<0.013	<0.013	2.61
EX-2	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.0011	0.0071	<0.01	<0.0005	0.0098	<0.0005	<0.0005	<0.0005	0.059
EX-3	18-Apr-96	<0.3	<0.3	<0.3	<3	<5	0.0009	<0.3	<0.3	<0.3	<0.3	<5	<0.3	<0.3	<0.3	<0.3	<0.5	<0.5
EX-3	01-Aug-96	<0.005	0.006	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
EX-3	18-Dec-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
EX-3	15-Apr-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
EX-3	01-Jul-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
EX-3	22-Sep-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	0.009	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
EX-3	19-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	0.017	<0.1	<0.005	0.05	<0.005	<0.005	<0.01	0.073
EX-3	02-Mar-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	0.0017	<0.001	<0.02	<0.001	<0.001	<0.001	0.0015	<0.002	<0.002
EX-3	09-Apr-98	<0.001	0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0015	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.0011
EX-3	17-Jul-98	<0.001	0.0023	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0031	<0.001	<0.005	<0.001	<0.001	0.0015	0.0017	<0.001	<0.001
EX-3	22-Oct-98	<0.001	0.0042	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0048	<0.001	<0.005	<0.001	<0.001	0.0028	0.0016	<0.001	<0.001
DUP	22-Oct-98	<0.001	0.004	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0043	<0.001	<0.005	<0.001	<0.001	0.0024	0.0014	<0.001	<0.001
EX-3	14-Jan-99	<0.001	0.0086	<0.001	<0.005	<0.005	<0.001	0.001	<0.001	0.004	<0.001	<0.005	<0.001	0.002	0.0024	0.0018	<0.001	<0.001
EX-3	23-Apr-99	<0.001	0.017	<0.001	<0.005	<0.005	0.0007 J11	0.0009 J11	<0.001	0.0037	0.0009 J11	<0.005	<0.001	0.0019	0.0023	0.0014	<0.001	0.0045 J11
EX-3	16-Jul-99	<0.0005	0.039	<0.0005	<0.01	<0.01	<0.0005	0.0007	<0.0005	0.0037	<0.0005	<0.01	<0.0005	0.008	0.0021	0.0014	<0.0005	0.0049
EX-4	11-Sep-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-4	22-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-4	14-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0006 J11	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	14-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0006 J11	<0.001	<0.001	<0.001	<0.005	<0.001	0.0022	<0.001	<0.001	<0.001	<0.001
EX-4	23-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0006 J11	<0.001	<0.001	<0.001	<0.005	<0.001	0.0008 J11	<0.001	<0.001	<0.001	0.0019 J11
EX-4	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	0.0073	<0.01	<0.0005	0.033	<0.0005	<0.0005	<0.0005	0.087
EX-5	11-Sep-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.003	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-5	22-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0024	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-5	14-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	0.0052	0.0019	<0.001	0.0009 J11	0.0022	<0.005	<0.001	0.0007 J11	<0.001	<0.001	<0.001	0.0043
EX-5	23-Apr-99	<0.0063	<0.0063	<0.0063	<0.031	<0.031	0.033	<0.0063	<0.0063	0.0067	0.25	<0.031	<0.0063	0.99	<0.0063	<0.0063	<0.0063	1.36
EX-5	19-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	0.0015	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0181

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-pentanone	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
EX-2	23-Apr-99	<0.013	<0.013	<0.013	<0.013	<0.013	0.42	0.14	<0.063	<0.013	<0.013	<0.013	<0.013	<0.013	0.01 J11	<0.013
EX-2	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0058	0.0041	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
EX-3	18-Apr-96	<0.3	<0.01	<0.3	<0.3	na	na	na	<3	na	<0.5	<0.5	<0.5	na	na	na
EX-3	01-Aug-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
EX-3	18-Dec-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
EX-3	15-Apr-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
EX-3	01-Jul-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
EX-3	22-Sep-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
EX-3	19-Dec-97	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
EX-3	02-Mar-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
EX-3	09-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-3	17-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-3	22-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	22-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-3	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	0.003	<0.001	<0.001	<0.001	<0.001	<0.001
EX-3	23-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0006 J11	<0.001	<0.005	<0.001	0.0021	<0.001	<0.001	<0.001	<0.001	<0.001
EX-3	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	0.0006	0.0009	<0.0005	<0.01	<0.0005	0.0018	<0.001	<0.001	<0.001	<0.0005	<0.0005
EX-4	11-Sep-98	<0.001	<0.01 UJ3	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-4	22-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-4	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-4	23-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-4	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.01	0.0035	<0.01	<0.0005	0.032	<0.001	<0.001	<0.001	<0.0005	<0.0005
EX-5	11-Sep-98	<0.001	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-5	22-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-5	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0033	0.0007 J11	<0.005	<0.001	0.16	<0.001	<0.001	<0.001	<0.001	<0.001
EX-5	23-Apr-99	<0.0063	<0.0063	<0.0063	<0.0063	<0.0063	0.076	0.023	<0.031	<0.0063	<0.0063	<0.0063	<0.0063	<0.0063	0.0054 J11	<0.0063
EX-5	19-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0008	0.0011	<0.01	<0.0005	0.15	<0.001	<0.001	<0.001	<0.0005	<0.0005

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naphthalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
EX-2	23-Apr-99	<0.013	0.011 J11	0.011 J11	<0.013	<0.013	<0.013
EX-2	15-Jul-99	<0.0005	<0.0005	0.0006	<0.0005	<0.0005	<0.0005
EX-3	18-Apr-96	na	na	<0.01	<0.3	na	na
EX-3	01-Aug-96	na	na	na	<0.005	na	na
EX-3	18-Dec-96	na	na	na	<0.005	na	na
EX-3	15-Apr-97	na	na	na	<0.005	na	na
EX-3	01-Jul-97	na	na	na	<0.005	na	na
EX-3	22-Sep-97	na	na	na	<0.005	na	na
EX-3	19-Dec-97	na	na	na	<0.005	na	na
EX-3	02-Mar-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
EX-3	09-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
EX-3	17-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-3	22-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	22-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-3	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-3	23-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-3	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
EX-4	11-Sep-98	<0.001	<0.001	<0.01 UJ3	<0.001	<0.001	<0.001
EX-4	22-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-4	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0011
DUP	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.001 J11
EX-4	23-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.001 J11
EX-4	15-Jul-99	<0.0005	<0.0005	0.001	<0.0005	<0.0005	<0.0005
EX-5	11-Sep-98	<0.001	<0.001	0.0013	<0.001	<0.001	<0.001
EX-5	22-Oct-98	<0.001	<0.001	0.001	<0.001	<0.001	<0.001
EX-5	14-Jan-99	<0.001	<0.001	<0.001	0.0016	<0.001	<0.001
EX-5	23-Apr-99	<0.0063	0.0046 J11	0.018	<0.0063	<0.0063	<0.0063
EX-5	19-Jul-99	<0.0005	<0.0005	0.0011	<0.0005	<0.0005	<0.0005

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa- none	Acetone	Benzene	Chloro- benzene	Chloro- form	cis-1,2- DCE	Ethyl- benzene	Methyl Ethyl Ketone	PCE	Toluene	trans- 1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
EX-6	11-Sep-98	<0.1	<0.1	<0.1	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	0.92	<0.5	<0.1	0.14	<0.1	<0.1	<0.1	4.4
DUP	11-Sep-98	<0.1	<0.1	<0.1	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	0.93	<0.5	<0.1	<0.1	<0.1	<0.1	<0.1	4.5
EX-6	22-Oct-98	<0.012	<0.012	<0.012	<0.062	<0.062	0.046	<0.012	<0.012	<0.012	0.54	<0.062	<0.012	<0.012	<0.012	<0.012	<0.012	2.1
EX-6	15-Jan-99	<0.02	<0.02	<0.02	<0.1	<0.1	0.091	<0.02	<0.02	<0.02	1.6	<0.1	<0.02	0.93	<0.02	<0.02	<0.02	6.08
EX-6	23-Apr-99	<0.005	<0.005	<0.005	<0.025	<0.034 U6	0.0082	<0.005	<0.005	0.0026 J11	0.16	<0.025	<0.005	0.15	<0.005	<0.005	<0.005	1.45
DUP	23-Apr-99	<0.005	<0.005	<0.005	<0.025	<0.035 U6	0.0084	<0.005	<0.005	0.0026 J11	0.18	<0.025	<0.005	0.15	<0.005	<0.005	<0.005	1.55
EX-6	19-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.0011	<0.0005	<0.01	<0.0005	<0.0005	0.0008	<0.0005	<0.0005	0.0194
EX-7	11-Sep-98	<0.1	<0.1	<0.1	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	0.54	<0.5	<0.1	3.6	<0.1	<0.1	<0.1	2.7
EX-7	22-Oct-98	<0.005	0.0072	<0.005	<0.025	<0.025	0.0083	<0.005	<0.005	<0.005	0.091	<0.025	<0.005	0.47	<0.005	<0.005	<0.005	0.32
EX-7	14-Jan-99	<0.001	0.012	<0.001	0.011	1.6	0.028	<0.001	<0.001	0.0068	0.21	0.86	<0.001	2.2	0.0008 J11	0.0006 J11	0.0015	1.43
EX-7	23-Apr-99	<0.0063	<0.0063	<0.0063	<0.031	0.95	0.0086	<0.0063	<0.0063	0.0056 J11	0.072	<0.36 U6	<0.0063	0.7	<0.0063	<0.0063	<0.0063	0.66
EX-7	15-Jul-99	<0.0005	0.018	<0.0005	<0.01	0.029	0.0025	<0.0005	<0.0005	0.0031	0.0036	<0.01	<0.0005	0.034	0.0014	<0.0005	<0.0005	0.075
EX-8	11-Sep-98	<5	<5	<5	<25	110	<5	<5	<5	<5	<5	62	<5	49	<5	<5	<5	<5
EX-8	22-Oct-98	<1.2	<1.2	<1.2	<6.2	62	<1.2	<1.2	<1.2	<1.2	<1.2	40	<1.2	28	<1.2	<1.2	<1.2	2.2
EX-8	14-Jan-99	<0.13	<0.13	<0.13	<0.63	42	<0.13	<0.13	<0.13	<0.13	0.067 J11	19	<0.13	6.2	<0.13	<0.13	<0.13	0.56
EX-8	23-Apr-99	<1.3	<1.3	<1.3	<6.3	190	<1.3	<1.3	<1.3	<1.3	0.91 J11	85	<1.3	66	<1.3	<1.3	<1.3	4.52 J11
EX-8	19-Jul-99	<0.42	<0.42	<0.42	<8.3	130	<0.42	<0.42	<0.42	<0.42	<0.42	58	<0.42	22	<0.42	<0.42	<0.42	1.94
EX-9	11-Sep-98	<0.2	<0.2	<0.2	<1	1.6	<0.2	<0.2	<0.2	<0.2	0.34	1.2	<0.2	7.3	<0.2	<0.2	<0.2	1.6
EX-9	22-Oct-98	<0.025	0.18	<0.025	<0.12	0.64	<0.025	<0.025	<0.025	<0.025	0.14	0.56	<0.025	2.1	<0.025	<0.025	<0.025	0.57
EX-9	14-Jan-99	<0.025	0.24	<0.025	<0.13	0.53	<0.025	<0.025	<0.025	<0.025	0.059	0.37	<0.025	3.5	<0.025	<0.025	<0.025	0.85
EX-9	23-Apr-99	<0.033	0.18	<0.033	<0.17	<1.3 U6	<0.033	<0.033	<0.033	<0.033	0.043	<0.4 U6	<0.033	5.4	<0.033	<0.033	<0.033	3.24
EX-9	15-Jul-99	<0.01	0.15	<0.01	<0.2	0.53	<0.01	<0.01	<0.01	<0.01	0.36	0.35	<0.01	2.6	<0.01	0.014	<0.01	1.4
EX-10	11-Sep-98	<0.01	0.028	<0.01	<0.05	<0.05	<0.01	<0.01	<0.01	<0.01	0.041	<0.05	<0.01	0.15	<0.01	<0.01	<0.01	0.047
EX-10	22-Oct-98	<0.002	0.041	<0.002	<0.01	<0.01	<0.002	<0.002	<0.002	<0.002	0.049	<0.01	<0.002	0.13	<0.002	<0.002	<0.002	0.042
EX-10	14-Jan-99	<0.001	0.034	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0012	0.0015	<0.005	<0.001	0.0016	<0.001	0.0008 J11	<0.001	0.0034
EX-10	23-Apr-99	<0.001	0.0081	<0.001	<0.005	<0.005	0.0009 J11	<0.001	<0.001	0.002	0.0015	<0.005	<0.001	0.0005 J11	0.0012	<0.001	<0.001	0.012 J11
EX-10	15-Jul-99	<0.0005	0.015	<0.0005	<0.01	<0.01	0.0006	<0.0005	<0.0005	0.0013	<0.0005	<0.01	<0.0005	<0.0005	0.0008	<0.0005	<0.0005	<0.0005

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-pentanone	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
EX-6	11-Sep-98	<0.1	<0.1	<0.1	<0.1	<0.1	0.16	<0.1	<0.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
DUP	11-Sep-98	<0.1	<0.1	<0.1	<0.1	<0.1	0.15	<0.1	<0.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
EX-6	22-Oct-98	<0.012	<0.012	<0.012	<0.012	<0.012	0.1	0.039	<0.062	<0.012	<0.012	<0.012	<0.012	<0.012	0.024	<0.012
EX-6	15-Jan-99	<0.02	<0.02	<0.02	<0.02	<0.02	0.17	0.057	<0.1	<0.02	0.014 J11	<0.02	<0.02	<0.02	0.035	<0.02
EX-6	23-Apr-99	<0.005	<0.005	<0.005	<0.005	<0.005	0.046	0.018	<0.025	<0.005	<0.005	<0.005	<0.005	<0.005	0.0031 J11	<0.005
DUP	23-Apr-99	<0.005	<0.005	<0.005	<0.005	<0.005	0.046	0.019	<0.025	<0.005	<0.005	<0.005	<0.005	<0.005	0.0035 J11	<0.005
EX-6	19-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
EX-7	11-Sep-98	<0.1	<0.1	<0.1	<0.1	<0.1	0.25	<0.1	<0.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
EX-7	22-Oct-98	<0.005	<0.005	<0.005	<0.005	<0.005	0.031	0.0083	<0.025	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
EX-7	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.21	0.073	0.23	<0.001	0.0046	<0.001	<0.001	<0.001	0.0083	0.0008 J11
EX-7	23-Apr-99	<0.0063	<0.0063	<0.0063	<0.0063	<0.0063	0.13	0.048	0.2	<0.0063	<0.0063	<0.0063	<0.0063	<0.0063	<0.0063	<0.0063
EX-7	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0096	0.0072	0.011	<0.0005	0.016	<0.001	<0.001	<0.001	<0.0005	<0.0005
EX-8	11-Sep-98	<5	<5	<5	<5	<5	<5	<5	31	<5	<5	<5	<5	<5	<5	<5
EX-8	22-Oct-98	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	16	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
EX-8	14-Jan-99	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	6.9	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
EX-8	23-Apr-99	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	46	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3
EX-8	19-Jul-99	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	29	<0.42	<0.42	<0.83	<0.83	<0.83	<0.42	<0.42
EX-9	11-Sep-98	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<1	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
EX-9	22-Oct-98	<0.025	<0.025	<0.025	<0.025	<0.025	0.025	<0.025	0.13	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
EX-9	14-Jan-99	<0.025	<0.025	<0.025	<0.025	<0.025	0.025	<0.025	<0.13	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
EX-9	23-Apr-99	<0.033	<0.033	<0.033	<0.033	<0.033	0.18	0.051	0.19	<0.033	<0.033	<0.033	<0.033	<0.033	<0.033	<0.033
EX-9	15-Jul-99	<0.01	<0.01	<0.01	<0.01	<0.01	0.088	0.024	<0.2	<0.01	<0.01	<0.02	<0.02	<0.02	<0.01	<0.01
EX-10	11-Sep-98	<0.01	<0.01 UJ3	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01	<0.01	<0.01	0.016	<0.01
EX-10	22-Oct-98	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.01	<0.002	<0.002	<0.002	<0.002	<0.002	0.016	0.0043
EX-10	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	0.0006 J11	<0.001	<0.001	<0.001	0.0005 J11	<0.001
EX-10	23-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0026	0.0009 J11	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.0029	0.0016
EX-10	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
EX-6	11-Sep-98	<0.1	<0.1	0.012 J3	<0.1	<0.1	<0.1
DUP	11-Sep-98	<0.1	<0.1	0.013	<0.1	<0.1	<0.1
EX-6	22-Oct-98	<0.012	0.026	0.014	<0.012	<0.012	<0.012
EX-6	15-Jan-99	<0.02	0.04	0.021	<0.02	<0.02	<0.02
EX-6	23-Apr-99	<0.005	<0.005	0.014	<0.005	<0.005	<0.005
DUP	23-Apr-99	<0.005	0.0025 J11	0.015	<0.005	<0.005	<0.005
EX-6	19-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
EX-7	11-Sep-98	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
EX-7	22-Oct-98	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
EX-7	14-Jan-99	0.0015	0.0083	0.0092	<0.001	<0.001	<0.001
EX-7	23-Apr-99	<0.0063	<0.0063	0.0076	<0.0063	<0.0063	<0.0063
EX-7	15-Jul-99	<0.0005	<0.0005	0.0011	<0.0005	<0.0005	<0.0005
EX-8	11-Sep-98	<5	<5	<5	<5	<5	<5
EX-8	22-Oct-98	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
EX-8	14-Jan-99	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
EX-8	23-Apr-99	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3
EX-8	19-Jul-99	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42
EX-9	11-Sep-98	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
EX-9	22-Oct-98	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
EX-9	14-Jan-99	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
EX-9	23-Apr-99	<0.033	<0.033	<0.033	<0.033	<0.033	<0.033
EX-9	15-Jul-99	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
EX-10	11-Sep-98	<0.01	0.014	0.015	0.011	<0.01	<0.01
EX-10	22-Oct-98	0.005	0.017	0.017	<0.002	0.007	<0.002
EX-10	14-Jan-99	<0.001	<0.001	0.0006 J11	<0.001	0.0007 J11	0.0009 J11
EX-10	23-Apr-99	<0.001	0.0018	0.002	<0.001	0.0032	0.0016
EX-10	15-Jul-99	<0.0005	<0.0005	0.0005	<0.0005	0.0007	0.0009

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
EX-11	02-Jun-99	<0.004	0.0025 J11	<0.004	<0.02	0.71	0.0037	<0.004	<0.004	<0.004	0.034	0.2	<0.004	0.098	<0.004	<0.004	<0.002	0.13
EX-11	16-Jul-99	<0.0005	0.04	<0.0005	<0.01	<0.01	0.0028	<0.0005	<0.0005	<0.0005	0.013	0.015	<0.0005	0.0046	<0.0005	<0.0005	<0.0005	0.0189
EX-12	02-Jun-99	<0.001	0.0084	<0.001	<0.005	<0.005	<0.0005	<0.001	<0.001	0.0023	<0.001	<0.005	0.0015	<0.001	<0.001	0.011	<0.0005	<0.001
DUP	02-Jun-99	<0.001	0.0085	<0.001	<0.005	<0.005	<0.0005	<0.001	<0.001	0.0024	<0.001	<0.005	0.0015	<0.001	<0.001	0.011	<0.0005	<0.001
EX-12	13-Jul-99	<0.0005	0.044	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.005	<0.0005	<0.01	0.0009	<0.0005	0.0017	0.011	<0.0005	<0.0005
EX-13	02-Jun-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.0005	0.0033	<0.001	0.0007 J11	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.0005	<0.001
EX-13	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	0.0026	<0.0005	0.0007	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
RP-1	08-Sep-94	<0.005	0.002	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	0.003	<0.005	<0.1	<0.005	<0.005	0.001	<0.005	<0.01	<0.01
RP-1	28-Feb-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-1	29-Mar-95	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
RP-1	10-May-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-1	09-Aug-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-1	17-Nov-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	0.0008	na	na	na	<0.002
RP-1	10-Jan-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	0.001	<0.005	<0.005	<0.01	<0.01
RP-1	17-Apr-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
DUP	17-Apr-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-1	31-Jul-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-1	19-Nov-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-1	25-Mar-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-1	10-Jun-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-1	18-Aug-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-1	19-Dec-97	na	na	na	na	na	<0.0005	na	na	na	0.0006	na	na	0.0006	na	na	na	0.002
DUP	19-Dec-97	na	na	na	na	na	<0.0005	na	na	na	0.0011	na	na	0.001	na	na	na	0.003
RP-1	26-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	0.0013	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
DUP	26-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	0.0013	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
RP-1	07-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0018	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-1	14-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.002	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-1	20-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0022	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-1	12-Jan-99	<0.001	0.0008 J11	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0022	<0.001	<0.005	<0.001	<0.001	0.0008 J11	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-pentane	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
EX-11	02-Jun-99	<0.002	<0.0096	<0.004	<0.004	<0.004	0.018	0.0059	0.12	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004
EX-11	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.013	0.0034	0.2	<0.0005	0.16	<0.001	<0.001	<0.001	0.0005	<0.0005
EX-12	02-Jun-99	<0.0005	<0.0095	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	02-Jun-99	<0.0005	<0.0095	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-12	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.002	<0.0005	<0.01	<0.0005	0.016	<0.001	<0.001	<0.001	<0.0005	<0.0005
EX-13	02-Jun-99	<0.0005	<0.0097	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-13	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0005	<0.0005	<0.01	<0.0005	0.022	<0.001	<0.001	<0.001	<0.0005	<0.0005
RP-1	08-Sep-94	<0.005	<0.0005	<0.005	<0.005	na	na	na	<0.05	na	0.01	<0.01	<0.01	<0.0005	na	na
RP-1	28-Feb-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-1	29-Mar-95	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
RP-1	10-May-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-1	09-Aug-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-1	17-Nov-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-1	10-Jan-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
RP-1	17-Apr-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	17-Apr-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-1	31-Jul-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-1	19-Nov-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-1	25-Mar-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-1	10-Jun-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-1	18-Aug-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-1	19-Dec-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	19-Dec-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-1	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
DUP	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	0.0029	<0.002	<0.001	<0.001
RP-1	07-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-1	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-1	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-1	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
EX-11	02-Jun-99	<0.004	<0.004	<0.0096	<0.004	<0.004	<0.004
EX-11	16-Jul-99	<0.0005	0.0008	0.0027	0.0017	<0.0005	<0.0005
EX-12	02-Jun-99	<0.001	<0.001	<0.0095	<0.001	<0.001	<0.001
DUP	02-Jun-99	<0.001	<0.001	<0.0095	<0.001	<0.001	<0.001
EX-12	13-Jul-99	<0.0005	<0.0005	0.0007	0.0006	<0.0005	<0.0005
EX-13	02-Jun-99	<0.001	<0.001	<0.0097	<0.001	<0.001	<0.001
EX-13	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
RP-1	08-Sep-94	na	na	na	<0.005	na	na
RP-1	28-Feb-95	na	na	na	na	na	na
RP-1	29-Mar-95	na	na	na	<0.005	na	na
RP-1	10-May-95	na	na	na	na	na	na
RP-1	09-Aug-95	na	na	na	na	na	na
RP-1	17-Nov-95	na	na	na	na	na	na
RP-1	10-Jan-96	na	na	na	<0.005	na	na
RP-1	17-Apr-96	na	na	na	na	na	na
DUP	17-Apr-96	na	na	na	na	na	na
RP-1	31-Jul-96	na	na	na	na	na	na
RP-1	19-Nov-96	na	na	na	na	na	na
RP-1	25-Mar-97	na	na	na	na	na	na
RP-1	10-Jun-97	na	na	na	na	na	na
RP-1	18-Aug-97	na	na	na	na	na	na
RP-1	19-Dec-97	na	na	na	na	na	na
DUP	19-Dec-97	na	na	na	na	na	na
RP-1	26-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
DUP	26-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
RP-1	07-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
RP-1	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-1	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-1	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
RP-1	19-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0009 J11	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-1	16-Jul-99	<0.0005	0.0007	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.0012	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
RP-2	08-Sep-94	<0.005	0.001	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	0.001	<0.005	<0.1	<0.005	0.0005	<0.005	0.0006	<0.01	<0.01
DUP	08-Sep-94	<0.005	0.001	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	0.001	<0.005	<0.1	<0.005	<0.005	<0.005	0.0005	<0.01	<0.01
RP-2	28-Feb-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-2	29-Mar-95	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
RP-2	10-May-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-2	09-Aug-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-2	17-Nov-95	na	na	na	na	na	0.002	na	na	na	0.0009	na	na	0.003	na	na	na	0.004
RP-2	10-Jan-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
RP-2	17-Apr-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-2	31-Jul-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-2	19-Nov-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-2	25-Mar-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-2	10-Jun-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-2	18-Aug-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
DUP	18-Aug-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-2	19-Dec-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-2	26-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
RP-2	07-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0014	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	13-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0012	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	20-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	11-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0011	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	19-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0016	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.0006 J11
RP-2	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.0018	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
RP-3	08-Sep-94	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
RP-3	28-Feb-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	0.0007	na	na	na	<0.002
RP-3	29-Mar-95	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
RP-3	10-May-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-3	09-Aug-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	0.0009	na	na	na	0.0094
RP-3	17-Nov-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	0.001	na	na	na	0.005

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-pentane	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
RP-1	19-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-1	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
RP-2	08-Sep-94	<0.005	<0.0005	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	<0.0005	na	na
DUP	08-Sep-94	<0.005	<0.0005	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	<0.0005	na	na
RP-2	28-Feb-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-2	29-Mar-95	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	0.015	<0.01	<0.01	na	na	na
RP-2	10-May-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-2	09-Aug-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-2	17-Nov-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-2	10-Jan-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
RP-2	17-Apr-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-2	31-Jul-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-2	19-Nov-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-2	25-Mar-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-2	10-Jun-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-2	18-Aug-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	18-Aug-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-2	19-Dec-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-2	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
RP-2	07-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	13-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	19-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
RP-3	08-Sep-94	<0.005	<0.0005	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	<0.0005	na	na
RP-3	28-Feb-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-3	29-Mar-95	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
RP-3	10-May-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-3	09-Aug-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-3	17-Nov-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
RP-1	19-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-1	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
RP-2	08-Sep-94	na	na	na	<0.005	na	na
DUP	08-Sep-94	na	na	na	<0.005	na	na
RP-2	28-Feb-95	na	na	na	na	na	na
RP-2	29-Mar-95	na	na	na	<0.005	na	na
RP-2	10-May-95	na	na	na	na	na	na
RP-2	09-Aug-95	na	na	na	na	na	na
RP-2	17-Nov-95	na	na	na	na	na	na
RP-2	10-Jan-96	na	na	na	<0.005	na	na
RP-2	17-Apr-96	na	na	na	na	na	na
RP-2	31-Jul-96	na	na	na	na	na	na
RP-2	19-Nov-96	na	na	na	na	na	na
RP-2	25-Mar-97	na	na	na	na	na	na
RP-2	10-Jun-97	na	na	na	na	na	na
RP-2	18-Aug-97	na	na	na	na	na	na
DUP	18-Aug-97	na	na	na	na	na	na
RP-2	19-Dec-97	na	na	na	na	na	na
RP-2	26-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
RP-2	07-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	13-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	19-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
RP-3	08-Sep-94	na	na	na	<0.005	na	na
RP-3	28-Feb-95	na	na	na	na	na	na
RP-3	29-Mar-95	na	na	na	<0.005	na	na
RP-3	10-May-95	na	na	na	na	na	na
RP-3	09-Aug-95	na	na	na	na	na	na
RP-3	17-Nov-95	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
RP-3	10-Jan-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	0.0006	<0.005	<0.005	<0.01	0.003
RP-3	17-Apr-96	na	na	na	na	na	<0.0005	na	na	na	0.0006	na	na	<0.0005	na	na	na	0.008
RP-3	31-Jul-96	na	na	na	na	na	<0.0005	na	na	na	0.0005	na	na	0.0005	na	na	na	0.007
RP-3	19-Nov-96	na	na	na	na	na	<0.0005	na	na	na	0.0005	na	na	0.0005	na	na	na	0.003
RP-3	25-Mar-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	0.004
RP-3	10-Jun-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-3	18-Aug-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	0.0041
RP-3	19-Dec-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	0.0006	na	na	na	0.003
RP-3	25-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
RP-3	07-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	13-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	20-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	20-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	11-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	19-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
RP-4	08-Sep-94	<0.005	0.001	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	0.009	<0.005	<0.1	<0.005	<0.005	0.004	0.002	<0.01	<0.01
RP-4	28-Feb-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
DUP	28-Feb-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-4	29-Mar-95	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
RP-4	10-May-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
DUP	10-May-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-4	09-Aug-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
DUP	09-Aug-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-4	17-Nov-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
DUP	17-Nov-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-4	09-Jan-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	0.006	0.0005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
RP-4	17-Apr-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-4	31-Jul-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
DUP	31-Jul-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-4	19-Nov-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-4	25-Mar-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-pentane	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
RP-3	10-Jan-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
RP-3	17-Apr-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-3	31-Jul-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-3	19-Nov-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-3	25-Mar-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-3	10-Jun-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-3	18-Aug-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-3	19-Dec-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-3	25-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
RP-3	07-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	13-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	19-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	0.0007 J11	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
RP-4	08-Sep-94	<0.005	<0.0005	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	<0.0005	na	na
RP-4	28-Feb-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	28-Feb-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-4	29-Mar-95	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
RP-4	10-May-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	10-May-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-4	09-Aug-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	09-Aug-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-4	17-Nov-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	17-Nov-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-4	09-Jan-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
RP-4	17-Apr-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-4	31-Jul-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	31-Jul-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-4	19-Nov-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-4	25-Mar-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
RP-3	10-Jan-96	na	na	na	<0.005	na	na
RP-3	17-Apr-96	na	na	na	na	na	na
RP-3	31-Jul-96	na	na	na	na	na	na
RP-3	19-Nov-96	na	na	na	na	na	na
RP-3	25-Mar-97	na	na	na	na	na	na
RP-3	10-Jun-97	na	na	na	na	na	na
RP-3	18-Aug-97	na	na	na	na	na	na
RP-3	19-Dec-97	na	na	na	na	na	na
RP-3	25-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
RP-3	07-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	13-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	19-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
RP-4	08-Sep-94	na	na	na	<0.005	na	na
RP-4	28-Feb-95	na	na	na	na	na	na
DUP	28-Feb-95	na	na	na	na	na	na
RP-4	29-Mar-95	na	na	na	<0.005	na	na
RP-4	10-May-95	na	na	na	na	na	na
DUP	10-May-95	na	na	na	na	na	na
RP-4	09-Aug-95	na	na	na	na	na	na
DUP	09-Aug-95	na	na	na	na	na	na
RP-4	17-Nov-95	na	na	na	na	na	na
DUP	17-Nov-95	na	na	na	na	na	na
RP-4	09-Jan-96	na	na	na	<0.005	na	na
RP-4	17-Apr-96	na	na	na	na	na	na
RP-4	31-Jul-96	na	na	na	na	na	na
DUP	31-Jul-96	na	na	na	na	na	na
RP-4	19-Nov-96	na	na	na	na	na	na
RP-4	25-Mar-97	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
RP-4	10-Jun-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
DUP	10-Jun-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-4	18-Aug-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-4	19-Dec-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	0.0006	na	na	na	<0.002
RP-4	25-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	0.0055	<0.001	<0.02	<0.001	<0.001	0.0016	0.0011	<0.002	<0.002
RP-4	07-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0061	<0.001	<0.005	<0.001	<0.001	0.0015	0.0013	<0.001	<0.001
RP-4	13-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0067	<0.001	<0.005	<0.001	<0.001	0.0019	0.0014	<0.001	<0.001
DUP	13-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0064	<0.001	<0.005	<0.001	<0.001	0.0017	0.0013	<0.001	<0.001
RP-4	20-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0076	<0.001	<0.005	<0.001	<0.001	0.0023	0.0011	<0.001	<0.001
RP-4	11-Jan-99	<0.001	0.0007 J11	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0098	<0.001	<0.005	<0.001	<0.001	0.0033	0.0015	0.0006 J11	<0.001
RP-4	19-Apr-99	<0.001	0.0008 J11	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0094	<0.001	<0.005	<0.001	<0.001	0.003	0.0014	<0.001	<0.001
RP-4	13-Jul-99	<0.0005	0.0007	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.0095	<0.0005	<0.01	<0.0005	<0.0005	0.0032	0.0013	<0.0005	<0.0005
DUP	13-Jul-99	<0.0005	0.0007	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.0095	<0.0005	<0.01	<0.0005	<0.0005	0.0032	0.0013	<0.0005	<0.0005
RP-5	08-Sep-94	<0.005	0.0008	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	0.0005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
RP-5	28-Feb-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	0.0009	na	na	na	<0.002
RP-5	29-Mar-95	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
RP-5	10-May-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-5	09-Aug-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-5	17-Nov-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-5	09-Jan-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
DUP	09-Jan-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
RP-5	17-Apr-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-5	31-Jul-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-5	19-Nov-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
DUP	19-Nov-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-5	25-Mar-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
DUP	25-Mar-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-5	10-Jun-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-5	18-Aug-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	0.0006	na	na	na	<0.002
RP-5	19-Dec-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	0.0025	na	na	na	<0.002
RP-5	26-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
RP-5	07-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-pentanone	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
RP-4	10-Jun-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	10-Jun-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-4	18-Aug-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-4	19-Dec-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-4	25-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
RP-4	07-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-4	13-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	13-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-4	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-4	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-4	19-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-4	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
DUP	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
RP-5	08-Sep-94	<0.005	<0.0005	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	<0.0005	na	na
RP-5	28-Feb-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-5	29-Mar-95	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
RP-5	10-May-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-5	09-Aug-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-5	17-Nov-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-5	09-Jan-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
DUP	09-Jan-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
RP-5	17-Apr-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-5	31-Jul-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-5	19-Nov-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	19-Nov-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-5	25-Mar-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	25-Mar-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-5	10-Jun-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-5	18-Aug-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-5	19-Dec-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-5	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
RP-5	07-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
RP-4	10-Jun-97	na	na	na	na	na	na
DUP	10-Jun-97	na	na	na	na	na	na
RP-4	18-Aug-97	na	na	na	na	na	na
RP-4	19-Dec-97	na	na	na	na	na	na
RP-4	25-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
RP-4	07-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
RP-4	13-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	13-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-4	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-4	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-4	19-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-4	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
DUP	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
RP-5	08-Sep-94	na	na	na	<0.005	na	na
RP-5	28-Feb-95	na	na	na	na	na	na
RP-5	29-Mar-95	na	na	na	<0.005	na	na
RP-5	10-May-95	na	na	na	na	na	na
RP-5	09-Aug-95	na	na	na	na	na	na
RP-5	17-Nov-95	na	na	na	na	na	na
RP-5	09-Jan-96	na	na	na	<0.005	na	na
DUP	09-Jan-96	na	na	na	<0.005	na	na
RP-5	17-Apr-96	na	na	na	na	na	na
RP-5	31-Jul-96	na	na	na	na	na	na
RP-5	19-Nov-96	na	na	na	na	na	na
DUP	19-Nov-96	na	na	na	na	na	na
RP-5	25-Mar-97	na	na	na	na	na	na
DUP	25-Mar-97	na	na	na	na	na	na
RP-5	10-Jun-97	na	na	na	na	na	na
RP-5	18-Aug-97	na	na	na	na	na	na
RP-5	19-Dec-97	na	na	na	na	na	na
RP-5	26-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
RP-5	07-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
RP-5	13-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	20-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	12-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0007 J11	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	20-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0007 J11	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	0.0009	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
MW-1	16-Dec-94	na	<0.0009	0.032	0.0028	<0.0042	0.016	na	0.001	na	<0.0005	<0.0011	na	0.0027	<0.0011	0.0028	0.0022	0.0031
MW-1	29-Mar-95	ND	0.017	0.068	<0.002	<0.005	0.028	0.0017	0.002	na	0.0093	0.013	ND	0.0013	0.0013	0.0065	0.005	0.0025
MW-1	08-Jun-95	ND	0.024	0.089	ND	ND	0.037	0.0022	0.0026	na	0.003	0.025	0.0013	0.0016	ND	0.01	0.009	0.0023
MW-1	09-Jan-96	<0.005	0.052	0.13	<0.05	<0.1	0.065	<0.005	<0.005	0.012	0.002	<0.1	<0.005	0.003	<0.005	<0.005	0.015	0.006
MW-1	17-Apr-96	na	na	na	na	na	0.065	na	na	na	0.0055	na	na	0.0035	na	na	na	0.007
MW-1	31-Jul-96	na	na	na	na	na	0.053	na	na	na	0.012	na	na	0.0098	na	na	na	0.014
MW-1	19-Nov-96	na	na	na	na	na	0.032	na	na	na	0.0017	na	na	0.0017	na	na	na	0.005
MW-1	25-Mar-97	na	na	na	na	na	0.049	na	na	na	0.0024	na	na	0.0022	na	na	na	0.005
MW-1	10-Jun-97	na	na	na	na	na	0.032	na	na	na	0.0007	na	na	0.0009	na	na	na	0.003
MW-1	18-Aug-97	na	na	na	na	na	0.033	na	na	na	0.0014	na	na	0.0015	na	na	na	0.004
MW-1	19-Dec-97	na	na	na	na	na	0.083	na	na	na	0.0038	na	na	0.0078	na	na	na	0.011
MW-1	26-Feb-98	<0.001	0.041	0.17	<0.02	<0.02	0.056	0.0036	0.0033	0.0087	0.0024	<0.02	<0.001	0.0032	0.0014	0.013	0.0077	0.0053
MW-1	08-Apr-98	<0.005	0.046	0.15	<0.025	<0.025	0.053	<0.005	<0.005	0.011	<0.005	<0.025	<0.005	<0.005	<0.005	0.014	0.013	<0.001
DUP	08-Apr-98	<0.005	0.043	0.13	<0.025	<0.025	0.049	<0.005	<0.005	0.0099	<0.005	<0.025	<0.005	<0.005	<0.005	0.013	0.011	<0.001
MW-1	14-Jul-98	<0.005	0.045	0.14	<0.025	<0.025	0.06	<0.005	<0.005	0.0095	<0.005	<0.025	<0.005	<0.005	<0.005	0.012	0.014	<0.005
MW-1	21-Oct-98	<0.01	0.052	0.15	<0.05	<0.05	0.062	<0.01	<0.01	0.01	<0.01	<0.05	<0.01	<0.01	<0.01	0.014	0.015	<0.01
MW-1	12-Jan-99	<0.001	0.055	0.17	<0.005	<0.005	0.073	0.0046	0.0033	0.011	0.0019	<0.005	0.0006 J11	0.011	0.0015	0.017	0.017	0.0053
MW-1	20-Apr-99	<0.001	0.051	0.14	<0.005	<0.005	0.067	0.0042	0.0031	0.0092	0.002	<0.005	0.0006 J11	<0.001	0.0012	0.015	0.013	0.005
MW-1	13-Jul-99	<0.0005	0.044	0.093	<0.01	<0.01	0.055	0.0036	0.0024	0.0072	0.0014	<0.01	<0.0005	0.0077	0.0009	0.013	0.016	0.004
MW-2	16-Dec-94	na	<0.0009	0.0047	<0.0018	<0.0042	0.017	na	<0.0008	na	<0.0005	<0.0011	na	0.0019	<0.0011	0.0018	<0.0014	0.0012
MW-2	29-Mar-95	ND	<0.0009	0.0022	<0.002	<0.005	0.016	<0.0006	<0.0008	na	<0.0004	<0.002	ND	0.0011	<0.002	0.0009	<0.002	0.0009
MW-2	08-Jun-95	ND	0.0025	ND	ND	ND	0.022	ND	ND	na	0.0005	ND	ND	0.0009	ND	0.0049	0.0022	0.0009
MW-2	09-Jan-96	<0.005	0.007	0.02	<0.05	<0.1	0.051	<0.005	<0.005	0.023	0.0009	<0.1	<0.005	0.001	0.008	<0.005	<0.01	0.002
MW-2	17-Apr-96	na	na	na	na	na	0.032	na	na	na	0.0008	na	na	0.0013	na	na	na	<0.002
MW-2	31-Jul-96	na	na	na	na	na	0.042	na	na	na	0.0009	na	na	0.0016	na	na	na	<0.002
MW-2	19-Nov-96	na	na	na	na	na	0.018	na	na	na	0.0007	na	na	0.0017	na	na	na	0.004

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-pentane	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
RP-5	13-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	20-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
MW-1	16-Dec-94	na	na	na	<0.0008	na	na	na	<0.0014	na	<0.0012	na	na	na	na	na
MW-1	29-Mar-95	ND	na	ND	ND	na	na	na	<0.002	na	0.0053	na	na	na	na	na
MW-1	08-Jun-95	0.0006	na	0.0028	ND	na	na	na	ND	na	ND	na	na	na	na	na
MW-1	09-Jan-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
MW-1	17-Apr-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-1	31-Jul-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-1	19-Nov-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-1	25-Mar-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-1	10-Jun-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-1	18-Aug-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-1	19-Dec-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-1	26-Feb-98	<0.001	<0.001	<0.001	<0.001	0.01	<0.001	<0.001	<0.001	0.0034	<0.001	<0.002	0.0021	<0.002	0.0044	<0.001
MW-1	08-Apr-98	<0.005	<0.005	<0.005	<0.005	0.0086	<0.005	<0.005	<0.025	0.005	<0.005	<0.005	<0.005	<0.005	0.0058	<0.005
DUP	08-Apr-98	<0.005	<0.005	<0.005	<0.005	0.0099	<0.005	<0.005	<0.025	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
MW-1	14-Jul-98	<0.005	<0.005	<0.005	<0.005	0.0092	<0.005	<0.005	<0.025	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
MW-1	21-Oct-98	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
MW-1	12-Jan-99	0.0011	<0.001	<0.001	<0.001	0.01	<0.001	<0.001	<0.005	0.0059	<0.001	0.001	<0.001	<0.001	0.0029	0.0005 J11
MW-1	20-Apr-99	<0.001	<0.001	<0.001	<0.001	0.009	<0.001	<0.001	<0.005	0.0053	<0.001	<0.001	<0.001	<0.001	0.0033	0.0006 J11
MW-1	13-Jul-99	0.0008	<0.0005	<0.0005	<0.0005	0.0066	<0.0005	<0.0005	<0.01	0.0044	<0.0005	<0.001	<0.001	<0.001	0.0028	0.0006
MW-2	16-Dec-94	na	na	na	<0.0008	na	na	na	<0.0014	na	<0.0012	na	na	na	na	na
MW-2	29-Mar-95	ND	na	ND	ND	na	na	na	<0.002	na	<0.002	na	na	na	na	na
MW-2	08-Jun-95	ND	na	ND	ND	na	na	na	ND	na	ND	na	na	na	na	na
MW-2	09-Jan-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
MW-2	17-Apr-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-2	31-Jul-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-2	19-Nov-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
RP-5	13-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	20-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
MW-1	16-Dec-94	na	na	na	na	na	na
MW-1	29-Mar-95	na	na	na	na	na	na
MW-1	08-Jun-95	na	na	na	na	na	na
MW-1	09-Jan-96	na	na	na	<0.005	na	na
MW-1	17-Apr-96	na	na	na	na	na	na
MW-1	31-Jul-96	na	na	na	na	na	na
MW-1	19-Nov-96	na	na	na	na	na	na
MW-1	25-Mar-97	na	na	na	na	na	na
MW-1	10-Jun-97	na	na	na	na	na	na
MW-1	18-Aug-97	na	na	na	na	na	na
MW-1	19-Dec-97	na	na	na	na	na	na
MW-1	26-Feb-98	0.021	0.0049	<0.005	<0.001	<0.001	0.021
MW-1	08-Apr-98	na	0.0087	<0.005	<0.005	<0.005	0.02
DUP	08-Apr-98	na	0.0065	<0.005	<0.005	<0.005	0.018
MW-1	14-Jul-98	<0.005	<0.005	<0.005	<0.005	<0.005	0.019
MW-1	21-Oct-98	<0.01	<0.01	<0.01	<0.01	<0.01	0.019
MW-1	12-Jan-99	<0.001	0.0006 J11	<0.001	<0.001	<0.001	0.025
MW-1	20-Apr-99	<0.001	0.0014	<0.001	<0.001	<0.001	0.024
MW-1	13-Jul-99	<0.0005	0.0012	<0.0005	<0.0005	<0.0005	0.02
MW-2	16-Dec-94	na	na	na	na	na	na
MW-2	29-Mar-95	na	na	na	na	na	na
MW-2	08-Jun-95	na	na	na	na	na	na
MW-2	09-Jan-96	na	na	na	<0.005	na	na
MW-2	17-Apr-96	na	na	na	na	na	na
MW-2	31-Jul-96	na	na	na	na	na	na
MW-2	19-Nov-96	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
MW-2	25-Mar-97	na	na	na	na	na	0.024	na	na	na	0.001	na	na	0.0007	na	na	na	<0.002
MW-2	10-Jun-97	na	na	na	na	na	0.027	na	na	na	<0.0005	na	na	0.0005	na	na	na	0.002
MW-2	18-Aug-97	na	na	na	na	na	0.033	na	na	na	<0.0005	na	na	0.0008	na	na	na	<0.002
MW-2	19-Dec-97	na	na	na	na	na	0.019	na	na	na	0.0021	na	na	0.0019	na	na	na	0.006
MW-2	26-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	0.014	<0.001	<0.001	0.0064	<0.001	<0.02	<0.001	<0.001	0.0037	0.0027	<0.002	<0.002
MW-2	08-Apr-98	<0.001	0.0012	0.0018	<0.005	<0.005	0.016	0.001	<0.001	0.0069	<0.001	<0.005	<0.001	<0.001	0.0022	0.0025	0.0017	<0.001
MW-2	14-Jul-98	<0.001	0.0043	0.0095	<0.005	<0.005	0.036	0.0025	<0.001	0.024	<0.001	<0.005	<0.001	<0.001	0.0083	0.0095	0.005	<0.001
MW-2	21-Oct-98	<0.002	0.0039	0.0067	<0.01	<0.01	0.037	0.0032	<0.002	0.026	<0.002	<0.01	<0.002	<0.002	0.01	0.012	0.0055	<0.002
DUP	21-Oct-98	<0.002	0.004	0.0074	<0.01	<0.01	0.037	0.0031	<0.002	0.027	<0.002	<0.01	<0.002	<0.002	0.01	0.012	0.0056	<0.002
MW-2	12-Jan-99	<0.001	0.0015	0.0033	<0.005	<0.005	0.032	0.0025	<0.001	0.019	<0.001	<0.005	<0.001	<0.001	0.0077	0.0083	0.0047	<0.001
MW-3	16-Dec-94	na	<0.0009	<0.0022	<0.0018	<0.0042	<0.0008	na	<0.0008	na	<0.0005	<0.0011	na	<0.0005	0.0028	<0.0008	<0.0014	<0.0005
MW-3	29-Mar-95	ND	<0.0009	<0.003	<0.002	<0.005	<0.0008	<0.0006	<0.0008	na	<0.0004	<0.002	ND	<0.0004	<0.002	<0.0008	<0.002	<0.0004
MW-3	08-Jun-95	ND	0.0019	ND	ND	ND	ND	ND	ND	na	ND	0.0052	ND	ND	0.011	0.0011	0.0007	ND
MW-3	09-Jan-96	<0.005	0.01	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	0.037	<0.005	<0.1	<0.005	<0.005	0.029	0.006	<0.01	<0.01
MW-3	17-Apr-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
MW-3	31-Jul-96	na	na	na	na	na	<0.005	na	na	na	<0.005	na	na	<0.005	na	na	na	<0.02
MW-3	19-Nov-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	0.0006	na	na	na	0.004
MW-3	25-Mar-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
MW-3	10-Jun-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
MW-3	18-Aug-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
MW-3	19-Dec-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
MW-3	26-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	0.0099	<0.001	<0.02	<0.001	<0.001	0.0084	<0.001	<0.002	<0.002
MW-3	07-Apr-98	<0.001	0.0037	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.018	<0.001	<0.005	<0.001	<0.001	0.013	0.0014	<0.001	<0.001
MW-3	14-Jul-98	<0.001	0.0046	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.022	<0.001	<0.005	<0.001	<0.001	0.016	0.0016	<0.001	<0.001
DUP	14-Jul-98	<0.001	0.0041	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.022	<0.001	<0.005	<0.001	<0.001	0.015	0.0013	0.0014	<0.001
MW-3	20-Oct-98	<0.001	0.0044	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.024	<0.001	<0.005	<0.001	<0.001	0.017	0.0014	0.002	<0.001
MW-3	11-Jan-99	<0.001	0.0042	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.025	<0.001	<0.005	<0.001	<0.001	0.019	0.0023	0.0012	<0.001
DUP	11-Jan-99	<0.001	0.0042	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.025	<0.001	<0.005	<0.001	<0.001	0.019	0.0022	0.0013	<0.001
MW-3	19-Apr-99	<0.001	0.0009 J11	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.01	<0.001	<0.005	<0.001	<0.001	0.0078	0.0005 J11	<0.001	<0.001
MW-3	13-Jul-99	<0.0005	0.0008	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.0078	<0.0005	<0.01	<0.0005	<0.0005	0.0063	<0.0005	<0.0005	<0.0005
MW-4	16-Dec-94	na	<0.0009	<0.0022	<0.0018	<0.0042	0.0014	na	<0.0008	na	0.0006	<0.0011	na	0.0021	<0.0011	0.013	<0.0014	0.0023

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-pentanone	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
MW-2	25-Mar-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-2	10-Jun-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-2	18-Aug-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-2	19-Dec-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-2	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	0.003	<0.001
MW-2	08-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.0036	<0.001
MW-2	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	0.0011	<0.001	<0.001	<0.001	<0.001	0.0027	<0.001
MW-2	21-Oct-98	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.01	<0.002	<0.002	<0.002	<0.002	<0.002	0.0022	<0.002
DUP	21-Oct-98	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.01	<0.002	<0.002	<0.002	<0.002	<0.002	0.0021	<0.002
MW-2	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	0.0009 J11	<0.001	<0.001	<0.001	<0.001	0.0026	<0.001
MW-3	16-Dec-94	na	na	na	0.018	na	na	na	<0.0014	na	0.0034	na	na	na	na	na
MW-3	29-Mar-95	ND	na	ND	ND	na	na	na	<0.002	na	0.014	na	na	na	na	na
MW-3	08-Jun-95	ND	na	ND	ND	na	na	na	ND	na	0.0016	na	na	na	na	na
MW-3	09-Jan-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
MW-3	17-Apr-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-3	31-Jul-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-3	19-Nov-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-3	25-Mar-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-3	10-Jun-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-3	18-Aug-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-3	19-Dec-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-3	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
MW-3	07-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
MW-3	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
MW-3	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
MW-3	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
MW-3	19-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
MW-3	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
MW-4	16-Dec-94	na	na	na	<0.0008	na	na	na	<0.0014	na	<0.0012	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
MW-2	25-Mar-97	na	na	na	na	na	na
MW-2	10-Jun-97	na	na	na	na	na	na
MW-2	18-Aug-97	na	na	na	na	na	na
MW-2	19-Dec-97	na	na	na	na	na	na
MW-2	26-Feb-98	0.002	0.0014	<0.005	<0.001	0.0012	0.002
MW-2	08-Apr-98	na	0.0012	<0.001	<0.001	0.0013	0.0018
MW-2	14-Jul-98	<0.001	<0.001	<0.001	<0.001	0.0011	0.004
MW-2	21-Oct-98	<0.002	<0.002	<0.002	<0.002	<0.002	0.0046
DUP	21-Oct-98	<0.002	<0.002	<0.002	<0.002	<0.002	0.0044
MW-2	12-Jan-99	<0.001	<0.001	<0.001	<0.001	0.0008 J11	0.0038
MW-3	16-Dec-94	na	na	na	na	na	na
MW-3	29-Mar-95	na	na	na	na	na	na
MW-3	08-Jun-95	na	na	na	na	na	na
MW-3	09-Jan-96	na	na	na	<0.005	na	na
MW-3	17-Apr-96	na	na	na	na	na	na
MW-3	31-Jul-96	na	na	na	na	na	na
MW-3	19-Nov-96	na	na	na	na	na	na
MW-3	25-Mar-97	na	na	na	na	na	na
MW-3	10-Jun-97	na	na	na	na	na	na
MW-3	18-Aug-97	na	na	na	na	na	na
MW-3	19-Dec-97	na	na	na	na	na	na
MW-3	26-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
MW-3	07-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
MW-3	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
MW-3	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
MW-3	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
MW-3	19-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0005 J11
MW-3	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0008
MW-4	16-Dec-94	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
MW-4	29-Mar-95	ND	<0.0009	<0.003	<0.002	<0.005	0.0015	<0.0006	<0.0008	na	0.0007	<0.002	ND	0.001	<0.002	0.0069	<0.002	0.0037
MW-4	08-Jun-95	ND	ND	ND	ND	ND	0.0018	ND	ND	na	0.0011	ND	ND	0.0022	ND	0.0016	ND	0.0079
MW-4	10-Jan-96	<0.005	<0.005	<0.005	<0.05	<0.1	0.002	<0.005	<0.005	<0.005	0.002	<0.1	<0.005	0.027	<0.005	<0.005	<0.01	0.012
MW-4	19-Nov-96	na	na	na	na	na	0.0024	na	na	na	0.0017	na	na	0.0021	na	na	na	0.01
MW-4	18-Aug-97	na	na	na	na	na	0.0017	na	na	na	0.0017	na	na	0.0016	na	na	na	0.014
MW-4	19-Dec-97	na	na	na	na	na	0.0008	na	na	na	0.0011	na	na	0.001	na	na	na	0.006
MW-4	02-Mar-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	0.002
MW-4	10-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.0033
MW-4	17-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.0058
MW-4	23-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.005
MW-4	15-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	0.0014	<0.001	<0.001	0.0006 J11	0.0011	<0.005	<0.001	0.0018	<0.001	0.0017	<0.001	0.0054
MW-4	22-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.0058 U6	0.0012	<0.001	<0.001	<0.001	0.0012	<0.005	<0.001	0.0009 J11	<0.001	0.0016	<0.001	0.0059
MW-4	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	0.0014	<0.0005	<0.0005	0.0008	0.0011	<0.01	<0.0005	0.0011	<0.0005	0.0027	<0.0005	0.0061
MW-5	16-Dec-94	na	<0.018	<0.0022	<0.0018	1300	0.57	na	<0.0008	na	1.8	1700	na	73	<0.0011	<0.0008	<0.0014	7.8
MW-5	29-Mar-95	ND	<0.0009	<0.003	<0.002	290	0.47	<0.0006	<0.0008	na	1.3	42	ND	92	<0.002	<0.0008	<0.002	6.8
MW-5	08-Jun-95	0.0041	ND	ND	ND	82	0.4	ND	0.0009	na	1.9	95	0.0019	91	ND	0.011	ND	9.7
MW-5	10-Jan-96	<5	<5	<5	<50	130	0.95	<5	<5	<5	3	<100	<5	81	<5	<5	<10	15
MW-5	19-Nov-96	na	na	na	na	na	0.7	na	na	na	2.1	na	na	120	na	na	na	10
MW-5	18-Aug-97	na	na	na	na	na	0.4	na	na	na	1.6	na	na	84	na	na	na	8.1
MW-5	19-Dec-97	na	na	na	na	na	<0.5	na	na	na	2.5	na	na	120	na	na	na	11
MW-5	02-Mar-98	<5	<5	<5	<100	374	<5	<5	<5	<5	<5	<100	<5	59.4	<5	<5	<10	<10
MW-5	10-Apr-98	<10	<10	<10	<50	260	<10	<10	<10	<10	<10	68	<10	94 J4	<10	<10	<10	<10
MW-5	17-Jul-98	<5	<5	<5	<25	94	<5	<5	<5	<5	<5	39	<5	100	<5	<5	<5	6.3
DUP	17-Jul-98	<5	<5	<5	<25	100	<5	<5	<5	<5	<5	46	<5	96	<5	<5	<5	5.6
MW-5	19-Oct-98	<5 UJ2	<5 UJ2	<5 UJ2	<25 UJ2	99 J2	<5 UJ2	<5 UJ2	<5 UJ2	<5 UJ2	<5 UJ2	48 J2	<5 UJ2	67 J2	<5 UJ2	<5 UJ2	<5 UJ2	<5 UJ2
MW-5	15-Jan-99	<1	<1	<1	<5	130	<1	<1	<1	<1	1.6	52	<1	93	<1	<1	<1	7.1
MW-5	22-Apr-99	<1.3	<1.3	<1.3	<6.3	<230 U6	0.64 J11	<1.3	<1.3	<1.3	2.1	<65 U6	<1.3	93	<1.3	<1.3	<1.3	9.1
MW-5	19-Jul-99	<0.63	<0.63	<0.63	<13	130	<0.63	<0.63	<0.63	<0.63	1.4	65	<0.63	72	<0.63	<0.63	<0.63	6.6
DUP	19-Jul-99	<0.5	<0.5	<0.5	<10	130	<0.5	<0.5	<0.5	<0.5	1.4	65	<0.5	74	<0.5	<0.5	<0.5	6.7

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-pentane	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
MW-4	29-Mar-95	ND	na	ND	ND	na	na	na	<0.002	na	<0.002	na	na	na	na	na
MW-4	08-Jun-95	ND	na	ND	ND	na	na	na	ND	na	ND	na	na	na	na	na
MW-4	10-Jan-96	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
MW-4	19-Nov-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-4	18-Aug-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-4	19-Dec-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-4	02-Mar-98	<0.001	<0.001	<0.001	<0.001	<0.001	0.0037	0.0037	0.004	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
MW-4	10-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	0.0024	0.0026	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
MW-4	17-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	0.0039	0.0045	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
MW-4	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	0.0029	0.0033	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
MW-4	15-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0028	0.0032	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.0007 J11	0.0008 J11
MW-4	22-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0038	0.0043	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.0008 J11	0.0011
MW-4	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0038	0.0042	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	0.0008	0.0009
MW-5	16-Dec-94	na	na	na	<0.0008	na	na	na	0.13	na	<0.0012	na	na	na	na	na
MW-5	29-Mar-95	ND	na	ND	ND	na	na	na	39	na	<0.002	na	na	na	na	na
MW-5	08-Jun-95	ND	na	ND	ND	na	na	na	27	na	0.0023	na	na	na	na	na
MW-5	10-Jan-96	<5	na	<5	<5	na	na	na	<50	na	<10	<10	<10	na	na	na
MW-5	19-Nov-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-5	18-Aug-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-5	19-Dec-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-5	02-Mar-98	<5	<5	<5	<5	<5	<5	<5	36.1	<5	<5	<10	<10	<10	<5	<5
MW-5	10-Apr-98	<10	<10	<10	<10	<10	<10	<10	<50	<10	<10	<10	<10	<10	<10	<10
MW-5	17-Jul-98	<5	<5	<5	<5	<5	<5	<5	<25	<5	<5	<5	<5	<5	<5	<5
DUP	17-Jul-98	<5	<5	<5	<5	<5	<5	<5	<25	<5	<5	<5	<5	<5	<5	<5
MW-5	19-Oct-98	<5 UJ2	<5 UJ2	<5 UJ2	<5 UJ2	140 J2	<5 UJ2	<5 UJ2	<25 UJ2	<5 UJ2	<5 UJ2	<5 UJ2	<5 UJ2	<5 UJ2	<5 UJ2	<5 UJ2
MW-5	15-Jan-99	<1	<1	<1	<1	<1	<1	<1	21	<1	<1	<1	<1	<1	<1	<1
MW-5	22-Apr-99	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	32	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3
MW-5	19-Jul-99	<0.63	<0.63	<0.63	<0.63	<0.63	<0.63	<0.63	26	<0.63	<0.63	<1.3	<1.3	<1.3	<0.63	<0.63
DUP	19-Jul-99	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	27	<0.5	<0.5	<1	<1	<1	<0.5	<0.5

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
MW-4	29-Mar-95	na	na	na	na	na	na
MW-4	08-Jun-95	na	na	na	na	na	na
MW-4	10-Jan-96	na	na	na	<0.005	na	na
MW-4	19-Nov-96	na	na	na	na	na	na
MW-4	18-Aug-97	na	na	na	na	na	na
MW-4	19-Dec-97	na	na	na	na	na	na
MW-4	02-Mar-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
MW-4	10-Apr-98	na	<0.001	0.0047	<0.001	<0.001	<0.001
MW-4	17-Jul-98	<0.001	<0.001	0.011	<0.001	<0.001	<0.001
MW-4	23-Oct-98	0.001	<0.001	0.0082	<0.001	<0.001	<0.001
MW-4	15-Jan-99	0.0006 J11	0.0007 J11	0.0064	<0.001	0.0005 J11	<0.001
MW-4	22-Apr-99	0.0008 J11	0.0007 J11	0.01	<0.001	0.0006 J11	<0.001
MW-4	16-Jul-99	0.0007	0.0006	0.0093	<0.0005	0.0005	<0.0005
MW-5	16-Dec-94	na	na	na	na	na	na
MW-5	29-Mar-95	na	na	na	na	na	na
MW-5	08-Jun-95	na	na	na	na	na	na
MW-5	10-Jan-96	na	na	na	<5	na	na
MW-5	19-Nov-96	na	na	na	na	na	na
MW-5	18-Aug-97	na	na	na	na	na	na
MW-5	19-Dec-97	na	na	na	na	na	na
MW-5	02-Mar-98	<5	<5	<25	<5	<5	<5
MW-5	10-Apr-98	na	<10	<10	<10	<10	<10
MW-5	17-Jul-98	<5	<5	<5	<5	<5	<5
DUP	17-Jul-98	<5	<5	<5	<5	<5	<5
MW-5	19-Oct-98	<5 UJ2	<5 UJ2	<5 UJ2	<5 UJ2	<5 UJ2	<5 UJ2
MW-5	15-Jan-99	<1	<1	<1	<1	<1	<1
MW-5	22-Apr-99	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3
MW-5	19-Jul-99	<0.63	<0.63	<0.63	<0.63	<0.63	<0.63
DUP	19-Jul-99	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa- none	Acetone	Benzene	Chloro- benzene	Chloro- form	cis-1,2- DCE	Ethyl- benzene	Methyl Ethyl Ketone	PCE	Toluene	trans- 1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
-------------	--------------	-----------	---------	---------	-----------------	---------	---------	--------------------	-----------------	-----------------	-------------------	---------------------------	-----	---------	-------------------	-----	-------------------	-------------------

Data QA/QC performed by KLF.

Notes: * = Analysis method changed from EPA 8240 to EPA 8260 beginning in February-March 1998 (1st Quarter 1998)

< = Analyte was not detected at or greater than the detection limit reported

ND = Not detected (no associated detection limit was reported)

na = Not analyzed

DUP = Duplicate sample (field duplicate)

(a) Concentrations for LF-B1 may not represent the B-zone water quality because LF-B1 is screened in the aquitard between the A and B zones.

(b) Concentrations for LF-B5 may not represent the B-zone water quality because LF-B5 is screened in the aquitard between the A and B zones.

GT = Concentration is greater than value reported (concentration exceeds upper limit of test)

Abbreviations for analytes:

1,1,1-TCA = 1,1,1-Trichloroethane

1,2-DCB = 1,2-Dichlorobenzene

trans-1,2-DCE = trans-1,2-Dichloroethene

1,1,2-TCA = 1,1,2-Trichloroethane

1,2-DCP = 1,2-Dichloropropane

TCE = Trichloroethene

1,1-DCA = 1,1-Dichloroethane

1,3,5-TMB = 1,3,5-Trimethylbenzene

1,2,4-TMB = 1,2,4-Trimethylbenzene

cis-1,2-DCE = cis-1,2-Dichloroethene

1,2-DCA = 1,2-Dichloroethane

PCE = Tetrachloroethene

Data qualifiers:

J1 = Concentration is estimated because the concentration exceeded the calibration range of the analytical instrument.

J2 = Concentration is estimated because the sample was analyzed outside of holding time.

J3 = Concentration is estimated due to surrogate recoveries outside of control limits.

J4 = Concentration is estimated due to relative percent difference (RPD) outside of control limits for laboratory control samples (LCS)

J11 = Concentration is estimated because it was reported at a concentration less than the detection limit.

U5 = Quantified as non-detect (U) based on field blank contamination evaluation.

U6 = Quantified as non-detect (U) based on trip blank contamination evaluation.

U12 = Quantified as non-detect (U) based on source water contamination evaluation.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
LF-1		21-Jun-91	<0.05	na	na
LF-1		09-Jul-92	0.11	<0.05	na
LF-1		09-Jun-93	0.083	<0.05	na
LF-1	Destroyed under permit				
LF-3		21-Jun-91	2	na	na
LF-3		09-Jul-92	3	190	na
DUP		09-Jul-92	3.3	180	na
LF-3		09-Jun-93	100 (f)	150	na
DUP		09-Jun-93	110 (f)	150	na
LF-3		16-Apr-96	2.6	87	na
LF-3		31-Jul-96	0.64	90	na
LF-3		20-Nov-96	9.3	75	na
LF-3		19-Mar-97	0.65	61	na
LF-3		12-Jun-97	1.1	130	na
LF-3		19-Aug-97	0.97	200	na
LF-3		17-Dec-97	1.1	30	na
DUP		17-Dec-97	1.6	43	na
LF-3		02-Mar-98	1.3	167	<1
LF-3		10-Apr-98	3.9 (c)	47 J1,2	<1
LF-3		16-Jul-98	6.1 (c)	140 (d)	<5
LF-3		19-Oct-98	7.8 (c)	150	<5 UJ2
LF-3		15-Jan-99	10 (c,e,f)	110	<1
DUP		15-Jan-99	10 (c,e,f)	110	<1
LF-3		22-Apr-99	6.3 (c,e,f)	58 (g)	<0.25
LF-3		19-Jul-99	14 (c,e,f)	100 (d)	<0.2
LF-4		21-Jun-91	0.78	na	na
DUP		21-Jun-91	0.51	na	na
LF-4		09-Jul-92	1.2	14.0	na
LF-4		09-Jun-93	1.2 (f)	2.2	na
LF-4		02-Mar-98	2.8	2.6	<0.002
LF-4		09-Apr-98	2.9 (c)	0.97 J3 (d)	<0.002
LF-4		16-Jul-98	0.99 J3 (c)	1.3 (d)	<0.002
LF-4		19-Oct-98	0.6 (c)	0.39 (d)	<0.002 UJ2
LF-4		14-Jan-99	13 (c)	1.9 (h)	<0.002
LF-4		22-Apr-99	6.3 (c,f)	0.74 J3 (d)	<0.002
LF-4		16-Jul-99	2.2 (e)	0.49	0.0009
DUP		16-Jul-99	2.2 (e)	0.5	0.0008

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
LF-5		06-Aug-91	4.7	na	na
LF-5		09-Jul-92	0.83	69.0	na
LF-5		09-Jun-93	2 (f)	95.0	na
LF-5	Destroyed or lost during slurry wall and cap construction activities				
LF-7		20-Jun-91	<0.05	na	na
LF-7		17-Dec-91	0.540	na	na
LF-7		09-Jul-92	0.3	0.140	na
DUP		09-Jul-92	0.48	0.130	na
LF-7		09-Jun-93	0.34	0.110	na
DUP		09-Jun-93	0.32	0.1	na
LF-7		06-Jan-94	0.54	0.5	na
LF-7		27-Feb-98	0.79	0.14	<0.002
DUP		27-Feb-98	0.88	0.14	<0.002
LF-7		13-Jan-99	0.53 (e)	0.16	<0.002
LF-8		20-Jun-91	<0.05	na	na
LF-8		17-Dec-91	0.220	na	na
LF-8		09-Jul-92	0.25	<0.05	na
LF-8		30-Dec-92	0.15	0.120 (h)	na
LF-8		09-Jun-93	0.33	<0.05 (h)	na
LF-8		06-Jan-94	1.7	<0.05	na
LF-8		27-Feb-98	0.20	<0.05	<0.002
LF-8		08-Apr-98	0.19 (c)	<0.05	<0.002
LF-8		15-Jul-98	0.24 J4 (c)	<0.05	<0.002
LF-8		21-Oct-98	0.2 (c)	<0.05	<0.002
LF-8		13-Jan-99	0.44 (e)	0.053	<0.002
LF-8		21-Apr-99	0.43 (e)	<0.05	<0.002
LF-8		14-Jul-99	0.39 (c,e)	0.053	<0.0005
LF-9		21-Jun-91	0.2	na	na
LF-9		16-Dec-91	0.600	na	na
LF-9		09-Jul-92	0.3	0.620	na
LF-9		30-Dec-92	0.3	0.510 (h)	na
LF-9		09-Jun-93	0.56	0.430 (h)	na
LF-9	Destroyed or lost during slurry wall and cap construction activities				
LF-10		21-Jun-91	0.27	na	na
LF-10		18-Dec-91	0.990	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
DUP		18-Dec-91	0.570	na	na
LF-10		09-Jul-92	0.42	0.7	na
LF-10		31-Dec-92	0.33 (e)	0.190	na
DUP		31-Dec-92	0.37 (e)	0.180	na
LF-10		09-Jun-93	0.47	0.180	na
LF-10		06-Jan-94	1.5	0.2	na
DUP		06-Jan-94	1.2	0.2 (h)	na
LF-10		27-Feb-98	0.86	0.56	<0.002
LF-10		15-Jan-99	2.4 (c,e,f)	0.45	<0.002
LF-11		21-Jun-91	0.13	na	na
DUP		21-Jun-91	0.12	na	na
LF-11		17-Dec-91	0.410	na	na
LF-11		09-Jul-92	0.26	<0.05	na
LF-11		31-Dec-92	0.31 (e)	0.058	na
LF-11		09-Jun-93	0.27	<0.05	na
LF-11		05-Jan-94	0.8	0.06	na
LF-11		16-Apr-96	0.93	<0.05	na
LF-11		31-Jul-96	0.58	<0.05	na
LF-11		20-Nov-96	1.5	<0.05	na
LF-11		18-Mar-97	1.9	0.19	na
DUP		18-Mar-97	1.8	<0.05	na
LF-11		11-Jun-97	0.41	0.17	na
LF-11		19-Aug-97	0.47	0.16	na
DUP		19-Aug-97	0.41	0.15	na
LF-11		17-Dec-97	<0.05	0.22	na
LF-11		02-Mar-98	0.64	2.2	<0.002
LF-11		10-Apr-98	0.82 (c)	2	<0.02
DUP		10-Apr-98	0.77 (c)	2.6	<0.01
LF-11		16-Jul-98	0.62 J3 (c)	0.12 (d)	<0.002
LF-11		23-Oct-98	0.44 (c)	0.15 (d)	<0.002
LF-11		14-Jan-99	0.66 (c,e)	0.15	<0.002
LF-11		22-Apr-99	0.76 (c,e)	<0.05	<0.002
DUP		22-Apr-99	0.71 (c,e)	<0.05	<0.002
LF-11		16-Jul-99	1.1 (e)	0.12	<0.0005
LF-12		19-Jun-91	<0.05	na	na
LF-12		16-Dec-91	<0.050	na	na
LF-12		08-Jul-92	<0.05	<0.05	na

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
LF-12		30-Dec-92	<0.05	<0.05	na
LF-12		08-Jun-93	0.099	<0.05	na
LF-12		06-Jan-94	<0.05	<0.05	na
LF-12		16-Apr-96	<0.05	<0.05	na
LF-12		30-Jul-96	<0.05	<0.05	na
LF-12		20-Nov-96	<0.05	<0.05	na
LF-12		17-Mar-97	<0.05	<0.05	na
LF-12		01-Jul-97	<0.05	<0.05	na
DUP		01-Jul-97	<0.05	<0.05	na
LF-12		20-Aug-97	<0.05	<0.05	na
LF-12		18-Dec-97	<0.05	<0.05	na
LF-12		26-Feb-98	0.15	<0.05	<0.002
LF-12		08-Apr-98	<0.05	<0.05	<0.002
LF-12		14-Jul-98	<0.05	<0.05	<0.002
LF-12		21-Oct-98	<0.05	<0.05	<0.002
LF-12		12-Jan-99	<0.048	<0.05	<0.002
LF-12		20-Apr-99	<0.048	<0.05	<0.002
LF-12		14-Jul-99	<0.05	<0.05	<0.0005
LF-13		19-Jun-91	<0.05	na	na
LF-13		16-Dec-91	<0.050	na	na
LF-13		08-Jul-92	<0.05	<0.05	na
LF-13		30-Dec-92	<0.05	<0.05	na
LF-13		08-Jun-93	0.052	<0.05	na
LF-13		05-Jan-94	<0.05	<0.05	na
LF-13		16-Apr-96	<0.05	<0.05	na
LF-13		30-Jul-96	<0.05	<0.05	na
DUP		30-Jul-96	<0.05	<0.05	na
LF-13		20-Nov-96	<0.05	<0.05	na
LF-13		17-Mar-97	<0.05	<0.05	na
DUP		17-Mar-97	<0.05	<0.05	na
LF-13		12-Jun-97	<0.05	<0.05	na
LF-13		19-Aug-97	<0.05	<0.05	na
LF-13		18-Dec-97	<0.05	<0.05	na
LF-13		25-Feb-98	<0.05	<0.05	<0.002
LF-13		07-Apr-98	0.088 (c)	<0.05	<0.002
DUP		07-Apr-98	<0.05	<0.05	<0.002
LF-13		13-Jul-98	<0.05	<0.05	<0.002
LF-13		19-Oct-98	<0.05	<0.05	<0.002 UJ2

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
LF-13		11-Jan-99	<0.048	<0.05	<0.002
LF-13		19-Apr-99	<0.047	<0.05	<0.002
DUP		19-Apr-99	<0.047	<0.05	<0.002
LF-13		13-Jul-99	<0.048	<0.05	<0.0005
LF-14		20-Jun-91	<0.05	na	na
LF-14		17-Dec-91	0.086	na	na
LF-14		09-Jul-92	0.18	<0.05	na
LF-14		31-Dec-92	0.19 (e)	0.068	na
LF-14		09-Jun-93	0.24	<0.05	na
LF-14	Destroyed during railway expansion activities				
LF-15		20-Jun-91	<0.05	na	na
LF-15		17-Dec-91	<0.050	na	na
LF-15		08-Jul-92	<0.05	<0.05	na
LF-15		30-Dec-92	<0.05	<0.05	na
LF-15		09-Jun-93	0.098	<0.05	na
LF-15	Destroyed during railway expansion activities				
LF-16		20-Jun-91	<0.05	na	na
LF-16		17-Dec-91	0.094	na	na
LF-16		09-Jul-92	0.075	<0.05	na
LF-16		30-Dec-92	<0.05	0.050	na
LF-16		09-Jun-93	0.083	<0.05	na
LF-16	Destroyed under permit				
LF-17		02-Mar-98	11	3.2	<0.002
LF-17		10-Apr-98	20 (c)	14 J3 (d)	<0.02
LF-17		16-Jul-98	22 (c)	6.5 (d)	<0.02
LF-17		23-Oct-98	7.9 (c)	3.8 (d)	<0.002
LF-17		15-Jan-99	19 (c,e,f)	4.7 (h)	<0.002
LF-17		22-Apr-99	18 (c,e,f)	8.1 (h)	<0.002
LF-17		16-Jul-99	23 (f)	3.9 (h)	<0.001
LF-18		11-Apr-96	0.32	<0.05	na
LF-18		30-Jul-96	0.32	<0.05	na
LF-18		20-Nov-96	0.5	<0.05	na
LF-18		19-Mar-97	0.26	<0.05	na
LF-18		11-Jun-97	0.18	<0.05	na
DUP		11-Jun-97	0.18	<0.05	na
LF-18		19-Aug-97	0.31	<0.05	na

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
LF-18		17-Dec-97	0.21	<0.05	na
LF-18		27-Feb-98	0.10	<0.05	<0.002
LF-18		08-Apr-98	0.096 (c)	<0.05	<0.002
LF-18		15-Jul-98	0.2 J4 (c)	<0.05	<0.002
DUP		15-Jul-98	0.24 J4 (c)	<0.05	<0.002
LF-18		21-Oct-98	0.14 (c)	<0.05	<0.002
LF-18		13-Jan-99	0.29 (c,e)	<0.05	<0.002
LF-18		21-Apr-99	0.31 (c,e)	<0.05	<0.002
DUP		21-Apr-99	0.26 (c,e)	<0.05	<0.002
LF-18		14-Jul-99	0.28 (c,e)	<0.05	<0.0005
LF-19		13-Jun-97	0.6	0.07	na
LF-19		19-Aug-97	0.78	0.15	na
LF-19		27-Feb-98	0.69	0.19	<0.002
LF-19		08-Apr-98	0.56 J3 (c)	0.15 (d)	<0.002
LF-19		15-Jul-98	0.73 J3,4 (c)	0.15 (d)	<0.002
LF-19		23-Oct-98	0.8 (c)	0.13 (d)	<0.002
DUP		23-Oct-98	0.76 (c)	0.14 (d)	<0.002
LF-19		13-Jan-99	2.2 (e,i)	0.17	<0.002
LF-19		20-Apr-99	3.3	0.16 (d)	<0.002
LF-19		14-Jul-99	2.7 (c,e,i)	0.2	<0.0005
LF-20		11-Apr-96	0.96	0.23	na
LF-20		30-Jul-96	0.56	0.2	na
LF-20		21-Nov-96	3.2	0.25	na
LF-20		18-Mar-97	0.61	0.2	na
LF-20		11-Jun-97	0.54	0.2	na
LF-20		19-Aug-97	0.67	0.22	na
LF-20		18-Dec-97	0.79	<0.05	na
LF-20		27-Feb-98	0.74	0.43	<0.002
LF-20		09-Apr-98	0.62 (c)	0.64 J3 (d)	<0.002
DUP		09-Apr-98	0.64 (c)	0.67 J3 (d)	<0.002
LF-20		16-Jul-98	0.38 (c)	0.51	<0.002
LF-20		23-Oct-98	0.57 (c)	0.5 (d)	<0.002
LF-20		13-Jan-99	1.7 (e)	0.51	<0.002
DUP		13-Jan-99	1.7 (e)	0.53	<0.002
LF-20		21-Apr-99	1.8 (c,e,f)	0.5 (d)	<0.002
LF-20		15-Jul-99	1.5	0.45	<0.0005

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
LF-21		10-Apr-96	2.8	<0.05	na
LF-21		31-Jul-96	1.4	0.06	na
LF-21		21-Nov-96	2.4	0.06	na
LF-21		18-Mar-97	1.7	<0.05	na
LF-21		11-Jun-97	0.83	<0.05	na
LF-21		19-Aug-97	0.78	<0.05	na
LF-21		17-Dec-97	1.0	<0.05	na
LF-21		02-Mar-98	3.0	<0.05	<0.002
DUP		02-Mar-98	3.2	<0.05	<0.002
LF-21		09-Apr-98	2.1 J3 (c)	<0.05	<0.002
LF-21		16-Jul-98	1.6 J3 (c)	0.056 J3 (d)	<0.002
LF-21		23-Oct-98	1.3 J3 (c)	0.05 (d)	<0.002
LF-21		14-Jan-99	1.4 (c,e)	<0.05	<0.002
LF-21		22-Apr-99	11 (c,e)	<0.05	<0.002
LF-21		15-Jul-99	6.1 (c,e)	<0.05	<0.0005
DUP		15-Jul-99	5 (c,e)	<0.05	<0.0005
LF-22		02-Mar-98	0.06	<0.05	<0.002
LF-22		10-Apr-98	0.051 (c)	<0.05	<0.002
LF-22		15-Jan-99	<0.048	<0.05	<0.002
LF-23		10-Apr-96	1.7	<0.05	na
DUP		10-Apr-96	1.3	<0.05	na
LF-23		02-Aug-96	5.6	<0.05	na
LF-23		21-Nov-96	1.3	<0.05	na
LF-23		18-Mar-97	1.5	<0.05	na
LF-23		11-Jun-97	0.41	<0.05	na
LF-23		20-Aug-97	0.29	<0.05	na
LF-23		18-Dec-97	0.30	<0.05	na
LF-23		26-Feb-98	0.56	<0.05	<0.002
LF-23		08-Apr-98	0.99 J3 (c)	<0.05	<0.002
LF-23		15-Jul-98	<0.05	<0.05	<0.002
LF-23		21-Oct-98	0.54 (c)	<0.05	<0.002
LF-23		12-Jan-99	0.26 (c,e)	<0.05	<0.002
LF-23		21-Apr-99	0.42 (c,e)	<0.05	<0.002
LF-23		14-Jul-99	0.39 (c,e)	<0.05	<0.0005

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
LF-24		11-Apr-96	0.09	<0.05	na
LF-24		02-Aug-96	0.16	<0.05	na
LF-24		21-Nov-96	0.14	<0.05	na
LF-24		18-Mar-97	<0.05	<0.05	na
LF-24		11-Jun-97	0.06	<0.05	na
LF-24		20-Aug-97	0.06	<0.05	na
LF-24		18-Dec-97	0.06	<0.05	na
LF-24		26-Feb-98	0.05	<0.05	<0.002
LF-24		08-Apr-98	<0.05	<0.05	<0.002
LF-24		15-Jul-98	1.3 J3,4 (c)	<0.05	<0.002
LF-24		21-Oct-98	0.059 (c)	<0.05	<0.002
LF-24		12-Jan-99	<0.047	<0.05	<0.002
LF-24		21-Apr-99	0.09 (c,e)	<0.05	<0.002
LF-24		14-Jul-99	<0.048	<0.05	<0.0005
LF-25		11-Apr-96	0.18	<0.05	na
LF-25		02-Aug-96	0.3	<0.05	na
LF-25		21-Nov-96	0.31	<0.05	na
LF-25		18-Mar-97	0.11	<0.05	na
LF-25		11-Jun-97	0.11	<0.05	na
LF-25		20-Aug-97	0.13	<0.05	na
LF-25		18-Dec-97	0.15	<0.05	na
LF-25		26-Feb-98	0.31	<0.05	<0.002
LF-25		08-Apr-98	0.063 (c)	<0.05	<0.002
LF-25		15-Jul-98	0.11 J4 (c)	<0.05	<0.002
LF-25		21-Oct-98	0.1 (c)	<0.05	<0.002
LF-25		12-Jan-99	0.14 (c,e)	0.054 (g)	<0.002
LF-25		21-Apr-99	0.2 (c,e)	0.071 (g)	<0.002
LF-25		14-Jul-99	0.11 (c,e)	0.091	<0.0005
LF-26		27-Feb-98	0.51	0.39	<0.002
LF-26		09-Apr-98	0.5 (c)	0.29 (d)	<0.002
LF-26		16-Jul-98	0.32 (c)	0.29 J3	<0.002
LF-26		23-Oct-98	0.35 (c)	0.21 (d)	<0.002
LF-26		13-Jan-99	1.5 (e,i)	0.36	<0.002
LF-26		21-Apr-99	1.2 (c,e,f)	0.23 (d)	<0.002
LF-26		15-Jul-99	1.2	0.22	<0.0005

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
LF-27		29-Dec-97	<0.05	<0.05	na
LF-27		26-Feb-98	<0.05	<0.05	<0.002
LF-27		08-Apr-98	<0.05	<0.05	<0.002
LF-27		14-Jul-98	<0.05	<0.05	<0.002
LF-27		21-Oct-98	<0.05	<0.05	<0.002
LF-27		12-Jan-99	<0.047	<0.05	<0.002
LF-27		20-Apr-99	<0.048	<0.05	<0.002
LF-27		14-Jul-99	<0.048	<0.05	<0.0005
DUP		14-Jul-99	<0.048	<0.05	<0.0005
LF-28		29-Dec-97	0.13	0.08	na
LF-28		26-Feb-98	<0.05	0.065	<0.002
LF-28		08-Apr-98	0.26 (c)	0.064 J3 (d)	<0.002
LF-28		14-Jul-98	0.3 (c)	0.064 (d)	<0.002
LF-28		21-Oct-98	0.36 (c)	0.061 (d)	<0.004
LF-28		12-Jan-99	0.25 (c,i)	0.11	0.0014 J11
DUP		12-Jan-99	0.27 (c,i)	0.11	0.0013 J11
LF-28		20-Apr-99	0.33 (c,i)	0.079 (d)	0.0013 J11
LF-28		14-Jul-99	0.33 (i)	0.088	0.0018
LF-29		29-Dec-97	1.1	0.8	na
LF-29		25-Feb-98	0.57	1.2	<0.004
LF-29		07-Apr-98	0.79 (c)	1.2 J3 (d)	<0.002
LF-29		14-Jul-98	0.81 (c)	1.4 (d)	<0.002
LF-29		20-Oct-98	1 (c)	1.8 J3 (d)	<0.01
LF-29		11-Jan-99	0.95 (c)	0.9	<0.002
LF-29		20-Apr-99	1	1.1 (d)	<0.002
DUP		20-Apr-99	0.77	1.1 (d)	<0.002
LF-29		13-Jul-99	0.99 (c)	0.95	0.0006
LF-30		30-Dec-97	0.24	<0.05	na
LF-30		25-Feb-98	0.11	0.14	<0.002
DUP		25-Feb-98	0.14	0.18	<0.002
LF-30		07-Apr-98	0.16 (c)	0.23 (d)	<0.002
LF-30		14-Jul-98	0.16 (c)	0.35 (d)	<0.002
LF-30		20-Oct-98	0.15 (c)	0.38 (d)	<0.002
LF-30		11-Jan-99	0.2 (c,f)	0.34	0.0014 J11
LF-30		20-Apr-99	0.12	0.18 (d)	<0.002

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
LF-30		13-Jul-99	0.29 (c)	0.28	0.0016
LF-31		02-Jun-99	0.14	<0.05	0.0076
LF-31		13-Jul-99	0.27 (c,i)	<0.05	0.0081
LF-32		22-Jun-99	<0.047	<0.05	0.0019
LF-32		16-Jul-99	0.13 (c,e)	<0.05	0.0019
LF-33		22-Jun-99	1.5 (c,f,i)	0.16	0.0006
DUP		22-Jun-99	1.5 (c,f,i)	0.16	0.0006
LF-33		13-Jul-99	1.5 (c,i)	0.1	0.0006
LF-34		22-Jun-99	0.18 (c,i)	<0.05	0.0026
LF-34		13-Jul-99	0.25 (c,i)	0.051	0.0023
LF-B1	(a)	20-Jun-91	<0.05	na	na
LF-B1	(a)	16-Dec-91	<0.050	na	na
LF-B1	(a)	08-Jul-92	<0.05	0.180	na
LF-B1	(a)	30-Dec-92	<0.05	0.2 (g)	na
LF-B1	(a)	08-Jun-93	0.061	0.180 (g)	na
LF-B1		Destroyed under permit			
LF-B2		21-Jun-91	<0.05	na	na
LF-B2		16-Dec-91	<0.050	na	na
LF-B2		08-Jul-92	<0.05	<0.05	na
LF-B2		08-Jun-93	<0.05	<0.05	na
LF-B2		Destroyed or lost during slurry wall and cap construction activities			
LF-B3		19-Jun-91	<0.05	na	na
LF-B3		16-Dec-91	<0.050	na	na
LF-B3		08-Jul-92	<0.05	0.140	na
LF-B3		30-Dec-92	<0.05	0.150 (g)	na
LF-B3		08-Jun-93	0.06	0.090 (g)	na
LF-B3		05-Jan-94	<0.05	<0.05	na
LF-B3		16-Apr-96	2.7	<0.05	na
LF-B3		01-Aug-96	0.6	<0.05	na
LF-B3		21-Nov-96	0.44	<0.05	na
DUP		21-Nov-96	0.53	<0.05	na
LF-B3		17-Mar-97	0.85	<0.05	na

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
LF-B3		12-Jun-97	0.93	0.06	na
LF-B3		20-Aug-97	0.2	0.06	na
LF-B3		17-Dec-97	0.70	<0.05	na
LF-B3		27-Feb-98	0.42	<0.05	0.011
LF-B3		08-Apr-98	0.97 (c)	<0.05	<0.002
LF-B3		15-Jul-98	0.16 J4 (c)	<0.05	0.012
LF-B3		21-Oct-98	0.12 J3 (c)	<0.05	0.019
LF-B3		13-Jan-99	0.39 (c,e)	<0.05	0.014
LF-B3		22-Apr-99	1.3 (c,e)	<0.05	0.012
LF-B3		15-Jul-99	0.11 (c,e)	<0.05	0.014
LF-B4		19-Jun-91	<0.05	na	na
LF-B4		17-Dec-91	<0.050	na	na
LF-B4		08-Jul-92	<0.05	<0.05	na
LF-B4		30-Dec-92	<0.05	0.160 (g)	na
LF-B4		08-Jun-93	0.066	<0.05 (g)	na
LF-B4		05-Jan-94	<0.05	<0.05	na
LF-B4		16-Apr-96	<0.05	<0.05	na
LF-B4		30-Jul-96	<0.05	<0.05	na
LF-B4		22-Nov-96	0.16	<0.05	na
DUP		22-Nov-96	<0.05	<0.05	na
LF-B4		17-Mar-97	<0.05	<0.05	na
LF-B4		01-Jul-97	<0.05	<0.05	na
LF-B4		20-Aug-97	<0.05	<0.05	na
LF-B4		18-Dec-97	<0.05	<0.05	na
LF-B4		25-Feb-98	<0.05	<0.05	<0.002
LF-B4		07-Apr-98	<0.05	<0.05	<0.002
LF-B4		15-Jul-98	<0.05	<0.05	<0.002
LF-B4		19-Oct-98	<0.05	<0.05	<0.002 UJ2
LF-B4		11-Jan-99	0.055 (i)	<0.05	<0.002
LF-B4		20-Apr-99	0.05 (c,i)	<0.05	<0.002
LF-B4		14-Jul-99	<0.048	<0.05	0.0006
LF-B5	(b)	09-Apr-96	0.1	<0.05	na
LF-B5	(b)	01-Aug-96	<0.05	0.15	na
LF-B5	(b)	22-Nov-96	<0.05	0.06	na
LF-B5	(b)	17-Mar-97	<0.05	0.12	na
LF-B5	(b)	12-Jun-97	<0.05	0.09	na
LF-B5	(b)	20-Aug-97	<0.05	0.12	na

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
LF-B5	(b)	17-Dec-97	0.64	0.12	na
LF-B5	(b)	27-Feb-98	<0.05	0.1	0.0038
LF-B5	(b)	09-Apr-98	<0.05	<0.05	<0.002
LF-B5	(b)	16-Jul-98	<0.05	0.15 (d)	<0.025
DUP	(b)	16-Jul-98	<0.05	0.14 (d)	<0.025
LF-B5	(b)	23-Oct-98	<0.05	0.16 (d)	0.0064
LF-B5	(b)	13-Jan-99	0.053 (c,i)	0.057 (g)	0.0069
LF-B5	(b)	21-Apr-99	<0.047	0.16 (g)	0.0063
LF-B5	(b)	15-Jul-99	<0.048	0.14 (g)	0.0066
LF-B6		09-Apr-96	1	2.7	na
LF-B6		01-Aug-96	0.08	0.38	na
LF-B6		25-Nov-96	0.34	0.21	na
DUP		25-Nov-96	0.34	0.18	na
LF-B6		17-Mar-97	0.14	0.1	na
LF-B6		12-Jun-97	0.21	0.2	na
LF-B6		19-Aug-97	0.19	0.16	na
LF-B6		18-Dec-97	<0.05	0.14	na
LF-B6		27-Feb-98	<0.05	0.082	0.011
LF-B6		08-Apr-98	0.18 (c)	0.085 (d)	<0.002
LF-B6		15-Jul-98	0.095 J4 (c)	0.074 (d)	0.0087
LF-B6		19-Oct-98	0.052 (c)	<0.05	<0.1 UJ2
LF-B6		13-Jan-99	<0.047	0.063	0.0089
LF-B6		21-Apr-99	<0.048	0.056 (g)	0.01
LF-B6		14-Jul-99	<0.048	<0.05	0.01
EX-1		18-Apr-96	4.3	0.42	na
EX-1		01-Aug-96	4.1	0.22	na
EX-1		18-Dec-96	2.4	3.1	na
EX-1		15-Apr-97	0.99	7.1	na
EX-1		01-Jul-97	0.94	4.7	na
EX-1		22-Sep-97	1.4	0.32	na
EX-1		18-Dec-97	1.7	1.6	na
EX-1		27-Feb-98	0.80	1.8	<0.002
EX-1		09-Apr-98	4.4 (c)	0.11 (d)	<0.002
EX-1		17-Jul-98	1.2 (c)	0.32	<0.002
EX-1		23-Oct-98	1.3 (c)	0.19 (d)	<0.002
EX-1		14-Jan-99	1.6 (i)	0.28	<0.002
EX-1		23-Apr-99	1.1 (e)	0.15 (d)	<0.002

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
EX-1		16-Jul-99	1 (c,e)	0.14	0.0007
EX-2		12-Jan-96	2	na	na
EX-2		18-Apr-96	1.3	41	na
EX-2		01-Aug-96	3.7	34	na
EX-2		18-Dec-96	0.69	45	na
EX-2		15-Apr-97	0.72	47	na
EX-2		01-Jul-97	0.64	70	na
EX-2		22-Sep-97	0.64	39	na
EX-2		22-Dec-97	0.55	10	na
EX-2		02-Mar-98	0.97	29.6	<0.2
EX-2		09-Apr-98	8.8 (c)	31 J2,3	<0.002
EX-2		17-Jul-98	1.3 (c)	22 (d)	<0.5
EX-2		23-Oct-98	0.88 (c)	1.2 (d)	<0.005
EX-2		14-Jan-99	2.7 (c,e,f)	51	<0.2
EX-2		23-Apr-99	1.6 (c,f)	10 J3 (d)	<0.025
EX-2		15-Jul-99	0.51 (c,e)	0.35 J3	<0.0005
EX-3		12-Jan-96	<0.05	na	na
EX-3		18-Apr-96	0.43	<0.05	na
EX-3		01-Aug-96	0.82	<0.05	na
EX-3		18-Dec-96	0.21	<0.05	na
EX-3		15-Apr-97	0.09	<0.05	na
EX-3		01-Jul-97	0.13	<0.05	na
EX-3		22-Sep-97	0.08	<0.05	na
EX-3		19-Dec-97	0.18	0.22	na
EX-3		02-Mar-98	0.19	<0.05	<0.002
EX-3		09-Apr-98	32 (c)	<0.05 UJ2	<0.002
EX-3		17-Jul-98	0.16 (c)	0.13 (d)	<0.002
EX-3		22-Oct-98	<0.25	<0.05	<0.002
DUP		22-Oct-98	<0.25	<0.05	<0.002
EX-3		14-Jan-99	0.24 (c,e)	0.082	<0.002
EX-3		23-Apr-99	0.1 (e)	0.14	0.0032
EX-3		16-Jul-99	0.048 (c,e)	<0.05	0.0019
EX-4		11-Sep-98	0.13 J3,8 (c)	<0.05	<0.002
EX-4		22-Oct-98	0.19 (c)	<0.05	<0.002
EX-4		14-Jan-99	1.4 (c,i)	0.24	<0.002

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
DUP		14-Jan-99	1.7 (c,i)	0.25	<0.002
EX-4		23-Apr-99	0.94 (e,f)	0.46 J3 (d)	<0.002
EX-4		15-Jul-99	0.83 (c,e)	0.38	<0.0005
EX-5		11-Sep-98	0.64 J3,8 (c)	0.44 (d)	<0.002
EX-5		22-Oct-98	0.83 (c)	0.38	<0.002
EX-5		14-Jan-99	2.6 (c,e)	0.41	<0.002
EX-5		23-Apr-99	2.8 (c,e,f)	5.4 J3	<0.013
EX-5		19-Jul-99	3.8 (c,i)	0.18 (d)	0.0006
EX-6		11-Sep-98	0.95 J3,8 (c)	11	<0.2
DUP		11-Sep-98	0.92 J3,8 (c)	12 (d)	<0.2
EX-6		22-Oct-98	0.58 (c)	7.8	<0.025
EX-6		15-Jan-99	1.9 (c,e,f)	24	<0.04
EX-6		23-Apr-99	1.5 (c,e,f)	4.1 J3 (d)	<0.01
DUP		23-Apr-99	1.4 (c,e,f)	4.1 J3	<0.01
EX-6		19-Jul-99	1.2 (c,f)	0.34 (d)	<0.0005
EX-7		11-Sep-98	0.77 J3,8 (c)	12 J3 (d)	<0.2
EX-7		22-Oct-98	0.3 (c)	1.3	<0.01
EX-7		14-Jan-99	1.1 (c,e,f)	5.3	0.0027
EX-7		23-Apr-99	0.94 (c,e,f)	3.9 J3 (d)	<0.013
EX-7		15-Jul-99	0.32 (c,f)	0.48 J3	0.0072
EX-8		11-Sep-98	1.4 J3,8 (c)	120 (d)	<10
EX-8		22-Oct-98	0.86 (c)	88 (d)	<2.5
EX-8		14-Jan-99	2.7 (c,f,i)	26	<0.25
EX-8		23-Apr-99	6.8 (c,f)	120	<2.5
EX-8		19-Jul-99	6.5 (c,f,i)	69 (d)	<0.42
EX-9		11-Sep-98	0.16 J3,8 (c)	7.4 (d)	<0.4
EX-9		22-Oct-98	0.06 (c)	5.4 J2 (d)	<0.05
EX-9		14-Jan-99	0.73 (c,f,i)	6.9	<0.05
EX-9		23-Apr-99	0.64 (c,f)	19 J3	<0.067
EX-9		15-Jul-99	0.22 (c,f)	5.5 J3	<0.01
EX-10		11-Sep-98	1.3 J8 (c)	2.3 J3 (d)	<0.02

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
EX-10		22-Oct-98	1.5 (c)	2 J3	<0.004
EX-10		14-Jan-99	1.4 (c,e,f)	1.1	0.001 J11
EX-10		23-Apr-99	1.3 (c,e,f)	0.9	<0.002
EX-10		15-Jul-99	0.5 (c,f)	0.47	0.0006
EX-11		02-Jun-99	0.26 (f)	0.92	<0.008
EX-11		16-Jul-99	4.2	0.25	0.0032
EX-12		02-Jun-99	0.19	0.059	0.001 J11
DUP		02-Jun-99	0.17	0.065	0.001 J11
EX-12		13-Jul-99	0.24 (c)	<0.05	0.0028
EX-13		02-Jun-99	1.3	0.25	<0.002
EX-13		16-Jul-99	1.8 (c,f)	0.19	<0.0005
RP-1		08-Sep-94	4.4	1.9	na
RP-1		28-Feb-95	1.8	0.3	na
RP-1		29-Mar-95	0.78	<0.05	na
RP-1		10-May-95	1.4	2.6	na
RP-1		09-Aug-95	1.4	1.4	na
RP-1		17-Nov-95	0.96	1.2	na
RP-1		10-Jan-96	0.55	0.8	na
RP-1		17-Apr-96	0.59	0.12	na
DUP		17-Apr-96	0.72	0.15	na
RP-1		31-Jul-96	1.1	1.4	na
RP-1		19-Nov-96	2.3	0.6	na
RP-1		25-Mar-97	1.2	0.68	na
RP-1		10-Jun-97	0.9	0.55	na
RP-1		18-Aug-97	1.4	1.2	na
RP-1		19-Dec-97	0.86	0.70	na
DUP		19-Dec-97	0.79	0.46	na
RP-1		26-Feb-98	0.42	<0.05	<0.002
DUP		26-Feb-98	0.50	<0.05	<0.002
RP-1		07-Apr-98	1.5 J3 (c)	<0.05	<0.002
RP-1		14-Jul-98	0.59 (c)	<0.05	0.002
RP-1		20-Oct-98	2.4 J3 (c)	<0.05	<0.002
RP-1		12-Jan-99	1.1	0.063 (d,h)	0.0011 J11
RP-1		19-Apr-99	2.4 (c,e)	<0.05	<0.002

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
RP-1		16-Jul-99	1.2 (c,e)	0.14 (d,h)	0.0008
RP-2		08-Sep-94	0.4	0.09	na
DUP		08-Sep-94	0.3	0.09	na
RP-2		28-Feb-95	<0.05	0.09	na
RP-2		29-Mar-95	0.4	0.07	na
RP-2		10-May-95	0.3	<0.05	na
RP-2		09-Aug-95	0.2	<0.05	na
RP-2		17-Nov-95	0.2	0.1	na
RP-2		10-Jan-96	0.1	0.05	na
RP-2		17-Apr-96	0.17	<0.05	na
RP-2		31-Jul-96	<0.05	<0.05	na
RP-2		19-Nov-96	0.18	<0.05	na
RP-2		25-Mar-97	0.2	<0.05	na
RP-2		10-Jun-97	0.13	<0.05	na
RP-2		18-Aug-97	0.17	<0.05	na
DUP		18-Aug-97	0.16	<0.05	na
RP-2		19-Dec-97	0.16	<0.05	na
RP-2		26-Feb-98	0.14	<0.05	<0.002
RP-2		07-Apr-98	0.12 (c)	<0.05	<0.002
RP-2		13-Jul-98	0.097 (c)	<0.05	<0.002
RP-2		20-Oct-98	0.18 (c)	<0.05	<0.002
RP-2		11-Jan-99	0.22 (c,e,f)	0.053 (g)	0.0015 J11
RP-2		19-Apr-99	0.3	<0.05	0.0015 J11
RP-2		13-Jul-99	0.21 (c)	<0.05	0.0016
RP-3		08-Sep-94	0.7	0.1	na
RP-3		28-Feb-95	1.2	0.2	na
RP-3		29-Mar-95	1.9	0.3	na
RP-3		10-May-95	1.7	0.1	na
RP-3		09-Aug-95	1.2	0.2	na
RP-3		17-Nov-95	1.1	0.1	na
RP-3		10-Jan-96	0.56	0.1	na
RP-3		17-Apr-96	0.42	0.13	na
RP-3		31-Jul-96	0.39	0.1	na
RP-3		19-Nov-96	1.2	0.07	na
RP-3		25-Mar-97	0.47	0.09	na
RP-3		10-Jun-97	0.53	0.1	na
RP-3		18-Aug-97	0.5	0.09	na

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
RP-3		19-Dec-97	0.48	0.08	na
RP-3		25-Feb-98	0.49	0.15	<0.002
RP-3		07-Apr-98	0.47 (c)	0.38 (d)	<0.002
RP-3		13-Jul-98	0.41 (c)	0.31 (d)	<0.002
RP-3		20-Oct-98	0.45 (c)	0.22 (d)	<0.002
DUP		20-Oct-98	0.44 (c)	0.22 (d)	<0.002
RP-3		11-Jan-99	0.75 (c,e,f)	0.13 (g)	<0.002
RP-3		19-Apr-99	2.5 (c,f,i)	0.32 (d)	<0.002
RP-3		16-Jul-99	1.5 (c,e,i)	0.22	0.0006
RP-4		08-Sep-94	0.2	0.1	na
RP-4		28-Feb-95	0.07	0.08	na
DUP		28-Feb-95	0.07	0.07	na
RP-4		29-Mar-95	0.3	0.07	na
RP-4		10-May-95	0.2	<0.05	na
DUP		10-May-95	0.2	<0.05	na
RP-4		09-Aug-95	0.2	<0.05	na
DUP		09-Aug-95	0.2	<0.05	na
RP-4		17-Nov-95	0.1	<0.05	na
DUP		17-Nov-95	0.3	<0.05	na
RP-4		09-Jan-96	0.1	0.05	na
RP-4		17-Apr-96	0.14	<0.05	na
RP-4		31-Jul-96	0.24	<0.05	na
DUP		31-Jul-96	0.21	<0.05	na
RP-4		19-Nov-96	0.12	<0.05	na
RP-4		25-Mar-97	0.19	<0.05	na
RP-4		10-Jun-97	0.19	<0.05	na
DUP		10-Jun-97	0.12	<0.05	na
RP-4		18-Aug-97	0.07	<0.05	na
RP-4		19-Dec-97	0.07	<0.05	na
RP-4		25-Feb-98	0.07	0.062	0.0027
RP-4		07-Apr-98	0.097 (c)	<0.05	0.0025
RP-4		13-Jul-98	0.061 (c)	0.059 (d)	<0.002
DUP		13-Jul-98	0.071 (c)	0.051 (d)	<0.002
RP-4		20-Oct-98	0.1 (c)	<0.05	0.0047
RP-4		11-Jan-99	0.077 (i)	0.075 (g)	0.0034
RP-4		19-Apr-99	0.11	0.068 (d)	0.0025
RP-4		13-Jul-99	0.062 (c)	0.077	0.003
DUP		13-Jul-99	0.073 (c)	0.061	0.003

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
RP-5		08-Sep-94	0.6	0.09	na
RP-5		28-Feb-95	0.2	0.06	na
RP-5		29-Mar-95	0.8	<0.05	na
RP-5		10-May-95	1.1	<0.05	na
RP-5		09-Aug-95	0.69	<0.05	na
RP-5		17-Nov-95	0.5	<0.05	na
RP-5		09-Jan-96	0.2	<0.05	na
DUP		09-Jan-96	0.2	<0.05	na
RP-5		17-Apr-96	0.64	<0.05	na
RP-5		31-Jul-96	0.79	<0.05	na
RP-5		19-Nov-96	0.41	<0.05	na
DUP		19-Nov-96	0.53	<0.05	na
RP-5		25-Mar-97	0.54	<0.05	na
DUP		25-Mar-97	0.59	<0.05	na
RP-5		10-Jun-97	0.59	<0.05	na
RP-5		18-Aug-97	0.67	<0.05	na
RP-5		19-Dec-97	0.65	<0.05	na
RP-5		26-Feb-98	0.34	0.055	<0.002
RP-5		07-Apr-98	0.41 J3 (c)	<0.05	<0.002
RP-5		13-Jul-98	0.37 (c)	<0.05	<0.002
RP-5		20-Oct-98	0.47 (c)	0.054 (d)	<0.002
RP-5		12-Jan-99	0.43 (c,e)	0.07 (g)	<0.002
RP-5		20-Apr-99	1 (e)	0.061 (d)	<0.002
RP-5		13-Jul-99	0.48 (c,e)	0.07	<0.0005
MW-1		29-Mar-95	3.6	7.41	na
MW-1		08-Jun-95	2.6	2.1	na
MW-1		09-Jan-96	4	1.3	na
MW-1		17-Apr-96	1.1	1.7	na
MW-1		31-Jul-96	12	2.4	na
MW-1		19-Nov-96	1.5	0.85	na
MW-1		25-Mar-97	1.8	0.99	na
MW-1		10-Jun-97	1.3	0.94	na
MW-1		18-Aug-97	1.6	0.88	na
MW-1		19-Dec-97	1.2	1.1	na
MW-1		26-Feb-98	1.1	1.8	<0.002
MW-1		08-Apr-98	1.3 (c)	1.6 J3 (d)	<0.002
DUP		08-Apr-98	1.1 (c)	1.5 J3 (d)	<0.002

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
MW-1		14-Jul-98	1 (c)	1.7 J3 (d)	<0.01
MW-1		21-Oct-98	1.1 (c)	1.6 (d)	<0.02
MW-1		12-Jan-99	1.6 (c)	1.3	<0.002
MW-1		20-Apr-99	1.3	1.5 (d)	<0.002
MW-1		13-Jul-99	1.3 (c)	1	0.0019
MW-2		29-Mar-95	4.4	3	na
MW-2		08-Jun-95	3.8	1.3	na
MW-2		09-Jan-96	2.5	0.9	na
MW-2		17-Apr-96	4.6	0.62	na
MW-2		31-Jul-96	3.2	0.71	na
MW-2		19-Nov-96	3.2	0.37	na
MW-2		25-Mar-97	3.3	0.52	na
MW-2		10-Jun-97	1.5	0.5	na
MW-2		18-Aug-97	1.8	0.73	na
MW-2		19-Dec-97	1.5	0.4	na
MW-2		26-Feb-98	2.4	0.45	<0.002
MW-2		08-Apr-98	1.8 (c)	0.34 J3 (d)	<0.002
MW-2		14-Jul-98	2.2 J3 (c)	0.38 (d)	0.0053
MW-2		21-Oct-98	1.4 (c)	0.43 (d)	<0.004
DUP		21-Oct-98	1.2 (c)	0.49 (d)	<0.004
MW-2		12-Jan-99	1.1	0.33	0.0042
MW-3		29-Mar-95	1.5	2	na
MW-3		08-Jun-95	0.55	0.43	na
MW-3		09-Jan-96	0.3	0.2	na
MW-3		17-Apr-96	0.18	0.16	na
MW-3		31-Jul-96	0.42	9.4	na
MW-3		19-Nov-96	0.46	0.47	na
MW-3		25-Mar-97	<0.05	0.31	na
MW-3		10-Jun-97	<0.05	0.07	na
MW-3		18-Aug-97	<0.05	0.1	na
MW-3		19-Dec-97	0.06	0.07	na
MW-3		26-Feb-98	<0.05	0.11	<0.002
MW-3		07-Apr-98	0.089 (c)	0.091 J3 (d)	0.0036
MW-3		14-Jul-98	0.053 (c)	<0.05	0.0064
DUP		14-Jul-98	0.067 (c)	0.068 (d)	0.0075
MW-3		20-Oct-98	0.084 (c)	<0.05	0.0059
MW-3		11-Jan-99	0.073 (c)	0.069	0.0036

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
DUP		11-Jan-99	0.049 (c)	0.065	0.0032
MW-3		19-Apr-99	0.091	0.1 (d)	<0.002
MW-3		13-Jul-99	0.14 (c)	0.12	0.0021
MW-4		29-Mar-95	2.5	1.9	na
MW-4		08-Jun-95	4.5	1.1	na
MW-4		10-Jan-96	6.3	0.7	na
MW-4		19-Nov-96	6.9	0.7	na
MW-4		18-Aug-97	9.9	1.1	na
MW-4		19-Dec-97	12	0.18	na
MW-4		02-Mar-98	3.7	0.22	<0.002
MW-4		10-Apr-98	4.4 J3 (c)	0.18 (d)	<0.002
MW-4		17-Jul-98	4.7 J3 (c)	0.26 (d)	<0.002
MW-4		23-Oct-98	5.3 (c)	0.27 (d)	<0.002
MW-4		15-Jan-99	6.6 (c,e,f)	0.27 (h)	<0.002
MW-4		22-Apr-99	9.2 (c,e,f,i)	0.52 (d)	<0.002
MW-4		16-Jul-99	9.1 (c,e)	0.25	<0.0005
MW-5		29-Mar-95	1.1	660	na
MW-5		08-Jun-95	13	38	na
MW-5		10-Jan-96	5.4	160	na
MW-5		19-Nov-96	3.7	180	na
MW-5		18-Aug-97	15	120	na
MW-5		19-Dec-97	6.0	160	na
MW-5		02-Mar-98	3.8	198	<10
MW-5		10-Apr-98	5.2 (c)	250 J2	<20
MW-5		17-Jul-98	4.6 (c)	180 (d)	<10
DUP		17-Jul-98	4.2 (c)	170 J3 (d)	<10
MW-5		19-Oct-98	33 (c)	130	<10 UJ2
MW-5		15-Jan-99	19 (c,e,f,i)	230	<2
MW-5		22-Apr-99	20 (c,f,i)	190 (g)	<2.5
MW-5		19-Jul-99	20 (c,f,i)	130 (d)	<0.63
DUP		19-Jul-99	18 (c,f,i)	130 (d)	<0.5

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline
in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
-------------	-------	-----------------	--	--	------

Data QA/QC performed by KLF.

Notes: < = Analyte was not detected at or greater than the detection limit reported
 ND = Not detected (no associated detection limit was reported)
 na = Not analyzed

(a) Concentrations for LF-B1 may not represent the B-zone water quality because LF-B1 is screened in the aquitard between the A and B zones.

(b) Concentrations for LF-B5 may not represent the B-zone water quality because LF-B5 is screened in the aquitard between the A and B zones.

Data qualifiers and notes for TPH data:

J1= Concentration is estimated because the concentration exceeded the calibration range of the analytical instrument.

J2 = Concentration is estimated because the sample was analyzed outside of holding time.

J3 = Concentration is estimated due to surrogate recoveries outside of control limits.

J4= Concentration is estimated due to relative percent difference (RPD) outside of control limit for the laboratory control sample

(c) = Unknown hydrocarbon mixture with peak patterns atypical of diesel is quantified as diesel for a range of n-C10 to n-C24.

(d) = Unknown hydrocarbon mixture with peak patterns atypical of gasoline is quantified as gasoline for a range of n-C07 to n-C12.

(e) = The concentration reported for diesel is due primarily to the presence of a heavier petroleum product, possibly motor oil.

(f) = The concentration reported for diesel is due primarily to the presence of a lighter petroleum product (range C06-C12), possibly gasoline.

(g) = The concentration reported for gasoline is due to the presence of a discrete hydrocarbon peak not indicative of gasoline.

(h) = The concentration reported for gasoline is due primarily to the presence of a heavier hydrocarbon peak not indicative of gasoline.

(i) = The concentration reported for diesel is due to the presence of a discrete hydrocarbon peak not indicative of diesel.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-1		01-Jun-89	200	na	na	<0.04	<0.3	na	na	na	na	na	0.59
LF-1		07-Dec-89	190	na	na	<0.04	<0.3	na	na	na	na	na	0.02
LF-1		20-Jul-90	120	0.06	na	<0.05	<0.2	na	na	na	na	na	0.26
LF-1		20-Jun-91	58	na	na	<0.005	<0.004	na	na	na	na	na	0.236
LF-1		09-Jul-92	53.2	<0.1	na	0.058	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-1		09-Jun-93	39.8	<0.1	na	<0.03	0.0039	<0.01	<0.0002	<0.05	<0.01	na	na
LF-1	Destroyed under permit												
LF-2		02-Jun-89	2.6	na	na	<0.04	<0.3	na	na	na	na	na	0.01
LF-2		07-Dec-89	17	na	na	<0.04	<0.3	na	na	na	na	na	<0.01
LF-2		20-Jul-90	110	0.45	na	<0.05	<0.2	na	na	na	na	na	<0.05
LF-2	Destroyed or lost during slurry wall and cap construction activities												
LF-3		02-Jun-89	27	na	na	<0.04	<0.3	na	na	na	na	na	<0.01
LF-3		07-Dec-89	30	na	na	<0.04	<0.3	na	na	na	na	na	<0.01
LF-3		20-Jul-90	21	0.42	na	<0.05	<0.2	na	na	na	na	na	<0.05
LF-3		20-Jun-91	60.4	na	na	<0.005	<0.004	na	na	na	na	na	0.028
LF-3		09-Jul-92	70.8	0.473	na	0.0205	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
DUP		09-Jul-92	66.6	0.452	na	0.0361	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-3		09-Jun-93	142	0.625	na	<0.1	<0.003	<0.01	<0.0002	<0.05	<0.01	na	na
DUP		09-Jun-93	141	0.635	na	<0.1	<0.003	<0.01	<0.0002	<0.05	<0.01	na	na
LF-3		16-Apr-96	58	na	na	na	<0.002	na	na	na	na	na	na
LF-3		31-Jul-96	72	na	na	na	na	na	na	na	na	na	na
LF-3		20-Nov-96	72	na	na	na	na	na	na	na	na	na	na
LF-3		19-Mar-97	110	na	na	na	na	na	na	na	na	na	na
LF-3		12-Jun-97	180	na	na	na	na	na	na	na	na	na	na
LF-3		19-Aug-97	120	na	na	na	na	na	na	na	na	na	na
LF-3		02-Dec-97	na	na	na	na	na	na	na	na	na	na	0.04
LF-3		17-Dec-97	60	na	na	na	na	na	na	na	na	na	na
DUP		17-Dec-97	67	na	na	na	na	na	na	na	na	na	na
LF-3		02-Mar-98	65	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-3		10-Apr-98	25.7	na	na	na	na	na	na	na	na	na	na
LF-3		16-Jul-98	117	na	na	na	na	na	na	na	na	na	na
LF-3		19-Oct-98	142	na	na	na	na	na	na	na	na	na	na
LF-3		15-Jan-99	29	na	na	na	na	na	na	na	na	na	na
DUP		15-Jan-99	31	na	na	na	na	na	na	na	na	na	na
LF-3		22-Apr-99	28	na	na	na	na	na	na	na	na	na	na
LF-3		19-Jul-99	50	na	na	na	na	na	na	na	na	na	na
LF-4		02-Jun-89	0.53	na	na	<0.04	<0.3	na	na	na	na	na	<0.01
DUP		02-Jun-89	0.58	na	na	<0.04	<0.3	na	na	na	na	na	7
LF-4		06-Dec-89	0.420	na	na	<0.04	<0.3	na	na	na	na	na	<0.01
DUP		06-Dec-89	0.550	na	na	<0.04	<0.3	na	na	na	na	na	0.010
LF-4		20-Jul-90	0.19	0.16	na	<0.05	<0.2	na	na	na	na	na	<0.05
LF-4		20-Jun-91	0.51	na	na	<0.005	0.015	na	na	na	na	na	0.071
DUP		20-Jun-91	0.493	na	na	<0.005	0.01	na	na	na	na	na	0.109
LF-4		09-Jul-92	0.367	0.119	na	<0.005	<0.04	<0.01	<0.00027	<0.025	<0.01	na	na
LF-4		09-Jun-93	1.520	0.250	na	<0.015	<0.003	<0.01	<0.0002	<0.025	<0.01	na	na
LF-4		02-Dec-97	na	na	na	na	na	na	na	na	na	na	0.05
LF-4		02-Mar-98	0.34	na	na	na	na	na	na	na	na	na	na
LF-4		09-Apr-98	0.73	na	na	na	na	na	na	na	na	na	na
LF-4		16-Jul-98	0.17	na	na	na	na	na	na	na	na	na	na
LF-4		19-Oct-98	0.47	na	na	na	na	na	na	na	na	na	na
LF-4		14-Jan-99	0.39	na	na	na	na	na	na	na	na	na	na
LF-4		22-Apr-99	0.98	na	na	na	na	na	na	na	na	na	na
LF-4		16-Jul-99	0.83	na	na	na	na	na	na	na	na	na	na
DUP		16-Jul-99	0.86	na	na	na	na	na	na	na	na	na	na
LF-5		01-Jun-89	0.017	na	na	<0.04	<0.3	na	na	na	na	na	0.04
LF-5		06-Dec-89	<0.07 U5,6	na	na	<0.04	<0.3	na	na	na	na	na	<0.01

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-5		20-Jul-90	0.020	0.17	na	<0.05	<0.2	na	na	na	na	na	0.05
LF-5		20-Jun-91	0.038	na	na	<0.005	0.003	na	na	na	na	na	<0.02
LF-5		09-Jul-92	<0.01	0.111	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-5		09-Jun-93	0.0283	0.257	na	<0.005	<0.003	<0.01	<0.00027	<0.005	<0.01	na	na
LF-5		Destroyed or lost during slurry wall and cap construction activities											
LF-6		01-Jun-89	13	na	na	0.09	<0.3	na	na	na	na	na	0.12
LF-6		05-Dec-89	16	na	na	0.06	<0.3	na	na	na	na	na	<0.01
LF-6		20-Jul-90	14	0.21	na	<0.05	<0.2	na	na	na	na	na	0.06
LF-6		Sealed August 2, 1990											
LF-7		01-Jun-89	0.008	na	na	<0.04	<0.3	na	na	na	na	na	<0.01
LF-7		06-Dec-89	<0.07 U5,6	na	na	<0.04	<0.3	na	na	na	na	na	0.02
LF-7		19-Jul-90	<0.002	0.06	na	<0.05	<0.2	na	na	na	na	na	<0.05
LF-7		20-Jun-91	0.012	na	na	<0.005	<0.004	na	na	na	na	na	<0.02
LF-7		17-Dec-91	<0.010	na	na	<0.005	<0.003	<0.010	na	na	na	na	<0.020
LF-7		09-Jul-92	<0.01	<0.1	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
DUP		09-Jul-92	<0.01	<0.1	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-7		09-Jun-93	<0.01	0.191	na	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.01	na	na
DUP		09-Jun-93	<0.01	0.201	na	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.01	na	na
LF-7		06-Jan-94	<0.002	0.07	na	<0.001	0.001	<0.002	<0.0002	<0.004	<0.001	na	na
LF-7		01-Aug-96	na	na	na	na	na	na	na	na	na	na	26
LF-7		22-Nov-96	na	na	na	na	na	na	na	na	na	na	0.12
LF-7		25-Nov-97	na	na	na	na	na	na	na	na	na	na	0.49
LF-7		27-Feb-98	0.020	na	na	na	na	na	na	na	na	na	na
DUP		27-Feb-98	0.020	na	na	na	na	na	na	na	na	na	na
LF-7		13-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-8		05-Dec-89	<0.07 U5,6	na	na	<0.04	<0.3	na	na	na	na	na	<0.01
LF-8		19-Jul-90	<0.002	0.12	na	<0.05	<0.2	na	na	na	na	na	<0.05
LF-8		21-Dec-90	0.02	0.59	na	0.0015	<0.2	na	na	na	na	na	0.25

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-8		20-Jun-91	0.021	na	na	<0.005	<0.004	na	na	na	na	na	<0.02
LF-8		17-Dec-91	0.016	na	na	<0.005	<0.003	<0.010	na	na	na	na	<0.020
LF-8		09-Jul-92	<0.01	<0.1	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-8		30-Dec-92	0.029	0.177	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
LF-8		09-Jun-93	0.0384	0.121	na	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.01	na	na
LF-8		06-Jan-94	0.055	0.1	na	<0.001	<0.001	<0.002	<0.0002	0.005	<0.001	na	na
LF-8		25-Nov-97	na	na	na	na	na	na	na	na	na	na	0.01
LF-8		27-Feb-98	0.022	na	na	na	na	na	na	na	na	na	na
LF-8		08-Apr-98	0.026	na	na	na	na	na	na	na	na	na	na
LF-8		15-Jul-98	0.019	na	na	na	na	na	na	na	na	na	na
LF-8		21-Oct-98	0.030	na	na	na	na	na	na	na	na	na	na
LF-8		13-Jan-99	0.029	na	na	na	na	na	na	na	na	na	na
LF-8		21-Apr-99	0.039	na	na	na	na	na	na	na	na	na	na
LF-8		14-Jul-99	0.037	na	na	na	na	na	na	na	na	na	na
LF-9		05-Dec-89	0.067	na	na	<0.04	<0.3	na	na	na	na	na	0.02
LF-9		19-Jul-90	0.008	0.11	na	<0.05	<0.2	na	na	na	na	na	<0.05
LF-9		21-Dec-90	0.12	0.27	na	0.0029	<0.2	na	na	na	na	na	0.73
LF-9		20-Jun-91	0.075	na	na	<0.005	0.012	na	na	na	na	na	0.1
LF-9		06-Aug-91	0.131	na	na	na	na	na	na	na	na	na	na
LF-9		16-Dec-91	0.046	na	na	<0.005	<0.003	<0.010	na	na	na	na	0.039
LF-9		09-Jul-92	<0.01	<0.1	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-9		30-Dec-92	0.106	<0.1	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
LF-9		09-Jun-93	0.158	0.169	na	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.01	na	na
LF-9		Destroyed or lost during slurry wall and cap construction activities											
LF-10		07-Dec-89	0.650	na	na	<0.04	<0.3	na	na	na	na	na	<0.01
LF-10		19-Jul-90	0.012	0.11	na	<0.05	<0.2	na	na	na	na	na	<0.05
DUP		19-Jul-90	0.008	0.14	na	<0.05	<0.3	na	na	na	na	na	0.07
LF-10		21-Dec-90	1	0.33	na	0.0009	<0.2	na	na	na	na	na	<0.05

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
DUP		21-Dec-90	1.1	0.35	na	0.0007	<0.3	na	na	na	na	na	0.07
LF-10		20-Jun-91	0.657	na	na	<0.005	0.013	na	na	na	na	na	0.064
LF-10		06-Aug-91	1.09	na	na	na	na	na	na	na	na	na	na
LF-10		18-Dec-91	0.704	na	na	<0.005	<0.003	<0.010	na	na	na	na	0.028
DUP		18-Dec-91	0.549	na	na	<0.005	<0.003	<0.010	na	na	na	na	<0.020
LF-10		09-Jul-92	0.328	<0.1	na	<0.005	<0.04	<0.01	<0.00027	<0.025	<0.01	na	na
LF-10		31-Dec-92	0.550	<0.1	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
DUP		31-Dec-92	0.552	<0.1	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
LF-10		09-Jun-93	0.958	0.249	na	<0.005	<0.003	<0.01	<0.0002	<0.05	<0.01	na	na
LF-10		06-Jan-94	0.94	0.19	na	<0.001	<0.001	<0.002	<0.0002	<0.004	0.002	na	na
DUP		06-Jan-94	0.82	0.18	na	<0.001	0.001	<0.002	<0.0002	<0.004	0.002	na	na
LF-10		01-Aug-96	na	na	na	na	na	na	na	na	na	na	2.3
LF-10		20-Nov-96	na	na	na	na	na	na	na	na	na	na	0.13
LF-10		02-Dec-97	na	na	na	na	na	na	na	na	na	na	0.02
LF-10		27-Feb-98	0.77	na	na	na	na	na	na	na	na	na	na
LF-10		15-Jan-99	0.26	na	na	na	na	na	na	na	na	na	na
LF-11		05-Dec-89	<0.07 U5,6	na	na	<0.04	<0.3	na	na	na	na	na	0.02
LF-11		19-Jul-90	0.007	0.12	na	<0.05	<0.2	na	na	na	na	na	<0.05
LF-11		21-Dec-90	0.011	0.18	na	0.0006	<0.2	na	na	na	na	na	<0.05
LF-11		21-Jun-91	0.023	na	na	<0.005	0.007	na	na	na	na	na	<0.02
DUP		21-Jun-91	0.024	na	na	<0.005	0.006	na	na	na	na	na	<0.02
LF-11		06-Aug-91	0.021	na	na	na	na	na	na	na	na	na	na
LF-11		17-Dec-91	0.011	na	na	<0.005	<0.003	<0.010	na	na	na	na	<0.020
LF-11		09-Jul-92	<0.01	0.169	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-11		31-Dec-92	<0.01	<0.1	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
LF-11		09-Jun-93	0.0116	0.152	na	<0.005	<0.003	<0.01	<0.0002	<0.05	<0.01	na	na
LF-11		05-Jan-94	0.019	0.13	na	<0.001	<0.001	<0.002	<0.0002	<0.004	0.001	na	na
LF-11		16-Apr-96	0.048	na	na	na	<0.002	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-11		31-Jul-96	0.11	na	na	na	na	na	na	na	na	na	na
LF-11		20-Nov-96	0.45	na	na	na	na	na	na	na	na	na	na
LF-11		18-Mar-97	1.2	na	na	na	na	na	na	na	na	na	na
DUP		18-Mar-97	1.2	na	na	na	na	na	na	na	na	na	na
LF-11		11-Jun-97	0.62	na	na	na	na	na	na	na	na	na	na
LF-11		19-Aug-97	1.3	na	na	na	na	na	na	na	na	na	na
DUP		19-Aug-97	1.1	na	na	na	na	na	na	na	na	na	na
LF-11		17-Dec-97	2.1	na	na	na	na	na	na	na	na	na	na
LF-11		02-Mar-98	2.7	na	na	na	na	na	na	na	na	na	na
LF-11		10-Apr-98	2.9	na	na	na	na	na	na	na	na	na	na
DUP		10-Apr-98	2.5	na	na	na	na	na	na	na	na	na	na
LF-11		16-Jul-98	3.2	na	na	na	na	na	na	na	na	na	na
LF-11		23-Oct-98	2.0	na	na	na	na	na	na	na	na	na	na
LF-11		14-Jan-99	1.7	na	na	na	na	na	na	na	na	na	na
LF-11		22-Apr-99	1.9	na	na	na	na	na	na	na	na	na	na
DUP		22-Apr-99	1.8	na	na	na	na	na	na	na	na	na	na
LF-11		16-Jul-99	2.4	na	na	na	na	na	na	na	na	na	na
LF-12		06-Dec-89	<0.07 U5,6	na	na	<0.04	<0.3	na	na	na	na	na	0.02
LF-12		18-Jul-90	0.004	0.06	na	<0.05	<0.3	na	na	na	na	na	<0.2
LF-12		19-Jun-91	<0.01	na	na	<0.005	<0.004	na	na	na	na	na	<0.02
LF-12		16-Dec-91	<0.010	na	na	<0.005	<0.003	<0.010	na	na	na	na	0.024
LF-12		08-Jul-92	<0.01	<0.1	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-12		30-Dec-92	0.014	<0.1	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
LF-12		08-Jun-93	0.0152	<0.1	na	<0.005	<0.003	<0.01	<0.0002	<0.05	<0.01	na	na
LF-12		06-Jan-94	0.013	0.06	na	<0.001	<0.001	0.006	<0.0002	0.005	<0.001	na	na
LF-12		16-Apr-96	0.043	na	na	na	<0.002	na	na	na	na	na	na
LF-12		30-Jul-96	0.006	na	na	na	na	na	na	na	na	na	0.81
LF-12		20-Nov-96	0.022	na	na	na	na	na	na	na	na	na	0.1

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-12		17-Mar-97	0.014	na	na	na	na	na	na	na	na	na	na
LF-12		01-Jul-97	0.014	na	na	na	na	na	na	na	na	na	na
DUP		01-Jul-97	0.014	na	na	na	na	na	na	na	na	na	na
LF-12		20-Aug-97	0.018	na	na	na	na	na	na	na	na	na	na
LF-12		02-Dec-97	na	na	na	na	na	na	na	na	na	na	0.03
LF-12		18-Dec-97	0.013	na	na	na	na	na	na	na	na	na	na
LF-12		26-Feb-98	0.014	na	na	na	na	na	na	na	na	na	na
LF-12		08-Apr-98	0.014	na	na	na	na	na	na	na	na	na	na
LF-12		14-Jul-98	0.012	na	na	na	na	na	na	na	na	na	na
LF-12		21-Oct-98	0.013	na	na	na	na	na	na	na	na	na	na
LF-12		12-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-12		20-Apr-99	0.011	na	na	na	na	na	na	na	na	na	na
LF-12		14-Jul-99	0.016	na	na	na	na	na	na	na	na	na	na
LF-13		06-Dec-89	<0.07 U5,6	na	na	<0.04	<0.3	na	na	na	na	na	0.02
LF-13		18-Jul-90	<0.002	<0.05	na	<0.05	<0.2	na	na	na	na	na	<0.05
LF-13		19-Dec-90	<0.002	0.1	na	<0.0005	<0.2	na	na	na	na	na	<0.05
LF-13		19-Jun-91	<0.01	na	na	<0.005	<0.004	na	na	na	na	na	<0.02
LF-13		16-Dec-91	<0.010	na	na	<0.005	<0.003	<0.010	na	na	na	na	<0.020
LF-13		09-Jul-92	<0.01	<0.1	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-13		30-Dec-92	<0.01	<0.1	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
LF-13		08-Jun-93	<0.01	<0.1	na	<0.005	<0.003	<0.01	<0.0002	<0.05	<0.01	na	na
LF-13		05-Jan-94	0.003	0.04	na	<0.005	<0.001	<0.002	<0.0002	<0.004	<0.001	na	na
LF-13		16-Apr-96	<0.002	na	na	na	<0.002	na	na	na	na	na	na
LF-13		30-Jul-96	<0.002	na	na	na	na	na	na	na	na	na	na
DUP		30-Jul-96	<0.002	na	na	na	na	na	na	na	na	na	na
LF-13		20-Nov-96	<0.002	na	na	na	na	na	na	na	na	na	na
LF-13		17-Mar-97	<0.002	na	na	na	na	na	na	na	na	na	na
DUP		17-Mar-97	<0.002	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-13		12-Jun-97	<0.002	na	na	na	na	na	na	na	na	na	na
LF-13		19-Aug-97	<0.002	na	na	na	na	na	na	na	na	na	na
LF-13		18-Dec-97	<0.002	na	na	na	na	na	na	na	na	na	na
LF-13		25-Feb-98	<0.005	na	na	na	na	na	na	na	na	na	na
LF-13		07-Apr-98	<0.0050	na	na	na	na	na	na	na	na	na	na
DUP		07-Apr-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-13		13-Jul-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-13		19-Oct-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-13		11-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-13		19-Apr-99	<0.005	na	na	na	na	na	na	na	na	na	na
DUP		19-Apr-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-13		13-Jul-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-14		04-Sep-90	0.092	0.06	na	<0.0005	0.007	na	na	na	na	na	<0.05
LF-14		02-Oct-90	0.077	na	na	na	na	na	na	na	na	na	na
LF-14		20-Dec-90	0.15	0.47	na	0.0036	<0.2	na	na	na	na	na	0.41
LF-14		20-Jun-91	0.095	na	na	<0.005	<0.004	na	na	na	na	na	<0.02
LF-14		17-Dec-91	0.104	na	na	<0.005	<0.003	<0.010	na	na	na	na	<0.020
LF-14		31-Dec-92	0.121	<0.1	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
LF-14		09-Jun-93	0.102	<0.1	na	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.01	na	na
LF-14		Destroyed during railway expansion activities											
LF-15		04-Sep-90	0.002	0.06	na	<0.0005	0.043	na	na	na	na	na	<0.05
LF-15		20-Dec-90	0.007	0.23	na	0.0007	<0.2	na	na	na	na	na	0.1
LF-15		20-Jun-91	<0.01	na	na	<0.005	<0.004	na	na	na	na	na	<0.02
LF-15		17-Dec-91	<0.010	na	na	<0.005	<0.003	<0.010	na	na	na	na	0.026
LF-15		08-Jul-92	<0.01	0.105	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-15		30-Dec-92	<0.01	<0.1	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
LF-15		09-Jun-93	<0.01	<0.1	na	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.01	na	na
LF-15		Destroyed during railway expansion activities											

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-16		04-Sep-90	0.003	0.06	na	<0.0005	<0.002	na	na	na	na	na	<0.05
LF-16		20-Dec-90	0.003	0.17	na	0.0007	<0.2	na	na	na	na	na	0.07
LF-16		20-Jun-91	0.01	na	na	<0.005	<0.004	na	na	na	na	na	<0.02
LF-16		17-Dec-91	<0.010	na	na	<0.005	<0.003	<0.010	na	na	na	na	0.025
LF-16		09-Jul-92	<0.01	<0.1	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-16		30-Dec-92	<0.01	<0.1	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
LF-16		09-Jun-93	<0.01	<0.1	na	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.01	na	na
LF-16		Destroyed under permit											
LF-17		24-Nov-97	na	na	na	na	na	na	na	na	na	na	<0.01
LF-17		02-Mar-98	65	na	na	na	na	na	na	na	na	na	na
LF-17		10-Apr-98	80.9	na	na	na	na	na	na	na	na	na	na
LF-17		16-Jul-98	58.7	na	na	na	na	na	na	na	na	na	na
LF-17		23-Oct-98	76.8	na	na	na	na	na	na	na	na	na	na
LF-17		15-Jan-99	46	na	na	na	na	na	na	na	na	na	na
LF-17		22-Apr-99	45	na	na	na	na	na	na	na	na	na	na
LF-17		16-Jul-99	59	na	na	na	na	na	na	na	na	na	na
LF-18		11-Apr-96	0.012	na	na	na	<0.002	na	na	na	na	na	na
LF-18		30-Jul-96	0.037	na	na	na	na	na	na	na	na	na	na
LF-18		20-Nov-96	0.043	na	na	na	na	na	na	na	na	na	na
LF-18		19-Mar-97	0.023	na	na	na	na	na	na	na	na	na	na
LF-18		11-Jun-97	0.026	na	na	na	na	na	na	na	na	na	na
DUP		11-Jun-97	0.032	na	na	na	na	na	na	na	na	na	na
LF-18		19-Aug-97	0.048	na	na	na	na	na	na	na	na	na	na
LF-18		25-Nov-97	na	na	na	na	na	na	na	na	na	na	<0.01
LF-18		17-Dec-97	0.008	na	na	na	na	na	na	na	na	na	na
LF-18		27-Feb-98	<0.005	na	na	na	na	na	na	na	na	na	na
LF-18		08-Apr-98	0.0066	na	na	na	na	na	na	na	na	na	na
LF-18		15-Jul-98	0.011	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
DUP		15-Jul-98	0.011	na	na	na	na	na	na	na	na	na	na
LF-18		21-Oct-98	0.0091	na	na	na	na	na	na	na	na	na	na
LF-18		13-Jan-99	0.0068	na	na	na	na	na	na	na	na	na	na
LF-18		21-Apr-99	<0.005	na	na	na	na	na	na	na	na	na	na
DUP		21-Apr-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-18		14-Jul-99	0.0083	na	na	na	na	na	na	na	na	na	na
LF-19		13-Jun-97	<0.002	na	na	na	na	na	na	na	na	na	na
LF-19		19-Aug-97	0.007	na	na	na	na	na	na	na	na	na	na
LF-19		01-Dec-97	na	na	na	na	na	na	na	na	na	na	0.19
LF-19		27-Feb-98	0.007	na	na	na	na	na	na	na	na	na	na
LF-19		08-Apr-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-19		15-Jul-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-19		23-Oct-98	<0.0050	na	na	na	na	na	na	na	na	na	na
DUP		23-Oct-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-19		13-Jan-99	0.014	na	na	na	na	na	na	na	na	na	na
LF-19		20-Apr-99	0.015	na	na	na	na	na	na	na	na	na	na
LF-19		14-Jul-99	0.011	na	na	na	na	na	na	na	na	na	na
LF-20		11-Apr-96	<0.002	na	na	na	<0.002	na	na	na	na	na	na
LF-20		30-Jul-96	0.085	na	na	na	na	na	na	na	na	na	na
LF-20		21-Nov-96	0.12	na	na	na	na	na	na	na	na	na	na
LF-20		18-Mar-97	0.11	na	na	na	na	na	na	na	na	na	na
LF-20		11-Jun-97	0.18	na	na	na	na	na	na	na	na	na	na
LF-20		19-Aug-97	0.18	na	na	na	na	na	na	na	na	na	na
LF-20		01-Dec-97	na	na	na	na	na	na	na	na	na	na	0.01
LF-20		18-Dec-97	0.15	na	na	na	na	na	na	na	na	na	na
LF-20		27-Feb-98	0.13	na	na	na	na	na	na	na	na	na	na
LF-20		09-Apr-98	0.075	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
DUP		09-Apr-98	0.093	na	na	na	na	na	na	na	na	na	na
LF-20		16-Jul-98	0.035	na	na	na	na	na	na	na	na	na	na
LF-20		23-Oct-98	0.056	na	na	na	na	na	na	na	na	na	na
LF-20		13-Jan-99	0.096	na	na	na	na	na	na	na	na	na	na
DUP		13-Jan-99	0.079	na	na	na	na	na	na	na	na	na	na
LF-20		21-Apr-99	0.15	na	na	na	na	na	na	na	na	na	na
LF-20		15-Jul-99	0.094	na	na	na	na	na	na	na	na	na	na
LF-21		10-Apr-96	<0.002	na	na	na	<0.002	na	na	na	na	na	na
LF-21		31-Jul-96	0.43	na	na	na	na	na	na	na	na	na	na
LF-21		21-Nov-96	0.38	na	na	na	na	na	na	na	na	na	na
LF-21		18-Mar-97	0.4	na	na	na	na	na	na	na	na	na	na
LF-21		11-Jun-97	0.43	na	na	na	na	na	na	na	na	na	na
LF-21		19-Aug-97	0.53	na	na	na	na	na	na	na	na	na	na
LF-21		02-Dec-97	na	na	na	na	na	na	na	na	na	na	0.02
LF-21		17-Dec-97	0.48	na	na	na	na	na	na	na	na	na	na
LF-21		02-Mar-98	0.35	na	na	na	na	na	na	na	na	na	na
DUP		02-Mar-98	0.41	na	na	na	na	na	na	na	na	na	na
LF-21		09-Apr-98	0.36	na	na	na	na	na	na	na	na	na	na
LF-21		16-Jul-98	0.19	na	na	na	na	na	na	na	na	na	na
LF-21		23-Oct-98	0.21	na	na	na	na	na	na	na	na	na	na
LF-21		14-Jan-99	0.08	na	na	na	na	na	na	na	na	na	na
LF-21		22-Apr-99	<0.093 U5	na	na	na	na	na	na	na	na	na	na
LF-21		15-Jul-99	0.24	na	na	na	na	na	na	na	na	na	na
DUP		15-Jul-99	0.23	na	na	na	na	na	na	na	na	na	na
LF-22		01-Aug-96	na	na	na	na	na	na	na	na	na	na	4.1
LF-22		20-Nov-96	na	na	na	na	na	na	na	na	na	na	0.19
LF-22		24-Nov-97	na	na	na	na	na	na	na	na	na	na	<0.01

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-22		02-Mar-98	160	na	na	na	na	na	na	na	na	na	na
LF-22		10-Apr-98	147	na	na	na	na	na	na	na	na	na	na
LF-22		15-Jan-99	84	na	na	na	na	na	na	na	na	na	na
LF-23		10-Apr-96	<0.002	na	na	na	<0.002	na	na	na	na	na	na
DUP		10-Apr-96	0.004	na	na	na	<0.002	na	na	na	na	na	na
LF-23		02-Aug-96	<0.009 U5	na	na	na	na	na	na	na	na	na	na
LF-23		21-Nov-96	0.027	na	na	na	na	na	na	na	na	na	na
LF-23		18-Mar-97	0.01	na	na	na	na	na	na	na	na	na	na
LF-23		11-Jun-97	0.009	na	na	na	na	na	na	na	na	na	na
LF-23		20-Aug-97	0.009	na	na	na	na	na	na	na	na	na	na
LF-23		18-Dec-97	0.006	na	na	na	na	na	na	na	na	na	na
LF-23		26-Feb-98	0.008	na	na	na	na	na	na	na	na	na	na
LF-23		08-Apr-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-23		15-Jul-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-23		21-Oct-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-23		12-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-23		21-Apr-99	0.0085	na	na	na	na	na	na	na	na	na	na
LF-23		14-Jul-99	0.0068	na	na	na	na	na	na	na	na	na	na
LF-24		11-Apr-96	0.005	na	na	na	<0.002	na	na	na	na	na	na
LF-24		02-Aug-96	<0.01 U5	na	na	na	na	na	na	na	na	na	na
LF-24		21-Nov-96	0.01	na	na	na	na	na	na	na	na	na	na
LF-24		18-Mar-97	0.006	na	na	na	na	na	na	na	na	na	na
LF-24		11-Jun-97	0.005	na	na	na	na	na	na	na	na	na	na
LF-24		20-Aug-97	0.008	na	na	na	na	na	na	na	na	na	na
LF-24		18-Dec-97	0.004	na	na	na	na	na	na	na	na	na	na
LF-24		26-Feb-98	0.007	na	na	na	na	na	na	na	na	na	na
LF-24		08-Apr-98	<0.0050	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-24		15-Jul-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-24		21-Oct-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-24		12-Jan-99	0.0072	na	na	na	na	na	na	na	na	na	na
LF-24		21-Apr-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-24		14-Jul-99	0.0061	na	na	na	na	na	na	na	na	na	na
LF-25		11-Apr-96	<0.002	na	na	na	<0.002	na	na	na	na	na	na
LF-25		02-Aug-96	0.07	na	na	na	na	na	na	na	na	na	na
LF-25		21-Nov-96	0.14	na	na	na	na	na	na	na	na	na	na
LF-25		18-Mar-97	0.13	na	na	na	na	na	na	na	na	na	na
LF-25		11-Jun-97	0.16	na	na	na	na	na	na	na	na	na	na
LF-25		20-Aug-97	0.16	na	na	na	na	na	na	na	na	na	na
LF-25		18-Dec-97	0.12	na	na	na	na	na	na	na	na	na	na
LF-25		26-Feb-98	0.094	na	na	na	na	na	na	na	na	na	na
LF-25		08-Apr-98	0.055	na	na	na	na	na	na	na	na	na	na
LF-25		15-Jul-98	0.063	na	na	na	na	na	na	na	na	na	na
LF-25		21-Oct-98	0.044	na	na	na	na	na	na	na	na	na	na
LF-25		12-Jan-99	0.11	na	na	na	na	na	na	na	na	na	na
LF-25		21-Apr-99	0.11	na	na	na	na	na	na	na	na	na	na
LF-25		14-Jul-99	0.14	na	na	na	na	na	na	na	na	na	na
LF-26		01-Dec-97	na	na	na	na	na	na	na	na	na	na	<0.01
LF-26		27-Feb-98	0.070	na	na	na	na	na	na	na	na	na	na
LF-26		09-Apr-98	0.037	na	na	na	na	na	na	na	na	na	na
LF-26		16-Jul-98	0.026	na	na	na	na	na	na	na	na	na	na
LF-26		23-Oct-98	0.028	na	na	na	na	na	na	na	na	na	na
LF-26		13-Jan-99	0.024	na	na	na	na	na	na	na	na	na	na
LF-26		21-Apr-99	0.11	na	na	na	na	na	na	na	na	na	na
LF-26		15-Jul-99	0.039	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-27		29-Dec-97	0.011	na	na	na	na	na	na	na	na	na	na
LF-27		26-Feb-98	0.007	na	na	na	na	na	na	na	na	na	na
LF-27		08-Apr-98	0.0097	na	na	na	na	na	na	na	na	na	na
LF-27		14-Jul-98	0.0080	na	na	na	na	na	na	na	na	na	na
LF-27		21-Oct-98	0.0086	na	na	na	na	na	na	na	na	na	na
LF-27		12-Jan-99	0.006	na	na	na	na	na	na	na	na	na	na
LF-27		20-Apr-99	0.0068	na	na	na	na	na	na	na	na	na	na
LF-27		14-Jul-99	0.0057	na	na	na	na	na	na	na	na	na	na
DUP		14-Jul-99	0.0064	na	na	na	na	na	na	na	na	na	na
LF-28		29-Dec-97	0.66	na	na	na	na	na	na	na	na	na	na
LF-28		26-Feb-98	0.51	na	na	na	na	na	na	na	na	na	na
LF-28		08-Apr-98	0.19	na	na	na	na	na	na	na	na	na	na
LF-28		14-Jul-98	0.22	na	na	na	na	na	na	na	na	na	na
LF-28		21-Oct-98	0.17	na	na	na	na	na	na	na	na	na	na
LF-28		12-Jan-99	0.35	na	na	na	na	na	na	na	na	na	na
DUP		12-Jan-99	0.37	na	na	na	na	na	na	na	na	na	na
LF-28		20-Apr-99	0.42	na	na	na	na	na	na	na	na	na	na
LF-28		14-Jul-99	0.2	na	na	na	na	na	na	na	na	na	na
LF-29		29-Dec-97	0.006	na	na	na	na	na	na	na	na	na	na
LF-29		25-Feb-98	<0.005	na	na	na	na	na	na	na	na	na	na
LF-29		07-Apr-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-29		14-Jul-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-29		20-Oct-98	<0.0050 UJ8	na	na	na	na	na	na	na	na	na	na
LF-29		11-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-29		20-Apr-99	<0.005	na	na	na	na	na	na	na	na	na	na
DUP		20-Apr-99	<0.005	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-29		13-Jul-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-30		30-Dec-97	<0.002	na	na	na	na	na	na	na	na	na	na
LF-30		25-Feb-98	<0.005	na	na	na	na	na	na	na	na	na	na
DUP		25-Feb-98	<0.005	na	na	na	na	na	na	na	na	na	na
LF-30		07-Apr-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-30		14-Jul-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-30		20-Oct-98	<0.0050 UJ8	na	na	na	na	na	na	na	na	na	na
LF-30		11-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-30		20-Apr-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-30		13-Jul-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-31		02-Jun-99	0.019	0.078	<0.002	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.005	<0.01	0.041
LF-31		13-Jul-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-32		22-Jun-99	<0.005	0.024	<0.002	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.005 UJ9	<0.01	0.27
LF-32		16-Jul-99	0.018	na	na	na	na	na	na	na	na	na	na
LF-33		22-Jun-99	0.0083	0.065	<0.002	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.005 UJ9	<0.01	<0.02
DUP		22-Jun-99	<0.005	0.06	<0.002	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.005 UJ9	<0.01	<0.02
LF-33		13-Jul-99	0.024	na	na	na	na	na	na	na	na	na	na
LF-34		22-Jun-99	0.057	0.035	<0.002	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.005 UJ9	<0.01	<0.02
LF-34		13-Jul-99	0.056	na	na	na	na	na	na	na	na	na	na
LF-B1	(a)	07-Dec-89	<0.07 U5,6	na	na	<0.04	<0.3	na	na	na	na	na	<0.01
LF-B1	(a)	18-Jul-90	0.007	0.08	na	<0.05	<0.2	na	na	na	na	na	<0.05
LF-B1	(a)	20-Dec-90	0.005	0.1	na	0.001	<0.2	na	na	na	na	na	<0.05

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-B1	(a)	20-Jun-91	<0.01	na	na	<0.005	0.004	na	na	na	na	na	<0.02
LF-B1	(a)	16-Dec-91	<0.010	na	na	<0.005	<0.003	<0.010	na	na	na	na	<0.020
LF-B1	(a)	09-Jul-92	<0.01	0.122	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-B1	(a)	30-Dec-92	<0.01	<0.1	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
LF-B1	(a)	08-Jun-93	<0.01	<0.1	na	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.01	na	na
LF-B1	Destroyed under permit												
LF-B2		06-Dec-89	<0.07 U5,6	na	na	<0.04	<0.3	na	na	na	na	na	0.02
LF-B2		18-Jul-90	0.005	0.14	na	<0.05	<0.2	na	na	na	na	na	<0.05
DUP		18-Jul-90	0.004	0.15	na	<0.05	<0.2	na	na	na	na	na	<0.05
LF-B2		19-Dec-90	0.008	0.32	na	0.0026	<0.2	na	na	na	na	na	0.17
LF-B2		20-Jun-91	<0.01	na	na	<0.005	0.005	na	na	na	na	na	0.075
LF-B2		16-Dec-91	<0.010	na	na	<0.005	<0.003	<0.010	na	na	na	na	<0.020
LF-B2		08-Jul-92	<0.01	0.245	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-B2		08-Jun-93	<0.01	0.233	na	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.01	na	na
LF-B2	Destroyed or lost during slurry wall and cap construction activities												
LF-B3		07-Dec-89	<0.07 U5,6	na	na	<0.04	<0.3	na	na	na	na	na	0.01
LF-B3		18-Jul-90	0.003	0.1	na	<0.05	<0.2	na	na	na	na	na	<0.05
LF-B3		20-Dec-90	0.002	0.16	na	<0.0005	<0.2	na	na	na	na	na	<0.05
LF-B3		19-Jun-91	<0.01	na	na	<0.005	<0.004	na	na	na	na	na	<0.02
LF-B3		16-Dec-91	<0.010	na	na	<0.005	<0.003	<0.010	na	na	na	na	<0.020
LF-B3		08-Jul-92	<0.01	0.133	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-B3		30-Dec-92	<0.01	0.112	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
LF-B3		08-Jun-93	<0.01	<0.1	na	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.01	na	na
LF-B3		05-Jan-94	0.004	0.11	na	0.006	<0.001	<0.002	<0.0002	<0.004	<0.001	na	na
LF-B3		16-Apr-96	0.036	na	na	na	<0.002	na	na	na	na	na	na
LF-B3		01-Aug-96	0.004	na	na	na	na	na	na	na	na	na	2.2
LF-B3		21-Nov-96	0.006	na	na	na	na	na	na	na	na	na	0.05
DUP		21-Nov-96	0.004	na	na	na	na	na	na	na	na	na	na
LF-B3		17-Mar-97	<0.002	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-B3		12-Jun-97	<0.002	na	na	na	na	na	na	na	na	na	na
LF-B3		20-Aug-97	0.005	na	na	na	na	na	na	na	na	na	na
LF-B3		17-Dec-97	0.017	na	na	na	na	na	na	na	na	na	na
LF-B3		27-Feb-98	0.009	na	na	na	na	na	na	na	na	na	na
LF-B3		08-Apr-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-B3		15-Jul-98	0.0058	na	na	na	na	na	na	na	na	na	na
LF-B3		21-Oct-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-B3		13-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-B3		22-Apr-99	<0.015 U5	na	na	na	na	na	na	na	na	na	na
LF-B3		15-Jul-99	0.013	na	na	na	na	na	na	na	na	na	na
LF-B4		17-Jul-90	0.003	0.08	na	<0.05	<0.2	na	na	na	na	na	<0.05
LF-B4		19-Dec-90	<0.002	0.08	na	0.0014	<0.2	na	na	na	na	na	0.08
LF-B4		19-Jun-91	<0.01	na	na	<0.005	<0.004	na	na	na	na	na	<0.02
LF-B4		17-Dec-91	<0.010	na	na	<0.005	<0.003	<0.010	na	na	na	na	0.029
LF-B4		08-Jul-92	<0.01	0.140	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-B4		30-Dec-92	<0.01	0.110	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
LF-B4		08-Jun-93	<0.01	<0.1	na	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.01	na	na
LF-B4		05-Jan-94	0.003	0.07	na	<0.001	0.001	<0.002	<0.0002	<0.004	<0.001	na	na
LF-B4		16-Apr-96	<0.002	na	na	na	<0.002	na	na	na	na	na	na
LF-B4		30-Jul-96	<0.002	na	na	na	na	na	na	na	na	na	0.08
LF-B4		22-Nov-96	<0.002	na	na	na	na	na	na	na	na	na	0.04
DUP		22-Nov-96	<0.002	na	na	na	na	na	na	na	na	na	na
LF-B4		17-Mar-97	<0.002	na	na	na	na	na	na	na	na	na	na
LF-B4		01-Jul-97	<0.002	na	na	na	na	na	na	na	na	na	na
LF-B4		20-Aug-97	0.005	na	na	na	na	na	na	na	na	na	na
LF-B4		18-Dec-97	<0.002	na	na	na	na	na	na	na	na	na	na
LF-B4		25-Feb-98	<0.005	na	na	na	na	na	na	na	na	na	na
LF-B4		07-Apr-98	<0.0050	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-B4		15-Jul-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-B4		19-Oct-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-B4		11-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-B4		20-Apr-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-B4		14-Jul-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-B5	(b)	09-Apr-96	0.32	na	na	na	<0.002	na	na	na	na	na	na
LF-B5	(b)	01-Aug-96	0.097	na	na	na	na	na	na	na	na	na	0.15
LF-B5	(b)	22-Nov-96	0.11	na	na	na	na	na	na	na	na	na	0.03
LF-B5	(b)	17-Mar-97	0.11	na	na	na	na	na	na	na	na	na	na
LF-B5	(b)	12-Jun-97	0.18	na	na	na	na	na	na	na	na	na	na
LF-B5	(b)	20-Aug-97	0.14	na	na	na	na	na	na	na	na	na	na
LF-B5	(b)	17-Dec-97	0.20	na	na	na	na	na	na	na	na	na	na
LF-B5	(b)	27-Feb-98	0.22	na	na	na	na	na	na	na	na	na	na
LF-B5	(b)	09-Apr-98	0.13	na	na	na	na	na	na	na	na	na	na
LF-B5	(b)	16-Jul-98	0.051	na	na	na	na	na	na	na	na	na	na
DUP	(b)	16-Jul-98	0.053	na	na	na	na	na	na	na	na	na	na
LF-B5	(b)	23-Oct-98	0.041	na	na	na	na	na	na	na	na	na	na
LF-B5	(b)	13-Jan-99	0.032	na	na	na	na	na	na	na	na	na	na
LF-B5	(b)	21-Apr-99	0.036	na	na	na	na	na	na	na	na	na	na
LF-B5	(b)	15-Jul-99	0.033	na	na	na	na	na	na	na	na	na	na
LF-B6		09-Apr-96	0.08	na	na	na	<0.002	na	na	na	na	na	na
LF-B6		01-Aug-96	0.033	na	na	na	na	na	na	na	na	na	0.06
LF-B6		25-Nov-96	0.027	na	na	na	na	na	na	na	na	na	0.04
DUP		25-Nov-96	0.03	na	na	na	na	na	na	na	na	na	na
LF-B6		17-Mar-97	0.021	na	na	na	na	na	na	na	na	na	na
LF-B6		12-Jun-97	0.035	na	na	na	na	na	na	na	na	na	na
LF-B6		19-Aug-97	0.01	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-B6		18-Dec-97	0.010	na	na	na	na	na	na	na	na	na	na
LF-B6		27-Feb-98	0.009	na	na	na	na	na	na	na	na	na	na
LF-B6		08-Apr-98	0.0067	na	na	na	na	na	na	na	na	na	na
LF-B6		15-Jul-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-B6		19-Oct-98	0.0080	na	na	na	na	na	na	na	na	na	na
LF-B6		13-Jan-99	0.0083	na	na	na	na	na	na	na	na	na	na
LF-B6		21-Apr-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-B6		14-Jul-99	<0.005	na	na	na	na	na	na	na	na	na	na
EX-1		15-Sep-95	0.15	na	na	na	na	na	na	na	na	na	na
EX-1		18-Oct-95	15	na	na	na	na	na	na	na	na	na	na
EX-1		18-Apr-96	0.002	na	na	na	<0.002	na	na	na	na	na	na
EX-1		01-Aug-96	0.022	na	na	na	na	na	na	na	na	na	na
EX-1		18-Dec-96	0.015	na	na	na	na	na	na	na	na	na	na
EX-1		15-Apr-97	0.072	na	na	na	na	na	na	na	na	na	na
EX-1		01-Jul-97	0.013	na	na	na	na	na	na	na	na	na	na
EX-1		22-Sep-97	0.028	na	na	na	na	na	na	na	na	na	na
EX-1		02-Dec-97	na	na	na	na	na	na	na	na	na	na	0.04
EX-1		18-Dec-97	0.31	na	na	na	na	na	na	na	na	na	na
EX-1		27-Feb-98	0.24	na	na	na	na	na	na	na	na	na	na
EX-1		09-Apr-98	<0.0050	na	na	na	na	na	na	na	na	na	na
EX-1		17-Jul-98	<0.010 U5	na	na	na	na	na	na	na	na	na	na
EX-1		23-Oct-98	<0.0050	na	na	na	na	na	na	na	na	na	na
EX-1		14-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
EX-1		23-Apr-99	0.011	na	na	na	na	na	na	na	na	na	na
EX-1		16-Jul-99	0.045	na	na	na	na	na	na	na	na	na	na
EX-2		15-Sep-95	8.6	na	na	na	na	na	na	na	na	na	na
EX-2		18-Oct-95	<0.002	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
EX-2		18-Apr-96	9.3	na	na	na	<0.002	na	na	na	na	na	na
EX-2		01-Aug-96	57	na	na	na	na	na	na	na	na	na	na
EX-2		18-Dec-96	34	na	na	na	na	na	na	na	na	na	na
EX-2		04-Feb-97	38	na	na	na	na	na	na	na	na	na	na
EX-2		15-Apr-97	44	na	na	na	na	na	na	na	na	na	na
EX-2		01-Jul-97	49	na	na	na	na	na	na	na	na	na	na
EX-2		22-Sep-97	42	na	na	na	na	na	na	na	na	na	na
EX-2		02-Dec-97	na	na	na	na	na	na	na	na	na	na	<0.01
EX-2		22-Dec-97	36	na	na	na	na	na	na	na	na	na	na
EX-2		02-Mar-98	18	na	na	na	na	na	na	na	na	na	na
EX-2		09-Apr-98	51.8	na	na	na	na	na	na	na	na	na	na
EX-2		17-Jul-98	6.3	na	na	na	na	na	na	na	na	na	na
EX-2		23-Oct-98	0.0070	na	na	na	na	na	na	na	na	na	na
EX-2		14-Jan-99	8.5	na	na	na	na	na	na	na	na	na	na
EX-2		23-Apr-99	1	na	na	na	na	na	na	na	na	na	na
EX-2		15-Jul-99	0.011	na	na	na	na	na	na	na	na	na	na
EX-3		15-Sep-95	180	na	na	na	na	na	na	na	na	na	na
EX-3		18-Oct-95	170	na	na	na	na	na	na	na	na	na	na
EX-3		18-Apr-96	200	na	na	na	<0.002	na	na	na	na	na	na
EX-3		01-Aug-96	170	na	na	na	na	na	na	na	na	na	na
EX-3		18-Dec-96	270	na	na	na	na	na	na	na	na	na	na
EX-3		15-Apr-97	220	na	na	na	na	na	na	na	na	na	na
EX-3		01-Jul-97	190	na	na	na	na	na	na	na	na	na	na
EX-3		22-Sep-97	150	na	na	na	na	na	na	na	na	na	na
EX-3		02-Dec-97	na	na	na	na	na	na	na	na	na	na	0.02
EX-3		19-Dec-97	180	na	na	na	na	na	na	na	na	na	na
EX-3		02-Mar-98	240	na	na	na	na	na	na	na	na	na	na
EX-3		09-Apr-98	141	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
EX-3		17-Jul-98	125	na	na	na	na	na	na	na	na	na	na
EX-3		22-Oct-98	130	na	na	na	na	na	na	na	na	na	na
DUP		22-Oct-98	122	na	na	na	na	na	na	na	na	na	na
EX-3		14-Jan-99	120	na	na	na	na	na	na	na	na	na	na
EX-3		23-Apr-99	130	na	na	na	na	na	na	na	na	na	na
EX-3		16-Jul-99	100	na	na	na	na	na	na	na	na	na	na
EX-4		11-Sep-98	0.0062	<0.20	<0.0050	<0.0050	<0.0050	<0.010	<0.00020	<0.0050	<0.010	<0.050	<0.020
EX-4		22-Oct-98	<0.0094 U5	na	na	na	na	na	na	na	na	na	na
EX-4		14-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
DUP		14-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
EX-4		23-Apr-99	0.065	na	na	na	na	na	na	na	na	na	na
EX-4		15-Jul-99	<0.005	na	na	na	na	na	na	na	na	na	na
EX-5		11-Sep-98	0.072	<0.20	<0.0050	<0.0050	<0.0050	<0.010	<0.00020	<0.0050	<0.010	<0.050	<0.020
EX-5		22-Oct-98	0.29	na	na	na	na	na	na	na	na	na	na
EX-5		14-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
EX-5		23-Apr-99	1.2	na	na	na	na	na	na	na	na	na	na
EX-5		19-Jul-99	0.0086	na	na	na	na	na	na	na	na	na	na
EX-6		11-Sep-98	4.3	<0.20	<0.0050	<0.0050	<0.0050	<0.010	<0.00020	<0.0050	<0.010	<0.050	<0.020
DUP		11-Sep-98	4.2	<0.20	<0.0050	<0.0050	<0.0050	<0.010	<0.00020	<0.0050	<0.010	<0.050	<0.020
EX-6		22-Oct-98	7.3	na	na	na	na	na	na	na	na	na	na
EX-6		15-Jan-99	5.8	na	na	na	na	na	na	na	na	na	na
EX-6		23-Apr-99	3.2	na	na	na	na	na	na	na	na	na	na
DUP		23-Apr-99	3.2	na	na	na	na	na	na	na	na	na	na
EX-6		19-Jul-99	0.021	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
EX-7		11-Sep-98	138	<0.40	<0.010	<0.010	<0.0050	<0.020	<0.00020	<0.0050	<0.020	<0.10	<0.040
EX-7		22-Oct-98	12.4	na	na	na	na	na	na	na	na	na	na
EX-7		14-Jan-99	100	na	na	na	na	na	na	na	na	na	na
EX-7		23-Apr-99	40	na	na	na	na	na	na	na	na	na	na
EX-7		15-Jul-99	19	na	na	na	na	na	na	na	na	na	na
EX-8		11-Sep-98	364	<0.80	<0.020	<0.020	<0.0050	<0.040	<0.00020	<0.0050	<0.040	<0.20	0.44
EX-8		22-Oct-98	133	na	na	na	na	na	na	na	na	na	na
EX-8		14-Jan-99	57	na	na	na	na	na	na	na	na	na	na
EX-8		23-Apr-99	450	na	na	na	na	na	na	na	na	na	na
EX-8		19-Jul-99	430	na	na	na	na	na	na	na	na	na	na
EX-9		11-Sep-98	109	<0.20	<0.0050	<0.0050	<0.0050	<0.010	<0.00020	<0.0050	<0.010	<0.050	0.44
EX-9		22-Oct-98	28.9	na	na	na	na	na	na	na	na	na	na
EX-9		14-Jan-99	140	na	na	na	na	na	na	na	na	na	na
EX-9		23-Apr-99	240	na	na	na	na	na	na	na	na	na	na
EX-9		15-Jul-99	140	na	na	na	na	na	na	na	na	na	na
EX-10		11-Sep-98	0.70	<0.20	<0.0050	<0.0050	<0.0050	<0.010	<0.00020	<0.0050	<0.010	<0.050	<0.020
EX-10		22-Oct-98	0.51	na	na	na	na	na	na	na	na	na	na
EX-10		14-Jan-99	0.88	na	na	na	na	na	na	na	na	na	na
EX-10		23-Apr-99	2.8	na	na	na	na	na	na	na	na	na	na
EX-10		15-Jul-99	2.7	na	na	na	na	na	na	na	na	na	na
EX-11		02-Jun-99	0.03	0.038	<0.002	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.005	<0.01	0.024
EX-11		16-Jul-99	0.056	na	na	na	na	na	na	na	na	na	na
EX-12		02-Jun-99	0.0085	0.028	<0.002	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.005	<0.01	13

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
DUP		02-Jun-99	<0.005	0.026	<0.002	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.005	<0.01	13
EX-12		13-Jul-99	0.011	na	na	na	na	na	na	na	na	na	na
EX-13		02-Jun-99	0.077	0.073	<0.002	<0.005	<0.003	<0.01	<0.0002	0.0085	<0.005	<0.01	0.03
EX-13		16-Jul-99	0.1	na	na	na	na	na	na	na	na	na	na
RP-1		28-Jul-94	0.07	na	na	na	na	na	na	na	na	na	na
RP-1		08-Sep-94	0.08	na	na	na	na	na	na	na	na	na	na
RP-1		28-Feb-95	0.046	na	na	na	na	na	na	na	na	na	na
RP-1		29-Mar-95	0.035	0.04	<0.002	<0.005	<0.04	<0.01	<0.0002	<0.004	<0.005	<0.005	0.01
RP-1		10-May-95	0.095	na	na	na	na	na	na	na	na	na	na
RP-1		09-Aug-95	0.059	na	na	na	na	na	na	na	na	na	na
RP-1		17-Nov-95	0.086	na	na	na	na	na	na	na	na	na	na
RP-1		10-Jan-96	0.061	na	na	na	na	na	na	na	na	na	na
RP-1		17-Apr-96	0.058	na	na	na	na	na	na	na	na	na	na
DUP		17-Apr-96	0.069	na	na	na	na	na	na	na	na	na	na
RP-1		31-Jul-96	0.068	na	na	na	na	na	na	na	na	na	na
RP-1		19-Nov-96	0.041	na	na	na	na	na	na	na	na	na	na
RP-1		25-Mar-97	0.054	na	na	na	na	na	na	na	na	na	na
RP-1		10-Jun-97	0.077	na	na	na	na	na	na	na	na	na	na
RP-1		18-Aug-97	0.047	na	na	na	na	na	na	na	na	na	na
RP-1		19-Dec-97	0.022	na	na	na	na	na	na	na	na	na	na
DUP		19-Dec-97	0.010	na	na	na	na	na	na	na	na	na	na
RP-1		26-Feb-98	0.036	na	na	na	na	na	na	na	na	na	na
DUP		26-Feb-98	0.012	na	na	na	na	na	na	na	na	na	na
RP-1		07-Apr-98	0.039	na	na	na	na	na	na	na	na	na	na
RP-1		14-Jul-98	0.044	na	na	na	na	na	na	na	na	na	na
RP-1		20-Oct-98	<0.0050 UJ8	na	na	na	na	na	na	na	na	na	na
RP-1		12-Jan-99	0.063	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
RP-1		19-Apr-99	0.046	na	na	na	na	na	na	na	na	na	na
RP-1		16-Jul-99	0.1	na	na	na	na	na	na	na	na	na	na
RP-2		28-Jul-94	0.01	na	na	na	na	na	na	na	na	na	na
RP-2		08-Sep-94	0.024	na	na	na	na	na	na	na	na	na	na
DUP		08-Sep-94	0.02	na	na	na	na	na	na	na	na	na	na
RP-2		28-Feb-95	0.013	na	na	na	na	na	na	na	na	na	na
RP-2		29-Mar-95	0.01	0.08	<0.002	<0.005	<0.04	<0.01	<0.0002	<0.004	<0.005	<0.005	0.03
RP-2		10-May-95	0.029	na	na	na	na	na	na	na	na	na	na
RP-2		09-Aug-95	0.01	na	na	na	na	na	na	na	na	na	na
RP-2		17-Nov-95	0.011	na	na	na	na	na	na	na	na	na	na
RP-2		10-Jan-96	0.031	na	na	na	na	na	na	na	na	na	na
RP-2		17-Apr-96	0.01	na	na	na	na	na	na	na	na	na	na
RP-2		31-Jul-96	0.007	na	na	na	na	na	na	na	na	na	na
RP-2		19-Nov-96	0.016	na	na	na	na	na	na	na	na	na	na
RP-2		25-Mar-97	0.012	na	na	na	na	na	na	na	na	na	na
RP-2		10-Jun-97	0.014	na	na	na	na	na	na	na	na	na	na
RP-2		18-Aug-97	0.017	na	na	na	na	na	na	na	na	na	na
DUP		18-Aug-97	0.018	na	na	na	na	na	na	na	na	na	na
RP-2		19-Dec-97	0.011	na	na	na	na	na	na	na	na	na	na
RP-2		26-Feb-98	0.008	na	na	na	na	na	na	na	na	na	na
RP-2		07-Apr-98	0.011	na	na	na	na	na	na	na	na	na	na
RP-2		13-Jul-98	0.0072	na	na	na	na	na	na	na	na	na	na
RP-2		20-Oct-98	0.010 J8	na	na	na	na	na	na	na	na	na	na
RP-2		11-Jan-99	0.0053	na	na	na	na	na	na	na	na	na	na
RP-2		19-Apr-99	0.015	na	na	na	na	na	na	na	na	na	na
RP-2		13-Jul-99	0.01	na	na	na	na	na	na	na	na	na	na
RP-3		28-Jul-94	<0.01	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
RP-3		08-Sep-94	0.004	na	na	na	na	na	na	na	na	na	na
RP-3		28-Feb-95	0.004	na	na	na	na	na	na	na	na	na	na
RP-3		29-Mar-95	0.004	0.18	<0.002	<0.005	<0.04	<0.01	<0.0002	<0.004	<0.005	0.015	0.01
RP-3		10-May-95	0.013	na	na	na	na	na	na	na	na	na	na
RP-3		09-Aug-95	0.003	na	na	na	na	na	na	na	na	na	na
RP-3		17-Nov-95	0.006	na	na	na	na	na	na	na	na	na	na
RP-3		10-Jan-96	0.014	na	na	na	na	na	na	na	na	na	na
RP-3		17-Apr-96	0.006	na	na	na	na	na	na	na	na	na	na
RP-3		31-Jul-96	0.009	na	na	na	na	na	na	na	na	na	na
RP-3		19-Nov-96	0.005	na	na	na	na	na	na	na	na	na	na
RP-3		25-Mar-97	0.004	na	na	na	na	na	na	na	na	na	na
RP-3		10-Jun-97	0.008	na	na	na	na	na	na	na	na	na	na
RP-3		18-Aug-97	0.008	na	na	na	na	na	na	na	na	na	na
RP-3		19-Dec-97	0.003	na	na	na	na	na	na	na	na	na	na
RP-3		25-Feb-98	<0.005	na	na	na	na	na	na	na	na	na	na
RP-3		07-Apr-98	<0.0050	na	na	na	na	na	na	na	na	na	na
RP-3		13-Jul-98	<0.0050	na	na	na	na	na	na	na	na	na	na
RP-3		20-Oct-98	0.023 J8,10	na	na	na	na	na	na	na	na	na	na
DUP		20-Oct-98	0.013 J8,10	na	na	na	na	na	na	na	na	na	na
RP-3		11-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
RP-3		19-Apr-99	0.012	na	na	na	na	na	na	na	na	na	na
RP-3		16-Jul-99	0.0065	na	na	na	na	na	na	na	na	na	na
RP-4		28-Jul-94	<0.01	na	na	na	na	na	na	na	na	na	na
RP-4		08-Sep-94	0.009	na	na	na	na	na	na	na	na	na	na
RP-4		28-Feb-95	0.007	na	na	na	na	na	na	na	na	na	na
DUP		28-Feb-95	0.006	na	na	na	na	na	na	na	na	na	na
RP-4		29-Mar-95	0.008	0.06	<0.002	<0.005	0.15	<0.01	<0.0002	<0.004	<0.005	<0.005	0.16
RP-4		10-May-95	0.013	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
DUP		10-May-95	0.011	na	na	na	na	na	na	na	na	na	na
RP-4		09-Aug-95	0.007	na	na	na	na	na	na	na	na	na	na
DUP		09-Aug-95	0.007	na	na	na	na	na	na	na	na	na	na
RP-4		17-Nov-95	0.011	na	na	na	na	na	na	na	na	na	na
DUP		17-Nov-95	0.011	na	na	na	na	na	na	na	na	na	na
RP-4		09-Jan-96	0.004	na	na	na	na	na	na	na	na	na	na
RP-4		17-Apr-96	0.009	na	na	na	na	na	na	na	na	na	na
RP-4		31-Jul-96	0.005	na	na	na	na	na	na	na	na	na	na
DUP		31-Jul-96	0.003	na	na	na	na	na	na	na	na	na	na
RP-4		19-Nov-96	0.009	na	na	na	na	na	na	na	na	na	na
RP-4		25-Mar-97	0.009	na	na	na	na	na	na	na	na	na	na
RP-4		10-Jun-97	0.011	na	na	na	na	na	na	na	na	na	na
DUP		10-Jun-97	0.009	na	na	na	na	na	na	na	na	na	na
RP-4		18-Aug-97	0.014	na	na	na	na	na	na	na	na	na	na
RP-4		19-Dec-97	0.006	na	na	na	na	na	na	na	na	na	na
RP-4		25-Feb-98	0.011	na	na	na	na	na	na	na	na	na	na
RP-4		07-Apr-98	0.0061	na	na	na	na	na	na	na	na	na	na
RP-4		13-Jul-98	0.0052	na	na	na	na	na	na	na	na	na	na
DUP		13-Jul-98	<0.0050	na	na	na	na	na	na	na	na	na	na
RP-4		20-Oct-98	0.0084 J8	na	na	na	na	na	na	na	na	na	na
RP-4		11-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
RP-4		19-Apr-99	0.014	na	na	na	na	na	na	na	na	na	na
RP-4		13-Jul-99	0.0059	na	na	na	na	na	na	na	na	na	na
DUP		13-Jul-99	<0.005	na	na	na	na	na	na	na	na	na	na
RP-5		28-Jul-94	<0.01	na	na	na	na	na	na	na	na	na	na
DUP		28-Jul-94	<0.01	na	na	na	na	na	na	na	na	na	na
RP-5		08-Sep-94	0.003	na	na	na	na	na	na	na	na	na	na
RP-5		28-Feb-95	0.007	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
RP-5		29-Mar-95	0.006	0.04	<0.002	<0.005	<0.04	<0.01	<0.0002	<0.004	<0.005	<0.005	0.03
RP-5		10-May-95	0.018	na	na	na	na	na	na	na	na	na	na
RP-5		09-Aug-95	0.003	na	na	na	na	na	na	na	na	na	na
RP-5		17-Nov-95	0.008	na	na	na	na	na	na	na	na	na	na
RP-5		09-Jan-96	0.005	na	na	na	na	na	na	na	na	na	na
DUP		09-Jan-96	0.004	na	na	na	na	na	na	na	na	na	na
RP-5		17-Apr-96	0.008	na	na	na	na	na	na	na	na	na	na
RP-5		31-Jul-96	<0.002	na	na	na	na	na	na	na	na	na	na
RP-5		19-Nov-96	0.007	na	na	na	na	na	na	na	na	na	na
DUP		19-Nov-96	0.008	na	na	na	na	na	na	na	na	na	na
RP-5		25-Mar-97	0.006	na	na	na	na	na	na	na	na	na	na
DUP		25-Mar-97	0.004	na	na	na	na	na	na	na	na	na	na
RP-5		10-Jun-97	0.006	na	na	na	na	na	na	na	na	na	na
RP-5		18-Aug-97	0.011	na	na	na	na	na	na	na	na	na	na
RP-5		19-Dec-97	0.038	na	na	na	na	na	na	na	na	na	na
RP-5		26-Feb-98	<0.005	na	na	na	na	na	na	na	na	na	na
RP-5		07-Apr-98	0.0058	na	na	na	na	na	na	na	na	na	na
RP-5		13-Jul-98	<0.0050	na	na	na	na	na	na	na	na	na	na
RP-5		20-Oct-98	0.053 J8	na	na	na	na	na	na	na	na	na	na
RP-5		12-Jan-99	0.012	na	na	na	na	na	na	na	na	na	na
RP-5		20-Apr-99	0.011	na	na	na	na	na	na	na	na	na	na
RP-5		13-Jul-99	0.0072	na	na	na	na	na	na	na	na	na	na
MW-1		29-Mar-95	0.0786	0.548	ND	0.0068	0.0308	0.091	ND	ND	ND	na	0.462
MW-1		08-Jun-95	0.04	0.35	ND	ND	0.02	ND	ND	ND	ND	na	0.16
MW-1		09-Jan-96	0.022	na	na	na	na	na	na	na	na	na	na
MW-1		17-Apr-96	0.034	na	na	na	na	na	na	na	na	na	na
MW-1		31-Jul-96	0.037	na	na	na	na	na	na	na	na	na	na
MW-1		19-Nov-96	0.071	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
MW-1		25-Mar-97	0.042	na	na	na	na	na	na	na	na	na	na
MW-1		10-Jun-97	0.05	na	na	na	na	na	na	na	na	na	na
MW-1		18-Aug-97	0.077	na	na	na	na	na	na	na	na	na	na
MW-1		19-Dec-97	0.010	na	na	na	na	na	na	na	na	na	na
MW-1		26-Feb-98	0.028	na	na	na	na	na	na	na	na	na	na
MW-1		08-Apr-98	0.028	na	na	na	na	na	na	na	na	na	na
DUP		08-Apr-98	0.037	na	na	na	na	na	na	na	na	na	na
MW-1		14-Jul-98	0.023	na	na	na	na	na	na	na	na	na	na
MW-1		21-Oct-98	0.020	na	na	na	na	na	na	na	na	na	na
MW-1		12-Jan-99	0.018	na	na	na	na	na	na	na	na	na	na
MW-1		20-Apr-99	0.035	na	na	na	na	na	na	na	na	na	na
MW-1		13-Jul-99	0.039	na	na	na	na	na	na	na	na	na	na
MW-2		29-Mar-95	0.0452	0.772	ND	ND	0.0557	0.188	ND	ND	ND	na	0.449
MW-2		08-Jun-95	ND	0.59	ND	0.01	0.03	ND	ND	ND	ND	na	0.24
MW-2		09-Jan-96	0.016	na	na	na	na	na	na	na	na	na	na
MW-2		17-Apr-96	0.028	na	na	na	na	na	na	na	na	na	na
MW-2		31-Jul-96	0.037	na	na	na	na	na	na	na	na	na	na
MW-2		19-Nov-96	0.041	na	na	na	na	na	na	na	na	na	na
MW-2		25-Mar-97	0.038	na	na	na	na	na	na	na	na	na	na
MW-2		10-Jun-97	0.039	na	na	na	na	na	na	na	na	na	na
MW-2		18-Aug-97	0.038	na	na	na	na	na	na	na	na	na	na
MW-2		19-Dec-97	0.050	na	na	na	na	na	na	na	na	na	na
MW-2		26-Feb-98	0.019	na	na	na	na	na	na	na	na	na	na
MW-2		08-Apr-98	0.022	na	na	na	na	na	na	na	na	na	na
MW-2		14-Jul-98	0.020	na	na	na	na	na	na	na	na	na	na
MW-2		21-Oct-98	0.015	na	na	na	na	na	na	na	na	na	na
DUP		21-Oct-98	0.014	na	na	na	na	na	na	na	na	na	na
MW-2		12-Jan-99	0.021	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
MW-3		29-Mar-95	0.0276	0.102	ND	ND	0.007	0.0105	ND	ND	ND	na	0.19
MW-3		08-Jun-95	0.03	0.21	ND	ND	0.01	ND	ND	ND	ND	na	0.38
MW-3		09-Jan-96	0.015	na	na	na	na	na	na	na	na	na	na
MW-3		17-Apr-96	0.018	na	na	na	na	na	na	na	na	na	na
MW-3		31-Jul-96	0.059	na	na	na	na	na	na	na	na	na	na
MW-3		19-Nov-96	0.048	na	na	na	na	na	na	na	na	na	na
MW-3		25-Mar-97	0.019	na	na	na	na	na	na	na	na	na	na
MW-3		10-Jun-97	0.027	na	na	na	na	na	na	na	na	na	na
MW-3		18-Aug-97	0.027	na	na	na	na	na	na	na	na	na	na
MW-3		19-Dec-97	0.011	na	na	na	na	na	na	na	na	na	na
MW-3		26-Feb-98	0.007	na	na	na	na	na	na	na	na	na	na
MW-3		07-Apr-98	0.018	na	na	na	na	na	na	na	na	na	na
MW-3		14-Jul-98	0.017	na	na	na	na	na	na	na	na	na	na
DUP		14-Jul-98	0.022	na	na	na	na	na	na	na	na	na	na
MW-3		20-Oct-98	0.018 J8	na	na	na	na	na	na	na	na	na	na
MW-3		11-Jan-99	0.029	na	na	na	na	na	na	na	na	na	na
DUP		11-Jan-99	0.026	na	na	na	na	na	na	na	na	na	na
MW-3		19-Apr-99	0.0098	na	na	na	na	na	na	na	na	na	na
MW-3		13-Jul-99	0.033	na	na	na	na	na	na	na	na	na	na
MW-4		16-Dec-94	8.87	0.163	ND	0.141	0.0304	0.0359	<0.0002	0.0275	0.0134	na	71
MW-4		29-Mar-95	22	0.333	ND	0.286	0.0636	0.031	ND	ND	ND	na	171
MW-4		08-Jun-95	46	0.56	0.01	0.42	0.06	ND	ND	ND	ND	na	97
MW-4		10-Jan-96	15	na	na	na	na	na	na	na	na	na	na
MW-4		19-Nov-96	3.1	na	na	na	<0.04	na	na	na	na	na	230
MW-4		18-Aug-97	120	na	na	na	na	na	na	na	na	na	na
MW-4		19-Dec-97	42	na	na	na	na	na	na	na	na	na	na
MW-4		02-Mar-98	18	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
MW-4		10-Apr-98	19.0	na	na	na	na	na	na	na	na	na	na
MW-4		17-Jul-98	19.5	na	na	na	na	na	na	na	na	na	na
MW-4		23-Oct-98	8.6	na	na	na	na	na	na	na	na	na	na
MW-4		15-Jan-99	0.81	na	na	na	na	na	na	na	na	na	na
MW-4		22-Apr-99	1.2	na	na	na	na	na	na	na	na	na	na
MW-4		16-Jul-99	1.9	na	na	na	na	na	na	na	na	na	na
MW-5		16-Dec-94	41.5	0.236	ND	0.156	0.0317	0.056	0.00023	0.009	<0.01	na	11
MW-5		29-Mar-95	35.3	0.137	ND	ND	0.0317	0.0103	ND	ND	ND	na	4.67
MW-5		08-Jun-95	99	0.45	ND	0.03	0.05	ND	ND	ND	ND	na	13.8
MW-5		10-Jan-96	79	na	na	na	na	na	na	na	na	na	na
MW-5		19-Nov-96	192	na	na	na	0.07	na	na	na	na	na	21
MW-5		18-Aug-97	310	na	na	na	na	na	na	na	na	na	na
MW-5		19-Dec-97	380	na	na	na	na	na	na	na	na	na	na
MW-5		02-Mar-98	190	na	na	na	na	na	na	na	na	na	na
MW-5		10-Apr-98	208	na	na	na	na	na	na	na	na	na	na
MW-5		17-Jul-98	340	na	na	na	na	na	na	na	na	na	na
DUP		17-Jul-98	368	na	na	na	na	na	na	na	na	na	na
MW-5		19-Oct-98	231	na	na	na	na	na	na	na	na	na	na
MW-5		15-Jan-99	290	na	na	na	na	na	na	na	na	na	na
MW-5		22-Apr-99	260	na	na	na	na	na	na	na	na	na	na
MW-5		19-Jul-99	250	na	na	na	na	na	na	na	na	na	na
DUP		19-Jul-99	250	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
-------------	-------	--------------	---------	--------	-----------	---------	------	----------------	---------	----------	--------	----------	------

Data QA/QC performed by KLF.

Notes: Analyses were done by EPA Method 200/6000/7000 Series for selected metals

< = Analyte was not detected at or greater than the detection limit reported

ND = Not detected (no associated detection limit was reported)

na = Not analyzed

DUP = Duplicate sample (field duplicate)

(a) Concentrations for LF-B1 may not represent the B-zone water quality because LF-B1 is screened in the aquitard between the A and B zones.

(b) Concentrations for LF-B5 may not represent the B-zone water quality because LF-B5 is screened in the aquitard between the A and B zones.

Data Qualifiers:

U5 = Qualified as non-detect (U) based on field blank contamination evaluation

U6 = Qualified as non-detect (U) based on trip blank contamination evaluation

U5,6 = For samples analyzed in December, 1989, data were qualified as non-detect (U) based on positive results of both the trip blank (0.014 mg/L) and the bailer rinsate blank (0.013 mg/L) of associated samples. The detection limit for arsenic for this sampling period was set at 0.070 (5 times the reported value of 0.014 mg/L detected in the trip blank sample).

UJ8 = Non-detected value is estimated due to LCS and/or LCD spike percent recoveries outside of control limits.

J8 = Concentration is estimated due to LCS and/or LCD spike percent recoveries outside of control limits.

J10 = Concentration is estimated due to field duplicate RPD outside of control limit

Table 7
Results of Mann-Kendall Evaluation, Through July 1999
The Sherwin-Williams Company
Emeryville, California

Location	Number of Samples	Sum of Trend (S)	Trend
EX-1	16	-17	No Trend
EX-2	17	-18	No Trend
EX-3	16	-33	No Trend
EX-4	5	4	No Trend
EX-5	5	6	No Trend
EX-6	5	2	No Trend
EX-7	5	2	No Trend
EX-8	5	4	No Trend
EX-9	5	8	Increasing
EX-10	5	8	Increasing
LF-3	20	46	No Trend
LF-4	13	14	No Trend
LF-7	10	-11	No Trend
LF-8	16	49	Increasing
LF-10	12	0	No Trend
LF-11	24	192	Increasing
LF-12	22	15	No Trend
LF-13	23	-16	No Trend
LF-14	7	7	No Trend
LF-15	7	1	No Trend
LF-16	7	6	No Trend
LF-17	7	-3	No Trend
LF-18	14	-24	No Trend
LF-19	9	20	No Trend
LF-20	14	15	No Trend
LF-21	14	-12	Decreasing
LF-22	3	-3	Insufficient Data
LF-23	14	-6	No Trend
LF-24	14	-12	No Trend
LF-25	14	3	No Trend
LF-26	7	3	No Trend
LF-27	8	-4	No Trend
LF-28	8	2	No Trend
LF-29	8	1	No Trend
LF-30	8	13	No Trend
MW-1	17	-25	Decreasing
MW-2	14	-24	No Trend
MW-3	17	-20	No Trend
MW-4	14	-11	No Trend
MW-5	14	55	Increasing
RP-1	22	-52	No Trend
RP-2	22	-20	No Trend
RP-3	22	-1	No Trend
RP-4	22	31	No Trend

Table 7
Results of Mann-Kendall Evaluation, Through July 1999
The Sherwin-Williams Company
Emeryville, California

Location	Number of Samples	Sum of Trend (S)	Trend
RP-5	22	60	Increasing
LF-31	1	0	Insufficient Data
LF-32	1	0	Insufficient Data
LF-33	1	0	Insufficient Data
LF-34	1	0	Insufficient Data
LF-B3	23	-8	No Trend
LF-B4	22	-15	No Trend
LF-B5	14	-18	No Trend
LF-B6	14	-47	Decreasing

Notes:

One half of the detection limit is assumed as the actual value when the result is below the detection limit.

The 0.05 confidence limit is used to evaluate trend.

Table 8
Groundwater Extraction Flow Data
The Sherwin-Williams Company
Emeryville, California

Extraction Well Number	Reporting Period	Notes	Number of Operating Days During Period	Total Volume of Groundwater Extracted (gallons)	Average Flow Rate (gpm)
EX-1	1-Jan-98 to 31-Mar-98	(1)	35	59,650	1.2
	1-Apr-98 to 31-Jun-98		82	107,173	0.9
	1-Jul-98 to 30-Sep-98		79	28,333	0.2
	1-Oct-98 to 31-Dec-98		69	36,342	0.4
	1-Jan-99 to 26-Mar-99		79	70,547	0.6
	27-Mar-99 to 30-Jun-99	(5)	90	83,843	0.6
	1-Jul-99 to 30-Sep-99	(5)	81	33,841	0.3
EX-2	1-Jan-98 to 31-Mar-98	(2)	35	136,880	2.7
	1-Apr-98 to 31-Jun-98		82	214,187	1.8
	1-Jul-98 to 30-Sep-98		79	123,099	1.1
	1-Oct-98 to 31-Dec-98		69	98,695	1.0
	1-Jan-99 to 26-Mar-99		79	49,166	0.4
	27-Mar-99 to 30-Jun-99	(5)	90	58,433	0.5
	1-Jul-99 to 30-Sep-99	(5)	81	23,585	0.2
EX-3	1-Jan-98 to 31-Mar-98	(3)	3	1,587	0.4
	1-Apr-98 to 31-Jun-98		40	67,578	1.2
	1-Jul-98 to 30-Sep-98		79	79,585	0.7
	1-Oct-98 to 31-Dec-98		69	76,470	0.8
	1-Jan-99 to 26-Mar-99		79	87,817	0.8
	27-Mar-99 to 30-Jun-99	(5)	90	104,368	0.8
	1-Jul-99 to 30-Sep-99	(5)	81	42,126	0.4
EX-4	1-Oct-98 to 31-Dec-98	(4)	1	340	0.2
	1-Jan-99 to 26-Mar-99		66	22,124	0.2
	27-Mar-99 to 30-Jun-99	(5)	90	26,294	0.2
	1-Jul-99 to 30-Sep-99	(5)	81	12,703	0.1
EX-5	1-Oct-98 to 31-Dec-98	(4)	1	1,948	1.4
	1-Jan-99 to 26-Mar-99		79	49,502	0.4
	27-Mar-99 to 30-Jun-99	(5)	90	58,832	0.5
	1-Jul-99 to 30-Sep-99	(5)	41	11,493	0.2
EX-6	1-Oct-98 to 31-Dec-98	(4)	1	2,448	1.7
	1-Jan-99 to 26-Mar-99		54	43,729	0.6
	27-Mar-99 to 30-Jun-99	(5)	90	51,971	0.4
	1-Jul-99 to 30-Sep-99	(5)	81	30,688	0.3
EX-7	1-Oct-98 to 31-Dec-98	(4)	1	2,660	1.8
	1-Jan-99 to 26-Mar-99		79	48,729	0.4
	27-Mar-99 to 30-Jun-99	(5)	90	57,913	0.4
	1-Jul-99 to 30-Sep-99	(5)	81	23,375	0.2

Table 8
Groundwater Extraction Flow Data
The Sherwin-Williams Company
Emeryville, California

Extraction Well Number	Reporting Period	Notes	Number of Operating Days During Period	Total Volume of Groundwater Extracted (gallons)	Average Flow Rate (gpm)
EX-8	1-Oct-98 to 31-Dec-98	(4)	1	372	0.3
	1-Jan-99 to 26-Mar-99		79	19,970	0.2
	27-Mar-99 to 30-Jun-99	(5)	90	23,734	0.2
	1-Jul-99 to 30-Sep-99	(5)	81	9,580	0.1
EX-9	1-Oct-98 to 31-Dec-98	(4)	1	3,439	2.4
	1-Jan-99 to 26-Mar-99		79	35,835	0.3
	27-Mar-99 to 30-Jun-99	(5)	90	42,589	0.3
	1-Jul-99 to 30-Sep-99	(5)	81	17,190	0.1
EX-10	1-Oct-98 to 31-Dec-98	(4)	1	7,411	5.1
	1-Jan-99 to 26-Mar-99		79	130,986	1.2
	27-Mar-99 to 30-Jun-99	(5)	90	155,674	1.2
	1-Jul-99 to 30-Sep-99	(5)	81	62,834	0.5
EX-11	1-Jul-99 to 30-Sep-99	(5)	4	8,398	1.5
EX-12	1-Jul-99 to 30-Sep-99	(5)	4	14,124	2.5
EX-13	1-Jul-99 to 30-Sep-99	(5)	4	7,921	1.4
Extraction System Total	1-Jan-98 to 31-Mar-98		35	198,117	3.9
	1-Apr-98 to 31-Jun-98		82	388,938	3.3
	1-Jul-98 to 30-Sep-98		79	231,017	2.0
	1-Oct-98 to 31-Dec-98		69	230,125	2.3
	1-Jan-99 to 26-Mar-99		79	558,405	4.9
	27-Mar-99 to 30-Jun-99	(5)	90	663,651	5.1
	1-Jul-99 to 30-Sep-99	(5)	81	297,859	2.6

Data entered by WLC. Proofed by LXG.

Notes:

- (1) EX-1 totalizer was installed and brought on line on February 23, 1998.
- (2) EX-2 totalizer was installed and brought on line on February 20, 1998.
- (3) EX-3 totalizer was installed and brought on line on March 6, 1998.
- (4) EX-4 through EX-10 were brought on line for a total of one day each as part of trial runs in December 1998.
- (5) EX-1 through EX-10 totalizer readings do not accurately represent groundwater extracted from April 1999 through September 1999. Extracted total is estimated based on treatment system totalizer reading (663,651 gallons from March 27 through June 30, and 320,345 gallons from July 1 to September 30, 1999) and the percentage of the total extracted for each well is based on the previous quarter's extraction data.

**Table 9
Contaminant Removal Results
The Sherwin-Williams Company
Emeryville, California**

Extraction Well Number	Reporting Period	Notes	Number of Operating Days During Period	Total Volume of Groundwater Extracted (gallons)	Influent Arsenic Concentration (mg/l)	Pounds of Arsenic Removed During Quarter (lbs)	Pounds of Arsenic Removed (lbs/day)	Influent VOC Concentration (mg/l)	Pounds of VOCs Removed During Quarter (lbs)	Pounds of VOCs Removed (lbs/day)
EX-1	1-Jan-98 to 31-Mar-98	(1)	35	59,650	0.240	0.119	0.003	0.440	0.219	0.006
	1-Apr-98 to 31-Jun-98		82	107,173	0.000	0.000	0.000	1.013	0.906	0.011
	1-Jul-98 to 30-Sep-98		79	28,333	0.000	0.000	0.000	0.026	0.006	0.000
	1-Oct-98 to 31-Dec-98		69	36,342	0.000	0.000	0.000	0.033	0.010	0.000
	1-Jan-99 to 26-Mar-99		79	70,547	0.000	0.000	0.000	0.017	0.010	0.000
	27-Mar-99 to 30-Jun-99	(5)	90	83,843	0.011	0.008	0.000	0.003	0.002	0.000
	1-Jul-99 to 30-Sep-99	(5)	81	33,841	0.045	0.013	0.000	0.101	0.029	0.000
EX-2	1-Jan-98 to 31-Mar-98	(2)	35	136,880	18.000	20.563	0.588	14.000	15.993	0.457
	1-Apr-98 to 31-Jun-98		82	214,187	51.800	92.597	1.129	14.140	25.277	0.308
	1-Jul-98 to 30-Sep-98		79	123,099	6.300	6.472	0.082	8.990	9.236	0.117
	1-Oct-98 to 31-Dec-98		69	98,695	0.007	0.006	0.000	0.442	0.364	0.005
	1-Jan-99 to 26-Mar-99		79	49,166	8.500	3.488	0.044	19.469	7.989	0.101
	27-Mar-99 to 30-Jun-99	(5)	90	58,433	1.000	0.488	0.005	4.990	2.433	0.027
	1-Jul-99 to 30-Sep-99	(5)	81	23,585	0.011	0.002	0.000	0.146	0.029	0.000
EX-3	1-Jan-98 to 31-Mar-98	(3)	3	1,587	240.000	3.179	1.060	0.003	0.000	0.000
	1-Apr-98 to 31-Jun-98		40	67,578	142.000	80.088	2.002	1.004	0.566	0.014
	1-Jul-98 to 30-Sep-98		79	79,585	125.000	83.026	1.051	0.009	0.006	0.000
	1-Oct-98 to 31-Dec-98		69	76,470	130.000	82.968	1.202	0.016	0.010	0.000
	1-Jan-99 to 26-Mar-99		79	87,817	120.000	87.950	1.113	0.023	0.017	0.000
	27-Mar-99 to 30-Jun-99	(5)	90	104,368	130.000	113.237	1.258	0.039	0.034	0.000
	1-Jul-99 to 30-Sep-99	(5)	81	42,126	100.000	35.158	0.434	0.070	0.025	0.000
EX-4	1-Oct-98 to 31-Dec-98	(4)	1	340	0.000	0.000	0.000	0.000	0.000	0.000
	1-Jan-99 to 26-Mar-99		66	22,124	0.000	0.000	0.000	0.002	0.000	0.000
	27-Mar-99 to 30-Jun-99	(5)	90	26,294	0.065	0.014	0.000	0.004	0.001	0.000
	1-Jul-99 to 30-Sep-99	(5)	81	12,703	0.000	0.000	0.000	0.261	0.028	0.000
EX-5	1-Oct-98 to 31-Dec-98	(4)	1	1,948	0.290	0.005	0.005	0.003	0.000	0.000
	1-Jan-99 to 26-Mar-99		79	49,502	0.000	0.000	0.000	0.181	0.075	0.001
	27-Mar-99 to 30-Jun-99	(5)	90	58,832	1.200	0.589	0.007	2.767	1.358	0.015
	1-Jul-99 to 30-Sep-99	(5)	41	11,493	0.009	0.001	0.000	0.191	0.018	0.000

Table 9
Contaminant Removal Results
The Sherwin-Williams Company
Emeryville, California

Extraction Well Number	Reporting Period	Notes	Number of Operating Days During Period	Total Volume of Groundwater Extracted (gallons)	Influent Arsenic Concentration (mg/l)	Pounds of Arsenic Removed During Quarter (lbs)	Pounds of Arsenic Removed (lbs/day)	Influent VOC Concentration (mg/l)	Pounds of VOCs Removed During Quarter (lbs)	Pounds of VOCs Removed (lbs/day)
EX-6	1-Oct-98 to 31-Dec-98	(4)	1	2,448	7.300	0.149	0.149	2.889	0.059	0.059
	1-Jan-99 to 26-Mar-99		54	43,729	5.800	2.117	0.039	9.038	3.298	0.061
	27-Mar-99 to 30-Jun-99	(5)	90	51,971	3.200	1.388	0.015	1.852	0.803	0.009
	1-Jul-99 to 30-Sep-99	(5)	81	30,688	0.021	0.005	0.000	0.046	0.012	0.000
EX-7	1-Oct-98 to 31-Dec-98	(4)	1	2,660	12.400	0.275	0.275	0.936	0.021	0.021
	1-Jan-99 to 26-Mar-99		79	48,729	100.000	40.669	0.515	6.909	2.810	0.036
	27-Mar-99 to 30-Jun-99	(5)	90	57,913	40.000	19.334	0.215	2.782	1.345	0.015
	1-Jul-99 to 30-Sep-99	(5)	81	23,375	19.000	3.707	0.046	0.219	0.043	0.001
EX-8	1-Oct-98 to 31-Dec-98	(4)	1	372	133.000	0.413	0.413	148.200	0.460	0.460
	1-Jan-99 to 26-Mar-99		79	19,970	57.000	9.500	0.120	74.727	12.455	0.158
	27-Mar-99 to 30-Jun-99	(5)	90	23,734	450.000	89.136	0.990	392.430	77.733	0.864
	1-Jul-99 to 30-Sep-99	(5)	81	9,580	430.000	34.379	0.424	242.880	19.418	0.240
EX-9	1-Oct-98 to 31-Dec-98	(4)	1	3,439	28.900	0.829	0.829	4.345	0.125	0.125
	1-Jan-99 to 26-Mar-99		79	35,835	140.000	41.871	0.530	5.574	1.667	0.021
	27-Mar-99 to 30-Jun-99	(5)	90	42,589	240.000	85.307	0.948	9.284	3.300	0.037
	1-Jul-99 to 30-Sep-99	(5)	81	17,190	140.000	20.085	0.248	6.916	0.992	0.012
EX-10	1-Oct-98 to 31-Dec-98	(4)	1	7,411	0.510	0.032	0.032	0.328	0.020	0.020
	1-Jan-99 to 26-Mar-99		79	130,986	0.880	0.962	0.012	0.047	0.051	0.001
	27-Mar-99 to 30-Jun-99	(5)	90	155,674	2.800	3.638	0.040	0.043	0.056	0.001
	1-Jul-99 to 30-Sep-99	(5)	81	62,834	2.700	1.416	0.017	0.020	0.010	0.000
EX-11	1-Jul-99 to 30-Sep-99	(5)	4	8,398	0.056	0.004	0.001	0.498	0.035	0.009
EX-12	1-Jul-99 to 30-Sep-99	(5)	4	14,124	0.011	0.001	0.000	0.085	0.010	0.003
EX-13	1-Jul-99 to 30-Sep-99	(5)	4	7,921	0.100	0.007	0.002	0.026	0.002	0.000


Table 9
Contaminant Removal Results
The Sherwin-Williams Company
Emeryville, California

Extraction Well Number	Reporting Period	Notes	Number of Operating Days During Period	Total Volume of Groundwater Extracted (gallons)	Influent Arsenic Concentration (mg/l)	Pounds of Arsenic Removed During Quarter (lbs)	Pounds of Arsenic Removed (lbs/day)	Influent VOC Concentration (mg/l)	Pounds of VOCs Removed During Quarter (lbs)	Pounds of VOCs Removed (lbs/day)
Extractor	1-Jan-98 to 31-Mar-98		35	198,117	14.431	23.861	1.651	9.805	16.213	0.463
System	1-Apr-98 to 31-Jun-98		82	388,938	53.199	172.685	3.131	8.240	26.749	0.326
Total	1-Jul-98 to 30-Sep-98		79	231,017	46.419	89.499	1.133	4.797	9.248	0.117
	1-Oct-98 to 31-Dec-98		69	230,125	44.088	84.677	1.227	0.557	1.069	0.015
	1-Jan-99 to 26-Mar-99		79	558,405	40.030	186.556	2.361	6.088	28.372	0.359
	27-Mar-99 to 30-Jun-99	(5)	90	663,651	56.536	313.138	3.479	15.719	87.065	0.967
	1-Jul-99 to 30-Sep-99	(5)	81	297,859	38.126	94.778	1.170	8.329	20.705	0.256


Data entered by WLC. Proofed by LXG.

Notes:

- (1) EX-1 totalizer was installed and brought on line on February 23, 1998.
- (2) EX-2 totalizer was installed and brought on line on February 20, 1998.
- (3) EX-3 totalizer was installed and brought on line on March 6, 1998.
- (4) EX-4 through EX-10 were brought on line for a total of one day each as part of trial runs in December 1998.
- (5) EX-1 through EX-10 totalizer readings do not accurately represent groundwater extracted from April 1999 through September 1999. Extracted total is estimated based on treatment system totalizer reading (663,651 gallons from March 27 through June 30, and 320,345 gallons from July 1 to September 30, 1999) and the percentage of the total extracted for each well is based on the previous quarter's extraction data.



Map Source:
The Thomas Guide
Alameda/Contra Costa Counties
Street Guide and Directory




SHERWIN-WILLIAMS

Site Location Map




Figure 1



u:/sherwin/gis/qm99q3 10/05/99


- Property Boundary
- Storage Tanks
- - - Fence
- Buildings
- Slurry Wall
- ⋯ Railroad Tracks
- LF-10 A-Zone Monitoring Well
- LF-B3 B-Zone Monitoring Well
- EX-1 Groundwater Extraction Well
- RP-1 Rifkin Property Monitoring Well
- MW-4 Rifkin Property Monitoring Well
- ⊕ LF-PZ1 A-Zone Piezometer
- Monitoring Well Destroyed or Abandoned



Sherwin-Williams Company, Emeryville, CA

Site Plan

Figure 2



u/sherwin/qmr99qm3

- Property Boundary
- Storage Tanks
- - - Fence
- ▭ Buildings
- ▬ Slurry Wall
- ⊕ Railroad Tracks
- LF-10 A-Zone Monitoring Well
- LF-B3 B-Zone Monitoring Well
- EX-1 Groundwater Extraction Well
- RP-1 Rifkin Property Monitoring Well
- MW-4 Rifkin Property Monitoring Well
- LF-PZ1 A-Zone Piezometer
- Monitoring Well Destroyed or Abandoned

- 9.0 Groundwater Elevation Contour, dashed where inferred
- ⊗ Depression in Groundwater Surface

Note: Groundwater elevations are based on mean sea level.




Sherwin-Williams Company, Emeryville, CA

Groundwater Elevation Contours A-Zone Groundwater July 12, 1999



Figure 3



- Property Boundary
- Storage Tanks
- - - Fence
- Buildings
- ▬ Slurry Wall
- ⊕ Railroad Tracks
- ⊕ LF-10 A-Zone Monitoring Well
- ⊕ LF-B3 B-Zone Monitoring Well
- ⊕ EX-1 Groundwater Extraction Well
- ⊕ RP-1 Rifkin Property Monitoring Well
- ⊕ MW-4 Rifkin Property Monitoring Well
- ⊕ LF-PZ1 A-Zone Piezometer
- Monitoring Well Destroyed or Abandoned

9.0 Groundwater Elevation Contour, dashed where inferred

⊕ Depression in Groundwater Surface

Note: Groundwater elevations are based on mean sea level. Groundwater elevations measured at LF-B5 may not be representative of B-zone because LF-B5 is screened in the A/B aquitard.




Sherwin-Williams Company, Emeryville, CA

Groundwater Elevation Contours B-Zone Groundwater July 12, 1999




Figure 4




Key to Chemicals	
Ace	Acetone
B	Benzene
E	Ethylbenzene
X	Total Xylenes
T	Toluene

- Property Boundary
- Storage Tanks
- - - Fence
- Buildings
- ▬ Slurry Wall
- ⊕ Railroad Tracks
- ⊕ LF-10 A-Zone Monitoring Well
- ⊕ LF-B3 B-Zone Monitoring Well
- ⊕ EX-1 Groundwater Extraction Well
- ⊕ RP-1 Rifkin Property Monitoring Well
- ⊕ MW-4 Rifkin Property Monitoring Well
- ⊕ LF-PZ1 A-Zone Piezometer
- ⊕ Monitoring Well Destroyed or Abandoned




Note: Samples collected July 13 through July 19, 1999




Sherwin-Williams Company, Emeryville, CA

Volatile Organic Compounds A-Zone Groundwater, Inside Slurry Wall July 1999



Figure 5a

u:/sherwin/qmm99q3




u:/sherwin/qmm99q3

- Property Boundary
- Storage Tanks
- - - Fence
- ▭ Buildings
- ▬ Slurry Wall
- ⊘ Railroad Tracks
- ⊙ LF-10 A-Zone Monitoring Well
- ⊙ LF-B3 B-Zone Monitoring Well
- ⊙ EX-1 Groundwater Extraction Well
- ⊙ RP-1 Rifkin Property Monitoring Well
- ⊙ MW-4 Rifkin Property Monitoring Well
- ⊙ LF-PZ1 A-Zone Piezometer
- ⊙ Monitoring Well Destroyed or Abandoned



Note: Samples collected July 13 through July 19, 1999

* Not sampled, light non-aqueous phase liquid observed




Sherwin-Williams Company, Emeryville, CA

Volatile Organic Compounds A-Zone Groundwater, Outside Slurry Wall July 1999

LFR
LEVINE • FRICKE

Figure 5b




U:\sherwin\qim99c3

Sherwin-Williams Company, Emeryville, CA

**Chlorinated Volatile Organic Compounds
 A-Zone Groundwater, Inside Slurry Wall
 July 1999**



Figure 5c




Sherwin-Williams Company, Emeryville, CA

Chlorinated Volatile Organic Compounds A-Zone Groundwater, Outside Slurry Wall July 1999

LFR
LEVINE • FRICKE

Figure 5d



LF-B4
 <0.01 Ace
 <0.0005 B
 <0.0005 E
 <0.0005 X
 <0.0005 T
 <0.0005 1,1,1-TCA
 <0.0005 1,2-DCA
 <0.0005 PCE
 <0.0005 TCE
 <0.0005 cis-1,2-DCE
 <0.0005 trans-1,2-DCE

LF-B5
 <0.02 Ace
 <0.001 B
 <0.001 E
 <0.001 X
 <0.001 T
 <0.001 1,1,1-TCA
 0.26 1,2-DCA
 <0.001 PCE
 <0.001 TCE
 0.0025 cis-1,2-DCE
 <0.001 trans-1,2-DCE

LF-B6
 <0.01 Ace
 <0.0005 B
 <0.0005 E
 <0.0005 X
 <0.0005 T
 <0.0005 1,1,1-TCA
 0.079 1,2-DCA
 <0.0005 PCE
 <0.0005 TCE
 <0.0005 cis-1,2-DCE
 <0.0005 trans-1,2-DCE

LF-B3
 <0.01 Ace
 <0.0005 B
 <0.0005 E
 <0.0005 X
 <0.0005 T
 <0.0005 1,1,1-TCA
 0.014 1,2-DCA
 <0.0005 PCE
 <0.0005 TCE
 <0.0005 cis-1,2-DCE
 <0.0005 trans-1,2-DCE

Key to Chemicals	
Ace	Acetone
B	Benzene
E	Ethylbenzene
X	Total Xylenes
T	Toluene
1,1,1-TCA	1,1,1-Trichloroethane
1,2-DCA	1,2-Dichloroethane
PCE	Tetrachloroethane
TCE	Trichloroethene
cis-1,2-DCE	Cis-1,2-Dichloroethene
trans-1,2-DCE	Trans-1,2-Dichloroethene

- Property Boundary
- Storage Tanks
- - - Fence
- Buildings
- ▬ Slurry Wall
- ⋯ Railroad Tracks
- ⊕ LF-10 A-Zone Monitoring Well
- ⊕ LF-B3 B-Zone Monitoring Well
- ⊕ EX-1 Groundwater Extraction Well
- ⊕ RP-1 Rifkin Property Monitoring Well
- ⊕ MW-4 Rifkin Property Monitoring Well
- ⊕ LF-PZ1 A-Zone Piezometer
- Monitoring Well Destroyed or Abandoned

LF-7
 0.85/0.82 Ace
 Station ID
 Chemical
 Duplicate Sample
 Concentration in parts per million

Note: Samples collected July 13 through July 19, 1999

Concentration of chemicals detected in LF-B5 may not be representative of B-zone groundwater quality because LF-B5 is only screened within the aquitard between the A zone and B zone.




Sherwin-Williams Company, Emeryville, CA

Volatile Organic Compounds B-Zone Groundwater July 1999

LFR
LEVINE • FRICKE

Figure 6

u:/sherwin/qmr99q3



Note: Samples collected July 13 through July 19, 1999.


Some samples were reported as unknown hydrocarbon mixtures with peak patterns atypical of gasoline. These samples are qualified as gasoline for a range of n-C7 to n-C12 (see Table 5).

Concentration of chemicals detected in LF-B5 may not be representative of B-zone groundwater quality because LF-B5 is only screened within the aquitard between the A zone and B zone.

u:/sherwin/qm99q3

- Property Boundary
- Storage Tanks
- - - Fence
- Buildings
- ▬ Slurry Wall
- ⊕ Railroad Tracks
- ⊕ LF-10 A-Zone Monitoring Well
- ⊕ LF-B3 B-Zone Monitoring Well
- ⊕ EX-1 Groundwater Extraction Well
- ⊕ RP-1 Rifkin Property Monitoring Well
- ⊕ MW-4 Rifkin Property Monitoring Well
- ⊕ LF-PZ1 A-Zone Piezometer
- ⊕ Monitoring Well Destroyed or Abandoned


- LF-7 Station ID
- 0.85/0.82 Duplicate Sample Concentration in parts per million
- * Not sampled, light non-aqueous phase liquid observed



Sherwin-Williams Company, Emeryville, CA

Total Petroleum Hydrocarbons as Diesel A-Zone and B-Zone Groundwater July 1999

Figure 7




Note: Samples collected July 13 through July 19, 1999.

Some samples were reported as unknown hydrocarbon mixtures with peak patterns atypical of gasoline. These samples are qualified as gasoline for a range of n-C7 to n-C12 (see Table 5).

Concentration of chemicals detected in LF-B5 may not be representative of B-zone groundwater quality because LF-B5 is only screened within the aquitard between the A zone and B zone.

- Property Boundary
- Storage Tanks
- - - Fence
- ▒ Buildings
- ▬ Slurry Wall
- ⊕ Railroad Tracks
- LF-10 A-Zone Monitoring Well
- LF-B3 B-Zone Monitoring Well
- EX-1 Groundwater Extraction Well
- RP-1 Rifkin Property Monitoring Well
- MW-4 Rifkin Property Monitoring Well
- ⊕ LF-PZ1 A-Zone Piezometer
- Monitoring Well Destroyed or Abandoned

- LF-7 Station ID
- 0.85/0.82 Duplicate Sample Concentration in parts per million
- * Not sampled, light non-aqueous phase liquid observed




Sherwin-Williams Company, Emeryville, CA

Total Petroleum Hydrocarbons as Gasoline A-Zone and B-Zone Groundwater July 1999

Figure 8

ur/sherwin/qm599q3




- Property Boundary
- Storage Tanks
- - - Fence
- Buildings
- ▬ Slurry Wall
- ⊕ Railroad Tracks
- LF-10 A-Zone Monitoring Well
- LF-B3 B-Zone Monitoring Well
- EX-1 Groundwater Extraction Well
- RP-1 Rifkin Property Monitoring Well
- MW-4 Rifkin Property Monitoring Well
- ⊕ LF-PZ1 A-Zone Piezometer
- Monitoring Well Destroyed or Abandoned

LF-7
0.85/0.82

Station ID
Duplicate Sample
Concentration in parts per million

Note: Samples collected July 13 through July 19, 1999.

* Not sampled, light non-aqueous phase liquid observed




Sherwin-Williams Company, Emeryville, CA

Concentrations of Arsenic A-Zone Groundwater July 1999



Figure 9

u:/sherwin/qm99q3




U:\sherwin\qim99c3

- Property Boundary
- Storage Tanks
- - - Fence
- Buildings
- ▬ Slurry Wall
- ⊕ Railroad Tracks
- LF-10 A-Zone Monitoring Well
- LF-B3 B-Zone Monitoring Well
- EX-1 Groundwater Extraction Well
- RP-1 Rifkin Property Monitoring Well
- MW-4 Rifkin Property Monitoring Well
- ⊕ LF-PZ1 A-Zone Piezometer
- Monitoring Well Destroyed or Abandoned

LF-7
0.85/0.82
 Station ID
 Duplicate Sample
 Concentration in parts
 per million
 * Not sampled, light non-aqueous
 liquid observed

Note: Samples collected July 13
 through July 19, 1999
 Concentration of chemicals detected in LF-B5 may
 not be representative of B-zone groundwater
 quality because LF-B5 is only screened within the
 aquifer between the A zone and B zone.



Sherwin-Williams Company, Emeryville, CA

Concentrations of Arsenic B-Zone Groundwater July 1999



Figure 10

Appendix A

Summary of QA/QC

**Table A-2
Summary of Analytical QA/QC**

Site Name: The Sherwin-Williams Facility	Site Address: 1450 Sherwin Avenue Emeryville, California	Monitoring Period Covered: July 1 to September 30, 1999
--	---	---

Analysis Performed By:
 Lab Name: Curtis and Tompkins, Ltd.
 Lab Address: 2323 Fifth Street, Berkeley, CA 94710
 Lab Contact: Tracy Babjar
 Lab Telephone Number: (510) 486-0925

- Analytical Method Used: (check applicable methods)**
- Total Dissolved Solids by EPA Method _____
 - Bioassay 96-hr % survival by Standard Method
 - Turbidity (NTU) by EPA Method _____
 - Dissolved Oxygen (mg/l and % saturation) by Standard Method
 - Hardness (mg/l CaCO₃) by EPA Method _____
 - Arsenic by EPA Method 206.2 or 7060 or 6010
 - Cadmium by EPA Method _____
 - Chromium (total) by EPA Method _____
 - Chromium (hexavalent)
 - Copper by EPA Method _____
 - Lead by EPA Method _____
 - Mercury by EPA Method _____
 - Nickel by EPA Method _____
 - Selenium by EPA Method _____
 - Silver by EPA Method _____
 - Zinc by EPA Method _____
 - Halogenated Volatile Organics by EPA Method 601 or 8010
 - Aromatic and Unsaturated Volatile Organics by EPA 602 or 8020
 - Volatile Organics by EPA Method 624 or 8240 or 8260
 - Semivolatile Organics by EPA Method 625 or 8270
 - EDB and DBCP by EPA Method 504
 - TPH gasoline by EPA Method 8015 modified
 - TPH diesel by EPA Method 8015 modified

Is the lab state-certified for the above analytical method(s)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Were analyses performed according to standard methods?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Were sample holding times met?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Were all reported analytical results values above MDLs?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Were QA/QC samples (i.e., blanks, field replicates, spikes, and surrogates) analyzed in accordance and consistent with the analytical method?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Did QA/QC results meet all acceptance criteria?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are QA/QC results and acceptance criteria on file?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

**Table A-2
Summary of Analytical QA/QC**

Site Name: The Sherwin-Williams Facility	Site Address: 1450 Sherwin Avenue Emeryville, California	Monitoring Period Covered: July 1 to September 30, 1999
<p>For any questions above answered with "No", please provide an explanation: *</p> <p>For samples 50-54-002-071599, 50-54-007-071599, and 50-54-009-071599 detected results for TPH-gasoline were qualified as estimated values because the surrogate spike recoveries were outside the laboratory upper control limit.</p> <p>The source water blank had a detection of chloroform at 0.001 ppm. Each of the field rinsates had 0.0008 or 0.0009 ppm chloroform (from the source water). No qualifier was assigned.</p>		

Data entered by LXG. QA/QC by SXS.

* The explanation should describe any modifications to standard methods and whether approved by Board staff, and describe corrective actions taken in response to any QA/QC results that fall outside acceptance criteria.

Appendix B

**Field Parameters Measured During
Groundwater Sampling
July 1999**

Table B-1
Field Parameters Measured During Purging and Sampling, July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date Sampled	Well Volume (gallons)	Volume Purged (gallons)	pH	Temperature (Deg C)	Specific Conductance (µmhos/cm)
LF-3	07/13/99	1.0	3.0	6.15	18.5	881
LF-4	07/16/99	0.5	1.5	6.08	21.0	838
LF-8	07/14/99	1.5	2.5	6.49	20.5	652
LF-11	07/16/99	2.0	6.0	6.18	18.8	607
LF-12	07/14/99	2.0	6.0	6.17	19.5	470
LF-13	07/13/99	2.0	6.0	6.25	18.5	565
LF-17	07/16/99	1.0	3.0	6.36	19.9	836
LF-18	07/14/99	2.0	6.0	6.46	20.2	655
LF-19	07/14/99	2.5	7.5	5.83	20.1	904
LF-20	07/15/99	2.0	6.0	6.14	19.1	802
LF-21	07/15/99	2.0	6.0	6.27	21.0	757
LF-23	07/14/99	2.0	6.0	6.30	19.8	801
LF-24	07/14/99	2.5	7.5	6.25	18.4	595
LF-25	07/14/99	2.3	6.8	6.35	18.9	645
LF-26	07/15/99	1.5	4.5	6.22	19.1	809
LF-27	07/14/99	2.0	6.0	5.92	18.4	457
LF-28	07/14/99	2.0	6.0	6.42	19.3	554
LF-29	07/13/99	2.0	6.0	4.33	19.2	480
LF-30	07/13/99	1.5	4.5	6.73	18.5	1004
LF-31	07/13/99	2.5	7.5	5.95	20.0	521
LF-32	07/16/99	3.0	9.0	5.67	19.7	580
LF-33	07/13/99	3.0	9.0	5.96	20.7	1318
LF-34	07/13/99	3.0	9.0	5.96	20.1	631
LF-B3	07/15/99	5.5	24.0	7.13	19.9	546
LF-B4	07/14/99	6.5	20.0	6.62	19.3	552
LF-B5	07/15/99	5.5	17.0	6.37	21.0	550
LF-B6	07/14/99	5.5	17.0	6.50	20.2	790
EX-1*	07/16/99	NM	NM	6.13	17.9	765
EX-2*	07/15/99	NM	NM	5.53	22.5	850
EX-3*	07/16/99	NM	NM	6.15	17.6	518
EX-4*	07/15/99	NM	NM	5.53	22.5	576
EX-5*	07/19/99	NM	NM	6.09	18.4	716
EX-6*	07/19/99	NM	NM	6.73	18.4	667
EX-7*	07/15/99	NM	NM	5.59	20.9	667
EX-8*	07/19/99	NM	NM	5.79	19.3	817
EX-9*	07/15/99	NM	NM	5.62	21.0	783
EX-10*	07/15/99	NM	NM	6.32	20.9	589
EX-11*	07/16/99	NM	NM	6.11	16.2	923
EX-12*	07/13/99	NM	NM	6.01	19.6	982
EX-13*	07/16/99	NM	NM	6.05	18.6	876
RP-1	07/16/99	0.5	1.5	5.90	20.4	534
RP-2	07/13/99	1.0	3.0	5.91	20.6	822
RP-3	07/16/99	1.0	3.0	5.79	20.6	1013
RP-4	07/13/99	1.5	4.5	5.92	20.4	1033
RP-5	07/13/99	1.3	3.8	6.01	20.1	1069
MW-1	07/13/99	1.5	4.5	5.92	19.9	946
MW-3	07/13/99	2.0	6.0	5.94	19.1	376

Table B-1
Field Parameters Measured During Purging and Sampling, July 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date Sampled	Well Volume (gallons)	Volume Purged (gallons)	pH	Temperature (Deg C)	Specific Conductance (µmhos/cm)
MW-4	07/16/99	1.5	4.5	3.02	19.8	1054
MW-5	07/19/99	1.5	4.5	4.52	19.6	1066

* = Operational extraction well

NM = No measurement obtained

Data entered by LXG. Proofed by KLF.

Appendix C

**Complete Analytical Results for
Groundwater Monitoring Wells
July 1999**

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-1	07/16/99	Metals (EPA 6010B)	Arsenic	45		5	ug/L	50-54-001-071699
		VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	6.5		0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	3.3		0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	13		0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	0.8		0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID					
EX-1	07/16/99	VOCs (EPA 8260A)	Dichlorodifluoromethane	<1	U	1	ug/L	50-54-001-071699					
			Ethylbenzene	3.9		0.5	ug/L						
			Hexachlorobutadiene	<0.5	U	0.5	ug/L						
			Isopropylbenzene	<0.5	U	0.5	ug/L						
			m,p-Xylenes	19		0.5	ug/L						
			Methylene Chloride	<5	U	5	ug/L						
			MTBE	0.7		0.5	ug/L						
			n-Butylbenzene	<0.5	U	0.5	ug/L						
			n-Propylbenzene	<0.5	U	0.5	ug/L						
			Naphthalene	1		0.5	ug/L						
			o-Xylene	14		0.5	ug/L						
			p-Isopropyltoluene	<0.5	U	0.5	ug/L						
			sec-Butylbenzene	<0.5	U	0.5	ug/L						
			Styrene	<0.5	U	0.5	ug/L						
			tert-Butylbenzene	<0.5	U	0.5	ug/L						
			Tetrachloroethene	<0.5	U	0.5	ug/L						
			Toluene	5.9		0.5	ug/L						
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L						
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L						
			Trichloroethene	<0.5	U	0.5	ug/L						
			Trichlorofluoromethane	<0.5	U	0.5	ug/L						
			Trichlorotrifluoroethane	<5	U	5	ug/L						
			Vinyl Acetate	<10	U	10	ug/L						
			Vinyl Chloride	<0.5	U	0.5	ug/L						
			Xylenes (total)	33		0.5	ug/L						
			TPH (EPA 8015M)	TPH as Diesel	1000	47	ug/L						
				TPH as Gas	140	50	ug/L						
			EX-2	07/15/99	Metals (EPA 6010B)	Arsenic	11			5	ug/L	50-54-002-071599	
						VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane		<0.5	U	0.5		ug/L
						1,1,1-Trichloroethane	<0.5		U	0.5	ug/L		
						1,1,2,2-Tetrachloroethane	<0.5		U	0.5	ug/L		
						1,1,2-Trichloroethane	<0.5		U	0.5	ug/L		
						1,1-Dichloroethane	<0.5		U	0.5	ug/L		
1,1-Dichloroethene	<0.5	U				0.5	ug/L						
1,1-Dichloropropene	<0.5	U				0.5	ug/L						
1,2,3-Trichlorobenzene	<0.5	U				0.5	ug/L						
1,2,3-Trichloropropane	<0.5	U				0.5	ug/L						
1,2,4-Trichlorobenzene	<0.5	U				0.5	ug/L						
1,2,4-Trimethylbenzene	5.8					0.5	ug/L						
1,2-Dibromo-3-chloropropane	<0.5	U				0.5	ug/L						
1,2-Dibromoethane	<0.5	U				0.5	ug/L						
1,2-Dichlorobenzene	<0.5	U				0.5	ug/L						
1,2-Dichloroethane	<0.5	U				0.5	ug/L						
1,2-Dichloropropane	<0.5	U				0.5	ug/L						

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-2	07/15/99	VOCs (EPA 8260A)	1,3,5-Trimethylbenzene	4.1		0.5	ug/L	50-54-002-071599
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	1.1		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	7.1		0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	36		0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	0.6		0.5	ug/L	
			o-Xylene	23		0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	9.8		0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-2	07/15/99	VOCs (EPA 8260A)	trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	50-54-002-071599
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	59		0.5	ug/L	
		TPH (EPA 8015M)	TPH as Diesel	510		47	ug/L	
			TPH as Gas	350	J3	50	ug/L	
EX-3	07/16/99	Metals (EPA 6010B)	Arsenic	100000		50	ug/L	50-54-003-071699
		VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	0.6		0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	0.9		0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	39		0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
Bromoform	<1	U	1	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
EX-3	07/16/99	VOCs (EPA 8260A)	Bromomethane	<1	U	1	ug/L	50-54-003-071699	
			Carbon Disulfide	1.8		0.5	ug/L		
			Carbon Tetrachloride	<0.5	U	0.5	ug/L		
			Chlorobenzene	0.7		0.5	ug/L		
			Chloroethane	<1	U	1	ug/L		
			Chloroform	<0.5	U	0.5	ug/L		
			Chloromethane	<1	U	1	ug/L		
			cis-1,2-Dichloroethene	3.7		0.5	ug/L		
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L		
			Dibromochloromethane	<0.5	U	0.5	ug/L		
			Dibromomethane	<0.5	U	0.5	ug/L		
			Dichlorodifluoromethane	<1	U	1	ug/L		
			Ethylbenzene	<0.5	U	0.5	ug/L		
			Hexachlorobutadiene	<0.5	U	0.5	ug/L		
			Isopropylbenzene	<0.5	U	0.5	ug/L		
			m,p-Xylenes	2.8		0.5	ug/L		
			Methylene Chloride	<5	U	5	ug/L		
			MTBE	1.9		0.5	ug/L		
			n-Butylbenzene	<0.5	U	0.5	ug/L		
			n-Propylbenzene	<0.5	U	0.5	ug/L		
			Naphthalene	<0.5	U	0.5	ug/L		
			o-Xylene	2.1		0.5	ug/L		
			p-Isopropyltoluene	<0.5	U	0.5	ug/L		
			sec-Butylbenzene	<0.5	U	0.5	ug/L		
			Styrene	<0.5	U	0.5	ug/L		
			tert-Butylbenzene	<0.5	U	0.5	ug/L		
			Tetrachloroethene	<0.5	U	0.5	ug/L		
			Toluene	8		0.5	ug/L		
			trans-1,2-Dichloroethene	2.1		0.5	ug/L		
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L		
			Trichloroethene	1.4		0.5	ug/L		
			Trichlorofluoromethane	<0.5	U	0.5	ug/L		
			Trichlorotrifluoroethane	<5	U	5	ug/L		
			Vinyl Acetate	<10	U	10	ug/L		
Vinyl Chloride	<0.5	U	0.5	ug/L					
Xylenes (total)	4.9		0.5	ug/L					
TPH (EPA 8015M)	TPH as Diesel	48	48	ug/L					
	TPH as Gas	<50	U	50	ug/L				
EX-4	07/15/99	Metals (EPA 6010B)	Arsenic	<5	U	5	ug/L	50-54-004-071599	
			VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5		ug/L
				1,1,1-Trichloroethane	<0.5	U	0.5		ug/L
				1,1,2,2-Tetrachloroethane	<0.5	U	0.5		ug/L
				1,1,2-Trichloroethane	<0.5	U	0.5		ug/L
				1,1-Dichloroethane	<0.5	U	0.5		ug/L

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-4	07/15/99	VOCs (EPA 8260A)	1,1-Dichloroethene	<0.5	U	0.5	ug/L	50-54-004-071599
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	10		0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	3.5		0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	32		0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	7.3		0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
Isopropylbenzene	<0.5	U	0.5	ug/L				
m,p-Xylenes	62		0.5	ug/L				
Methylene Chloride	<5	U	5	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID				
EX-4	07/15/99	VOCs (EPA 8260A)	MTBE	<0.5	U	0.5	ug/L	50-54-004-071599				
			n-Butylbenzene	<0.5	U	0.5	ug/L					
			n-Propylbenzene	<0.5	U	0.5	ug/L					
			Naphthalene	1		0.5	ug/L					
			o-Xylene	25		0.5	ug/L					
			p-Isopropyltoluene	<0.5	U	0.5	ug/L					
			sec-Butylbenzene	<0.5	U	0.5	ug/L					
			Styrene	<0.5	U	0.5	ug/L					
			tert-Butylbenzene	<0.5	U	0.5	ug/L					
			Tetrachloroethene	<0.5	U	0.5	ug/L					
			Toluene	33		0.5	ug/L					
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L					
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L					
			Trichloroethene	<0.5	U	0.5	ug/L					
			Trichlorofluoromethane	<0.5	U	0.5	ug/L					
			Trichlorotrifluoroethane	<5	U	5	ug/L					
			Vinyl Acetate	<10	U	10	ug/L					
			Vinyl Chloride	<0.5	U	0.5	ug/L					
			Xylenes (total)	87		0.5	ug/L					
			TPH (EPA 8015M)	TPH as Diesel	830	47	ug/L					
				TPH as Gas	380	50	ug/L					
			EX-5	07/19/99	Metals (EPA 6010B)	Arsenic	8.6			5	ug/L	50-54-005-071999
						VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane		<0.5	U	0.5	
1,1,1-Trichloroethane	<0.5	U					0.5	ug/L				
1,1,2,2-Tetrachloroethane	<0.5	U					0.5	ug/L				
1,1,2-Trichloroethane	<0.5	U					0.5	ug/L				
1,1-Dichloroethane	<0.5	U					0.5	ug/L				
1,1-Dichloroethene	<0.5	U					0.5	ug/L				
1,1-Dichloropropene	<0.5	U					0.5	ug/L				
1,2,3-Trichlorobenzene	<0.5	U					0.5	ug/L				
1,2,3-Trichloropropane	<0.5	U					0.5	ug/L				
1,2,4-Trichlorobenzene	<0.5	U					0.5	ug/L				
1,2,4-Trimethylbenzene	0.8						0.5	ug/L				
1,2-Dibromo-3-chloropropane	<0.5	U					0.5	ug/L				
1,2-Dibromoethane	<0.5	U					0.5	ug/L				
1,2-Dichlorobenzene	<0.5	U					0.5	ug/L				
1,2-Dichloroethane	<0.5	U					0.5	ug/L				
1,2-Dichloropropane	<0.5	U					0.5	ug/L				
1,3,5-Trimethylbenzene	1.1						0.5	ug/L				
1,3-Dichlorobenzene	<0.5	U					0.5	ug/L				
1,3-Dichloropropane	<0.5	U					0.5	ug/L				
1,4-Dichlorobenzene	<0.5	U					0.5	ug/L				
2,2-Dichloropropane	<0.5	U					0.5	ug/L				
2-Butanone	<10	U					10	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-5	07/19/99	VOCs (EPA 8260A)	2-Chloroethylvinylether	<10	U	10	ug/L	50-54-005-071999
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	150		0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	1.5		0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	1.1		0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	0.6		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	1.1		0.5	ug/L	
			o-Xylene	17		0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L				
Trichloroethene	<0.5	U	0.5	ug/L				
Trichlorofluoromethane	<0.5	U	0.5	ug/L				
Trichlorotrifluoroethane	<5	U	5	ug/L				
Vinyl Acetate	<10	U	10	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-5	07/19/99	VOCs (EPA 8260A)	Vinyl Chloride	<0.5	U	0.5	ug/L	50-54-005-071999
			Xylenes (total)	18.1		0.5	ug/L	
		TPH (EPA 8015M)	TPH as Diesel	3800		47	ug/L	
			TPH as Gas	180		50	ug/L	
EX-6	07/19/99	Metals (EPA 6010B)	Arsenic	21		5	ug/L	50-54-006-071999
		VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	5		0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
Bromoform	<1	U	1	ug/L				
Bromomethane	<1	U	1	ug/L				
Carbon Disulfide	<0.5	U	0.5	ug/L				
Carbon Tetrachloride	<0.5	U	0.5	ug/L				
Chlorobenzene	<0.5	U	0.5	ug/L				
Chloroethane	<1	U	1	ug/L				
Chloroform	<0.5	U	0.5	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
EX-6	07/19/99	VOCs (EPA 8260A)	Chloromethane	<1	U	1	ug/L	50-54-006-071999	
			cis-1,2-Dichloroethene	1.1		0.5	ug/L		
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L		
			Dibromochloromethane	<0.5	U	0.5	ug/L		
			Dibromomethane	<0.5	U	0.5	ug/L		
			Dichlorodifluoromethane	<1	U	1	ug/L		
			Ethylbenzene	<0.5	U	0.5	ug/L		
			Hexachlorobutadiene	<0.5	U	0.5	ug/L		
			Isopropylbenzene	<0.5	U	0.5	ug/L		
			m,p-Xylenes	14		0.5	ug/L		
			Methylene Chloride	<5	U	5	ug/L		
			MTBE	<0.5	U	0.5	ug/L		
			n-Butylbenzene	<0.5	U	0.5	ug/L		
			n-Propylbenzene	<0.5	U	0.5	ug/L		
			Naphthalene	<0.5	U	0.5	ug/L		
			o-Xylene	5.4		0.5	ug/L		
			p-Isopropyltoluene	<0.5	U	0.5	ug/L		
			sec-Butylbenzene	<0.5	U	0.5	ug/L		
			Styrene	<0.5	U	0.5	ug/L		
			tert-Butylbenzene	<0.5	U	0.5	ug/L		
			Tetrachloroethene	<0.5	U	0.5	ug/L		
			Toluene	<0.5	U	0.5	ug/L		
			trans-1,2-Dichloroethene	0.8		0.5	ug/L		
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L		
			Trichloroethene	<0.5	U	0.5	ug/L		
			Trichlorofluoromethane	<0.5	U	0.5	ug/L		
			Trichlorotrifluoroethane	<5	U	5	ug/L		
			Vinyl Acetate	<10	U	10	ug/L		
			Vinyl Chloride	<0.5	U	0.5	ug/L		
			Xylenes (total)	19.4		0.5	ug/L		
			TPH (EPA 8015M)	TPH as Diesel		1200	47		ug/L
				TPH as Gas		340	50		ug/L
			EX-7	07/15/99	Metals (EPA 6010B)	Arsenic	19000		
VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5				U	0.5	ug/L	
	1,1,1-Trichloroethane	<0.5				U	0.5	ug/L	
	1,1,2,2-Tetrachloroethane	<0.5				U	0.5	ug/L	
	1,1,2-Trichloroethane	<0.5				U	0.5	ug/L	
	1,1-Dichloroethane	<0.5				U	0.5	ug/L	
	1,1-Dichloroethene	<0.5				U	0.5	ug/L	
	1,1-Dichloropropene	<0.5				U	0.5	ug/L	
	1,2,3-Trichlorobenzene	<0.5				U	0.5	ug/L	
	1,2,3-Trichloropropane	<0.5				U	0.5	ug/L	
	1,2,4-Trichlorobenzene	<0.5				U	0.5	ug/L	
	1,2,4-Trimethylbenzene	9.6					0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-7	07/15/99	VOCs (EPA 8260A)	1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	50-54-007-071599
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	18		0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	7.2		0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	11		10	ug/L	
			Acetone	29		10	ug/L	
			Benzene	2.5		0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	16		0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	3.1		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	3.6		0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	48		0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	7.2		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	1.1		0.5	ug/L	
			o-Xylene	27		0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID				
EX-7	07/15/99	VOCs (EPA 8260A)	sec-Butylbenzene	<0.5	U	0.5	ug/L	50-54-007-071599				
			Styrene	<0.5	U	0.5	ug/L					
			tert-Butylbenzene	<0.5	U	0.5	ug/L					
			Tetrachloroethene	<0.5	U	0.5	ug/L					
			Toluene	34		0.5	ug/L					
			trans-1,2-Dichloroethene	1.4		0.5	ug/L					
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L					
			Trichloroethene	<0.5	U	0.5	ug/L					
			Trichlorofluoromethane	<0.5	U	0.5	ug/L					
			Trichlorotrifluoroethane	<5	U	5	ug/L					
			Vinyl Acetate	<10	U	10	ug/L					
			Vinyl Chloride	<0.5	U	0.5	ug/L					
			Xylenes (total)	75		0.5	ug/L					
			TPH (EPA 8015M)	TPH as Diesel	320		47		ug/L			
				TPH as Gas	480	J3	50		ug/L			
			EX-8	07/19/99	Metals (EPA 6010B)	Arsenic	430000			500	ug/L	50-54-008-071999
					VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<420		U	420	ug/L	
1,1,1-Trichloroethane	<420	U				420	ug/L					
1,1,2,2-Tetrachloroethane	<420	U				420	ug/L					
1,1,2-Trichloroethane	<420	U				420	ug/L					
1,1-Dichloroethane	<420	U				420	ug/L					
1,1-Dichloroethene	<420	U				420	ug/L					
1,1-Dichloropropene	<420	U				420	ug/L					
1,2,3-Trichlorobenzene	<420	U				420	ug/L					
1,2,3-Trichloropropane	<420	U				420	ug/L					
1,2,4-Trichlorobenzene	<420	U				420	ug/L					
1,2,4-Trimethylbenzene	<420	U				420	ug/L					
1,2-Dibromo-3-chloropropane	<420	U				420	ug/L					
1,2-Dibromoethane	<420	U				420	ug/L					
1,2-Dichlorobenzene	<420	U				420	ug/L					
1,2-Dichloroethane	<420	U				420	ug/L					
1,2-Dichloropropane	<420	U				420	ug/L					
1,3,5-Trimethylbenzene	<420	U				420	ug/L					
1,3-Dichlorobenzene	<420	U				420	ug/L					
1,3-Dichloropropane	<420	U				420	ug/L					
1,4-Dichlorobenzene	<420	U				420	ug/L					
2,2-Dichloropropane	<420	U				420	ug/L					
2-Butanone	58000					8300	ug/L					
2-Chloroethylvinylether	<8300	U				8300	ug/L					
2-Chlorotoluene	<420	U				420	ug/L					
2-Hexanone	<8300	U				8300	ug/L					
4-Chlorotoluene	<420	U				420	ug/L					
4-Methyl-2-pentanone	29000					8300	ug/L					
Acetone	130000					8300	ug/L					

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID			
EX-8	07/19/99	VOCs (EPA 8260A)	Benzene	<420	U	420	ug/L	50-54-008-071999			
			Bromobenzene	<420	U	420	ug/L				
			Bromochloromethane	<420	U	420	ug/L				
			Bromodichloromethane	<420	U	420	ug/L				
			Bromoform	<830	U	830	ug/L				
			Bromomethane	<830	U	830	ug/L				
			Carbon Disulfide	<420	U	420	ug/L				
			Carbon Tetrachloride	<420	U	420	ug/L				
			Chlorobenzene	<420	U	420	ug/L				
			Chloroethane	<830	U	830	ug/L				
			Chloroform	<420	U	420	ug/L				
			Chloromethane	<830	U	830	ug/L				
			cis-1,2-Dichloroethene	<420	U	420	ug/L				
			cis-1,3-Dichloropropene	<420	U	420	ug/L				
			Dibromochloromethane	<420	U	420	ug/L				
			Dibromomethane	<420	U	420	ug/L				
			Dichlorodifluoromethane	<830	U	830	ug/L				
			Ethylbenzene	<420	U	420	ug/L				
			Hexachlorobutadiene	<420	U	420	ug/L				
			Isopropylbenzene	<420	U	420	ug/L				
			m,p-Xylenes			1500				420	ug/L
			Methylene Chloride	<4200	U	4200	ug/L				
			MTBE	<420	U	420	ug/L				
			n-Butylbenzene	<420	U	420	ug/L				
			n-Propylbenzene	<420	U	420	ug/L				
			Naphthalene	<420	U	420	ug/L				
			o-Xylene			440				420	ug/L
			p-Isopropyltoluene	<420	U	420	ug/L				
			sec-Butylbenzene	<420	U	420	ug/L				
			Styrene	<420	U	420	ug/L				
			tert-Butylbenzene	<420	U	420	ug/L				
			Tetrachloroethene	<420	U	420	ug/L				
			Toluene			22000				420	ug/L
			trans-1,2-Dichloroethene	<420	U	420	ug/L				
			trans-1,3-Dichloropropene	<420	U	420	ug/L				
			Trichloroethene	<420	U	420	ug/L				
			Trichlorofluoromethane	<420	U	420	ug/L				
			Trichlorotrifluoroethane	<4200	U	4200	ug/L				
			Vinyl Acetate	<8300	U	8300	ug/L				
			Vinyl Chloride	<420	U	420	ug/L				
			Xylenes (total)			1940				420	ug/L
			TPH (EPA 8015M)			TPH as Diesel	6500			48	ug/L
TPH as Gas	69000					2500	ug/L				
EX-9	07/15/99	Metals (EPA 6010B)	Arsenic	140000		500	ug/L	50-54-009-071599			

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-9	07/15/99	VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<10	U	10	ug/L	50-54-009-071599
			1,1,1-Trichloroethane	<10	U	10	ug/L	
			1,1,2,2-Tetrachloroethane	<10	U	10	ug/L	
			1,1,2-Trichloroethane	<10	U	10	ug/L	
			1,1-Dichloroethane	<10	U	10	ug/L	
			1,1-Dichloroethene	<10	U	10	ug/L	
			1,1-Dichloropropene	<10	U	10	ug/L	
			1,2,3-Trichlorobenzene	<10	U	10	ug/L	
			1,2,3-Trichloropropane	<10	U	10	ug/L	
			1,2,4-Trichlorobenzene	<10	U	10	ug/L	
			1,2,4-Trimethylbenzene	88		10	ug/L	
			1,2-Dibromo-3-chloropropane	<10	U	10	ug/L	
			1,2-Dibromoethane	<10	U	10	ug/L	
			1,2-Dichlorobenzene	<10	U	10	ug/L	
			1,2-Dichloroethane	150		10	ug/L	
			1,2-Dichloropropane	<10	U	10	ug/L	
			1,3,5-Trimethylbenzene	24		10	ug/L	
			1,3-Dichlorobenzene	<10	U	10	ug/L	
			1,3-Dichloropropane	<10	U	10	ug/L	
			1,4-Dichlorobenzene	<10	U	10	ug/L	
			2,2-Dichloropropane	<10	U	10	ug/L	
			2-Butanone	350		200	ug/L	
			2-Chloroethylvinylether	<200	U	200	ug/L	
			2-Chlorotoluene	<10	U	10	ug/L	
			2-Hexanone	<200	U	200	ug/L	
			4-Chlorotoluene	<10	U	10	ug/L	
			4-Methyl-2-pentanone	<200	U	200	ug/L	
			Acetone	530		200	ug/L	
			Benzene	<10	U	10	ug/L	
			Bromobenzene	<10	U	10	ug/L	
			Bromochloromethane	<10	U	10	ug/L	
			Bromodichloromethane	<10	U	10	ug/L	
			Bromoform	<20	U	20	ug/L	
			Bromomethane	<20	U	20	ug/L	
			Carbon Disulfide	<10	U	10	ug/L	
			Carbon Tetrachloride	<10	U	10	ug/L	
			Chlorobenzene	<10	U	10	ug/L	
			Chloroethane	<20	U	20	ug/L	
			Chloroform	<10	U	10	ug/L	
			Chloromethane	<20	U	20	ug/L	
			cis-1,2-Dichloroethene	<10	U	10	ug/L	
			cis-1,3-Dichloropropene	<10	U	10	ug/L	
			Dibromochloromethane	<10	U	10	ug/L	
			Dibromomethane	<10	U	10	ug/L	
			Dichlorodifluoromethane	<20	U	20	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID			
EX-9	07/15/99	VOCs (EPA 8260A)	Ethylbenzene	360		10	ug/L	50-54-009-071599			
			Hexachlorobutadiene	<10	U	10	ug/L				
			Isopropylbenzene	<10	U	10	ug/L				
			m,p-Xylenes	1200		10	ug/L				
			Methylene Chloride	<100	U	100	ug/L				
			MTBE	<10	U	10	ug/L				
			n-Butylbenzene	<10	U	10	ug/L				
			n-Propylbenzene	<10	U	10	ug/L				
			Naphthalene	<10	U	10	ug/L				
			o-Xylene	200		10	ug/L				
			p-Isopropyltoluene	<10	U	10	ug/L				
			sec-Butylbenzene	<10	U	10	ug/L				
			Styrene	<10	U	10	ug/L				
			tert-Butylbenzene	<10	U	10	ug/L				
			Tetrachloroethene	<10	U	10	ug/L				
			Toluene	2600		10	ug/L				
			trans-1,2-Dichloroethene	<10	U	10	ug/L				
			trans-1,3-Dichloropropene	<10	U	10	ug/L				
			Trichloroethene	14		10	ug/L				
			Trichlorofluoromethane	<10	U	10	ug/L				
			Trichlorotrifluoroethane	<100	U	100	ug/L				
			Vinyl Acetate	<200	U	200	ug/L				
			Vinyl Chloride	<10	U	10	ug/L				
			Xylenes (total)	1400		10	ug/L				
			TPH (EPA 8015M)	TPH as Diesel	220		47		ug/L		
				TPH as Gas	5500	J3	50		ug/L		
				<hr/>							
		EX-10	07/15/99	Metals (EPA 6010B)	Arsenic	2700			5	ug/L	50-54-010-071599
				VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U		0.5	ug/L	
					1,1,1-Trichloroethane	<0.5	U		0.5	ug/L	
1,1,2,2-Tetrachloroethane	<0.5				U	0.5	ug/L				
1,1,2-Trichloroethane	<0.5				U	0.5	ug/L				
1,1-Dichloroethane	<0.5				U	0.5	ug/L				
1,1-Dichloroethene	<0.5				U	0.5	ug/L				
1,1-Dichloropropene	<0.5				U	0.5	ug/L				
1,2,3-Trichlorobenzene	<0.5				U	0.5	ug/L				
1,2,3-Trichloropropane	<0.5				U	0.5	ug/L				
1,2,4-Trichlorobenzene	<0.5				U	0.5	ug/L				
1,2,4-Trimethylbenzene	<0.5				U	0.5	ug/L				
1,2-Dibromo-3-chloropropane	<0.5				U	0.5	ug/L				
1,2-Dibromoethane	<0.5				U	0.5	ug/L				
1,2-Dichlorobenzene	<0.5				U	0.5	ug/L				
1,2-Dichloroethane	15					0.5	ug/L				
1,2-Dichloropropane	<0.5				U	0.5	ug/L				
1,3,5-Trimethylbenzene	<0.5				U	0.5	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-10	07/15/99	VOCs (EPA 8260A)	1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	50-54-010-071599
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	0.6		0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	1.3		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	0.6		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	0.5		0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	0.7		0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	0.9		0.5	ug/L	
Tetrachloroethene	<0.5	U	0.5	ug/L				
Toluene	<0.5	U	0.5	ug/L				
trans-1,2-Dichloroethene	0.8		0.5	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
EX-10	07/15/99	VOCs (EPA 8260A)	trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	50-54-010-071599	
			Trichloroethene	<0.5	U	0.5	ug/L		
			Trichlorofluoromethane	<0.5	U	0.5	ug/L		
			Trichlorotrifluoroethane	<5	U	5	ug/L		
			Vinyl Acetate	<10	U	10	ug/L		
			Vinyl Chloride	<0.5	U	0.5	ug/L		
			Xylenes (total)	<0.5	U	0.5	ug/L		
			TPH (EPA 8015M) TPH as Diesel	500		47	ug/L		
			TPH as Gas	470		50	ug/L		
			EX-11	07/16/99	Metals (EPA 6010B)	Arsenic	56		
VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5				U	0.5	ug/L	
	1,1,1-Trichloroethane	<0.5				U	0.5	ug/L	
	1,1,2,2-Tetrachloroethane	<0.5				U	0.5	ug/L	
	1,1,2-Trichloroethane	<0.5				U	0.5	ug/L	
	1,1-Dichloroethane	<0.5				U	0.5	ug/L	
	1,1-Dichloroethene	<0.5				U	0.5	ug/L	
	1,1-Dichloropropene	<0.5				U	0.5	ug/L	
	1,2,3-Trichlorobenzene	<0.5				U	0.5	ug/L	
	1,2,3-Trichloropropane	<0.5				U	0.5	ug/L	
	1,2,4-Trichlorobenzene	<0.5				U	0.5	ug/L	
	1,2,4-Trimethylbenzene	13					0.5	ug/L	
	1,2-Dibromo-3-chloropropane	<0.5				U	0.5	ug/L	
	1,2-Dibromoethane	<0.5				U	0.5	ug/L	
	1,2-Dichlorobenzene	<0.5				U	0.5	ug/L	
	1,2-Dichloroethane	40					0.5	ug/L	
	1,2-Dichloropropane	<0.5				U	0.5	ug/L	
	1,3,5-Trimethylbenzene	3.4					0.5	ug/L	
	1,3-Dichlorobenzene	<0.5				U	0.5	ug/L	
	1,3-Dichloropropane	<0.5				U	0.5	ug/L	
	1,4-Dichlorobenzene	<0.5				U	0.5	ug/L	
	2,2-Dichloropropane	<0.5				U	0.5	ug/L	
	2-Butanone	15					10	ug/L	
	2-Chloroethylvinylether	<10				U	10	ug/L	
	2-Chlorotoluene	<0.5				U	0.5	ug/L	
	2-Hexanone	<10				U	10	ug/L	
	4-Chlorotoluene	<0.5				U	0.5	ug/L	
	4-Methyl-2-pentanone	200					10	ug/L	
	Acetone	<10				U	10	ug/L	
	Benzene	2.8					0.5	ug/L	
	Bromobenzene	<0.5				U	0.5	ug/L	
	Bromochloromethane	<0.5				U	0.5	ug/L	
	Bromodichloromethane	<0.5				U	0.5	ug/L	
	Bromoform	<1	U	1	ug/L				
Bromomethane	<1	U	1	ug/L					

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
EX-11	07/16/99	VOCs (EPA 8260A)	Carbon Disulfide	160		0.5	ug/L	40-54-011-071699	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L		
			Chlorobenzene	<0.5	U	0.5	ug/L		
			Chloroethane	<1	U	1	ug/L		
			Chloroform	<0.5	U	0.5	ug/L		
			Chloromethane	<1	U	1	ug/L		
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L		
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L		
			Dibromochloromethane	<0.5	U	0.5	ug/L		
			Dibromomethane	<0.5	U	0.5	ug/L		
			Dichlorodifluoromethane	<1	U	1	ug/L		
			Ethylbenzene	13		0.5	ug/L		
			Hexachlorobutadiene	<0.5	U	0.5	ug/L		
			Isopropylbenzene	0.5		0.5	ug/L		
			m,p-Xylenes	18		0.5	ug/L		
			Methylene Chloride	<5	U	5	ug/L		
			MTBE	3.2		0.5	ug/L		
			n-Butylbenzene	<0.5	U	0.5	ug/L		
			n-Propylbenzene	0.8		0.5	ug/L		
			Naphthalene	2.7		0.5	ug/L		
			o-Xylene	0.9		0.5	ug/L		
			p-Isopropyltoluene	<0.5	U	0.5	ug/L		
			sec-Butylbenzene	<0.5	U	0.5	ug/L		
			Styrene	1.7		0.5	ug/L		
			tert-Butylbenzene	<0.5	U	0.5	ug/L		
			Tetrachloroethene	<0.5	U	0.5	ug/L		
			Toluene	4.6		0.5	ug/L		
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L		
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L		
			Trichloroethene	<0.5	U	0.5	ug/L		
			Trichlorofluoromethane	<0.5	U	0.5	ug/L		
			Trichlorotrifluoroethane	<5	U	5	ug/L		
			Vinyl Acetate	<10	U	10	ug/L		
			Vinyl Chloride	<0.5	U	0.5	ug/L		
Xylenes (total)	18.9		0.5	ug/L					
	TPH (EPA 8015M)	TPH as Diesel	4200		94	ug/L			
		TPH as Gas	250		50	ug/L			
EX-12	07/13/99	Metals (EPA 6010B)	Arsenic	11		5	ug/L	40-54-012-071399	
			VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5		ug/L
				1,1,1-Trichloroethane	<0.5	U	0.5		ug/L
				1,1,2,2-Tetrachloroethane	<0.5	U	0.5		ug/L
				1,1,2-Trichloroethane	<0.5	U	0.5		ug/L
				1,1-Dichloroethane	<0.5	U	0.5		ug/L
				1,1-Dichloroethene	<0.5	U	0.5		ug/L

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-12	07/13/99	VOCs (EPA 8260A)	1,1-Dichloropropene	<0.5	U	0.5	ug/L	40-54-012-071399
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	2		0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	44		0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	16		0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	5		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
Isopropylbenzene	<0.5	U	0.5	ug/L				
m,p-Xylenes	<0.5	U	0.5	ug/L				
Methylene Chloride	<5	U	5	ug/L				
MTBE	2.8		0.5	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
EX-12	07/13/99	VOCs (EPA 8260A)	n-Butylbenzene	<0.5	U	0.5	ug/L	40-54-012-071399	
			n-Propylbenzene	<0.5	U	0.5	ug/L		
			Naphthalene	0.7		0.5	ug/L		
			o-Xylene	<0.5	U	0.5	ug/L		
			p-Isopropyltoluene	<0.5	U	0.5	ug/L		
			sec-Butylbenzene	<0.5	U	0.5	ug/L		
			Styrene	0.6		0.5	ug/L		
			tert-Butylbenzene	<0.5	U	0.5	ug/L		
			Tetrachloroethene	0.9		0.5	ug/L		
			Toluene	<0.5	U	0.5	ug/L		
			trans-1,2-Dichloroethene	1.7		0.5	ug/L		
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L		
			Trichloroethene	11		0.5	ug/L		
			Trichlorofluoromethane	<0.5	U	0.5	ug/L		
			Trichlorotrifluoroethane	<5	U	5	ug/L		
			Vinyl Acetate	<10	U	10	ug/L		
			Vinyl Chloride	<0.5	U	0.5	ug/L		
			Xylenes (total)	<0.5	U	0.5	ug/L		
			TPH (EPA 8015M)	TPH as Diesel	240		48		ug/L
				TPH as Gas	<50	U	50		ug/L
EX-13	07/16/99	Metals (EPA 6010B)	Arsenic	100		5	ug/L	40-54-013-071699	
			VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5		ug/L
				1,1,1-Trichloroethane	<0.5	U	0.5		ug/L
				1,1,2,2-Tetrachloroethane	<0.5	U	0.5		ug/L
				1,1,2-Trichloroethane	<0.5	U	0.5		ug/L
				1,1-Dichloroethane	<0.5	U	0.5		ug/L
				1,1-Dichloroethene	<0.5	U	0.5		ug/L
				1,1-Dichloropropene	<0.5	U	0.5		ug/L
				1,2,3-Trichlorobenzene	<0.5	U	0.5		ug/L
				1,2,3-Trichloropropane	<0.5	U	0.5		ug/L
				1,2,4-Trichlorobenzene	<0.5	U	0.5		ug/L
				1,2,4-Trimethylbenzene	0.5		0.5		ug/L
				1,2-Dibromo-3-chloropropane	<0.5	U	0.5		ug/L
				1,2-Dibromoethane	<0.5	U	0.5		ug/L
				1,2-Dichlorobenzene	<0.5	U	0.5		ug/L
				1,2-Dichloroethane	<0.5	U	0.5		ug/L
				1,2-Dichloropropane	<0.5	U	0.5		ug/L
				1,3,5-Trimethylbenzene	<0.5	U	0.5		ug/L
				1,3-Dichlorobenzene	<0.5	U	0.5		ug/L
				1,3-Dichloropropane	<0.5	U	0.5		ug/L
				1,4-Dichlorobenzene	<0.5	U	0.5		ug/L
				2,2-Dichloropropane	<0.5	U	0.5		ug/L
				2-Butanone	<10	U	10		ug/L
2-Chloroethylvinylether	<10	U	10	ug/L					

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-13	07/16/99	VOCs (EPA 8260A)	2-Chlorotoluene	<0.5	U	0.5	ug/L	40-54-013-071699
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	22		0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	2.6		0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	0.7		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
Trichlorotrifluoroethane	<5	U	5	ug/L				
Vinyl Acetate	<10	U	10	ug/L				
Vinyl Chloride	<0.5	U	0.5	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-13	07/16/99	VOCs (EPA 8260A) TPH (EPA 8015M)	Xylenes (total)	<0.5	U	0.5	ug/L	40-54-013-071699
			TPH as Diesel	1800		47	ug/L	
			TPH as Gas	190		50	ug/L	
LF-3	07/19/99	Metals (EPA 6010B) VOCs (EPA 8260A)	Arsenic	50000		500	ug/L	60-36-003-071999
			1,1,1,2-Tetrachloroethane	<200	U	200	ug/L	
			1,1,1-Trichloroethane	<200	U	200	ug/L	
			1,1,2,2-Tetrachloroethane	<200	U	200	ug/L	
			1,1,2-Trichloroethane	<200	U	200	ug/L	
			1,1-Dichloroethane	<200	U	200	ug/L	
			1,1-Dichloroethene	<200	U	200	ug/L	
			1,1-Dichloropropene	<200	U	200	ug/L	
			1,2,3-Trichlorobenzene	<200	U	200	ug/L	
			1,2,3-Trichloropropane	<200	U	200	ug/L	
			1,2,4-Trichlorobenzene	<200	U	200	ug/L	
			1,2,4-Trimethylbenzene	<200	U	200	ug/L	
			1,2-Dibromo-3-chloropropane	<200	U	200	ug/L	
			1,2-Dibromoethane	<200	U	200	ug/L	
			1,2-Dichlorobenzene	<200	U	200	ug/L	
			1,2-Dichloroethane	<200	U	200	ug/L	
			1,2-Dichloropropane	<200	U	200	ug/L	
			1,3,5-Trimethylbenzene	<200	U	200	ug/L	
			1,3-Dichlorobenzene	<200	U	200	ug/L	
			1,3-Dichloropropane	<200	U	200	ug/L	
			1,4-Dichlorobenzene	<200	U	200	ug/L	
			2,2-Dichloropropane	<200	U	200	ug/L	
			2-Butanone	<4000	U	4000	ug/L	
			2-Chloroethylvinylether	<4000	U	4000	ug/L	
			2-Chlorotoluene	<200	U	200	ug/L	
			2-Hexanone	<4000	U	4000	ug/L	
			4-Chlorotoluene	<200	U	200	ug/L	
			4-Methyl-2-pentanone	<4000	U	4000	ug/L	
			Acetone	<4000	U	4000	ug/L	
			Benzene	<200	U	200	ug/L	
			Bromobenzene	<200	U	200	ug/L	
			Bromochloromethane	<200	U	200	ug/L	
			Bromodichloromethane	<200	U	200	ug/L	
Bromoform	<400	U	400	ug/L				
Bromomethane	<400	U	400	ug/L				
Carbon Disulfide	<200	U	200	ug/L				
Carbon Tetrachloride	<200	U	200	ug/L				
Chlorobenzene	<200	U	200	ug/L				
Chloroethane	<400	U	400	ug/L				
Chloroform	<200	U	200	ug/L				
Chloromethane	<400	U	400	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID				
LF-3	07/19/99	VOCs (EPA 8260A)	cis-1,2-Dichloroethene	<200	U	200	ug/L	60-36-003-071999				
			cis-1,3-Dichloropropene	<200	U	200	ug/L					
			Dibromochloromethane	<200	U	200	ug/L					
			Dibromomethane	<200	U	200	ug/L					
			Dichlorodifluoromethane	<400	U	400	ug/L					
			Ethylbenzene	4100		200	ug/L					
			Hexachlorobutadiene	<200	U	200	ug/L					
			Isopropylbenzene	<200	U	200	ug/L					
			m,p-Xylenes	16000		200	ug/L					
			Methylene Chloride	<2000	U	2000	ug/L					
			MTBE	<200	U	200	ug/L					
			n-Butylbenzene	<200	U	200	ug/L					
			n-Propylbenzene	<200	U	200	ug/L					
			Naphthalene	<200	U	200	ug/L					
			o-Xylene	4000		200	ug/L					
			p-Isopropyltoluene	<200	U	200	ug/L					
			sec-Butylbenzene	<200	U	200	ug/L					
			Styrene	<200	U	200	ug/L					
			tert-Butylbenzene	<200	U	200	ug/L					
			Tetrachloroethene	<200	U	200	ug/L					
			Toluene	56000		200	ug/L					
			trans-1,2-Dichloroethene	<200	U	200	ug/L					
			trans-1,3-Dichloropropene	<200	U	200	ug/L					
			Trichloroethene	<200	U	200	ug/L					
			Trichlorofluoromethane	<200	U	200	ug/L					
			Trichlorotrifluoroethane	<2000	U	2000	ug/L					
			Vinyl Acetate	<4000	U	4000	ug/L					
			Vinyl Chloride	<200	U	200	ug/L					
			Xylenes (total)	20000		200	ug/L					
			TPH (EPA 8015M)	TPH as Diesel	14000		47		ug/L			
				TPH as Gas	100000		2500		ug/L			
			LF-4	07/16/99	Metals (EPA 6010B)	Arsenic	830			5	ug/L	50-36-004-071699
						VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane		<0.5	U	0.5	
1,1,1-Trichloroethane	<0.5	U					0.5	ug/L				
1,1,2,2-Tetrachloroethane	<0.5	U					0.5	ug/L				
1,1,2-Trichloroethane	<0.5	U					0.5	ug/L				
1,1-Dichloroethane	<0.5	U					0.5	ug/L				
1,1-Dichloroethene	<0.5	U					0.5	ug/L				
1,1-Dichloropropene	<0.5	U					0.5	ug/L				
1,2,3-Trichlorobenzene	<0.5	U					0.5	ug/L				
1,2,3-Trichloropropane	<0.5	U					0.5	ug/L				
1,2,4-Trichlorobenzene	<0.5	U					0.5	ug/L				
1,2,4-Trimethylbenzene	<0.5	U					0.5	ug/L				
1,2-Dibromo-3-chloropropane	<0.5	U					0.5	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-4	07/16/99	VOCs (EPA 8260A)	1,2-Dibromoethane	<0.5	U	0.5	ug/L	50-36-004-071699
			1,2-Dichlorobenzene	0.8		0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	4.3		0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	0.9		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
LF-4	07/16/99	VOCs (EPA 8260A)	Styrene	<0.5	U	0.5	ug/L	50-36-004-071699	
			tert-Butylbenzene	<0.5	U	0.5	ug/L		
			Tetrachloroethene	<0.5	U	0.5	ug/L		
			Toluene	<0.5	U	0.5	ug/L		
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L		
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L		
			Trichloroethene	<0.5	U	0.5	ug/L		
			Trichlorofluoromethane	<0.5	U	0.5	ug/L		
			Trichlorotrifluoroethane	<5	U	5	ug/L		
			Vinyl Acetate	<10	U	10	ug/L		
			Vinyl Chloride	<0.5	U	0.5	ug/L		
			Xylenes (total)	<0.5	U	0.5	ug/L		
			TPH (EPA 8015M)	TPH as Diesel	2200		48		ug/L
				TPH as Gas	490		50		ug/L
			LF-4-DUP	07/16/99	Metals (EPA 6010B)	Arsenic	860		
		VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L		
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L		
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L		
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L		
			1,1-Dichloroethane	<0.5	U	0.5	ug/L		
			1,1-Dichloroethene	<0.5	U	0.5	ug/L		
			1,1-Dichloropropene	<0.5	U	0.5	ug/L		
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L		
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L		
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L		
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L		
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L		
			1,2-Dibromoethane	<0.5	U	0.5	ug/L		
			1,2-Dichlorobenzene	0.7		0.5	ug/L		
			1,2-Dichloroethane	<0.5	U	0.5	ug/L		
			1,2-Dichloropropane	<0.5	U	0.5	ug/L		
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L		
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L		
			1,3-Dichloropropane	<0.5	U	0.5	ug/L		
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L		
			2,2-Dichloropropane	<0.5	U	0.5	ug/L		
			2-Butanone	<10	U	10	ug/L		
			2-Chloroethylvinylether	<10	U	10	ug/L		
			2-Chlorotoluene	<0.5	U	0.5	ug/L		
			2-Hexanone	<10	U	10	ug/L		
			4-Chlorotoluene	<0.5	U	0.5	ug/L		
			4-Methyl-2-pentanone	<10	U	10	ug/L		
			Acetone	<10	U	10	ug/L		
			Benzene	<0.5	U	0.5	ug/L		

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID			
LF-4-DUP	07/16/99	VOCs (EPA 8260A)	Bromobenzene	<0.5	U	0.5	ug/L	50-36-004-071699-D			
			Bromochloromethane	<0.5	U	0.5	ug/L				
			Bromodichloromethane	<0.5	U	0.5	ug/L				
			Bromoform	<1	U	1	ug/L				
			Bromomethane	<1	U	1	ug/L				
			Carbon Disulfide	<0.5	U	0.5	ug/L				
			Carbon Tetrachloride	<0.5	U	0.5	ug/L				
			Chlorobenzene	4.2		0.5	ug/L				
			Chloroethane	<1	U	1	ug/L				
			Chloroform	<0.5	U	0.5	ug/L				
			Chloromethane	<1	U	1	ug/L				
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L				
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L				
			Dibromochloromethane	<0.5	U	0.5	ug/L				
			Dibromomethane	<0.5	U	0.5	ug/L				
			Dichlorodifluoromethane	<1	U	1	ug/L				
			Ethylbenzene	<0.5	U	0.5	ug/L				
			Hexachlorobutadiene	<0.5	U	0.5	ug/L				
			Isopropylbenzene	<0.5	U	0.5	ug/L				
			m,p-Xylenes	<0.5	U	0.5	ug/L				
			Methylene Chloride	<5	U	5	ug/L				
			MTBE	0.8		0.5	ug/L				
			n-Butylbenzene	<0.5	U	0.5	ug/L				
			n-Propylbenzene	<0.5	U	0.5	ug/L				
			Naphthalene	<0.5	U	0.5	ug/L				
			o-Xylene	<0.5	U	0.5	ug/L				
			p-Isopropyltoluene	<0.5	U	0.5	ug/L				
			sec-Butylbenzene	<0.5	U	0.5	ug/L				
			Styrene	<0.5	U	0.5	ug/L				
			tert-Butylbenzene	<0.5	U	0.5	ug/L				
			Tetrachloroethene	<0.5	U	0.5	ug/L				
			Toluene	<0.5	U	0.5	ug/L				
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L				
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L				
			Trichloroethene	<0.5	U	0.5	ug/L				
			Trichlorofluoromethane	<0.5	U	0.5	ug/L				
			Trichlorotrifluoroethane	<5	U	5	ug/L				
			Vinyl Acetate	<10	U	10	ug/L				
			Vinyl Chloride	<0.5	U	0.5	ug/L				
			Xylenes (total)	<0.5	U	0.5	ug/L				
					TPH (EPA 8015M)	TPH as Diesel	2200			47	ug/L
						TPH as Gas	500			50	ug/L
			LF-8	07/14/99	Metals (EPA 6010B)	Arsenic	37			5	ug/L
VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5			U	0.5	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-8	07/14/99	VOCs (EPA 8260A)	1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	50-36-008-071499
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	1.2		0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID			
LF-8	07/14/99	VOCs (EPA 8260A)	Hexachlorobutadiene	<0.5	U	0.5	ug/L	50-36-008-071499			
			Isopropylbenzene	<0.5	U	0.5	ug/L				
			m,p-Xylenes	<0.5	U	0.5	ug/L				
			Methylene Chloride	<5	U	5	ug/L				
			MTBE	<0.5	U	0.5	ug/L				
			n-Butylbenzene	<0.5	U	0.5	ug/L				
			n-Propylbenzene	<0.5	U	0.5	ug/L				
			Naphthalene	<0.5	U	0.5	ug/L				
			o-Xylene	<0.5	U	0.5	ug/L				
			p-Isopropyltoluene	<0.5	U	0.5	ug/L				
			sec-Butylbenzene	<0.5	U	0.5	ug/L				
			Styrene	<0.5	U	0.5	ug/L				
			tert-Butylbenzene	<0.5	U	0.5	ug/L				
			Tetrachloroethene	<0.5	U	0.5	ug/L				
			Toluene	<0.5	U	0.5	ug/L				
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L				
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L				
			Trichloroethene	<0.5	U	0.5	ug/L				
			Trichlorofluoromethane	<0.5	U	0.5	ug/L				
			Trichlorotrifluoroethane	<5	U	5	ug/L				
			Vinyl Acetate	<10	U	10	ug/L				
			Vinyl Chloride	<0.5	U	0.5	ug/L				
			Xylenes (total)	<0.5	U	0.5	ug/L				
			TPH (EPA 8015M)	TPH as Diesel	390	48	ug/L				
			TPH as Gas	53	50	ug/L					
		LF-11	07/16/99	Metals (EPA 6010B)	Arsenic	2400			5	ug/L	60-36-011-071699
				VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U		0.5	ug/L	
1,1,1-Trichloroethane	<0.5				U	0.5	ug/L				
1,1,2,2-Tetrachloroethane	<0.5				U	0.5	ug/L				
1,1,2-Trichloroethane	<0.5				U	0.5	ug/L				
1,1-Dichloroethane	<0.5				U	0.5	ug/L				
1,1-Dichloroethene	<0.5				U	0.5	ug/L				
1,1-Dichloropropene	<0.5				U	0.5	ug/L				
1,2,3-Trichlorobenzene	<0.5				U	0.5	ug/L				
1,2,3-Trichloropropane	<0.5				U	0.5	ug/L				
1,2,4-Trichlorobenzene	<0.5				U	0.5	ug/L				
1,2,4-Trimethylbenzene	<0.5				U	0.5	ug/L				
1,2-Dibromo-3-chloropropane	<0.5				U	0.5	ug/L				
1,2-Dibromoethane	<0.5				U	0.5	ug/L				
1,2-Dichlorobenzene	<0.5				U	0.5	ug/L				
1,2-Dichloroethane	<0.5				U	0.5	ug/L				
1,2-Dichloropropane	<0.5				U	0.5	ug/L				
1,3,5-Trimethylbenzene	<0.5				U	0.5	ug/L				
1,3-Dichlorobenzene	<0.5				U	0.5	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-11	07/16/99	VOCs (EPA 8260A)	1,3-Dichloropropane	<0.5	U	0.5	ug/L	60-36-011-071699
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	0.7		0.5	ug/L	
Tetrachloroethene	<0.5	U	0.5	ug/L				
Toluene	<0.5	U	0.5	ug/L				
trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L				
trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
LF-11	07/16/99	VOCs (EPA 8260A)	Trichloroethene	<0.5	U	0.5	ug/L	60-36-011-071699	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L		
			Trichlorotrifluoroethane	<5	U	5	ug/L		
			Vinyl Acetate	<10	U	10	ug/L		
			Vinyl Chloride	<0.5	U	0.5	ug/L		
			Xylenes (total)	<0.5	U	0.5	ug/L		
			TPH (EPA 8015M)	TPH as Diesel	1100		48		ug/L
				TPH as Gas	120		50		ug/L
LF-12	07/14/99	Metals (EPA 6010B)	Arsenic	16		5	ug/L	10-36-012-071499	
		VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L		
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L		
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L		
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L		
			1,1-Dichloroethane	<0.5	U	0.5	ug/L		
			1,1-Dichloroethene	<0.5	U	0.5	ug/L		
			1,1-Dichloropropene	<0.5	U	0.5	ug/L		
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L		
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L		
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L		
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L		
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L		
			1,2-Dibromoethane	<0.5	U	0.5	ug/L		
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L		
			1,2-Dichloroethane	<0.5	U	0.5	ug/L		
			1,2-Dichloropropane	<0.5	U	0.5	ug/L		
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L		
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L		
			1,3-Dichloropropane	<0.5	U	0.5	ug/L		
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L		
			2,2-Dichloropropane	<0.5	U	0.5	ug/L		
			2-Butanone	<10	U	10	ug/L		
			2-Chloroethylvinylether	<10	U	10	ug/L		
			2-Chlorotoluene	<0.5	U	0.5	ug/L		
			2-Hexanone	<10	U	10	ug/L		
			4-Chlorotoluene	<0.5	U	0.5	ug/L		
			4-Methyl-2-pentanone	<10	U	10	ug/L		
			Acetone	<10	U	10	ug/L		
			Benzene	<0.5	U	0.5	ug/L		
			Bromobenzene	<0.5	U	0.5	ug/L		
			Bromochloromethane	<0.5	U	0.5	ug/L		
			Bromodichloromethane	<0.5	U	0.5	ug/L		
Bromoform	<1	U	1	ug/L					
Bromomethane	<1	U	1	ug/L					
Carbon Disulfide	<0.5	U	0.5	ug/L					

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
LF-12	07/14/99	VOCs (EPA 8260A)	Carbon Tetrachloride	<0.5	U	0.5	ug/L	10-36-012-071499	
			Chlorobenzene	<0.5	U	0.5	ug/L		
			Chloroethane	<1	U	1	ug/L		
			Chloroform	<0.5	U	0.5	ug/L		
			Chloromethane	<1	U	1	ug/L		
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L		
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L		
			Dibromochloromethane	<0.5	U	0.5	ug/L		
			Dibromomethane	<0.5	U	0.5	ug/L		
			Dichlorodifluoromethane	<1	U	1	ug/L		
			Ethylbenzene	<0.5	U	0.5	ug/L		
			Hexachlorobutadiene	<0.5	U	0.5	ug/L		
			Isopropylbenzene	<0.5	U	0.5	ug/L		
			m,p-Xylenes	<0.5	U	0.5	ug/L		
			Methylene Chloride	<5	U	5	ug/L		
			MTBE	<0.5	U	0.5	ug/L		
			n-Butylbenzene	<0.5	U	0.5	ug/L		
			n-Propylbenzene	<0.5	U	0.5	ug/L		
			Naphthalene	<0.5	U	0.5	ug/L		
			o-Xylene	<0.5	U	0.5	ug/L		
			p-Isopropyltoluene	<0.5	U	0.5	ug/L		
			sec-Butylbenzene	<0.5	U	0.5	ug/L		
			Styrene	<0.5	U	0.5	ug/L		
			tert-Butylbenzene	<0.5	U	0.5	ug/L		
			Tetrachloroethene	1.4		0.5	ug/L		
			Toluene	<0.5	U	0.5	ug/L		
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L		
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L		
			Trichloroethene	1.1		0.5	ug/L		
			Trichlorofluoromethane	<0.5	U	0.5	ug/L		
			Trichlorotrifluoroethane	<5	U	5	ug/L		
			Vinyl Acetate	<10	U	10	ug/L		
			Vinyl Chloride	<0.5	U	0.5	ug/L		
Xylenes (total)	<0.5	U	0.5	ug/L					
TPH (EPA 8015M)	TPH as Diesel	<50	U	50	ug/L				
	TPH as Gas	<50	U	50	ug/L				
LF-13	07/13/99	Metals (EPA 6010B)	Arsenic	<5	U	5	ug/L	10-36-013-071399	
			VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5		ug/L
				1,1,1-Trichloroethane	0.7		0.5		ug/L
				1,1,2,2-Tetrachloroethane	<0.5	U	0.5		ug/L
				1,1,2-Trichloroethane	<0.5	U	0.5		ug/L
				1,1-Dichloroethane	<0.5	U	0.5		ug/L
				1,1-Dichloroethene	<0.5	U	0.5		ug/L
				1,1-Dichloropropene	<0.5	U	0.5		ug/L

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-13	07/13/99	VOCs (EPA 8260A)	1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	10-36-013-071399
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
m,p-Xylenes	<0.5	U	0.5	ug/L				
Methylene Chloride	<5	U	5	ug/L				
MTBE	<0.5	U	0.5	ug/L				
n-Butylbenzene	<0.5	U	0.5	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-13	07/13/99	VOCs (EPA 8260A)	n-Propylbenzene	<0.5	U	0.5	ug/L	10-36-013-071399
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
			TPH (EPA 8015M)	TPH as Diesel	<48	U	48	
		TPH as Gas		<50	U	50	ug/L	
		LF-17	07/16/99	Metals (EPA 6010B)	Arsenic	59000		
VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane			<1	U	1	ug/L	
	1,1,1-Trichloroethane			<1	U	1	ug/L	
	1,1,2,2-Tetrachloroethane			<1	U	1	ug/L	
	1,1,2-Trichloroethane			<1	U	1	ug/L	
	1,1-Dichloroethane			<1	U	1	ug/L	
	1,1-Dichloroethene			<1	U	1	ug/L	
	1,1-Dichloropropene			<1	U	1	ug/L	
	1,2,3-Trichlorobenzene			<1	U	1	ug/L	
	1,2,3-Trichloropropane			<1	U	1	ug/L	
	1,2,4-Trichlorobenzene			<1	U	1	ug/L	
	1,2,4-Trimethylbenzene			24		1	ug/L	
	1,2-Dibromo-3-chloropropane			<1	U	1	ug/L	
	1,2-Dibromoethane			<1	U	1	ug/L	
	1,2-Dichlorobenzene			<1	U	1	ug/L	
	1,2-Dichloroethane			<1	U	1	ug/L	
	1,2-Dichloropropane			<1	U	1	ug/L	
	1,3,5-Trimethylbenzene			2.2		1	ug/L	
	1,3-Dichlorobenzene			<1	U	1	ug/L	
	1,3-Dichloropropane			<1	U	1	ug/L	
	1,4-Dichlorobenzene			<1	U	1	ug/L	
	2,2-Dichloropropane			<1	U	1	ug/L	
	2-Butanone			<20	U	20	ug/L	
	2-Chloroethylvinylether			<20	U	20	ug/L	
	2-Chlorotoluene			<1	U	1	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-17	07/16/99	VOCs (EPA 8260A)	2-Hexanone	<20	U	20	ug/L	50-36-017-071699
			4-Chlorotoluene	<1	U	1	ug/L	
			4-Methyl-2-pentanone	<20	U	20	ug/L	
			Acetone	<20	U	20	ug/L	
			Benzene	49		1	ug/L	
			Bromobenzene	<1	U	1	ug/L	
			Bromochloromethane	<1	U	1	ug/L	
			Bromodichloromethane	<1	U	1	ug/L	
			Bromoform	<2	U	2	ug/L	
			Bromomethane	<2	U	2	ug/L	
			Carbon Disulfide	<1	U	1	ug/L	
			Carbon Tetrachloride	<1	U	1	ug/L	
			Chlorobenzene	<1	U	1	ug/L	
			Chloroethane	<2	U	2	ug/L	
			Chloroform	<1	U	1	ug/L	
			Chloromethane	<2	U	2	ug/L	
			cis-1,2-Dichloroethene	6.8		1	ug/L	
			cis-1,3-Dichloropropene	<1	U	1	ug/L	
			Dibromochloromethane	<1	U	1	ug/L	
			Dibromomethane	<1	U	1	ug/L	
			Dichlorodifluoromethane	<2	U	2	ug/L	
			Ethylbenzene	37		1	ug/L	
			Hexachlorobutadiene	<1	U	1	ug/L	
			Isopropylbenzene	13		1	ug/L	
			m,p-Xylenes	58		1	ug/L	
			Methylene Chloride	<10	U	10	ug/L	
			MTBE	<1	U	1	ug/L	
			n-Butylbenzene	24		1	ug/L	
			n-Propylbenzene	13		1	ug/L	
			Naphthalene	270		1	ug/L	
			o-Xylene	7.7		1	ug/L	
			p-Isopropyltoluene	7.4		1	ug/L	
			sec-Butylbenzene	7.3		1	ug/L	
			Styrene	<1	U	1	ug/L	
			tert-Butylbenzene	<1	U	1	ug/L	
			Tetrachloroethene	<1	U	1	ug/L	
			Toluene	2.4		1	ug/L	
			trans-1,2-Dichloroethene	14		1	ug/L	
			trans-1,3-Dichloropropene	<1	U	1	ug/L	
			Trichloroethene	<1	U	1	ug/L	
			Trichlorofluoromethane	<1	U	1	ug/L	
			Trichlorotrifluoroethane	<10	U	10	ug/L	
			Vinyl Acetate	<20	U	20	ug/L	
			Vinyl Chloride	2.3		1	ug/L	
			Xylenes (total)	65.7		1	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-17	07/16/99	TPH (EPA 8015M)	TPH as Diesel	23000		250	ug/L	50-36-017-071699
			TPH as Gas	3900		250	ug/L	
LF-18	07/14/99	Metals (EPA 6010B)	Arsenic	8.3		5	ug/L	30-36-018-071499
		VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
Bromodichloromethane	<0.5	U	0.5	ug/L				
Bromoform	<1	U	1	ug/L				
Bromomethane	<1	U	1	ug/L				
Carbon Disulfide	<0.5	U	0.5	ug/L				
Carbon Tetrachloride	<0.5	U	0.5	ug/L				
Chlorobenzene	<0.5	U	0.5	ug/L				
Chloroethane	<1	U	1	ug/L				
Chloroform	<0.5	U	0.5	ug/L				
Chloromethane	<1	U	1	ug/L				
cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID					
LF-18	07/14/99	VOCs (EPA 8260A)	cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	30-36-018-071499					
			Dibromochloromethane	<0.5	U	0.5	ug/L						
			Dibromomethane	<0.5	U	0.5	ug/L						
			Dichlorodifluoromethane	<1	U	1	ug/L						
			Ethylbenzene	<0.5	U	0.5	ug/L						
			Hexachlorobutadiene	<0.5	U	0.5	ug/L						
			Isopropylbenzene	<0.5	U	0.5	ug/L						
			m,p-Xylenes	<0.5	U	0.5	ug/L						
			Methylene Chloride	<5	U	5	ug/L						
			MTBE	<0.5	U	0.5	ug/L						
			n-Butylbenzene	<0.5	U	0.5	ug/L						
			n-Propylbenzene	<0.5	U	0.5	ug/L						
			Naphthalene	<0.5	U	0.5	ug/L						
			o-Xylene	<0.5	U	0.5	ug/L						
			p-Isopropyltoluene	<0.5	U	0.5	ug/L						
			sec-Butylbenzene	<0.5	U	0.5	ug/L						
			Styrene	<0.5	U	0.5	ug/L						
			tert-Butylbenzene	<0.5	U	0.5	ug/L						
			Tetrachloroethene	<0.5	U	0.5	ug/L						
			Toluene	<0.5	U	0.5	ug/L						
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L						
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L						
			Trichloroethene	<0.5	U	0.5	ug/L						
			Trichlorofluoromethane	<0.5	U	0.5	ug/L						
			Trichlorotrifluoroethane	<5	U	5	ug/L						
			Vinyl Acetate	<10	U	10	ug/L						
			Vinyl Chloride	<0.5	U	0.5	ug/L						
			Xylenes (total)	<0.5	U	0.5	ug/L						
			TPH (EPA 8015M)	TPH as Diesel	280		48		ug/L				
				TPH as Gas	<50	U	50		ug/L				
			LF-19	07/14/99	Metals (EPA 6010B)	Arsenic	11			5	ug/L	40-36-019-071499	
						VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane		<0.5	U	0.5		ug/L
							1,1,1-Trichloroethane		<0.5	U	0.5		ug/L
1,1,2,2-Tetrachloroethane	<0.5	U					0.5	ug/L					
1,1,2-Trichloroethane	<0.5	U					0.5	ug/L					
1,1-Dichloroethane	<0.5	U					0.5	ug/L					
1,1-Dichloroethene	<0.5	U					0.5	ug/L					
1,1-Dichloropropene	<0.5	U					0.5	ug/L					
1,2,3-Trichlorobenzene	<0.5	U					0.5	ug/L					
1,2,3-Trichloropropane	<0.5	U					0.5	ug/L					
1,2,4-Trichlorobenzene	<0.5	U					0.5	ug/L					
1,2,4-Trimethylbenzene	<0.5	U					0.5	ug/L					
1,2-Dibromo-3-chloropropane	<0.5	U					0.5	ug/L					
1,2-Dibromoethane	<0.5	U					0.5	ug/L					

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-19	07/14/99	VOCs (EPA 8260A)	1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	40-36-019-071499
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	3.3		0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	0.6		0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	2.2		0.5	ug/L	
Methylene Chloride	<5	U	5	ug/L				
MTBE	<0.5	U	0.5	ug/L				
n-Butylbenzene	<0.5	U	0.5	ug/L				
n-Propylbenzene	<0.5	U	0.5	ug/L				
Naphthalene	<0.5	U	0.5	ug/L				
o-Xylene	<0.5	U	0.5	ug/L				
p-Isopropyltoluene	<0.5	U	0.5	ug/L				
sec-Butylbenzene	<0.5	U	0.5	ug/L				
Styrene	<0.5	U	0.5	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
LF-19	07/14/99	VOCs (EPA 8260A)	tert-Butylbenzene	<0.5	U	0.5	ug/L	40-36-019-071499	
			Tetrachloroethene	<0.5	U	0.5	ug/L		
			Toluene	26		0.5	ug/L		
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L		
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L		
			Trichloroethene	<0.5	U	0.5	ug/L		
			Trichlorofluoromethane	<0.5	U	0.5	ug/L		
			Trichlorotrifluoroethane	<5	U	5	ug/L		
			Vinyl Acetate	<10	U	10	ug/L		
			Vinyl Chloride	<0.5	U	0.5	ug/L		
			Xylenes (total)	2.2		0.5	ug/L		
			TPH (EPA 8015M)	TPH as Diesel	2700		48		ug/L
				TPH as Gas	200		50		ug/L
			LF-20	07/15/99	Metals (EPA 6010B)	Arsenic	94		
VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5			U	0.5	ug/L		
	1,1,1-Trichloroethane	<0.5			U	0.5	ug/L		
	1,1,2,2-Tetrachloroethane	<0.5			U	0.5	ug/L		
	1,1,2-Trichloroethane	<0.5			U	0.5	ug/L		
	1,1-Dichloroethane	<0.5			U	0.5	ug/L		
	1,1-Dichloroethene	<0.5			U	0.5	ug/L		
	1,1-Dichloropropene	<0.5			U	0.5	ug/L		
	1,2,3-Trichlorobenzene	<0.5			U	0.5	ug/L		
	1,2,3-Trichloropropane	<0.5			U	0.5	ug/L		
	1,2,4-Trichlorobenzene	<0.5			U	0.5	ug/L		
	1,2,4-Trimethylbenzene	<0.5			U	0.5	ug/L		
	1,2-Dibromo-3-chloropropane	<0.5			U	0.5	ug/L		
	1,2-Dibromoethane	<0.5			U	0.5	ug/L		
	1,2-Dichlorobenzene	<0.5			U	0.5	ug/L		
	1,2-Dichloroethane	<0.5			U	0.5	ug/L		
	1,2-Dichloropropane	<0.5			U	0.5	ug/L		
	1,3,5-Trimethylbenzene	<0.5			U	0.5	ug/L		
	1,3-Dichlorobenzene	<0.5			U	0.5	ug/L		
	1,3-Dichloropropane	<0.5			U	0.5	ug/L		
	1,4-Dichlorobenzene	<0.5			U	0.5	ug/L		
	2,2-Dichloropropane	<0.5			U	0.5	ug/L		
	2-Butanone	<10			U	10	ug/L		
	2-Chloroethylvinylether	<10			U	10	ug/L		
	2-Chlorotoluene	<0.5			U	0.5	ug/L		
	2-Hexanone	<10			U	10	ug/L		
	4-Chlorotoluene	<0.5			U	0.5	ug/L		
	4-Methyl-2-pentanone	<10			U	10	ug/L		
	Acetone	<10			U	10	ug/L		
	Benzene	<0.5			U	0.5	ug/L		
	Bromobenzene	<0.5			U	0.5	ug/L		

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID			
LF-20	07/15/99	VOCs (EPA 8260A)	Bromochloromethane	<0.5	U	0.5	ug/L	30-36-020-071599			
			Bromodichloromethane	<0.5	U	0.5	ug/L				
			Bromoform	<1	U	1	ug/L				
			Bromomethane	<1	U	1	ug/L				
			Carbon Disulfide	<0.5	U	0.5	ug/L				
			Carbon Tetrachloride	<0.5	U	0.5	ug/L				
			Chlorobenzene	3.9		0.5	ug/L				
			Chloroethane	<1	U	1	ug/L				
			Chloroform	<0.5	U	0.5	ug/L				
			Chloromethane	<1	U	1	ug/L				
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L				
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L				
			Dibromochloromethane	<0.5	U	0.5	ug/L				
			Dibromomethane	<0.5	U	0.5	ug/L				
			Dichlorodifluoromethane	<1	U	1	ug/L				
			Ethylbenzene	<0.5	U	0.5	ug/L				
			Hexachlorobutadiene	<0.5	U	0.5	ug/L				
			Isopropylbenzene	<0.5	U	0.5	ug/L				
			m,p-Xylenes	<0.5	U	0.5	ug/L				
			Methylene Chloride	<5	U	5	ug/L				
			MTBE	<0.5	U	0.5	ug/L				
			n-Butylbenzene	<0.5	U	0.5	ug/L				
			n-Propylbenzene	<0.5	U	0.5	ug/L				
			Naphthalene	<0.5	U	0.5	ug/L				
			o-Xylene	<0.5	U	0.5	ug/L				
			p-Isopropyltoluene	<0.5	U	0.5	ug/L				
			sec-Butylbenzene	<0.5	U	0.5	ug/L				
			Styrene	<0.5	U	0.5	ug/L				
			tert-Butylbenzene	<0.5	U	0.5	ug/L				
			Tetrachloroethene	<0.5	U	0.5	ug/L				
			Toluene	<0.5	U	0.5	ug/L				
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L				
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L				
			Trichloroethene	<0.5	U	0.5	ug/L				
			Trichlorofluoromethane	<0.5	U	0.5	ug/L				
			Trichlorotrifluoroethane	<5	U	5	ug/L				
			Vinyl Acetate	<10	U	10	ug/L				
			Vinyl Chloride	<0.5	U	0.5	ug/L				
			Xylenes (total)	<0.5	U	0.5	ug/L				
					TPH (EPA 8015M)	TPH as Diesel	1500			47	ug/L
						TPH as Gas	450			50	ug/L
LF-21	07/15/99	Metals (EPA 6010B)	Arsenic	240		5	ug/L	30-36-021-071599			
			VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5		ug/L		
				1,1,1-Trichloroethane	<0.5	U	0.5		ug/L		

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-21	07/15/99	VOCs (EPA 8260A)	1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	30-36-021-071599
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID				
LF-21	07/15/99	VOCs (EPA 8260A)	Isopropylbenzene	<0.5	U	0.5	ug/L	30-36-021-071599				
			m,p-Xylenes	<0.5	U	0.5	ug/L					
			Methylene Chloride	<5	U	5	ug/L					
			MTBE	<0.5	U	0.5	ug/L					
			n-Butylbenzene	<0.5	U	0.5	ug/L					
			n-Propylbenzene	<0.5	U	0.5	ug/L					
			Naphthalene	<0.5	U	0.5	ug/L					
			o-Xylene	<0.5	U	0.5	ug/L					
			p-Isopropyltoluene	<0.5	U	0.5	ug/L					
			sec-Butylbenzene	<0.5	U	0.5	ug/L					
			Styrene	<0.5	U	0.5	ug/L					
			tert-Butylbenzene	<0.5	U	0.5	ug/L					
			Tetrachloroethene	<0.5	U	0.5	ug/L					
			Toluene	<0.5	U	0.5	ug/L					
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L					
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L					
			Trichloroethene	<0.5	U	0.5	ug/L					
			Trichlorofluoromethane	<0.5	U	0.5	ug/L					
			Trichlorotrifluoroethane	<5	U	5	ug/L					
			Vinyl Acetate	<10	U	10	ug/L					
			Vinyl Chloride	<0.5	U	0.5	ug/L					
			Xylenes (total)	<0.5	U	0.5	ug/L					
			TPH (EPA 8015M)	TPH as Diesel	6100		47		ug/L			
				TPH as Gas	<50	U	50		ug/L			
			LF-21-DUP	07/15/99	Metals (EPA 6010B)	Arsenic	230			5	ug/L	30-36-021-071599-D
					VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5		U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L					
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L					
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L					
			1,1-Dichloroethane	<0.5	U	0.5	ug/L					
			1,1-Dichloroethene	<0.5	U	0.5	ug/L					
			1,1-Dichloropropene	<0.5	U	0.5	ug/L					
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L					
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L					
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L					
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L					
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L					
			1,2-Dibromoethane	<0.5	U	0.5	ug/L					
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L					
			1,2-Dichloroethane	<0.5	U	0.5	ug/L					
			1,2-Dichloropropane	<0.5	U	0.5	ug/L					
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L					
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L					
			1,3-Dichloropropane	<0.5	U	0.5	ug/L					

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-21-DUP	07/15/99	VOCs (EPA 8260A)	1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	30-36-021-071599-D
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
Toluene	<0.5	U	0.5	ug/L				
trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L				
trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L				
Trichloroethene	<0.5	U	0.5	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-21-DUP	07/15/99	VOCs (EPA 8260A)	Trichlorofluoromethane	<0.5	U	0.5	ug/L	30-36-021-071599-D
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	TPH as Diesel	5000		47	ug/L	
			TPH as Gas	<50	U	50	ug/L	
LF-23	07/14/99	Metals (EPA 6010B)	Arsenic	6.8		5	ug/L	30-36-023-071499
		VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
Bromoform	<1	U	1	ug/L				
Bromomethane	<1	U	1	ug/L				
Carbon Disulfide	<0.5	U	0.5	ug/L				
Carbon Tetrachloride	<0.5	U	0.5	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
LF-23	07/14/99	VOCs (EPA 8260A)	Chlorobenzene	<0.5	U	0.5	ug/L	30-36-023-071499	
			Chloroethane	<1	U	1	ug/L		
			Chloroform	<0.5	U	0.5	ug/L		
			Chloromethane	<1	U	1	ug/L		
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L		
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L		
			Dibromochloromethane	<0.5	U	0.5	ug/L		
			Dibromomethane	<0.5	U	0.5	ug/L		
			Dichlorodifluoromethane	<1	U	1	ug/L		
			Ethylbenzene	<0.5	U	0.5	ug/L		
			Hexachlorobutadiene	<0.5	U	0.5	ug/L		
			Isopropylbenzene	<0.5	U	0.5	ug/L		
			m,p-Xylenes	<0.5	U	0.5	ug/L		
			Methylene Chloride	<5	U	5	ug/L		
			MTBE	<0.5	U	0.5	ug/L		
			n-Butylbenzene	<0.5	U	0.5	ug/L		
			n-Propylbenzene	<0.5	U	0.5	ug/L		
			Naphthalene	<0.5	U	0.5	ug/L		
			o-Xylene	<0.5	U	0.5	ug/L		
			p-Isopropyltoluene	<0.5	U	0.5	ug/L		
			sec-Butylbenzene	<0.5	U	0.5	ug/L		
			Styrene	<0.5	U	0.5	ug/L		
			tert-Butylbenzene	<0.5	U	0.5	ug/L		
			Tetrachloroethene	<0.5	U	0.5	ug/L		
			Toluene	<0.5	U	0.5	ug/L		
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L		
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L		
			Trichloroethene	<0.5	U	0.5	ug/L		
			Trichlorofluoromethane	<0.5	U	0.5	ug/L		
			Trichlorotrifluoroethane	<5	U	5	ug/L		
			Vinyl Acetate	<10	U	10	ug/L		
			Vinyl Chloride	<0.5	U	0.5	ug/L		
			Xylenes (total)	<0.5	U	0.5	ug/L		
		TPH (EPA 8015M)	TPH as Diesel	390		48	ug/L		
			TPH as Gas	<50	U	50	ug/L		
LF-24	07/14/99	Metals (EPA 6010B)	Arsenic	6.1		5	ug/L	30-36-024-071499	
			VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5		ug/L
				1,1,1-Trichloroethane	<0.5	U	0.5		ug/L
				1,1,2,2-Tetrachloroethane	<0.5	U	0.5		ug/L
				1,1,2-Trichloroethane	<0.5	U	0.5		ug/L
				1,1-Dichloroethane	<0.5	U	0.5		ug/L
				1,1-Dichloroethene	<0.5	U	0.5		ug/L
				1,1-Dichloropropene	<0.5	U	0.5		ug/L
				1,2,3-Trichlorobenzene	<0.5	U	0.5		ug/L

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-24	07/14/99	VOCs (EPA 8260A)	1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	30-36-024-071499
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
Methylene Chloride	<5	U	5	ug/L				
MTBE	<0.5	U	0.5	ug/L				
n-Butylbenzene	<0.5	U	0.5	ug/L				
n-Propylbenzene	<0.5	U	0.5	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID			
LF-24	07/14/99	VOCs (EPA 8260A)	Naphthalene	<0.5	U	0.5	ug/L	30-36-024-071499			
			o-Xylene	<0.5	U	0.5	ug/L				
			p-Isopropyltoluene	<0.5	U	0.5	ug/L				
			sec-Butylbenzene	<0.5	U	0.5	ug/L				
			Styrene	<0.5	U	0.5	ug/L				
			tert-Butylbenzene	<0.5	U	0.5	ug/L				
			Tetrachloroethene	<0.5	U	0.5	ug/L				
			Toluene	<0.5	U	0.5	ug/L				
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L				
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L				
			Trichloroethene	<0.5	U	0.5	ug/L				
			Trichlorofluoromethane	<0.5	U	0.5	ug/L				
			Trichlorotrifluoroethane	<5	U	5	ug/L				
			Vinyl Acetate	<10	U	10	ug/L				
			Vinyl Chloride	<0.5	U	0.5	ug/L				
			Xylenes (total)	<0.5	U	0.5	ug/L				
			TPH (EPA 8015M)	TPH as Diesel	<48	U	48		ug/L		
		TPH as Gas		<50	U	50	ug/L				
		LF-25	07/14/99	Metals (EPA 6010B)	Arsenic	140			5	ug/L	30-36-025-071499
				VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U		0.5	ug/L	
1,1,1-Trichloroethane	<0.5				U	0.5	ug/L				
1,1,2,2-Tetrachloroethane	<0.5				U	0.5	ug/L				
1,1,2-Trichloroethane	<0.5				U	0.5	ug/L				
1,1-Dichloroethane	<0.5				U	0.5	ug/L				
1,1-Dichloroethene	<0.5				U	0.5	ug/L				
1,1-Dichloropropene	<0.5				U	0.5	ug/L				
1,2,3-Trichlorobenzene	<0.5				U	0.5	ug/L				
1,2,3-Trichloropropane	<0.5				U	0.5	ug/L				
1,2,4-Trichlorobenzene	<0.5				U	0.5	ug/L				
1,2,4-Trimethylbenzene	<0.5				U	0.5	ug/L				
1,2-Dibromo-3-chloropropane	<0.5				U	0.5	ug/L				
1,2-Dibromoethane	<0.5				U	0.5	ug/L				
1,2-Dichlorobenzene	<0.5				U	0.5	ug/L				
1,2-Dichloroethane	<0.5				U	0.5	ug/L				
1,2-Dichloropropane	<0.5				U	0.5	ug/L				
1,3,5-Trimethylbenzene	<0.5				U	0.5	ug/L				
1,3-Dichlorobenzene	<0.5				U	0.5	ug/L				
1,3-Dichloropropane	<0.5				U	0.5	ug/L				
1,4-Dichlorobenzene	<0.5				U	0.5	ug/L				
2,2-Dichloropropane	<0.5				U	0.5	ug/L				
2-Butanone	<10				U	10	ug/L				
2-Chloroethylvinylether	<10				U	10	ug/L				
2-Chlorotoluene	<0.5				U	0.5	ug/L				
2-Hexanone	<10				U	10	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-25	07/14/99	VOCs (EPA 8260A)	4-Chlorotoluene	<0.5	U	0.5	ug/L	30-36-025-071499
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
Trichlorotrifluoroethane	<5	U	5	ug/L				
Vinyl Acetate	<10	U	10	ug/L				
Vinyl Chloride	<0.5	U	0.5	ug/L				
Xylenes (total)	<0.5	U	0.5	ug/L				
	TPH (EPA 8015M)	TPH as Diesel	110			50	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-25	07/14/99	TPH (EPA 8015M)	TPH as Gas	91		50	ug/L	30-36-025-071499
LF-26	07/15/99	Metals (EPA 6010B)	Arsenic	39		5	ug/L	50-36-026-071599
		VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	2.5		0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID			
LF-26	07/15/99	VOCs (EPA 8260A)	Dibromochloromethane	<0.5	U	0.5	ug/L	50-36-026-071599			
			Dibromomethane	<0.5	U	0.5	ug/L				
			Dichlorodifluoromethane	<1	U	1	ug/L				
			Ethylbenzene	<0.5	U	0.5	ug/L				
			Hexachlorobutadiene	<0.5	U	0.5	ug/L				
			Isopropylbenzene	<0.5	U	0.5	ug/L				
			m,p-Xylenes	<0.5	U	0.5	ug/L				
			Methylene Chloride	<5	U	5	ug/L				
			MTBE	<0.5	U	0.5	ug/L				
			n-Butylbenzene	<0.5	U	0.5	ug/L				
			n-Propylbenzene	<0.5	U	0.5	ug/L				
			Naphthalene	<0.5	U	0.5	ug/L				
			o-Xylene	<0.5	U	0.5	ug/L				
			p-Isopropyltoluene	<0.5	U	0.5	ug/L				
			sec-Butylbenzene	<0.5	U	0.5	ug/L				
			Styrene	<0.5	U	0.5	ug/L				
			tert-Butylbenzene	<0.5	U	0.5	ug/L				
			Tetrachloroethene	<0.5	U	0.5	ug/L				
			Toluene	<0.5	U	0.5	ug/L				
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L				
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L				
			Trichloroethene	<0.5	U	0.5	ug/L				
			Trichlorofluoromethane	<0.5	U	0.5	ug/L				
			Trichlorotrifluoroethane	<5	U	5	ug/L				
			Vinyl Acetate	<10	U	10	ug/L				
			Vinyl Chloride	<0.5	U	0.5	ug/L				
			Xylenes (total)	<0.5	U	0.5	ug/L				
					TPH (EPA 8015M)	TPH as Diesel	1200			48	ug/L
						TPH as Gas	220			50	ug/L
			LF-27	07/14/99	Metals (EPA 6010B)	Arsenic	5.7			5	ug/L
VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5				U	0.5	ug/L			
	1,1,1-Trichloroethane	<0.5				U	0.5	ug/L			
	1,1,2,2-Tetrachloroethane	<0.5				U	0.5	ug/L			
	1,1,2-Trichloroethane	<0.5				U	0.5	ug/L			
	1,1-Dichloroethane	<0.5				U	0.5	ug/L			
	1,1-Dichloroethene	<0.5				U	0.5	ug/L			
	1,1-Dichloropropene	<0.5				U	0.5	ug/L			
	1,2,3-Trichlorobenzene	<0.5				U	0.5	ug/L			
	1,2,3-Trichloropropane	<0.5				U	0.5	ug/L			
	1,2,4-Trichlorobenzene	<0.5				U	0.5	ug/L			
	1,2,4-Trimethylbenzene	<0.5				U	0.5	ug/L			
	1,2-Dibromo-3-chloropropane	<0.5				U	0.5	ug/L			
	1,2-Dibromoethane	<0.5				U	0.5	ug/L			
	1,2-Dichlorobenzene	<0.5				U	0.5	ug/L			

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-27	07/14/99	VOCs (EPA 8260A)	1,2-Dichloroethane	<0.5	U	0.5	ug/L	10-36-027-071499
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
o-Xylene	<0.5	U	0.5	ug/L				
p-Isopropyltoluene	<0.5	U	0.5	ug/L				
sec-Butylbenzene	<0.5	U	0.5	ug/L				
Styrene	<0.5	U	0.5	ug/L				
tert-Butylbenzene	<0.5	U	0.5	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
LF-27	07/14/99	VOCs (EPA 8260A)	Tetrachloroethene	0.6		0.5	ug/L	10-36-027-071499	
			Toluene	<0.5	U	0.5	ug/L		
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L		
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L		
			Trichloroethene	1.6		0.5	ug/L		
			Trichlorofluoromethane	<0.5	U	0.5	ug/L		
			Trichlorotrifluoroethane	<5	U	5	ug/L		
			Vinyl Acetate	<10	U	10	ug/L		
			Vinyl Chloride	<0.5	U	0.5	ug/L		
			Xylenes (total)	<0.5	U	0.5	ug/L		
			TPH (EPA 8015M)	TPH as Diesel	<48	U	48		ug/L
				TPH as Gas	<50	U	50		ug/L
			LF-27-DUP	07/14/99	Metals (EPA 6010B)	Arsenic	6.4		
		VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L		
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L		
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L		
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L		
			1,1-Dichloroethane	<0.5	U	0.5	ug/L		
			1,1-Dichloroethene	<0.5	U	0.5	ug/L		
			1,1-Dichloropropene	<0.5	U	0.5	ug/L		
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L		
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L		
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L		
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L		
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L		
			1,2-Dibromoethane	<0.5	U	0.5	ug/L		
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L		
			1,2-Dichloroethane	<0.5	U	0.5	ug/L		
			1,2-Dichloropropane	<0.5	U	0.5	ug/L		
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L		
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L		
			1,3-Dichloropropane	<0.5	U	0.5	ug/L		
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L		
			2,2-Dichloropropane	<0.5	U	0.5	ug/L		
			2-Butanone	<10	U	10	ug/L		
			2-Chloroethylvinylether	<10	U	10	ug/L		
		2-Chlorotoluene	<0.5	U	0.5	ug/L			
		2-Hexanone	<10	U	10	ug/L			
		4-Chlorotoluene	<0.5	U	0.5	ug/L			
		4-Methyl-2-pentanone	<10	U	10	ug/L			
		Acetone	<10	U	10	ug/L			
		Benzene	<0.5	U	0.5	ug/L			
		Bromobenzene	<0.5	U	0.5	ug/L			
		Bromochloromethane	<0.5	U	0.5	ug/L			

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-27-DUP	07/14/99	VOCs (EPA 8260A)	Bromodichloromethane	<0.5	U	0.5	ug/L	10-36-027-071499-D
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	0.6		0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	1.5		0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
Vinyl Acetate	<10	U	10	ug/L				
Vinyl Chloride	<0.5	U	0.5	ug/L				
Xylenes (total)	<0.5	U	0.5	ug/L				
TPH (EPA 8015M)	TPH as Diesel	<48	U	48	ug/L			
	TPH as Gas	<50	U	50	ug/L			
LF-28	07/14/99	Metals (EPA 6010B)	Arsenic	200		5	ug/L	10-36-028-071499
		VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-28	07/14/99	VOCs (EPA 8260A)	1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	10-36-028-071499
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	3		0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	0.6		0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	34		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
LF-28	07/14/99	VOCs (EPA 8260A)	m,p-Xylenes	<0.5	U	0.5	ug/L	10-36-028-071499	
			Methylene Chloride	<5	U	5	ug/L		
			MTBE	1.8		0.5	ug/L		
			n-Butylbenzene	<0.5	U	0.5	ug/L		
			n-Propylbenzene	<0.5	U	0.5	ug/L		
			Naphthalene	<0.5	U	0.5	ug/L		
			o-Xylene	<0.5	U	0.5	ug/L		
			p-Isopropyltoluene	<0.5	U	0.5	ug/L		
			sec-Butylbenzene	<0.5	U	0.5	ug/L		
			Styrene	<0.5	U	0.5	ug/L		
			tert-Butylbenzene	<0.5	U	0.5	ug/L		
			Tetrachloroethene	<0.5	U	0.5	ug/L		
			Toluene	<0.5	U	0.5	ug/L		
			trans-1,2-Dichloroethene	14		0.5	ug/L		
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L		
			Trichloroethene	9.4		0.5	ug/L		
			Trichlorofluoromethane	<0.5	U	0.5	ug/L		
			Trichlorotrifluoroethane	<5	U	5	ug/L		
			Vinyl Acetate	<10	U	10	ug/L		
			Vinyl Chloride	<0.5	U	0.5	ug/L		
			Xylenes (total)	<0.5	U	0.5	ug/L		
			TPH (EPA 8015M)	TPH as Diesel	330	48	ug/L		
				TPH as Gas	88	50	ug/L		
LF-29	07/13/99	Metals (EPA 6010B)	Arsenic	<5	U	5	ug/L	10-36-029-071399	
			VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5		ug/L
				1,1,1-Trichloroethane	<0.5	U	0.5		ug/L
				1,1,2,2-Tetrachloroethane	<0.5	U	0.5		ug/L
				1,1,2-Trichloroethane	<0.5	U	0.5		ug/L
				1,1-Dichloroethane	<0.5	U	0.5		ug/L
				1,1-Dichloroethene	<0.5	U	0.5		ug/L
				1,1-Dichloropropene	<0.5	U	0.5		ug/L
				1,2,3-Trichlorobenzene	<0.5	U	0.5		ug/L
				1,2,3-Trichloropropane	16		0.5		ug/L
				1,2,4-Trichlorobenzene	<0.5	U	0.5		ug/L
				1,2,4-Trimethylbenzene	<0.5	U	0.5		ug/L
				1,2-Dibromo-3-chloropropane	<0.5	U	0.5		ug/L
				1,2-Dibromoethane	<0.5	U	0.5		ug/L
				1,2-Dichlorobenzene	<0.5	U	0.5		ug/L
				1,2-Dichloroethane	12		0.5		ug/L
				1,2-Dichloropropane	170		0.5		ug/L
				1,3,5-Trimethylbenzene	<0.5	U	0.5		ug/L
				1,3-Dichlorobenzene	<0.5	U	0.5		ug/L
				1,3-Dichloropropane	<0.5	U	0.5		ug/L
1,4-Dichlorobenzene	<0.5	U	0.5	ug/L					

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-29	07/13/99	VOCs (EPA 8260A)	2,2-Dichloropropane	<0.5	U	0.5	ug/L	10-36-029-071399
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	20		0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	1.1		0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	2.9		0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	2.6		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	0.8		0.5	ug/L	
			m,p-Xylenes	0.6		0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	0.6		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	1.7		0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	8.4		0.5	ug/L	
			Tetrachloroethene	0.5		0.5	ug/L	
			Toluene	18		0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	12		0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
LF-29	07/13/99	VOCs (EPA 8260A)	Trichlorotrifluoroethane	<5	U	5	ug/L	10-36-029-071399	
			Vinyl Acetate	<10	U	10	ug/L		
			Vinyl Chloride	3.7		0.5	ug/L		
			Xylenes (total)	2.3		0.5	ug/L		
			TPH (EPA 8015M)	TPH as Diesel	990		48		ug/L
				TPH as Gas	950		50		ug/L
LF-30	07/13/99	Metals (EPA 6010B)	Arsenic	<5	U	5	ug/L	10-36-030-071399	
		VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L		
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L		
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L		
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L		
			1,1-Dichloroethane	1.4		0.5	ug/L		
			1,1-Dichloroethene	<0.5	U	0.5	ug/L		
			1,1-Dichloropropene	<0.5	U	0.5	ug/L		
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L		
			1,2,3-Trichloropropane	3.3		0.5	ug/L		
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L		
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L		
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L		
			1,2-Dibromoethane	<0.5	U	0.5	ug/L		
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L		
			1,2-Dichloroethane	9.4		0.5	ug/L		
			1,2-Dichloropropane	48		0.5	ug/L		
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L		
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L		
			1,3-Dichloropropane	<0.5	U	0.5	ug/L		
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L		
			2,2-Dichloropropane	<0.5	U	0.5	ug/L		
			2-Butanone	<10	U	10	ug/L		
			2-Chloroethylvinylether	<10	U	10	ug/L		
			2-Chlorotoluene	<0.5	U	0.5	ug/L		
			2-Hexanone	<10	U	10	ug/L		
			4-Chlorotoluene	<0.5	U	0.5	ug/L		
			4-Methyl-2-pentanone	<10	U	10	ug/L		
			Acetone	<10	U	10	ug/L		
			Benzene	1.1		0.5	ug/L		
			Bromobenzene	<0.5	U	0.5	ug/L		
			Bromochloromethane	<0.5	U	0.5	ug/L		
			Bromodichloromethane	<0.5	U	0.5	ug/L		
			Bromoform	<1	U	1	ug/L		
Bromomethane	<1	U	1	ug/L					
Carbon Disulfide	<0.5	U	0.5	ug/L					
Carbon Tetrachloride	<0.5	U	0.5	ug/L					
Chlorobenzene	<0.5	U	0.5	ug/L					

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
LF-30	07/13/99	VOCs (EPA 8260A)	Chloroethane	<1	U	1	ug/L	10-36-030-071399	
			Chloroform	<0.5	U	0.5	ug/L		
			Chloromethane	<1	U	1	ug/L		
			cis-1,2-Dichloroethene	6		0.5	ug/L		
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L		
			Dibromochloromethane	<0.5	U	0.5	ug/L		
			Dibromomethane	<0.5	U	0.5	ug/L		
			Dichlorodifluoromethane	<1	U	1	ug/L		
			Ethylbenzene	<0.5	U	0.5	ug/L		
			Hexachlorobutadiene	<0.5	U	0.5	ug/L		
			Isopropylbenzene	<0.5	U	0.5	ug/L		
			m,p-Xylenes	<0.5	U	0.5	ug/L		
			Methylene Chloride	<5	U	5	ug/L		
			MTBE	1.6		0.5	ug/L		
			n-Butylbenzene	<0.5	U	0.5	ug/L		
			n-Propylbenzene	<0.5	U	0.5	ug/L		
			Naphthalene	<0.5	U	0.5	ug/L		
			o-Xylene	<0.5	U	0.5	ug/L		
			p-Isopropyltoluene	<0.5	U	0.5	ug/L		
			sec-Butylbenzene	<0.5	U	0.5	ug/L		
			Styrene	<0.5	U	0.5	ug/L		
			tert-Butylbenzene	1.6		0.5	ug/L		
			Tetrachloroethene	<0.5	U	0.5	ug/L		
			Toluene	5.1		0.5	ug/L		
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L		
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L		
			Trichloroethene	18		0.5	ug/L		
			Trichlorofluoromethane	<0.5	U	0.5	ug/L		
			Trichlorotrifluoroethane	<5	U	5	ug/L		
			Vinyl Acetate	<10	U	10	ug/L		
			Vinyl Chloride	2.3		0.5	ug/L		
			Xylenes (total)	<0.5	U	0.5	ug/L		
					TPH (EPA 8015M)	TPH as Diesel	290		
			TPH as Gas	280		50	ug/L		
LF-31	07/13/99	Metals (EPA 6010B)	Arsenic	<5	U	5	ug/L	40-36-031-071399	
			VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5		ug/L
				1,1,1-Trichloroethane	<0.5	U	0.5		ug/L
				1,1,2,2-Tetrachloroethane	<0.5	U	0.5		ug/L
				1,1,2-Trichloroethane	<0.5	U	0.5		ug/L
				1,1-Dichloroethane	<0.5	U	0.5		ug/L
				1,1-Dichloroethene	<0.5	U	0.5		ug/L
				1,1-Dichloropropene	<0.5	U	0.5		ug/L
				1,2,3-Trichlorobenzene	<0.5	U	0.5		ug/L
				1,2,3-Trichloropropane	<0.5	U	0.5		ug/L

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-31	07/13/99	VOCs (EPA 8260A)	1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	40-36-031-071399
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	0.7		0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	5.4		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
MTBE	8.1		0.5	ug/L				
n-Butylbenzene	<0.5	U	0.5	ug/L				
n-Propylbenzene	<0.5	U	0.5	ug/L				
Naphthalene	<0.5	U	0.5	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID				
LF-31	07/13/99	VOCs (EPA 8260A)	o-Xylene	<0.5	U	0.5	ug/L	40-36-031-071399				
			p-Isopropyltoluene	<0.5	U	0.5	ug/L					
			sec-Butylbenzene	<0.5	U	0.5	ug/L					
			Styrene	<0.5	U	0.5	ug/L					
			tert-Butylbenzene	<0.5	U	0.5	ug/L					
			Tetrachloroethene	<0.5	U	0.5	ug/L					
			Toluene	<0.5	U	0.5	ug/L					
			trans-1,2-Dichloroethene	2.4		0.5	ug/L					
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L					
			Trichloroethene	0.6		0.5	ug/L					
			Trichlorofluoromethane	<0.5	U	0.5	ug/L					
			Trichlorotrifluoroethane	<5	U	5	ug/L					
			Vinyl Acetate	<10	U	10	ug/L					
			Vinyl Chloride	0.6		0.5	ug/L					
			Xylenes (total)	<0.5	U	0.5	ug/L					
			TPH (EPA 8015M)	TPH as Diesel	270		48		ug/L			
				TPH as Gas	<50	U	50		ug/L			
			LF-32	07/16/99	Metals (EPA 6010B)	Arsenic	18			5	ug/L	40-36-032-071699
					VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5		U	0.5	ug/L	
						1,1,1-Trichloroethane	<0.5		U	0.5	ug/L	
1,1,2,2-Tetrachloroethane	<0.5	U				0.5	ug/L					
1,1,2-Trichloroethane	<0.5	U				0.5	ug/L					
1,1-Dichloroethane	<0.5	U				0.5	ug/L					
1,1-Dichloroethene	<0.5	U				0.5	ug/L					
1,1-Dichloropropene	<0.5	U				0.5	ug/L					
1,2,3-Trichlorobenzene	<0.5	U				0.5	ug/L					
1,2,3-Trichloropropane	<0.5	U				0.5	ug/L					
1,2,4-Trichlorobenzene	<0.5	U				0.5	ug/L					
1,2,4-Trimethylbenzene	<0.5	U				0.5	ug/L					
1,2-Dibromo-3-chloropropane	<0.5	U				0.5	ug/L					
1,2-Dibromoethane	<0.5	U				0.5	ug/L					
1,2-Dichlorobenzene	<0.5	U				0.5	ug/L					
1,2-Dichloroethane	9.1					0.5	ug/L					
1,2-Dichloropropane	<0.5	U				0.5	ug/L					
1,3,5-Trimethylbenzene	<0.5	U				0.5	ug/L					
1,3-Dichlorobenzene	<0.5	U				0.5	ug/L					
1,3-Dichloropropane	<0.5	U				0.5	ug/L					
1,4-Dichlorobenzene	<0.5	U				0.5	ug/L					
2,2-Dichloropropane	<0.5	U				0.5	ug/L					
2-Butanone	<10	U				10	ug/L					
2-Chloroethylvinylether	<10	U				10	ug/L					
2-Chlorotoluene	<0.5	U				0.5	ug/L					
2-Hexanone	<10	U				10	ug/L					
4-Chlorotoluene	<0.5	U				0.5	ug/L					

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-32	07/16/99	VOCs (EPA 8260A)	4-Methyl-2-pentanone	<10	U	10	ug/L	40-36-032-071699
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	1.8		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	1.9		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	1		0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	6.7		0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	TPH as Diesel	130		48	ug/L	
			TPH as Gas	<50	U	50	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-33	07/13/99	Metals (EPA 6010B)	Arsenic	24		5	ug/L	40-36-033-071399
		VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	0.5		0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	0.6		0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID					
LF-33	07/13/99	VOCs (EPA 8260A)	Dibromomethane	<0.5	U	0.5	ug/L	40-36-033-071399					
			Dichlorodifluoromethane	<1	U	1	ug/L						
			Ethylbenzene	<0.5	U	0.5	ug/L						
			Hexachlorobutadiene	<0.5	U	0.5	ug/L						
			Isopropylbenzene	<0.5	U	0.5	ug/L						
			m,p-Xylenes	<0.5	U	0.5	ug/L						
			Methylene Chloride	<5	U	5	ug/L						
			MTBE	0.6		0.5	ug/L						
			n-Butylbenzene	<0.5	U	0.5	ug/L						
			n-Propylbenzene	<0.5	U	0.5	ug/L						
			Naphthalene	<0.5	U	0.5	ug/L						
			o-Xylene	<0.5	U	0.5	ug/L						
			p-Isopropyltoluene	<0.5	U	0.5	ug/L						
			sec-Butylbenzene	<0.5	U	0.5	ug/L						
			Styrene	<0.5	U	0.5	ug/L						
			tert-Butylbenzene	<0.5	U	0.5	ug/L						
			Tetrachloroethene	<0.5	U	0.5	ug/L						
			Toluene	<0.5	U	0.5	ug/L						
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L						
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L						
			Trichloroethene	<0.5	U	0.5	ug/L						
			Trichlorofluoromethane	<0.5	U	0.5	ug/L						
			Trichlorotrifluoroethane	<5	U	5	ug/L						
			Vinyl Acetate	<10	U	10	ug/L						
			Vinyl Chloride	<0.5	U	0.5	ug/L						
			Xylenes (total)	<0.5	U	0.5	ug/L						
			TPH (EPA 8015M)	TPH as Diesel	1500	48	ug/L						
				TPH as Gas	100	50	ug/L						
			LF-34	07/13/99	Metals (EPA 6010B)	Arsenic	56			5	ug/L	40-36-034-071399	
						VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane		<0.5	U	0.5		ug/L
						1,1,1-Trichloroethane	<0.5		U	0.5	ug/L		
						1,1,2,2-Tetrachloroethane	<0.5		U	0.5	ug/L		
1,1,2-Trichloroethane	<0.5	U				0.5	ug/L						
1,1-Dichloroethane	<0.5	U				0.5	ug/L						
1,1-Dichloroethene	<0.5	U				0.5	ug/L						
1,1-Dichloropropene	<0.5	U				0.5	ug/L						
1,2,3-Trichlorobenzene	<0.5	U				0.5	ug/L						
1,2,3-Trichloropropane	<0.5	U				0.5	ug/L						
1,2,4-Trichlorobenzene	<0.5	U				0.5	ug/L						
1,2,4-Trimethylbenzene	<0.5	U				0.5	ug/L						
1,2-Dibromo-3-chloropropane	<0.5	U				0.5	ug/L						
1,2-Dibromoethane	<0.5	U				0.5	ug/L						
1,2-Dichlorobenzene	<0.5	U				0.5	ug/L						
1,2-Dichloroethane	0.7					0.5	ug/L						

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-34	07/13/99	VOCs (EPA 8260A)	1,2-Dichloropropane	<0.5	U	0.5	ug/L	40-36-034-071399
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	15		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	2.3		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
sec-Butylbenzene	<0.5	U	0.5	ug/L				
Styrene	<0.5	U	0.5	ug/L				
tert-Butylbenzene	<0.5	U	0.5	ug/L				
Tetrachloroethene	<0.5	U	0.5	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID				
LF-34	07/13/99	VOCs (EPA 8260A)	Toluene	<0.5	U	0.5	ug/L	40-36-034-071399				
			trans-1,2-Dichloroethene	5.9		0.5	ug/L					
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L					
			Trichloroethene	0.8		0.5	ug/L					
			Trichlorofluoromethane	<0.5	U	0.5	ug/L					
			Trichlorotrifluoroethane	<5	U	5	ug/L					
			Vinyl Acetate	<10	U	10	ug/L					
			Vinyl Chloride	<0.5	U	0.5	ug/L					
			Xylenes (total)	<0.5	U	0.5	ug/L					
			TPH (EPA 8015M)	TPH as Diesel	250		48		ug/L			
				TPH as Gas	51		50		ug/L			
			LF-B3	07/15/99	Metals (EPA 6010B)	Arsenic	13			5	ug/L	70-36-003-071599
						VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane		<0.5	U	0.5	
1,1,1-Trichloroethane	<0.5	U					0.5	ug/L				
1,1,2,2-Tetrachloroethane	<0.5	U					0.5	ug/L				
1,1,2-Trichloroethane	<0.5	U					0.5	ug/L				
1,1-Dichloroethane	<0.5	U					0.5	ug/L				
1,1-Dichloroethene	<0.5	U					0.5	ug/L				
1,1-Dichloropropene	<0.5	U					0.5	ug/L				
1,2,3-Trichlorobenzene	<0.5	U					0.5	ug/L				
1,2,3-Trichloropropane	<0.5	U					0.5	ug/L				
1,2,4-Trichlorobenzene	<0.5	U					0.5	ug/L				
1,2,4-Trimethylbenzene	<0.5	U					0.5	ug/L				
1,2-Dibromo-3-chloropropane	<0.5	U					0.5	ug/L				
1,2-Dibromoethane	<0.5	U					0.5	ug/L				
1,2-Dichlorobenzene	<0.5	U					0.5	ug/L				
1,2-Dichloroethane	14						0.5	ug/L				
1,2-Dichloropropane	<0.5	U					0.5	ug/L				
1,3,5-Trimethylbenzene	<0.5	U					0.5	ug/L				
1,3-Dichlorobenzene	<0.5	U					0.5	ug/L				
1,3-Dichloropropane	<0.5	U					0.5	ug/L				
1,4-Dichlorobenzene	<0.5	U					0.5	ug/L				
2,2-Dichloropropane	<0.5	U					0.5	ug/L				
2-Butanone	<10	U					10	ug/L				
2-Chloroethylvinylether	<10	U					10	ug/L				
2-Chlorotoluene	<0.5	U					0.5	ug/L				
2-Hexanone	<10	U					10	ug/L				
4-Chlorotoluene	<0.5	U					0.5	ug/L				
4-Methyl-2-pentanone	<10	U					10	ug/L				
Acetone	<10	U					10	ug/L				
Benzene	<0.5	U					0.5	ug/L				
Bromobenzene	<0.5	U					0.5	ug/L				
Bromochloromethane	<0.5	U					0.5	ug/L				
Bromodichloromethane	<0.5	U					0.5	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
LF-B3	07/15/99	VOCs (EPA 8260A)	Bromoform	<1	U	1	ug/L	70-36-003-071599	
			Bromomethane	<1	U	1	ug/L		
			Carbon Disulfide	<0.5	U	0.5	ug/L		
			Carbon Tetrachloride	<0.5	U	0.5	ug/L		
			Chlorobenzene	<0.5	U	0.5	ug/L		
			Chloroethane	<1	U	1	ug/L		
			Chloroform	<0.5	U	0.5	ug/L		
			Chloromethane	<1	U	1	ug/L		
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L		
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L		
			Dibromochloromethane	<0.5	U	0.5	ug/L		
			Dibromomethane	<0.5	U	0.5	ug/L		
			Dichlorodifluoromethane	<1	U	1	ug/L		
			Ethylbenzene	<0.5	U	0.5	ug/L		
			Hexachlorobutadiene	<0.5	U	0.5	ug/L		
			Isopropylbenzene	<0.5	U	0.5	ug/L		
			m,p-Xylenes	<0.5	U	0.5	ug/L		
			Methylene Chloride	<5	U	5	ug/L		
			MTBE	14		0.5	ug/L		
			n-Butylbenzene	<0.5	U	0.5	ug/L		
			n-Propylbenzene	<0.5	U	0.5	ug/L		
			Naphthalene	<0.5	U	0.5	ug/L		
			o-Xylene	<0.5	U	0.5	ug/L		
			p-Isopropyltoluene	<0.5	U	0.5	ug/L		
			sec-Butylbenzene	<0.5	U	0.5	ug/L		
			Styrene	<0.5	U	0.5	ug/L		
			tert-Butylbenzene	<0.5	U	0.5	ug/L		
			Tetrachloroethene	<0.5	U	0.5	ug/L		
			Toluene	<0.5	U	0.5	ug/L		
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L		
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L		
			Trichloroethene	<0.5	U	0.5	ug/L		
			Trichlorofluoromethane	<0.5	U	0.5	ug/L		
Trichlorotrifluoroethane	<5	U	5	ug/L					
Vinyl Acetate	<10	U	10	ug/L					
Vinyl Chloride	<0.5	U	0.5	ug/L					
Xylenes (total)	<0.5	U	0.5	ug/L					
TPH (EPA 8015M)	TPH as Diesel	110	48	ug/L					
	TPH as Gas	<50	U	50	ug/L				
LF-B4	07/14/99	Metals (EPA 6010B)	Arsenic	<5	U	5	ug/L	70-36-004-071499	
			VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5		ug/L
				1,1,1-Trichloroethane	<0.5	U	0.5		ug/L
				1,1,2,2-Tetrachloroethane	<0.5	U	0.5		ug/L
				1,1,2-Trichloroethane	<0.5	U	0.5		ug/L

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-B4	07/14/99	VOCs (EPA 8260A)	1,1-Dichloroethane	<0.5	U	0.5	ug/L	70-36-004-071499
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
LF-B4	07/14/99	VOCs (EPA 8260A)	Methylene Chloride	<5	U	5	ug/L	70-36-004-071499	
			MTBE	0.6		0.5	ug/L		
			n-Butylbenzene	<0.5	U	0.5	ug/L		
			n-Propylbenzene	<0.5	U	0.5	ug/L		
			Naphthalene	<0.5	U	0.5	ug/L		
			o-Xylene	<0.5	U	0.5	ug/L		
			p-Isopropyltoluene	<0.5	U	0.5	ug/L		
			sec-Butylbenzene	<0.5	U	0.5	ug/L		
			Styrene	<0.5	U	0.5	ug/L		
			tert-Butylbenzene	<0.5	U	0.5	ug/L		
			Tetrachloroethene	<0.5	U	0.5	ug/L		
			Toluene	<0.5	U	0.5	ug/L		
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L		
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L		
			Trichloroethene	<0.5	U	0.5	ug/L		
			Trichlorofluoromethane	<0.5	U	0.5	ug/L		
			Trichlorotrifluoroethane	<5	U	5	ug/L		
			Vinyl Acetate	<10	U	10	ug/L		
			Vinyl Chloride	<0.5	U	0.5	ug/L		
			Xylenes (total)	<0.5	U	0.5	ug/L		
			TPH (EPA 8015M)	TPH as Diesel	<48	U	48		ug/L
					TPH as Gas	<50	U		50
			LF-B5	07/15/99	Metals (EPA 6010B)	Arsenic	33		
VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<1				U	1	ug/L	
	1,1,1-Trichloroethane	<1				U	1	ug/L	
	1,1,2,2-Tetrachloroethane	<1				U	1	ug/L	
	1,1,2-Trichloroethane	<1				U	1	ug/L	
	1,1-Dichloroethane	<1				U	1	ug/L	
	1,1-Dichloroethene	<1				U	1	ug/L	
	1,1-Dichloropropene	<1				U	1	ug/L	
	1,2,3-Trichlorobenzene	<1				U	1	ug/L	
	1,2,3-Trichloropropane	3.9					1	ug/L	
	1,2,4-Trichlorobenzene	<1				U	1	ug/L	
	1,2,4-Trimethylbenzene	<1				U	1	ug/L	
	1,2-Dibromo-3-chloropropane	<1				U	1	ug/L	
	1,2-Dibromoethane	<1				U	1	ug/L	
	1,2-Dichlorobenzene	<1				U	1	ug/L	
	1,2-Dichloroethane	260					1	ug/L	
	1,2-Dichloropropane	<1				U	1	ug/L	
	1,3,5-Trimethylbenzene	<1				U	1	ug/L	
	1,3-Dichlorobenzene	<1				U	1	ug/L	
	1,3-Dichloropropane	<1				U	1	ug/L	
	1,4-Dichlorobenzene	<1				U	1	ug/L	
2,2-Dichloropropane	<1	U	1	ug/L					

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-B5	07/15/99	VOCs (EPA 8260A)	2-Butanone	<20	U	20	ug/L	70-36-005-071599
			2-Chloroethylvinylether	<20	U	20	ug/L	
			2-Chlorotoluene	<1	U	1	ug/L	
			2-Hexanone	<20	U	20	ug/L	
			4-Chlorotoluene	<1	U	1	ug/L	
			4-Methyl-2-pentanone	<20	U	20	ug/L	
			Acetone	<20	U	20	ug/L	
			Benzene	<1	U	1	ug/L	
			Bromobenzene	<1	U	1	ug/L	
			Bromochloromethane	<1	U	1	ug/L	
			Bromodichloromethane	<1	U	1	ug/L	
			Bromoform	<2	U	2	ug/L	
			Bromomethane	<2	U	2	ug/L	
			Carbon Disulfide	<1	U	1	ug/L	
			Carbon Tetrachloride	<1	U	1	ug/L	
			Chlorobenzene	<1	U	1	ug/L	
			Chloroethane	<2	U	2	ug/L	
			Chloroform	<1	U	1	ug/L	
			Chloromethane	<2	U	2	ug/L	
			cis-1,2-Dichloroethene	2.5		1	ug/L	
			cis-1,3-Dichloropropene	<1	U	1	ug/L	
			Dibromochloromethane	<1	U	1	ug/L	
			Dibromomethane	<1	U	1	ug/L	
			Dichlorodifluoromethane	<2	U	2	ug/L	
			Ethylbenzene	<1	U	1	ug/L	
			Hexachlorobutadiene	<1	U	1	ug/L	
			Isopropylbenzene	<1	U	1	ug/L	
			m,p-Xylenes	<1	U	1	ug/L	
			Methylene Chloride	<10	U	10	ug/L	
			MTBE	6.6		1	ug/L	
			n-Butylbenzene	<1	U	1	ug/L	
			n-Propylbenzene	<1	U	1	ug/L	
			Naphthalene	<1	U	1	ug/L	
			o-Xylene	<1	U	1	ug/L	
			p-Isopropyltoluene	<1	U	1	ug/L	
			sec-Butylbenzene	<1	U	1	ug/L	
			Styrene	<1	U	1	ug/L	
			tert-Butylbenzene	<1	U	1	ug/L	
			Tetrachloroethene	<1	U	1	ug/L	
			Toluene	<1	U	1	ug/L	
			trans-1,2-Dichloroethene	<1	U	1	ug/L	
			trans-1,3-Dichloropropene	<1	U	1	ug/L	
			Trichloroethene	<1	U	1	ug/L	
			Trichlorofluoromethane	<1	U	1	ug/L	
			Trichlorotrifluoroethane	<10	U	10	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-B5	07/15/99	VOCs (EPA 8260A)	Vinyl Acetate	<20	U	20	ug/L	70-36-005-071599
			Vinyl Chloride	<1	U	1	ug/L	
			Xylenes (total)	<1	U	1	ug/L	
		TPH (EPA 8015M)	TPH as Diesel	<48	U	48	ug/L	
			TPH as Gas	140		50	ug/L	
LF-B6	07/14/99	Metals (EPA 6010B)	Arsenic	<5	U	5	ug/L	70-36-006-071499
		VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	79		0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
Bromoform	<1	U	1	ug/L				
Bromomethane	<1	U	1	ug/L				
Carbon Disulfide	<0.5	U	0.5	ug/L				
Carbon Tetrachloride	<0.5	U	0.5	ug/L				
Chlorobenzene	<0.5	U	0.5	ug/L				
Chloroethane	<1	U	1	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
LF-B6	07/14/99	VOCs (EPA 8260A)	Chloroform	<0.5	U	0.5	ug/L	70-36-006-071499	
			Chloromethane	<1	U	1	ug/L		
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L		
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L		
			Dibromochloromethane	<0.5	U	0.5	ug/L		
			Dibromomethane	<0.5	U	0.5	ug/L		
			Dichlorodifluoromethane	<1	U	1	ug/L		
			Ethylbenzene	<0.5	U	0.5	ug/L		
			Hexachlorobutadiene	<0.5	U	0.5	ug/L		
			Isopropylbenzene	<0.5	U	0.5	ug/L		
			m,p-Xylenes	<0.5	U	0.5	ug/L		
			Methylene Chloride	<5	U	5	ug/L		
			MTBE	10		0.5	ug/L		
			n-Butylbenzene	<0.5	U	0.5	ug/L		
			n-Propylbenzene	<0.5	U	0.5	ug/L		
			Naphthalene	<0.5	U	0.5	ug/L		
			o-Xylene	<0.5	U	0.5	ug/L		
			p-Isopropyltoluene	<0.5	U	0.5	ug/L		
			sec-Butylbenzene	<0.5	U	0.5	ug/L		
			Styrene	<0.5	U	0.5	ug/L		
			tert-Butylbenzene	<0.5	U	0.5	ug/L		
			Tetrachloroethene	<0.5	U	0.5	ug/L		
			Toluene	<0.5	U	0.5	ug/L		
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L		
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L		
			Trichloroethene	<0.5	U	0.5	ug/L		
			Trichlorofluoromethane	<0.5	U	0.5	ug/L		
			Trichlorotrifluoroethane	<5	U	5	ug/L		
			Vinyl Acetate	<10	U	10	ug/L		
			Vinyl Chloride	<0.5	U	0.5	ug/L		
			Xylenes (total)	<0.5	U	0.5	ug/L		
			TPH (EPA 8015M)	TPH as Diesel	<48	U	48		ug/L
TPH as Gas	<50	U		50	ug/L				
MW-1	07/13/99	Metals (EPA 6010B)	Arsenic	39		5	ug/L	10-36-001-071399	
			VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5		ug/L
				1,1,1-Trichloroethane	<0.5	U	0.5		ug/L
				1,1,2,2-Tetrachloroethane	<0.5	U	0.5		ug/L
				1,1,2-Trichloroethane	<0.5	U	0.5		ug/L
				1,1-Dichloroethane	0.8		0.5		ug/L
				1,1-Dichloroethene	<0.5	U	0.5		ug/L
				1,1-Dichloropropene	<0.5	U	0.5		ug/L
				1,2,3-Trichlorobenzene	<0.5	U	0.5		ug/L
				1,2,3-Trichloropropane	6.6		0.5		ug/L
				1,2,4-Trichlorobenzene	<0.5	U	0.5		ug/L

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
MW-1	07/13/99	VOCs (EPA 8260A)	1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	10-36-001-071399
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	44		0.5	ug/L	
			1,2-Dichloropropane	93		0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	55		0.5	ug/L	
			Bromobenzene	4.4		0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	3.6		0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	2.4		0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	7.2		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	1.4		0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	2.8		0.5	ug/L	
			m,p-Xylenes	2.1		0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	1.9		0.5	ug/L	
			n-Butylbenzene	0.6		0.5	ug/L	
			n-Propylbenzene	1.2		0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	1.9		0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
MW-1	07/13/99	VOCs (EPA 8260A)	p-Isopropyltoluene	<0.5	U	0.5	ug/L	10-36-001-071399	
			sec-Butylbenzene	<0.5	U	0.5	ug/L		
			Styrene	<0.5	U	0.5	ug/L		
			tert-Butylbenzene	20		0.5	ug/L		
			Tetrachloroethene	<0.5	U	0.5	ug/L		
			Toluene	7.7		0.5	ug/L		
			trans-1,2-Dichloroethene	0.9		0.5	ug/L		
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L		
			Trichloroethene	13		0.5	ug/L		
			Trichlorofluoromethane	<0.5	U	0.5	ug/L		
			Trichlorotrifluoroethane	<5	U	5	ug/L		
			Vinyl Acetate	<10	U	10	ug/L		
			Vinyl Chloride	16		0.5	ug/L		
			Xylenes (total)	4		0.5	ug/L		
			TPH (EPA 8015M)	TPH as Diesel	1300		47		ug/L
				TPH as Gas	1000		50		ug/L
			MW-3	07/13/99	Metals (EPA 6010B)	Arsenic	33		
VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5				U	0.5	ug/L	
	1,1,1-Trichloroethane	<0.5				U	0.5	ug/L	
	1,1,2,2-Tetrachloroethane	<0.5				U	0.5	ug/L	
	1,1,2-Trichloroethane	<0.5				U	0.5	ug/L	
	1,1-Dichloroethane	<0.5				U	0.5	ug/L	
	1,1-Dichloroethene	<0.5				U	0.5	ug/L	
	1,1-Dichloropropene	<0.5				U	0.5	ug/L	
	1,2,3-Trichlorobenzene	<0.5				U	0.5	ug/L	
	1,2,3-Trichloropropane	<0.5				U	0.5	ug/L	
	1,2,4-Trichlorobenzene	<0.5				U	0.5	ug/L	
	1,2,4-Trimethylbenzene	<0.5				U	0.5	ug/L	
	1,2-Dibromo-3-chloropropane	<0.5				U	0.5	ug/L	
	1,2-Dibromoethane	<0.5				U	0.5	ug/L	
	1,2-Dichlorobenzene	<0.5				U	0.5	ug/L	
	1,2-Dichloroethane	0.8					0.5	ug/L	
	1,2-Dichloropropane	<0.5				U	0.5	ug/L	
	1,3,5-Trimethylbenzene	<0.5				U	0.5	ug/L	
	1,3-Dichlorobenzene	<0.5				U	0.5	ug/L	
	1,3-Dichloropropane	<0.5				U	0.5	ug/L	
	1,4-Dichlorobenzene	<0.5				U	0.5	ug/L	
	2,2-Dichloropropane	<0.5				U	0.5	ug/L	
	2-Butanone	<10				U	10	ug/L	
	2-Chloroethylvinylether	<10				U	10	ug/L	
	2-Chlorotoluene	<0.5				U	0.5	ug/L	
	2-Hexanone	<10				U	10	ug/L	
	4-Chlorotoluene	<0.5				U	0.5	ug/L	
	4-Methyl-2-pentanone	<10				U	10	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
MW-3	07/13/99	VOCs (EPA 8260A)	Acetone	<10	U	10	ug/L	10-36-003-071399
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	7.8		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	2.1		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	0.8		0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	6.3		0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	TPH as Diesel	140		48	ug/L	
			TPH as Gas	120		50	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
MW-4	07/16/99	Metals (EPA 6010B)	Arsenic	1900		5	ug/L	40-36-004-071699
		VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	3.8		0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	4.2		0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	1.4		0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	0.8		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID			
MW-4	07/16/99	VOCs (EPA 8260A)	Dichlorodifluoromethane	<1	U	1	ug/L	40-36-004-071699			
			Ethylbenzene	1.1		0.5	ug/L				
			Hexachlorobutadiene	<0.5	U	0.5	ug/L				
			Isopropylbenzene	0.8		0.5	ug/L				
			m,p-Xylenes	1.9		0.5	ug/L				
			Methylene Chloride	<5	U	5	ug/L				
			MTBE	<0.5	U	0.5	ug/L				
			n-Butylbenzene	0.9		0.5	ug/L				
			n-Propylbenzene	0.6		0.5	ug/L				
			Naphthalene	9.3		0.5	ug/L				
			o-Xylene	4.2		0.5	ug/L				
			p-Isopropyltoluene	0.7		0.5	ug/L				
			sec-Butylbenzene	0.5		0.5	ug/L				
			Styrene	<0.5	U	0.5	ug/L				
			tert-Butylbenzene	<0.5	U	0.5	ug/L				
			Tetrachloroethene	<0.5	U	0.5	ug/L				
			Toluene	1.1		0.5	ug/L				
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L				
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L				
			Trichloroethene	2.7		0.5	ug/L				
			Trichlorofluoromethane	<0.5	U	0.5	ug/L				
			Trichlorotrifluoroethane	<5	U	5	ug/L				
			Vinyl Acetate	<10	U	10	ug/L				
			Vinyl Chloride	<0.5	U	0.5	ug/L				
			Xylenes (total)	6.1		0.5	ug/L				
			TPH (EPA 8015M)	TPH as Diesel	9100	48	ug/L				
				TPH as Gas	250	50	ug/L				
		<hr/>									
		MW-5	07/19/99	Metals (EPA 6010B)	Arsenic	250000			500	ug/L	40-36-005-071999
				VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<630	U		630	ug/L	
1,1,1-Trichloroethane	<630				U	630	ug/L				
1,1,2,2-Tetrachloroethane	<630				U	630	ug/L				
1,1,2-Trichloroethane	<630				U	630	ug/L				
1,1-Dichloroethane	<630				U	630	ug/L				
1,1-Dichloroethene	<630				U	630	ug/L				
1,1-Dichloropropene	<630				U	630	ug/L				
1,2,3-Trichlorobenzene	<630				U	630	ug/L				
1,2,3-Trichloropropane	<630				U	630	ug/L				
1,2,4-Trichlorobenzene	<630				U	630	ug/L				
1,2,4-Trimethylbenzene	<630				U	630	ug/L				
1,2-Dibromo-3-chloropropane	<630				U	630	ug/L				
1,2-Dibromoethane	<630				U	630	ug/L				
1,2-Dichlorobenzene	<630				U	630	ug/L				
1,2-Dichloroethane	<630				U	630	ug/L				
1,2-Dichloropropane	<630				U	630	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
MW-5	07/19/99	VOCs (EPA 8260A)	1,3,5-Trimethylbenzene	<630	U	630	ug/L	40-36-005-071999
			1,3-Dichlorobenzene	<630	U	630	ug/L	
			1,3-Dichloropropane	<630	U	630	ug/L	
			1,4-Dichlorobenzene	<630	U	630	ug/L	
			2,2-Dichloropropane	<630	U	630	ug/L	
			2-Butanone	65000		13000	ug/L	
			2-Chloroethylvinylether	<13000	U	13000	ug/L	
			2-Chlorotoluene	<630	U	630	ug/L	
			2-Hexanone	<13000	U	13000	ug/L	
			4-Chlorotoluene	<630	U	630	ug/L	
			4-Methyl-2-pentanone	26000		13000	ug/L	
			Acetone	130000		13000	ug/L	
			Benzene	<630	U	630	ug/L	
			Bromobenzene	<630	U	630	ug/L	
			Bromochloromethane	<630	U	630	ug/L	
			Bromodichloromethane	<630	U	630	ug/L	
			Bromoform	<1300	U	1300	ug/L	
			Bromomethane	<1300	U	1300	ug/L	
			Carbon Disulfide	<630	U	630	ug/L	
			Carbon Tetrachloride	<630	U	630	ug/L	
			Chlorobenzene	<630	U	630	ug/L	
			Chloroethane	<1300	U	1300	ug/L	
			Chloroform	<630	U	630	ug/L	
			Chloromethane	<1300	U	1300	ug/L	
			cis-1,2-Dichloroethene	<630	U	630	ug/L	
			cis-1,3-Dichloropropene	<630	U	630	ug/L	
			Dibromochloromethane	<630	U	630	ug/L	
			Dibromomethane	<630	U	630	ug/L	
			Dichlorodifluoromethane	<1300	U	1300	ug/L	
			Ethylbenzene	1400		630	ug/L	
			Hexachlorobutadiene	<630	U	630	ug/L	
			Isopropylbenzene	<630	U	630	ug/L	
			m,p-Xylenes	5200		630	ug/L	
			Methylene Chloride	<6300	U	6300	ug/L	
			MTBE	<630	U	630	ug/L	
			n-Butylbenzene	<630	U	630	ug/L	
			n-Propylbenzene	<630	U	630	ug/L	
			Naphthalene	<630	U	630	ug/L	
			o-Xylene	1400		630	ug/L	
			p-Isopropyltoluene	<630	U	630	ug/L	
			sec-Butylbenzene	<630	U	630	ug/L	
			Styrene	<630	U	630	ug/L	
			tert-Butylbenzene	<630	U	630	ug/L	
Tetrachloroethene	<630	U	630	ug/L				
Toluene	72000		630	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
MW-5	07/19/99	VOCs (EPA 8260A)	trans-1,2-Dichloroethene	<630	U	630	ug/L	40-36-005-071999	
			trans-1,3-Dichloropropene	<630	U	630	ug/L		
			Trichloroethene	<630	U	630	ug/L		
			Trichlorofluoromethane	<630	U	630	ug/L		
			Trichlorotrifluoroethane	<6300	U	6300	ug/L		
			Vinyl Acetate	<13000	U	13000	ug/L		
			Vinyl Chloride	<630	U	630	ug/L		
			Xylenes (total)	6600		630	ug/L		
			TPH (EPA 8015M)	TPH as Diesel	20000	950	ug/L		
				TPH as Gas	130000	5000	ug/L		
			MW-5-DUP	07/19/99	Metals (EPA 6010B)	Arsenic	250000		
VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<500				U	500	ug/L	
	1,1,1-Trichloroethane	<500				U	500	ug/L	
	1,1,2,2-Tetrachloroethane	<500				U	500	ug/L	
	1,1,2-Trichloroethane	<500				U	500	ug/L	
	1,1-Dichloroethane	<500				U	500	ug/L	
	1,1-Dichloroethene	<500				U	500	ug/L	
	1,1-Dichloropropene	<500				U	500	ug/L	
	1,2,3-Trichlorobenzene	<500				U	500	ug/L	
	1,2,3-Trichloropropane	<500				U	500	ug/L	
	1,2,4-Trichlorobenzene	<500				U	500	ug/L	
	1,2,4-Trimethylbenzene	<500				U	500	ug/L	
	1,2-Dibromo-3-chloropropane	<500				U	500	ug/L	
	1,2-Dibromoethane	<500				U	500	ug/L	
	1,2-Dichlorobenzene	<500				U	500	ug/L	
	1,2-Dichloroethane	<500				U	500	ug/L	
	1,2-Dichloropropane	<500				U	500	ug/L	
	1,3,5-Trimethylbenzene	<500				U	500	ug/L	
	1,3-Dichlorobenzene	<500				U	500	ug/L	
	1,3-Dichloropropane	<500				U	500	ug/L	
	1,4-Dichlorobenzene	<500				U	500	ug/L	
	2,2-Dichloropropane	<500				U	500	ug/L	
	2-Butanone	65000					10000	ug/L	
	2-Chloroethylvinylether	<10000				U	10000	ug/L	
	2-Chlorotoluene	<500				U	500	ug/L	
	2-Hexanone	<10000				U	10000	ug/L	
	4-Chlorotoluene	<500				U	500	ug/L	
	4-Methyl-2-pentanone	27000					10000	ug/L	
	Acetone	130000					10000	ug/L	
	Benzene	<500				U	500	ug/L	
	Bromobenzene	<500				U	500	ug/L	
	Bromochloromethane	<500				U	500	ug/L	
	Bromodichloromethane	<500				U	500	ug/L	
	Bromoform	<1000	U	1000	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
MW-5-DUP	07/19/99	VOCs (EPA 8260A)	Bromomethane	<1000	U	1000	ug/L	40-36-005-071999-D	
			Carbon Disulfide	<500	U	500	ug/L		
			Carbon Tetrachloride	<500	U	500	ug/L		
			Chlorobenzene	<500	U	500	ug/L		
			Chloroethane	<1000	U	1000	ug/L		
			Chloroform	<500	U	500	ug/L		
			Chloromethane	<1000	U	1000	ug/L		
			cis-1,2-Dichloroethene	<500	U	500	ug/L		
			cis-1,3-Dichloropropene	<500	U	500	ug/L		
			Dibromochloromethane	<500	U	500	ug/L		
			Dibromomethane	<500	U	500	ug/L		
			Dichlorodifluoromethane	<1000	U	1000	ug/L		
			Ethylbenzene	1400		500	ug/L		
			Hexachlorobutadiene	<500	U	500	ug/L		
			Isopropylbenzene	<500	U	500	ug/L		
			m,p-Xylenes	5300		500	ug/L		
			Methylene Chloride	<5000	U	5000	ug/L		
			MTBE	<500	U	500	ug/L		
			n-Butylbenzene	<500	U	500	ug/L		
			n-Propylbenzene	<500	U	500	ug/L		
			Naphthalene	<500	U	500	ug/L		
			o-Xylene	1400		500	ug/L		
			p-Isopropyltoluene	<500	U	500	ug/L		
			sec-Butylbenzene	<500	U	500	ug/L		
			Styrene	<500	U	500	ug/L		
			tert-Butylbenzene	<500	U	500	ug/L		
			Tetrachloroethene	<500	U	500	ug/L		
			Toluene	74000		500	ug/L		
			trans-1,2-Dichloroethene	<500	U	500	ug/L		
			trans-1,3-Dichloropropene	<500	U	500	ug/L		
			Trichloroethene	<500	U	500	ug/L		
			Trichlorofluoromethane	<500	U	500	ug/L		
			Trichlorotrifluoroethane	<5000	U	5000	ug/L		
Vinyl Acetate	<10000	U	10000	ug/L					
Vinyl Chloride	<500	U	500	ug/L					
Xylenes (total)	6700		500	ug/L					
	TPH (EPA 8015M)	TPH as Diesel	18000	940	ug/L				
		TPH as Gas	130000	5000	ug/L				
RP-1	07/16/99	Metals (EPA 6010B)	Arsenic	100		5	ug/L	40-36-001-071699	
			VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5		ug/L
				1,1,1-Trichloroethane	<0.5	U	0.5		ug/L
				1,1,2,2-Tetrachloroethane	<0.5	U	0.5		ug/L
				1,1,2-Trichloroethane	<0.5	U	0.5		ug/L
				1,1-Dichloroethane	<0.5	U	0.5		ug/L

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
RP-1	07/16/99	VOCs (EPA 8260A)	1,1-Dichloroethene	<0.5	U	0.5	ug/L	40-36-001-071699
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	0.7		0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	1.2		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
RP-1	07/16/99	VOCs (EPA 8260A)	MTBE	0.8		0.5	ug/L	40-36-001-071699
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
		Xylenes (total)	<0.5	U	0.5	ug/L		
		TPH (EPA 8015M)	TPH as Diesel	1200		47	ug/L	
			TPH as Gas	140		50	ug/L	
RP-2	07/13/99	Metals (EPA 6010B)	Arsenic	10		5	ug/L	40-36-002-071399
		VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
2-Butanone	<10	U	10	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
RP-2	07/13/99	VOCs (EPA 8260A)	2-Chloroethylvinylether	<10	U	10	ug/L	40-36-002-071399
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	1.8		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	1.6		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
Trichloroethene	<0.5	U	0.5	ug/L				
Trichlorofluoromethane	<0.5	U	0.5	ug/L				
Trichlorotrifluoroethane	<5	U	5	ug/L				
Vinyl Acetate	<10	U	10	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
RP-2	07/13/99	VOCs (EPA 8260A)	Vinyl Chloride	<0.5	U	0.5	ug/L	40-36-002-071399
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	TPH as Diesel	210		47	ug/L	
			TPH as Gas	<50	U	50	ug/L	
RP-3	07/16/99	Metals (EPA 6010B)	Arsenic	6.5		5	ug/L	40-36-003-071699
		VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
Bromodichloromethane	<0.5	U	0.5	ug/L				
Bromoform	<1	U	1	ug/L				
Bromomethane	<1	U	1	ug/L				
Carbon Disulfide	<0.5	U	0.5	ug/L				
Carbon Tetrachloride	<0.5	U	0.5	ug/L				
Chlorobenzene	<0.5	U	0.5	ug/L				
Chloroethane	<1	U	1	ug/L				
Chloroform	<0.5	U	0.5	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
RP-3	07/16/99	VOCs (EPA 8260A)	Chloromethane	<1	U	1	ug/L	40-36-003-071699	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L		
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L		
			Dibromochloromethane	<0.5	U	0.5	ug/L		
			Dibromomethane	<0.5	U	0.5	ug/L		
			Dichlorodifluoromethane	<1	U	1	ug/L		
			Ethylbenzene	<0.5	U	0.5	ug/L		
			Hexachlorobutadiene	<0.5	U	0.5	ug/L		
			Isopropylbenzene	<0.5	U	0.5	ug/L		
			m,p-Xylenes	<0.5	U	0.5	ug/L		
			Methylene Chloride	<5	U	5	ug/L		
			MTBE	0.6		0.5	ug/L		
			n-Butylbenzene	<0.5	U	0.5	ug/L		
			n-Propylbenzene	<0.5	U	0.5	ug/L		
			Naphthalene	<0.5	U	0.5	ug/L		
			o-Xylene	<0.5	U	0.5	ug/L		
			p-Isopropyltoluene	<0.5	U	0.5	ug/L		
			sec-Butylbenzene	<0.5	U	0.5	ug/L		
			Styrene	<0.5	U	0.5	ug/L		
			tert-Butylbenzene	<0.5	U	0.5	ug/L		
			Tetrachloroethene	<0.5	U	0.5	ug/L		
			Toluene	<0.5	U	0.5	ug/L		
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L		
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L		
			Trichloroethene	<0.5	U	0.5	ug/L		
			Trichlorofluoromethane	<0.5	U	0.5	ug/L		
			Trichlorotrifluoroethane	<5	U	5	ug/L		
			Vinyl Acetate	<10	U	10	ug/L		
			Vinyl Chloride	<0.5	U	0.5	ug/L		
			Xylenes (total)	<0.5	U	0.5	ug/L		
			TPH (EPA 8015M)	TPH as Diesel	1500	48	ug/L		
				TPH as Gas	220	50	ug/L		
			RP-4	07/13/99	Metals (EPA 6010B)	Arsenic	5.9		
VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5				U	0.5	ug/L	
	1,1,1-Trichloroethane	<0.5				U	0.5	ug/L	
	1,1,2,2-Tetrachloroethane	<0.5				U	0.5	ug/L	
	1,1,2-Trichloroethane	<0.5				U	0.5	ug/L	
	1,1-Dichloroethane	<0.5				U	0.5	ug/L	
	1,1-Dichloroethene	<0.5				U	0.5	ug/L	
	1,1-Dichloropropene	<0.5				U	0.5	ug/L	
	1,2,3-Trichlorobenzene	<0.5				U	0.5	ug/L	
	1,2,3-Trichloropropane	<0.5				U	0.5	ug/L	
	1,2,4-Trichlorobenzene	<0.5				U	0.5	ug/L	
	1,2,4-Trimethylbenzene	<0.5				U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
RP-4	07/13/99	VOCs (EPA 8260A)	1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	40-36-004R-071399
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	0.7		0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	9.5		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	3		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID				
RP-4	07/13/99	VOCs (EPA 8260A)	sec-Butylbenzene	<0.5	U	0.5	ug/L	40-36-004R-071399				
			Styrene	<0.5	U	0.5	ug/L					
			tert-Butylbenzene	<0.5	U	0.5	ug/L					
			Tetrachloroethene	<0.5	U	0.5	ug/L					
			Toluene	<0.5	U	0.5	ug/L					
			trans-1,2-Dichloroethene	3.2		0.5	ug/L					
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L					
			Trichloroethene	1.3		0.5	ug/L					
			Trichlorofluoromethane	<0.5	U	0.5	ug/L					
			Trichlorotrifluoroethane	<5	U	5	ug/L					
			Vinyl Acetate	<10	U	10	ug/L					
			Vinyl Chloride	<0.5	U	0.5	ug/L					
			Xylenes (total)	<0.5	U	0.5	ug/L					
			TPH (EPA 8015M)	TPH as Diesel	62		47		ug/L			
				TPH as Gas	77		50		ug/L			
			RP-4-DUP	07/13/99	Metals (EPA 6010B)	Arsenic	<5		U	5	ug/L	10-36-004R-071399-D
					VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5		U	0.5	ug/L	
1,1,1-Trichloroethane	<0.5	U				0.5	ug/L					
1,1,2,2-Tetrachloroethane	<0.5	U				0.5	ug/L					
1,1,2-Trichloroethane	<0.5	U				0.5	ug/L					
1,1-Dichloroethane	<0.5	U				0.5	ug/L					
1,1-Dichloroethene	<0.5	U				0.5	ug/L					
1,1-Dichloropropene	<0.5	U				0.5	ug/L					
1,2,3-Trichlorobenzene	<0.5	U				0.5	ug/L					
1,2,3-Trichloropropane	<0.5	U				0.5	ug/L					
1,2,4-Trichlorobenzene	<0.5	U				0.5	ug/L					
1,2,4-Trimethylbenzene	<0.5	U				0.5	ug/L					
1,2-Dibromo-3-chloropropane	<0.5	U				0.5	ug/L					
1,2-Dibromoethane	<0.5	U				0.5	ug/L					
1,2-Dichlorobenzene	<0.5	U				0.5	ug/L					
1,2-Dichloroethane	0.7					0.5	ug/L					
1,2-Dichloropropane	<0.5	U				0.5	ug/L					
1,3,5-Trimethylbenzene	<0.5	U				0.5	ug/L					
1,3-Dichlorobenzene	<0.5	U				0.5	ug/L					
1,3-Dichloropropane	<0.5	U				0.5	ug/L					
1,4-Dichlorobenzene	<0.5	U				0.5	ug/L					
2,2-Dichloropropane	<0.5	U				0.5	ug/L					
2-Butanone	<10	U				10	ug/L					
2-Chloroethylvinylether	<10	U				10	ug/L					
2-Chlorotoluene	<0.5	U				0.5	ug/L					
2-Hexanone	<10	U				10	ug/L					
4-Chlorotoluene	<0.5	U				0.5	ug/L					
4-Methyl-2-pentanone	<10	U				10	ug/L					
Acetone	<10	U				10	ug/L					

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
RP-4-DUP	07/13/99	VOCs (EPA 8260A)	Benzene	<0.5	U	0.5	ug/L	40-36-004R-071399-D
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	9.5		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	3		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	3.2		0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	1.3		0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
			TPH (EPA 8015M)	TPH as Diesel	73	48	ug/L	
				TPH as Gas	61	50	ug/L	
RP-5	07/13/99	Metals (EPA 6010B)	Arsenic	7.2		5	ug/L	40-36-005R-071399

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
RP-5	07/13/99	VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	40-36-005R-071399
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	0.9		0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
Dibromochloromethane	<0.5	U	0.5	ug/L				
Dibromomethane	<0.5	U	0.5	ug/L				
Dichlorodifluoromethane	<1	U	1	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for July 1999 (Third Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
RP-5	07/13/99	VOCs (EPA 8260A)	Ethylbenzene	<0.5	U	0.5	ug/L	40-36-005R-071399
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
			TPH (EPA 8015M)	TPH as Diesel	480	48	ug/L	
			TPH as Gas	70	50	ug/L		

Notes: < = Analyte was not detected at or greater than the detection limit reported

Abbreviations:

DUP = Duplicate sample (field duplicate)

TPH = Total Petroleum Hydrocarbons

VOCs = Volatile Organic Compounds

Data Qualifiers:

U = Not detected at or greater than the detection limit reported

U5 = Qualified as non-detect (U) based on field blank contamination evaluation

U6 = Qualified as non-detect (U) based on trip blank contamination evaluation

J1 = Concentration is estimated because the concentration exceeded the calibration range of the analytical instrument.

J2 = Concentration is estimated because the sample was analyzed outside of holding time.

J3 = Concentration is estimated due to surrogate recoveries outside of control limits.

J4 = Concentration is estimated due to relative percent difference (RPD) outside of control limits for laboratory control samples (LCS).

J11 = Concentration is estimated because it was reported at a concentration less than the detection limit.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for July 1999 (Third Qtr. 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
FB1-071399	07/13/99	Metals (EPA 6010B)	Arsenic	<5	U	5	ug/L	991-071399
		VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	0.8		0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for July 1999 (Third Qtr. 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID	
FB1-071399	07/13/99	VOCs (EPA 8260A)	m,p-Xylenes	<0.5	U	0.5	ug/L	991-071399	
			Methylene Chloride	<5	U	5	ug/L		
			MTBE	<0.5	U	0.5	ug/L		
			n-Butylbenzene	<0.5	U	0.5	ug/L		
			n-Propylbenzene	<0.5	U	0.5	ug/L		
			Naphthalene	<0.5	U	0.5	ug/L		
			o-Xylene	<0.5	U	0.5	ug/L		
			p-Isopropyltoluene	<0.5	U	0.5	ug/L		
			sec-Butylbenzene	<0.5	U	0.5	ug/L		
			Styrene	<0.5	U	0.5	ug/L		
			tert-Butylbenzene	<0.5	U	0.5	ug/L		
			Tetrachloroethene	<0.5	U	0.5	ug/L		
			Toluene	<0.5	U	0.5	ug/L		
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L		
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L		
			Trichloroethene	<0.5	U	0.5	ug/L		
			Trichlorofluoromethane	<0.5	U	0.5	ug/L		
			Trichlorotrifluoroethane	<5	U	5	ug/L		
			Vinyl Acetate	<10	U	10	ug/L		
			Vinyl Chloride	<0.5	U	0.5	ug/L		
			Xylenes (total)	<0.5	U	0.5	ug/L		
TPH (EPA 8015M)	TPH as Diesel	<49	U	49	ug/L				
		TPH as Gas	<50	U	50	ug/L			
FB1-071499	07/14/99	Metals (EPA 6010B)	Arsenic	<5	U	5	ug/L	991-071499	
			VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5		ug/L
				1,1,1-Trichloroethane	<0.5	U	0.5		ug/L
				1,1,2,2-Tetrachloroethane	<0.5	U	0.5		ug/L
				1,1,2-Trichloroethane	<0.5	U	0.5		ug/L
				1,1-Dichloroethane	<0.5	U	0.5		ug/L
				1,1-Dichloroethene	<0.5	U	0.5		ug/L
				1,1-Dichloropropene	<0.5	U	0.5		ug/L
				1,2,3-Trichlorobenzene	<0.5	U	0.5		ug/L
				1,2,3-Trichloropropane	<0.5	U	0.5		ug/L
				1,2,4-Trichlorobenzene	<0.5	U	0.5		ug/L
				1,2,4-Trimethylbenzene	<0.5	U	0.5		ug/L
				1,2-Dibromo-3-chloropropane	<0.5	U	0.5		ug/L
				1,2-Dibromoethane	<0.5	U	0.5		ug/L
				1,2-Dichlorobenzene	<0.5	U	0.5		ug/L
				1,2-Dichloroethane	<0.5	U	0.5		ug/L
				1,2-Dichloropropane	<0.5	U	0.5		ug/L
				1,3,5-Trimethylbenzene	<0.5	U	0.5		ug/L
				1,3-Dichlorobenzene	<0.5	U	0.5		ug/L
				1,3-Dichloropropane	<0.5	U	0.5		ug/L
				1,4-Dichlorobenzene	<0.5	U	0.5		ug/L
				2,2-Dichloropropane	<0.5	U	0.5		ug/L
				2-Butanone	<10	U	10		ug/L
				2-Chloroethylvinylether	<10	U	10		ug/L
				2-Chlorotoluene	<0.5	U	0.5		ug/L

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for July 1999 (Third Qtr. 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
FB1-071499	07/14/99	VOCs (EPA 8260A)	2-Hexanone	<10	U	10	ug/L	991-071499
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
Trichlorofluoromethane	<0.5	U	0.5	ug/L				
Trichlorotrifluoroethane	<5	U	5	ug/L				
Vinyl Acetate	<10	U	10	ug/L				
Vinyl Chloride	<0.5	U	0.5	ug/L				
Xylenes (total)	<0.5	U	0.5	ug/L				
TPH (EPA 8015M)	TPH as Diesel	<49	U	49	ug/L			
	TPH as Gas	<50	U	50	ug/L			
FB1-071599	07/15/99	Metals (EPA 6010B)	Arsenic	<5	U	5	ug/L	991-071599

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for July 1999 (Third Qtr. 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
FB1-071599	07/15/99	VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	991-071599
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	0.8		0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for July 1999 (Third Qtr. 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
FB1-071599	07/15/99	VOCs (EPA 8260A)	Methylene Chloride	<5	U	5	ug/L	991-071599
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
TPH (EPA 8015M)	TPH as Diesel	<47	U	47	ug/L			
		TPH as Gas	<50	U	50	ug/L		
FB1-071699	07/16/99	Metals (EPA 6010B)	Arsenic	<5	U	5	ug/L	991-071699
		VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for July 1999 (Third Qtr. 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
FB1-071699	07/16/99	VOCs (EPA 8260A)	4-Chlorotoluene	<0.5	U	0.5	ug/L	991-071699
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	0.9		0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
Vinyl Acetate	<10	U	10	ug/L				
Vinyl Chloride	<0.5	U	0.5	ug/L				
Xylenes (total)	<0.5	U	0.5	ug/L				
		TPH (EPA 8015M)	TPH as Diesel	<47	U	47	ug/L	
			TPH as Gas	<50	U	50	ug/L	
FB1-071999	07/19/99	Metals (EPA 6010B)	Arsenic	<5	U	5	ug/L	991-071999
		VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for July 1999 (Third Qtr. 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
FB1-071999	07/19/99	VOCs (EPA 8260A)	1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	991-071999
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	0.8		0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for July 1999 (Third Qtr. 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID				
FB1-071999	07/19/99	VOCs (EPA 8260A)	MTBE	<0.5	U	0.5	ug/L	991-071999				
			n-Butylbenzene	<0.5	U	0.5	ug/L					
			n-Propylbenzene	<0.5	U	0.5	ug/L					
			Naphthalene	<0.5	U	0.5	ug/L					
			o-Xylene	<0.5	U	0.5	ug/L					
			p-Isopropyltoluene	<0.5	U	0.5	ug/L					
			sec-Butylbenzene	<0.5	U	0.5	ug/L					
			Styrene	<0.5	U	0.5	ug/L					
			tert-Butylbenzene	<0.5	U	0.5	ug/L					
			Tetrachloroethene	<0.5	U	0.5	ug/L					
			Toluene	<0.5	U	0.5	ug/L					
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L					
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L					
			Trichloroethene	<0.5	U	0.5	ug/L					
			Trichlorofluoromethane	<0.5	U	0.5	ug/L					
			Trichlorotrifluoroethane	<5	U	5	ug/L					
			Vinyl Acetate	<10	U	10	ug/L					
			Vinyl Chloride	<0.5	U	0.5	ug/L					
			Xylenes (total)	<0.5	U	0.5	ug/L					
			TPH (EPA 8015M)	TPH as Diesel	<48	U	48		ug/L			
					TPH as Gas	<50	U		50	ug/L		
			SR1-071999	07/16/99	Metals (EPA 6010B)	Arsenic	<5		U	5	ug/L	971-071699
					VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5		U	0.5	ug/L	
1,1,1-Trichloroethane	<0.5	U				0.5	ug/L					
1,1,2,2-Tetrachloroethane	<0.5	U				0.5	ug/L					
1,1,2-Trichloroethane	<0.5	U				0.5	ug/L					
1,1-Dichloroethane	<0.5	U				0.5	ug/L					
1,1-Dichloroethene	<0.5	U				0.5	ug/L					
1,1-Dichloropropene	<0.5	U				0.5	ug/L					
1,2,3-Trichlorobenzene	<0.5	U				0.5	ug/L					
1,2,3-Trichloropropane	<0.5	U				0.5	ug/L					
1,2,4-Trichlorobenzene	<0.5	U				0.5	ug/L					
1,2,4-Trimethylbenzene	<0.5	U				0.5	ug/L					
1,2-Dibromo-3-chloropropane	<0.5	U				0.5	ug/L					
1,2-Dibromoethane	<0.5	U				0.5	ug/L					
1,2-Dichlorobenzene	<0.5	U				0.5	ug/L					
1,2-Dichloroethane	<0.5	U				0.5	ug/L					
1,2-Dichloropropane	<0.5	U				0.5	ug/L					
1,3,5-Trimethylbenzene	<0.5	U				0.5	ug/L					
1,3-Dichlorobenzene	<0.5	U				0.5	ug/L					
1,3-Dichloropropane	<0.5	U				0.5	ug/L					
1,4-Dichlorobenzene	<0.5	U				0.5	ug/L					
2,2-Dichloropropane	<0.5	U				0.5	ug/L					
2-Butanone	<10	U				10	ug/L					
2-Chloroethylvinylether	<10	U				10	ug/L					
2-Chlorotoluene	<0.5	U				0.5	ug/L					
2-Hexanone	<10	U				10	ug/L					
4-Chlorotoluene	<0.5	U				0.5	ug/L					

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for July 1999 (Third Qtr. 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
SR1-071999	07/16/99	VOCs (EPA 8260A)	4-Methyl-2-pentanone	<10	U	10	ug/L	971-071699
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	1		0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
Tetrachloroethene	<0.5	U	0.5	ug/L				
Toluene	<0.5	U	0.5	ug/L				
trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L				
trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L				
Trichloroethene	<0.5	U	0.5	ug/L				
Trichlorofluoromethane	<0.5	U	0.5	ug/L				
Trichlorotrifluoroethane	<5	U	5	ug/L				
Vinyl Acetate	<10	U	10	ug/L				
Vinyl Chloride	<0.5	U	0.5	ug/L				
Xylenes (total)	<0.5	U	0.5	ug/L				
TPH (EPA 8015M)	TPH as Diesel	<47	U	47	ug/L			
		TPH as Gas	<50	U	50	ug/L		
TB1-071399	07/13/99	VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	981-071399
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for July 1999 (Third Qtr. 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
TB1-071399	07/13/99	VOCs (EPA 8260A)	1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	981-071399
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
Dichlorodifluoromethane	<1	U	1	ug/L				
Ethylbenzene	<0.5	U	0.5	ug/L				
Hexachlorobutadiene	<0.5	U	0.5	ug/L				
Isopropylbenzene	<0.5	U	0.5	ug/L				
m,p-Xylenes	<0.5	U	0.5	ug/L				
Methylene Chloride	<5	U	5	ug/L				
MTBE	<0.5	U	0.5	ug/L				
n-Butylbenzene	<0.5	U	0.5	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for July 1999 (Third Qtr. 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
TB1-071399	07/13/99	VOCs (EPA 8260A)	n-Propylbenzene	<0.5	U	0.5	ug/L	981-071399
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
			TB1-071499	07/14/99	VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	
1,1,1-Trichloroethane	<0.5	U				0.5	ug/L	
1,1,2,2-Tetrachloroethane	<0.5	U				0.5	ug/L	
1,1,2-Trichloroethane	<0.5	U				0.5	ug/L	
1,1-Dichloroethane	<0.5	U				0.5	ug/L	
1,1-Dichloroethene	<0.5	U				0.5	ug/L	
1,1-Dichloropropene	<0.5	U				0.5	ug/L	
1,2,3-Trichlorobenzene	<0.5	U				0.5	ug/L	
1,2,3-Trichloropropane	<0.5	U				0.5	ug/L	
1,2,4-Trichlorobenzene	<0.5	U				0.5	ug/L	
1,2,4-Trimethylbenzene	<0.5	U				0.5	ug/L	
1,2-Dibromo-3-chloropropane	<0.5	U				0.5	ug/L	
1,2-Dibromoethane	<0.5	U				0.5	ug/L	
1,2-Dichlorobenzene	<0.5	U				0.5	ug/L	
1,2-Dichloroethane	<0.5	U				0.5	ug/L	
1,2-Dichloropropane	<0.5	U				0.5	ug/L	
1,3,5-Trimethylbenzene	<0.5	U				0.5	ug/L	
1,3-Dichlorobenzene	<0.5	U				0.5	ug/L	
1,3-Dichloropropane	<0.5	U				0.5	ug/L	
1,4-Dichlorobenzene	<0.5	U				0.5	ug/L	
2,2-Dichloropropane	<0.5	U				0.5	ug/L	
2-Butanone	<10	U				10	ug/L	
2-Chloroethylvinylether	<10	U				10	ug/L	
2-Chlorotoluene	<0.5	U				0.5	ug/L	
2-Hexanone	<10	U				10	ug/L	
4-Chlorotoluene	<0.5	U				0.5	ug/L	
4-Methyl-2-pentanone	<10	U				10	ug/L	
Acetone	<10	U				10	ug/L	
Benzene	<0.5	U				0.5	ug/L	
Bromobenzene	<0.5	U				0.5	ug/L	
Bromochloromethane	<0.5	U	0.5	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for July 1999 (Third Qtr. 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
TB1-071499	07/14/99	VOCs (EPA 8260A)	Bromodichloromethane	<0.5	U	0.5	ug/L	981-071499
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
Trichlorofluoromethane	<0.5	U	0.5	ug/L				
Trichlorotrifluoroethane	<5	U	5	ug/L				
Vinyl Acetate	<10	U	10	ug/L				
Vinyl Chloride	<0.5	U	0.5	ug/L				
Xylenes (total)	<0.5	U	0.5	ug/L				
TB1-071599	07/15/99	VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	981-071599
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for July 1999 (Third Qtr. 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
TB1-071599	07/15/99	VOCs (EPA 8260A)	1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	981-071599
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
MTBE	<0.5	U	0.5	ug/L				
n-Butylbenzene	<0.5	U	0.5	ug/L				
n-Propylbenzene	<0.5	U	0.5	ug/L				
Naphthalene	<0.5	U	0.5	ug/L				
o-Xylene	<0.5	U	0.5	ug/L				
p-Isopropyltoluene	<0.5	U	0.5	ug/L				
sec-Butylbenzene	<0.5	U	0.5	ug/L				
Styrene	<0.5	U	0.5	ug/L				
tert-Butylbenzene	<0.5	U	0.5	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for July 1999 (Third Qtr. 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
TB1-071599	07/15/99	VOCs (EPA 8260A)	Tetrachloroethene	<0.5	U	0.5	ug/L	981-071599
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
TB1-071699	07/16/99	VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	981-071699
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
Bromomethane	<1	U	1	ug/L				
Carbon Disulfide	<0.5	U	0.5	ug/L				
Carbon Tetrachloride	<0.5	U	0.5	ug/L				
Chlorobenzene	<0.5	U	0.5	ug/L				
Chloroethane	<1	U	1	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for July 1999 (Third Qtr. 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
TB1-071699	07/16/99	VOCs (EPA 8260A)	Chloroform	<0.5	U	0.5	ug/L	981-071699
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
Vinyl Acetate	<10	U	10	ug/L				
Vinyl Chloride	<0.5	U	0.5	ug/L				
Xylenes (total)	<0.5	U	0.5	ug/L				
TB1-071999	07/19/99	VOCs (EPA 8260A)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	981-071999
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for July 1999 (Third Qtr. 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
TB1-071999	07/19/99	VOCs (EPA 8260A)	1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	981-071999
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
tert-Butylbenzene	<0.5	U	0.5	ug/L				
Tetrachloroethene	<0.5	U	0.5	ug/L				
Toluene	<0.5	U	0.5	ug/L				
trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L				
trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L				
Trichloroethene	<0.5	U	0.5	ug/L				
Trichlorofluoromethane	<0.5	U	0.5	ug/L				
Trichlorotrifluoroethane	<5	U	5	ug/L				

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for July 1999 (Third Qtr. 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
TB1-071999	07/19/99	VOCs (EPA 8260A)	Vinyl Acetate	<10	U	10	ug/L	981-071999
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	

Notes: < = Analyte was not detected at or greater than the detection limit reported

Abbreviations:

FB = Field blank

TB = Trip blank

TPH = Total Petroleum Hydrocarbons

VOCs = Volatile Organic Compounds

Data Qualifiers:

U = Not detected at or greater than the detection limit reported

U5 = Qualified as non-detect (U) based on field blank contamination evaluation

U6 = Qualified as non-detect (U) based on trip blank contamination evaluation

J1 = Concentration is estimated because the concentration exceeded the calibration range of the analytical instrument.

J2 = Concentration is estimated because the sample was analyzed outside of holding time.

J3 = Concentration is estimated due to surrogate recoveries outside of control limits.

J4 = Concentration is estimated due to relative percent difference (RPD) outside of control limits for laboratory control samples (LCS)