Quarterly Groundwater Monitoring Report

for October 1 to December 31, 1999
Site Cleanup Requirements (SCR)
Order No. 98-009

The Sherwin-Williams Facility

Emeryville, California

January 31, 2000
6495.99-003

Prepared for

SHERWIN WILLIAMS

1450 Sherwin Avenue, Emeryville, CA

LFR LEVINE • FRICKE

1900 Powell Street, 12th Floor, Emeryville, CA 94608
(510) 652-4500 Fax (510) 652-2246
www.lfr.com

January 31, 2000 6495.99-003

Mr. Mark Johnson
Regional Water Quality Control Board
1515 Clay Street, Suite 1400
Oakland, California 94612

Subject: Quarterly Self-Monitoring Report, October 1 to December 31, 1999, Site Cleanup Requirements Order No. 98-009, The Sherwin-Williams Company, Emeryville, California

Dear Mr. Johnson:

Enclosed is the self-monitoring report, prepared by LFR Levine·Fricke (LFR) on behalf of The Sherwin-Williams Company, for the quarterly period of October 1 through December 31, 1999. This self-monitoring report is submitted pursuant to the requirements of Site Cleanup Requirements (SCR) Order No. 98-009, issued by the Regional Water Quality Control Board on February 19, 1998. Self-monitoring activities conducted at The Sherwin-Williams Company site in Emeryville, California ("the Site") during this quarterly reporting period were in compliance with requirements of the SCR and self-monitoring program. This report summarizes the eleventh consecutive quarter of data collected in the self-monitoring program, which consists of the sampling and analysis of 53 wells. Since December 1989, approximately 22 sampling events have been conducted at the Site. As discussed previously, The Sherwin Williams Company will be proposing an amended self-monitoring program.

This report presents historical data and the results of the quarterly groundwater-monitoring program conducted at the Site in October 1999. In addition, this report includes summaries of the operation of the Sherwin-Williams groundwater extraction and treatment systems and information about removal of contaminants from extracted groundwater at the Site, as required by the SCR.

I certify, under penalty of perjury, that this document and all attachments are prepared under my direction or supervision and the information submitted is, to the best of my knowledge and belief, true, accurate, and complete.

If you have any questions or comments regarding this report, please call Larry Mencin at (216) 566-1768 or me at (510) 652-4500.

Sincerely,

(original, signed letter on file with the Regional Water Quality Control Board)
Michael B. Marsden, R.G., C.HG.
Senior Associate Hydrogeologist

Enclosure

cc: Distribution List

DISTRIBUTION LIST (CD Only):

Susan Hugo
Alameda County Department of
Environmental Health
Hazardous Materials Division
1131 Harbor Bay Parkway, 2nd floor
Alameda, California 94502-6577

Ignacio Dayrit
Projects Coordinator
Development Services Department
Project Development Division
City of Emeryville, Redevelopment Agency
2200 Powell Street, 12th Floor
Emeryville, California 94608

George Stavnes
The Sherwin-Williams Company
1450 Sherwin Avenue
Emeryville, California 94608

Vera Nelson
Erler & Kalinowski, Inc.
1730 So. Amphlett Blvd., Suite 320
San Mateo, California 94402

Jay Grover
Chiron Corporation
4560 Horton Street
Emeryville, California 94608-2916

Barbara Cook
California Environmental Protection Agency
Dept. of Toxic Substances Control, Region 2
700 Heinz Ave., Suite 200
Berkeley, California 94710

Peggy Peischl
Treadwell and Rollo
2 Theater Square, #216
Orinda, California 94563

Reber Brown, Ph.D.
Environmental Investigations Branch
California Dept. of Health Services
5900 Hollis Street, Suite E
Emeryville, California 94608

Robert Cave
Air Quality Engineer
BAAQMD
939 Ellis Street
San Francisco, California 94109

Jody Sparks
Toxics Assessment Group
1801 Hanover Drive, Suite C
PO Box 73620
Davis, California 95617-3620

Sandra Maxfield
ENTRIX, Inc.
590 Ygnacio Valley Road, Suite 200
Walnut Creek, California 94596

DISTRIBUTION LIST (CD/Hard Copy):

Larry Mencin
The Sherwin-Williams Company
101 Prospect Avenue, N.W.
Cleveland, Ohio 44115-1075

Randi Parker-Germains
45th Street Artists' Cooperative
1420 45th Street
Emeryville, California 94608

Melissa Mednick (2 copies)
Community Relations and Socioeconomic Analysis
Mara Feeney & Associates
5689 Oak Grove Avenue
Oakland, California 94618

DISTRIBUTION LIST (Letter Only):

Mara Feeney, Principal
Mara Feeney & Associates
19 Beaver Street
San Francisco, California 94114-1514

CONTENTS

TABLES

FIGURES

CERTIFICATION

All hydrogeologic and geologic information, conclusions, and recommendations in this document have been prepared under the supervision of and reviewed by an LFR Levine·Fricke California-Certified Hydrogeologist.

(original, signed Certification on file with the Regional Water Quality Control Board)

Michael B. Marsden — Date
Senior Associate Hydrogeologist
California Registered Geologist (6536)
California Certified Hydrogeologist (566)

1.0 INTRODUCTION AND SCOPE

LFR Levine·Fricke (LFR) prepared this quarterly groundwater monitoring report for the period of October 1 through December 31, 1999, on behalf of The Sherwin-Williams Company, as part of a self-monitoring program for the manufacturing facility located at 1450 Sherwin Avenue in Emeryville, California ("the Site"; Figures 1 and 2).

This quarterly report is submitted in accordance with the self-monitoring requirements specified in Site Cleanup Requirements (SCR) Order No. 98-009, issued to The Sherwin-Williams Company by the California Regional Water Quality Control Board, San Francisco Bay Region (RWQCB) on February 19, 1998 (RWQCB 1998).

In October 1999, LFR conducted the following groundwater monitoring activities for this quarter:

- Groundwater elevations were measured in 87 wells/piezometers: on- and off-site monitoring wells LF-3, LF-4, LF-7, LF-8, LF-10 through LF-13, LF-17 through LF-35, LF-B3 through LF-B6, EX-1 through EX-14, RP-1 through RP-5, MW-1 through MW-5, SA-AW-01, SA-AW-03 through SA-AW-05, SA-BW-01 and RP-BW-02 and on- and off-site piezometers LFPZ-1 through LFPZ-26.

- Groundwater samples were collected at the Site from 53 wells. Thirty-one A-zone monitoring wells are located outside the site slurry wall, 2 A-zone extraction wells are located outside the site slurry wall, 4 A-zone monitoring wells are located inside the site slurry wall, 10 A-zone extraction wells are located inside the site slurry wall, and 6 B-zone monitoring wells are located throughout the Site. The samples were analyzed for volatile organic compounds (VOCs) using EPA Method 8260; total petroleum hydrocarbon (TPH) as diesel (TPHd) using EPA Extraction Method 3510; TPH as gasoline (TPHg) using EPA Extraction Method 5030; and dissolved arsenic using EPA Method 7060.

Additional Investigative Work Conducted During This Period

- Extraction well EX-14; monitoring wells LF-35, SA-AW-01, SA-AW-03, SA-AW-04, SA-AW-05, SA-BW-01, and RP-BW-02; and piezometer LF-PZ26 were installed during the third quarter of 1999 and sampled during the fourth quarter. Data from these monitoring points are presented in this report for the first time.

- A sequence of pumping tests was conducted in July through October 1999, on the former Rifkin property. The pumping tests show a differing response between wells designed to fully penetrate the A zone (installed in both the upper and lower A-zone sand units) and wells installed in the upper A-zone sand. Abandonment and re-installation for the three extraction wells, eight piezometers, five monitoring wells designed to fully penetrate the A zone began during the fourth quarter of 1999. In

addition, installation of four monitoring wells in the lower A-zone sand to monitor this unit was initiated during this quarter. This work was conducted in accordance with the work plan dated December 22, 1999 (LFR 1999). Data from these wells will be presented in the groundwater monitoring report for the first quarter of 2000.

This report also presents data on groundwater extraction and removal of contaminants from groundwater at the Site, as required by SCR Order No. 98-009.

2.0 GROUNDWATER GRADIENT AND POTENTIAL DIFFERENCES

Groundwater elevations were measured in extraction wells, monitoring wells, and piezometers on October 8, 1999. Groundwater elevation data are presented in Table 1. Groundwater elevations in the A zone and the B zone are illustrated in Figures 3 and 4, respectively.

Between the previous quarter (as measured on July 12, 1999) and the current quarter (as measured on October 8, 1999), water levels decreased by an average of approximately 0.3 foot inside the slurry wall and approximately 0.2 foot outside the slurry wall. In the B zone, which is not laterally confined by the slurry wall, water levels decreased on average of approximately 0.1 foot over the same time period. The decrease in water levels observed inside and outside the slurry wall and in both groundwater zones is consistent with the dry months (April through November) and contrasts the increase in water levels observed during the wet months (December through March). Water levels have decreased at a greater rate inside the slurry wall because of groundwater extraction and decreased recharge.

During the third quarter of 1999, A-zone piezometer LFPZ-26 was installed in the southern raised-cap area, approximately 20 feet northwest of piezometer LFPZ-7 (Figure 2). Initially, LFPZ-7 was installed to monitor water levels inside the slurry wall. However, historical water levels measured in LFPZ-7 were consistent with water levels observed outside the slurry wall. The difference in water levels between LFPZ-26 and LFPZ-7 (1.5 feet; Table 1), as measured during the fourth quarter of 1999, confirm that the piezometers are on opposite sides of the slurry wall and constitute a new piezometer pair across the slurry wall. The illustrated location of the slurry wall on site figures has been adjusted from previous reports to reflect this interpretation of the data.

2.1 Horizontal Groundwater Gradient

A Zone (Outside Slurry Wall)

As shown in Figure 3, the A-zone groundwater gradient south of the slurry wall is generally 0.004 foot per foot toward the northwest (between wells LF-13 and LF-11). Gradients appear to change in isolated areas as a result of influence from the site slurry

wall and Temescal Creek. Outside the slurry wall, the groundwater gradient is generally to the northwest. Extraction well EX-14, located on the former Rifkin property, was operational when water levels were measured on October 18, 1999. This extraction well was brought on line a few days before water levels were measured as part of hydraulic testing activities.

A Zone (Inside Slurry Wall)

All 10 extraction wells located inside the slurry wall (EX-1 through EX-10) were operational when water levels were measured on October 8, 1999. Groundwater extraction has influenced groundwater elevations measured in the A zone inside the slurry wall. The groundwater gradient in the western portion of the area enclosed by the slurry wall is nearly flat with flow toward extraction wells EX-1, EX-2, and EX-4 through EX-6. The groundwater gradient is steeper in the southern portion of the area enclosed by the slurry wall and is generally toward the west. In the southeastern corner of the area enclosed by the slurry wall, there is a steep gradient away from the corner toward extraction well EX-3.

B Zone

As shown in Figure 4, the groundwater elevations in the three B-zone monitoring wells in the northwestern part of the Site (LF-B3, LF-B6, and SA-BW-01) are slightly lower than the groundwater elevations in the three B-zone monitoring wells in the southeastern part of the Site (LF-B4, LF-B5, RP-BW-02). These elevations indicate that B-zone groundwater at the Site on October 8, 1999, generally flowed from the southeast to the northwest.

2.2 Groundwater Potential Differences Across the Slurry Wall

As indicated in Table 2, the horizontal groundwater potential across the slurry wall on October 8, 1999, was inward in all 12 well/piezometer pairs that are located along the slurry wall. In other words, in all well/piezometer pairs, the groundwater elevation from the well outside the slurry wall is greater than the groundwater elevation of the adjacent well inside the slurry wall. The horizontal potential across the slurry wall measured this quarter contrasts with the groundwater potential difference measured on the first quarter of 1998, when all well pairs had an outward potential. This indicates that within the past two years, the groundwater elevation inside the slurry wall has decreased more than the groundwater level outside the slurry wall. This decrease is associated with increased extraction volumes resulting from improvements to the groundwater treatment system (GWTS). The marked decrease in water levels inside the slurry wall is also an indication that the slurry wall is inhibiting the movement of A-zone groundwater into and out of the area enclosed by the slurry wall, and that the cap and storm-water system is impeding infiltration into the Site.

2.3 Groundwater Potential Differences Across the A/B Aquitard

As indicated in Table 3, the vertical groundwater potential difference across the A/B aquitard on October 8, 1999, was upward at three of the six A- and B-zone well pairs. The groundwater potential difference across the A/B aquitard in well pairs LF-12/LF-B4, MW-5/RP-BW-02, and SA-AW-01/SA-BW-01 was downward. These three well pairs are outside the slurry wall. The three well pairs with upward potential are inside the slurry wall. This contrast shows that the groundwater extraction system is lowering the groundwater elevations in the A zone inside the slurry wall. The upward gradient in well pairs LF-10/LF-B3, LF-7/LF-B6, and LF-PZ6/LF-B5 contrasts the groundwater potential difference across the A/B aquitard measured in the first quarter of 1998, when these well pairs showed downward or near zero potential. This indicates that within the past two years, the groundwater potential in the A zone inside the slurry wall has decreased more than the groundwater potential in the B zone. Once again, this decrease is associated with increased extraction rates resulting from improvements to the GWTS. It is important to note that the vertical groundwater potential difference at well pair LFPZ-6/LF-B5 may not be representative because LF-B5 is screened in the A/B aquitard.

3.0 GROUNDWATER QUALITY SAMPLING

Groundwater samples were collected for chemical analysis for the majority of the wells from October 10 through 15, 1999. Well EX-14 was sampled on October 8, 1999, and, wells EX-12, LF32, LF-33, and RP-1 through RP-5 were sampled on October 25, 1999. Groundwater samples were collected and analyzed from all the site extraction wells, A-zone monitoring wells, and B-zone monitoring wells required by the SCR, except for wells MW-2 and LF-23 through LF-25. The water sample from well MW-2 was not analyzed during this sampling event because of the presence of light nonaqueous phase liquid (LNAPL). Wells LF-23 through LF-25 are west of the railroad tracks and can only be accessed by crossing the tracks. Sherwin-Williams is working with the railroad authorities to determine a safe location to cross the tracks and access the wells. Sampling of wells LF-7, LF-10, and LF-22 is not required by the SCR; however, these wells are sampled during the first quarter of each calendar year.

A minimum of three well volumes of water was purged from each monitoring well before sampling. The wells were purged either by pumping with a centrifugal pump or by hand bailing with a disposable polyethylene bailer. Wells that recovered slowly were purged dry and allowed to recover to a minimum of 80 percent of the initial well volume (or after a maximum of two hours) before they were sampled. The hoses attached to the centrifugal pump were cleaned with high-pressure hot water (steam cleaned) before each use. The evacuated water was pumped into a portable storage tank and then transferred and discharged into the GWTS. Field parameters (temperature, pH, and specific conductance of the evacuated water) were recorded during purging; wells were sampled after the parameters had stabilized.

After each well had been purged, a sample was collected from that monitoring well for laboratory analysis using a new, disposable polyethylene bailer. Samples from operational extraction wells were collected at discharge ports at the site treatment system. All work was conducted in compliance with the Quality Assurance Project Plan (ENTRIX 1998) and the Health and Safety Plan (LFR 1998) for the Site. The samples designated for chemical analysis were analyzed according to EPA Method protocol by Curtis and Tompkins, Ltd., a state-certified laboratory located in Berkeley, California. In accordance with the RWQCB's letter dated November 5, 1996, and SCR Order No. 98-009, analytical laboratory reports and chain-of-custody forms for these samples are not presented in this report. The data will be kept on file at LFR's Emeryville office. Appendix A includes a quality assurance/quality control (QA/QC) review of groundwater sampling and analytical results, and is provided in lieu of raw data such as field data sheets, laboratory data sheets, QA/QC data, and chain-of-custody forms.

4.0 GROUNDWATER QUALITY ANALYSIS RESULTS

Analytical results of groundwater samples are presented in Table 4 for VOCs, Table 5 for TPHd and TPHg, and Table 6 for inorganic compounds. Table 7 presents a summary of arsenic concentration trends interpreted using the Mann-Kendall statistical evaluation method. Field parameters collected during groundwater sampling, including pH, are presented in Table B-1 in Appendix B. A complete listing of laboratory analytical results, including QA/QC data, is provided in Appendix C.

Figures 5a through 5d show concentrations of VOCs detected in A-zone groundwater, Figure 6 shows concentrations of VOCs detected in B-zone groundwater, Figure 7 shows concentrations of TPHd in A- and B-zone groundwater, Figure 8 shows concentrations of TPHg in A- and B-zone groundwater, Figure 9 shows concentrations of arsenic in A-zone groundwater, and Figure 10 shows concentrations of arsenic in B-zone groundwater.

4.1 Volatile Organic Compounds

The following sections present the analytical results for VOCs in samples collected from groundwater monitoring wells at and around the Site.

4.1.1 A Zone (Outside Slurry Wall)

Analytical results for groundwater samples collected from A-zone wells sampled this quarter that are outside the slurry wall and downgradient from portions of the Site (LF-3, LF-11, LF-18, LF-20, LF-21, [excluding former Rifkin property wells]) did not contain VOCs above the laboratory detection limits, with the exception of samples from wells LF-3 and LF-11 (Figures 5a through 5d). The sample collected from well LF-3 contained ethylbenzene, toluene, and xylenes at concentrations of 4.4 parts per million (ppm), 66 ppm, and 22.2 ppm, respectively. The sample collected from well LF-11 contained 0.0005/0.0005 ppm (primary/duplicate) tert-butylbenzene.

The samples collected from the A-zone wells that are outside the slurry wall and upgradient (LF-12 and LF-13) and crossgradient to the south (SA-AW-04 and SA-AW-05) from the Site contained 1,1,1-trichloroethane (1,1,1-TCA), tetrachloroethene (PCE), and trichloroethene (TCE) above the laboratory detection limit. For these four wells, the highest total VOC concentrations were detected in well SA-AW-05 (0.008 ppm) The sample from well SA-AW-03 did not contain VOCs above the laboratory detection limit.

Analytical results for samples collected during this sampling event from the former Rifkin property and adjacent Horton Street A-zone wells (EX-12, EX-14, RP-1 through RP-5, MW-1 through MW-5, LF-19, and LF-27 through LF-35) indicated that all 21 of the wells sampled this quarter contained concentrations of at least one VOC above laboratory detection limits (Figures 5a and 5b). The highest total VOC concentrations were detected in well MW-5, and the greatest number of VOC contaminants were detected in wells LF-27 through LF-30. The sample from well MW-5 contained 150 ppm acetone, 73 ppm 2-butanone, 1.2 ppm ethylbenzene, 29 ppm 4-methyl-2-pentanone, 65 ppm toluene, and 5.6 ppm xylenes.

Wells LF-27 through LF-30, which are downgradient from the former Shell Development Property and upgradient from the former Rifkin property (Figures 5a and 5b), contained one or more of the following compounds in concentrations above the detection limit: benzene, chlorobenzene, chloroform, 1,2-dichloroethene (1,2-DCE), cis-1,2-DCE, trans-1,2-DCE, 1,2-dichloropropane, PCE, 1,1-dichloroethane (1,1-DCA), 1,2-DCA, dichlorodifluoromethane, isopropylbenzene, methyl tertiary-butyl ether (MTBE), TCE, tert-butylbenzene, toluene, 1,2,3-trichloropropane, vinyl chloride, and xylenes (Table 4). In addition, MTBE was detected in 14 of the 21 wells at concentrations ranging from 0.0006 ppm (RP-3) to 0.0064 ppm (LF-31; Table 5).

Many of the compounds detected in wells LF-12, LF-13, and LF-27 through LF-30 have not been detected at significant concentrations at the Site, and the sources of these contaminants are likely upgradient from the Site.

4.1.2 A Zone (Inside Slurry Wall)

Six of the 14 A-zone wells sampled this quarter that are inside the slurry wall contained at least two of the four BTEX compounds (benzene, toluene, ethylbenzene, and total xylenes). One or more of the following chlorinated VOCs were detected in the A-zone wells inside the slurry wall: 1,2-DCA, cis-1,2-DCE, trans-1,2-DCE, chlorobenzene, and TCE. The highest chlorinated VOC detection in the A-zone wells that are inside the slurry wall was 1,2-DCA at a concentration of 0.19 ppm in well EX-9. Other VOCs in samples collected from A-zone wells inside the slurry wall are shown in Figures 5a and 5c and Table 4. In addition, MTBE was detected in a number of wells at concentrations ranging from 0.0007 (EX-3) to 0.0075 (EX-7; Table 5).

4.1.3 B Zone

1,2-DCA was detected in samples collected from wells LF-B3, LF-B5, LF-B6, and RP-BW-02 at concentrations of 0.012 ppm, 0.27/0.026 ppm, 0.09 ppm, and 0.16 ppm, respectively (Table 4). In addition, groundwater from wells LF-B3, LF-B5, LF-B6, and RP-BW-02 contained MTBE at concentrations of 0.015 ppm, 0.0061/0.0058 ppm, 0.0098 ppm, and 0.0098 ppm, respectively (Table 5). The sample collected from well LF-B5 contained 0.0039 ppm 1,2,3-trichloropropane, and 0.0044/0.0029 ppm cis-1,2-DCE. Acetone was detected in samples from RP-BW-02 and SA-BW-01. The sample collected from well LF-B5 is representative of groundwater quality in the aquitard between the A zone and B zone, because the well is screened within the aquitard. The actual water quality in the B zone in the area of LF-B5 is uncertain.

4.2 TPHd

The following sections present the analytical results for TPHd in samples collected from groundwater monitoring wells at and around the Site. Some samples were reported as unknown hydrocarbon mixtures with peak patterns atypical of diesel. These samples with unknown mixtures are quantified as diesel for a range of n-C10 to n-C24 (Table 5).

4.2.1 A Zone (Outside Slurry Wall)

With the exception of wells LF-3, LF-20, and LF-21, relatively low concentrations of TPHd (less than 1 ppm) were detected in samples collected from A-zone wells sampled this quarter that are outside the slurry wall and downgradient from the Site (excluding the former Rifkin property wells). Wells LF-3, LF-20, and LF-21 contained 13 ppm, 1.9 ppm, and 1.2 ppm TPHd, respectively. The two wells upgradient of the Site (LF-12 and LF-13) and the three wells south and crossgradient to the Site (SA-AW-03 through SA-AW-05) did not contain TPHd at concentrations above the detection limit (Table 5).

Nineteen of the 21 former Rifkin Property and adjacent Horton Street wells sampled this quarter contained concentrations of TPHd above the laboratory detection limit. Samples collected from wells EX-12, EX-14, LF-19, LF-28 through LF-34, MW-1, MW-3, and RP-1 through RP-5 contained TPHd at concentrations ranging from 0.047 ppm in MW-3 to 2.1 ppm in LF-19. LNAPL was observed in the groundwater in MW-2; therefore, the sample from this well was not analyzed. Samples collected from wells MW-4 and MW-5 contained 10 ppm and 22 ppm TPHd, respectively (Table 5).

4.2.2 A Zone (Inside Slurry Wall)

TPHd was detected in 12 of the 14 A-zone wells inside the slurry wall sampled this quarter. Samples collected from A-zone wells inside the slurry wall (except for well LF-17) contained TPHd at concentrations ranging from 0.2 ppm in well LF-8 to 4.2

ppm in well EX-8. The sample collected from well LF-17 contained 15/15 ppm TPHd (Table 5).

4.2.3 B Zone

TPHd was detected in samples collected from three of the six B-zone wells. Wells LF-B3, LF-B4, and RP-BW-02 contained 0.18 ppm, 0.12 ppm, and 1.4 ppm THPd, respectively. The TPHd concentration in the sample collected from wells LF-B5, LF-B6, and SA-AW-1 did not exceed the laboratory detection limit (Table 5).

4.3 TPHg

The following sections present the analytical results for TPHg in samples collected from groundwater monitoring wells at and around the Site. Some samples were reported as unknown hydrocarbon mixtures with peak patterns atypical of gasoline. These samples with unknown mixtures are quantified as gasoline for a range of n-C7 to n-C12 (Table 5).

4.3.1 A Zone (Outside Slurry Wall)

With the exception of wells LF-3, LF-11, LF-18, and LF-20, concentrations of TPHg did not exceed the detection limit of 0.05 ppm in samples from A-zone wells sampled this quarter that are outside the slurry wall and downgradient of the Site (excluding the former Rifkin property wells). Samples collected from wells LF-11, LF-18, and LF-20 each contained less than 1 ppm TPHg. The sample collected from well LF-3 contained 210 ppm TPHg. The samples collected from the two wells upgradient of the Site (LF-12 and LF-13) and the three wells crossgradient and south of the Site (SA-AW-03 through SA-AW-05) were below the laboratory detection limit of 0.05 ppm (Table 5).

Twelve of the 21 former Rifkin property and adjacent Horton Street wells sampled this quarter contained concentrations of TPHg above the laboratory detection limit of 0.05 ppm. Samples collected from wells MW-1, MW-3, MW-4, LF-19, LF-28 through LF-30, LF-33, LF-34, RP-1, RP-3, and RP-5 contained TPHg concentrations ranging from 0.084 ppm in RP-5 to 1.3/1.2 ppm in LF-29. LNAPL was observed in the water in MW-2; therefore, the sample from this well was not analyzed. The sample collected from well MW-5 contained 190 ppm TPHg (Table 5).

4.3.2 A Zone (Inside Slurry Wall)

TPHg was detected in samples collected from 11 of the 14 A-zone wells sampled inside the slurry wall this quarter. TPHg was detected at concentrations ranging from 0.008 ppm in EX-1 to 25 ppm in EX-8 (Table 5). Wells EX-3, EX-7, and LF-8 did not contain concentrations about the sample detection limit.

4.3.3 B Zone

TPHg was detected in the samples collected from B-zone wells LF-B5, LF-B6, and RP-BW-02 at concentrations of 0.15/0.16 ppm, 0.061 ppm, and 0.11 ppm, respectively. TPHg concentrations in the samples collected from wells LF-B3, LF-B4, and SA-BW-01 did not exceed the laboratory detection limit (Table 5).

4.4 Arsenic

The following sections present the analytical results for dissolved arsenic in samples collected from groundwater monitoring wells at and around the Site. All samples were filtered using a 0.45-micron filter before analysis.

4.4.1 A Zone (Outside Slurry Wall)

Arsenic was detected in samples collected from five of the six A-zone wells located outside the slurry wall and downgradient of the Site (Table 6). Most samples contained less than 0.5 ppm arsenic, with the exception of wells LF-3 and LF-11, which had arsenic concentrations of 61 ppm and 2.2/2.3 ppm, respectively. The samples collected from the two wells upgradient of the Site (LF-12 and LF-13) contained 0.011 ppm and less than 0.005 ppm arsenic, respectively. Groundwater samples collected form wells cross-gradient and south of the Site (SA-AW-03 through SA-AW-05) did not contain arsenic above the laboratory detection limit.

Fifteen of the 21 former Rifkin property and adjacent Horton Street wells sampled this quarter contained concentrations of arsenic above the laboratory detection limit of 0.005 ppm. The samples collected from wells MW-4 and MW-5 contained arsenic concentrations of 0.74 ppm and 260 ppm, respectively. The sample collected from well LF-28, downgradient of the former Shell Development property, contained an arsenic concentration of 0.12 ppm. Wells MW-3, LF-27, LF-31, and RP-2 (located south of LF-28 and between the Sherwin-Williams arsenic source area and LF-28) had arsenic concentrations of 0.023 ppm, 0.0094 ppm, 0.013 ppm, and 0.015 ppm, respectively. Samples from the eight remaining wells that contained concentrations of arsenic above the detection limit ranged from 0.0094 ppm in LF-19 to 0.073 ppm in RP-1.

4.4.2 A Zone (Inside Slurry Wall)

Twelve of the 14 of the A-zone wells inside the slurry wall sampled this quarter contained arsenic above the laboratory detection limit. Arsenic concentrations in these wells ranged from 0.0049 ppm in LF-8 to 170 ppm in EX-9. Wells EX2 and EX-4 did not contain arsenic above the 0.005 ppm screening criteria. The samples from wells located in the southeastern portion of the area enclosed by the slurry wall contained elevated arsenic concentrations (ranging form 4 ppm to 170 ppm). In contrast, wells located in the northern and western portion of the area enclosed by the slurry wall

contained low arsenic concentrations (ranging form below the detection limit to 0.75 ppm).

4.4.3 B Zone

Arsenic was detected in five of the six B-zone wells. Arsenic concentrations in these five wells ranged form 0.0099 ppm (RP-BW-02) to 0.043 ppm (SA-BW-01). The concentrations of arsenic in the samples collected from well LF-B4 did not exceed the laboratory detection limit. Historically, samples collected from LF-B5 have contained arsenic at concentrations higher than other B-zone wells. It is important to note that the sample collected from well LF-B5 is representative of groundwater quality in the aquitard between the A zone and B zone, because the well is screened within the aquitard. The actual water quality in the B zone in the area of LF-B5 is uncertain.

4.4.4 Arsenic Concentration Trends

Arsenic concentration trends for each monitoring well were evaluated with the Mann-Kendall statistical analysis method (Gilbert 1987; Table 7). A decreasing trend is observed in wells EX-3, MW-4, and LF-B6. An increasing concentration trend is observed in wells EX-10, LF-8, LF-11, and MW-5. The remaining wells present no trend or have insufficient data for conclusive analysis. Of the three wells presenting increasing arsenic concentration trends, two are located inside the slurry wall (LF-8 and EX-10), one is located southwest of the area enclosed by the slurry wall (LF-11), and one is located on the former Rifkin property adjacent to the Sherwin-Williams property (MW-5).

5.0 QA/QC PROCEDURES AND RESULTS

QA/QC measures were implemented for the purpose of maintaining data quality and minimizing the potential for field and laboratory cross contamination of samples. QA/QC procedures included collecting trip blank and bailer rinsate blank samples, controlling sampling order, using disposable bailers, and steam cleaning pump hoses daily before and after use.

Tables A-1 and A-2 (Appendix A) are summary tables that provide data typically included in laboratory reports.

6.0 OPERATION OF THE SHERWIN-WILLIAMS GROUNDWATER EXTRACTION SYSTEM

As specified by the SCR self-monitoring program, Table 8 presents groundwater extraction results for each extraction well and for the Site. Table 9 presents arsenic and total VOC removal results from the groundwater extraction wells.

During the fourth quarter 1999, groundwater extraction wells EX-1 through EX-10 operated for an estimated 80 days and former Rifkin property extraction well EX-14 operated for four days as part of start-up hydraulic testing activities. In early 1999, several of the pneumatic pumps in the extraction wells were found to be recirculating supply air instead of pumping groundwater. LFR determined that the problem was associated with the internal float system in the pneumatic pumps and is working on a permanent solution to this problem. The recirculating air in the discharge lines results in erroneous readings on the individual extraction well flow totalizers located at the treatment system influent manifold system. This problem does not affect the GWTS flow totalizer. Therefore, the total of extracted groundwater from each well during the fourth quarter of 1999 is estimated based on the treatment system totalizer reading (304,354 gallons from October 1 through December 31, 1999; Table 8) and the total extracted for each well during the first quarter 1999. The combined groundwater extraction from EX-1 through EX-14 for 1999 is approximately 1,824,269 gallons, which is nearly double the total volume extracted during all of 1998 (1 million gallons).

Sampling and analysis results for the GWTS are included in a self-monitoring report required by General Waste Discharge Requirements Order No. 94-087, National Pollutant Discharge Elimination System No. CAG912003, to be submitted under separate cover to the RWQCB.

REFERENCES

ENTRIX, Inc. 1988. Quality Assurance Project Plan for the Sherwin-Williams Facility, Emeryville, California. October 27.

Gilbert, Richard. 1987. Statistical Methods for Environmental Pollution Monitoring. Von Nostrand Reinhold. New York.

LFR. 1998. Health and Safety Plan for Site Investigation Activities at the Sherwin-Williams Facility, Emeryville, California. October 2.

———. 1999. Work Plan for Abandonment and Reinstallation of Extraction Wells, Monitoring Wells, and Piezometers Installed in June 1999 on the Former Rifkin Property. December 22.

RWQCB. 1998. Adoption of Site Cleanup Requirements, Order 98-009. Signed by Loretta K. Barsamian. February 19.

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Go Back

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
EX-1	04/24/96	10.08	15.42	-5.34
	07/29/96		15.70	-5.62
	12/13/96		3.20	6.88
	04/15/97		15.50	-5.42
	09/19/97		4.34	5.74
	12/03/97		3.35	6.73
	12/15/97		1.99	8.09
	01/13/98		2.15	7.93
	01/30/98		0.67	9.41
	02/24/98		13.80	-3.72
	04/06/98		3.43	6.65
	07/02/98		5.68	4.40
	07/13/98		15.38	-5.30
	09/28/98		15.36	-5.28
	10/16/98		15.50	-5.42
	01/08/99		13.84	-3.76
	04/16/99		15.50	-5.42
	06/21/99		15.40	-5.32
	07/12/99		15.60	-5.52
	10/08/99		15.80	-5.72
EX-2	04/24/96	10.08	14.87	-4.79
	07/29/96		14.50	-4.42
	12/13/96		2.21	7.87
	04/15/97		10.55	-0.47
	09/19/97		3.80	6.28
	12/03/97		3.19	6.89
	12/15/97		1.75	8.33
	01/13/98		0.34	9.74
	01/30/98		0.66	9.42
	02/24/98		2.50	7.58
	04/06/98		3.02	7.06
	07/02/98		5.68	4.40
	07/13/98		5.20	4.88
	09/28/98		15.53	-5.45
	10/16/98		15.30	-5.22
	01/08/99		7.15	2.93
	04/16/99		4.46	5.62

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
EX-2	06/21/99	10.08	11.40	-1.32
	07/12/99		15.65	-5.57
	10/08/99		15.70	-5.62
EX-3	04/24/96	14.90	16.95	-2.05
	07/29/96		17.20	-2.30
	12/13/96		5.10	9.80
	04/15/97		17.20	-2.30
	09/19/97		6.15	8.75
	12/03/97		6.92	7.98
	12/15/97		NM	NM
	01/13/98		5.17	9.73
	01/30/98		5.28	9.62
	02/24/98		4.72	10.18
	04/06/98		6.64	8.26
	07/02/98		8.82	6.08
	07/13/98		16.95	-2.05
	09/28/98		16.95	-2.05
	10/16/98		16.90	-2.00
	01/08/99		20.00	-5.10
	04/16/99		16.92	-2.02
	06/21/99	16.28	16.95	-0.67
	07/12/99		16.99	-0.71
	10/08/99		17.22	-0.94
EX-4	09/28/98	10.84	6.33	4.51
	10/16/98		6.60	4.24
	01/08/99	10.41	4.21	6.20
	04/16/99		19.80	-9.39
	06/21/99		5.89	4.52
	07/12/99		20.20	-9.79
	10/08/99		19.95	-9.54
EX-5	09/28/98	11.08	6.89	4.19
	10/16/98		7.03	4.05
	01/08/99	10.34	4.90	5.44
	04/16/99		6.20	4.14
	06/21/99		15.88	-5.54
	07/12/99		7.31	3.03

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
EX-5	10/08/99	10.34	16.00	-5.66
EX-6	09/28/98	10.28	5.93	4.35
	10/16/98		6.07	4.21
	01/08/99	9.76	3.70	6.06
	04/16/99		4.45	5.31
	06/21/99		15.65	-5.89
	07/12/99		9.60	0.16
	10/08/99		15.55	-5.79
EX-7	09/28/98	11.71	5.83	5.88
	10/16/98		5.95	5.76
	01/08/99	11.32	12.38	-1.06
	04/16/99		15.38	-4.06
	06/21/99		14.20	-2.88
	07/12/99		15.48	-4.16
	10/08/99		15.75	-4.43
EX-8	09/28/98	16.65	10.68	5.97
	10/16/98		10.78	5.87
	01/08/99	16.28	17.00	-0.72
	04/16/99		24.03	-7.75
	06/21/99	17.45	23.98	-6.53
	07/12/99		24.28	-6.83
	10/08/99		24.10	-6.65
EX-9	09/28/98	17.94	11.04	6.90
	10/16/98		11.17	6.77
	01/08/99	17.45	24.25	-6.80
	04/16/99		20.00	-2.55
	06/21/99	14.90	20.15	-5.25
	07/12/99		11.03	3.87
	10/08/99		20.31	-5.41
EX-10	09/28/98	11.78	5.71	6.07
	10/16/98		5.96	5.82
	01/08/99	11.79	15.11	-3.32
	04/16/99		18.00	-6.21
	06/21/99		18.30	-6.51
	07/12/99		18.58	-6.79

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
EX-10	10/08/99	11.79	9.95	1.84
EX-11	06/21/99	15.27	8.79	6.48
	07/12/99		9.07	6.20
	10/08/99		9.17	6.10
EX-12	06/21/99	15.63	8.97	6.66
	07/12/99		9.15	6.48
	10/08/99		9.35	6.28
EX-13	06/21/99	14.50	7.86	6.64
	07/12/99		8.20	6.30
	10/08/99		8.30	6.20
EX-14	10/08/99	16.39	14.15	2.24
LF-1	06/14/89	16.92	8.56	8.36
	01/10/90 (a)		8.31	8.61
	01/18/90 (b)		7.83	9.09
	01/18/90 (c)		7.84	9.08
	01/30/91		8.97	7.95
	06/19/91		8.86	8.06
	12/16/91		9.07	7.85
	07/10/92		9.08	7.84
	12/30/92		8.22	8.70
	06/08/93		8.89	8.03
	01/05/94		NM	NM
LF-2	06/14/89	12.24	4.99	7.25
	01/10/90 (a)		4.65	7.59
	01/18/90 (b)		3.99	8.25
	01/18/90 (c)		4.05	8.19
	01/30/91		5.60	6.64
	06/19/91		5.57	6.67
	12/16/91		5.49	6.75
	07/10/92		NM	NM
	12/30/92		NM	NM
	06/08/93		5.11	7.13
	01/05/94		4.19	8.05

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-3	06/14/89	11.98	4.95	7.03
	01/10/90 (a)		4.60	7.38
	01/18/90 (b)		3.87	8.11
	01/18/90 (c)		3.92	8.06
	01/30/91		5.11	6.87
	06/19/91		5.10	6.88
	12/16/91		5.19	6.79
	07/10/92		5.09	6.89
	12/30/92		4.08	7.90
	06/08/93		4.79	7.19
	01/05/94		5.09	6.89
	09/08/94		5.70	6.28
	03/29/95		NM	NM
	04/24/96	12.00	4.87	7.13
	07/29/96		5.57	6.43
	12/13/96		4.89	7.11
	04/15/97		5.78	6.22
	09/19/97		5.71	6.29
	12/03/97		5.18	6.82
	12/15/97		4.61	7.39
	01/13/98		3.62	8.38
	01/30/98		4.18	7.82
	02/24/98		3.65	8.35
	04/06/98		5.05	6.95
	07/02/98		5.85	6.15
	07/13/98		5.89	6.11
	09/28/98		6.06	5.94
	10/16/98		6.07	5.93
	01/08/99		5.63	6.37
	04/16/99		4.41	7.59
	06/21/99		6.03	5.97
	07/12/99		6.06	5.94
	10/08/99		5.91	6.09
LF-4	06/14/89	13.05	7.14	5.91
	01/10/90 (a)		6.71	6.34
	01/18/90 (b)		5.64	7.41
	01/18/90 (c)		5.70	7.35

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-4	01/30/91	13.05	7.23	5.82
	06/19/91		7.12	5.93
	12/16/91		7.33	5.72
	07/10/92		7.21	5.84
	12/30/92		5.84	7.21
	06/08/93		6.86	6.19
	01/05/94		NM	NM
	04/24/96	12.53	6.72	5.81
	07/29/96		NM	NM
	12/13/96		5.62	6.91
	04/15/97		NM	NM
	09/19/97		6.37	6.16
	12/03/97		5.64	6.89
	12/15/97		4.29	8.24
	01/13/98		4.24	8.29
	01/30/98		3.33	9.20
	02/24/98		3.58	8.95
	04/06/98		5.92	6.61
	07/02/98		7.68	4.85
	07/13/98	12.61	7.81	4.80
	09/28/98		8.38	4.23
	10/16/98		8.54	4.07
	01/08/99		6.64	5.97
	04/16/99		6.20	6.41
	06/21/99		9.73	2.88
	07/12/99		9.52	3.09
	10/08/99		9.79	2.82
LF-5	06/14/89	10.48	4.75	5.73
	01/10/90 (a)		4.83	5.65
	01/18/90 (b)		2.49	7.99
	01/18/90 (c)		2.55	7.93
	01/30/91		4.24	6.24
	06/19/91	10.25	4.28	5.97
	12/16/91		4.68	5.57
	07/10/92		4.21	6.04
	12/30/92		1.96	8.29
	06/08/93		3.71	6.54

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-5	01/05/94	10.25	3.65	6.60
LF-6	06/14/89	10.67	4.89	5.78
	01/10/90 (a)		4.26	6.41
	01/18/90 (b)		3.15	7.52
	01/18/90 (c)		3.21	7.46
LF-7	06/14/89	11.08	5.79	5.29
	01/10/90 (a)		4.31	6.77
	01/18/90 (b)		3.30	7.78
	01/18/90 (c)		3.35	7.73
	01/30/91		4.82	6.26
	06/19/91		4.73	6.35
	12/16/91		4.87	6.21
	07/10/92		4.82	6.26
	12/30/92		3.10	7.98
	06/08/93		4.31	6.77
	01/05/94		4.36	6.72
	09/08/94		4.97	6.11
	03/29/95		3.77	7.31
	08/09/95		NM	NM
	04/24/96	14.44	8.65	5.79
	07/29/96		9.70	4.74
	12/13/96		6.99	7.45
	04/15/97		8.21	6.23
	09/19/97		8.22	6.22
	12/03/97		7.42	7.02
	12/15/97		5.95	8.49
	01/13/98		4.89	9.55
	01/30/98		5.02	9.42
	02/24/98		5.22	9.22
	04/06/98		7.52	6.92
	07/02/98		9.74	4.70
	07/13/98		9.85	4.59
	09/28/98		10.40	4.04
	10/16/98		10.55	3.89
	01/08/99		8.45	5.99
	04/16/99		7.63	6.81
	06/21/99		11.07	3.37

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-7	07/12/99	14.44	11.23	3.21
	10/08/99		11.34	3.10
LF-8	01/10/90 (a)	12.47	7.08	5.39
	01/18/90 (b)		6.22	6.25
	01/18/90 (c)		6.27	6.20
	01/30/91	12.75	7.32	5.43
	06/19/91		7.22	5.53
	12/16/91		7.18	5.57
	07/10/92		7.14	5.61
	12/30/92		5.85	6.90
	06/08/93		6.57	6.18
	01/05/94		6.72	6.03
	09/08/94		7.34	5.41
	03/29/95		4.88	7.87
	08/09/95		NM	NM
	04/24/96	12.91	7.14	5.77
	07/29/96		8.21	4.70
	12/13/96		5.12	7.79
	04/15/97		7.21	5.70
	09/19/97		7.25	5.66
	12/03/97		5.65	7.26
	12/15/97		4.56	8.35
	01/13/98		3.51	9.40
	01/30/98		3.63	9.28
	02/24/98		3.68	9.23
	04/06/98		5.91	7.00
	07/02/98		7.97	4.94
	07/13/98		8.18	4.73
	09/28/98		8.59	4.32
	10/16/98		8.78	4.13
	01/08/99		6.71	6.20
	04/16/99		5.95	6.96
	06/21/99		8.46	4.45
	07/12/99		8.79	4.12
	10/08/99		9.24	3.67
LF-9	01/10/90 (a)	10.44	4.81	5.63
	01/18/90 (b)		3.24	7.20

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-9	01/18/90 (c)	10.44	3.29	7.15
	01/30/91		5.39	5.05
	06/19/91		5.01	5.43
	12/16/91		5.46	4.98
	07/10/92		5.27	5.17
	12/30/92		3.65	6.79
	06/08/93		4.88	5.56
	01/05/94		NM	NM
LF-10	01/10/90 (a)	10.44	3.36	7.08
	01/18/90 (b)		2.65	7.79
	01/18/90 (c)		2.71	7.73
	01/30/91	10.32	4.15	6.17
	06/19/91		4.13	6.19
	12/16/91		4.28	6.04
	07/10/92		4.17	6.15
	12/30/92		2.70	7.62
	06/08/93		3.87	6.45
	01/05/94		3.72	6.60
	04/24/96	10.99	5.10	5.89
	07/29/96		NM	NM
	12/13/96		3.68	7.31
	04/15/97		4.67	6.32
	09/19/97		4.65	6.34
	12/03/97		4.05	6.94
	12/15/97		2.81	8.18
	01/13/98		1.77	9.22
	01/30/98		1.95	9.04
	02/24/98		2.13	8.86
	04/06/98		4.36	6.63
	07/02/98		6.16	4.83
	07/13/98		6.26	4.73
	09/28/98		6.83	4.16
	10/16/98		7.00	3.99
	01/08/99		4.96	6.03
	04/16/99		4.35	6.64
	06/21/99		8.09	2.90
	07/12/99		8.04	2.95

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-10	10/08/99	10.99	8.17	2.82
LF-11	01/10/90 (a)	10.08	3.18	6.90
	01/18/90 (b)		2.28	7.80
	01/18/90 (c)		2.33	7.75
	01/30/91		3.69	6.39
	06/19/91		3.68	6.40
	12/16/91		3.80	6.28
	07/10/92		3.68	6.40
	12/30/92		2.33	7.75
	06/08/93		3.43	6.65
	01/05/94		3.42	6.66
	04/24/96	10.05	3.19	6.86
	07/29/96		3.93	6.12
	12/13/96		4.31	5.74
	04/15/97		4.76	5.29
	09/19/97		4.63	5.42
	12/03/97		4.39	5.66
	12/15/97		4.28	5.77
	01/13/98		3.94	6.11
	01/30/98		4.07	5.98
	02/24/98		4.00	6.05
	04/06/98		4.27	5.78
	07/02/98		4.61	5.44
	07/13/98		4.63	5.42
	09/28/98		4.70	5.35
	10/16/98		4.68	5.37
	01/08/99		4.25	5.80
	04/16/99		2.96	7.09
	06/21/99		4.62	5.43
	07/12/99		4.60	5.45
	10/08/99		4.41	5.64
LF-12	01/10/90 (a)	14.97	6.32	8.65
	01/18/90 (b)		5.86	9.11
	01/18/90 (c)		5.87	9.10
	01/30/91		6.95	8.02
	06/19/91		6.90	8.07
	12/16/91		7.09	7.88

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-12	07/10/92	14.97	7.08	7.89
	12/30/92		6.26	8.71
	06/08/93		6.90	8.07
	01/05/94		6.98	7.99
	04/24/96	14.95	6.57	8.38
	07/29/96		7.29	7.66
	12/13/96		5.69	9.26
	04/15/97		6.94	8.01
	09/19/97		7.00	7.95
	12/03/97		6.12	8.83
	12/15/97		6.11	8.84
	01/13/98		5.53	9.42
	01/30/98		5.85	9.10
	02/24/98		5.57	9.38
	04/06/98		6.27	8.68
	07/02/98		6.95	8.00
	07/13/98		7.01	7.94
	09/28/98		7.14	7.81
	10/16/98		7.31	7.64
	01/08/99		7.06	7.89
	04/16/99		6.39	8.56
	06/21/99		7.16	7.79
	07/12/99		7.25	7.70
	10/08/99		7.24	7.71
LF-13	01/10/90 (a)	14.76	6.12	8.64
	01/18/90 (b)		5.69	9.07
	01/18/90 (c)		5.72	9.04
	01/30/91		6.70	8.06
	06/19/91		6.60	8.16
	12/16/91		6.76	8.00
	07/10/92		6.68	8.08
	12/30/92		5.93	8.83
	06/08/93		6.52	8.24
	01/05/94		6.62	8.14
	04/24/96	14.78	6.21	8.57
	07/29/96		6.96	7.82
	12/13/96		5.50	9.28

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-13	04/15/97	14.78	6.71	8.07
	09/19/97		6.76	8.02
	12/03/97		NM	NM
	12/15/97		NM	NM
	01/13/98		5.22	9.56
	01/30/98		5.53	9.25
	02/24/98		5.31	9.47
	04/06/98		5.91	8.87
	07/02/98		6.50	8.28
	07/13/98		6.54	8.24
	09/28/98		6.73	8.05
	10/16/98		6.89	7.89
	01/08/99		6.64	8.14
	04/16/99		5.94	8.84
	06/21/99		6.70	8.08
	07/12/99		6.78	8.00
	10/08/99		6.78	8.00
LF-14	01/30/91	10.03	5.89	4.14
	06/19/91		5.87	4.16
	12/16/91		5.99	4.04
	07/10/92		5.74	4.29
	12/30/92		4.38	5.65
	06/08/93		5.45	4.58
	01/05/94		NM	NM
LF-15	01/30/91	9.80	5.02	4.78
	06/19/91		4.83	4.97
	12/16/91		5.02	4.78
	07/10/92		4.83	4.97
	12/30/92		3.44	6.36
	06/08/93		4.40	5.40
	01/05/94		NM	NM
LF-16	01/30/91	10.10	4.68	5.42
	06/19/91		4.53	5.57
	12/16/91		4.71	5.39
	07/10/92		4.56	5.54
	12/30/92		3.46	6.64

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-16	06/08/93	10.10	4.17	5.93
	01/05/94		NM	NM
LF-17	04/24/96	12.53	5.35	7.18
	07/29/96		6.10	6.43
	12/13/96		2.59	9.94
	04/15/97		4.04	8.49
	09/19/97		4.00	8.53
	12/03/97		4.55	7.98
	12/15/97		3.79	8.74
	01/13/98		2.45	10.08
	01/30/98		2.80	9.73
	02/24/98		2.40	10.13
	04/06/98		4.13	8.40
	07/02/98		6.21	6.32
	07/13/98	12.56	6.40	6.16
	09/28/98		6.51	6.05
	10/16/98		6.68	5.88
	01/08/99		6.80	5.76
	04/16/99		6.34	6.22
	06/21/99		8.01	4.55
	07/12/99		8.15	4.41
	10/08/99		8.00	4.56
LF-18	04/24/96	13.05	8.21	4.84
	07/29/96		8.65	4.40
	12/13/96		6.44	6.61
	04/15/97		8.50	4.55
	09/19/97		8.31	4.74
	12/03/97		7.32	5.73
	12/15/97		7.02	6.03
	01/13/98		5.89	7.16
	01/30/98		6.32	6.73
	02/24/98		6.34	6.71
	04/06/98		7.49	5.56
	07/02/98		8.51	4.54
	07/13/98		8.39	4.66
	09/28/98		8.62	4.43
	10/16/98		8.75	4.30

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-18	01/08/99	13.05	8.62	4.43
	04/16/99		7.63	5.42
	06/21/99		8.71	4.34
	07/12/99		8.61	4.44
	10/08/99		9.25	3.80
LF-19	04/24/96	14.18	7.92	6.26
	07/29/96		7.76	6.42
	12/13/96		4.85	9.33
	04/15/97		7.36	6.82
	09/19/97		7.69	6.49
	12/03/97		6.80	7.38
	12/15/97		7.86	6.32
	01/13/98		NM	NM
	01/30/98		6.01	8.17
	02/24/98		5.28	8.90
	04/06/98		6.51	7.67
	07/02/98		7.17	7.01
	07/13/98		7.32	6.86
	09/28/98		7.60	6.58
	10/16/98		7.70	6.48
	01/08/99		7.48	6.70
	04/16/99		6.44	7.74
	06/21/99		7.57	6.61
	07/12/99		7.83	6.35
	10/08/99		7.96	6.22
LF-20	04/24/96	11.77	7.55	4.22
	07/29/96		7.91	3.86
	12/13/96		7.71	4.06
	04/15/97		7.85	3.92
	09/19/97		7.91	3.86
	12/03/97		7.58	4.19
	12/15/97		7.53	4.24
	01/13/98		7.30	4.47
	01/30/98		7.42	4.35
	02/24/98		7.43	4.34
	04/06/98		7.61	4.16
	07/02/98		7.81	3.96

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-20	07/13/98	11.77	7.86	3.91
	09/28/98		6.98	4.79
	10/16/98		6.78	4.99
	01/08/99		6.24	5.53
	04/16/99		4.89	6.88
	06/21/99		6.68	5.09
	07/12/99		6.67	5.10
	10/08/99		8.01	3.76
LF-21	04/24/96	10.37	3.65	6.72
	07/29/96		4.61	5.76
	12/13/96		5.06	5.31
	04/15/97		5.58	4.79
	09/19/97		5.42	4.95
	12/03/97		5.32	5.05
	12/15/97		5.27	5.10
	01/13/98		5.03	5.34
	01/30/98		5.04	5.33
	02/24/98		4.83	5.54
	04/06/98		5.00	5.37
	07/02/98		5.35	5.02
	07/13/98	10.47	5.37	5.10
	09/28/98		5.33	5.14
	10/16/98		5.24	5.23
	01/08/99		4.81	5.66
	04/16/99		3.37	7.10
	06/21/99		5.22	5.25
	07/12/99		5.18	5.29
	10/08/99		5.11	5.36
LF-22	04/24/96	19.16	11.55	7.61
	07/29/96		12.22	6.94
	12/13/96		9.07	10.09
	04/15/97		10.14	9.02
	09/19/97		10.01	9.15
	12/03/97		10.72	8.44
	12/15/97		10.40	8.76
	01/13/98		9.57	9.59
	01/30/98		9.60	9.56

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-22	02/24/98	19.16	9.08	10.08
	04/06/98		10.74	8.42
	07/02/98		12.34	6.82
	07/13/98		12.58	6.58
	09/28/98		12.66	6.50
	10/16/98		12.86	6.30
	01/08/99		12.03	7.13
	04/16/99		11.33	7.83
	06/21/99		12.71	6.45
	07/12/99		12.83	6.33
	10/08/99		13.20	5.96
LF-23	04/24/96	10.64	4.08	6.56
	07/29/96		5.28	5.36
	12/13/96		3.76	6.88
	04/15/97		5.51	5.13
	09/19/97		5.90	4.74
	12/03/97		4.37	6.27
	12/15/97		4.08	6.56
	01/13/98		3.33	7.31
	01/30/98		3.32	7.32
	02/24/98		2.75	7.89
	04/06/98		3.88	6.76
	07/02/98		5.30	5.34
	07/13/98		5.39	5.25
	09/28/98		5.73	4.91
	10/16/98		5.69	4.95
	01/08/99		5.20	5.44
	04/16/99		4.11	6.53
	06/21/99		5.76	4.88
	07/12/99		5.80	4.84
LF-24	04/24/96	10.22	4.40	5.82
	07/29/96		5.24	4.98
	12/13/96		4.10	6.12
	04/15/97		5.56	4.66
	09/19/97		6.15	4.07
	12/03/97		4.51	5.71
	12/15/97		4.26	5.96

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-24	01/13/98	10.22	3.56	6.66
	01/30/98		3.33	6.89
	02/24/98		2.48	7.74
	04/06/98		4.01	6.21
	07/02/98		5.34	4.88
	07/13/98		5.42	4.80
	09/28/98		5.74	4.48
	10/16/98		5.67	4.55
	01/08/99		5.11	5.11
	04/16/99		4.41	5.81
	06/21/99		5.96	4.26
	07/12/99		5.96	4.26
LF-25	04/24/96	11.31	7.15	4.16
	07/29/96		7.66	3.65
	12/13/96		6.85	4.46
	04/15/97		8.02	3.29
	09/19/97		7.86	3.45
	12/03/97		7.07	4.24
	12/15/97		6.99	4.32
	01/13/98		6.43	4.88
	01/30/98		6.52	4.79
	02/24/98		5.91	5.40
	04/06/98		7.09	4.22
	07/02/98		7.92	3.39
	07/13/98		7.90	3.41
	09/28/98		7.73	3.58
	10/16/98		8.56	2.75
	01/08/99		7.31	4.00
	04/16/99		6.51	4.80
	06/21/99		7.80	3.51
	07/12/99		7.74	3.57
LF-26	04/24/96	12.90	7.90	5.00
	07/29/96		8.08	4.82
	12/13/96		6.75	6.15
	04/15/97		7.21	5.69
	09/19/97		7.61	5.29
	12/03/97		8.96	3.94

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-26	12/15/97	12.90	7.11	5.79
	01/13/98		4.05	8.85
	01/30/98		3.85	9.05
	02/24/98		3.89	9.01
	04/06/98		5.91	6.99
	07/02/98		8.12	4.78
	07/13/98		7.96	4.94
	09/28/98		9.07	3.83
	10/16/98		9.00	3.90
	01/08/99		6.61	6.29
	04/16/99		5.88	7.02
	06/21/99		8.39	4.51
	07/12/99		8.73	4.17
	10/08/99		9.44	3.46
LF-27	12/29/97	15.13	7.07	8.06
	01/30/98		6.25	8.88
	02/24/98		5.92	9.21
	04/06/98		6.67	8.46
	07/02/98		7.08	8.05
	07/13/98		7.38	7.75
	09/28/98		7.53	7.60
	10/16/98		7.70	7.43
	01/08/99		7.47	7.66
	04/16/99		6.83	8.30
	06/21/99		7.60	7.53
	07/12/99		7.71	7.42
	10/08/99		7.71	7.42
LF-28	12/29/97	14.39	7.52	6.87
	01/30/98		6.17	8.22
	02/24/98		5.51	8.88
	04/06/98		6.62	7.77
	07/02/98		7.37	7.02
	07/13/98		7.17	7.22
	09/28/98		7.72	6.67
	10/16/98		7.81	6.58
	01/08/99		7.18	7.21
	04/16/99		6.62	7.77

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-28	06/21/99	14.39	7.73	6.66
	07/12/99		7.90	6.49
	10/08/99		8.03	6.36
LF-29	12/29/97	13.70	6.79	6.91
	01/30/98		5.57	8.13
	02/24/98		4.95	8.75
	04/06/98		6.61	7.09
	07/02/98		6.95	6.75
	07/13/98		7.01	6.69
	09/28/98		7.22	6.48
	10/16/98		7.35	6.35
	01/08/99		7.10	6.60
	04/16/99		6.14	7.56
	06/21/99		7.26	6.44
	07/12/99		7.44	6.26
	10/08/99		7.53	6.17
LF-30	12/29/97	13.16	10.43	2.73
	01/30/98		9.24	3.92
	02/24/98		9.05	4.11
	04/06/98		6.14	7.02
	07/02/98		10.29	2.87
	07/13/98		10.21	2.95
	09/28/98		10.23	2.93
	10/16/98		10.21	2.95
	01/08/99		10.66	2.50
	04/16/99		10.25	2.91
	06/21/99		10.81	2.35
	07/12/99		10.58	2.58
	10/08/99		11.08	2.08
LF-31	06/21/99	15.70	9.06	6.64
LF-32		16.03	9.42	6.61
	07/12/99		9.62	6.41
LF-31		15.70	9.26	6.44
	10/08/99		9.40	6.30
LF-32		16.03	9.78	6.25
LF-33	06/21/99	15.85	9.28	6.57

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-33	07/12/99	15.85	9.51	6.34
	10/08/99		9.67	6.18
LF-34	06/21/99	16.26	9.74	6.52
	07/12/99		9.91	6.35
	10/08/99		10.08	6.18
LF-35	10/08/99	16.23	10.05	6.18
LF-B1	01/10/90 (a)	17.12	10.68	6.44
	01/18/90 (b)		10.24	6.88
	01/18/90 (c)		10.27	6.85
	01/30/91		10.77	6.35
	06/19/91	17.11	10.38	6.73
	12/16/91		10.32	6.79
	07/10/92		10.09	7.02
	12/30/92		9.54	7.57
	06/08/93		9.68	7.43
	01/05/94		NM	NM
LF-B2	01/10/90 (a)	11.23	4.25	6.98
	01/18/90 (b)		3.65	7.58
	01/18/90 (c)		3.66	7.57
	01/30/91		3.25	7.98
	06/19/91	9.72	NM	NM
	12/16/91		3.27	6.45
	07/10/92		3.20	6.52
	12/30/92		NM	NM
	06/08/93		2.96	6.76
	01/05/94		3.05	6.67
LF-B3	01/10/90 (a)	10.36	3.30	7.06
	01/18/90 (b)		2.79	7.57
	01/18/90 (c)		2.80	7.56
	01/30/91		3.88	6.48
	06/19/91	10.35	3.81	6.54
	12/16/91		3.89	6.46
	07/10/92		3.81	6.54
	12/30/92		3.03	7.32
	06/08/93		3.56	6.79

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-B3	01/05/94	10.35	3.68	6.67
	04/24/96	10.30	3.44	6.86
	07/29/96		4.12	6.18
	12/13/96		2.70	7.60
	04/15/97		3.95	6.35
	09/19/97		4.08	6.22
	12/03/97		3.10	7.20
	12/15/97		NM	NM
	01/13/98		2.54	7.76
	01/30/98		2.62	7.68
	02/24/98		1.70	8.60
	04/06/98		2.76	7.54
	07/02/98		3.86	6.44
	07/13/98		3.95	6.35
	09/28/98		4.21	6.09
	10/16/98		4.22	6.08
	01/08/99		4.01	6.29
	04/16/99		3.24	7.06
	06/21/99		4.41	5.89
	07/12/99		4.40	5.90
	10/08/99		4.59	5.71
LF-B4	01/30/91	14.54	6.88	7.66
	06/19/91		6.78	7.76
	12/16/91		6.85	7.69
	07/10/92		6.79	7.75
	12/30/92		6.17	8.37
	06/08/93		6.53	8.01
	01/05/94		6.62	7.92
	04/24/96	14.55	6.39	8.16
	07/29/96		6.97	7.58
	12/13/96		5.64	8.91
	04/15/97		6.68	7.87
	09/19/97		6.75	7.80
	12/03/97		5.90	8.65
	12/15/97		5.89	8.66
	01/13/98		5.45	9.10
	01/30/98		5.69	8.86

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-B4	02/24/98	14.55	5.26	9.29
	04/06/98		5.99	8.56
	07/02/98		6.61	7.94
	07/13/98		6.67	7.88
	09/28/98		6.85	7.70
	10/16/98		6.99	7.56
	01/08/99		6.85	7.70
	04/16/99		6.35	8.20
	06/21/99		7.18	7.37
	07/12/99		7.22	7.33
	10/08/99		7.11	7.44
LF-B5	04/24/96	18.29	10.35	7.94
	07/29/96		11.03	7.26
	12/13/96		9.25	9.04
	04/15/97		10.68	7.61
	09/19/97		10.78	7.51
	12/03/97		9.94	8.35
	12/15/97		2.88	15.41
	01/13/98		9.33	8.96
	01/30/98		9.48	8.81
	02/24/98		9.07	9.22
	04/06/98		9.93	8.36
	07/02/98		10.67	7.62
	07/13/98		10.71	7.58
	09/28/98		10.95	7.34
	10/16/98		11.07	7.22
	01/08/99		11.31	6.98
	04/16/99		10.78	7.51
	06/21/99		11.54	6.75
	07/12/99		11.36	6.93
	10/08/99		11.63	6.66
LF-B6	04/24/96	11.99	5.12	6.87
	07/29/96		5.81	6.18
	12/13/96		4.33	7.66
	04/15/97		5.61	6.38
	09/19/97		5.75	6.24
	12/03/97		4.82	7.17

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-B6	12/15/97	11.99	4.71	7.28
	01/13/98		4.25	7.74
	01/30/98		5.41	6.58
	02/24/98		3.83	8.16
	04/06/98		4.67	7.32
	07/02/98		5.54	6.45
	07/13/98		5.61	6.38
	09/28/98		5.87	6.12
	10/16/98		5.89	6.10
	01/08/99		5.65	6.34
	04/16/99		4.97	7.02
	06/21/99		6.00	5.99
	07/12/99		6.10	5.89
	10/08/99		6.27	5.72
LF-PZ1	12/15/97	14.92	6.13	8.79
	01/13/98		4.94	9.98
	01/30/98		5.20	9.72
	02/24/98		4.77	10.15
	04/06/98		6.67	8.25
	07/02/98		8.62	6.30
	07/13/98		9.05	5.87
	09/28/98		9.20	5.72
	10/16/98		9.33	5.59
	01/08/99		9.04	5.88
	04/16/99		7.93	6.99
	06/21/99		10.34	4.58
	07/12/99		10.51	4.41
	10/08/99		10.46	4.46
LF-PZ2	12/15/97	18.04	9.32	8.72
	01/13/98		10.11	7.93
	01/30/98		9.43	8.61
	02/24/98		8.76	9.28
	04/06/98		9.79	8.25
	07/02/98		10.55	7.49
	07/13/98		10.66	7.38
	09/28/98		11.12	6.92
	10/16/98		11.22	6.82

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-PZ2	01/08/99	18.04	10.90	7.14
	04/16/99		9.82	8.22
	06/21/99		11.02	7.02
	07/12/99		11.30	6.74
	10/08/99		11.59	6.45
LF-PZ3	12/15/97	18.00	9.45	8.55
	01/13/98		8.31	9.69
	01/30/98		8.46	9.54
	02/24/98		7.81	10.19
	04/06/98		9.95	8.05
	07/02/98		11.29	6.71
	07/13/98		11.33	6.67
	09/28/98		11.72	6.28
	10/16/98		11.96	6.04
	01/08/99		11.25	6.75
	04/16/99		10.70	7.30
	06/21/99		12.38	5.62
	07/12/99		12.42	5.58
	10/08/99		12.74	5.26
LF-PZ4	12/15/97	18.99	10.98	8.01
	01/13/98		10.57	8.42
	01/30/98		10.50	8.49
	02/24/98		10.05	8.94
	04/06/98		10.94	8.05
	07/02/98		11.65	7.34
	07/13/98		11.74	7.25
	09/28/98		12.01	6.98
	10/16/98		12.11	6.88
	01/08/99		11.82	7.17
	04/16/99		11.17	7.82
	06/21/99		12.11	6.88
	07/12/99		12.28	6.71
	10/08/99		12.40	6.59
LF-PZ5	12/15/97	18.75	10.28	8.47
	01/13/98		10.04	8.71
	01/30/98		9.44	9.31

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-PZ5	02/24/98	18.75	8.72	10.03
	04/06/98		10.45	8.30
	07/02/98		11.50	7.25
	07/13/98		11.60	7.15
	09/28/98		11.83	6.92
	10/16/98		11.95	6.80
	01/08/99		11.81	6.94
	04/16/99		11.35	7.40
	06/21/99		12.50	6.25
	07/12/99		12.42	6.33
	10/08/99		12.81	5.94
LF-PZ6	12/15/97	18.44	9.81	8.63
	01/13/98		9.13	9.31
	01/30/98		8.97	9.47
	02/24/98		8.32	10.12
	04/06/98		10.08	8.36
	07/02/98		11.51	6.93
	07/13/98		11.67	6.77
	09/28/98		11.78	6.66
	10/16/98		12.00	6.44
	01/08/99		11.50	6.94
	04/16/99		11.19	7.25
	06/21/99		12.35	6.09
	07/12/99		12.31	6.13
	10/08/99		12.70	5.74
LF-PZ7	12/15/97	19.05	10.01	9.04
	01/13/98		9.51	9.54
	01/30/98		9.78	9.27
	02/24/98		9.62	9.43
	04/06/98		10.21	8.84
	07/02/98		10.89	8.16
	07/13/98	19.04	10.92	8.12
	09/28/98		11.07	7.97
	10/16/98		11.25	7.79
	01/08/99		10.99	8.05
	04/16/99		10.29	8.75
	06/21/99		11.09	7.95

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-PZ7	07/12/99	19.04	11.18	7.86
	10/08/99		11.17	7.87
LF-PZ8	12/15/97	17.03	8.35	8.68
	01/13/98		7.23	9.80
	01/30/98		7.46	9.57
	02/24/98		6.90	10.13
	04/06/98		8.94	8.09
	07/02/98		10.74	6.29
	07/13/98		10.91	6.12
	09/28/98		11.14	5.89
	10/16/98		11.29	5.74
	01/08/99		10.72	6.31
	04/16/99		10.03	7.00
	06/21/99		11.71	5.32
	07/12/99		11.83	5.20
	10/08/99		12.07	4.96
LF-PZ9	12/15/97	12.76	3.91	8.85
	01/13/98		2.66	10.10
	01/30/98		3.09	9.67
	02/24/98		2.64	10.12
	04/06/98		4.41	8.35
	07/02/98		6.34	6.42
	07/13/98		6.46	6.30
	09/28/98		6.62	6.14
	10/16/98		6.75	6.01
	01/08/99		6.93	5.83
	04/16/99		6.29	6.47
	06/21/99		7.90	4.86
	07/12/99		8.04	4.72
	10/08/99		7.89	4.87
LF-PZ10	12/15/97	12.26	3.49	8.77
	01/13/98		2.33	9.93
	01/30/98		2.69	9.57
	02/24/98		2.31	9.95
	04/06/98		4.27	7.99
	07/02/98		6.11	6.15

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-PZ10	07/13/98	12.26	6.29	5.97
	09/28/98		6.52	5.74
	10/16/98		6.66	5.60
	01/08/99		6.22	6.04
	04/16/99		5.34	6.92
	06/21/99		7.72	4.54
	07/12/99		7.90	4.36
	10/08/99		7.95	4.31
LF-PZ11	12/15/97	12.79	5.92	6.87
	01/13/98		3.77	9.02
	01/30/98		4.41	8.38
	02/24/98		4.04	8.75
	04/06/98		5.15	7.64
	07/02/98		5.85	6.94
	07/13/98		5.88	6.91
	09/28/98		6.14	6.65
	10/16/98		6.22	6.57
	01/08/99		5.81	6.98
	04/16/99		4.78	8.01
	06/21/99		6.19	6.60
	07/12/99		6.21	6.58
	10/08/99		6.15	6.64
LF-PZ12	12/15/97	11.01	4.38	6.63
	01/13/98		3.67	7.34
	01/30/98		4.04	6.97
	02/24/98		3.68	7.33
	04/07/98		4.61	6.40
	07/02/98		5.21	5.80
	07/13/98		5.23	5.78
	09/28/98		5.38	5.63
	10/16/98		5.38	5.63
	01/08/99		4.89	6.12
	04/16/99		3.64	7.37
	06/21/99		5.37	5.64
	07/12/99		5.36	5.65
	10/08/99		5.28	5.73

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-PZ13	12/15/97	10.93	2.78	8.15
	01/13/98		1.78	9.15
	01/30/98		2.05	8.88
	02/24/98		2.01	8.92
	04/07/98		4.03	6.90
	07/02/98		5.76	5.17
	07/13/98		5.87	5.06
	09/28/98		6.41	4.52
	10/16/98		6.55	4.38
	01/08/99		4.80	6.13
	04/16/99		3.80	7.13
	06/21/99		7.45	3.48
	07/12/99		7.56	3.37
	10/08/99		7.60	3.33
LF-PZ14	12/15/97	10.21	2.05	8.16
	01/13/98		1.02	9.19
	01/30/98		1.23	8.98
	02/24/98		1.35	8.86
	04/06/98		3.46	6.75
	07/02/98		5.20	5.01
	07/13/98		5.29	4.92
	09/28/98		5.86	4.35
	10/16/98		6.01	4.20
	01/08/99		4.09	6.12
	04/16/99		3.19	7.02
	06/21/99		7.07	3.14
	07/12/99		7.07	3.14
	10/08/99		7.15	3.06
LF-PZ15	12/15/97	14.33	5.84	8.49
	01/13/98		4.81	9.52
	01/30/98		4.91	9.42
	02/24/98		5.09	9.24
	04/06/98		7.25	7.08
	07/02/98		9.37	4.96
	07/13/98		9.57	4.76
	09/28/98		10.00	4.33
	10/16/98		10.17	4.16

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-PZ15	01/08/99	14.33	8.15	6.18
	04/16/99		7.30	7.03
	06/21/99		9.87	4.46
	07/12/99		10.19	4.14
	10/08/99		10.64	3.69
LF-PZ16	12/15/97	11.03	2.52	8.51
	01/13/98		1.35	9.68
	01/30/98		1.61	9.42
	02/24/98		2.41	8.62
	04/06/98		3.99	7.04
	07/02/98		6.55	4.48
	07/13/98		6.50	4.53
	09/28/98		7.33	3.70
	10/16/98		7.46	3.57
	01/08/99		5.10	5.93
	04/16/99		4.09	6.94
	06/21/99		7.90	3.13
	07/12/99		8.28	2.75
	10/08/99		8.28	2.75
LF-PZ17	12/15/97	10.12	1.72	8.40
	01/13/98		0.62	9.50
	01/30/98		0.82	9.30
	02/24/98		1.16	8.96
	04/06/98		3.54	6.58
	07/02/98		5.36	4.76
	07/13/98		5.41	4.71
	09/28/98		6.05	4.07
	10/16/98		6.19	3.93
	01/08/99		3.92	6.20
	04/16/99		3.37	6.75
	06/21/99		7.09	3.03
	07/12/99		7.14	2.98
	10/08/99		7.21	2.91
LF-PZ18	12/15/97	13.01	5.85	7.16
	01/13/98		4.77	8.24
	01/30/98		4.78	8.23

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-PZ18	02/24/98	13.01	4.66	8.35
	04/06/98		6.17	6.84
	07/02/98		7.66	5.35
	07/13/98		7.87	5.14
	09/28/98		8.34	4.67
	10/16/98		8.18	4.83
	01/08/99		6.55	6.46
	04/16/99		5.37	7.64
	06/21/99		7.08	5.93
	07/12/99		7.66	5.35
	10/08/99		8.91	4.10
LF-PZ19	12/15/97	14.64	5.16	9.48
	01/13/98		4.11	10.53
	01/30/98		4.19	10.45
	02/24/98		5.08	9.56
	04/06/98		6.61	8.03
	07/02/98		8.95	5.69
	07/13/98	13.67	9.29	4.38
	09/28/98		9.69	3.98
	10/16/98		8.83	4.84
	01/08/99		7.48	6.19
	04/16/99		6.82	6.85
	06/21/99		9.52	4.15
	07/12/99		9.81	3.86
	10/08/99		10.23	3.44
LF-PZ20	12/15/97	13.45	5.78	7.67
	01/13/98		3.81	9.64
	01/30/98		5.28	8.17
	02/24/98		3.21	10.24
	04/06/98		4.97	8.48
	07/02/98		6.61	6.84
	07/13/98		7.83	5.62
	09/28/98		6.85	6.60
	10/16/98		7.12	6.33
	01/08/99		6.53	6.92
	04/16/99		5.39	8.06
	06/21/99		7.24	6.21

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
LF-PZ20	07/12/99	13.45	7.45	6.00
	10/08/99		7.60	5.85
LF-PZ21	06/21/99	12.00	7.23	4.77
	07/12/99		7.61	4.39
	10/08/99		7.80	4.20
LF-PZ22	06/21/99	12.26	5.58	6.68
	07/12/99		5.96	6.30
	10/08/99		6.10	6.16
LF-PZ23	06/21/99	15.64	8.71	6.93
	07/12/99		8.83	6.81
	10/08/99		8.95	6.69
LF-PZ24	06/21/99	16.27	9.74	6.53
	07/12/99		9.91	6.36
	10/08/99		10.00	6.27
LF-PZ25	06/21/99	16.36	9.77	6.59
	07/12/99		9.96	6.40
	10/08/99		10.14	6.22
LF-PZ26	10/08/99	18.70	12.39	6.31
MW-1	01/09/95	13.79	5.14	8.65
	01/27/95		4.78	9.01
	02/17/95		6.73	7.06
	04/13/95		6.63	7.16
	06/08/95		6.98	6.81
	08/09/95		7.50	6.29
	11/17/95		8.00	5.79
	01/09/96	13.78	7.19	6.59
	04/24/96		6.93	6.85
	07/29/96		7.76	6.02
	12/13/96		5.19	8.59
	04/15/97		7.34	6.44
	09/19/97		7.56	6.22
	12/03/97		6.50	7.28
	12/15/97		6.47	7.31

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
MW-1	01/13/98	13.78	5.80	7.98
	01/30/98		5.90	7.88
	02/24/98		5.24	8.54
	04/06/98		6.37	7.41
	07/02/98		7.11	6.67
	07/13/98		7.19	6.59
	09/28/98		7.44	6.34
	10/16/98		7.53	6.25
	01/08/99		7.30	6.48
	04/16/99		6.34	7.44
	06/21/99		7.40	6.38
	07/12/99		7.56	6.22
	10/08/99		7.72	6.06
MW-2	01/09/95	13.59	4.93	8.66
	01/27/95		4.53	9.06
	02/17/95		6.58	7.01
	04/13/95		6.46	7.13
	06/08/95		6.82	6.77
	08/09/95	13.39	7.31	6.08
	11/17/95		8.12	5.27
	01/09/96	13.58	7.04	6.54
	04/24/96		6.56	7.02
	07/29/96		7.59	5.99
	12/13/96		5.04	8.54
	04/15/97		7.17	6.41
	09/19/97		7.41	6.17
	12/03/97		6.33	7.25
	12/15/97		6.26	7.32
	01/13/98		5.47	8.11
	01/30/98		5.65	7.93
	02/24/98		5.06	8.52
	04/06/98		6.17	7.41
	07/02/98		6.79	6.79
	07/13/98		7.02	6.56
	09/28/98		7.27	6.31
	10/16/98		7.35	6.23
	01/08/99		7.12	6.46

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
MW-2	04/16/99	13.58	6.32	7.26
	06/21/99		7.21	6.37
	07/12/99		7.38	6.20
	10/08/99		7.55	6.03
MW-3	01/09/95	14.64	5.38	9.26
	01/27/95		4.66	9.98
	02/17/95		7.01	7.63
	04/13/95		6.93	7.71
	06/08/95		7.39	7.25
	08/09/95		7.89	6.75
	11/17/95		8.40	6.24
	01/09/96	14.60	7.48	7.12
	04/24/96		7.19	7.41
	07/29/96		8.08	6.52
	12/13/96		5.33	9.27
	04/15/97		7.70	6.90
	09/19/97		7.93	6.67
	12/03/97		6.77	7.83
	12/15/97		6.81	7.79
	01/13/98		6.19	8.41
	01/30/98		6.29	8.31
	02/24/98		5.61	8.99
	04/06/98		6.76	7.84
	07/02/98		7.49	7.11
	07/13/98		7.60	7.00
	09/28/98		7.87	6.73
	10/16/98		7.96	6.64
	01/08/99		7.71	6.89
	04/16/99		6.79	7.81
	06/21/99		7.89	6.71
	07/12/99		8.06	6.54
	10/08/99		8.18	6.42
MW-4	01/09/95	15.55	6.87	8.68
	01/27/95		6.75	8.80
	02/17/95		7.24	8.31
	04/13/95		7.42	8.13
	06/08/95		7.64	7.91

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
MW-4	08/09/95	15.35	7.93	7.42
	11/17/95		8.67	6.68
	01/09/96	15.53	8.12	7.41
	04/24/96		7.72	7.81
	07/29/96		8.29	7.24
	12/13/96		6.75	8.78
	04/15/97		NM	NM
	09/19/97		7.76	7.77
	12/03/97		NM	NM
	12/15/97		7.08	8.45
	01/13/98		7.28	8.25
	01/30/98		6.78	8.75
	02/24/98		6.13	9.40
	04/06/98		7.13	8.40
	07/02/98		7.80	7.73
	07/13/98	15.56	7.89	7.67
	09/28/98		8.29	7.27
	10/16/98		8.40	7.16
	01/08/99		7.71	7.85
	04/16/99		7.42	8.14
	06/21/99		8.16	7.40
	07/12/99		8.29	7.27
	10/08/99		8.79	6.77
MW-5	01/09/95	15.27	6.14	9.13
	01/27/95		5.71	9.56
	02/17/95		6.59	8.68
	04/13/95		6.55	8.72
	06/08/95		7.44	7.83
	08/09/95	15.87	7.87	8.00
	11/17/95		8.65	7.22
	01/09/96	15.24	7.93	7.31
	04/24/96		7.49	7.75
	07/29/96		8.24	7.00
	12/13/96		6.97	8.27
	04/15/97		NM	NM
	09/19/97		8.11	7.13
	12/03/97		7.68	7.56

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
MW-5	12/15/97	15.24	7.61	7.63
	01/13/98		7.48	7.76
	01/30/98		6.82	8.42
	02/24/98		5.98	9.26
	04/06/98		7.16	8.08
	07/02/98		7.85	7.39
	07/13/98	15.27	7.96	7.31
	09/28/98		8.37	6.90
	10/16/98		8.46	6.81
	01/08/99		8.25	7.02
	04/16/99		7.17	8.10
	06/21/99		8.30	6.97
	07/12/99		8.61	6.66
	10/08/99		8.82	6.45
RP-1	09/08/94	15.12	8.65	6.47
	01/27/95	15.14	5.96	9.18
	02/17/95		7.46	7.68
	02/28/95		7.83	7.31
	04/13/95		7.43	7.71
	05/10/95		7.53	7.61
	08/09/95		8.39	6.75
	11/17/95		8.91	6.23
	01/09/96		7.95	7.19
	04/24/96		7.81	7.33
	07/29/96		8.58	6.56
	12/13/96		6	9.14
	04/15/97		8.18	6.96
	09/19/97		8.46	6.68
	12/03/97		7.45	7.69
	12/15/97		7.41	7.73
	01/13/98		7.02	8.12
	01/30/98		6.88	8.26
	02/24/98		6.18	8.96
	04/06/98		7.32	7.82
	07/02/98		8.03	7.11
	07/13/98		8.14	7.00
	09/28/98		8.42	6.72

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
RP-1	10/16/98	15.14	8.50	6.64
	01/08/99		8.26	6.88
	04/16/99		7.33	7.81
	06/21/99		8.43	6.71
	07/12/99		8.63	6.51
	10/08/99		8.99	6.15
RP-2	09/08/94	15.23	8.99	6.24
	01/09/95	15.24	6.40	8.84
	01/27/95		5.95	9.29
	02/17/95		7.76	7.48
	02/28/95		8.11	7.13
	04/13/95		7.69	7.55
	05/10/95		7.77	7.47
	08/09/95		8.67	6.57
	11/17/95		9.27	5.97
	01/09/96		8.27	6.97
	04/24/96		8.04	7.20
	07/29/96		8.89	6.35
	12/13/96		6.20	9.04
	04/15/97		8.46	6.78
	09/19/97		8.74	6.50
	12/03/97		7.74	7.50
	12/15/97		7.66	7.58
	01/13/98		7.14	8.10
	01/30/98		7.10	8.14
	02/24/98		6.40	8.84
	04/06/98		7.57	7.67
	07/02/98		8.27	6.97
	07/13/98		8.37	6.87
	09/28/98		8.65	6.59
	10/16/98		8.42	6.82
	01/08/99		8.44	6.80
	04/16/99		7.53	7.71
	06/21/99		8.64	6.60
	07/12/99		8.82	6.42
	10/08/99		9.00	6.24
RP-3	09/08/94	15.15	8.80	6.35

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
RP-3	01/09/95	15.17	6.55	8.62
	01/27/95		6.12	9.05
	02/17/95		7.45	7.72
	02/28/95		7.87	7.30
	04/13/95		7.44	7.73
	05/10/95		7.61	7.56
	08/09/95		8.48	6.69
	11/17/95		9.09	6.08
	01/09/96		8.07	7.10
	04/24/96		7.92	7.25
	07/29/96		8.71	6.46
	12/13/96		6.03	9.14
	04/15/97		8.27	6.90
	09/19/97		8.58	6.59
	12/03/97		7.65	7.52
	12/15/97		7.58	7.59
	01/13/98		7.23	7.94
	01/30/98		6.97	8.20
	02/24/98		6.22	8.95
	04/06/98		7.43	7.74
	07/02/98		8.12	7.05
	07/13/98		8.23	6.94
	09/28/98		8.53	6.64
	10/16/98		8.61	6.56
	01/08/99		8.25	6.92
	04/16/99		7.40	7.77
	06/21/99		8.51	6.66
	07/12/99		8.75	6.42
	10/08/99		9.09	6.08
RP-4	09/08/94	15.10	9.02	6.08
	01/09/95	15.12	6.31	8.81
	01/27/95		5.97	9.15
	02/17/95		7.79	7.33
	02/28/95		8.13	6.99
	04/13/95		7.69	7.43
	05/10/95		7.77	7.35
	08/09/95		8.65	6.47

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
RP-4	11/17/95	15.12	9.28	5.84
	01/09/96	15.13	8.28	6.85
	04/24/96		8.05	7.08
	07/29/96		8.88	6.25
	12/13/96		6.12	9.01
	04/15/97		8.44	6.69
	09/19/97		8.72	6.41
	12/03/97		7.75	7.38
	12/15/97		7.62	7.51
	01/13/98		7.05	8.08
	01/30/98		7.02	8.11
	02/24/98		6.39	8.74
	04/06/98		7.50	7.63
	07/02/98		8.23	6.90
	07/13/98		8.34	6.79
	09/28/98		8.61	6.52
	10/16/98		8.70	6.43
	01/08/99		8.43	6.70
	04/16/99		7.49	7.64
	06/21/99		8.59	6.54
	07/12/99		8.77	6.36
	10/08/99		8.94	6.19
RP-5	09/08/94	15.03	8.95	6.08
	01/09/95	15.04	6.22	8.82
	01/27/95		5.93	9.11
	02/17/95		7.71	7.33
	02/28/95		8.06	6.98
	04/13/95		7.56	7.48
	05/10/95		7.69	7.35
	08/09/95		8.57	6.47
	11/17/95		9.23	5.81
	01/09/96		8.21	6.83
	04/24/96		7.96	7.08
	07/29/96		8.81	6.23
	12/13/96		5.93	9.11
	04/15/97		8.35	6.69
	09/19/97		8.64	6.40

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 1
Historical Groundwater Elevation Data Including October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date	Well Elevation	Measured Depth to Water (ft)	Groundwater Elevation
RP-5	12/03/97	15.04	7.64	7.40
	12/15/97		7.55	7.49
	01/13/98		7.02	8.02
	01/30/98		6.97	8.07
	02/24/98		6.27	8.77
	04/06/98		7.44	7.60
	07/02/98		8.16	6.88
	07/13/98		8.26	6.78
	09/28/98		8.54	6.50
	10/16/98		8.62	6.42
	01/08/99		8.37	6.67
	04/16/99		7.43	7.61
	06/21/99		8.51	6.53
	07/12/99		8.70	6.34
	10/08/99		8.90	6.14
RP-BW-02	10/08/99	15.97	9.89	6.08
SA-AW-01	10/08/99	9.63	3.79	5.84
SA-AW-03	10/08/99	8.75	2.55	6.20
SA-AW-04	10/08/99	10.02	2.75	7.27
SA-AW-05	10/08/99	12.72	5.20	7.52
SA-BW-01	10/08/99	10.07	4.64	5.43

Data entered by LXG. Proofed by JTS.

Notes: (a) Measurement taken at higher high tide
(b) Measurement taken at lower low tide
(c) Measurement taken at lower high tide
nm = No measurement

Table 2
Horizontal Groundwater Potential Differences Across the Slurry Wall
The Sherwin-Williams Company
Emeryville, California

Go Back

Well Number	Date Measured	Groundwater Elevation (ft)	Horizontal Distance Between Center of Well Screens (ft)	Groundwater Potential Difference (ft/ft) (a)
LF-7	10/08/99	3.10		
LF-19	10/08/99	6.22	13.1	-0.24
LF-8	10/08/99	3.67		
LF-18	10/08/99	3.80	7.7	-0.02
LF-26	10/08/99	3.46		
LF-20	10/08/99	3.76	20.5	-0.01
LF-10	10/08/99	2.82		
LF-21	10/08/99	5.36	30.5	-0.08
LF-PZ13	10/08/99	3.33		
LF-PZ12	10/08/99	5.73	16.5	-0.15
LF-17	10/08/99	4.56		
LF-3	10/08/99	6.09	27.2	-0.06
LF-PZ9	10/08/99	4.87		
LF-PZ11	10/08/99	6.64	17.5	-0.10
LF-PZ26	10/08/99	6.31		
LF-PZ7	10/08/99	7.87	17.0	-0.09
LF-22	10/08/99	5.96		
LF-12	10/08/99	7.71	38.3	-0.05
LF-PZ3	10/08/99	5.26		
LF-PZ2	10/08/99	6.45	16.3	-0.07
LF-PZ5	10/08/99	5.94		
LF-PZ4	10/08/99	6.59	14.9	-0.04
LF-PZ21	10/08/99	4.20		
LF-PZ22	10/08/99	6.16	12.0	-0.16

Notes:
(a) Positive potential indicates outward hydraulic gradient; negative potential indicates inward hydraulic gradient
(b) Less than 0.01 ft/ft potential difference

Data entered by LXG. Proofed by JTS.

Table 3
Vertical Groundwater Potential Differences Across the A- and B-Aquifer Zones
The Sherwin-Williams Company
Emeryville, California

Go Back

Well Number	Date Measured	Groundwater Elevation (ft)	Vertical Distance Between Center of Well Screens (ft)	Groundwater Potential Difference (ft/ft) (a)
LF-B3	10/08/99	5.71		
LF-10	10/08/99	2.82	26.4	+0.11
LF-B4	10/08/99	7.44		
LF-12	10/08/99	7.71	30.5	-0.01
LF-B5 (b)	10/08/99	6.66		
LF-PZ5	10/08/99	5.94	24.3	+0.03
LF-B6	10/08/99	5.72		
LF-7	10/08/99	3.10	21.2	+0.12
RP-BW-02	10/08/99	6.08		
MW-5	10/08/99	6.45	30.0	-0.01
SA-BW-01	10/08/99	5.43		
SA-AW-01	10/08/99	5.84	31.0	-0.01

Notes:
(a) Positive potential indicates upward hydraulic gradient; negative potential indicates downward hydraulic gradient
(b) Groundwater elevations in LF-B5 may not represent the B-zone groundwater elevations because LF-B5 is screened in the aquitard between the A and B zones
(c) Less than 0.01 ft/ft potential difference

Data entered by LXG. Proofed by JTS.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Go Back

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-1	01-Jun-89	<0.2	<0.2	na	15	30	<0.2	<0.2	na	na	0.9	20	<0.2	6	na	<0.2	na	3.6
LF-1	07-Dec-89	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	0.002	<0.001	na	<0.001	na	0.04
LF-1	20-Jul-90	<0.001	<0.001	na	<0.001	0.45	0.002	<0.001	na	0.001	<0.001	0.2	0.005	0.018	na	0.004	na	0.16
LF-1	21-Jun-91	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	0.019	<0.02	0.002	<0.005	na	<0.005	na	0.01
LF-1	09-Jul-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	0.008	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-1	09-Jun-93	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-1	Destroyed under permit																	
LF-2	02-Jun-89	<0.005	<0.005	na	<0.005	<0.05	0.015	<0.005	na	na	0.015	<0.1	<0.005	<0.005	na	<0.005	na	0.3
LF-2	07-Dec-89	<0.02	<0.02	na	<0.02	0.35	<0.02	<0.02	na	na	<0.02	<0.4	<0.02	0.029	na	<0.02	na	0.84
LF-2	20-Jul-90	<0.05	<0.05	na	12	<0.5	<0.05	0.050	na	na	0.066	8.8	<0.05	0.051	na	<0.05	na	0.91
LF-2	Destroyed or lost during slurry wall and cap construction activities																	
LF-3	02-Jun-89	<0.1	<0.1	na	<0.1	<1	<0.1	<0.1	na	na	2.5	<2	<0.1	17	na	<0.1	na	12
LF-3	07-Dec-89	<0.5	<0.5	na	<0.5	<5	<0.5	<0.5	na	na	6.3	<10	<0.5	77	na	<0.5	na	32
LF-3	20-Jul-90	<0.05	<0.05	na	1.9	10	0.11	<0.05	na	na	5	7.7	<0.05	52	na	<0.05	na	22
LF-3	21-Jun-91	<1	<1	na	<2	9.9	<1	<1	na	na	7.5	8.2	<1	62	na	<1	na	44
LF-3	09-Jul-92	<2.5	<2.5	na	<5	<10	<2.5	<2.5	na	na	8.9	<10	<2.5	92	na	<2.5	na	43
DUP	09-Jul-92	<5	<5	na	<10	<20	<5	<5	na	na	8.8	<20	<5	100	na	<5	na	45
LF-3	09-Jun-93	<2.5	<2.5	na	<5	<10	<2.5	<2.5	na	na	9.8	<10	<2.5	120	na	<2.5	na	48
DUP	09-Jun-93	<2.5	<2.5	na	<5	<10	<2.5	<2.5	na	na	7.6	<10	<2.5	110	na	<2.5	na	37
LF-3	16-Apr-96	<3	<3	<3	<30	<50	<3	<3	<3	<3	5.5	<50	<3	45	<3	<3	<5	27
LF-3	31-Jul-96	<3	<3	<3	<30	<50	<3	<3	<3	<3	4.5	<50	<3	44	<3	<3	<5	24
LF-3	20-Nov-96	<3	<3	<3	<30	<50	<3	<3	<3	<3	4	<50	<3	41	<3	<3	<5	12
LF-3	19-Mar-97	<3	<3	<3	<30	<50	<3	<3	<3	<3	3	<50	<3	43	<3	<3	<5	16
LF-3	12-Jun-97	<3	<3	<3	<30	<50	<3	<3	<3	<3	7	<50	<3	70	<3	<3	<5	31
LF-3	19-Aug-97	<5	<5	<5	<50	<100	<5	<5	<5	<5	6	<100	<5	91	<5	<5	<10	31
LF-3	17-Dec-97	<5	<5	<5	<50	<100	<5	<5	<5	<5	<5	<100	<5	40	<5	<5	<10	<10
DUP	17-Dec-97	<5	<5	<5	<50	<100	<5	<5	<5	<5	<5	<100	<5	38	<5	<5	<10	<10
LF-3	02-Mar-98	<0.5	<0.5	<0.5	<10	<10	<0.5	<0.5	<0.5	<0.5	3	<10	<0.5	67.8	<0.5	<0.5	<1	15.9
LF-3	10-Apr-98	<0.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<0.5	<0.5	0.59	<2.5	<0.5	17 J4	<0.5	<0.5	<0.5	2.9
LF-3	16-Jul-98	<2.5	<2.5	<2.5	<12	<12	<2.5	<2.5	<2.5	<2.5	3.6	<12	<2.5	52	<2.5	<2.5	<2.5	17
LF-3	19-Oct-98	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<12 UJ2	<12 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	4.6 J2	<12 UJ2	<2.5 UJ2	57 J2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2
LF-3	15-Jan-99	<0.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<0.5	<0.5	2.8	<2.5	<0.5	52	<0.5	<0.5	<0.5	13.4
DUP	15-Jan-99	<0.5	<0.5	<0.5	<2.5	<2.5	<0.5	<0.5	<0.5	<0.5	2.6	<2.5	<0.5	58	<0.5	<0.5	<0.5	13.5

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,1-DCE	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-1	01-Jun-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-1	07-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-1	20-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-1	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-1	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-1	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-1	Destroyed under permit																
LF-2	02-Jun-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-2	07-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-2	20-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-2	Destroyed or lost during slurry wall and cap construction activities																
LF-3	02-Jun-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-3	07-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-3	20-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-3	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-3	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-3	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-3	16-Apr-96	<3	<3	<0.1	<3	<3	na	na	na	<30	na	<5	<5	<5	na	na	na
LF-3	31-Jul-96	<3	<3	na	<3	<3	na	na	na	<30	na	<5	<5	<5	na	na	na
LF-3	20-Nov-96	<3	<3	na	<3	<3	na	na	na	<30	na	<5	<5	<5	na	na	na
LF-3	19-Mar-97	<3	<3	na	<3	<3	na	na	na	<30	na	<5	<5	<5	na	na	na
LF-3	12-Jun-97	<3	<3	na	<3	<3	na	na	na	<30	na	<5	<5	<5	na	na	na
LF-3	19-Aug-97	<5	<5	na	<5	<5	na	na	na	<50	na	<10	<10	<10	na	na	na
LF-3	17-Dec-97	<5	<5	na	<5	<5	na	na	na	<50	na	<10	<10	<10	na	na	na
DUP	17-Dec-97	<5	<5	na	<5	<5	na	na	na	<50	na	<10	<10	<10	na	na	na
LF-3	02-Mar-98	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<1	<1	<0.5	<0.5
LF-3	10-Apr-98	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
LF-3	16-Jul-98	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<12	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
LF-3	19-Oct-98	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<12 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2
LF-3	15-Jan-99	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
DUP	15-Jan-99	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-1	01-Jun-89	na	na	0.018	na	na	na
LF-1	07-Dec-89	na	na	<0.004	na	na	na
LF-1	20-Jul-90	na	na	<0.002	na	na	na
LF-1	21-Jun-91	na	na	<0.011	na	na	na
LF-1	09-Jul-92	na	na	<0.01	na	na	na
LF-1	09-Jun-93	na	na	<0.01	na	na	na
LF-1	Destroyed under permit						
LF-2	02-Jun-89	na	na	0.65	na	na	na
LF-2	07-Dec-89	na	na	0.32	na	na	na
LF-2	20-Jul-90	na	na	0.33	na	na	na
LF-2	Destroyed or lost during slurry wall and cap construction activities						
LF-3	02-Jun-89	na	na	0.091	na	na	na
LF-3	07-Dec-89	na	na	0.14	na	na	na
LF-3	20-Jul-90	na	na	0.16	na	na	na
LF-3	21-Jun-91	na	na	0.11	na	na	na
LF-3	09-Jul-92	na	na	0.150	na	na	na
DUP	09-Jul-92	na	na	0.140	na	na	na
LF-3	09-Jun-93	na	na	0.170	na	na	na
DUP	09-Jun-93	na	na	0.160	na	na	na
LF-3	16-Apr-96	na	na	<0.1	<3	na	na
LF-3	31-Jul-96	na	na	na	<3	na	na
LF-3	20-Nov-96	na	na	na	<3	na	na
LF-3	19-Mar-97	na	na	na	<3	na	na
LF-3	12-Jun-97	na	na	na	<3	na	na
LF-3	19-Aug-97	na	na	na	<5	na	na
LF-3	17-Dec-97	na	na	na	<5	na	na
DUP	17-Dec-97	na	na	na	<5	na	na
LF-3	02-Mar-98	<0.5	<0.5	<2.5	<0.5	<0.5	<0.5
LF-3	10-Apr-98	na	<0.5	<0.5	<0.5	<0.5	<0.5
LF-3	16-Jul-98	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
LF-3	19-Oct-98	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2	<2.5 UJ2
LF-3	15-Jan-99	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
DUP	15-Jan-99	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-3	22-Apr-99	<0.13	<0.13	<0.13	<0.63	<0.63	<0.13	<0.13	<0.13	0.1 J11	1	<0.63	<0.13	23	<0.13	<0.13	<0.13	4.8
LF-3	19-Jul-99	<0.2	<0.2	<0.2	<4	<4	<0.2	<0.2	<0.2	<0.2	4.1	<4	<0.2	56	<0.2	<0.2	<0.2	20
LF-3	12-Oct-99	<0.25	<0.25	<0.25	<5	<5	<0.25	<0.25	<0.25	<0.25	4.4	<5	<0.25	66	<0.25	<0.25	<0.25	22.2
LF-4	02-Jun-89	<0.02	<0.02	na	0.26	1.3	<0.2	<0.02	na	na	1.3	4.7	<0.02	<0.2	na	<0.02	na	3.8
DUP	02-Jun-89	<0.02	<0.02	na	0.28	1.3	<0.2	<0.02	na	na	1.7	4.7	<0.02	<0.02	na	<0.02	na	4.1
LF-4	06-Dec-89	<0.002	<0.002	na	<0.002	<0.02	<0.02	<0.002	na	na	0.2	<0.04	<0.002	<0.004	na	<0.002	na	0.65
DUP	06-Dec-89	<0.005	<0.005	na	<0.005	<0.05	<0.005	<0.005	na	na	0.25	<0.1	<0.005	<0.005	na	<0.005	na	0.75
LF-4	20-Jul-90	<0.1	<0.1	na	<0.1	<1	<1	<0.1	na	na	<0.1	<2	<0.1	<0.1	na	<0.1	na	0.38
LF-4	21-Jun-91	<0.01	<0.01	na	<0.02	0.079	0.039	0.005	na	na	0.058	<0.04	<0.01	0.007	na	<0.01	na	0.35
DUP	21-Jun-91	<0.01	<0.01	na	<0.02	<0.04	0.04	0.006	na	0.020	0.14	<0.04	<0.01	0.008	na	<0.01	na	0.38
LF-4	09-Jul-92	<0.005	<0.005	na	<0.01	<0.02	0.016	0.008	na	na	0.015	<0.02	<0.005	<0.005	na	<0.005	na	0.069
LF-4	09-Jun-93	<0.05	<0.05	na	<0.1	<0.2	0.051	<0.05	na	na	0.210	<0.2	<0.05	<0.05	na	<0.05	na	1.5
LF-4	02-Mar-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	0.0013	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
LF-4	09-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0039 J3	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-4	16-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0038	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-4	19-Oct-98	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.005 UJ2	<0.005 UJ2	<0.001 UJ2	0.0037 J2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.005 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2
LF-4	14-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	0.0007 J11	0.0045	<0.001	0.0007 J11	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-4	22-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	0.0007 J11	0.0051	<0.001	0.0009 J11	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.0005 J11
LF-4	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	0.0043	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
DUP	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	0.0042	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-4	15-Oct-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	0.0042	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-5	01-Jun-89	<1	<1	na	<2	220	<2	<1	na	na	2	390	<1	300	na	<2	na	8
LF-5	06-Dec-89	<1	<1	na	<1	51	<1	<1	na	na	<1	320	<1	310	na	<1	na	<1
LF-5	20-Jul-90	<1	<1	na	6.7	<10	<1	<1	na	na	1.1	170	<1	170	na	<1	na	2.6
LF-5	21-Jun-91	<5	<5	na	<10	<20	<5	<5	na	na	<5	<20	<5	200 GT	na	<5	na	5.4
LF-5	06-Aug-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-5	09-Jul-92	<5	<5	na	<10	<20	<5	<5	na	na	<5	<20	<5	150	na	<5	na	<5
LF-5	09-Jun-93	<2.5	<2.5	na	<5	<10	<2.5	<2.5	na	na	<2.5	<10	<2.5	83	na	<2.5	na	4.5
LF-5	Destroyed or lost during slurry wall and cap construction activities																	
LF-6	01-Jun-89	<0.2	<0.2	na	<1	280	<1	<0.2	na	na	6	470	<0.2	22	na	<1	na	210
LF-6	05-Dec-89	<1	<1	na	<1	64	<1	<1	na	na	5	320	<1	59	na	<1	na	17

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,1-DCE	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-3	22-Apr-99	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.63	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
LF-3	19-Jul-99	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<4	<0.2	<0.2	<0.4	<0.4	<0.4	<0.2	<0.2
LF-3	12-Oct-99	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<5	<0.25	<0.25	<0.5	<0.5	<0.5	<0.25	<0.25
LF-4	02-Jun-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	02-Jun-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-4	06-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	06-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-4	20-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-4	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-4	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-4	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-4	02-Mar-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.0018	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	0.001	<0.001
LF-4	09-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.0014 J3	<0.001
LF-4	16-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-4	19-Oct-98	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.005 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2
LF-4	14-Jan-99	<0.001	<0.001	0.0013	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-4	22-Apr-99	<0.001	<0.001	0.0015	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-4	16-Jul-99	<0.0005	<0.0005	0.0008	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
DUP	16-Jul-99	<0.0005	<0.0005	0.0007	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-4	15-Oct-99	<0.0005	<0.0005	0.0007	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-5	01-Jun-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-5	06-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-5	20-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-5	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-5	06-Aug-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-5	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-5	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-5	Destroyed or lost during slurry wall and cap construction activities																
LF-6	01-Jun-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-6	05-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-3	22-Apr-99	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
LF-3	19-Jul-99	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
LF-3	12-Oct-99	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
LF-4	02-Jun-89	na	na	0.14	na	na	na
DUP	02-Jun-89	na	na	0.095	na	na	na
LF-4	06-Dec-89	na	na	0.015	na	na	na
DUP	06-Dec-89	na	na	0.007	na	na	na
LF-4	20-Jul-90	na	na	0.01	na	na	na
LF-4	21-Jun-91	na	na	<0.011	na	na	na
DUP	21-Jun-91	na	na	<0.011	na	na	na
LF-4	09-Jul-92	na	na	<0.01	na	na	na
LF-4	09-Jun-93	na	na	0.010	na	na	na
LF-4	02-Mar-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-4	09-Apr-98	na	<0.001	0.0014 J3	<0.001	<0.001	<0.001
LF-4	16-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-4	19-Oct-98	<0.001 UJ2	<0.001 UJ2	<0.0021 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2
LF-4	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-4	22-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-4	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
DUP	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-4	15-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-5	01-Jun-89	na	na	0.02	na	na	na
LF-5	06-Dec-89	na	na	0.025	na	na	na
LF-5	20-Jul-90	na	na	<0.02	na	na	na
LF-5	21-Jun-91	na	na	na	na	na	na
LF-5	06-Aug-91	na	na	<0.05	na	na	na
LF-5	09-Jul-92	na	na	<0.02	na	na	na
LF-5	09-Jun-93	na	na	0.010	na	na	na
LF-5	Destroyed or lost during slurry wall and cap construction activities						
LF-6	01-Jun-89	na	na	na	na	na	na
LF-6	05-Dec-89	na	na	0.06	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-6	20-Jul-90	<1	<1	na	24	200	<1	<1	na	na	4	720	45	45	na	<1	na	13
LF-6	Sealed August 2, 1990																	
LF-7	01-Jun-89	<0.001	<0.001	na	<0.005	<0.005	0.05	<0.001	na	na	<0.005	<0.005	<0.001	0.27	na	<0.005	na	0.58
LF-7	06-Dec-89	<0.001	<0.001	na	<0.001	<0.01	0.031	0.007	na	na	0.052	<0.02	<0.001	0.003	na	<0.001	na	0.15
LF-7	19-Jul-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	0.001	na	na	0.007	<0.02	<0.001	<0.001	na	<0.001	na	0.044
LF-7	08-Aug-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-7	20-Jun-91	<0.005	<0.005	na	<0.01	<0.02	0.061	0.007	na	na	0.045	<0.02	<0.005	<0.005	na	<0.005	na	0.120
LF-7	06-Aug-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-7	17-Dec-91	<0.005	<0.005	na	<0.010	<0.020	0.006	0.005	na	na	0.006	<0.020	<0.005	<0.005	na	<0.005	na	0.009
LF-7	09-Jul-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
DUP	09-Jul-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-7	09-Jun-93	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
DUP	09-Jun-93	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-7	06-Jan-94	<0.003	<0.003	<0.003	<0.03	<0.05	0.031	0.009	<0.003	<0.003	0.003	<0.05	<0.003	0.12	<0.003	<0.003	<0.005	0.014
LF-7	27-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	0.004	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
DUP	27-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	0.0037	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
LF-7	13-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0038	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	05-Dec-89	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	0.003	na	<0.001	na	<0.001
LF-8	19-Jul-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	0.001	na	na	0.007	<0.02	<0.001	<0.001	na	<0.001	na	0.002
LF-8	08-Aug-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-8	21-Dec-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-8	20-Jun-91	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-8	17-Dec-91	<0.005	<0.005	na	<0.010	<0.020	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.005	na	<0.005	na	<0.005
LF-8	09-Jul-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-8	30-Dec-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-8	09-Jun-93	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-8	06-Jan-94	<0.003	<0.003	<0.003	<0.03	<0.05	<0.003	<0.003	<0.003	<0.003	<0.003	<0.05	<0.003	<0.003	<0.003	<0.003	<0.005	<0.005
LF-8	27-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
LF-8	08-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	15-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	21-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	13-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,1-DCE	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-6	20-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-6	Sealed August 2, 1990																
LF-7	01-Jun-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-7	06-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-7	19-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-7	08-Aug-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-7	20-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-7	06-Aug-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-7	17-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-7	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-7	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-7	06-Jan-94	<0.003	<0.003	na	<0.003	<0.003	na	na	na	<0.03	na	<0.005	<0.005	<0.005	na	na	na
LF-7	27-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
DUP	27-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-7	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	05-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-8	19-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-8	08-Aug-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-8	21-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-8	20-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-8	17-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-8	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-8	30-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-8	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-8	06-Jan-94	<0.003	<0.003	na	<0.003	<0.003	na	na	na	<0.03	na	<0.005	<0.005	<0.005	na	na	na
LF-8	27-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-8	08-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-6	20-Jul-90	na	na	<0.02	na	na	na
LF-6	Sealed August 2, 1990						
LF-7	01-Jun-89	na	na	0.008	na	na	na
LF-7	06-Dec-89	na	na	<0.002	na	na	na
LF-7	19-Jul-90	na	na	na	na	na	na
LF-7	08-Aug-90	na	na	<0.002	na	na	na
LF-7	20-Jun-91	na	na	na	na	na	na
LF-7	06-Aug-91	na	na	0.005	na	na	na
LF-7	17-Dec-91	na	na	na	na	na	na
LF-7	09-Jul-92	na	na	<0.01	na	na	na
DUP	09-Jul-92	na	na	<0.01	na	na	na
LF-7	09-Jun-93	na	na	<0.01	na	na	na
DUP	09-Jun-93	na	na	<0.01	na	na	na
LF-7	06-Jan-94	na	na	na	<0.003	na	na
LF-7	27-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
DUP	27-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-7	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	05-Dec-89	na	na	0.06	na	na	na
LF-8	19-Jul-90	na	na	na	na	na	na
LF-8	08-Aug-90	na	na	<0.002	na	na	na
LF-8	21-Dec-90	na	na	<0.002	na	na	na
LF-8	20-Jun-91	na	na	<0.013	na	na	na
LF-8	17-Dec-91	na	na	na	na	na	na
LF-8	09-Jul-92	na	na	<0.01	na	na	na
LF-8	30-Dec-92	na	na	na	na	na	na
LF-8	09-Jun-93	na	na	<0.01	na	na	na
LF-8	06-Jan-94	na	na	na	<0.003	na	na
LF-8	27-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-8	08-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-8	21-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0012	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	0.0012	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-8	15-Oct-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	0.0011	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-9	05-Dec-89	<0.001	<0.001	na	<0.001	<0.01	<0.001	0.005	na	na	0.022	<0.02	<0.001	0.003	na	<0.001	na	<0.001
LF-9	19-Jul-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	0.004	na	na	0.011	<0.02	<0.001	<0.001	na	<0.001	na	0.002
LF-9	21-Dec-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-9	21-Jun-91	<0.005	<0.005	na	<0.01	<0.02	<0.005	0.006	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-9	16-Dec-91	<0.005	<0.005	na	<0.010	<0.020	<0.005	<0.005	na	na	0.009	<0.020	<0.005	<0.005	na	<0.005	na	<0.005
LF-9	09-Jul-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-9	30-Dec-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	0.005	na	na	0.007	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-9	09-Jun-93	<0.005	<0.005	na	<0.01	<0.02	0.005	0.005	na	na	<0.005	<0.02	<0.005	0.005	na	<0.005	na	<0.005
LF-9	Destroyed or lost during slurry wall and cap construction activities																	
LF-10	05-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-10	07-Dec-89	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-10	19-Jul-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
DUP	19-Jul-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-10	19-Dec-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
DUP	19-Dec-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-10	21-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	21-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-10	21-Jun-91	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-10	18-Dec-91	<0.005	<0.005	na	<0.010	<0.020	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.005	na	<0.005	na	<0.005
DUP	18-Dec-91	<0.005	<0.005	na	<0.010	<0.020	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.005	na	<0.005	na	<0.005
LF-10	09-Jul-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-10	31-Dec-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
DUP	31-Dec-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-10	09-Jun-93	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-10	06-Jan-94	<0.003	<0.003	<0.003	<0.03	<0.05	<0.003	<0.003	<0.003	<0.003	<0.003	<0.05	<0.003	<0.003	<0.003	<0.003	<0.005	<0.005
DUP	06-Jan-94	<0.003	<0.003	<0.003	<0.03	<0.05	<0.003	<0.003	<0.003	<0.003	<0.003	<0.05	<0.003	<0.003	<0.003	<0.003	<0.005	<0.005
LF-10	27-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	0.011	<0.001	<0.001	0.0022	0.0017	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	0.0062
LF-10	15-Jan-99	<0.001	<0.001	<0.001	<0.005	0.035	<0.001	<0.001	<0.001	0.0009 J11	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	0.0006 J11	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,1-DCE	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-8	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-8	15-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-9	05-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-9	19-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-9	21-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-9	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-9	16-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-9	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-9	30-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-9	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-9	Destroyed or lost during slurry wall and cap construction activities																
LF-10	05-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-10	07-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-10	19-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	19-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-10	19-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	19-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-10	21-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	21-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-10	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-10	18-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	18-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-10	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-10	31-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	31-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-10	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-10	06-Jan-94	<0.003	<0.003	na	<0.003	<0.003	na	na	na	<0.03	na	<0.005	<0.005	<0.005	na	na	na
DUP	06-Jan-94	<0.003	<0.003	na	<0.003	<0.003	na	na	na	<0.03	na	<0.005	<0.005	<0.005	na	na	na
LF-10	27-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-10	15-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-8	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-8	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-8	15-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-9	05-Dec-89	na	na	<0.002	na	na	na
LF-9	19-Jul-90	na	na	<0.002	na	na	na
LF-9	21-Dec-90	na	na	<0.002	na	na	na
LF-9	21-Jun-91	na	na	<0.01	na	na	na
LF-9	16-Dec-91	na	na	na	na	na	na
LF-9	09-Jul-92	na	na	<0.01	na	na	na
LF-9	30-Dec-92	na	na	na	na	na	na
LF-9	09-Jun-93	na	na	<0.01	na	na	na
LF-9	Destroyed or lost during slurry wall and cap construction activities						
LF-10	05-Dec-89	na	na	0.14	na	na	na
LF-10	07-Dec-89	na	na	na	na	na	na
LF-10	19-Jul-90	na	na	<0.002	na	na	na
DUP	19-Jul-90	na	na	na	na	na	na
LF-10	19-Dec-90	na	na	na	na	na	na
DUP	19-Dec-90	na	na	na	na	na	na
LF-10	21-Dec-90	na	na	<0.002	na	na	na
DUP	21-Dec-90	na	na	<0.002	na	na	na
LF-10	21-Jun-91	na	na	<0.01	na	na	na
LF-10	18-Dec-91	na	na	na	na	na	na
DUP	18-Dec-91	na	na	na	na	na	na
LF-10	09-Jul-92	na	na	<0.01	na	na	na
LF-10	31-Dec-92	na	na	na	na	na	na
DUP	31-Dec-92	na	na	na	na	na	na
LF-10	09-Jun-93	na	na	<0.01	na	na	na
LF-10	06-Jan-94	na	na	na	<0.003	na	na
DUP	06-Jan-94	na	na	na	<0.003	na	na
LF-10	27-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-10	15-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0007 J11

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-11	05-Dec-89	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	0.002	na	<0.001	na	<0.001
DUP	05-Dec-89	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.023	na	<0.001	na	<0.001
LF-11	19-Jul-90	<0.001	<0.001	na	<0.001	0.015	<0.001	<0.001	na	na	<0.001	<0.02	0.001	<0.001	na	<0.001	na	<0.001
LF-11	08-Aug-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-11	21-Dec-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-11	21-Jun-91	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
DUP	21-Jun-91	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-11	17-Dec-91	<0.005	<0.005	na	<0.010	<0.020	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.005	na	<0.005	na	<0.005
LF-11	09-Jul-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-11	31-Dec-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-11	09-Jun-93	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-11	05-Jan-94	<0.003	<0.003	<0.003	<0.03	<0.05	<0.003	<0.003	<0.003	<0.003	<0.003	<0.05	<0.003	<0.003	<0.003	<0.003	<0.005	<0.005
LF-11	16-Apr-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-11	31-Jul-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-11	20-Nov-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-11	18-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
DUP	18-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-11	11-Jun-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-11	19-Aug-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
DUP	19-Aug-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-11	17-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	0.024
LF-11	02-Mar-98	<0.001	<0.001	<0.001	<0.02	<0.02	0.0085	<0.001	<0.001	<0.001	0.14	<0.02	<0.001	0.31 J1	<0.001	0.0014	<0.002	0.513 J1
LF-11	10-Apr-98	<0.01	<0.01	<0.01	<0.05	<0.05	<0.01	<0.01	<0.01	<0.01	0.1	<0.05	<0.01	<0.01	<0.01	<0.01	<0.01	0.47
DUP	10-Apr-98	<0.005	<0.005	<0.005	<0.025	<0.025	0.0078	<0.005	<0.005	<0.005	0.1	<0.025	<0.005	<0.005	<0.005	<0.005	<0.005	0.47
LF-11	16-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-11	23-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-11	14-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-11	22-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	22-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-11	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-11	12-Oct-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
DUP	12-Oct-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-12	06-Dec-89	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	0.005	na	<0.001	na	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,1-DCE	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-11	05-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	05-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-11	19-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-11	08-Aug-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-11	21-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-11	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-11	17-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-11	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-11	31-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-11	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-11	05-Jan-94	<0.003	<0.003	na	<0.003	<0.003	na	na	na	<0.03	na	<0.005	<0.005	<0.005	na	na	na
LF-11	16-Apr-96	<0.005	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-11	31-Jul-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-11	20-Nov-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-11	18-Mar-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
DUP	18-Mar-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-11	11-Jun-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	0.016	<0.01	<0.01	na	na	na
LF-11	19-Aug-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
DUP	19-Aug-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-11	17-Dec-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-11	02-Mar-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.0025	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	0.0028	<0.001
LF-11	10-Apr-98	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
DUP	10-Apr-98	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.025	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
LF-11	16-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-11	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-11	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-11	22-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	22-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-11	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-11	12-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
DUP	12-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-12	06-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-11	05-Dec-89	na	na	<0.002	na	na	na
DUP	05-Dec-89	na	na	na	na	na	na
LF-11	19-Jul-90	na	na	na	na	na	na
LF-11	08-Aug-90	na	na	<0.002	na	na	na
LF-11	21-Dec-90	na	na	<0.002	na	na	na
LF-11	21-Jun-91	na	na	<0.01	na	na	na
DUP	21-Jun-91	na	na	<0.01	na	na	na
LF-11	17-Dec-91	na	na	na	na	na	na
LF-11	09-Jul-92	na	na	<0.01	na	na	na
LF-11	31-Dec-92	na	na	na	na	na	na
LF-11	09-Jun-93	na	na	<0.01	na	na	na
LF-11	05-Jan-94	na	na	na	<0.003	na	na
LF-11	16-Apr-96	na	na	<0.01	<0.005	na	na
LF-11	31-Jul-96	na	na	na	<0.005	na	na
LF-11	20-Nov-96	na	na	na	<0.005	na	na
LF-11	18-Mar-97	na	na	na	<0.005	na	na
DUP	18-Mar-97	na	na	na	<0.005	na	na
LF-11	11-Jun-97	na	na	na	<0.005	na	na
LF-11	19-Aug-97	na	na	na	<0.005	na	na
DUP	19-Aug-97	na	na	na	<0.005	na	na
LF-11	17-Dec-97	na	na	na	<0.005	na	na
LF-11	02-Mar-98	<0.001	0.0012	<0.005	<0.001	<0.001	<0.001
LF-11	10-Apr-98	na	<0.01	<0.01	<0.01	<0.01	<0.01
DUP	10-Apr-98	na	<0.005	<0.005	<0.005	<0.005	<0.005
LF-11	16-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-11	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-11	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0005 J11
LF-11	22-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	22-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-11	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0007
LF-11	12-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0005
DUP	12-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0005
LF-12	06-Dec-89	na	na	<0.002	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-12	18-Jul-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	0.001	<0.001	na	0.002	na	<0.001
LF-12	19-Dec-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	0.002	<0.001	na	0.003	na	<0.001
LF-12	19-Jun-91	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	0.002	na	<0.005
LF-12	16-Dec-91	<0.005	<0.005	na	<0.010	<0.020	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.005	na	<0.005	na	<0.005
LF-12	08-Jul-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-12	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-12	30-Dec-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-12	08-Jun-93	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-12	06-Jan-94	<0.003	<0.003	<0.003	<0.03	<0.05	<0.003	<0.003	<0.003	<0.003	<0.003	<0.05	<0.003	<0.003	<0.003	<0.003	<0.005	<0.005
LF-12	16-Apr-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-12	30-Jul-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-12	20-Nov-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-12	17-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-12	01-Jul-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
DUP	01-Jul-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-12	20-Aug-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-12	18-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-12	26-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	0.0018	<0.001	<0.001	0.0017	<0.002	<0.002
LF-12	08-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	0.0022	<0.001	<0.001	0.0018	<0.001	<0.001
LF-12	14-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	0.0014	<0.001	<0.001	0.0015	<0.001	<0.001
LF-12	21-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	0.0013	<0.001	<0.001	0.0012	<0.001	<0.001
LF-12	12-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	0.0015	<0.001	<0.001	0.0014	<0.001	<0.001
LF-12	20-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	0.0017	<0.001	<0.001	0.0015	<0.001	<0.001
LF-12	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	0.0014	<0.0005	<0.0005	0.0011	<0.0005	<0.0005
LF-12	11-Oct-99	0.0008	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	0.0024	<0.0005	<0.0005	0.0013	<0.0005	<0.0005
LF-13	06-Dec-89	0.029	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	0.002	na	<0.001	na	<0.001
LF-13	18-Jul-90	0.056	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	0.001	0.002	na	<0.001	na	0.001
LF-13	19-Dec-90	0.042	0.002	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	0.002	<0.001	na	<0.001	na	<0.001
LF-13	19-Jun-91	0.032	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-13	16-Dec-91	0.018	<0.005	na	<0.010	<0.020	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.005	na	<0.005	na	<0.005
LF-13	08-Jul-92	0.010	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-13	30-Dec-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-13	08-Jun-93	0.008	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,1-DCE	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-12	18-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-12	19-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-12	19-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-12	16-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-12	08-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-12	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-12	30-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-12	08-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-12	06-Jan-94	<0.003	<0.003	na	<0.003	<0.003	na	na	na	<0.03	na	<0.005	<0.005	<0.005	na	na	na
LF-12	16-Apr-96	<0.005	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-12	30-Jul-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-12	20-Nov-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-12	17-Mar-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-12	01-Jul-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
DUP	01-Jul-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-12	20-Aug-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-12	18-Dec-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-12	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-12	08-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-12	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-12	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-12	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-12	20-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-12	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-12	11-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-13	06-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-13	18-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-13	19-Dec-90	0.002	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-13	19-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-13	16-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-13	08-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-13	30-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-13	08-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-12	18-Jul-90	na	na	<0.002	na	na	na
LF-12	19-Dec-90	na	na	<0.002	na	na	na
LF-12	19-Jun-91	na	na	<0.012	na	na	na
LF-12	16-Dec-91	na	na	na	na	na	na
LF-12	08-Jul-92	na	na	na	na	na	na
LF-12	09-Jul-92	na	na	<0.01	na	na	na
LF-12	30-Dec-92	na	na	na	na	na	na
LF-12	08-Jun-93	na	na	<0.01	na	na	na
LF-12	06-Jan-94	na	na	na	<0.003	na	na
LF-12	16-Apr-96	na	na	<0.01	<0.005	na	na
LF-12	30-Jul-96	na	na	na	<0.005	na	na
LF-12	20-Nov-96	na	na	na	<0.005	na	na
LF-12	17-Mar-97	na	na	na	<0.005	na	na
LF-12	01-Jul-97	na	na	na	<0.005	na	na
DUP	01-Jul-97	na	na	na	<0.005	na	na
LF-12	20-Aug-97	na	na	na	<0.005	na	na
LF-12	18-Dec-97	na	na	na	<0.005	na	na
LF-12	26-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-12	08-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-12	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-12	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-12	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-12	20-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-12	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-12	11-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-13	06-Dec-89	na	na	<0.002	na	na	na
LF-13	18-Jul-90	na	na	<0.002	na	na	na
LF-13	19-Dec-90	na	na	<0.002	na	na	na
LF-13	19-Jun-91	na	na	<0.01	na	na	na
LF-13	16-Dec-91	na	na	na	na	na	na
LF-13	08-Jul-92	na	na	<0.01	na	na	na
LF-13	30-Dec-92	na	na	na	na	na	na
LF-13	08-Jun-93	na	na	<0.01	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-13	05-Jan-94	0.004	<0.003	<0.003	<0.03	<0.05	<0.003	<0.003	<0.003	<0.003	<0.003	<0.05	<0.003	<0.003	<0.003	<0.003	<0.005	<0.005
LF-13	16-Apr-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-13	30-Jul-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
DUP	30-Jul-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-13	20-Nov-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-13	17-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
DUP	17-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-13	12-Jun-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-13	19-Aug-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-13	18-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-13	25-Feb-98	0.0025	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	0.015	<0.002	<0.002
LF-13	07-Apr-98	0.0047	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	0.0061	<0.001	<0.001
DUP	07-Apr-98	0.0048	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	0.0085	<0.001	<0.001
LF-13	13-Jul-98	0.0047	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-13	19-Oct-98	0.0049 J2	<0.001 UJ2	<0.001 UJ2	<0.005 UJ2	<0.005 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.005 UJ2	0.001 J2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2
LF-13	11-Jan-99	0.0049	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	0.001 J11	<0.001	<0.001	<0.001	<0.001	<0.001
LF-13	19-Apr-99	0.0059	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	0.0009 J11	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	19-Apr-99	0.0057	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	0.001 J11	<0.001	<0.001	<0.001	<0.001	<0.001
LF-13	13-Jul-99	0.0007	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-13	12-Oct-99	0.0055	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	0.0019	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-14	04-Sep-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-14	20-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-14	21-Dec-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-14	20-Jun-91	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-14	17-Dec-91	<0.005	<0.005	na	<0.010	<0.020	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.005	na	<0.005	na	<0.005
LF-14	08-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-14	09-Jul-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-14	31-Dec-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-14	09-Jun-93	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-14	Destroyed during railway expansion activities																	
LF-15	04-Sep-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-15	20-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,1-DCE	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-13	05-Jan-94	<0.003	<0.003	na	<0.003	<0.003	na	na	na	<0.03	na	<0.005	<0.005	<0.005	na	na	na
LF-13	16-Apr-96	<0.005	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-13	30-Jul-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
DUP	30-Jul-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-13	20-Nov-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-13	17-Mar-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
DUP	17-Mar-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-13	12-Jun-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-13	19-Aug-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-13	18-Dec-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-13	25-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-13	07-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	07-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-13	13-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-13	19-Oct-98	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.005 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2
LF-13	11-Jan-99	0.0005 J11	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-13	19-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	19-Apr-99	0.0006 J11	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-13	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-13	12-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-14	04-Sep-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-14	20-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-14	21-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-14	20-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-14	17-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-14	08-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-14	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-14	31-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-14	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-14	Destroyed during railway expansion activities																
LF-15	04-Sep-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-15	20-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-13	05-Jan-94	na	na	na	<0.003	na	na
LF-13	16-Apr-96	na	na	<0.01	<0.005	na	na
LF-13	30-Jul-96	na	na	na	<0.005	na	na
DUP	30-Jul-96	na	na	na	<0.005	na	na
LF-13	20-Nov-96	na	na	na	<0.005	na	na
LF-13	17-Mar-97	na	na	na	<0.005	na	na
DUP	17-Mar-97	na	na	na	<0.005	na	na
LF-13	12-Jun-97	na	na	na	<0.005	na	na
LF-13	19-Aug-97	na	na	na	<0.005	na	na
LF-13	18-Dec-97	na	na	na	<0.005	na	na
LF-13	25-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-13	07-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	07-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-13	13-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-13	19-Oct-98	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2
LF-13	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-13	19-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	19-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-13	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-13	12-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-14	04-Sep-90	na	na	<0.002	na	na	na
LF-14	20-Dec-90	na	na	<0.002	na	na	na
LF-14	21-Dec-90	na	na	na	na	na	na
LF-14	20-Jun-91	na	na	<0.011	na	na	na
LF-14	17-Dec-91	na	na	na	na	na	na
LF-14	08-Jul-92	na	na	<0.01	na	na	na
LF-14	09-Jul-92	na	na	na	na	na	na
LF-14	31-Dec-92	na	na	na	na	na	na
LF-14	09-Jun-93	na	na	<0.01	na	na	na
LF-14	Destroyed during railway expansion activities						
LF-15	04-Sep-90	na	na	<0.002	na	na	na
LF-15	20-Dec-90	na	na	<0.002	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-15	21-Dec-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-15	20-Jun-91	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-15	17-Dec-91	<0.005	<0.005	na	<0.010	<0.020	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.005	na	<0.005	na	<0.005
LF-15	08-Jul-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-15	30-Dec-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-15	09-Jun-93	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-15	Destroyed during railway expansion activities																	
LF-16	04-Sep-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-16	20-Dec-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-16	20-Jun-91	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-16	17-Dec-91	<0.005	<0.005	na	<0.010	<0.020	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.005	na	<0.005	na	<0.005
LF-16	09-Jul-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-16	30-Dec-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-16	09-Jun-93	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-16	Destroyed under permit																	
LF-17	02-Mar-98	<0.001	<0.001	<0.001	<0.02	<0.02	0.042	<0.001	<0.001	0.017	0.043	<0.02	<0.001	0.028	0.017	<0.001	0.012	0.054
LF-17	10-Apr-98	<0.01	<0.01	<0.01	<0.05	<0.05	0.052	<0.01	<0.01	0.032	0.048	<0.05	<0.01	<0.01	0.02	<0.01	0.016	0.076
LF-17	16-Jul-98	<0.01	<0.01	<0.01	<0.05	<0.05	0.048	<0.01	<0.01	0.024	0.054	<0.05	<0.01	0.12	0.015	<0.01	0.012	0.13
LF-17	23-Oct-98	<0.001	0.0014	<0.001	<0.005	<0.005	0.046	<0.001	<0.001	0.021	0.035	<0.005	<0.001	0.0042	0.016	<0.001	0.013	0.062
LF-17	15-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	0.058	<0.001	<0.001	0.015	0.042	<0.005	<0.001	0.0038	0.018	<0.001	0.011	0.0452
LF-17	22-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	0.061	<0.001	<0.001	0.013	0.045	<0.005	<0.001	0.0029	0.016	<0.001	0.0084	0.0794
LF-17	16-Jul-99	<0.001	<0.001	<0.001	<0.02	<0.02	0.049	<0.001	<0.001	0.0068	0.037	<0.02	<0.001	0.0024	0.014	<0.001	0.0023	0.0657
LF-17	13-Oct-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	0.041	<0.0005	<0.0005	0.0056	0.034	<0.01	<0.0005	0.0024	0.015	<0.0005	0.0043	0.0598
DUP	13-Oct-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	0.041	<0.0005	<0.0005	0.0057	0.034	<0.01	<0.0005	0.0024	0.015	<0.0005	0.0043	0.0598
LF-18	11-Apr-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-18	30-Jul-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-18	20-Nov-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-18	19-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-18	11-Jun-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
DUP	11-Jun-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-18	19-Aug-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-18	17-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,1-DCE	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-15	21-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-15	20-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-15	17-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-15	08-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-15	30-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-15	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-15	Destroyed during railway expansion activities																
LF-16	04-Sep-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-16	20-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-16	20-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-16	17-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-16	09-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-16	30-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-16	09-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-16	Destroyed under permit																
LF-17	02-Mar-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.01	0.0017	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	0.0074	0.014
LF-17	10-Apr-98	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.028	<0.01	<0.05	<0.01	<0.01	<0.01	<0.01	<0.01	0.016	<0.01
LF-17	16-Jul-98	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.041	<0.01	<0.05	<0.01	<0.01	<0.01	<0.01	<0.01	0.024	0.051
LF-17	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.028	0.0029	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.016	0.023
LF-17	15-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.028	0.0024	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.016	0.023
LF-17	22-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.036	0.0032	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.021	0.028
LF-17	16-Jul-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.024	0.0022	<0.02	<0.001	<0.001	<0.002	<0.002	<0.002	0.013	0.024
LF-17	13-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.013	0.0014	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	0.0089	0.014
DUP	13-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.013	0.0014	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	0.0089	0.013
LF-18	11-Apr-96	<0.005	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-18	30-Jul-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-18	20-Nov-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-18	19-Mar-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-18	11-Jun-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
DUP	11-Jun-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-18	19-Aug-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-18	17-Dec-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-15	21-Dec-90	na	na	na	na	na	na
LF-15	20-Jun-91	na	na	<0.011	na	na	na
LF-15	17-Dec-91	na	na	na	na	na	na
LF-15	08-Jul-92	na	na	<0.01	na	na	na
LF-15	30-Dec-92	na	na	na	na	na	na
LF-15	09-Jun-93	na	na	<0.01	na	na	na
LF-15	Destroyed during railway expansion activities						
LF-16	04-Sep-90	na	na	<0.002	na	na	na
LF-16	20-Dec-90	na	na	<0.002	na	na	na
LF-16	20-Jun-91	na	na	<0.011	na	na	na
LF-16	17-Dec-91	na	na	na	na	na	na
LF-16	09-Jul-92	na	na	<0.01	na	na	na
LF-16	30-Dec-92	na	na	na	na	na	na
LF-16	09-Jun-93	na	na	<0.01	na	na	na
LF-16	Destroyed under permit						
LF-17	02-Mar-98	0.0037	0.0052	0.11	<0.001	0.0052	<0.001
LF-17	10-Apr-98	na	0.017	0.29	<0.01	<0.01	<0.01
LF-17	16-Jul-98	0.019	0.031	0.37	<0.01	0.016	<0.01
LF-17	23-Oct-98	0.011	0.021	0.38	<0.001	0.0084	<0.001
LF-17	15-Jan-99	0.0084	0.017	0.27	<0.001	0.0073	<0.001
LF-17	22-Apr-99	0.011	0.023	0.39	<0.001	0.0095	0.0006 J11
LF-17	16-Jul-99	0.0074	0.013	0.27	<0.001	0.0073	<0.001
LF-17	13-Oct-99	0.0047	0.0082	0.18	<0.0005	0.0054	<0.0005
DUP	13-Oct-99	0.0047	0.0081	0.18	<0.0005	0.0053	<0.0005
LF-18	11-Apr-96	na	na	<0.01	<0.005	na	na
LF-18	30-Jul-96	na	na	na	<0.005	na	na
LF-18	20-Nov-96	na	na	na	<0.005	na	na
LF-18	19-Mar-97	na	na	na	<0.005	na	na
LF-18	11-Jun-97	na	na	na	<0.005	na	na
DUP	11-Jun-97	na	na	na	<0.005	na	na
LF-18	19-Aug-97	na	na	na	<0.005	na	na
LF-18	17-Dec-97	na	na	na	<0.005	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-18	27-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
LF-18	08-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-18	15-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	15-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-18	21-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-18	13-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-18	21-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	21-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-18	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-18	13-Oct-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-19	13-Jun-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-19	19-Aug-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	0.0006	na	na	na	<0.002
LF-19	27-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	0.0023	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
LF-19	08-Apr-98	<0.001	<0.001	<0.001	<0.005	0.0074	<0.001	0.0025	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	15-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0028	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	23-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0024	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	23-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0025	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	13-Jan-99	<0.001	<0.001	<0.001	<0.005	0.0066	<0.001	0.003	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	20-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.01 U5,6	<0.001	0.0033	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	0.0033	<0.0005	<0.0005	0.0006	<0.01	<0.0005	0.026	<0.0005	<0.0005	<0.0005	0.0022
LF-19	15-Oct-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	0.003	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-20	11-Apr-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-20	30-Jul-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-20	21-Nov-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-20	18-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-20	11-Jun-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-20	19-Aug-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-20	18-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-20	27-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	0.0041	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
LF-20	09-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0042	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	09-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.004	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,1-DCE	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-18	27-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-18	08-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-18	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-18	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-18	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-18	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-18	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-18	13-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-19	13-Jun-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-19	19-Aug-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-19	27-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-19	08-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	20-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-19	15-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-20	11-Apr-96	<0.005	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-20	30-Jul-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-20	21-Nov-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-20	18-Mar-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-20	11-Jun-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-20	19-Aug-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-20	18-Dec-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-20	27-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-20	09-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	09-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-18	27-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-18	08-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-18	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-18	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-18	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-18	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-18	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-18	13-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-19	13-Jun-97	na	na	na	<0.005	na	na
LF-19	19-Aug-97	na	na	na	na	na	na
LF-19	27-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-19	08-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	20-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-19	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-19	15-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-20	11-Apr-96	na	na	<0.01	<0.005	na	na
LF-20	30-Jul-96	na	na	na	<0.005	na	na
LF-20	21-Nov-96	na	na	na	<0.005	na	na
LF-20	18-Mar-97	na	na	na	<0.005	na	na
LF-20	11-Jun-97	na	na	na	<0.005	na	na
LF-20	19-Aug-97	na	na	na	<0.005	na	na
LF-20	18-Dec-97	na	na	na	<0.005	na	na
LF-20	27-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-20	09-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	09-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-20	16-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0044	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	23-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0039	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	13-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0043	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	13-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0041	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	21-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0036	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	0.0039	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-20	14-Oct-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	0.0035	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-21	10-Apr-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-21	31-Jul-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-21	21-Nov-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-21	18-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-21	11-Jun-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-21	19-Aug-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-21	17-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-21	02-Mar-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
DUP	02-Mar-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
LF-21	09-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	16-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	23-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	14-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	22-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
DUP	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-21	12-Oct-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-22	02-Mar-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	0.0049	<0.001	<0.02	<0.001	<0.001	<0.001	0.0049	<0.002	<0.002
LF-22	10-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0071	<0.001	<0.005	<0.001	<0.001	<0.001	0.0058	<0.001	<0.001
LF-22	15-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0041	<0.001	<0.005	0.0009 J11	<0.001	0.0013	0.01	<0.001	<0.001
LF-23	10-Apr-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
DUP	10-Apr-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-23	02-Aug-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,1-DCE	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-20	16-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-20	14-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-21	10-Apr-96	<0.005	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-21	31-Jul-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-21	21-Nov-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-21	18-Mar-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-21	11-Jun-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-21	19-Aug-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-21	17-Dec-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-21	02-Mar-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
DUP	02-Mar-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-21	09-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	16-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	22-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
DUP	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-21	12-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-22	02-Mar-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-22	10-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-22	15-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	10-Apr-96	<0.005	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
DUP	10-Apr-96	<0.005	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-23	02-Aug-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-20	16-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-20	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0005 J11
LF-20	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-20	14-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-21	10-Apr-96	na	na	<0.01	<0.005	na	na
LF-21	31-Jul-96	na	na	na	<0.005	na	na
LF-21	21-Nov-96	na	na	na	<0.005	na	na
LF-21	18-Mar-97	na	na	na	<0.005	na	na
LF-21	11-Jun-97	na	na	na	<0.005	na	na
LF-21	19-Aug-97	na	na	na	<0.005	na	na
LF-21	17-Dec-97	na	na	na	<0.005	na	na
LF-21	02-Mar-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
DUP	02-Mar-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-21	09-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	16-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	22-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-21	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
DUP	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-21	12-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-22	02-Mar-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-22	10-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-22	15-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	10-Apr-96	na	na	<0.01	<0.005	na	na
DUP	10-Apr-96	na	na	<0.01	<0.005	na	na
LF-23	02-Aug-96	na	na	na	<0.005	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-23	21-Nov-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-23	18-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	0.01	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-23	11-Jun-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-23	20-Aug-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-23	18-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-23	26-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
LF-23	08-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	0.002	<0.001	<0.001	<0.001	0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	15-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.0095 U5	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	21-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	12-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	21-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-24	11-Apr-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-24	02-Aug-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-24	21-Nov-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-24	18-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-24	11-Jun-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-24	20-Aug-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-24	18-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-24	26-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
LF-24	08-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	15-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	21-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	12-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	21-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-25	11-Apr-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-25	02-Aug-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-25	21-Nov-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-25	18-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-25	11-Jun-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,1-DCE	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-23	21-Nov-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-23	18-Mar-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-23	11-Jun-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-23	20-Aug-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-23	18-Dec-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-23	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-23	08-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-24	11-Apr-96	<0.005	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-24	02-Aug-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-24	21-Nov-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-24	18-Mar-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-24	11-Jun-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-24	20-Aug-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-24	18-Dec-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-24	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-24	08-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-25	11-Apr-96	<0.005	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-25	02-Aug-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-25	21-Nov-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-25	18-Mar-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-25	11-Jun-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-23	21-Nov-96	na	na	na	<0.005	na	na
LF-23	18-Mar-97	na	na	na	<0.005	na	na
LF-23	11-Jun-97	na	na	na	<0.005	na	na
LF-23	20-Aug-97	na	na	na	<0.005	na	na
LF-23	18-Dec-97	na	na	na	<0.005	na	na
LF-23	26-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-23	08-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-23	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-24	11-Apr-96	na	na	<0.01	<0.005	na	na
LF-24	02-Aug-96	na	na	na	<0.005	na	na
LF-24	21-Nov-96	na	na	na	<0.005	na	na
LF-24	18-Mar-97	na	na	na	<0.005	na	na
LF-24	11-Jun-97	na	na	na	<0.005	na	na
LF-24	20-Aug-97	na	na	na	<0.005	na	na
LF-24	18-Dec-97	na	na	na	<0.005	na	na
LF-24	26-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-24	08-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-24	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-25	11-Apr-96	na	na	<0.01	<0.005	na	na
LF-25	02-Aug-96	na	na	na	<0.005	na	na
LF-25	21-Nov-96	na	na	na	<0.005	na	na
LF-25	18-Mar-97	na	na	na	<0.005	na	na
LF-25	11-Jun-97	na	na	na	<0.005	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-25	20-Aug-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-25	18-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-25	26-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
LF-25	08-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-25	15-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-25	21-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-25	12-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-25	21-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-25	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-26	27-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	0.0036	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
LF-26	09-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.0056 U5	<0.001	0.0033	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	16-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0033	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	23-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0024	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	13-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0034	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	21-Apr-99	<0.001	<0.001	<0.001	<0.005	0.0062	<0.001	0.0031	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	0.0025	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-26	14-Oct-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	0.0028	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-27	29-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-27	26-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	0.0022	<0.002	<0.002
LF-27	08-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	0.0021	<0.001	<0.001
LF-27	14-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	0.0019	<0.001	<0.001
LF-27	21-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	0.0017	<0.001	<0.001
LF-27	12-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	0.0006 J11	<0.001	<0.001	0.0018	<0.001	<0.001
LF-27	20-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	0.0007 J11	<0.001	<0.001	0.0019	<0.001	<0.001
LF-27	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	0.0006	<0.0005	<0.0005	0.0016	<0.0005	<0.0005
DUP	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	0.0006	<0.0005	<0.0005	0.0015	<0.0005	<0.0005
LF-27	11-Oct-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	0.0015	<0.0005	<0.0005	0.0018	<0.0005	<0.0005
LF-28	29-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	0.029	<0.005	<0.1	<0.005	<0.005	0.011	0.005	<0.01	<0.01
LF-28	26-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	0.02	<0.001	<0.02	<0.001	<0.001	0.0066	0.0034	<0.002	<0.002
LF-28	08-Apr-98	<0.001	0.0018	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.029	<0.001	<0.005	<0.001	<0.001	0.0088	0.0061	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,1-DCE	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-25	20-Aug-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-25	18-Dec-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-25	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-25	08-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-25	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-25	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-25	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-25	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-25	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-26	27-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	0.0012	<0.001
LF-26	09-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001
LF-26	16-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	23-Oct-98	<0.001	<0.001	<0.001	0.0011	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	13-Jan-99	<0.001	<0.001	0.0006 J11	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.0006 J11	<0.001
LF-26	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-26	14-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-27	29-Dec-97	<0.005	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-27	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-27	08-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-27	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-27	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-27	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-27	20-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-27	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
DUP	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-27	11-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-28	29-Dec-97	<0.005	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-28	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-28	08-Apr-98	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-25	20-Aug-97	na	na	na	<0.005	na	na
LF-25	18-Dec-97	na	na	na	<0.005	na	na
LF-25	26-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-25	08-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-25	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-25	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-25	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-25	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-25	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-26	27-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-26	09-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	16-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-26	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-26	14-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-27	29-Dec-97	na	na	<0.01	<0.005	na	na
LF-27	26-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-27	08-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-27	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-27	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-27	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-27	20-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-27	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
DUP	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-27	11-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-28	29-Dec-97	na	na	<0.01	<0.005	na	na
LF-28	26-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-28	08-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-28	14-Jul-98	<0.001	0.0022	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.029	<0.001	<0.005	<0.001	<0.001	0.0097	0.0071	<0.001	<0.001
LF-28	21-Oct-98	<0.002	0.0037	<0.002	<0.01	<0.01	<0.002	<0.002	<0.002	0.041	<0.002	<0.01	<0.002	<0.002	0.015	0.013	<0.002	<0.002
LF-28	12-Jan-99	<0.001	0.0026	<0.001	<0.005	<0.005	0.0006 J11	<0.001	<0.001	0.029	<0.001	<0.005	<0.001	<0.001	0.011	0.0088	<0.001	<0.001
DUP	12-Jan-99	<0.001	0.0023	<0.001	<0.005	<0.005	0.0006 J11	<0.001	<0.001	0.027	<0.001	<0.005	<0.001	<0.001	0.011	0.0074	0.0005 J11	<0.001
LF-28	20-Apr-99	<0.001	0.0021	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.026	<0.001	<0.005	<0.001	<0.001	0.01	0.0059	0.0005 J11	<0.001
LF-28	14-Jul-99	<0.0005	0.003	<0.0005	<0.01	<0.01	0.0006	<0.0005	<0.0005	0.034	<0.0005	<0.01	<0.0005	<0.0005	0.014	0.0094	<0.0005	<0.0005
LF-28	11-Oct-99	<0.0005	0.004	<0.0005	<0.01	<0.01	0.0007	<0.0005	<0.0005	0.045	<0.0005	<0.01	<0.0005	<0.0005	0.019	0.015	<0.0005	<0.0005
LF-29	29-Dec-97	<0.03	<0.03	0.21	<0.3	<0.5	<0.03	<0.03	<0.03	<0.03	<0.03	<0.5	<0.03	<0.03	<0.03	<0.03	<0.05	<0.05
LF-29	25-Feb-98	<0.002	0.013	0.17	<0.04	<0.04	0.016	<0.002	0.0039	<0.002	<0.002	<0.04	<0.002	<0.002	<0.002	0.011	<0.004	<0.004
LF-29	07-Apr-98	<0.01	0.015	0.19	<0.05	<0.05	0.019	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01	0.013	<0.01	<0.001
LF-29	14-Jul-98	<0.01	0.013	0.22	<0.05	<0.05	0.02	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01	0.012	<0.01	<0.01
LF-29	20-Oct-98	<0.005	0.012	0.19	<0.025	<0.025	0.018	<0.005	<0.005	<0.005	<0.005	<0.025	<0.005	<0.005	<0.005	0.0087	<0.005	<0.005
LF-29	11-Jan-99	<0.001	0.012	0.2	<0.005	<0.005	0.014	0.0009 J11	0.0029	0.0023	<0.001	<0.005	0.0006 J11	0.016	<0.001	0.012	0.0036	0.0021
LF-29	20-Apr-99	<0.001	0.01	0.16	<0.005	<0.005	0.016	0.0009 J11	0.003	0.0022	<0.001	<0.005	0.0006 J11	<0.001	<0.001	0.012	0.003	0.0015
DUP	20-Apr-99	<0.001	0.01	0.16	<0.005	<0.005	0.017	0.0009 J11	0.0031	0.0023	<0.001	<0.005	0.0006 J11	<0.001	<0.001	0.011	0.0027	0.002 J11
LF-29	13-Jul-99	<0.0005	0.012	0.17	<0.01	<0.01	0.02	0.0011	0.0029	0.0026	<0.0005	<0.01	0.0005	0.018	<0.0005	0.012	0.0037	0.0023
LF-29	11-Oct-99	<0.0005	0.011	0.17	<0.01	<0.01	0.018	0.0011	0.0024	0.0024	<0.0005	<0.01	0.0005	0.014	<0.0005	0.012	0.0039	0.0023
DUP	11-Oct-99	<0.0005	0.011	0.17	<0.01	<0.01	0.019	0.0009	0.0024	0.0024	<0.0005	<0.01	<0.0005	0.014	<0.0005	0.012	0.0034	0.0023
LF-30	30-Dec-97	<0.005	0.02	0.099	<0.05	<0.1	<0.005	<0.005	<0.005	0.01	<0.005	<0.1	<0.005	<0.005	<0.005	0.023	<0.01	<0.01
LF-30	25-Feb-98	<0.001	0.0016	0.019	<0.02	<0.02	<0.001	<0.001	<0.001	0.0015	<0.001	<0.02	<0.001	<0.001	<0.001	0.0092	<0.002	<0.002
DUP	25-Feb-98	<0.001	0.0026	0.023	<0.02	<0.02	<0.001	<0.001	<0.001	0.0017	<0.001	<0.02	<0.001	<0.001	<0.001	0.01	<0.002	<0.002
LF-30	07-Apr-98	<0.001	0.0076	0.037	<0.005	<0.005	<0.001	<0.001	<0.001	0.0051	<0.001	<0.005	<0.001	<0.001	<0.001	0.012	0.0021	<0.001
LF-30	14-Jul-98	<0.002	0.0055	0.034	<0.01	<0.01	<0.002	<0.002	<0.002	0.005	<0.002	<0.01	<0.002	<0.002	<0.002	0.011	<0.002	<0.002
LF-30	20-Oct-98	<0.001	0.005	0.034	<0.005	<0.005	<0.001	<0.001	<0.001	0.0035	<0.001	<0.005	<0.001	<0.001	<0.001	0.0097	0.0015	<0.001
LF-30	11-Jan-99	<0.001	0.0095	0.053	<0.005	<0.005	0.001 J11	<0.001	<0.001	0.0056	<0.001	<0.005	<0.001	0.004	<0.001	0.015	0.0034	<0.001
LF-30	20-Apr-99	<0.001	0.0033	0.021	<0.005	<0.005	<0.001	<0.001	<0.001	0.003	<0.001	<0.005	<0.001	<0.001	<0.001	0.0092	0.0011	<0.001
LF-30	13-Jul-99	<0.0005	0.0094	0.048	<0.01	<0.01	0.0011	<0.0005	<0.0005	0.006	<0.0005	<0.01	<0.0005	0.0051	<0.0005	0.018	0.0023	<0.0005
LF-30	11-Oct-99	<0.0005	0.003	0.025	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.0029	<0.0005	<0.01	<0.0005	0.002	<0.0005	0.013	0.0009	<0.0005
LF-31	02-Jun-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.0005	<0.001	<0.001	0.0058	<0.001	<0.005	<0.001	<0.001	0.0022	<0.001	0.0006	<0.001
LF-31	13-Jul-99	<0.0005	0.0007	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.0054	<0.0005	<0.01	<0.0005	<0.0005	0.0024	0.0006	0.0006	<0.0005

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,1-DCE	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-28	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-28	21-Oct-98	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.01	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
LF-28	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-28	20-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-28	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-28	11-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-29	29-Dec-97	<0.03	<0.03	<0.01	<0.03	<0.03	na	na	na	<0.3	na	<0.05	<0.05	<0.05	na	na	na
LF-29	25-Feb-98	<0.002	<0.002	<0.002	<0.002	<0.002	0.019	<0.002	<0.002	<0.002	<0.002	<0.002	<0.004	<0.004	<0.004	<0.002	<0.002
LF-29	07-Apr-98	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
LF-29	14-Jul-98	<0.01	<0.01	<0.01	<0.01	<0.01	0.021	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
LF-29	20-Oct-98	<0.005	<0.005	<0.005	<0.005	<0.005	0.013	<0.005	<0.005	<0.025	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
LF-29	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.017	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.0007 J11	<0.001
LF-29	20-Apr-99	0.0005 J11	<0.001	<0.001	<0.001	<0.001	0.014	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.0008 J11	<0.001
DUP	20-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.016	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.0008 J11	<0.001
LF-29	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.016	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	0.0008	<0.0005
LF-29	11-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.016	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	0.0014 J10	<0.0005
DUP	11-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.016	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	0.0008 J10	<0.0005
LF-30	30-Dec-97	<0.005	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-30	25-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
DUP	25-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-30	07-Apr-98	0.0013	<0.001	<0.001	<0.001	<0.001	0.0025	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	0.0041	<0.001	<0.001
LF-30	14-Jul-98	<0.002	<0.002	<0.002	<0.002	<0.002	0.0022	<0.002	<0.002	<0.01	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
LF-30	20-Oct-98	0.001	<0.001	<0.001	<0.001	<0.001	0.0017	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	0.0038	<0.001	<0.001
LF-30	11-Jan-99	0.0014	<0.001	<0.001	<0.001	<0.001	0.0033	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	0.0054	<0.001	<0.001
LF-30	20-Apr-99	0.0008 J11	<0.001	<0.001	<0.001	<0.001	0.0018	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-30	13-Jul-99	0.0014	<0.0005	<0.0005	<0.0005	<0.0005	0.0033	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-30	11-Oct-99	0.0009	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	0.0034	<0.0005	<0.0005
LF-31	02-Jun-99	<0.0005	<0.001	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-31	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-28	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-28	21-Oct-98	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
LF-28	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-28	20-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-28	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-28	11-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-29	29-Dec-97	na	na	<0.01	<0.03	na	na
LF-29	25-Feb-98	<0.002	<0.002	<0.01	<0.002	<0.002	0.008
LF-29	07-Apr-98	na	<0.01	<0.01	<0.01	<0.01	<0.01
LF-29	14-Jul-98	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
LF-29	20-Oct-98	<0.005	<0.005	<0.005	<0.005	<0.005	0.0074
LF-29	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0081
LF-29	20-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0089
DUP	20-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0085
LF-29	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0084
LF-29	11-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0087
DUP	11-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0089
LF-30	30-Dec-97	na	na	<0.01	<0.005	na	na
LF-30	25-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
DUP	25-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-30	07-Apr-98	na	<0.001	<0.001	<0.001	<0.001	0.0011
LF-30	14-Jul-98	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
LF-30	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-30	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0015
LF-30	20-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0008 J11
LF-30	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0016
LF-30	11-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0008
LF-31	02-Jun-99	<0.001	<0.001	<0.01	<0.001	<0.001	<0.001
LF-31	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-31	11-Oct-99	<0.0005	0.003	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.019	<0.0005	<0.01	<0.0005	<0.0005	0.0094	0.0034	0.0015	<0.0005
LF-32	22-Jun-99	<0.0005	0.0098	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.0018	<0.0005	<0.01	0.0009	<0.0005	<0.0005	0.0069	<0.0005	<0.0005
LF-32	16-Jul-99	<0.0005	0.0091	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.0018	<0.0005	<0.01	0.001	<0.0005	<0.0005	0.0067	<0.0005	<0.0005
LF-32	25-Oct-99	<0.0005	0.013	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.0021	<0.0005	<0.01	0.0012	<0.0005	<0.0005	0.0079	<0.0005	<0.0005
DUP	25-Oct-99	<0.0005	0.013	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.002	<0.0005	<0.01	0.0012	<0.0005	<0.0005	0.0076	<0.0005	<0.0005
LF-33	22-Jun-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	0.0005	<0.0013 U5,6	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
DUP	22-Jun-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	0.0005	<0.0009 U5,6	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-33	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	0.0005	0.0006	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-33	11-Oct-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-34	22-Jun-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.014	<0.0005	<0.01	<0.0005	<0.0005	0.0056	0.0005	<0.0005	<0.0005
LF-34	13-Jul-99	<0.0005	0.0007	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.015	<0.0005	<0.01	<0.0005	<0.0005	0.0059	0.0008	<0.0005	<0.0005
LF-34	11-Oct-99	<0.0005	0.0007	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.018	<0.0005	<0.01	<0.0005	<0.0005	0.006	0.0008	0.0015	<0.0005
LF-35	25-Oct-99	<0.0005	0.002	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.0007	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-B1 (a)	07-Dec-89	<0.001	0.051	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-B1 (a)	18-Jul-90	<0.001	0.17	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	0.001	<0.002	na	<0.001	na	<0.001
LF-B1 (a)	20-Dec-90	<0.001	0.13	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-B1 (a)	20-Jun-91	<0.005	0.18	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B1 (a)	16-Dec-91	<0.005	0.160	na	<0.010	<0.020	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.005	na	<0.005	na	<0.005
LF-B1 (a)	08-Jul-92	<0.005	0.150	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B1 (a)	30-Dec-92	<0.005	0.140	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B1 (a)	08-Jun-93	<0.005	0.160	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B1	Destroyed under permit																	
LF-B2	06-Dec-89	<0.001	0.007	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	0.013
LF-B2	18-Jul-90	<0.001	0.007	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	0.002	na	<0.001	na	<0.001
DUP	18-Jul-90	<0.001	0.007	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	0.002	na	<0.001	na	<0.001
LF-B2	19-Dec-90	<0.001	0.004	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	0.002	<0.001	na	<0.001	na	<0.001
LF-B2	20-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,1-DCE	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-31	11-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-32	22-Jun-99	<0.0005	<0.0005	<0.0095	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-32	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-32	25-Oct-99	<0.0005	0.0018	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
DUP	25-Oct-99	<0.0005	0.0018	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-33	22-Jun-99	<0.0005	<0.0005	<0.0094	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
DUP	22-Jun-99	<0.0005	<0.0005	<0.0095	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-33	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-33	11-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-34	22-Jun-99	<0.0005	<0.0005	<0.0095	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-34	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-34	11-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-35	25-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-B1 (a)	07-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B1 (a)	18-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B1 (a)	20-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B1 (a)	20-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B1 (a)	16-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B1 (a)	08-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B1 (a)	30-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B1 (a)	08-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B1	Destroyed under permit																
LF-B2	06-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B2	18-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	18-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B2	19-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B2	20-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-31	11-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-32	22-Jun-99	<0.0005	<0.0005	<0.0095	<0.0005	<0.0005	<0.0005
LF-32	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-32	25-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
DUP	25-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-33	22-Jun-99	<0.0005	<0.0005	<0.0094	<0.0005	<0.0005	<0.0005
DUP	22-Jun-99	<0.0005	<0.0005	<0.0095	<0.0005	<0.0005	<0.0005
LF-33	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-33	11-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-34	22-Jun-99	<0.0005	<0.0005	<0.0095	<0.0005	<0.0005	<0.0005
LF-34	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-34	11-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-35	25-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-B1 (a)	07-Dec-89	na	na	<0.002	na	na	na
LF-B1 (a)	18-Jul-90	na	na	<0.002	na	na	na
LF-B1 (a)	20-Dec-90	na	na	<0.002	na	na	na
LF-B1 (a)	20-Jun-91	na	na	<0.011	na	na	na
LF-B1 (a)	16-Dec-91	na	na	na	na	na	na
LF-B1 (a)	08-Jul-92	na	na	<0.01	na	na	na
LF-B1 (a)	30-Dec-92	na	na	na	na	na	na
LF-B1 (a)	08-Jun-93	na	na	<0.01	na	na	na
LF-B1	Destroyed under permit						
LF-B2	06-Dec-89	na	na	<0.002	na	na	na
LF-B2	18-Jul-90	na	na	<0.002	na	na	na
DUP	18-Jul-90	na	na	<0.002	na	na	na
LF-B2	19-Dec-90	na	na	na	na	na	na
LF-B2	20-Dec-90	na	na	<0.002	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-B2	20-Jun-91	<0.005	0.150	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B2	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B2	16-Dec-91	<0.005	<0.005	na	<0.010	<0.020	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.005	na	<0.005	na	<0.005
LF-B2	08-Jul-92	<0.005	0.006	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B2	08-Jun-93	<0.005	0.006	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B2	Destroyed or lost during slurry wall and cap construction activities																	
LF-B3	07-Dec-89	<0.001	0.1	na	0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
DUP	07-Dec-89	<0.001	0.073	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-B3	18-Jul-90	<0.001	0.086	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	0.002	na	<0.001	na	<0.001
LF-B3	20-Dec-90	<0.001	0.084	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	<0.001	na	<0.001	na	<0.001
LF-B3	19-Jun-91	<0.005	0.11	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B3	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B3	16-Dec-91	<0.005	0.087	na	<0.010	0.026	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.005	na	<0.005	na	<0.005
LF-B3	08-Jul-92	<0.005	0.110	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B3	30-Dec-92	<0.005	0.110	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B3	08-Jun-93	<0.005	0.110	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B3	05-Jan-94	<0.003	0.099	<0.003	<0.03	<0.05	<0.003	<0.003	<0.003	<0.003	<0.003	<0.05	<0.003	<0.003	<0.003	<0.003	<0.005	<0.005
LF-B3	16-Apr-96	<0.005	0.013	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B3	01-Aug-96	<0.005	0.022	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B3	21-Nov-96	<0.005	0.036	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
DUP	21-Nov-96	<0.005	0.021	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B3	17-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B3	12-Jun-97	<0.005	0.034	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B3	20-Aug-97	<0.005	0.032	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B3	17-Dec-97	<0.005	0.018	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B3	27-Feb-98	<0.001	0.022	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
LF-B3	08-Apr-98	<0.001	0.0059	<0.001	<0.005	0.014	<0.001	<0.001	<0.001	<0.001	<0.001	0.0057	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	15-Jul-98	<0.001	0.019	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	21-Oct-98	<0.001	0.017	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	13-Jan-99	<0.001	0.018	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	22-Apr-99	<0.001	0.014	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	15-Jul-99	<0.0005	0.014	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-B3	14-Oct-99	<0.0005	0.012	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,1-DCE	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-B2	20-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B2	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B2	16-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B2	08-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B2	08-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B2	Destroyed or lost during slurry wall and cap construction activities																
LF-B3	07-Dec-89	na	na	na	na	na	na	na	na	0.001	na	na	na	na	na	na	na
DUP	07-Dec-89	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B3	18-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B3	20-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B3	19-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B3	21-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B3	16-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B3	08-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B3	30-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B3	08-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B3	05-Jan-94	<0.003	<0.003	na	<0.003	<0.003	na	na	na	<0.03	na	<0.005	<0.005	<0.005	na	na	na
LF-B3	16-Apr-96	<0.005	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B3	01-Aug-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B3	21-Nov-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
DUP	21-Nov-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B3	17-Mar-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B3	12-Jun-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B3	20-Aug-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B3	17-Dec-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B3	27-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-B3	08-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	22-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-B3	14-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-B2	20-Jun-91	na	na	na	na	na	na
LF-B2	21-Jun-91	na	na	<0.011	na	na	na
LF-B2	16-Dec-91	na	na	na	na	na	na
LF-B2	08-Jul-92	na	na	<0.01	na	na	na
LF-B2	08-Jun-93	na	na	<0.01	na	na	na
LF-B2	Destroyed or lost during slurry wall and cap construction activities						
LF-B3	07-Dec-89	na	na	<0.002	0.001	na	na
DUP	07-Dec-89	na	na	na	na	na	na
LF-B3	18-Jul-90	na	na	<0.002	na	na	na
LF-B3	20-Dec-90	na	na	<0.002	na	na	na
LF-B3	19-Jun-91	na	na	na	na	na	na
LF-B3	21-Jun-91	na	na	<0.011	na	na	na
LF-B3	16-Dec-91	na	na	na	na	na	na
LF-B3	08-Jul-92	na	na	<0.01	na	na	na
LF-B3	30-Dec-92	na	na	na	na	na	na
LF-B3	08-Jun-93	na	na	<0.01	na	na	na
LF-B3	05-Jan-94	na	na	na	<0.003	na	na
LF-B3	16-Apr-96	na	na	<0.01	<0.005	na	na
LF-B3	01-Aug-96	na	na	na	<0.005	na	na
LF-B3	21-Nov-96	na	na	na	<0.005	na	na
DUP	21-Nov-96	na	na	na	<0.005	na	na
LF-B3	17-Mar-97	na	na	na	<0.005	na	na
LF-B3	12-Jun-97	na	na	na	<0.005	na	na
LF-B3	20-Aug-97	na	na	na	<0.005	na	na
LF-B3	17-Dec-97	na	na	na	<0.005	na	na
LF-B3	27-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-B3	08-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	21-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	22-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B3	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-B3	14-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-B4	18-Jul-90	<0.001	0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	0.002	na	<0.001	na	<0.001
LF-B4	19-Dec-90	<0.001	<0.001	na	<0.001	<0.01	<0.001	<0.001	na	na	<0.001	<0.02	<0.001	0.002	na	<0.001	na	<0.001
LF-B4	19-Jun-91	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B4	17-Dec-91	<0.005	<0.005	na	<0.010	<0.020	<0.005	<0.005	na	na	<0.005	<0.020	<0.005	<0.050	na	<0.005	na	<0.005
LF-B4	08-Jul-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B4	30-Dec-92	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B4	08-Jun-93	<0.005	<0.005	na	<0.01	<0.02	<0.005	<0.005	na	na	<0.005	<0.02	<0.005	<0.005	na	<0.005	na	<0.005
LF-B4	05-Jan-94	<0.003	<0.003	<0.003	<0.03	<0.05	<0.003	<0.003	<0.003	<0.003	<0.003	<0.05	<0.003	<0.003	<0.003	0.012	<0.005	<0.005
LF-B4	16-Apr-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B4	30-Jul-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B4	22-Nov-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	0.01	<0.005	<0.005	<0.01	<0.01
DUP	22-Nov-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B4	17-Mar-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B4	01-Jul-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B4	20-Aug-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B4	18-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B4	25-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
LF-B4	07-Apr-98	<0.001	0.0012	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B4	15-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B4	19-Oct-98	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.005 UJ2	<0.005 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.005 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2
LF-B4	11-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B4	20-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B4	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-B4	14-Oct-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-B5 (b)	09-Apr-96	<0.05	0.28	<0.05	<0.5	<1	<0.05	<0.05	<0.05	<0.05	<0.05	<1	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1
LF-B5 (b)	01-Aug-96	<0.03	0.38	<0.03	<0.3	<0.5	<0.03	<0.03	<0.03	<0.03	<0.03	<0.5	<0.03	<0.03	<0.03	<0.03	<0.05	<0.05
LF-B5 (b)	22-Nov-96	<0.03	0.32	<0.03	<0.3	<0.5	<0.03	<0.03	<0.03	<0.03	<0.03	<0.5	<0.03	<0.03	<0.03	<0.03	<0.05	<0.05
LF-B5 (b)	17-Mar-97	<0.03	0.29	<0.03	<0.3	<0.5	<0.03	<0.03	<0.03	<0.03	<0.03	<0.5	<0.03	<0.03	<0.03	<0.03	<0.05	<0.05
LF-B5 (b)	12-Jun-97	<0.03	0.31	<0.03	<0.3	<0.5	<0.03	<0.03	<0.03	<0.03	<0.03	<0.5	<0.03	<0.03	<0.03	<0.03	<0.05	<0.05
LF-B5 (b)	20-Aug-97	<0.05	0.38	<0.05	<0.5	<1	<0.05	<0.05	<0.05	<0.05	<0.05	<1	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1
LF-B5 (b)	17-Dec-97	<0.05	0.34	<0.05	<0.5	<1	<0.05	<0.05	<0.05	<0.05	<0.05	<1	<0.05	<0.05	<0.05	<0.05	<0.1	<0.1

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,1-DCE	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-B4	18-Jul-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B4	19-Dec-90	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B4	19-Jun-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B4	17-Dec-91	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B4	08-Jul-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B4	30-Dec-92	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B4	08-Jun-93	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
LF-B4	05-Jan-94	<0.003	<0.003	na	<0.003	<0.003	na	na	na	<0.03	na	<0.005	<0.005	<0.005	na	na	na
LF-B4	16-Apr-96	<0.005	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B4	30-Jul-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B4	22-Nov-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
DUP	22-Nov-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B4	17-Mar-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B4	01-Jul-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B4	20-Aug-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B4	18-Dec-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B4	25-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-B4	07-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B4	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B4	19-Oct-98	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.005 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2
LF-B4	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B4	20-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B4	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-B4	14-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-B5 (b)	09-Apr-96	<0.05	<0.05	<0.01	<0.05	<0.05	na	na	na	<0.5	na	<0.1	<0.1	<0.1	na	na	na
LF-B5 (b)	01-Aug-96	<0.03	<0.03	na	<0.03	<0.03	na	na	na	<0.3	na	<0.05	<0.05	<0.05	na	na	na
LF-B5 (b)	22-Nov-96	<0.03	<0.03	na	<0.03	<0.03	na	na	na	<0.3	na	<0.05	<0.05	<0.05	na	na	na
LF-B5 (b)	17-Mar-97	<0.03	<0.03	na	<0.03	<0.03	na	na	na	<0.3	na	<0.05	<0.05	<0.05	na	na	na
LF-B5 (b)	12-Jun-97	<0.03	<0.03	na	<0.03	<0.03	na	na	na	<0.3	na	<0.05	<0.05	<0.05	na	na	na
LF-B5 (b)	20-Aug-97	<0.05	<0.05	na	<0.05	<0.05	na	na	na	<0.5	na	<0.1	<0.1	<0.1	na	na	na
LF-B5 (b)	17-Dec-97	<0.05	<0.05	na	<0.05	<0.05	na	na	na	<0.5	na	<0.1	<0.1	<0.1	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-B4	18-Jul-90	na	na	<0.002	na	na	na
LF-B4	19-Dec-90	na	na	<0.002	na	na	na
LF-B4	19-Jun-91	na	na	<0.01	na	na	na
LF-B4	17-Dec-91	na	na	na	na	na	na
LF-B4	08-Jul-92	na	na	<0.01	na	na	na
LF-B4	30-Dec-92	na	na	na	na	na	na
LF-B4	08-Jun-93	na	na	<0.01	na	na	na
LF-B4	05-Jan-94	na	na	na	<0.003	na	na
LF-B4	16-Apr-96	na	na	<0.01	<0.005	na	na
LF-B4	30-Jul-96	na	na	na	<0.005	na	na
LF-B4	22-Nov-96	na	na	na	<0.005	na	na
DUP	22-Nov-96	na	na	na	<0.005	na	na
LF-B4	17-Mar-97	na	na	na	<0.005	na	na
LF-B4	01-Jul-97	na	na	na	<0.005	na	na
LF-B4	20-Aug-97	na	na	na	<0.005	na	na
LF-B4	18-Dec-97	na	na	na	<0.005	na	na
LF-B4	25-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-B4	07-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B4	15-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B4	19-Oct-98	<0.001 UJ2	<0.001 UJ2	0.002 J2	<0.001 UJ2	<0.001 UJ2	<0.001 UJ2
LF-B4	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B4	20-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B4	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-B4	14-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-B5 (b)	09-Apr-96	na	na	<0.01	<0.05	na	na
LF-B5 (b)	01-Aug-96	na	na	na	<0.03	na	na
LF-B5 (b)	22-Nov-96	na	na	na	<0.03	na	na
LF-B5 (b)	17-Mar-97	na	na	na	<0.03	na	na
LF-B5 (b)	12-Jun-97	na	na	na	<0.03	na	na
LF-B5 (b)	20-Aug-97	na	na	na	<0.05	na	na
LF-B5 (b)	17-Dec-97	na	na	na	<0.05	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
LF-B5 (b)	27-Feb-98	<0.001	0.24	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	0.0048	<0.001	<0.02	<0.001	<0.001	0.0023	0.009	<0.002	<0.002
LF-B5 (b)	09-Apr-98	<0.01	0.34	<0.01	<0.05	<0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.001
LF-B5 (b)	16-Jul-98	<0.012	0.28	<0.012	<0.062	<0.062	<0.012	<0.012	<0.012	<0.012	<0.012	<0.062	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012
DUP	16-Jul-98	<0.012	0.27	<0.012	<0.062	<0.062	<0.012	<0.012	<0.012	<0.012	<0.012	<0.062	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012
LF-B5 (b)	23-Oct-98	<0.0025	0.24	<0.0025	<0.012	0.03	<0.0025	<0.0025	<0.0025	0.003	<0.0025	<0.012	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
LF-B5 (b)	13-Jan-99	<0.002	0.3	<0.002	<0.01	<0.01	<0.002	<0.002	<0.002	0.003	<0.002	<0.01	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
LF-B5 (b)	21-Apr-99	<0.001	0.31	0.0009 J11	<0.005	<0.005	<0.001	<0.001	<0.001	0.003	<0.001	<0.005	<0.001	<0.001	<0.001	0.0009 J11	<0.001	<0.001
LF-B5 (b)	15-Jul-99	<0.001	0.26	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	0.0025	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B5 (b)	15-Oct-99	<0.001	0.27	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	0.0044	<0.001	<0.02	<0.001	<0.001	<0.001	0.003	<0.001	<0.001
DUP	15-Oct-99	<0.001	0.26	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	0.0029	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B6	09-Apr-96	<0.1	<0.1	<0.1	<1	<2	<0.1	<0.1	<0.1	<0.1	0.29	<2	<0.1	0.29	<0.1	<0.1	<0.2	0.97
LF-B6	01-Aug-96	<0.005	0.03	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	0.11	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B6	25-Nov-96	<0.005	0.046	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
DUP	25-Nov-96	<0.005	0.047	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B6	17-Mar-97	<0.005	0.025	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B6	12-Jun-97	<0.005	0.041	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B6	19-Aug-97	<0.005	0.07	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B6	18-Dec-97	<0.005	0.067	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
LF-B6	27-Feb-98	<0.001	0.059	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
LF-B6	08-Apr-98	<0.005	0.072	<0.005	<0.025	<0.025	<0.005	<0.005	<0.005	<0.005	<0.005	<0.025	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001
LF-B6	15-Jul-98	<0.0025	0.064	<0.0025	<0.012	<0.012	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.012	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
LF-B6	19-Oct-98	<0.05 UJ2	<0.083 UJ2,	<0.05 UJ2	<0.25 UJ2	<0.35 UJ2,	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.25 UJ2	<0.05 UJ2	<0.09 UJ2,	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2
LF-B6	13-Jan-99	<0.001	0.085	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B6	21-Apr-99	<0.001	0.084	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B6	14-Jul-99	<0.0005	0.079	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-B6	15-Oct-99	<0.0005	0.09	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
EX-1	18-Apr-96	<0.005	<0.005	<0.005	<0.05	<0.1	0.0011	<0.005	<0.005	<0.005	0.006	<0.1	<0.005	0.0009	<0.005	<0.005	<0.01	0.02
EX-1	01-Aug-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	0.027	<0.005	<0.005	<0.01	0.019
EX-1	18-Dec-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	0.031	<0.1	<0.005	0.87	<0.005	<0.005	<0.01	1.4
EX-1	15-Apr-97	<0.5	<0.5	<0.5	<5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	3.2	<0.5	<0.5	<1	2.2
EX-1	01-Jul-97	<0.1	<0.1	<0.1	<1	<2	<0.1	<0.1	<0.1	<0.1	0.1	<2	<0.1	2	<0.1	<0.1	<0.2	1.8

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,1-DCE	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
LF-B5 (b)	27-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	0.0018	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-B5 (b)	09-Apr-98	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
LF-B5 (b)	16-Jul-98	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012	<0.062	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012
DUP	16-Jul-98	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012	<0.062	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012
LF-B5 (b)	23-Oct-98	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.012	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
LF-B5 (b)	13-Jan-99	<0.002	<0.002	<0.002	<0.002	<0.002	0.0032	<0.002	<0.002	<0.01	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
LF-B5 (b)	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0036	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B5 (b)	15-Jul-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0039	<0.001	<0.001	<0.02	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-B5 (b)	15-Oct-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0024	<0.001	<0.001	<0.02	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
DUP	15-Oct-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0023	<0.001	<0.001	<0.02	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-B6	09-Apr-96	<0.1	<0.1	<0.01	<0.1	<0.1	na	na	na	<1	na	<0.2	<0.2	<0.2	na	na	na
LF-B6	01-Aug-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B6	25-Nov-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
DUP	25-Nov-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B6	17-Mar-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B6	12-Jun-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B6	19-Aug-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B6	18-Dec-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
LF-B6	27-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
LF-B6	08-Apr-98	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.025	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
LF-B6	15-Jul-98	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.012	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
LF-B6	19-Oct-98	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.25 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2
LF-B6	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B6	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B6	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
LF-B6	15-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
EX-1	18-Apr-96	<0.005	<0.005	<0.01	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
EX-1	01-Aug-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
EX-1	18-Dec-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
EX-1	15-Apr-97	<0.5	<0.5	na	<0.5	<0.5	na	na	na	<5	na	<1	<1	<1	na	na	na
EX-1	01-Jul-97	<0.1	<0.1	na	<0.1	<0.1	na	na	na	<1	na	<0.2	<0.2	<0.2	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
LF-B5 (b)	27-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-B5 (b)	09-Apr-98	na	<0.01	<0.01	<0.01	<0.01	<0.01
LF-B5 (b)	16-Jul-98	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012
DUP	16-Jul-98	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012
LF-B5 (b)	23-Oct-98	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
LF-B5 (b)	13-Jan-99	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
LF-B5 (b)	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B5 (b)	15-Jul-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B5 (b)	15-Oct-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	15-Oct-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B6	09-Apr-96	na	na	0.01	<0.1	na	na
LF-B6	01-Aug-96	na	na	na	<0.005	na	na
LF-B6	25-Nov-96	na	na	na	<0.005	na	na
DUP	25-Nov-96	na	na	na	<0.005	na	na
LF-B6	17-Mar-97	na	na	na	<0.005	na	na
LF-B6	12-Jun-97	na	na	na	<0.005	na	na
LF-B6	19-Aug-97	na	na	na	<0.005	na	na
LF-B6	18-Dec-97	na	na	na	<0.005	na	na
LF-B6	27-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
LF-B6	08-Apr-98	na	<0.005	<0.005	<0.005	<0.005	<0.005
LF-B6	15-Jul-98	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
LF-B6	19-Oct-98	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2	<0.05 UJ2
LF-B6	13-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B6	21-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
LF-B6	14-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-B6	15-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
EX-1	18-Apr-96	na	na	<0.01	<0.005	na	na
EX-1	01-Aug-96	na	na	na	<0.005	na	na
EX-1	18-Dec-96	na	na	na	<0.005	na	na
EX-1	15-Apr-97	na	na	na	<0.5	na	na
EX-1	01-Jul-97	na	na	na	<0.1	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
EX-1	22-Sep-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	0.21
EX-1	18-Dec-97	<0.03	<0.03	<0.03	<0.3	<0.5	<0.03	<0.03	<0.03	<0.03	0.22	<0.5	<0.03	0.2	<0.03	<0.03	<0.05	0.74
EX-1	27-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	0.0023	0.002	<0.001	0.0012	0.11	<0.02	<0.001	0.0039	<0.001	<0.001	<0.002	0.248
EX-1	09-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.011
EX-1	17-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0022	<0.001	<0.001	0.0017	<0.005	<0.001	0.0051	<0.001	<0.001	<0.001	0.015
EX-1	23-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0018	<0.001	<0.001	0.0026	<0.005	<0.001	0.0038	<0.001	<0.001	<0.001	0.014
EX-1	14-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0017	<0.001	<0.001	0.001 J11	<0.005	<0.001	0.0042	<0.001	<0.001	<0.001	0.0063
EX-1	23-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0008 J11	<0.001	<0.001	0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-1	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	0.0008	<0.0005	<0.0005	0.0039	<0.01	<0.0005	0.0059	<0.0005	<0.0005	<0.0005	0.033
EX-1	13-Oct-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	0.0038	<0.0005	<0.0005	<0.0005	<0.0005
EX-2	18-Apr-96	<3	<3	<3	<30	<50	0.11	<3	<3	<3	8	<50	<3	24	<3	<3	<5	7.7
EX-2	01-Aug-96	<0.5	<0.5	<0.5	<5	<10	<0.5	<0.5	<0.5	<0.5	0.65	<10	<0.5	6.6	<0.5	<0.5	<1	3.7
EX-2	18-Dec-96	<1	<1	<1	<10	<20	<1	<1	<1	<1	2.5	<20	<1	23	<1	<1	<2	12
EX-2	15-Apr-97	<3	<3	<3	<30	<50	<3	<3	<3	<3	<3	<50	<3	26	<3	<3	<5	10
EX-2	01-Jul-97	<1	<1	<1	<10	<30	<1	<1	<1	<1	2	<30	<1	27	<1	<1	<3	10
EX-2	22-Sep-97	<1	<1	<1	<10	<30	<1	<1	<1	<1	1.8	<30	<1	21	<1	8.2	<3	8.4
EX-2	22-Dec-97	<0.5	<0.5	<0.5	<5	<10	<0.5	<0.5	<0.5	<0.5	1.6	<10	<0.5	8.3	<0.5	<0.5	<1	6.6
EX-2	02-Mar-98	<0.1	<0.1	<0.1	<2	<2	<0.1	<0.1	<0.1	<0.1	1.1	<2	<0.1	7.7	<0.1	<0.1	<0.2	4.8
EX-2	09-Apr-98	<0.05	<0.05	<0.05	<0.25	<0.25	<0.05	<0.05	<0.05	<0.05	0.52	<0.25	<0.05	8.1	<0.05	<0.05	<0.05	4
EX-2	17-Jul-98	<0.25	<0.25	<0.25	<1.2	<1.2	<0.25	<0.25	<0.25	<0.25	<0.25	<1.2	<0.25	4.2	<0.25	<0.25	<0.25	4.4
EX-2	23-Oct-98	<0.0025	<0.0025	<0.0025	<0.012	<0.012	0.0032	<0.0025	<0.0025	<0.0025	0.031	<0.012	<0.0025	0.13	<0.0025	<0.0025	<0.0025	0.24
EX-2	14-Jan-99	<0.1	<0.1	<0.1	<0.5	<0.5	0.059 J11	<0.1	<0.1	<0.1	1.2	<0.5	<0.1	11	<0.1	<0.1	<0.1	6.4
EX-2	23-Apr-99	<0.013	<0.013	<0.013	<0.063	<0.068 U6	0.0069 J11	<0.013	<0.013	0.0081 J11	0.17	<0.063	<0.013	1.6	<0.013	<0.013	<0.013	2.61
EX-2	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.0011	0.0071	<0.01	<0.0005	0.0098	<0.0005	<0.0005	<0.0005	0.059
EX-2	14-Oct-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	0.0009	<0.0005	<0.0005	0.0021	0.0074	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.026
EX-3	18-Apr-96	<0.3	<0.3	<0.3	<3	<5	0.0009	<0.3	<0.3	<0.3	<0.3	<5	<0.3	<0.3	<0.3	<0.3	<0.5	<0.5
EX-3	01-Aug-96	<0.005	0.006	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
EX-3	18-Dec-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
EX-3	15-Apr-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
EX-3	01-Jul-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
EX-3	22-Sep-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	0.009	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,1-DCE	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
EX-1	22-Sep-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
EX-1	18-Dec-97	<0.03	<0.03	na	<0.03	<0.03	na	na	na	<0.3	na	<0.05	<0.05	<0.05	na	na	na
EX-1	27-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.039	0.016	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	0.0066	<0.001
EX-1	09-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.0012	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-1	17-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.0022	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-1	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.0029	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-1	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.0009 J11	<0.001	<0.005	<0.001	0.0026	<0.001	<0.001	<0.001	<0.001	<0.001
EX-1	23-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	0.0011	<0.001	<0.001	<0.001	<0.001	<0.001
EX-1	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0065	0.0033	<0.01	<0.0005	0.013	<0.001	<0.001	<0.001	<0.0005	<0.0005
EX-1	13-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
EX-2	18-Apr-96	<3	<3	<0.1	<3	<3	na	na	na	<30	na	<5	<5	<5	na	na	na
EX-2	01-Aug-96	<0.5	<0.5	na	<0.5	<0.5	na	na	na	<5	na	<1	<1	<1	na	na	na
EX-2	18-Dec-96	<1	<1	na	<1	<1	na	na	na	<10	na	<2	<2	<2	na	na	na
EX-2	15-Apr-97	<3	<3	na	<3	<3	na	na	na	<30	na	<5	<5	<5	na	na	na
EX-2	01-Jul-97	<1	<1	na	<1	<1	na	na	na	<10	na	<3	<3	<3	na	na	na
EX-2	22-Sep-97	<1	<1	na	<1	<1	na	na	na	<10	na	<3	<3	<3	na	na	na
EX-2	22-Dec-97	<0.5	<0.5	na	<0.5	<0.5	na	na	na	<5	na	<1	<1	<1	na	na	na
EX-2	02-Mar-98	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.51	0.14	<0.1	<0.1	<0.1	<0.2	<0.2	<0.2	<0.1	<0.1
EX-2	09-Apr-98	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.38	0.14	<0.25	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
EX-2	17-Jul-98	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	0.39	<0.25	<1.2	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
EX-2	23-Oct-98	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	0.022	0.013	<0.012	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
EX-2	14-Jan-99	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.62	0.19	<0.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
EX-2	23-Apr-99	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	0.42	0.14	<0.063	<0.013	<0.013	<0.013	<0.013	<0.013	0.01 J11	<0.013
EX-2	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0058	0.0041	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
EX-2	14-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0032	0.0025	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
EX-3	18-Apr-96	<0.3	<0.3	<0.01	<0.3	<0.3	na	na	na	<3	na	<0.5	<0.5	<0.5	na	na	na
EX-3	01-Aug-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
EX-3	18-Dec-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
EX-3	15-Apr-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
EX-3	01-Jul-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
EX-3	22-Sep-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
EX-1	22-Sep-97	na	na	na	<0.005	na	na
EX-1	18-Dec-97	na	na	na	<0.03	na	na
EX-1	27-Feb-98	<0.001	0.005	0.0068	<0.001	0.0011	<0.001
EX-1	09-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
EX-1	17-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	0.001
EX-1	23-Oct-98	<0.001	<0.001	0.008	<0.001	<0.001	<0.001
EX-1	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0006 J11
EX-1	23-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-1	16-Jul-99	<0.0005	<0.0005	0.001	<0.0005	<0.0005	<0.0005
EX-1	13-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
EX-2	18-Apr-96	na	na	<0.1	<3	na	na
EX-2	01-Aug-96	na	na	na	<0.5	na	na
EX-2	18-Dec-96	na	na	na	<1	na	na
EX-2	15-Apr-97	na	na	na	<3	na	na
EX-2	01-Jul-97	na	na	na	<1	na	na
EX-2	22-Sep-97	na	na	na	<1	na	na
EX-2	22-Dec-97	na	na	na	<0.5	na	na
EX-2	02-Mar-98	<0.1	<0.1	<0.5	<0.1	<0.1	<0.1
EX-2	09-Apr-98	na	<0.05	<0.05	<0.05	<0.05	<0.05
EX-2	17-Jul-98	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
EX-2	23-Oct-98	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	0.0025
EX-2	14-Jan-99	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
EX-2	23-Apr-99	<0.013	0.011 J11	0.011 J11	<0.013	<0.013	<0.013
EX-2	15-Jul-99	<0.0005	<0.0005	0.0006	<0.0005	<0.0005	<0.0005
EX-2	14-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
EX-3	18-Apr-96	na	na	<0.01	<0.3	na	na
EX-3	01-Aug-96	na	na	na	<0.005	na	na
EX-3	18-Dec-96	na	na	na	<0.005	na	na
EX-3	15-Apr-97	na	na	na	<0.005	na	na
EX-3	01-Jul-97	na	na	na	<0.005	na	na
EX-3	22-Sep-97	na	na	na	<0.005	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
EX-3	19-Dec-97	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	0.017	<0.1	<0.005	0.05	<0.005	<0.005	<0.01	0.073
EX-3	02-Mar-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	0.0017	<0.001	<0.02	<0.001	<0.001	<0.001	0.0015	<0.002	<0.002
EX-3	09-Apr-98	<0.001	0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0015	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.0011
EX-3	17-Jul-98	<0.001	0.0023	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0031	<0.001	<0.005	<0.001	<0.001	0.0015	0.0017	<0.001	<0.001
EX-3	22-Oct-98	<0.001	0.0042	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0048	<0.001	<0.005	<0.001	<0.001	0.0028	0.0016	<0.001	<0.001
DUP	22-Oct-98	<0.001	0.004	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0043	<0.001	<0.005	<0.001	<0.001	0.0024	0.0014	<0.001	<0.001
EX-3	14-Jan-99	<0.001	0.0086	<0.001	<0.005	<0.005	<0.001	0.001	<0.001	0.004	<0.001	<0.005	<0.001	0.002	0.0024	0.0018	<0.001	<0.001
EX-3	23-Apr-99	<0.001	0.017	<0.001	<0.005	<0.005	0.0007 J11	0.0009 J11	<0.001	0.0037	0.0009 J11	<0.005	<0.001	0.0019	0.0023	0.0014	<0.001	0.0045 J11
EX-3	16-Jul-99	<0.0005	0.039	<0.0005	<0.01	<0.01	<0.0005	0.0007	<0.0005	0.0037	<0.0005	<0.01	<0.0005	0.008	0.0021	0.0014	<0.0005	0.0049
EX-3	13-Oct-99	<0.0005	0.011	<0.0005	<0.01	<0.01	<0.0005	0.0006	<0.0005	0.0062	<0.0005	<0.01	0.0011	0.0042	0.004	0.0017	<0.0005	<0.0005
EX-4	11-Sep-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-4	22-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-4	14-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0006 J11	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	14-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0006 J11	<0.001	<0.001	<0.001	<0.005	<0.001	0.0022	<0.001	<0.001	<0.001	<0.001
EX-4	23-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0006 J11	<0.001	<0.001	<0.001	<0.005	<0.001	0.0008 J11	<0.001	<0.001	<0.001	0.0019 J11
EX-4	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	0.0073	<0.01	<0.0005	0.033	<0.0005	<0.0005	<0.0005	0.087
EX-4	15-Oct-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	0.0026	<0.01	<0.0005	0.0033	<0.0005	<0.0005	<0.0005	0.036
EX-5	11-Sep-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.003	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-5	22-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0024	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-5	14-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	0.0052	0.0019	<0.001	0.0009 J11	0.0022	<0.005	<0.001	0.0007 J11	<0.001	<0.001	<0.001	0.0043
EX-5	23-Apr-99	<0.0063	<0.0063	<0.0063	<0.031	<0.031	0.033	<0.0063	<0.0063	0.0067	0.25	<0.031	<0.0063	0.99	<0.0063	<0.0063	<0.0063	1.36
EX-5	19-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	0.0015	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0181
EX-5	15-Oct-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	0.0047	0.0016	<0.0005	<0.0005	0.0017	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0129
EX-6	11-Sep-98	<0.1	<0.1	<0.1	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	0.92	<0.5	<0.1	0.14	<0.1	<0.1	<0.1	4.4
DUP	11-Sep-98	<0.1	<0.1	<0.1	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	0.93	<0.5	<0.1	<0.1	<0.1	<0.1	<0.1	4.5
EX-6	22-Oct-98	<0.012	<0.012	<0.012	<0.062	<0.062	0.046	<0.012	<0.012	<0.012	0.54	<0.062	<0.012	<0.012	<0.012	<0.012	<0.012	2.1
EX-6	15-Jan-99	<0.02	<0.02	<0.02	<0.1	<0.1	0.091	<0.02	<0.02	<0.02	1.6	<0.1	<0.02	0.93	<0.02	<0.02	<0.02	6.08
EX-6	23-Apr-99	<0.005	<0.005	<0.005	<0.025	<0.034 U6	0.0082	<0.005	<0.005	0.0026 J11	0.16	<0.025	<0.005	0.15	<0.005	<0.005	<0.005	1.45
DUP	23-Apr-99	<0.005	<0.005	<0.005	<0.025	<0.035 U6	0.0084	<0.005	<0.005	0.0026 J11	0.18	<0.025	<0.005	0.15	<0.005	<0.005	<0.005	1.55
EX-6	19-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.0011	<0.0005	<0.01	<0.0005	<0.0005	0.0008	<0.0005	<0.0005	0.0194

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,1-DCE	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
EX-3	19-Dec-97	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
EX-3	02-Mar-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
EX-3	09-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-3	17-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-3	22-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	22-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-3	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	0.003	<0.001	<0.001	<0.001	<0.001	<0.001
EX-3	23-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.0006 J11	<0.001	<0.005	<0.001	0.0021	<0.001	<0.001	<0.001	<0.001	<0.001
EX-3	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0006	0.0009	<0.0005	<0.01	<0.0005	0.0018	<0.001	<0.001	<0.001	<0.0005	<0.0005
EX-3	13-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
EX-4	11-Sep-98	<0.001	<0.001	<0.01 UJ3	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-4	22-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-4	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-4	23-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-4	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.01	0.0035	<0.01	<0.0005	0.032	<0.001	<0.001	<0.001	<0.0005	<0.0005
EX-4	15-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0091	0.0035	<0.01	<0.0005	0.041	<0.001	<0.001	<0.001	<0.0005	<0.0005
EX-5	11-Sep-98	<0.001	<0.001	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-5	22-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-5	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.0033	0.0007 J11	<0.005	<0.001	0.16	<0.001	<0.001	<0.001	<0.001	<0.001
EX-5	23-Apr-99	<0.0063	<0.0063	<0.0063	<0.0063	<0.0063	<0.0063	0.076	0.023	<0.031	<0.0063	<0.0063	<0.0063	<0.0063	<0.0063	0.0054 J11	<0.0063
EX-5	19-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0008	0.0011	<0.01	<0.0005	0.15	<0.001	<0.001	<0.001	<0.0005	<0.0005
EX-5	15-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.006	0.0022	<0.01	<0.0005	0.017	<0.001	<0.001	<0.001	0.0008	<0.0005
EX-6	11-Sep-98	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.16	<0.1	<0.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
DUP	11-Sep-98	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.15	<0.1	<0.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
EX-6	22-Oct-98	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012	0.1	0.039	<0.062	<0.012	<0.012	<0.012	<0.012	<0.012	0.024	<0.012
EX-6	15-Jan-99	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.17	0.057	<0.1	<0.02	0.014 J11	<0.02	<0.02	<0.02	0.035	<0.02
EX-6	23-Apr-99	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	0.046	0.018	<0.025	<0.005	<0.005	<0.005	<0.005	<0.005	0.0031 J11	<0.005
DUP	23-Apr-99	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	0.046	0.019	<0.025	<0.005	<0.005	<0.005	<0.005	<0.005	0.0035 J11	<0.005
EX-6	19-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
EX-3	19-Dec-97	na	na	na	<0.005	na	na
EX-3	02-Mar-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
EX-3	09-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
EX-3	17-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-3	22-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	22-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-3	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-3	23-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-3	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
EX-3	13-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
EX-4	11-Sep-98	<0.001	<0.001	<0.01 UJ3	<0.001	<0.001	<0.001
EX-4	22-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-4	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0011
DUP	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.001 J11
EX-4	23-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.001 J11
EX-4	15-Jul-99	<0.0005	<0.0005	0.001	<0.0005	<0.0005	<0.0005
EX-4	15-Oct-99	<0.0005	<0.0005	0.001	<0.0005	<0.0005	<0.0005
EX-5	11-Sep-98	<0.001	<0.001	0.0013	<0.001	<0.001	<0.001
EX-5	22-Oct-98	<0.001	<0.001	0.001	<0.001	<0.001	<0.001
EX-5	14-Jan-99	<0.001	<0.001	<0.001	0.0016	<0.001	<0.001
EX-5	23-Apr-99	<0.0063	0.0046 J11	0.018	<0.0063	<0.0063	<0.0063
EX-5	19-Jul-99	<0.0005	<0.0005	0.0011	<0.0005	<0.0005	<0.0005
EX-5	15-Oct-99	<0.0005	0.0006	0.0013	<0.0005	<0.0005	<0.0005
EX-6	11-Sep-98	<0.1	<0.1	0.012 J3	<0.1	<0.1	<0.1
DUP	11-Sep-98	<0.1	<0.1	0.013	<0.1	<0.1	<0.1
EX-6	22-Oct-98	<0.012	0.026	0.014	<0.012	<0.012	<0.012
EX-6	15-Jan-99	<0.02	0.04	0.021	<0.02	<0.02	<0.02
EX-6	23-Apr-99	<0.005	<0.005	0.014	<0.005	<0.005	<0.005
DUP	23-Apr-99	<0.005	0.0025 J11	0.015	<0.005	<0.005	<0.005
EX-6	19-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
EX-6	12-Oct-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	0.036	0.0006	<0.0005	0.0032	0.11	<0.01	<0.0005	<0.0005	0.0011	<0.0005	0.0016	0.4044
EX-7	11-Sep-98	<0.1	<0.1	<0.1	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	0.54	<0.5	<0.1	3.6	<0.1	<0.1	<0.1	2.7
EX-7	22-Oct-98	<0.005	0.0072	<0.005	<0.025	<0.025	0.0083	<0.005	<0.005	<0.005	0.091	<0.025	<0.005	0.47	<0.005	<0.005	<0.005	0.32
EX-7	14-Jan-99	<0.001	0.012	<0.001	0.011	1.6	0.028	<0.001	<0.001	0.0068	0.21	0.86	<0.001	2.2	0.0008 J11	0.0006 J11	0.0015	1.43
EX-7	23-Apr-99	<0.0063	<0.0063	<0.0063	<0.031	0.95	0.0086	<0.0063	<0.0063	0.0056 J11	0.072	<0.36 U6	<0.0063	0.7	<0.0063	<0.0063	<0.0063	0.66
EX-7	15-Jul-99	<0.0005	0.018	<0.0005	<0.01	0.029	0.0025	<0.0005	<0.0005	0.0031	0.0036	<0.01	<0.0005	0.034	0.0014	<0.0005	<0.0005	0.075
EX-7	15-Oct-99	<0.0005	0.019	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.0023	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
EX-8	11-Sep-98	<5	<5	<5	<25	110	<5	<5	<5	<5	<5	62	<5	49	<5	<5	<5	<5
EX-8	22-Oct-98	<1.2	<1.2	<1.2	<6.2	62	<1.2	<1.2	<1.2	<1.2	<1.2	40	<1.2	28	<1.2	<1.2	<1.2	2.2
EX-8	14-Jan-99	<0.13	<0.13	<0.13	<0.63	42	<0.13	<0.13	<0.13	<0.13	0.067 J11	19	<0.13	6.2	<0.13	<0.13	<0.13	0.56
EX-8	23-Apr-99	<1.3	<1.3	<1.3	<6.3	190	<1.3	<1.3	<1.3	<1.3	0.91 J11	85	<1.3	66	<1.3	<1.3	<1.3	4.52 J11
EX-8	19-Jul-99	<0.42	<0.42	<0.42	<8.3	130	<0.42	<0.42	<0.42	<0.42	<0.42	58	<0.42	22	<0.42	<0.42	<0.42	1.94
EX-8	15-Oct-99	<0.25	<0.25	<0.25	<5	83	<0.25	<0.25	<0.25	<0.25	<0.25	29	<0.25	6.5	<0.25	<0.25	<0.25	<0.25
EX-9	11-Sep-98	<0.2	<0.2	<0.2	<1	1.6	<0.2	<0.2	<0.2	<0.2	0.34	1.2	<0.2	7.3	<0.2	<0.2	<0.2	1.6
EX-9	22-Oct-98	<0.025	0.18	<0.025	<0.12	0.64	<0.025	<0.025	<0.025	<0.025	0.14	0.56	<0.025	2.1	<0.025	<0.025	<0.025	0.57
EX-9	14-Jan-99	<0.025	0.24	<0.025	<0.13	0.53	<0.025	<0.025	<0.025	<0.025	0.059	0.37	<0.025	3.5	<0.025	<0.025	<0.025	0.85
EX-9	23-Apr-99	<0.033	0.18	<0.033	<0.17	<1.3 U6	<0.033	<0.033	<0.033	<0.033	0.043	<0.4 U6	<0.033	5.4	<0.033	<0.033	<0.033	3.24
EX-9	15-Jul-99	<0.01	0.15	<0.01	<0.2	0.53	<0.01	<0.01	<0.01	<0.01	0.36	0.35	<0.01	2.6	<0.01	0.014	<0.01	1.4
EX-9	14-Oct-99	<0.0005	0.17	<0.0005	<0.01	0.11	0.002	<0.0005	<0.0005	0.0088	0.002	0.027	0.0007	0.032	0.0045	0.011	<0.0005	0.182
EX-10	11-Sep-98	<0.01	0.028	<0.01	<0.05	<0.05	<0.01	<0.01	<0.01	<0.01	0.041	<0.05	<0.01	0.15	<0.01	<0.01	<0.01	0.047
EX-10	22-Oct-98	<0.002	0.041	<0.002	<0.01	<0.01	<0.002	<0.002	<0.002	<0.002	0.049	<0.01	<0.002	0.13	<0.002	<0.002	<0.002	0.042
EX-10	14-Jan-99	<0.001	0.034	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0012	0.0015	<0.005	<0.001	0.0016	<0.001	0.0008 J11	<0.001	0.0034
EX-10	23-Apr-99	<0.001	0.0081	<0.001	<0.005	<0.005	0.0009 J11	<0.001	<0.001	0.002	0.0015	<0.005	<0.001	0.0005 J11	0.0012	<0.001	<0.001	0.012 J11
EX-10	15-Jul-99	<0.0005	0.015	<0.0005	<0.01	<0.01	0.0006	<0.0005	<0.0005	0.0013	<0.0005	<0.01	<0.0005	<0.0005	0.0008	<0.0005	<0.0005	<0.0005
EX-10	15-Oct-99	<0.0005	0.093	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.0015	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
EX-11	02-Jun-99	<0.004	0.0025 J11	<0.004	<0.02	0.71	0.0037	<0.004	<0.004	<0.004	0.034	0.2	<0.004	0.098	<0.004	<0.004	<0.002	0.13
EX-11	16-Jul-99	<0.0005	0.04	<0.0005	<0.01	<0.01	0.0028	<0.0005	<0.0005	<0.0005	0.013	0.015	<0.0005	0.0046	<0.0005	<0.0005	<0.0005	0.0189

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,1-DCE	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
EX-6	12-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.028	0.012	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	0.01	0.0015
EX-7	11-Sep-98	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.25	<0.1	<0.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
EX-7	22-Oct-98	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	0.031	0.0083	<0.025	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
EX-7	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.21	0.073	0.23	<0.001	0.0046	<0.001	<0.001	<0.001	0.0083	0.0008 J11
EX-7	23-Apr-99	<0.0063	<0.0063	<0.0063	<0.0063	<0.0063	<0.0063	0.13	0.048	0.2	<0.0063	<0.0063	<0.0063	<0.0063	<0.0063	<0.0063	<0.0063
EX-7	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0096	0.0072	0.011	<0.0005	0.016	<0.001	<0.001	<0.001	<0.0005	<0.0005
EX-7	15-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
EX-8	11-Sep-98	<5	<5	<5	<5	<5	<5	<5	<5	31	<5	<5	<5	<5	<5	<5	<5
EX-8	22-Oct-98	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	16	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
EX-8	14-Jan-99	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	6.9	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
EX-8	23-Apr-99	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	46	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3
EX-8	19-Jul-99	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	29	<0.42	<0.42	<0.83	<0.83	<0.83	<0.42	<0.42
EX-8	15-Oct-99	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	15	<0.25	<0.25	<0.5	<0.5	<0.5	<0.25	<0.25
EX-9	11-Sep-98	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<1	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
EX-9	22-Oct-98	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	0.025	<0.025	0.13	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
EX-9	14-Jan-99	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	0.025	<0.025	<0.13	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
EX-9	23-Apr-99	<0.033	<0.033	<0.033	<0.033	<0.033	<0.033	0.18	0.051	0.19	<0.033	<0.033	<0.033	<0.033	<0.033	<0.033	<0.033
EX-9	15-Jul-99	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.088	0.024	<0.2	<0.01	<0.01	<0.02	<0.02	<0.02	<0.01	<0.01
EX-9	14-Oct-99	<0.0005	0.0019	<0.0005	<0.0005	<0.0005	<0.0005	0.025	0.012	0.026	<0.0005	0.0057	<0.001	<0.001	<0.001	<0.0005	<0.0005
EX-10	11-Sep-98	<0.01	<0.01	<0.01 UJ3	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01	<0.01	<0.01	0.016	<0.01
EX-10	22-Oct-98	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.01	<0.002	<0.002	<0.002	<0.002	<0.002	0.016	0.0043
EX-10	14-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	0.0006 J11	<0.001	<0.001	<0.001	0.0005 J11	<0.001
EX-10	23-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.0026	0.0009 J11	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.0029	0.0016
EX-10	15-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
EX-10	15-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0007	<0.0005	<0.0005	<0.01	<0.0005	0.0011	<0.001	<0.001	<0.001	<0.0005	<0.0005
EX-11	02-Jun-99	<0.002	<0.004	<0.0096	<0.004	<0.004	<0.004	0.018	0.0059	0.12	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004
EX-11	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.013	0.0034	0.2	<0.0005	0.16	<0.001	<0.001	<0.001	0.0005	<0.0005

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
EX-6	12-Oct-99	0.001	0.0075	0.012	<0.0005	0.0013	<0.0005
EX-7	11-Sep-98	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
EX-7	22-Oct-98	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
EX-7	14-Jan-99	0.0015	0.0083	0.0092	<0.001	<0.001	<0.001
EX-7	23-Apr-99	<0.0063	<0.0063	0.0076	<0.0063	<0.0063	<0.0063
EX-7	15-Jul-99	<0.0005	<0.0005	0.0011	<0.0005	<0.0005	<0.0005
EX-7	15-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
EX-8	11-Sep-98	<5	<5	<5	<5	<5	<5
EX-8	22-Oct-98	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
EX-8	14-Jan-99	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13
EX-8	23-Apr-99	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3
EX-8	19-Jul-99	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42
EX-8	15-Oct-99	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
EX-9	11-Sep-98	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
EX-9	22-Oct-98	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
EX-9	14-Jan-99	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
EX-9	23-Apr-99	<0.033	<0.033	<0.033	<0.033	<0.033	<0.033
EX-9	15-Jul-99	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
EX-9	14-Oct-99	<0.0005	<0.0005	0.0011	<0.0005	<0.0005	<0.0005
EX-10	11-Sep-98	<0.01	0.014	0.015	0.011	<0.01	<0.01
EX-10	22-Oct-98	0.005	0.017	0.017	<0.002	0.007	<0.002
EX-10	14-Jan-99	<0.001	<0.001	0.0006 J11	<0.001	0.0007 J11	0.0009 J11
EX-10	23-Apr-99	<0.001	0.0018	0.002	<0.001	0.0032	0.0016
EX-10	15-Jul-99	<0.0005	<0.0005	0.0005	<0.0005	0.0007	0.0009
EX-10	15-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
EX-11	02-Jun-99	<0.004	<0.004	<0.0096	<0.004	<0.004	<0.004
EX-11	16-Jul-99	<0.0005	0.0008	0.0027	0.0017	<0.0005	<0.0005

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
EX-12	02-Jun-99	<0.001	0.0084	<0.001	<0.005	<0.005	<0.0005	<0.001	<0.001	0.0023	<0.001	<0.005	0.0015	<0.001	<0.001	0.011	<0.0005	<0.001
DUP	02-Jun-99	<0.001	0.0085	<0.001	<0.005	<0.005	<0.0005	<0.001	<0.001	0.0024	<0.001	<0.005	0.0015	<0.001	<0.001	0.011	<0.0005	<0.001
EX-12	13-Jul-99	<0.0005	0.044	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.005	<0.0005	<0.01	0.0009	<0.0005	0.0017	0.011	<0.0005	<0.0005
EX-12	25-Oct-99	<0.0005	0.0089	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.0024	<0.0005	<0.01	0.0016	<0.0005	<0.0005	0.01	<0.0005	<0.0005
EX-13	02-Jun-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.0005	0.0033	<0.001	0.0007 J11	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.0005	<0.001
EX-13	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	0.0026	<0.0005	0.0007	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
EX-14	08-Oct-99	<0.0005	0.002	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.0012	<0.0005	<0.01	0.001	<0.0005	<0.0005	0.0022	<0.0005	0.0008
DUP	08-Oct-99	<0.0005	0.002	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.0011	<0.0005	<0.01	0.001	<0.0005	<0.0005	0.002	<0.0005	0.0008
RP-1	08-Sep-94	<0.005	0.002	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	0.003	<0.005	<0.1	<0.005	<0.005	0.001	<0.005	<0.01	<0.01
RP-1	28-Feb-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-1	29-Mar-95	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
RP-1	10-May-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-1	09-Aug-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-1	17-Nov-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	0.0008	na	na	na	<0.002
RP-1	10-Jan-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	0.001	<0.005	<0.005	<0.01	<0.01
RP-1	17-Apr-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
DUP	17-Apr-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-1	31-Jul-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-1	19-Nov-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-1	25-Mar-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-1	10-Jun-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-1	18-Aug-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-1	19-Dec-97	na	na	na	na	na	<0.0005	na	na	na	0.0006	na	na	0.0006	na	na	na	0.002
DUP	19-Dec-97	na	na	na	na	na	<0.0005	na	na	na	0.0011	na	na	0.001	na	na	na	0.003
RP-1	26-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	0.0013	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
DUP	26-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	0.0013	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
RP-1	07-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0018	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-1	14-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.002	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,1-DCE	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
EX-12	02-Jun-99	<0.0005	<0.001	<0.0095	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	02-Jun-99	<0.0005	<0.001	<0.0095	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-12	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.002	<0.0005	<0.01	<0.0005	0.016	<0.001	<0.001	<0.001	<0.0005	<0.0005
EX-12	25-Oct-99	<0.0005	0.0018	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
EX-13	02-Jun-99	<0.0005	<0.001	<0.0097	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
EX-13	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0005	<0.0005	<0.01	<0.0005	0.022	<0.001	<0.001	<0.001	<0.0005	<0.0005
EX-14	08-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.003	0.0007	<0.01	<0.0005	0.09	<0.001	<0.001	<0.001	<0.0005	<0.0005
DUP	08-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.003	0.0007	<0.01	<0.0005	0.084	<0.001	<0.001	<0.001	<0.0005	<0.0005
RP-1	08-Sep-94	<0.005	<0.005	<0.0005	<0.005	<0.005	na	na	na	<0.05	na	0.01	<0.01	<0.01	<0.0005	na	na
RP-1	28-Feb-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-1	29-Mar-95	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
RP-1	10-May-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-1	09-Aug-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-1	17-Nov-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-1	10-Jan-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
RP-1	17-Apr-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	17-Apr-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-1	31-Jul-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-1	19-Nov-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-1	25-Mar-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-1	10-Jun-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-1	18-Aug-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-1	19-Dec-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	19-Dec-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-1	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
DUP	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	0.0029	<0.002	<0.001	<0.001
RP-1	07-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-1	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
EX-12	02-Jun-99	<0.001	<0.001	<0.0095	<0.001	<0.001	<0.001
DUP	02-Jun-99	<0.001	<0.001	<0.0095	<0.001	<0.001	<0.001
EX-12	13-Jul-99	<0.0005	<0.0005	0.0007	0.0006	<0.0005	<0.0005
EX-12	25-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
EX-13	02-Jun-99	<0.001	<0.001	<0.0097	<0.001	<0.001	<0.001
EX-13	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
EX-14	08-Oct-99	<0.0005	<0.0005	0.0006	0.001	<0.0005	<0.0005
DUP	08-Oct-99	<0.0005	<0.0005	0.0006	0.001	<0.0005	<0.0005
RP-1	08-Sep-94	na	na	na	<0.005	na	na
RP-1	28-Feb-95	na	na	na	na	na	na
RP-1	29-Mar-95	na	na	na	<0.005	na	na
RP-1	10-May-95	na	na	na	na	na	na
RP-1	09-Aug-95	na	na	na	na	na	na
RP-1	17-Nov-95	na	na	na	na	na	na
RP-1	10-Jan-96	na	na	na	<0.005	na	na
RP-1	17-Apr-96	na	na	na	na	na	na
DUP	17-Apr-96	na	na	na	na	na	na
RP-1	31-Jul-96	na	na	na	na	na	na
RP-1	19-Nov-96	na	na	na	na	na	na
RP-1	25-Mar-97	na	na	na	na	na	na
RP-1	10-Jun-97	na	na	na	na	na	na
RP-1	18-Aug-97	na	na	na	na	na	na
RP-1	19-Dec-97	na	na	na	na	na	na
DUP	19-Dec-97	na	na	na	na	na	na
RP-1	26-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
DUP	26-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
RP-1	07-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
RP-1	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
RP-1	20-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0022	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-1	12-Jan-99	<0.001	0.0008 J11	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0022	<0.001	<0.005	<0.001	<0.001	0.0008 J11	<0.001	<0.001	<0.001
RP-1	19-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0009 J11	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-1	16-Jul-99	<0.0005	0.0007	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.0012	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
RP-1	25-Oct-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.0018	<0.0005	<0.01	<0.0005	<0.0005	0.0005	<0.0005	<0.0005	<0.0005
RP-2	08-Sep-94	<0.005	0.001	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	0.001	<0.005	<0.1	<0.005	0.0005	<0.005	0.0006	<0.01	<0.01
DUP	08-Sep-94	<0.005	0.001	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	0.001	<0.005	<0.1	<0.005	<0.005	<0.005	0.0005	<0.01	<0.01
RP-2	28-Feb-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-2	29-Mar-95	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
RP-2	10-May-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-2	09-Aug-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-2	17-Nov-95	na	na	na	na	na	0.002	na	na	na	0.0009	na	na	0.003	na	na	na	0.004
RP-2	10-Jan-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
RP-2	17-Apr-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-2	31-Jul-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-2	19-Nov-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-2	25-Mar-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-2	10-Jun-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-2	18-Aug-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
DUP	18-Aug-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-2	19-Dec-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-2	26-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
RP-2	07-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0014	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	13-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0012	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	20-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	11-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0011	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	19-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0016	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	0.0006 J11	<0.001
RP-2	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.0018	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
RP-2	25-Oct-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.0023	<0.0005	<0.01	<0.0005	<0.0005	0.0006	<0.0005	0.0012	<0.0005
RP-3	08-Sep-94	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
RP-3	28-Feb-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	0.0007	na	na	na	<0.002

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,1-DCE	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
RP-1	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-1	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-1	19-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-1	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
RP-1	25-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
RP-2	08-Sep-94	<0.005	<0.005	<0.0005	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	<0.0005	na	na
DUP	08-Sep-94	<0.005	<0.005	<0.0005	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	<0.0005	na	na
RP-2	28-Feb-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-2	29-Mar-95	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	0.015	<0.01	<0.01	na	na	na
RP-2	10-May-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-2	09-Aug-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-2	17-Nov-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-2	10-Jan-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
RP-2	17-Apr-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-2	31-Jul-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-2	19-Nov-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-2	25-Mar-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-2	10-Jun-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-2	18-Aug-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	18-Aug-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-2	19-Dec-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-2	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
RP-2	07-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	13-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	19-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
RP-2	25-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
RP-3	08-Sep-94	<0.005	<0.005	<0.0005	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	<0.0005	na	na
RP-3	28-Feb-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
RP-1	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-1	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-1	19-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-1	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
RP-1	25-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
RP-2	08-Sep-94	na	na	na	<0.005	na	na
DUP	08-Sep-94	na	na	na	<0.005	na	na
RP-2	28-Feb-95	na	na	na	na	na	na
RP-2	29-Mar-95	na	na	na	<0.005	na	na
RP-2	10-May-95	na	na	na	na	na	na
RP-2	09-Aug-95	na	na	na	na	na	na
RP-2	17-Nov-95	na	na	na	na	na	na
RP-2	10-Jan-96	na	na	na	<0.005	na	na
RP-2	17-Apr-96	na	na	na	na	na	na
RP-2	31-Jul-96	na	na	na	na	na	na
RP-2	19-Nov-96	na	na	na	na	na	na
RP-2	25-Mar-97	na	na	na	na	na	na
RP-2	10-Jun-97	na	na	na	na	na	na
RP-2	18-Aug-97	na	na	na	na	na	na
DUP	18-Aug-97	na	na	na	na	na	na
RP-2	19-Dec-97	na	na	na	na	na	na
RP-2	26-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
RP-2	07-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	13-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	19-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-2	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
RP-2	25-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
RP-3	08-Sep-94	na	na	na	<0.005	na	na
RP-3	28-Feb-95	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
RP-3	29-Mar-95	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
RP-3	10-May-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-3	09-Aug-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	0.0009	na	na	na	0.0094
RP-3	17-Nov-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	0.001	na	na	na	0.005
RP-3	10-Jan-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	0.0006	<0.005	<0.005	<0.01	0.003
RP-3	17-Apr-96	na	na	na	na	na	<0.0005	na	na	na	0.0006	na	na	<0.0005	na	na	na	0.008
RP-3	31-Jul-96	na	na	na	na	na	<0.0005	na	na	na	0.0005	na	na	0.0005	na	na	na	0.007
RP-3	19-Nov-96	na	na	na	na	na	<0.0005	na	na	na	0.0005	na	na	0.0005	na	na	na	0.003
RP-3	25-Mar-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	0.004
RP-3	10-Jun-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-3	18-Aug-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	0.0041
RP-3	19-Dec-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	0.0006	na	na	na	0.003
RP-3	25-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
RP-3	07-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	13-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	20-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	20-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	11-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	19-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
RP-3	25-Oct-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
RP-4	08-Sep-94	<0.005	0.001	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	0.009	<0.005	<0.1	<0.005	<0.005	0.004	0.002	<0.01	<0.01
RP-4	28-Feb-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
DUP	28-Feb-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-4	29-Mar-95	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
RP-4	10-May-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
DUP	10-May-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-4	09-Aug-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
DUP	09-Aug-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-4	17-Nov-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
DUP	17-Nov-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-4	09-Jan-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	0.006	0.0005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
RP-4	17-Apr-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,1-DCE	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
RP-3	29-Mar-95	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
RP-3	10-May-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-3	09-Aug-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-3	17-Nov-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-3	10-Jan-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
RP-3	17-Apr-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-3	31-Jul-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-3	19-Nov-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-3	25-Mar-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-3	10-Jun-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-3	18-Aug-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-3	19-Dec-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-3	25-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
RP-3	07-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	13-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	19-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	0.0007 J11	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
RP-3	25-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
RP-4	08-Sep-94	<0.005	<0.005	<0.0005	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	<0.0005	na	na
RP-4	28-Feb-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	28-Feb-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-4	29-Mar-95	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
RP-4	10-May-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	10-May-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-4	09-Aug-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	09-Aug-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-4	17-Nov-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	17-Nov-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-4	09-Jan-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
RP-4	17-Apr-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
RP-3	29-Mar-95	na	na	na	<0.005	na	na
RP-3	10-May-95	na	na	na	na	na	na
RP-3	09-Aug-95	na	na	na	na	na	na
RP-3	17-Nov-95	na	na	na	na	na	na
RP-3	10-Jan-96	na	na	na	<0.005	na	na
RP-3	17-Apr-96	na	na	na	na	na	na
RP-3	31-Jul-96	na	na	na	na	na	na
RP-3	19-Nov-96	na	na	na	na	na	na
RP-3	25-Mar-97	na	na	na	na	na	na
RP-3	10-Jun-97	na	na	na	na	na	na
RP-3	18-Aug-97	na	na	na	na	na	na
RP-3	19-Dec-97	na	na	na	na	na	na
RP-3	25-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
RP-3	07-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	13-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	19-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-3	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
RP-3	25-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
RP-4	08-Sep-94	na	na	na	<0.005	na	na
RP-4	28-Feb-95	na	na	na	na	na	na
DUP	28-Feb-95	na	na	na	na	na	na
RP-4	29-Mar-95	na	na	na	<0.005	na	na
RP-4	10-May-95	na	na	na	na	na	na
DUP	10-May-95	na	na	na	na	na	na
RP-4	09-Aug-95	na	na	na	na	na	na
DUP	09-Aug-95	na	na	na	na	na	na
RP-4	17-Nov-95	na	na	na	na	na	na
DUP	17-Nov-95	na	na	na	na	na	na
RP-4	09-Jan-96	na	na	na	<0.005	na	na
RP-4	17-Apr-96	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
RP-4	31-Jul-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
DUP	31-Jul-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-4	19-Nov-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-4	25-Mar-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-4	10-Jun-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
DUP	10-Jun-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-4	18-Aug-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-4	19-Dec-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	0.0006	na	na	na	<0.002
RP-4	25-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	0.0055	<0.001	<0.02	<0.001	<0.001	0.0016	0.0011	<0.002	<0.002
RP-4	07-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0061	<0.001	<0.005	<0.001	<0.001	0.0015	0.0013	<0.001	<0.001
RP-4	13-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0067	<0.001	<0.005	<0.001	<0.001	0.0019	0.0014	<0.001	<0.001
DUP	13-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0064	<0.001	<0.005	<0.001	<0.001	0.0017	0.0013	<0.001	<0.001
RP-4	20-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0076	<0.001	<0.005	<0.001	<0.001	0.0023	0.0011	<0.001	<0.001
RP-4	11-Jan-99	<0.001	0.0007 J11	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0098	<0.001	<0.005	<0.001	<0.001	0.0033	0.0015	0.0006 J11	<0.001
RP-4	19-Apr-99	<0.001	0.0008 J11	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.0094	<0.001	<0.005	<0.001	<0.001	0.003	0.0014	<0.001	<0.001
RP-4	13-Jul-99	<0.0005	0.0007	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.0095	<0.0005	<0.01	<0.0005	<0.0005	0.0032	0.0013	<0.0005	<0.0005
DUP	13-Jul-99	<0.0005	0.0007	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.0095	<0.0005	<0.01	<0.0005	<0.0005	0.0032	0.0013	<0.0005	<0.0005
RP-4	25-Oct-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.011	<0.0005	<0.01	<0.0005	<0.0005	0.0039	0.0011	<0.0005	<0.0005
RP-5	08-Sep-94	<0.005	0.0008	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	0.0005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
RP-5	28-Feb-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	0.0009	na	na	na	<0.002
RP-5	29-Mar-95	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
RP-5	10-May-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-5	09-Aug-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-5	17-Nov-95	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-5	09-Jan-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
DUP	09-Jan-96	<0.005	<0.005	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01
RP-5	17-Apr-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-5	31-Jul-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-5	19-Nov-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
DUP	19-Nov-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-5	25-Mar-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
DUP	25-Mar-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
RP-5	10-Jun-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,1-DCE	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
RP-4	31-Jul-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	31-Jul-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-4	19-Nov-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-4	25-Mar-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-4	10-Jun-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	10-Jun-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-4	18-Aug-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-4	19-Dec-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-4	25-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
RP-4	07-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-4	13-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	13-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-4	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-4	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-4	19-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-4	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
DUP	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
RP-4	25-Oct-99	<0.0005	0.0016	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
RP-5	08-Sep-94	<0.005	<0.005	<0.0005	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	<0.0005	na	na
RP-5	28-Feb-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-5	29-Mar-95	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
RP-5	10-May-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-5	09-Aug-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-5	17-Nov-95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-5	09-Jan-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
DUP	09-Jan-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
RP-5	17-Apr-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-5	31-Jul-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-5	19-Nov-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	19-Nov-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-5	25-Mar-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
DUP	25-Mar-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-5	10-Jun-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
RP-4	31-Jul-96	na	na	na	na	na	na
DUP	31-Jul-96	na	na	na	na	na	na
RP-4	19-Nov-96	na	na	na	na	na	na
RP-4	25-Mar-97	na	na	na	na	na	na
RP-4	10-Jun-97	na	na	na	na	na	na
DUP	10-Jun-97	na	na	na	na	na	na
RP-4	18-Aug-97	na	na	na	na	na	na
RP-4	19-Dec-97	na	na	na	na	na	na
RP-4	25-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
RP-4	07-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
RP-4	13-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	13-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-4	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-4	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-4	19-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-4	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
DUP	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
RP-4	25-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
RP-5	08-Sep-94	na	na	na	<0.005	na	na
RP-5	28-Feb-95	na	na	na	na	na	na
RP-5	29-Mar-95	na	na	na	<0.005	na	na
RP-5	10-May-95	na	na	na	na	na	na
RP-5	09-Aug-95	na	na	na	na	na	na
RP-5	17-Nov-95	na	na	na	na	na	na
RP-5	09-Jan-96	na	na	na	<0.005	na	na
DUP	09-Jan-96	na	na	na	<0.005	na	na
RP-5	17-Apr-96	na	na	na	na	na	na
RP-5	31-Jul-96	na	na	na	na	na	na
RP-5	19-Nov-96	na	na	na	na	na	na
DUP	19-Nov-96	na	na	na	na	na	na
RP-5	25-Mar-97	na	na	na	na	na	na
DUP	25-Mar-97	na	na	na	na	na	na
RP-5	10-Jun-97	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
RP-5	18-Aug-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	0.0006	na	na	na	<0.002
RP-5	19-Dec-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	0.0025	na	na	na	<0.002
RP-5	26-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002
RP-5	07-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	13-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	20-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	12-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0007 J11	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	20-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	0.0007 J11	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	0.0009	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
RP-5	11-Oct-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	0.0009	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
RP-BW-02	11-Oct-99	<0.0005	0.16	<0.0005	<0.01	0.052	<0.0005	<0.0005	<0.0005	0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
SA-AW-01	14-Oct-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
SA-AW-03	12-Oct-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
SA-AW-04	14-Oct-99	0.001	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	0.0008	<0.0005	<0.0005	0.0007	<0.0005	<0.0005
SA-AW-05	14-Oct-99	0.0024	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	0.004	<0.0005	<0.0005	0.0024	<0.0005	<0.0005
DUP	14-Oct-99	0.0023	<0.0005	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	0.0039	<0.0005	<0.0005	0.0025	<0.0005	<0.0005
SA-BW-01	14-Oct-99	<0.0005	<0.0005	<0.0005	<0.01	0.14	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
MW-1	16-Dec-94	na	<0.0009	0.032	0.0028	<0.0042	0.016	na	0.001	na	<0.0005	<0.0011	na	0.0027	<0.0011	0.0028	0.0022	0.0031
MW-1	29-Mar-95	ND	0.017	0.068	<0.002	<0.005	0.028	0.0017	0.002	na	0.0093	0.013	ND	0.0013	0.0013	0.0065	0.005	0.0025
MW-1	08-Jun-95	ND	0.024	0.089	ND	ND	0.037	0.0022	0.0026	na	0.003	0.025	0.0013	0.0016	ND	0.01	0.009	0.0023
MW-1	09-Jan-96	<0.005	0.052	0.13	<0.05	<0.1	0.065	<0.005	<0.005	0.012	0.002	<0.1	<0.005	0.003	<0.005	<0.005	0.015	0.006
MW-1	17-Apr-96	na	na	na	na	na	0.065	na	na	na	0.0055	na	na	0.0035	na	na	na	0.007
MW-1	31-Jul-96	na	na	na	na	na	0.053	na	na	na	0.012	na	na	0.0098	na	na	na	0.014
MW-1	19-Nov-96	na	na	na	na	na	0.032	na	na	na	0.0017	na	na	0.0017	na	na	na	0.005

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,1-DCE	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
RP-5	18-Aug-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-5	19-Dec-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
RP-5	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
RP-5	07-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	13-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	20-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
RP-5	11-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
RP-BW-02	11-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	0.0046	<0.001	<0.001	<0.001	<0.0005	<0.0005
SA-AW-01	14-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
SA-AW-03	12-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
SA-AW-04	14-Oct-99	0.0009	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
SA-AW-05	14-Oct-99	<0.0005	0.0016	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
DUP	14-Oct-99	<0.0005	0.0016	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
SA-BW-01	14-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
MW-1	16-Dec-94	na	na	na	na	<0.0008	na	na	na	<0.0014	na	<0.0012	na	na	na	na	na
MW-1	29-Mar-95	ND	ND	na	ND	ND	na	na	na	<0.002	na	0.0053	na	na	na	na	na
MW-1	08-Jun-95	0.0006	ND	na	0.0028	ND	na	na	na	ND	na	ND	na	na	na	na	na
MW-1	09-Jan-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
MW-1	17-Apr-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-1	31-Jul-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-1	19-Nov-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
RP-5	18-Aug-97	na	na	na	na	na	na
RP-5	19-Dec-97	na	na	na	na	na	na
RP-5	26-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
RP-5	07-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	13-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	20-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
RP-5	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
RP-5	11-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
RP-BW-02	11-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
SA-AW-01	14-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
SA-AW-03	12-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
SA-AW-04	14-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
SA-AW-05	14-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
DUP	14-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
SA-BW-01	14-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
MW-1	16-Dec-94	na	na	na	na	na	na
MW-1	29-Mar-95	na	na	na	na	na	na
MW-1	08-Jun-95	na	na	na	na	na	na
MW-1	09-Jan-96	na	na	na	<0.005	na	na
MW-1	17-Apr-96	na	na	na	na	na	na
MW-1	31-Jul-96	na	na	na	na	na	na
MW-1	19-Nov-96	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
MW-1	25-Mar-97	na	na	na	na	na	0.049	na	na	na	0.0024	na	na	0.0022	na	na	na	0.005
MW-1	10-Jun-97	na	na	na	na	na	0.032	na	na	na	0.0007	na	na	0.0009	na	na	na	0.003
MW-1	18-Aug-97	na	na	na	na	na	0.033	na	na	na	0.0014	na	na	0.0015	na	na	na	0.004
MW-1	19-Dec-97	na	na	na	na	na	0.083	na	na	na	0.0038	na	na	0.0078	na	na	na	0.011
MW-1	26-Feb-98	<0.001	0.041	0.17	<0.02	<0.02	0.056	0.0036	0.0033	0.0087	0.0024	<0.02	<0.001	0.0032	0.0014	0.013	0.0077	0.0053
MW-1	08-Apr-98	<0.005	0.046	0.15	<0.025	<0.025	0.053	<0.005	<0.005	0.011	<0.005	<0.025	<0.005	<0.005	<0.005	0.014	0.013	<0.001
DUP	08-Apr-98	<0.005	0.043	0.13	<0.025	<0.025	0.049	<0.005	<0.005	0.0099	<0.005	<0.025	<0.005	<0.005	<0.005	0.013	0.011	<0.001
MW-1	14-Jul-98	<0.005	0.045	0.14	<0.025	<0.025	0.06	<0.005	<0.005	0.0095	<0.005	<0.025	<0.005	<0.005	<0.005	0.012	0.014	<0.005
MW-1	21-Oct-98	<0.01	0.052	0.15	<0.05	<0.05	0.062	<0.01	<0.01	0.01	<0.01	<0.05	<0.01	<0.01	<0.01	0.014	0.015	<0.01
MW-1	12-Jan-99	<0.001	0.055	0.17	<0.005	<0.005	0.073	0.0046	0.0033	0.011	0.0019	<0.005	0.0006 J11	0.011	0.0015	0.017	0.017	0.0053
MW-1	20-Apr-99	<0.001	0.051	0.14	<0.005	<0.005	0.067	0.0042	0.0031	0.0092	0.002	<0.005	0.0006 J11	<0.001	0.0012	0.015	0.013	0.005
MW-1	13-Jul-99	<0.0005	0.044	0.093	<0.01	<0.01	0.055	0.0036	0.0024	0.0072	0.0014	<0.01	<0.0005	0.0077	0.0009	0.013	0.016	0.004
MW-1	11-Oct-99	<0.0005	0.04	0.11	<0.01	<0.01	0.053	0.0035	0.0025	0.0073	0.0013	<0.01	0.0013	0.0074	0.0009	0.013	0.013	0.0037
MW-2	16-Dec-94	na	<0.0009	0.0047	<0.0018	<0.0042	0.017	na	<0.0008	na	<0.0005	<0.0011	na	0.0019	<0.0011	0.0018	<0.0014	0.0012
MW-2	29-Mar-95	ND	<0.0009	0.0022	<0.002	<0.005	0.016	<0.0006	<0.0008	na	<0.0004	<0.002	ND	0.0011	<0.002	0.0009	<0.002	0.0009
MW-2	08-Jun-95	ND	0.0025	ND	ND	ND	0.022	ND	ND	na	0.0005	ND	ND	0.0009	ND	0.0049	0.0022	0.0009
MW-2	09-Jan-96	<0.005	0.007	0.02	<0.05	<0.1	0.051	<0.005	<0.005	0.023	0.0009	<0.1	<0.005	0.001	0.008	<0.005	<0.01	0.002
MW-2	17-Apr-96	na	na	na	na	na	0.032	na	na	na	0.0008	na	na	0.0013	na	na	na	<0.002
MW-2	31-Jul-96	na	na	na	na	na	0.042	na	na	na	0.0009	na	na	0.0016	na	na	na	<0.002
MW-2	19-Nov-96	na	na	na	na	na	0.018	na	na	na	0.0007	na	na	0.0017	na	na	na	0.004
MW-2	25-Mar-97	na	na	na	na	na	0.024	na	na	na	0.001	na	na	0.0007	na	na	na	<0.002
MW-2	10-Jun-97	na	na	na	na	na	0.027	na	na	na	<0.0005	na	na	0.0005	na	na	na	0.002
MW-2	18-Aug-97	na	na	na	na	na	0.033	na	na	na	<0.0005	na	na	0.0008	na	na	na	<0.002
MW-2	19-Dec-97	na	na	na	na	na	0.019	na	na	na	0.0021	na	na	0.0019	na	na	na	0.006
MW-2	26-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	0.014	<0.001	<0.001	0.0064	<0.001	<0.02	<0.001	<0.001	0.0037	0.0027	<0.002	<0.002
MW-2	08-Apr-98	<0.001	0.0012	0.0018	<0.005	<0.005	0.016	0.001	<0.001	0.0069	<0.001	<0.005	<0.001	<0.001	0.0022	0.0025	0.0017	<0.001
MW-2	14-Jul-98	<0.001	0.0043	0.0095	<0.005	<0.005	0.036	0.0025	<0.001	0.024	<0.001	<0.005	<0.001	<0.001	0.0083	0.0095	0.005	<0.001
MW-2	21-Oct-98	<0.002	0.0039	0.0067	<0.01	<0.01	0.037	0.0032	<0.002	0.026	<0.002	<0.01	<0.002	<0.002	0.01	0.012	0.0055	<0.002
DUP	21-Oct-98	<0.002	0.004	0.0074	<0.01	<0.01	0.037	0.0031	<0.002	0.027	<0.002	<0.01	<0.002	<0.002	0.01	0.012	0.0056	<0.002
MW-2	12-Jan-99	<0.001	0.0015	0.0033	<0.005	<0.005	0.032	0.0025	<0.001	0.019	<0.001	<0.005	<0.001	<0.001	0.0077	0.0083	0.0047	<0.001
MW-3	16-Dec-94	na	<0.0009	<0.0022	<0.0018	<0.0042	<0.0008	na	<0.0008	na	<0.0005	<0.0011	na	<0.0005	0.0028	<0.0008	<0.0014	<0.0005

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,1-DCE	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
MW-1	25-Mar-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-1	10-Jun-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-1	18-Aug-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-1	19-Dec-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-1	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	0.01	<0.001	<0.001	<0.001	0.0034	<0.001	<0.002	0.0021	<0.002	0.0044	<0.001
MW-1	08-Apr-98	<0.005	<0.005	<0.005	<0.005	<0.005	0.0086	<0.005	<0.005	<0.025	0.005	<0.005	<0.005	<0.005	<0.005	0.0058	<0.005
DUP	08-Apr-98	<0.005	<0.005	<0.005	<0.005	<0.005	0.0099	<0.005	<0.005	<0.025	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
MW-1	14-Jul-98	<0.005	<0.005	<0.005	<0.005	<0.005	0.0092	<0.005	<0.005	<0.025	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
MW-1	21-Oct-98	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
MW-1	12-Jan-99	0.0011	<0.001	<0.001	<0.001	<0.001	0.01	<0.001	<0.001	<0.005	0.0059	<0.001	0.001	<0.001	<0.001	0.0029	0.0005 J11
MW-1	20-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.009	<0.001	<0.001	<0.005	0.0053	<0.001	<0.001	<0.001	<0.001	0.0033	0.0006 J11
MW-1	13-Jul-99	0.0008	<0.0005	<0.0005	<0.0005	<0.0005	0.0066	<0.0005	<0.0005	<0.01	0.0044	<0.0005	<0.001	<0.001	<0.001	0.0028	0.0006
MW-1	11-Oct-99	0.0008	<0.0005	<0.0005	<0.0005	<0.0005	0.0073	<0.0005	<0.0005	<0.01	0.0041	<0.0005	<0.001	<0.001	<0.001	0.0023	0.0012
MW-2	16-Dec-94	na	na	na	na	<0.0008	na	na	na	<0.0014	na	<0.0012	na	na	na	na	na
MW-2	29-Mar-95	ND	ND	na	ND	ND	na	na	na	<0.002	na	<0.002	na	na	na	na	na
MW-2	08-Jun-95	ND	ND	na	ND	ND	na	na	na	ND	na	ND	na	na	na	na	na
MW-2	09-Jan-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
MW-2	17-Apr-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-2	31-Jul-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-2	19-Nov-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-2	25-Mar-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-2	10-Jun-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-2	18-Aug-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-2	19-Dec-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-2	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	0.003	<0.001
MW-2	08-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.0036	<0.001
MW-2	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	0.0011	<0.001	<0.001	<0.001	<0.001	0.0027	<0.001
MW-2	21-Oct-98	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.01	<0.002	<0.002	<0.002	<0.002	<0.002	0.0022	<0.002
DUP	21-Oct-98	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.01	<0.002	<0.002	<0.002	<0.002	<0.002	0.0021	<0.002
MW-2	12-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	0.0009 J11	<0.001	<0.001	<0.001	<0.001	0.0026	<0.001
MW-3	16-Dec-94	na	na	na	na	0.018	na	na	na	<0.0014	na	0.0034	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
MW-1	25-Mar-97	na	na	na	na	na	na
MW-1	10-Jun-97	na	na	na	na	na	na
MW-1	18-Aug-97	na	na	na	na	na	na
MW-1	19-Dec-97	na	na	na	na	na	na
MW-1	26-Feb-98	0.021	0.0049	<0.005	<0.001	<0.001	0.021
MW-1	08-Apr-98	na	0.0087	<0.005	<0.005	<0.005	0.02
DUP	08-Apr-98	na	0.0065	<0.005	<0.005	<0.005	0.018
MW-1	14-Jul-98	<0.005	<0.005	<0.005	<0.005	<0.005	0.019
MW-1	21-Oct-98	<0.01	<0.01	<0.01	<0.01	<0.01	0.019
MW-1	12-Jan-99	<0.001	0.0006 J11	<0.001	<0.001	<0.001	0.025
MW-1	20-Apr-99	<0.001	0.0014	<0.001	<0.001	<0.001	0.024
MW-1	13-Jul-99	<0.0005	0.0012	<0.0005	<0.0005	<0.0005	0.02
MW-1	11-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	0.0012	0.021
MW-2	16-Dec-94	na	na	na	na	na	na
MW-2	29-Mar-95	na	na	na	na	na	na
MW-2	08-Jun-95	na	na	na	na	na	na
MW-2	09-Jan-96	na	na	na	<0.005	na	na
MW-2	17-Apr-96	na	na	na	na	na	na
MW-2	31-Jul-96	na	na	na	na	na	na
MW-2	19-Nov-96	na	na	na	na	na	na
MW-2	25-Mar-97	na	na	na	na	na	na
MW-2	10-Jun-97	na	na	na	na	na	na
MW-2	18-Aug-97	na	na	na	na	na	na
MW-2	19-Dec-97	na	na	na	na	na	na
MW-2	26-Feb-98	0.002	0.0014	<0.005	<0.001	0.0012	0.002
MW-2	08-Apr-98	na	0.0012	<0.001	<0.001	0.0013	0.0018
MW-2	14-Jul-98	<0.001	<0.001	<0.001	<0.001	0.0011	0.004
MW-2	21-Oct-98	<0.002	<0.002	<0.002	<0.002	<0.002	0.0046
DUP	21-Oct-98	<0.002	<0.002	<0.002	<0.002	<0.002	0.0044
MW-2	12-Jan-99	<0.001	<0.001	<0.001	<0.001	0.0008 J11	0.0038
MW-3	16-Dec-94	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
MW-3	29-Mar-95	ND	<0.0009	<0.003	<0.002	<0.005	<0.0008	<0.0006	<0.0008	na	<0.0004	<0.002	ND	<0.0004	<0.002	<0.0008	<0.002	<0.0004
MW-3	08-Jun-95	ND	0.0019	ND	ND	ND	ND	ND	ND	na	ND	0.0052	ND	ND	0.011	0.0011	0.0007	ND
MW-3	09-Jan-96	<0.005	0.01	<0.005	<0.05	<0.1	<0.005	<0.005	<0.005	0.037	<0.005	<0.1	<0.005	<0.005	0.029	0.006	<0.01	<0.01
MW-3	17-Apr-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
MW-3	31-Jul-96	na	na	na	na	na	<0.005	na	na	na	<0.005	na	na	<0.005	na	na	na	<0.02
MW-3	19-Nov-96	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	0.0006	na	na	na	0.004
MW-3	25-Mar-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
MW-3	10-Jun-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
MW-3	18-Aug-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
MW-3	19-Dec-97	na	na	na	na	na	<0.0005	na	na	na	<0.0005	na	na	<0.0005	na	na	na	<0.002
MW-3	26-Feb-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	0.0099	<0.001	<0.02	<0.001	<0.001	0.0084	<0.001	<0.002	<0.002
MW-3	07-Apr-98	<0.001	0.0037	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.018	<0.001	<0.005	<0.001	<0.001	0.013	0.0014	<0.001	<0.001
MW-3	14-Jul-98	<0.001	0.0046	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.022	<0.001	<0.005	<0.001	<0.001	0.016	0.0016	<0.001	<0.001
DUP	14-Jul-98	<0.001	0.0041	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.022	<0.001	<0.005	<0.001	<0.001	0.015	0.0013	0.0014	<0.001
MW-3	20-Oct-98	<0.001	0.0044	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.024	<0.001	<0.005	<0.001	<0.001	0.017	0.0014	0.002	<0.001
MW-3	11-Jan-99	<0.001	0.0042	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.025	<0.001	<0.005	<0.001	<0.001	0.019	0.0023	0.0012	<0.001
DUP	11-Jan-99	<0.001	0.0042	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.025	<0.001	<0.005	<0.001	<0.001	0.019	0.0022	0.0013	<0.001
MW-3	19-Apr-99	<0.001	0.0009 J11	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	0.01	<0.001	<0.005	<0.001	<0.001	0.0078	0.0005 J11	<0.001	<0.001
MW-3	13-Jul-99	<0.0005	0.0008	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.0078	<0.0005	<0.01	<0.0005	<0.0005	0.0063	<0.0005	<0.0005	<0.0005
MW-3	11-Oct-99	<0.0005	0.0026	<0.0005	<0.01	<0.01	<0.0005	<0.0005	<0.0005	0.024	<0.0005	<0.01	<0.0005	<0.0005	0.019	0.0019	0.0019	<0.0005
MW-4	16-Dec-94	na	<0.0009	<0.0022	<0.0018	<0.0042	0.0014	na	<0.0008	na	0.0006	<0.0011	na	0.0021	<0.0011	0.013	<0.0014	0.0023
MW-4	29-Mar-95	ND	<0.0009	<0.003	<0.002	<0.005	0.0015	<0.0006	<0.0008	na	0.0007	<0.002	ND	0.001	<0.002	0.0069	<0.002	0.0037
MW-4	08-Jun-95	ND	ND	ND	ND	ND	0.0018	ND	ND	na	0.0011	ND	ND	0.0022	ND	0.0016	ND	0.0079
MW-4	10-Jan-96	<0.005	<0.005	<0.005	<0.05	<0.1	0.002	<0.005	<0.005	<0.005	0.002	<0.1	<0.005	0.027	<0.005	<0.005	<0.01	0.012
MW-4	19-Nov-96	na	na	na	na	na	0.0024	na	na	na	0.0017	na	na	0.0021	na	na	na	0.01
MW-4	18-Aug-97	na	na	na	na	na	0.0017	na	na	na	0.0017	na	na	0.0016	na	na	na	0.014
MW-4	19-Dec-97	na	na	na	na	na	0.0008	na	na	na	0.0011	na	na	0.001	na	na	na	0.006
MW-4	02-Mar-98	<0.001	<0.001	<0.001	<0.02	<0.02	<0.001	<0.001	<0.001	<0.001	<0.001	<0.02	<0.001	<0.001	<0.001	<0.001	<0.002	0.002
MW-4	10-Apr-98	<0.001	<0.001	<0.001	<0.005	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.0033
MW-4	17-Jul-98	<0.001	<0.001	<0.001	<0.005	<0.005	0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.0058
MW-4	23-Oct-98	<0.001	<0.001	<0.001	<0.005	<0.005	0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.005
MW-4	15-Jan-99	<0.001	<0.001	<0.001	<0.005	<0.005	0.0014	<0.001	<0.001	0.0006 J11	0.0011	<0.005	<0.001	0.0018	<0.001	0.0017	<0.001	0.0054
MW-4	22-Apr-99	<0.001	<0.001	<0.001	<0.005	<0.0058 U6	0.0012	<0.001	<0.001	<0.001	0.0012	<0.005	<0.001	0.0009 J11	<0.001	0.0016	<0.001	0.0059

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,1-DCE	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
MW-3	29-Mar-95	ND	ND	na	ND	ND	na	na	na	<0.002	na	0.014	na	na	na	na	na
MW-3	08-Jun-95	ND	ND	na	ND	ND	na	na	na	ND	na	0.0016	na	na	na	na	na
MW-3	09-Jan-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
MW-3	17-Apr-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-3	31-Jul-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-3	19-Nov-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-3	25-Mar-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-3	10-Jun-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-3	18-Aug-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-3	19-Dec-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-3	26-Feb-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
MW-3	07-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
MW-3	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
MW-3	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
MW-3	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
MW-3	19-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
MW-3	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
MW-3	11-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.0005
MW-4	16-Dec-94	na	na	na	na	<0.0008	na	na	na	<0.0014	na	<0.0012	na	na	na	na	na
MW-4	29-Mar-95	ND	ND	na	ND	ND	na	na	na	<0.002	na	<0.002	na	na	na	na	na
MW-4	08-Jun-95	ND	ND	na	ND	ND	na	na	na	ND	na	ND	na	na	na	na	na
MW-4	10-Jan-96	<0.005	<0.005	na	<0.005	<0.005	na	na	na	<0.05	na	<0.01	<0.01	<0.01	na	na	na
MW-4	19-Nov-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-4	18-Aug-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-4	19-Dec-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-4	02-Mar-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.0037	0.0037	0.004	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001
MW-4	10-Apr-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.0024	0.0026	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
MW-4	17-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.0039	0.0045	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
MW-4	23-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.0029	0.0033	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
MW-4	15-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.0028	0.0032	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.0007 J11	0.0008 J11
MW-4	22-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.0038	0.0043	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	0.0008 J11	0.0011

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
MW-3	29-Mar-95	na	na	na	na	na	na
MW-3	08-Jun-95	na	na	na	na	na	na
MW-3	09-Jan-96	na	na	na	<0.005	na	na
MW-3	17-Apr-96	na	na	na	na	na	na
MW-3	31-Jul-96	na	na	na	na	na	na
MW-3	19-Nov-96	na	na	na	na	na	na
MW-3	25-Mar-97	na	na	na	na	na	na
MW-3	10-Jun-97	na	na	na	na	na	na
MW-3	18-Aug-97	na	na	na	na	na	na
MW-3	19-Dec-97	na	na	na	na	na	na
MW-3	26-Feb-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
MW-3	07-Apr-98	na	<0.001	<0.001	<0.001	<0.001	<0.001
MW-3	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	14-Jul-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
MW-3	20-Oct-98	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
MW-3	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DUP	11-Jan-99	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
MW-3	19-Apr-99	<0.001	<0.001	<0.001	<0.001	<0.001	0.0005 J11
MW-3	13-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0008
MW-3	11-Oct-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
MW-4	16-Dec-94	na	na	na	na	na	na
MW-4	29-Mar-95	na	na	na	na	na	na
MW-4	08-Jun-95	na	na	na	na	na	na
MW-4	10-Jan-96	na	na	na	<0.005	na	na
MW-4	19-Nov-96	na	na	na	na	na	na
MW-4	18-Aug-97	na	na	na	na	na	na
MW-4	19-Dec-97	na	na	na	na	na	na
MW-4	02-Mar-98	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001
MW-4	10-Apr-98	na	<0.001	0.0047	<0.001	<0.001	<0.001
MW-4	17-Jul-98	<0.001	<0.001	0.011	<0.001	<0.001	<0.001
MW-4	23-Oct-98	0.001	<0.001	0.0082	<0.001	<0.001	<0.001
MW-4	15-Jan-99	0.0006 J11	0.0007 J11	0.0064	<0.001	0.0005 J11	<0.001
MW-4	22-Apr-99	0.0008 J11	0.0007 J11	0.01	<0.001	0.0006 J11	<0.001

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total
MW-4	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	0.0014	<0.0005	<0.0005	0.0008	0.0011	<0.01	<0.0005	0.0011	<0.0005	0.0027	<0.0005	0.0061
MW-4	25-Oct-99	<0.0005	<0.0005	<0.0005	<0.01	<0.01	0.0016	<0.0005	<0.0005	0.0007	0.0012	<0.01	<0.0005	0.0013	<0.0005	0.0018	<0.0005	0.006
MW-5	16-Dec-94	na	<0.018	<0.0022	<0.0018	1300	0.57	na	<0.0008	na	1.8	1700	na	73	<0.0011	<0.0008	<0.0014	7.8
MW-5	29-Mar-95	ND	<0.0009	<0.003	<0.002	290	0.47	<0.0006	<0.0008	na	1.3	42	ND	92	<0.002	<0.0008	<0.002	6.8
MW-5	08-Jun-95	0.0041	ND	ND	ND	82	0.4	ND	0.0009	na	1.9	95	0.0019	91	ND	0.011	ND	9.7
MW-5	10-Jan-96	<5	<5	<5	<50	130	0.95	<5	<5	<5	3	<100	<5	81	<5	<5	<10	15
MW-5	19-Nov-96	na	na	na	na	na	0.7	na	na	na	2.1	na	na	120	na	na	na	10
MW-5	18-Aug-97	na	na	na	na	na	0.4	na	na	na	1.6	na	na	84	na	na	na	8.1
MW-5	19-Dec-97	na	na	na	na	na	<0.5	na	na	na	2.5	na	na	120	na	na	na	11
MW-5	02-Mar-98	<5	<5	<5	<100	374	<5	<5	<5	<5	<5	<100	<5	59.4	<5	<5	<10	<10
MW-5	10-Apr-98	<10	<10	<10	<50	260	<10	<10	<10	<10	<10	68	<10	94 J4	<10	<10	<10	<10
MW-5	17-Jul-98	<5	<5	<5	<25	94	<5	<5	<5	<5	<5	39	<5	100	<5	<5	<5	6.3
DUP	17-Jul-98	<5	<5	<5	<25	100	<5	<5	<5	<5	<5	46	<5	96	<5	<5	<5	5.6
MW-5	19-Oct-98	<5 UJ2	<5 UJ2	<5 UJ2	<25 UJ2	99 J2	<5 UJ2	<5 UJ2	<5 UJ2	<5 UJ2	<5 UJ2	48 J2	<5 UJ2	67 J2	<5 UJ2	<5 UJ2	<5 UJ2	<5 UJ2
MW-5	15-Jan-99	<1	<1	<1	<5	130	<1	<1	<1	<1	1.6	52	<1	93	<1	<1	<1	7.1
MW-5	22-Apr-99	<1.3	<1.3	<1.3	<6.3	<230 U6	0.64 J11	<1.3	<1.3	<1.3	2.1	<65 U6	<1.3	93	<1.3	<1.3	<1.3	9.1
MW-5	19-Jul-99	<0.63	<0.63	<0.63	<13	130	<0.63	<0.63	<0.63	<0.63	1.4	65	<0.63	72	<0.63	<0.63	<0.63	6.6
DUP	19-Jul-99	<0.5	<0.5	<0.5	<10	130	<0.5	<0.5	<0.5	<0.5	1.4	65	<0.5	74	<0.5	<0.5	<0.5	6.7
MW-5	25-Oct-99	<0.5	<0.5	<0.5	<10	150	<0.5	<0.5	<0.5	<0.5	1.2	73	<0.5	65	<0.5	<0.5	<0.5	5.6

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1-DCA	1,1-DCE	1,2-DCB	1,1,2-TCA	1,1,2,2-Tetrachloro-ethane	1,2,3-Trichloro-propane	1,2,4-TMB	1,3,5-TMB	4-Methyl-2-penta-none	Bromo-benzene	Carbon Disulfide	Chloro-ethane	Chloro-methane	Dichloro-difluoro-methane	Iso-propyl-benzene	n-Butyl-benzene
MW-4	16-Jul-99	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0038	0.0042	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	0.0008	0.0009
MW-4	25-Oct-99	<0.0005	0.0016	<0.0005	<0.0005	<0.0005	<0.0005	0.0035	0.0038	<0.01	<0.0005	<0.0005	<0.001	<0.001	<0.001	0.001	0.001
MW-5	16-Dec-94	na	na	na	na	<0.0008	na	na	na	0.13	na	<0.0012	na	na	na	na	na
MW-5	29-Mar-95	ND	ND	na	ND	ND	na	na	na	39	na	<0.002	na	na	na	na	na
MW-5	08-Jun-95	ND	0.0015	na	ND	ND	na	na	na	27	na	0.0023	na	na	na	na	na
MW-5	10-Jan-96	<5	<5	na	<5	<5	na	na	na	<50	na	<10	<10	<10	na	na	na
MW-5	19-Nov-96	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-5	18-Aug-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-5	19-Dec-97	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
MW-5	02-Mar-98	<5	<5	<5	<5	<5	<5	<5	<5	36.1	<5	<5	<10	<10	<10	<5	<5
MW-5	10-Apr-98	<10	<10	<10	<10	<10	<10	<10	<10	<50	<10	<10	<10	<10	<10	<10	<10
MW-5	17-Jul-98	<5	<5	<5	<5	<5	<5	<5	<5	<25	<5	<5	<5	<5	<5	<5	<5
DUP	17-Jul-98	<5	<5	<5	<5	<5	<5	<5	<5	<25	<5	<5	<5	<5	<5	<5	<5
MW-5	19-Oct-98	<5 UJ2	<5 UJ2	<5 UJ2	<5 UJ2	<5 UJ2	140 J2	<5 UJ2	<5 UJ2	<25 UJ2	<5 UJ2	<5 UJ2	<5 UJ2	<5 UJ2	<5 UJ2	<5 UJ2	<5 UJ2
MW-5	15-Jan-99	<1	<1	<1	<1	<1	<1	<1	<1	21	<1	<1	<1	<1	<1	<1	<1
MW-5	22-Apr-99	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	32	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3
MW-5	19-Jul-99	<0.63	<0.63	<0.63	<0.63	<0.63	<0.63	<0.63	<0.63	26	<0.63	<0.63	<1.3	<1.3	<1.3	<0.63	<0.63
DUP	19-Jul-99	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	27	<0.5	<0.5	<1	<1	<1	<0.5	<0.5
MW-5	25-Oct-99	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	29	<0.5	<0.5	<1	<1	<1	<0.5	<0.5

Notes: All notes are listed at the end of this table - see last page.

Table 4 (continued)
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	p-Iso-propyl-toluene	n-Propyl-benzene	Naph-thalene	Styrene	sec-Butyl-benzene	tert-Butyl-benzene
MW-4	16-Jul-99	0.0007	0.0006	0.0093	<0.0005	0.0005	<0.0005
MW-4	25-Oct-99	0.0007	0.0008	0.0091	<0.0005	0.0007	<0.0005
MW-5	16-Dec-94	na	na	na	na	na	na
MW-5	29-Mar-95	na	na	na	na	na	na
MW-5	08-Jun-95	na	na	na	na	na	na
MW-5	10-Jan-96	na	na	na	<5	na	na
MW-5	19-Nov-96	na	na	na	na	na	na
MW-5	18-Aug-97	na	na	na	na	na	na
MW-5	19-Dec-97	na	na	na	na	na	na
MW-5	02-Mar-98	<5	<5	<25	<5	<5	<5
MW-5	10-Apr-98	na	<10	<10	<10	<10	<10
MW-5	17-Jul-98	<5	<5	<5	<5	<5	<5
DUP	17-Jul-98	<5	<5	<5	<5	<5	<5
MW-5	19-Oct-98	<5 UJ2	<5 UJ2	<5 UJ2	<5 UJ2	<5 UJ2	<5 UJ2
MW-5	15-Jan-99	<1	<1	<1	<1	<1	<1
MW-5	22-Apr-99	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3
MW-5	19-Jul-99	<0.63	<0.63	<0.63	<0.63	<0.63	<0.63
DUP	19-Jul-99	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-5	25-Oct-99	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Notes: All notes are listed at the end of this table - see last page.

Table 4
Summary of Historical Volatile Organic Compounds (EPA 8240 and 8260*) in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Date Sampled	1,1,1-TCA	1,2-DCA	1,2-DCP	2-Hexa-none	Acetone	Benzene	Chloro-benzene	Chloro-form	cis-1,2-DCE	Ethyl-benzene	Methyl Ethyl Ketone	PCE	Toluene	trans-1,2-DCE	TCE	Vinyl Chloride	Xylenes, Total

Data QA/QC performed by JTS.

Notes: * = Analysis method changed from EPA 8240 to EPA 8260 beginning in February-March 1998 (1st Quarter 1998)
< = Analyte was not detected at or greater than the detection limit reported
ND = Not detected (no associated detection limit was reported)
na = Not analyzed
DUP = Duplicate sample (field duplicate)
(a) Concentrations for LF-B1 may not represent the B-zone water quality because LF-B1 is screened in the aquitard between the A and B zones.
(b) Concentrations for LF-B5 may not represent the B-zone water quality because LF-B5 is screened in the aquitard between the A and B zones.
GT = Concentration is greater than value reported (concentration exceeds upper limit of test)

Abbreviations for analytes:

1,1,1-TCA = 1,1,1-Trichloroethane
1,1,2-TCA = 1,1,2-Trichloroethane
1,1-DCA = 1,1-Dichloroethane
1,1-DCE = 1,1-Dichloroethene
1,2,4-TMB = 1,2,4-Trimethylbenzene
1,2-DCA = 1,2-Dichloroethane
1,2-DCB = 1,2-Dichlorobenzene
1,2-DCP = 1,2-Dichloropropane
1,3,5-TMB = 1,3,5-Trimethylbenzene
cis-1,2-DCE = cis-1,2-Dichloroethene
PCE = Tetrachloroethene
trans-1,2-DCE = trans-1,2-Dichloroethene
TCE = Trichloroethene

Data qualifiers:

J1= Concentration is estimated because the concentration exceeded the calibration range of the analytical instrument.
J2 = Concentration is estimated because the sample was analyzed outside of holding time.
J3 = Concentration is estimated due to surrogate recoveries outside of control limits.
J4 = Concentration is estimated due to relative percent difference (RPD) outside of control limts for laboratory control samples (LCS)
J10 = Concentration is estimated due to field duplicate RPD outside of control limit.
J11 = Concentration is estimated because it was reported at a concentration less than the detection limit.
U5 = Quantified as non-detect (U) based on field blank contamination evaluation.
U6 = Quantified as non-detect (U) based on trip blank contamination evaluation.
U12 = Quantified as non-detect (U) based on source water contamination evaluation.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Go Back

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
LF-1		21-Jun-91	<0.05	na	na
LF-1		09-Jul-92	0.11	<0.05	na
LF-1		09-Jun-93	0.083	<0.05	na
LF-1		Destroyed under permit			
LF-3		21-Jun-91	2	na	na
LF-3		09-Jul-92	3	190	na
DUP		09-Jul-92	3.3	180	na
LF-3		09-Jun-93	100 (f)	150	na
DUP		09-Jun-93	110 (f)	150	na
LF-3		16-Apr-96	2.6	87	na
LF-3		31-Jul-96	0.64	90	na
LF-3		20-Nov-96	9.3	75	na
LF-3		19-Mar-97	0.65	61	na
LF-3		12-Jun-97	1.1	130	na
LF-3		19-Aug-97	0.97	200	na
LF-3		17-Dec-97	1.1	30	na
DUP		17-Dec-97	1.6	43	na
LF-3		02-Mar-98	1.3	167	<1
LF-3		10-Apr-98	3.9 (c)	47 J1,2	<1
LF-3		16-Jul-98	6.1 (c)	140 (d)	<5
LF-3		19-Oct-98	7.8 (c)	150	<5 UJ2
LF-3		15-Jan-99	10 (c,e,f)	110	<1
DUP		15-Jan-99	10 (c,e,f)	110	<1
LF-3		22-Apr-99	6.3 (c,e,f)	58 (g)	<0.25
LF-3		19-Jul-99	14 (c,e,f)	100 (d)	<0.2
LF-3		12-Oct-99	13 (e,f)	210	<0.25
LF-4		21-Jun-91	0.78	na	na
DUP		21-Jun-91	0.51	na	na
LF-4		09-Jul-92	1.2	14.0	na
LF-4		09-Jun-93	1.2 (f)	2.2	na
LF-4		02-Mar-98	2.8	2.6	<0.002
LF-4		09-Apr-98	2.9 (c)	0.97 J3 (d)	<0.002
LF-4		16-Jul-98	0.99 J3 (c)	1.3 (d)	<0.002
LF-4		19-Oct-98	0.6 (c)	0.39 (d)	<0.002 UJ2
LF-4		14-Jan-99	13 (c)	1.9 (h)	<0.002
LF-4		22-Apr-99	6.3 (c,f)	0.74 J3 (d)	<0.002
LF-4		16-Jul-99	2.2 (e)	0.49	0.0009
DUP		16-Jul-99	2.2 (e)	0.5	0.0008

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
LF-4		15-Oct-99	1.2 (f)	0.37 (d)	0.0009
LF-5		06-Aug-91	4.7	na	na
LF-5		09-Jul-92	0.83	69.0	na
LF-5		09-Jun-93	2 (f)	95.0	na
LF-5		Destroyed or lost during slurry wall and cap construction activities			
LF-7		20-Jun-91	<0.05	na	na
LF-7		17-Dec-91	0.540	na	na
LF-7		09-Jul-92	0.3	0.140	na
DUP		09-Jul-92	0.48	0.130	na
LF-7		09-Jun-93	0.34	0.110	na
DUP		09-Jun-93	0.32	0.1	na
LF-7		06-Jan-94	0.54	0.5	na
LF-7		27-Feb-98	0.79	0.14	<0.002
DUP		27-Feb-98	0.88	0.14	<0.002
LF-7		13-Jan-99	0.53 (e)	0.16	<0.002
LF-8		20-Jun-91	<0.05	na	na
LF-8		17-Dec-91	0.220	na	na
LF-8		09-Jul-92	0.25	<0.05	na
LF-8		30-Dec-92	0.15	0.120 (h)	na
LF-8		09-Jun-93	0.33	<0.05 (h)	na
LF-8		06-Jan-94	1.7	<0.05	na
LF-8		27-Feb-98	0.20	<0.05	<0.002
LF-8		08-Apr-98	0.19 (c)	<0.05	<0.002
LF-8		15-Jul-98	0.24 J4 (c)	<0.05	<0.002
LF-8		21-Oct-98	0.2 (c)	<0.05	<0.002
LF-8		13-Jan-99	0.44 (e)	0.053	<0.002
LF-8		21-Apr-99	0.43 (e)	<0.05	<0.002
LF-8		14-Jul-99	0.39 (c,e)	0.053	<0.0005
LF-8		15-Oct-99	0.2	<0.05	<0.0005
LF-9		21-Jun-91	0.2	na	na
LF-9		16-Dec-91	0.600	na	na
LF-9		09-Jul-92	0.3	0.620	na
LF-9		30-Dec-92	0.3	0.510 (h)	na
LF-9		09-Jun-93	0.56	0.430 (h)	na
LF-9		Destroyed or lost during slurry wall and cap construction activities			

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
LF-10		21-Jun-91	0.27	na	na
LF-10		18-Dec-91	0.990	na	na
DUP		18-Dec-91	0.570	na	na
LF-10		09-Jul-92	0.42	0.7	na
LF-10		31-Dec-92	0.33 (e)	0.190	na
DUP		31-Dec-92	0.37 (e)	0.180	na
LF-10		09-Jun-93	0.47	0.180	na
LF-10		06-Jan-94	1.5	0.2	na
DUP		06-Jan-94	1.2	0.2 (h)	na
LF-10		27-Feb-98	0.86	0.56	<0.002
LF-10		15-Jan-99	2.4 (c,e,f)	0.45	<0.002
LF-11		21-Jun-91	0.13	na	na
DUP		21-Jun-91	0.12	na	na
LF-11		17-Dec-91	0.410	na	na
LF-11		09-Jul-92	0.26	<0.05	na
LF-11		31-Dec-92	0.31 (e)	0.058	na
LF-11		09-Jun-93	0.27	<0.05	na
LF-11		05-Jan-94	0.8	0.06	na
LF-11		16-Apr-96	0.93	<0.05	na
LF-11		31-Jul-96	0.58	<0.05	na
LF-11		20-Nov-96	1.5	<0.05	na
LF-11		18-Mar-97	1.9	0.19	na
DUP		18-Mar-97	1.8	<0.05	na
LF-11		11-Jun-97	0.41	0.17	na
LF-11		19-Aug-97	0.47	0.16	na
DUP		19-Aug-97	0.41	0.15	na
LF-11		17-Dec-97	<0.05	0.22	na
LF-11		02-Mar-98	0.64	2.2	<0.002
LF-11		10-Apr-98	0.82 (c)	2	<0.02
DUP		10-Apr-98	0.77 (c)	2.6	<0.01
LF-11		16-Jul-98	0.62 J3 (c)	0.12 (d)	<0.002
LF-11		23-Oct-98	0.44 (c)	0.15 (d)	<0.002
LF-11		14-Jan-99	0.66 (c,e)	0.15	<0.002
LF-11		22-Apr-99	0.76 (c,e)	<0.05	<0.002
DUP		22-Apr-99	0.71 (c,e)	<0.05	<0.002
LF-11		16-Jul-99	1.1 (e)	0.12	<0.0005
LF-11		12-Oct-99	0.74 (e)	0.095 (d)	<0.0005
DUP		12-Oct-99	0.67 (e)	0.11 (d)	<0.0005

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
LF-12		19-Jun-91	<0.05	na	na
LF-12		16-Dec-91	<0.050	na	na
LF-12		08-Jul-92	<0.05	<0.05	na
LF-12		30-Dec-92	<0.05	<0.05	na
LF-12		08-Jun-93	0.099	<0.05	na
LF-12		06-Jan-94	<0.05	<0.05	na
LF-12		16-Apr-96	<0.05	<0.05	na
LF-12		30-Jul-96	<0.05	<0.05	na
LF-12		20-Nov-96	<0.05	<0.05	na
LF-12		17-Mar-97	<0.05	<0.05	na
LF-12		01-Jul-97	<0.05	<0.05	na
DUP		01-Jul-97	<0.05	<0.05	na
LF-12		20-Aug-97	<0.05	<0.05	na
LF-12		18-Dec-97	<0.05	<0.05	na
LF-12		26-Feb-98	0.15	<0.05	<0.002
LF-12		08-Apr-98	<0.05	<0.05	<0.002
LF-12		14-Jul-98	<0.05	<0.05	<0.002
LF-12		21-Oct-98	<0.05	<0.05	<0.002
LF-12		12-Jan-99	<0.048	<0.05	<0.002
LF-12		20-Apr-99	<0.048	<0.05	<0.002
LF-12		14-Jul-99	<0.05	<0.05	<0.0005
LF-12		11-Oct-99	<0.049	<0.05	<0.0005
LF-13		19-Jun-91	<0.05	na	na
LF-13		16-Dec-91	<0.050	na	na
LF-13		08-Jul-92	<0.05	<0.05	na
LF-13		30-Dec-92	<0.05	<0.05	na
LF-13		08-Jun-93	0.052	<0.05	na
LF-13		05-Jan-94	<0.05	<0.05	na
LF-13		16-Apr-96	<0.05	<0.05	na
LF-13		30-Jul-96	<0.05	<0.05	na
DUP		30-Jul-96	<0.05	<0.05	na
LF-13		20-Nov-96	<0.05	<0.05	na
LF-13		17-Mar-97	<0.05	<0.05	na
DUP		17-Mar-97	<0.05	<0.05	na
LF-13		12-Jun-97	<0.05	<0.05	na
LF-13		19-Aug-97	<0.05	<0.05	na
LF-13		18-Dec-97	<0.05	<0.05	na

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
LF-13		25-Feb-98	<0.05	<0.05	<0.002
LF-13		07-Apr-98	0.088 (c)	<0.05	<0.002
DUP		07-Apr-98	<0.05	<0.05	<0.002
LF-13		13-Jul-98	<0.05	<0.05	<0.002
LF-13		19-Oct-98	<0.05	<0.05	<0.002 UJ2
LF-13		11-Jan-99	<0.048	<0.05	<0.002
LF-13		19-Apr-99	<0.047	<0.05	<0.002
DUP		19-Apr-99	<0.047	<0.05	<0.002
LF-13		13-Jul-99	<0.048	<0.05	<0.0005
LF-13		12-Oct-99	<0.051	<0.05	<0.0005
LF-14		20-Jun-91	<0.05	na	na
LF-14		17-Dec-91	0.086	na	na
LF-14		09-Jul-92	0.18	<0.05	na
LF-14		31-Dec-92	0.19 (e)	0.068	na
LF-14		09-Jun-93	0.24	<0.05	na
LF-14		Destroyed during railway expansion activities			
LF-15		20-Jun-91	<0.05	na	na
LF-15		17-Dec-91	<0.050	na	na
LF-15		08-Jul-92	<0.05	<0.05	na
LF-15		30-Dec-92	<0.05	<0.05	na
LF-15		09-Jun-93	0.098	<0.05	na
LF-15		Destroyed during railway expansion activities			
LF-16		20-Jun-91	<0.05	na	na
LF-16		17-Dec-91	0.094	na	na
LF-16		09-Jul-92	0.075	<0.05	na
LF-16		30-Dec-92	<0.05	0.050	na
LF-16		09-Jun-93	0.083	<0.05	na
LF-16		Destroyed under permit			
LF-17		02-Mar-98	11	3.2	<0.002
LF-17		10-Apr-98	20 (c)	14 J3 (d)	<0.02
LF-17		16-Jul-98	22 (c)	6.5 (d)	<0.02
LF-17		23-Oct-98	7.9 (c)	3.8 (d)	<0.002
LF-17		15-Jan-99	19 (c,e,f)	4.7 (h)	<0.002
LF-17		22-Apr-99	18 (c,e,f)	8.1 (h)	<0.002
LF-17		16-Jul-99	23 (f)	3.9 (h)	<0.001
LF-17		13-Oct-99	15 (e,f)	3.9 (h)	<0.0005
DUP		13-Oct-99	15 (e,f)	4.2 (h)	<0.0005

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
LF-18		11-Apr-96	0.32	<0.05	na
LF-18		30-Jul-96	0.32	<0.05	na
LF-18		20-Nov-96	0.5	<0.05	na
LF-18		19-Mar-97	0.26	<0.05	na
LF-18		11-Jun-97	0.18	<0.05	na
DUP		11-Jun-97	0.18	<0.05	na
LF-18		19-Aug-97	0.31	<0.05	na
LF-18		17-Dec-97	0.21	<0.05	na
LF-18		27-Feb-98	0.10	<0.05	<0.002
LF-18		08-Apr-98	0.096 (c)	<0.05	<0.002
LF-18		15-Jul-98	0.2 J4 (c)	<0.05	<0.002
DUP		15-Jul-98	0.24 J4 (c)	<0.05	<0.002
LF-18		21-Oct-98	0.14 (c)	<0.05	<0.002
LF-18		13-Jan-99	0.29 (c,e)	<0.05	<0.002
LF-18		21-Apr-99	0.31 (c,e)	<0.05	<0.002
DUP		21-Apr-99	0.26 (c,e)	<0.05	<0.002
LF-18		14-Jul-99	0.28 (c,e)	<0.05	<0.0005
LF-18		13-Oct-99	0.64 (e)	0.057 (d)	0.0007
LF-19		13-Jun-97	0.6	0.07	na
LF-19		19-Aug-97	0.78	0.15	na
LF-19		27-Feb-98	0.69	0.19	<0.002
LF-19		08-Apr-98	0.56 J3 (c)	0.15 (d)	<0.002
LF-19		15-Jul-98	0.73 J3,4 (c)	0.15 (d)	<0.002
LF-19		23-Oct-98	0.8 (c)	0.13 (d)	<0.002
DUP		23-Oct-98	0.76 (c)	0.14 (d)	<0.002
LF-19		13-Jan-99	2.2 (e,i)	0.17	<0.002
LF-19		20-Apr-99	3.3	0.16 (d)	<0.002
LF-19		14-Jul-99	2.7 (c,e,i)	0.2	<0.0005
LF-19		15-Oct-99	2.1 (c,e)	0.17 (d)	<0.0005
LF-20		11-Apr-96	0.96	0.23	na
LF-20		30-Jul-96	0.56	0.2	na
LF-20		21-Nov-96	3.2	0.25	na
LF-20		18-Mar-97	0.61	0.2	na
LF-20		11-Jun-97	0.54	0.2	na
LF-20		19-Aug-97	0.67	0.22	na

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
LF-20		18-Dec-97	0.79	<0.05	na
LF-20		27-Feb-98	0.74	0.43	<0.002
LF-20		09-Apr-98	0.62 (c)	0.64 J3 (d)	<0.002
DUP		09-Apr-98	0.64 (c)	0.67 J3 (d)	<0.002
LF-20		16-Jul-98	0.38 (c)	0.51	<0.002
LF-20		23-Oct-98	0.57 (c)	0.5 (d)	<0.002
LF-20		13-Jan-99	1.7 (e)	0.51	<0.002
DUP		13-Jan-99	1.7 (e)	0.53	<0.002
LF-20		21-Apr-99	1.8 (c,e,f)	0.5 (d)	<0.002
LF-20		15-Jul-99	1.5	0.45	<0.0005
LF-20		14-Oct-99	1.2	0.44 (d)	<0.0005
LF-21		10-Apr-96	2.8	<0.05	na
LF-21		31-Jul-96	1.4	0.06	na
LF-21		21-Nov-96	2.4	0.06	na
LF-21		18-Mar-97	1.7	<0.05	na
LF-21		11-Jun-97	0.83	<0.05	na
LF-21		19-Aug-97	0.78	<0.05	na
LF-21		17-Dec-97	1.0	<0.05	na
LF-21		02-Mar-98	3.0	<0.05	<0.002
DUP		02-Mar-98	3.2	<0.05	<0.002
LF-21		09-Apr-98	2.1 J3 (c)	<0.05	<0.002
LF-21		16-Jul-98	1.6 J3 (c)	0.056 J3 (d)	<0.002
LF-21		23-Oct-98	1.3 J3 (c)	0.05 (d)	<0.002
LF-21		14-Jan-99	1.4 (c,e)	<0.05	<0.002
LF-21		22-Apr-99	11 (c,e)	<0.05	<0.002
LF-21		15-Jul-99	6.1 (c,e)	<0.05	<0.0005
DUP		15-Jul-99	5 (c,e)	<0.05	<0.0005
LF-21		12-Oct-99	1.9 (c,e)	<0.05	<0.0005
LF-22		02-Mar-98	0.06	<0.05	<0.002
LF-22		10-Apr-98	0.051 (c)	<0.05	<0.002
LF-22		15-Jan-99	<0.048	<0.05	<0.002
LF-23		10-Apr-96	1.7	<0.05	na
DUP		10-Apr-96	1.3	<0.05	na
LF-23		02-Aug-96	5.6	<0.05	na
LF-23		21-Nov-96	1.3	<0.05	na

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
LF-23		18-Mar-97	1.5	<0.05	na
LF-23		11-Jun-97	0.41	<0.05	na
LF-23		20-Aug-97	0.29	<0.05	na
LF-23		18-Dec-97	0.30	<0.05	na
LF-23		26-Feb-98	0.56	<0.05	<0.002
LF-23		08-Apr-98	0.99 J3 (c)	<0.05	<0.002
LF-23		15-Jul-98	<0.05	<0.05	<0.002
LF-23		21-Oct-98	0.54 (c)	<0.05	<0.002
LF-23		12-Jan-99	0.26 (c,e)	<0.05	<0.002
LF-23		21-Apr-99	0.42 (c,e)	<0.05	<0.002
LF-23		14-Jul-99	0.39 (c,e)	<0.05	<0.0005
LF-24		11-Apr-96	0.09	<0.05	na
LF-24		02-Aug-96	0.16	<0.05	na
LF-24		21-Nov-96	0.14	<0.05	na
LF-24		18-Mar-97	<0.05	<0.05	na
LF-24		11-Jun-97	0.06	<0.05	na
LF-24		20-Aug-97	0.06	<0.05	na
LF-24		18-Dec-97	0.06	<0.05	na
LF-24		26-Feb-98	0.05	<0.05	<0.002
LF-24		08-Apr-98	<0.05	<0.05	<0.002
LF-24		15-Jul-98	1.3 J3,4 (c)	<0.05	<0.002
LF-24		21-Oct-98	0.059 (c)	<0.05	<0.002
LF-24		12-Jan-99	<0.047	<0.05	<0.002
LF-24		21-Apr-99	0.09 (c,e)	<0.05	<0.002
LF-24		14-Jul-99	<0.048	<0.05	<0.0005
LF-25		11-Apr-96	0.18	<0.05	na
LF-25		02-Aug-96	0.3	<0.05	na
LF-25		21-Nov-96	0.31	<0.05	na
LF-25		18-Mar-97	0.11	<0.05	na
LF-25		11-Jun-97	0.11	<0.05	na
LF-25		20-Aug-97	0.13	<0.05	na
LF-25		18-Dec-97	0.15	<0.05	na
LF-25		26-Feb-98	0.31	<0.05	<0.002
LF-25		08-Apr-98	0.063 (c)	<0.05	<0.002
LF-25		15-Jul-98	0.11 J4 (c)	<0.05	<0.002
LF-25		21-Oct-98	0.1 (c)	<0.05	<0.002
LF-25		12-Jan-99	0.14 (c,e)	0.054 (g)	<0.002

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
LF-25		21-Apr-99	0.2 (c,e)	0.071 (g)	<0.002
LF-25		14-Jul-99	0.11 (c,e)	0.091	<0.0005
LF-26		27-Feb-98	0.51	0.39	<0.002
LF-26		09-Apr-98	0.5 (c)	0.29 (d)	<0.002
LF-26		16-Jul-98	0.32 (c)	0.29 J3	<0.002
LF-26		23-Oct-98	0.35 (c)	0.21 (d)	<0.002
LF-26		13-Jan-99	1.5 (e,i)	0.36	<0.002
LF-26		21-Apr-99	1.2 (c,e,f)	0.23 (d)	<0.002
LF-26		15-Jul-99	1.2	0.22	<0.0005
LF-26		14-Oct-99	1	0.26 (d)	<0.0005
LF-27		29-Dec-97	<0.05	<0.05	na
LF-27		26-Feb-98	<0.05	<0.05	<0.002
LF-27		08-Apr-98	<0.05	<0.05	<0.002
LF-27		14-Jul-98	<0.05	<0.05	<0.002
LF-27		21-Oct-98	<0.05	<0.05	<0.002
LF-27		12-Jan-99	<0.047	<0.05	<0.002
LF-27		20-Apr-99	<0.048	<0.05	<0.002
LF-27		14-Jul-99	<0.048	<0.05	<0.0005
DUP		14-Jul-99	<0.048	<0.05	<0.0005
LF-27		11-Oct-99	<0.048	<0.05	<0.0005
LF-28		29-Dec-97	0.13	0.08	na
LF-28		26-Feb-98	<0.05	0.065	<0.002
LF-28		08-Apr-98	0.26 (c)	0.064 J3 (d)	<0.002
LF-28		14-Jul-98	0.3 (c)	0.064 (d)	<0.002
LF-28		21-Oct-98	0.36 (c)	0.061 (d)	<0.004
LF-28		12-Jan-99	0.25 (c,i)	0.11	0.0014 J11
DUP		12-Jan-99	0.27 (c,i)	0.11	0.0013 J11
LF-28		20-Apr-99	0.33 (c,i)	0.079 (d)	0.0013 J11
LF-28		14-Jul-99	0.33 (i)	0.088	0.0018
LF-28		11-Oct-99	0.33 (i)	0.09 (d)	0.0019
LF-29		29-Dec-97	1.1	0.8	na
LF-29		25-Feb-98	0.57	1.2	<0.004
LF-29		07-Apr-98	0.79 (c)	1.2 J3 (d)	<0.002
LF-29		14-Jul-98	0.81 (c)	1.4 (d)	<0.002

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
LF-29		20-Oct-98	1 (c)	1.8 J3 (d)	<0.01
LF-29		11-Jan-99	0.95 (c)	0.9	<0.002
LF-29		20-Apr-99	1	1.1 (d)	<0.002
DUP		20-Apr-99	0.77	1.1 (d)	<0.002
LF-29		13-Jul-99	0.99 (c)	0.95	0.0006
LF-29		11-Oct-99	1.1 (c,f)	1.3 (d)	0.0006
DUP		11-Oct-99	0.94 (c,f)	1.2 (d)	0.0006
LF-30		30-Dec-97	0.24	<0.05	na
LF-30		25-Feb-98	0.11	0.14	<0.002
DUP		25-Feb-98	0.14	0.18	<0.002
LF-30		07-Apr-98	0.16 (c)	0.23 (d)	<0.002
LF-30		14-Jul-98	0.16 (c)	0.35 (d)	<0.002
LF-30		20-Oct-98	0.15 (c)	0.38 (d)	<0.002
LF-30		11-Jan-99	0.2 (c,f)	0.34	0.0014 J11
LF-30		20-Apr-99	0.12	0.18 (d)	<0.002
LF-30		13-Jul-99	0.29 (c)	0.28	0.0016
LF-30		11-Oct-99	0.11 (c,e)	0.19 (d)	0.0007
LF-31		02-Jun-99	0.14	<0.05	0.0076
LF-31		13-Jul-99	0.27 (c,i)	<0.05	0.0081
LF-31		11-Oct-99	0.21 (i)	<0.05	0.0064
LF-32		22-Jun-99	<0.047	<0.05	0.0019
LF-32		16-Jul-99	0.13 (c,e)	<0.05	0.0019
LF-32		25-Oct-99	<0.05	<0.05	0.0016
DUP		25-Oct-99	<0.05	<0.05	0.0017
LF-33		22-Jun-99	1.5 (c,f,i)	0.16	0.0006
DUP		22-Jun-99	1.5 (c,f,i)	0.16	0.0006
LF-33		13-Jul-99	1.5 (c,i)	0.1	0.0006
LF-33		11-Oct-99	0.63 (i)	0.2 (d)	<0.0005
LF-34		22-Jun-99	0.18 (c,i)	<0.05	0.0026
LF-34		13-Jul-99	0.25 (c,i)	0.051	0.0023
LF-34		11-Oct-99	0.16 (i)	<0.05	0.0015

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
LF-35		25-Oct-99	<0.05	<0.05	0.003
LF-B1	(a)	20-Jun-91	<0.05	na	na
LF-B1	(a)	16-Dec-91	<0.050	na	na
LF-B1	(a)	08-Jul-92	<0.05	0.180	na
LF-B1	(a)	30-Dec-92	<0.05	0.2 (g)	na
LF-B1	(a)	08-Jun-93	0.061	0.180 (g)	na
LF-B1		Destroyed under permit			
LF-B2		21-Jun-91	<0.05	na	na
LF-B2		16-Dec-91	<0.050	na	na
LF-B2		08-Jul-92	<0.05	<0.05	na
LF-B2		08-Jun-93	<0.05	<0.05	na
LF-B2		Destroyed or lost during slurry wall and cap construction activities			
LF-B3		19-Jun-91	<0.05	na	na
LF-B3		16-Dec-91	<0.050	na	na
LF-B3		08-Jul-92	<0.05	0.140	na
LF-B3		30-Dec-92	<0.05	0.150 (g)	na
LF-B3		08-Jun-93	0.06	0.090 (g)	na
LF-B3		05-Jan-94	<0.05	<0.05	na
LF-B3		16-Apr-96	2.7	<0.05	na
LF-B3		01-Aug-96	0.6	<0.05	na
LF-B3		21-Nov-96	0.44	<0.05	na
DUP		21-Nov-96	0.53	<0.05	na
LF-B3		17-Mar-97	0.85	<0.05	na
LF-B3		12-Jun-97	0.93	0.06	na
LF-B3		20-Aug-97	0.2	0.06	na
LF-B3		17-Dec-97	0.70	<0.05	na
LF-B3		27-Feb-98	0.42	<0.05	0.011
LF-B3		08-Apr-98	0.97 (c)	<0.05	<0.002
LF-B3		15-Jul-98	0.16 J4 (c)	<0.05	0.012
LF-B3		21-Oct-98	0.12 J3 (c)	<0.05	0.019
LF-B3		13-Jan-99	0.39 (c,e)	<0.05	0.014
LF-B3		22-Apr-99	1.3 (c,e)	<0.05	0.012
LF-B3		15-Jul-99	0.11 (c,e)	<0.05	0.014
LF-B3		14-Oct-99	0.18 (c,e)	<0.05	0.015
LF-B4		19-Jun-91	<0.05	na	na
LF-B4		17-Dec-91	<0.050	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
LF-B4		08-Jul-92	<0.05	<0.05	na
LF-B4		30-Dec-92	<0.05	0.160 (g)	na
LF-B4		08-Jun-93	0.066	<0.05 (g)	na
LF-B4		05-Jan-94	<0.05	<0.05	na
LF-B4		16-Apr-96	<0.05	<0.05	na
LF-B4		30-Jul-96	<0.05	<0.05	na
LF-B4		22-Nov-96	0.16	<0.05	na
DUP		22-Nov-96	<0.05	<0.05	na
LF-B4		17-Mar-97	<0.05	<0.05	na
LF-B4		01-Jul-97	<0.05	<0.05	na
LF-B4		20-Aug-97	<0.05	<0.05	na
LF-B4		18-Dec-97	<0.05	<0.05	na
LF-B4		25-Feb-98	<0.05	<0.05	<0.002
LF-B4		07-Apr-98	<0.05	<0.05	<0.002
LF-B4		15-Jul-98	<0.05	<0.05	<0.002
LF-B4		19-Oct-98	<0.05	<0.05	<0.002 UJ2
LF-B4		11-Jan-99	0.055 (i)	<0.05	<0.002
LF-B4		20-Apr-99	0.05 (c,i)	<0.05	<0.002
LF-B4		14-Jul-99	<0.048	<0.05	0.0006
LF-B4		14-Oct-99	0.12 (i)	<0.05	<0.0005
LF-B5	(b)	09-Apr-96	0.1	<0.05	na
LF-B5	(b)	01-Aug-96	<0.05	0.15	na
LF-B5	(b)	22-Nov-96	<0.05	0.06	na
LF-B5	(b)	17-Mar-97	<0.05	0.12	na
LF-B5	(b)	12-Jun-97	<0.05	0.09	na
LF-B5	(b)	20-Aug-97	<0.05	0.12	na
LF-B5	(b)	17-Dec-97	0.64	0.12	na
LF-B5	(b)	27-Feb-98	<0.05	0.1	0.0038
LF-B5	(b)	09-Apr-98	<0.05	<0.05	<0.002
LF-B5	(b)	16-Jul-98	<0.05	0.15 (d)	<0.025
DUP	(b)	16-Jul-98	<0.05	0.14 (d)	<0.025
LF-B5	(b)	23-Oct-98	<0.05	0.16 (d)	0.0064
LF-B5	(b)	13-Jan-99	0.053 (c,i)	0.057 (g)	0.0069
LF-B5	(b)	21-Apr-99	<0.047	0.16 (g)	0.0063
LF-B5	(b)	15-Jul-99	<0.048	0.14 (g)	0.0066
LF-B5	(b)	15-Oct-99	<0.047	0.15 (g)	0.0061
DUP	(b)	15-Oct-99	<0.048	0.16 (g)	0.0058

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
LF-B6		09-Apr-96	1	2.7	na
LF-B6		01-Aug-96	0.08	0.38	na
LF-B6		25-Nov-96	0.34	0.21	na
DUP		25-Nov-96	0.34	0.18	na
LF-B6		17-Mar-97	0.14	0.1	na
LF-B6		12-Jun-97	0.21	0.2	na
LF-B6		19-Aug-97	0.19	0.16	na
LF-B6		18-Dec-97	<0.05	0.14	na
LF-B6		27-Feb-98	<0.05	0.082	0.011
LF-B6		08-Apr-98	0.18 (c)	0.085 (d)	<0.002
LF-B6		15-Jul-98	0.095 J4 (c)	0.074 (d)	0.0087
LF-B6		19-Oct-98	0.052 (c)	<0.05	<0.1 UJ2
LF-B6		13-Jan-99	<0.047	0.063	0.0089
LF-B6		21-Apr-99	<0.048	0.056 (g)	0.01
LF-B6		14-Jul-99	<0.048	<0.05	0.01
LF-B6		15-Oct-99	<0.047	0.061 (g)	0.0098
EX-1		18-Apr-96	4.3	0.42	na
EX-1		01-Aug-96	4.1	0.22	na
EX-1		18-Dec-96	2.4	3.1	na
EX-1		15-Apr-97	0.99	7.1	na
EX-1		01-Jul-97	0.94	4.7	na
EX-1		22-Sep-97	1.4	0.32	na
EX-1		18-Dec-97	1.7	1.6	na
EX-1		27-Feb-98	0.80	1.8	<0.002
EX-1		09-Apr-98	4.4 (c)	0.11 (d)	<0.002
EX-1		17-Jul-98	1.2 (c)	0.32	<0.002
EX-1		23-Oct-98	1.3 (c)	0.19 (d)	<0.002
EX-1		14-Jan-99	1.6 (i)	0.28	<0.002
EX-1		23-Apr-99	1.1 (e)	0.15 (d)	<0.002
EX-1		16-Jul-99	1 (c,e)	0.14	0.0007
EX-1		13-Oct-99	0.41 (e)	0.08 (d)	0.0008
EX-2		12-Jan-96	2	na	na
EX-2		18-Apr-96	1.3	41	na
EX-2		01-Aug-96	3.7	34	na
EX-2		18-Dec-96	0.69	45	na
EX-2		15-Apr-97	0.72	47	na
EX-2		01-Jul-97	0.64	70	na

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
EX-2		22-Sep-97	0.64	39	na
EX-2		22-Dec-97	0.55	10	na
EX-2		02-Mar-98	0.97	29.6	<0.2
EX-2		09-Apr-98	8.8 (c)	31 J2,3	<0.002
EX-2		17-Jul-98	1.3 (c)	22 (d)	<0.5
EX-2		23-Oct-98	0.88 (c)	1.2 (d)	<0.005
EX-2		14-Jan-99	2.7 (c,e,f)	51	<0.2
EX-2		23-Apr-99	1.6 (c,f)	10 J3 (d)	<0.025
EX-2		15-Jul-99	0.51 (c,e)	0.35 J3	<0.0005
EX-2		14-Oct-99	0.35 (i)	0.29	<0.0005
EX-3		12-Jan-96	<0.05	na	na
EX-3		18-Apr-96	0.43	<0.05	na
EX-3		01-Aug-96	0.82	<0.05	na
EX-3		18-Dec-96	0.21	<0.05	na
EX-3		15-Apr-97	0.09	<0.05	na
EX-3		01-Jul-97	0.13	<0.05	na
EX-3		22-Sep-97	0.08	<0.05	na
EX-3		19-Dec-97	0.18	0.22	na
EX-3		02-Mar-98	0.19	<0.05	<0.002
EX-3		09-Apr-98	32 (c)	<0.05 UJ2	<0.002
EX-3		17-Jul-98	0.16 (c)	0.13 (d)	<0.002
EX-3		22-Oct-98	<0.25	<0.05	<0.002
DUP		22-Oct-98	<0.25	<0.05	<0.002
EX-3		14-Jan-99	0.24 (c,e)	0.082	<0.002
EX-3		23-Apr-99	0.1 (e)	0.14	0.0032
EX-3		16-Jul-99	0.048 (c,e)	<0.05	0.0019
EX-3		13-Oct-99	<0.12 U5 (c)	<0.05	0.0007
EX-4		11-Sep-98	0.13 J3,8 (c)	<0.05	<0.002
EX-4		22-Oct-98	0.19 (c)	<0.05	<0.002
EX-4		14-Jan-99	1.4 (c,i)	0.24	<0.002
DUP		14-Jan-99	1.7 (c,i)	0.25	<0.002
EX-4		23-Apr-99	0.94 (e,f)	0.46 J3 (d)	<0.002
EX-4		15-Jul-99	0.83 (c,e)	0.38	<0.0005
EX-4		15-Oct-99	0.6 (i)	0.22	0.0007
EX-5		11-Sep-98	0.64 J3,8 (c)	0.44 (d)	<0.002

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
EX-5		22-Oct-98	0.83 (c)	0.38	<0.002
EX-5		14-Jan-99	2.6 (c,e)	0.41	<0.002
EX-5		23-Apr-99	2.8 (c,e,f)	5.4 J3	<0.013
EX-5		19-Jul-99	3.8 (c,i)	0.18 (d)	0.0006
EX-5		15-Oct-99	1.5	0.39	0.0008
EX-6		11-Sep-98	0.95 J3,8 (c)	11	<0.2
DUP		11-Sep-98	0.92 J3,8 (c)	12 (d)	<0.2
EX-6		22-Oct-98	0.58 (c)	7.8	<0.025
EX-6		15-Jan-99	1.9 (c,e,f)	24	<0.04
EX-6		23-Apr-99	1.5 (c,e,f)	4.1 J3 (d)	<0.01
DUP		23-Apr-99	1.4 (c,e,f)	4.1 J3	<0.01
EX-6		19-Jul-99	1.2 (c,f)	0.34 (d)	<0.0005
EX-6		12-Oct-99	2.4 (e,f)	2.5	<0.0005
EX-7		11-Sep-98	0.77 J3,8 (c)	12 J3 (d)	<0.2
EX-7		22-Oct-98	0.3 (c)	1.3	<0.01
EX-7		14-Jan-99	1.1 (c,e,f)	5.3	0.0027
EX-7		23-Apr-99	0.94 (c,e,f)	3.9 J3 (d)	<0.013
EX-7		15-Jul-99	0.32 (c,f)	0.48 J3	0.0072
EX-7		15-Oct-99	<0.048	<0.05	0.0075
EX-8		11-Sep-98	1.4 J3,8 (c)	120 (d)	<10
EX-8		22-Oct-98	0.86 (c)	88 (d)	<2.5
EX-8		14-Jan-99	2.7 (c,f,i)	26	<0.25
EX-8		23-Apr-99	6.8 (c,f)	120	<2.5
EX-8		19-Jul-99	6.5 (c,f,i)	69 (d)	<0.42
EX-8		15-Oct-99	4.2 (f,i)	25	<0.25
EX-9		11-Sep-98	0.16 J3,8 (c)	7.4 (d)	<0.4
EX-9		22-Oct-98	0.06 (c)	5.4 J2 (d)	<0.05
EX-9		14-Jan-99	0.73 (c,f,i)	6.9	<0.05
EX-9		23-Apr-99	0.64 (c,f)	19 J3	<0.067
EX-9		15-Jul-99	0.22 (c,f)	5.5 J3	<0.01
EX-9		14-Oct-99	0.19 (c,f)	1.2	0.0053
EX-10		11-Sep-98	1.3 J8 (c)	2.3 J3 (d)	<0.02
EX-10		22-Oct-98	1.5 (c)	2 J3	<0.004

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
EX-10		14-Jan-99	1.4 (c,e,f)	1.1	0.001 J11
EX-10		23-Apr-99	1.3 (c,e,f)	0.9	<0.002
EX-10		15-Jul-99	0.5 (c,f)	0.47	0.0006
EX-10		15-Oct-99	1.4 (i)	0.1 (d)	0.0023
EX-11		02-Jun-99	0.26 (f)	0.92	<0.008
EX-11		16-Jul-99	4.2	0.25	0.0032
EX-12		02-Jun-99	0.19	0.059	0.001 J11
DUP		02-Jun-99	0.17	0.065	0.001 J11
EX-12		13-Jul-99	0.24 (c)	<0.05	0.0028
EX-12		25-Oct-99	0.11 (e)	<0.05	0.0008
EX-13		02-Jun-99	1.3	0.25	<0.002
EX-13		16-Jul-99	1.8 (c,f)	0.19	<0.0005
EX-14		08-Oct-99	0.71 (c,e)	0.099	0.0009
DUP		08-Oct-99	0.79 (c,e)	0.095	0.0009
RP-1		08-Sep-94	4.4	1.9	na
RP-1		28-Feb-95	1.8	0.3	na
RP-1		29-Mar-95	0.78	<0.05	na
RP-1		10-May-95	1.4	2.6	na
RP-1		09-Aug-95	1.4	1.4	na
RP-1		17-Nov-95	0.96	1.2	na
RP-1		10-Jan-96	0.55	0.8	na
RP-1		17-Apr-96	0.59	0.12	na
DUP		17-Apr-96	0.72	0.15	na
RP-1		31-Jul-96	1.1	1.4	na
RP-1		19-Nov-96	2.3	0.6	na
RP-1		25-Mar-97	1.2	0.68	na
RP-1		10-Jun-97	0.9	0.55	na
RP-1		18-Aug-97	1.4	1.2	na
RP-1		19-Dec-97	0.86	0.70	na
DUP		19-Dec-97	0.79	0.46	na
RP-1		26-Feb-98	0.42	<0.05	<0.002
DUP		26-Feb-98	0.50	<0.05	<0.002
RP-1		07-Apr-98	1.5 J3 (c)	<0.05	<0.002

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
RP-1		14-Jul-98	0.59 (c)	<0.05	0.002
RP-1		20-Oct-98	2.4 J3 (c)	<0.05	<0.002
RP-1		12-Jan-99	1.1	0.063 (d,h)	0.0011 J11
RP-1		19-Apr-99	2.4 (c,e)	<0.05	<0.002
RP-1		16-Jul-99	1.2 (c,e)	0.14 (d,h)	0.0008
RP-1		25-Oct-99	2 (e)	<0.05	0.0007
RP-2		08-Sep-94	0.4	0.09	na
DUP		08-Sep-94	0.3	0.09	na
RP-2		28-Feb-95	<0.05	0.09	na
RP-2		29-Mar-95	0.4	0.07	na
RP-2		10-May-95	0.3	<0.05	na
RP-2		09-Aug-95	0.2	<0.05	na
RP-2		17-Nov-95	0.2	0.1	na
RP-2		10-Jan-96	0.1	0.05	na
RP-2		17-Apr-96	0.17	<0.05	na
RP-2		31-Jul-96	<0.05	<0.05	na
RP-2		19-Nov-96	0.18	<0.05	na
RP-2		25-Mar-97	0.2	<0.05	na
RP-2		10-Jun-97	0.13	<0.05	na
RP-2		18-Aug-97	0.17	<0.05	na
DUP		18-Aug-97	0.16	<0.05	na
RP-2		19-Dec-97	0.16	<0.05	na
RP-2		26-Feb-98	0.14	<0.05	<0.002
RP-2		07-Apr-98	0.12 (c)	<0.05	<0.002
RP-2		13-Jul-98	0.097 (c)	<0.05	<0.002
RP-2		20-Oct-98	0.18 (c)	<0.05	<0.002
RP-2		11-Jan-99	0.22 (c,e,f)	0.053 (g)	0.0015 J11
RP-2		19-Apr-99	0.3	<0.05	0.0015 J11
RP-2		13-Jul-99	0.21 (c)	<0.05	0.0016
RP-2		25-Oct-99	0.15 (e)	<0.05	0.0039
RP-3		08-Sep-94	0.7	0.1	na
RP-3		28-Feb-95	1.2	0.2	na
RP-3		29-Mar-95	1.9	0.3	na
RP-3		10-May-95	1.7	0.1	na
RP-3		09-Aug-95	1.2	0.2	na
RP-3		17-Nov-95	1.1	0.1	na
RP-3		10-Jan-96	0.56	0.1	na

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
RP-3		17-Apr-96	0.42	0.13	na
RP-3		31-Jul-96	0.39	0.1	na
RP-3		19-Nov-96	1.2	0.07	na
RP-3		25-Mar-97	0.47	0.09	na
RP-3		10-Jun-97	0.53	0.1	na
RP-3		18-Aug-97	0.5	0.09	na
RP-3		19-Dec-97	0.48	0.08	na
RP-3		25-Feb-98	0.49	0.15	<0.002
RP-3		07-Apr-98	0.47 (c)	0.38 (d)	<0.002
RP-3		13-Jul-98	0.41 (c)	0.31 (d)	<0.002
RP-3		20-Oct-98	0.45 (c)	0.22 (d)	<0.002
DUP		20-Oct-98	0.44 (c)	0.22 (d)	<0.002
RP-3		11-Jan-99	0.75 (c,e,f)	0.13 (g)	<0.002
RP-3		19-Apr-99	2.5 (c,f,i)	0.32 (d)	<0.002
RP-3		16-Jul-99	1.5 (c,e,i)	0.22	0.0006
RP-3		25-Oct-99	1.8 (i)	0.29 (d)	0.0006
RP-4		08-Sep-94	0.2	0.1	na
RP-4		28-Feb-95	0.07	0.08	na
DUP		28-Feb-95	0.07	0.07	na
RP-4		29-Mar-95	0.3	0.07	na
RP-4		10-May-95	0.2	<0.05	na
DUP		10-May-95	0.2	<0.05	na
RP-4		09-Aug-95	0.2	<0.05	na
DUP		09-Aug-95	0.2	<0.05	na
RP-4		17-Nov-95	0.1	<0.05	na
DUP		17-Nov-95	0.3	<0.05	na
RP-4		09-Jan-96	0.1	0.05	na
RP-4		17-Apr-96	0.14	<0.05	na
RP-4		31-Jul-96	0.24	<0.05	na
DUP		31-Jul-96	0.21	<0.05	na
RP-4		19-Nov-96	0.12	<0.05	na
RP-4		25-Mar-97	0.19	<0.05	na
RP-4		10-Jun-97	0.19	<0.05	na
DUP		10-Jun-97	0.12	<0.05	na
RP-4		18-Aug-97	0.07	<0.05	na
RP-4		19-Dec-97	0.07	<0.05	na
RP-4		25-Feb-98	0.07	0.062	0.0027
RP-4		07-Apr-98	0.097 (c)	<0.05	0.0025

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
RP-4		13-Jul-98	0.061 (c)	0.059 (d)	<0.002
DUP		13-Jul-98	0.071 (c)	0.051 (d)	<0.002
RP-4		20-Oct-98	0.1 (c)	<0.05	0.0047
RP-4		11-Jan-99	0.077 (i)	0.075 (g)	0.0034
RP-4		19-Apr-99	0.11	0.068 (d)	0.0025
RP-4		13-Jul-99	0.062 (c)	0.077	0.003
DUP		13-Jul-99	0.073 (c)	0.061	0.003
RP-4		25-Oct-99	0.099 (e)	<0.05	0.0025
RP-5		08-Sep-94	0.6	0.09	na
RP-5		28-Feb-95	0.2	0.06	na
RP-5		29-Mar-95	0.8	<0.05	na
RP-5		10-May-95	1.1	<0.05	na
RP-5		09-Aug-95	0.69	<0.05	na
RP-5		17-Nov-95	0.5	<0.05	na
RP-5		09-Jan-96	0.2	<0.05	na
DUP		09-Jan-96	0.2	<0.05	na
RP-5		17-Apr-96	0.64	<0.05	na
RP-5		31-Jul-96	0.79	<0.05	na
RP-5		19-Nov-96	0.41	<0.05	na
DUP		19-Nov-96	0.53	<0.05	na
RP-5		25-Mar-97	0.54	<0.05	na
DUP		25-Mar-97	0.59	<0.05	na
RP-5		10-Jun-97	0.59	<0.05	na
RP-5		18-Aug-97	0.67	<0.05	na
RP-5		19-Dec-97	0.65	<0.05	na
RP-5		26-Feb-98	0.34	0.055	<0.002
RP-5		07-Apr-98	0.41 J3 (c)	<0.05	<0.002
RP-5		13-Jul-98	0.37 (c)	<0.05	<0.002
RP-5		20-Oct-98	0.47 (c)	0.054 (d)	<0.002
RP-5		12-Jan-99	0.43 (c,e)	0.07 (g)	<0.002
RP-5		20-Apr-99	1 (e)	0.061 (d)	<0.002
RP-5		13-Jul-99	0.48 (c,e)	0.07	<0.0005
RP-5		11-Oct-99	0.69 (c,e)	0.084 (d)	<0.0005
RP-BW-02		11-Oct-99	<0.048	0.11 (g)	0.0098
SA-AW-01		14-Oct-99	0.098 (c,e)	<0.05	<0.0005

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
SA-AW-03		12-Oct-99	<0.05	<0.05	<0.0005
SA-AW-04		14-Oct-99	<0.051	<0.05	<0.0005
SA-AW-05		14-Oct-99	<0.051	<0.05	<0.0005
DUP		14-Oct-99	<0.051	<0.05	<0.0005
SA-BW-01		14-Oct-99	1.4 (i)	<0.05	<0.0005
MW-1		29-Mar-95	3.6	7.41	na
MW-1		08-Jun-95	2.6	2.1	na
MW-1		09-Jan-96	4	1.3	na
MW-1		17-Apr-96	1.1	1.7	na
MW-1		31-Jul-96	12	2.4	na
MW-1		19-Nov-96	1.5	0.85	na
MW-1		25-Mar-97	1.8	0.99	na
MW-1		10-Jun-97	1.3	0.94	na
MW-1		18-Aug-97	1.6	0.88	na
MW-1		19-Dec-97	1.2	1.1	na
MW-1		26-Feb-98	1.1	1.8	<0.002
MW-1		08-Apr-98	1.3 (c)	1.6 J3 (d)	<0.002
DUP		08-Apr-98	1.1 (c)	1.5 J3 (d)	<0.002
MW-1		14-Jul-98	1 (c)	1.7 J3 (d)	<0.01
MW-1		21-Oct-98	1.1 (c)	1.6 (d)	<0.02
MW-1		12-Jan-99	1.6 (c)	1.3	<0.002
MW-1		20-Apr-99	1.3	1.5 (d)	<0.002
MW-1		13-Jul-99	1.3 (c)	1	0.0019
MW-1		11-Oct-99	0.92 (c)	1.2 (d)	<0.0005
MW-2		29-Mar-95	4.4	3	na
MW-2		08-Jun-95	3.8	1.3	na
MW-2		09-Jan-96	2.5	0.9	na
MW-2		17-Apr-96	4.6	0.62	na
MW-2		31-Jul-96	3.2	0.71	na
MW-2		19-Nov-96	3.2	0.37	na
MW-2		25-Mar-97	3.3	0.52	na

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
MW-2		10-Jun-97	1.5	0.5	na
MW-2		18-Aug-97	1.8	0.73	na
MW-2		19-Dec-97	1.5	0.4	na
MW-2		26-Feb-98	2.4	0.45	<0.002
MW-2		08-Apr-98	1.8 (c)	0.34 J3 (d)	<0.002
MW-2		14-Jul-98	2.2 J3 (c)	0.38 (d)	0.0053
MW-2		21-Oct-98	1.4 (c)	0.43 (d)	<0.004
DUP		21-Oct-98	1.2 (c)	0.49 (d)	<0.004
MW-2		12-Jan-99	1.1	0.33	0.0042
MW-3		29-Mar-95	1.5	2	na
MW-3		08-Jun-95	0.55	0.43	na
MW-3		09-Jan-96	0.3	0.2	na
MW-3		17-Apr-96	0.18	0.16	na
MW-3		31-Jul-96	0.42	9.4	na
MW-3		19-Nov-96	0.46	0.47	na
MW-3		25-Mar-97	<0.05	0.31	na
MW-3		10-Jun-97	<0.05	0.07	na
MW-3		18-Aug-97	<0.05	0.1	na
MW-3		19-Dec-97	0.06	0.07	na
MW-3		26-Feb-98	<0.05	0.11	<0.002
MW-3		07-Apr-98	0.089 (c)	0.091 J3 (d)	0.0036
MW-3		14-Jul-98	0.053 (c)	<0.05	0.0064
DUP		14-Jul-98	0.067 (c)	0.068 (d)	0.0075
MW-3		20-Oct-98	0.084 (c)	<0.05	0.0059
MW-3		11-Jan-99	0.073 (c)	0.069	0.0036
DUP		11-Jan-99	0.049 (c)	0.065	0.0032
MW-3		19-Apr-99	0.091	0.1 (d)	<0.002
MW-3		13-Jul-99	0.14 (c)	0.12	0.0021
MW-3		11-Oct-99	0.047 (i)	<0.05	0.0025
MW-4		29-Mar-95	2.5	1.9	na
MW-4		08-Jun-95	4.5	1.1	na
MW-4		10-Jan-96	6.3	0.7	na
MW-4		19-Nov-96	6.9	0.7	na
MW-4		18-Aug-97	9.9	1.1	na
MW-4		19-Dec-97	12	0.18	na
MW-4		02-Mar-98	3.7	0.22	<0.002
MW-4		10-Apr-98	4.4 J3 (c)	0.18 (d)	<0.002

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE
MW-4		17-Jul-98	4.7 J3 (c)	0.26 (d)	<0.002
MW-4		23-Oct-98	5.3 (c)	0.27 (d)	<0.002
MW-4		15-Jan-99	6.6 (c,e,f)	0.27 (h)	<0.002
MW-4		22-Apr-99	9.2 (c,e,f,i)	0.52 (d)	<0.002
MW-4		16-Jul-99	9.1 (c,e)	0.25	<0.0005
MW-4		25-Oct-99	10 (e)	0.23 (d,h)	<0.0005
MW-5		29-Mar-95	1.1	660	na
MW-5		08-Jun-95	13	38	na
MW-5		10-Jan-96	5.4	160	na
MW-5		19-Nov-96	3.7	180	na
MW-5		18-Aug-97	15	120	na
MW-5		19-Dec-97	6.0	160	na
MW-5		02-Mar-98	3.8	198	<10
MW-5		10-Apr-98	5.2 (c)	250 J2	<20
MW-5		17-Jul-98	4.6 (c)	180 (d)	<10
DUP		17-Jul-98	4.2 (c)	170 J3 (d)	<10
MW-5		19-Oct-98	33 (c)	130	<10 UJ2
MW-5		15-Jan-99	19 (c,e,f,i)	230	<2
MW-5		22-Apr-99	20 (c,f,i)	190 (g)	<2.5
MW-5		19-Jul-99	20 (c,f,i)	130 (d)	<0.63
DUP		19-Jul-99	18 (c,f,i)	130 (d)	<0.5
MW-5		25-Oct-99	22 (i)	190	<0.5

Notes: All notes are listed at the end of this table - see last page.

Table 5
Summary of Historical Total Petroleum Hydrocarbons as Diesel and Gasoline in Groundwater Monitoring Wells
The Sherwin-Williams Company, Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Total Petroleum Hydrocarbons As Diesel	Total Petroleum Hydrocarbons As Gasoline	MTBE

Data QA/QC performed by JTS.

Notes: < = Analyte was not detected at or greater than the detection limit reported

ND = Not detected (no associated detection limit was reported)

na = Not analyzed

(a) Concentrations for LF-B1 may not represent the B-zone water quality because LF-B1 is screened in the aquitard between the A and B zones.

(b) Concentrations for LF-B5 may not represent the B-zone water quality because LF-B5 is screened in the aquitard between the A and B zones.

Data qualifiers and notes for TPH data:

J1= Concentration is estimated because the concentration exceeded the calibration range of the analytical instrument.

J2 = Concentration is estimated because the sample was analyzed outside of holding time.

J3 = Concentration is estimated due to surrogate recoveries outside of control limits.

J4= Concentration is estimated due to relative percent difference (RPD) outside of control limit for the laboratory control sample

U5 = Quantified as non-detect (U) based on field blank contamination evaluation.

(c) = Unknown hydrocarbon mixture with peak patterns atypical of diesel is quantified as diesel for a range of n-C10 to n-C24.

(d) = Unknown hydrocarbon mixture with peak patterns atypical of gasoline is quantified as gasoline for a range of n-C07 to n-C12.

(e) = The concentration reported for diesel is due primarily to the presence of a heavier petroleum product, possibly motor oil.

(f) = The concentration reported for diesel is due primarily to the presence of a lighter petroleum product (range C06-C12), possibly gasoline.

(g) = The concentration reported for gasoline is due to the presence of a discrete hydrocarbon peak not indicative of gasoline.

(h) = The concentration reported for gasoline is due primarily to the presence of a heavier hydrocarbon peak not indicative of gasoline.

(i) = The concentration reported for diesel is due to the presence of a discrete hydrocarbon peak not indicative of diesel.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Go Back

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-1		01-Jun-89	200	na	na	<0.04	<0.3	na	na	na	na	na	0.59
LF-1		07-Dec-89	190	na	na	<0.04	<0.3	na	na	na	na	na	0.02
LF-1		20-Jul-90	120	0.06	na	<0.05	<0.2	na	na	na	na	na	0.26
LF-1		20-Jun-91	58	na	na	<0.005	<0.004	na	na	na	na	na	0.236
LF-1		09-Jul-92	53.2	<0.1	na	0.058	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-1		09-Jun-93	39.8	<0.1	na	<0.03	0.0039	<0.01	<0.0002	<0.05	<0.01	na	na
LF-1		Destroyed under permit											
LF-2		02-Jun-89	2.6	na	na	<0.04	<0.3	na	na	na	na	na	0.01
LF-2		07-Dec-89	17	na	na	<0.04	<0.3	na	na	na	na	na	<0.01
LF-2		20-Jul-90	110	0.45	na	<0.05	<0.2	na	na	na	na	na	<0.05
LF-2		Destroyed or lost during slurry wall and cap construction activities											
LF-3		02-Jun-89	27	na	na	<0.04	<0.3	na	na	na	na	na	<0.01
LF-3		07-Dec-89	30	na	na	<0.04	<0.3	na	na	na	na	na	<0.01
LF-3		20-Jul-90	21	0.42	na	<0.05	<0.2	na	na	na	na	na	<0.05
LF-3		20-Jun-91	60.4	na	na	<0.005	<0.004	na	na	na	na	na	0.028
LF-3		09-Jul-92	70.8	0.473	na	0.0205	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
DUP		09-Jul-92	66.6	0.452	na	0.0361	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-3		09-Jun-93	142	0.625	na	<0.1	<0.003	<0.01	<0.0002	<0.05	<0.01	na	na
DUP		09-Jun-93	141	0.635	na	<0.1	<0.003	<0.01	<0.0002	<0.05	<0.01	na	na
LF-3		16-Apr-96	58	na	na	na	<0.002	na	na	na	na	na	na
LF-3		31-Jul-96	72	na	na	na	na	na	na	na	na	na	na
LF-3		20-Nov-96	72	na	na	na	na	na	na	na	na	na	na
LF-3		19-Mar-97	110	na	na	na	na	na	na	na	na	na	na
LF-3		12-Jun-97	180	na	na	na	na	na	na	na	na	na	na
LF-3		19-Aug-97	120	na	na	na	na	na	na	na	na	na	na
LF-3		02-Dec-97	na	na	na	na	na	na	na	na	na	na	0.04
LF-3		17-Dec-97	60	na	na	na	na	na	na	na	na	na	na
DUP		17-Dec-97	67	na	na	na	na	na	na	na	na	na	na
LF-3		02-Mar-98	65	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-3		10-Apr-98	25.7	na	na	na	na	na	na	na	na	na	na
LF-3		16-Jul-98	117	na	na	na	na	na	na	na	na	na	na
LF-3		19-Oct-98	142	na	na	na	na	na	na	na	na	na	na
LF-3		15-Jan-99	29	na	na	na	na	na	na	na	na	na	na
DUP		15-Jan-99	31	na	na	na	na	na	na	na	na	na	na
LF-3		22-Apr-99	28	na	na	na	na	na	na	na	na	na	na
LF-3		19-Jul-99	50	na	na	na	na	na	na	na	na	na	na
LF-3		12-Oct-99	61	na	na	na	na	na	na	na	na	na	0.022
LF-4		02-Jun-89	0.53	na	na	<0.04	<0.3	na	na	na	na	na	<0.01
DUP		02-Jun-89	0.58	na	na	<0.04	<0.3	na	na	na	na	na	7
LF-4		06-Dec-89	0.420	na	na	<0.04	<0.3	na	na	na	na	na	<0.01
DUP		06-Dec-89	0.550	na	na	<0.04	<0.3	na	na	na	na	na	0.010
LF-4		20-Jul-90	0.19	0.16	na	<0.05	<0.2	na	na	na	na	na	<0.05
LF-4		20-Jun-91	0.51	na	na	<0.005	0.015	na	na	na	na	na	0.071
DUP		20-Jun-91	0.493	na	na	<0.005	0.01	na	na	na	na	na	0.109
LF-4		09-Jul-92	0.367	0.119	na	<0.005	<0.04	<0.01	<0.00027	<0.025	<0.01	na	na
LF-4		09-Jun-93	1.520	0.250	na	<0.015	<0.003	<0.01	<0.0002	<0.025	<0.01	na	na
LF-4		02-Dec-97	na	na	na	na	na	na	na	na	na	na	0.05
LF-4		02-Mar-98	0.34	na	na	na	na	na	na	na	na	na	na
LF-4		09-Apr-98	0.73	na	na	na	na	na	na	na	na	na	na
LF-4		16-Jul-98	0.17	na	na	na	na	na	na	na	na	na	na
LF-4		19-Oct-98	0.47	na	na	na	na	na	na	na	na	na	na
LF-4		14-Jan-99	0.39	na	na	na	na	na	na	na	na	na	na
LF-4		22-Apr-99	0.98	na	na	na	na	na	na	na	na	na	na
LF-4		16-Jul-99	0.83	na	na	na	na	na	na	na	na	na	na
DUP		16-Jul-99	0.86	na	na	na	na	na	na	na	na	na	na
LF-4		15-Oct-99	0.75	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-5		01-Jun-89	0.017	na	na	<0.04	<0.3	na	na	na	na	na	0.04
LF-5		06-Dec-89	<0.07 U5,6	na	na	<0.04	<0.3	na	na	na	na	na	<0.01
LF-5		20-Jul-90	0.020	0.17	na	<0.05	<0.2	na	na	na	na	na	0.05
LF-5		20-Jun-91	0.038	na	na	<0.005	0.003	na	na	na	na	na	<0.02
LF-5		09-Jul-92	<0.01	0.111	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-5		09-Jun-93	0.0283	0.257	na	<0.005	<0.003	<0.01	<0.00027	<0.005	<0.01	na	na
LF-5		Destroyed or lost during slurry wall and cap construction activities											
LF-6		01-Jun-89	13	na	na	0.09	<0.3	na	na	na	na	na	0.12
LF-6		05-Dec-89	16	na	na	0.06	<0.3	na	na	na	na	na	<0.01
LF-6		20-Jul-90	14	0.21	na	<0.05	<0.2	na	na	na	na	na	0.06
LF-6		Sealed August 2, 1990											
LF-7		01-Jun-89	0.008	na	na	<0.04	<0.3	na	na	na	na	na	<0.01
LF-7		06-Dec-89	<0.07 U5,6	na	na	<0.04	<0.3	na	na	na	na	na	0.02
LF-7		19-Jul-90	<0.002	0.06	na	<0.05	<0.2	na	na	na	na	na	<0.05
LF-7		20-Jun-91	0.012	na	na	<0.005	<0.004	na	na	na	na	na	<0.02
LF-7		17-Dec-91	<0.010	na	na	<0.005	<0.003	<0.010	na	na	na	na	<0.020
LF-7		09-Jul-92	<0.01	<0.1	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
DUP		09-Jul-92	<0.01	<0.1	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-7		09-Jun-93	<0.01	0.191	na	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.01	na	na
DUP		09-Jun-93	<0.01	0.201	na	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.01	na	na
LF-7		06-Jan-94	<0.002	0.07	na	<0.001	0.001	<0.002	<0.0002	<0.004	<0.001	na	na
LF-7		01-Aug-96	na	na	na	na	na	na	na	na	na	na	26
LF-7		22-Nov-96	na	na	na	na	na	na	na	na	na	na	0.12
LF-7		25-Nov-97	na	na	na	na	na	na	na	na	na	na	0.49
LF-7		27-Feb-98	0.020	na	na	na	na	na	na	na	na	na	na
DUP		27-Feb-98	0.020	na	na	na	na	na	na	na	na	na	na
LF-7		13-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-8		05-Dec-89	<0.07 U5,6	na	na	<0.04	<0.3	na	na	na	na	na	<0.01

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-8		19-Jul-90	<0.002	0.12	na	<0.05	<0.2	na	na	na	na	na	<0.05
LF-8		21-Dec-90	0.02	0.59	na	0.0015	<0.2	na	na	na	na	na	0.25
LF-8		20-Jun-91	0.021	na	na	<0.005	<0.004	na	na	na	na	na	<0.02
LF-8		17-Dec-91	0.016	na	na	<0.005	<0.003	<0.010	na	na	na	na	<0.020
LF-8		09-Jul-92	<0.01	<0.1	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-8		30-Dec-92	0.029	0.177	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
LF-8		09-Jun-93	0.0384	0.121	na	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.01	na	na
LF-8		06-Jan-94	0.055	0.1	na	<0.001	<0.001	<0.002	<0.0002	0.005	<0.001	na	na
LF-8		25-Nov-97	na	na	na	na	na	na	na	na	na	na	0.01
LF-8		27-Feb-98	0.022	na	na	na	na	na	na	na	na	na	na
LF-8		08-Apr-98	0.026	na	na	na	na	na	na	na	na	na	na
LF-8		15-Jul-98	0.019	na	na	na	na	na	na	na	na	na	na
LF-8		21-Oct-98	0.030	na	na	na	na	na	na	na	na	na	na
LF-8		13-Jan-99	0.029	na	na	na	na	na	na	na	na	na	na
LF-8		21-Apr-99	0.039	na	na	na	na	na	na	na	na	na	na
LF-8		14-Jul-99	0.037	na	na	na	na	na	na	na	na	na	na
LF-8		15-Oct-99	0.049	na	na	na	na	na	na	na	na	na	na
LF-9		05-Dec-89	0.067	na	na	<0.04	<0.3	na	na	na	na	na	0.02
LF-9		19-Jul-90	0.008	0.11	na	<0.05	<0.2	na	na	na	na	na	<0.05
LF-9		21-Dec-90	0.12	0.27	na	0.0029	<0.2	na	na	na	na	na	0.73
LF-9		20-Jun-91	0.075	na	na	<0.005	0.012	na	na	na	na	na	0.1
LF-9		06-Aug-91	0.131	na	na	na	na	na	na	na	na	na	na
LF-9		16-Dec-91	0.046	na	na	<0.005	<0.003	<0.010	na	na	na	na	0.039
LF-9		09-Jul-92	<0.01	<0.1	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-9		30-Dec-92	0.106	<0.1	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
LF-9		09-Jun-93	0.158	0.169	na	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.01	na	na
LF-9		Destroyed or lost during slurry wall and cap construction activities											
LF-10		07-Dec-89	0.650	na	na	<0.04	<0.3	na	na	na	na	na	<0.01

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-10		19-Jul-90	0.012	0.11	na	<0.05	<0.2	na	na	na	na	na	<0.05
DUP		19-Jul-90	0.008	0.14	na	<0.05	<0.3	na	na	na	na	na	0.07
LF-10		21-Dec-90	1	0.33	na	0.0009	<0.2	na	na	na	na	na	<0.05
DUP		21-Dec-90	1.1	0.35	na	0.0007	<0.3	na	na	na	na	na	0.07
LF-10		20-Jun-91	0.657	na	na	<0.005	0.013	na	na	na	na	na	0.064
LF-10		06-Aug-91	1.09	na	na	na	na	na	na	na	na	na	na
LF-10		18-Dec-91	0.704	na	na	<0.005	<0.003	<0.010	na	na	na	na	0.028
DUP		18-Dec-91	0.549	na	na	<0.005	<0.003	<0.010	na	na	na	na	<0.020
LF-10		09-Jul-92	0.328	<0.1	na	<0.005	<0.04	<0.01	<0.00027	<0.025	<0.01	na	na
LF-10		31-Dec-92	0.550	<0.1	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
DUP		31-Dec-92	0.552	<0.1	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
LF-10		09-Jun-93	0.958	0.249	na	<0.005	<0.003	<0.01	<0.0002	<0.05	<0.01	na	na
LF-10		06-Jan-94	0.94	0.19	na	<0.001	<0.001	<0.002	<0.0002	<0.004	0.002	na	na
DUP		06-Jan-94	0.82	0.18	na	<0.001	0.001	<0.002	<0.0002	<0.004	0.002	na	na
LF-10		01-Aug-96	na	na	na	na	na	na	na	na	na	na	2.3
LF-10		20-Nov-96	na	na	na	na	na	na	na	na	na	na	0.13
LF-10		02-Dec-97	na	na	na	na	na	na	na	na	na	na	0.02
LF-10		27-Feb-98	0.77	na	na	na	na	na	na	na	na	na	na
LF-10		15-Jan-99	0.26	na	na	na	na	na	na	na	na	na	na
LF-10		13-Oct-99	na	na	na	na	na	na	na	na	na	na	<0.02
LF-11		05-Dec-89	<0.07 U5,6	na	na	<0.04	<0.3	na	na	na	na	na	0.02
LF-11		19-Jul-90	0.007	0.12	na	<0.05	<0.2	na	na	na	na	na	<0.05
LF-11		21-Dec-90	0.011	0.18	na	0.0006	<0.2	na	na	na	na	na	<0.05
LF-11		21-Jun-91	0.023	na	na	<0.005	0.007	na	na	na	na	na	<0.02
DUP		21-Jun-91	0.024	na	na	<0.005	0.006	na	na	na	na	na	<0.02
LF-11		06-Aug-91	0.021	na	na	na	na	na	na	na	na	na	na
LF-11		17-Dec-91	0.011	na	na	<0.005	<0.003	<0.010	na	na	na	na	<0.020
LF-11		09-Jul-92	<0.01	0.169	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-11		31-Dec-92	<0.01	<0.1	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
LF-11		09-Jun-93	0.0116	0.152	na	<0.005	<0.003	<0.01	<0.0002	<0.05	<0.01	na	na
LF-11		05-Jan-94	0.019	0.13	na	<0.001	<0.001	<0.002	<0.0002	<0.004	0.001	na	na
LF-11		16-Apr-96	0.048	na	na	na	<0.002	na	na	na	na	na	na
LF-11		31-Jul-96	0.11	na	na	na	na	na	na	na	na	na	na
LF-11		20-Nov-96	0.45	na	na	na	na	na	na	na	na	na	na
LF-11		18-Mar-97	1.2	na	na	na	na	na	na	na	na	na	na
DUP		18-Mar-97	1.2	na	na	na	na	na	na	na	na	na	na
LF-11		11-Jun-97	0.62	na	na	na	na	na	na	na	na	na	na
LF-11		19-Aug-97	1.3	na	na	na	na	na	na	na	na	na	na
DUP		19-Aug-97	1.1	na	na	na	na	na	na	na	na	na	na
LF-11		17-Dec-97	2.1	na	na	na	na	na	na	na	na	na	na
LF-11		02-Mar-98	2.7	na	na	na	na	na	na	na	na	na	na
LF-11		10-Apr-98	2.9	na	na	na	na	na	na	na	na	na	na
DUP		10-Apr-98	2.5	na	na	na	na	na	na	na	na	na	na
LF-11		16-Jul-98	3.2	na	na	na	na	na	na	na	na	na	na
LF-11		23-Oct-98	2.0	na	na	na	na	na	na	na	na	na	na
LF-11		14-Jan-99	1.7	na	na	na	na	na	na	na	na	na	na
LF-11		22-Apr-99	1.9	na	na	na	na	na	na	na	na	na	na
DUP		22-Apr-99	1.8	na	na	na	na	na	na	na	na	na	na
LF-11		16-Jul-99	2.4	na	na	na	na	na	na	na	na	na	na
LF-11		12-Oct-99	2.2	na	na	na	na	na	na	na	na	na	<0.02
DUP		12-Oct-99	2.3	na	na	na	na	na	na	na	na	na	na
LF-12		06-Dec-89	<0.07 U5,6	na	na	<0.04	<0.3	na	na	na	na	na	0.02
LF-12		18-Jul-90	0.004	0.06	na	<0.05	<0.3	na	na	na	na	na	<0.2
LF-12		19-Jun-91	<0.01	na	na	<0.005	<0.004	na	na	na	na	na	<0.02
LF-12		16-Dec-91	<0.010	na	na	<0.005	<0.003	<0.010	na	na	na	na	0.024
LF-12		08-Jul-92	<0.01	<0.1	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-12		30-Dec-92	0.014	<0.1	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
LF-12		08-Jun-93	0.0152	<0.1	na	<0.005	<0.003	<0.01	<0.0002	<0.05	<0.01	na	na
LF-12		06-Jan-94	0.013	0.06	na	<0.001	<0.001	0.006	<0.0002	0.005	<0.001	na	na
LF-12		16-Apr-96	0.043	na	na	na	<0.002	na	na	na	na	na	na
LF-12		30-Jul-96	0.006	na	na	na	na	na	na	na	na	na	0.81
LF-12		20-Nov-96	0.022	na	na	na	na	na	na	na	na	na	0.1
LF-12		17-Mar-97	0.014	na	na	na	na	na	na	na	na	na	na
LF-12		01-Jul-97	0.014	na	na	na	na	na	na	na	na	na	na
DUP		01-Jul-97	0.014	na	na	na	na	na	na	na	na	na	na
LF-12		20-Aug-97	0.018	na	na	na	na	na	na	na	na	na	na
LF-12		02-Dec-97	na	na	na	na	na	na	na	na	na	na	0.03
LF-12		18-Dec-97	0.013	na	na	na	na	na	na	na	na	na	na
LF-12		26-Feb-98	0.014	na	na	na	na	na	na	na	na	na	na
LF-12		08-Apr-98	0.014	na	na	na	na	na	na	na	na	na	na
LF-12		14-Jul-98	0.012	na	na	na	na	na	na	na	na	na	na
LF-12		21-Oct-98	0.013	na	na	na	na	na	na	na	na	na	na
LF-12		12-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-12		20-Apr-99	0.011	na	na	na	na	na	na	na	na	na	na
LF-12		14-Jul-99	0.016	na	na	na	na	na	na	na	na	na	na
LF-12		11-Oct-99	0.011	na	na	na	na	na	na	na	na	na	na
LF-13		06-Dec-89	<0.07 U5,6	na	na	<0.04	<0.3	na	na	na	na	na	0.02
LF-13		18-Jul-90	<0.002	<0.05	na	<0.05	<0.2	na	na	na	na	na	<0.05
LF-13		19-Dec-90	<0.002	0.1	na	<0.0005	<0.2	na	na	na	na	na	<0.05
LF-13		19-Jun-91	<0.01	na	na	<0.005	<0.004	na	na	na	na	na	<0.02
LF-13		16-Dec-91	<0.010	na	na	<0.005	<0.003	<0.010	na	na	na	na	<0.020
LF-13		09-Jul-92	<0.01	<0.1	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-13		30-Dec-92	<0.01	<0.1	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
LF-13		08-Jun-93	<0.01	<0.1	na	<0.005	<0.003	<0.01	<0.0002	<0.05	<0.01	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-13		05-Jan-94	0.003	0.04	na	<0.005	<0.001	<0.002	<0.0002	<0.004	<0.001	na	na
LF-13		16-Apr-96	<0.002	na	na	na	<0.002	na	na	na	na	na	na
LF-13		30-Jul-96	<0.002	na	na	na	na	na	na	na	na	na	na
DUP		30-Jul-96	<0.002	na	na	na	na	na	na	na	na	na	na
LF-13		20-Nov-96	<0.002	na	na	na	na	na	na	na	na	na	na
LF-13		17-Mar-97	<0.002	na	na	na	na	na	na	na	na	na	na
DUP		17-Mar-97	<0.002	na	na	na	na	na	na	na	na	na	na
LF-13		12-Jun-97	<0.002	na	na	na	na	na	na	na	na	na	na
LF-13		19-Aug-97	<0.002	na	na	na	na	na	na	na	na	na	na
LF-13		18-Dec-97	<0.002	na	na	na	na	na	na	na	na	na	na
LF-13		25-Feb-98	<0.005	na	na	na	na	na	na	na	na	na	na
LF-13		07-Apr-98	<0.0050	na	na	na	na	na	na	na	na	na	na
DUP		07-Apr-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-13		13-Jul-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-13		19-Oct-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-13		11-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-13		19-Apr-99	<0.005	na	na	na	na	na	na	na	na	na	na
DUP		19-Apr-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-13		13-Jul-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-13		12-Oct-99	<0.005	na	na	na	na	na	na	na	na	na	<0.02
LF-14		04-Sep-90	0.092	0.06	na	<0.0005	0.007	na	na	na	na	na	<0.05
LF-14		02-Oct-90	0.077	na	na	na	na	na	na	na	na	na	na
LF-14		20-Dec-90	0.15	0.47	na	0.0036	<0.2	na	na	na	na	na	0.41
LF-14		20-Jun-91	0.095	na	na	<0.005	<0.004	na	na	na	na	na	<0.02
LF-14		17-Dec-91	0.104	na	na	<0.005	<0.003	<0.010	na	na	na	na	<0.020
LF-14		31-Dec-92	0.121	<0.1	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
LF-14		09-Jun-93	0.102	<0.1	na	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.01	na	na
LF-14		Destroyed during railway expansion activities											

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-15		04-Sep-90	0.002	0.06	na	<0.0005	0.043	na	na	na	na	na	<0.05
LF-15		20-Dec-90	0.007	0.23	na	0.0007	<0.2	na	na	na	na	na	0.1
LF-15		20-Jun-91	<0.01	na	na	<0.005	<0.004	na	na	na	na	na	<0.02
LF-15		17-Dec-91	<0.010	na	na	<0.005	<0.003	<0.010	na	na	na	na	0.026
LF-15		08-Jul-92	<0.01	0.105	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-15		30-Dec-92	<0.01	<0.1	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
LF-15		09-Jun-93	<0.01	<0.1	na	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.01	na	na
LF-15		Destroyed during railway expansion activities											
LF-16		04-Sep-90	0.003	0.06	na	<0.0005	<0.002	na	na	na	na	na	<0.05
LF-16		20-Dec-90	0.003	0.17	na	0.0007	<0.2	na	na	na	na	na	0.07
LF-16		20-Jun-91	0.01	na	na	<0.005	<0.004	na	na	na	na	na	<0.02
LF-16		17-Dec-91	<0.010	na	na	<0.005	<0.003	<0.010	na	na	na	na	0.025
LF-16		09-Jul-92	<0.01	<0.1	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-16		30-Dec-92	<0.01	<0.1	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
LF-16		09-Jun-93	<0.01	<0.1	na	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.01	na	na
LF-16		Destroyed under permit											
LF-17		24-Nov-97	na	na	na	na	na	na	na	na	na	na	<0.01
LF-17		02-Mar-98	65	na	na	na	na	na	na	na	na	na	na
LF-17		10-Apr-98	80.9	na	na	na	na	na	na	na	na	na	na
LF-17		16-Jul-98	58.7	na	na	na	na	na	na	na	na	na	na
LF-17		23-Oct-98	76.8	na	na	na	na	na	na	na	na	na	na
LF-17		15-Jan-99	46	na	na	na	na	na	na	na	na	na	na
LF-17		22-Apr-99	45	na	na	na	na	na	na	na	na	na	na
LF-17		16-Jul-99	59	na	na	na	na	na	na	na	na	na	na
LF-17		13-Oct-99	66	na	na	na	na	na	na	na	na	na	<0.02
DUP		13-Oct-99	67	na	na	na	na	na	na	na	na	na	na
LF-18		11-Apr-96	0.012	na	na	na	<0.002	na	na	na	na	na	na
LF-18		30-Jul-96	0.037	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-18		20-Nov-96	0.043	na	na	na	na	na	na	na	na	na	na
LF-18		19-Mar-97	0.023	na	na	na	na	na	na	na	na	na	na
LF-18		11-Jun-97	0.026	na	na	na	na	na	na	na	na	na	na
DUP		11-Jun-97	0.032	na	na	na	na	na	na	na	na	na	na
LF-18		19-Aug-97	0.048	na	na	na	na	na	na	na	na	na	na
LF-18		25-Nov-97	na	na	na	na	na	na	na	na	na	na	<0.01
LF-18		17-Dec-97	0.008	na	na	na	na	na	na	na	na	na	na
LF-18		27-Feb-98	<0.005	na	na	na	na	na	na	na	na	na	na
LF-18		08-Apr-98	0.0066	na	na	na	na	na	na	na	na	na	na
LF-18		15-Jul-98	0.011	na	na	na	na	na	na	na	na	na	na
DUP		15-Jul-98	0.011	na	na	na	na	na	na	na	na	na	na
LF-18		21-Oct-98	0.0091	na	na	na	na	na	na	na	na	na	na
LF-18		13-Jan-99	0.0068	na	na	na	na	na	na	na	na	na	na
LF-18		21-Apr-99	<0.005	na	na	na	na	na	na	na	na	na	na
DUP		21-Apr-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-18		14-Jul-99	0.0083	na	na	na	na	na	na	na	na	na	na
LF-18		13-Oct-99	0.02	na	na	na	na	na	na	na	na	na	<0.02
LF-19		13-Jun-97	<0.002	na	na	na	na	na	na	na	na	na	na
LF-19		19-Aug-97	0.007	na	na	na	na	na	na	na	na	na	na
LF-19		01-Dec-97	na	na	na	na	na	na	na	na	na	na	0.19
LF-19		27-Feb-98	0.007	na	na	na	na	na	na	na	na	na	na
LF-19		08-Apr-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-19		15-Jul-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-19		23-Oct-98	<0.0050	na	na	na	na	na	na	na	na	na	na
DUP		23-Oct-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-19		13-Jan-99	0.014	na	na	na	na	na	na	na	na	na	na
LF-19		20-Apr-99	0.015	na	na	na	na	na	na	na	na	na	na
LF-19		14-Jul-99	0.011	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-19		15-Oct-99	0.0094	na	na	na	na	na	na	na	na	na	na
LF-20		11-Apr-96	<0.002	na	na	na	<0.002	na	na	na	na	na	na
LF-20		30-Jul-96	0.085	na	na	na	na	na	na	na	na	na	na
LF-20		21-Nov-96	0.12	na	na	na	na	na	na	na	na	na	na
LF-20		18-Mar-97	0.11	na	na	na	na	na	na	na	na	na	na
LF-20		11-Jun-97	0.18	na	na	na	na	na	na	na	na	na	na
LF-20		19-Aug-97	0.18	na	na	na	na	na	na	na	na	na	na
LF-20		01-Dec-97	na	na	na	na	na	na	na	na	na	na	0.01
LF-20		18-Dec-97	0.15	na	na	na	na	na	na	na	na	na	na
LF-20		27-Feb-98	0.13	na	na	na	na	na	na	na	na	na	na
LF-20		09-Apr-98	0.075	na	na	na	na	na	na	na	na	na	na
DUP		09-Apr-98	0.093	na	na	na	na	na	na	na	na	na	na
LF-20		16-Jul-98	0.035	na	na	na	na	na	na	na	na	na	na
LF-20		23-Oct-98	0.056	na	na	na	na	na	na	na	na	na	na
LF-20		13-Jan-99	0.096	na	na	na	na	na	na	na	na	na	na
DUP		13-Jan-99	0.079	na	na	na	na	na	na	na	na	na	na
LF-20		21-Apr-99	0.15	na	na	na	na	na	na	na	na	na	na
LF-20		15-Jul-99	0.094	na	na	na	na	na	na	na	na	na	na
LF-20		14-Oct-99	0.081	na	na	na	na	na	na	na	na	na	na
LF-21		10-Apr-96	<0.002	na	na	na	<0.002	na	na	na	na	na	na
LF-21		31-Jul-96	0.43	na	na	na	na	na	na	na	na	na	na
LF-21		21-Nov-96	0.38	na	na	na	na	na	na	na	na	na	na
LF-21		18-Mar-97	0.4	na	na	na	na	na	na	na	na	na	na
LF-21		11-Jun-97	0.43	na	na	na	na	na	na	na	na	na	na
LF-21		19-Aug-97	0.53	na	na	na	na	na	na	na	na	na	na
LF-21		02-Dec-97	na	na	na	na	na	na	na	na	na	na	0.02
LF-21		17-Dec-97	0.48	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-21		02-Mar-98	0.35	na	na	na	na	na	na	na	na	na	na
DUP		02-Mar-98	0.41	na	na	na	na	na	na	na	na	na	na
LF-21		09-Apr-98	0.36	na	na	na	na	na	na	na	na	na	na
LF-21		16-Jul-98	0.19	na	na	na	na	na	na	na	na	na	na
LF-21		23-Oct-98	0.21	na	na	na	na	na	na	na	na	na	na
LF-21		14-Jan-99	0.08	na	na	na	na	na	na	na	na	na	na
LF-21		22-Apr-99	<0.093 U5	na	na	na	na	na	na	na	na	na	na
LF-21		15-Jul-99	0.24	na	na	na	na	na	na	na	na	na	na
DUP		15-Jul-99	0.23	na	na	na	na	na	na	na	na	na	na
LF-21		12-Oct-99	0.4	na	na	na	na	na	na	na	na	na	<0.02
LF-22		01-Aug-96	na	na	na	na	na	na	na	na	na	na	4.1
LF-22		20-Nov-96	na	na	na	na	na	na	na	na	na	na	0.19
LF-22		24-Nov-97	na	na	na	na	na	na	na	na	na	na	<0.01
LF-22		02-Mar-98	160	na	na	na	na	na	na	na	na	na	na
LF-22		10-Apr-98	147	na	na	na	na	na	na	na	na	na	na
LF-22		15-Jan-99	84	na	na	na	na	na	na	na	na	na	na
LF-23		10-Apr-96	<0.002	na	na	na	<0.002	na	na	na	na	na	na
DUP		10-Apr-96	0.004	na	na	na	<0.002	na	na	na	na	na	na
LF-23		02-Aug-96	<0.009 U5	na	na	na	na	na	na	na	na	na	na
LF-23		21-Nov-96	0.027	na	na	na	na	na	na	na	na	na	na
LF-23		18-Mar-97	0.01	na	na	na	na	na	na	na	na	na	na
LF-23		11-Jun-97	0.009	na	na	na	na	na	na	na	na	na	na
LF-23		20-Aug-97	0.009	na	na	na	na	na	na	na	na	na	na
LF-23		18-Dec-97	0.006	na	na	na	na	na	na	na	na	na	na
LF-23		26-Feb-98	0.008	na	na	na	na	na	na	na	na	na	na
LF-23		08-Apr-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-23		15-Jul-98	<0.0050	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-23		21-Oct-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-23		12-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-23		21-Apr-99	0.0085	na	na	na	na	na	na	na	na	na	na
LF-23		14-Jul-99	0.0068	na	na	na	na	na	na	na	na	na	na
LF-24		11-Apr-96	0.005	na	na	na	<0.002	na	na	na	na	na	na
LF-24		02-Aug-96	<0.01 U5	na	na	na	na	na	na	na	na	na	na
LF-24		21-Nov-96	0.01	na	na	na	na	na	na	na	na	na	na
LF-24		18-Mar-97	0.006	na	na	na	na	na	na	na	na	na	na
LF-24		11-Jun-97	0.005	na	na	na	na	na	na	na	na	na	na
LF-24		20-Aug-97	0.008	na	na	na	na	na	na	na	na	na	na
LF-24		18-Dec-97	0.004	na	na	na	na	na	na	na	na	na	na
LF-24		26-Feb-98	0.007	na	na	na	na	na	na	na	na	na	na
LF-24		08-Apr-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-24		15-Jul-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-24		21-Oct-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-24		12-Jan-99	0.0072	na	na	na	na	na	na	na	na	na	na
LF-24		21-Apr-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-24		14-Jul-99	0.0061	na	na	na	na	na	na	na	na	na	na
LF-25		11-Apr-96	<0.002	na	na	na	<0.002	na	na	na	na	na	na
LF-25		02-Aug-96	0.07	na	na	na	na	na	na	na	na	na	na
LF-25		21-Nov-96	0.14	na	na	na	na	na	na	na	na	na	na
LF-25		18-Mar-97	0.13	na	na	na	na	na	na	na	na	na	na
LF-25		11-Jun-97	0.16	na	na	na	na	na	na	na	na	na	na
LF-25		20-Aug-97	0.16	na	na	na	na	na	na	na	na	na	na
LF-25		18-Dec-97	0.12	na	na	na	na	na	na	na	na	na	na
LF-25		26-Feb-98	0.094	na	na	na	na	na	na	na	na	na	na
LF-25		08-Apr-98	0.055	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-25		15-Jul-98	0.063	na	na	na	na	na	na	na	na	na	na
LF-25		21-Oct-98	0.044	na	na	na	na	na	na	na	na	na	na
LF-25		12-Jan-99	0.11	na	na	na	na	na	na	na	na	na	na
LF-25		21-Apr-99	0.11	na	na	na	na	na	na	na	na	na	na
LF-25		14-Jul-99	0.14	na	na	na	na	na	na	na	na	na	na
LF-26		01-Dec-97	na	na	na	na	na	na	na	na	na	na	<0.01
LF-26		27-Feb-98	0.070	na	na	na	na	na	na	na	na	na	na
LF-26		09-Apr-98	0.037	na	na	na	na	na	na	na	na	na	na
LF-26		16-Jul-98	0.026	na	na	na	na	na	na	na	na	na	na
LF-26		23-Oct-98	0.028	na	na	na	na	na	na	na	na	na	na
LF-26		13-Jan-99	0.024	na	na	na	na	na	na	na	na	na	na
LF-26		21-Apr-99	0.11	na	na	na	na	na	na	na	na	na	na
LF-26		15-Jul-99	0.039	na	na	na	na	na	na	na	na	na	na
LF-26		14-Oct-99	0.06	na	na	na	na	na	na	na	na	na	na
LF-27		29-Dec-97	0.011	na	na	na	na	na	na	na	na	na	na
LF-27		26-Feb-98	0.007	na	na	na	na	na	na	na	na	na	na
LF-27		08-Apr-98	0.0097	na	na	na	na	na	na	na	na	na	na
LF-27		14-Jul-98	0.0080	na	na	na	na	na	na	na	na	na	na
LF-27		21-Oct-98	0.0086	na	na	na	na	na	na	na	na	na	na
LF-27		12-Jan-99	0.006	na	na	na	na	na	na	na	na	na	na
LF-27		20-Apr-99	0.0068	na	na	na	na	na	na	na	na	na	na
LF-27		14-Jul-99	0.0057	na	na	na	na	na	na	na	na	na	na
DUP		14-Jul-99	0.0064	na	na	na	na	na	na	na	na	na	na
LF-27		11-Oct-99	0.0094	na	na	na	na	na	na	na	na	na	na
LF-28		29-Dec-97	0.66	na	na	na	na	na	na	na	na	na	na
LF-28		26-Feb-98	0.51	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-28		08-Apr-98	0.19	na	na	na	na	na	na	na	na	na	na
LF-28		14-Jul-98	0.22	na	na	na	na	na	na	na	na	na	na
LF-28		21-Oct-98	0.17	na	na	na	na	na	na	na	na	na	na
LF-28		12-Jan-99	0.35	na	na	na	na	na	na	na	na	na	na
DUP		12-Jan-99	0.37	na	na	na	na	na	na	na	na	na	na
LF-28		20-Apr-99	0.42	na	na	na	na	na	na	na	na	na	na
LF-28		14-Jul-99	0.2	na	na	na	na	na	na	na	na	na	na
LF-28		11-Oct-99	0.12	na	na	na	na	na	na	na	na	na	na
LF-29		29-Dec-97	0.006	na	na	na	na	na	na	na	na	na	na
LF-29		25-Feb-98	<0.005	na	na	na	na	na	na	na	na	na	na
LF-29		07-Apr-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-29		14-Jul-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-29		20-Oct-98	<0.0050 UJ8	na	na	na	na	na	na	na	na	na	na
LF-29		11-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-29		20-Apr-99	<0.005	na	na	na	na	na	na	na	na	na	na
DUP		20-Apr-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-29		13-Jul-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-29		11-Oct-99	<0.005	na	na	na	na	na	na	na	na	na	na
DUP		11-Oct-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-30		30-Dec-97	<0.002	na	na	na	na	na	na	na	na	na	na
LF-30		25-Feb-98	<0.005	na	na	na	na	na	na	na	na	na	na
DUP		25-Feb-98	<0.005	na	na	na	na	na	na	na	na	na	na
LF-30		07-Apr-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-30		14-Jul-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-30		20-Oct-98	<0.0050 UJ8	na	na	na	na	na	na	na	na	na	na
LF-30		11-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-30		20-Apr-99	<0.005	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-30		13-Jul-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-30		11-Oct-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-31		02-Jun-99	0.019	0.078	<0.002	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.005	<0.01	0.041
LF-31		13-Jul-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-31		11-Oct-99	0.013	na	na	na	na	na	na	na	na	na	na
LF-32		22-Jun-99	<0.005	0.024	<0.002	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.005 UJ9	<0.01	0.27
LF-32		16-Jul-99	0.018	na	na	na	na	na	na	na	na	na	na
LF-32		25-Oct-99	<0.005	na	na	na	na	na	na	na	na	na	na
DUP		25-Oct-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-33		22-Jun-99	0.0083	0.065	<0.002	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.005 UJ9	<0.01	<0.02
DUP		22-Jun-99	<0.005	0.06	<0.002	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.005 UJ9	<0.01	<0.02
LF-33		13-Jul-99	0.024	na	na	na	na	na	na	na	na	na	na
LF-33		11-Oct-99	0.0073	na	na	na	na	na	na	na	na	na	na
LF-34		22-Jun-99	0.057	0.035	<0.002	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.005 UJ9	<0.01	<0.02
LF-34		13-Jul-99	0.056	na	na	na	na	na	na	na	na	na	na
LF-34		11-Oct-99	0.058	na	na	na	na	na	na	na	na	na	na
LF-35		25-Oct-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-B1	(a)	07-Dec-89	<0.07 U5,6	na	na	<0.04	<0.3	na	na	na	na	na	<0.01
LF-B1	(a)	18-Jul-90	0.007	0.08	na	<0.05	<0.2	na	na	na	na	na	<0.05
LF-B1	(a)	20-Dec-90	0.005	0.1	na	0.001	<0.2	na	na	na	na	na	<0.05
LF-B1	(a)	20-Jun-91	<0.01	na	na	<0.005	0.004	na	na	na	na	na	<0.02
LF-B1	(a)	16-Dec-91	<0.010	na	na	<0.005	<0.003	<0.010	na	na	na	na	<0.020

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-B1	(a)	09-Jul-92	<0.01	0.122	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-B1	(a)	30-Dec-92	<0.01	<0.1	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
LF-B1	(a)	08-Jun-93	<0.01	<0.1	na	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.01	na	na
LF-B1		Destroyed under permit											
LF-B2		06-Dec-89	<0.07 U5,6	na	na	<0.04	<0.3	na	na	na	na	na	0.02
LF-B2		18-Jul-90	0.005	0.14	na	<0.05	<0.2	na	na	na	na	na	<0.05
DUP		18-Jul-90	0.004	0.15	na	<0.05	<0.2	na	na	na	na	na	<0.05
LF-B2		19-Dec-90	0.008	0.32	na	0.0026	<0.2	na	na	na	na	na	0.17
LF-B2		20-Jun-91	<0.01	na	na	<0.005	0.005	na	na	na	na	na	0.075
LF-B2		16-Dec-91	<0.010	na	na	<0.005	<0.003	<0.010	na	na	na	na	<0.020
LF-B2		08-Jul-92	<0.01	0.245	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-B2		08-Jun-93	<0.01	0.233	na	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.01	na	na
LF-B2		Destroyed or lost during slurry wall and cap construction activities											
LF-B3		07-Dec-89	<0.07 U5,6	na	na	<0.04	<0.3	na	na	na	na	na	0.01
LF-B3		18-Jul-90	0.003	0.1	na	<0.05	<0.2	na	na	na	na	na	<0.05
LF-B3		20-Dec-90	0.002	0.16	na	<0.0005	<0.2	na	na	na	na	na	<0.05
LF-B3		19-Jun-91	<0.01	na	na	<0.005	<0.004	na	na	na	na	na	<0.02
LF-B3		16-Dec-91	<0.010	na	na	<0.005	<0.003	<0.010	na	na	na	na	<0.020
LF-B3		08-Jul-92	<0.01	0.133	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-B3		30-Dec-92	<0.01	0.112	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
LF-B3		08-Jun-93	<0.01	<0.1	na	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.01	na	na
LF-B3		05-Jan-94	0.004	0.11	na	0.006	<0.001	<0.002	<0.0002	<0.004	<0.001	na	na
LF-B3		16-Apr-96	0.036	na	na	na	<0.002	na	na	na	na	na	na
LF-B3		01-Aug-96	0.004	na	na	na	na	na	na	na	na	na	2.2
LF-B3		21-Nov-96	0.006	na	na	na	na	na	na	na	na	na	0.05
DUP		21-Nov-96	0.004	na	na	na	na	na	na	na	na	na	na
LF-B3		17-Mar-97	<0.002	na	na	na	na	na	na	na	na	na	na
LF-B3		12-Jun-97	<0.002	na	na	na	na	na	na	na	na	na	na
LF-B3		20-Aug-97	0.005	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-B3		17-Dec-97	0.017	na	na	na	na	na	na	na	na	na	na
LF-B3		27-Feb-98	0.009	na	na	na	na	na	na	na	na	na	na
LF-B3		08-Apr-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-B3		15-Jul-98	0.0058	na	na	na	na	na	na	na	na	na	na
LF-B3		21-Oct-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-B3		13-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-B3		22-Apr-99	<0.015 U5	na	na	na	na	na	na	na	na	na	na
LF-B3		15-Jul-99	0.013	na	na	na	na	na	na	na	na	na	na
LF-B3		14-Oct-99	0.0086	na	na	na	na	na	na	na	na	na	na
LF-B4		17-Jul-90	0.003	0.08	na	<0.05	<0.2	na	na	na	na	na	<0.05
LF-B4		19-Dec-90	<0.002	0.08	na	0.0014	<0.2	na	na	na	na	na	0.08
LF-B4		19-Jun-91	<0.01	na	na	<0.005	<0.004	na	na	na	na	na	<0.02
LF-B4		17-Dec-91	<0.010	na	na	<0.005	<0.003	<0.010	na	na	na	na	0.029
LF-B4		08-Jul-92	<0.01	0.140	na	<0.005	<0.04	<0.01	<0.00027	<0.005	<0.01	na	na
LF-B4		30-Dec-92	<0.01	0.110	na	<0.005	<0.04	<0.01	<0.0002	<0.005	<0.01	na	na
LF-B4		08-Jun-93	<0.01	<0.1	na	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.01	na	na
LF-B4		05-Jan-94	0.003	0.07	na	<0.001	0.001	<0.002	<0.0002	<0.004	<0.001	na	na
LF-B4		16-Apr-96	<0.002	na	na	na	<0.002	na	na	na	na	na	na
LF-B4		30-Jul-96	<0.002	na	na	na	na	na	na	na	na	na	0.08
LF-B4		22-Nov-96	<0.002	na	na	na	na	na	na	na	na	na	0.04
DUP		22-Nov-96	<0.002	na	na	na	na	na	na	na	na	na	na
LF-B4		17-Mar-97	<0.002	na	na	na	na	na	na	na	na	na	na
LF-B4		01-Jul-97	<0.002	na	na	na	na	na	na	na	na	na	na
LF-B4		20-Aug-97	0.005	na	na	na	na	na	na	na	na	na	na
LF-B4		18-Dec-97	<0.002	na	na	na	na	na	na	na	na	na	na
LF-B4		25-Feb-98	<0.005	na	na	na	na	na	na	na	na	na	na
LF-B4		07-Apr-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-B4		15-Jul-98	<0.0050	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-B4		19-Oct-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-B4		11-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-B4		20-Apr-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-B4		14-Jul-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-B4		14-Oct-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-B5	(b)	09-Apr-96	0.32	na	na	na	<0.002	na	na	na	na	na	na
LF-B5	(b)	01-Aug-96	0.097	na	na	na	na	na	na	na	na	na	0.15
LF-B5	(b)	22-Nov-96	0.11	na	na	na	na	na	na	na	na	na	0.03
LF-B5	(b)	17-Mar-97	0.11	na	na	na	na	na	na	na	na	na	na
LF-B5	(b)	12-Jun-97	0.18	na	na	na	na	na	na	na	na	na	na
LF-B5	(b)	20-Aug-97	0.14	na	na	na	na	na	na	na	na	na	na
LF-B5	(b)	17-Dec-97	0.20	na	na	na	na	na	na	na	na	na	na
LF-B5	(b)	27-Feb-98	0.22	na	na	na	na	na	na	na	na	na	na
LF-B5	(b)	09-Apr-98	0.13	na	na	na	na	na	na	na	na	na	na
LF-B5	(b)	16-Jul-98	0.051	na	na	na	na	na	na	na	na	na	na
DUP	(b)	16-Jul-98	0.053	na	na	na	na	na	na	na	na	na	na
LF-B5	(b)	23-Oct-98	0.041	na	na	na	na	na	na	na	na	na	na
LF-B5	(b)	13-Jan-99	0.032	na	na	na	na	na	na	na	na	na	na
LF-B5	(b)	21-Apr-99	0.036	na	na	na	na	na	na	na	na	na	na
LF-B5	(b)	15-Jul-99	0.033	na	na	na	na	na	na	na	na	na	na
LF-B5	(b)	15-Oct-99	0.024	na	na	na	na	na	na	na	na	na	na
DUP	(b)	15-Oct-99	0.024	na	na	na	na	na	na	na	na	na	na
LF-B6		09-Apr-96	0.08	na	na	na	<0.002	na	na	na	na	na	na
LF-B6		01-Aug-96	0.033	na	na	na	na	na	na	na	na	na	0.06
LF-B6		25-Nov-96	0.027	na	na	na	na	na	na	na	na	na	0.04
DUP		25-Nov-96	0.03	na	na	na	na	na	na	na	na	na	na
LF-B6		17-Mar-97	0.021	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
LF-B6		12-Jun-97	0.035	na	na	na	na	na	na	na	na	na	na
LF-B6		19-Aug-97	0.01	na	na	na	na	na	na	na	na	na	na
LF-B6		18-Dec-97	0.010	na	na	na	na	na	na	na	na	na	na
LF-B6		27-Feb-98	0.009	na	na	na	na	na	na	na	na	na	na
LF-B6		08-Apr-98	0.0067	na	na	na	na	na	na	na	na	na	na
LF-B6		15-Jul-98	<0.0050	na	na	na	na	na	na	na	na	na	na
LF-B6		19-Oct-98	0.0080	na	na	na	na	na	na	na	na	na	na
LF-B6		13-Jan-99	0.0083	na	na	na	na	na	na	na	na	na	na
LF-B6		21-Apr-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-B6		14-Jul-99	<0.005	na	na	na	na	na	na	na	na	na	na
LF-B6		15-Oct-99	0.0059	na	na	na	na	na	na	na	na	na	na
EX-1		15-Sep-95	0.15	na	na	na	na	na	na	na	na	na	na
EX-1		18-Oct-95	15	na	na	na	na	na	na	na	na	na	na
EX-1		18-Apr-96	0.002	na	na	na	<0.002	na	na	na	na	na	na
EX-1		01-Aug-96	0.022	na	na	na	na	na	na	na	na	na	na
EX-1		18-Dec-96	0.015	na	na	na	na	na	na	na	na	na	na
EX-1		15-Apr-97	0.072	na	na	na	na	na	na	na	na	na	na
EX-1		01-Jul-97	0.013	na	na	na	na	na	na	na	na	na	na
EX-1		22-Sep-97	0.028	na	na	na	na	na	na	na	na	na	na
EX-1		02-Dec-97	na	na	na	na	na	na	na	na	na	na	0.04
EX-1		18-Dec-97	0.31	na	na	na	na	na	na	na	na	na	na
EX-1		27-Feb-98	0.24	na	na	na	na	na	na	na	na	na	na
EX-1		09-Apr-98	<0.0050	na	na	na	na	na	na	na	na	na	na
EX-1		17-Jul-98	<0.010 U5	na	na	na	na	na	na	na	na	na	na
EX-1		23-Oct-98	<0.0050	na	na	na	na	na	na	na	na	na	na
EX-1		14-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
EX-1		23-Apr-99	0.011	na	na	na	na	na	na	na	na	na	na
EX-1		16-Jul-99	0.045	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
EX-1		13-Oct-99	0.047	na	na	na	na	na	na	na	na	na	0.091
EX-2		15-Sep-95	8.6	na	na	na	na	na	na	na	na	na	na
EX-2		18-Oct-95	<0.002	na	na	na	na	na	na	na	na	na	na
EX-2		18-Apr-96	9.3	na	na	na	<0.002	na	na	na	na	na	na
EX-2		01-Aug-96	57	na	na	na	na	na	na	na	na	na	na
EX-2		18-Dec-96	34	na	na	na	na	na	na	na	na	na	na
EX-2		04-Feb-97	38	na	na	na	na	na	na	na	na	na	na
EX-2		15-Apr-97	44	na	na	na	na	na	na	na	na	na	na
EX-2		01-Jul-97	49	na	na	na	na	na	na	na	na	na	na
EX-2		22-Sep-97	42	na	na	na	na	na	na	na	na	na	na
EX-2		02-Dec-97	na	na	na	na	na	na	na	na	na	na	<0.01
EX-2		22-Dec-97	36	na	na	na	na	na	na	na	na	na	na
EX-2		02-Mar-98	18	na	na	na	na	na	na	na	na	na	na
EX-2		09-Apr-98	51.8	na	na	na	na	na	na	na	na	na	na
EX-2		17-Jul-98	6.3	na	na	na	na	na	na	na	na	na	na
EX-2		23-Oct-98	0.0070	na	na	na	na	na	na	na	na	na	na
EX-2		14-Jan-99	8.5	na	na	na	na	na	na	na	na	na	na
EX-2		23-Apr-99	1	na	na	na	na	na	na	na	na	na	na
EX-2		15-Jul-99	0.011	na	na	na	na	na	na	na	na	na	na
EX-2		14-Oct-99	<0.005	na	na	na	na	na	na	na	na	na	na
EX-3		15-Sep-95	180	na	na	na	na	na	na	na	na	na	na
EX-3		18-Oct-95	170	na	na	na	na	na	na	na	na	na	na
EX-3		18-Apr-96	200	na	na	na	<0.002	na	na	na	na	na	na
EX-3		01-Aug-96	170	na	na	na	na	na	na	na	na	na	na
EX-3		18-Dec-96	270	na	na	na	na	na	na	na	na	na	na
EX-3		15-Apr-97	220	na	na	na	na	na	na	na	na	na	na
EX-3		01-Jul-97	190	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
EX-3		22-Sep-97	150	na	na	na	na	na	na	na	na	na	na
EX-3		02-Dec-97	na	na	na	na	na	na	na	na	na	na	0.02
EX-3		19-Dec-97	180	na	na	na	na	na	na	na	na	na	na
EX-3		02-Mar-98	240	na	na	na	na	na	na	na	na	na	na
EX-3		09-Apr-98	141	na	na	na	na	na	na	na	na	na	na
EX-3		17-Jul-98	125	na	na	na	na	na	na	na	na	na	na
EX-3		22-Oct-98	130	na	na	na	na	na	na	na	na	na	na
DUP		22-Oct-98	122	na	na	na	na	na	na	na	na	na	na
EX-3		14-Jan-99	120	na	na	na	na	na	na	na	na	na	na
EX-3		23-Apr-99	130	na	na	na	na	na	na	na	na	na	na
EX-3		16-Jul-99	100	na	na	na	na	na	na	na	na	na	na
EX-3		13-Oct-99	110	na	na	na	na	na	na	na	na	na	<0.02
EX-4		11-Sep-98	0.0062	<0.20	<0.0050	<0.0050	<0.0050	<0.010	<0.00020	<0.0050	<0.010	<0.050	<0.020
EX-4		22-Oct-98	<0.0094 U5	na	na	na	na	na	na	na	na	na	na
EX-4		14-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
DUP		14-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
EX-4		23-Apr-99	0.065	na	na	na	na	na	na	na	na	na	na
EX-4		15-Jul-99	<0.005	na	na	na	na	na	na	na	na	na	na
EX-4		15-Oct-99	<0.005	na	na	na	na	na	na	na	na	na	na
EX-5		11-Sep-98	0.072	<0.20	<0.0050	<0.0050	<0.0050	<0.010	<0.00020	<0.0050	<0.010	<0.050	<0.020
EX-5		22-Oct-98	0.29	na	na	na	na	na	na	na	na	na	na
EX-5		14-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
EX-5		23-Apr-99	1.2	na	na	na	na	na	na	na	na	na	na
EX-5		19-Jul-99	0.0086	na	na	na	na	na	na	na	na	na	na
EX-5		15-Oct-99	0.071	na	na	na	na	na	na	na	na	na	na
EX-6		11-Sep-98	4.3	<0.20	<0.0050	<0.0050	<0.0050	<0.010	<0.00020	<0.0050	<0.010	<0.050	<0.020

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
DUP		11-Sep-98	4.2	<0.20	<0.0050	<0.0050	<0.0050	<0.010	<0.00020	<0.0050	<0.010	<0.050	<0.020
EX-6		22-Oct-98	7.3	na	na	na	na	na	na	na	na	na	na
EX-6		15-Jan-99	5.8	na	na	na	na	na	na	na	na	na	na
EX-6		23-Apr-99	3.2	na	na	na	na	na	na	na	na	na	na
DUP		23-Apr-99	3.2	na	na	na	na	na	na	na	na	na	na
EX-6		19-Jul-99	0.021	na	na	na	na	na	na	na	na	na	na
EX-6		12-Oct-99	14	na	na	na	na	na	na	na	na	na	<0.02
EX-7		11-Sep-98	138	<0.40	<0.010	<0.010	<0.0050	<0.020	<0.00020	<0.0050	<0.020	<0.10	<0.040
EX-7		22-Oct-98	12.4	na	na	na	na	na	na	na	na	na	na
EX-7		14-Jan-99	100	na	na	na	na	na	na	na	na	na	na
EX-7		23-Apr-99	40	na	na	na	na	na	na	na	na	na	na
EX-7		15-Jul-99	19	na	na	na	na	na	na	na	na	na	na
EX-7		15-Oct-99	8.6	na	na	na	na	na	na	na	na	na	na
EX-8		11-Sep-98	364	<0.80	<0.020	<0.020	<0.0050	<0.040	<0.00020	<0.0050	<0.040	<0.20	0.44
EX-8		22-Oct-98	133	na	na	na	na	na	na	na	na	na	na
EX-8		14-Jan-99	57	na	na	na	na	na	na	na	na	na	na
EX-8		23-Apr-99	450	na	na	na	na	na	na	na	na	na	na
EX-8		19-Jul-99	430	na	na	na	na	na	na	na	na	na	na
EX-8		15-Oct-99	170	na	na	na	na	na	na	na	na	na	na
EX-9		11-Sep-98	109	<0.20	<0.0050	<0.0050	<0.0050	<0.010	<0.00020	<0.0050	<0.010	<0.050	0.44
EX-9		22-Oct-98	28.9	na	na	na	na	na	na	na	na	na	na
EX-9		14-Jan-99	140	na	na	na	na	na	na	na	na	na	na
EX-9		23-Apr-99	240	na	na	na	na	na	na	na	na	na	na
EX-9		15-Jul-99	140	na	na	na	na	na	na	na	na	na	na
EX-9		14-Oct-99	95	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
EX-10		11-Sep-98	0.70	<0.20	<0.0050	<0.0050	<0.0050	<0.010	<0.00020	<0.0050	<0.010	<0.050	<0.020
EX-10		22-Oct-98	0.51	na	na	na	na	na	na	na	na	na	na
EX-10		14-Jan-99	0.88	na	na	na	na	na	na	na	na	na	na
EX-10		23-Apr-99	2.8	na	na	na	na	na	na	na	na	na	na
EX-10		15-Jul-99	2.7	na	na	na	na	na	na	na	na	na	na
EX-10		15-Oct-99	4	na	na	na	na	na	na	na	na	na	na
EX-11		02-Jun-99	0.03	0.038	<0.002	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.005	<0.01	0.024
EX-11		16-Jul-99	0.056	na	na	na	na	na	na	na	na	na	na
EX-12		02-Jun-99	0.0085	0.028	<0.002	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.005	<0.01	13
DUP		02-Jun-99	<0.005	0.026	<0.002	<0.005	<0.003	<0.01	<0.0002	<0.005	<0.005	<0.01	13
EX-12		13-Jul-99	0.011	na	na	na	na	na	na	na	na	na	na
EX-12		25-Oct-99	<0.005	na	na	na	na	na	na	na	na	na	na
EX-13		02-Jun-99	0.077	0.073	<0.002	<0.005	<0.003	<0.01	<0.0002	0.0085	<0.005	<0.01	0.03
EX-13		16-Jul-99	0.1	na	na	na	na	na	na	na	na	na	na
EX-14		08-Oct-99	0.11	na	na	na	na	na	na	na	na	na	na
DUP		08-Oct-99	0.11	na	na	na	na	na	na	na	na	na	na
RP-1		28-Jul-94	0.07	na	na	na	na	na	na	na	na	na	na
RP-1		08-Sep-94	0.08	na	na	na	na	na	na	na	na	na	na
RP-1		28-Feb-95	0.046	na	na	na	na	na	na	na	na	na	na
RP-1		29-Mar-95	0.035	0.04	<0.002	<0.005	<0.04	<0.01	<0.0002	<0.004	<0.005	<0.005	0.01
RP-1		10-May-95	0.095	na	na	na	na	na	na	na	na	na	na
RP-1		09-Aug-95	0.059	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
RP-1		17-Nov-95	0.086	na	na	na	na	na	na	na	na	na	na
RP-1		10-Jan-96	0.061	na	na	na	na	na	na	na	na	na	na
RP-1		17-Apr-96	0.058	na	na	na	na	na	na	na	na	na	na
DUP		17-Apr-96	0.069	na	na	na	na	na	na	na	na	na	na
RP-1		31-Jul-96	0.068	na	na	na	na	na	na	na	na	na	na
RP-1		19-Nov-96	0.041	na	na	na	na	na	na	na	na	na	na
RP-1		25-Mar-97	0.054	na	na	na	na	na	na	na	na	na	na
RP-1		10-Jun-97	0.077	na	na	na	na	na	na	na	na	na	na
RP-1		18-Aug-97	0.047	na	na	na	na	na	na	na	na	na	na
RP-1		19-Dec-97	0.022	na	na	na	na	na	na	na	na	na	na
DUP		19-Dec-97	0.010	na	na	na	na	na	na	na	na	na	na
RP-1		26-Feb-98	0.036	na	na	na	na	na	na	na	na	na	na
DUP		26-Feb-98	0.012	na	na	na	na	na	na	na	na	na	na
RP-1		07-Apr-98	0.039	na	na	na	na	na	na	na	na	na	na
RP-1		14-Jul-98	0.044	na	na	na	na	na	na	na	na	na	na
RP-1		20-Oct-98	<0.0050 UJ8	na	na	na	na	na	na	na	na	na	na
RP-1		12-Jan-99	0.063	na	na	na	na	na	na	na	na	na	na
RP-1		19-Apr-99	0.046	na	na	na	na	na	na	na	na	na	na
RP-1		16-Jul-99	0.1	na	na	na	na	na	na	na	na	na	na
RP-1		25-Oct-99	0.073	na	na	na	na	na	na	na	na	na	na
RP-2		28-Jul-94	0.01	na	na	na	na	na	na	na	na	na	na
RP-2		08-Sep-94	0.024	na	na	na	na	na	na	na	na	na	na
DUP		08-Sep-94	0.02	na	na	na	na	na	na	na	na	na	na
RP-2		28-Feb-95	0.013	na	na	na	na	na	na	na	na	na	na
RP-2		29-Mar-95	0.01	0.08	<0.002	<0.005	<0.04	<0.01	<0.0002	<0.004	<0.005	<0.005	0.03
RP-2		10-May-95	0.029	na	na	na	na	na	na	na	na	na	na
RP-2		09-Aug-95	0.01	na	na	na	na	na	na	na	na	na	na
RP-2		17-Nov-95	0.011	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
RP-2		10-Jan-96	0.031	na	na	na	na	na	na	na	na	na	na
RP-2		17-Apr-96	0.01	na	na	na	na	na	na	na	na	na	na
RP-2		31-Jul-96	0.007	na	na	na	na	na	na	na	na	na	na
RP-2		19-Nov-96	0.016	na	na	na	na	na	na	na	na	na	na
RP-2		25-Mar-97	0.012	na	na	na	na	na	na	na	na	na	na
RP-2		10-Jun-97	0.014	na	na	na	na	na	na	na	na	na	na
RP-2		18-Aug-97	0.017	na	na	na	na	na	na	na	na	na	na
DUP		18-Aug-97	0.018	na	na	na	na	na	na	na	na	na	na
RP-2		19-Dec-97	0.011	na	na	na	na	na	na	na	na	na	na
RP-2		26-Feb-98	0.008	na	na	na	na	na	na	na	na	na	na
RP-2		07-Apr-98	0.011	na	na	na	na	na	na	na	na	na	na
RP-2		13-Jul-98	0.0072	na	na	na	na	na	na	na	na	na	na
RP-2		20-Oct-98	0.010 J8	na	na	na	na	na	na	na	na	na	na
RP-2		11-Jan-99	0.0053	na	na	na	na	na	na	na	na	na	na
RP-2		19-Apr-99	0.015	na	na	na	na	na	na	na	na	na	na
RP-2		13-Jul-99	0.01	na	na	na	na	na	na	na	na	na	na
RP-2		25-Oct-99	0.015	na	na	na	na	na	na	na	na	na	na
RP-3		28-Jul-94	<0.01	na	na	na	na	na	na	na	na	na	na
RP-3		08-Sep-94	0.004	na	na	na	na	na	na	na	na	na	na
RP-3		28-Feb-95	0.004	na	na	na	na	na	na	na	na	na	na
RP-3		29-Mar-95	0.004	0.18	<0.002	<0.005	<0.04	<0.01	<0.0002	<0.004	<0.005	0.015	0.01
RP-3		10-May-95	0.013	na	na	na	na	na	na	na	na	na	na
RP-3		09-Aug-95	0.003	na	na	na	na	na	na	na	na	na	na
RP-3		17-Nov-95	0.006	na	na	na	na	na	na	na	na	na	na
RP-3		10-Jan-96	0.014	na	na	na	na	na	na	na	na	na	na
RP-3		17-Apr-96	0.006	na	na	na	na	na	na	na	na	na	na
RP-3		31-Jul-96	0.009	na	na	na	na	na	na	na	na	na	na
RP-3		19-Nov-96	0.005	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
RP-3		25-Mar-97	0.004	na	na	na	na	na	na	na	na	na	na
RP-3		10-Jun-97	0.008	na	na	na	na	na	na	na	na	na	na
RP-3		18-Aug-97	0.008	na	na	na	na	na	na	na	na	na	na
RP-3		19-Dec-97	0.003	na	na	na	na	na	na	na	na	na	na
RP-3		25-Feb-98	<0.005	na	na	na	na	na	na	na	na	na	na
RP-3		07-Apr-98	<0.0050	na	na	na	na	na	na	na	na	na	na
RP-3		13-Jul-98	<0.0050	na	na	na	na	na	na	na	na	na	na
RP-3		20-Oct-98	0.023 J8,10	na	na	na	na	na	na	na	na	na	na
DUP		20-Oct-98	0.013 J8,10	na	na	na	na	na	na	na	na	na	na
RP-3		11-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
RP-3		19-Apr-99	0.012	na	na	na	na	na	na	na	na	na	na
RP-3		16-Jul-99	0.0065	na	na	na	na	na	na	na	na	na	na
RP-3		25-Oct-99	<0.005	na	na	na	na	na	na	na	na	na	na
RP-4		28-Jul-94	<0.01	na	na	na	na	na	na	na	na	na	na
RP-4		08-Sep-94	0.009	na	na	na	na	na	na	na	na	na	na
RP-4		28-Feb-95	0.007	na	na	na	na	na	na	na	na	na	na
DUP		28-Feb-95	0.006	na	na	na	na	na	na	na	na	na	na
RP-4		29-Mar-95	0.008	0.06	<0.002	<0.005	0.15	<0.01	<0.0002	<0.004	<0.005	<0.005	0.16
RP-4		10-May-95	0.013	na	na	na	na	na	na	na	na	na	na
DUP		10-May-95	0.011	na	na	na	na	na	na	na	na	na	na
RP-4		09-Aug-95	0.007	na	na	na	na	na	na	na	na	na	na
DUP		09-Aug-95	0.007	na	na	na	na	na	na	na	na	na	na
RP-4		17-Nov-95	0.011	na	na	na	na	na	na	na	na	na	na
DUP		17-Nov-95	0.011	na	na	na	na	na	na	na	na	na	na
RP-4		09-Jan-96	0.004	na	na	na	na	na	na	na	na	na	na
RP-4		17-Apr-96	0.009	na	na	na	na	na	na	na	na	na	na
RP-4		31-Jul-96	0.005	na	na	na	na	na	na	na	na	na	na
DUP		31-Jul-96	0.003	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
RP-4		19-Nov-96	0.009	na	na	na	na	na	na	na	na	na	na
RP-4		25-Mar-97	0.009	na	na	na	na	na	na	na	na	na	na
RP-4		10-Jun-97	0.011	na	na	na	na	na	na	na	na	na	na
DUP		10-Jun-97	0.009	na	na	na	na	na	na	na	na	na	na
RP-4		18-Aug-97	0.014	na	na	na	na	na	na	na	na	na	na
RP-4		19-Dec-97	0.006	na	na	na	na	na	na	na	na	na	na
RP-4		25-Feb-98	0.011	na	na	na	na	na	na	na	na	na	na
RP-4		07-Apr-98	0.0061	na	na	na	na	na	na	na	na	na	na
RP-4		13-Jul-98	0.0052	na	na	na	na	na	na	na	na	na	na
DUP		13-Jul-98	<0.0050	na	na	na	na	na	na	na	na	na	na
RP-4		20-Oct-98	0.0084 J8	na	na	na	na	na	na	na	na	na	na
RP-4		11-Jan-99	<0.005	na	na	na	na	na	na	na	na	na	na
RP-4		19-Apr-99	0.014	na	na	na	na	na	na	na	na	na	na
RP-4		13-Jul-99	0.0059	na	na	na	na	na	na	na	na	na	na
DUP		13-Jul-99	<0.005	na	na	na	na	na	na	na	na	na	na
RP-4		25-Oct-99	0.011	na	na	na	na	na	na	na	na	na	na
RP-5		28-Jul-94	<0.01	na	na	na	na	na	na	na	na	na	na
DUP		28-Jul-94	<0.01	na	na	na	na	na	na	na	na	na	na
RP-5		08-Sep-94	0.003	na	na	na	na	na	na	na	na	na	na
RP-5		28-Feb-95	0.007	na	na	na	na	na	na	na	na	na	na
RP-5		29-Mar-95	0.006	0.04	<0.002	<0.005	<0.04	<0.01	<0.0002	<0.004	<0.005	<0.005	0.03
RP-5		10-May-95	0.018	na	na	na	na	na	na	na	na	na	na
RP-5		09-Aug-95	0.003	na	na	na	na	na	na	na	na	na	na
RP-5		17-Nov-95	0.008	na	na	na	na	na	na	na	na	na	na
RP-5		09-Jan-96	0.005	na	na	na	na	na	na	na	na	na	na
DUP		09-Jan-96	0.004	na	na	na	na	na	na	na	na	na	na
RP-5		17-Apr-96	0.008	na	na	na	na	na	na	na	na	na	na
RP-5		31-Jul-96	<0.002	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
RP-5		19-Nov-96	0.007	na	na	na	na	na	na	na	na	na	na
DUP		19-Nov-96	0.008	na	na	na	na	na	na	na	na	na	na
RP-5		25-Mar-97	0.006	na	na	na	na	na	na	na	na	na	na
DUP		25-Mar-97	0.004	na	na	na	na	na	na	na	na	na	na
RP-5		10-Jun-97	0.006	na	na	na	na	na	na	na	na	na	na
RP-5		18-Aug-97	0.011	na	na	na	na	na	na	na	na	na	na
RP-5		19-Dec-97	0.038	na	na	na	na	na	na	na	na	na	na
RP-5		26-Feb-98	<0.005	na	na	na	na	na	na	na	na	na	na
RP-5		07-Apr-98	0.0058	na	na	na	na	na	na	na	na	na	na
RP-5		13-Jul-98	<0.0050	na	na	na	na	na	na	na	na	na	na
RP-5		20-Oct-98	0.053 J8	na	na	na	na	na	na	na	na	na	na
RP-5		12-Jan-99	0.012	na	na	na	na	na	na	na	na	na	na
RP-5		20-Apr-99	0.011	na	na	na	na	na	na	na	na	na	na
RP-5		13-Jul-99	0.0072	na	na	na	na	na	na	na	na	na	na
RP-5		11-Oct-99	0.0096	na	na	na	na	na	na	na	na	na	na
RP-BW-02		11-Oct-99	0.0099	na	na	na	na	na	na	na	na	na	na
SA-AW-01		14-Oct-99	<0.005	na	na	na	na	na	na	na	na	na	na
SA-AW-03		12-Oct-99	<0.005	na	na	na	na	na	na	na	na	na	<0.02
SA-AW-04		14-Oct-99	<0.005	na	na	na	na	na	na	na	na	na	na
SA-AW-05		14-Oct-99	<0.005	na	na	na	na	na	na	na	na	na	na
DUP		14-Oct-99	<0.005	na	na	na	na	na	na	na	na	na	na
SA-BW-01		14-Oct-99	0.034	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
MW-1		29-Mar-95	0.0786	0.548	ND	0.0068	0.0308	0.091	ND	ND	ND	na	0.462
MW-1		08-Jun-95	0.04	0.35	ND	ND	0.02	ND	ND	ND	ND	na	0.16
MW-1		09-Jan-96	0.022	na	na	na	na	na	na	na	na	na	na
MW-1		17-Apr-96	0.034	na	na	na	na	na	na	na	na	na	na
MW-1		31-Jul-96	0.037	na	na	na	na	na	na	na	na	na	na
MW-1		19-Nov-96	0.071	na	na	na	na	na	na	na	na	na	na
MW-1		25-Mar-97	0.042	na	na	na	na	na	na	na	na	na	na
MW-1		10-Jun-97	0.05	na	na	na	na	na	na	na	na	na	na
MW-1		18-Aug-97	0.077	na	na	na	na	na	na	na	na	na	na
MW-1		19-Dec-97	0.010	na	na	na	na	na	na	na	na	na	na
MW-1		26-Feb-98	0.028	na	na	na	na	na	na	na	na	na	na
MW-1		08-Apr-98	0.028	na	na	na	na	na	na	na	na	na	na
DUP		08-Apr-98	0.037	na	na	na	na	na	na	na	na	na	na
MW-1		14-Jul-98	0.023	na	na	na	na	na	na	na	na	na	na
MW-1		21-Oct-98	0.020	na	na	na	na	na	na	na	na	na	na
MW-1		12-Jan-99	0.018	na	na	na	na	na	na	na	na	na	na
MW-1		20-Apr-99	0.035	na	na	na	na	na	na	na	na	na	na
MW-1		13-Jul-99	0.039	na	na	na	na	na	na	na	na	na	na
MW-1		11-Oct-99	0.037	na	na	na	na	na	na	na	na	na	na
MW-2		29-Mar-95	0.0452	0.772	ND	ND	0.0557	0.188	ND	ND	ND	na	0.449
MW-2		08-Jun-95	ND	0.59	ND	0.01	0.03	ND	ND	ND	ND	na	0.24
MW-2		09-Jan-96	0.016	na	na	na	na	na	na	na	na	na	na
MW-2		17-Apr-96	0.028	na	na	na	na	na	na	na	na	na	na
MW-2		31-Jul-96	0.037	na	na	na	na	na	na	na	na	na	na
MW-2		19-Nov-96	0.041	na	na	na	na	na	na	na	na	na	na
MW-2		25-Mar-97	0.038	na	na	na	na	na	na	na	na	na	na
MW-2		10-Jun-97	0.039	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
MW-2		18-Aug-97	0.038	na	na	na	na	na	na	na	na	na	na
MW-2		19-Dec-97	0.050	na	na	na	na	na	na	na	na	na	na
MW-2		26-Feb-98	0.019	na	na	na	na	na	na	na	na	na	na
MW-2		08-Apr-98	0.022	na	na	na	na	na	na	na	na	na	na
MW-2		14-Jul-98	0.020	na	na	na	na	na	na	na	na	na	na
MW-2		21-Oct-98	0.015	na	na	na	na	na	na	na	na	na	na
DUP		21-Oct-98	0.014	na	na	na	na	na	na	na	na	na	na
MW-2		12-Jan-99	0.021	na	na	na	na	na	na	na	na	na	na
MW-3		29-Mar-95	0.0276	0.102	ND	ND	0.007	0.0105	ND	ND	ND	na	0.19
MW-3		08-Jun-95	0.03	0.21	ND	ND	0.01	ND	ND	ND	ND	na	0.38
MW-3		09-Jan-96	0.015	na	na	na	na	na	na	na	na	na	na
MW-3		17-Apr-96	0.018	na	na	na	na	na	na	na	na	na	na
MW-3		31-Jul-96	0.059	na	na	na	na	na	na	na	na	na	na
MW-3		19-Nov-96	0.048	na	na	na	na	na	na	na	na	na	na
MW-3		25-Mar-97	0.019	na	na	na	na	na	na	na	na	na	na
MW-3		10-Jun-97	0.027	na	na	na	na	na	na	na	na	na	na
MW-3		18-Aug-97	0.027	na	na	na	na	na	na	na	na	na	na
MW-3		19-Dec-97	0.011	na	na	na	na	na	na	na	na	na	na
MW-3		26-Feb-98	0.007	na	na	na	na	na	na	na	na	na	na
MW-3		07-Apr-98	0.018	na	na	na	na	na	na	na	na	na	na
MW-3		14-Jul-98	0.017	na	na	na	na	na	na	na	na	na	na
DUP		14-Jul-98	0.022	na	na	na	na	na	na	na	na	na	na
MW-3		20-Oct-98	0.018 J8	na	na	na	na	na	na	na	na	na	na
MW-3		11-Jan-99	0.029	na	na	na	na	na	na	na	na	na	na
DUP		11-Jan-99	0.026	na	na	na	na	na	na	na	na	na	na
MW-3		19-Apr-99	0.0098	na	na	na	na	na	na	na	na	na	na
MW-3		13-Jul-99	0.033	na	na	na	na	na	na	na	na	na	na
MW-3		11-Oct-99	0.023	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
MW-4		16-Dec-94	8.87	0.163	ND	0.141	0.0304	0.0359	<0.0002	0.0275	0.0134	na	71
MW-4		29-Mar-95	22	0.333	ND	0.286	0.0636	0.031	ND	ND	ND	na	171
MW-4		08-Jun-95	46	0.56	0.01	0.42	0.06	ND	ND	ND	ND	na	97
MW-4		10-Jan-96	15	na	na	na	na	na	na	na	na	na	na
MW-4		19-Nov-96	3.1	na	na	na	<0.04	na	na	na	na	na	230
MW-4		18-Aug-97	120	na	na	na	na	na	na	na	na	na	na
MW-4		19-Dec-97	42	na	na	na	na	na	na	na	na	na	na
MW-4		02-Mar-98	18	na	na	na	na	na	na	na	na	na	na
MW-4		10-Apr-98	19.0	na	na	na	na	na	na	na	na	na	na
MW-4		17-Jul-98	19.5	na	na	na	na	na	na	na	na	na	na
MW-4		23-Oct-98	8.6	na	na	na	na	na	na	na	na	na	na
MW-4		15-Jan-99	0.81	na	na	na	na	na	na	na	na	na	na
MW-4		22-Apr-99	1.2	na	na	na	na	na	na	na	na	na	na
MW-4		16-Jul-99	1.9	na	na	na	na	na	na	na	na	na	na
MW-4		25-Oct-99	0.74	na	na	na	na	na	na	na	na	na	na
MW-5		16-Dec-94	41.5	0.236	ND	0.156	0.0317	0.056	0.00023	0.009	<0.01	na	11
MW-5		29-Mar-95	35.3	0.137	ND	ND	0.0317	0.0103	ND	ND	ND	na	4.67
MW-5		08-Jun-95	99	0.45	ND	0.03	0.05	ND	ND	ND	ND	na	13.8
MW-5		10-Jan-96	79	na	na	na	na	na	na	na	na	na	na
MW-5		19-Nov-96	192	na	na	na	0.07	na	na	na	na	na	21
MW-5		18-Aug-97	310	na	na	na	na	na	na	na	na	na	na
MW-5		19-Dec-97	380	na	na	na	na	na	na	na	na	na	na
MW-5		02-Mar-98	190	na	na	na	na	na	na	na	na	na	na
MW-5		10-Apr-98	208	na	na	na	na	na	na	na	na	na	na
MW-5		17-Jul-98	340	na	na	na	na	na	na	na	na	na	na
DUP		17-Jul-98	368	na	na	na	na	na	na	na	na	na	na
MW-5		19-Oct-98	231	na	na	na	na	na	na	na	na	na	na

Notes: All notes are listed at the end of this table - see last page.

Table 6
Summary of Historical Inorganic Compounds in Groundwater Monitoring Wells
The Sherwin-Williams Company
Emeryville, California
(Results reported in milligrams per liter [mg/L])

Well Number	Notes	Date Sampled	Arsenic	Barium	Beryllium	Cadmium	Lead	Total Chromium	Mercury	Selenium	Silver	Vanadium	Zinc
MW-5		15-Jan-99	290	na	na	na	na	na	na	na	na	na	na
MW-5		22-Apr-99	260	na	na	na	na	na	na	na	na	na	na
MW-5		19-Jul-99	250	na	na	na	na	na	na	na	na	na	na
DUP		19-Jul-99	250	na	na	na	na	na	na	na	na	na	na
MW-5		25-Oct-99	260	na	na	na	na	na	na	na	na	na	na

Data QA/QC performed by JTS.

Notes: Analyses were done by EPA Method 200/6000/7000 Series for selected metals

< = Analyte was not detected at or greater than the detection limit reported

ND = Not detected (no associated detection limit was reported)

na = Not analyzed

DUP = Duplicate sample (field duplicate)

(a) Concentrations for LF-B1 may not represent the B-zone water quality because LF-B1 is screened in the aquitard between the A and B zones.

(b) Concentrations for LF-B5 may not represent the B-zone water quality because LF-B5 is screened in the aquitard between the A and B zones.

Data Qualifiers:

U5 = Qualified as non-detect (U) based on field blank contamination evaluation

U6 = Qualified as non-detect (U) based on trip blank contamination evaluation

U5,6 = For samples analyzed in December, 1989, data were qualified as non-detect (U) based on positive results of both the trip blank (0.014 mg/L) and the bailer rinsate blank (0.013 mg/L) of associated samples. The detection limit for arsenic for this sampling period was set at 0.070 (5 times the reported value of 0.014 mg/L detected in the trip blank sample).

UJ8 = Non-detected value is estimated due to LCS and/or LCD spike percent recoveries outside of control limits.

J8 = Concentration is estimated due to LCS and/or LCD spike percent recoveries outside of control limits.

J10 =Concentration is estimated due to field duplicate RPD outside of control limit

Table 7
Results of Mann-Kendall Evaluation Through October 1999
The Sherwin-Williams Company
Emeryville, California

Go Back

Location	Number of Samples	Sum of Trend (S)	Trend
EX-1	17	-21	No Trend
EX-2	18	-43	No Trend
EX-3	17	-77	Decreasing
EX-4	6	-6	No Trend
EX-5	6	-1	No Trend
EX-6	6	-1	No Trend
EX-7	6	-9	No Trend
EX-8	6	1	No Trend
EX-9	6	2	No Trend
EX-10	6	11	Increasing
EX-11	1	0	Insufficent Data
EX-12	2	-1	Insufficent Data
EX-13	1	0	Insufficent Data
EX-14	1	0	Insufficent Data
LF-3	21	20	No Trend
LF-4	14	17	No Trend
LF-7	10	-11	No Trend
LF-8	17	57	Increasing
LF-10	12	0	No Trend
LF-11	25	202	Increasing
LF-12	23	-2	No Trend
LF-13	24	-34	No Trend
LF-17	8	-6	No Trend
LF-18	15	-36	No Trend
LF-19	10	19	No Trend
LF-20	15	-7	No Trend
LF-21	15	-23	No Trend
LF-22	3	-3	No Trend
LF-23	14	-18	No Trend
LF-24	14	-20	No Trend
LF-25	14	-2	No Trend
LF-26	8	2	No Trend
LF-27	9	-14	No Trend
LF-28	9	-16	No Trend
LF-29	9	-8	No Trend
LF-30	9	13	No Trend
SA-AW-01	1	0	Insufficent Data
SA-AW-03	1	0	Insufficent Data
SA-AW-04	1	0	Insufficent Data
SA-AW-05	1	0	Insufficent Data
LF-31	2	-1	Insufficent Data
LF-32	2	-1	Insufficent Data
LF-33	2	-1	Insufficent Data
LF-34	2	1	Insufficent Data

Table 7
Results of Mann-Kendall Evaluation Through October 1999
The Sherwin-Williams Company
Emeryville, California

Location	Number of Samples	Sum of Trend (S)	Trend
MW-1	18	-35	No Trend
MW-2	14	-24	No Trend
MW-3	18	-23	No Trend
MW-4	15	-47	Decreasing
MW-5	15	50	Increasing
RP-1	23	-40	No Trend
RP-2	23	-38	No Trend
RP-3	23	-33	No Trend
RP-4	23	12	No Trend
RP-5	23	54	No Trend
LF-B3	24	-1	No Trend
LF-B4	23	-38	No Trend
LF-B5	15	-56	Decreasing
LF-B6	15	-77	Decreasing
RP-BW-02	1	0	Insufficient Data
SA-BW-01	1	0	Insufficient Data

Notes:

One-half of the detection limit is assumed as the actual value when the result is below the
The 0.05 confidence limit is used to evaluate trend.

Table 8
Groundwater Extraction Flow Data
The Sherwin-Williams Company
Emeryville, California

Go Back

Extraction Well Number	Reporting Period	Notes	Number of Operating Days During Period	Total Volume of Groundwater Extracted (gallons)	Average Flow Rate (gpm)
EX-1	1-Jan-98 to 31-Mar-98	(1)	35	59,650	1.2
	1-Apr-98 to 31-Jun-98		82	107,173	0.9
	1-Jul-98 to 30-Sep-98		79	28,333	0.2
	1-Oct-98 to 31-Dec-98		69	36,342	0.4
	1-Jan-99 to 26-Mar-99		79	70,547	0.6
	27-Mar-99 to 30-Jun-99	(5)	90	83,843	0.6
	1-Jul-99 to 30-Sep-99	(5)	81	33,841	0.3
	1-Oct-99 to 31-Dec-99	(5)	80	36,729	0.3
EX-2	1-Jan-98 to 31-Mar-98	(2)	35	136,880	2.7
	1-Apr-98 to 31-Jun-98		82	214,187	1.8
	1-Jul-98 to 30-Sep-98		79	123,099	1.1
	1-Oct-98 to 31-Dec-98		69	98,695	1.0
	1-Jan-99 to 26-Mar-99		79	49,166	0.4
	27-Mar-99 to 30-Jun-99	(5)	90	58,433	0.5
	1-Jul-99 to 30-Sep-99	(5)	81	23,585	0.2
	1-Oct-99 to 31-Dec-99	(5)	80	25,597	0.2
EX-3	1-Jan-98 to 31-Mar-98	(3)	3	1,587	0.4
	1-Apr-98 to 31-Jun-98		40	67,578	1.2
	1-Jul-98 to 30-Sep-98		79	79,585	0.7
	1-Oct-98 to 31-Dec-98		69	76,470	0.8
	1-Jan-99 to 26-Mar-99		79	87,817	0.8
	27-Mar-99 to 30-Jun-99	(5)	90	104,368	0.8
	1-Jul-99 to 30-Sep-99	(5)	81	42,126	0.4
	1-Oct-99 to 31-Dec-99	(5)	80	45,720	0.4
EX-4	1-Oct-98 to 31-Dec-98	(4)	1	340	0.2
	1-Jan-99 to 26-Mar-99		66	22,124	0.2
	27-Mar-99 to 30-Jun-99	(5)	90	26,294	0.2
	1-Jul-99 to 30-Sep-99	(5)	81	12,703	0.1
	1-Oct-99 to 31-Dec-99	(5)	80	13,787	0.1
EX-5	1-Oct-98 to 31-Dec-98	(4)	1	1,948	1.4
	1-Jan-99 to 26-Mar-99		79	49,502	0.4
	27-Mar-99 to 30-Jun-99	(5)	90	58,832	0.5
	1-Jul-99 to 30-Sep-99	(5)	41	11,493	0.2
	1-Oct-99 to 31-Dec-99	(5)	80	25,772	0.2
EX-6	1-Oct-98 to 31-Dec-98	(4)	1	2,448	1.7
	1-Jan-99 to 26-Mar-99		54	43,729	0.6
	27-Mar-99 to 30-Jun-99	(5)	90	51,971	0.4
	1-Jul-99 to 30-Sep-99	(5)	81	30,688	0.3
	1-Oct-99 to 31-Dec-99	(5)	80	33,307	0.3
EX-7	1-Oct-98 to 31-Dec-98	(4)	1	2,660	1.8
	1-Jan-99 to 26-Mar-99		79	48,729	0.4
	27-Mar-99 to 30-Jun-99	(5)	90	57,913	0.4
	1-Jul-99 to 30-Sep-99	(5)	81	23,375	0.2
	1-Oct-99 to 31-Dec-99	(5)	80	25,370	0.2

Table 8
Groundwater Extraction Flow Data
The Sherwin-Williams Company
Emeryville, California

Extraction Well Number	Reporting Period	Notes	Number of Operating Days During Period	Total Volume of Groundwater Extracted (gallons)	Average Flow Rate (gpm)
EX-8	1-Oct-98 to 31-Dec-98	(4)	1	372	0.3
	1-Jan-99 to 26-Mar-99		79	19,970	0.2
	27-Mar-99 to 30-Jun-99	(5)	90	23,734	0.2
	1-Jul-99 to 30-Sep-99	(5)	81	9,580	0.1
	1-Oct-99 to 31-Dec-99	(5)	80	10,397	0.1
EX-9	1-Oct-98 to 31-Dec-98	(4)	1	3,439	2.4
	1-Jan-99 to 26-Mar-99		79	35,835	0.3
	27-Mar-99 to 30-Jun-99	(5)	90	42,589	0.3
	1-Jul-99 to 30-Sep-99	(5)	81	17,190	0.1
	1-Oct-99 to 31-Dec-99	(5)	80	18,657	0.2
EX-10	1-Oct-98 to 31-Dec-98	(4)	1	7,411	5.1
	1-Jan-99 to 26-Mar-99		79	130,986	1.2
	27-Mar-99 to 30-Jun-99	(5)	90	155,674	1.2
	1-Jul-99 to 30-Sep-99	(5)	81	62,834	0.5
	1-Oct-99 to 31-Dec-99	(5)	74	61,738	0.6
EX-11	1-Jul-99 to 30-Sep-99	(5)	4	8,398	1.5
	1-Oct-99 to 31-Dec-99	(5)	4	0	0.0
EX-12	1-Jul-99 to 30-Sep-99	(5)	4	14,124	2.5
	1-Oct-99 to 31-Dec-99	(5)	4	0	0.0
EX-13	1-Jul-99 to 30-Sep-99	(5)	4	7,921	1.4
	1-Oct-99 to 31-Dec-99	(5)	4	0	0.0
EX-14	1-Oct-99 to 31-Dec-99	(6)	22	7,281	0.2
Extraction System Total	1-Jan-98 to 31-Mar-98		35	198,117	3.9
	1-Apr-98 to 31-Jun-98		82	388,938	3.3
	1-Jul-98 to 30-Sep-98		79	231,017	2.0
	1-Oct-98 to 31-Dec-98		69	230,125	2.3
	1-Jan-99 to 26-Mar-99		79	558,405	4.9
	27-Mar-99 to 30-Jun-99	(5)	90	663,651	5.1
	1-Jul-99 to 30-Sep-99	(5)	81	297,859	2.6
	1-Oct-99 to 31-Dec-99	(5)	80	304,354	2.6

Data entered by WLC. Proofed by LXG.

Table 8
Groundwater Extraction Flow Data
The Sherwin-Williams Company
Emeryville, California

Extraction Well Number	Reporting Period	Notes	Number of Operating Days During Period	Total Volume of Groundwater Extracted (gallons)	Average Flow Rate (gpm)

Notes:

(1) EX-1 totalizer was installed and brought on line on February 23, 1998.

(2) EX-2 totalizer ws installed and brought on line on Febuary 20, 1998.

(3) EX-3 totalizer was installed and brought on line on March 6, 1998.

(4) EX-4 through EX-10 were brought on line for a total of one day each as part of trial runs in December 199

(5) EX-1 through EX-10 totalizer readings do not accurately represent groundwater extracted from April 1999 through September 1999. Extracted total is estimated based on treatment system totalizer reading (663,651 gallons from March 27 through June 30, and 320,345 gallons from July 1 to September 30, 1999) and the percentage of the total extracted for each well is based on the previous quarter's extraction data.

(6) Water extracted from extraction well EX-14 during the pumping test from October 1 through 22, 1999, was pumped through the conveyance hose and totalizer for EX-12.

Table 9
Contaminant Removal Results
The Sherwin-Williams Company
Emeryville, California

Go Back

Extraction Well Number	Reporting Period	Notes	Number of Operating Days During Period	Total Volume of Groundwater Extracted (gallons)	Influent Arsenic Concentration (mg/l)	Pounds of Arsenic Removed During Quarter (lbs)	Pounds of Arsenic Removed (lbs/day)	Influent VOC Concentration (mg/l)	Pounds of VOCs Removed During Quarter (lbs)	Pounds of VOCs Removed (lbs/day)
EX-1	1-Jan-98 to 31-Mar-98	(1)	35	59,650	0.240	0.119	0.003	0.440	0.219	0.006
	1-Apr-98 to 31-Jun-98		82	107,173	0.000	0.000	0.000	1.013	0.906	0.011
	1-Jul-98 to 30-Sep-98		79	28,333	0.000	0.000	0.000	0.026	0.006	0.000
	1-Oct-98 to 31-Dec-98		69	36,342	0.000	0.000	0.000	0.033	0.010	0.000
	1-Jan-99 to 26-Mar-99		79	70,547	0.000	0.000	0.000	0.017	0.010	0.000
	27-Mar-99 to 30-Jun-99	(5)	90	83,843	0.011	0.008	0.000	0.003	0.002	0.000
	1-Jul-99 to 30-Sep-99	(5)	81	33,841	0.045	0.013	0.000	0.101	0.029	0.000
	1-Oct-99 to 31-Dec-99	(5)	80	36,729	0.047	0.014	0.000	0.005	0.001	0.000
EX-2	1-Jan-98 to 31-Mar-98	(2)	35	136,880	18.000	20.563	0.588	14.000	15.993	0.457
	1-Apr-98 to 31-Jun-98		82	214,187	51.800	92.597	1.129	14.140	25.277	0.308
	1-Jul-98 to 30-Sep-98		79	123,099	6.300	6.472	0.082	8.990	9.236	0.117
	1-Oct-98 to 31-Dec-98		69	98,695	0.007	0.006	0.000	0.442	0.364	0.005
	1-Jan-99 to 26-Mar-99		79	49,166	8.500	3.488	0.044	19.469	7.989	0.101
	27-Mar-99 to 30-Jun-99	(5)	90	58,433	1.000	0.488	0.005	4.990	2.433	0.027
	1-Jul-99 to 30-Sep-99	(5)	81	23,585	0.011	0.002	0.000	0.146	0.029	0.000
	1-Oct-99 to 31-Dec-99	(5)	80	25,597	0.000	0.000	0.000	0.042	0.009	0.000
EX-3	1-Jan-98 to 31-Mar-98	(3)	3	1,587	240.000	3.179	1.060	0.003	0.000	0.000
	1-Apr-98 to 31-Jun-98		40	67,578	142.000	80.088	2.002	1.004	0.566	0.014
	1-Jul-98 to 30-Sep-98		79	79,585	125.000	83.026	1.051	0.009	0.006	0.000
	1-Oct-98 to 31-Dec-98		69	76,470	130.000	82.968	1.202	0.016	0.010	0.000
	1-Jan-99 to 26-Mar-99		79	87,817	120.000	87.950	1.113	0.023	0.017	0.000
	27-Mar-99 to 30-Jun-99	(5)	90	104,368	130.000	113.237	1.258	0.039	0.034	0.000
	1-Jul-99 to 30-Sep-99	(5)	81	42,126	100.000	35.158	0.434	0.070	0.025	0.000
	1-Oct-99 to 31-Dec-99	(5)	80	45,720	110.000	41.973	0.525	0.030	0.011	0.000
EX-4	1-Oct-98 to 31-Dec-98	(4)	1	340	0.000	0.000	0.000	0.000	0.000	0.000
	1-Jan-99 to 26-Mar-99		66	22,124	0.000	0.000	0.000	0.002	0.000	0.000
	27-Mar-99 to 30-Jun-99	(5)	90	26,294	0.065	0.014	0.000	0.004	0.001	0.000
	1-Jul-99 to 30-Sep-99	(5)	81	12,703	0.000	0.000	0.000	0.261	0.028	0.000
	1-Oct-99 to 31-Dec-99	(5)	80	13,787	0.000	0.000	0.000	0.097	0.097	0.001
EX-5	1-Oct-98 to 31-Dec-98	(4)	1	1,948	0.290	0.005	0.005	0.003	0.000	0.000
	1-Jan-99 to 26-Mar-99		79	49,502	0.000	0.000	0.000	0.181	0.075	0.001
	27-Mar-99 to 30-Jun-99	(5)	90	58,832	1.200	0.589	0.007	2.767	1.358	0.015
	1-Jul-99 to 30-Sep-99	(5)	41	11,493	0.009	0.001	0.000	0.191	0.018	0.000
	1-Oct-99 to 31-Dec-99	(5)	80	25,772	0.071	0.015	0.000	0.050	0.050	0.001
EX-6	1-Oct-98 to 31-Dec-98	(4)	1	2,448	7.300	0.149	0.149	2.889	0.059	0.059
	1-Jan-99 to 26-Mar-99		54	43,729	5.800	2.117	0.039	9.038	3.298	0.061
	27-Mar-99 to 30-Jun-99	(5)	90	51,971	3.200	1.388	0.015	1.852	0.803	0.009

Table 9
Contaminant Removal Results
The Sherwin-Williams Company
Emeryville, California

Extraction Well Number	Reporting Period	Notes	Number of Operating Days During Period	Total Volume of Groundwater Extracted (gallons)	Influent Arsenic Concentration (mg/l)	Pounds of Arsenic Removed During Quarter (lbs)	Pounds of Arsenic Removed (lbs/day)	Influent VOC Concentration (mg/l)	Pounds of VOCs Removed During Quarter (lbs)	Pounds of VOCs Removed (lbs/day)
	1-Jul-99 to 30-Sep-99	(5)	81	30,688	0.021	0.005	0.000	0.046	0.012	0.000
	1-Oct-99 to 31-Dec-99	(5)	80	33,307	14	3.892	0.049	0.630	0.175	0.002
EX-7	1-Oct-98 to 31-Dec-98	(4)	1	2,660	12.400	0.275	0.275	0.936	0.021	0.021
	1-Jan-99 to 26-Mar-99		79	48,729	100.000	40.669	0.515	6.909	2.810	0.036
	27-Mar-99 to 30-Jun-99	(5)	90	57,913	40.000	19.334	0.215	2.782	1.345	0.015
	1-Jul-99 to 30-Sep-99	(5)	81	23,375	19.000	3.707	0.046	0.219	0.043	0.001
	1-Oct-99 to 31-Dec-99	(5)	80	25,370	9	1.821	0.023	0.029	0.029	0.000
EX-8	1-Oct-98 to 31-Dec-98	(4)	1	372	133.000	0.413	0.413	148.200	0.460	0.460
	1-Jan-99 to 26-Mar-99		79	19,970	57.000	9.500	0.120	74.727	12.455	0.158
	27-Mar-99 to 30-Jun-99	(5)	90	23,734	450.000	89.136	0.990	392.430	77.733	0.864
	1-Jul-99 to 30-Sep-99	(5)	81	9,580	430.000	34.379	0.424	242.880	19.418	0.240
	1-Oct-99 to 31-Dec-99	(5)	80	10,397	170	14.751	0.184	133.500	170.000	2.125
EX-9	1-Oct-98 to 31-Dec-98	(4)	1	3,439	28.900	0.829	0.829	4.345	0.125	0.125
	1-Jan-99 to 26-Mar-99		79	35,835	140.000	41.871	0.530	5.574	1.667	0.021
	27-Mar-99 to 30-Jun-99	(5)	90	42,589	240.000	85.307	0.948	9.284	3.300	0.037
	1-Jul-99 to 30-Sep-99	(5)	81	17,190	140.000	20.085	0.248	6.916	0.992	0.012
	1-Oct-99 to 31-Dec-99	(5)	80	18,657	95.000	14.792	0.185	0.627	0.098	0.001
EX-10	1-Oct-98 to 31-Dec-98	(4)	1	7,411	0.510	0.032	0.032	0.328	0.020	0.020
	1-Jan-99 to 26-Mar-99		79	130,986	0.880	0.962	0.012	0.047	0.051	0.001
	27-Mar-99 to 30-Jun-99	(5)	90	155,674	2.800	3.638	0.040	0.043	0.056	0.001
	1-Jul-99 to 30-Sep-99	(5)	81	62,834	2.700	1.416	0.017	0.020	0.010	0.000
	1-Oct-99 to 31-Dec-99	(5)	74	61,738	4.000	2.061	0.028	0.099	0.051	0.001
EX-11	1-Jul-99 to 30-Sep-99	(5)	4	8,398	0.056	0.004	0.001	0.498	0.035	0.009
	1-Oct-99 to 31-Dec-99	(5)	4	0	0.000	0.000	0.000	0.026	0.000	0.000
EX-12	1-Jul-99 to 30-Sep-99	(5)	4	14,124	0.011	0.001	0.000	0.085	0.010	0.003
	1-Oct-99 to 31-Dec-99	(5)	4	0	0.000	0.000	0.000	0.026	0.000	0.000
EX-13	1-Jul-99 to 30-Sep-99	(5)	4	7,921	0.100	0.007	0.002	0.026	0.002	0.000
	1-Oct-99 to 31-Dec-99	(5)	4	0	0.000	0.000	0.000	0.026	0.000	0.000
EX-14	1-Oct-99 to 31-Dec-99	(6)	22	7,281	0.110	0.007	0.000	0.103	0.006	0.000
Extraction	1-Jan-98 to 31-Mar-98		35	198,117	14.431	23.861	1.651	9.805	16.213	0.463
System	1-Apr-98 to 31-Jun-98		82	388,938	53.199	172.685	3.131	8.240	26.749	0.326
Total	1-Jul-98 to 30-Sep-98		79	231,017	46.419	89.499	1.133	4.797	9.248	0.117
	1-Oct-98 to 31-Dec-98		69	230,125	44.088	84.677	1.227	0.557	1.069	0.015

Table 9
Contaminant Removal Results
The Sherwin-Williams Company
Emeryville, California

Extraction Well Number	Reporting Period	Notes	Number of Operating Days During Period	Total Volume of Groundwater Extracted (gallons)	Influent Arsenic Concentration (mg/l)	Pounds of Arsenic Removed During Quarter (lbs)	Pounds of Arsenic Removed (lbs/day)	Influent VOC Concentration (mg/l)	Pounds of VOCs Removed During Quarter (lbs)	Pounds of VOCs Removed (lbs/day)
	1-Jan-99 to 26-Mar-99		79	558,405	40.030	186.556	2.361	6.088	28.372	0.359
	27-Mar-99 to 30-Jun-99	(5)	90	663,651	56.536	313.138	3.479	15.719	87.065	0.967
	1-Jul-99 to 30-Sep-99	(5)	81	297,859	38.126	94.778	1.170	8.329	20.705	0.256
	1-Oct-99 to 31-Dec-99	(5)	80	304,354	31.230	79.327	0.992	4.710	11.964	0.150

Data entered by __WLC__. Proofed by__LXG__.

Notes:

(1) EX-1 totalizer was installed and brought on line on Febuary 23, 1998.

(2) EX-2 totalizer ws installed and brought on line on February 20, 1998.

(3) EX-3 totalizer was installed and brought on line on March 6, 1998.

(4) EX-4 through EX-10 were brought on line for a total of one day each as part of trial runs in December 1998.

(5) EX-1 through EX-10 totalizer readings do not accurately represent groundwater extracted from April 1999 through September 1999. Extracted total is estimated based on treatment system totalizer reading (663,651 gallons from March 27 through June 30, and 320,345 gallons from July 1 to September 30, 1999) and the percentage of the total extracted for each well is based on the previous quarter's extraction data.

(6) Water extracted from extraction well EX-14 during the pumping test from October 1 through 22, 1999, was pumped through the conveyance hose and totalizer for EX-12.

N

0 1/2 1 MILE

Site Location Map

SHERWIN-WILLIAMS COMPANY, EMERYVILLE, CALIFORNIA

LFR LEVINE•FRICKE

Go Back

Figure 1

G:\1659\1659SV02.CDR 1/19/00



Property Boundary
Storage Tanks
Fence
Buildings
Slurry Wall
Railroad Tracks

LF-10 A-Zone Monitoring Well
LF-B3 B-Zone Monitoring Well
EX-1 Groundwater Extraction Well
RP-1 Rifkin Property Monitoring Well
MW-4 Rifkin Property Monitoring Well
LF-PZ1 A-Zone Piezometer
Monitoring Well Destroyed or Abandoned

100 0 100 Feet

u:/sherwin/gis/qmr99q4 01/04/2000

Sherwin-Williams Company, Emeryville, CA

Site Plan

LFR LEVINE • FRICKE

Go Back

Figure 2



Property Boundary
Storage Tanks
Fence
Buildings
Slurry Wall
Railroad Tracks

LF-10 A-Zone Monitoring Well
LF-B3 B-Zone Monitoring Well
EX-1 Groundwater Extraction Well
RP-1 Rifkin Property Monitoring Well
MW-4 Rifkin Property Monitoring Well
LF-PZ1 A-Zone Piezometer
Monitoring Well Destroyed or Abandoned

9.0 Groundwater Elevation Contour, dashed where inferred
Depression in Groundwater Surface

Note: Groundwater elevations are based on mean sea level.

100 0 100 Feet

u/sherwin/gis/qmr99qm4 01/19/2000

Sherwin-Williams Company, Emeryville, CA

Groundwater Elevation Contours
A-Zone Groundwater
October 8, 1999

LFR LEVINE • FRICKE

Go Back

Figure 3



- Property Boundary
- Storage Tanks
- Fence
- Buildings
- Slurry Wall
- Railroad Tracks

- LF-10 A-Zone Monitoring Well
- LF-B3 B-Zone Monitoring Well
- EX-1 Groundwater Extraction Well
- RP-1 Rifkin Property Monitoring Well
- MW-4 Rifkin Property Monitoring Well
- LF-PZ1 A-Zone Piezometer
- Monitoring Well Destroyed or Abandoned

9.0 Groundwater Elevation Contour, dashed where inferred

Depression in Groundwater Surface

Note: Groundwater elevations are based on mean sea level. Groundwater elevations measured at LF-B5 may not be representative of B-zone because LF-B5 is screened in the A/B aquitard.

100 0 100 Feet

u/sherwin/gis/qmr99qm4 01/04/2000

Sherwin-Williams Company, Emeryville, CA

Groundwater Elevation Contours
B- Zone Groundwater
October 8, 1999

LFR LEVINE • FRICKE

Go Back

Figure 4



u/sherwin/gis/qmr99qm4 01/04/2000

Sherwin-Williams Company, Emeryville, CA

Volatile Organic Compounds
A-Zone Groundwater, Inside Slurry Wall
October 1999

LFR LEVINE • FRICKE

Go Back

Figure 5a

MW-1
<0.01 Ace
0.053 B
0.0013 E
0.0037 X
0.0074 T

LF-30
<0.01 Ace
<0.0005 B
<0.0005 E
<0.0005 X
0.002 T

LF-29
<0.01/<0.01 Ace
0.018/0.019 B
<0.0005/<0.0005 E
0.0023/0.0023 X
0.014/0.014 T

RP-2
<0.01 Ace
<0.0005 B
<0.0005 E
<0.0005 X
<0.0005 T

LF-31
<0.01 Ace
<0.0005 B
<0.0005 E
<0.0005 X
<0.0005 T

LF-28
<0.01 Ace
0.0007 B
<0.0005 E
<0.0005 X
<0.0005 T

MW-3
<0.01 Ace
<0.0005 B
<0.0005 E
<0.0005 X
<0.0005 T

LF-32
<0.01/<0.01 Ace
<0.0005/<0.0005 B
<0.0005/<0.0005 E
<0.0005/<0.0005 X
<0.0005/<0.0005 T

LF-27
<0.01 Ace
<0.0005 B
<0.0005 E
<0.0005 X
<0.0005 T

RP-1
<0.01 Ace
<0.0005 B
<0.0005 E
<0.0005 X
<0.0005 T

LF-12
<0.01 Ace
<0.0005 B
<0.0005 E
<0.0005 X
<0.0005 T

LF-13
<0.01 Ace
<0.0005 B
<0.0005 E
<0.0005 X
<0.0005 T

SA-AW-05
<0.01/<0.01 Ace
<0.0005/<0.0005 B
<0.0005/<0.0005 E
<0.0005/<0.0005 X
<0.0005/<0.0005 T

LF-34
<0.01 Ace
<0.0005 B
<0.0005 E
<0.0005 X
<0.0005 T

RP-4
<0.01 Ace
<0.0005 B
<0.0005 E
<0.0005 X
<0.0005 T

MW-4
<0.01 Ace
0.0016 B
0.0012 E
0.006 X
0.0013 T

LF-33
<0.01 Ace
<0.0005 B
<0.0005 E
<0.0005 X
<0.0005 T

RP-5
<0.01 Ace
<0.0005 B
<0.0005 E
<0.0005 X
<0.0005 T

MW-5
150 Ace
<0.5 B
1.2 E
5.6 X
65 T

LF-3
<5 Ace
<0.25 B
4.4 E
22.2 X
66 T

EX-12
<0.01 Ace
<0.0005 B
<0.0005 E
<0.0005 X
<0.0005 T

SA-AW-04
<0.01 Ace
<0.0005 B
<0.0005 E
<0.0005 X
<0.0005 T

LF-18
<0.01 Ace
<0.0005 B
<0.0005 E
<0.0005 X
<0.0005 T

LF-20
<0.01 Ace
<0.0005 B
<0.0005 E
<0.0005 X
<0.0005 T

LF-19
<0.01 Ace
<0.0005 B
<0.0005 E
<0.0005 X
<0.0005 T

RP-3
<0.01 Ace
<0.0005 B
<0.0005 E
<0.0005 X
<0.0005 T

LF-21
<0.01 Ace
<0.0005 B
<0.0005 E
<0.0005 X
<0.0005 T

LF-35
<0.01 Ace
<0.0005 B
<0.0005 E
<0.0005 X
<0.0005 T

EX-14
<0.01/<0.01 Ace
<0.0005/<0.0005 B
<0.0005/<0.0005 E
0.0008/0.0008 X
<0.0005/<0.0005 T

LF-11
<0.01/<0.01 Ace
<0.0005/<0.0005 B
<0.0005/<0.0005 E
<0.0005/<0.0005 X
<0.0005/<0.0005 T

SA-AW-01
<0.01 Ace
<0.0005 B
<0.0005 E
<0.0005 X
<0.0005 T

SA-AW-03
<0.01 Ace
<0.0005 B
<0.0005 E
<0.0005 X
<0.0005 T

HORTON STREET

FORMER RIFKIN PROPERTY

PARKING LOT

MW-2 *

LF-B4

LF-PZ23

LF-1

LF-22

LF-PZ7

LF-B1

LF-B5

LF-PZ26

LF-PZ4

LF-PZ5

LF-PZ6

EX-9

LF-PZ20

WAREHOUSE BLDG 31

WAREHOUSE/OFFICE BLDG 1

RAMP

SHOP BLDG 38

BOILER BLDG 12

EX-3

YARD A1

BLDG 34

LF-PZ25

LF-PZ24

EX-11

LF-PZ2

LF-PZ8

LF-PZ1

LF-PZ9

LF-PZ11

EX-8

LF-PZ3

RP-BW-02

EX-13

RAMP

EX-10

REDUCTIVE PRECIPITATION TREATMENT SYSTEM

LF-2

LF-PZ22

LF-PZ10

EX-7

LF-17

BLDG 29

BLDG 30

PACKAGING/ LAB BLDG 2

MANUFACTURING BLDG 28

SHERWIN AVENUE

LF-PZ15

LF-7

LF-PZ21

LF-8

LOADING PLATFORM

EX-2

EX-1

LF-5

LF-B6

LF-6

LF-B2

LF-PZ19

LF-PZ16

LF-PZ13

WAREHOUSE OFFICE

EX-4

LF-PZ12

PARKING LOT

LF-4

EX-5

TRUCK PARKING

LF-PZ17

EX-6

MANUFACTURING BLDG 35

LF-26

LF-9

LF-PZ14

RAMP

LF-PZ18

RAMP

LF-10

LF-B3

SHERWIN-WILLIAMS PROPERTY

SA-BW-01

LF-25

LF-14

LF-24

LF-15

LF-23

LF-16

TEMESCAL CREEK

Key to Chemicals	
Ace	Acetone
B	Benzene
E	Ethylbenzene
X	Total Xylenes
T	Toluene

Property Boundary
Storage Tanks
Fence
Buildings
Slurry Wall
Railroad Tracks

LF-10 A-Zone Monitoring Well
LF-B3 B-Zone Monitoring Well
EX-1 Groundwater Extraction Well
RP-1 Rifkin Property Monitoring Well
MW-4 Rifkin Property Monitoring Well
LF-PZ1 A-Zone Piezometer
Monitoring Well Destroyed or Abandoned

LF-7 — Station ID
0.85/0.82 Ace — Chemical
Duplicate Sample
Concentration in parts per million

Note: Samples collected October 10 through October 15, 1999

* Not sampled, light non-aqueous phase liquid observed

100 0 100 Feet

u/sherwin/gis/qmr99qm4 01/04/2000

Sherwin-Williams Company, Emeryville, CA

Volatile Organic Compounds
A-Zone Groundwater, Outside Slurry Wall
October 1999

LFR LEVINE • FRICKE

Go Back

Figure 5b

EX-2
<0.0005 1,1,1-TCA
<0.0005 1,2-DCA
<0.0005 PCE
<0.0005 TCE
0.0021 cis-1,2-DCE
<0.0005 trans-1,2-DCE

EX-8
<0.25 1,1,1-TCA
<0.25 1,2-DCA
<0.25 PCE
<0.25 TCE
<0.25 cis-1,2-DCE
<0.25 trans-1,2-DCE

EX-9
<0.0005 1,1,1-TCA
0.17 1,2-DCA
0.0007 PCE
0.011 TCE
0.0088 cis-1,2-DCE
0.0045 trans-1,2-DCE

EX-3
<0.0005 1,1,1-TCA
0.011 1,2-DCA
0.0011 PCE
0.0017 TCE
0.0062 cis-1,2-DCE
0.004 trans-1,2-DCE

EX-1
<0.0005 1,1,1-TCA
<0.0005 1,2-DCA
<0.0005 PCE
<0.0005 TCE
<0.0005 cis-1,2-DCE
<0.0005 trans-1,2-DCE

EX-10
<0.0005 1,1,1-TCA
0.093 1,2-DCA
<0.0005 PCE
<0.0005 TCE
0.0015 cis-1,2-DCE
<0.0005 trans-1,2-DCE

LF-8
<0.0005 1,1,1-TCA
<0.0005 1,2-DCA
<0.0005 PCE
<0.0005 TCE
<0.0005 cis-1,2-DCE
<0.0005 trans-1,2-DCE

EX-4
<0.0005 1,1,1-TCA
<0.0005 1,2-DCA
<0.0005 PCE
<0.0005 TCE
<0.0005 cis-1,2-DCE
<0.0005 trans-1,2-DCE

LF-26
<0.0005 1,1,1-TCA
<0.0005 1,2-DCA
<0.0005 PCE
<0.0005 TCE
<0.0005 cis-1,2-DCE
<0.0005 trans-1,2-DCE

LF-4
<0.0005 1,1,1-TCA
<0.0005 1,2-DCA
<0.0005 PCE
<0.0005 TCE
<0.0005 cis-1,2-DCE
<0.0005 trans-1,2-DCE

EX-5
<0.0005 1,1,1-TCA
<0.0005 1,2-DCA
<0.0005 PCE
<0.0005 TCE
<0.0005 cis-1,2-DCE
<0.0005 trans-1,2-DCE

EX-6
<0.0005 1,1,1-TCA
<0.0005 1,2-DCA
<0.0005 PCE
<0.0005 TCE
0.0032 cis-1,2-DCE
0.0011 trans-1,2-DCE

EX-7
<0.0005 1,1,1-TCA
0.019 1,2-DCA
<0.0005 PCE
<0.0005 TCE
0.0023 cis-1,2-DCE
<0.0005 trans-1,2-DCE

LF-17
<0.0005/<0.0005 1,1,1-TCA
<0.0005/<0.0005 1,2-DCA
<0.0005/<0.0005 PCE
<0.0005/<0.0005 TCE
0.0056/0.0057 cis-1,2-DCE
0.015/0.015 trans-1,2-DCE

FORMER RIFKIN PROPERTY

SHERWIN-WILLIAMS PROPERTY

HORTON STREET

SHERWIN AVENUE

PARKING LOT

TRUCK PARKING

WAREHOUSE BLDG 31

ARCADE

SHOP BLDG 38

BOILER BLDG 12

RAMP

REDUCTIVE PRECIPITATION TREATMENT SYSTEM

ANDCO ELECTROCHEMICAL TREATMENT SYSTEM

BLDG 29

BLDG 30

BLDG 4

PACKAGING/ LAB BLDG 2

MANUFACTURING BLDG 28

WAREHOUSE OFFICE

LOADING PLATFORM

IMPROVED TEMESCAL CREEK

TEMESCAL CREEK

LF-1 LF-2 LF-3 LF-4 LF-5 LF-6 LF-7 LF-8 LF-9 LF-10 LF-11 LF-12 LF-13 LF-14 LF-15 LF-16 LF-17 LF-18 LF-19 LF-20 LF-21 LF-22 LF-23 LF-24 LF-25 LF-26 LF-27 LF-28 LF-29 LF-30 LF-31 LF-32 LF-33 LF-34 LF-35

LF-B1 LF-B2 LF-B3 LF-B4 LF-B5 LF-B6

RP-1 RP-2 RP-3 RP-4 RP-5

MW-1 MW-2 * MW-3 MW-4 MW-5

EX-11 EX-12 EX-13 EX-14

LF-PZ1 LF-PZ2 LF-PZ3 LF-PZ4 LF-PZ5 LF-PZ6 LF-PZ7 LF-PZ8 LF-PZ9 LF-PZ10 LF-PZ11 LF-PZ13 LF-PZ14 LF-PZ15 LF-PZ16 LF-PZ17 LF-PZ18 LF-PZ19 LF-PZ20 LF-PZ21 LF-PZ22 LF-PZ23 LF-PZ24 LF-PZ25

Key to Chemicals	
1,1,1-TCA	1,1,1-Trichloroethane
1,2-DCA	1,2-Dichloroethane
PCE	Tetrachloroethene
TCE	Trichloroethene
cis-1,2-DCE	Cis-1,2-Dichloroethene
trans-1,2-DCE	Trans-1,2-Dichloroethene

- Property Boundary
- Storage Tanks
- Fence
- Buildings
- Slurry Wall
- Railroad Tracks

- LF-10 A-Zone Monitoring Well
- LF-B3 B-Zone Monitoring Well
- EX-1 Groundwater Extraction Well
- RP-1 Rifkin Property Monitoring Well
- MW-4 Rifkin Property Monitoring Well
- LF-PZ1 A-Zone Piezometer
- Monitoring Well Destroyed or Abandoned

LF-7 — Station ID
0.85/0.82 Ace — Chemical / Duplicate Sample / Concentration in parts per million

Note: Samples collected October 10 through October 15, 1999

* Not sampled, light non-aqueous phase liquid observed

100 0 100 Feet

u/sherwin/gis/qmr99qm4 01/04/2000

Sherwin-Williams Company, Emeryville, CA

Chlorinated Volatile Organic Compounds A-Zone Groundwater, Inside Slurry Wall October 1999

LFR LEVINE•FRICKE

Go Back

Figure 5c

LF-30
<0.0005 1,1,1-TCA
0.003 1,2-DCA
<0.0005 PCE
0.013 TCE
0.0029 cis-1,2-DCE
<0.0005 trans-1,2-DCE

LF-29
<0.0005/<0.0005 1,1,1-TCA
0.011/0.011 1,2-DCA
0.0005/<0.0005 PCE
0.012/0.012 TCE
0.0024/0.0024 cis-1,2-DCE
<0.0005/<0.0005 trans-1,2-DCE

RP-2
<0.0005 1,1,1-TCA
<0.0005 1,2-DCA
<0.0005 PCE
<0.0005 TCE
0.0023 cis-1,2-DCE
0.0006 trans-1,2-DCE

LF-28
<0.0005 1,1,1-TCA
0.004 1,2-DCA
<0.0005 PCE
0.015 TCE
0.045 cis-1,2-DCE
0.019 trans-1,2-DCE

MW-3
<0.0005 1,1,1-TCA
0.0026 1,2-DCA
<0.0005 PCE
0.0019 TCE
0.024 cis-1,2-DCE
0.019 trans-1,2-DCE

LF-27
<0.0005 1,1,1-TCA
<0.0005 1,2-DCA
0.0015 PCE
0.0018 TCE
<0.0005 cis-1,2-DCE
<0.0005 trans-1,2-DCE

LF-31
<0.0005 1,1,1-TCA
0.003 1,2-DCA
<0.0005 PCE
0.0034 TCE
0.019 cis-1,2-DCE
0.0094 trans-1,2-DCE

LF-12
0.0008 1,1,1-TCA
<0.0005 1,2-DCA
0.0024 PCE
0.0013 TCE
<0.0005 cis-1,2-DCE
<0.0005 trans-1,2-DCE

LF-13
0.0055 1,1,1-TCA
<0.0005 1,2-DCA
0.0019 PCE
<0.0005 TCE
<0.0005 cis-1,2-DCE
<0.0005 trans-1,2-DCE

RP-1
<0.0005 1,1,1-TCA
<0.0005 1,2-DCA
<0.0005 PCE
<0.0005 TCE
0.0018 cis-1,2-DCE
0.0005 trans-1,2-DCE

MW-1
<0.0005 1,1,1-TCA
0.04 1,2-DCA
0.0013 PCE
0.013 TCE
0.0073 cis-1,2-DCE
0.0009 trans-1,2-DCE

LF-34
<0.0005 1,1,1-TCA
0.0007 1,2-DCA
<0.0005 PCE
0.0008 TCE
0.018 cis-1,2-DCE
0.006 trans-1,2-DCE

RP-4
<0.0005 1,1,1-TCA
<0.0005 1,2-DCA
<0.0005 PCE
0.0011 TCE
0.011 cis-1,2-DCE
0.0039 trans-1,2-DCE

RP-5
<0.0005 1,1,1-TCA
<0.0005 1,2-DCA
<0.0005 PCE
<0.0005 TCE
<0.0005 cis-1,2-DCE
<0.0005 trans-1,2-DCE

LF-18
<0.0005 1,1,1-TCA
<0.0005 1,2-DCA
<0.0005 PCE
<0.0005 TCE
0.0005 cis-1,2-DCE
<0.0005 trans-1,2-DCE

LF-33
<0.0005 1,1,1-TCA
<0.0005 1,2-DCA
<0.0005 PCE
<0.0005 TCE
<0.0005 cis-1,2-DCE
<0.0005 trans-1,2-DCE

LF-20
<0.0005 1,1,1-TCA
<0.0005 1,2-DCA
<0.0005 PCE
<0.0005 TCE
<0.0005 cis-1,2-DCE
<0.0005 trans-1,2-DCE

LF-32
<0.0005/<0.0005 1,1,1-TCA
0.013/0.013 1,2-DCA
0.0012/0.0012 PCE
0.0079/0.0076 TCE
0.0021/0.002 cis-1,2-DCE
<0.0005/<0.0005 trans-1,2-DCE

LF-21
<0.0005 1,1,1-TCA
<0.0005 1,2-DCA
<0.0005 PCE
<0.0005 TCE
<0.0005 cis-1,2-DCE
<0.0005 trans-1,2-DCE

RP-3
<0.0005 1,1,1-TCA
<0.0005 1,2-DCA
<0.0005 PCE
<0.0005 TCE
<0.0005 cis-1,2-DCE
<0.0005 trans-1,2-DCE

LF-35
<0.0005 1,1,1-TCA
0.002 1,2-DCA
<0.0005 PCE
<0.0005 TCE
0.0007 cis-1,2-DCE
<0.0005 trans-1,2-DCE

LF-19
<0.0005 1,1,1-TCA
<0.0005 1,2-DCA
<0.0005 PCE
<0.0005 TCE
<0.0005 cis-1,2-DCE
<0.0005 trans-1,2-DCE

MW-4
<0.0005 1,1,1-TCA
<0.0005 1,2-DCA
<0.0005 PCE
0.0018 TCE
0.0007 cis-1,2-DCE
<0.0005 trans-1,2-DCE

EX-12
<0.0005 1,1,1-TCA
0.0089 1,2-DCA
0.0016 PCE
0.01 TCE
0.0024 cis-1,2-DCE
<0.0005 trans-1,2-DCE

SA-AW-05
0.0024/0.0023 1,1,1-TCA
<0.0005/<0.0005 1,2-DCA
0.004/0.0039 PCE
0.0024/0.0025 TCE
<0.0005/<0.0005 cis-1,2-DCE
<0.0005/<0.0005 trans-1,2-DCE

EX-14
<0.0005/<0.0005 1,1,1-TCA
0.002/0.002 1,2-DCA
0.001/0.001 PCE
0.0022/0.002 TCE
0.0012/0.0011 cis-1,2-DCE
<0.0005/<0.0005 trans-1,2-DCE

LF-3
<0.25 1,1,1-TCA
<0.25 1,2-DCA
<0.25 PCE
<0.25 TCE
<0.25 cis-1,2-DCE
<0.25 trans-1,2-DCE

MW-5
<0.5 1,1,1-TCA
<0.5 1,2-DCA
<0.5 PCE
<0.5 TCE
<0.5 cis-1,2-DCE
<0.5 trans-1,2-DCE

SA-AW-03
<0.0005 1,1,1-TCA
<0.0005 1,2-DCA
<0.0005 PCE
<0.0005 TCE
<0.0005 cis-1,2-DCE
<0.0005 trans-1,2-DCE

SA-AW-04
0.001 1,1,1-TCA
<0.0005 1,2-DCA
0.0008 PCE
0.0007 TCE
<0.0005 cis-1,2-DCE
<0.0005 trans-1,2-DCE

LF-11
<0.0005/<0.0005 1,1,1-TCA
<0.0005/<0.0005 1,2-DCA
<0.0005/<0.0005 PCE
<0.0005/<0.0005 TCE
<0.0005/<0.0005 cis-1,2-DCE
<0.0005/<0.0005 trans-1,2-DCE

SA-AW-01
<0.0005 1,1,1-TCA
<0.0005 1,2-DCA
<0.0005 PCE
<0.0005 TCE
<0.0005 cis-1,2-DCE
<0.0005 trans-1,2-DCE

HORTON STREET
MW-2 *
LF-B4
LF-PZ23
LF-1
LF-22
LF-PZ7
RP-1
LF-B1
LF-B5
LF-PZ26
LF-PZ4
LF-PZ5
LF-PZ6
EX-9
WAREHOUSE BLDG 31
ARCADE
LF-PZ20
SHOP BLDG 38
BOILER BLDG 12
EX-3
LF-PZ24
LF-PZ2
LF-PZ8
LF-PZ11
EX-11
EX-8
LF-PZ1
LF-PZ9
EX-10
RAMP
LF-PZ3
RP-BW-02
LF-2
EX-13
EX-7
LF-17
BLDG 29
LF-PZ22
LF-PZ21
LF-PZ10
LF-7
LF-PZ15
LF-8
MANUFACTURING BLDG 28
LOADING PLATFORM
ANDCO ELECTROCHEMICAL
LF-B6
EX-1
LF-5
EX-2
LF-B2
LF-6
LF-PZ19
LF-PZ16
LF-PZ12
EX-4
PARKING LOT
EX-5
LF-PZ13
EX-6
LF-26
LF-9
LF-4
LF-PZ17
TRUCK PARKING
RAMP
LF-PZ18
LF-PZ14
LF-10
LF-B3
SA-BW-01
LF-25
LF-14
LF-24
LF-15
LF-23
LF-16
TEMESCAL CREEK
IMPROVED TEMESCAL CR.
SH

Key to Chemicals

1,1,1-TCA	1,1,1-Trichloroethane
1,2-DCA	1,2-Dichloroethane
PCE	Tetrachloroethene
TCE	Trichloroethene
cis-1,2-DCE	Cis-1,2-Dichloroethene
trans-1,2-DCE	Trans-1,2-Dichloroethene

Property Boundary
Storage Tanks
Fence
Buildings
Slurry Wall
Railroad Tracks

LF-10 A-Zone Monitoring Well
LF-B3 B-Zone Monitoring Well
EX-1 Groundwater Extraction Well
RP-1 Rifkin Property Monitoring Well
MW-4 Rifkin Property Monitoring Well
LF-PZ1 A-Zone Piezometer
Monitoring Well Destroyed or Abandoned

LF-7 — Station ID
0.85/0.82 Ace — Chemical, Duplicate Sample, Concentration in parts per million

Note: Samples collected October 10 through October 15, 1999

* Not sampled, light non-aqueous phase liquid observed

100 0 100 Feet

u/sherwin/gis/qmr99qm4 01/04/2000

Sherwin-Williams Company, Emeryville, CA

Chlorinated Volatile Organic Compounds A-Zone Groundwater, Outside Slurry Wall October 1999

LFR LEVINE • FRICKE

Go Back

Figure 5d



u/sherwin/gis/qmr99qm4 01/04/2000

Sherwin-Williams Company, Emeryville, CA

Volatile Organic Compounds B-Zone Groundwater October 1999

LFR LEVINE • FRICKE

Go Back

Figure 6



Note: Samples collected October 10 through October 15, 1999.

Some samples where reported as unknown hydrocarbon mixtures with peak patterns atypical of gasoline. These samples are qualified as gasoline for a range of n-C7 to n-C12 (see Table 5).

Concentration of chemicals detected in LF-B5 may not be representative of B-zone groundwater quality because LF-B5 is only screened within the aquitard between the A zone and B zone.

- Property Boundary
- Storage Tanks
- Fence
- Buildings
- Slurry Wall
- Railroad Tracks

- LF-10 A-Zone Monitoring Well
- LF-B3 B-Zone Monitoring Well
- EX-1 Groundwater Extraction Well
- RP-1 Rifkin Property Monitoring Well
- MW-4 Rifkin Property Monitoring Well
- LF-PZ1 A-Zone Piezometer
- Monitoring Well Destroyed or Abandoned

LF-7 — Station ID
0.85/0.82 — Duplicate Sample
Concentration in parts per million

* Not sampled, light non-aqueous phase liquid observed

100 0 100 Feet

Sherwin-Williams Company, Emeryville, CA

Total Petroleum Hydrocarbons as Diesel A-Zone and B-Zone Groundwater October 1999

LFR LEVINE • FRICKE

Go Back

Figure 7

u/sherwin/gis/qmr99qm4 01/04/2000



Note: Samples collected October 10 through October 15, 1999.

Some samples where reported as unknown hydrocarbon mixtures with peak patterns atypical of gasoline. These samples are qualified as gasoline for a range of n-C7 to n-C12 (see Table 5).

Concentration of chemicals detected in LF-B5 may not be representative of B-zone groundwater quality because LF-B5 is only screened within the aquitard between the A zone and B zone.

u/sherwin/gis/qmr99qmr4 01/04/2000

Sherwin-Williams Company, Emeryville, CA

Total Petroleum Hydrocarbons as Gasoline A-Zone and B-Zone Groundwater October 1999

LFR LEVINE • FRICKE

Go Back

Figure 8



u/sherwin/gis/qmi99qm4 01/04/2000

Sherwin-Williams Company, Emeryville, CA

Concentrations of Arsenic A-Zone Groundwater October 1999

LFR LEVINE • FRICKE

Go Back

Figure 9



- Property Boundary
- Storage Tanks
- Fence
- Buildings
- Slurry Wall
- Railroad Tracks

- LF-10 A-Zone Monitoring Well
- LF-B3 B-Zone Monitoring Well
- EX-1 Groundwater Extraction Well
- RP-1 Rifkin Property Monitoring Well
- MW-4 Rifkin Property Monitoring Well
- LF-PZ1 A-Zone Piezometer
- Monitoring Well Destroyed or Abandoned

LF-7 — Station ID

0.85/0.82 — Duplicate Sample Concentration in parts per million

* Not sampled, light non-aqueous phase liquid observed

Note: Samples collected October 10 through October 15, 1999

Concentration of chemicals detected in LF-B5 may not be representative of B-zone groundwater quality because LF-B5 is only screened within the aquitard between the A zone and B zone.

100 0 100 Feet

u/sherwin/gis/qmr99qmr4 01/04/2000

Sherwin-Williams Company, Emeryville, CA

Concentrations of Arsenic B-Zone Groundwater October 1999

LFR LEVINE • FRICKE

Go Back

Figure 10

Appendix A

Summary of QA/QC

Go Back

Table A-1 Summary of Sampling QA/QC		
Site Name: The Sherwin-Williams Facility	**Site Address:** 1450 Sherwin Avenue Emeryville, California	**Monitoring Period Covered:** October 1 to December 31, 1999

Sampling Performed By: Jeff Rogers and Karl Brunckhorst
Firm Name: LFR Levine - Fricke
Firm Address: 1900 Powell Street, Emeryville, California
Firm Contact: Mike Marsden
Firm Telephone Number: (510) 652-4500

Were chain-of-custody forms completed for all samples?	☑ Yes	☐ No
Were field parameters stabilized prior to taking samples?	☑ Yes	☐ No
For VOCs samples, was there zero head space in sample containers?	☑ Yes	☐ No
Were samples preserved according to analytical method?	☑ Yes	☐ No
Were the required field QA/QC samples taken?	☑ Yes	☐ No

For any questions above answered with "No", please provide an explanation:

Data proofed by JTS. QA/QC by SXS.

Table A-2
Summary of Analytical QA/QC

Site Name:	Site Address:	Monitoring Period Covered:
The Sherwin-Williams Facility	1450 Sherwin Avenue Emeryville, California	October 1 to December 31, 1999

Analysis Performed By:
Lab Name: Curtis and Tompkins, Ltd.
Lab Address: 2323 Fifth Street, Berkeley, CA 94710
Lab Contact: Tracy Babjar
Lab Telephone Number: (510) 486-0900

Analytical Method Used: (check applicable methods)

- ☐ Total Dissolved Solids by EPA Method_____
- ☐ Bioassay 96-hr % survival by Standard Method
- ☐ Turbidity (NTU) by EPA Method_____
- ☐ Dissolved Oxygen (mg/l and % saturation) by Standard Method
- ☐ Hardness (mg/l CaCO3) by EPA Method_____
- ☑ Arsenic by EPA Method 206.2 or 7060 or 6010
- ☐ Cadmium by EPA Method_____
- ☐ Chromium (total) by EPA Method_____
- ☐ Chromium (hexavalent)
- ☐ Copper by EPA Method_____
- ☐ Lead by EPA Method_____
- ☐ Mercury by EPA Method_____
- ☐ Nickel by EPA Method_____
- ☐ Selenium by EPA Method_____
- ☐ Silver by EPA Method_____
- ☐ Zinc by EPA Method_____
- ☐ Halogenated Volatile Organics by EPA Method 601 or 8010
- ☐ Aromatic and Unsaturated Volatile Organics by EPA 602 or 8020
- ☑ Volatile Organics by EPA Method 624 or 8240 or 8260
- ☐ Semivolatile Organics by EPA Method 625 or 8270
- ☐ EDB and DBCP by EPA Method 504
- ☑ TPH gasoline by EPA Method 8015 modified
- ☑ TPH diesel by EPA Method 8015 modified

Is the lab state-certified for the above analytical method(s)?	☑ Yes ☐ No
Were analyses performed according to standard methods?	☑ Yes ☐ No
Were sample holding times met?	☑ Yes ☐ No
Were all reported analytical results values above MDLs?	☑ Yes ☐ No
Were QA/QC samples (i.e., blanks, field replicates, spikes, and surrogates) analyzed in accordance and consistent with the analytical method?	☑ Yes ☐ No
Did QA/QC results meet all acceptance criteria?	☐ Yes ☑ No
Are QA/QC results and acceptance criteria on file?	☑ Yes ☐ No

Table A-2 Summary of Analytical QA/QC		
Site Name: The Sherwin-Williams Facility	**Site Address:** 1450 Sherwin Avenue Emeryville, California	**Monitoring Period Covered:** October 1 to December 31, 1999

For any questions above answered with "No", please provide an explanation: *

For samples 10-36-029-101199 (sample) and 10-36-101199 (duplicate), lsopropylbenzene concentrations are quallifed ans estimated due to duplicate RPD outside of control limit.

For sample 50-54-003-101399, TPHd concentration is qualified as non-detect based on field blank (rinse blank) contamination evaluation.

Data entered by LXG. QA/QC by SXS.

* The explanation should describe any modifications to standard methods and whether approved by Board staff, and describe corrective actions taken in response to any QA/QC results that fall outside acceptance criteria.

Appendix B

Field Parameters Measured During Groundwater Sampling
October 1999

Go Back

Table B-1
Field Parameters Measured During Purging and Sampling, October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date Sampled	Well Volume (gallons)	Volume Purged (gallons)	pH	Temperature (Deg C)	Specific Conductance (µmhos/cm)
LF-3	10/12/99 +	1.0	3.0	6.53	19.6	1172
LF-4	10/15/99	0.5	1.5	6.09	23.0	1169
LF-8	10/15/99	1.3	2.0	6.34	22.5	790
LF-10	10/13/99 +	1.0	3.5	6.67	20.6	1083
LF-11	10/12/99 +	2.0	3.5	6.69	19.6	563
LF-12	10/11/99	2.0	6.0	5.98	20.5	444
LF-13	10/12/99 +	2.0	6.0	6.25	20.6	437
LF-17	10/13/99 +	1.0	3.0	6.54	21.0	1091
LF-18	10/13/99 +	2.0	6.0	6.54	21.6	884
LF-19	10/15/99	2.5	7.5	5.66	20.8	1460
LF-20	10/14/99	2.0	6.0	6.17	21.1	1145
LF-21	10/12/99 +	2.0	5.0	6.67	22.1	776
LF-26	10/14/99	1.5	4.5	6.24	21.3	1062
LF-27	10/11/99	2.0	6.0	6.13	19.6	353
LF-28	10/11/99	2.0	6.0	6.15	20.3	555
LF-29	10/11/99	2.0	6.0	4.03	20.5	346
LF-30	10/11/99	1.5	4.5	6.63	20.2	869
LF-31	10/11/99	2.5	7.5	5.87	21.4	532
LF-33	10/11/99	3.0	9.0	5.71	22.0	1643
LF-34	10/11/99	3.0	9.0	5.89	21.9	663
LF-B3	10/14/99	5.5	28.0	7.61	20.5	523
LF-B4	10/14/99	6.5	21.0	6.56	19.0	519
LF-B5	10/15/99	5.5	16.5	5.85	21.0	663
LF-B6	10/15/99	5.5	16.5	6.19	20.1	1043
EX-1*	10/13/99 +	NM	NM	6.48	20.8	1601
EX-2*	10/14/99	NM	NM	5.78	22.6	1831
EX-3*	10/13/99 +	NM	NM	6.60	20.5	524
EX-4*	10/15/99	NM	NM	6.19	23.1	866
EX-5*	10/15/99	NM	NM	6.13	21.7	1105
EX-6*	10/12/99 +	NM	NM	6.33	22.6	836
EX-7*	10/15/99	NM	NM	6.51	23.2	1003
EX-8*	10/15/99	NM	NM	5.99	21.0	1625
EX-9*	10/14/99	NM	NM	6.43	19.6	NM
EX-10*	10/15/99	NM	NM	6.53	21.7	735
EX-14*	10/08/99	NM	NM	5.73	25.9	NM
RP-5	10/11/99	1.0	3.0	5.64	21.7	1141
RP-BW-02	10/11/99	5.5	16.5	6.62	19.5	1268
SA-AW-01	10/14/99	2.0	6.0	6.51	20.6	631
SA-AW-03	10/12/99 +	2.0	6.0	6.57	21.4	489
SA-AW-04	10/14/99	2.0	6.0	6.41	20.6	499
SA-AW-05	10/14/99	2.0	6.0	6.25	20.6	509
SA-BW-01	10/14/99	6.5	20.0	6.45	20.6	717
MW-1	10/11/99	1.5	4.5	5.58	21.7	966
MW-3	10/11/99	2.0	6.0	5.62	20.5	508

Table B-1
Field Parameters Measured During Purging and Sampling, October 1999
The Sherwin-Williams Company
Emeryville, California

Well Number	Date Sampled	Well Volume (gallons)	Volume Purged (gallons)	pH	Temperature (Deg C)	Specific Conductance (µmhos/cm)

* = Operational extraction well
+ = On this date parameters were measured with a MiniSonde
NM = No measurement obtained

Data entered by LXG. Proofed by JTS.

Appendix C

Complete Analytical Results for Groundwater Monitoring Wells
October 1999

Go Back

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-1	10/13/99	Metals (EPA 6010B)	**Arsenic**	**47**		5	ug/L	50-54-001-101399
			Calcium	**200000**		1000	ug/L	
			Copper	<10	U	10	ug/L	
			Iron	**130000**		100	ug/L	
			Magnesium	**110000**		500	ug/L	
			Manganese	**4200**		10	ug/L	
			Potassium	**1100**		500	ug/L	
			Sodium	**66000**		500	ug/L	
			Zinc	**91**		20	ug/L	
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-1	10/13/99	VOCs (EPA 8260B)	Chlorobenzene	<0.5	U	0.5	ug/L	50-54-001-101399
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	**0.8**		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	**3.8**		0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**410**		50	ug/L	
			TPH as Gas	**80**		50	ug/L	
EX-2	10/14/99	Metals (EPA 6010B)	Arsenic	<5	U	5	ug/L	50-54-002-101499
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-2	10/14/99	VOCs (EPA 8260B)	1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	50-54-002-101499
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	**3.2**		0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	**2.5**		0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	**0.9**		0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	**2.1**		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	**7.4**		0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	**11**		0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-2	10/14/99	VOCs (EPA 8260B)	Naphthalene	<0.5	U	0.5	ug/L	50-54-002-101499
			o-Xylene	**15**		0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	**26**		0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**350**		51	ug/L	
			TPH as Gas	**290**		50	ug/L	
EX-3	10/13/99	Metals (EPA 6010B)	**Arsenic**	**110000**		100	ug/L	50-54-003-101399
			Calcium	**54000**		500	ug/L	
			Copper	<10	U	10	ug/L	
			Iron	**7400**		100	ug/L	
			Magnesium	**40000**		500	ug/L	
			Manganese	**4500**		10	ug/L	
			Potassium	<500	U	500	ug/L	
			Sodium	**40000**		500	ug/L	
			Zinc	<20	U	20	ug/L	
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	**11**		0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-3	10/13/99	VOCs (EPA 8260B)	1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	50-54-003-101399
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	**0.6**		0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	**6.2**		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	**0.7**		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	**1.1**		0.5	ug/L	
			Toluene	**4.2**		0.5	ug/L	
			trans-1,2-Dichloroethene	**4**		0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-3	10/13/99	VOCs (EPA 8260B)	trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	50-54-003-101399
			Trichloroethene	**1.7**		0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	TPH as Diesel	<120	U5	51	ug/L	
			TPH as Gas	<50	U	50	ug/L	
EX-4	10/15/99	Metals (EPA 6010B)	Arsenic	<5	U	5	ug/L	50-54-004-101599
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	**9.1**		0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	**3.5**		0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-4	10/15/99	VOCs (EPA 8260B)	**Carbon Disulfide**	**41**		0.5	ug/L	50-54-004-101599
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	**2.6**		0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	**19**		0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	**0.7**		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	**1**		0.5	ug/L	
			o-Xylene	**17**		0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	**3.3**		0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	**36**		0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**600**		48	ug/L	
			TPH as Gas	**220**		50	ug/L	
EX-5	10/15/99	Metals (EPA 6010B)	**Arsenic**	**71**		5	ug/L	50-54-005-101599
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-5	10/15/99	VOCs (EPA 8260B)	1,1-Dichloropropene	<0.5	U	0.5	ug/L	50-54-005-101599
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	**6**		0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	**2.2**		0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	**4.7**		0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	**17**		0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	**1.6**		0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	**1.7**		0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	**0.8**		0.5	ug/L	
			m,p-Xylenes	**0.9**		0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	**0.8**		0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-5	10/15/99	VOCs (EPA 8260B)	n-Butylbenzene	<0.5	U	0.5	ug/L	50-54-005-101599
			n-Propylbenzene	**0.6**		0.5	ug/L	
			Naphthalene	**1.3**		0.5	ug/L	
			o-Xylene	**12**		0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	**12.9**		0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**1500**		48	ug/L	
			TPH as Gas	**390**		50	ug/L	
EX-6	10/12/99	Metals (EPA 6010B)	**Arsenic**	**14000**		5	ug/L	50-54-006-101299
			Calcium	**76000**		500	ug/L	
			Copper	<10	U	10	ug/L	
			Iron	**41000**		100	ug/L	
			Magnesium	**47000**		500	ug/L	
			Manganese	**6900**		10	ug/L	
			Potassium	<500	U	500	ug/L	
			Sodium	**62000**		500	ug/L	
			Zinc	<20	U	20	ug/L	
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	**28**		0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-6	10/12/99	VOCs (EPA 8260B)	1,2-Dichloropropane	<0.5	U	0.5	ug/L	50-54-006-101299
			1,3,5-Trimethylbenzene	**12**		0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	**36**		0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	**0.6**		0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	**3.2**		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	**110**		0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	**10**		0.5	ug/L	
			m,p-Xylenes	**400**		1	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	**1.5**		0.5	ug/L	
			n-Propylbenzene	**7.5**		0.5	ug/L	
			Naphthalene	**12**		0.5	ug/L	
			o-Xylene	**4.4**		0.5	ug/L	
			p-Isopropyltoluene	**1**		0.5	ug/L	
			sec-Butylbenzene	**1.3**		0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-6	10/12/99	VOCs (EPA 8260B)	Toluene	<0.5	U	0.5	ug/L	50-54-006-101299
			trans-1,2-Dichloroethene	**1.1**		0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	**1.6**		0.5	ug/L	
			Xylenes (total)	**404.4**		1	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**2400**		50	ug/L	
			TPH as Gas	**2500**		50	ug/L	
EX-7	10/15/99	Metals (EPA 6010B)	**Arsenic**	**8600**		5	ug/L	50-54-007-101599
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	**19**		0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-7	10/15/99	VOCs (EPA 8260B)	Bromoform	<1	U	1	ug/L	50-54-007-101599
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	**2.3**		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	**7.5**		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	TPH as Diesel	<48	U	48	ug/L	
			TPH as Gas	<50	U	50	ug/L	
EX-8	10/15/99	Metals (EPA 6010B)	**Arsenic**	**170000**		100	ug/L	50-54-008-101599
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<250	U	250	ug/L	
			1,1,1-Trichloroethane	<250	U	250	ug/L	
			1,1,2,2-Tetrachloroethane	<250	U	250	ug/L	
			1,1,2-Trichloroethane	<250	U	250	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-8	10/15/99	VOCs (EPA 8260B)	1,1-Dichloroethane	<250	U	250	ug/L	50-54-008-101599
			1,1-Dichloroethene	<250	U	250	ug/L	
			1,1-Dichloropropene	<250	U	250	ug/L	
			1,2,3-Trichlorobenzene	<250	U	250	ug/L	
			1,2,3-Trichloropropane	<250	U	250	ug/L	
			1,2,4-Trichlorobenzene	<250	U	250	ug/L	
			1,2,4-Trimethylbenzene	<250	U	250	ug/L	
			1,2-Dibromo-3-chloropropane	<250	U	250	ug/L	
			1,2-Dibromoethane	<250	U	250	ug/L	
			1,2-Dichlorobenzene	<250	U	250	ug/L	
			1,2-Dichloroethane	<250	U	250	ug/L	
			1,2-Dichloropropane	<250	U	250	ug/L	
			1,3,5-Trimethylbenzene	<250	U	250	ug/L	
			1,3-Dichlorobenzene	<250	U	250	ug/L	
			1,3-Dichloropropane	<250	U	250	ug/L	
			1,4-Dichlorobenzene	<250	U	250	ug/L	
			2,2-Dichloropropane	<250	U	250	ug/L	
			2-Butanone	**29000**		5000	ug/L	
			2-Chloroethylvinylether	<5000	U	5000	ug/L	
			2-Chlorotoluene	<250	U	250	ug/L	
			2-Hexanone	<5000	U	5000	ug/L	
			4-Chlorotoluene	<250	U	250	ug/L	
			4-Methyl-2-pentanone	**15000**		5000	ug/L	
			Acetone	**83000**		5000	ug/L	
			Benzene	<250	U	250	ug/L	
			Bromobenzene	<250	U	250	ug/L	
			Bromochloromethane	<250	U	250	ug/L	
			Bromodichloromethane	<250	U	250	ug/L	
			Bromoform	<500	U	500	ug/L	
			Bromomethane	<500	U	500	ug/L	
			Carbon Disulfide	<250	U	250	ug/L	
			Carbon Tetrachloride	<250	U	250	ug/L	
			Chlorobenzene	<250	U	250	ug/L	
			Chloroethane	<500	U	500	ug/L	
			Chloroform	<250	U	250	ug/L	
			Chloromethane	<500	U	500	ug/L	
			cis-1,2-Dichloroethene	<250	U	250	ug/L	
			cis-1,3-Dichloropropene	<250	U	250	ug/L	
			Dibromochloromethane	<250	U	250	ug/L	
			Dibromomethane	<250	U	250	ug/L	
			Dichlorodifluoromethane	<500	U	500	ug/L	
			Ethylbenzene	<250	U	250	ug/L	
			Hexachlorobutadiene	<250	U	250	ug/L	
			Isopropylbenzene	<250	U	250	ug/L	
			m,p-Xylenes	<250	U	250	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-8	10/15/99	VOCs (EPA 8260B)	Methylene Chloride	<2500	U	2500	ug/L	50-54-008-101599
			MTBE	<250	U	250	ug/L	
			n-Butylbenzene	<250	U	250	ug/L	
			n-Propylbenzene	<250	U	250	ug/L	
			Naphthalene	<250	U	250	ug/L	
			o-Xylene	<250	U	250	ug/L	
			p-Isopropyltoluene	<250	U	250	ug/L	
			sec-Butylbenzene	<250	U	250	ug/L	
			Styrene	<250	U	250	ug/L	
			tert-Butylbenzene	<250	U	250	ug/L	
			Tetrachloroethene	<250	U	250	ug/L	
			Toluene	**6500**		250	ug/L	
			trans-1,2-Dichloroethene	<250	U	250	ug/L	
			trans-1,3-Dichloropropene	<250	U	250	ug/L	
			Trichloroethene	<250	U	250	ug/L	
			Trichlorofluoromethane	<250	U	250	ug/L	
			Trichlorotrifluoroethane	<2500	U	2500	ug/L	
			Vinyl Acetate	<5000	U	5000	ug/L	
			Vinyl Chloride	<250	U	250	ug/L	
			Xylenes (total)	<250	U	250	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**4200**		49	ug/L	
			TPH as Gas	**25000**		500	ug/L	
EX-9	10/14/99	Metals (EPA 6010B)	**Arsenic**	**95000**		100	ug/L	50-54-009-101499
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	**1.9**		0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	**25**		0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	**170**		0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	**12**		0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-9	10/14/99	VOCs (EPA 8260B)	**2-Butanone**	**27**		10	ug/L	50-54-009-101499
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	**26**		10	ug/L	
			Acetone	**110**		10	ug/L	
			Benzene	**2**		0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	**5.7**		0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	**8.8**		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	**2**		0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	**140**		0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	**5.3**		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	**1.1**		0.5	ug/L	
			o-Xylene	**42**		0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	**0.7**		0.5	ug/L	
			Toluene	**32**		0.5	ug/L	
			trans-1,2-Dichloroethene	**4.5**		0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	**11**		0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-9	10/14/99	VOCs (EPA 8260B)	Vinyl Acetate	<10	U	10	ug/L	50-54-009-101499
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	**182**		0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**190**		50	ug/L	
			TPH as Gas	**1200**		50	ug/L	
EX-10	10/15/99	Metals (EPA 6010B)	**Arsenic**	**4000**		5	ug/L	50-54-010-101599
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	**0.7**		0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	**93**		0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	**1.1**		0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-10	10/15/99	VOCs (EPA 8260B)	Chloroform	<0.5	U	0.5	ug/L	50-54-010-101599
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	**1.5**		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	**2.3**		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**1400**		48	ug/L	
			TPH as Gas	**100**		50	ug/L	
EX-12	10/25/99	Metals (EPA 6010B)	Arsenic	<5	U	5	ug/L	40-54-012-102599
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	**1.8**		0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-12	10/25/99	VOCs (EPA 8260B)	1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	40-54-012-102599
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	**8.9**		0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	**2.4**		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	**0.8**		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-12	10/25/99	VOCs (EPA 8260B)	p-Isopropyltoluene	<0.5	U	0.5	ug/L	40-54-012-102599
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	**1.6**		0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	**10**		0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**110**		50	ug/L	
			TPH as Gas	<50	U	50	ug/L	
EX-14	10/08/99	Metals (EPA 6010B)	**Arsenic**	**110**		5	ug/L	40-54-014-100899
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	**3**		0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	**2**		0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	**0.7**		0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-14	10/08/99	VOCs (EPA 8260B)	Acetone	<10	U	10	ug/L	40-54-014-100899
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	**90**		0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	**1.2**		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	**0.8**		0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	**0.9**		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	**0.6**		0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	**1**		0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	**1**		0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	**2.2**		0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	**0.8**		0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**710**		51	ug/L	
			TPH as Gas	**99**		50	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-14-DUP	10/08/99	Metals (EPA 6010B)	**Arsenic**	**110**		5	ug/L	40-54-014-100899-D
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	**3**		0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	**2**		0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	**0.7**		0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	**84**		0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	**1.1**		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
EX-14-DUP	10/08/99	VOCs (EPA 8260B)	Dichlorodifluoromethane	<1	U	1	ug/L	40-54-014-100899-D
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	**0.8**		0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	**0.9**		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	**0.6**		0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	**1**		0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	**1**		0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	**2**		0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	**0.8**		0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**790**		51	ug/L	
			TPH as Gas	**95**		50	ug/L	
LF-3	10/12/99	Metals (EPA 6010B)	**Arsenic**	**61000**		50	ug/L	60-36-003-101299
			Calcium	**130000**		500	ug/L	
			Copper	<10	U	10	ug/L	
			Iron	**37000**		100	ug/L	
			Magnesium	**96000**		500	ug/L	
			Manganese	**9500**		10	ug/L	
			Potassium	**670**		500	ug/L	
			Sodium	**82000**		500	ug/L	
			Zinc	**22**		20	ug/L	
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<250	U	250	ug/L	
			1,1,1-Trichloroethane	<250	U	250	ug/L	
			1,1,2,2-Tetrachloroethane	<250	U	250	ug/L	
			1,1,2-Trichloroethane	<250	U	250	ug/L	
			1,1-Dichloroethane	<250	U	250	ug/L	
			1,1-Dichloroethene	<250	U	250	ug/L	
			1,1-Dichloropropene	<250	U	250	ug/L	
			1,2,3-Trichlorobenzene	<250	U	250	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-3	10/12/99	VOCs (EPA 8260B)	1,2,3-Trichloropropane	<250	U	250	ug/L	60-36-003-101299
			1,2,4-Trichlorobenzene	<250	U	250	ug/L	
			1,2,4-Trimethylbenzene	<250	U	250	ug/L	
			1,2-Dibromo-3-chloropropane	<250	U	250	ug/L	
			1,2-Dibromoethane	<250	U	250	ug/L	
			1,2-Dichlorobenzene	<250	U	250	ug/L	
			1,2-Dichloroethane	<250	U	250	ug/L	
			1,2-Dichloropropane	<250	U	250	ug/L	
			1,3,5-Trimethylbenzene	<250	U	250	ug/L	
			1,3-Dichlorobenzene	<250	U	250	ug/L	
			1,3-Dichloropropane	<250	U	250	ug/L	
			1,4-Dichlorobenzene	<250	U	250	ug/L	
			2,2-Dichloropropane	<250	U	250	ug/L	
			2-Butanone	<5000	U	5000	ug/L	
			2-Chloroethylvinylether	<5000	U	5000	ug/L	
			2-Chlorotoluene	<250	U	250	ug/L	
			2-Hexanone	<5000	U	5000	ug/L	
			4-Chlorotoluene	<250	U	250	ug/L	
			4-Methyl-2-pentanone	<5000	U	5000	ug/L	
			Acetone	<5000	U	5000	ug/L	
			Benzene	<250	U	250	ug/L	
			Bromobenzene	<250	U	250	ug/L	
			Bromochloromethane	<250	U	250	ug/L	
			Bromodichloromethane	<250	U	250	ug/L	
			Bromoform	<500	U	500	ug/L	
			Bromomethane	<500	U	500	ug/L	
			Carbon Disulfide	<250	U	250	ug/L	
			Carbon Tetrachloride	<250	U	250	ug/L	
			Chlorobenzene	<250	U	250	ug/L	
			Chloroethane	<500	U	500	ug/L	
			Chloroform	<250	U	250	ug/L	
			Chloromethane	<500	U	500	ug/L	
			cis-1,2-Dichloroethene	<250	U	250	ug/L	
			cis-1,3-Dichloropropene	<250	U	250	ug/L	
			Dibromochloromethane	<250	U	250	ug/L	
			Dibromomethane	<250	U	250	ug/L	
			Dichlorodifluoromethane	<500	U	500	ug/L	
			Ethylbenzene	**4400**		250	ug/L	
			Hexachlorobutadiene	<250	U	250	ug/L	
			Isopropylbenzene	<250	U	250	ug/L	
			m,p-Xylenes	**18000**		250	ug/L	
			Methylene Chloride	<2500	U	2500	ug/L	
			MTBE	<250	U	250	ug/L	
			n-Butylbenzene	<250	U	250	ug/L	
			n-Propylbenzene	<250	U	250	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-3	10/12/99	VOCs (EPA 8260B)	Naphthalene	<250	U	250	ug/L	60-36-003-101299
			o-Xylene	**4200**		250	ug/L	
			p-Isopropyltoluene	<250	U	250	ug/L	
			sec-Butylbenzene	<250	U	250	ug/L	
			Styrene	<250	U	250	ug/L	
			tert-Butylbenzene	<250	U	250	ug/L	
			Tetrachloroethene	<250	U	250	ug/L	
			Toluene	**66000**		250	ug/L	
			trans-1,2-Dichloroethene	<250	U	250	ug/L	
			trans-1,3-Dichloropropene	<250	U	250	ug/L	
			Trichloroethene	<250	U	250	ug/L	
			Trichlorofluoromethane	<250	U	250	ug/L	
			Trichlorotrifluoroethane	<2500	U	2500	ug/L	
			Vinyl Acetate	<5000	U	5000	ug/L	
			Vinyl Chloride	<250	U	250	ug/L	
			Xylenes (total)	**22200**		250	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**13000**		260	ug/L	
			TPH as Gas	**210000**		5000	ug/L	
LF-4	10/15/99	Metals (EPA 6010B)	**Arsenic**	**750**		5	ug/L	50-36-004-101599
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	**0.7**		0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-4	10/15/99	VOCs (EPA 8260B)	4-Chlorotoluene	<0.5	U	0.5	ug/L	50-36-004-101599
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	**4.2**		0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	**0.9**		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**1200**		48	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-4	10/15/99	TPH (EPA 8015M)	**TPH as Gas**	**370**		50	ug/L	50-36-004-101599
LF-8	10/15/99	Metals (EPA 6010B)	**Arsenic**	**49**		5	ug/L	50-36-008-101599
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	**1.1**		0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-8	10/15/99	VOCs (EPA 8260B)	Dibromochloromethane	<0.5	U	0.5	ug/L	50-36-008-101599
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**200**		48	ug/L	
			TPH as Gas	<50	U	50	ug/L	
LF-10	10/13/99	Metals (EPA 6010B)	**Calcium**	**130000**		500	ug/L	50-36-010-101399
			Copper	<10	U	10	ug/L	
			Iron	**36000**		100	ug/L	
			Magnesium	**79000**		500	ug/L	
			Manganese	**14000**		10	ug/L	
			Potassium	<500	U	500	ug/L	
			Sodium	**60000**		500	ug/L	
			Zinc	<20	U	20	ug/L	
LF-11	10/12/99	Metals (EPA 6010B)	**Arsenic**	**2200**		5	ug/L	60-36-011-101299
			Calcium	**52000**		500	ug/L	
			Copper	<10	U	10	ug/L	
			Iron	**5200**		100	ug/L	
			Magnesium	**34000**		500	ug/L	
			Manganese	**8600**		10	ug/L	
			Potassium	<500	U	500	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-11	10/12/99	Metals (EPA 6010B)	**Sodium**	**53000**		500	ug/L	60-36-011-101299
			Zinc	<20	U	20	ug/L	
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-11	10/12/99	VOCs (EPA 8260B)	Dibromomethane	<0.5	U	0.5	ug/L	60-36-011-101299
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	**0.5**		0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**740**		50	ug/L	
			TPH as Gas	**95**		50	ug/L	
LF-11-DUP	10/12/99	Metals (EPA 6010B)	**Arsenic**	**2300**		5	ug/L	60-36-011-101299-D
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-11-DUP	10/12/99	VOCs (EPA 8260B)	1,2-Dichloropropane	<0.5	U	0.5	ug/L	60-36-011-101299-D
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	**0.5**		0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-11-DUP	10/12/99	VOCs (EPA 8260B)	Toluene	<0.5	U	0.5	ug/L	60-36-011-101299-D
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**670**		50	ug/L	
			TPH as Gas	**110**		50	ug/L	
LF-12	10/11/99	Metals (EPA 6010B)	**Arsenic**	**11**		5	ug/L	10-36-012-101199
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	**0.8**		0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-12	10/11/99	VOCs (EPA 8260B)	Bromoform	<1	U	1	ug/L	10-36-012-101199
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	**2.4**		0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	**1.3**		0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	TPH as Diesel	<49	U	49	ug/L	
			TPH as Gas	<50	U	50	ug/L	
LF-13	10/12/99	Metals (EPA 6010B)	Arsenic	<5	U	5	ug/L	10-36-013-101299
			Calcium	**35000**		500	ug/L	
			Copper	<10	U	10	ug/L	
			Iron	<100	U	100	ug/L	
			Magnesium	**30000**		500	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-13	10/12/99	Metals (EPA 6010B)	**Manganese**	**450**		10	ug/L	10-36-013-101299
			Potassium	<500	U	500	ug/L	
			Sodium	**36000**		500	ug/L	
			Zinc	<20	U	20	ug/L	
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	**5.5**		0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-13	10/12/99	VOCs (EPA 8260B)	cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	10-36-013-101299
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	**1.9**		0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	TPH as Diesel	<51	U	51	ug/L	
			TPH as Gas	<50	U	50	ug/L	
LF-17	10/13/99	Metals (EPA 6010B)	**Arsenic**	**66000**		100	ug/L	50-36-017-101399
			Calcium	**55000**		500	ug/L	
			Copper	<10	U	10	ug/L	
			Iron	**31000**		100	ug/L	
			Magnesium	**87000**		500	ug/L	
			Manganese	**7400**		10	ug/L	
			Potassium	<500	U	500	ug/L	
			Sodium	**99000**		500	ug/L	
			Zinc	<20	U	20	ug/L	
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-17	10/13/99	VOCs (EPA 8260B)	1,1-Dichloroethene	<0.5	U	0.5	ug/L	50-36-017-101399
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	**13**		0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	**1.4**		0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	**41**		0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	**5.6**		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	**34**		0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	**8.9**		0.5	ug/L	
			m,p-Xylenes	**54**		0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-17	10/13/99	VOCs (EPA 8260B)	MTBE	<0.5	U	0.5	ug/L	50-36-017-101399
			n-Butylbenzene	**14**		0.5	ug/L	
			n-Propylbenzene	**8.2**		0.5	ug/L	
			Naphthalene	**180**		0.5	ug/L	
			o-Xylene	**5.8**		0.5	ug/L	
			p-Isopropyltoluene	**4.7**		0.5	ug/L	
			sec-Butylbenzene	**5.4**		0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	**2.4**		0.5	ug/L	
			trans-1,2-Dichloroethene	**15**		0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	**4.3**		0.5	ug/L	
			Xylenes (total)	**59.8**		0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**15000**		51	ug/L	
			TPH as Gas	**3900**		50	ug/L	
LF-17-DUP	10/13/99	Metals (EPA 6010B)	**Arsenic**	**67000**		100	ug/L	50-36-017-101399-D
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	**13**		0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	**1.4**		0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-17-DUP	10/13/99	VOCs (EPA 8260B)	2-Chloroethylvinylether	<10	U	10	ug/L	50-36-017-101399-D
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	**41**		0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	**5.7**		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	**34**		0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	**8.9**		0.5	ug/L	
			m,p-Xylenes	**54**		0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	**13**		0.5	ug/L	
			n-Propylbenzene	**8.1**		0.5	ug/L	
			Naphthalene	**180**		0.5	ug/L	
			o-Xylene	**5.8**		0.5	ug/L	
			p-Isopropyltoluene	**4.7**		0.5	ug/L	
			sec-Butylbenzene	**5.3**		0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	**2.4**		0.5	ug/L	
			trans-1,2-Dichloroethene	**15**		0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-17-DUP	10/13/99	VOCs (EPA 8260B)	**Vinyl Chloride**	**4.3**		0.5	ug/L	50-36-017-101399-D
			Xylenes (total)	**59.8**		0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**15000**		50	ug/L	
			TPH as Gas	**4200**		50	ug/L	
LF-18	10/13/99	Metals (EPA 6010B)	**Arsenic**	**20**		5	ug/L	30-36-018-101399
			Calcium	**100000**		500	ug/L	
			Copper	<10	U	10	ug/L	
			Iron	**5900**		100	ug/L	
			Magnesium	**56000**		500	ug/L	
			Manganese	**8100**		10	ug/L	
			Potassium	<500	U	500	ug/L	
			Sodium	**66000**		500	ug/L	
			Zinc	<20	U	20	ug/L	
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-18	10/13/99	VOCs (EPA 8260B)	Bromodichloromethane	<0.5	U	0.5	ug/L	30-36-018-101399
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	**0.5**		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	**0.7**		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**640**		50	ug/L	
			TPH as Gas	**57**		50	ug/L	
LF-19	10/15/99	Metals (EPA 6010B)	**Arsenic**	**9.4**		5	ug/L	40-36-019-101599
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-19	10/15/99	VOCs (EPA 8260B)	1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	40-36-019-101599
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	**3**		0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-19	10/15/99	VOCs (EPA 8260B)	m,p-Xylenes	<0.5	U	0.5	ug/L	40-36-019-101599
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**2100**		47	ug/L	
			TPH as Gas	**170**		50	ug/L	
LF-20	10/14/99	Metals (EPA 6010B)	**Arsenic**	**81**		5	ug/L	30-36-020-101499
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-20	10/14/99	VOCs (EPA 8260B)	2,2-Dichloropropane	<0.5	U	0.5	ug/L	30-36-020-101499
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	**3.5**		0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-20	10/14/99	VOCs (EPA 8260B)	Trichlorotrifluoroethane	<5	U	5	ug/L	30-36-020-101499
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**1200**		51	ug/L	
			TPH as Gas	**440**		50	ug/L	
LF-21	10/12/99	Metals (EPA 6010B)	**Arsenic**	**400**		5	ug/L	30-36-021-101299
			Calcium	**60000**		500	ug/L	
			Copper	<10	U	10	ug/L	
			Iron	**13000**		100	ug/L	
			Magnesium	**48000**		500	ug/L	
			Manganese	**8000**		10	ug/L	
			Potassium	**610**		500	ug/L	
			Sodium	**53000**		500	ug/L	
			Zinc	<20	U	20	ug/L	
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-21	10/12/99	VOCs (EPA 8260B)	Bromobenzene	<0.5	U	0.5	ug/L	30-36-021-101299
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**1900**		51	ug/L	
			TPH as Gas	<50	U	50	ug/L	
LF-26	10/14/99	Metals (EPA 6010B)	**Arsenic**	**60**		5	ug/L	50-36-026-101499
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-26	10/14/99	VOCs (EPA 8260B)	1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	50-36-026-101499
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	**2.8**		0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-26	10/14/99	VOCs (EPA 8260B)	Hexachlorobutadiene	<0.5	U	0.5	ug/L	50-36-026-101499
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**1000**		50	ug/L	
			TPH as Gas	**260**		50	ug/L	
LF-27	10/11/99	Metals (EPA 6010B)	**Arsenic**	**9.4**		5	ug/L	10-36-027-101199
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-27	10/11/99	VOCs (EPA 8260B)	1,3-Dichloropropane	<0.5	U	0.5	ug/L	10-36-027-101199
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	**1.5**		0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-27	10/11/99	VOCs (EPA 8260B)	**Trichloroethene**	**1.8**		0.5	ug/L	10-36-027-101199
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	TPH as Diesel	<48	U	48	ug/L	
			TPH as Gas	<50	U	50	ug/L	
LF-28	10/11/99	Metals (EPA 6010B)	**Arsenic**	**120**		5	ug/L	10-36-028-101199
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	**4**		0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	**0.7**		0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-28	10/11/99	VOCs (EPA 8260B)	Carbon Tetrachloride	<0.5	U	0.5	ug/L	10-36-028-101199
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	**45**		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	**1.9**		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	**19**		0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	**15**		0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**330**		48	ug/L	
			TPH as Gas	**90**		50	ug/L	
LF-29	10/11/99	Metals (EPA 6010B)	Arsenic	<5	U	5	ug/L	10-36-029-101199
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-29	10/11/99	VOCs (EPA 8260B)	1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	10-36-029-101199
			1,2,3-Trichloropropane	**16**		0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	**11**		0.5	ug/L	
			1,2-Dichloropropane	**170**		0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	**18**		0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	**1.1**		0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	**2.4**		0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	**2.4**		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	**1.4**	J10	0.5	ug/L	
			m,p-Xylenes	**0.7**		0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	**0.6**		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-29	10/11/99	VOCs (EPA 8260B)	n-Propylbenzene	<0.5	U	0.5	ug/L	10-36-029-101199
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	**1.6**		0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	**8.7**		0.5	ug/L	
			Tetrachloroethene	**0.5**		0.5	ug/L	
			Toluene	**14**		0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	**12**		0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	**3.9**		0.5	ug/L	
			Xylenes (total)	**2.3**		0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**1100**		48	ug/L	
			TPH as Gas	**1300**		50	ug/L	
LF-29-DUP	10/11/99	Metals (EPA 6010B)	Arsenic	<5	U	5	ug/L	10-36-029-101199-D
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	**16**		0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	**11**		0.5	ug/L	
			1,2-Dichloropropane	**170**		0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-29-DUP	10/11/99	VOCs (EPA 8260B)	2-Hexanone	<10	U	10	ug/L	10-36-029-101199-D
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	**19**		0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	**0.9**		0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	**2.4**		0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	**2.4**		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	**0.8**	J10	0.5	ug/L	
			m,p-Xylenes	**0.7**		0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	**0.6**		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	**1.6**		0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	**8.9**		0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	**14**		0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	**12**		0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	**3.4**		0.5	ug/L	
			Xylenes (total)	**2.3**		0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-29-DUP	10/11/99	TPH (EPA 8015M)	**TPH as Diesel**	**940**		48	ug/L	10-36-029-101199-D
			TPH as Gas	**1200**		50	ug/L	
LF-30	10/11/99	Metals (EPA 6010B)	Arsenic	<5	U	5	ug/L	10-36-030-101199
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	**0.9**		0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	**3**		0.5	ug/L	
			1,2-Dichloropropane	**25**		0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	**2.9**		0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-30	10/11/99	VOCs (EPA 8260B)	cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	10-36-030-101199
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	**3.4**		1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	**0.7**		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	**0.8**		0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	**2**		0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	**13**		0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	**0.9**		0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**110**		48	ug/L	
			TPH as Gas	**190**		50	ug/L	
LF-31	10/11/99	Metals (EPA 6010B)	**Arsenic**	**13**		5	ug/L	40-36-031-101199
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-31	10/11/99	VOCs (EPA 8260B)	1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	40-36-031-101199
			1,2-Dichloroethane	**3**		0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	**19**		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	**6.4**		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-31	10/11/99	VOCs (EPA 8260B)	tert-Butylbenzene	<0.5	U	0.5	ug/L	40-36-031-101199
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	**9.4**		0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	**3.4**		0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	**1.5**		0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**210**		48	ug/L	
			TPH as Gas	<50	U	50	ug/L	
LF-32	10/25/99	Metals (EPA 6010B)	Arsenic	<5	U	5	ug/L	40-36-032-102599
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	**1.8**		0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	**13**		0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-32	10/25/99	VOCs (EPA 8260B)	Bromochloromethane	<0.5	U	0.5	ug/L	40-36-032-102599
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	**2.1**		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	**1.6**		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	**1.2**		0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	**7.9**		0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	TPH as Diesel	<50	U	50	ug/L	
			TPH as Gas	<50	U	50	ug/L	
LF-32-DUP	10/25/99	Metals (EPA 6010B)	Arsenic	<5	U	5	ug/L	40-36-032-102599-D
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-32-DUP	10/25/99	VOCs (EPA 8260B)	1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	40-36-032-102599-D
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	**1.8**		0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	**13**		0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	**2**		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-32-DUP	10/25/99	VOCs (EPA 8260B)	Isopropylbenzene	<0.5	U	0.5	ug/L	40-36-032-102599-D
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	**1.7**		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	**1.2**		0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	**7.6**		0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	TPH as Diesel	<50	U	50	ug/L	
			TPH as Gas	<50	U	50	ug/L	
LF-33	10/11/99	Metals (EPA 6010B)	**Arsenic**	**7.3**		5	ug/L	40-36-033-101199
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-33	10/11/99	VOCs (EPA 8260B)	1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	40-36-033-101199
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-33	10/11/99	VOCs (EPA 8260B)	Trichlorofluoromethane	<0.5	U	0.5	ug/L	40-36-033-101199
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**630**		48	ug/L	
			TPH as Gas	**200**		50	ug/L	
LF-34	10/11/99	Metals (EPA 6010B)	**Arsenic**	**58**		5	ug/L	40-36-034-101199
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	**0.7**		0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-34	10/11/99	VOCs (EPA 8260B)	Chlorobenzene	<0.5	U	0.5	ug/L	40-36-034-101199
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	**18**		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	**1.5**		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	**6**		0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	**0.8**		0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	**1.5**		0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**160**		48	ug/L	
			TPH as Gas	<50	U	50	ug/L	
LF-35	10/25/99	Metals (EPA 6010B)	Arsenic	<5	U	5	ug/L	40-36-035-102599
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-35	10/25/99	VOCs (EPA 8260B)	1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	40-36-035-102599
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	**2**		0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	**0.7**		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	**3**		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-35	10/25/99	VOCs (EPA 8260B)	Naphthalene	<0.5	U	0.5	ug/L	40-36-035-102599
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	TPH as Diesel	<50	U	50	ug/L	
			TPH as Gas	<50	U	50	ug/L	
LF-B3	10/14/99	Metals (EPA 6010B)	**Arsenic**	**8.6**		5	ug/L	70-36-003-101499
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	**12**		0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-B3	10/14/99	VOCs (EPA 8260B)	4-Chlorotoluene	<0.5	U	0.5	ug/L	70-36-003-101499
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	**15**		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**180**		50	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-B3	10/14/99	TPH (EPA 8015M)	TPH as Gas	<50	U	50	ug/L	70-36-003-101499
LF-B4	10/14/99	Metals (EPA 6010B)	Arsenic	<5	U	5	ug/L	70-36-004-101499
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-B4	10/14/99	VOCs (EPA 8260B)	Dibromochloromethane	<0.5	U	0.5	ug/L	70-36-004-101499
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**120**		51	ug/L	
			TPH as Gas	<50	U	50	ug/L	
LF-B5	10/15/99	Metals (EPA 6010B)	**Arsenic**	**24**		5	ug/L	70-36-005-101599
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<1	U	1	ug/L	
			1,1,1-Trichloroethane	<1	U	1	ug/L	
			1,1,2,2-Tetrachloroethane	<1	U	1	ug/L	
			1,1,2-Trichloroethane	<1	U	1	ug/L	
			1,1-Dichloroethane	<1	U	1	ug/L	
			1,1-Dichloroethene	<1	U	1	ug/L	
			1,1-Dichloropropene	<1	U	1	ug/L	
			1,2,3-Trichlorobenzene	<1	U	1	ug/L	
			1,2,3-Trichloropropane	**2.4**		1	ug/L	
			1,2,4-Trichlorobenzene	<1	U	1	ug/L	
			1,2,4-Trimethylbenzene	<1	U	1	ug/L	
			1,2-Dibromo-3-chloropropane	<1	U	1	ug/L	
			1,2-Dibromoethane	<1	U	1	ug/L	
			1,2-Dichlorobenzene	<1	U	1	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-B5	10/15/99	VOCs (EPA 8260B)	**1,2-Dichloroethane**	**270**		1	ug/L	70-36-005-101599
			1,2-Dichloropropane	<1	U	1	ug/L	
			1,3,5-Trimethylbenzene	<1	U	1	ug/L	
			1,3-Dichlorobenzene	<1	U	1	ug/L	
			1,3-Dichloropropane	<1	U	1	ug/L	
			1,4-Dichlorobenzene	<1	U	1	ug/L	
			2,2-Dichloropropane	<1	U	1	ug/L	
			2-Butanone	<20	U	20	ug/L	
			2-Chloroethylvinylether	<20	U	20	ug/L	
			2-Chlorotoluene	<1	U	1	ug/L	
			2-Hexanone	<20	U	20	ug/L	
			4-Chlorotoluene	<1	U	1	ug/L	
			4-Methyl-2-pentanone	<20	U	20	ug/L	
			Acetone	<20	U	20	ug/L	
			Benzene	<1	U	1	ug/L	
			Bromobenzene	<1	U	1	ug/L	
			Bromochloromethane	<1	U	1	ug/L	
			Bromodichloromethane	<1	U	1	ug/L	
			Bromoform	<2	U	2	ug/L	
			Bromomethane	<2	U	2	ug/L	
			Carbon Disulfide	<1	U	1	ug/L	
			Carbon Tetrachloride	<1	U	1	ug/L	
			Chlorobenzene	<1	U	1	ug/L	
			Chloroethane	<2	U	2	ug/L	
			Chloroform	<1	U	1	ug/L	
			Chloromethane	<2	U	2	ug/L	
			cis-1,2-Dichloroethene	**4.4**		1	ug/L	
			cis-1,3-Dichloropropene	<1	U	1	ug/L	
			Dibromochloromethane	<1	U	1	ug/L	
			Dibromomethane	<1	U	1	ug/L	
			Dichlorodifluoromethane	<2	U	2	ug/L	
			Ethylbenzene	<1	U	1	ug/L	
			Hexachlorobutadiene	<1	U	1	ug/L	
			Isopropylbenzene	<1	U	1	ug/L	
			m,p-Xylenes	<1	U	1	ug/L	
			Methylene Chloride	<10	U	10	ug/L	
			MTBE	**6.1**		1	ug/L	
			n-Butylbenzene	<1	U	1	ug/L	
			n-Propylbenzene	<1	U	1	ug/L	
			Naphthalene	<1	U	1	ug/L	
			o-Xylene	<1	U	1	ug/L	
			p-Isopropyltoluene	<1	U	1	ug/L	
			sec-Butylbenzene	<1	U	1	ug/L	
			Styrene	<1	U	1	ug/L	
			tert-Butylbenzene	<1	U	1	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-B5	10/15/99	VOCs (EPA 8260B)	Tetrachloroethene	<1	U	1	ug/L	70-36-005-101599
			Toluene	<1	U	1	ug/L	
			trans-1,2-Dichloroethene	<1	U	1	ug/L	
			trans-1,3-Dichloropropene	<1	U	1	ug/L	
			Trichloroethene	**3**		1	ug/L	
			Trichlorofluoromethane	<1	U	1	ug/L	
			Trichlorotrifluoroethane	<10	U	10	ug/L	
			Vinyl Acetate	<20	U	20	ug/L	
			Vinyl Chloride	<1	U	1	ug/L	
			Xylenes (total)	<1	U	1	ug/L	
		TPH (EPA 8015M)	TPH as Diesel	<47	U	47	ug/L	
			TPH as Gas	**150**		50	ug/L	
LF-B5-DUP	10/15/99	Metals (EPA 6010B)	**Arsenic**	**24**		5	ug/L	70-36-005-101599-D
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<1	U	1	ug/L	
			1,1,1-Trichloroethane	<1	U	1	ug/L	
			1,1,2,2-Tetrachloroethane	<1	U	1	ug/L	
			1,1,2-Trichloroethane	<1	U	1	ug/L	
			1,1-Dichloroethane	<1	U	1	ug/L	
			1,1-Dichloroethene	<1	U	1	ug/L	
			1,1-Dichloropropene	<1	U	1	ug/L	
			1,2,3-Trichlorobenzene	<1	U	1	ug/L	
			1,2,3-Trichloropropane	**2.3**		1	ug/L	
			1,2,4-Trichlorobenzene	<1	U	1	ug/L	
			1,2,4-Trimethylbenzene	<1	U	1	ug/L	
			1,2-Dibromo-3-chloropropane	<1	U	1	ug/L	
			1,2-Dibromoethane	<1	U	1	ug/L	
			1,2-Dichlorobenzene	<1	U	1	ug/L	
			1,2-Dichloroethane	**260**		1	ug/L	
			1,2-Dichloropropane	<1	U	1	ug/L	
			1,3,5-Trimethylbenzene	<1	U	1	ug/L	
			1,3-Dichlorobenzene	<1	U	1	ug/L	
			1,3-Dichloropropane	<1	U	1	ug/L	
			1,4-Dichlorobenzene	<1	U	1	ug/L	
			2,2-Dichloropropane	<1	U	1	ug/L	
			2-Butanone	<20	U	20	ug/L	
			2-Chloroethylvinylether	<20	U	20	ug/L	
			2-Chlorotoluene	<1	U	1	ug/L	
			2-Hexanone	<20	U	20	ug/L	
			4-Chlorotoluene	<1	U	1	ug/L	
			4-Methyl-2-pentanone	<20	U	20	ug/L	
			Acetone	<20	U	20	ug/L	
			Benzene	<1	U	1	ug/L	
			Bromobenzene	<1	U	1	ug/L	
			Bromochloromethane	<1	U	1	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-B5-DUP	10/15/99	VOCs (EPA 8260B)	Bromodichloromethane	<1	U	1	ug/L	70-36-005-101599-D
			Bromoform	<2	U	2	ug/L	
			Bromomethane	<2	U	2	ug/L	
			Carbon Disulfide	<1	U	1	ug/L	
			Carbon Tetrachloride	<1	U	1	ug/L	
			Chlorobenzene	<1	U	1	ug/L	
			Chloroethane	<2	U	2	ug/L	
			Chloroform	<1	U	1	ug/L	
			Chloromethane	<2	U	2	ug/L	
			cis-1,2-Dichloroethene	**2.9**		1	ug/L	
			cis-1,3-Dichloropropene	<1	U	1	ug/L	
			Dibromochloromethane	<1	U	1	ug/L	
			Dibromomethane	<1	U	1	ug/L	
			Dichlorodifluoromethane	<2	U	2	ug/L	
			Ethylbenzene	<1	U	1	ug/L	
			Hexachlorobutadiene	<1	U	1	ug/L	
			Isopropylbenzene	<1	U	1	ug/L	
			m,p-Xylenes	<1	U	1	ug/L	
			Methylene Chloride	<10	U	10	ug/L	
			MTBE	**5.8**		1	ug/L	
			n-Butylbenzene	<1	U	1	ug/L	
			n-Propylbenzene	<1	U	1	ug/L	
			Naphthalene	<1	U	1	ug/L	
			o-Xylene	<1	U	1	ug/L	
			p-Isopropyltoluene	<1	U	1	ug/L	
			sec-Butylbenzene	<1	U	1	ug/L	
			Styrene	<1	U	1	ug/L	
			tert-Butylbenzene	<1	U	1	ug/L	
			Tetrachloroethene	<1	U	1	ug/L	
			Toluene	<1	U	1	ug/L	
			trans-1,2-Dichloroethene	<1	U	1	ug/L	
			trans-1,3-Dichloropropene	<1	U	1	ug/L	
			Trichloroethene	<1	U	1	ug/L	
			Trichlorofluoromethane	<1	U	1	ug/L	
			Trichlorotrifluoroethane	<10	U	10	ug/L	
			Vinyl Acetate	<20	U	20	ug/L	
			Vinyl Chloride	<1	U	1	ug/L	
			Xylenes (total)	<1	U	1	ug/L	
		TPH (EPA 8015M)	TPH as Diesel	<48	U	48	ug/L	
			TPH as Gas	**160**		50	ug/L	
LF-B6	10/15/99	Metals (EPA 6010B)	**Arsenic**	**5.9**		5	ug/L	70-36-006-101599
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-B6	10/15/99	VOCs (EPA 8260B)	1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	70-36-006-101599
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	**90**		0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
LF-B6	10/15/99	VOCs (EPA 8260B)	m,p-Xylenes	<0.5	U	0.5	ug/L	70-36-006-101599
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	**9.8**		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	TPH as Diesel	<47	U	47	ug/L	
			TPH as Gas	**61**		50	ug/L	
MW-1	10/11/99	Metals (EPA 6010B)	**Arsenic**	**37**		5	ug/L	10-36-001-101199
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	**0.8**		0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	**7.3**		0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	**40**		0.5	ug/L	
			1,2-Dichloropropane	**110**		0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
MW-1	10/11/99	VOCs (EPA 8260B)	2,2-Dichloropropane	<0.5	U	0.5	ug/L	10-36-001-101199
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	**53**		0.5	ug/L	
			Bromobenzene	**4.1**		0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	**3.5**		0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	**2.5**		0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	**7.3**		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	**1.3**		0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	**2.3**		0.5	ug/L	
			m,p-Xylenes	**2.2**		0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	**1.2**		0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	**1.5**		0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	**1.2**		0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	**21**		0.5	ug/L	
			Tetrachloroethene	**1.3**		0.5	ug/L	
			Toluene	**7.4**		0.5	ug/L	
			trans-1,2-Dichloroethene	**0.9**		0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	**13**		0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
MW-1	10/11/99	VOCs (EPA 8260B)	Trichlorotrifluoroethane	<5	U	5	ug/L	10-36-001-101199
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	**13**		0.5	ug/L	
			Xylenes (total)	**3.7**		0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**920**		49	ug/L	
			TPH as Gas	**1200**		50	ug/L	
MW-3	10/11/99	Metals (EPA 6010B)	**Arsenic**	**23**		5	ug/L	10-36-003-101199
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	**2.6**		0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
MW-3	10/11/99	VOCs (EPA 8260B)	Chloroethane	<1	U	1	ug/L	10-36-003-101199
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	**24**		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	**2.5**		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	**19**		0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	**1.9**		0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	**1.9**		0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**47**		47	ug/L	
			TPH as Gas	<50	U	50	ug/L	
MW-4	10/25/99	Metals (EPA 6010B)	**Arsenic**	**740**		5	ug/L	40-36-004-102599
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	**1.6**		0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
MW-4	10/25/99	VOCs (EPA 8260B)	1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	40-36-004-102599
			1,2,4-Trimethylbenzene	**3.5**		0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	**3.8**		0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	**1.6**		0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	**0.7**		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	**1.2**		0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	**1**		0.5	ug/L	
			m,p-Xylenes	**1.8**		0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	**1**		0.5	ug/L	
			n-Propylbenzene	**0.8**		0.5	ug/L	
			Naphthalene	**9.1**		0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
MW-4	10/25/99	VOCs (EPA 8260B)	**o-Xylene**	**4.2**		0.5	ug/L	40-36-004-102599
			p-Isopropyltoluene	**0.7**		0.5	ug/L	
			sec-Butylbenzene	**0.7**		0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	**1.3**		0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	**1.8**		0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	**6**		0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**10000**		50	ug/L	
			TPH as Gas	**230**		50	ug/L	
MW-5	10/25/99	Metals (EPA 6010B)	**Arsenic**	**260000**		100	ug/L	40-36-005-102599
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<500	U	500	ug/L	
			1,1,1-Trichloroethane	<500	U	500	ug/L	
			1,1,2,2-Tetrachloroethane	<500	U	500	ug/L	
			1,1,2-Trichloroethane	<500	U	500	ug/L	
			1,1-Dichloroethane	<500	U	500	ug/L	
			1,1-Dichloroethene	<500	U	500	ug/L	
			1,1-Dichloropropene	<500	U	500	ug/L	
			1,2,3-Trichlorobenzene	<500	U	500	ug/L	
			1,2,3-Trichloropropane	<500	U	500	ug/L	
			1,2,4-Trichlorobenzene	<500	U	500	ug/L	
			1,2,4-Trimethylbenzene	<500	U	500	ug/L	
			1,2-Dibromo-3-chloropropane	<500	U	500	ug/L	
			1,2-Dibromoethane	<500	U	500	ug/L	
			1,2-Dichlorobenzene	<500	U	500	ug/L	
			1,2-Dichloroethane	<500	U	500	ug/L	
			1,2-Dichloropropane	<500	U	500	ug/L	
			1,3,5-Trimethylbenzene	<500	U	500	ug/L	
			1,3-Dichlorobenzene	<500	U	500	ug/L	
			1,3-Dichloropropane	<500	U	500	ug/L	
			1,4-Dichlorobenzene	<500	U	500	ug/L	
			2,2-Dichloropropane	<500	U	500	ug/L	
			2-Butanone	**73000**		10000	ug/L	
			2-Chloroethylvinylether	<10000	U	10000	ug/L	
			2-Chlorotoluene	<500	U	500	ug/L	
			2-Hexanone	<10000	U	10000	ug/L	
			4-Chlorotoluene	<500	U	500	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
MW-5	10/25/99	VOCs (EPA 8260B)	**4-Methyl-2-pentanone**	**29000**		10000	ug/L	40-36-005-102599
			Acetone	**150000**		33000	ug/L	
			Benzene	<500	U	500	ug/L	
			Bromobenzene	<500	U	500	ug/L	
			Bromochloromethane	<500	U	500	ug/L	
			Bromodichloromethane	<500	U	500	ug/L	
			Bromoform	<1000	U	1000	ug/L	
			Bromomethane	<1000	U	1000	ug/L	
			Carbon Disulfide	<500	U	500	ug/L	
			Carbon Tetrachloride	<500	U	500	ug/L	
			Chlorobenzene	<500	U	500	ug/L	
			Chloroethane	<1000	U	1000	ug/L	
			Chloroform	<500	U	500	ug/L	
			Chloromethane	<1000	U	1000	ug/L	
			cis-1,2-Dichloroethene	<500	U	500	ug/L	
			cis-1,3-Dichloropropene	<500	U	500	ug/L	
			Dibromochloromethane	<500	U	500	ug/L	
			Dibromomethane	<500	U	500	ug/L	
			Dichlorodifluoromethane	<1000	U	1000	ug/L	
			Ethylbenzene	**1200**		500	ug/L	
			Hexachlorobutadiene	<500	U	500	ug/L	
			Isopropylbenzene	<500	U	500	ug/L	
			m,p-Xylenes	**4400**		500	ug/L	
			Methylene Chloride	<5000	U	5000	ug/L	
			MTBE	<500	U	500	ug/L	
			n-Butylbenzene	<500	U	500	ug/L	
			n-Propylbenzene	<500	U	500	ug/L	
			Naphthalene	<500	U	500	ug/L	
			o-Xylene	**1200**		500	ug/L	
			p-Isopropyltoluene	<500	U	500	ug/L	
			sec-Butylbenzene	<500	U	500	ug/L	
			Styrene	<500	U	500	ug/L	
			tert-Butylbenzene	<500	U	500	ug/L	
			Tetrachloroethene	<500	U	500	ug/L	
			Toluene	**65000**		500	ug/L	
			trans-1,2-Dichloroethene	<500	U	500	ug/L	
			trans-1,3-Dichloropropene	<500	U	500	ug/L	
			Trichloroethene	<500	U	500	ug/L	
			Trichlorofluoromethane	<500	U	500	ug/L	
			Trichlorotrifluoroethane	<5000	U	5000	ug/L	
			Vinyl Acetate	<10000	U	10000	ug/L	
			Vinyl Chloride	<500	U	500	ug/L	
			Xylenes (total)	**5600**		500	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**22000**		500	ug/L	
			TPH as Gas	**190000**		10000	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
RP-1	10/25/99	Metals (EPA 6010B)	**Arsenic**	**73**		5	ug/L	40-36-001-102599
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	**1.8**		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
RP-1	10/25/99	VOCs (EPA 8260B)	Dibromomethane	<0.5	U	0.5	ug/L	40-36-001-102599
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	**0.7**		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	**0.5**		0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**2000**		50	ug/L	
			TPH as Gas	<50	U	50	ug/L	
RP-2	10/25/99	Metals (EPA 6010B)	**Arsenic**	**15**		5	ug/L	40-36-002-102599
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
RP-2	10/25/99	VOCs (EPA 8260B)	1,2-Dichloropropane	<0.5	U	0.5	ug/L	40-36-002-102599
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	**2.3**		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	**3.9**		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
RP-2	10/25/99	VOCs (EPA 8260B)	Toluene	<0.5	U	0.5	ug/L	40-36-002-102599
			trans-1,2-Dichloroethene	**0.6**		0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	**1.2**		0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**150**		52	ug/L	
			TPH as Gas	<50	U	50	ug/L	
RP-3	10/25/99	Metals (EPA 6010B)	Arsenic	<5	U	5	ug/L	40-36-003-102599
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
RP-3	10/25/99	VOCs (EPA 8260B)	Bromoform	<1	U	1	ug/L	40-36-003-102599
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	**0.6**		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**1800**		51	ug/L	
			TPH as Gas	**290**		50	ug/L	
RP-4	10/25/99	Metals (EPA 6010B)	**Arsenic**	**11**		5	ug/L	40-36-004R-102599
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
RP-4	10/25/99	VOCs (EPA 8260B)	1,1-Dichloroethane	<0.5	U	0.5	ug/L	40-36-004R-102599
			1,1-Dichloroethene	**1.6**		0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	**11**		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
RP-4	10/25/99	VOCs (EPA 8260B)	Methylene Chloride	<5	U	5	ug/L	40-36-004R-102599
			MTBE	**2.5**		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	**3.9**		0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	**1.1**		0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**99**		51	ug/L	
			TPH as Gas	<50	U	50	ug/L	
RP-5	10/11/99	Metals (EPA 6010B)	**Arsenic**	**9.6**		5	ug/L	40-36-005R-101199
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
RP-5	10/11/99	VOCs (EPA 8260B)	2-Butanone	<10	U	10	ug/L	40-36-005R-101199
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	**0.9**		0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
RP-5	10/11/99	VOCs (EPA 8260B)	Vinyl Acetate	<10	U	10	ug/L	40-36-005R-101199
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**690**		48	ug/L	
			TPH as Gas	**84**		50	ug/L	
RP-BW-02	10/11/99	Metals (EPA 6010B)	**Arsenic**	**9.9**		5	ug/L	70-36-008-101199
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	**160**		0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	**52**		10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	**4.6**		0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
RP-BW-02	10/11/99	VOCs (EPA 8260B)	Chloroform	<0.5	U	0.5	ug/L	70-36-008-101199
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	**0.5**		0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	**9.8**		0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	TPH as Diesel	<48	U	48	ug/L	
			TPH as Gas	**110**		50	ug/L	
SA-AW-01	10/14/99	Metals (EPA 6010B)	Arsenic	<5	U	5	ug/L	60-36-101-101499
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
SA-AW-01	10/14/99	VOCs (EPA 8260B)	1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	60-36-101-101499
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
SA-AW-01	10/14/99	VOCs (EPA 8260B)	p-Isopropyltoluene	<0.5	U	0.5	ug/L	60-36-101-101499
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**98**		51	ug/L	
			TPH as Gas	<50	U	50	ug/L	
SA-AW-03	10/12/99	Metals (EPA 6010B)	Arsenic	<5	U	5	ug/L	60-36-103-101299
			Calcium	**47000**		500	ug/L	
			Copper	<10	U	10	ug/L	
			Iron	**110**		100	ug/L	
			Magnesium	**32000**		500	ug/L	
			Manganese	**2600**		10	ug/L	
			Potassium	**1100**		500	ug/L	
			Sodium	**34000**		500	ug/L	
			Zinc	<20	U	20	ug/L	
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
SA-AW-03	10/12/99	VOCs (EPA 8260B)	1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	60-36-103-101299
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
SA-AW-03	10/12/99	VOCs (EPA 8260B)	Trichlorofluoromethane	<0.5	U	0.5	ug/L	60-36-103-101299
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	TPH as Diesel	<50	U	50	ug/L	
			TPH as Gas	<50	U	50	ug/L	
SA-AW-04	10/14/99	Metals (EPA 6010B)	Arsenic	<5	U	5	ug/L	60-36-104-101499
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	**1**		0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	**0.9**		0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
SA-AW-04	10/14/99	VOCs (EPA 8260B)	Chlorobenzene	<0.5	U	0.5	ug/L	60-36-104-101499
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	**0.8**		0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	**0.7**		0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	TPH as Diesel	<51	U	51	ug/L	
			TPH as Gas	<50	U	50	ug/L	
SA-AW-05	10/14/99	Metals (EPA 6010B)	Arsenic	<5	U	5	ug/L	60-36-105-101499
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	**2.4**		0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	**1.6**		0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
SA-AW-05	10/14/99	VOCs (EPA 8260B)	1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	60-36-105-101499
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
SA-AW-05	10/14/99	VOCs (EPA 8260B)	Naphthalene	<0.5	U	0.5	ug/L	60-36-105-101499
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	**4**		0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	**2.4**		0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	TPH as Diesel	<51	U	51	ug/L	
			TPH as Gas	<50	U	50	ug/L	
A-AW-05-DU	10/14/99	Metals (EPA 6010B)	Arsenic	<5	U	5	ug/L	60-36-105-101499-D
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	**2.3**		0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	**1.6**		0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
A-AW-05-DU	10/14/99	VOCs (EPA 8260B)	4-Chlorotoluene	<0.5	U	0.5	ug/L	60-36-105-101499-D
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	**3.9**		0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	**2.5**		0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	TPH as Diesel	<51	U	51	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
A-AW-05-DU	10/14/99	TPH (EPA 8015M)	TPH as Gas	<50	U	50	ug/L	60-36-105-101499-D
SA-BW-01	10/14/99	Metals (EPA 6010B)	**Arsenic**	**34**		5	ug/L	70-36-007-101499
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	**140**		14	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
SA-BW-01	10/14/99	VOCs (EPA 8260B)	Dibromochloromethane	<0.5	U	0.5	ug/L	70-36-007-101499
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**1400**		50	ug/L	
			TPH as Gas	<50	U	50	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-1
Complete Analytical Results for Groundwater Monitoring Wells for October 1999 (Fourth Quarter 1999 Monitoring)
The Sherwin-Williams Company
Emeryville, California

Well Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID

Notes: < = Analyte was not detected at or greater than the detection limit reported

Abreviations:

DUP = Duplicate sample (field duplicate)

TPH = Total Petroleum Hydrocarbons

VOCs = Volatile Organic Compounds

Data Qualifiers:

U = Not detected at or greater than the detection limit reported

U5 = Qualified as non-detect (U) based on field blank contamination evaluation

U6 = Qualified as non-detect (U) based on trip blank contamination evaluation

J1= Concentration is estimated because the concentration exceeded the calibration range of the analytical instrument.

J2 = Concentration is estimated because the sample was analyzed outside of holding time.

J3 = Concentration is estimated due to surrogate recoveries outside of control limits.

J4 = Concentration is estimated due to relative percent difference (RPD) outside of control limits for laboratory control samples (LCS)

J10 = Concentration is estimated due to field duplicate RPD outside of control limit.

J11 = Concentration is estimated because it was reported at a concentration less than the detection limit.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for October 1999 (4th Qtr. 1999 Monitoring
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
FB1-101199	10/11/99	Metals (EPA 6010B)	Arsenic	<5	U	5	ug/L	991-101199
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for October 1999 (4th Qtr. 1999 Monitoring
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
FB1-101199	10/11/99	VOCs (EPA 8260B)	m,p-Xylenes	<0.5	U	0.5	ug/L	991-101199
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	TPH as Diesel	<48	U	48	ug/L	
			TPH as Gas	<50	U	50	ug/L	
FB1-101299	10/12/99	Metals (EPA 6010B)	**Arsenic**	**7.2**		5	ug/L	991-101299
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for October 1999 (4th Qtr. 1999 Monitoring
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
FB1-101299	10/12/99	VOCs (EPA 8260B)	2-Hexanone	<10	U	10	ug/L	991-101299
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	TPH as Diesel	<51	U	51	ug/L	
			TPH as Gas	<50	U	50	ug/L	
FB1-101399	10/13/99	Metals (EPA 6010B)	Arsenic	<5	U	5	ug/L	991-101399

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for October 1999 (4th Qtr. 1999 Monitoring
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
FB1-101399	10/13/99	VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	991-101399
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for October 1999 (4th Qtr. 1999 Monitoring
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
FB1-101399	10/13/99	VOCs (EPA 8260B)	Methylene Chloride	<5	U	5	ug/L	991-101399
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	**TPH as Diesel**	**53**		51	ug/L	
			TPH as Gas	<50	U	50	ug/L	
FB1-101499	10/14/99	Metals (EPA 6010B)	Arsenic	<5	U	5	ug/L	991-101499
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for October 1999 (4th Qtr. 1999 Monitoring
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
FB1-101499	10/14/99	VOCs (EPA 8260B)	4-Chlorotoluene	<0.5	U	0.5	ug/L	991-101499
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	TPH as Diesel	<50	U	50	ug/L	
			TPH as Gas	<50	U	50	ug/L	
FB1-101599	10/15/99	Metals (EPA 6010B)	Arsenic	<5	U	5	ug/L	991-101599
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for October 1999 (4th Qtr. 1999 Monitoring
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
FB1-101599	10/15/99	VOCs (EPA 8260B)	1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	991-101599
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for October 1999 (4th Qtr. 1999 Monitoring
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
FB1-101599	10/15/99	VOCs (EPA 8260B)	MTBE	<0.5	U	0.5	ug/L	991-101599
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	TPH as Diesel	<53	U	53	ug/L	
			TPH as Gas	<50	U	50	ug/L	
FB1-102599	10/25/99	Metals (EPA 6010B)	Arsenic	<5	U	5	ug/L	991-102599
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for October 1999 (4th Qtr. 1999 Monitoring
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
FB1-102599	10/25/99	VOCs (EPA 8260B)	4-Methyl-2-pentanone	<10	U	10	ug/L	991-102599
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	TPH as Diesel	<52	U	52	ug/L	
			TPH as Gas	<50	U	50	ug/L	
SR1-102599	10/25/99	Metals (EPA 6010B)	Arsenic	<5	U	5	ug/L	971-102599
		VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for October 1999 (4th Qtr. 1999 Monitoring
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
SR1-102599	10/25/99	VOCs (EPA 8260B)	1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	971-102599
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	<5	U	5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for October 1999 (4th Qtr. 1999 Monitoring
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
SR1-102599	10/25/99	VOCs (EPA 8260B)	n-Butylbenzene	<0.5	U	0.5	ug/L	971-102599
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
		TPH (EPA 8015M)	TPH as Diesel	<51	U	51	ug/L	
			TPH as Gas	<50	U	50	ug/L	
TB1-100899	10/08/99	VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	981-100899
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for October 1999 (4th Qtr. 1999 Monitoring
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
TB1-100899	10/08/99	VOCs (EPA 8260B)	Benzene	<0.5	U	0.5	ug/L	981-100899
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	**6.4**		5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
TB1-101199	10/11/99	VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	981-101199
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for October 1999 (4th Qtr. 1999 Monitoring
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
TB1-101199	10/11/99	VOCs (EPA 8260B)	1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	981-101199
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	**6.4**		5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for October 1999 (4th Qtr. 1999 Monitoring
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
TB1-101199	10/11/99	VOCs (EPA 8260B)	sec-Butylbenzene	<0.5	U	0.5	ug/L	981-101199
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
TB1-101299	10/12/99	VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	981-101299
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for October 1999 (4th Qtr. 1999 Monitoring
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
TB1-101299	10/12/99	VOCs (EPA 8260B)	Carbon Tetrachloride	<0.5	U	0.5	ug/L	981-101299
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	**6.7**		5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
TB1-101399	10/13/99	VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	981-101399
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for October 1999 (4th Qtr. 1999 Monitoring
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
TB1-101399	10/13/99	VOCs (EPA 8260B)	1,2-Dichloroethane	<0.5	U	0.5	ug/L	981-101399
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	**5.4**		5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for October 1999 (4th Qtr. 1999 Monitoring
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
TB1-101399	10/13/99	VOCs (EPA 8260B)	Trichloroethene	<0.5	U	0.5	ug/L	981-101399
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
TB1-101499	10/14/99	VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	981-101499
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for October 1999 (4th Qtr. 1999 Monitoring
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
TB1-101499	10/14/99	VOCs (EPA 8260B)	Dibromochloromethane	<0.5	U	0.5	ug/L	981-101499
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	**5.7**		5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	
TB1-101599	10/15/99	VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	981-101599
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for October 1999 (4th Qtr. 1999 Monitoring
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
TB1-101599	10/15/99	VOCs (EPA 8260B)	2-Butanone	<10	U	10	ug/L	981-101599
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	
			Methylene Chloride	**5.6**		5	ug/L	
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for October 1999 (4th Qtr. 1999 Monitoring
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
TB1-102599	10/25/99	VOCs (EPA 8260B)	1,1,1,2-Tetrachloroethane	<0.5	U	0.5	ug/L	981-102599
			1,1,1-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1,2,2-Tetrachloroethane	<0.5	U	0.5	ug/L	
			1,1,2-Trichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethane	<0.5	U	0.5	ug/L	
			1,1-Dichloroethene	<0.5	U	0.5	ug/L	
			1,1-Dichloropropene	<0.5	U	0.5	ug/L	
			1,2,3-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,3-Trichloropropane	<0.5	U	0.5	ug/L	
			1,2,4-Trichlorobenzene	<0.5	U	0.5	ug/L	
			1,2,4-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,2-Dibromo-3-chloropropane	<0.5	U	0.5	ug/L	
			1,2-Dibromoethane	<0.5	U	0.5	ug/L	
			1,2-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,2-Dichloroethane	<0.5	U	0.5	ug/L	
			1,2-Dichloropropane	<0.5	U	0.5	ug/L	
			1,3,5-Trimethylbenzene	<0.5	U	0.5	ug/L	
			1,3-Dichlorobenzene	<0.5	U	0.5	ug/L	
			1,3-Dichloropropane	<0.5	U	0.5	ug/L	
			1,4-Dichlorobenzene	<0.5	U	0.5	ug/L	
			2,2-Dichloropropane	<0.5	U	0.5	ug/L	
			2-Butanone	<10	U	10	ug/L	
			2-Chloroethylvinylether	<10	U	10	ug/L	
			2-Chlorotoluene	<0.5	U	0.5	ug/L	
			2-Hexanone	<10	U	10	ug/L	
			4-Chlorotoluene	<0.5	U	0.5	ug/L	
			4-Methyl-2-pentanone	<10	U	10	ug/L	
			Acetone	<10	U	10	ug/L	
			Benzene	<0.5	U	0.5	ug/L	
			Bromobenzene	<0.5	U	0.5	ug/L	
			Bromochloromethane	<0.5	U	0.5	ug/L	
			Bromodichloromethane	<0.5	U	0.5	ug/L	
			Bromoform	<1	U	1	ug/L	
			Bromomethane	<1	U	1	ug/L	
			Carbon Disulfide	<0.5	U	0.5	ug/L	
			Carbon Tetrachloride	<0.5	U	0.5	ug/L	
			Chlorobenzene	<0.5	U	0.5	ug/L	
			Chloroethane	<1	U	1	ug/L	
			Chloroform	<0.5	U	0.5	ug/L	
			Chloromethane	<1	U	1	ug/L	
			cis-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			cis-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Dibromochloromethane	<0.5	U	0.5	ug/L	
			Dibromomethane	<0.5	U	0.5	ug/L	
			Dichlorodifluoromethane	<1	U	1	ug/L	
			Ethylbenzene	<0.5	U	0.5	ug/L	
			Hexachlorobutadiene	<0.5	U	0.5	ug/L	
			Isopropylbenzene	<0.5	U	0.5	ug/L	
			m,p-Xylenes	<0.5	U	0.5	ug/L	

Notes: All notes are listed at the end of this table - see last page.

Appendix C-2
Complete Analytical Results for Field QC (Field, Trip Blanks and Source Water) for October 1999 (4th Qtr. 1999 Monitoring
The Sherwin-Williams Company
Emeryville, California

Sample Number	Sample Date	Analytical Group (Method)	Parameter	Result	Quals	Detection Limit	Units	Field Sample ID
TB1-102599	10/25/99	VOCs (EPA 8260B)	Methylene Chloride	<5	U	5	ug/L	981-102599
			MTBE	<0.5	U	0.5	ug/L	
			n-Butylbenzene	<0.5	U	0.5	ug/L	
			n-Propylbenzene	<0.5	U	0.5	ug/L	
			Naphthalene	<0.5	U	0.5	ug/L	
			o-Xylene	<0.5	U	0.5	ug/L	
			p-Isopropyltoluene	<0.5	U	0.5	ug/L	
			sec-Butylbenzene	<0.5	U	0.5	ug/L	
			Styrene	<0.5	U	0.5	ug/L	
			tert-Butylbenzene	<0.5	U	0.5	ug/L	
			Tetrachloroethene	<0.5	U	0.5	ug/L	
			Toluene	<0.5	U	0.5	ug/L	
			trans-1,2-Dichloroethene	<0.5	U	0.5	ug/L	
			trans-1,3-Dichloropropene	<0.5	U	0.5	ug/L	
			Trichloroethene	<0.5	U	0.5	ug/L	
			Trichlorofluoromethane	<0.5	U	0.5	ug/L	
			Trichlorotrifluoroethane	<5	U	5	ug/L	
			Vinyl Acetate	<10	U	10	ug/L	
			Vinyl Chloride	<0.5	U	0.5	ug/L	
			Xylenes (total)	<0.5	U	0.5	ug/L	

Notes: < = Analyte was not detected at or greater than the detection limit reported

Abreviations:

FB = Field blank

TB = Trip blank

TPH = Total Petroleum Hydrocarbons

VOCs = Volatile Organic Compounds

Data Qualifiers:

U = Not detected at or greater than the detection limit reported

U5 = Qualified as non-detect (U) based on field blank contamination evaluation

U6 = Qualified as non-detect (U) based on trip blank contamination evaluation

J1= Concentration is estimated because the concentration exceeded the calibration range of the analytical instrument.

J2 = Concentration is estimated because the sample was analyzed outside of holding time.

J3 = Concentration is estimated due to surrogate recoveries outside of control limits.

J4 = Concentration is estimated due to relative percent difference (RPD) outside of control limits for laboratory control samples (LCS)