

Wickham, Jerry, Env. Health

From: Wickham, Jerry, Env. Health
Sent: Tuesday, May 26, 2009 9:37 AM
To: 'Stefani, Danielle'; Alzona, Rhett
Subject: RE: Bluebell Drive Gas Station east of Bluebell-Springtown Intersection

Hi Danielle,

Here is the contact information for the current owner of 909 Bluebell Drive:

Aminifilibadi Masood and Amini Sharbano
Springtown Gas
909 Bluebell Drive
Livermore, CA 94551-1419
Or Mike Amini 925-487-2598

Although the site was an ARCO AM/PM at one time, I am not aware of ARCO involvement as a responsible party for the site. However, here is the contact information for the ARCO representative:

Paul Supple
BP West Coast Products, LLC
P.O. Box 1257
San Ramon, CA 94583
925-275-3801

Regards,

Jerry Wickham

Alameda County Environmental Health
1131 Harbor Bay Parkway
Alameda, CA 94502
510-567-6791
jerry.wickham@acgov.org

From: Stefani, Danielle [mailto:Dstefani@lpfire.org]
Sent: Tuesday, May 26, 2009 9:06 AM
To: Alzona, Rhett; Wickham, Jerry, Env. Health
Subject: RE: Bluebell Drive Gas Station east of Bluebell-Springtown Intersection

Hi Jerry – Do you have any current contact information for ARCO? thanks

Danielle Stefani

Hazardous Materials Coordinator
925-454-2338
dstefani@lpfire.org

From: Alzona, Rhett [mailto:RALzona@zone7water.com]
Sent: Thursday, May 21, 2009 11:16 AM
To: Stefani, Danielle
Subject: Bluebell Drive Gas Station east of Bluebell-Springtown Intersection

Hi Danielle,

I was wondering if you had any contact information on the previous owner of subject gas station which I believe to be Arco (currently a Chevron). We're planning to install the Altamont Pipeline Livermore Reach (APLLIV) along this stretch of Bluebell Drive. According to Zone 7 groundwater group's records, this area is a possible contaminated soil and groundwater site. I'd like to discuss disposal handling and manifests with the Arco people so we have coordinated plan in place before we excavate this portion of the APLLIV alignment.

Regards,

Rhett Alzona
APLLIV Project Manager
Zone 7 Water Agency
(925) 454-5032