



RECEIVED

12:54 pm, Jun 04, 2010

Alameda County
Environmental Health

Ian Robb
Project Manager
Marketing Business Unit

**Chevron Environmental
Management Company**
6111 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 543-2375
Fax (925) 543-2324
irobbs@chevron.com

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Former Texaco Service Station No. 30-7233
2259 First Street
Livermore, CA

I have reviewed the attached Well Installation Report dated June 3, 2010.

I agree with the conclusions and recommendations presented in the referenced Well Installation Report. This information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Conestoga Rovers Associates, upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct to the best of my knowledge.

Sincerely,

A handwritten signature in blue ink, appearing to read "I. Robb".

Ian Robb
Project Manager

Attachment: Well Installation Report



**CONESTOGA-ROVERS
& ASSOCIATES**

5900 Hollis Street, Suite A
Emeryville, California 94608
Telephone: (510) 420-0700 Fax: (510) 420-9170
www.CRAworld.com

TRANSMITTAL

DATE: June 3, 2010 REFERENCE NO.: 312264
PROJECT NAME: Former Texaco 30-2733
TO: Mr. Jerry Wickham
ACEHS
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502

Please find enclosed: Draft Final
 Originals Other _____
 Prints
Sent via: Mail Same Day Courier
 Overnight Courier Other Electronic Upload


QUANTITY	DESCRIPTION
1	Well Installation Report

As Requested For Review and Comment
 For Your Use _____

COMMENTS:

Please contact Kiersten Hoey at 510-420-3347 with any questions or comments.

Copy to: Mr. Ian Robb, Chevron
Mr. Hyman Wong, Zone 7 Water Agency
Mr. Chris Davidson, City of Livermore



Completed by: Kiersten Hoey Signed: _____
[Please Print]

Filing: **Correspondence File**



**WELL INSTALLATION REPORT
FORMER TEXACO STATION 30-7233
2259 FIRST STREET
LIVERMORE, CALIFORNIA
ACEHS RO# 2908**

Prepared For:

**Mr. Jerry Wickham
Alameda County Environmental Health (ACEH)
1131 Harbor Bay Parkway
Alameda, California 94502**

JUNE 3, 2010

REF. NO. 312264 (6)

This report is printed on recycled paper

**Prepared by:
Conestoga-Rovers
& Associates**

5900 Hollis Street, Suite A
Emeryville, California
U.S.A. 94608

Office: (510) 420-0700
Fax: (510) 420-9170

web: <http://www.CRAworld.com>



WELL INSTALLATION REPORT

FORMER TEXACO STATION 30-7233
2259 FIRST STREET
LIVERMORE, CALIFORNIA
ACEHS RO# 2908

Kiersten Hoey

Brandon Wilken, P.G 7564



**Prepared by:
Conestoga-Rovers
& Associates**

5900 Hollis Street, Suite A
Emeryville, California
U.S.A. 94608

Office: (510) 420-0700
Fax: (510) 420-9170

web: <http://www.CRAworld.com>

JUNE 3, 2010

REF. NO. 312264 (6)

This report is printed on recycled paper

TABLE OF CONTENTS

	<u>PAGE</u>
1.0 INTRODUCTION	1
2.0 SITE DESCRIPTION	1
2.1 SITE BACKGROUND	1
2.2 GEOLOGY	1
2.3 HYDROGEOLOGY	2
3.0 WELL INSTALLATION ACTIVITIES	2
4.0 HYDROCARBON DISTRIBUTION	5
4.1 SOIL	5
4.2 GROUNDWATER	5
5.0 CONCLUSIONS AND RECOMMENDATIONS	6

LIST OF FIGURES
(Following Text)

FIGURE 1	VICINITY MAP
FIGURE 2	SITE PLAN
FIGURE 3	GEOLOGIC CROSS-SECTION A-A'
FIGURE 4	GEOLOGIC CROSS-SECTION B-B'
FIGURE 5	TPHG ISOCONCENTRATIONS IN SOIL 20-40 FBG
FIGURE 6	TPHG ISOCONCENTRATIONS IN SOIL 40.5-56 FBG
FIGURE 7	BENZENE ISOCONCENTRATIONS IN SOIL 20-40 FBG
FIGURE 8	BENZENE ISOCONCENTRATIONS IN SOIL 40.5-56 FBG

LIST OF TABLES
(Following Text)

TABLE 1	WELL CONSTRUCTION DETAILS
TABLE 2	CUMULATIVE SOIL ANALYTICAL DATA
TABLE 3	CUMULATIVE GRAB-GROUNDWATER ANALYTICAL DATA

LIST OF APPENDICES

APPENDIX A	REGULATORY CORRESPONDENCE
APPENDIX B	SUMMARY OF ENVIRONMENTAL INVESTIGATION AND REMEDATION
APPENDIX C	BORING LOGS
APPENDIX D	PERMITS
APPENDIX E	STANDARD FIELD PROCEDURES FOR MONITORING WELL INSTALLATION
APPENDIX F	WELL SURVEY DATA
APPENDIX G	SOIL LABORATORY ANALYTICAL REPORT

1.0 INTRODUCTION

Conestoga-Rovers & Associates (CRA) is submitting this *Well Installation Report* on behalf of Chevron Environmental Management Company (Chevron) for former Texaco Station 30-7233. In April 2010, CRA installed groundwater monitoring wells MW-1 through MW-9 as proposed in the January 6, 2010 *Revised Work Plan for Well Installation* and approved in an Alameda County Environmental Health Services (ACEH) letter dated January 29, 2010 (Appendix A). Presented below are the site background, investigation results, and CRA's conclusions and recommendations.

2.0 SITE DESCRIPTION

2.1 SITE BACKGROUND

The site is located on the eastern corner of First Street and South Livermore Avenue in Livermore, California (Figure 1). Currently the site is Mill Square Park, owned by the City of Livermore. The site is approximately 485 feet above mean sea level and regional topography slopes gently to the north. The park consists of grass and trees with a concrete walkway. Land use surrounding the park is primarily commercial.

The earliest available aerial photograph from 1959 shows a station building located on the southern edge of the property and two dispenser islands located on the western portion of the property. The 1973 aerial photograph indicates that the station building and dispenser islands had been removed and only a paved lot remained. By 1978, the property had been redeveloped as a park (Figure 2). The park remains in the same configuration as shown on the 1978 aerial photo. To date, 31 soil borings and 6 soil vapor probes have been installed. A chronological summary of activities conducted to date is presented in Appendix B.

2.2 GEOLOGY

According to the September 2005 *Groundwater Management Plan* prepared by the Zone 7 Water Agency (Zone 7), the site is located in the Mocho II Sub-Basin of the Main Livermore-Amadore Valley Groundwater Basin. Zone 7 Water Agency extracts groundwater from this basin for municipal drinking water. Sediments in this basin are described as recent alluvium consisting of sandy gravel and sandy clayey gravel from the surface to approximately 150 feet below grade (fbg). This alluvium overlies the Livermore Formation.

Sediments encountered beneath the site consist of silty sand, silty gravel and sandy gravel from the surface to approximately 9 fbg. Silts and clays are encountered to approximately 9 to 45 fbg. Sands and gravels are predominately encountered from approximately 45 fbg to the total depth explored of 62 fbg. Boring logs with well construction diagrams are included in Appendix C and geologic cross-sections are presented on Figures 3 and 4.

2.3 HYDROGEOLOGY

Groundwater in this sub-basin typically flows westward. Based on groundwater data from three service stations within approximately five blocks of the site, groundwater flow near the site varies from northward to southwestward. Depths to groundwater at these sites fluctuate between approximately 10 and 40 fbg. Based on site investigations, it appears there is a seasonal perched water bearing zone at approximately 20 to 40 fbg. However, this perched zone is discontinuous both laterally and vertically across the site. Based on site boring logs and data from nearby service stations, the regional water bearing zone appears to be at approximately 50 fbg.

3.0 WELL INSTALLATION ACTIVITIES

The investigation objective was to install a network of groundwater monitoring wells and collect groundwater data for at least four quarters before evaluating potential remedial action as requested by ACEH in a letter dated April 3, 2009 (Appendix A). To meet this objective, CRA installed nine monitoring wells including three clustered well pairs and three deep wells. The three clustered well pairs, screened shallow (between approximately 30 and 40 fbg) and deep (54-59 fbg), were installed near borings SB5, SB7, and CPT2.

During installation, CRA installed the deeper wells first and evaluated the presence of a shallow water bearing zone to determine the necessity of installing the shallow well. A deep well was installed near boring SB8 and a shallow well was attempted; however, no evidence of shallow groundwater or coarse grained water-bearing sediments was encountered. Therefore, no shallow well was installed and the boring was designated SB13. During the 2008 cone penetration test (CPT) investigation, there was no evidence of a coarser grained shallow water-bearing zone above 54 fbg, so only deep wells were installed near offsite borings CPT4 and CPT5. Well locations are presented on Figure 2 and well construction details are included in Table 1. Well installation activities are summarized below.

Permit: CRA obtained well installation permit #2010022 from Zone 7 Water Agency and encroachment permit #EN100046 from the City of Livermore prior to the commencement of work (Appendix D). CRA also notified the agencies 72 hours in advance before the work started.

Drilling Company: Gregg Drilling and Testing Inc. (C57 #485165) of Martinez, California) was contracted to complete the borehole clearance and install the monitoring wells.

CRA Personnel: CRA personnel Ian Hull, Belew Yifru, and Cortland Toczykowski conducted all fieldwork under the supervision of California Professional Geologist Brandon Wilken, P.G. 7564.

Utility Clearance: Prior to drilling, CRA contacted Underground Service Alert (USA) to mark any existing underground utilities in the proposed well areas. CRA also contracted private licensed utility locator ULS Services Corp of Pocatello, Idaho to locate underground utilities beneath the site using a metal detector, tracer cable, and ground penetrating radar (GPR) equipment in the vicinity of the proposed boring locations. Prior to drilling, the well boring locations were cleared to 8 fbg using an air knife assisted vacuum truck to ensure no underground utilities were located beneath the drilling locations.

Well Construction: Borings for wells MW-1 through MW-6 (deep wells) were drilled to 60 fbg, and borings for wells MW-7, MW-8, and MW-9 (shallow wells) were drilled to 40 fbg using eight-inch diameter hollow stem augers. All wells were constructed using two-inch diameter Schedule 40-PVC with 0.010-inch slot screen. A summary of well construction specifications including screened interval are presented in Table 1. With the exception of well MW-7, #2/16 Monterey sand filter pack was placed in the annulus from the bottom to 2 feet above the top of screen. The bottom of well boring MW-7 was sealed with 2 feet of Portland I/II cement and 2 feet of hydrated bentonite pellets to 36 fbg, then filled with sand to 33 fbg. The remaining well annulus was then filled with #2/16 Monterey sand filter pack from 33 fbg to 2 feet above the top of screen. The upper portion of all the annuluses were sealed with a one-foot bentonite cap and neat Portland I/II cement to 1 fbg. All nine wells were sealed with well boxes equipped with traffic-rated lids installed flush with grade. As required by the City of Livermore, the well boxes installed in the street-parking areas were surrounded with hot asphalt to match existing surface. CRA's standard operating procedures for monitoring well installation are presented in Appendix E.

Soil Sampling: Soil samples were collected every 5 feet beginning at 5 fbg. CRA and Chevron safety protocols require the first 8 feet to be hand cleared with an air-knife assisted vacuum truck; therefore, samples designated as the 5-foot samples were collected by driving brass tubes into disturbed soil from the vacuum truck storage tank. It was not possible to collect discrete samples by other means as a result of numerous cobbles present in the first 5 feet of the borings. Soil samples below 8 fbg were collected by driving an 18-inch California-modified split spoon sampler lined with 2-inch diameter brass tubes into undisturbed sediments ahead of the lead auger. Soil was logged according to the ASTM D2488-06 Unified Soil Classification System and screened for organic vapors using a photo-ionization detector (PID). PID readings are recorded on the boring logs in Appendix C. Soil sampling tubes chosen for analysis were trimmed of excess soil and capped with Teflon® tape and plastic end caps. All samples were properly sealed, labeled, preserved on ice, and submitted under chain-of-custody to Lancaster Laboratories of Lancaster, Pennsylvania for analysis.

Waste Disposal: Soil cuttings and rinsate water generated during well installation activities were temporarily stored onsite in sealed and labeled DOT-approved 55-gallon drums. On April 7 and 13, 2010, Integrated Wastestream Management (IWM) of San Jose California transported and disposed 40 drums at Republic Services VRL, Livermore, California.

Monitoring Well Survey: On April 19, 2010, Morrow Surveying of West Sacramento, California surveyed the latitude, longitude and top of casing of the nine wells. Survey data is presented in Appendix F.

Well Development and Sampling: Gettler-Ryan, Inc. (G-R) developed and sampled the wells the week of May 24, 2010. During sampling, G-R monitored the temperature, pH and conductivity until the parameters stabilized. The samples were decanted from clean disposable bailers into clean laboratory approved containers. Samples were properly sealed, labeled, preserved on ice, logged on a chain-of-custody form, and submitted to Lancaster Laboratories for analysis. CRA will submit a Groundwater Monitoring Report as soon as results are obtained.

Chemical Analysis: The soil laboratory analytical reports are presented as Appendix G. Soil samples were analyzed for the following:

- Total petroleum hydrocarbons as motor oil (TPHmo) and as diesel (TPHd) by EPA Method 8015B with silica gel cleanup

- Total petroleum hydrocarbons as gasoline (TPHg) by EPA Method 8015B Modified
- Benzene, toluene, ethylbenzene, xylenes (BTEX) by EPA Method 8260B

4.0 HYDROCARBON DISTRIBUTION

Based on data from all investigations to date the constituents of concern at this site are TPHmo, TPHd, TPHg, benzene, and lead.

4.1 SOIL

Soil samples were collected and analyzed from deep wells MW-1 through MW-6. No soil samples were collected from shallow wells MW-7, MW-8, and MW9 due to their close proximity to the deep wells. The highest hydrocarbon concentrations detected in soil from wells MW-1 through MW-6 were 130 milligrams per kilogram (mg/kg) TPHmo, 82 mg/kg TPHd, 310 mg/kg TPHg, and 0.027 mg/kg benzene.

The highest TPHmo and TPHd concentrations historically detected in soil were 11,000 mg/kg and 4,100 mg/kg. TPHmo in soil is limited to the vicinity of the former USTs. TPHd in soil is limited to the vicinity of the former USTs and dispenser islands. The highest TPHg and benzene concentrations were historically detected in borings SB1, SB3 and SB5 at maximum concentrations of 8,700 mg/kg and 17 mg/kg. TPHg and benzene in soil are centered beneath the former USTs and dispenser islands and are laterally defined in all directions except east of the former USTs; however, further investigation in this direction is prevented by the adjacent retail building (Figures 5 through 8). The vertical extent of hydrocarbons in soil is defined, with no hydrocarbons detected in soil below 56 fbg to the maximum depth explored of 61 fbg (Figures 3 and 4). MTBE was historically detected once, at 0.039 mg/kg in boring SB8 at 39.5 fbg. The highest lead concentration historically detected in soil was 3,700 mg/kg in boring B2. Elevated lead concentrations in soil are limited to shallow soil (<10 fbg) near the former USTs. Cumulative soil analytical results are presented in Table 2.

4.2 GROUNDWATER

The wells were developed and sampled the week of May 24, 2010. CRA will submit a Groundwater Monitoring Report, as soon as results are obtained. The highest hydrocarbon concentrations previously detected in grab-groundwater samples collected from soil borings and CPT borings were 4,500 micrograms per litre (µg/L) TPHmo,

43,000 µg/L TPHd, 52,000 µg/L TPHg and 200 µg/L benzene. No MTBE was detected in groundwater. Cumulative grab-groundwater analytical data are presented in Table 3.

5.0 CONCLUSIONS AND RECOMMENDATIONS

- TPHmo and TPHd in soil are limited to the vicinity of the former USTs and dispenser islands.
- TPHg and benzene in soil are vertically defined and horizontally defined to the extent feasible.
- Based on only one MTBE concentration ever detected in soil and no MTBE detected in groundwater, MTBE is not a constituent of concern at this site.
- G-R will monitor and sample the nine monitoring wells for four consecutive quarters. After receipt of quarterly groundwater data, CRA will submit a quarterly monitoring report to ACEH. After the fourth quarter, CRA will evaluate the data and assess the need for additional work.

FIGURES




FIGURE 1

L:\CHEVRON\307233 LIVERMORE\FIGURES\30-7233_VICINITY_MAP.AI

SOURCE: TOPOI MAPS


0 1/8 1/4 1/2 1
SCALE : 1" = 1/4 MILE


Chevron Service Station 30-7233
2259 First Street
Livermore, California





CONESTOGA-ROVERS & ASSOCIATES

Vicinity Map










LEGEND

- SHALLOW MONITORING WELL LOCATION
- ⊙ DEEP MONITORING WELL LOCATION
- ⊕ CPT BORING LOCATION
- SOIL BORING LOCATION
- SOIL BORING LOCATION (FURGRO 2003)
- ▲ VAPOR PROBE LOCATION
- 100 — TPHg CONCENTRATION CONTOUR
DASHED WHERE INFERRED
- (1,200) TPHg CONCENTRATIONS ARE IN
MILLIGRAMS PER KILOGRAM (mg/kg)

Figure 5
TPHg ISOCONCENTRATION IN SOIL - 20-40 FEET BELOW GROUND
FORMER TEXACO STATION (CHEVRON SITE 30-7233)
2259 FIRST STREET
Livermore, California






LEGEND

- SHALLOW MONITORING WELL LOCATION
- ⊙ DEEP MONITORING WELL LOCATION
- ⊕ CPT BORING LOCATION
- SOIL BORING LOCATION
- SOIL BORING LOCATION (FURGRO 2003)
- ▲ VAPOR PROBE LOCATION
- 100 — TPHg CONCENTRATION CONTOUR
- - - (1,200) - - - TPHg CONCENTRATION CONTOUR DASHED WHERE INFERRED
- (1,200) TPHg CONCENTRATIONS ARE IN MILLIGRAMS PER KILOGRAM (mg/kg)

Figure 6
TPHg ISOCONCENTRATION IN SOIL - 40.5-56 FEET BELOW GROUND
FORMER TEXACO STATION (CHEVRON SITE 30-7233)
2259 FIRST STREET
Livermore, California




LEGEND

- SHALLOW MONITORING WELL LOCATION
- ⊙ DEEP MONITORING WELL LOCATION
- ⊕ CPT BORING LOCATION
- SOIL BORING LOCATION
- SOIL BORING LOCATION (FURGRO 2003)
- ▲ VAPOR PROBE LOCATION
- 0.1 — BENZENE CONCENTRATION CONTOUR
DASHED WHERE INFERRED
- (1,200) BENZENE CONCENTRATIONS ARE IN
MILLIGRAMS PER KILOGRAM (mg/kg)

Figure 7
BENZENE ISOCONCENTRATION IN SOIL - 20-40 FEET BELOW GROUND
FORMER TEXACO STATION (CHEVRON SITE 30-7233)
2259 FIRST STREET
Livermore, California





LEGEND

- SHALLOW MONITORING WELL LOCATION
- ⊙ DEEP MONITORING WELL LOCATION
- ⊕ CPT BORING LOCATION
- SOIL BORING LOCATION
- SOIL BORING LOCATION (FURGRO 2003)
- ▲ VAPOR PROBE LOCATION
- 0.1 — BENZENE CONCENTRATION CONTOUR
DASHED WHERE INFERRED
- (1,200) BENZENE CONCENTRATIONS ARE IN
MILLIGRAMS PER KILOGRAM (mg/kg)

Figure 8
BENZENE ISOCONCENTRATION IN SOIL - 40.5-56 FEET BELOW GROUND
FORMER TEXACO STATION (CHEVRON SITE 30-7233)
2259 FIRST STREET
Livermore, California

TABLES

TABLE 1
WELL CONSTRUCTION DETAILS
FORMER TEXACO STATION 30-7233
2259 FIRST STREET, LIVERMORE , CALIFORNIA

<i>Well ID</i>	<i>Date Installed</i>	<i>TOC</i>	<i>Total Depth (fbg)</i>	<i>Casing Diameter (inches)</i>	<i>Screen Interval (fbg)</i>	<i>Zone</i>	<i>Status</i>
MW-1	4/7/2010	490.89	59	2	54-59	Zone B	<i>Active/New</i>
MW-2	4/5/2010	489.43	59	2	54-59	Zone B	<i>Active/New</i>
MW-3	4/6/2010	490.38	59	2	54-59	Zone B	<i>Active/New</i>
MW-4	4/12/2010	492.27	59	2	54-59	Zone B	<i>Active/New</i>
MW-5	4/8/2010	491.99	59	2	54-59	Zone B	<i>Active/New</i>
MW-6	4/9/2010	491.52	59	2	54-59	Zone B	<i>Active/New</i>
MW-7	4/8/2010	492.29	33	2	28-33	Zone A	<i>Active/New</i>
MW-8	4/7/2010	490.86	39	2	34-39	Zone A	<i>Active/New</i>
MW-9	4/9/2010	491.64	40	2	35-40	Zone A	<i>Active/New</i>

Abbreviations/Notes:

fbg = feet below grade

TOC = Top of casing elevation (feet above mean sea level)

TOC elevations for wells for all existing wells were surveyed by Morrow Surveying on April 19, 2010.

Zone A = Shallow perched water zone

Zone B = Deeper water zone

TABLE 2
CUMULATIVE SOIL ANALYTICAL DATA
FORMER TEXACO SERVICE STATION 30-7233
2259 FIRST STREET, LIVERMORE, CALIFORNIA

Sample ID	Date	Depth (ftg)	TPHmo	TPHd	TPHg	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	OXYs	Pb
<i>ESLs for Soil Leaching Screening Level (Drinking Water Source) Table G</i>			83	83	83	0.044	2.9	3.3	2.3	0.023	Varies	--
<i>ESLs for Soil Direct Exposure Construction/Trench Worker Table K-3</i>			12,000	4,200	4,200	12	650	210	420	2,800	Varies	750
2010 CRA Well Installation												
MW-1	03/29/2010	4.0	<10	<4.0	<1.0	<0.0005	<0.0009	<0.0009	<0.0009	--	--	--
MW-1	04/07/2010	9.5	<10	<4.0	<1	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-1	04/07/2010	14.5	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-1	04/07/2010	19.5	<10	<4.0	<0.9	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-1	04/07/2010	24.5	<10	<4.0	<1	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-1	04/07/2010	29.5	<10	31	310	<0.025	<0.049	<0.049	<0.049	--	--	--
MW-1	04/07/2010	34.5	<10	<4.0	<1.0	0.0005	<0.001	<0.001	<0.001	--	--	--
MW-1	04/07/2010	39.5	<10	<4.0	6.8	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-1	04/07/2010	44.5	<10	<4.0	5.0	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-1	04/07/2010	49.5	<10	<4.0	<1	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-1	04/07/2010	54.5	<10	<4.0	<0.9	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-1	04/07/2010	59.5	<10	<4.0	<1	<0.0005	<0.0009	<0.0009	<0.0009	--	--	--
MW-2	04/05/2010	9.5	<10	<4.0	<1	<0.0005	<0.0009	<0.0009	<0.0009	--	--	--
MW-2	04/05/2010	14.5	<10	<4.0	<1	<0.0005	<0.0009	<0.0009	<0.0009	--	--	--
MW-2	04/05/2010	19.5	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-2	04/05/2010	24.5	<10	<4.0	<0.9	<0.0005	<0.0009	<0.0009	<0.0009	--	--	--
MW-2	04/05/2010	29.5	<10	<4.0	<1	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-2	04/05/2010	34.5	<10	<4.0	<1.0	<0.0005	<0.0009	<0.0009	<0.0009	--	--	--
MW-2	04/05/2010	39.5	<10	<4.0	<1	<0.0005	<0.0009	<0.0009	<0.0009	--	--	--
MW-2	04/05/2010	44.5	<10	<4.0	<1	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-2	04/05/2010	49.5	<10	<4.0	<1.1	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-2	04/05/2010	54.5	<10	<4.0	<1	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-2	04/05/2010	59.5	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-3	03/30/2010	5.0	<10	8.8	<1.0	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-3	04/06/2010	9.5	<10	<4.0	<0.9	<0.0005	0.002	<0.001	<0.001	--	--	--
MW-3	04/06/2010	14.5	<10	<4.0	<1	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-3	04/06/2010	19.5	<10	<4.0	<1	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-3	04/06/2010	24.5	<10	<4.0	<0.9	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-3	04/06/2010	29.5	<10	<4.0	<1.1	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-3	04/06/2010	34.5	<10	<4.0	<1.0	<0.0005	<0.0009	<0.0009	<0.0009	--	--	--
MW-3	04/06/2010	39.5	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-3	04/06/2010	44.5	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-3	04/06/2010	49.5	<10	<4.0	<1.1	<0.0005	<0.001	<0.001	<0.001	--	--	--

TABLE 2
CUMULATIVE SOIL ANALYTICAL DATA
FORMER TEXACO SERVICE STATION 30-7233
2259 FIRST STREET, LIVERMORE, CALIFORNIA

Sample ID	Date	Depth (ftg)	TPHmo	TPHd	TPHg	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	OXYs	Pb
<i>ESLs for Soil Leaching Screening Level (Drinking Water Source) Table G</i>			83	83	83	0.044	2.9	3.3	2.3	0.023	Varies	--
<i>ESLs for Soil Direct Exposure Construction/Trench Worker Table K-3</i>			12,000	4,200	4,200	12	650	210	420	2,800	Varies	750
MW-3	04/06/2010	54.5	<10	<4.0	10	0.004	<0.001	<0.001	<0.001	--	--	--
MW-3	04/06/2010	59.5	<10	<4.0	<1.1	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-4	03/30/2010	5.0	<10	<4.0	<1	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-4	04/12/2010	10.5	<10	<4.0	<0.9	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-4	04/12/2010	15.5	<10	<4.0	<1	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-4	04/12/2010	20.5	<10	<4.0	<0.9	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-4	04/12/2010	25.5	<10	<4.0	<1	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-4	04/12/2010	30.5	<10	82	42	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-4	04/12/2010	35.5	<10	<4.0	<0.9	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-4	04/12/2010	40.5	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-4	04/12/2010	45.5	<10	<4.0	80	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-4	04/12/2010	50.5	<10	<4.0	31	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-4	04/12/2010	55.5	<10	4.7	110	0.003	0.001	0.019	0.007	--	--	--
MW-4	04/12/2010	60.5	<10	<4.0	<0.9	<0.0005	<0.0009	<0.0009	<0.0009	--	--	--
MW-5	03/31/2010	5.0	130	42	<1	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-5	04/08/2010	9.5	<10	<4.0	<1	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-5	04/08/2010	14.5	<10	<4.0	<1	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-5	04/08/2010	19.5	<10	<4.0	<1	0.001	<0.0009	<0.0009	<0.0009	--	--	--
MW-5	04/08/2010	24.5	<10	5.9	150	<0.026	<0.053	<0.053	<0.053	--	--	--
MW-5	04/08/2010	29.5	<10	8.1	18	0.003	<0.001	0.038	0.022	--	--	--
MW-5	04/08/2010	34.5	<10	29	51	<0.023	<0.046	<0.046	<0.046	--	--	--
MW-5	04/08/2010	39.5	<10	<4.0	2.1	0.027	0.002	0.004	<0.001	--	--	--
MW-5	04/08/2010	44.5	<10	<4.0	<1.0	0.003	<0.001	<0.001	<0.001	--	--	--
MW-5	04/08/2010	49.5	<10	<4.0	<1	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-5	04/08/2010	54.5	<10	<4.0	<1	0.0006	<0.001	<0.001	<0.001	--	--	--
MW-5	04/08/2010	59.5	<10	<4.0	<1	<0.0005	<0.001	<0.001	<0.001	--	--	--

TABLE 2
CUMULATIVE SOIL ANALYTICAL DATA
FORMER TEXACO SERVICE STATION 30-7233
2259 FIRST STREET, LIVERMORE, CALIFORNIA

Sample ID	Date	Depth (ftg)	TPHmo	TPHd	TPHg	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	OXYs	Pb
<i>ESLs for Soil Leaching Screening Level (Drinking Water Source) Table G</i>			83	83	83	0.044	2.9	3.3	2.3	0.023	Varies	--
<i>ESLs for Soil Direct Exposure Construction/Trench Worker Table K-3</i>			12,000	4,200	4,200	12	650	210	420	2,800	Varies	750
MW-6	04/01/2010	5.0	<10	<4.0	<1	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-6	04/09/2010	10.0	<10	<4.0	<1	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-6	04/09/2010	15.0	<10	<4.0	<1	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-6	04/09/2010	19.5	<10	<4.0	<0.9	<0.0005	<0.0009	<0.0009	<0.0009	--	--	--
MW-6	04/09/2010	25.0	<10	<4.0	<1	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-6	04/09/2010	30.0	<10	<4.0	<0.9	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-6	04/09/2010	35.0	<10	<4.0	<0.9	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-6	04/09/2010	40.0	<10	<4.0	<1	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-6	04/09/2010	45.0	<10	<4.0	<1	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-6	04/09/2010	50.0	<10	<4.0	<0.9	<0.0005	<0.001	<0.001	<0.001	--	--	--
MW-6	04/09/2010	55.0	<10	<4.0	44	0.020	0.003	0.006	0.002	--	--	--
MW-6	04/09/2010	59.5	<10	<4.0	<1	<0.0005	<0.001	<0.001	<0.001	--	--	--
2008 Subsurface Investigations												
CPT1	02/05/2008	21.0	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	--
CPT1	02/05/2008	36.0	380	100	1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	--
CPT2	02/04/2008	22.0	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	--
CPT2	02/04/2008	30.0	<10	27	4.4	<0.026	<0.052	1.1	0.18	<0.026	ND	--
CPT2	02/04/2008	35.0	<12	<4.0	1.3	0.0009	<0.001	<0.001	0.002	<0.0005	ND	--
CPT3	11/04/2008	18.5	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	--
CPT3	11/04/2008	35.5	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	--
CPT3	11/04/2008	55.5	<10	7.1	52	<0.024	<0.047	<0.047	<0.047	<0.024	ND	--
CPT4	11/05/2008	50.0	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	--
CPT5	11/03/2008	51.5	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	--
SB6	01/28/2008	1-8***	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	6.13
SB6	01/28/2008	9.5	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	6.39
SB6	01/28/2008	19.5	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	5.79
SB6	01/28/2008	24.0	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	10.9

TABLE 2
CUMULATIVE SOIL ANALYTICAL DATA
FORMER TEXACO SERVICE STATION 30-7233
2259 FIRST STREET, LIVERMORE, CALIFORNIA

Sample ID	Date	Depth (fbg)	TPHmo	TPHd	TPHg	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	OXYs	Pb
<i>ESLs for Soil Leaching Screening Level (Drinking Water Source) Table G</i>			83	83	83	0.044	2.9	3.3	2.3	0.023	Varies	--
<i>ESLs for Soil Direct Exposure Construction/Trench Worker Table K-3</i>			12,000	4,200	4,200	12	650	210	420	2,800	Varies	750
SB7	01/28/2008	1-8***	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	8.57
SB7	01/30/2008	9.5	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	8.30
SB7	01/30/2008	19.5	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	4.70
SB7	01/30/2008	29.5	<10	<4.0	3.7	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	10.5
SB7	01/30/2008	34.5	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	11.6
SB8	01/28/2008	1-8***	53	18	<1.0	<0.0005	<0.0009	<0.0009	<0.0009	<0.0005	ND	21.9
SB8	01/31/2008	19.5	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	10.3
SB8	01/31/2008	29.5	<10	<4.0	1.2	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	8.29
SB8	01/31/2008	34.5	<10	67	530	<0.027	<0.054	0.10	<0.054	<0.027	ND	7.86
SB8	01/31/2008	39.5	<10	<4.0	<1.0	0.007	0.002	0.015	0.007	0.039	0.034 ^a	8.93
SB9	01/28/2008	1-8***	32	13	1.3	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	13.5
SB9	01/29/2008	15.0	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	6.36
SB9	01/29/2008	27.5	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	7.92
SB9	01/29/2008	34.5	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	12.3
SB9	01/29/2008	46.5	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	9.34
SB9	01/29/2008	54.5	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	5.77
SB10	10/23/2008	5.0	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	--
SB10	11/04/2008	16.0	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	--
SB10	11/04/2008	26.0	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	--
SB10	11/04/2008	36.0	<10	<4.0	<1.0	<0.0005	<0.0009	<0.0009	<0.0009	<0.0005	ND	--
SB10	11/04/2008	46.0	<10	4.2	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	--
SB10	11/04/2008	56.0	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	--
SB10	11/04/2008	62.0	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	--
SB11	10/24/2008	5.0	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	--
SB11	11/03/2008	11.0	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	--
SB11	11/03/2008	16.0	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	--
SB11	11/03/2008	26.0	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	--
SB11	11/03/2008	36.0	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	--
SB11	11/03/2008	45.5	<10	<4.0	59	<0.0005	<0.0009	<0.0009	<0.0009	<0.0005	ND	--
SB11	11/03/2008	50.5	<10	25	59	<0.023	<0.045	<0.045	<0.045	<0.023	ND	--
SB11	11/03/2008	56.0	<10	45	98	<0.023	<0.047	<0.047	<0.047	<0.023	ND	--
SB11	11/03/2008	61.0	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	--

TABLE 2
CUMULATIVE SOIL ANALYTICAL DATA
FORMER TEXACO SERVICE STATION 30-7233
2259 FIRST STREET, LIVERMORE, CALIFORNIA

Sample ID	Date	Depth (ftg)	TPHmo	TPHd	TPHg	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	OXYs	Pb
<i>ESLs for Soil Leaching Screening Level (Drinking Water Source) Table G</i>			83	83	83	0.044	2.9	3.3	2.3	0.023	Varies	--
<i>ESLs for Soil Direct Exposure Construction/Trench Worker Table K-3</i>			12,000	4,200	4,200	12	650	210	420	2,800	Varies	750
SB12	10/24/2008	5.0	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	--
SB12	11/03/2008	15.5	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	--
SB12	11/03/2008	25.5	<10	<4.0	120	<0.023	<0.046	<0.046	<0.046	<0.023	ND	--
SB12	11/03/2008	30.0	<10	34	58	<0.024	<0.047	<0.047	<0.047	<0.024	ND	--
SB12	11/03/2008	35.5	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	--
SB12	11/03/2008	45.5	<10	<4.0	1.3	0.0007	<0.001	<0.001	<0.001	<0.0005	ND	--
SB12	11/03/2008	50.5	<10	65	1,200	<0.023	<0.046	<0.046	<0.046	<0.023	ND	--
SB12	11/03/2008	55.5	<10	55	1,300	1.1	0.15	2.0	3.7	<0.024	ND	--
SB12	11/03/2008	60.5	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	--
SSB1	02/01/2008	1.5	--	--	--	--	--	--	--	--	--	9.52
SSB1	02/01/2008	2.5	--	--	--	--	--	--	--	--	--	52.9
SSB1	02/01/2008	4.5	--	--	--	--	--	--	--	--	--	7.34
SSB2	01/28/2008	1.5	--	--	--	--	--	--	--	--	--	17.4
SSB2	01/30/2008	2.5	--	11	1.2	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	40.6
SSB2	01/30/2008	4.5	--	4.4	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	15.0
SSB2	01/30/2008	8.0	--	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	7.45
SSB3	01/30/2008	1.5	--	--	--	--	--	--	--	--	--	42.8
SSB3	02/06/2008	3.0	--	--	--	--	--	--	--	--	--	52.4
SSB3	02/06/2008	5.0	--	--	--	--	--	--	--	--	--	42.2
SSB4	02/01/2008	1.5	--	--	--	--	--	--	--	--	--	10.2
SSB4	02/01/2008	2.5	--	--	--	--	--	--	--	--	--	517
SSB4	02/01/2008	4.5	--	--	--	--	--	--	--	--	--	616
SSB4	02/01/2008	9.0	--	--	--	--	--	--	--	--	--	90.8
SSB5	02/06/2008	1.5	--	--	--	--	--	--	--	--	--	18.2
SSB5	02/06/2008	3.0	--	--	--	--	--	--	--	--	--	47.5
SSB5	02/06/2008	5.5	--	--	--	--	--	--	--	--	--	117
SSB5	02/06/2008	7.0	--	--	--	--	--	--	--	--	--	63.5
SSB6	02/06/2008	1.5	--	--	--	--	--	--	--	--	--	14.3
SSB6	02/06/2008	3.0	--	--	--	--	--	--	--	--	--	98.9

TABLE 2
CUMULATIVE SOIL ANALYTICAL DATA
FORMER TEXACO SERVICE STATION 30-7233
2259 FIRST STREET, LIVERMORE, CALIFORNIA

Sample ID	Date	Depth (ftg)	TPHmo	TPHd	TPHg	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	OXYs	Pb
<i>ESLs for Soil Leaching Screening Level (Drinking Water Source) Table G</i>			83	83	83	0.044	2.9	3.3	2.3	0.023	Varies	--
<i>ESLs for Soil Direct Exposure Construction/Trench Worker Table K-3</i>			12,000	4,200	4,200	12	650	210	420	2,800	Varies	750
SSB7	02/06/2008	1.5	--	--	--	--	--	--	--	--	--	13.0
SSB7	02/06/2008	3.5	--	--	--	--	--	--	--	--	--	9.73
SSB7	02/06/2008	5.5	--	--	--	--	--	--	--	--	--	4.60
SSB7	02/06/2008	7.0	--	--	--	--	--	--	--	--	--	3.97
SSB8	02/01/2008	1.5	--	--	--	--	--	--	--	--	--	168
SSB8	02/01/2008	4.5	--	--	--	--	--	--	--	--	--	160
SSB8	02/01/2008	9.5	--	--	--	--	--	--	--	--	--	33.8
SSB9	02/06/2008	1.5	--	--	--	--	--	--	--	--	--	189
SSB9	02/06/2008	3.0	--	--	--	--	--	--	--	--	--	15.0
SSB9	02/06/2008	5.0	--	--	--	--	--	--	--	--	--	6.24
SSB9	02/06/2008	9.0	--	--	--	--	--	--	--	--	--	6.36
SSB10	01/31/2008	1.5	--	--	--	--	--	--	--	--	--	38.9
SSB10	02/06/2008	3.0	--	--	--	--	--	--	--	--	--	67.2
SSB10	02/06/2008	5.0	--	--	--	--	--	--	--	--	--	5.00
SSB10	02/06/2008	9.0	--	--	--	--	--	--	--	--	--	9.34
SSB11	02/06/2008	1.5	--	--	--	--	--	--	--	--	--	9.67
SSB11	02/06/2008	3.0	--	--	--	--	--	--	--	--	--	4.86
SSB11	02/06/2008	5.0	--	--	--	--	--	--	--	--	--	3.90
SSB11	02/06/2008	8.5	--	--	--	--	--	--	--	--	--	5.62
VP1	02/01/2008	4.5	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	6.10
VP1	02/01/2008	8.0	<10	<4.0	<1.0	<0.0005	<0.0009	<0.0009	<0.0009	<0.0005	ND	9.03
VP2	02/01/2008	4.5	54	25	<1.0	<0.0005	<0.0009	<0.0009	<0.0009	<0.0005	ND	75.4
VP2	02/01/2008	9.5	<10	<4.0	<1.0	<0.0005	<0.0009	<0.0009	<0.0009	<0.0005	ND	15.6
VP3	02/01/2008	4.5	<10	<4.0	1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	6.12
VP3	02/01/2008	8.0	<10	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	4.22

TABLE 2
CUMULATIVE SOIL ANALYTICAL DATA
FORMER TEXACO SERVICE STATION 30-7233
2259 FIRST STREET, LIVERMORE, CALIFORNIA

Sample ID	Date	Depth (ftg)	TPHmo	TPHd	TPHg	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	OXYs	Pb
<i>ESLs for Soil Leaching Screening Level (Drinking Water Source) Table G</i>			83	83	83	0.044	2.9	3.3	2.3	0.023	Varies	--
<i>ESLs for Soil Direct Exposure Construction/Trench Worker Table K-3</i>			12,000	4,200	4,200	12	650	210	420	2,800	Varies	750
2007 Tank Pull												
EX1	06/20/2007	7.0	<580	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	4.98
EX2	06/20/2007	7.0	<580	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	3.29
EX3	06/20/2007	7.0	<580	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	5.13
EX4	06/20/2007	8.0	11,000	2,800	<1.0	<0.0005	0.001	<0.001	<0.001	<0.0005	ND	1,170
EX4	06/20/2007	9.0	3,100	1,400	<100	<0.0005	<0.001	<0.001	0.004	<0.0005	ND	1,470
EX5	06/20/2007	8.0	<580	100	<10	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	190
EX6	06/20/2007	8.0	3,000	1,300	<400	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	1,500
P1	06/20/2007	5.0	<580	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	27.1
October 2006 Subsurface Investigation												
SB-1	10/26/2006	10.0	<10	<10	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	--
SB-1	10/26/2006	15.0	350	140	15	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	--
SB-1	10/26/2006	22.0	1,400	780	2,800	<0.062	2.1	7.5	<0.12	<0.062	ND	--
SB-1	10/26/2006	26.0	390	590	1,100	0.62	0.19	5.5	19	<0.062	ND	--
SB-1	10/26/2006	32.0	94	120	180	2.0	17	13	65	<0.063	ND	--
SB-1	10/26/2006	35.5	67	99	1,200	1.0	5.5	2.7	16	<0.062	ND	--
SB-1	10/26/2006	39.5	<10	20	1,000	0.90	0.93	2.5	11	<0.063	ND	--
SB-3	10/23/2006	10.0	<10	<10	<1.0	<0.0005	0.001	<0.001	0.002	<0.0005	ND	--
SB-3	10/23/2006	15.0	<10	<10	<1.0	<0.0005	<0.001	<0.001	0.002	<0.0005	ND	--
SB-3	10/23/2006	21.0	<20	82	1,800	<0.062	<0.12	4.8	15	<0.062	ND	--
SB-3	10/23/2006	25.0	88	3,000	8,700	14	410	120	770	<0.31	ND	--
SB-3	10/23/2006	30.0	<20	230	5,400	3.2	68	40	250	<0.062	ND	--
SB-3	10/23/2006	35.0	<10	17	630	0.080	<0.12	0.56	1.1	<0.062	ND	--
SB-3	10/23/2006	39.5	<20	62	130	0.23	1.5	0.81	5.5	<0.063	ND	--
SB-4	09/12/2006	5.0	<18	33	1.3	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	--
SB-4	09/12/2006	10.0	<20	28	2.8	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	--
SB-4	09/12/2006	15.0	<20	<12	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	--
SB-4	09/12/2006	20.0	<20	<10	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	--
SB-4	09/12/2006	25.0	<20	24	310	<0.003	<0.005	0.008	<0.005	<0.003	ND	--
SB-4	09/12/2006	27.5	<20	260	1,600	0.10	0.14	4.5	19	<0.062	ND	--
SB-4	09/12/2006	30.0	<20	<12	22	0.003	<0.005	0.014	0.007	<0.002	ND	--
SB-4	09/12/2006	35.0	<20	45	320	<0.063	<0.13	<0.13	<0.13	<0.063	ND	--
SB-4	09/12/2006	39.5	<16	<10	1.2	0.15	<0.001	<0.001	<0.001	<0.0005	ND	--

TABLE 2
CUMULATIVE SOIL ANALYTICAL DATA
FORMER TEXACO SERVICE STATION 30-7233
2259 FIRST STREET, LIVERMORE, CALIFORNIA

Sample ID	Date	Depth (fbg)	TPHmo	TPHd	TPHg	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	OXYs	Pb
<i>ESLs for Soil Leaching Screening Level (Drinking Water Source) Table G</i>			83	83	83	0.044	2.9	3.3	2.3	0.023	Varies	--
<i>ESLs for Soil Direct Exposure Construction/Trench Worker Table K-3</i>			12,000	4,200	4,200	12	650	210	420	2,800	Varies	750
SB-5	10/24/2006	10.0	<10	<10	<1.0	<0.0005	0.001	<0.001	0.002	<0.0005	ND	--
SB-5	10/26/2006	15.0	<10	<10	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	ND	--
SB-5	10/26/2006	19.5	560	700	27	<0.0005	<0.001	<0.001	0.001	<0.0005	ND	--
SB-5	10/26/2006	26.0	450	620	1,100	0.78	<0.13	8.5	12	<0.063	ND	--
SB-5	10/26/2006	30.0	140	320	950	<0.062	<0.12	1.1	2.0	<0.062	ND	--
SB-5	10/26/2006	34.0	290	630	3,100	17	67	38	130	<0.13	ND	--
SB-5	10/26/2006	39.5	<10	80	1,400	5.4	2.6	13	73	<0.062	ND	--
2005 Consolidated Engineering Tank Pull												
Sample (1) LFD	09/20/2005	3.0	<2,500	4,100	--	<0.017	<0.017	<0.017	<0.017	<0.017	ND	--
Sample (2)	09/20/2005	3.0	<250	1,300	--	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	ND	--
Sample (3)	09/20/2005	3.0	<200	670	--	<0.022	<0.022	<0.022	<0.022	<0.022	ND	--
Sample (4)	09/20/2005	3.0	<50	1.0	<1.000	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	ND	--
Sample (5)	09/20/2005	3.0	54	140	<1.000	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	ND	--
Sample (6)	09/20/2005	3.0	<50	2.1	3	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	ND	--
2004 Fugro Subsurface Investigation												
B-1	09/17/2003	3.0	--	--	--	--	--	--	--	--	--	21
B-1	09/17/2003	25.5	<50	<1.0	<1.0	<0.005	<0.005	<0.005	<0.005	<0.005	--	--
B-2	09/17/2003	3.0	--	--	--	--	--	--	--	--	--	3,700****
B-2	09/17/2003	15.5	--	--	<1.0	<0.005	<0.005	<0.005	<0.005	--	--	--
B-2	09/17/2003	30.0	<50	9.6	3.5	<0.005	<0.005	<0.005	<0.005	<0.005	--	--
B-3	09/17/2003	3.0	--	--	--	--	--	--	--	--	--	4.8
B-3	09/17/2003	25.5	<50	<1.0	<1.0	<0.005	<0.005	<0.005	<0.005	<0.005	--	--

TABLE 2
CUMULATIVE SOIL ANALYTICAL DATA
FORMER TEXACO SERVICE STATION 30-7233
2259 FIRST STREET, LIVERMORE, CALIFORNIA

Sample ID	Date	Depth (fbg)	TPHmo	TPHd	TPHg	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	OXYs	Pb
<i>ESLs for Soil Leaching Screening Level (Drinking Water Source) Table G</i>			83	83	83	0.044	2.9	3.3	2.3	0.023	Varies	--
<i>ESLs for Soil Direct Exposure Construction/Trench Worker Table K-3</i>			12,000	4,200	4,200	12	650	210	420	2,800	Varies	750

Notes:

Total petroleum hydrocarbons as motor oil (TPHmo) analyzed by EPA Method 8015B modified unless otherwise noted.

Total petroleum hydrocarbons as diesel (TPHd) analyzed by EPA Method 8015B with silica gel cleanup unless otherwise noted.

Total petroleum hydrocarbons as gasoline (TPHg) analyzed by EPA Method 8015B modified unless otherwise noted.

Benzene, toluene, ethylbenzene, and total xylenes (BTEX); methyl tertiary-butyl ether (MTBE); t-butyl alcohol (TBA); di-isopropyl ether (DIPE); ethyl tertiary-butyl ether (ETBE); t-amyl methyl ether (TAME); 1,2-dichloroethane (1,2-DCA); 1,2-dibromoethane (EDB) analyzed by EPA method 8260B unless otherwise noted.

OXYs = TBA, DIPE, ETBE, TAME, 1,2,-DCA, and EDB

fbg = feet below grade.

<x = Not detected at reporting limit x.

ND = not detected at various laboratory method detection limits.

Environmental Screening Levels (ESLs) for commercial land use where groundwater is a current or potential drinking water source from *Screening for Environmental Concerns at Sites with Contaminated Soil and Groundwater* presented by the California Regional Water Quality Control Board - San Francisco Bay Region Interim Final November 2007, revised May 2008.

NE = Not established

-- = Not applicable/not analyzed.

a = TBA, no other oxygenates detected

*** = Discrete sample could not be collected due to large cobbles, composite sample collected.

**** = Soluble Lead Toxicity Characteristic Leaching Potential (TCLP) analysis resulted in a concentration <0.50 milligrams per liter.

TABLE 3
CUMULATIVE GRAB-GROUNDWATER ANALYTICAL DATA
FORMER TEXACO SERVICE STATION 30-7233
2259 FIRST STREET, LIVERMORE, CALIFORNIA

Sample ID	Date	Sample Depth (fbg)	TPH _{mo}	TPH _d	TPH _g	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	TBA	DIPE	ETBE	TAME	1,2-DCA	EDB
<i>ESLs for Drinking Water Toxicity (Table F-3)</i>			210	210	210	1.0	150	300	1800	13	12	NE	NE	NE	0.5	0.05
<i>ESLs for Potential Vapor Intrusion Into Buildings Comercial/Industrial (Table E-1a)</i>			--	Uses soil gas	Uses soil gas	1,800	530,000	170,000	160,000	80,000	Uses soil gas	NE	NE	NE	690	510
CRA 2008 SSI																
CPT1	02/05/08	42	1,500	3,300	47,000	5	2	3	2	<0.5	<2	<0.5	<0.5	<0.5	<0.5	<0.5
CPT2	02/04/08	31	1,500	10,000	4,100	14	2	57	110	<0.5	<2	<0.5	<0.5	<0.5	<0.5	<0.5
CPT3	11/04/08	56	4,500	36,000	29,000	200	140	740	1,100	<1	<4	<1	<1	<1	<1	<1
CPT4	11/05/08	54	720	400	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.5	<0.5	<0.5
CPT4	11/05/08	60	1,400	490	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.5	<0.5	<0.5
CPT5	11/03/08	55	510	43,000	2,500	<0.5	<0.5	1	0.5	<0.5	<2	<0.5	<0.5	<0.5	<0.5	<0.5
CPT5	11/03/08	68	<400	340	70	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.5	<0.5	<0.5
SB6	01/30/08	22	<400	300	110	3	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.5	<0.5	<0.5
SB7	01/30/08	31	<400	6,400	3,000	<0.5	<0.5	<0.5	<0.5	<0.5	16	<0.5	<0.5	<0.5	<0.5	<0.5
SB8	01/31/08	34	--	52,000	18,000	<1	<1	8	2	<1	<4	<1	<1	<1	<1	<1
SB9	01/29/08	55	450	490	1,100	<0.5	<0.5	<0.5	0.5	<0.5	<2	<0.5	<0.5	<0.5	<0.5	<0.5
SB10	11/04/08	50	<400	<320	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.5	<0.5	<0.5
SB11	11/03/08	50	<400	20,000	9,000	<0.5	3	17	150	<0.5	<2	<0.5	<0.5	<0.5	<0.5	<0.5
SB12	11/03/08	50	<400	4,000	5,500	190	15	100	220	<0.5	<2	<0.5	<0.5	<0.5	<0.5	<0.5
2004 Fugro Subsurface Investigation																
B-1	9/17/2003	34-40	<1,000	1,100	1,600	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--	--
B-2	9/17/2003	34-40	<500	57	90	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--	--
B-3	9/17/2003	34-40	<10,000	42,000	18,000	140	47	120	1,000	<50	--	--	--	--	--	--

TABLE 3
CUMULATIVE GRAB-GROUNDWATER ANALYTICAL DATA
FORMER TEXACO SERVICE STATION 30-7233
2259 FIRST STREET, LIVERMORE, CALIFORNIA

Sample ID	Date	Sample Depth (fbg)	TPHmo	TPHd	TPHg	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	TBA	DIPE	ETBE	TAME	1,2-DCA	EDB
<i>ESLs for Drinking Water Toxicity (Table F-3)</i>			210	210	210	1.0	150	300	1800	13	12	NE	NE	NE	0.5	0.05
<i>ESLs for Potential Vapor Intrusion Into Buildings Comercial/Industrial (Table E-1a)</i>			--	Uses soil gas	Uses soil gas	1,800	530,000	170,000	160,000	80,000	Uses soil gas	NE	NE	NE	690	510

Notes:

Total petroleum hydrocarbons as motor oil (TPHmo) analyzed by EPA Method 8015B modified.

Total petroleum hydrocarbons as diesel (TPHd) analyzed by EPA Method 8015B with silica gel cleanup.

Total petroleum hydrocarbons as gasoline (TPHg) analyzed by EPA Method 8015B modified.

Benzene, toluene, ethylbenzene, and total xylenes (BTEX); methyl tertiary-butyl ether (MTBE); t-butyl alcohol (TBA); di-isopropyl ether (DIPE); ethyl tertiary-butyl ether (ETBE); t-amyl methyl ether (TAME); 1,2-dichloroethane (1,2-DCA); 1,2-dibromoethane (EDB) analyzed by EPA Method 8260B.

Environmental Screening Levels (ESLs) for groundwater that is a current or potential drinking water source from *Screening for Environmental Concerns at Sites with Contaminated Soil and Groundwater* presented by the California Regional Water Quality Control Board - San Francisco Bay Region Interim Final November 2007, revised May 2008.

fbg = feet below grade.

<x = Not detected at reporting limit x.

-- = Not applicable/not analyzed.

APPENDIX A

REGULATORY CORRESPONDENCE

ALAMEDA COUNTY
HEALTH CARE SERVICES


AGENCY

DAVID J. KEARS, Agency Director



ENVIRONMENTAL HEALTH SERVICES
ENVIRONMENTAL PROTECTION
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577
(510) 567-6700
FAX (510) 337-93

April 3, 2009



Mr. Ian Robb
Chevron Environmental Management Company
6001 Bollinger Canyon Road
San Ramon, CA 94583-2324

Ms. Chris Davidson
City of Livermore Economic Development
1052 S. Livermore Ave.
Livermore, CA 94550

Subject: Fuel Leak Case No. RO0002908 and Geotracker Global ID T0600196622, Miller Square Park,
2259 First Street, Livermore, CA 94550

Dear Mr. Robb and Ms. Davidson:

Alameda County Environmental Health (ACEH) staff has reviewed the fuel leak case file for the above referenced site including the recently submitted document entitled, "*Subsurface Investigation Report*," dated March 5, 2009, which was prepared on behalf of Chevron by Conestoga-Rovers & Associates. The Subsurface Investigation Report presents the results from soil and groundwater sampling in three cone penetration test (CPT) borings and three soil borings. Results from re-sampling of soil vapor probes were also presented. The results were generally consistent with previous investigation results. Total petroleum hydrocarbons as gasoline were detected in soil and groundwater at concentrations up to 1,300 milligrams per kilogram and 52,000 micrograms per liter, respectively. The highest concentrations of TPHg were generally detected in soil at depths of approximately 45 to 55 feet bgs.

One proposed off-site CPT boring (CPT-6) was not advanced because an access agreement could not be completed with the adjacent property owner. Proposed boring CPT6 is located in a crossgradient location (north) from the former USTs and dispensers at the site. Boring SB10 was advanced near the northern site boundary, approximately 40 south of the proposed location of CPT6. Petroleum hydrocarbons were not detected in soil and groundwater samples collected from boring SB10, which appears to define the northern extent of contamination in this area of the site. Based on these results, it does not appear that boring CPT6 is required.

Based on the extent of contamination and elevated concentrations of fuel hydrocarbons, remedial action will be required for the site. We request that you prepare a Pilot Test Work Plan or Draft Corrective Action Plan **by June 10, 2009** to begin site cleanup. The Pilot Test Work Plan or Draft Corrective Action Plan is to include plans for groundwater monitoring wells that can be used to estimate the hydraulic gradient, monitor fuel hydrocarbon transport, and evaluate the long-term effectiveness of site cleanup.

Mr. Ian Robb
Ms. Chris Davidson
RO0002908
April 3, 2009
Page 2

TECHNICAL REPORT REQUEST

Please submit technical reports to Alameda County Environmental Health (Attention: Jerry Wickham), according to the following schedule:

- **June 10, 2009** – Pilot Test Work Plan or Draft Corrective Action Plan

These reports are being requested pursuant to California Health and Safety Code Section 25296.10. 23 CCR Sections 2652 through 2654, and 2721 through 2728 outline the responsibilities of a responsible party in response to an unauthorized release from a petroleum UST system, and require your compliance with this request.

ELECTRONIC SUBMITTAL OF REPORTS

ACEH's Environmental Cleanup Oversight Programs (LOP and SLIC) require submission of reports in electronic form. The electronic copy replaces paper copies and is expected to be used for all public information requests, regulatory review, and compliance/enforcement activities. Instructions for submission of electronic documents to the Alameda County Environmental Cleanup Oversight Program FTP site are provided on the attached "Electronic Report Upload Instructions." Submission of reports to the Alameda County FTP site is an addition to existing requirements for electronic submittal of information to the State Water Resources Control Board (SWRCB) Geotracker website. In September 2004, the SWRCB adopted regulations that require electronic submittal of information for all groundwater cleanup programs. For several years, responsible parties for cleanup of leaks from underground storage tanks (USTs) have been required to submit groundwater analytical data, surveyed locations of monitoring wells, and other data to the Geotracker database over the Internet. Beginning July 1, 2005, these same reporting requirements were added to Spills, Leaks, Investigations, and Cleanup (SLIC) sites. Beginning July 1, 2005, electronic submittal of a complete copy of all reports for all sites is required in Geotracker (in PDF format). Please visit the SWRCB website for more information on these requirements (http://www.swrcb.ca.gov/ust/cleanup/electronic_reporting).

PERJURY STATEMENT

All work plans, technical reports, or technical documents submitted to ACEH must be accompanied by a cover letter from the responsible party that states, at a minimum, the following: "I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge." This letter must be signed by an officer or legally authorized representative of your company. Please include a cover letter satisfying these requirements with all future reports and technical documents submitted for this fuel leak case.

PROFESSIONAL CERTIFICATION & CONCLUSIONS/RECOMMENDATIONS

The California Business and Professions Code (Sections 6735, 6835, and 7835.1) requires that work plans and technical or implementation reports containing geologic or engineering evaluations and/or judgments be performed under the direction of an appropriately registered or certified professional. For your submittal to be considered a valid technical report, you are to present site specific data, data interpretations, and recommendations prepared by an appropriately licensed professional and include the

Mr. Ian Robb
Ms. Chris Davidson
RO0002908
April 3, 2009
Page 3

professional registration stamp, signature, and statement of professional certification. Please ensure all that all technical reports submitted for this fuel leak case meet this requirement.

UNDERGROUND STORAGE TANK CLEANUP FUND

Please note that delays in investigation, later reports, or enforcement actions may result in your becoming ineligible to receive grant money from the state's Underground Storage Tank Cleanup Fund (Senate Bill 2004) to reimburse you for the cost of cleanup.

AGENCY OVERSIGHT

If it appears as though significant delays are occurring or reports are not submitted as requested, we will consider referring your case to the Regional Board or other appropriate agency, including the County District Attorney, for possible enforcement actions. California Health and Safety Code, Section 25299.76 authorizes enforcement including administrative action or monetary penalties of up to \$10,000 per day for each day of violation.

If you have any questions, please call me at (510) 567-6791 or send me an electronic mail message at jerry.wickham@acgov.org.

Sincerely,



Jerry Wickham, California PG 3766, CEG 1177, and CHG 297
Senior Hazardous Materials Specialist

Enclosure: ACEH Electronic Report Upload (ftp) Instructions

cc: Cheryl Dizon, QIC 80201, Zone 7 Water Agency, 100 North Canyons Parkway
Livermore, CA 94551

Danielle Stefani, Livermore-Pleasanton Fire Department, 3560 Nevada Street
Pleasanton, CA 94566

John Rigger, Livermore-Pleasanton Fire Department, 3560 Nevada Street
Pleasanton, CA 94566

Charlotte Evans, Conestoga-Rovers & Associates, 5900 Hollis Street, Suite A
Emeryville, CA 94608

Donna Drogos, ACEH
Jerry Wickham, ACEH
File

**Alameda County Environmental Cleanup
Oversight Programs
(LOP and SLIC)**

ISSUE DATE: July 5, 2005

REVISION DATE: December 16, 2005

PREVIOUS REVISIONS: October 31, 2005

ACTION: Miscellaneous Administrative Topics & Procedures

SUBJECT: Electronic Report Upload (ftp) Instructions

Effective January 31, 2006, the Alameda County Environmental Cleanup Oversight Programs (LOP and SLIC) require submission of all reports in electronic form to the county's ftp site. Paper copies of reports will no longer be accepted. The electronic copy replaces the paper copy and will be used for all public information requests, regulatory review, and compliance/enforcement activities.

REQUIREMENTS

- Entire report including cover letter must be submitted to the ftp site as a **single portable document format (PDF) with no password protection**. (Please do not submit reports as attachments to electronic mail.)
- It is preferable that reports be converted to PDF format from their original format, (e.g., Microsoft Word) rather than scanned.
- Signature pages and perjury statements **must** be included and have either original or electronic signature.
- **Do not password protect the document**. Once indexed and inserted into the correct electronic case file, the document will be secured in compliance with the County's current security standards and a password. **Documents with password protection will not be accepted.**
- Each page in the PDF document should be rotated in the direction that will make it easiest to read on a computer monitor.
- Reports must be named and saved using the following naming convention:
RO#_Report Name_Year-Month-Date (e.g., RO#5555_WorkPlan_2005-06-14)

Additional Recommendations

- A separate copy of the tables in the document should be submitted by e-mail to your Caseworker in **Excel** format. These are for use by assigned Caseworker only.

Submission Instructions

1) Obtain User Name and Password:

- a) Contact the Alameda County Environmental Health Department to obtain a User Name and Password to upload files to the ftp site.
 - i) Send an e-mail to dehloptoxic@acgov.org
 - or
 - ii) Send a fax on company letterhead to (510) 337-9335, to the attention of Alicia Lam-Finneke.
- b) In the subject line of your request, be sure to include "**ftp PASSWORD REQUEST**" and in the body of your request, include the **Contact Information, Site Addresses, and the Case Numbers (RO# available in Geotracker) you will be posting for.**

2) Upload Files to the ftp Site

- a) Using Internet Explorer (IE4+), go to <ftp://alcoftp1.acgov.org>.
 - (i) Note: Netscape and Firefox browsers will not open the FTP site.
- b) Click on **File**, then on **Login As**.
- c) Enter your User Name and Password. (Note: Both are Case Sensitive.)
- d) Open "My Computer" on your computer and navigate to the file(s) you wish to upload to the ftp site.
- e) With both "My Computer" and the ftp site open in separate windows, drag and drop the file(s) from "My Computer" to the ftp window.

3) Send E-mail Notifications to the Environmental Cleanup Oversight Programs

- a) Send email to dehloptoxic@acgov.org notify us that you have placed a report on our ftp site.
- b) Copy your Caseworker on the e-mail. Your Caseworker's e-mail address is the entire first name then a period and entire last name at acgov.org. (e.g., firstname.lastname@acgov.org)
- c) The subject line of the e-mail must start with the RO# followed by **Report Upload**. (e.g., Subject: RO1234 Report Upload)



ENVIRONMENTAL HEALTH SERVICES
ENVIRONMENTAL PROTECTION
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577
(510) 567-6700
FAX (510) 337-9335

January 29, 2010

Mr. Ian Robb (*Sent via E-mail to: ianrobb@chevron.com*)
Chevron Environmental Management Company
6001 Bollinger Canyon Road
San Ramon, CA 94583-2324

Ms. Chris Davidson (*Sent via E-mail to: cedavidson@ci.livermore.ca.us*)
City of Livermore Economic Development
1052 S. Livermore Ave.
Livermore, CA 94550

Subject: Fuel Leak Case No. RO0002908 and Geotracker Global ID T0600196622, Miller Square Park, 2259 First Street, Livermore, CA 94550 – Work Plan Approval

Dear Mr. Robb and Ms. Davidson:

Alameda County Environmental Health (ACEH) staff has reviewed the fuel leak case file for the above referenced site including the recently submitted document entitled, “*Revised Work Plan*,” dated January 6, 2010, which was prepared on behalf of Chevron by Conestoga-Rovers & Associates. The Revised Site Work Plan was modified in response to technical comments in ACEH correspondence dated November 6, 2009. The Revised Work Plan adequately addresses our November 6, 2009 technical comments and may be implemented.

We request that you perform the proposed work and send us the reports described below.

TECHNICAL REPORT REQUEST

Please submit technical reports to Alameda County Environmental Health (Attention: Jerry Wickham), according to the following schedule:

- **June 3, 2010** – Well Installation Report

These reports are being requested pursuant to California Health and Safety Code Section 25296.10. 23 CCR Sections 2652 through 2654, and 2721 through 2728 outline the responsibilities of a responsible party in response to an unauthorized release from a petroleum UST system, and require your compliance with this request.

ELECTRONIC SUBMITTAL OF REPORTS

ACEH’s Environmental Cleanup Oversight Programs (LOP and SLIC) require submission of reports in electronic form. The electronic copy replaces paper copies and is expected to be used for all public information requests, regulatory review, and compliance/enforcement activities. Instructions for submission of electronic documents to the Alameda County Environmental Cleanup Oversight Program FTP site are provided on the attached “Electronic Report Upload Instructions.” Submission of reports to the Alameda County FTP site is an addition to existing requirements for electronic submittal of information

Mr. Ian Robb
Ms. Chris Davidson
RO0002908
January 29, 2010
Page 2

to the State Water Resources Control Board (SWRCB) Geotracker website. In September 2004, the SWRCB adopted regulations that require electronic submittal of information for all groundwater cleanup programs. For several years, responsible parties for cleanup of leaks from underground storage tanks (USTs) have been required to submit groundwater analytical data, surveyed locations of monitoring wells, and other data to the Geotracker database over the Internet. Beginning July 1, 2005, these same reporting requirements were added to Spills, Leaks, Investigations, and Cleanup (SLIC) sites. Beginning July 1, 2005, electronic submittal of a complete copy of all reports for all sites is required in Geotracker (in PDF format). Please visit the SWRCB website for more information on these requirements (http://www.swrcb.ca.gov/ust/cleanup/electronic_reporting).

PERJURY STATEMENT

All work plans, technical reports, or technical documents submitted to ACEH must be accompanied by a cover letter from the responsible party that states, at a minimum, the following: "I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge." This letter must be signed by an officer or legally authorized representative of your company. Please include a cover letter satisfying these requirements with all future reports and technical documents submitted for this fuel leak case.

PROFESSIONAL CERTIFICATION & CONCLUSIONS/RECOMMENDATIONS

The California Business and Professions Code (Sections 6735, 6835, and 7835.1) requires that work plans and technical or implementation reports containing geologic or engineering evaluations and/or judgments be performed under the direction of an appropriately registered or certified professional. For your submittal to be considered a valid technical report, you are to present site specific data, data interpretations, and recommendations prepared by an appropriately licensed professional and include the professional registration stamp, signature, and statement of professional certification. Please ensure all that all technical reports submitted for this fuel leak case meet this requirement.

UNDERGROUND STORAGE TANK CLEANUP FUND

Please note that delays in investigation, later reports, or enforcement actions may result in your becoming ineligible to receive grant money from the state's Underground Storage Tank Cleanup Fund (Senate Bill 2004) to reimburse you for the cost of cleanup.

AGENCY OVERSIGHT

If it appears as though significant delays are occurring or reports are not submitted as requested, we will consider referring your case to the Regional Board or other appropriate agency, including the County District Attorney, for possible enforcement actions. California Health and Safety Code, Section 25299.76 authorizes enforcement including administrative action or monetary penalties of up to \$10,000 per day for each day of violation.

Mr. Ian Robb
Ms. Chris Davidson
RO0002908
January 29, 2010
Page 3

If you have any questions, please call me at (510) 567-6791 or send me an electronic mail message at jerry.wickham@acgov.org.

Sincerely,

Jerry Wickham, California PG 3766, CEG 1177, and CHG 297
Senior Hazardous Materials Specialist

Enclosure: ACEH Electronic Report Upload (ftp) Instructions

cc: Cheryl Dizon, QIC 80201, Zone 7 Water Agency, 100 North Canyons Parkway
Livermore, CA 94551 (*Sent via E-mail to: cdizon@zone7water.com*)

Danielle Stefani, Livermore-Pleasanton Fire Department, 3560 Nevada Street
Pleasanton, CA 94566 (*Sent via E-mail to: DStefani@lpfire.org*)

John Rigter, Livermore-Pleasanton Fire Department, 3560 Nevada Street
Pleasanton, CA 94566 (*Sent via E-mail to: jrigter@lpfire.org*)

Brandon Wilken, Conestoga-Rovers & Associates, 5900 Hollis Street, Suite A
Emeryville, CA 94608 (*Sent via E-mail to: BWilken@croworld.com*)

Charlotte Evans, Conestoga-Rovers & Associates, 5900 Hollis Street, Suite A
Emeryville, CA 94608 (*Sent via E-mail to: Cevans@croworld.com*)

Donna Drogos, ACEH (*Sent via E-mail to: donna.drogos@acgov.org*)
Jerry Wickham, ACEH
Geotracker, File

Alameda County Environmental Cleanup Oversight Programs (LOP and SLIC)	ISSUE DATE: July 5, 2005
	REVISION DATE: March 27, 2009
	PREVIOUS REVISIONS: December 16, 2005, October 31, 2005
SECTION: Miscellaneous Administrative Topics & Procedures	SUBJECT: Electronic Report Upload (ftp) Instructions

The Alameda County Environmental Cleanup Oversight Programs (LOP and SLIC) require submission of all reports in electronic form to the county's ftp site. Paper copies of reports will no longer be accepted. The electronic copy replaces the paper copy and will be used for all public information requests, regulatory review, and compliance/enforcement activities.

REQUIREMENTS

- Entire report including cover letter must be submitted to the ftp site as a **single portable document format (PDF) with no password protection**. (Please do not submit reports as attachments to electronic mail.)
- It is **preferable** that reports be converted to PDF format from their original format, (e.g., Microsoft Word) rather than scanned.
- Signature pages and perjury statements **must** be included and have either original or electronic signature.
- **Do not password protect the document**. Once indexed and inserted into the correct electronic case file, the document will be secured in compliance with the County's current security standards and a password. **Documents with password protection will not be accepted.**
- Each page in the PDF document should be rotated in the direction that will make it easiest to read on a computer monitor.
- Reports must be named and saved using the following naming convention:
RO#_Report Name_Year-Month-Date (e.g., RO#5555_WorkPlan_2005-06-14)

Additional Recommendations

- A separate copy of the tables in the document should be submitted by e-mail to your Caseworker in **Excel** format. These are for use by assigned Caseworker only.

Submission Instructions

- 1) Obtain User Name and Password:
 - a) Contact the Alameda County Environmental Health Department to obtain a User Name and Password to upload files to the ftp site.
 - i) Send an e-mail to dehloptoxic@acgov.org
 - Or
 - ii) Send a fax on company letterhead to (510) 337-9335, to the attention of My Le Huynh.
 - b) In the subject line of your request, be sure to include "**ftp PASSWORD REQUEST**" and in the body of your request, include the **Contact Information, Site Addresses**, and the **Case Numbers (RO# available in Geotracker) you will be posting for**.

- 2) Upload Files to the ftp Site
 - a) Using Internet Explorer (IE4+), go to <ftp://alcoftp1.acgov.org>
 - (i) Note: Netscape and Firefox browsers will not open the FTP site.
 - b) Click on File, then on Login As.
 - c) Enter your User Name and Password. (Note: Both are Case Sensitive.)
 - d) Open "My Computer" on your computer and navigate to the file(s) you wish to upload to the ftp site.
 - e) With both "My Computer" and the ftp site open in separate windows, drag and drop the file(s) from "My Computer" to the ftp window.

- 3) Send E-mail Notifications to the Environmental Cleanup Oversight Programs
 - a) Send email to dehloptoxic@acgov.org notify us that you have placed a report on our ftp site.
 - b) Copy your Caseworker on the e-mail. Your Caseworker's e-mail address is the entire first name then a period and entire last name @acgov.org. (e.g., firstname.lastname@acgov.org)
 - c) The subject line of the e-mail must start with the RO# followed by **Report Upload**. (e.g., Subject: RO1234 Report Upload) If site is a new case without an RO# use the street address instead.
 - d) If your document meets the above requirements and you follow the submission instructions, you will receive a notification by email indicating that your document was successfully uploaded to the ftp site.

APPENDIX B

SUMMARY OF ENVIRONMENTAL INVESTIGATION AND REMEDIATION

SUMMMARY OF ENVIRONMENTAL INVESTIGATION AND REMEDIATION

FORMER TEXACO STATION 30-7233

September 2003 Investigation

The City of Livermore Engineering Division, as part of a redevelopment plan, retained Fugro West, Inc. (Fugro) to investigate soil and groundwater conditions beneath Mills Square Park to evaluate the potential presence of petroleum hydrocarbons from previous service station operations. In September 2003, Fugro advanced onsite borings B-1, B-2 and B-3. Hydrocarbons were detected in the 30 feet below grade (fbg) soil sample from boring B-2, which contained 9.6 milligrams per kilogram (mg/kg) total petroleum hydrocarbons as diesel (TPHd) and 3.5 mg/kg total petroleum hydrocarbons as gasoline (TPHg). The highest lead concentration of 3,700 mg/kg was detected at 3 fbg in boring B-2. Grab-groundwater samples contained up to 42,000 micrograms per liter ($\mu\text{g/L}$) TPHd, 18,000 $\mu\text{g/L}$ TPHg, and 140 $\mu\text{g/L}$ benzene in boring B-3. Additional information is available in Fugro's January 6, 2004 *Soil and Groundwater Investigation Report*.

September 2005 UST Removal

In September 2005, an orphan underground storage tank (UST) was encountered beneath the sidewalk on the southwest corner of the site. At the direction of the Livermore-Pleasanton Fire Department, the UST was removed, and Consolidated Engineering Laboratories (CEL) collected four soil samples at 3 fbg in the area of the UST and two stockpile samples. The excavated soil was backfilled into the UST pit. The highest hydrocarbon concentrations detected in the UST excavation samples were 54 mg/kg total petroleum hydrocarbons as motor oil (TPHmo), 4,100 mg/kg TPHd, and 3 mg/kg TPHg. No benzene, toluene, ethylbenzene, xylenes (BTEX), polychlorinated byphenyl (PCBs), or organochlorine pesticides were detected. Chevron was not involved with the tank removal and was contacted later by Alameda County Environmental Health (ACEH) to investigate whether any other USTs remained in Mills Square Park. Additional information is available in CEL's October 4, 2005, *Environmental Sampling, Testing and Evaluation of Soil* report.

August 2006 Geophysical Investigation

In August 2006, Cambria Environmental Technology, Inc. (Cambria) contracted NORCAL Geophysical Consultants, Inc. to survey the site to determine if any USTs remained in place. Two suspected tanks, measuring approximately 5 by 7 feet, were identified at approximately 3 fbg in the south corner of the park. Additional information is available in Cambria's December 22, 2006 *Subsurface Investigation Report*.

September and October 2006 Site Investigation

In 2006, Cambria observed Woodward Drilling Company, Inc. advance borings SB1 through SB5 in the vicinity of the former dispenser islands and suspected USTs. Up to 1,400 mg/kg TPHmo, 3,000 mg/kg TPHd, 8,700 mg/kg TPHg, and 17 mg/kg benzene were detected in soil samples collected from the borings. No groundwater was encountered to the total explored depth of 40 fbg. Additional information is available in Cambria's December 22, 2006 *Subsurface Investigation Report*.

June 2007 Tank Removal

On June 20, 2007, Conestoga-Rovers & Associates (CRA) observed Gettler-Ryan, Inc. remove two 750 gallon single-wall steel gasoline USTs (Tank 1 and Tank 2) and approximately 27 feet of associated product piping. CRA collected seven compliance soil samples beneath the ends and middle of Tank 1 and Tank 2 at depths ranging from 7 to 9 fbg, and one sample at 5 fbg below where the piping protruded from the northwestern wall of the tank pit. Up to 11,000 mg/kg TPHmo and 2,800 mg/kg TPHd were detected beneath the tanks. No TPHg or benzene was detected. Lead was detected at a maximum concentration of 1,170 mg/kg. Additional information is available in CRA's August 17, 2007 *Underground Storage Tank Removal and Compliance Sampling Report*.

January and February 2008 Site Investigation

CRA observed Gregg Drilling & Testing, Inc. (Gregg), RSI Drilling, and Vironex Environmental Field Services advance cone penetration test (CPT) borings CPT1 and CPT2 in Livermore Avenue, advance soil borings SB6 through SB9 and shallow soil borings SSB1 through SSB11 onsite, and install vapor probes VP-1 through VP 3 onsite. The highest hydrocarbon concentrations detected in soil from the offsite CPT borings were 380 mg/kg TPHmo, 100 mg/kg TPHd, 4.4 mg/kg TPHg, and 0.0009 mg/kg benzene. The highest hydrocarbon concentrations detected in soil onsite were 53 mg/kg TPHmo, 67 mg/kg TPHd, 530 mg/kg TPHg, and 0.007 mg/kg benzene. The highest lead concentration detected in soil from the shallow borings was 616 mg/kg. The highest concentrations detected in grab-groundwater samples were 4,500 µg/L TPHmo in CPT3, 52,000 µg/L TPHd in SB8, 29,000 µg/L TPHg in CPT3, and 200 µg/L benzene in CPT3. No benzene was detected in soil vapor and the TPHg, toluene, ethylbenzene, and xylenes concentrations were at least two orders of magnitude below the shallow soil gas screening levels for evaluation of potential vapor intrusion concerns for commercial/industrial land use. Additional information is available in CRA's March 27, 2008 *Subsurface Investigation Report and Well Installation Workplan*.

October and November 2008 Site Investigation

CRA observed Gregg Drilling advance offsite CPT borings CPT3 through CPT5 and onsite borings SB10 through SB12. The only hydrocarbons detected in soil offsite were 7.1 mg/kg TPHd and 52 mg/kg TPHg in CPT3 at 55.5 fbg. The highest concentrations detected in soil

onsite were 65 mg/kg TPHd, 1,300 mg/kg TPHg, and 1.1 mg/kg benzene in boring SB12 at 55.5 fbg. The highest concentrations detected in grab-groundwater samples were 4,500 µg/L TPHmo in CPT3, 43,000 µg/L TPHd in CPT5, and 29,000 µg/L TPHg and 200 µg/L benzene in CPT3. CRA also re-sampled soil vapor probe VP1 to confirm previous soil vapor data. No benzene was detected in soil vapor, and the TPHg and xylenes concentrations were at least two orders of magnitude below the shallow soil gas screening levels for evaluation of potential vapor intrusion concerns for commercial/industrial land use. Additional information is available in CRA's March 5, 2009 *Subsurface Investigation Report*.

APPENDIX C


BORING LOGS



Conestoga-Rovers & Associates
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING / WELL LOG

CLIENT NAME	Chevron Environmental Management Company	BORING/WELL NAME	MW-1
JOB/SITE NAME	Chevron #30-7233	DRILLING STARTED	29-Mar-10
LOCATION	2259 First Street, Livermore, California	DRILLING COMPLETED	07-Apr-10
PROJECT NUMBER	312264	WELL DEVELOPMENT DATE (YIELD)	25-May-10
DRILLER	Gregg Drilling & Testing, C57 #485165	GROUND SURFACE ELEVATION	491.19 ft above msl
DRILLING METHOD	Hollow-stem auger	TOP OF CASING ELEVATION	490.89 ft above msl
BORING DIAMETER	8-inch	SCREENED INTERVALS	54 to 59 fbg
LOGGED BY	Belew Yifru	DEPTH TO WATER (First Encountered)	29.00 fbg (07-Apr-10) ▾
REVIEWED BY	B. Wilken, PG# 7564	DEPTH TO WATER (Static)	30.78 fbg (27-May-10) ▾
REMARKS	Utility cleared with an air-knife-assisted vacuum truck to 8 feet below grade		



Continued Next Page

WELL LOG (PID) I:\CHEVRON\3122-1312264-1\31B354-1\312264-GINT.GPJ DEFAULT.GDT 6/2/10



Conestoga-Rovers & Associates
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING / WELL LOG

CLIENT NAME	<u>Chevron Environmental Management Company</u>	BORING/WELL NAME	<u>MW-1</u>
JOB/SITE NAME	<u>Chevron #30-7233</u>	DRILLING STARTED	<u>29-Mar-10</u>
LOCATION	<u>2259 First Street, Livermore, California</u>	DRILLING COMPLETED	<u>07-Apr-10</u>

Continued from Previous Page

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
2		MW-1-S-39.5		GP		GRAVEL with sand: Grey; wet; non-plastic.		<p>Bentonite Seal</p> <p>Monterey Sand #2/12 2"-diam., 0.010" Slotted Schedule 40 PVC</p> <p>Bottom of Boring @ 60 fbg</p>
32		MW-1-S-44.5	45			SILT: Brown; wet; medium plasticity. Sand increases with depth.	43.5	
2		MW-1-S-49.5	50	ML				
6		MW-1-S-54.5	55	GP		GRAVEL with sand Brown; wet; non-plastic.	53.5	
5		MW-1-S-59.5	60	SP		SAND: Brown; wet; non-plastic. Coarse sand.	57.5	
							60.0	


WELL LOG (PID) I:\CHEVRON\3122-1312264-1\31B354-1\312264-GINT.GPJ DEFAULT.GDT 6/2/10



Conestoga-Rovers & Associates
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING / WELL LOG

CLIENT NAME	Chevron Environmental Management Company	BORING/WELL NAME	MW-2
JOB/SITE NAME	Chevron #30-7233	DRILLING STARTED	29-Mar-10
LOCATION	2259 First Street, Livermore, California	DRILLING COMPLETED	05-Apr-10
PROJECT NUMBER	312264	WELL DEVELOPMENT DATE (YIELD)	25-May-10
DRILLER	Gregg Drilling & Testing, C57 #485165	GROUND SURFACE ELEVATION	490.08 ft above msl
DRILLING METHOD	Hollow-stem auger	TOP OF CASING ELEVATION	489.43 ft above msl
BORING DIAMETER	8-inch	SCREENED INTERVALS	54 to 59 fbg
LOGGED BY	Belew Yifru	DEPTH TO WATER (First Encountered)	44.00 fbg (05-Apr-10) ▼
REVIEWED BY	B. Wilken, PG# 7564	DEPTH TO WATER (Static)	31.11 fbg (27-May-10) ▼
REMARKS	Utility cleared with an air-knife-assisted vacuum truck to 8 feet below grade		



WELL LOG (PID) I:\CHEVRON\3122-1312264-1\31B354-1\312264-GINT.GPJ DEFAULT.GDT 6/2/10

Continued Next Page



Conestoga-Rovers & Associates
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING / WELL LOG

CLIENT NAME	<u>Chevron Environmental Management Company</u>	BORING/WELL NAME	<u>MW-2</u>
JOB/SITE NAME	<u>Chevron #30-7233</u>	DRILLING STARTED	<u>29-Mar-10</u>
LOCATION	<u>2259 First Street, Livermore, California</u>	DRILLING COMPLETED	<u>05-Apr-10</u>

Continued from Previous Page

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT	DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
2		MW-2-S-39.5							
0		MW-2-S-44.5		45	ML				
2		MW-2-S-49.5		50					
2		MW-2-S-54.5		55	ML		GRAVEL with sand: Brown; wet; non-plastic.	53.5	
1		MW-2-S-59.5		60				60.0	<p>Bottom of Boring @ 60 fbg</p>


WELL LOG (PID) I:\CHEVRON\3122-1312264-1\31B354-1\312264-GINT.GPJ DEFAULT.GDT 6/2/10



Conestoga-Rovers & Associates
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING / WELL LOG

CLIENT NAME	<u>Chevron Environmental Management Company</u>	BORING/WELL NAME	<u>MW-3</u>
JOB/SITE NAME	<u>Chevron #30-7233</u>	DRILLING STARTED	<u>30-Mar-10</u>
LOCATION	<u>2259 First Street, Livermore, California</u>	DRILLING COMPLETED	<u>06-Apr-10</u>
PROJECT NUMBER	<u>312264</u>	WELL DEVELOPMENT DATE (YIELD)	<u>25-May-10</u>
DRILLER	<u>Gregg Drilling & Testing, C57 #485165</u>	GROUND SURFACE ELEVATION	<u>490.63 ft above msl</u>
DRILLING METHOD	<u>Hollow-stem auger</u>	TOP OF CASING ELEVATION	<u>490.38 ft above msl</u>
BORING DIAMETER	<u>8-inch</u>	SCREENED INTERVALS	<u>54 to 59 fbg</u>
LOGGED BY	<u>Belew Yifru</u>	DEPTH TO WATER (First Encountered)	<u>43.00 fbg (06-Apr-10)</u> ▼
REVIEWED BY	<u>B. Wilken, PG# 7564</u>	DEPTH TO WATER (Static)	<u>30.98 fbg (27-May-10)</u> ▼
REMARKS	<u>Utility cleared with an air-knife-assisted vacuum truck to 8 feet below grade</u>		



Continued Next Page

WELL LOG (PID) I:\CHEVRON\3122-1312264-1\31B354-1\312264-GINT.GPJ DEFAULT.GDT 6/2/10



Conestoga-Rovers & Associates
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING / WELL LOG

CLIENT NAME	<u>Chevron Environmental Management Company</u>	BORING/WELL NAME	<u>MW-3</u>
JOB/SITE NAME	<u>Chevron #30-7233</u>	DRILLING STARTED	<u>30-Mar-10</u>
LOCATION	<u>2259 First Street, Livermore, California</u>	DRILLING COMPLETED	<u>06-Apr-10</u>

Continued from Previous Page

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT	DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
2		MW-3-S-39.5							
2		MW-3-S-44.5		45			@ 43 fbg: wet		
2		MW-3-S-49.5		50					
18		MW-3-S-54.5		55	SP		SAND with gravel Grey; wet; non-plastic.	53.5	
64		MW-3-S-59.5		60	GP		GRAVEL with sand Grey; wet; non-plastic.	58.5	
								60.0	Bottom of Boring @ 60 fbg


WELL LOG (PID) I:\CHEVRON\3122-1312264-1\31B354-1\312264-GINT.GPJ DEFAULT.GDT 6/2/10



Conestoga-Rovers & Associates
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING / WELL LOG

CLIENT NAME	Chevron Environmental Management Company	BORING/WELL NAME	MW-4
JOB/SITE NAME	Chevron #30-7233	DRILLING STARTED	30-Mar-10
LOCATION	2259 First Street, Livermore, California	DRILLING COMPLETED	12-Apr-10
PROJECT NUMBER	312264	WELL DEVELOPMENT DATE (YIELD)	25-May-10
DRILLER	Gregg Drilling & Testing, C57 #485165	GROUND SURFACE ELEVATION	492.57 ft above msl
DRILLING METHOD	Hollow-stem auger	TOP OF CASING ELEVATION	492.27 ft above msl
BORING DIAMETER	8-inch	SCREENED INTERVALS	54 to 59 fbg
LOGGED BY	Cortland Toczylowski	DEPTH TO WATER (First Encountered)	41.00 fbg (12-Apr-10) ▼
REVIEWED BY	B. Wilken, PG# 7564	DEPTH TO WATER (Static)	32.26 fbg (27-May-10) ▼
REMARKS	Utility cleared with an air-knife-assisted vacuum truck to 8 feet below grade		



Continued Next Page

WELL LOG (PID) I:\CHEVRON\3122-1312264--1\31B354--1\312264-GINT.GPJ DEFAULT.GDT 6/2/10



Conestoga-Rovers & Associates
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING / WELL LOG

CLIENT NAME	<u>Chevron Environmental Management Company</u>	BORING/WELL NAME	<u>MW-4</u>
JOB/SITE NAME	<u>Chevron #30-7233</u>	DRILLING STARTED	<u>30-Mar-10</u>
LOCATION	<u>2259 First Street, Livermore, California</u>	DRILLING COMPLETED	<u>12-Apr-10</u>

Continued from Previous Page

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT	DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
129		MW-4-S-40.5			SW		SAND: Green to light grey; wet; fine to coarse sand; non-plastic.	41.0	<p>Bentonite Seal</p> <p>Monterey Sand #2/12 2"-diam., 0.010" Slotted Schedule 40 PVC</p> <p>Bottom of Boring @ 60 fbg</p>
19.1		MW-4-S-45.5		45	CL		CLAY: Green to light grey; wet; medium plasticity; fine sand.	45.0	
215		MW-4-S-50.5		50	ML		Sandy SILT: Brown to grey; wet; fine sand; low plasticity.	50.0	
				52.5	SP		SAND: Greenish gray to dark gray; wet; fine sand; non-plastic.	52.5	
3.4		MW-4-S-55.5		55	SM		Silty SAND: Greenish gray to light gray; wet; fine sand; non-plastic.	55.0	
				55.5	SW		SAND with gravel: Greenish gray to light gray; wet; fine to coarse; non-plastic. @ 57.5 fbg: decreasing gravel; light brown.	55.5	
3.6		MW-4-S-60.5		60	GP		GRAVEL with sand: Greenish grey to grey; wet; non-plastic.	60.5	
				61.0				61.0	


WELL LOG (PID) I:\CHEVRON\3122-1312264-1\31B354-1\312264-GINT.GPJ DEFAULT.GDT 6/2/10



Conestoga-Rovers & Associates
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING / WELL LOG

CLIENT NAME	Chevron Environmental Management Company	BORING/WELL NAME	MW-5
JOB/SITE NAME	Chevron #30-7233	DRILLING STARTED	31-Mar-10
LOCATION	2259 First Street, Livermore, California	DRILLING COMPLETED	08-Apr-10
PROJECT NUMBER	312264	WELL DEVELOPMENT DATE (YIELD)	25-May-10
DRILLER	Gregg Drilling & Testing, C57 #485165	GROUND SURFACE ELEVATION	492.41 ft above msl
DRILLING METHOD	Hollow-stem auger	TOP OF CASING ELEVATION	491.99 ft above msl
BORING DIAMETER	8-inch	SCREENED INTERVALS	54 to 59 fbg
LOGGED BY	Belew Yifru	DEPTH TO WATER (First Encountered)	23.50 fbg (08-Apr-10) ▽
REVIEWED BY	B. Wilken, PG# 7564	DEPTH TO WATER (Static)	31.42 fbg (27-May-10) ▽
REMARKS	Utility cleared with an air-knife-assisted vacuum truck to 8 feet below grade		



Continued Next Page



Conestoga-Rovers & Associates
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING / WELL LOG

CLIENT NAME	<u>Chevron Environmental Management Company</u>	BORING/WELL NAME	<u>MW-5</u>
JOB/SITE NAME	<u>Chevron #30-7233</u>	DRILLING STARTED	<u>31-Mar-10</u>
LOCATION	<u>2259 First Street, Livermore, California</u>	DRILLING COMPLETED	<u>08-Apr-10</u>

Continued from Previous Page

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT	DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
59		MW-5-S-39.5			ML				
17		MW-5-S-44.5		45					
4		MW-5-S-49.5		50			GRAVEL with sand Brown; wet; non-plastic.	48.5	
6		MW-5-S-54.5		55	GP				<p>Bentonite Seal</p> <p>Monterey Sand #2/12 2"-diam., 0.010" Slotted Schedule 40 PVC</p>
2		MW-5-S-59.5		60				60.0	Bottom of Boring @ 60 fbg


WELL LOG (PID) I:\CHEVRON\3122-1312264-1\31B354-1\312264-GINT.GPJ DEFAULT.GDT 6/2/10



Conestoga-Rovers & Associates
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING / WELL LOG

CLIENT NAME	Chevron Environmental Management Company	BORING/WELL NAME	MW-6
JOB/SITE NAME	Chevron #30-7233	DRILLING STARTED	01-Apr-10
LOCATION	2259 First Street, Livermore, California	DRILLING COMPLETED	09-Apr-10
PROJECT NUMBER	312264	WELL DEVELOPMENT DATE (YIELD)	25-May-10
DRILLER	Gregg Drilling & Testing, C57 #485165	GROUND SURFACE ELEVATION	491.89 ft above msl
DRILLING METHOD	Hollow-stem auger	TOP OF CASING ELEVATION	491.52 ft above msl
BORING DIAMETER	8-inch	SCREENED INTERVALS	54 to 59 fbg
LOGGED BY	Cortland Toczylowski	DEPTH TO WATER (First Encountered)	37.50 fbg (09-Apr-10) ▽
REVIEWED BY	B. Wilken, PG# 7564	DEPTH TO WATER (Static)	31.79 fbg (27-May-10) ▽
REMARKS	Utility cleared with an air-knife-assisted vacuum truck to 8 feet below grade		



Continued Next Page



Conestoga-Rovers & Associates
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING / WELL LOG

CLIENT NAME	Chevron Environmental Management Company	BORING/WELL NAME	MW-6
JOB/SITE NAME	Chevron #30-7233	DRILLING STARTED	01-Apr-10
LOCATION	2259 First Street, Livermore, California	DRILLING COMPLETED	09-Apr-10

Continued from Previous Page

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
1.4		MW-6- S-40		CL			42.5	<p>Bentonite Seal</p> <p>Monterey Sand #2/12 2"-diam., 0.010" Slotted Schedule 40 PVC</p> <p>Bottom of Boring @ 60 fbg</p>
				ML		<p>Sandy SILT: Light gray; moist; coarse sand; low plasticity.</p>	44.5	
2.3		MW-6- S-45	45			<p>CLAY: Light brown and greenish gray; moist; medium plasticity.</p>		
33		MW-6- S-50	50	CL				
116		MW-6- S-54	55	SM		<p>Silty SAND: Greenish gray to light gray; moist; fine sand; non-plastic.</p>	55.5	
				SW		<p>SAND: Greenish gray to light gray, wet; medium to coarse sand; non-plastic.</p>	56.0	
1.6		MW-6- S-59.5	60				60.0	


WELL LOG (PID) I:\CHEVRON\3122-1312264-1\31B354-1\312264-GINT.GPJ DEFAULT.GDT 6/2/10



Conestoga-Rovers & Associates
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING / WELL LOG

CLIENT NAME	Chevron Environmental Management Company	BORING/WELL NAME	MW-7
JOB/SITE NAME	Chevron #30-7233	DRILLING STARTED	31-Mar-10
LOCATION	2259 First Street, Livermore, California	DRILLING COMPLETED	08-Apr-10
PROJECT NUMBER	312264	WELL DEVELOPMENT DATE (YIELD)	25-May-10
DRILLER	Gregg Drilling & Testing, C57 #485165	GROUND SURFACE ELEVATION	492.69 ft above msl
DRILLING METHOD	Hollow-stem auger	TOP OF CASING ELEVATION	492.29 ft above msl
BORING DIAMETER	8-inch	SCREENED INTERVALS	28 to 33 fbg
LOGGED BY	Belew Yifru	DEPTH TO WATER (First Encountered)	NA
REVIEWED BY	B. Wilken, PG# 7564	DEPTH TO WATER (Static)	28.61 fbg (27-May-10)
REMARKS	Utility cleared with an air-knife to 8 fbg. Lithology 8-25 fbg copied from MW-5 due to its close proximity.		






Conestoga-Rovers & Associates
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING / WELL LOG

CLIENT NAME	Chevron Environmental Management Company	BORING/WELL NAME	MW-8
JOB/SITE NAME	Chevron #30-7233	DRILLING STARTED	29-Mar-10
LOCATION	2259 First Street, Livermore, California	DRILLING COMPLETED	07-Apr-10
PROJECT NUMBER	312264	WELL DEVELOPMENT DATE (YIELD)	25-May-10
DRILLER	Gregg Drilling & Testing, C57 #485165	GROUND SURFACE ELEVATION	491.30 ft above msl
DRILLING METHOD	Hollow-stem auger	TOP OF CASING ELEVATION	490.86 ft above msl
BORING DIAMETER	8-inch	SCREENED INTERVALS	34 to 39 fbg
LOGGED BY	Belew Yifru	DEPTH TO WATER (First Encountered)	NA
REVIEWED BY	B. Wilken, PG# 7564	DEPTH TO WATER (Static)	30.65 fbg (27-May-10)
REMARKS	Utility cleared with an air-knife to 8 feet below grade. Lithology copied from MW-1 due to its close proximity.		

WELL LOG (PID) I:\CHEVRON\3122-1312264-1\31B354-1\312264-GINT.GPJ DEFAULT.GDT 6/3/10






Conestoga-Rovers & Associates
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING / WELL LOG

CLIENT NAME	Chevron Environmental Management Company	BORING/WELL NAME	MW-9
JOB/SITE NAME	Chevron #30-7233	DRILLING STARTED	01-Apr-10
LOCATION	2259 First Street, Livermore, California	DRILLING COMPLETED	09-Apr-10
PROJECT NUMBER	312264	WELL DEVELOPMENT DATE (YIELD)	25-May-10
DRILLER	Gregg Drilling & Testing, C57 #485165	GROUND SURFACE ELEVATION	491.98 ft above msl
DRILLING METHOD	Hollow-stem auger	TOP OF CASING ELEVATION	498.64 ft above msl
BORING DIAMETER	8-inch	SCREENED INTERVALS	35 to 40 fbg
LOGGED BY	Cortland Toczylowski	DEPTH TO WATER (First Encountered)	NA
REVIEWED BY	B. Wilken, PG# 7564	DEPTH TO WATER (Static)	28.96 fbg (27-May-10)
REMARKS	Utility cleared with an air-knife to 8 feet below grade. Lithology copied from MW-6 due to its proximity.		

WELL LOG (PID) I:\CHEVRON\3122-1312264-1\31B354-1\312264-GINT.GPJ DEFAULT.GDT 6/3/10






Conestoga-Rovers & Associates
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING / WELL LOG

CLIENT NAME	Chevron Environmental Management Company	BORING/WELL NAME	SB13
JOB/SITE NAME	Chevron #30-7233	DRILLING STARTED	30-Mar-10
LOCATION	2259 First Street, Livermore, California	DRILLING COMPLETED	12-Apr-10
PROJECT NUMBER	312264	WELL DEVELOPMENT DATE (YIELD)	NA
DRILLER	Gregg Drilling & Testing, C57 #485165	GROUND SURFACE ELEVATION	NA
DRILLING METHOD	Hollow-stem auger	TOP OF CASING ELEVATION	NA
BORING DIAMETER	8-inch	SCREENED INTERVALS	NA
LOGGED BY	Cortland Toczylowski	DEPTH TO WATER (First Encountered)	NA
REVIEWED BY	B. Wilken, PG# 7564	DEPTH TO WATER (Static)	NA
REMARKS			



WELL LOG (PID) I:\CHEVRON\3122-1312264-1\31B354-1\312264-GINT.GPJ DEFAULT.GDT 6/2/10

Continued Next Page




Conestoga-Rovers & Associates
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING / WELL LOG

CLIENT NAME	<u>Chevron Environmental Management Company</u>	BORING/WELL NAME	<u>SB13</u>
JOB/SITE NAME	<u>Chevron #30-7233</u>	DRILLING STARTED	<u>30-Mar-10</u>
LOCATION	<u>2259 First Street, Livermore, California</u>	DRILLING COMPLETED	<u>12-Apr-10</u>

Continued from Previous Page

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
				ML		<u>SILT</u> : Light brown; moist; low plasticity.	42.0 44.0	 Bottom of Boring @ 44 fbg

APPENDIX D

PERMITS

Applicant Copy

City of Livermore

Community Development Department
1052 S. Livermore Avenue
Livermore, CA 94550
(925) 960-4500

Encroachment
Permit No. EN100046
Type: Other

PERMIT TO DO WORK IN ACCORDANCE WITH CHAPTER 12.08 OF THE LIVERMORE MUNICIPAL CODE AND SPECIFICATIONS AS ADOPTED BY THE CITY OF LIVERMORE AND ANY SPECIAL REQUIREMENTS SHOWN OR LISTED HEREIN.

Applicant/Permittee:

Name: Conestoga-Rovers & Associates
Address: 5900 Hollis Street, Suite A
Emeryville, CA 94608, 94608
Phone:

Permit Fee: \$90.00
Inspection Fee: \$1,542.00
Bond: \$0.00

Total: \$1,632.00

Contractor:

Name: Gregg Drilling And Testing
Address: 950 Howe Rd
Martinez, CA 94553
Phone: 925-313-5800

PLEASE READ THIS PERMIT CAREFULLY. KEEP IT AT THE WORK SITE. TO ARRANGE FOR AN INSPECTION, PHONE (925) 960-4500 AT LEAST 24 HOURS BEFORE YOU START WORK.

JOB LOCATION: 2259 First Street ^{AP} Mills Square Park

DESCRIPTION OF WORK: ~~REPAIR WORK~~ Close straight lane on Livermore Ave. for 10 working days, close 3 parking spaces on Livermore Ave & 2 parking spaces on First Street for 10 days. Close Mills Square Park, walkway, portions of the park & portions on the nearby sidewalk for 10 days. Park will reopen for weekends. Work days March 29 - April 9, 2010.

This work will also include paving over previous cores that were required and were not completed as part of permit EN080382.

Length of Excavation: _ L.F. Width: _ L.F. Depth: _ L.F.

Attention is directed to the General Provisions printed on the reverse side of this permit and to the attached special requirements (to be determined as needed by the Engineering Division).

Prosecution of Work: All work authorized by the permit shall be performed in a workmanlike, diligent, and expeditious manner, and must be completed to the satisfaction of the City Engineer.

Liability and Damages: The permittee shall be responsible for all liability imposed by law for personal injury or property damage which may arise out of the work permitted and done by permittee under this permit, or which may arise out of the failure on the part of the permittee to perform his obligations under said permit in respect to maintenance and encroachment. The permittee shall protect and indemnify the City of Livermore, its officers and employees, and save them harmless in every way from all action at law for damage or injury to persons or property that may arise out of or be occasioned in any way because of his operations as provided in this permit.

Hold Harmless and Indemnification Agreement: Conestoga-Rovers & Associates agrees to defend, indemnify and hold the City of Livermore, elected officials, officers, directors, employees, agents and volunteers harmless from and against any and all loss, liability, damage, including reasonable attorney and expert fees and/or court costs, arising out of or in connection with this agreement, except for the gross negligence and willful misconduct of the City of Livermore, its elected officials, officers, directors, employees, agents and volunteers.

Conestoga-Rovers & Associates
Signature of Permittee:

By: CBrown

Title: Project Manager

Date: 03/10/10

City Engineer

By: AM

Date of Issue: 3/9/2010

Inspector: _____

Date Work Completed: _____

City of Livermore

Encroachment Permit No. EN100046

Community Development Department
1052 S. Livermore Avenue
Livermore, CA 94550
(925) 960-4500


SPECIAL REQUIREMENTS APPLICABLE TO WORK ASSOCIATED WITH

JOB LOCATION: Mills Square Park 2259 First Street ****

DESCRIPTION OF WORK: ~~Brief Description~~ Close straight lane on Livermore Ave. for 10 working days, close 3 parking spaces on Livermore Ave & 2 parking spaces on First Street for 10 days. Close Mills Square Park, walkway, portions of the park & portions on the nearby sidewalk for 10 days. Park will reopen for weekends. Work days March 29 - April 9, 2010.

This work will also include paving over previous cores that were required and were not completed as part of permit EN080382.

- 1: Contractor is required to have pre-construction meeting with inspector to verify location of proposed wells. Proposed well #9 cannot be located in the specialty paving area and must be relocated to another location approved by City Inspector.
- 2: See Attached Drawing/Plans
- 3: Contractor shall repair/replace all damaged curb, gutter and sidewalk damaged as a result of current work being completed per the City Livermore Standard Details.
- 4: Pedestrian access must be maintained at all times, including if necessary, escorting pedestrians through the work area.
- 5: Traffic control shall be completed per Cal Trans Standards and any additional requirements deemed necessary by the City Engineer.
- 6: Notify traffic engineer 72 hours prior to start of work. Signal phasing will be changed to allow construction.
- 7: Borings made in street paving shall be repaired per City Standard Detail G-1D.
- 8: Repair or replace all landscape and irrigation with new to match existing.
- 9: All work shall be completed between the hours of 9 a.m. and 3 p.m.
- 10: Post NO-PARKING signs 72 hours in advance of closing parking lane.
- 11: Protect blue stone.
- 12: Contractor must notify Livermore Downtown, Inc., Livermore Chamber of Commerce, the Independent (newspaper), Peets Coffee, Tequila's Tacqueria, City Inspector and City Maintenance prior to beginning work. If tree trimming is required, City Maintenance staff must be notified 24 hours in advance.



Note:
No Parking Signs Setup 48 Hours
Before Work Starts

TWO WELL
LOCS.

24 Hour Contact
Mike Franceschi
(916) 606-7514

* WORK MAY BE DONE
9 TO 3 OR AFTER 8:30 PM
AM PM
LWP/CSND.

Staging Area
2259 First Street

Work Area
40 Foot Wide 30 Foot Long

C30 Lane Closed

Arrow Board

1 of 2

320' Taper

C20 Right Lane Closed Ahead

W 20-1 Road Work Ahead

LEGEND
W 20-1 Road Work Ahead
C20 Right Lane Closed Ahead
C30 Lane Closed

DIRECT TRAFFIC CONTROL
PO BOX 1822
DIAMOND SPRINGS C.A 95619
PHONE (530) 677-9239
FAX (530) 672-1185
MOBILE: (916) 606-7514
IDTC@SBCGLOBAL.NET



LEGEND
2" CONE
4" SCOPE & SIGN
36" BARRICADE

CONESTOGA ROVERS & ASSOCIATES
5900 Hollis Street Suite A
Emeryville CA 94608

TRAFFIC CONTROL SITE MAP		
MPH 40 / FL 320	SS 320	CS 315
DRAWN BY	DATE	PROJECT NUMBER
M FRANCESCHI	8/19/08	30-7233

25 MPH
150' 150'
DELIMITORS @ 25' (TAPER) 150' (TANGENT)

C24 Shoulder Work Ahead

C30A Shoulder Closed

Work Area
10 Foot Wide 30 Foot Long

Livermore Avenue

Staging Area
2259 First Street

LEGEND
 W 20-1 Road Work Ahead
 C20 Right Lane Closed Ahead
 C30 Lane Closed
 C24 Shoulder Work Ahead
 C30A Shoulder Closed
 R17 No Left Turns

R17 No Left Turns

W 20-1 Road Work Ahead

C30 Lane Closed

Crosswalk

Sidewalk

First Street

Arrow Board

ALTERNATE
WELL
LOC.

CPT 6

PARKING LOT

C30 Lane Closed

C20 Right Lane Closed Ahead

W 20-1 Road Work Ahead

CPT 3

Note:
No Parking Signs Setup 48 Hours
Before Work Starts

*CALL 24 HRS. ADV.
TO PLACE SIGNS*
9 AM - 3:00 PM
** START LANE CLOSURES 8:30 AM*
PER. C. SENDAY/DEGO

2 of 2

24 Hour Contact
Mike Franceschi
(916) 606-7514


(TAN HULL (510) 420-3344)

DIRECT TRAFFIC CONTROL

PO BOX 1822
DIAMOND SPRINGS C.A 95619
PHONE (530) 677-9239
FAX (530) 672-1185
MOBILE: (916) 606-7514
IDTC@SBCGLOBAL.NET



LEGEND



CONESTOGA ROVERS & ASSOCIATES
5900 Hollis Street Suite A
Emeryville CA 94608


TRAFFIC CONTROL SITE MAP

APR 10 - 10 320	SS 320	BS 315
DRAWN BY M FRANCESCHI	DATE 8/19/08	PROJECT NUMBER 30-7233

25 MPH

150' 150'

LINE @ 25' (TAPER), 50' (TRANSIT)



LEGEND
 W 20-1 Road Work Ahead
 C20 Right Lane Closed Ahead
 C30 Lane Closed
 C24 Shoulder Work Ahead
 C30A Shoulder Closed
 R17 No Left Turns

Note:
 No Parking Signs Setup 48 Hours
 Before Work Starts

24 Hour Contact
 Mike Franceschi
 (916) 606-7514

2 of 2

DIRECT TRAFFIC CONTROL
 PO BOX 1822
 DIAMOND SPRINGS C.A 95619
 PHONE (530) 677-9239
 FAX (530) 672-1185
 MOBILE: (916) 606-7514
 IDTC@SBCGLOBAL.NET



LEGEND
 ● 28" CONE
 ◆ 48" BODER & SIGN
 [Hatched Box] 36" BARRICADE
 [Arrow Box] ARROW BOARD

CONESTOGA ROVERS & ASSOCIATES
 5900 Hollis Street Suite A
 Emeryville CA 94608

TRAFFIC CONTROL SITE MAP
 MPH 40 TL 320' S.S 320' B.S 315'
 DRAWN BY DATE PROJECT NUMBER
 M FRANCESCHI 8/19/08 30-7233

CITY OF LIVERMORE, CA

RECVD BY: C ARCHER E1000011164
PAYOR: DOMESTOGA ROVERS
TODAY'S DATE: 03/10/10
REGISTER DATE: 03/10/10 TIME: 11:54

DESCRIPTION	AMOUNT
PUB WORKS-INSPECTION F	\$1,542.00
CUST ID: EN100046	
2016 PUB WORKS-INSPECTION FEES	
001-35350	
STREET & CURB PERMITS	\$90.00
CUST ID: EN100046	
2022 STREET & CURB PERMITS	
001-31300	

TOTAL DUE: \$1,632.00

TENDERED: \$1,632.00
CHANGE: \$0.00
CHECK : \$700.00
REF NUM: 10871
CHECK : \$932.00
REF NUM: 10872



ZONE 7 WATER AGENCY

100 NORTH CANYONS PARKWAY, LIVERMORE, CALIFORNIA 94551 VOICE (925) 454-5000 FAX (925) 245-9306
E-MAIL whong@zone7water.com

DRILLING PERMIT APPLICATION

FOR APPLICANT TO COMPLETE

FOR OFFICE USE

LOCATION OF PROJECT 2259 FIRST ST.
LIVERMORE CA

PERMIT NUMBER 2010022
WELL NUMBER 3S/2E-9N21 to 9N30 (MW-1 to MW-10)
APN 097-0110-005-03

Coordinates Source _____ ft. Accuracy ✓ _____ ft.
LAT: _____ ft. LONG: _____ ft.
APN _____

PERMIT CONDITIONS
(Circled Permit Requirements Apply)

CLIENT
Name CHEVRON ENVIRONMENTAL CO.
Address 6111 BOLLINGER CANYON Phone 925-842-5005
City SAN RAMON Zip 94383

- A. GENERAL**
1. A permit application should be submitted so as to arrive at the Zone 7 office five days prior to your proposed starting date.
 2. Submit to Zone 7 within 60 days after completion of permitted work the original **Department of Water Resources Water Well Drillers Report (DWR Form 188), signed by the driller.**
 3. Permit is void if project not begun within 90 days of approval date.

APPLICANT
Name CONESTOGA ROVERS AND ASSOCIATES
Email h11fvu@crworld.com Fax 510 420 9170
Address 5900 HOLLIS ST. SUITE A Phone 510 420 3356
City EMERYVILLE Zip 94608

- B. WATER SUPPLY WELLS**
1. Minimum surface seal diameter is four inches greater than the well casing diameter.
 2. Minimum seal depth is 50 feet for municipal and industrial wells or 20 feet for domestic and irrigation wells unless a lesser depth is specially approved.
 3. Grout placed by tremie.
 4. An access port at least 0.5 inches in diameter is required on the wellhead for water level measurements.
 5. A sample port is required on the discharge pipe near the wellhead.

TYPE OF PROJECT:
Well Construction Geotechnical Investigation 9
Well Destruction 9 Contamination Investigation 9
Cathodic Protection 9 Other _____ 9

- C. GROUNDWATER MONITORING WELLS INCLUDING PIEZOMETERS**
1. Minimum surface seal diameter is four inches greater than the well or piezometer casing diameter.
 2. Minimum seal depth for monitoring wells is the maximum depth practicable or 20 feet.
 3. Grout placed by tremie.

PROPOSED WELL USE:
Domestic 9 Irrigation 9
Municipal 9 Remediation 9
Industrial 9 Groundwater Monitoring 9
Dewatering 9 Other _____ 9

DRILLING METHOD:
Mud Rotary 9 Air Rotary 9 Hollow Stem Auger
Cable Tool 9 Direct Push 9 Other _____ 9

DRILLING COMPANY GREGG DRILLING AND TESTING

DRILLER'S LICENSE NO. C-57# 485165
WELL SPECIFICATIONS: SEE ATTACHMENT
Drill Hole Diameter 8 in. Maximum _____
Casing Diameter 2 in. Depth 60 ft.
Surface Seal Depth 31-50 ft. Number 10

SOIL BORINGS:
Number of Borings _____ Maximum _____
Hole Diameter _____ in. Depth _____ ft.

ESTIMATED STARTING DATE 4-5-2010
ESTIMATED COMPLETION DATE 4-9-2010

I hereby agree to comply with all requirements of this permit and Alameda County Ordinance No. 73-68.

APPLICANT'S SIGNATURE [Signature] Date 3-19-2010

- D. GEOTECHNICAL.** Backfill bore hole with compacted cuttings or heavy bentonite and upper two feet with compacted material. In areas of known or suspected contamination, tremied cement grout shall be used in place of compacted cuttings.
- E. CATHODIC.** Fill hole above anode zone with concrete placed by tremie.
- F. WELL DESTRUCTION.** See attached.
- G. SPECIAL CONDITIONS.** Submit to Zone 7 within 60 days after completion of permitted work the well installation report **including all soil and water laboratory analysis results.**

Approved [Signature] Date 3/25/10
Wymah Hong

ATTACH SITE PLAN OR SKETCH

APPENDIX E

STANDARD FIELD PROCEDURES FOR MONITORING WELL INSTALLATION

STANDARD FIELD PROCEDURES FOR MONITORING WELL INSTALLATION

This document presents standard field methods for drilling and sampling soil borings and installing, developing and sampling groundwater monitoring wells. These procedures are designed to comply with Federal, State and local regulatory guidelines. Specific field procedures are summarized below.

SOIL BORINGS

Objectives: Soil samples are collected to characterize subsurface lithology, assess whether the soils exhibit obvious hydrocarbon or other compound vapor or staining, and to collect samples for analysis at a State-certified laboratory. All borings are logged using the Unified Soil Classification System by a trained geologist working under the supervision of a California Professional Geologist (P.G.) or Professional Engineer (P.E.).

Soil Boring and Sampling: Soil borings are typically drilled using hollow-stem augers or direct-push technologies such as the Geoprobe®. Soil samples are collected at least every five feet to characterize the subsurface sediments and for possible chemical analysis. Additional soil samples are collected near the water table and at lithologic changes. Samples are collected using lined split-barrel or equivalent samplers driven into undisturbed sediments at the bottom of the borehole.

Drilling and sampling equipment is steam-cleaned prior to drilling and between borings to prevent cross-contamination. Sampling equipment is washed between samples with trisodium phosphate or an equivalent EPA-approved detergent.

Sample Analysis: Sampling tubes chosen for analysis are trimmed of excess soil and capped with Teflon tape and plastic end caps. Soil samples are labeled and stored at or below 4° C on either crushed or dry ice, depending upon local regulations. Samples are transported under chain-of-custody to a State-certified analytic laboratory.

Field Screening: One of the remaining tubes is partially emptied leaving about one-third of the soil in the tube. The tube is capped with plastic end caps and set aside to allow hydrocarbons to volatilize from the soil. After 10 to 15 minutes, a portable volatile vapor analyzer measures volatile hydrocarbon vapor concentrations in the tube headspace, extracting the vapor through a slit in the cap. Volatile vapor analyzer measurements are used along with the field observations, odors, stratigraphy and groundwater depth to select soil samples for analysis.

Water Sampling: Water samples, if they are collected from the boring, are either collected using a driven Hydropunch® type sampler or are collected from the open borehole using bailers. The groundwater samples are decanted into the appropriate containers supplied by the analytic laboratory. Samples are labeled, placed in protective foam sleeves, stored on crushed ice at or below 4°C, and transported under chain-of-custody to the laboratory. Laboratory-supplied trip blanks accompany the samples and are analyzed to check for cross-contamination. An equipment blank may be analyzed if non-dedicated sampling equipment is used.

Grouting: If the borings are not completed as wells, the borings are filled to the ground surface with cement grout poured or pumped through a tremie pipe.

MONITORING WELL INSTALLATION, DEVELOPMENT AND SAMPLING

Well Construction and Surveying: Groundwater monitoring wells are installed to monitor groundwater quality and determine the groundwater elevation, flow direction and gradient. Well depths and screen lengths are based on groundwater depth, occurrence of hydrocarbons or other compounds in the borehole, stratigraphy and State and local regulatory guidelines. Well screens typically extend 10 to 15 feet below and 5 feet above the static water level at the time of drilling. However, the well screen will generally not extend into or through a clay layer that is at least three feet thick.

Well casing and screen are flush-threaded, Schedule 40 PVC. Screen slot size varies according to the sediments screened, but slots are generally 0.010 or 0.020 inches wide. A rinsed and graded sand occupies the annular space between the boring and the well screen to about one to two feet above the well screen. A two feet thick hydrated bentonite seal separates the sand from the overlying sanitary surface seal composed of Portland type I,II cement.

Well-heads are secured by locking well-caps inside traffic-rated vaults finished flush with the ground surface. A stovepipe may be installed between the well-head and the vault cap for additional security.

The well top-of-casing elevation is surveyed with respect to mean sea level and the well is surveyed for horizontal location with respect to an onsite or nearby offsite landmark.

Well Development: Wells are generally developed using a combination of groundwater surging and extraction. Surging agitates the groundwater and dislodges fine sediments from the sand pack. After about ten minutes of surging, groundwater is extracted from the well using bailing, pumping and/or reverse air-lifting through an eductor pipe to remove the sediments from the well. Surging and extraction continue until at least ten well-casing volumes of groundwater are extracted and the sediment volume in the groundwater is negligible. This process usually occurs prior to installing the sanitary surface seal to ensure sand pack stabilization. If development occurs after surface seal installation, then development occurs 24 to 72 hours after seal installation to ensure that the Portland cement has set up correctly.

All equipment is steam-cleaned prior to use and air used for air-lifting is filtered to prevent oil entrained in the compressed air from entering the well. Wells that are developed using air-lift evacuation are not sampled until at least 24 hours after they are developed.

Groundwater Sampling: Depending on local regulatory guidelines, three to four well-casing volumes of groundwater are purged prior to sampling. Purging continues until groundwater pH, conductivity, and temperature have stabilized. Groundwater samples are collected using bailers or pumps and are decanted into the appropriate containers supplied by the analytic laboratory. Samples are labeled, placed in protective foam sleeves, stored on crushed ice at or below 4°C, and transported under chain-of-custody to the laboratory. Laboratory-supplied trip blanks accompany the samples and are analyzed to check for cross-contamination. An equipment blank may be analyzed if non-dedicated sampling equipment is used.

Waste Handling and Disposal: Soil cuttings from drilling activities are usually stockpiled onsite and covered by plastic sheeting. At least three individual soil samples are collected from the stockpiles and composited at the analytic laboratory. The composite sample is analyzed for the same constituents analyzed in the borehole samples in addition to any analytes required by the receiving disposal facility. Soil cuttings are transported by licensed waste haulers and disposed in secure, licensed facilities based on the composite analytic results.


Groundwater removed during development and sampling is typically stored onsite in sealed 55-gallon drums. Each drum is labeled with the drum number, date of generation, suspected contents, generator identification and consultant contact. Upon receipt of analytic results, the water is either pumped out using a vacuum truck for transport to a licensed waste treatment/disposal facility or the individual drums are picked up and transported to the waste facility where the drum contents are removed and appropriately disposed of appropriately.

APPENDIX F

WELL SURVEY DATA

Monitoring Well Exhibit

Prepared For:
Conestoga-Rovers and Associates



DESCRIPTION	NORTHING	EASTING	LATITUDE	LONGITUDE	ELEV (PVC)	ELEV (BOX)
MW-1	2073236.4	6194727.9	37.6818804	-121.7680393	490.89	491.19
MW-2	2073325.7	6194571.5	37.6821198	-121.7685841	489.43	490.08
MW-3	2073331.9	6194692.6	37.6821414	-121.7681659	490.38	490.63
MW-4	2073323.2	6194755.2	37.6821199	-121.7679493	492.27	492.57
MW-5	2073233.5	6194768.3	37.6818741	-121.7678996	491.99	492.41
MW-6	2073286.3	6194711.6	37.6820170	-121.7680982	491.52	491.89
MW-7	2073241.1	6194768.5	37.6818949	-121.7678992	492.29	492.69
MW-8	2073232.0	6194731.9	37.6818687	-121.7680253	490.86	491.30
MW-9	2073282.9	6194715.2	37.6820078	-121.7680857	491.64	491.98

BASIS OF COORDINATES AND ELEVATIONS:

COORDINATES ARE CALIFORNIA STATE PLANE ZONE 3 COORDINATES FROM GPS OBSERVATIONS USING CSDS VIRTUAL SURVEY NETWORK.
 COORDINATE DATUM IS NAD 83.
 REFERENCE GEDID IS GEDID03.
 VERTICAL DATUM IS NAVD 88 FROM GPS OBSERVATIONS.



Former Texaco (Chevron Site 30-7233)
 2259 First St.
 Livermore
 Alameda County
 California



1255 Starboard Drive
 West Sacramento
 California 95691
 (916) 372-8124
 mark@morrrowsurveying.com

Date: 4-21-10
 Scale: 1"=40'
 Sheet 1 of 1
 Revised:
 Field Book: MW-51
 Dwg. No. 0857-156 MAM

APPENDIX G

SOIL LABORATORY ANALYTICAL REPORT

ANALYTICAL RESULTS

Prepared for:

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

925-842-8582

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

April 07, 2010

Project: 307233

Samples arrived at the laboratory on Wednesday, March 31, 2010. The PO# for this group is 0015060774 and the release number is ROBB. The group number for this submittal is 1188324.

<u>Client Sample Description</u>	<u>Lancaster Labs (LLI) #</u>
MW-1-S-4-100329 Composite Soil	5941796
MW-3-S-5-100330 Composite Soil	5941797
MW-4-S-5-100330 Composite Soil	5941798

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO
ELECTRONIC COPY TO
ELECTRONIC COPY TO

Chevron
CRA
CRA

Attn: CRA EDD

Attn: Brandon Wilken

Attn: Ian Hull

Questions? Contact your Client Services Representative
Angela M Miller at (717) 656-2300

Respectfully Submitted,



Marla S. Lord
Senior Specialist

Sample Description: MW-1-S-4-100329 Composite Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-1

LLI Sample # SW 5941796
LLI Group # 1188324
CA

Project Name: 307233

Collected: 03/29/2010 15:05 by IH

Account Number: 10880

Submitted: 03/31/2010 09:05

ChevronTexaco

Reported: 04/07/2010 at 12:41

6001 Bollinger Canyon Rd L4310

Discard: 05/08/2010

San Ramon CA 94583

72331

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	mg/kg	mg/kg	mg/kg	
10950	Benzene	71-43-2	N.D.	0.0005	0.005	0.93
10950	Ethylbenzene	100-41-4	N.D.	0.0009	0.005	0.93
10950	Toluene	108-88-3	N.D.	0.0009	0.005	0.93
10950	Xylene (Total)	1330-20-7	N.D.	0.0009	0.005	0.93
GC	Volatiles	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1.0	1.0	25.03
GC	Extractable TPH	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC	Extractable TPH	SW-846 8015B	mg/kg	mg/kg	mg/kg	
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	A100913AA	04/02/2010 08:50	Holly Berry	0.93
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201009120720	04/01/2010 09:04	Larry E Bevins	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201009120720	04/01/2010 09:04	Larry E Bevins	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201009120720	04/01/2010 09:05	Larry E Bevins	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10089A16B	04/02/2010 15:58	Elizabeth J Marin	25.03
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201009120720	04/01/2010 09:05	Larry E Bevins	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	100910022A	04/05/2010 17:59	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	100910022B	04/03/2010 07:59	Dustin A Underkoffler	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	100910022A	04/02/2010 08:00	Doreen K Robles	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-1-S-4-100329 Composite Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-1

LLI Sample # SW 5941796
LLI Group # 1188324
CA

Project Name: 307233

Collected: 03/29/2010 15:05 by IH

Account Number: 10880

Submitted: 03/31/2010 09:05

ChevronTexaco

Reported: 04/07/2010 at 12:41

6001 Bollinger Canyon Rd L4310

Discard: 05/08/2010

San Ramon CA 94583

72331

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	2	100910022B	04/02/2010 08:00	Doreen K Robles	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-3-S-5-100330 Composite Soil
 Facility# 307233 CRAW
 2259 First St-Livermore T0600196622 MW-3

LLI Sample # SW 5941797
 LLI Group # 1188324
 CA

Project Name: 307233

Collected: 03/30/2010 10:40 by IH

Account Number: 10880

Submitted: 03/31/2010 09:05

ChevronTexaco

Reported: 04/07/2010 at 12:41

6001 Bollinger Canyon Rd L4310

Discard: 05/08/2010

San Ramon CA 94583

72333

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	mg/kg	mg/kg	mg/kg	
10950	Benzene	71-43-2	N.D.	0.0005	0.005	1.08
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	1.08
10950	Toluene	108-88-3	N.D.	0.001	0.005	1.08
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	1.08
GC	Volatiles	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1.0	1.0	25.41
GC	Extractable TPH	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC	Extractable TPH	SW-846 8015B	mg/kg	mg/kg	mg/kg	
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	8.8	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	A100913AA	04/02/2010 09:12	Holly Berry	1.08
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201009120720	04/01/2010 09:07	Larry E Bevins	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201009120720	04/01/2010 09:08	Larry E Bevins	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201009120720	04/01/2010 09:08	Larry E Bevins	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10089A16B	04/02/2010 16:36	Elizabeth J Marin	25.41
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201009120720	04/01/2010 09:09	Larry E Bevins	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	100910022A	04/05/2010 19:34	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	100910022B	04/03/2010 09:22	Dustin A Underkoffler	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	100910022A	04/02/2010 08:00	Doreen K Robles	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-3-S-5-100330 Composite Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-3

LLI Sample # SW 5941797
LLI Group # 1188324
CA

Project Name: 307233

Collected: 03/30/2010 10:40 by IH

Account Number: 10880

Submitted: 03/31/2010 09:05

ChevronTexaco

Reported: 04/07/2010 at 12:41

6001 Bollinger Canyon Rd L4310

Discard: 05/08/2010

San Ramon CA 94583

72333

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	2	100910022B	04/02/2010 08:00	Doreen K Robles	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-4-S-5-100330 Composite Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-4

LLI Sample # SW 5941798
LLI Group # 1188324
CA

Project Name: 307233

Collected: 03/30/2010 13:10 by IH

Account Number: 10880

Submitted: 03/31/2010 09:05

ChevronTexaco

Reported: 04/07/2010 at 12:41

6001 Bollinger Canyon Rd L4310

Discard: 05/08/2010

San Ramon CA 94583

72334

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	mg/kg	mg/kg	mg/kg	
10950	Benzene	71-43-2	N.D.	0.0005	0.005	1.02
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	1.02
10950	Toluene	108-88-3	N.D.	0.001	0.005	1.02
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	1.02
GC	Volatiles	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1	1	24.98
GC	Extractable TPH	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC	Extractable TPH	SW-846 8015B	mg/kg	mg/kg	mg/kg	
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	A100913AA	04/02/2010 09:34	Holly Berry	1.02
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201009120720	04/01/2010 09:11	Larry E Bevins	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201009120720	04/01/2010 09:10	Larry E Bevins	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201009120720	04/01/2010 09:11	Larry E Bevins	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10096A31A	04/06/2010 19:23	Marie D John	24.98
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201009120720	04/01/2010 09:12	Larry E Bevins	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	100910022A	04/05/2010 19:10	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	100910022B	04/03/2010 09:02	Dustin A Underkoffler	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	100910022A	04/02/2010 08:00	Doreen K Robles	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-4-S-5-100330 Composite Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-4

LLI Sample # SW 5941798
LLI Group # 1188324
CA

Project Name: 307233

Collected: 03/30/2010 13:10 by IH

Account Number: 10880

Submitted: 03/31/2010 09:05

ChevronTexaco

Reported: 04/07/2010 at 12:41

6001 Bollinger Canyon Rd L4310

Discard: 05/08/2010

San Ramon CA 94583

72334

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	2	100910022B	04/02/2010 08:00	Doreen K Robles	1

*=This limit was used in the evaluation of the final result

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 04/07/10 at 12:41 PM

Group Number: 1188324

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL**</u>	<u>Blank LOQ</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: A100913AA	Sample number(s): 5941796-5941798								
Benzene	N.D.	0.0005	0.005	mg/kg	101		80-120		
Ethylbenzene	N.D.	0.001	0.005	mg/kg	102		80-120		
Toluene	N.D.	0.001	0.005	mg/kg	103		80-120		
Xylene (Total)	N.D.	0.001	0.005	mg/kg	98		80-120		
Batch number: 10089A16B	Sample number(s): 5941796-5941797								
TPH-GRO N. CA soil C6-C12	N.D.	1.0	1.0	mg/kg	105		67-119		
Batch number: 10096A31A	Sample number(s): 5941798								
TPH-GRO N. CA soil C6-C12	N.D.	1.0	1.0	mg/kg	93	95	67-119	2	30
Batch number: 100910022A	Sample number(s): 5941796-5941798								
Total TPH	N.D.	10.	30	mg/kg	94		72-125		
TPH Motor Oil C16-C36	N.D.	10.	30	mg/kg					
Batch number: 100910022B	Sample number(s): 5941796-5941798								
TPH-DRO soil C10-C28 w/Si Gel	N.D.	4.0	12	mg/kg	97		76-117		

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
 Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD</u>	<u>RPD MAX</u>	<u>BKG Conc</u>	<u>DUP Conc</u>	<u>DUP RPD</u>	<u>Dup RPD Max</u>
Batch number: A100913AA	Sample number(s): 5941796-5941798 UNSPK: P942473								
Benzene	90	107	55-143	22	30				
Ethylbenzene	90	107	44-141	22	30				
Toluene	91	107	50-146	20	30				
Xylene (Total)	84	101	44-136	22	30				
Batch number: 10089A16B	Sample number(s): 5941796-5941797 UNSPK: P939215								
TPH-GRO N. CA soil C6-C12	110	117	39-118	5	30				
Batch number: 100910022A	Sample number(s): 5941796-5941798 UNSPK: 5941796 BKG: 5941796								
Total TPH	101		49-123			N.D.	N.D.	0 (1)	20
TPH Motor Oil C16-C36						N.D.	N.D.	0 (1)	20
Batch number: 100910022B	Sample number(s): 5941796-5941798 UNSPK: 5941796 BKG: 5941796								
TPH-DRO soil C10-C28 w/Si Gel	90		30-159			N.D.	N.D.	0 (1)	20

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 04/07/10 at 12:41 PM

Group Number: 1188324

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

 Analysis Name: VOCs by 8260B - Solid
 Batch number: A100913AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5941796	99	98	101	92
5941797	98	97	104	88
5941798	98	99	102	96
Blank	98	95	102	94
LCS	100	99	103	102
MS	99	100	104	101
MSD	99	99	104	99
Limits:	71-114	70-109	70-123	70-111

 Analysis Name: TPH-GRO N. CA soil C6-C12
 Batch number: 10089A16B
 Trifluorotoluene-F

5941796	74
5941797	73
Blank	82
LCS	80
MS	79
MSD	82

Limits: 61-122

 Analysis Name: TPH-GRO N. CA soil C6-C12
 Batch number: 10096A31A
 Trifluorotoluene-F

5941798	74
Blank	85
LCS	85
LCSD	89

Limits: 61-122

 Analysis Name: TPH Fuels by GC (Soils)
 Batch number: 100910022A

	Chlorobenzene	Orthoterphenyl
5941796	73	92
5941797	91	94
5941798	83	95
Blank	92	95
DUP	77	98
LCS	78	107
MS	85	118

Limits: 49-125 59-129

Analysis Name: TPH-DRO soil C10-C28 w/Si Gel

*- Outside of specification

**-This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: ChevronTexaco
Reported: 04/07/10 at 12:41 PM

Group Number: 1188324

Surrogate Quality Control

Batch number: 100910022B
Orthoterphenyl

5941796	99
5941797	101
5941798	103
Blank	103
DUP	103
LCS	110
MS	109

Limits: 59-129

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Chevron California Region Analysis Request/Chain of Custody



For Lancaster Laboratories use only 248698
 Acct. #: 10880 Sample #: 5941796-98 SCR#: _____

033818-11

1188324

Facility #: 30-7233 (AIL)
 Site Address: 2259 FIRST STREET, LIVERMORE, CA
 Chevron PM: IAN ROBB Lead Consultant: CRA
 Consultant/Office: EMERYVILLE
 Consultant Prj. Mgr.: ~~CHARLOTTE EVANS~~ ^{BRANDON} BRANDON WILKEN
 Consultant Phone #: 510-420-0700 Fax #: 510-420-9170
 Sampler: IAN HULL
 Service Order #: _____ Non SAR: _____

Analyses Requested

Preservation Codes

<input type="checkbox"/> BTEX + 8260 8021	<input type="checkbox"/> TPH 8015 MOD GRO	<input type="checkbox"/> TPH 8015 MOD DRO Silica Gel Cleanup
<input type="checkbox"/> 8260 full scan	<input type="checkbox"/> Oxygenates	<input type="checkbox"/> Lead 7420 <input type="checkbox"/> 7421
<input type="checkbox"/> TPH 8015 MOD MARGE OIL w/ SILICA GEL		

Preservative Codes

H = HCl	T = Thiosulfate
N = HNO ₃	B = NaOH
S = H ₂ SO ₄	O = Other

- J value reporting needed
- Must meet lowest detection limits possible for 8260 compounds
- 8021 MTBE Confirmation
 - Confirm highest hit by 8260
 - Confirm all hits by 8260
 - Run ___ oxy's on highest hit
 - Run ___ oxy's on all hits

Field Point Name	Matrix	Repeat Sample	Top Depth	Year Month Day	Time Collected	New Field Pt.	Grab	Composite	Total Number of Containers	BTEX + 8260 8021	TPH 8015 MOD GRO	TPH 8015 MOD DRO Silica Gel Cleanup	8260 full scan	Oxygenates	Lead 7420 <input type="checkbox"/> 7421 <input type="checkbox"/>	TPH 8015 MOD MARGE OIL w/ SILICA GEL
MW-1	SOIL	N	4	200/03/29	1505	Y	X	X	1	X	X	X				X
MW-3	SOIL	N	5	2010/03/30	1040	Y	X	X	1	X	X	X				X
MW-4	SOIL	N	5	2010/03/30	1310	Y	X	X	1	X	X	X				X

Comments / Remarks
 EMAIL RESULTS TO
 bwilken
 ihull @craworld.com
 EDF DATA TO
 dohare@craworld.com

Turnaround Time Requested (TAT) (please circle)

STD. TAT 72 hour 48 hour
 24 hour 4 day 5 day

Data Package Options (please circle if required)

QC Summary Type I - Full
 Type VI (Raw Data) Coelt Deliverable not needed
 WIP (RWQCB)
 Disk

Relinquished by: <u>[Signature]</u>	Date: <u>25/10/20</u>	Time: <u>1615</u>	Received by: <u>[Signature]</u>	Date: <u>30/11/20</u>	Time: <u>1615</u>
Relinquished by: <u>[Signature]</u>	Date: <u>30/11/20</u>	Time: <u>1638</u>	Received by: <u>FED EX</u>	Date: _____	Time: _____
Relinquished by: _____	Date: _____	Time: _____	Received by: _____	Date: _____	Time: _____
Relinquished by Commercial Carrier: UPS <input type="checkbox"/> FedEx <input checked="" type="checkbox"/> Other _____			Received by: _____	Date: <u>3/12/20</u>	Time: <u>0900</u>
Temperature Upon Receipt: <u>4-24 C°</u>			Custody Seals Intact?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	

Lancaster Laboratories Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
Cal	(diet) calories	lb.	pound(s)
meq	milliequivalents	kg	kilogram(s)
g	gram(s)	mg	milligram(s)
ug	microgram(s)	l	liter(s)
ml	milliliter(s)	ul	microliter(s)
m3	cubic meter(s)	fib >5 um/ml	fibers greater than 5 microns in length per ml
<	less than – The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
ppm	parts per million – One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture.		

U.S. EPA data qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
J	Estimated value
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike amount not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY – In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.

ANALYTICAL RESULTS

Prepared for:

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

925-842-8582

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

April 14, 2010

Project: 307233

Samples arrived at the laboratory on Monday, April 05, 2010. The PO# for this group is 0015060774 and the release number is ROBB. The group number for this submittal is 1188837.

Client Sample DescriptionMW-5-S-5-100331 Composite Soil
MW-6-S-5-100401 Composite SoilLancaster Labs (LLI) #5945346
5945347

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC Chevron
COPY TO
ELECTRONIC CRA
COPY TO
ELECTRONIC CRA
COPY TO


Attn: CRA EDD

Attn: Ian Hull

Attn: Kiersten Hoey

Questions? Contact your Client Services Representative
Angela M Miller at (717) 656-2300

Respectfully Submitted,



Susan M. Goshert
Group Leader

Sample Description: MW-5-S-5-100331 Composite Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-5

LLI Sample # SW 5945346
LLI Group # 1188837
CA

Project Name: 307233

Collected: 03/31/2010 10:25 by IH

Account Number: 10880

Submitted: 04/05/2010 09:00

ChevronTexaco

Reported: 04/14/2010 at 15:19

6001 Bollinger Canyon Rd L4310

Discard: 05/15/2010

San Ramon CA 94583

FSL05

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	mg/kg	mg/kg	mg/kg	
10950	Benzene	71-43-2	N.D.	0.0005	0.005	1
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	1
10950	Toluene	108-88-3	N.D.	0.001	0.005	1
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	1
GC	Volatiles	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1	1	24.78
GC	Extractable TPH	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
02516	Total TPH	n.a.	130	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	130	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC	Extractable TPH w/Si Gel	SW-846 8015B	mg/kg	mg/kg	mg/kg	
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	42	8.0	24	2

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B100982AA	04/09/2010 04:42	Holly Berry	1
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201009620758	04/06/2010 08:41	Larry E Bevins	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201009620758	04/06/2010 08:42	Larry E Bevins	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201009620758	04/06/2010 08:41	Larry E Bevins	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10096A31B	04/08/2010 12:46	Elizabeth J Marin	24.78
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201009620758	04/06/2010 08:41	Larry E Bevins	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	100970014A	04/12/2010 23:49	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	100970015A	04/14/2010 11:52	Melissa McDermott	2
07004	Extraction - DRO (Soils)	SW-846 3550B	1	100970014A	04/08/2010 15:20	Doreen K Robles	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-5-S-5-100331 Composite Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-5

LLI Sample # SW 5945346
LLI Group # 1188837
CA

Project Name: 307233

Collected: 03/31/2010 10:25 by IH

Account Number: 10880

Submitted: 04/05/2010 09:00

ChevronTexaco

Reported: 04/14/2010 at 15:19

6001 Bollinger Canyon Rd L4310

Discard: 05/15/2010

San Ramon CA 94583

FSL05

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	2	100970015A	04/08/2010 15:20	Doreen K Robles	1

Sample Description: MW-6-S-5-100401 Composite Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-6

LLI Sample # SW 5945347
LLI Group # 1188837
CA

Project Name: 307233

Collected: 04/01/2010 10:30 by IH

Account Number: 10880

Submitted: 04/05/2010 09:00

ChevronTexaco

Reported: 04/14/2010 at 15:19

6001 Bollinger Canyon Rd L4310

Discard: 05/15/2010

San Ramon CA 94583

FSL06

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	mg/kg	mg/kg	mg/kg	
10950	Benzene	71-43-2	N.D.	0.0005	0.005	1
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	1
10950	Toluene	108-88-3	N.D.	0.001	0.005	1
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	1
GC	Volatiles	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1	1	23.85
GC	Extractable TPH	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC	Extractable TPH	SW-846 8015B	mg/kg	mg/kg	mg/kg	
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B100982AA	04/09/2010 05:05	Holly Berry	1
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201009620758	04/06/2010 08:41	Larry E Bevins	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201009620758	04/06/2010 08:42	Larry E Bevins	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201009620758	04/06/2010 08:37	Larry E Bevins	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10096A31B	04/08/2010 13:23	Elizabeth J Marin	23.85
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201009620758	04/06/2010 08:37	Larry E Bevins	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	100970014A	04/12/2010 23:23	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	100970015A	04/09/2010 19:09	Melissa McDermott	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	100970014A	04/08/2010 15:20	Doreen K Robles	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-6-S-5-100401 Composite Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-6

LLI Sample # SW 5945347
LLI Group # 1188837
CA

Project Name: 307233

Collected: 04/01/2010 10:30 by IH

Account Number: 10880

Submitted: 04/05/2010 09:00

ChevronTexaco

Reported: 04/14/2010 at 15:19

6001 Bollinger Canyon Rd L4310

Discard: 05/15/2010

San Ramon CA 94583

FSL06

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	2	100970015A	04/08/2010 15:20	Doreen K Robles	1

*=This limit was used in the evaluation of the final result

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 04/14/10 at 03:19 PM

Group Number: 1188837

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL**</u>	<u>Blank LOQ</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: B100982AA	Sample number(s): 5945346-5945347								
Benzene	N.D.	0.0005	0.005	mg/kg	109	109	80-120	0	30
Ethylbenzene	N.D.	0.001	0.005	mg/kg	110	109	80-120	1	30
Toluene	N.D.	0.001	0.005	mg/kg	109	106	80-120	2	30
Xylene (Total)	N.D.	0.001	0.005	mg/kg	110	108	80-120	1	30
Batch number: 10096A31B	Sample number(s): 5945346-5945347								
TPH-GRO N. CA soil C6-C12	N.D.	1.0	1.0	mg/kg	93	95	67-119	2	30
Batch number: 100970014A	Sample number(s): 5945346-5945347								
Total TPH	N.D.	10.	30	mg/kg	92		72-125		
TPH Motor Oil C16-C36	N.D.	10.	30	mg/kg					
Batch number: 100970015A	Sample number(s): 5945346-5945347								
TPH-DRO soil C10-C28 w/Si Gel	N.D.	4.0	12	mg/kg	98		76-117		

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
 Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD</u>	<u>RPD MAX</u>	<u>BKG Conc</u>	<u>DUP Conc</u>	<u>DUP RPD</u>	<u>Dup RPD Max</u>
Batch number: B100982AA	Sample number(s): 5945346-5945347 UNSPK: P946840								
Benzene	117		55-143						
Ethylbenzene	121		44-141						
Toluene	121		50-146						
Xylene (Total)	120		44-136						
Batch number: 100970014A	Sample number(s): 5945346-5945347 UNSPK: 5945346 BKG: 5945346								
Total TPH	177*		49-123			130	210	42* (1)	20
TPH Motor Oil C16-C36						130	210	42* (1)	20
Batch number: 100970015A	Sample number(s): 5945346-5945347 UNSPK: 5945346 BKG: 5945346								
TPH-DRO soil C10-C28 w/Si Gel	109		30-159			42	64	41* (1)	20

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 04/14/10 at 03:19 PM

Group Number: 1188837

Surrogate Quality Control

 Analysis Name: VOCs by 8260B - Solid
 Batch number: B100982AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5945346	104	102	103	92
5945347	104	101	104	93
Blank	103	102	102	95
LCS	100	100	104	100
LCSD	101	99	104	100
MS	99	105	104	101
Limits:	71-114	70-109	70-123	70-111

 Analysis Name: TPH-GRO N. CA soil C6-C12
 Batch number: 10096A31B
 Trifluorotoluene-F

5945346	77
5945347	77
Blank	83
LCS	85
LCSD	89
Limits:	61-122

 Analysis Name: TPH Fuels by GC (Soils)
 Batch number: 100970014A

	Chlorobenzene	Orthoterphenyl
5945346	86	98
5945347	88	97
Blank	89	96
DUP	89	101
LCS	85	104
MS	91	105
Limits:	49-125	59-129

 Analysis Name: TPH-DRO soil C10-C28 w/Si Gel
 Batch number: 100970015A
 Orthoterphenyl

5945346	102
5945347	103
Blank	105
DUP	102
LCS	110
MS	103
Limits:	59-129

*- Outside of specification

**-This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Chevron California Region Analysis Request/Chain of Custody



04/01/10-14

For Lancaster Laboratories use only 248701
 Acct. #: 10880 Sample #: 59453410-47 SCR#: _____

Group# 1188837

Facility #: 30-7233 AIL
 Site Address: 2259 FIRST ST., LUFFMORE
 Chevron PM: IAN ROBB Lead Consultant: CRA
 Consultant/Office: EMERYVILLE
 Consultant Prj. Mgr.: KIERSTEN HOEY
 Consultant Phone #: 510-420-9347 Fax #: 510-420-9170
 Sampler: IAN HULL
 Service Order #: _____ Non SAR: _____

Analyses Requested

Preservation Codes									
BTEX + MPPE 8260	<input checked="" type="checkbox"/> 8021	TPH 8015 MOD	GRO	TPH 8015 MOD DRO	<input checked="" type="checkbox"/> Silica Gel Cleanup	8260 full scan	Oxygenates	Lead 7420	<input type="checkbox"/> 7421
TPH MOTOR OIL 8015 W/ Silica Cleanup per Ian Hull & MP HULL									

Preservative Codes

H = HCl T = Thiosulfate
 N = HNO₃ B = NaOH
 S = H₂SO₄ O = Other

J value reporting needed
 Must meet lowest detection limits possible for 8260 compounds

8021 MTBE Confirmation
 Confirm highest hit by 8260
 Confirm all hits by 8260
 Run ___ oxy's on highest hit
 Run ___ oxy's on all hits

Field Point Name	Matrix	Repeat Sample	Top Depth	Year Month Day	Time Collected	New Field Pt.	Grab	Composite	Total Number of Containers	BTEX + MPPE 8260	<input checked="" type="checkbox"/> 8021	TPH 8015 MOD	GRO	TPH 8015 MOD DRO	<input checked="" type="checkbox"/> Silica Gel Cleanup	8260 full scan	Oxygenates	Lead 7420	<input type="checkbox"/> 7421	TPH MOTOR OIL 8015	W/ Silica Cleanup per Ian Hull & MP HULL	
MW-5	SOIL	N	5	2010/03/31	1025	Y		X	1	X	X	X								X		
MW-6	SOIL	N	5	2010/04/01	1030	Y		X	1	X	X	X								X		

Comments / Remarks

EMAIL to
 khoey
 ihull

EDF DATA to
 dohare

ALL @craworld.com

Turnaround Time Requested (TAT) (please circle)

24 hour 72 hour 48 hour
 24 hour 4 day 5 day

Data Package Options (please circle if required)

QC Summary Type I - Full
 Type VI (Raw Data) Coelt Deliverable not needed
 WIP (RWQCB)
 Disk

Relinquished by: <u>[Signature]</u>	Date: <u>2010/04/01</u>	Time: <u>1705</u>	Received by: <u>[Signature]</u>	Date: <u>01 APR 10</u>	Time: <u>1705</u>
Relinquished by: <u>[Signature]</u>	Date: <u>02 APR 10</u>	Time: <u>1630</u>	Received by: <u>FED EX</u>	Date: _____	Time: _____
Relinquished by: _____	Date: _____	Time: _____	Received by: _____	Date: _____	Time: _____
Relinquished by Commercial Carrier: <u>UPS</u> <input checked="" type="checkbox"/> FedEx Other: _____	Temperature Upon Receipt: <u>2.45</u> °C		Received by: <u>[Signature]</u>	Date: <u>4/5/10</u>	Time: <u>900</u>
Custody Seals Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No					

Lancaster Laboratories Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
Cal	(diet) calories	lb.	pound(s)
meq	milliequivalents	kg	kilogram(s)
g	gram(s)	mg	milligram(s)
ug	microgram(s)	l	liter(s)
ml	milliliter(s)	ul	microliter(s)
m3	cubic meter(s)	fib >5 um/ml	fibers greater than 5 microns in length per ml
<	less than – The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
ppm	parts per million – One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture.		

U.S. EPA data qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
J	Estimated value
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike amount not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY – In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

April 22, 2010

Project: 307233

Submittal Date: 04/10/2010
Group Number: 1189889
PO Number: 0015060774
Release Number: ROBB
State of Sample Origin: CA

<u>Client Sample Description</u>	<u>Lancaster Labs (LLI) #</u>
MW-1-S-9.5-100407 Grab Soil	5951320
MW-1-S-14.5-100407 Grab Soil	5951321
MW-1-S-19.5-100407 Grab Soil	5951322
MW-1-S-24.5-100407 Grab Soil	5951323
MW-1-S-29.5-100407 Grab Soil	5951324
MW-1-S-34.5-100407 Grab Soil	5951325
MW-1-S-39.5-100407 Grab Soil	5951326
MW-1-S-44.5-100407 Grab Soil	5951327
MW-1-S-49.5-100407 Grab Soil	5951328
MW-1-S-54.5-100407 Grab Soil	5951329
MW-1-S-59.5-100407 Grab Soil	5951330
MW-5-S-9.5-100408 Grab Soil	5951331
MW-5-S-14.5-100408 Grab Soil	5951332
MW-5-S-19.5-100408 Grab Soil	5951333
MW-5-S-24.5-100408 Grab Soil	5951334
MW-5-S-29.5-100408 Grab Soil	5951335
MW-5-S-34.5-100408 Grab Soil	5951336
MW-5-S-39.5-100408 Grab Soil	5951337
MW-5-S-44.5-100408 Grab Soil	5951338
MW-5-S-49.5-100408 Grab Soil	5951339
MW-5-S-54.5-100408 Grab Soil	5951340
MW-5-S-59.5-100408 Grab Soil	5951341

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO
ELECTRONIC COPY TO
ELECTRONIC COPY TO

Chevron
CRA
CRA

Attn: CRA EDD

Attn: Ian Hull

Attn: Kiersten Hoey

Questions? Contact your Client Services Representative
Angela M Miller at (717) 656-2300 Ext. 1903

Respectfully Submitted,



Christine Dulaney
Senior Specialist

Sample Description: MW-1-S-9.5-100407 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-1

LLI Sample # SW 5951320
LLI Group # 1189889
Account # 10880

Project Name: 307233

Collected: 04/07/2010 08:45 by IH

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/10/2010 10:00

Reported: 04/22/2010 12:53

Discard: 05/23/2010

FL109

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	1.01
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	1.01
10950	Toluene	108-88-3	N.D.	0.001	0.005	1.01
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	1.01
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1	1	23.9
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101031AA	04/13/2010 14:51	Matthew S Woods	1.01
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010220805	04/12/2010 18:25	Scott W Freisher	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010220805	04/12/2010 18:25	Scott W Freisher	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010220805	04/12/2010 17:20	Scott W Freisher	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10103A34A	04/13/2010 21:13	Marie D John	23.9
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010220805	04/12/2010 17:22	Scott W Freisher	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101020023A	04/14/2010 07:08	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101020023B	04/15/2010 14:50	Dustin A Underkoffler	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101020023A	04/13/2010 09:30	Kerrie A Freeburn	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101020023B	04/13/2010 09:30	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-1-S-14.5-100407 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-1

LLI Sample # SW 5951321
LLI Group # 1189889
Account # 10880

Project Name: 307233

Collected: 04/07/2010 08:50 by IH

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/10/2010 10:00

Reported: 04/22/2010 12:53

Discard: 05/23/2010

FL114

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	0.95
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	0.95
10950	Toluene	108-88-3	N.D.	0.001	0.005	0.95
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	0.95
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1.0	1.0	25.41
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101031AA	04/13/2010 15:13	Matthew S Woods	0.95
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010220805	04/12/2010 18:25	Scott W Freisher	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010220805	04/12/2010 18:25	Scott W Freisher	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010220805	04/12/2010 17:30	Scott W Freisher	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10103A34A	04/13/2010 21:49	Marie D John	25.41
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010220805	04/12/2010 17:31	Scott W Freisher	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101020023A	04/14/2010 07:33	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101020023B	04/15/2010 15:11	Dustin A Underkoffler	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101020023A	04/13/2010 09:30	Kerrie A Freeburn	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101020023B	04/13/2010 09:30	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-1-S-19.5-100407 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-1

LLI Sample # SW 5951322
LLI Group # 1189889
Account # 10880

Project Name: 307233

Collected: 04/07/2010 08:55 by IH ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583
Submitted: 04/10/2010 10:00
Reported: 04/22/2010 12:53
Discard: 05/23/2010

FL119

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	1
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	1
10950	Toluene	108-88-3	N.D.	0.001	0.005	1
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	1
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	0.9	0.9	23.58
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101031AA	04/13/2010 15:36	Matthew S Woods	1
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010220805	04/12/2010 18:25	Scott W Freisher	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010220805	04/12/2010 18:25	Scott W Freisher	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010220805	04/12/2010 17:42	Scott W Freisher	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10103A34A	04/13/2010 22:25	Marie D John	23.58
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010220805	04/12/2010 17:44	Scott W Freisher	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101020023A	04/14/2010 07:58	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101020023B	04/15/2010 15:32	Dustin A Underkoffler	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101020023A	04/13/2010 09:30	Kerrie A Freeburn	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101020023B	04/13/2010 09:30	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-1-S-24.5-100407 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-1

LLI Sample # SW 5951323
LLI Group # 1189889
Account # 10880

Project Name: 307233

Collected: 04/07/2010 09:00 by IH

ChevronTexaco

Submitted: 04/10/2010 10:00

6001 Bollinger Canyon Rd L4310

Reported: 04/22/2010 12:53

San Ramon CA 94583

Discard: 05/23/2010

FL124

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	1.02
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	1.02
10950	Toluene	108-88-3	N.D.	0.001	0.005	1.02
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	1.02
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1	1	23.99
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101031AA	04/13/2010 15:58	Matthew S Woods	1.02
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010220805	04/12/2010 18:25	Scott W Freisher	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010220805	04/12/2010 18:25	Scott W Freisher	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010220805	04/12/2010 17:53	Scott W Freisher	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10103A34A	04/13/2010 23:01	Marie D John	23.99
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010220805	04/12/2010 17:54	Scott W Freisher	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101020023A	04/14/2010 08:23	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101020023B	04/15/2010 15:52	Dustin A Underkoffler	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101020023A	04/13/2010 09:30	Kerrie A Freeburn	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101020023B	04/13/2010 09:30	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-1-S-29.5-100407 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-1

LLI Sample # SW 5951324
LLI Group # 1189889
Account # 10880

Project Name: 307233

Collected: 04/07/2010 09:10 by IH

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/10/2010 10:00

Reported: 04/22/2010 12:53

Discard: 05/23/2010

FL129

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.025	0.25	49.12
10950	Ethylbenzene	100-41-4	N.D.	0.049	0.25	49.12
10950	Toluene	108-88-3	N.D.	0.049	0.25	49.12
10950	Xylene (Total)	1330-20-7	N.D.	0.049	0.25	49.12

The GC/MS volatile analysis was performed according to the high level soil method due to the level of non-target compounds. Therefore, the reporting limits were raised.

GC Volatiles	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
01725	TPH-GRO N. CA soil C6-C12	n.a.	310	42	1044.93

GC Extractable TPH	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
02516	Total TPH	n.a.	N.D.	10	30
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30

TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.

GC Extractable TPH	SW-846 8015B	mg/kg	mg/kg	mg/kg	
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	31	4.0	12

w/Si Gel

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	Q101041AA	04/14/2010 15:04	Kerri E Koch	49.12
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010220805	04/12/2010 18:25	Scott W Freisher	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010220805	04/12/2010 18:25	Scott W Freisher	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010220805	04/12/2010 18:06	Scott W Freisher	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10103A34B	04/14/2010 20:38	Carrie E Miller	1044.93
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010220805	04/12/2010 18:07	Scott W Freisher	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101020023A	04/14/2010 08:48	Heather E Williams	1

Sample Description: MW-1-S-29.5-100407 Grab Soil
Facility# 307233 CRAW
 2259 First St-Livermore T0600196622 MW-1

LLI Sample # SW 5951324
LLI Group # 1189889
Account # 10880

Project Name: 307233

Collected: 04/07/2010 09:10 by IH

ChevronTexaco

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 04/10/2010 10:00

Reported: 04/22/2010 12:53

Discard: 05/23/2010

FL129

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis		Analyst	Dilution Factor
					Date	Time		
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101020023B	04/15/2010	22:07	Dustin A Underkoffler	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101020023A	04/13/2010	09:30	Kerrie A Freeburn	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101020023B	04/13/2010	09:30	Kerrie A Freeburn	1

Sample Description: MW-1-S-34.5-100407 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-1

LLI Sample # SW 5951325
LLI Group # 1189889
Account # 10880

Project Name: 307233

Collected: 04/07/2010 09:15 by IH

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/10/2010 10:00

Reported: 04/22/2010 12:53

Discard: 05/23/2010

FL134

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	0.0005	0.0005	0.005	1.01
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	1.01
10950	Toluene	108-88-3	N.D.	0.001	0.005	1.01
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	1.01
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1.0	1.0	25.25
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101031AA	04/13/2010 16:20	Matthew S Woods	1.01
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010220805	04/12/2010 18:25	Scott W Freisher	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010220805	04/12/2010 18:25	Scott W Freisher	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010220805	04/12/2010 18:16	Scott W Freisher	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10103A34A	04/13/2010 23:37	Marie D John	25.25
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010220805	04/12/2010 18:17	Scott W Freisher	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101020023A	04/14/2010 09:13	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101020023B	04/15/2010 17:16	Dustin A Underkoffler	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101020023A	04/13/2010 09:30	Kerrie A Freeburn	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101020023B	04/13/2010 09:30	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-1-S-39.5-100407 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-1

LLI Sample # SW 5951326
LLI Group # 1189889
Account # 10880

Project Name: 307233

Collected: 04/07/2010 09:20 by IH

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/10/2010 10:00

Reported: 04/22/2010 12:53

Discard: 05/23/2010

FL139

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	1.02
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	1.02
10950	Toluene	108-88-3	N.D.	0.001	0.005	1.02
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	1.02
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	6.8	1	1	24.3
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101031AA	04/13/2010 17:06	Matthew S Woods	1.02
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010220805	04/12/2010 21:22	Scott W Freisher	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010220805	04/12/2010 21:22	Scott W Freisher	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010220805	04/12/2010 19:30	Scott W Freisher	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10103A34A	04/14/2010 00:13	Marie D John	24.3
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010220805	04/12/2010 19:30	Scott W Freisher	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101020023A	04/14/2010 09:38	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101020023B	04/15/2010 17:36	Dustin A Underkoffler	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101020023A	04/13/2010 09:30	Kerrie A Freeburn	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101020023B	04/13/2010 09:30	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-1-S-44.5-100407 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-1

LLI Sample # SW 5951327
LLI Group # 1189889
Account # 10880

Project Name: 307233

Collected: 04/07/2010 09:30 by IH

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/10/2010 10:00

Reported: 04/22/2010 12:53

Discard: 05/23/2010

FL144

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	0.96
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	0.96
10950	Toluene	108-88-3	N.D.	0.001	0.005	0.96
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	0.96
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	5.0	1	1	24.73
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101031AA	04/13/2010 17:28	Matthew S Woods	0.96
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010220805	04/12/2010 21:22	Scott W Freisher	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010220805	04/12/2010 21:22	Scott W Freisher	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010220805	04/12/2010 19:39	Scott W Freisher	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10103A34B	04/14/2010 15:50	Carrie E Miller	24.73
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010220805	04/12/2010 19:40	Scott W Freisher	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101020023A	04/14/2010 10:03	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101020023B	04/15/2010 17:57	Dustin A Underkoffler	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101020023A	04/13/2010 09:30	Kerrie A Freeburn	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101020023B	04/13/2010 09:30	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-1-S-49.5-100407 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-1

LLI Sample # SW 5951328
LLI Group # 1189889
Account # 10880

Project Name: 307233

Collected: 04/07/2010 09:35 by IH

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/10/2010 10:00

Reported: 04/22/2010 12:53

Discard: 05/23/2010

FL149

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	0.99
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	0.99
10950	Toluene	108-88-3	N.D.	0.001	0.005	0.99
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	0.99
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1	1	24.41
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101031AA	04/13/2010 17:51	Matthew S Woods	0.99
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010220805	04/12/2010 21:22	Scott W Freisher	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010220805	04/12/2010 21:22	Scott W Freisher	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010220805	04/12/2010 19:47	Scott W Freisher	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10103A34B	04/14/2010 16:26	Carrie E Miller	24.41
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010220805	04/12/2010 19:48	Scott W Freisher	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101020023A	04/14/2010 10:28	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101020023B	04/15/2010 18:18	Dustin A Underkoffler	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101020023A	04/13/2010 09:30	Kerrie A Freeburn	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101020023B	04/13/2010 09:30	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-1-S-54.5-100407 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-1

LLI Sample # SW 5951329
LLI Group # 1189889
Account # 10880

Project Name: 307233

Collected: 04/07/2010 09:45 by IH

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/10/2010 10:00

Reported: 04/22/2010 12:53

Discard: 05/23/2010

FL154

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	1
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	1
10950	Toluene	108-88-3	N.D.	0.001	0.005	1
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	1
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	0.9	0.9	23.39
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101031AA	04/13/2010 18:13	Matthew S Woods	1
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010220805	04/12/2010 21:22	Scott W Freisher	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010220805	04/12/2010 21:22	Scott W Freisher	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010220805	04/12/2010 19:57	Scott W Freisher	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10103A34B	04/14/2010 17:02	Carrie E Miller	23.39
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010220805	04/12/2010 19:58	Scott W Freisher	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101020023A	04/14/2010 10:53	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101020023B	04/15/2010 18:39	Dustin A Underkoffler	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101020023A	04/13/2010 09:30	Kerrie A Freeburn	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101020023B	04/13/2010 09:30	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-1-S-59.5-100407 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-1

LLI Sample # SW 5951330
LLI Group # 1189889
Account # 10880

Project Name: 307233

Collected: 04/07/2010 09:55 by IH

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/10/2010 10:00

Reported: 04/22/2010 12:53

Discard: 05/23/2010

FL159

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	0.92
10950	Ethylbenzene	100-41-4	N.D.	0.0009	0.005	0.92
10950	Toluene	108-88-3	N.D.	0.0009	0.005	0.92
10950	Xylene (Total)	1330-20-7	N.D.	0.0009	0.005	0.92
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1	1	24.9
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101032AA	04/14/2010 01:23	Kristen D Pelliccia	0.92
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010220805	04/12/2010 21:22	Scott W Freisher	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010220805	04/12/2010 21:22	Scott W Freisher	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010220805	04/12/2010 20:08	Scott W Freisher	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10103A34B	04/14/2010 17:38	Carrie E Miller	24.9
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010220805	04/12/2010 20:10	Scott W Freisher	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101020023A	04/14/2010 11:18	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101020023B	04/15/2010 18:59	Dustin A Underkoffler	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101020023A	04/13/2010 09:30	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-1-S-59.5-100407 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-1

LLI Sample # SW 5951330
LLI Group # 1189889
Account # 10880

Project Name: 307233

Collected: 04/07/2010 09:55 by IH

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/10/2010 10:00

Reported: 04/22/2010 12:53

Discard: 05/23/2010

FL159

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101020023B	04/13/2010 09:30	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-5-S-9.5-100408 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-5

LLI Sample # SW 5951331
LLI Group # 1189889
Account # 10880

Project Name: 307233

Collected: 04/08/2010 08:40 by BY

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/10/2010 10:00

Reported: 04/22/2010 12:53

Discard: 05/23/2010

FL509

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	1.07
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	1.07
10950	Toluene	108-88-3	N.D.	0.001	0.005	1.07
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	1.07
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1	1	24.83
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101032AA	04/14/2010 01:45	Kristen D Pelliccia	1.07
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010220805	04/12/2010 21:23	Scott W Freisher	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010220805	04/12/2010 21:23	Scott W Freisher	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010220805	04/12/2010 20:24	Scott W Freisher	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10103A34B	04/14/2010 18:14	Carrie E Miller	24.83
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010220805	04/12/2010 20:25	Scott W Freisher	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101020023A	04/14/2010 11:43	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101020023B	04/15/2010 22:28	Dustin A Underkoffler	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101020023A	04/13/2010 09:30	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-5-S-9.5-100408 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-5

LLI Sample # SW 5951331
LLI Group # 1189889
Account # 10880

Project Name: 307233

Collected: 04/08/2010 08:40 by BY

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/10/2010 10:00

Reported: 04/22/2010 12:53

Discard: 05/23/2010

FL509

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101020023B	04/13/2010 09:30	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-5-S-14.5-100408 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-5

LLI Sample # SW 5951332
LLI Group # 1189889
Account # 10880

Project Name: 307233

Collected: 04/08/2010 08:50 by BY

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/10/2010 10:00

Reported: 04/22/2010 12:53

Discard: 05/23/2010

FL514

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	1.01
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	1.01
10950	Toluene	108-88-3	N.D.	0.001	0.005	1.01
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	1.01
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1	1	23.95
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101051AA	04/15/2010 19:37	Nicholas P Riehl	1.01
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010220805	04/12/2010 21:23	Scott W Freisher	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010220805	04/12/2010 21:23	Scott W Freisher	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	3	201010420821	04/14/2010 08:36	Stephanie A Sanchez	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	4	201010420821	04/14/2010 08:35	Stephanie A Sanchez	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010220805	04/12/2010 20:30	Scott W Freisher	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10103A34B	04/14/2010 18:50	Carrie E Miller	23.95
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010220805	04/12/2010 20:31	Scott W Freisher	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101020023A	04/14/2010 12:08	Heather E Williams	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-5-S-14.5-100408 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-5

LLI Sample # SW 5951332
LLI Group # 1189889
Account # 10880

Project Name: 307233

Collected: 04/08/2010 08:50 by BY

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/10/2010 10:00

Reported: 04/22/2010 12:53

Discard: 05/23/2010

FL514

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis		Analyst	Dilution Factor
					Date	Time		
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101020023B	04/15/2010	19:41	Dustin A Underkoffler	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101020023A	04/13/2010	09:30	Kerrie A Freeburn	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101020023B	04/13/2010	09:30	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-5-S-19.5-100408 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-5

LLI Sample # SW 5951333
LLI Group # 1189889
Account # 10880

Project Name: 307233

Collected: 04/08/2010 08:55 by BY

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/10/2010 10:00

Reported: 04/22/2010 12:53

Discard: 05/23/2010

FL519

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	0.001	0.0005	0.005	0.91
10950	Ethylbenzene	100-41-4	N.D.	0.0009	0.005	0.91
10950	Toluene	108-88-3	N.D.	0.0009	0.005	0.91
10950	Xylene (Total)	1330-20-7	N.D.	0.0009	0.005	0.91
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1	1	24.06
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101032AA	04/14/2010 05:53	Kristen D Pelliccia	0.91
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010220805	04/12/2010 21:23	Scott W Freisher	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010220805	04/12/2010 21:23	Scott W Freisher	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010220805	04/12/2010 20:39	Scott W Freisher	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10103A34B	04/14/2010 19:26	Carrie E Miller	24.06
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010220805	04/12/2010 20:40	Scott W Freisher	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101020023A	04/14/2010 12:32	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101020023B	04/15/2010 20:02	Dustin A Underkoffler	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101020023A	04/13/2010 09:30	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-5-S-19.5-100408 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-5

LLI Sample # SW 5951333
LLI Group # 1189889
Account # 10880

Project Name: 307233

Collected: 04/08/2010 08:55 by BY

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/10/2010 10:00

Reported: 04/22/2010 12:53

Discard: 05/23/2010

FL519

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101020023B	04/13/2010 09:30	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-5-S-24.5-100408 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-5

LLI Sample # SW 5951334
LLI Group # 1189889
Account # 10880

Project Name: 307233

Collected: 04/08/2010 09:05 by BY

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/10/2010 10:00

Reported: 04/22/2010 12:53

Discard: 05/23/2010

FL524

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	mg/kg	mg/kg	mg/kg	
10950	Benzene	71-43-2	N.D.	0.026	0.26	52.74
10950	Ethylbenzene	100-41-4	N.D.	0.053	0.26	52.74
10950	Toluene	108-88-3	N.D.	0.053	0.26	52.74
10950	Xylene (Total)	1330-20-7	N.D.	0.053	0.26	52.74

The GC/MS volatile analysis was performed according to the high level soil method due to the level of non-target compounds. Therefore, the reporting limits were raised.

GC Volatiles	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
01725	TPH-GRO N. CA soil C6-C12	n.a.	150	38	38 949.67

GC Extractable TPH	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
02516	Total TPH	n.a.	N.D.	10	30 1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30 1

TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.

GC Extractable TPH	SW-846 8015B	mg/kg	mg/kg	mg/kg	
w/Si Gel					
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	5.9	4.0	12 1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	Q101041AA	04/14/2010 15:27	Kerri E Koch	52.74
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010220805	04/12/2010 21:23	Scott W Freisher	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010220805	04/12/2010 21:23	Scott W Freisher	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010220805	04/12/2010 20:49	Scott W Freisher	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10103A34B	04/15/2010 09:35	Carrie E Miller	949.67
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010220805	04/12/2010 20:50	Scott W Freisher	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101020023A	04/14/2010 12:57	Heather E Williams	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-5-S-24.5-100408 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-5

LLI Sample # SW 5951334
LLI Group # 1189889
Account # 10880

Project Name: 307233

Collected: 04/08/2010 09:05 by BY

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/10/2010 10:00

Reported: 04/22/2010 12:53

Discard: 05/23/2010

FL524

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis		Analyst	Dilution Factor
					Date	Time		
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101020023B	04/15/2010	22:49	Dustin A Underkoffler	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101020023A	04/13/2010	09:30	Kerrie A Freeburn	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101020023B	04/13/2010	09:30	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-5-S-29.5-100408 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-5

LLI Sample # SW 5951335
LLI Group # 1189889
Account # 10880

Project Name: 307233

Collected: 04/08/2010 09:10 by BY

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/10/2010 10:00

Reported: 04/22/2010 12:53

Discard: 05/23/2010

FL529

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	0.003	0.0005	0.005	1.01
10950	Ethylbenzene	100-41-4	0.038	0.001	0.005	1.01
10950	Toluene	108-88-3	N.D.	0.001	0.005	1.01
10950	Xylene (Total)	1330-20-7	0.022	0.001	0.005	1.01
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	18	2.0	2.0	50.81
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	8.1	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101032AA	04/14/2010 06:38	Kristen D Pelliccia	1.01
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010320808	04/13/2010 09:41	Larry E Bevins	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010320808	04/13/2010 09:41	Larry E Bevins	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010320808	04/13/2010 08:51	Larry E Bevins	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10103A34B	04/14/2010 20:02	Carrie E Miller	50.81
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010320808	04/13/2010 08:52	Larry E Bevins	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101030016B	04/14/2010 23:48	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101030016A	04/15/2010 09:03	Dustin A Underkoffler	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101030016A	04/14/2010 10:25	Olivia I Santiago	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-5-S-29.5-100408 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-5

LLI Sample # SW 5951335
LLI Group # 1189889
Account # 10880

Project Name: 307233

Collected: 04/08/2010 09:10 by BY

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/10/2010 10:00

Reported: 04/22/2010 12:53

Discard: 05/23/2010

FL529

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101030016B	04/14/2010 10:25	Olivia I Santiago	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-5-S-34.5-100408 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-5

LLI Sample # SW 5951336
LLI Group # 1189889
Account # 10880

Project Name: 307233

Collected: 04/08/2010 09:25 by BY ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583
 Submitted: 04/10/2010 10:00
 Reported: 04/22/2010 12:53
 Discard: 05/23/2010

FL534

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	mg/kg	mg/kg	mg/kg	
10950	Benzene	71-43-2	N.D.	0.023	0.23	46.21
10950	Ethylbenzene	100-41-4	N.D.	0.046	0.23	46.21
10950	Toluene	108-88-3	N.D.	0.046	0.23	46.21
10950	Xylene (Total)	1330-20-7	N.D.	0.046	0.23	46.21

The GC/MS volatile analysis was performed according to the high level soil method due to the level of non-target compounds. Therefore, the reporting limits were raised.

GC Volatiles	SW-846 8015B modified	mg/kg	mg/kg	mg/kg		
01725	TPH-GRO N. CA soil C6-C12	n.a.	51	10	10	257.47

GC Extractable TPH	SW-846 8015B modified	mg/kg	mg/kg	mg/kg		
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1

TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.

GC Extractable TPH	SW-846 8015B	mg/kg	mg/kg	mg/kg		
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	29	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	Q101051AA	04/15/2010 03:26	Stephanie A Selis	46.21
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010320808	04/13/2010 09:41	Larry E Bevins	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010320808	04/13/2010 09:41	Larry E Bevins	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010320808	04/13/2010 08:58	Larry E Bevins	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10104A16A	04/16/2010 02:59	Marie D John	257.47
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010320808	04/13/2010 08:58	Larry E Bevins	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101030016B	04/15/2010 01:03	Heather E Williams	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-5-S-34.5-100408 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-5

LLI Sample # SW 5951336
LLI Group # 1189889
Account # 10880

Project Name: 307233

Collected: 04/08/2010 09:25 by BY

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/10/2010 10:00

Reported: 04/22/2010 12:53

Discard: 05/23/2010

FL534

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis		Analyst	Dilution Factor
					Date	Time		
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101030016A	04/15/2010	10:03	Dustin A Underkoffler	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101030016A	04/14/2010	10:25	Olivia I Santiago	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101030016B	04/14/2010	10:25	Olivia I Santiago	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-5-S-39.5-100408 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-5

LLI Sample # SW 5951337
LLI Group # 1189889
Account # 10880

Project Name: 307233

Collected: 04/08/2010 09:30 by BY

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/10/2010 10:00

Reported: 04/22/2010 12:53

Discard: 05/23/2010

FL539

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	0.027	0.0005	0.005	1.05
10950	Ethylbenzene	100-41-4	0.004	0.001	0.005	1.05
10950	Toluene	108-88-3	0.002	0.001	0.005	1.05
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	1.05
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	2.1	1	1	24.46
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101032AA	04/14/2010 02:52	Kristen D Pelliccia	1.05
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010320808	04/13/2010 09:41	Larry E Bevins	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010320808	04/13/2010 09:41	Larry E Bevins	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010320808	04/13/2010 09:03	Larry E Bevins	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10104A16A	04/15/2010 14:03	Marie D John	24.46
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010320808	04/13/2010 09:04	Larry E Bevins	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101030016B	04/15/2010 01:28	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101030016A	04/15/2010 10:23	Dustin A Underkoffler	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101030016A	04/14/2010 10:25	Olivia I Santiago	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-5-S-39.5-100408 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-5

LLI Sample # SW 5951337
LLI Group # 1189889
Account # 10880

Project Name: 307233

Collected: 04/08/2010 09:30 by BY

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/10/2010 10:00

Reported: 04/22/2010 12:53

Discard: 05/23/2010

FL539

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101030016B	04/14/2010 10:25	Olivia I Santiago	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-5-S-44.5-100408 Grab Soil
Facility# 307233 CRAW
 2259 First St-Livermore T0600196622 MW-5

LLI Sample # SW 5951338
LLI Group # 1189889
Account # 10880

Project Name: 307233

Collected: 04/08/2010 09:45 by BY ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583
 Submitted: 04/10/2010 10:00
 Reported: 04/22/2010 12:53
 Discard: 05/23/2010

FL544

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	0.003	0.0005	0.005	0.99
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	0.99
10950	Toluene	108-88-3	N.D.	0.001	0.005	0.99
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	0.99
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1.0	1.0	25.99
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101032AA	04/14/2010 03:15	Kristen D Pelliccia	0.99
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010320808	04/13/2010 09:41	Larry E Bevins	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010320808	04/13/2010 09:41	Larry E Bevins	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010320808	04/13/2010 09:09	Larry E Bevins	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10104A16A	04/15/2010 14:41	Marie D John	25.99
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010320808	04/13/2010 09:09	Larry E Bevins	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101030016B	04/15/2010 01:54	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101030016A	04/15/2010 10:44	Dustin A Underkoffler	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101030016A	04/14/2010 10:25	Olivia I Santiago	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-5-S-44.5-100408 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-5

LLI Sample # SW 5951338
LLI Group # 1189889
Account # 10880

Project Name: 307233

Collected: 04/08/2010 09:45 by BY

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/10/2010 10:00

Reported: 04/22/2010 12:53

Discard: 05/23/2010

FL544

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101030016B	04/14/2010 10:25	Olivia I Santiago	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-5-S-49.5-100408 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-5

LLI Sample # SW 5951339
LLI Group # 1189889
Account # 10880

Project Name: 307233

Collected: 04/08/2010 09:50 by BY

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/10/2010 10:00

Reported: 04/22/2010 12:53

Discard: 05/23/2010

FL549

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	1.01
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	1.01
10950	Toluene	108-88-3	N.D.	0.001	0.005	1.01
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	1.01
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1	1	24.27
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101032AA	04/14/2010 03:38	Kristen D Pelliccia	1.01
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010320808	04/13/2010 09:41	Larry E Bevins	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010320808	04/13/2010 09:41	Larry E Bevins	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010320808	04/13/2010 09:20	Larry E Bevins	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10104A16A	04/15/2010 15:19	Marie D John	24.27
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010320808	04/13/2010 09:21	Larry E Bevins	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101030016B	04/15/2010 02:19	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101030016A	04/15/2010 11:04	Dustin A Underkoffler	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101030016A	04/14/2010 10:25	Olivia I Santiago	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-5-S-49.5-100408 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-5

LLI Sample # SW 5951339
LLI Group # 1189889
Account # 10880

Project Name: 307233

Collected: 04/08/2010 09:50 by BY

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/10/2010 10:00

Reported: 04/22/2010 12:53

Discard: 05/23/2010

FL549

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101030016B	04/14/2010 10:25	Olivia I Santiago	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-5-S-54.5-100408 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-5

LLI Sample # SW 5951340
LLI Group # 1189889
Account # 10880

Project Name: 307233

Collected: 04/08/2010 10:00 by BY

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/10/2010 10:00

Reported: 04/22/2010 12:53

Discard: 05/23/2010

FL554

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	0.0006	0.0005	0.005	1.03
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	1.03
10950	Toluene	108-88-3	N.D.	0.001	0.005	1.03
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	1.03
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1	1	24.34
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101032AA	04/14/2010 04:00	Kristen D Pelliccia	1.03
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010320808	04/13/2010 09:41	Larry E Bevins	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010320808	04/13/2010 09:41	Larry E Bevins	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010320808	04/13/2010 09:26	Larry E Bevins	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10104A16A	04/15/2010 15:56	Marie D John	24.34
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010320808	04/13/2010 09:27	Larry E Bevins	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101030016B	04/15/2010 02:44	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101030016A	04/15/2010 11:24	Dustin A Underkoffler	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101030016A	04/14/2010 10:25	Olivia I Santiago	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-5-S-54.5-100408 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-5

LLI Sample # SW 5951340
LLI Group # 1189889
Account # 10880

Project Name: 307233

Collected: 04/08/2010 10:00 by BY

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/10/2010 10:00

Reported: 04/22/2010 12:53

Discard: 05/23/2010

FL554

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101030016B	04/14/2010 10:25	Olivia I Santiago	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-5-S-59.5-100408 Grab Soil
Facility# 307233 CRAW
 2259 First St-Livermore T0600196622 MW-5

LLI Sample # SW 5951341
LLI Group # 1189889
Account # 10880

Project Name: 307233

Collected: 04/08/2010 10:05 by BY ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583
 Submitted: 04/10/2010 10:00
 Reported: 04/22/2010 12:53
 Discard: 05/23/2010

FL559

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	0.99
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	0.99
10950	Toluene	108-88-3	N.D.	0.001	0.005	0.99
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	0.99
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1	1	24.75
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101032AA	04/14/2010 04:23	Kristen D Pelliccia	0.99
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010320808	04/13/2010 09:40	Larry E Bevins	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010320808	04/13/2010 09:40	Larry E Bevins	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010320808	04/13/2010 09:37	Larry E Bevins	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10104A16A	04/15/2010 16:35	Marie D John	24.75
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010320808	04/13/2010 09:37	Larry E Bevins	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101030016B	04/15/2010 03:09	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101030016A	04/15/2010 11:44	Dustin A Underkoffler	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101030016A	04/14/2010 10:25	Olivia I Santiago	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-5-S-59.5-100408 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-5

LLI Sample # SW 5951341
LLI Group # 1189889
Account # 10880

Project Name: 307233

Collected: 04/08/2010 10:05 by BY

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/10/2010 10:00

Reported: 04/22/2010 12:53

Discard: 05/23/2010

FL559

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101030016B	04/14/2010 10:25	Olivia I Santiago	1

*=This limit was used in the evaluation of the final result

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 04/22/10 at 12:53 PM

Group Number: 1189889

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL**</u>	<u>Blank LOQ</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: B101031AA									
	Sample number(s): 5951320-5951323, 5951325-5951329								
Benzene	N.D.	0.0005	0.005	mg/kg	110	108	80-120	2	30
Ethylbenzene	N.D.	0.001	0.005	mg/kg	110	108	80-120	2	30
Toluene	N.D.	0.001	0.005	mg/kg	109	106	80-120	3	30
Xylene (Total)	N.D.	0.001	0.005	mg/kg	109	106	80-120	2	30
Batch number: B101032AA									
	Sample number(s): 5951330-5951331, 5951333, 5951335, 5951337-5951341								
Benzene	N.D.	0.0005	0.005	mg/kg	107	104	80-120	3	30
Ethylbenzene	N.D.	0.001	0.005	mg/kg	108	104	80-120	4	30
Toluene	N.D.	0.001	0.005	mg/kg	108	104	80-120	4	30
Xylene (Total)	N.D.	0.001	0.005	mg/kg	108	104	80-120	4	30
Batch number: B101051AA									
	Sample number(s): 5951332								
Benzene	N.D.	0.0005	0.005	mg/kg	104	102	80-120	2	30
Ethylbenzene	N.D.	0.001	0.005	mg/kg	104	101	80-120	3	30
Toluene	N.D.	0.001	0.005	mg/kg	103	100	80-120	3	30
Xylene (Total)	N.D.	0.001	0.005	mg/kg	106	103	80-120	3	30
Batch number: Q101041AA									
	Sample number(s): 5951324, 5951334								
Benzene	N.D.	0.025	0.25	mg/kg	102		80-120		
Ethylbenzene	N.D.	0.050	0.25	mg/kg	100		80-120		
Toluene	N.D.	0.050	0.25	mg/kg	103		80-120		
Xylene (Total)	N.D.	0.050	0.25	mg/kg	101		80-120		
Batch number: Q101051AA									
	Sample number(s): 5951336								
Benzene	N.D.	0.025	0.25	mg/kg	107	103	80-120	3	30
Ethylbenzene	N.D.	0.050	0.25	mg/kg	104	101	80-120	3	30
Toluene	N.D.	0.050	0.25	mg/kg	106	104	80-120	2	30
Xylene (Total)	N.D.	0.050	0.25	mg/kg	104	102	80-120	2	30
Batch number: 10103A34A									
	Sample number(s): 5951320-5951323, 5951325-5951326								
TPH-GRO N. CA soil C6-C12	N.D.	1.0	1.0	mg/kg	85	84	67-119	2	30
Batch number: 10103A34B									
	Sample number(s): 5951324, 5951327-5951335								
TPH-GRO N. CA soil C6-C12	N.D.	1.0	1.0	mg/kg	85	84	67-119	2	30
Batch number: 10104A16A									
	Sample number(s): 5951336-5951341								
TPH-GRO N. CA soil C6-C12	N.D.	1.0	1.0	mg/kg	101	95	67-119	6	30
Batch number: 101020023A									
	Sample number(s): 5951320-5951334								
Total TPH	N.D.	10.	30	mg/kg	94		72-125		
TPH Motor Oil C16-C36	N.D.	10.	30	mg/kg					
Batch number: 101030016B									
	Sample number(s): 5951335-5951341								
Total TPH	N.D.	10.	30	mg/kg	95		72-125		
TPH Motor Oil C16-C36	N.D.	10.	30	mg/kg					

*- Outside of specification

**-This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 04/22/10 at 12:53 PM

Group Number: 1189889

Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL**</u>	<u>Blank LOQ</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: 101020023B TPH-DRO soil C10-C28 w/Si Gel	N.D.	4.0	12	mg/kg	97		76-117		
Batch number: 101030016A TPH-DRO soil C10-C28 w/Si Gel	N.D.	4.0	12	mg/kg	97		76-117		

Sample Matrix Quality Control

 Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
 Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD</u>	<u>RPD MAX</u>	<u>BKG Conc</u>	<u>DUP Conc</u>	<u>DUP RPD</u>	<u>Dup RPD Max</u>
Batch number: B101031AA Benzene	118		55-143						
Ethylbenzene	116		44-141						
Toluene	116		50-146						
Xylene (Total)	114		44-136						
Batch number: B101032AA Benzene	130		55-143						
Ethylbenzene	120		44-141						
Toluene	113		50-146						
Xylene (Total)	116		44-136						
Batch number: B101051AA Benzene	106		55-143						
Ethylbenzene	95		44-141						
Toluene	100		50-146						
Xylene (Total)	97		44-136						
Batch number: Q101041AA Benzene	100	104	55-143	4	30				
Ethylbenzene	100	105	44-141	5	30				
Toluene	102	107	50-146	5	30				
Xylene (Total)	101	105	44-136	4	30				
Batch number: 101020023A Total TPH	95		49-123			N.D.	N.D.	0 (1)	20
TPH Motor Oil C16-C36						N.D.	N.D.	0 (1)	20
Batch number: 101030016B Total TPH	88		49-123			N.D.	N.D.	0 (1)	20
TPH Motor Oil C16-C36						N.D.	N.D.	0 (1)	20
Batch number: 101020023B TPH-DRO soil C10-C28 w/Si Gel	96		30-159			N.D.	N.D.	0 (1)	20
Batch number: 101030016A TPH-DRO soil C10-C28 w/Si Gel	84		30-159			8.1	13	48* (1)	20

*- Outside of specification

**-This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 04/22/10 at 12:53 PM

Group Number: 1189889

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: VOCs by 8260B - Solid

Batch number: B101031AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5951320	99	97	101	96
5951321	100	99	101	93
5951322	100	99	100	93
5951323	100	99	100	95
5951325	99	99	102	96
5951326	96	97	101	103
5951327	97	98	101	99
5951328	99	96	101	96
5951329	99	98	99	95
Blank	101	105	99	95
LCS	100	104	101	100
LCSD	99	100	101	100
MS	93	102	103	99
Limits:	71-114	70-109	70-123	70-111

Analysis Name: VOCs by 8260B - Solid

Batch number: B101032AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5951330	98	93	102	91
5951331	98	94	102	91
5951333	99	101	101	94
5951335	97	96	107	101
5951337	97	95	103	96
5951338	99	103	101	98
5951339	99	99	100	94
5951340	99	97	101	99
5951341	99	100	102	95
Blank	100	105	100	95
LCS	99	100	103	100
LCSD	98	101	103	100
MS	97	96	102	98
Limits:	71-114	70-109	70-123	70-111

Analysis Name: VOCs by 8260B - Solid

Batch number: B101051AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5951332	100	97	100	94
Blank	101	101	99	94
LCS	99	100	102	100
LCSD	100	103	101	101
MS	100	104	101	100
Limits:	71-114	70-109	70-123	70-111

*- Outside of specification

**-This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 04/22/10 at 12:53 PM

Group Number: 1189889

Surrogate Quality Control

 Analysis Name: VOCs by 8260B - Solid
 Batch number: Q101041AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5951324	85	90	115	111
5951334	85	91	94	92
Blank	91	97	97	93
LCS	90	95	95	93
MS	77	79	81	82
MSD	76	79	80	81
Limits:	71-114	70-109	70-123	70-111

 Analysis Name: VOCs by 8260B - Solid
 Batch number: Q101051AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5951336	80	86	86	84
Blank	92	101	97	95
LCS	94	98	98	94
LCSD	93	97	97	94
Limits:	71-114	70-109	70-123	70-111

 Analysis Name: TPH-GRO N. CA soil C6-C12
 Batch number: 10103A34A

	Trifluorotoluene-F
5951320	72
5951321	72
5951322	74
5951323	74
5951325	70
5951326	74
Blank	84
LCS	81
LCSD	80
Limits:	61-122

 Analysis Name: TPH-GRO N. CA soil C6-C12
 Batch number: 10103A34B

	Trifluorotoluene-F
5951324	103
5951327	71
5951328	70
5951329	75
5951330	69
5951331	71
5951332	73
5951333	71
5951334	86
5951335	95
Blank	82
LCS	81
LCSD	80

*- Outside of specification

**-This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: ChevronTexaco
Reported: 04/22/10 at 12:53 PM

Group Number: 1189889

Surrogate Quality Control

Limits: 61-122

Analysis Name: TPH-GRO N. CA soil C6-C12
Batch number: 10104A16A
Trifluorotoluene-F

5951336	102
5951337	77
5951338	80
5951339	81
5951340	73
5951341	80
Blank	84
LCS	82
LCSD	77

Limits: 61-122

Analysis Name: TPH Fuels by GC (Soils)
Batch number: 101020023A

	Chlorobenzene	Orthoterphenyl
5951320	76	88
5951321	77	91
5951322	80	96
5951323	80	93
5951324	107	99
5951325	78	92
5951326	79	93
5951327	79	89
5951328	76	92
5951329	82	95
5951330	80	95
5951331	75	91
5951332	74	85
5951333	77	94
5951334	77	94
Blank	89	98
DUP	86	96
LCS	89	104
MS	87	101

Limits: 49-125 59-129

Analysis Name: TPH-DRO soil C10-C28 w/Si Gel
Batch number: 101020023B
Orthoterphenyl

5951320	89
5951321	92
5951322	95
5951323	95
5951324	100
5951325	91
5951326	94
5951327	91
5951328	94
5951329	96

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: ChevronTexaco
Reported: 04/22/10 at 12:53 PM

Group Number: 1189889

Surrogate Quality Control

5951330	96
5951331	93
5951332	88
5951333	97
5951334	94
Blank	101
DUP	99
LCS	108
MS	104

Limits: 59-129

Analysis Name: TPH-DRO soil C10-C28 w/Si Gel
Batch number: 101030016A
Orthoterphenyl

5951335	106
5951336	100
5951337	106
5951338	102
5951339	107
5951340	105
5951341	109
Blank	112
DUP	108
LCS	120
MS	117

Limits: 59-129

Analysis Name: TPH Fuels by GC (Soils)
Batch number: 101030016B

	Chlorobenzene	Orthoterphenyl
5951335	82	95
5951336	127*	95
5951337	83	94
5951338	79	92
5951339	81	96
5951340	77	92
5951341	82	97
Blank	82	101
DUP	129*	100
LCS	85	108
MS	80	108

Limits: 49-125 59-129

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Chevron California Region Analysis Request/Chain of Custody



2542

040910-02

248705

For Lancaster Laboratories use only
 Acct. #: 10880 Sample #: 5951320-41 SCR#: _____

C# 1189889

Facility #: 30-7233 (AIL)
 Site Address: 2259 FIRST ST., LIVERMORE CALIFORNIA
 Chevron PM: IAN ROBB Lead Consultant: CRA
 Consultant/Office: EMERYVILLE
 Consultant Prj. Mgr.: KIERSTEN HOEY
 Consultant Phone #: 510-420-3347 Fax #: 510-420-9170
 Sampler: IAN HULL
 Service Order #: _____ Non SAR: _____

Analyses Requested

Preservation Codes										
<input type="checkbox"/> BTEX + MTBE 8260	<input checked="" type="checkbox"/> 8021	<input type="checkbox"/> TPH 8015 MOD GRO	<input checked="" type="checkbox"/> Silica Gel Cleanup	<input type="checkbox"/> 8260 full scan	<input type="checkbox"/> Oxygenates	<input type="checkbox"/> Lead 7420	<input type="checkbox"/> 7421	<input checked="" type="checkbox"/> TPH 8015 MOD OIL	<input checked="" type="checkbox"/> W/ SILICA GEL CLEANUP	<input type="checkbox"/>

Preservative Codes	
H = HCl	T = Thiosulfate
N = HNO ₃	B = NaOH
S = H ₂ SO ₄	O = Other

Field Point Name	Matrix	Repeat Sample	Top Depth	Year Month Day	Time Collected	New Field Pt.	Grab	Composite	Total Number of Containers	BTEX + MTBE 8260	TPH 8015 MOD GRO	TPH 8015 MOD DRO	8260 full scan	Oxygenates	Lead 7420	7421	TPH 8015 MOD OIL	W/ SILICA GEL CLEANUP
MW-1	SOIL	NO	9.5	20010407	0845	YES	X		1	X	X	X					X	
MW-1			14.5		0850													
MW-1			19.5		0855													
MW-1			24.5		0900													
MW-1			29.5		0910													
MW-1			34.5		0915													
MW-1			39.5		0920													
MW-1			44.5		0930													
MW-1			49.5		0935													
MW-1			54.5		0945													
MW-1			59.5		0955													

- J value reporting needed
- Must meet lowest detection limits possible for 8260 compounds
- 8021 MTBE Confirmation
- Confirm highest hit by 8260
- Confirm all hits by 8260
- Run ___ oxy's on highest hit
- Run ___ oxy's on all hits

Comments / Remarks
 PLEASE E-MAIL RESULTS TO
 khoev
 ihull
 EDF DATA TO:
 dchare
 ALL @craworld.com

Turnaround Time Requested (TAT) (please circle)

STD. TAT 72 hour 48 hour
 24 hour 4 day 5 day

Data Package Options (please circle if required)

QC Summary Type I - Full
 Type VI (Raw Data) Coelt Deliverable not needed
 WIP (RWQCB)
 Disk

Relinquished by: <u>[Signature]</u>	Date: <u>20010407</u>	Time: <u>1800</u>	Received by: <u>SECURE LOCATION</u>	Date:	Time:
Relinquished by: <u>[Signature]</u>	Date: <u>4/9/2001</u>	Time: <u>11:18 AM</u>	Received by: <u>[Signature]</u>	Date: <u>4/5/01</u>	Time: <u>1118</u>
Relinquished by: <u>[Signature]</u>	Date: <u>29 APR 01</u>	Time: <u>1630</u>	Received by: <u>FED EX</u>	Date:	Time:
Relinquished by Commercial Carrier: UPS <input checked="" type="checkbox"/> FedEx Other _____			Received by: <u>[Signature]</u>	Date: <u>4/16/01</u>	Time: <u>1600</u>
Temperature Upon Receipt: <u>20.2</u> C°			Custody Seals Intact? <u>Q</u> Yes No		

Chevron California Region Analysis Request/Chain of Custody



1042
040910-02

Acct. #: 10880

For Lancaster Laboratories use only
Sample #: 5951320-41

249355
SCR#: _____

G# 1189889

Facility #: 30-7233
 Site Address: 2259 FIRST STREET LIVERMORE CA
 Chevron PM: IAN ROBB Lead Consultant: CRA
 Consultant/Office: EMERYVILLE
 Consultant Prj. Mgr.: BRANDON WILKEN
 Consultant Phone #: 510 420 0700 Fax #: 510 420 9170
 Sampler: BELEW YIFRU
 Service Order #: _____ Non SAR: _____

Analyses Requested

Preservation Codes										
BTEX + #8888	8260	<input checked="" type="checkbox"/> 8021	TPH 8015 MOD	GRO	TPH 8015 MOD DRO	<input checked="" type="checkbox"/> Silica Gel Cleanup	8260 full scan	Oxygenates	Lead 7420	<input type="checkbox"/> 7421
TPH 8015 MOD motor oil w/ silica gel cleanup										

Preservative Codes
 H = HCl T = Thiosulfate
 N = HNO₃ B = NaOH
 S = H₂SO₄ O = Other

J value reporting needed
 Must meet lowest detection limits possible for 8260 compounds

8021 MTBE Confirmation
 Confirm highest hit by 8260
 Confirm all hits by 8260
 Run ___ oxy's on highest hit
 Run ___ oxy's on all hits

Field Point Name	Matrix	Repeat Sample	Top Depth	Year Month Day	Time Collected	New Field Pt.	Grab	Composite	Total Number of Containers	BTEX + #8888	8260	<input checked="" type="checkbox"/> 8021	TPH 8015 MOD	GRO	TPH 8015 MOD DRO	<input checked="" type="checkbox"/> Silica Gel Cleanup	8260 full scan	Oxygenates	Lead 7420	<input type="checkbox"/> 7421	
MW-S	SOIL	NO	9.5	10 4 8	840	Y	X			X	X	X	X	X	X	X					X
MW-S			14.5	10 4 8	850	Y	X			X	X	X	X	X	X	X					X
MW-S			9.5		855	Y	X			X	X	X	X	X	X	X					X
MW-S			24.5		905	Y	X			X	X	X	X	X	X	X					X
MW-S			21.5		910	Y	X			X	X	X	X	X	X	X					X
MW-S			34.5		925	Y	X			X	X	X	X	X	X	X					X
MW-S			39.5		930	Y	X			X	X	X	X	X	X	X					X
MW-S			44.5		945	Y	X			X	X	X	X	X	X	X					X
MW-S			41.5		950	Y	X			X	X	X	X	X	X	X					X
MW-S			54.5		1000	Y	X			X	X	X	X	X	X	X					X
MW-S			59.5		1005	Y	X			X	X	X	X	X	X	X					X

Comments / Remarks
 Email results to
 khoey@creworld.com
 ihull@creworld.com
 EDF Data to
 dohare@creworld.com

Turnaround Time Requested (TAT) (please circle)
 STD. TAT 72 hour 48 hour
 24 hour 4 day 5 day

Data Package Options (please circle if required)
 QC Summary Type I - Full
 Type VI (Raw Data) Coelt Deliverable not needed
 WIP (RWQCB)
 Disk

Relinquished by: <u>BELEW YIFRU</u>	Date <u>10/09/06</u>	Time <u>1848</u>	Received by: <u>SECURE LOCATION</u>	Date <u></u>	Time <u></u>
Relinquished by: <u>[Signature]</u>	Date <u>4/9/10</u>	Time <u>1118AM</u>	Received by: <u>[Signature]</u>	Date <u>4/9/10</u>	Time <u>1118</u>
Relinquished by: <u>A. [Signature]</u>	Date <u>04/20/06</u>	Time <u>1630</u>	Received by: <u>FEDEX</u>	Date <u></u>	Time <u></u>
Relinquished by Commercial Carrier: UPS <input checked="" type="checkbox"/> FedEx Other _____	Temperature Upon Receipt <u>06-16</u> C°		Received by: <u>[Signature]</u>	Date <u>4/10/06</u>	Time <u>1000</u>
Custody Seals Intact? <u>Yes</u> No					

Lancaster Laboratories Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
Cal	(diet) calories	lb.	pound(s)
meq	milliequivalents	kg	kilogram(s)
g	gram(s)	mg	milligram(s)
ug	microgram(s)	l	liter(s)
ml	milliliter(s)	ul	microliter(s)
m3	cubic meter(s)	fib >5 um/ml	fibers greater than 5 microns in length per ml
<	less than – The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
ppm	parts per million – One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture.		

U.S. EPA data qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
J	Estimated value
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike amount not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY – In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.

ANALYTICAL RESULTS

Prepared for:

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

925-842-8582

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

April 20, 2010

Project: 307233

Samples arrived at the laboratory on Thursday, April 08, 2010. The PO# for this group is 0015060774 and the release number is ROBB. The group number for this submittal is 1189489.

<u>Client Sample Description</u>	<u>Lancaster Labs (LLI) #</u>
MW-2-S-9.5-100405 Grab Soil	5948225
MW-2-S-14.5-100405 Grab Soil	5948226
MW-2-S-19.5-100405 Grab Soil	5948227
MW-2-S-24.5-100405 Grab Soil	5948228
MW-2-S-29.5-100405 Grab Soil	5948229
MW-2-S-34.5-100405 Grab Soil	5948230
MW-2-S-39.5-100405 Grab Soil	5948231
MW-2-S-44.5-100405 Grab Soil	5948232
MW-2-S-49.5-100405 Grab Soil	5948233
MW-2-S-54.5-100405 Grab Soil	5948234
MW-2-S-59.5-100405 Grab Soil	5948235
MW-3-S-9.5-100406 Grab Soil	5948236
MW-3-S-14.5-100406 Grab Soil	5948237
MW-3-S-19.5-100406 Grab Soil	5948238
MW-3-S-24.5-100406 Grab Soil	5948239
MW-3-S-29.5-100406 Grab Soil	5948240
MW-3-S-34.5-100406 Grab Soil	5948241
MW-3-S-39.5-100406 Grab Soil	5948242
MW-3-S-44.5-100406 Grab Soil	5948243
MW-3-S-49.5-100406 Grab Soil	5948244
MW-3-S-54.5-100406 Grab Soil	5948245
MW-3-S-59.5-100406 Grab Soil	5948246

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO
ELECTRONIC COPY TO
ELECTRONIC COPY TO

Chevron

CRA

CRA

Attn: CRA EDD

Attn: Ian Hull

Attn: Kiersten Hoey

Questions? Contact your Client Services Representative
Angela M Miller at (717) 656-2300

Respectfully Submitted,



Marla S. Lord
Senior Specialist

Sample Description: MW-2-S-9.5-100405 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-2

LLI Sample # SW 5948225
LLI Group # 1189489
CA

Project Name: 307233

Collected: 04/05/2010 09:35 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI2-9

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	mg/kg	mg/kg	mg/kg	
10950	Benzene	71-43-2	N.D.	0.0005	0.005	0.95
10950	Ethylbenzene	100-41-4	N.D.	0.0009	0.005	0.95
10950	Toluene	108-88-3	N.D.	0.0009	0.005	0.95
10950	Xylene (Total)	1330-20-7	N.D.	0.0009	0.005	0.95
GC	Volatiles	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1	1	23.85
GC	Extractable TPH	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC	Extractable TPH	SW-846 8015B	mg/kg	mg/kg	mg/kg	
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B100991AA	04/09/2010 20:05	Kristen D Pelliccia	0.95
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 19:19	Jesse L Mertz	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201009820780	04/08/2010 19:19	Jesse L Mertz	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 17:56	Jesse L Mertz	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10099A31A	04/12/2010 13:31	Martha L Seidel	23.85
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201009820780	04/08/2010 17:57	Jesse L Mertz	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	100990013A	04/13/2010 07:19	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	100990012A	04/14/2010 04:15	Melissa McDermott	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-2-S-9.5-100405 Grab Soil
Facility# 307233 CRAW
 2259 First St-Livermore T0600196622 MW-2

LLI Sample # SW 5948225
LLI Group # 1189489
 CA

Project Name: 307233

Collected: 04/05/2010 09:35 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI2-9

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	1	100990012A	04/09/2010 13:30	Doreen K Robles	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	100990013A	04/09/2010 13:30	Doreen K Robles	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-2-S-14.5-100405 Grab Soil
Facility# 307233 CRAW
 2259 First St-Livermore T0600196622 MW-2

LLI Sample # SW 5948226
LLI Group # 1189489
 CA

Project Name: 307233

Collected: 04/05/2010 09:40 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI214

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	mg/kg	mg/kg	mg/kg	
10950	Benzene	71-43-2	N.D.	0.0005	0.005	0.94
10950	Ethylbenzene	100-41-4	N.D.	0.0009	0.005	0.94
10950	Toluene	108-88-3	N.D.	0.0009	0.005	0.94
10950	Xylene (Total)	1330-20-7	N.D.	0.0009	0.005	0.94
GC	Volatiles	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1	1	24.51
GC	Extractable TPH	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC	Extractable TPH	SW-846 8015B	mg/kg	mg/kg	mg/kg	
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B100991AA	04/09/2010 18:57	Kristen D Pelliccia	0.94
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 19:20	Jesse L Mertz	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201009820780	04/08/2010 19:20	Jesse L Mertz	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 18:01	Jesse L Mertz	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10099A31A	04/12/2010 14:07	Martha L Seidel	24.51
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201009820780	04/08/2010 18:02	Jesse L Mertz	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	100990013A	04/13/2010 07:43	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	100990012A	04/14/2010 04:36	Melissa McDermott	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-2-S-14.5-100405 Grab Soil
 Facility# 307233 CRAW
 2259 First St-Livermore T0600196622 MW-2

LLI Sample # SW 5948226
 LLI Group # 1189489
 CA

Project Name: 307233

Collected: 04/05/2010 09:40 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI214

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	1	100990012A	04/09/2010 13:30	Doreen K Robles	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	100990013A	04/09/2010 13:30	Doreen K Robles	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-2-S-19.5-100405 Grab Soil
Facility# 307233 CRAW
 2259 First St-Livermore T0600196622 MW-2

LLI Sample # SW 5948227
LLI Group # 1189489
 CA

Project Name: 307233

Collected: 04/05/2010 09:45 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI219

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	0.98
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	0.98
10950	Toluene	108-88-3	N.D.	0.001	0.005	0.98
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	0.98
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1.0	1.0	25.15
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B100991AA	04/09/2010 19:19	Kristen D Pelliccia	0.98
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 19:20	Jesse L Mertz	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201009820780	04/08/2010 19:20	Jesse L Mertz	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 18:05	Jesse L Mertz	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10099A31A	04/12/2010 14:44	Martha L Seidel	25.15
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201009820780	04/08/2010 18:06	Jesse L Mertz	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	100990013A	04/13/2010 08:08	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	100990012A	04/14/2010 04:57	Melissa McDermott	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-2-S-19.5-100405 Grab Soil
Facility# 307233 CRAW
 2259 First St-Livermore T0600196622 MW-2

LLI Sample # SW 5948227
LLI Group # 1189489
 CA

Project Name: 307233

Collected: 04/05/2010 09:45 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI219

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	1	100990012A	04/09/2010 13:30	Doreen K Robles	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	100990013A	04/09/2010 13:30	Doreen K Robles	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-2-S-24.5-100405 Grab Soil
Facility# 307233 CRAW
 2259 First St-Livermore T0600196622 MW-2

LLI Sample # SW 5948228
LLI Group # 1189489
 CA

Project Name: 307233

Collected: 04/05/2010 09:50 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI224

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	mg/kg	mg/kg	mg/kg	
10950	Benzene	71-43-2	N.D.	0.0005	0.005	0.93
10950	Ethylbenzene	100-41-4	N.D.	0.0009	0.005	0.93
10950	Toluene	108-88-3	N.D.	0.0009	0.005	0.93
10950	Xylene (Total)	1330-20-7	N.D.	0.0009	0.005	0.93
GC	Volatiles	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	0.9	0.9	23.45
GC	Extractable TPH	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC	Extractable TPH	SW-846 8015B	mg/kg	mg/kg	mg/kg	
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B100991AA	04/09/2010 19:42	Kristen D Pelliccia	0.93
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 19:20	Jesse L Mertz	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201009820780	04/08/2010 19:21	Jesse L Mertz	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 18:09	Jesse L Mertz	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10099A31A	04/12/2010 15:20	Martha L Seidel	23.45
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201009820780	04/08/2010 18:10	Jesse L Mertz	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	100990013A	04/13/2010 08:58	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	100990012A	04/14/2010 05:17	Melissa McDermott	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-2-S-24.5-100405 Grab Soil
 Facility# 307233 CRAW
 2259 First St-Livermore T0600196622 MW-2

LLI Sample # SW 5948228
 LLI Group # 1189489
 CA

Project Name: 307233

Collected: 04/05/2010 09:50 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI224

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	1	100990012A	04/09/2010 13:30	Doreen K Robles	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	100990013A	04/09/2010 13:30	Doreen K Robles	1

Sample Description: MW-2-S-29.5-100405 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-2

LLI Sample # SW 5948229
LLI Group # 1189489
CA

Project Name: 307233

Collected: 04/05/2010 10:00 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI229

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	mg/kg	mg/kg	mg/kg	
10950	Benzene	71-43-2	N.D.	0.0005	0.005	0.95
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	0.95
10950	Toluene	108-88-3	N.D.	0.001	0.005	0.95
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	0.95
GC	Volatiles	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1	1	24.13
GC	Extractable TPH	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC	Extractable TPH	SW-846 8015B	mg/kg	mg/kg	mg/kg	
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B100991AA	04/09/2010 20:50	Kristen D Pelliccia	0.95
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 19:21	Jesse L Mertz	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201009820780	04/08/2010 19:21	Jesse L Mertz	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 18:13	Jesse L Mertz	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10099A31A	04/12/2010 15:56	Martha L Seidel	24.13
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201009820780	04/08/2010 18:21	Jesse L Mertz	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	100990013A	04/13/2010 09:23	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	100990012A	04/14/2010 05:38	Melissa McDermott	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-2-S-29.5-100405 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-2

LLI Sample # SW 5948229
LLI Group # 1189489
CA

Project Name: 307233

Collected: 04/05/2010 10:00 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI229

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	1	100990012A	04/09/2010 13:30	Doreen K Robles	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	100990013A	04/09/2010 13:30	Doreen K Robles	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-2-S-34.5-100405 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-2

LLI Sample # SW 5948230
LLI Group # 1189489
CA

Project Name: 307233

Collected: 04/05/2010 10:05 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI234

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	0.92
10950	Ethylbenzene	100-41-4	N.D.	0.0009	0.005	0.92
10950	Toluene	108-88-3	N.D.	0.0009	0.005	0.92
10950	Xylene (Total)	1330-20-7	N.D.	0.0009	0.005	0.92
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1.0	1.0	25.51
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101011AA	04/11/2010 20:33	Nicholas P Riehl	0.92
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 19:21	Jesse L Mertz	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201009820780	04/08/2010 19:21	Jesse L Mertz	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 18:25	Jesse L Mertz	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10099A31A	04/12/2010 16:33	Martha L Seidel	25.51
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201009820780	04/08/2010 18:25	Jesse L Mertz	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	100990013A	04/13/2010 09:48	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	100990012A	04/14/2010 05:59	Melissa McDermott	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	100990012A	04/09/2010 13:30	Doreen K Robles	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-2-S-34.5-100405 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-2

LLI Sample # SW 5948230
LLI Group # 1189489
CA

Project Name: 307233

Collected: 04/05/2010 10:05 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI234

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	2	100990013A	04/09/2010 13:30	Doreen K Robles	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-2-S-39.5-100405 Grab Soil
Facility# 307233 CRAW
 2259 First St-Livermore T0600196622 MW-2

LLI Sample # SW 5948231
LLI Group # 1189489
 CA

Project Name: 307233

Collected: 04/05/2010 10:20 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI239

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	mg/kg	mg/kg	mg/kg	
10950	Benzene	71-43-2	N.D.	0.0005	0.005	0.93
10950	Ethylbenzene	100-41-4	N.D.	0.0009	0.005	0.93
10950	Toluene	108-88-3	N.D.	0.0009	0.005	0.93
10950	Xylene (Total)	1330-20-7	N.D.	0.0009	0.005	0.93
GC	Volatiles	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1	1	24.88
GC	Extractable TPH	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC	Extractable TPH	SW-846 8015B	mg/kg	mg/kg	mg/kg	
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B100991AA	04/09/2010 21:35	Kristen D Pelliccia	0.93
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 19:22	Jesse L Mertz	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201009820780	04/08/2010 19:22	Jesse L Mertz	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 18:28	Jesse L Mertz	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10099A31A	04/12/2010 17:09	Martha L Seidel	24.88
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201009820780	04/08/2010 18:29	Jesse L Mertz	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	100990013A	04/13/2010 10:13	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	100990012A	04/14/2010 06:20	Melissa McDermott	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-2-S-39.5-100405 Grab Soil
 Facility# 307233 CRAW
 2259 First St-Livermore T0600196622 MW-2

LLI Sample # SW 5948231
 LLI Group # 1189489
 CA

Project Name: 307233

Collected: 04/05/2010 10:20 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI239

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	1	100990012A	04/09/2010 13:30	Doreen K Robles	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	100990013A	04/09/2010 13:30	Doreen K Robles	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-2-S-44.5-100405 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-2

LLI Sample # SW 5948232
LLI Group # 1189489
CA

Project Name: 307233

Collected: 04/05/2010 10:25 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00
Reported: 04/20/2010 at 12:55
Discard: 05/21/2010

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

LI244

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	mg/kg	mg/kg	mg/kg	
10950	Benzene	71-43-2	N.D.	0.0005	0.005	1.06
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	1.06
10950	Toluene	108-88-3	N.D.	0.001	0.005	1.06
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	1.06
GC	Volatiles	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1	1	24.58
GC	Extractable TPH	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC	Extractable TPH	SW-846 8015B	mg/kg	mg/kg	mg/kg	
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B100991AA	04/09/2010 22:21	Kristen D Pelliccia	1.06
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 19:22	Jesse L Mertz	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201009820780	04/08/2010 19:23	Jesse L Mertz	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 18:33	Jesse L Mertz	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10099A31A	04/12/2010 17:46	Martha L Seidel	24.58
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201009820780	04/08/2010 18:34	Jesse L Mertz	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	100990013A	04/13/2010 10:38	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	100990012A	04/14/2010 06:41	Melissa McDermott	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-2-S-44.5-100405 Grab Soil
 Facility# 307233 CRAW
 2259 First St-Livermore T0600196622 MW-2

LLI Sample # SW 5948232
 LLI Group # 1189489
 CA

Project Name: 307233

Collected: 04/05/2010 10:25 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI244

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	1	100990012A	04/09/2010 13:30	Doreen K Robles	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	100990013A	04/09/2010 13:30	Doreen K Robles	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-2-S-49.5-100405 Grab Soil
Facility# 307233 CRAW
 2259 First St-Livermore T0600196622 MW-2

LLI Sample # SW 5948233
LLI Group # 1189489
 CA

Project Name: 307233

Collected: 04/05/2010 10:30 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI249

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	mg/kg	mg/kg	mg/kg	
10950	Benzene	71-43-2	N.D.	0.0005	0.005	0.95
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	0.95
10950	Toluene	108-88-3	N.D.	0.001	0.005	0.95
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	0.95
GC	Volatiles	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1.1	1.1	27.47
GC	Extractable TPH	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC	Extractable TPH	SW-846 8015B	mg/kg	mg/kg	mg/kg	
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B100991AA	04/09/2010 22:43	Kristen D Pelliccia	0.95
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 19:23	Jesse L Mertz	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201009820780	04/08/2010 19:20	Jesse L Mertz	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 18:38	Jesse L Mertz	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10099A31A	04/12/2010 20:16	Martha L Seidel	27.47
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201009820780	04/08/2010 18:39	Jesse L Mertz	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	100990013A	04/13/2010 11:03	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	100990012A	04/14/2010 07:01	Melissa McDermott	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-2-S-49.5-100405 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-2

LLI Sample # SW 5948233
LLI Group # 1189489
CA

Project Name: 307233

Collected: 04/05/2010 10:30 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI249

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	1	100990012A	04/09/2010 13:30	Doreen K Robles	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	100990013A	04/09/2010 13:30	Doreen K Robles	1

Sample Description: MW-2-S-54.5-100405 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-2

LLI Sample # SW 5948234
LLI Group # 1189489
CA

Project Name: 307233

Collected: 04/05/2010 10:44 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI254

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	mg/kg	mg/kg	mg/kg	
10950	Benzene	71-43-2	N.D.	0.0005	0.005	1.05
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	1.05
10950	Toluene	108-88-3	N.D.	0.001	0.005	1.05
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	1.05
GC	Volatiles	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1	1	24.02
GC	Extractable TPH	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC	Extractable TPH	SW-846 8015B	mg/kg	mg/kg	mg/kg	
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B100991AA	04/09/2010 23:29	Kristen D Pelliccia	1.05
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 19:23	Jesse L Mertz	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201009820780	04/08/2010 19:23	Jesse L Mertz	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 18:42	Jesse L Mertz	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10099A31A	04/12/2010 20:52	Martha L Seidel	24.02
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201009820780	04/08/2010 18:43	Jesse L Mertz	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	100990013A	04/13/2010 11:28	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	100990012A	04/14/2010 08:04	Melissa McDermott	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-2-S-54.5-100405 Grab Soil
 Facility# 307233 CRAW
 2259 First St-Livermore T0600196622 MW-2

LLI Sample # SW 5948234
 LLI Group # 1189489
 CA

Project Name: 307233

Collected: 04/05/2010 10:44 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI254

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	1	100990012A	04/09/2010 13:30	Doreen K Robles	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	100990013A	04/09/2010 13:30	Doreen K Robles	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-2-S-59.5-100405 Grab Soil
Facility# 307233 CRAW
 2259 First St-Livermore T0600196622 MW-2

LLI Sample # SW 5948235
LLI Group # 1189489
 CA

Project Name: 307233

Collected: 04/05/2010 10:50 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI259

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	0.99
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	0.99
10950	Toluene	108-88-3	N.D.	0.001	0.005	0.99
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	0.99
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1.0	1.0	25.93
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B100991AA	04/09/2010 23:51	Kristen D Pelliccia	0.99
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 19:24	Jesse L Mertz	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201009820780	04/08/2010 19:23	Jesse L Mertz	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 18:46	Jesse L Mertz	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10099A31A	04/12/2010 21:29	Martha L Seidel	25.93
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201009820780	04/08/2010 18:47	Jesse L Mertz	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	100990013A	04/13/2010 11:53	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	100990012A	04/14/2010 08:24	Melissa McDermott	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-2-S-59.5-100405 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-2

LLI Sample # SW 5948235
LLI Group # 1189489
CA

Project Name: 307233

Collected: 04/05/2010 10:50 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI259

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	1	100990012A	04/09/2010 13:30	Doreen K Robles	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	100990013A	04/09/2010 13:30	Doreen K Robles	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-3-S-9.5-100406 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-3

LLI Sample # SW 5948236
LLI Group # 1189489
CA

Project Name: 307233

Collected: 04/06/2010 09:45 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00
Reported: 04/20/2010 at 12:55
Discard: 05/21/2010

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

LI3-9

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	mg/kg	mg/kg	mg/kg	
10950	Benzene	71-43-2	N.D.	0.0005	0.005	1
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	1
10950	Toluene	108-88-3	0.002	0.001	0.005	1
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	1
GC	Volatiles	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	0.9	0.9	22.91
GC	Extractable TPH	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC	Extractable TPH	SW-846 8015B	mg/kg	mg/kg	mg/kg	
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B100991AA	04/10/2010 00:14	Kristen D Pelliccia	1
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 19:24	Jesse L Mertz	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201009820780	04/08/2010 19:24	Jesse L Mertz	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 18:50	Jesse L Mertz	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10099A31A	04/12/2010 22:05	Martha L Seidel	22.91
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201009820780	04/08/2010 18:51	Jesse L Mertz	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	100990013A	04/13/2010 12:18	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	100990012A	04/14/2010 11:31	Melissa McDermott	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-3-S-9.5-100406 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-3

LLI Sample # SW 5948236
LLI Group # 1189489
CA

Project Name: 307233

Collected: 04/06/2010 09:45 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI3-9

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	1	100990012A	04/09/2010 13:30	Doreen K Robles	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	100990013A	04/09/2010 13:30	Doreen K Robles	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-3-S-14.5-100406 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-3

LLI Sample # SW 5948237
LLI Group # 1189489
CA

Project Name: 307233

Collected: 04/06/2010 09:50 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI314

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	mg/kg	mg/kg	mg/kg	
10950	Benzene	71-43-2	N.D.	0.0005	0.005	1.01
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	1.01
10950	Toluene	108-88-3	N.D.	0.001	0.005	1.01
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	1.01
GC	Volatiles	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1	1	23.88
GC	Extractable TPH	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC	Extractable TPH	SW-846 8015B	mg/kg	mg/kg	mg/kg	
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B100991AA	04/10/2010 00:36	Kristen D Pelliccia	1.01
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 20:38	Jesse L Mertz	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201009820780	04/08/2010 20:38	Jesse L Mertz	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 18:53	Jesse L Mertz	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10099A31A	04/12/2010 22:42	Martha L Seidel	23.88
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201009820780	04/08/2010 18:54	Jesse L Mertz	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	100990013A	04/13/2010 12:43	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	100990012A	04/14/2010 08:45	Melissa McDermott	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-3-S-14.5-100406 Grab Soil
Facility# 307233 CRAW
 2259 First St-Livermore T0600196622 MW-3

LLI Sample # SW 5948237
LLI Group # 1189489
 CA

Project Name: 307233

Collected: 04/06/2010 09:50 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI314

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	1	100990012A	04/09/2010 13:30	Doreen K Robles	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	100990013A	04/09/2010 13:30	Doreen K Robles	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-3-S-19.5-100406 Grab Soil
Facility# 307233 CRAW
 2259 First St-Livermore T0600196622 MW-3

LLI Sample # SW 5948238
LLI Group # 1189489
 CA

Project Name: 307233

Collected: 04/06/2010 09:55 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI319

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	mg/kg	mg/kg	mg/kg	
10950	Benzene	71-43-2	N.D.	0.0005	0.005	1.05
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	1.05
10950	Toluene	108-88-3	N.D.	0.001	0.005	1.05
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	1.05
GC	Volatiles	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1	1	24.78
GC	Extractable TPH	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC	Extractable TPH	SW-846 8015B	mg/kg	mg/kg	mg/kg	
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B100991AA	04/10/2010 00:59	Kristen D Pelliccia	1.05
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 20:38	Jesse L Mertz	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201009820780	04/08/2010 20:38	Jesse L Mertz	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 19:07	Jesse L Mertz	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10099A31A	04/12/2010 23:18	Martha L Seidel	24.78
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201009820780	04/08/2010 19:08	Jesse L Mertz	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	100990013A	04/13/2010 13:07	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	100990012A	04/14/2010 09:06	Melissa McDermott	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-3-S-19.5-100406 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-3

LLI Sample # SW 5948238
LLI Group # 1189489
CA

Project Name: 307233

Collected: 04/06/2010 09:55 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI319

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	1	100990012A	04/09/2010 13:30	Doreen K Robles	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	100990013A	04/09/2010 13:30	Doreen K Robles	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-3-S-24.5-100406 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-3

LLI Sample # SW 5948239
LLI Group # 1189489
CA

Project Name: 307233

Collected: 04/06/2010 10:00 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI324

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	1.05
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	1.05
10950	Toluene	108-88-3	N.D.	0.001	0.005	1.05
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	1.05
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	0.9	0.9	23.65
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B100991AA	04/10/2010 01:22	Kristen D Pelliccia	1.05
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 20:38	Jesse L Mertz	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201009820780	04/08/2010 20:38	Jesse L Mertz	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 19:11	Jesse L Mertz	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10099A31A	04/12/2010 23:55	Martha L Seidel	23.65
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201009820780	04/08/2010 19:11	Jesse L Mertz	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	100990013A	04/13/2010 13:32	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	100990012A	04/14/2010 09:27	Melissa McDermott	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-3-S-24.5-100406 Grab Soil
 Facility# 307233 CRAW
 2259 First St-Livermore T0600196622 MW-3

LLI Sample # SW 5948239
 LLI Group # 1189489
 CA

Project Name: 307233

Collected: 04/06/2010 10:00 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI324

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	1	100990012A	04/09/2010 13:30	Doreen K Robles	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	100990013A	04/09/2010 13:30	Doreen K Robles	1

Sample Description: MW-3-S-29.5-100406 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-3

LLI Sample # SW 5948240
LLI Group # 1189489
CA

Project Name: 307233

Collected: 04/06/2010 10:05 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI329

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	mg/kg	mg/kg	mg/kg	
10950	Benzene	71-43-2	N.D.	0.0005	0.005	1.01
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	1.01
10950	Toluene	108-88-3	N.D.	0.001	0.005	1.01
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	1.01
GC	Volatiles	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1.1	1.1	26.65
GC	Extractable TPH	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC	Extractable TPH	SW-846 8015B	mg/kg	mg/kg	mg/kg	
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B100991AA	04/10/2010 01:44	Kristen D Pelliccia	1.01
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 20:37	Jesse L Mertz	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201009820780	04/08/2010 20:37	Jesse L Mertz	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 19:14	Jesse L Mertz	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10099A31A	04/13/2010 00:31	Martha L Seidel	26.65
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201009820780	04/08/2010 19:15	Jesse L Mertz	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	100990013A	04/13/2010 13:57	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	100990012A	04/14/2010 09:47	Melissa McDermott	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-3-S-29.5-100406 Grab Soil
Facility# 307233 CRAW
 2259 First St-Livermore T0600196622 MW-3

LLI Sample # SW 5948240
LLI Group # 1189489
 CA

Project Name: 307233

Collected: 04/06/2010 10:05 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI329

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	1	100990012A	04/09/2010 13:30	Doreen K Robles	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	100990013A	04/09/2010 13:30	Doreen K Robles	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-3-S-34.5-100406 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-3

LLI Sample # SW 5948241
LLI Group # 1189489
CA

Project Name: 307233

Collected: 04/06/2010 10:10 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI334

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	0.92
10950	Ethylbenzene	100-41-4	N.D.	0.0009	0.005	0.92
10950	Toluene	108-88-3	N.D.	0.0009	0.005	0.92
10950	Xylene (Total)	1330-20-7	N.D.	0.0009	0.005	0.92
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1.0	1.0	25.64
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101011AA	04/11/2010 20:56	Nicholas P Riehl	0.92
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 20:37	Jesse L Mertz	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201009820780	04/08/2010 20:37	Jesse L Mertz	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 19:18	Jesse L Mertz	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10099A31A	04/13/2010 01:07	Martha L Seidel	25.64
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201009820780	04/08/2010 19:19	Jesse L Mertz	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	100990013A	04/13/2010 14:22	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	100990012A	04/14/2010 10:08	Melissa McDermott	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	100990012A	04/09/2010 13:30	Doreen K Robles	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-3-S-34.5-100406 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-3

LLI Sample # SW 5948241
LLI Group # 1189489
CA

Project Name: 307233

Collected: 04/06/2010 10:10 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI334

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	2	100990013A	04/09/2010 13:30	Doreen K Robles	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-3-S-39.5-100406 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-3

LLI Sample # SW 5948242
LLI Group # 1189489
CA

Project Name: 307233

Collected: 04/06/2010 10:15 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI339

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	0.96
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	0.96
10950	Toluene	108-88-3	N.D.	0.001	0.005	0.96
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	0.96
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1.0	1.0	25.8
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101011AA	04/12/2010 00:41	Nicholas P Riehl	0.96
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 20:38	Jesse L Mertz	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201009820780	04/08/2010 20:37	Jesse L Mertz	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 19:22	Jesse L Mertz	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10099A31A	04/13/2010 01:44	Martha L Seidel	25.8
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201009820780	04/08/2010 19:23	Jesse L Mertz	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	100990013A	04/13/2010 14:48	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	100990012A	04/14/2010 10:29	Melissa McDermott	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	100990012A	04/09/2010 13:30	Doreen K Robles	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-3-S-39.5-100406 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-3

LLI Sample # SW 5948242
LLI Group # 1189489
CA

Project Name: 307233

Collected: 04/06/2010 10:15 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI339

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	2	100990013A	04/09/2010 13:30	Doreen K Robles	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-3-S-44.5-100406 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-3

LLI Sample # SW 5948243
LLI Group # 1189489
CA

Project Name: 307233

Collected: 04/06/2010 10:25 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI344

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	mg/kg	mg/kg	mg/kg	
10950	Benzene	71-43-2	N.D.	0.0005	0.005	1.05
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	1.05
10950	Toluene	108-88-3	N.D.	0.001	0.005	1.05
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	1.05
GC	Volatiles	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1	1	24.37
GC	Extractable TPH	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC	Extractable TPH	SW-846 8015B	mg/kg	mg/kg	mg/kg	
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101011AA	04/12/2010 01:26	Nicholas P Riehl	1.05
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 20:38	Jesse L Mertz	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201009820780	04/08/2010 20:38	Jesse L Mertz	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 19:42	Jesse L Mertz	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10099A31A	04/13/2010 02:20	Martha L Seidel	24.37
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201009820780	04/08/2010 19:43	Jesse L Mertz	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	100990013A	04/13/2010 15:13	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	100990012A	04/14/2010 10:50	Melissa McDermott	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	100990012A	04/09/2010 13:30	Doreen K Robles	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-3-S-44.5-100406 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-3

LLI Sample # SW 5948243
LLI Group # 1189489
CA

Project Name: 307233

Collected: 04/06/2010 10:25 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI344

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	2	100990013A	04/09/2010 13:30	Doreen K Robles	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-3-S-49.5-100406 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-3

LLI Sample # SW 5948244
LLI Group # 1189489
CA

Project Name: 307233

Collected: 04/06/2010 10:35 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI349

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	1.02
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	1.02
10950	Toluene	108-88-3	N.D.	0.001	0.005	1.02
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	1.02
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1.1	1.1	26.77
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101011AA	04/12/2010 01:49	Nicholas P Riehl	1.02
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 20:38	Jesse L Mertz	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201009820780	04/08/2010 20:38	Jesse L Mertz	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 19:45	Jesse L Mertz	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10103A34A	04/13/2010 19:25	Marie D John	26.77
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201009820780	04/08/2010 19:46	Jesse L Mertz	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	100990013A	04/13/2010 15:38	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	100990012A	04/14/2010 11:10	Melissa McDermott	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	100990012A	04/09/2010 13:30	Doreen K Robles	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-3-S-49.5-100406 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-3

LLI Sample # SW 5948244
LLI Group # 1189489
CA

Project Name: 307233

Collected: 04/06/2010 10:35 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI349

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	2	100990013A	04/09/2010 13:30	Doreen K Robles	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-3-S-54.5-100406 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-3

LLI Sample # SW 5948245
LLI Group # 1189489
CA

Project Name: 307233

Collected: 04/06/2010 10:45 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI354

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	mg/kg	mg/kg	mg/kg	
10950	Benzene	71-43-2	0.004	0.0005	0.005	0.97
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	0.97
10950	Toluene	108-88-3	N.D.	0.001	0.005	0.97
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	0.97
GC	Volatiles	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
01725	TPH-GRO N. CA soil C6-C12	n.a.	10	1.1	1.1	26.34
GC	Extractable TPH	SW-846 8015B modified	mg/kg	mg/kg	mg/kg	
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC	Extractable TPH	SW-846 8015B	mg/kg	mg/kg	mg/kg	
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101011AA	04/12/2010 03:19	Nicholas P Riehl	0.97
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 20:37	Jesse L Mertz	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201009820780	04/08/2010 20:37	Jesse L Mertz	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 19:49	Jesse L Mertz	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10103A34A	04/13/2010 20:01	Marie D John	26.34
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201009820780	04/08/2010 19:49	Jesse L Mertz	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101020023A	04/14/2010 05:28	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101020023B	04/15/2010 13:27	Dustin A Underkoffler	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101020023A	04/13/2010 09:30	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-3-S-54.5-100406 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-3

LLI Sample # SW 5948245
LLI Group # 1189489
CA

Project Name: 307233

Collected: 04/06/2010 10:45 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI354

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101020023B	04/13/2010 09:30	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-3-S-59.5-100406 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-3

LLI Sample # SW 5948246
LLI Group # 1189489
CA

Project Name: 307233

Collected: 04/06/2010 10:55 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI359

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	1.04
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	1.04
10950	Toluene	108-88-3	N.D.	0.001	0.005	1.04
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	1.04
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1.1	1.1	27.41
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101011AA	04/12/2010 02:12	Nicholas P Riehl	1.04
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 20:37	Jesse L Mertz	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201009820780	04/08/2010 20:37	Jesse L Mertz	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201009820780	04/08/2010 19:53	Jesse L Mertz	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10103A34A	04/13/2010 20:37	Marie D John	27.41
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201009820780	04/08/2010 19:54	Jesse L Mertz	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101020023A	04/14/2010 06:43	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101020023B	04/15/2010 14:29	Dustin A Underkoffler	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101020023A	04/13/2010 09:30	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-3-S-59.5-100406 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-3

LLI Sample # SW 5948246
LLI Group # 1189489
CA

Project Name: 307233

Collected: 04/06/2010 10:55 by IH

Account Number: 10880

Submitted: 04/08/2010 09:00

ChevronTexaco

Reported: 04/20/2010 at 12:55

6001 Bollinger Canyon Rd L4310

Discard: 05/21/2010

San Ramon CA 94583

LI359

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101020023B	04/13/2010 09:30	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 04/20/10 at 12:55 PM

Group Number: 1189489

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL**</u>	<u>Blank LOQ</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: B100991AA	Sample number(s): 5948225-5948229, 5948231-5948240								
Benzene	N.D.	0.0005	0.005	mg/kg	107	105	80-120	2	30
Ethylbenzene	N.D.	0.001	0.005	mg/kg	108	106	80-120	3	30
Toluene	N.D.	0.001	0.005	mg/kg	106	104	80-120	2	30
Xylene (Total)	N.D.	0.001	0.005	mg/kg	107	105	80-120	2	30
Batch number: B101011AA	Sample number(s): 5948230, 5948241-5948246								
Benzene	N.D.	0.0005	0.005	mg/kg	110	108	80-120	2	30
Ethylbenzene	N.D.	0.001	0.005	mg/kg	112	108	80-120	3	30
Toluene	N.D.	0.001	0.005	mg/kg	110	105	80-120	4	30
Xylene (Total)	N.D.	0.001	0.005	mg/kg	111	107	80-120	4	30
Batch number: 10099A31A	Sample number(s): 5948225-5948243								
TPH-GRO N. CA soil C6-C12	N.D.	1.0	1.0	mg/kg	85	92	67-119	7	30
Batch number: 10103A34A	Sample number(s): 5948244-5948246								
TPH-GRO N. CA soil C6-C12	N.D.	1.0	1.0	mg/kg	85	84	67-119	2	30
Batch number: 100990013A	Sample number(s): 5948225-5948244								
Total TPH	N.D.	10.	30	mg/kg	91	96	72-125	5	20
TPH Motor Oil C16-C36	N.D.	10.	30	mg/kg					
Batch number: 101020023A	Sample number(s): 5948245-5948246								
Total TPH	N.D.	10.	30	mg/kg	94		72-125		
TPH Motor Oil C16-C36	N.D.	10.	30	mg/kg					
Batch number: 100990012A	Sample number(s): 5948225-5948244								
TPH-DRO soil C10-C28 w/Si Gel	N.D.	4.0	12	mg/kg	97	98	76-117	2	20
Batch number: 101020023B	Sample number(s): 5948245-5948246								
TPH-DRO soil C10-C28 w/Si Gel	N.D.	4.0	12	mg/kg	97		76-117		

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
 Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD</u>	<u>RPD MAX</u>	<u>BKG Conc</u>	<u>DUP Conc</u>	<u>DUP RPD</u>	<u>Dup RPD Max</u>
Batch number: B100991AA	Sample number(s): 5948225-5948229, 5948231-5948240 UNSPK: 5948229								
Benzene	108		55-143						
Ethylbenzene	109		44-141						
Toluene	108		50-146						

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 04/20/10 at 12:55 PM

Group Number: 1189489

Sample Matrix Quality Control

 Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
 Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS</u> <u>%REC</u>	<u>MSD</u> <u>%REC</u>	<u>MS/MSD</u> <u>Limits</u>	<u>RPD</u>	<u>RPD</u> <u>MAX</u>	<u>BKG</u> <u>Conc</u>	<u>DUP</u> <u>Conc</u>	<u>DUP</u> <u>RPD</u>	<u>Dup RPD</u> <u>Max</u>
Xylene (Total)	108		44-136						
Batch number: B101011AA	Sample number(s): 5948230,5948241-5948246 UNSPK: P948154								
Benzene	113		55-143						
Ethylbenzene	99		44-141						
Toluene	107		50-146						
Xylene (Total)	97		44-136						
Batch number: 101020023A	Sample number(s): 5948245-5948246 UNSPK: 5948245 BKG: 5948245								
Total TPH	95		49-123			N.D.	N.D.	0 (1)	20
TPH Motor Oil C16-C36						N.D.	N.D.	0 (1)	20
Batch number: 101020023B	Sample number(s): 5948245-5948246 UNSPK: 5948245 BKG: 5948245								
TPH-DRO soil C10-C28 w/Si Gel	96		30-159			N.D.	N.D.	0 (1)	20

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

 Analysis Name: VOCs by 8260B - Solid
 Batch number: B100991AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5948225	102	100	103	93
5948226	103	103	103	94
5948227	103	103	102	94
5948228	101	101	103	93
5948229	103	105	102	95
5948231	103	105	100	94
5948232	101	101	102	94
5948233	101	101	102	94
5948234	101	100	103	93
5948235	102	102	103	93
5948236	101	100	103	93
5948237	102	101	101	91
5948238	102	100	101	93
5948239	103	102	100	92
5948240	102	100	102	93
Blank	102	102	101	95
LCS	101	104	104	101
LCSD	100	101	103	101
MS	101	103	104	101
Limits:	71-114	70-109	70-123	70-111

 Analysis Name: VOCs by 8260B - Solid
 Batch number: B101011AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene

*- Outside of specification

**-This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: ChevronTexaco
Reported: 04/20/10 at 12:55 PM

Group Number: 1189489

Surrogate Quality Control

5948230	100	98	103	92
5948241	101	100	102	93
5948242	101	99	102	93
5948243	101	101	102	93
5948244	102	99	101	94
5948245	98	97	104	98
5948246	102	100	99	95
Blank	103	106	101	96
LCS	101	103	102	100
LCSD	101	109	101	100
MS	100	104	104	98
<hr/>				
Limits:	71-114	70-109	70-123	70-111

Analysis Name: TPH-GRO N. CA soil C6-C12
Batch number: 10099A31A
Trifluorotoluene-F

5948225	70
5948226	71
5948227	70
5948228	70
5948229	71
5948230	71
5948231	68
5948232	67
5948233	73
5948234	67
5948235	70
5948236	66
5948237	66
5948238	69
5948239	69
5948240	66
5948241	65
5948242	67
5948243	68
Blank	74
LCS	81
LCSD	89
<hr/>	
Limits:	61-122

Analysis Name: TPH-GRO N. CA soil C6-C12
Batch number: 10103A34A
Trifluorotoluene-F

5948244	72
5948245	73
5948246	71
Blank	84
LCS	81
LCSD	80
<hr/>	
Limits:	61-122

Analysis Name: TPH-DRO soil C10-C28 w/Si Gel
Batch number: 100990012A

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: ChevronTexaco
Reported: 04/20/10 at 12:55 PM

Group Number: 1189489

Surrogate Quality Control

Orthoterphenyl

5948225	97
5948226	102
5948227	100
5948228	93
5948229	90
5948230	97
5948231	83
5948232	89
5948233	83
5948234	101
5948235	99
5948236	92
5948237	89
5948238	99
5948239	92
5948240	96
5948241	92
5948242	101
5948243	93
5948244	95
Blank	98
LCS	108
LCSD	110

Limits: 59-129

Analysis Name: TPH Fuels by GC (Soils)
Batch number: 100990013A

	Chlorobenzene	Orthoterphenyl
5948225	67	90
5948226	77	96
5948227	82	96
5948228	79	89
5948229	73	85
5948230	80	91
5948231	60	80
5948232	71	90
5948233	62	79
5948234	79	101
5948235	71	94
5948236	62	85
5948237	64	83
5948238	81	97
5948239	70	89
5948240	79	92
5948241	75	88
5948242	77	93
5948243	77	92
5948244	74	92
Blank	86	95
LCS	86	101
LCSD	89	105

Limits: 49-125

59-129

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: ChevronTexaco
Reported: 04/20/10 at 12:55 PM

Group Number: 1189489

Surrogate Quality Control

Analysis Name: TPH Fuels by GC (Soils)
Batch number: 101020023A

	Chlorobenzene	Orthoterphenyl
5948245	88	95
5948246	85	91
Blank	89	98
DUP	86	96
LCS	89	104
MS	87	101

Limits: 49-125 59-129

Analysis Name: TPH-DRO soil C10-C28 w/Si Gel
Batch number: 101020023B

	Orthoterphenyl
5948245	99
5948246	92
Blank	101
DUP	99
LCS	108
MS	104

Limits: 59-129

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Chevron California Region Analysis Request/Chain of Custody



640610-9

Acct. #: 10880 For Lancaster Laboratories use only Sample #: 5948225-46 SCR#: 248702

Group# 1189489

Facility #: 30-7233 AIL
 Site Address: 225A FIRST ST., LIVERMORE, CALIFORNIA
 Chevron PM: IAN ROBB Lead Consultant: CRA
 Consultant/Office: EMERYVILLE
 Consultant Prj. Mgr.: KIERSTEN HOEY
 Consultant Phone #: 510-420-3347 Fax #: 510-420-9170
 Sampler: IAN HULL
 Service Order #: _____ Non SAR: _____

Analyses Requested

Preservation Codes										
BTEX + THP 8260	<input type="checkbox"/> 8021	TPH 8015 MOD GRO	<input type="checkbox"/>	TPH 8015 MOD DRO	<input checked="" type="checkbox"/> Silica Gel Cleanup	8260 full scan	<input type="checkbox"/>	Oxygenates	Lead 7420	<input type="checkbox"/> 7421
TPH MOTOR OIL 8015 VI SILICA GEL										

Preservative Codes
 H = HCl T = Thiosulfate
 N = HNO₃ B = NaOH
 S = H₂SO₄ O = Other

J value reporting needed
 Must meet lowest detection limits possible for 8260 compounds

8021 MTBE Confirmation
 Confirm highest hit by 8260
 Confirm all hits by 8260
 Run ___ oxy's on highest hit
 Run ___ oxy's on all hits

Field Point Name	Matrix	Repeat Sample	Top Depth	Year Month Day	Time Collected	New Field Pt.	Grab	Composite	Total Number of Containers	BTEX + THP 8260	TPH 8015 MOD GRO	TPH 8015 MOD DRO	8260 full scan	Oxygenates	Lead 7420	TPH MOTOR OIL 8015 VI SILICA GEL
MW-2	SOIL	N	9.5	2010/04/05	0935	YES	X		1	X	X	X				X
MW-2			14.5		0940											
MW-2			19.5		0945											
MW-2			24.5		0950											
MW-2			29.5		1000											
MW-2			34.5		1005											
MW-2			39.5		1020											
MW-2			44.5		1025											
MW-2			49.5		1030											
MW-2			54.5		1044											
MW-2			59.5		1050											

Comments / Remarks
 PLEASE EMAIL RESULTS TO khey ihull
 EOF DATA TO dchare
 ALL @cra-world.com

Turnaround Time Requested (TAT) (please circle)

STD. TAT 72 hour 48 hour
 24 hour 4 day 5 day

Data Package Options (please circle if required)

QC Summary Type I - Full
 Type VI (Raw Data) Coelt Deliverable not needed
 WIP (RWQCB)
 Disk

Relinquished by: <u>[Signature]</u>	Date: <u>2010/04/06</u>	Time: <u>1700</u>	Received by: <u>[Signature]</u>	Date: <u>4/6/10</u>	Time: <u>1700</u>
Relinquished by: <u>[Signature]</u>	Date: <u>07 APR 10</u>	Time: <u>1630</u>	Received by: <u>FEDEX</u>	Date: _____	Time: _____
Relinquished by: _____	Date: _____	Time: _____	Received by: _____	Date: _____	Time: _____
Relinquished by Commercial Carrier: UPS <u>FEDEX</u> Other _____	Received by: <u>[Signature]</u>			Date: <u>4/6/10</u>	Time: <u>0900</u>
Temperature Upon Receipt: <u>14.20</u> C°	Custody Seals Intact? <u>Yes</u> No			Date: _____	Time: _____

Chevron California Region Analysis Request/Chain of Custody



04060-08

Acct. #: 10880

For Lancaster Laboratories use only
Sample #: 5948225-46

SCR#: 248703

Group# 1189489

Facility #: 30-7233 (AII)
 Site Address: 2259 FIRST ST., LIVERMORE, CALIFORNIA
 Chevron PM: IAN ROBB Lead Consultant: CRA
 Consultant/Office: EMERYVILLE
 Consultant Prj. Mgr.: KIERSTEN HOEY
 Consultant Phone #: 510-420-3347 Fax #: 510-420-9170
 Sampler: IAN HULL
 Service Order #: _____ Non SAR: _____

Analyses Requested

Preservation Codes

Preservative Codes
 H = HCl T = Thiosulfate
 N = HNO₃ B = NaOH
 S = H₂SO₄ O = Other

J value reporting needed
 Must meet lowest detection limits possible for 8260 compounds

8021 MTBE Confirmation
 Confirm highest hit by 8260
 Confirm all hits by 8260
 Run ___ oxy's on highest hit
 Run ___ oxy's on all hits

Field Point Name	Matrix	Repeat Sample	Top Depth	Year Month Day	Time Collected	New Field Pt.	Grab	Composite	Total Number of Containers	BTEX + MTBE	8260	8021	TPH 8015 MOD	GRO	TPH 8015 MOD DRO	Silica Gel Cleanup	8260 full scan	Oxygenates	Lead 7420	7421	TPH MO M SILICA GEL	BT 8015
MW-3	SOIL	NO	9.5	2010/04/06	0945	YES	X		1	X	X	X									X	
			14.5		0950																	
			19.5		0955																	
			24.5		1000																	
			29.5		1005																	
			34.5		1010																	
			39.5		1015																	
			44.5		1025																	
			49.5		1035																	
			54.5		1045																	
			59.5		1055																	

Comments / Remarks
 PLEASE EMAIL RESULTS TO
 khoey
 ihull
 EDF DATA TO:
 dohare
 ALL @cranonh.com

Turnaround Time Requested (TAT) (please circle)
STD. TAT 72 hour 48 hour
 24 hour 4 day 5 day

Data Package Options (please circle if required)
 QC Summary Type I - Full
 Type VI (Raw Data) Coelt Deliverable not needed
 WIP (RWQCB)
 Disk

Relinquished by: <u>[Signature]</u>	Date: <u>2010/04/06</u>	Time: <u>1700</u>	Received by: <u>[Signature]</u>	Date: <u>4/6/2010</u>	Time: <u>1700</u>
Relinquished by: <u>[Signature]</u>	Date: <u>7 APR 10</u>	Time: <u>1635</u>	Received by: <u>FEDEX</u>	Date:	Time:
Relinquished by: _____	Date:	Time:	Received by: _____	Date:	Time:
Relinquished by Commercial Carrier: UPS FedEx Other _____	Received by: _____			Date: <u>4/16/10</u>	Time: <u>0900</u>
Temperature Upon Receipt: <u>14.55</u> C°	Custody Seals Intact? <u>Yes</u>			No	

Lancaster Laboratories Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
Cal	(diet) calories	lb.	pound(s)
meq	milliequivalents	kg	kilogram(s)
g	gram(s)	mg	milligram(s)
ug	microgram(s)	l	liter(s)
ml	milliliter(s)	ul	microliter(s)
m3	cubic meter(s)	fib >5 um/ml	fibers greater than 5 microns in length per ml
<	less than – The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
ppm	parts per million – One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture.		

U.S. EPA data qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
J	Estimated value
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike amount not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY – In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

April 22, 2010

Project: 307233

Submittal Date: 04/13/2010
Group Number: 1190027
PO Number: 0015060774
Release Number: ROBB
State of Sample Origin: CA

<u>Client Sample Description</u>	<u>Lancaster Labs (LLI) #</u>
MW-6-S-10-100409 NA Soil	5952073
MW-6-S-15-100409 NA Soil	5952074
MW-6-S-19.5-100409 NA Soil	5952075
MW-6-S-25-100409 NA Soil	5952076
MW-6-S-30-100409 NA Soil	5952077
MW-6-S-35-100409 NA Soil	5952078
MW-6-S-40-100409 NA Soil	5952079
MW-6-S-45-100409 NA Soil	5952080
MW-6-S-50-100409 NA Soil	5952081
MW-6-S-55-100409 NA Soil	5952082
MW-6-S-59.5-100409 NA Soil	5952083
MW-4-S-10.5-100412 Grab Soil	5952084
MW-4-S-15.5-100412 Grab Soil	5952085
MW-4-S-20.5-100412 Grab Soil	5952086
MW-4-S-25.5-100412 Grab Soil	5952087
MW-4-S-30.5-100412 Grab Soil	5952088
MW-4-S-35.5-100412 Grab Soil	5952089
MW-4-S-40.5-100412 Grab Soil	5952090
MW-4-S-45.5-100412 Grab Soil	5952091
MW-4-S-50.5-100412 Grab Soil	5952092
MW-4-S-55.5-100412 Grab Soil	5952093
MW-4-S-60.5-100412 Grab Soil	5952094

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO CRA

Attn: Brandon Wilken

ELECTRONIC COPY TO

ELECTRONIC COPY TO Chevron

Attn: CRA EDD

ELECTRONIC COPY TO

ELECTRONIC COPY TO CRA

Attn: Ian Hull

ELECTRONIC COPY TO

ELECTRONIC COPY TO CRA

Attn: Kiersten Hoey

ELECTRONIC COPY TO

Questions? Contact your Client Services Representative
Angela M Miller at (717) 656-2300 Ext. 1903

Respectfully Submitted,



Robin C. Runkle
Senior Specialist

Sample Description: MW-6-S-10-100409 NA Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-6

LLI Sample # SW 5952073
LLI Group # 1190027
Account # 10880

Project Name: 307233

Collected: 04/09/2010 08:20 by BY

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/13/2010 08:50

Reported: 04/22/2010 16:17

Discard: 05/23/2010

23361

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	0.99
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	0.99
10950	Toluene	108-88-3	N.D.	0.001	0.005	0.99
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	0.99
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1	1	23.99
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101043AA	04/15/2010 01:41	Kristen D Pelliccia	0.99
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010320813	04/13/2010 20:38	Lois E Hiltz	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010320813	04/13/2010 20:38	Lois E Hiltz	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010320813	04/13/2010 18:57	Lois E Hiltz	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10104A16A	04/15/2010 23:49	Marie D John	23.99
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010320813	04/13/2010 18:58	Lois E Hiltz	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101030016B	04/15/2010 03:34	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101030016A	04/15/2010 12:05	Dustin A Underkoffler	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101030016A	04/14/2010 10:25	Olivia I Santiago	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-6-S-10-100409 NA Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-6

LLI Sample # SW 5952073
LLI Group # 1190027
Account # 10880

Project Name: 307233

Collected: 04/09/2010 08:20 by BY

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/13/2010 08:50

Reported: 04/22/2010 16:17

Discard: 05/23/2010

23361

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101030016B	04/14/2010 10:25	Olivia I Santiago	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-6-S-15-100409 NA Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-6

LLI Sample # SW 5952074
LLI Group # 1190027
Account # 10880

Project Name: 307233

Collected: 04/09/2010 08:25 by BY ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583
 Submitted: 04/13/2010 08:50
 Reported: 04/22/2010 16:17
 Discard: 05/23/2010

23362

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	0.99
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	0.99
10950	Toluene	108-88-3	N.D.	0.001	0.005	0.99
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	0.99
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1	1	24.51
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101043AA	04/15/2010 02:03	Kristen D Pelliccia	0.99
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010320813	04/13/2010 20:38	Lois E Hiltz	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010320813	04/13/2010 20:38	Lois E Hiltz	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010320813	04/13/2010 19:03	Lois E Hiltz	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10104A16A	04/16/2010 00:27	Marie D John	24.51
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010320813	04/13/2010 19:04	Lois E Hiltz	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101030016B	04/15/2010 03:59	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101030016A	04/15/2010 12:25	Dustin A Underkoffler	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101030016A	04/14/2010 10:25	Olivia I Santiago	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-6-S-15-100409 NA Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-6

LLI Sample # SW 5952074
LLI Group # 1190027
Account # 10880

Project Name: 307233

Collected: 04/09/2010 08:25 by BY

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/13/2010 08:50

Reported: 04/22/2010 16:17

Discard: 05/23/2010

23362

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101030016B	04/14/2010 10:25	Olivia I Santiago	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-6-S-19.5-100409 NA Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-6

LLI Sample # SW 5952075
LLI Group # 1190027
Account # 10880

Project Name: 307233

Collected: 04/09/2010 08:30 by BY

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/13/2010 08:50

Reported: 04/22/2010 16:17

Discard: 05/23/2010

23363

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	0.92
10950	Ethylbenzene	100-41-4	N.D.	0.0009	0.005	0.92
10950	Toluene	108-88-3	N.D.	0.0009	0.005	0.92
10950	Xylene (Total)	1330-20-7	N.D.	0.0009	0.005	0.92
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	0.9	0.9	23.61
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
w/Si Gel						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101043AA	04/15/2010 03:30	Kristen D Pelliccia	0.92
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010320813	04/13/2010 20:39	Lois E Hiltz	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010320813	04/13/2010 20:39	Lois E Hiltz	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010320813	04/13/2010 19:09	Lois E Hiltz	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10104A16A	04/16/2010 01:05	Marie D John	23.61
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010320813	04/13/2010 19:10	Lois E Hiltz	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101030016B	04/15/2010 04:24	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101030016A	04/15/2010 12:45	Dustin A Underkoffler	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101030016A	04/14/2010 10:25	Olivia I Santiago	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-6-S-19.5-100409 NA Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-6

LLI Sample # SW 5952075
LLI Group # 1190027
Account # 10880

Project Name: 307233

Collected: 04/09/2010 08:30 by BY

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/13/2010 08:50

Reported: 04/22/2010 16:17

Discard: 05/23/2010

23363

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101030016B	04/14/2010 10:25	Olivia I Santiago	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-6-S-25-100409 NA Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-6

LLI Sample # SW 5952076
LLI Group # 1190027
Account # 10880

Project Name: 307233

Collected: 04/09/2010 08:35 by BY

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/13/2010 08:50

Reported: 04/22/2010 16:17

Discard: 05/23/2010

23364

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	0.96
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	0.96
10950	Toluene	108-88-3	N.D.	0.001	0.005	0.96
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	0.96
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1	1	23.88
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101051AA	04/15/2010 19:59	Nicholas P Riehl	0.96
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010320813	04/13/2010 20:39	Lois E Hiltz	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010320813	04/13/2010 20:39	Lois E Hiltz	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010320813	04/13/2010 19:15	Lois E Hiltz	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10104A16A	04/16/2010 01:43	Marie D John	23.88
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010320813	04/13/2010 19:16	Lois E Hiltz	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101030016B	04/15/2010 04:49	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101030016A	04/15/2010 13:05	Dustin A Underkoffler	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101030016A	04/14/2010 10:25	Olivia I Santiago	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101030016B	04/14/2010 10:25	Olivia I Santiago	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-6-S-30-100409 NA Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-6

LLI Sample # SW 5952077
LLI Group # 1190027
Account # 10880

Project Name: 307233

Collected: 04/09/2010 08:40 by BY

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/13/2010 08:50

Reported: 04/22/2010 16:17

Discard: 05/23/2010

23365

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	1
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	1
10950	Toluene	108-88-3	N.D.	0.001	0.005	1
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	1
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	0.9	0.9	23.06
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101051AA	04/15/2010 20:22	Nicholas P Riehl	1
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010320813	04/13/2010 20:39	Lois E Hiltz	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010320813	04/13/2010 20:39	Lois E Hiltz	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010320813	04/13/2010 19:40	Lois E Hiltz	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10104A16A	04/16/2010 02:21	Marie D John	23.06
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010320813	04/13/2010 19:41	Lois E Hiltz	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101030016B	04/15/2010 05:14	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101030016A	04/15/2010 13:25	Dustin A Underkoffler	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101030016A	04/14/2010 10:25	Olivia I Santiago	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101030016B	04/14/2010 10:25	Olivia I Santiago	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-6-S-35-100409 NA Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-6

LLI Sample # SW 5952078
LLI Group # 1190027
Account # 10880

Project Name: 307233

Collected: 04/09/2010 08:50 by BY

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/13/2010 08:50

Reported: 04/22/2010 16:17

Discard: 05/23/2010

23366

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	0.99
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	0.99
10950	Toluene	108-88-3	N.D.	0.001	0.005	0.99
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	0.99
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	0.9	0.9	23.7
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101051AA	04/15/2010 20:45	Nicholas P Riehl	0.99
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010320813	04/13/2010 20:39	Lois E Hiltz	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010320813	04/13/2010 20:39	Lois E Hiltz	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010320813	04/13/2010 19:46	Lois E Hiltz	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10105A34A	04/15/2010 18:59	Marie D John	23.7
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010320813	04/13/2010 19:47	Lois E Hiltz	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101030016B	04/15/2010 05:39	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101030016A	04/15/2010 13:46	Dustin A Underkoffler	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101030016A	04/14/2010 10:25	Olivia I Santiago	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101030016B	04/14/2010 10:25	Olivia I Santiago	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-6-S-40-100409 NA Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-6

LLI Sample # SW 5952079
LLI Group # 1190027
Account # 10880

Project Name: 307233

Collected: 04/09/2010 09:00 by BY

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/13/2010 08:50

Reported: 04/22/2010 16:17

Discard: 05/23/2010

23367

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	0.97
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	0.97
10950	Toluene	108-88-3	N.D.	0.001	0.005	0.97
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	0.97
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1	1	24.22
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101051AA	04/15/2010 21:07	Nicholas P Riehl	0.97
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010320813	04/13/2010 20:39	Lois E Hiltz	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010320813	04/13/2010 20:39	Lois E Hiltz	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010320813	04/13/2010 19:52	Lois E Hiltz	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10105A34A	04/15/2010 19:49	Marie D John	24.22
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010320813	04/13/2010 19:52	Lois E Hiltz	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101030016B	04/15/2010 06:04	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101030016A	04/15/2010 14:06	Dustin A Underkoffler	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101030016A	04/14/2010 10:25	Olivia I Santiago	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101030016B	04/14/2010 10:25	Olivia I Santiago	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-6-S-45-100409 NA Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-6

LLI Sample # SW 5952080
LLI Group # 1190027
Account # 10880

Project Name: 307233

Collected: 04/09/2010 09:20 by BY

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/13/2010 08:50

Reported: 04/22/2010 16:17

Discard: 05/23/2010

23368

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	0.96
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	0.96
10950	Toluene	108-88-3	N.D.	0.001	0.005	0.96
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	0.96
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1	1	23.92
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101051AA	04/15/2010 21:30	Nicholas P Riehl	0.96
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010320813	04/13/2010 20:40	Lois E Hiltz	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010320813	04/13/2010 20:40	Lois E Hiltz	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010320813	04/13/2010 19:57	Lois E Hiltz	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10105A34A	04/15/2010 20:25	Marie D John	23.92
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010320813	04/13/2010 19:59	Lois E Hiltz	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101040025B	04/16/2010 23:57	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101040025A	04/16/2010 19:25	Melissa McDermott	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101040025A	04/15/2010 10:05	Kerrie A Freeburn	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101040025B	04/15/2010 10:05	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-6-S-50-100409 NA Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-6

LLI Sample # SW 5952081
LLI Group # 1190027
Account # 10880

Project Name: 307233

Collected: 04/09/2010 09:25 by BY

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/13/2010 08:50

Reported: 04/22/2010 16:17

Discard: 05/23/2010

23369

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	0.96
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	0.96
10950	Toluene	108-88-3	N.D.	0.001	0.005	0.96
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	0.96
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	0.9	0.9	23.56
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101051AA	04/15/2010 21:53	Nicholas P Riehl	0.96
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010320813	04/13/2010 20:40	Lois E Hiltz	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010320813	04/13/2010 20:40	Lois E Hiltz	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010320813	04/13/2010 20:10	Lois E Hiltz	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10105A34A	04/15/2010 21:01	Marie D John	23.56
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010320813	04/13/2010 20:10	Lois E Hiltz	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101040025B	04/17/2010 00:23	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101040025A	04/16/2010 19:45	Melissa McDermott	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101040025A	04/15/2010 10:05	Kerrie A Freeburn	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101040025B	04/15/2010 10:05	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-6-S-55-100409 NA Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-6

LLI Sample # SW 5952082
LLI Group # 1190027
Account # 10880

Project Name: 307233

Collected: 04/09/2010 09:35 by BY

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/13/2010 08:50

Reported: 04/22/2010 16:17

Discard: 05/23/2010

33610

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	0.020	0.0005	0.005	0.95
10950	Ethylbenzene	100-41-4	0.006	0.0009	0.005	0.95
10950	Toluene	108-88-3	0.003	0.0009	0.005	0.95
10950	Xylene (Total)	1330-20-7	0.002	0.0009	0.005	0.95
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	44	3.8	3.8	95.24
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101051AA	04/16/2010 01:38	Nicholas P Riehl	0.95
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010320813	04/13/2010 20:40	Lois E Hiltz	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010320813	04/13/2010 20:40	Lois E Hiltz	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010320813	04/13/2010 20:15	Lois E Hiltz	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10105A34A	04/16/2010 11:01	Marie D John	95.24
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010320813	04/13/2010 20:16	Lois E Hiltz	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101040025B	04/17/2010 00:48	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101040025A	04/16/2010 20:06	Melissa McDermott	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101040025A	04/15/2010 10:05	Kerrie A Freeburn	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101040025B	04/15/2010 10:05	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-6-S-59.5-100409 NA Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-6

LLI Sample # SW 5952083
LLI Group # 1190027
Account # 10880

Project Name: 307233

Collected: 04/09/2010 09:45 by BY

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/13/2010 08:50

Reported: 04/22/2010 16:17

Discard: 05/23/2010

33611

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	0.99
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	0.99
10950	Toluene	108-88-3	N.D.	0.001	0.005	0.99
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	0.99
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1	1	24.2
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101051AA	04/15/2010 22:15	Nicholas P Riehl	0.99
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010320813	04/13/2010 20:40	Lois E Hiltz	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010320813	04/13/2010 20:40	Lois E Hiltz	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010320813	04/13/2010 20:22	Lois E Hiltz	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10105A34A	04/15/2010 21:37	Marie D John	24.2
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010320813	04/13/2010 20:23	Lois E Hiltz	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101040025B	04/17/2010 01:13	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	2	101040025A	04/16/2010 18:24	Melissa McDermott	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101040025A	04/15/2010 10:05	Kerrie A Freeburn	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101040025B	04/15/2010 10:05	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-4-S-10.5-100412 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-4

LLI Sample # SW 5952084
LLI Group # 1190027
Account # 10880

Project Name: 307233

Collected: 04/12/2010 08:20 by BY ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583
 Submitted: 04/13/2010 08:50
 Reported: 04/22/2010 16:17
 Discard: 05/23/2010

23341

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	0.96
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	0.96
10950	Toluene	108-88-3	N.D.	0.001	0.005	0.96
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	0.96
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	0.9	0.9	23.74
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101051AA	04/15/2010 22:38	Nicholas P Riehl	0.96
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010320813	04/13/2010 20:40	Lois E Hiltz	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010320813	04/13/2010 20:40	Lois E Hiltz	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010320813	04/13/2010 20:28	Lois E Hiltz	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10105A34A	04/15/2010 22:13	Marie D John	23.74
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010320813	04/13/2010 20:29	Lois E Hiltz	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101040025B	04/17/2010 02:28	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101040025A	04/16/2010 20:26	Melissa McDermott	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101040025A	04/15/2010 10:05	Kerrie A Freeburn	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101040025B	04/15/2010 10:05	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-4-S-15.5-100412 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-4

LLI Sample # SW 5952085
LLI Group # 1190027
Account # 10880

Project Name: 307233

Collected: 04/12/2010 08:25 by BY ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583
Submitted: 04/13/2010 08:50
Reported: 04/22/2010 16:17
Discard: 05/23/2010

23342

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	1
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	1
10950	Toluene	108-88-3	N.D.	0.001	0.005	1
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	1
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1	1	24.32
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101091AA	04/19/2010 04:03	Holly Berry	1
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010320815	04/13/2010 21:17	Scott W Freisher	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010320815	04/13/2010 21:17	Scott W Freisher	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010320815	04/13/2010 19:31	Scott W Freisher	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10105A34A	04/15/2010 22:49	Marie D John	24.32
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010320815	04/13/2010 19:31	Scott W Freisher	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101040025B	04/17/2010 02:53	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101040025A	04/16/2010 20:46	Melissa McDermott	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101040025A	04/15/2010 10:05	Kerrie A Freeburn	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101040025B	04/15/2010 10:05	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-4-S-20.5-100412 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-4

LLI Sample # SW 5952086
LLI Group # 1190027
Account # 10880

Project Name: 307233

Collected: 04/12/2010 08:30 by BY

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/13/2010 08:50

Reported: 04/22/2010 16:17

Discard: 05/23/2010

23343

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	0.99
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	0.99
10950	Toluene	108-88-3	N.D.	0.001	0.005	0.99
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	0.99
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	0.9	0.9	23.26
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101091AA	04/19/2010 04:26	Holly Berry	0.99
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010320815	04/13/2010 21:17	Scott W Freisher	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010320815	04/13/2010 21:17	Scott W Freisher	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010320815	04/13/2010 19:36	Scott W Freisher	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10105A34A	04/15/2010 23:26	Marie D John	23.26
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010320815	04/13/2010 19:37	Scott W Freisher	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101040025B	04/17/2010 03:18	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101040025A	04/16/2010 21:06	Melissa McDermott	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101040025A	04/15/2010 10:05	Kerrie A Freeburn	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101040025B	04/15/2010 10:05	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-4-S-25.5-100412 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-4

LLI Sample # SW 5952087
LLI Group # 1190027
Account # 10880

Project Name: 307233

Collected: 04/12/2010 08:35 by BY

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/13/2010 08:50

Reported: 04/22/2010 16:17

Discard: 05/23/2010

23344

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	1.03
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	1.03
10950	Toluene	108-88-3	N.D.	0.001	0.005	1.03
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	1.03
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1	1	24.78
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101061AA	04/16/2010 13:54	Chelsea B Eastep	1.03
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010320815	04/13/2010 21:17	Scott W Freisher	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010320815	04/13/2010 21:17	Scott W Freisher	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010320815	04/13/2010 19:41	Scott W Freisher	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10105A34A	04/16/2010 00:02	Marie D John	24.78
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010320815	04/13/2010 19:42	Scott W Freisher	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101040025B	04/17/2010 03:43	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101040025A	04/16/2010 21:27	Melissa McDermott	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101040025A	04/15/2010 10:05	Kerrie A Freeburn	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101040025B	04/15/2010 10:05	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-4-S-30.5-100412 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-4

LLI Sample # SW 5952088
LLI Group # 1190027
Account # 10880

Project Name: 307233

Collected: 04/12/2010 08:45 by BY

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/13/2010 08:50

Reported: 04/22/2010 16:17

Discard: 05/23/2010

23345

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	0.98
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	0.98
10950	Toluene	108-88-3	N.D.	0.001	0.005	0.98
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	0.98
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	42	8.0	8.0	199.8
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons. The surrogate data is outside the QC limits due to unresolvable matrix problems evident in the sample chromatogram.						
GC Extractable TPH SW-846 8015B						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	82	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101061AA	04/16/2010 19:11	Chelsea B Eastep	0.98
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010320815	04/13/2010 21:17	Scott W Freisher	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010320815	04/13/2010 21:17	Scott W Freisher	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010320815	04/13/2010 19:46	Scott W Freisher	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10105A34A	04/16/2010 08:36	Marie D John	199.8
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010320815	04/13/2010 19:47	Scott W Freisher	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101040025B	04/17/2010 04:09	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101040025A	04/16/2010 21:47	Melissa McDermott	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-4-S-30.5-100412 Grab Soil
Facility# 307233 CRAW
 2259 First St-Livermore T0600196622 MW-4

LLI Sample # SW 5952088
LLI Group # 1190027
Account # 10880

Project Name: 307233

Collected: 04/12/2010 08:45 by BY

ChevronTexaco

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 04/13/2010 08:50

Reported: 04/22/2010 16:17

Discard: 05/23/2010

23345

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101040025A	04/15/2010 10:05	Kerrie A Freeburn	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101040025B	04/15/2010 10:05	Kerrie A Freeburn	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-4-S-35.5-100412 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-4

LLI Sample # SW 5952089
LLI Group # 1190027
Account # 10880

Project Name: 307233

Collected: 04/12/2010 08:50 by BY ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583
Submitted: 04/13/2010 08:50
Reported: 04/22/2010 16:17
Discard: 05/23/2010

23346

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	1
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	1
10950	Toluene	108-88-3	N.D.	0.001	0.005	1
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	1
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	0.9	0.9	23.43
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101061AA	04/16/2010 14:17	Chelsea B Eastep	1
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010320815	04/13/2010 21:17	Scott W Freisher	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010320815	04/13/2010 21:17	Scott W Freisher	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010320815	04/13/2010 19:52	Scott W Freisher	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10105A34A	04/16/2010 00:38	Marie D John	23.43
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010320815	04/13/2010 19:53	Scott W Freisher	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101040025B	04/17/2010 04:34	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101040025A	04/16/2010 22:07	Melissa McDermott	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101040025A	04/15/2010 10:05	Kerrie A Freeburn	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101040025B	04/15/2010 10:05	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-4-S-40.5-100412 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-4

LLI Sample # SW 5952090
LLI Group # 1190027
Account # 10880

Project Name: 307233

Collected: 04/12/2010 09:00 by BY

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/13/2010 08:50

Reported: 04/22/2010 16:17

Discard: 05/23/2010

23347

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	1.02
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	1.02
10950	Toluene	108-88-3	N.D.	0.001	0.005	1.02
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	1.02
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	1	1	23.99
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101061AA	04/16/2010 14:40	Chelsea B Eastep	1.02
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010320815	04/13/2010 21:17	Scott W Freisher	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	3	201010320815	04/13/2010 21:18	Scott W Freisher	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010320815	04/13/2010 19:57	Scott W Freisher	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10105A34A	04/16/2010 01:14	Marie D John	23.99
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010320815	04/13/2010 19:58	Scott W Freisher	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101040025B	04/17/2010 04:59	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101040025A	04/16/2010 22:27	Melissa McDermott	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101040025A	04/15/2010 10:05	Kerrie A Freeburn	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101040025B	04/15/2010 10:05	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-4-S-45.5-100412 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-4

LLI Sample # SW 5952091
LLI Group # 1190027
Account # 10880

Project Name: 307233

Collected: 04/12/2010 09:10 by BY

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/13/2010 08:50

Reported: 04/22/2010 16:17

Discard: 05/23/2010

23348

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	1.06
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	1.06
10950	Toluene	108-88-3	N.D.	0.001	0.005	1.06
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	1.06
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	80	19	19	465.55
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101061AA	04/16/2010 20:19	Chelsea B Eastep	1.06
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010320815	04/13/2010 21:18	Scott W Freisher	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010320815	04/13/2010 21:18	Scott W Freisher	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010320815	04/13/2010 20:03	Scott W Freisher	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10105A34A	04/16/2010 09:12	Marie D John	465.55
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010320815	04/13/2010 20:04	Scott W Freisher	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101040025B	04/17/2010 05:24	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101040025A	04/19/2010 12:35	Melissa McDermott	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101040025A	04/15/2010 10:05	Kerrie A Freeburn	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101040025B	04/15/2010 10:05	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-4-S-50.5-100412 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-4

LLI Sample # SW 5952092
LLI Group # 1190027
Account # 10880

Project Name: 307233

Collected: 04/12/2010 09:20 by BY

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/13/2010 08:50

Reported: 04/22/2010 16:17

Discard: 05/23/2010

23349

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	0.97
10950	Ethylbenzene	100-41-4	N.D.	0.001	0.005	0.97
10950	Toluene	108-88-3	N.D.	0.001	0.005	0.97
10950	Xylene (Total)	1330-20-7	N.D.	0.001	0.005	0.97
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	31	4.2	4.2	104.71
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101061AA	04/16/2010 19:34	Chelsea B Eastep	0.97
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010320815	04/13/2010 21:18	Scott W Freisher	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010320815	04/13/2010 21:18	Scott W Freisher	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010320815	04/13/2010 20:08	Scott W Freisher	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10105A34A	04/16/2010 09:48	Marie D John	104.71
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010320815	04/13/2010 20:09	Scott W Freisher	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101040025B	04/17/2010 05:49	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101040025A	04/16/2010 23:08	Melissa McDermott	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101040025A	04/15/2010 10:05	Kerrie A Freeburn	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101040025B	04/15/2010 10:05	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-4-S-55.5-100412 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-4

LLI Sample # SW 5952093
LLI Group # 1190027
Account # 10880

Project Name: 307233

Collected: 04/12/2010 09:25 by BY

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/13/2010 08:50

Reported: 04/22/2010 16:17

Discard: 05/23/2010

33410

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	0.003	0.0005	0.005	1.09
10950	Ethylbenzene	100-41-4	0.019	0.001	0.005	1.09
10950	Toluene	108-88-3	0.001	0.001	0.005	1.09
10950	Xylene (Total)	1330-20-7	0.007	0.001	0.005	1.09
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	110	18	18	461.68
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	4.7	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101061AA	04/16/2010 21:30	Chelsea B Eastep	1.09
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010320815	04/13/2010 21:18	Scott W Freisher	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010320815	04/13/2010 21:18	Scott W Freisher	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010320815	04/13/2010 20:13	Scott W Freisher	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10105A34A	04/16/2010 10:24	Marie D John	461.68
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010320815	04/13/2010 20:14	Scott W Freisher	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101040025B	04/17/2010 06:15	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101040025A	04/19/2010 12:57	Melissa McDermott	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101040025A	04/15/2010 10:05	Kerrie A Freeburn	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101040025B	04/15/2010 10:05	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-4-S-60.5-100412 Grab Soil
Facility# 307233 CRAW
2259 First St-Livermore T0600196622 MW-4

LLI Sample # SW 5952094
LLI Group # 1190027
Account # 10880

Project Name: 307233

Collected: 04/12/2010 09:30 by BY

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/13/2010 08:50

Reported: 04/22/2010 16:17

Discard: 05/23/2010

33411

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10950	Benzene	71-43-2	N.D.	0.0005	0.005	0.95
10950	Ethylbenzene	100-41-4	N.D.	0.0009	0.005	0.95
10950	Toluene	108-88-3	N.D.	0.0009	0.005	0.95
10950	Xylene (Total)	1330-20-7	N.D.	0.0009	0.005	0.95
GC Volatiles SW-846 8015B modified						
01725	TPH-GRO N. CA soil C6-C12	n.a.	N.D.	0.9	0.9	23.74
GC Extractable TPH SW-846 8015B modified						
02516	Total TPH	n.a.	N.D.	10	30	1
02516	TPH Motor Oil C16-C36	n.a.	N.D.	10	30	1
TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.						
GC Extractable TPH SW-846 8015B						
02222	TPH-DRO soil C10-C28 w/Si Gel	n.a.	N.D.	4.0	12	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	BTEX 8260 Soil	SW-846 8260B	1	B101061AA	04/16/2010 17:18	Chelsea B Eastep	0.95
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	1	201010320815	04/13/2010 21:18	Scott W Freisher	n.a.
00374	GC/MS - Bulk Sample Prep	SW-846 5030A	2	201010320815	04/13/2010 21:18	Scott W Freisher	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5030A	1	201010320815	04/13/2010 20:20	Scott W Freisher	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	10105A34A	04/16/2010 01:51	Marie D John	23.74
01150	GC - Bulk Soil Prep	SW-846 5030A	1	201010320815	04/13/2010 20:21	Scott W Freisher	n.a.
02516	TPH Fuels by GC (Soils)	SW-846 8015B modified	1	101040025B	04/17/2010 06:40	Heather E Williams	1
02222	TPH-DRO soil C10-C28 w/Si Gel	SW-846 8015B	1	101040025A	04/19/2010 13:18	Melissa McDermott	1
07004	Extraction - DRO (Soils)	SW-846 3550B	1	101040025A	04/15/2010 10:05	Kerrie A Freeburn	1
07004	Extraction - DRO (Soils)	SW-846 3550B	2	101040025B	04/15/2010 10:05	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 04/22/10 at 04:17 PM

Group Number: 1190027

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL**</u>	<u>Blank LOQ</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: B101043AA	Sample number(s): 5952073-5952075								
Benzene	N.D.	0.0005	0.005	mg/kg	109	106	80-120	3	30
Ethylbenzene	N.D.	0.001	0.005	mg/kg	109	106	80-120	3	30
Toluene	N.D.	0.001	0.005	mg/kg	109	105	80-120	4	30
Xylene (Total)	N.D.	0.001	0.005	mg/kg	108	105	80-120	3	30
Batch number: B101051AA	Sample number(s): 5952076-5952084								
Benzene	N.D.	0.0005	0.005	mg/kg	104	102	80-120	2	30
Ethylbenzene	N.D.	0.001	0.005	mg/kg	104	101	80-120	3	30
Toluene	N.D.	0.001	0.005	mg/kg	103	100	80-120	3	30
Xylene (Total)	N.D.	0.001	0.005	mg/kg	106	103	80-120	3	30
Batch number: B101061AA	Sample number(s): 5952087-5952094								
Benzene	N.D.	0.0005	0.005	mg/kg	107	102	80-120	5	30
Ethylbenzene	N.D.	0.001	0.005	mg/kg	107	100	80-120	6	30
Toluene	N.D.	0.001	0.005	mg/kg	104	100	80-120	5	30
Xylene (Total)	N.D.	0.001	0.005	mg/kg	108	102	80-120	6	30
Batch number: B101091AA	Sample number(s): 5952085-5952086								
Benzene	N.D.	0.0005	0.005	mg/kg	104	103	80-120	1	30
Ethylbenzene	N.D.	0.001	0.005	mg/kg	105	105	80-120	0	30
Toluene	N.D.	0.001	0.005	mg/kg	103	102	80-120	1	30
Xylene (Total)	N.D.	0.001	0.005	mg/kg	106	107	80-120	1	30
Batch number: 10104A16A	Sample number(s): 5952073-5952077								
TPH-GRO N. CA soil C6-C12	N.D.	1.0	1.0	mg/kg	101	95	67-119	6	30
Batch number: 10105A34A	Sample number(s): 5952078-5952094								
TPH-GRO N. CA soil C6-C12	N.D.	1.0	1.0	mg/kg	90	101	67-119	11	30
Batch number: 101030016B	Sample number(s): 5952073-5952079								
Total TPH	N.D.	10.	30	mg/kg	95		72-125		
TPH Motor Oil C16-C36	N.D.	10.	30	mg/kg					
Batch number: 101040025B	Sample number(s): 5952080-5952094								
Total TPH	N.D.	10.	30	mg/kg	87		72-125		
TPH Motor Oil C16-C36	N.D.	10.	30	mg/kg					
Batch number: 101030016A	Sample number(s): 5952073-5952079								
TPH-DRO soil C10-C28 w/Si Gel	N.D.	4.0	12	mg/kg	97		76-117		
Batch number: 101040025A	Sample number(s): 5952080-5952094								
TPH-DRO soil C10-C28 w/Si Gel	N.D.	4.0	12	mg/kg	97		76-117		

*- Outside of specification

**-This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 04/22/10 at 04:17 PM

Group Number: 1190027

Sample Matrix Quality Control

 Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
 Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS</u> <u>%REC</u>	<u>MSD</u> <u>%REC</u>	<u>MS/MSD</u> <u>Limits</u>	<u>RPD</u> <u>MAX</u>	<u>BKG</u> <u>Conc</u>	<u>DUP</u> <u>Conc</u>	<u>DUP</u> <u>RPD</u>	<u>Dup RPD</u> <u>Max</u>
Batch number: B101043AA	Sample number(s): 5952073-5952075 UNSPK: P951166							
Benzene	102		55-143					
Ethylbenzene	105		44-141					
Toluene	105		50-146					
Xylene (Total)	104		44-136					
Batch number: B101051AA	Sample number(s): 5952076-5952084 UNSPK: 5952076							
Benzene	106		55-143					
Ethylbenzene	95		44-141					
Toluene	100		50-146					
Xylene (Total)	97		44-136					
Batch number: B101061AA	Sample number(s): 5952087-5952094 UNSPK: P953708							
Benzene	97		55-143					
Ethylbenzene	91		44-141					
Toluene	99		50-146					
Xylene (Total)	92		44-136					
Batch number: B101091AA	Sample number(s): 5952085-5952086 UNSPK: 5952085							
Benzene	116		55-143					
Ethylbenzene	120		44-141					
Toluene	119		50-146					
Xylene (Total)	122		44-136					
Batch number: 101030016B	Sample number(s): 5952073-5952079 UNSPK: P951335 BKG: P951335							
Total TPH	88		49-123		N.D.	N.D.	0 (1)	20
TPH Motor Oil C16-C36					N.D.	N.D.	0 (1)	20
Batch number: 101040025B	Sample number(s): 5952080-5952094 UNSPK: 5952083 BKG: 5952083							
Total TPH	91		49-123		N.D.	N.D.	0 (1)	20
TPH Motor Oil C16-C36					N.D.	N.D.	0 (1)	20
Batch number: 101030016A	Sample number(s): 5952073-5952079 UNSPK: P951335 BKG: P951335							
TPH-DRO soil C10-C28 w/Si Gel	84		30-159		8.1	13	48* (1)	20
Batch number: 101040025A	Sample number(s): 5952080-5952094 UNSPK: 5952083 BKG: 5952083							
TPH-DRO soil C10-C28 w/Si Gel	100		30-159		N.D.	N.D.	0 (1)	20

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

 Analysis Name: VOCs by 8260B - Solid
 Batch number: B101043AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5952073	100	100	101	92
5952074	100	99	101	92

*- Outside of specification

**-This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 04/22/10 at 04:17 PM

Group Number: 1190027

Surrogate Quality Control

5952075	101	100	100	92
Blank	101	103	99	95
LCS	99	107	102	101
LCSD	99	103	101	100
MS	98	101	104	99

Limits:	71-114	70-109	70-123	70-111
---------	--------	--------	--------	--------

 Analysis Name: VOCs by 8260B - Solid
 Batch number: B101051AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5952076	100	98	99	94
5952077	101	96	99	92
5952078	101	96	100	93
5952079	102	98	100	92
5952080	101	100	99	103
5952081	102	96	100	93
5952082	99	96	89	85
5952083	103	99	98	95
5952084	103	102	99	94
Blank	101	101	99	94
LCS	99	100	102	100
LCSD	100	103	101	101
MS	100	104	101	100

Limits:	71-114	70-109	70-123	70-111
---------	--------	--------	--------	--------

 Analysis Name: VOCs by 8260B - Solid
 Batch number: B101061AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5952087	100	98	99	95
5952088	99	96	112	101
5952089	99	99	99	97
5952090	101	99	98	96
5952091	103	103	115	103
5952092	97	97	97	89
5952093	103	105	109	105
5952094	102	101	98	96
Blank	100	100	98	97
LCS	100	104	100	101
LCSD	99	103	100	100
MS	99	97	103	99

Limits:	71-114	70-109	70-123	70-111
---------	--------	--------	--------	--------

 Analysis Name: VOCs by 8260B - Solid
 Batch number: B101091AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5952085	100	104	98	97
5952086	99	95	100	94
Blank	99	102	98	97
LCS	98	98	100	100
LCSD	99	99	101	101
MS	98	96	103	99

*- Outside of specification

**-This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: ChevronTexaco
Reported: 04/22/10 at 04:17 PM

Group Number: 1190027

Surrogate Quality Control

Limits: 71-114 70-109 70-123 70-111

Analysis Name: TPH-GRO N. CA soil C6-C12
Batch number: 10104A16A
Trifluorotoluene-F

5952073	79
5952074	78
5952075	73
5952076	75
5952077	84
Blank	84
LCS	82
LCSD	77

Limits: 61-122

Analysis Name: TPH-GRO N. CA soil C6-C12
Batch number: 10105A34A
Trifluorotoluene-F

5952078	77
5952079	77
5952080	73
5952081	78
5952082	94
5952083	78
5952084	79
5952085	74
5952086	75
5952087	78
5952088	89
5952089	77
5952090	72
5952091	90
5952092	85
5952093	156*
5952094	77
Blank	86
LCS	83
LCSD	89

Limits: 61-122

Analysis Name: TPH-DRO soil C10-C28 w/Si Gel
Batch number: 101030016A
Orthoterphenyl

5952073	101
5952074	104
5952075	109
5952076	101
5952077	104
5952078	103
5952079	98
Blank	112
DUP	108
LCS	120

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: ChevronTexaco
Reported: 04/22/10 at 04:17 PM

Group Number: 1190027

Surrogate Quality Control

MS 117

Limits: 59-129

Analysis Name: TPH Fuels by GC (Soils)

Batch number: 101030016B

	Chlorobenzene	Orthoterphenyl
5952073	76	88
5952074	78	92
5952075	83	98
5952076	77	90
5952077	76	92
5952078	81	91
5952079	81	89
Blank	82	101
DUP	129*	100
LCS	85	108
MS	80	108

Limits: 49-125 59-129

Analysis Name: TPH-DRO soil C10-C28 w/Si Gel

Batch number: 101040025A

Orthoterphenyl

5952080	90
5952081	98
5952082	102
5952083	104
5952084	106
5952085	100
5952086	97
5952087	99
5952088	101
5952089	102
5952090	98
5952091	93
5952092	93
5952093	103
5952094	108
Blank	105
DUP	107
LCS	117
MS	118

Limits: 59-129

Analysis Name: TPH Fuels by GC (Soils)

Batch number: 101040025B

	Chlorobenzene	Orthoterphenyl
5952080	78	79
5952081	84	86
5952082	87	90
5952083	85	90
5952084	81	88
5952085	84	83

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: ChevronTexaco
Reported: 04/22/10 at 04:17 PM

Group Number: 1190027

Surrogate Quality Control

5952086	82	82
5952087	84	82
5952088	141*	93
5952089	83	87
5952090	80	81
5952091	85	79
5952092	80	80
5952093	90	88
5952094	95	91
Blank	89	93
DUP	83	91
LCS	91	101
MS	88	99

Limits: 49-125 59-129

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Chevron California Region Analysis Request/Chain of Custody



041216-07 P.10F2

For Lancaster Laboratories use only

249356

Acct. #: 10880

Sample #: 5952073-94

SCR#:

1190027

Facility #: 30-7233
 Site Address: 2259 FIRST STREET, LIVERMORE CA
 Chevron PM: IAN ROBB Lead Consultant: CRA
 Consultant/Office: EMERYVILLE
 Consultant Prj. Mgr.: BRANDON WILKEN
 Consultant Phone #: 510420 0700 Fax #: 510420 9170
 Sampler: BELEW YIFRU
 Service Order #: _____ Non SAR: _____

Analyses Requested

Preservation Codes									
BTEX + 8260	TPH 8015 MOD GRO	TPH 8015 MOD DRO	8260 full scan	Oxygenates	Lead 7420	TPH 8015 MOD MOTOR OIL	w/ SILICA GEL	8021	7421
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Preservative Codes

H = HCl T = Thiosulfate
 N = HNO₃ B = NaOH
 S = H₂SO₄ O = Other

J value reporting needed
 Must meet lowest detection limits possible for 8260 compounds

8021 MTBE Confirmation
 Confirm highest hit by 8260
 Confirm all hits by 8260
 Run ___ oxy's on highest hit
 Run ___ oxy's on all hits

Field Point Name	Matrix	Repeat Sample	Top Depth	Year Month Day	Time Collected	New Field Pt.	Grab	Composite	Total Number of Containers	BTEX + 8260	TPH 8015 MOD GRO	TPH 8015 MOD DRO	8260 full scan	Oxygenates	Lead 7420	TPH 8015 MOD MOTOR OIL w/ SILICA GEL	8021	7421
MW-6	SOIL	ND	10	2010/04/09	0820				1	X	X	X				X		
MW-6			15	2010/04/09	0825				1									
MW-6			20.5	2010/04/09	0830				1									
MW-6			25	2010/04/09	0835				1									
MW-6			30	2010/04/09	0840				1									
MW-6			35	2010/04/09	0850				1									
MW-6			40	2010/04/09	0900				1									
MW-6			45	2010/04/09	0920				1									
MW-6			50	2010/04/09	0925				1									
MW-6			55	2010/04/09	0935				1									
MW-6			59.5	2010/04/09	0945				1									

Comments / Remarks

EMAIL RESULTS TO
 KMOEY@CRAWOORLD.COM
 IKHOLL@CRAWOORLD.COM

EDF DATA TO
 DOHARE@CRAWOORLD.COM

Turnaround Time Requested (TAT) (please circle)

STD. TAT 72 hour 48 hour
 24 hour 4 day 5 day

Data Package Options (please circle if required)

QC Summary Type I - Full
 Type VI (Raw Data) Coelt Deliverable not needed
 WIP (RWQCB)
 Disk

Relinquished by: <u>BELEW YIFRU</u>	Date <u>04/09/10</u>	Time <u>539</u>	Received by: <u>SECURED PLACE</u>	Date	Time
Relinquished by: <u>BELEW YIFRU</u>	Date <u>04/12/10</u>	Time <u>415</u>	Received by: <u>A. ...</u>	Date <u>12 APR 10</u>	Time <u>1615</u>
Relinquished by: <u>A. ...</u>	Date <u>12 APR 10</u>	Time <u>1630</u>	Received by: <u>FED EX</u>	Date	Time
Relinquished by Commercial Carrier: UPS FedEx Other _____			Received by: <u>[Signature]</u>	Date <u>4/12/10</u>	Time <u>0850</u>
Temperature Upon Receipt _____ °C			Custody Seals Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		

Chevron California Region Analysis Request/Chain of Custody



041214-07 P.20F2

Acct. #: 10880

For Lancaster Laboratories use only
Sample #: 5952073-94

SCR#: 249359

Facility #: <u>30-7233</u> Site Address: <u>2259 FIRST STREET LIVERMORE CA</u> Chevron PM: <u>IAN ROBB</u> Lead Consultant: <u>CRA</u> Consultant/Office: <u>EMERYVILLE</u> Consultant Prj. Mgr.: <u>KIERSTEN HOEY</u> Consultant Phone #: <u>510-420-0700</u> Fax #: <u>510-420-9170</u> Sampler: <u>BELEW YIFERU</u> Service Order #: _____ <input type="checkbox"/> Non SAR: _____							Analyses Requested										Preservative Codes		
							Preservation Codes										Preservative Codes		
Field Point Name	Matrix	Repeat Sample	Top Depth	Year Month Day	Time Collected	New Field Pt.	Grab	Composite	Total Number of Containers	BTEX + THH 8260 <input type="checkbox"/> 8021 <input type="checkbox"/>	TPH 8015 MOD GRO <input type="checkbox"/>	TPH 8015 MOD DRO <input checked="" type="checkbox"/> Silica Gel Cleanup	8260 full scan	Oxygenates	Lead 7420 <input type="checkbox"/> 7421 <input type="checkbox"/>	TPH MOTOR OIL 8150	W/SILICA GEL	H = HCl N = HNO ₃ S = H ₂ SO ₄	T = Thiosulfate B = NaOH O = Other
MW-4	SOIL	NO	10.5	2016/04/12	0820	YES	X		1	X	X	X				X		<input type="checkbox"/> J value reporting needed	
MW-4			15.5		0825													<input type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds	
MW-4			20.5		0830													8021 MTBE Confirmation	
MW-4			25.5		0835													<input type="checkbox"/> Confirm highest hit by 8260	
MW-4			30.5		0845													<input type="checkbox"/> Confirm all hits by 8260	
MW-4			35.5		0850													<input type="checkbox"/> Run ___ oxy's on highest hit	
MW-4			40.5		0900													<input type="checkbox"/> Run ___ oxy's on all hits	
MW-4			45.5		0910														
MW-4			50.5		0920														
MW-4			55.5		0925														
MW-4			60.5		0930														

Turnaround Time Requested (TAT) (please circle) <input checked="" type="radio"/> STD. TAT 24 hour 48 hour 4 day 5 day	Relinquished by:	Date	Time	Received by:	Date	Time
	<u>BELEW YIFERU</u>	<u>04/12/16</u>	<u>4:15</u>	<u>C. Seliger</u>	<u>12 APRIL</u>	<u>1615</u>
Data Package Options (please circle if required) QC Summary Type I - Full Type VI (Raw Data) <input type="checkbox"/> Coelt Deliverable not needed WIP (RWQCB) Disk	Relinquished by:	Date	Time	Received by:	Date	Time
	<u>C. Seliger</u>	<u>12 APRIL</u>	<u>1630</u>	<u>FED EX</u>		
	Relinquished by Commercial Carrier:	UPS <input checked="" type="radio"/> FedEx Other _____		Received by:	Date	Time
	Temperature Upon Receipt	<u>19-17</u> C°		<u>[Signature]</u>	<u>11/16/16</u>	<u>0850</u>
	Custody Seals Intact?			<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		

1190027

Comments / Remarks
 PLEASE EMAIL RESULTS TO:
 KhoeY@craworld.com
 lhull@craworld.com
 EDF DATA TO
 dohare@craworld.com

Lancaster Laboratories Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
Cal	(diet) calories	lb.	pound(s)
meq	milliequivalents	kg	kilogram(s)
g	gram(s)	mg	milligram(s)
ug	microgram(s)	l	liter(s)
ml	milliliter(s)	ul	microliter(s)
m3	cubic meter(s)	fib >5 um/ml	fibers greater than 5 microns in length per ml
<	less than – The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
ppm	parts per million – One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture.		

U.S. EPA data qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
J	Estimated value
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike amount not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY – In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.