OCT - 2 1996

PLEASANTON FIRE DEPARTMENT

W. A. CRAIG: INC.

Environmental Consulting and Contracting P. O. Box 448

Napa: California 94559-0448

Contractor and Hazardops Substances License #455752 Cal/OSHA Statewide Annual Excavation Permit #559351 (800) 522-7244

Berliele's (610):525-2780

Fax: (707) 252-3385

Napa (707),282,3953

September 26, 1996

Mr. Roger Kennedy Fire Chief

City of Pleasanton

P.O. Box 520 Pleasanton, California 94566

Subject:

WORKPLAN - Subsurface Investigation

Project No. 3620-2

Fire Station No. 3 3200 Santa Rita Road Pleasanton, California

Dear Mr. Kennedy:

W.A. Craig, Inc., (WAC) is pleased to present this Workplan for a Subsurface Investigation in the location of two former underground storage tanks (USTs) at Fire Station 3, 3200 Santa Rita Road (site), in Pleasanton, California (Figure 1). One diesel UST and one gasoline UST were excavated and removed from the site by WAC on September 12, 1996.

BACKGROUND

Soil samples were collected from the excavation floor and sidewall following removal of the USTs (Figure 2). One sample was collected below the gasoline tank at a depth of approximately 9.5 feet below ground surface (bgs). The other sample was collected from the south sidewall of the excavation at an approximate depth of 4 feet bgs. Two soil samples were collected from approximately 20 cubic yards of soil that were excavated and stockpiled during the UST removal. The soil sample locations are indicated on the attached site sketch. Soil sample analytical results reported 150 milligrams per kilogram (mg/kg) total petroleum hydrocarbons as gasoline (TPH-g) and 2800 mg/kg total petroleum hydrocarbons as diesel (TPH-d) in the soil sample collected from 4 feet bgs, and 1.8 mg/kg TPH-g and 29 mg/kg TPH-d in the sample collected from 9.5 feet bgs.

SOIL EXCAVATION

WAC will over-excavate the sidewalls and the bottom of the former UST excavation in an attempt to remove any remaining soil containing petroleum hydrocarbons. Excavation will be continued to approximately 10 feet bgs and extended laterally until all visible and olfactory indications of petroleum hydrocarbon impacted soil have been removed. We anticipate that one day will be required to complete the excavation and up to 100 cubic yards of soil will be excavated. Excavated soil will be stockpiled on, and covered with, plastic sheeting.

SOIL SAMPLE COLLECTION AND ANALYSIS

Soil samples will be collected from the excavation floor and sidewalls by driving a 6-inch brass tube into the soil. If the excavation cannot be entered safely, soil will be recovered from the appropriate locations with the backhoe and a sample will be collected from the soil contained in the backhoe bucket. The tube ends will be covered with Teflon sheeting, capped, labeled and placed in an ice chest. Samples will be transported under chain-of-custody control the a state-certified laboratory for analyses. Four soil samples will be collected from the soil stockpile, and composited in the laboratory for one analysis. All soil samples will be analyzed for TPH-g, TPH-d, BTEX and methyl tertiary butyl ether (MTBE).

REPORT PREPARATION

Following our evaluation of the soil sample analytical results, WAC will prepare a written report detailing the methods and procedures used and presenting our conclusions and recommendations regarding site conditions.

Closure

We appreciate this opportunity to be of service to you on this project. If you have any questions regarding this Workplan, please give me a call at (707) 252-3353.

Sincerely,

W.A. Craig, Inc.,

Geoffery A. Fiedler, R.G.

Principal Geologist


Attachments: Fig


Figure 1 - Location Map

Figure 2 - Site Plan

cc: Chris Boykin, City of Pleasanton, Hazardous Materials Division

USTWP.WPD





Project No. 3620.2

September 1996

Pleasanton Fire Department Station #3
3200 Santa Rita Road
Pleasanton, California

Figure 2

W. A. CRAIG, INC.

P. O. Box 448 Napa, California 94559-0448 Cal License #455752 (707) 252-3353 FAX (707) 252-3385