

Detterman, Mark, Env. Health

From: Sami Malaeb [s.malaeb@comcast.net]
Sent: Friday, January 11, 2013 3:23 PM
To: Detterman, Mark, Env. Health
Cc: britpete@aol.com; 'Colisa McFadden'; rbatiste@eec-corp.com; 'Charnethia Walker'; 'Rodarte, Marisa@Waterboards'
Subject: RE: RO2945: ACCEPTED DOCUMENT ON FTP SITE

Thanks Mark.

For budgetary purpose, I will account for up to five (5) additional borings and up to three (3) additional monitoring wells on as needed basis, based on the analytical results from the initial additional seven (7) borings in the revised Figure 21.

Thanks for your help and prompt response.

EEC
Sami Malaeb, PE, QSP/QSD
Cell: (925) 858-9608

From: Detterman, Mark, Env. Health [<mailto:Mark.Detterman@acgov.org>]
Sent: Friday, January 11, 2013 1:51 PM
To: Sami Malaeb
Cc: britpete@aol.com; 'Colisa McFadden'; rbatiste@eec-corp.com; 'Charnethia Walker'
Subject: RE: RO2945: ACCEPTED DOCUMENT ON FTP SITE

Sami,

Thanks for the amended Figure 21. It depicts the locations of seven boreholes to attempt to define the downgradient and lateral extents of soil and groundwater contamination. This includes two locations on the adjacent property, (the location of an existing small apartment complex), and two alternate offsite locations should access to that parcel not be allowed. This is down from the previously proposed 12 boreholes. ACEH is in general agreement with the revised locations, but requests that additional bores be held in reserve and installed should signs of offsite contamination be encountered and the lateral, downgradient, and vertical extent of soil and groundwater contamination not be defined. Please use this email to document ACEH concurrence, and please use the previously identified due dates from the December 18, 2012 directive letter. Should you have any questions, please let me know. If you should require a submittal extension due to reasonable circumstances or outside your control, please also let me know. Otherwise,
Best,

Mark Detterman
Senior Hazardous Materials Specialist, PG, CEG
Alameda County Environmental Health
1131 Harbor Bay Parkway
Alameda, CA 94502
Direct: 510.567.6876
Fax: 510.337.9335
Email: mark.detterman@acgov.org

PDF copies of case files can be downloaded at:

<http://www.acgov.org/aceh/lop/ust.htm>

From: dehloptoxic, Env. Health
Sent: Monday, January 07, 2013 5:57 PM
To: Sami Malaeb
Cc: Detterman, Mark, Env. Health; britpete@aol.com; 'Colisa McFadden'; rbatiste@eec-corp.com; 'Charnethia Walker'
Subject: RO2945: ACCEPTED DOCUMENT ON FTP SITE

ACCEPTED DOCUMENT ON FTP SITE

CASE: RO2945, 2145 35TH AVE

Your recently submitted document was successfully uploaded to the Alameda County Environmental Health Toxics Program ftp site. The document will appear in the case file within the next 2 to 3 business days. Your case worker has been notified of the document submittal. If the document requires a response from this agency and you have not heard from your case worker within 60 days from the date your submittal was accepted, please contact the case worker.

Online case files can be reviewed at <http://www.acgov.org/aceh/lop/ust.htm>

Confidentiality Notice: This e-mail message, including any attachments, is for the sole use of intended recipient(s) and may contain confidential and protected information. Any unauthorized review, use, disclosure, or distribution is prohibited. If you are not the intended recipient, please contact the sender by reply e-mail and destroy all.

From: Sami Malaeb [<mailto:s.malaeb@comcast.net>]
Sent: Monday, January 07, 2013 1:37 PM
To: dehloptoxic, Env. Health
Cc: Detterman, Mark, Env. Health; britpete@aol.com; 'Colisa McFadden'; rbatiste@eec-corp.com; 'Charnethia Walker'
Subject: RE: Workplan Addendum - RO#: 0002945 - Global ID: T0619778840 - 2145 35th Avenue, Oakland, California

Hi Mark and the Team:

This email is to let you know that we have submitted the Workplan Addendum you have requested in your letter dated December 18, 2012. The Addendum was uploaded onto your ftp site and the Geotracker. Attached is a copy of this Addendum.

Thanks for your cooperation.

Sami Malaeb, PE, QSP/QSD
Cell: (925) 858-9608