

# Atlantic Richfield Company

**Shannon Couch**  
Operations Project Manager

PO Box 1257  
San Ramon, CA 94583  
Phone: (925) 275-3804  
Fax: (925) 275-3815  
E-Mail: shannon.couch@bp.com

April 30, 2012

Re: First Quarter 2012 Monitoring Report  
Former Richfield Oil Company Station #472  
6415 International Boulevard, Oakland, California  
ACEH Case #RO0002982

**RECEIVED**

*10:16 am, Apr 30, 2012*

Alameda County  
Environmental Health

I declare that to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached document are true and correct.

Submitted by,



Shannon Couch  
Operations Project Manager

Attachment



**BROADBENT**

1324 Mangrove Ave., Suite 212, Chico, CA 95926

[T] 530-566-1400 [F] 530-566-1401

broadbentinc.com

*Creating Solutions. Building Trust.*

April 30, 2012

Project No. 09-88-601

Atlantic Richfield Company  
P.O. Box 1257  
San Ramon, CA 94583  
Submitted via ENFOS

Attn.: Ms. Shannon Couch

Re: First Quarter 2012 Monitoring Report, Former Richfield Oil Company Station #472,  
6415 International Boulevard, Oakland; ACEH Case #RO0002982

Dear Ms. Couch:

Attached is the First Quarter 2012 Monitoring Report for the Former Richfield Oil Company Station #472 located at 6415 International Boulevard, Oakland, California. This report presents results of groundwater sampling recently conducted and a summary of current developments at the Site through the First Quarter of 2012.

Should you have questions regarding the work performed or results obtained, please do not hesitate to contact me at 530-566-1400.

Sincerely,  
BROADBENT & ASSOCIATES, INC.

Thomas A. Venus, PE  
Senior Engineer



Enclosures

cc: Ms. Dilan Roe, P.E., Alameda County Environmental Health (submitted via ACEH ftp site)  
Mr. Mahmud Ghanem, 6207 International Blvd, Oakland, California 94621  
Electronic copy uploaded to GeoTracker

**FIRST QUARTER 2012  
MONITORING REPORT  
FORMER STATION #472, OAKLAND, CALIFORNIA**

Broadbent & Associates, Inc. (Broadbent) is pleased to present this *First Quarter 2012 Monitoring Report* on behalf of Atlantic Richfield Company (a BP affiliated company) for Former Richfield Oil Company Station #472 (also previously known as Pluckey's Liquors) located in Oakland, Alameda County, California. Quarterly reporting is being submitted to the Alameda County Environmental Health Services Agency (ACEH) consistent with their requirements under the legal authority of the California Regional Water Quality Control Board, as codified by the California Code of Regulations Title 23, Section 2652(d). Details of work performed, discussion of results, and recommendations are provided below.

Facility Name / Address:	<u>Former Station #472 / 6415 International Boulevard, Oakland</u>
Client Project Manager / Title:	<u>Ms. Shannon Couch / RM Operations Project Manager</u>
Broadbent Contact:	<u>Mr. Tom Venus, PE / (530) 566-1400</u>
Broadbent Project No.:	<u>09-88-601</u>
Primary Regulatory Agency / ID No.:	<u>ACEH, Case #RO00002982 (GeoTracker ID #T10000000417)</u>
Current phase of project:	<u>Monitoring/Case Closure Petition</u>
List of Acronyms / Abbreviations:	<u>See end of report text for list of acronyms/abbreviations used in report.</u>

**WORK PERFORMED THIS QUARTER (First Quarter 2012):**

1. Submitted *Fourth Quarter 2011 Status Report* (Broadbent, 1/5/2012).
2. Conducted groundwater monitoring/sampling for First Quarter 2012 on March 1, 2012.

**WORK SCHEDULED FOR NEXT QUARTER (Second Quarter 2012):**

1. Submit *First Quarter 2012 Monitoring Report* (contained herein).
2. No environmental field work is presently scheduled at Former Station #472 during Second Quarter 2012.

**ADDITIONAL WORK RECOMMENDED FOR NEXT QUARTER (Second Quarter 2012)**

1. Follow up with the *Case Evaluation and Justification for No Further Action* (Broadbent, 11/28/11).

**GROUNDWATER MONITORING PLAN SUMMARY:**

Groundwater level gauging:	<u>MW-1 through MW-3</u>	(1Q & 3Q)
Groundwater sample collection:	<u>MW-1 through MW-3</u>	(1Q & 3Q)
Biodegradation indicator parameter monitoring:	<u>MW-1 through MW-3</u>	(1Q & 3Q)

**QUARTERLY RESULTS SUMMARY:**

**LNAPL**

LNAPL observed this quarter:	<u>No</u>	(yes/no)
LNAPL recovered this quarter:	<u>None</u>	(gal)
Cumulative LNAPL recovered:	<u>None</u>	(gal)

**Groundwater Elevation and Gradient:**

Depth to groundwater:	<u>7.41 (MW-2) to 9.13 (MW-3)</u>	(ft below TOC)
Gradient direction:	<u>South-Southeast</u>	(compass direction)
Gradient magnitude:	<u>0.006</u>	(ft/ft)
Average change in elevation:	<u>-0.07</u>	(ft since last measurement)

**Laboratory Analytical Data**

Summary:	<u>DRO was detected in MW-1 at 140 µg/L (quantitation of unknown hydrocarbons based on diesel); GRO was detected in MW-1 at 500 µg/L (quantitation of unknown hydrocarbons based on gasoline); other petroleum hydrocarbon constituents were not detected above the reporting limits. DRO and GRO increased in MW-1 relative to Third Quarter 2011.</u>
----------	---

## ACTIVITIES CONDUCTED & RESULTS:

First Quarter 2012 groundwater monitoring was conducted on March 1, 2012 by Broadbent personnel in accordance with the monitoring plan summary detailed above. No irregularities were noted during water level gauging. Light, Non-Aqueous Phase Liquid (LNAPL, or free product) was not noted to be present in the wells monitored during this event. Depth to water measurements ranged from 7.41 ft at MW-2 to 9.13 ft at MW-3. Resulting groundwater surface elevations ranged from 16.21 ft at MW-2 to 15.60 ft at MW-3. Groundwater elevations are summarized in Table 1. Water level elevations yielded a potentiometric groundwater gradient to the South-Southeast at approximately 0.006 ft/ft. Field methods used during groundwater monitoring are provided in Appendix A. Field data sheets are included in Appendix B. A Site Location Map is presented as Drawing 1.

Groundwater samples were collected on March 1, 2012 consistent with the current monitoring schedule. No irregularities were reported during sampling. Samples were submitted under chain-of-custody protocol to Calscience Environmental Laboratories, Inc. (Garden Grove, California) for analysis of Gasoline-Range Organics (GRO, C6-C12) and Diesel-Range Organics (DRO, C10-C28) by EPA Method 8015M; for Benzene, Toluene, Ethylbenzene, Total Xylenes (BTEX), Methyl Tertiary Butyl Ether (MTBE), Ethyl Tertiary Butyl Ether (ETBE), Tert-Amyl Methyl Ether (TAME), Di-Isopropyl Ether (DIPE), 1,2-Dibromomethane (EDB), 1,2-Dichloroethane (1,2-DCA), Tert-Butyl Alcohol (TBA) and Ethanol by EPA Method 8260. No significant irregularities were encountered during analysis of the samples with the following exception: The laboratory flagged the concentration reported during the DRO and GRO analysis of MW-1 with "LX – Quantitated against Diesel Fuel," and with "LW – Quantitated against Gasoline," respectively. The laboratory analytical report, including chain-of-custody documentation, is provided in Appendix C.

Hydrocarbons in the DRO range were detected above the laboratory reporting limit at a concentration of 140 micrograms per liter ( $\mu\text{g/L}$ , parts per billion, ppb) in well MW-1 (with the laboratory flag "LX – Quantitated against Diesel Fuel"). Hydrocarbons in the GRO range were detected above the laboratory reporting limit at a concentration of 500  $\mu\text{g/L}$  in well MW-1 (with the laboratory flag "LW – Quantitated against Gasoline"). The remaining analytes were not detected above their laboratory reporting limits in the wells sampled this monitoring event. Groundwater monitoring laboratory analytical results are summarized in Table 1 and Table 2. The most recent GRO, Benzene, and MTBE concentrations are also presented in Drawing 2. Groundwater monitoring data (GEO\_WELL) and laboratory analytical results (EDF) were uploaded to the GeoTracker AB2886 database. Upload confirmation receipts are provided in Appendix D.

## DISCUSSION:

Groundwater levels were between historic minimum and maximum elevations for each well. Water level elevations yielded a potentiometric groundwater gradient to the South-Southeast at approximately 0.006 ft/ft. This generally flat gradient is consistent with historical measurements, although the direction calculated is more easterly than previously observed.

This event's detected analytical concentrations were within the historic minimum and maximum ranges recorded for each well. The laboratory noted that the MW-1 DRO concentration of 140  $\mu\text{g/L}$  reported was quantitated against diesel fuel and that the MW-1 GRO concentration of 500  $\mu\text{g/L}$  reported was quantitated against gasoline. This is consistent with past analyses. In the past, the laboratory noted the chromatogram did not resemble the laboratory standard for diesel and gasoline, which may be due to significant breakdown of aged fuel. No other constituents analyzed were detected above the laboratory reporting limits.

## RECOMMENDATIONS:

Consistent with the revised monitoring schedule, no monitoring or sampling field work is planned for Second Quarter 2012. Broadbent has recently completed a *Case Evaluation and Justification for No Further*

*Action Report* (submitted 11/28/2011). In light of the findings contained therein, Broadbent recommends discontinuation of the periodic groundwater monitoring at this site. Furthermore, ACEH is requested to review the case as a candidate for site closure under the State Water Resources Control Board's Low-Threat Underground Storage Tank Case Closure Policy.

#### **LIMITATIONS:**

The findings presented in this report are based upon observations of field personnel, points investigated, results of laboratory tests performed by Calscience Environmental Laboratories, Inc. (Garden Grove, California), and our understanding of ACEH requirements. Our services were performed in accordance with the generally accepted standard of practice at the time this report was written. No other warranty, expressed or implied was made. This report has been prepared for the exclusive use of the Atlantic Richfield Company. It is possible that variations in soil or groundwater conditions could exist beyond points explored in this investigation. Also, changes in site conditions could occur in the future due to variations in rainfall, temperature, regional water usage, or other factors.

#### **ATTACHMENTS:**

- Drawing 1: Site Location Map
- Drawing 2: Groundwater Elevation and Analytical Summary Map, 1 March 2012
  
- Table 1: Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
- Table 2: Summary of Fuel Additives Analytical Data
- Table 3: Historic Groundwater Gradient – Direction and Magnitude
  
- Appendix A: Field Methods
- Appendix B: Field Data Sheets
- Appendix C: Laboratory Report and Chain-of-Custody Documentation
- Appendix D: GeoTracker Upload Confirmation Receipts

#### **LIST OF COMMONLY USED ACCRONYMS/ABBREVIATIONS:**

ACEH:	Alameda County Environmental Health	ft/ft:	feet per foot
ACPWA:	Alameda County Public Works Agency	gal:	Gallons
BTEX:	Benzene, Toluene, Ethylbenzene, Total Xylenes	GRO:	Gasoline-Range Organics
1,2-DCA:	1,2-Dichloroethane	LNAPL:	Light Non-Aqueous Phase Liquid
DIPE:	Di-Isopropyl Ether	MTBE:	Methyl Tertiary Butyl Ether
DO:	Dissolved Oxygen	NO <sub>3</sub> :	Nitrate as Nitrogen
DRO:	Diesel-Range Organics	ppb:	parts per billion
EDB:	1,2-Dibromomethane	SO <sub>4</sub> :	Sulfate
Eh:	Oxidation Reduction Potential	TAME:	Tert-Amyl Methyl Ether
EPA:	Environmental Protection Agency	TBA:	Tertiary Butyl Ether
ETBE:	Ethyl Tertiary Butyl Ether	TOC:	Top of Casing
Fe <sup>2+</sup> :	Ferrous Iron	µg/L:	micrograms per liter







IMAGE SOURCE: USGS




**MW-2**  
 16.21  
 <50  
 <0.50  
 <0.50  
 SA(1,3)

**MW-1**  
 15.97  
 500  
 <0.50  
 <0.50  
 SA(1,3)

**MW-3**  
 15.60  
 <50  
 <0.50  
 <0.50  
 SA(1,3)

**LEGEND**

- MONITORING WELL
  - SOIL BORING
  - 16.0 GROUNDWATER ELEVATION CONTOURS (FT MSL)
  - 0.006 GROUNDWATER FLOW DIRECTION AND GRADIENT (FT/FT)
- | Well    | WELL DESIGNATION                      |
|---------|---------------------------------------|
| ELEV    | GROUNDWATER ELEVATION (FT)            |
| GRO     | GRO, BENZENE AND MTBE                 |
| Benzene | CONCENTRATIONS IN GROUND WATER (µg/L) |
| MTBE    |                                       |
| Q/SA/A  | SAMPLING FREQUENCY                    |
- SA(1,3) SAMPLED SEMI-ANNUALLY (Q1, Q3)



**BROADBENT & ASSOCIATES, INC.**  
 ENGINEERING, WATER RESOURCES & ENVIRONMENTAL  
 1324 Mangrove Ave. Suite 212, Chico, California  
 Project No.: 09-88-601 Date: 3/28/2012

Former Station #472  
 6415 International Boulevard  
 Oakland, California

Groundwater Elevation and  
 and Analytical Summary Map  
 1 March 2012

Drawing  
**2**

**Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses**  
**ARCO Service Station #472, 6415 International Boulevard, Oakland, CA**

Well ID and Date Monitored	P/NP	TOC Elevation (feet)	DTW (feet)	Product Thickness (feet)	Water Level Elevation (feet)	Concentrations in µg/L								DO (mg/L)	pH	Footnote
						GRO/TPHg	DRO/TPHd	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	TOG			
<b>MW-1</b>																
8/25/2009	P	24.17	9.29	0.00	14.88	530	190	<0.50	<0.50	<0.50	<0.50	0.54	--	--	7.21	LX (DRO)
11/11/2009	NP		8.22	0.00	15.95	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	
2/17/2010	NP		7.36	0.00	16.81	<50	70	<0.50	<0.50	<0.50	<0.50	<0.50	--	1.69	7.03	LX (DRO)
6/2/2010	NP		7.61	0.00	16.56	110	120	<0.50	<0.50	<0.50	<0.50	<0.50	--	1.21	7.0	LW (GRO), LX (DRO)
9/3/2010	NP		8.99	0.00	15.18	1,000	190	<0.50	<0.50	<0.50	<0.50	<0.50	--	0.74	7.30	LW (GRO), LX (DRO)
2/8/2011	NP		7.69	0.00	16.48	<50	53	<0.50	<0.50	<0.50	<0.50	<0.50	--	0.64	6.8	LX (DRO)
7/18/2011	NP		7.99	0.00	16.18	<50	110	<0.50	<0.50	<0.50	<0.50	<0.50	--	0.70	7.2	LX (DRO)
<b>3/1/2012</b>	<b>P</b>		<b>8.20</b>	<b>0.00</b>	<b>15.97</b>	<b>500</b>	<b>140</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>--</b>	<b>0.71</b>	<b>7.01</b>	LW (GRO), LX (DRO)
<b>MW-2</b>																
8/25/2009	P	23.62	9.65	0.00	13.97	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	7.30	
11/11/2009	NP		8.09	0.00	15.53	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	
2/17/2010	P		6.80	0.00	16.82	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	2.62	7.15	
6/2/2010	NP		7.11	0.00	16.51	<50	65	<0.50	<0.50	<0.50	<0.50	<0.50	--	2.85	7.3	LX (DRO)
9/3/2010	NP		8.79	0.00	14.83	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	1.19	7.90	
2/8/2011	NP		7.21	0.00	16.41	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	2.15	7.0	
7/18/2011	--		--	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
<b>3/1/2012</b>	<b>P</b>		<b>7.41</b>	<b>0.00</b>	<b>16.21</b>	<b>&lt;50</b>	<b>&lt;50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>--</b>	<b>1.89</b>	<b>7.34</b>	
<b>MW-3</b>																
8/25/2009	P	24.73	11.07	0.00	13.66	63	85	<0.50	1.2	<0.50	<0.50	<0.50	--	--	7.09	
11/11/2009	NP		9.56	0.00	15.17	88	--	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	LW (GRO)
2/17/2010	NP		8.52	0.00	16.21	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	2.04	7.09	
6/2/2010	NP		8.64	0.00	16.09	100	130	<0.50	<0.50	<0.50	<0.50	<0.50	--	1.22	7.1	LW (GRO), LX (DRO)
9/3/2010	NP		8.41	0.00	16.32	200	140	<0.50	<0.50	<0.50	<0.50	<0.50	--	0.87	6.9	LW (GRO), LX (DRO)
2/8/2011	NP		8.82	0.00	15.91	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	0.88	7.0	
7/18/2011	NP		9.20	0.00	15.53	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	0.93	6.9	
<b>3/1/2012</b>	<b>P</b>		<b>9.13</b>	<b>0.00</b>	<b>15.60</b>	<b>&lt;50</b>	<b>&lt;50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>--</b>	<b>0.63</b>	<b>6.91</b>	



Symbols & Abbreviations:

--- = Not analyzed/applicable/measured/available

< = Not detected at or above specified laboratory reporting limit

DO = Dissolved oxygen

DRO = Diesel range organics

DTW = Depth to water in ft bgs

GRO = Gasoline range organics, range C4-C12

GWE = Groundwater elevation measured in ft

HVOC = Halogenated volatile organic compounds

mg/L = Milligrams per liter

MTBE = Methyl tert-butyl ether

NP = Well not purged prior to sampling

P = Well purged prior to sampling

TOC = Top of casing measured in ft

TOG = Total oil and grease

TPH-d = Total petroleum hydrocarbons as diesel

TPH-g = Total petroleum hydrocarbons as gasoline

µg/L = Micrograms per liter

CEL = CalScience Environmental Laboratories, Inc.

Footnotes:

LW = Quantitation of unknown hydrocarbon(s) in sample based on gasoline

LX = Quantitation of unknown hydrocarbon(s) in sample based on diesel

**Table 2. Summary of Fuel Additives Analytical Data**  
**ARCO Service Station #472, 6415 International Boulevard, Oakland, CA**

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
<b>MW-1</b>									
8/25/2009	<300	<10	0.54	<0.50	<0.50	<0.50	<0.50	<0.50	
11/11/2009	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
2/17/2010	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
6/2/2010	<50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	0.72 µg/L sec-Butylbenzene, 1.4 µg/L tert-Butylben
9/3/2010	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
2/8/2011	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/18/2011	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
<b>3/1/2012</b>	<b>&lt;300</b>	<b>&lt;10</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	
<b>MW-2</b>									
8/25/2009	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
11/11/2009	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
2/17/2010	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
6/2/2010	<50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
9/3/2010	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
2/8/2011	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/18/2011	--	--	--	--	--	--	--	--	Inaccessible
<b>3/1/2012</b>	<b>&lt;300</b>	<b>&lt;10</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	
<b>MW-3</b>									
8/25/2009	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
11/11/2009	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
2/17/2010	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
6/2/2010	<50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
9/3/2010	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
2/8/2011	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/18/2011	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
<b>3/1/2012</b>	<b>&lt;300</b>	<b>&lt;10</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	

Symbols & Abbreviations:

-- = Not analyzed/applicable/measured/available

< = Not detected at or above specified laboratory reporting limit

1,2-DCA = 1,2-Dichloroethane

DIPE = Diisopropyl ether

EDB = 1,2-Dibromoethane

ETBE = Ethyl tert-butyl ether

MTBE = Methyl tert-butyl ether

TAME = tert-Amyl methyl ether

TBA = tert-Butyl alcohol

µg/L = Micrograms per Liter

Notes:

All volatile organic compounds were analyzed using EPA Method 8260B

**Table 3. Historical Groundwater Gradient - Direction and Magnitude  
ARCO Service Station #472, 6415 International Boulevard, Oakland, CA**

<b>Date Measured</b>	<b>Approximate Gradient Direction</b>	<b>Approximate Gradient Magnitude (ft/ft)</b>
8/25/2009	Southwest	0.01
11/11/2009	South-Southwest	0.008
2/17/2010	South	0.006
6/2/2010	South	0.003
9/3/2010	North-Northwest	0.015
2/8/2011	South	0.006
7/18/2011	(a)	(a)
<b>3/1/2012</b>	<b>South-Southeast</b>	<b>0.006</b>

Footnotes:

a = Groundwater gradient unable to be calculated due to MW-2 being inaccessible

**APPENDIX A**  
**FIELD METHODS**



## **QUALITY ASSURANCE/QUALITY CONTROL FIELD METHODS**

Field methods discussed herein were implemented to provide for accuracy and reliability of field activities, data collection, sample collection, and handling. Discussion of these methods is provided below.

### **1.0 EQUIPMENT CALIBRATION**

Equipment calibration was performed per equipment manufacturer specifications before use.

### **2.0 DEPTH TO GROUNDWATER AND LIGHT NON-AQUEOUS PHASE LIQUID MEASUREMENT**

Depth to groundwater was measured in wells identified for gauging in the scope of work using a decontaminated water level indicator. The depth to water measurement was taken from a cut notch or permanent mark at the top of the well casing to which the well head elevation was originally surveyed.

Once depth to water was measured, an oil/water interface meter or a new disposable bailer was utilized to evaluate the presence and, if present, to measure the “apparent” thickness of light non-aqueous phase liquid (LNAPL) in the well. If LNAPL was present in the well, groundwater purging and sampling were not performed, unless sampling procedures in the scope of work specified collection of samples in the presence of LNAPL. Otherwise, time allowing, LNAPL was bailed from the well using either a new disposable bailer, or the disposal bailer previously used for initial LNAPL assessment. Bailing of LNAPL continued until the thickness of LNAPL (or volume) stabilized in each bailer pulled from the well, or LNAPL was no longer present. After LNAPL thickness either stabilized or was eliminated, periodic depth to water and depth to LNAPL measurements were collected as product came back into the well to evaluate product recovery rate and to aid in further assessment of LNAPL in the subsurface. LNAPL thickness measurements were recorded as “apparent.” If a bailer was used for LNAPL thickness measurement, the field sampler noted the bailer entry diameter and chamber diameter to enable correction of thickness measurements. Recovered LNAPL was stored on-site in a labeled steel drum(s) or other appropriate container(s) prior to disposal.

### **3.0 WELL PURGING AND GROUNDWATER SAMPLE COLLECTION**

Well purging and groundwater sampling were performed in wells specified in the scope of work after measuring depth to groundwater and evaluating the presence of LNAPL. Purging and sampling were performed using one of the methods detailed below. The method used was noted in the field records. Purge water was stored on-site in labeled steel drum(s) or other appropriate container(s) prior to disposal or on-site treatment (in cases where treatment using an on-site system is authorized).

#### **3.1 Purging a Predetermined Well Volume**

Purging a predetermined well volume is performed per ASTM International (ASTM) D4448-01. This purging method has the objective of removing a predetermined

volume of stagnant water from the well prior to sampling. The volume of stagnant water is defined as either the volume of water contained within the well casing, or the volume within the well casing and sand/gravel in the annulus if natural flow through these is deemed insufficient to keep them flushed out.

This purging method involves removal of a minimum of three stagnant water volumes from the well using a decontaminated pump with new disposable plastic discharge or suction tubing, dedicated well tubing, or using a new disposable or decontaminated reusable bailer. If a new disposable bailer was used for assessment of LNAPL, that bailer may be used for purging. The withdrawal rate used is one that minimizes drawdown while satisfying time constraints.

To evaluate when purging is complete, one or more groundwater stabilization parameters are monitored and recorded during purging activities until stabilization is achieved. Most commonly, stabilization parameters include temperature, conductivity, and pH, but field procedures detailed in the scope of work may also include monitoring of dissolved oxygen concentrations, oxidation reduction potential, and/or turbidity<sup>1</sup>. Parameters are considered stable when two (2) consecutive readings recorded three (3) minutes apart fall within ranges provided below in Table 1. In the event that the parameters have not stabilized and five (5) well casing volumes have been removed, purging activities will cease and be considered complete. Once the well is purged, a groundwater sample(s) is collected from the well using a new disposable bailer. If a new disposable bailer was used for purging, that bailer may be used to collect the sample(s). A sample is not collected if the well is inadvertently purged dry.

Table 1. Criteria for Defining Stabilization of Water-Quality Indicator Parameters

Parameter	Stabilization Criterion
Temperature	± 0.2°C (± 0.36°F)
pH	± 0.1 standard units
Conductivity	± 3%
Dissolved oxygen	± 10%
Oxidation reduction potential	± 10 mV
Turbidity <sup>1</sup>	± 10% or 1.0 NTU (whichever is greater)

### 3.2 Low-Flow Purging and Sampling

“Low-Flow”, “Minimal Drawdown”, or “Low-Stress” purging is performed per ASTM D6771-02. It is a method of groundwater removal from within a well’s screened interval that is intended to minimize drawdown and mixing of the water column in the well casing. This is accomplished by pumping the well using a decontaminated pump with new disposable plastic discharge or suction tubing or dedicated well tubing at a low flow rate while evaluating the groundwater elevation during pumping.

The low flow pumping rate is well specific and is generally established at a volume that is less than or equal to the natural recovery rate of the well. A pump with adjustable flow rate control is positioned with the intake at or near the mid-point of the

<sup>1</sup> As stated in ASTM D6771-02, turbidity is not a chemical parameter and not indicative of when formation-quality water is being purged; however, turbidity may be helpful in evaluating stress on the formation during purging. Turbidity measurements are taken at the same time that stabilization parameter measurements are made, or, at a minimum, once when purging is initiated and again just prior to sample collection, after stabilization parameters have stabilized. To avoid artifacts in sample analysis, turbidity should be as low as possible when samples are collected. If turbidity values are persistently high, the withdrawal rate is lowered until turbidity decreases. If high turbidity persists even after lowering the withdrawal rate, the purging is stopped for a period of time until turbidity settles, and the purging process is then restarted. If this fails to solve the problem, the purging/sampling process for the well is ceased, and well maintenance or redevelopment is considered.

submerged well screen. The pumping rate used during low-flow purging is low enough to minimize mobilization of particulate matter and drawdown (stress) of the water column. Low-flow purging rates will vary based on the individual well characteristics; however, the purge rate should not exceed 1.0 Liter per minute (L/min) or 0.25 gallon per minute (gal/min). Low-flow purging should begin at a rate of approximately 0.1 L/min (0.03 gal/min)<sup>2</sup>, or the lowest rate possible, and be adjusted based on an evaluation of drawdown. Water level measurements should be recorded at approximate one (1) to two (2) minute intervals until the low-flow rate has been established, and drawdown is minimized. As a general rule, drawdown should not exceed 25% of the distance between the top of the water column and the pump in-take.

To evaluate when purging is complete, one or more groundwater stabilization parameters are monitored and recorded during purging activities until stabilization is achieved. Most commonly, stabilization parameters include temperature, conductivity, and pH, but field procedures detailed in the scope of work may also include monitoring of dissolved oxygen concentrations, oxidation reduction potential, and/or turbidity<sup>1</sup>. The frequency between measurements will be at an interval of one (1) to three (3) minutes; however, if a flow cell is used, the frequency will be determined based on the time required to evacuate one cell volume. Stabilization is defined as three (3) consecutive readings recorded several minutes apart falling within ranges provided in Table 1. Samples will be collected by filling appropriate containers from the pump discharge tubing at a rate not to exceed the established pumping rate.

### **3.3 Minimal Purge, Discrete Depth, and Passive Sampling**

In accordance with ASTM D4448-01, sampling techniques that do not rely on purging, or require only minimal purging, may be used if a particular zone within a screened interval is to be sampled or if a well is not capable of yielding sufficient groundwater for purging. To properly use these sampling techniques, a water sample is collected within the screened interval with little or no mixing of the water column within the casing. These techniques include minimal purge sampling which uses a dedicated sampling pump capable of pumping rates of less than 0.1 L/min (0.03 gal/min)<sup>2</sup>, discrete depth sampling using a bailer that allows groundwater entry at a controlled depth (e.g. differential pressure bailer), or passive (diffusion) sampling. These techniques are based on certain studies referenced in ASTM D4448-01 that indicate that under certain conditions, natural groundwater flow is laminar and horizontal with little or no mixing within the well screen.

## **4.0 DECONTAMINATION**

Reusable groundwater sampling equipment were cleaned using a solution of Alconox or other acceptable detergent, rinsed with tap water, and finally rinsed with distilled water prior to use in each well. Decontamination water was stored on-site in labeled steel drum(s) or other appropriate container(s) prior to disposal.

---

<sup>2</sup> According to ASTM D4448-01, studies have indicated that at flow rates of 0.1 L/min, low-density polyethylene (LDPE) and plasticized polypropylene tubing materials are prone to sorption. Therefore, TFE-fluorocarbon or other appropriate tubing material is used, particularly when tubing lengths of 50 feet or longer are used.



## **5.0 SAMPLE CONTAINERS, LABELING, AND STORAGE**

Samples were collected in laboratory prepared containers with appropriate preservative (if preservative was required). Samples were labeled (site name, sample I.D., sampler initials, date, and time of collection) and stored chilled (refrigerator or ice chest with ice) until delivery to a certified laboratory, under chain of custody procedures.

## **6.0 CHAIN OF CUSTODY RECORD AND PROCEDURE**

The field sampler was personally responsible for care and custody of the samples collected until they were properly transferred to another party. To document custody and transfer of samples, a Chain of Custody Record was prepared. The Chain of Custody Record provided identification of the samples corresponding to sample labels and specified analyses to be performed by the laboratory. The original Chain of Custody Record accompanied the shipment, and a copy of the record was stored in the project file. When the samples were transferred, the individuals relinquishing and receiving them signed, dated, and noted the time of transfer on the record.

## **7.0 FIELD RECORDS**

Daily Report and data forms were completed by staff personnel to provide daily record of significant events, observations, and measurements. Field records were signed, dated, and stored in the project file.

**APPENDIX B**

**FIELD DATA SHEETS**
















NON-HAZARDOUS WASTE DATA FORM

BEST #

Generator's Name and Mailing Address <b>BP WEST COAST PRODUCTS, LLC</b> P.O. BOX 80249 RANCHO SANTA MARGARITA, CA 92688  Generator's Phone: <b>949-480-5200</b>	Generator's Site Address (if different than mailing address) <b>BP 472</b> <b>6415 International Blvd.</b> <b>Oakland, CA</b>
--	--

Container type removed from site: <input type="checkbox"/> Drums <input type="checkbox"/> Vacuum Truck <input type="checkbox"/> Roll-off Truck <input type="checkbox"/> Dump Truck  <input type="checkbox"/> Other _____  Quantity <u>1.32 gallons</u>	Container type transported to receiving facility: <input type="checkbox"/> Drums <input type="checkbox"/> Vacuum Truck <input type="checkbox"/> Roll-off Truck <input type="checkbox"/> Dump Truck  <input type="checkbox"/> Other _____  Quantity _____ Volume _____																		
WASTE DESCRIPTION <u>NON-HAZARDOUS WATER</u> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 60%;">COMPONENTS OF WASTE</th> <th style="width: 10%;">PPM</th> <th style="width: 10%;">%</th> </tr> </thead> <tbody> <tr> <td>1. <u>WATER</u></td> <td></td> <td><u>99-100%</u></td> </tr> <tr> <td>2. <u>TPH</u></td> <td></td> <td><u>&lt;1%</u></td> </tr> </tbody> </table>	COMPONENTS OF WASTE	PPM	%	1. <u>WATER</u>		<u>99-100%</u>	2. <u>TPH</u>		<u>&lt;1%</u>	GENERATING PROCESS <u>WELL FURGING / DECON WATER</u> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 60%;">COMPONENTS OF WASTE</th> <th style="width: 10%;">PPM</th> <th style="width: 10%;">%</th> </tr> </thead> <tbody> <tr> <td>3. _____</td> <td></td> <td></td> </tr> <tr> <td>4. _____</td> <td></td> <td></td> </tr> </tbody> </table>	COMPONENTS OF WASTE	PPM	%	3. _____			4. _____		
COMPONENTS OF WASTE	PPM	%																	
1. <u>WATER</u>		<u>99-100%</u>																	
2. <u>TPH</u>		<u>&lt;1%</u>																	
COMPONENTS OF WASTE	PPM	%																	
3. _____																			
4. _____																			
Waste Profile _____ PROPERTIES: pH <u>7-10</u> <input type="checkbox"/> SOLID <input checked="" type="checkbox"/> LIQUID <input type="checkbox"/> SLUDGE <input type="checkbox"/> SLURRY <input type="checkbox"/> OTHER _____																			
HANDLING INSTRUCTIONS: <u>WEAR ALL APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT.</u>																			

Generator Printed/Typed Name <u>Alex Martinez</u>	Signature 	Month Day Year <u>3   23   12</u>
--	---	--------------------------------------

The Generator certifies that the waste as described is 100% non-hazardous

Transporter 1 Company Name <b>BROADBENT &amp; ASSOCIATES, INC&gt;</b>	Phone# <b>530-566-1400</b>	
Transporter 1 Printed/Typed Name	Signature	Month Day Year
Transporter Acknowledgment of Receipt of Materials		
Transporter 2 Company Name	Phone#	
Transporter 2 Printed/Typed Name	Signature	Month Day Year
Transporter Acknowledgment of Receipt of Materials		

Designated Facility Name and Site Address <b>INSTRAT, INC.</b> <b>1105 AIRPORT RD.</b> <b>RIO VISTA, CA 94571</b>	Phone# <b>530-753-1829</b>	
Printed/Typed Name	Signature	Month Day Year
Designated Facility Owner or Operator: Certification of receipt of materials covered by this data form.		

GENERATOR

TRANSPORTER

RECEIVING FACILITY

**APPENDIX C**

**LABORATORY REPORT  
AND CHAIN-OF-CUSTODY DOCUMENTATION**



# CALSCIENCE

## WORK ORDER NUMBER: 12-03-0212

*The difference is service*



AIR | SOIL | WATER | MARINE CHEMISTRY

### Analytical Report For

**Client:** Broadbent & Associates, Inc.

**Client Project Name:** BP 472

**Attention:** Tom Venus  
1324 Mangrove Ave, Ste 212  
Chico, CA 95926-2642

Approved for release on 03/16/2012 by:  
Richard Villafania  
Project Manager

ResultLink ▶

Email your PM ▶



Calscience Environmental Laboratories certifies that the test results provided in this report meet all NELAC requirements for parameters for which accreditation is required or available. Any exceptions to NELAC requirements are noted in the case narrative. The original report of subcontracted analyses, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety. Note that the Chain-of-Custody Record and Sample Receipt Form are integral parts of this report.



**Analytical Report**



Broadbent & Associates, Inc.  
1324 Mangrove Ave, Ste 212  
Chico, CA 95926-2642

Date Received: 03/03/12  
Work Order No: 12-03-0212  
Preparation: EPA 3510C  
Method: EPA 8015B (M)

Project: BP 472

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
<b>MW-1</b>	<b>12-03-0212-1-H</b>	<b>03/01/12 12:05</b>	<b>Aqueous</b>	<b>GC 48</b>	<b>03/06/12</b>	<b>03/07/12 03:15</b>	<b>120306B06</b>

Comment(s): -LX Quantitated against Diesel Fuel.

Parameter	Result	RL	DF	Qual	Units
Diesel Range Organics (C10-C28)	140	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	89	68-140	

<b>MW-2</b>	<b>12-03-0212-2-H</b>	<b>03/01/12 11:30</b>	<b>Aqueous</b>	<b>GC 48</b>	<b>03/06/12</b>	<b>03/07/12 03:30</b>	<b>120306B06</b>
-------------	-----------------------	-----------------------	----------------	--------------	-----------------	-----------------------	------------------

Parameter	Result	RL	DF	Qual	Units
Diesel Range Organics (C10-C28)	ND	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	98	68-140	

<b>MW-3</b>	<b>12-03-0212-3-H</b>	<b>03/01/12 12:50</b>	<b>Aqueous</b>	<b>GC 48</b>	<b>03/06/12</b>	<b>03/07/12 03:45</b>	<b>120306B06</b>
-------------	-----------------------	-----------------------	----------------	--------------	-----------------	-----------------------	------------------

Parameter	Result	RL	DF	Qual	Units
Diesel Range Organics (C10-C28)	ND	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	96	68-140	

<b>Method Blank</b>	<b>099-12-699-318</b>	<b>N/A</b>	<b>Aqueous</b>	<b>GC 48</b>	<b>03/06/12</b>	<b>03/06/12 23:17</b>	<b>120306B06</b>
---------------------	-----------------------	------------	----------------	--------------	-----------------	-----------------------	------------------

Parameter	Result	RL	DF	Qual	Units
Diesel Range Organics (C10-C28)	ND	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	104	68-140	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

**Analytical Report**



Broadbent & Associates, Inc.  
1324 Mangrove Ave, Ste 212  
Chico, CA 95926-2642

Date Received: 03/03/12  
Work Order No: 12-03-0212  
Preparation: EPA 5030C  
Method: EPA 8015B (M)

Project: BP 472

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
<b>MW-1</b>	<b>12-03-0212-1-D</b>	<b>03/01/12 12:05</b>	<b>Aqueous</b>	<b>GC 18</b>	<b>03/12/12</b>	<b>03/13/12 13:43</b>	<b>120312B01</b>

Comment(s): -LW Quantitated against Gasoline.

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	500	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	106	38-134	

<b>MW-2</b>	<b>12-03-0212-2-D</b>	<b>03/01/12 11:30</b>	<b>Aqueous</b>	<b>GC 18</b>	<b>03/12/12</b>	<b>03/13/12 13:06</b>	<b>120312B01</b>
-------------	-----------------------	-----------------------	----------------	--------------	-----------------	-----------------------	------------------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	96	38-134	

<b>MW-3</b>	<b>12-03-0212-3-D</b>	<b>03/01/12 12:50</b>	<b>Aqueous</b>	<b>GC 18</b>	<b>03/12/12</b>	<b>03/13/12 12:28</b>	<b>120312B01</b>
-------------	-----------------------	-----------------------	----------------	--------------	-----------------	-----------------------	------------------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L


Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	98	38-134	

<b>Method Blank</b>	<b>099-12-695-1,284</b>	<b>N/A</b>	<b>Aqueous</b>	<b>GC 18</b>	<b>03/12/12</b>	<b>03/12/12 22:46</b>	<b>120312B01</b>
---------------------	-------------------------	------------	----------------	--------------	-----------------	-----------------------	------------------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	95	38-134	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Broadbent & Associates, Inc.  
 1324 Mangrove Ave, Ste 212  
 Chico, CA 95926-2642

Date Received: 03/03/12  
 Work Order No: 12-03-0212  
 Preparation: EPA 5030C  
 Method: EPA 8260B  
 Units: ug/L

Project: BP 472

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-1	12-03-0212-1-A	03/01/12 12:05	Aqueous	GC/MS L	03/10/12	03/10/12 13:36	120310L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,4-Bromofluorobenzene	105	68-120			Dibromofluoromethane	101	80-127		
1,2-Dichloroethane-d4	110	80-128			Toluene-d8	101	80-120		


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-2	12-03-0212-2-A	03/01/12 11:30	Aqueous	GC/MS L	03/10/12	03/10/12 14:03	120310L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,4-Bromofluorobenzene	100	68-120			Dibromofluoromethane	105	80-127		
1,2-Dichloroethane-d4	112	80-128			Toluene-d8	102	80-120		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-3	12-03-0212-3-A	03/01/12 12:50	Aqueous	GC/MS L	03/10/12	03/10/12 14:31	120310L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,4-Bromofluorobenzene	102	68-120			Dibromofluoromethane	100	80-127		
1,2-Dichloroethane-d4	108	80-128			Toluene-d8	104	80-120		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Broadbent & Associates, Inc.  
 1324 Mangrove Ave, Ste 212  
 Chico, CA 95926-2642

Date Received: 03/03/12  
 Work Order No: 12-03-0212  
 Preparation: EPA 5030C  
 Method: EPA 8260B  
 Units: ug/L


Project: BP 472

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-703-2,062	N/A	Aqueous	GC/MS L	03/10/12	03/10/12 13:09	120310L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,4-Bromofluorobenzene	101	68-120			Dibromofluoromethane	105	80-127		
1,2-Dichloroethane-d4	111	80-128			Toluene-d8	101	80-120		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Quality Control - Spike/Spike Duplicate



Broadbent & Associates, Inc.  
 1324 Mangrove Ave, Ste 212  
 Chico, CA 95926-2642

Date Received: 03/03/12  
 Work Order No: 12-03-0212  
 Preparation: EPA 5030C  
 Method: EPA 8015B (M)


Project BP 472

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
12-03-0478-4	Aqueous	GC 18	03/12/12	03/13/12	120312S01

Parameter	SPIKE ADDED	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Gasoline Range Organics (C6-C12)	2000	89	89	38-134	0	0-25	

RPD - Relative Percent Difference , CL - Control Limit





## Quality Control - Spike/Spike Duplicate



Broadbent & Associates, Inc.  
1324 Mangrove Ave, Ste 212  
Chico, CA 95926-2642


Date Received: 03/03/12  
Work Order No: 12-03-0212  
Preparation: EPA 5030C  
Method: EPA 8260B

Project BP 472

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW-2	Aqueous	GC/MS L	03/10/12	03/10/12	120310S01

Parameter	SPIKE ADDED	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	10.00	109	109	76-124	0	0-20	
Carbon Tetrachloride	10.00	109	110	74-134	1	0-20	
Chlorobenzene	10.00	113	112	80-120	1	0-20	
1,2-Dibromoethane	10.00	104	103	80-120	0	0-20	
1,2-Dichlorobenzene	10.00	110	110	80-120	0	0-20	
1,2-Dichloroethane	10.00	108	108	80-120	0	0-20	
Ethylbenzene	10.00	110	108	78-126	2	0-20	
Toluene	10.00	109	108	80-120	1	0-20	
Trichloroethene	10.00	113	111	77-120	1	0-20	
Methyl-t-Butyl Ether (MTBE)	10.00	102	104	67-121	2	0-49	
Tert-Butyl Alcohol (TBA)	50.00	110	111	36-162	1	0-30	
Diisopropyl Ether (DIPE)	10.00	111	113	60-138	2	0-45	
Ethyl-t-Butyl Ether (ETBE)	10.00	104	106	69-123	2	0-30	
Tert-Amyl-Methyl Ether (TAME)	10.00	98	100	65-120	2	0-20	
Ethanol	100.0	95	103	30-180	8	0-72	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate



Broadbent & Associates, Inc.  
 1324 Mangrove Ave, Ste 212  
 Chico, CA 95926-2642


Date Received: N/A  
 Work Order No: 12-03-0212  
 Preparation: EPA 3510C  
 Method: EPA 8015B (M)


Project: BP 472

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-699-318	Aqueous	GC 48	03/06/12	03/06/12	120306B06

Parameter	SPIKE ADDED	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Diesel Range Organics (C10-C28)	2000	101	101	75-117	1	0-20	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate



Broadbent & Associates, Inc.  
 1324 Mangrove Ave, Ste 212  
 Chico, CA 95926-2642


Date Received: N/A  
 Work Order No: 12-03-0212  
 Preparation: EPA 5030C  
 Method: EPA 8015B (M)


Project: BP 472

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-695-1,284	Aqueous	GC 18	03/12/12	03/13/12	120312B01

Parameter	SPIKE ADDED	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Gasoline Range Organics (C6-C12)	2000	88	91	78-120	3	0-20	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate



Broadbent & Associates, Inc.  
 1324 Mangrove Ave, Ste 212  
 Chico, CA 95926-2642


Date Received: N/A  
 Work Order No: 12-03-0212  
 Preparation: EPA 5030C  
 Method: EPA 8260B

Project: BP 472

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number			
099-12-703-2,062	Aqueous	GC/MS L	03/10/12	03/10/12	120310L01			
Parameter	SPIKE ADDED	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	10.00	111	110	80-120	73-127	0	0-20	
Carbon Tetrachloride	10.00	111	114	74-134	64-144	3	0-20	
Chlorobenzene	10.00	114	114	80-120	73-127	0	0-20	
1,2-Dibromoethane	10.00	106	105	79-121	72-128	1	0-20	
1,2-Dichlorobenzene	10.00	111	110	80-120	73-127	1	0-20	
1,2-Dichloroethane	10.00	112	109	80-120	73-127	3	0-20	
Ethylbenzene	10.00	110	109	80-120	73-127	1	0-20	
Toluene	10.00	111	108	80-120	73-127	2	0-20	
Trichloroethene	10.00	112	109	79-127	71-135	3	0-20	
Methyl-t-Butyl Ether (MTBE)	10.00	106	106	69-123	60-132	1	0-20	
Tert-Butyl Alcohol (TBA)	50.00	102	103	63-123	53-133	1	0-20	
Diisopropyl Ether (DIPE)	10.00	112	114	59-137	46-150	1	0-37	
Ethyl-t-Butyl Ether (ETBE)	10.00	107	108	69-123	60-132	1	0-20	
Tert-Amyl-Methyl Ether (TAME)	10.00	105	104	70-120	62-128	1	0-20	
Ethanol	100.0	94	92	28-160	6-182	2	0-57	

Total number of LCS compounds : 15  
 Total number of ME compounds : 0  
 Total number of ME compounds allowed : 1  
 LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit



Work Order Number: 12-03-0212

<u>Qualifier</u>	<u>Definition</u>
AX	Sample too dilute to quantify surrogate.
BA	Relative percent difference out of control.
BA,AY	BA = Relative percent difference out of control. AY = Matrix interference suspected.
BB	Sample > 4x spike concentration.
BF	Reporting limits raised due to high hydrocarbon background.
BH	Reporting limits raised due to high level of non-target analytes.
BU	Sample analyzed after holding time expired.
BV	Sample received after holding time expired.
BY	Sample received at improper temperature.
BZ	Sample preserved improperly.
CL	Initial analysis within holding time but required dilution.
CQ	Analyte concentration greater than 10 times the blank concentration.
CU	Surrogate concentration diluted to not detectable during analysis.
DF	Reporting limits elevated due to matrix interferences.
DU	Insufficient sample quantity for matrix spike/dup matrix spike.
ET	Sample was extracted past end of recommended max. holding time.
ET	Sample was extracted past end of recommended maximum holding time.
EY	Result exceeds normal dynamic range; reported as a min est.
GR	Internal standard recovery is outside method recovery limit.
IB	CCV recovery abovelimit; analyte not detected.
IH	Calibrtn. verif. recov. below method CL for this analyte.
IJ	Calibrtn. verif. recov. above method CL for this analyte.
J,DX	J=EPA Flag -Estimated value; DX= Value < lowest standard (MQL), but > than MDL.
LA	Confirmatory analysis was past holding time.
LG,AY	LG= Surrogate recovery below the acceptance limit. AY= Matrix interference suspected.
LH,AY	LH= Surrogate recovery above the acceptance limit. AY= Matrix interference suspected.
LM,AY	LM= MS and/or MSD above acceptance limits. See Blank Spike (LCS). AY= Matrix interference suspected.
LN,AY	LN= MS and/or MSD below acceptance limits. See Blank Spike (LCS). AY= Matrix interference suspected.
LQ	LCS recovery above method control limits.
LR	LCS recovery below method control limits.
LW	Quantitation of unknown hydrocarbon(s) in sample based on gasoline.
LX	Quantitation of unknown hydrocarbon(s) in sample based on diesel.
MB	Analyte present in the method blank.
ME	LCS/LCSD Recovery Percentage is within Marginal Exceedance (ME) Control Limit range.
PC	Sample taken from VOA vial with air bubble > 6mm diameter.
PI	Primary and confirm results varied by > than 40% RPD.
RB	RPD exceeded method control limit; % recoveries within limits.
SG	A silica gel cleanup procedure was performed.



Qualifier

Definition

Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture. All QC results are reported on a wet weight basis.  
MPN - Most Probable Number





# Laboratory Management Program LaMP Chain of Custody Record

BP/ARC Project Name: BP-472  
 BP/ARC Facility No: 472

Req Due Date (mm/dd/yy): \_\_\_\_\_  
 Lab Work Order Number: \_\_\_\_\_  
 STD-TAT \_\_\_\_\_ Rush TAT: Yes \_\_\_ No x  
**12-03-0212**

Lab Name: Cal Science	BP/ARC Facility Address: 6415 International Blvd	Consultant/Contractor: Broadbent
Lab Address: 7440 Lincoln Way	City, State, ZIP Code: Oakland, CA 94621	Consultant/Contractor Project No: 09-88-601-401-880
Lab PM: Richard Villafania	Lead Regulatory Agency: ACEH	Address: 1324 Mangrove Ave, Ste. 212, Chico, CA 95926
Lab Phone: 714-895-5494 / 714-894-7501 (fax)	California Global ID No.: T10000000417	Consultant/Contractor PM: Tom Venus
Lab Shipping Acct: 9255	Enfos Proposal No: 005XP-0002/WR245684	Phone: 530-566-1400 / 530-566-1401
Lab Bottle Order No:	Accounting Mode: Provision <u>X</u> OOC-BU ___ OOC-RM ___	Email EDD To: <u>tvenus@broadbentinc.com</u>
Other Info:	Stage: Execute (40) Activity: Project Spend (80)	Invoice To: BP/ARC <u>x</u> Contractor ___

BP/ARC EBM: Shannon Couch				Matrix			No. Containers / Preservative						Requested Analyses								Report Type & QC Level	
EBM Phone: 925-275-3804				Soil / Solid	Water / Liquid	Air / Vapor	Total Number of Containers	Unpreserved	H <sub>2</sub> SO <sub>4</sub>	HNO <sub>3</sub>	HCl	Methanol	GRO (8015M)	DRO (8015M)	BTEX (8260)	5-Oxys (8260)	1,2-DCA (8260)	EDB (8260)	Ethanol (8260)	Standard <u>X</u>		
EBM Email: <u>shannon.couch@bp.com</u>																				Full Data Package ___		
Lab No.	Sample Description	Date	Time																	Comments		
1	MW-1	3/1/12	1205		x		8	x				x	x	x	x	x	x	x				
2	MW-2	↓	1130		x		8	x				x	x	x	x	x	x	x				
3	MW-3	↓	1250		x		8	x				x	x	x	x	x	x	x				
4	TB-472-03012012	3/1/12	-		x		2														ON HOLD	

Sampler's Name: <u>James Ramos / Alex Martinez</u>	Relinquished By / Affiliation		Date	Time	Accepted By / Affiliation		Date	Time
Sampler's Company: Broadbent	<u>Alex Martinez</u> / Broadbent		3/2/12	1200	<u>J. Ramos</u>			
Shipment Method: <u>GSO</u> Ship Date: <u>3/2/12</u>								
Shipment Tracking No: <u>106840473</u>							<u>3/3/12</u>	<u>0908</u>

Special Instructions: Please cc results to bpedf@broadbentinc.com

THIS LINE - LAB USE ONLY: Custody Seals In Place: Yes / No	Temp Blank: Yes / No	Cooler Temp on Receipt: _____ °F/C	Trip Blank: Yes / No	MS/MSD Sample Submitted: Yes / No
--	----------------------	------------------------------------	----------------------	-----------------------------------

Page 1 of 15

4

0212

DATE \_\_\_\_\_

COMPANY **Broadbent**

ADDRESS **875 Cotting Ln.**

ADDRESS \_\_\_\_\_

CITY **Vacaville, CA**

SENDERS NAME **Alex Martinez**

COMPANY **CAL SCIENCE**

NAME \_\_\_\_\_

ADDRESS **7500 LINCOLN WAY**

ADDRESS \_\_\_\_\_

CITY **GARDEN GROVE**

YOUR INTERNAL BILLING REFERENCE WILL APPEAR ON YOUR INVOICE

IAL  
DUCTIONS



**SHIPPING AIR BILL**

PACKAGE LABEL

**4** PACKAGE INFORMATION

LETTER (MAX 8 OZ)

PACKAGE (WT) **~20 lbs**

DECLARED VALUE \$ \_\_\_\_\_

COD AMOUNT \$ \_\_\_\_\_  
(CASH NOT ACCEPTED)

**5** DELIVERY SERVICE  PRIORITY OVERNIGHT BY 10:30 AM  EARLY PRIORITY BY 8:00 AM  SATURDAY DELIVERY

\*DELIVERY TIMES MAY BE LATER IN SOME AREAS • CONSULT YOUR SERVICE GUIDE OR CALL GOLDEN STATE OVERNIGHT.

**6** RELEASE SIGNATURE \_\_\_\_\_  
SIGN TO AUTHORIZE DELIVERY WITHOUT OBTAINING SIGNATURE

**7** \_\_\_\_\_

**8** PICK UP INFORMATION

TIME	DRIVER #	ROUTE #
_____	_____	_____

106840473


PEEL OFF HERE



106840473

**9** GSO TRACKING NUMBER





WORK ORDER #: 12-03-0212

SAMPLE RECEIPT FORM

Cooler 1 of 1

CLIENT: Broadbent

DATE: 03/3/12

TEMPERATURE: Thermometer ID: SC3 (Criteria: 0.0°C - 6.0°C, not frozen)
Temperature 4.1°C - 0.3°C (CF) = 3.8°C
Ambient Temperature: Air Filter Initial: TN

CUSTODY SEALS INTACT:
Cooler No (Not Intact) Not Present N/A Initial: TN
Sample No (Not Intact) Not Present Initial: WSC

SAMPLE CONDITION:
Chain-Of-Custody (COC) document(s) received with samples...
COC document(s) received complete...
Sampler's name indicated on COC...
Sample container label(s) consistent with COC...
Sample container(s) intact and good condition...
pH / Res. Chlorine / Diss. Sulfide / Diss. Oxygen received within 24 hours...
Volatile analysis container(s) free of headspace...
Tedlar bag(s) free of condensation...

CONTAINER TYPE:
Solid: 4ozCGJ 8ozCGJ 16ozCGJ Sleeve EnCores TerraCores
Water: VOA VOAh VOAna2 125AGB 125AGBh 125AGBp 1AGB 1AGBna2 1AGBs
Air: Tedlar Summa Other Trip Blank Lot#: 120106A Labeled/Checked by: WSC
Reviewed by: TN
Scanned by: TN

**APPENDIX D**

**GEOTRACKER UPLOAD CONFIRMATION RECEIPTS**

STATE WATER RESOURCES CONTROL BOARD  
**GEOTRACKER ESI**

## UPLOADING A GEO\_WELL FILE

**SUCCESS**

**Processing is complete. No errors were found!  
Your file has been successfully submitted!**

<b><u>Submittal Type:</u></b>	<b>GEO_WELL</b>
<b><u>Submittal Title:</u></b>	<b>1Q12 GEO_WELL 472</b>
<b><u>Facility Global ID:</u></b>	<b>T10000000417</b>
<b><u>Facility Name:</u></b>	<b>ARCO # / PLUCKY LIQUORS</b>
<b><u>File Name:</u></b>	<b>GEO_WELL.zip</b>
<b><u>Organization Name:</u></b>	<b>Broadbent &amp; Associates, Inc.</b>
<b><u>Username:</u></b>	<b>BROADBENT-C</b>
<b><u>IP Address:</u></b>	<b>67.118.40.90</b>
<b><u>Submittal Date/Time:</u></b>	<b>4/2/2012 11:24:22 AM</b>
<b><u>Confirmation Number:</u></b>	<b>9567762017</b>

Copyright © 2012 State of California

STATE WATER RESOURCES CONTROL BOARD  
**GEOTRACKER ESI**

## UPLOADING A EDF FILE

**SUCCESS**

**Processing is complete. No errors were found!  
Your file has been successfully submitted!**

<b><u>Submittal Type:</u></b>	<b>EDF - Monitoring Report - Semi-Annually</b>
<b><u>Submittal Title:</u></b>	<b>1Q12 GW Monitoring</b>
<b><u>Facility Global ID:</u></b>	<b>T10000000417</b>
<b><u>Facility Name:</u></b>	<b>ARCO # / PLUCKY LIQUORS</b>
<b><u>File Name:</u></b>	<b>12030212.zip</b>
<b><u>Organization Name:</u></b>	<b>Broadbent &amp; Associates, Inc.</b>
<b><u>Username:</u></b>	<b>BROADBENT-C</b>
<b><u>IP Address:</u></b>	<b>67.118.40.90</b>
<b><u>Submittal Date/Time:</u></b>	<b>4/2/2012 11:23:01 AM</b>
<b><u>Confirmation Number:</u></b>	<b>9767438530</b>

[VIEW QC REPORT](#)

[VIEW DETECTIONS REPORT](#)

Copyright © 2012 State of California