

#### TANK CLOSURE REPORT

5925 Ocean View Drive Oakland, CA 94618 Job No. 9081 May 1, 2009

Prepared For:

Bryan McCormack 5925 Ocean View Drive Oakland, CA 94618



Tim Hallen

Registered Environmental Assessor 08006

#### **TABLE OF CONTENTS**

#### **COVER SHEET**

#### TABLE OF CONTENTS

1.	SITE LOCATION	1
2.	SITE HISTORY	1
3.	TANK REMOVAL	1
4.	TANK AND SOIL CONDITION	2
5.	TANK REMOVAL SAMPLING	2
6.	TANK REMOVAL SAMPLE ANALYSIS	2
7.	WASTE MANAGEMENT & SOIL DISPOSAL	2
8.	SITE RESTORATION	3
9.	FINDINGS / RECOMMENDATION	3
TA	GURES BLE TACHMENTS	

#### 1. SITE LOCATION

The subject residential property is located at 5925 Ocean View Drive with cross street of Broadway in Oakland, California. Figure 1 attached shows the general site location.

#### 2. SITE HISTORY

One underground storage tank (UST) containing heating oil was located beneath the driveway within the limits of the property. The tank had a capacity of approximately 250 gallons, measuring approximately 7 feet in length by 2.5 feet in diameter, and was constructed of single wall bare steel. The fill port was located at the center of the tank. The age of the tank is unknown. The owner had no knowledge of the tank nor is there any indication of previous site investigation activities. The approximate location of the tank as well as nearby streets is shown on the attached Figure 2.

#### 3. TANK REMOVAL

In April 2009, Golden Gate Tank Removal, Inc. (GGTR) applied for and obtained permits for the tank removal activities from the City of Oakland Fire Department (OFD). A copy of this permit is included as an attachment.

On April 21, 2009, GGTR mobilized its equipment and began work on the project. The concrete covering the tank was removed and disposed of at a local recycler. The overburden soil covering the tank was removed and placed in a covered stockpile adjacent to the tank excavation. Field measurements indicate that the bottom of the tank was 3.5 feet below the grade (fbg). No other piping extending from the tank was found.

As part of the removal operations, GGTR contracted Uniwaste Environmental to pump the residual product from the tank and piping into a tanker truck. GGTR then pressurewashed the interior of the tank with a 180-degree water using 3000-psi pressure. A nontoxic enzyme was used to break down thick oil deposits. After a third washing, Uniwaste Environmental removed the wash and rinse water from the tank and transported the Non-RCRA Hazardous Waste Liquid (200 Gallons) under Uniform Hazardous Waste Manifest No. 004450834JJK to the Clearwater Environmental facility in Silver Springs, Nevada. A copy of the liquid manifest is included as an attachment. GGTR collected a sample of the rinsate water from the tank and submitted it to Accutest Laboratories (State Certification #08258) under a formal Chain-of-Custody protocol. The rinsate sample was analyzed for Total Petroleum Hydrocarbons Extractable as Heating Oil (TPH-HO), Motor Oil (TPH-MO) by Method SW846 8015B M SW846 3510C. The analytical results of the rinsate sample were acceptable by the OFD for the disposal of the UST as non-hazardous scrap metal. The attached Table "Sampling Results Form" presents a summary of the analytical results. A copy of the laboratory certificate of analysis and chain of custody form is included as an attachment.

On April 23, 2009, as directed by Mr. Keith Matthews of the City of Oakland Fire Department, GGTR removed the tank from the excavation. After a visual inspection, the tank was loaded on to a truck and transported as scrap metal to Circosta Iron & Metal,

Inc. in San Francisco, California. Copies of the Certificate of Disposal and Circosta Scrap Metal Recycling Receipt are attached. Figure 3 depicts photographs of the tank removal activities.

#### 4. TANK AND SOIL CONDITION

The tank was found to be in good condition with no visible holes. No soil discoloration was observed in the tank overburden soil or in the soil underlying the tank. Hydrocarbon odors were noted in the tank overburden soil or soil underlying the tank. The overburden soil and soil underlying the tank was predominantly clay/rock. Groundwater was not observed in the excavation during tank removal activities.

#### 5. TANK REMOVAL SAMPLING

Prior to tank removal activities, under the direction of Mr. Keith Matthews, GGTR collected one four-point composite soil samples from the soil stockpile containing the overburden soil. The composite stockpile sample was labeled 9081-SP(A-D). GGTR also collected a soil sample from the center bottom of the former tank excavation. Soil sample 9081-C-8.5 was collected at approximately 8.5 feet below the grade surface (fbg). All samples were transported to Accutest laboratories (State Certification #08258) under the formal chain-of-custody protocol for the required analyses. Figure 2 depicts the approximate soil sample locations. One other stockpile sample was collected from the visually impacted material that was removed from the tank excavation at the direction of Mr. Keith Mathews at the time of the tank removal. This sample was labeled 9081-VC(A-D)Comp.

#### 6. TANK REMOVAL SAMPLE ANALYSIS

The tank excavation and stockpile composite soil samples were analyzed for Total Petroleum Hydrocarbons Extractable as Heating Oil (TPH-HO), Motor Oil (TPH-MO) by Method SW846 8015B M SW846 3545A; Benzene, Toluene, Ethylbenzene, Total Xylenes (BTEX), and Methyl-tertiary-Butyl Ether (MTBE) by Method SW846 8021B. The stockpile composite soil sample and the visually impacted over–excavated soil were additionally analyzed for Total Lead by Method SW846 6010B. A summary of the analytical results are included in the Table "Sampling Results Form" and a copy of the laboratory certificate of analysis and chain of custody form is included as an attachment.

#### 7. WASTE MANAGEMENT & SOIL DISPOSAL

Because of high concentration of TPH-HO in soil sample 9081-VC(A-D)Comp, GGTR was required by the OFD to excavate and dispose of the impacted stockpiled overburden soil. The soil was profiled for disposal acceptance at the Keller Canyon Sanitary Landfill facility located in Pittsburg, California. Soil profiling included analyzing the soil for TPH-HO, TPH-MO, BTEX, MTBE, and Total Lead. A summary of the profiling analytical results is included in the Table "Sampling Results Form" and a copy of the laboratory certificate of analysis and chain of custody form is included as an attachment.

On May 5, 2009, GGTR transported the Non Hazardous Solid Waste (6.59 tons) under Non-Hazardous Waste Manifest No. 109375 to the Keller Canyon Sanitary Landfill facility in Pittsburg, California. Copies of the solid waste manifest and associated weight tag are included as an attachment.

#### 8. SITE RESTORATION

By May 1, 2009, GGTR backfilled the excavation with the stockpiled overburden soil and clean imported soil. The excavation backfill soil was subsequently compacted and the site was restored to its original conditions.


#### 9. FINDINGS / RECOMMENDATION

There were no visible holes in the tank. There was some contamination encountered in the stockpiled overburden soil. The impacted soil was removed, properly profiled and disposed of at the Keller Canyon Sanitary Landfill facility. Groundwater was not encountered during the tank removal activities. The analytical results from the State Certified Laboratory following the tank removal and remedial activities were non-detect to insignificant and acceptable by the OFD; therefore, GGTR recommends no further action at the site.

.

# **FIGURES**





#### **GOLDEN GATE TANK REMOVAL, INC.**

3730 Mission Street San Francisco, CA 94110 Ph (415) 512-1555 Fx (415) 512-0964

GGTR Project No.9081

Drawing By: AC

#### **VICINITY MAP**


5925 Ocean View Drive Oakland, California 94618

April 2009

Figure 1



## Rockridge Blvd.



#### **Ocean View Drive**

GOLDEN GATE TANK REMOVAL, INC. 3730 Mission Street San Francisco, CA 94110 Ph (415) 512-1555 Fx (415) 512-0964	Site Drawing 5925 Ocean View Drive Oakland, CA 94618
GGTR Project No. 9081 Drawing By: AC	April 2009 Figure 2



TANK READY TO BE REMOVED FROM EXCAVATION



TANK READY TO BE TRANSPORTED FOR DISPOSAL

#### **GOLDEN GATE TANK REMOVAL, INC.**

3730 Mission Street San Francisco, CA 94110 Ph (415) 512-1555 Fx (415) 512-0964

#### **UST REMOVAL**

5925 Ocean View Drive Oakland, CA 94618

GGTR Project No. 9081

Drawing By: AC

May 2009

Figure 3

# **TABLE**

#### **SAMPLING RESULTS FORM**

**Underground Storage Tank Site Address:** 5925 Ocean View Drive, Oakland, CA 94618

**Business Site Name:** Residential

Description Sample ID	Sample Depth (Indicate depth of	Media	Date (Date Sample	Soil Type (specify if	Results expressed in parts per million (ppm)							
(Specify location; i.e., tank, pipe, stockpile) and number	sample from grade)	(soil/water)	was collected	sand, clay, fill, etc.)	ТРН-НО	ТРН-МО	В	T	E	X	MTBE	LEAD
9081-SP(A-D) (Stockpile)	Not Applicable	soil	4/23/2009	clayrock	29.2	10.6	ND<0.250	0.0568	ND<0.250	ND<0.500	ND<1.2	35.6
9081-VC(A-D) (Stockpile)	Not Applicable	soil	4/23/2009	clayrock	2750	ND<1000	ND<0.240	0.0562	0.453	0.545	ND<1.2	8.8
9081-C-8.5 (Excavation)	8.5 feet	soil	4/23/2009	clayrock	448	ND<100	ND<0.022	ND<0.022	0.0447	0.0396	ND<0.110	NA
9081-R3 (Tank Rinsate)	Not Applicable	water	4/22/2009	Not Applicable	0.646	ND<1.9	NA	NA	NA	NA	NA	NA

TPH-HO = Total Petroleum Hydrocarbons as Heating Oil

TPH-MO = Total Petroleum Hydrocarbons as Motor Oil

BTEX = Benzene, Toluene, Ethylbenzene, Xylene

MTBE = Methyl-t-Butyl Ether

NA = Not Analyzed

ND = Non-Detectable Results

List of additional analytical results and detection limits on attached certified lab report

# **ATTACHMENTS**

ANALYTICAL REPORT
UST CLOSURE INSPECTION RECORDS
CERTIFICATE OF TANK DISPOSAL
TANK DISPOSAL MANIFEST
LIQUID AND SOLID WASTE MANIFESTS
SOLID WASTE WEIGHT TAG
UST UNAUTHORIZED RELEASE (LEAK) / CONTAMINATION REPORT
PERMITS





04/30/09



#### **Technical Report for**

**Golden Gate Tank Removal** 

5925 Ocean View Drive, Oakland, CA

9081

Accutest Job Number: C5397

Sampling Dates: 04/22/09 - 04/23/09

#### Report to:

**Golden Gate Tank Removal 3730 Mission Street** San Francisco, CA 94110 Data@ggtr.com; j.alexander@ggtr.com

ATTN: Josh Alexander

Total number of pages in report: 32





Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.

Client Service contact: Diane Theesen 408-588-0200

Certifications: CA (08258CA)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories. Test results relate only to samples analyzed.

Northern California • 3334 Victor Court • Santa Clara, CA 95054 • tel: 408-588-0200 • fax: 408-588-0201 • http://www.accutest.com

Laurie Glantz-Murphy

**Laboratory Director** 

#### **Sections:**

## **Table of Contents**

-1-

Section 1: Sample Summary	3
Section 2: Sample Results	4
<b>2.1:</b> C5397-1: 9081-R3	5
<b>2.2:</b> C5397-2: 9081-SP(A-D)COMP	6
<b>2.3:</b> C5397-3: 9081-VC(A-D)COMP	9
<b>2.4:</b> C5397-4: 9081-C-8.5	
Section 3: Misc. Forms	14
3.1: Chain of Custody	15
Section 4: GC Volatiles - QC Data Summaries	<b>17</b>
4.1: Method Blank Summary	18
4.2: Blank Spike/Blank Spike Duplicate Summary	19
Section 5: GC Semi-volatiles - QC Data Summaries	20
5.1: Method Blank Summary	21
5.2: Blank Spike/Blank Spike Duplicate Summary	
5.3: Matrix Spike/Matrix Spike Duplicate Summary	
Section 6: Metals Analysis - QC Data Summaries	
(1) Drop OC MD1140, Ph	27





+







## **Sample Summary**

Golden Gate Tank Removal

Job No: C5397

5925 Ocean View Drive, Oakland, CA Project No: 9081

Sample Number	Collected Date	Time By	Received	Matr Code		Client Sample ID
C5397-1	04/22/09	13:30 JA	04/24/09	AQ	Ground Water	9081-R3
C5397-2	04/23/09	10:45 JA	04/24/09	SO	Soil	9081-SP(A-D)COMP
C5397-3	04/23/09	12:55 JA	04/24/09	so	Soil	9081-VC(A-D)COMP
C5397-4	04/23/09	12:45 JA	04/24/09	SO	Soil	9081-C-8.5







## Sample Results

Report of Analysis



Page 1 of 1

Client Sample ID: 9081-R3

 Lab Sample ID:
 C5397-1
 Date Sampled:
 04/22/09

 Matrix:
 AQ - Ground Water
 Date Received:
 04/24/09

 Method:
 SW846 8015B M SW846 3510C
 Percent Solids:
 n/a

**Project:** 5925 Ocean View Drive, Oakland, CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 HH2808.D 1 04/28/09 MT 04/27/09 OP906 GHH139

Run #2

Initial Volume Final Volume
Run #1 1060 ml 1.0 ml

Run #2

#### **TPH Extractable**

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (C10-C28) <sup>a</sup> TPH (> C28-C40)	0.646 ND	0.094 0.19	0.047 0.094	mg/l mg/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
630-01-3	Hexacosane	74%		45-1	40%	

<sup>(</sup>a) Heating Oil is not a unique pattern. Historically Heating Oil has been various petroleum hydrocabon mixtures from C9-C32; this includes the Diesel and/or Motor Oil ranges. Therefor TPH in either range could be Heating Oil.

ND = Not detected

MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Page 1 of 1

Client Sample ID: 9081-SP(A-D)COMP

 Lab Sample ID:
 C5397-2
 Date Sampled:
 04/23/09

 Matrix:
 SO - Soil
 Date Received:
 04/24/09

 Method:
 SW846 8021B
 Percent Solids:
 n/a a

**Project:** 5925 Ocean View Drive, Oakland, CA

File ID DF **Analytical Batch** Analyzed By **Prep Date Prep Batch** Run #1 b JJ6632.D 1 04/29/09 JA **GJJ243** n/an/aRun #2

Run #1 5.02 g 5.0 ml 100 ul
Run #2

#### **Purgeable Aromatics, MTBE**

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2 108-88-3 100-41-4 1330-20-7 1634-04-4	Benzene Toluene Ethylbenzene Xylenes (total) Methyl Tert Butyl Ether	ND 56.8 ND ND ND	250 250 250 500 1200	50 50 50 100 500	ug/kg ug/kg ug/kg ug/kg ug/kg	J
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Lim	its	
460-00-4	4-Bromofluorobenzene	106%		60-1	57%	

<sup>(</sup>a) All results reported on wet weight basis.

(b) 4:1 composite

ND = Not detected

MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Page 1 of 1

Client Sample ID: 9081-SP(A-D)COMP

Lab Sample ID: C5397-2 **Date Sampled:** 04/23/09 Matrix: SO - Soil **Date Received:** 04/24/09 Method: SW846 8015B M SW846 3545A Percent Solids: n/a a

**Project:** 5925 Ocean View Drive, Oakland, CA

DF **Analytical Batch** File ID Analyzed By **Prep Date Prep Batch** Run #1 HH2816.D 1 04/28/09 MT 04/27/09 OP910 **GHH139** Run #2

**Final Volume Initial Weight** Run #1 1.0 ml 10.0 g Run #2

#### **TPH Extractable**

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (C10-C28) b TPH (> C28-C40)	29.2 10.6	10 20	5.0 10	mg/kg mg/kg	J
CAS No. Surrogate Recoveries		Run# 1	Run# 2	Lim	its	
630-01-3	Hexacosane	78%		45-1	40%	

<sup>(</sup>a) All results reported on wet weight basis.

ND = Not detected MDL - Method Detection Limit J = Indicates an estimated value

RL = Reporting Limit

E = Indicates value exceeds calibration range

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



<sup>(</sup>b) Heating Oil is not a unique pattern. Historically Heating Oil has been various petroleum hydrocabon mixtures from C9-C32; this includes the Diesel and/or Motor Oil ranges. Therefor TPH in either range could be Heating Oil.

## Page 1 of 1

#### **Report of Analysis**

Client Sample ID: 9081-SP(A-D)COMP

Lab Sample ID:C5397-2Date Sampled:04/23/09Matrix:SO - SoilDate Received:04/24/09Percent Solids:n/a a

**Project:** 5925 Ocean View Drive, Oakland, CA

#### **Metals Analysis**

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	<b>Prep Method</b>
Lead	35.6	1.9	mg/kg	2	04/27/09	04/29/09 CT	SW846 6010B <sup>1</sup>	SW846 3050B <sup>2</sup>

(1) Instrument QC Batch: MA640(2) Prep QC Batch: MP1140

(a) All results reported on wet weight basis.

#### N

#### **Report of Analysis**

Page 1 of 1

Client Sample ID: 9081-VC(A-D)COMP

 Lab Sample ID:
 C5397-3
 Date Sampled:
 04/23/09

 Matrix:
 SO - Soil
 Date Received:
 04/24/09

 Method:
 SW846 8021B
 Percent Solids:
 n/a a

**Project:** 5925 Ocean View Drive, Oakland, CA

File ID DF **Analytical Batch** Analyzed By **Prep Date Prep Batch** Run #1 b JJ6634.D 1 04/29/09 JA **GJJ243** n/an/a Run #2

Run #1 5.14 g 5.0 ml 100 ul
Run #2

#### **Purgeable Aromatics, MTBE**

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2 108-88-3 100-41-4 1330-20-7 1634-04-4	Benzene Toluene Ethylbenzene Xylenes (total) Methyl Tert Butyl Ether	ND 56.2 453 545 ND	240 240 240 490 1200	49 49 49 97 490	ug/kg ug/kg ug/kg ug/kg ug/kg	J
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Lim	its	
460-00-4	4-Bromofluorobenzene	492% <sup>c</sup>		60-1	.57%	

- (a) All results reported on wet weight basis.
- (b) 4:1 composite
- (c) Outside control limits due to matrix interference.

ND = Not detected

MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



#### 7

#### **Report of Analysis**

Page 1 of 1

Client Sample ID: 9081-VC(A-D)COMP

 Lab Sample ID:
 C5397-3
 Date Sampled:
 04/23/09

 Matrix:
 SO - Soil
 Date Received:
 04/24/09

 Method:
 SW846 8015B M
 SW846 3545A
 Percent Solids:
 n/a a

**Project:** 5925 Ocean View Drive, Oakland, CA

**Analytical Batch** File ID DF Analyzed By **Prep Date Prep Batch** Run #1 HH2833.D 50 04/28/09 MT 04/27/09 OP910 **GHH139** Run #2

Initial Weight Final Volume
Run #1 10.0 g 1.0 ml
Run #2

#### **TPH Extractable**

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (C10-C28) b TPH (> C28-C40)	2750 ND	500 1000	250 500	mg/kg mg/kg	
CAS No. Surrogate Recoveries		Run# 1	Run# 2	Limits		
630-01-3 Hexacosane		76%		45-1	40%	

(a) All results reported on wet weight basis.

(b) Heating Oil is not a unique pattern. Historically Heating Oil has been various petroleum hydrocabon mixtures from C9-C32; this includes the Diesel and/or Motor Oil ranges. Therefor TPH in either range could be Heating Oil.

ND = Not detected

MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Page 1 of 1

Client Sample ID: 9081-VC(A-D)COMP

Lab Sample ID:C5397-3Date Sampled:04/23/09Matrix:SO - SoilDate Received:04/24/09Percent Solids:n/a a

**Project:** 5925 Ocean View Drive, Oakland, CA

#### **Metals Analysis**

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	<b>Prep Method</b>
Lead	8.8	1.9	mg/kg	2	04/27/09	04/29/09 CT	SW846 6010B <sup>1</sup>	SW846 3050B <sup>2</sup>

(1) Instrument QC Batch: MA640(2) Prep QC Batch: MP1140

(a) All results reported on wet weight basis.

Page 1 of 1

Client Sample ID: 9081-C-8.5 Lab Sample ID: C5397-4

**Matrix:** SO - Soil Method: SW846 8021B

5925 Ocean View Drive, Oakland, CA

**Date Sampled:** 04/23/09 **Date Received:** 04/24/09 Percent Solids: n/a a

**Project:** 

File ID DF **Analytical Batch** Analyzed By **Prep Date Prep Batch** Run #1 JJ6644.D 5 04/30/09 JA n/a**GJJ243** n/a Run #2

**Initial Weight** 

Run #1 1.13 g

Run #2

#### **Purgeable Aromatics, MTBE**

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2 108-88-3 100-41-4 1330-20-7 1634-04-4	Benzene Toluene Ethylbenzene Xylenes (total) Methyl Tert Butyl Ether	ND ND 44.7 39.6 ND	22 22 22 24 44 110	4.4 4.4 4.4 8.8 44	ug/kg ug/kg ug/kg ug/kg ug/kg	J
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Run# 2 Lin		
460-00-4	0-00-4 4-Bromofluorobenzene			60-1	57%	

- (a) All results reported on wet weight basis.
- (b) Outside control limits due to matrix interference.

ND = Not detected

MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



#### N

#### **Report of Analysis**

Page 1 of 1

Client Sample ID: 9081-C-8.5 Lab Sample ID: C5397-4

Matrix: SO - Soil

**Method:** SW846 8015B M SW846 3545A

Date Sampled: 04/23/09 Date Received: 04/24/09 Percent Solids: n/a <sup>a</sup>

**Project:** 5925 Ocean View Drive, Oakland, CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 HH2834.D 5 04/28/09 MT 04/27/09 OP910 GHH139

Run #2

Initial Weight Final Volume

Run #1 10.0 g 1.0 ml

Run #2

#### **TPH Extractable**

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (C10-C28) <sup>b</sup> TPH (> C28-C40)	448 ND	50 100	25 50	mg/kg mg/kg	
CAS No.	<b>Surrogate Recoveries</b>	Run# 1	Run# 2	Lim	its	
630-01-3	Hexacosane	74%		45-1	40%	

(a) All results reported on wet weight basis.

(b) Heating Oil is not a unique pattern. Historically Heating Oil has been various petroleum hydrocabon mixtures from C9-C32; this includes the Diesel and/or Motor Oil ranges. Therefor TPH in either range could be Heating Oil.

ND = Not detected

MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound







Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

• Chain of Custody



iii ii	Nort	ıern (	Califor	nia
ZAC		UT	E\$	T <sub>o</sub>

#### CHAIN OF CUSTODY

	Northern Cambrina			-4.2.E G	<b>₩</b>					9 11			FED-EX	( Tracking	#				Bottle Or	der Contr	ol#			
				Victor Cour 588-0200		(; (408)			1				Accute	st Quote	¥				Accutest	NC Job #	C A	5-0		
·	Laboratories		(400)	300-0200	FAA	. (400)	300-0	1201							**************				S Date of the State of the Stat	un salernes		<u>,57</u>	59	[
	Client / Reporting Information			Proje	ect Infor	mation	153			(SEEE)		awasa				- 4	l	Reque	sted Ar	nalysis				Matrix Codes
Company N			Project N		201 111101		122		337708.000	(CONTRACTOR S)	orenia.co	S-11-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5		- se		12	ن أ	Г						WW- Water
	661K.		Street										Solin	itBE as G	+TICs	2.5	-Wdd	E08	D QI					GW- Ground Water SW- Surface Water
Address	130 Mission St.			5925	- O	en	<u>1/1</u>	ودر	ا ر	<u>()c</u>			as Ga	TPH TPH	Ŧ	Hentry	₩ 88 K		-OIA/		İ			SO- Soil
City	State  State  CA 94	Zip {(O	City	Mar	rd		^s	tate A					with/TPH as Gasoline	AtBE /	625	otor Oil	RCR	PCBs-8082 []	by GC					Ol-Oil WP-Wipe
Project Con			Project #	9,	28/			·	-				624 [] wi	A / EDB	-	sei - Mc	UFT-5C	PCBs	sasoline					LIQ - Non-aqueous Liquid
Phone #	45-512-1555		EMAIL:	j.0	Jex	ano	lect	60,0	354	-6.	(رن	نسر	-l-n	ludes E	PAHs only 🗆	Gel Ck	150	- E	≥H as G					AIR DW- Drinking Water
Samplers's	Name Joshua Alexander	-	<u> </u>	rchase Order	#	r	Num	hor o	f pres	conv	ad Ro	ttige	I List	ro (Inc	PA	ractab	S: CAN	les-808	TE ST		Ì			(Perchlorate Only)
Accutest Sample	Sample ID / Field Point / Point of Collection	Date	Collecti	Sampled by	Matrix	# of	T	Ho S		Ne Ne	2	E E	8260 Full List	8260Petro (Includes BTEX / MtBE / TBA / EtBE / DIPE / TAME / 1,2-DCA / EDB	8270 🗆	PH-Extractable- Diesel - Motor Oil - Other C With Silica Gel Cleanup C (H.C.)	METALS: CAM-170 LUFT-50 RCRA-80	Pesticides-8081	BTEX.MBETPH as Gasoline by GC/PID-FID					LAB USE ONLY
ID	4081 - K3	4/22/00	-	Sampled by	W	Jounes		7	+	Z	-2	-	,, w c			X							-1	
<u> </u>	9081 - 15	7 (2%)2%	11.30		00	<del>-                                    </del>	$\vdash$	+	+	Н	$\dashv$	_	+	+-	†		<del>                                     </del>	<b>†</b>					•	
		1 1	-	<u> </u>	7		Н	+	+-	$\vdash$		+	+		<del> </del>	X	×		X				2	
L	9081-5P(A-1)	423/00	10:49		5	4	$\vdash$	+	+-	$\vdash$		+				+^	+^		+				-	
L					ļ		$\sqcup$	_	_	Ш	$\sqcup$	4	<del> </del>	-		1. 7		ļ	-			4	23	
	9081-NC(A-12)	4 25 00	12:4	\$	5	4	Ш				Ш					×	X	<u> </u>	X				3	
				1													<u></u>						166	
	9081- (-8.5	1 23 24	12:45		5	1	П								1	X		<u> </u>	$\times$			0	4	
	100;						17		T							Τ							,	-
			<u> </u>				$\Box$	$\top$	$\top$					1		1.								
			<u> </u>		1		$\vdash$	計	-	-		+		. •		A.X		<b>†</b>						
	Tumaround Time ( Business days)			104000000000000000000000000000000000000	Data D	 eliverable	Inform	tion	920								<b>b</b>		mments /	Remarks	<u></u>			
	Std. 15 Business Days App	oved By:/ Da	ite:	/I	mercial "				SSEN-	4			ege Terres				٥,	e'd	Lis	LA.	_ h	1.11	Ď	
	10 Day (Workload dependent)		/	Com	mercial "I	В"		-				_000				B)	100	.c. or		100	-2000	M	din	7 1. 00
	5 Day (Workload dependent) 3 Day (125% markup)			H			H		-					All I					9	1 1	3 0	we	e v	ubel
	2 Day (150% markup)	$-\!\!\!/$		I	for Geotr			EDD	Form	at									W	5.1	0 7	بساع	b	
	1 Day (200% markup)				le EDF GI le EDF Lo	/ "								-									V	
E	Same Day (300% markup) rgency T/A data available VIA Lablink			Provid	e EDF LO	ngcpae:						1		1										
	' Sample Custody	nust be d	dcumente	ed below ea	gh time	sample	s cha	nge p	osse	ssio	n, ind	uding	courie	r delive	ry.	1.0			Receive	ß.				
Relinqui	shed by Sampler:	常沙	616	Received B					Rei	inquis	hed By	" /		_	133	W.	10300	!	2	V	) Ned	). ~	L.	
1 Relingui	shed by:	Date Time:	Obil	Received By	X (		elorista Calca	من المناسب		inquis	hedBy	1		$\rightarrow$	Date to		v -		Receive	d By:	mark			

C5397: Chain of Custody Page 1 of 2



# Accutest Laboratories Northern California STANDARD OPERATING PROCEDURE

Checklist
Receiving
Sample

-	
,	

Review Chain of Custody The Chain of Custody is to be completely and legibly filled out by Client.	is to be completely and legibly filled out by Client.
a-Are these regulatory (NPDES) samples? Yes No dircle one	Ocircle one
ात्रकाम requested? Yes/(No)circle one 🛮 Was Clie	್ರವಶಿಧಿH requested? Yes/Mocircle one 🛮 Was Client informed that hold time is 15 min? Yes / No circle one
If yes, did Client consent to continue?	
TAre sample within hold time? (Ves/) No circle one	crAre sample within hold time? (Ves / No circle one Are sample in danger of exceeding its hold-time within 6-48 hours?
-Report to info is complete and legible, including:	

\	□a@dress				
- e-mail	o contact	□ €-mail	one	oue	.~
- phone	Credit card	a-phone	No circle	(res/ No circle one	月
□ Type of deliverable needed □-Mame □ Address	QRII to info is complete and legible, including; a PO# a Credit card a contact address	□_Contact and/or Project Manager identified, including; □	p-Project name / number a Special requirements? (res/ No circle one	2-8ample IDs / date & time of collection provided? Res	DISMIATRIX listed and correct? Yes / No circle one

phone = e-mail

CANALYSes listed are those we do or elient has authorized a subcontract? Chain is signed and dated by both client and sample custodian? Approved by N/A D-FAT requested available?

(Yes / No circle one

(Yes / No circle one

Temp S.16°c • If cooler is outside the ≤6°C; note down below the affected bottles in that cooler ⊕-Were Coolers temperatures measured at ≤6°C? Cooler # Review Coolers:

Note that ANC does NOT accept evidentiary samples. (We do not lock refrigerators)

oshipment Method Accustof Courier

Unbroken: Yes / No circle one Review of Sample Bottles: If you answer no, explain below Present : Yes/Mocircle one - Gustody Seals:

□ Sample ID+ bottle number / Date / Time of bottle labels match the COC? (Yes) No circle one □ Sample bottle intact? Res / No circle one

□ Sthere-enough samples for requested analyses? If so, were samples placed in proper containers (Yes / No circle one n Proper Preservatives? Check pH on preserved samples except 1664, 625, 8270 and VOAs and list below № 14—

 $\Box$  Are VOAs received without headspace? Size of bubble (not greater than 6mm in diameter) Yes / No circle one List sample ID and affected container  $\dot{N}_{f}/A$ 

Lab#	Client Sample ID	pH Check	Other Comments/Issues

Non-Compliance issues and discrepancies on the COC are forwarded to Project Management NAnc-srv-file1\Entech-Data\Laboratory\Sample\_Contro\Form\_Sample Receipt Checklist\_Rev0.doc

Page 2 of 2

C5397: Chain of Custody



## GC Volatiles

#### QC Data Summaries

#### Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries



**Method:** SW846 8021B

#### **Method Blank Summary**

Job Number: C5397

**Account:** GGTRCASF Golden Gate Tank Removal **Project:** 5925 Ocean View Drive, Oakland, CA

	Sample GJJ243-MB	File ID JJ6612.D	<b>DF</b> 1	<b>Analyzed</b> 04/29/09	<b>By</b> JA	<b>Prep Date</b> n/a	<b>Prep Batch</b> n/a	Analytical Batch GJJ243
--	---------------------	---------------------	----------------	--------------------------	-----------------	----------------------	-----------------------	----------------------------

The QC reported here applies to the following samples:

C5397-2, C5397-3, C5397-4

CAS No.	Compound	Result	RL	MDL	Units Q
71-43-2	Benzene	ND	5.0	1.0	ug/kg
100-41-4	Ethylbenzene	ND	5.0	1.0	ug/kg
1634-04-4	Methyl Tert Butyl Ether	ND	25	10	ug/kg
108-88-3	Toluene	ND	5.0	1.0	ug/kg
1330-20-7	Xylenes (total)	ND	10	2.0	ug/kg

CAS No. Surrogate Recoveries Limits

460-00-4 4-Bromofluorobenzene 107% 60-157%



**Method:** SW846 8021B

#### Blank Spike/Blank Spike Duplicate Summary

Job Number: C5397

Account: GGTRCASF Golden Gate Tank Removal **Project:** 5925 Ocean View Drive, Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	<b>Analytical Batch</b>
GJJ243-BS	JJ6613.D	1	04/29/09	JA	n/a	n/a	GJJ243
GJJ243-BSD	JJ6614.D	1	04/29/09	JA	n/a	n/a	GJJ243

The QC reported here applies to the following samples:

C5397-2, C5397-3, C5397-4

CAS No.	Compound	Spike ug/kg	BSP ug/kg	BSP %	BSD ug/kg	BSD %	RPD	Limits Rec/RPD
71-43-2	Benzene	50	42.8	86	43.4	87	1	65-135/30
100-41-4	Ethylbenzene	50	45.3	91	45.4	91	0	65-135/30
1634-04-4	Methyl Tert Butyl Ether	50	37.9	76	38.8	78	2	65-135/30
108-88-3	Toluene	50	43.0	86	43.4	87	1	65-135/30
1330-20-7	Xylenes (total)	150	137	91	138	92	1	65-135/30

CAS No.	<b>Surrogate Recoveries</b>	BSP	BSD	Limits
460-00-4	4-Bromofluorobenzene	103%	105%	60-157%





## GC Semi-volatiles

#### QC Data Summaries

#### Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries



#### Page 1 of 1

**Method:** SW846 8015B M

Method Blank Summary Job Number: C5397

Account: GGTRCASF Golden Gate Tank Removal **Project:** 5925 Ocean View Drive, Oakland, CA

Sample OP906-MB	File ID HH2784.D	<b>DF</b> 1	<b>Analyzed</b> 04/27/09	<b>By</b> MT	<b>Prep Date</b> 04/27/09	Prep Batch OP906	Analytical Batch GHH139

The QC reported here applies to the following samples:

C5397-1

CAS No.	Compound	Result	RL	MDL	Units Q	
	TPH (C10-C28) TPH (> C28-C40)	ND ND	0.10 0.20	0.050 0.10	mg/l mg/l	
CAS No.	Surrogate Recoveries		Limit	s		
630-01-3	Hexacosane	82%	45-14	0%		



**Method:** SW846 8015B M

# Method Blank Summary Job Number: C5397

Account: GGTRCASF Golden Gate Tank Removal **Project:** 5925 Ocean View Drive, Oakland, CA

Sample	File ID	DF	Analyzed	$\mathbf{B}\mathbf{y}$	<b>Prep Date</b>	Prep Batch	Analytical Batch
OP910-MB	HH2813.D	1	04/28/09	MT	04/27/09	OP910	GHH139

The QC reported here applies to the following samples:

C5397-2, C5397-3, C5397-4

CAS No.	Compound	Result	RL	MDL	Units Q	
	TPH (C10-C28) TPH (> C28-C40)	ND ND	10 20	5.0 10	mg/kg mg/kg	
CAS No.	Surrogate Recoveries		Limi	ts		
630-01-3	Hexacosane	91%	45-14	10%		



#### Page 1 of 1

**Method:** SW846 8015B M

Blank Spike/Blank Spike Duplicate Summary Job Number: C5397

Account: GGTRCASF Golden Gate Tank Removal **Project:** 5925 Ocean View Drive, Oakland, CA

Sample OP906-BS OP906-BSD	File ID HH2780.D HH2781.D	<b>DF</b> 1 1	<b>Analyzed</b> 04/27/09 04/27/09	By MT MT	Prep Date 04/27/09 04/27/09	Prep Batch OP906 OP906	Analytical Batch GHH139 GHH139

The QC reported here applies to the following samples:

C5397-1

CAS No.	Compound	Spike mg/l	BSP mg/l	BSP %	BSD mg/l	BSD %	RPD	Limits Rec/RPD
	TPH (C10-C28) TPH (> C28-C40)	1 1	0.792 0.623	79 62	0.732 0.601	73 60	8 4	45-140/30 45-140/30

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
630-01-3	Hexacosane	76%	72%	45-140%



Page 1 of 1

**Method:** SW846 8015B M

# Blank Spike/Blank Spike Duplicate Summary Job Number: C5397

Account: GGTRCASF Golden Gate Tank Removal **Project:** 5925 Ocean View Drive, Oakland, CA

Sample	File ID	DF	Analyzed	Ву	Prep Date	Prep Batch	Analytical Batch
OP910-BS	HH2814.D	1	04/28/09	MT	04/27/09	OP910	GHH139
OP910-BSD	HH2815.D	1	04/28/09	MT	04/27/09	OP910	GHH139

The QC reported here applies to the following samples:

C5397-2, C5397-3, C5397-4

CAS No.	Compound	Spike mg/kg	BSP mg/kg	BSP %	BSD mg/kg	BSD %	RPD	Limits Rec/RPD
	TPH (C10-C28) TPH (> C28-C40)	100 100	94.1 81.8	94 82	87.2 77.4	87 77	8	45-140/30 45-140/30
CAS No.	Surrogate Recoveries	BSP	BSI	)	Limits			
630-01-3	Hexacosane	93%	88%	, )	45-140%	ó		



## U

### Page 1 of 1

## Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C5397

**Account:** GGTRCASF Golden Gate Tank Removal **Project:** 5925 Ocean View Drive, Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP910-MS	HH2827.D	1	04/28/09	MT	04/27/09	OP910	GHH139
OP910-MSD	HH2828.D	1	04/28/09	MT	04/27/09	OP910	GHH139
C5396-6	HH2826.D	1	04/28/09	MT	04/27/09	OP910	GHH139

The QC reported here applies to the following samples:

Method: SW846 8015B M

C5397-2, C5397-3, C5397-4

CAS No.	Compound	C5396-6 mg/kg Q	Spike mg/kg	MS mg/kg	MS %	MSD mg/kg	MSD %	RPD	Limits Rec/RPD
	TPH (C10-C28) TPH (> C28-C40)	ND ND	100 100	75.5 62.0	76 62	82.5 72.0	83 72	9 15	45-140/30 45-140/30
CAS No.	Surrogate Recoveries	MS	MSD	C53	396-6	Limits			
630-01-3	Hexacosane	74%	77%	76%	6	45-140%	ó		







## Metals Analysis

## QC Data Summaries

### Includes the following where applicable:

- · Method Blank Summaries
- Matrix Spike and Duplicate Summaries
- Blank Spike and Lab Control Sample Summaries
- Serial Dilution Summaries



#### BLANK RESULTS SUMMARY Part 2 - Method Blanks

### Login Number: C5397

Account: GGTRCASF - Golden Gate Tank Removal Project: 5925 Ocean View Drive, Oakland, CA

QC Batch ID: MP1140 Matrix Type: SOLID Methods: SW846 6010B Units: mg/kg

Prep Date:

04/27/09

					01/2//05
Metal	RL	IDL	MDL	MB raw	final
Aluminum	10	1.3	1.8		
Antimony	2.0	.67	.39		
Arsenic	2.0	.96	.53		
Barium	1.0	.02	.073		
Beryllium	1.0	.04	.35		
Boron	1.0	.7	.34		
Cadmium	1.0	.03	.28		
Calcium	10	.52	1.1		
Chromium	1.0	.05	.12		
Cobalt	1.0	.04	.36		
Copper	1.0	.07	.42		
Iron	10	.33	2.2		
Lead	1.0	.24	.38	0.090	<1.0
Lithium	1.0	.19	.18		
Magnesium	10	1.3	.95		
Manganese	1.0	.12	.25		
Molybdenum	1.0	.13	.1		
Nickel	1.0	.09	.14		
Potassium	20	5.1	4.1		
Selenium	2.0	.98	1.2		
Silicon	10	1.4	.73		
Silver	1.0	.08	.084		
Sodium	200	1.6	5		
Strontium	1.0	.02			
Thallium	2.0	. 4	.47		
Tin	5.0	.26	1		
Titanium	1.0	.02	.041		
Vanadium	1.0	.02	.045		
Zinc	2.0	.35	.31		

Associated samples MP1140: C5397-2, C5397-3

Results < IDL are shown as zero for calculation purposes (\*) Outside of QC limits (anr) Analyte not requested

\_\_\_\_



### MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: C5397 Account: GGTRCASF - Golden Gate Tank Removal Project: 5925 Ocean View Drive, Oakland, CA

QC Batch ID: MP1140 Methods: SW846 6010B Matrix Type: SOLID Units: mg/kg

Prep Date:

04/27/09

Metal	C5396-3 Original MS	Spik MPIR		QC Limits
Aluminum				
Antimony	anr			
Arsenic	anr			
Barium	anr			
Beryllium	anr			
Boron				
Cadmium	anr			
Calcium				
Chromium	anr			
Cobalt	anr			
Copper	anr			
Iron				
Lead	7.1 53	.0 50	91.8	80-120
Lithium				
Magnesium				
Manganese				
Molybdenum	anr			
Nickel	anr			
Potassium				
Selenium	anr			
Silicon				
Silver	anr			
Sodium				
Strontium				
Thallium	anr			
Tin				
Titanium				
Vanadium	anr			
Zinc	anr			

Associated samples MP1140: C5397-2, C5397-3

Results < IDL are shown as zero for calculation purposes (\*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

(anr) Analyte not requested



### MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: C5397 Account: GGTRCASF - Golden Gate Tank Removal Project: 5925 Ocean View Drive, Oakland, CA

QC Batch ID: MP1140 Methods: SW846 6010B Matrix Type: SOLID Units: mg/kg

Prep Date:

04/27/09

Metal	C5396-3 Original M	ISD	Spikelot MPIR1	% Rec	MSD RPD	QC Lim
Aluminum						
Antimony	anr					
Arsenic	anr					
Barium	anr					
Beryllium	anr					
Boron						
Cadmium	anr					
Calcium						
Chromium	anr					
Cobalt	anr					
Copper	anr					
Iron						
Lead	7.1 5	3.8	50	93.4	1.5	
Lithium						
Magnesium						
Manganese						
Molybdenum	anr					
Nickel	anr					
Potassium						
Selenium	anr					
Silicon						
Silver	anr					
Sodium						
Strontium						
Thallium	anr					
Tin						
Titanium						
Vanadium	anr					
Zinc	anr					

Associated samples MP1140: C5397-2, C5397-3

Results < IDL are shown as zero for calculation purposes (\*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

(anr) Analyte not requested



### SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: C5397 Account: GGTRCASF - Golden Gate Tank Removal Project: 5925 Ocean View Drive, Oakland, CA

QC Batch ID: MP1140 Methods: SW846 6010B Matrix Type: SOLID Units: mg/kg

Prep Date: 04/27/09 04/27/09

TTCP Date			01,2,,09					01/2//03	
Metal	BSP Result	Spikelot MPIR1	: % Rec	QC Limits	BSD Result	Spikelot MPIR1	% Rec	BSD RPD	QC Limit
Aluminum									
Antimony	anr								
Arsenic	anr								
Barium	anr								
Beryllium	anr								
Boron									
Cadmium	anr								
Calcium									
Chromium	anr								
Cobalt	anr								
Copper	anr								
Iron									
Lead	54.0	50	108.0	80-120	51.7	50	103.4	4.4	
Lithium									
Magnesium									
Manganese									
Molybdenum	anr								
Nickel	anr								
Potassium									
Selenium	anr								
Silicon									
Silver	anr								
Sodium									
Strontium									
Thallium	anr								
Tin									
Titanium									
Vanadium	anr								
Zinc	anr								

Associated samples MP1140: C5397-2, C5397-3

Results < IDL are shown as zero for calculation purposes (\*) Outside of QC limits (anr) Analyte not requested



### SERIAL DILUTION RESULTS SUMMARY

Login Number: C5397 Account: GGTRCASF - Golden Gate Tank Removal Project: 5925 Ocean View Drive, Oakland, CA

QC Batch ID: MP1140 Methods: SW846 6010B Matrix Type: SOLID Units: ug/l

Prep Date: 04/27/09

Metal	C5396-3 Original	SDL 1:5	%DIF	QC Limits		
Aluminum						
Antimony	anr					
Arsenic	anr					
Barium	anr					
Beryllium	anr					
Boron						
Cadmium	anr					
Calcium						
Chromium	anr					
Cobalt	anr					
Copper	anr					
Iron						
Lead	73.5	76.0	3.4	0-10		
Lithium						
Magnesium						
Manganese						
Molybdenum	anr					
Nickel	anr					
Potassium						
Selenium	anr					
Silicon						
Silver	anr					
Sodium						
Strontium						
Thallium	anr					
Tin						
Titanium						
Vanadium	anr					
Zinc	anr					

Associated samples MP1140: C5397-2, C5397-3

Results < IDL are shown as zero for calculation purposes (\*) Outside of QC limits (anr) Analyte not requested



### POST DIGESTATE SPIKE SUMMARY

Login Number: C5397 Account: GGTRCASF - Golden Gate Tank Removal Project: 5925 Ocean View Drive, Oakland, CA

QC Batch ID: MP1140 Methods: SW846 6010B Matrix Type: SOLID Units: ug/1

Prep Date: 04/27/09

Prep Date:									04/2//03	
Metal	Sample ml	Final ml	C5396-3 Raw	Corr.**	PS ug/l	Spike ml	Spike ug/ml	Spike ug/l	% Rec	QC Limits
Aluminum										
Antimony										
Arsenic										
Barium										
Beryllium										
Boron										
Cadmium										
Calcium										
Chromium										
Cobalt										
Copper										
Iron										
Lead										
Lithium										
Magnesium										
Manganese										
Molybdenum										
Nickel										
Potassium										
Selenium										
Silicon										
Silver										
Sodium										
Strontium										
Thallium										
Tin										
Titanium										
Vanadium										
Zinc										
Associated sam	ples MP11	140: C539	7-2, C5397	7-3						
Results < IDL (*) Outside of			for calcu	ılation pu	ırposes					

(\*) Outside of QC limits (\*\*) Corr. sample result = Raw \* (sample volume / final volume)

(anr) Analyte not requested

# OAKLAND FIRE DEPARTMENT, OES UNDERGROUND STORAGE TANK CLOSURE/REMOVAL FIELD INSPECTION REPORT

Site Address: 5925	Mathe	- D-			Name of Facility: Torian Mic	Jackhie	zcK.	
Inspector: 4646	Mostber	ኳ			Contact on sile: -Joshania	1377.00		
Date and Time of Arrival;	3. Aprol	. 10:5	50		Contractor/Consultant:			
	u ·	. 100300	4	1 1	567.6	-	, T	Kit asi
General Requiren	nents	Yes	No	N/A	General Requirements	Yes	No	N/A
Approved closure plan on site.	8845	. X.			Site Safety Plan properly signed.	. IX	10 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -	
Changes to approved plan noted				LX.	40B:C fire extinguisher on site.	X		
Residuals properly stored/transpose	orted.	* V	8	· ·	"No Smoking" signs posted,	1	38	
Receipt for adequate dry ice note	ed	NA.	×		Gas detector challenged by inspector.	X		
Tank Observations	T #1	T #2	Γ #3	T #4	Tank Observations T #1 7	7 #2 T	#3	T #4
Tank Capacity (gallons)	250			5	Obvious corrosion?	3,000	500F 0F	
Material last stored	Die		750.03	50.00	Obvious odors from tank?		- 31	
Dry icc used (pounds)	NIA		_		Seams intact?		985	
Combustible gas concentration a	ıs %LEL. <i>(No</i> .	te time & sa	mpling j	point)	Tank bed backfill material			
(1)	D			- 0	Tank bed backfill material Obvious discoloration?		·	
(2)	S 200 3	N.	14.0	391-105/250	Obvious odors ex tank bod?			
(3)	30	•		- 3	Water in excavation?			533
Oxygen concentration as % volu	me. <i>(Note ti</i> i	me &sampli	ng point	)	Sheen/product on water?		300	187894
(1)	20.8	L.			Tank tagged by transporter?	250 A	30	
(2)	8 3	- 4		- 2	Tank wrapped for transport?	2000	93	
(3)	34 93				Tank plugged w/ vent cap?	385	58	100 - 100 -
Tank Material		1000	(000)		Date/time tank hauled off? 23 App 8 %	3 3	200.0	
Wrapping/Coating, if any	2403 - 20 - 12 23			200	No. of soil samples taken?	14800 42	0100	
Ohvious holes?	1 1				Depth of soil samples (ft. bgs) B. 5: Ala		250	
Piping Removi	al	Yes	No	N/A	General Observations	Yes	No	N/A
All piping removed hauled off w	/ tanks?	×	100	X	Loak from any tank suspected?	χ	175%	
Obvious holes on pipes?			X		"Leak Report" form given to the operator?	<u> </u>	V	-
Obvious odors from pipes?		50 (340).00	×	7	Obviously contaminated soil excavated?	Y	Á	<u> </u>
Obvious soil discoloration in pipi	ing trench?	-	X	X	Soil stockpile sampled?	N V	-	
Obvious odors from piping trenc			100	XC	Stockpile lined AND covered?		-	2 02
	are ;			X		X	3 5332	
Water in piping trench?				X	Water in excavation sampled?	1/6	<u></u>	l.
Number & depth of soil samples				XHA	Number/depth of water samples taken?	14.	2.4000	32
Number & depth of water sample	es from piping	g trench?		MA	All samples properly preserved for transport?	Yes		
Additional Observa	METAL CHINE	Yes	No	N/A	SITE & SAMPLING DIA	GRAM	- 1	
Soil/water sampling protocols acc	ceptable?	X		156	- Exercise		50	
Sampling "chain of custody" not	ted?	X	è		overburde.	1 +	17	
Tank pit filled in or covered?		Y		5 5	House I lea		}	
Tank pit fenced or barricaded?		X			5925 Lana	K !	- 1	
Transporter a registered HW hau	iler?			X	Food.		8	
Uniform HW Manifest complete	d?			Ÿ	N - S( )	1	X	
Contractor/Consultant reminded UST Removal Report due within		X		55 5		- [	11	
UST Removal Report due within Date/Time removal/closure opera	ations complet	23 Not	9 13	30	OCEAN Drive	), 105 (j. 105	AC 10	
OI hours or additional charges d	lue from contr	actor	11/	q		- see		
Notes/Comments:	24011	myd	15	GLAVII	red from (one from Y-to-W-band	exame	انكلح	1
In one from by	OCK DURG	1800-74	z-	ne y	Morel 5% white 95% with	7.074 Cm	A 100	28() - <u>25</u> 32

UST Closure / Removal Inspection Report/dmg April 1998



DATE: April 23, 2009

PROJECT NUMBER: 9081

PROJECT ADDRESS: 5925 Ocean View Drive, Oakland, CA 94618

TANK SIZE: 250 gallons

ORIGINAL TANK CONTENTS: Heating Oil

Golden Gate Tank Removal, Inc. hereby issues CERTIFICATION that:

- This tank was cleaned by triple rinsing. The rinsate was sampled and analyzed for Total Petroleum Hydrocarbons and found to be below the City of Oakland and County of Alameda limit of 100 parts per million allowable for disposal as scrap metal.
- The Oxygen content of the Tank was 20.9%
- The Lower Explosive Limit was 0%
- The above tank was rendered harmless by cutting and disposed of as scrap metal at SF Recycling & Disposal, Inc.
- The above method of tank destruction is suitable for the materials involved and is accepted by the City of Oakland and County of Alameda as an appropriate disposal method.

Copies of the analytical certificate the chain-of-custody prepared for the rinsate sample and the scrap metal receipt are attached to this Certification. If there are any questions regarding this tank, please contact this office.

Golden Gate Tank Removal, Inc.

CIRCOSTA IRON AND METAL, INC.  1801 EVANS AVENUE • SAN FRANCISCO, CALIFORNIA 94124 PHONE (415) 282-8568 FAX (418) 641-7804	#	708)	80Y NUMBER <b>29915</b> 3
CUSTOMER GOLDEN GATE	TANK	DATE: 4/23/	09
ADDRESS			LBS.
LICENSE NO.	20 24 22	7060	LE GROSS
DRIVER'S LIC. NO.		6400	LB LBS.
JOB NO NAME	17.07.0	661	) LBS.
TIME IN TIME OUT		=	NET LBS
#1.HMS		WEIGHERUNIT PRICE \$ 10	DEDUCTION
HMS and SHEET MIX CLEAN SHEET MIX W/G	<u> </u>	AMOUNT \$ 3-3	200-
CAST IRON APREZ 3 2009	579); 402		** ***********************************
M-BLOCKS BY:		11/1	
BODIES	x Sla	La Mahine	<u> </u>
NON FERROUS	THE COLL HIGH HIBBURY TO	CUSTOMER SIGNATUR  Thy state that I am the lawful owner  off to sell same and that for payment ourself same and that for payment convey tille of same of the CIRC	of the material described

1 1

			d fee was an alita /12 B	tch\ tunovuritor \								Approved. OM	B No. 205	0-0039
Pleas	UN	ont of type. (Form designation of type.) (FORM HAZARDOUS) WASTE MANIFEST	ned for use on elite (12-p 1. Generator ID Number CACOO2		4	2. Page 1 of 1	(510)	gency Response F 476-1740			145	<u> </u>	JJ	
		BRYAN MCCO 5925 OCEAN V OAKLAND	IEW DRIVE	CA 946	18		Generato .5925 ( OAKL	r's Site Address (it DCEAN VIEV AND	different tha	n mailing address		94618		
	Ge 6.	nerator's Phono: Fransporter 1 Company Nai	415 235-1245 me	<u> </u>	<del></del>		<u> </u>		<u> </u>	U.S. EPAID N		0 3 1 7	1 3 2	0
		UNI WASTE		·		· ·	<u>.                                    </u>		· <u></u>	U.S. EPA ID N				$\dashv$
	7.	Transporter 2 Company Na						<u> </u>		U.S. EPA ID N	umber	·		
	8.	Designated Facility Nather 2430 ALMOND SILVER SPRIM	で告訴が代めれMENTAL DRIVE NGS NV									2 3 5 8	3 · 4 · · 8	3.00
	Fa	clity's Phone: (7			ID Numbe			10, Contain	ers		12. Unit	13. Was	ste Codes	-
	9 H	a. 9b, U.S. DOT Descrit and Packing Group (i	f any))	y Haille, Hazaiti Olass	, 12 1131104		<del></del>	No.	Туре	Quantity	Wt./Vol.	223		
ATOR -		1. (FUEL & WAT	ER) NON RORA HA	ZARDOUS WA	STE LIC	ภักเ <b>อ</b>		001	тт	200	G	123		
GENERATOR	-	2.		<u> </u>										
	L	3.	<u>.                                    </u>	<u> </u>	· · · · · · ·			<del> </del>	ļ. <u></u> -					
$\  \ $										ļ				
	-	4.		· · · · · · · · · · · · · · · · · · ·		·								
								ļ	!		]			
		GENERATOR'S/OFFE     marked and labeled/pl	ERG # 17.1 GOLDE  EROR'S CERTIFICATION: 1h acarded, and are in all respool he contents of this consignment intermediately the contents of the contents of the consignment intermediately Name	ereby declare that the s in proper condition fo	contents of or transport	this consignment according to B	ent are fully oplicable in	nt of Consent	all quantity g			- Monti		Year
	-1	6. International Shipments	Import to U.S.	<del></del>		Export fro	om U,S.		ntry/exit:	<del></del>		<del></del>		
	-	Transporter signature (for e 17 Transporter Acknowledg	exports only): ment of Receipt of Materials					Cote lea	ing 0,0			Mont	n Day	Year
THE CHAPTER	2	Transporter 1 Printed/Typed Check 654 Transporter 2 Printed/Typed	Name THE MAPS	ده.			Signature Signature	Trego	and 1	ponts	<u>en</u>	Mont	4 22	. 09
\[ \frac{1}{2}	ı	18. Discrepancy 18a. Discrepancy Indication	n Space Quantity		Туре			Residue	- Morehon	Partial R	Rejection	. [	Full Rej	ection
	  -	18b. Alternate Facility (or 6	Senerator)					Manifest Referen	ce Number:	U.S. EPA II	) Number	<u></u>		
		the state of the s	,					•		1				
1	티	Facility's Phone: 18c. Signature of Alternate	Facility (or Generator)		<u> </u>					<b>l</b>		Мо	nth Da	y Yea
	NAT.	_			edata reed	a trantment die	nosal and	recycling systems						
	DESIGNATED FACILITY	19. Hazardous Waste Rep 1.	ort Management Method Cod 2.	es (i.e., codes for naza	HOOUS WASE	e neamicht, di	3.	.sojonig ojmani	<del>:</del>	4.				
	Ī		uner or Operator: Certification	of an agint of howards	e materiale	covered by the	manifest e	xcept as noted in I	tem 18a		· <u>··</u> ··			
		20. Designated Facility Ov Printed/Typed Name	viner or Operator: Certification	or receipt of nazardou	a maranas	satisfied of use	Signatur	ē				. j	nth Da 	y Year
.	¥		·				<u> </u>	<u></u>				NI OTATE		

## Keller Canyon Sanitary Landfill

901 Bailey Road Pinsburg, CA 94565 Phona (925) 458-9800 Fax (925) 458-9891

## ☐ Coffin Butte Landfill

28972 Coffin Butte Road Corvallis, OR 97330 Phone (541) 745-2018 Fax (541) 745-3826

## □ Ox Mountain Sanitary Landfill

12310 San Mateo Road Half Moon Bey, CA 94019 Phone (650) 726-1819 Fax (650) 726-9183

### Newby Island Sanitary Landfill

1601 Dixon Landing Road Milpitas, CA 95035 Phone (408) 945-2800 Fax (408) 262-2871.

### □ Forward Landfill

9999 S. Austin Fload Mantaca, CA 95336 Phone (209) 982-4298 Fax (209) 982-1009

### NON-HAZARDOUS WASTE MANIFEST

GENERATOR AND	WASTE ACCEPTANCE NO.
MAILING ADDRESS	- NO Yaura
SGAS UCEAR VIEW UTIVE A	AL AL 1949 60 REQUIRED PERSONAL PROTECTIVE EQUIPMENT
1/2 Grid, CM. 74618	GLOVES GOGGLES GRESPIRATOR GHARDHAT
PHONE 275-1295	OTY-VEK O SAFETY VEST
CONTACT PERSON	SPECIAL HANDLING PROCEDURES:
SIGNATURE OF AUTHORIZED AGENT/TITLE DATE	SPECIAL MANULING PROCEDURES.
* 1 - Pigert Cooking 5/5/59	
GENERATOR'S CERTIFICATION: I hereby certify that the above permit material in not a hazardaus waste no defined by 40 CFR Part 251 or tibe 22 of the Celifornia code of regulations, has been proporty described, classified and prokinged, and is in proper condition for transportation a coording to applicable	
regulations; AND, if the waste is a treatment residua of a previously restricted hazardous waste subject to the Lang Deposit Restrictions, I certify and warrant that the waste has been treated in secondance with the requirements of 40 CFR Part 288 and is no longer a hazardous waste as defined by 40 CFR Part 281.	RECEIVING FACILITY
WASTE TYPE:	
© DISPOSAL © SLUDGE © CONSTRUCTION © WOOD © DEBRIS © OTHER	1
☐ SPECIAL WASTE	
GENERATING FACILITY	
5975 Ocean View Dr. Childrend 19, 99618	
TRANSPORTER	NOTES: VEHICLE LICENSE NUMBER TRUCK NUMBER
ADDRESS	5529490 501
CITY, STATE, ZIP	\$.
PHONE PHONE	END BUMP BOTTOM DUMP TRANSFER
HIS-512-1555	
SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE	ROCC-OFF(S) FLAT-BED VAN DRUMS
* Julin Patouro 5/5/09	
<del> </del>	CUBIC YARDS
I hereby certify that the above named material has been	20
accepted and to the best of my knowledge the foregoing is true and accurate.	DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	DISPOSE OTHER
CENARIC	ONEOIL Y
REMARKS	CONSTRUCTION DEBRIS
FACILITY TICKET NUMBER	Q NON-FRIABLE ASBESTOS
SIGNATURE OF AUTHORIZED AGENT DATE	Q WOOD
5-5-29	□ ASH
*	□ SPECIAL OTHER

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL - ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.



### Keller Canyon Sanitary Landfill 901 Bailey Road Pittaburg, CA 94565 Phone (925) 458-9800

Fax (925) 458-9891

Coffin Butte
Landfill
28972 Coffin Butte Road
Corvallis, OR 97330
Phone (541) 745-2018
Fax (541) 745-3826

Ox Mountain					
Sanitary Landfil					
12310 San Mateo Road					

II Helf Moon Bay, CA 94019 Phone (650) 726-1819 Fax (650) 726-9183

## ■ Newby Island Sanitary Landfill

1601 Dixon Landing Road Milpitas, CA 95035 Phone (408) 945-2800 Fax (408) 262-2871

### ☐ Forward Landfill

9999 S. Auslin Road Manteca, CA 95336 Phone (209) 982-4298 Fax (209) 982-1009

### **NON-HAZARDOUS WASTE MANIFEST**

GENERATOR	- WASTE ACCEPTANCE NO.				
	**************************************	26671			
AND LONG CANDON LANGUETI I	BITE TICKET GMID				
KELLER CANYON LANDFILL 901 BAILEY ROAD	FELTFE C	WEIGHMAUTER			
PITTSBURG, CA	DATE IN S MAY 2009 12 500 pm				
674-676	DATE ST MINY 2009 12 THE OUT				
Golden Oxte Tank Removal, Inc. 3730 Mission Street	VEHICLE (23)	ROLL OFF			
San Francisco, CA 94110 Contract: #212794920	RAPERENCE OMGIN CAKLAND				
OI Gross Weight 33,720.00 lb Stored Tare Weight 20,540.00 lb Net Weight 13,180.00 lb 6.59 l	Inbound - SCALE TICKET				
<b>新闻是《李明明》(1) 1) 1) 1) 1) 1) 1) 1) 1) 1) 1) 1) 1) 1</b>		A COLUMNIA DE LA COLUMNIA DEL COLUMNIA DEL COLUMNIA DE LA COLUMNIA			
6.59 TN SW-CONT SOIL. 1.00 LD ENVIRONMENTAL FEE 1.00 LD FUEL RECEWERY FEE					
	· · · · · · · · · · · · · · · · · · ·	18 18 19 11 14 1 <sub>11</sub> 1			
		TENDERE			
		CHANGE			
SIGNA.	TURE Actio Materials	GHBCK NO			
SIGNA		_ <del></del>			
REMARKS	CONSTRUCTION DEBRIS				
FACILITY TICKET NUMBER	NON-FRIABLE ASBESTOS				
SIGNATURE OF AUTHORIZED AGENT DATE	a wood				
5.5-0	O D ASH				
* 51	A SPECIAL OTHER	70 22 0			

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL - ANY UNSCH TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

UNDERGROUND STORAGE TANK UNAUTHORIZED RELEASE (LEAK)/ CONTAMINATION SITE REPORT									
EME		TE OFFICE OF EMERGENCY SERVICE BEEN FILED?	ES	FOR LOCAL AGENCY USE ONLY I HEREBY CERTIFY THAT I AM A DESIGNATED GOVERNMENT EMPLOYEE AND THAT I HAVE					
Yes No				REPORTED THIS INFORMATION TO LOCAL OFFICIALS PERSUANT TO SECTION 25180.7 OF THE HEALTH AND SAFETY CODE.					
REPO	ORT DATE	CASE #							
				SIGNED		DATE			
	NAME OF INDIVIDUAL FILING REPORT		PHONE		SIGNATURE				
ΒY									
TED	REPRESENTING  ☐ LOCAL AGENCY ☐ REGIONAL	DOADD		COMPANY OR AGENCY NAME					
REPORTED	OWNER/OPERATOR OTHER	BOARD							
~	ADDRESS								
_	NAME	STREET		СПҮ	ST	TATE ZIP			
BLE	NAME	☐ Un	known		PHONE				
RESPONSIBLE PARTY	ADDRESS								
RESF	ADDICESS								
	FACILITY NAME (IF APPLICABLE)	STREET		OPERATOR	Sī	PHONE			
	(II / II LIO/IDEL)								
LOCATION	ADDRESS					1			
TOC/									
SITE	CROSS STREET	STREET		СПУ	Co	DUNTY ZIP			
(2)	LOCAL AGENCY	AGENCY NAME				PHONE			
NTIN									
IMPLEMENTING AGENCIES	REGIONAL BOARD					PHONE			
IMPI A									
<b>(</b> 0	(1)		NAME		(	QUANTITY LOST (GALLONS)			
NCE!						☐ Unknown			
SUBSTANCES INVOLVED	(2)								
ns I					_	☐ Unknown			
1ENT	DATE DISCOVERED Tank Test Tank Removal Nuisance Conditions								
ATEN		∐ inv	entory C	ontrol Subsurface Monitor					
DISCOVERY/ABATEM	DATE DISCHARGE BEGAN  METHOD USED TO STOP DISCHARGE (CHECK ALL THAT APPLY)								
OVE	☐ Unknown ☐ Remove Contents ☐ Close Tank ☐ Change Procedure								
DISC	HAS DISCHARGE BEEN STOPPED?  ☐ Replace Tank ☐ Other ☐ Repair Piping								
-	IF YES, DA		\	_ , , , ,					
SOURCE/ CAUSE	SOURCE OF DISCHARGE CAUSE(S)  Tank Leak Piping Leak Unknown Other COverfill Corrosion Rupture/Failure Unknown Spill Other								
CASE	CHECK ONE ONLY  ☐ Undetermined ☐ Soil Only ☐ (	Groundwater	er <i>- ((</i>	CHECK ONLY IF WATER WE	IIS HAVE ACTUALLY	REEN AFFECTED)			
	☐ Undetermined ☐ Soil Only ☐ Groundwater ☐ Drinking Water - (CHECK ONLY IF WATER WELLS HAVE ACTUALLY BEEN AFFECTED)  CHECK ONE ONLY								
<u>ا</u> _ ر	☐ No Action Taken ☐ Case Closed (Cleanup Completed or Unnecessary)								
CURRENT STATUS	□ Leak Being Confirmed       □ Pollution Characterization         □ Remediation Plan       □ Post Cleanup Monitoring in Progress								
CU S.	☐ Preliminary Site Assessment Workplan Submitted ☐ Cleanup Underway ☐ Preliminary Site Assessment Underway								
<u> </u>	CHECK APPROPRIATE ACTION(S)								
Į Ž		xcavate & Treat (ET)	☐ Tre	atment at Hookup (HU)	Other				
REMEDIAL ACTION	☐ Contamination Barrier (CB) ☐ No Action Required (NA) ☐ Enhanced Bio Degradation (IT)								
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	□ Vacuum Extract (VE) □ Remove Free Product (FP) □ Replace Supply (RS) ☑ Excavate & Dispose (ED) □ Pump & Treat Groundwater (GT) □ Vent Soil (VS)								
LS									
COMMENTS									
CO									