

From: [Patton, Avery](#)
To: [Roe, Dilan, Env. Health](#)
Cc: chevypat@aol.com; [terri.costello](#); [Faye Blackman](#)
Subject: RE: Crown Chevrolet - update
Date: Friday, June 08, 2012 4:21:55 PM

Hi Dilan –

Thanks for the date suggestions! It's looking like July 12th is best, but we haven't gotten in touch with the whole team yet to confirm. We would definitely like to meet during one of those time slots, and will get back to you to finalize the timing, if that works.

Thanks!
Avery

Avery Patton
P: 510-663-4154
C: 415-378-3912

From: Roe, Dilan, Env. Health [mailto:Dilan.Roe@acgov.org]
Sent: Thursday, June 07, 2012 12:26 PM
To: Patton, Avery
Cc: chevypat@aol.com; [terri.costello](#); [Faye Blackman](#)
Subject: RE: Crown Chevrolet - update

Avery:

I have revised the agenda in an effort to focus our conversation during the meeting so that we can make best use of the time to move the project forward. We are available to meet on July 11 from 10 am to 11 am , or 11 am to 12 pm, or on July 12 from 11 am to 12 pm. Please let me know if any of these times work for you.

Regards,

Dilan Roe, P.E.

Hazardous Materials Specialist
Alameda County Environmental Health
1131 Harbor Bay Parkway
Alameda, CA 94502
510.567.6767; Ext. 36767
QIC: 30440
dilan.roe@acgov.org

PDF copies of case files can be reviewed/downloaded at:

<http://www.acgov.org/aceh/lop/ust.htm>

From: Patton, Avery [mailto:Avery.Patton@amec.com]

Sent: Wednesday, June 06, 2012 4:09 PM
To: Roe, Dilan, Env. Health
Cc: chevypat@aol.com; terri costello; Faye Blackman
Subject: RE: Crown Chevrolet - update

Ack – the old version went through again. Correct one attached.

Avery Patton
P: 510-663-4154
C: 415-378-3912

From: Patton, Avery
Sent: Wednesday, June 06, 2012 3:50 PM
To: Roe, Dilan, Env. Health
Cc: chevypat@aol.com; terri costello; Faye Blackman
Subject: RE: Crown Chevrolet - update

Hi Dilan –

Sorry, one more version attached that includes Terri Costello and her broker, Jim Neighbor.

Avery

Avery Patton
P: 510-663-4154
C: 415-378-3912

From: Patton, Avery
Sent: Wednesday, June 06, 2012 11:10 AM
To: Patton, Avery; Roe, Dilan, Env. Health
Cc: chevypat@aol.com; terri costello; Faye Blackman
Subject: RE: Crown Chevrolet - update

Hi Dilan –

My apologies; we left off one person who wanted to attend the meeting. A revised version of the meeting agenda form is attached.

Thanks,
Avery

Avery Patton
P: 510-663-4154
C: 415-378-3912

From: Patton, Avery
Sent: Tuesday, June 05, 2012 2:34 PM

To: 'Roe, Dilan, Env. Health'
Cc: chevypat@aol.com; terri costello; Faye Blackman
Subject: RE: Crown Chevrolet - update

Hi Dilan –

Attached is a completed meeting agenda form for the requested meeting between Crown Chevrolet (and interested parties) and ACEH.

A list of requirements that Faye's team would need from ACEH is as follows:

An outline of the environmental investigation, cleanup and other response (including identification of engineering controls, if any), engineering control maintenance (if applicable), and monitoring, that will be required in order to obtain a written notice either that the county has closed the site, that no further remedial action regarding contamination known to exist at the property is required, or that the approved corrective action plan has been completed.

Please let me know if you need anything else in order to begin scheduling a meeting.

Thanks!
Avery

Avery Patton
P: 510-663-4154
C: 415-378-3912

From: Roe, Dilan, Env. Health [<mailto:Dilan.Roe@acgov.org>]
Sent: Thursday, May 24, 2012 1:31 PM
To: Patton, Avery
Cc: chevypat@aol.com; terri costello; Faye Blackman
Subject: RE: Crown Chevrolet - update

Avery:

Thank you for your diligent efforts to upload documents to the Geotracker database as requested. I have been in communication with Faye Blackman with Eden Housing and to date have received a project summary and an updated schedule for the mixed income development project that Eden Housing is partnering with the Kingsmill Group and LLC/Fairfield Residential to develop on the Crown Chevrolet site. I am still waiting for two other items from Faye including a completed meeting agenda form and a list of requirements regarding a letter that she stated she would need to receive from ACEH in order to move the project forward on her end. In order to expedite scheduling a meeting with ACEH, Crown Chevrolet, the prospective buyers, and Eden Housing, please coordinate with Faye and your client to fill out the meeting agenda form (attached) and return to me. Please provide as much detail as possible including the number of attendees and meeting agenda items to help me facilitate arranging a room.

In the Remediation Report dated December 21, 2011 AMEC states that soil excavation activities were restricted by the presence of walls of Building 2 and that consequently VOCs remain in soil and groundwater in the vicinity of the former oil-water separator sump above residential ESLs, and VOCs and TPH remain in soil at concentrations above residential ESLs in the vicinity of the former

front-end alignment pit (F.E. Pit). AMEC recommends that no further remediation activities be conducted in these areas and that the potential for VOCs in vapor phase to migrate to indoor air should be considered during site re-use or redevelopment activities. Based on my review of the conceptual plans for site redevelopment, it appears that existing site structures will be demolished during redevelopment activities, and therefore it is not clear to me why AMEC does not recommend conducting additional excavation work to remove impacted soil at that time. Therefore, prior to the meeting it would be helpful to get additional information from you regarding AMEC's rationale for recommending that no further remedial activities be conducted at the site and details on proposed engineering controls.

Regards

Dilan Roe, P.E.

Hazardous Materials Specialist
Alameda County Environmental Health
1131 Harbor Bay Parkway
Alameda, CA 94502
510.567.6767; Ext. 36767
QIC: 30440
dilan.roe@acgov.org

PDF copies of case files can be reviewed/downloaded at:

<http://www.acgov.org/aceh/lop/ust.htm>

From: Patton, Avery [<mailto:Avery.Patton@amec.com>]
Sent: Friday, May 18, 2012 4:31 PM
To: Roe, Dilan, Env. Health
Cc: chevypat@aol.com; terri costello
Subject: Crown Chevrolet - update

Hi Dilan –

We are happy to report that we have now obtained and posted on GeoTracker additional electronic data files ("EDFs") from those past third party investigations undertaken for reasons unrelated to the regulatory requirements imposed upon the Crown Chevrolet site. A CD and hard copy of the September 2011 Ninyo & Moore report was submitted as a courtesy in 2011, along with the full posting of Crown's mandatory reports, test data, and logs, as required by your office. The electronic data format needed for on-line posting was not provided to us originally by the third parties, nor was such posting requested by Paresh. However, per your April preference, we investigated and we have recently managed to obtain EDFs on a strictly voluntary basis from the third party consultants and their testing laboratories. We have uploaded all of this data to the GeoTracker database, including the following, with data in EDF format:

- March 2009 Basics Phase II investigation,
- January 2011 Ninyo & Moore Phase II investigation, and
- September 2011 Ninyo & Moore Phase II investigation.

We confirmed directly with GeoTracker representatives that the State Water Resources Control Board does not expect the posting of either EDF data or full report pdfs if the investigations predate a case being opened or if the investigations are performed by third parties rather than by consultants retained to meet the regulatory requirements of responsible parties. We are happy to report that Crown

has voluntarily agreed to post all third party boring logs and objective EDF test data despite GeoTracker's position, but it does not wish to subject its property to publicly posted pdfs of reports containing third party opinions drafted in the context of sale negotiations, concerning as-is use, acquisition, and value impediments, rather than within the safe regulatory context solely directed at assuring Crown's compliance with ACEH regulatory legal requirements.

I thus confirm here that the full 2009 Basics Phase II report and all of AMEC's reports, as required by your office, are available in pdf format on GeoTracker and the ACEH website. Further, all of the EDF data collected at the site to date, including even third party data, is also now fully available in EDF form via GeoTracker. Crown is also ready to immediately post such EDFs to the ACEH website if you inform me whether and how that can be done. ACEH already has copies of all the full reports and documents that have been prepared for the site.

AMEC wishes to meet Crown's remaining needs quickly. Crown, its prospective buyer, and Eden Housing have informed AMEC that they are all anxious to obtain comments and guidance on the two pending AMEC reports submitted to ACEH in 2011, and further ACEH input as to how the owner can address any remaining concerns and commence planning for installation of whatever engineering controls might be appropriate. AMEC is told that this will foster the return of this central portion of Dublin to public and private uses, which many locals and officials apparently desire. I was told that you received under separate cover the updated schedule from Eden Housing, which you had originally requested from me.

Please let me know right away if ACEH requires anything more from Crown to arrange a quick informal meeting to move this project forward as quickly as is possible, subject to the time-pressures already on ACEH. We appreciate your diligent efforts to come up to speed on a project you have had for only a couple of months, despite its long history from owner's perspective and buyer's time-sensitive needs.

Thanks,
Avery

Avery Patton, PG, LEED® AP
Senior Geologist
AMEC

Environment & Infrastructure
2101 Webster Street, 12th Floor, Oakland, CA 94612 USA
Tel 510-663-4100 (fax 510-663-4141)
Direct 510-663-4154, mobile/cell 415-378-3912
avery.patton@amec.com
amec.com

The information contained in this e-mail is intended only for the individual or entity to whom it is addressed. Its contents (including any attachments) may contain confidential and/or privileged information. If you are not an intended recipient you must not use, disclose, disseminate, copy or print its contents. If you receive this e-mail in error, please notify the sender by reply e-mail and delete and destroy the message.

The information contained in this e-mail is intended only for the individual or entity to whom it is addressed. Its contents (including any attachments) may contain confidential and/or privileged information. If you are not an intended recipient you must not use, disclose, disseminate, copy or print its contents. If you receive this e-mail in error, please notify the sender by reply e-mail and delete and destroy the message.

The information contained in this e-mail is intended only for the individual or entity to whom it is addressed. Its contents (including any attachments) may contain confidential and/or privileged information. If you are not an intended recipient you must not use, disclose, disseminate, copy or print its contents. If you receive this e-mail in error, please notify the sender by reply e-mail and delete and destroy the message.