



04/01/13

Technical Report for

Golden Gate Tank Removal

640 Brooklyn Ave., Oakland, Ca.

9325

Accutest Job Number: C26897

Sampling Date: 03/27/13

Report to:

Golden Gate Tank Removal
1455 Yosemite Avenue
San Francisco, CA 94124
Data@ggtr.com; b.wheeler@ggtr.com;
annettechen@ggtr.com; tim@ggtr.com
ATTN: Tim Hallen

Total number of pages in report: 21



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.

James J. Rhudy
Lab Director

Client Service contact: Diane Theesen 408-588-0200

Certifications: CA (08258CA) AZ (AZ0762) DoD/ISO/IEC 17025:2005 (L2242)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

Sections:



Section 1: Sample Summary	3
Section 2: Summary of Hits	4
Section 3: Sample Results	5
3.1: C26897-1: 9325-EX-W-16	6
3.2: C26897-2: 9325-EX-E-16	8
Section 4: Misc. Forms	10
4.1: Chain of Custody	11
Section 5: GC/MS Volatiles - QC Data Summaries	13
5.1: Method Blank Summary	14
5.2: Blank Spike/Blank Spike Duplicate Summary	15
5.3: Laboratory Control Sample Summary	16
5.4: Matrix Spike/Matrix Spike Duplicate Summary	17
Section 6: GC Semi-volatiles - QC Data Summaries	18
6.1: Method Blank Summary	19
6.2: Blank Spike/Blank Spike Duplicate Summary	20
6.3: Matrix Spike/Matrix Spike Duplicate Summary	21

Accutest Laboratories

Sample Summary

Golden Gate Tank Removal

Job No: C26897

640 Brooklyn Ave., Oakland, Ca.
Project No: 9325

Sample Number	Collected Date	Time By	Received	Matrix Code	Type	Client Sample ID
C26897-1	03/27/13	14:15 TH	03/28/13	SO	Soil	9325-EX-W-16
C26897-2	03/27/13	14:25 TH	03/28/13	SO	Soil	9325-EX-E-16

Soil samples reported on a dry weight basis unless otherwise indicated on result page.

Summary of Hits



Job Number: C26897
Account: Golden Gate Tank Removal
Project: 640 Brooklyn Ave., Oakland, Ca.
Collected: 03/27/13

Lab Sample ID	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
C26897-1	9325-EX-W-16					
TPH (C10-C28)		875	500	120	mg/kg	SW846 8015B M
C26897-2	9325-EX-E-16					
TPH (C10-C28)		227	99	25	mg/kg	SW846 8015B M



Sample Results

Report of Analysis

Report of Analysis

Client Sample ID: 9325-EX-W-16	Date Sampled: 03/27/13
Lab Sample ID: C26897-1	Date Received: 03/28/13
Matrix: SO - Soil	Percent Solids: n/a ^a
Method: SW846 8260B	
Project: 640 Brooklyn Ave., Oakland, Ca.	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^b	L23825.D	1	03/28/13	XB	n/a	n/a	VL754
Run #2							

Run #	Initial Weight
Run #1	1.22 g
Run #2	

BTEX, Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	20	2.0	ug/kg	
108-88-3	Toluene	ND	20	2.0	ug/kg	
100-41-4	Ethylbenzene	ND	20	2.0	ug/kg	
1330-20-7	Xylene (total)	ND	41	4.1	ug/kg	
106-93-4	1,2-Dibromoethane	ND	20	2.0	ug/kg	
107-06-2	1,2-Dichloroethane	ND	20	2.0	ug/kg	
108-20-3	Di-Isopropyl ether	ND	20	2.0	ug/kg	
637-92-3	Ethyl tert-Butyl Ether	ND	20	2.0	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	20	4.1	ug/kg	
994-05-8	Tert-Amyl Methyl Ether	ND	20	2.0	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	160	41	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	104%		70-130%
2037-26-5	Toluene-D8	102%		70-130%
460-00-4	4-Bromofluorobenzene	104%		70-130%

- (a) All results reported on a wet weight basis.
- (b) Dilution required due to high concentration of non-target hydrocarbons.

ND = Not detected MDL - Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: 9325-EX-W-16	Date Sampled: 03/27/13
Lab Sample ID: C26897-1	Date Received: 03/28/13
Matrix: SO - Soil	Percent Solids: n/a ^a
Method: SW846 8015B M SW846 3545A	
Project: 640 Brooklyn Ave., Oakland, Ca.	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	GG41933.D	50	03/28/13	AG	03/28/13	OP7724	GGG1119
Run #2							

Run #	Initial Weight	Final Volume
Run #1	10.0 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (C10-C28)	875	500	120	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
630-01-3	Hexacosane	94%		37-122%		

(a) All results reported on a wet weight basis.

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

32
3

Client Sample ID: 9325-EX-E-16	Date Sampled: 03/27/13
Lab Sample ID: C26897-2	Date Received: 03/28/13
Matrix: SO - Soil	Percent Solids: n/a ^a
Method: SW846 8260B	
Project: 640 Brooklyn Ave., Oakland, Ca.	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^b	L23827.D	1	03/28/13	XB	n/a	n/a	VL754
Run #2							

Run #	Initial Weight
Run #1	1.09 g
Run #2	

BTEX, Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	23	2.3	ug/kg	
108-88-3	Toluene	ND	23	2.3	ug/kg	
100-41-4	Ethylbenzene	ND	23	2.3	ug/kg	
1330-20-7	Xylene (total)	ND	46	4.6	ug/kg	
106-93-4	1,2-Dibromoethane	ND	23	2.3	ug/kg	
107-06-2	1,2-Dichloroethane	ND	23	2.3	ug/kg	
108-20-3	Di-Isopropyl ether	ND	23	2.3	ug/kg	
637-92-3	Ethyl tert-Butyl Ether	ND	23	2.3	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	23	4.6	ug/kg	
994-05-8	Tert-Amyl Methyl Ether	ND	23	2.3	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	180	46	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	104%		70-130%
2037-26-5	Toluene-D8	101%		70-130%
460-00-4	4-Bromofluorobenzene	99%		70-130%

- (a) All results reported on a wet weight basis.
- (b) Dilution required due to high concentration of non-target hydrocarbons.

ND = Not detected MDL - Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

3.2
3

Client Sample ID: 9325-EX-E-16	Date Sampled: 03/27/13
Lab Sample ID: C26897-2	Date Received: 03/28/13
Matrix: SO - Soil	Percent Solids: n/a ^a
Method: SW846 8015B M SW846 3545A	
Project: 640 Brooklyn Ave., Oakland, Ca.	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	GG41934.D	10	03/28/13	AG	03/28/13	OP7724	GGG1119
Run #2							

Run #	Initial Weight	Final Volume
Run #1	10.1 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (C10-C28)	227	99	25	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
630-01-3	Hexacosane	78%		37-122%		

(a) All results reported on a wet weight basis.

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody



CHAIN OF CUSTODY

2105 Lundy Ave, San Jose, CA 95131
 (408) 588-0200 FAX: (408) 588-0201

FED-EX Tracking # _____ Bottle Order Control # _____
 Accutest Quote # _____ Accutest NC Job #: C **C26897**

Client / Reporting Information **Project Information**

Company Name: Golden Gate Tank Removal, Inc Project Name: _____
 Address: 1455 Yosemite Ave. Street: 640 Brooklyn Ave
 City: San Francisco State: CA Zip: 94124 City: Oakland State: CA
 Project Contact: Tom Hallen Project #: 9325
 Phone #: 415-512-1535 EMAIL: rehen@jgtr.com
 Sample's Name: _____ Client Purchase Order #: _____

Requested Analysis			Matrix Codes	
TPH-D (E015M) BTEX (E2C-D) FUEL OXY, E03, EDC			WW- Wastewater	
			GW- Ground Water	
			SW- Surface Water	
			SO- Soil	
			OI-OI WP-Wipe	
			LIO - Non-aqueous Liquid	
			AIR DW- Drinking Water (Perchlorate Only)	
			LAB USE ONLY	

Accutest Sample ID	Collection	Sample ID / Field Point / Point of Collection	Date	Time	Sampled by	Matrix	# of bottles	Number of preserved Bottles															
								ET	HAZOP	PHOS	PCB/A	PCP/A	PERM	PERC	PHOS	PHOS	PHOS	PHOS	PHOS				
-1		7325-EX-W-1C	3/27/13	1115	BHW	SO		X	X	X													
-2		7325-EX-E-1C	3/27/13	1125	BOW	SO		X	X	X													

Turnaround Time (Business days) **Data Deliverable Information** **Comments / Remarks**

10 Day
 5 Day
 3 Day (125% markup)
 2 Day (150% markup)
 1 Day (200% markup)
 Same Day (300% markup)

STANDARD A-DAY TAT
RUSH

Emergency T/A data available VIA Lablink

Approved By/ Date: _____

Commercial "A" - Results only
 Commercial "B" - Results with QC summaries
 Commercial "B+" - Results, QC, and chromatograms
 FULLT - Level 4 data package
 EDF for Geotracker EDD Format _____
 Provide EDF Global ID _____
 Provide EDF Logcode: _____

Sample Custody must be documented below each time sample change possession, including courier delivery.

Relinquished by Sampler	Date/Time	Received by	Date/Time	Relinquished by	Date/Time	Received by	Date/Time
1. <u>[Signature]</u>	3/27/13 1645	1. <u>[Signature]</u>	9:35	2. <u>[Signature]</u>	03/28/13	2. <u>[Signature]</u>	
3		3		4		4	
5		5		5		5	

Appropriate Bottle / Pres: N Headspace Y/N: N On Ice: N Cooler Temp: 4.5 °C
 Labels match Cool: N Separate Receiving Check List used: N

4.1
4

C26897: Chain of Custody
 Page 1 of 2



Accutest Laboratories Sample Receipt Summary

Accutest Job Number: C26897 Client: GOLDEN GATE TANK REMOVAL Project: 640 BROOKLYN AVE - Oakland, CA

Date / Time Received: 3/28/2013 Delivery Method: Accutest Courier Airbill #'s: _____

Cooler Temps (Initial/Adjusted): #1: (4.5/4.5); 0

<u>Cooler Security</u>	<u>Y or N</u>	<u>Y or N</u>
1. Custody Seals Present:	<input type="checkbox"/> <input checked="" type="checkbox"/>	3. COC Present: <input checked="" type="checkbox"/> <input type="checkbox"/>
2. Custody Seals Intact:	<input type="checkbox"/> <input type="checkbox"/>	4. Smpl Dates/Time OK: <input checked="" type="checkbox"/> <input type="checkbox"/>

<u>Cooler Temperature</u>	<u>Y or N</u>
1. Temp criteria achieved:	<input checked="" type="checkbox"/> <input type="checkbox"/>
2. Cooler temp verification:	IR Gun
3. Cooler media:	Ice (Bag)
4. No. Coolers:	1

<u>Quality Control Preservation</u>	<u>Y</u>	<u>or N</u>	<u>N/A</u>
1. Trip Blank present / cooler:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
2. Trip Blank listed on COC:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
3. Samples preserved properly:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. VOCs headspace free:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

<u>Sample Integrity - Documentation</u>	<u>Y</u>	<u>or N</u>
1. Sample labels present on bottles:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Container labeling complete:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3. Sample container label / COC agree:	<input checked="" type="checkbox"/>	<input type="checkbox"/>

<u>Sample Integrity - Condition</u>	<u>Y</u>	<u>or N</u>
1. Sample recvd within HT:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. All containers accounted for:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3. Condition of sample:	Intact	

<u>Sample Integrity - Instructions</u>	<u>Y</u>	<u>or N</u>	<u>N/A</u>
1. Analysis requested is clear:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Bottles received for unspecified tests:	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3. Sufficient volume recvd for analysis:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Compositing instructions clear:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5. Filtering Instructions clear:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Comments

Accutest Laboratories
V: 408.588.0200

2105 Lundy Avenue
F: 408.588.0201

San Jose, CA 95131
www.accutest.com

4.1
4

GC/MS Volatiles

5

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

Method Blank Summary

Job Number: C26897
Account: GGTRCASF Golden Gate Tank Removal
Project: 640 Brooklyn Ave., Oakland, Ca.

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL754-MB	L23811.D	1	03/28/13	XB	n/a	n/a	VL754

The QC reported here applies to the following samples:

Method: SW846 8260B

C26897-1, C26897-2

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	5.0	0.50	ug/kg	
106-93-4	1,2-Dibromoethane	ND	5.0	0.50	ug/kg	
107-06-2	1,2-Dichloroethane	ND	5.0	0.50	ug/kg	
108-20-3	Di-Isopropyl ether	ND	5.0	0.50	ug/kg	
100-41-4	Ethylbenzene	ND	5.0	0.50	ug/kg	
637-92-3	Ethyl tert-Butyl Ether	ND	5.0	0.50	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	5.0	1.0	ug/kg	
994-05-8	Tert-Amyl Methyl Ether	ND	5.0	0.50	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	40	10	ug/kg	
108-88-3	Toluene	ND	5.0	0.50	ug/kg	
1330-20-7	Xylene (total)	ND	10	1.0	ug/kg	

CAS No.	Surrogate Recoveries	Limits
1868-53-7	Dibromofluoromethane	102% 70-130%
2037-26-5	Toluene-D8	105% 70-130%
460-00-4	4-Bromofluorobenzene	96% 70-130%

Blank Spike/Blank Spike Duplicate Summary

Job Number: C26897
Account: GGTRCASF Golden Gate Tank Removal
Project: 640 Brooklyn Ave., Oakland, Ca.

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL754-BS	L23808.D	1	03/28/13	XB	n/a	n/a	VL754
VL754-BSD	L23809.D	1	03/28/13	XB	n/a	n/a	VL754

The QC reported here applies to the following samples:

Method: SW846 8260B

C26897-1, C26897-2

CAS No.	Compound	Spike ug/kg	BSP ug/kg	BSP %	BSD ug/kg	BSD %	RPD	Limits Rec/RPD
71-43-2	Benzene	40	42.2	106	40.9	102	3	81-119/20
106-93-4	1,2-Dibromoethane	40	44.2	111	44.3	111	0	80-120/20
107-06-2	1,2-Dichloroethane	40	42.0	105	41.5	104	1	76-132/21
108-20-3	Di-Isopropyl ether	40	40.5	101	39.2	98	3	78-126/19
100-41-4	Ethylbenzene	40	44.5	111	43.4	109	3	80-119/21
637-92-3	Ethyl tert-Butyl Ether	40	44.6	112	43.5	109	2	75-132/21
1634-04-4	Methyl Tert Butyl Ether	40	42.1	105	41.2	103	2	79-127/19
994-05-8	Tert-Amyl Methyl Ether	40	43.7	109	43.0	108	2	80-127/20
75-65-0	Tert Butyl Alcohol	200	206	103	199	100	3	65-144/23
108-88-3	Toluene	40	43.9	110	42.7	107	3	80-117/21
1330-20-7	Xylene (total)	120	124	103	121	101	2	81-122/22

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
1868-53-7	Dibromofluoromethane	110%	107%	70-130%
2037-26-5	Toluene-D8	103%	104%	70-130%
460-00-4	4-Bromofluorobenzene	102%	102%	70-130%

* = Outside of Control Limits.

5.2.1
5

Laboratory Control Sample Summary

Job Number: C26897
Account: GGTRCASF Golden Gate Tank Removal
Project: 640 Brooklyn Ave., Oakland, Ca.

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL754-LCS	L23810.D	1	03/28/13	XB	n/a	n/a	VL754

The QC reported here applies to the following samples:

Method: SW846 8260B

C26897-1, C26897-2

CAS No.	Compound	Spike ug/kg	LCS ug/kg	LCS %	Limits
---------	----------	----------------	--------------	----------	--------

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	105%	70-130%
2037-26-5	Toluene-D8	103%	70-130%
460-00-4	4-Bromofluorobenzene	96%	70-130%

* = Outside of Control Limits.

5.3.1
5

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C26897
Account: GGTRCASF Golden Gate Tank Removal
Project: 640 Brooklyn Ave., Oakland, Ca.

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C26900-3MS	L23821.D	1	03/28/13	XB	n/a	n/a	VL754
C26900-3MSD	L23822.D	1	03/28/13	XB	n/a	n/a	VL754
C26900-3	L23814.D	1	03/28/13	XB	n/a	n/a	VL754

The QC reported here applies to the following samples:

Method: SW846 8260B

C26897-1, C26897-2

CAS No.	Compound	C26900-3 ug/kg	Q	Spike ug/kg	MS ug/kg	MS %	MSD ug/kg	MSD %	RPD	Limits Rec/RPD
71-43-2	Benzene	ND		39.1	33.9	87	32.8	85	3	81-119/20
106-93-4	1,2-Dibromoethane	ND		39.1	41.2	105	39.7	102	4	80-120/20
107-06-2	1,2-Dichloroethane	ND		39.1	37.1	95	35.9	93	3	76-132/21
108-20-3	Di-Isopropyl ether	ND		39.1	35.5	91	34.3	88	3	78-126/19
100-41-4	Ethylbenzene	ND		39.1	34.6	89	33.8	87	2	80-119/21
637-92-3	Ethyl tert-Butyl Ether	ND		39.1	37.1	95	35.4	91	5	75-132/21
1634-04-4	Methyl Tert Butyl Ether	ND		39.1	37.9	97	36.4	94	4	79-127/19
994-05-8	Tert-Amyl Methyl Ether	ND		39.1	38.2	98	36.8	95	4	80-127/20
75-65-0	Tert Butyl Alcohol	ND		195	235	120	222	115	6	65-144/23
108-88-3	Toluene	ND		39.1	34.5	88	33.5	86	3	80-117/21
1330-20-7	Xylene (total)	ND		117	101	86	98.6	85	2	81-122/22

CAS No.	Surrogate Recoveries	MS	MSD	C26900-3	Limits
1868-53-7	Dibromofluoromethane	111%	111%	111%	70-130%
2037-26-5	Toluene-D8	100%	102%	102%	70-130%
460-00-4	4-Bromofluorobenzene	103%	105%	99%	70-130%

* = Outside of Control Limits.

5.4.1
5

GC Semi-volatiles

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

Method Blank Summary

Job Number: C26897
Account: GGTRCASF Golden Gate Tank Removal
Project: 640 Brooklyn Ave., Oakland, Ca.

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP7724-MB	GG41930.D	1	03/28/13	AG	03/28/13	OP7724	GGG1119

The QC reported here applies to the following samples:

Method: SW846 8015B M

C26897-1, C26897-2

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (C10-C28)	ND	10	2.5	mg/kg	

CAS No.	Surrogate Recoveries	Limits
630-01-3	Hexacosane	98% 37-122%

0.1
6

Blank Spike/Blank Spike Duplicate Summary

Job Number: C26897
Account: GGTRCASF Golden Gate Tank Removal
Project: 640 Brooklyn Ave., Oakland, Ca.

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP7724-BS	GG41931.D	1	03/28/13	AG	03/28/13	OP7724	GGG1119
OP7724-BSD	GG41932.D	1	03/28/13	AG	03/28/13	OP7724	GGG1119

The QC reported here applies to the following samples:

Method: SW846 8015B M

C26897-1, C26897-2

CAS No.	Compound	Spike mg/kg	BSP mg/kg	BSP %	BSD mg/kg	BSD %	RPD	Limits Rec/RPD
	TPH (C10-C28)	100	88.4	88.4	88.1	88.1	0	39-102/29

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
630-01-3	Hexacosane	100%	100%	37-122%

* = Outside of Control Limits.

6.2.1
6

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C26897
Account: GGTRCASF Golden Gate Tank Removal
Project: 640 Brooklyn Ave., Oakland, Ca.

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP7724-MS	GG41936.D	10	03/28/13	AG	03/28/13	OP7724	GGG1119
OP7724-MSD	GG41937.D	10	03/28/13	AG	03/28/13	OP7724	GGG1119
C26897-2	GG41934.D	10	03/28/13	AG	03/28/13	OP7724	GGG1119

The QC reported here applies to the following samples:

Method: SW846 8015B M

C26897-1, C26897-2

CAS No.	Compound	C26897-2 mg/kg	Spike mg/kg	MS mg/kg	MS %	MSD mg/kg	MSD %	RPD	Limits Rec/RPD
	TPH (C10-C28)	227	99.3	164	63* a	168	59* a	2	39-102/29

CAS No.	Surrogate Recoveries	MS	MSD	C26897-2	Limits
630-01-3	Hexacosane	53%	57%	78%	37-122%

(a) Outside control limits due to high level in sample relative to spike amount.

* = Outside of Control Limits.

6.3.1
G