

**RECEIVED**

By Alameda County Environmental Health at 11:29 am, Feb 17, 2015

February 11, 2015

Ms. Karel Detterman  
Alameda County Health Care Services Agency  
1131 Harbor Bay Parkway  
Alameda, CA 9502-6577

Subject: Soil and Groundwater Investigation and Request for Site Closure Report  
RO3132, Site Cleanup Program Case  
Franklin Home Heating, 1428-1432 Franklin St Oakland, CA

Dear Ms. Detterman:

This enclosed report has been prepared by LRM Consulting, Inc. on behalf of Brian Mitchell of Signature Services. I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge. If you have any questions, please contact Mr. Mehrdad Javaherian of LRM at 415-706-8935.

Sincerely,

  
Heather Harrison  
Northstar Equities, Inc.

February 12, 2015

Ms. Karel Dettermen, P.G.  
Alameda County Health Care Services Agency (County)  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502

Subject:           **Soil and Groundwater Investigation and Request for Site Closure**  
Former Heating Oil Underground Storage Tanks  
1428-1432 Franklin Street  
Oakland, CA  
(RO # 03132)

Dear Ms. Dettermen:

LRM Consulting, Inc. (LRM) is pleased to present this brief letter report documenting soil and grab groundwater investigation activities performed on May 22, 2014 at the above-referenced site. The report also includes a request for site closure based on an evaluation of the data collected, including performing a well and sensitive receptor survey. The investigation targeted further delineation of the residual levels of petroleum hydrocarbons historically detected beneath the two former heating oil underground storage tanks (USTs) removed from the site in 2004 (see Figure 1). The investigation was performed in accordance to the workplan dated May 19, 2014, and approved by the County on May 21, 2014.

By way of background, two adjacent 300-gallon heating oil USTs were reportedly removed on January 15, 2004 from the 1430 Franklin Street property (AEI, 2011). Two soil samples were collected at the bottom of the tank pit excavation corresponding to a depth of 8 feet below ground surface (bgs). The two samples reportedly yielded maximum total petroleum hydrocarbon (TPH) as diesel (TPH-d) and gasoline (TPH-g) concentrations approximating 3,800 mg/kg and 1,700 mg/kg, respectively. Groundwater was reportedly observed at this depth, but not sampled, and a composited soil sample from the stockpiled soils associated with the excavation did not yield any hydrocarbon detections.

Given the use of the USTs for storage of heating oil (which is typically characterized with low toxicity and mobility), the likely age of the USTs (use of heating oils likely dates back more than 40 years), and given that the hydrocarbon detections in soils beneath the USTs occurred a decade ago, this investigation sought to determine the current extent of any hydrocarbon impacts in soil and groundwater beneath the former USTs, and based on those results, set forth recommendations for site closure in concert with the State Water Resource Control Board's low threat UST case closure policy, and/or other relevant actions.

### **Soil and Grab Groundwater Investigation Activities**

On May 22, 2014 and based on drilling (County), excavation (City of Oakland), and obstruction (City of Oakland) permits obtained for this project, LRM implemented the soil and groundwater investigation based on the aforementioned workplan (LRM, 2014)<sup>1</sup>. Figure 1 depicts the locations of four soil borings (SB-1 through SB-4) advanced at the site, including three within the footprint of the former UST excavation pit, and one upgradient sample location, which was moved to inside the onsite building at

---

<sup>1</sup> LRM, 2014. Soil and Groundwater Investigation Workplan, Former Heating Oil Underground Storage Tanks, 1428-1432 Franklin Street, Oakland, CA. April 21.



1430 Franklin Street.

The borings were advanced to a depth of 30 feet below ground surface (bgs) in order to reach groundwater. Using a track-mounted Geoprobe drill rig operated by Vapor Tech Services, the borings were continuously cored and logged by LRM's Professional Geologist (see Appendix 1). As indicated on the boring logs, soils beneath the site were characterized by sands and clayey sands from the ground surface to approximately 20 feet bgs, and then by a clean sand layer from approximately 20 feet bgs down to the total explored depth of 30 feet bgs. Perforated casings were placed into each hole from approximately 25 to 30 feet bgs, with shallow groundwater encountered at an approximate depth of 26 to 27 feet bgs.

Per the workplan, at SB-1, a grab groundwater sample was collected (no soil samples were collected since this is an upgradient boring location and well away from the former UST footprint), while at borings SB-2 through SB-4 (within the UST footprint), soil samples were collected at 5-foot intervals, or corresponding to locations where PID field measurements were elevated. Grab groundwater samples were also collected at SB-2 through SB-4. Per the workplan, soil and groundwater samples were submitted to McCampbell Analytical, a National Environmental Laboratory Accreditation (NELAC) certified laboratory, and analyzed for TPH-d (Method 8015), TPH-g (Method 8260), and benzene, toluene, ethylbenzene, and xylenes (BTEX) (Method 8260). Per the County's request, semi-volatile organic compounds (SVOCs) (Method 8270), and fuel oxygenates (including MTBE using Method 8260) were also analyzed for in select samples.

Table 1 and Figure 2 depict the analytical results of soil samples collected from the three soil borings located within the UST footprint, with the laboratory analytical report included as Appendix II. As indicated on Figure 2, hydrocarbon detections were limited to boring SB-2, with one soil detection in SB-3. Specifically, detections at SB-2 included residual levels of TPH-g and TPH-d at levels below residential direct exposure environmental screening levels (ESLs) adopted by the Regional Water Quality Control Board ([Water Board], 2013) at shallow depths (5 and 10 feet bgs). Importantly, hydrocarbon constituents, including benzene, toluene, ethylbenzene, and xylenes (BTEX), and naphthalene remained below detection limits at these depths. At 20 feet bgs, concentrations of ethylbenzene (21 mg/kg), xylenes (43 mg/kg), and naphthalene (12 mg/kg) were detected, but all below the commercial/industrial land use soil ESLs. TPH-g (2,200 mg/kg) and TPH-d (1,100 mg/kg) detections, while above residential ESLs, were at or below the commercial/industrial ESLs. All hydrocarbon concentrations remained below detection limits in samples from SB-3, and with one exception (TPH-d at 1.1 mg/kg), from SB-4.

Table 2 and Figure 3 depict the analytical results of grab groundwater samples from all four boring locations, with the laboratory analytical report included as Appendix II. As indicated, no hydrocarbons, fuel oxygenates, or semi-volatile organic compounds (SVOCs) were detected at above detection limits at upgradient sample location inside the 1430 Franklin Street building; these results suggest the lack of hydrocarbons beneath the building footprint, and the absence of potential contributions to the site from offsite sources.

At SB-2, corresponding to the location of maximum detected concentrations in soil samples collected, hydrocarbon detections in groundwater included ethylbenzene (100 ug/L), xylenes (270 ug/L), naphthalene (78 ug/L), TPH-g (7,800 ug/L), and TPH-d (5,100 ug/L). Ethylbenzene and xylenes concentrations in this grab groundwater sample are below drinking water standards, while naphthalene, TPH-g and TPH-d concentrations exceed these standards; however, none of these detections pose an unacceptable indoor air quality threat based on the groundwater-to-indoor-air ESL comparison shown in Table 2.

## Conceptual Site Model

The following sections summarize the various components to the conceptual site model (CSM) of chemical occurrence, transport, and potential exposure at the site.

**Hydrogeology and Groundwater Occurrence:** Shallow, unconfined groundwater beneath the site occurs at approximately 26 feet bgs within a sand layer, which extend from approximately 20 feet bgs to the total explored depth of 30 feet bgs. Based on regional information (AEI, 2011)<sup>2</sup>, groundwater flow near the site occurs toward the northwest (see Figure 2). Groundwater flow direction toward the north was further confirmed by recent data from nearby sites, including 2014 data frp, the Laz Parking Site located at 1432 Harrison Street in Oakland (Conestoga-Rovers & Associates, 2014)<sup>3</sup>.

**Primary Sources and Release Mechanisms:** As previously indicated, two 300-gallon heating oil USTs were reportedly removed from the site in 2004. With the detection of hydrocarbons in both soil and groundwater limited to the footprint of the former UST pit, it appears that historical leases from the USTs may have served as the primary source of hydrocarbons in the subsurface. Importantly, the USTs have been removed over a decade ago and no signs of ongoing sources in the form of separate phase hydrocarbons (SPHs) have been encountered at the site. The absence of benzene and SVOCs in all samples suggests the absence of fuel storage in the USTs and supports the use of the USTs for heating oil as reported.

While impacted soils at the site may be considered a secondary source, chemical concentrations in soil remain at or below commercial/industrial ESLs; hence, this secondary source is considered insignificant. Hydrocarbon impacts in groundwater occur at above drinking water standards, but below levels which pose unacceptable risks to indoor air.

Lastly, an important aspect of the CSM is that the primary source of the hydrocarbons in soil and groundwater (i.e, the USTs) is likely to have been out of usage decades ago, since heating oil tanks have generally not been in use in recent decades, giving way to more modern uses of heating. As such, the associated residual contamination measured in 2014 likely reflects impacts that have been in place for decades, are considered largely weathered, and characterized by limited mobility.

**Impacted Media:** Based on this investigation, impacted media at the site include soil and groundwater, with concentrations in soil remaining below commercial/industrial ESLs. Detections of hydrocarbons in groundwater at above drinking water standards were limited to naphthalene, TPH-g, and TPH-d, but none at levels which pose unacceptable indoor air quality risks.

While soil vapor beneath the site has not been investigated, the nature of the chemicals stored in the USTs and those detected in soil and groundwater do not lend themselves to significant impacts in vapor phase. As previously indicated, none of the chemicals detected in groundwater at the site occur at levels which pose unacceptable vapor intrusion risks based on ESL comparisons.

**Chemicals of Potential Concern (COPCs):** Consistent with the reported use of the USTs for storage of heating oil, chemicals detected in soil and groundwater were limited to TPH-g, TPH-d, and naphthalene. With minor exceptions of low levels of toluene, ethyllbenzene and xylenes, BTEX compounds were largely below detection limits, with benzene remaining undetected in all soil and groundwater samples. Importantly, soil COPCs, including TPH-g, TPH-d, and naphthalene remain at or below commercial ESLs. These same constituents a considered groundwater COPCs, with concentrations above drinking water standards but below levels which may pose a threat to indoor air quality.

---

<sup>2</sup> AEI, 2011. Phase I Environmental Site Assessment, 1428-1432 Franklin Street, Oakland, CA, December 12.

<sup>3</sup> Conestoga-Rovers & Associates, 2014. Second 2014 Semi-Annual Monitoring and Sampling Report, November. Online at: [http://geotracker.waterboards.ca.gov/esi/uploads/geo\\_report/4671846508/T0600100682.PDF](http://geotracker.waterboards.ca.gov/esi/uploads/geo_report/4671846508/T0600100682.PDF)

Importantly, analysis of SVOCs in groundwater and fuel oxygenates in both soil and groundwater yielded non-detect concentrations for all related chemicals analyzed; these findings remain consistent with the reported use of the USTs for storage of heating oils.

**Well and Sensitive Receptor Survey:** Appendix III includes a well and sensitive receptor survey performed to determine whether any water supply wells or surface water bodies are located in the vicinity of the site. As discussed in detail in Appendix III, several sources were utilized to access information relative to sensitive receptors; these included a search of Department of Water Resources (DWR) records for wells, a search of Alameda County Public Works Agency (ACPWA) records for wells, and obtainment of Environmental Data Resources (EDR) radius and sensitive receptor reports.

Combined, information from these sources indicates:

- Based on DWR records and further confirmed by the EDR well survey, a 480-foot deep irrigation well (well ID # 1 on Figure 4) may be present at 1111 Broadway in Oakland, located approximately 1,290 feet southwest (upgradient) of the site;
- Based on DWR and ACPWA records, a 280-foot deep irrigation well (well ID # 3) appears to be located at 300 Lakeside Drive in Oakland, located approximately 2,000 feet northeast (downgradient) of the site;
- Based on ACPWA records, a 95-foot deep irrigation well (well ID # 2) may be present at 244 Lakeside Drive in Oakland, approximately 1,900 feet northeast (downgradient) of the site;
- A total of 66 potential sensitive receptors such as daycare centers, nursing homes, schools, hospitals, colleges, and federal land were identified within 2,000-feet of the site (see Appendix III). The closest such receptor is Lincoln University (401 15th Street) located approximately 160 feet to the north-northwest (downgradient) of the site.

**Fate and Transport Mechanisms at the Site:** Leaching action of heating oil fuel released from the former UST through the underlying sandy soils encountered at the site is considered the primary historical transport mechanism for hydrocarbons in soils at the site; however, given the likely age of the heating oil tank and associated usage/release, residual hydrocarbons in soil are considered at equilibrium with shallow groundwater beneath the site, rendering this potential transport mechanism as insignificant at this time.

Advective and dispersive transport of hydrocarbons in groundwater are the most likely transport mechanisms for hydrocarbons detected in groundwater beneath the site. However, given the nature of the fuel (i.e., heating oils lacking the more mobile hydrocarbon constituents), the historical date of the former UST and associated releases, and the observed concentrations of hydrocarbons dissolved in groundwater at the former source area (i.e., at the UST location), the extent of vertical and lateral migration of hydrocarbons in groundwater is considered minimal.

To further evaluate the potential for the potential for migration of hydrocarbons relative to sensitive receptors, Figure 4 depicts the potential hydrocarbon (TPH-g) plume lengths (average, 90<sup>th</sup> percentile, and maximum plume lengths) in the downgradient direction based on the California State Water Resource Control Board's (SWRCB's) Low Threat Closure Policy (LTCP) technical justification (per Table 1 of [SWRCB, 2012]<sup>4</sup>). As shown on Figure 4, the maximum hypothetical hydrocarbon plume length noted in the Plume Length Guidance is not nearly long enough to reach the two downgradient water supply wells (irrigation Well IDs #2 and #3) identified through the various well surveys as being located approximately 1,900 to 2,000 feet northeast of the

---

<sup>4</sup> SWRCB, 2012. Technical Justification for Groundwater Media-Specific Criteria, April 24<sup>th</sup>.



site. A minimum buffer distance of approximately 1,100 feet exists between the location of these wells and the leading edge of the maximum hypothetical hydrocarbon plume as defined by the LTCP guidelines. Importantly, the site-related hydrocarbons in groundwater at the site are largely weathered due to their historical date, occur at relatively low levels immediately beneath the former UST location, and are highly unlikely to ever reach the estimated hypothetical distances outlined in the aforementioned guidance. Accordingly, the hydrocarbon plume at the site does not pose a risk to potential downgradient well receptors.

As discussed further in the exposure pathway section below, the potential for vapor intrusion at and in the immediate vicinity of the site relative to the presence of hydrocarbons in groundwater beneath the site is considered insignificant. As such, the presence of Lincoln University at an estimated 160 feet north-northwest of the site (nor other potentially sensitive receptors identified within the 2,000-foot radius of the site) is not considered a potential threat relative to the vapor intrusion pathway.

***Potential Exposure Pathways and Receptors:*** Daily onsite workers, potential future construction/maintenance workers, and hypothetical future residents may be considered as potential receptors at the site. With respect to these receptor groups, potential complete exposure pathways associated with hydrocarbons in soils include direct exposure via ingestion and dermal contact with soils, and inhalation of volatiles and/or particulates in soils. However, because no hydrocarbons were reported above their respective direct exposure residential ESLs in surface soils (< 10 feet bgs), this pathway is considered incomplete for all receptor groups. Moreover, the impacts (and former USTs) are located beneath the sidewalk, with the paved ground surface further eliminating the potential for direct exposure.

Given that groundwater occurs at approximately 25 to 30 feet bgs, given the absence of onsite water supply wells and that the sole (irrigation) water supply well downgradient of the site is located beyond (i.e., 2,000 feet) the extent of the hypothetical maximum hydrocarbon plume length per LTCP guidelines, and because water supply is currently provided to the site and surrounding areas through municipal sources (i.e., East Bay Municipal Utility District [EBMUD]), direct exposure to groundwater is considered incomplete for daily site occupants and future construction/maintenance worker whom are unlikely to penetrate depths as low as 30 feet bgs. Correspondingly, the soil-leaching-to-groundwater pathway is also considered incomplete due to the absence of mechanisms for direct exposure to groundwater. Soil and groundwater are expected to be at equilibrium relative to leaching to groundwater, given that the use of the USTs likely dates back to several decades ago, and that the USTs were removed more than a decade ago.

There are no known existing restrictions on the development of shallow groundwater for beneficial uses, including restrictions of water supply well placement at the site; hence, direct exposure to groundwater may theoretically be considered complete should water supply wells be placed at the site in the future. However, practically speaking, this is unlikely, especially since the area of impact is located on the sidewalk and the site buildings are located upgradient and are not impacted per the results of boring SB-1. More importantly, shallow groundwater in the Oakland area is regionally impacted and not suitable for water supply well development, which as previously mentioned is already provided by EBMUD.

Indirect exposure to groundwater via indoor inhalation of volatiles from groundwater is also considered an incomplete pathway under existing site use, given that the impacted soils and groundwater occur in the sidewalk area and the groundwater sample from within the onsite building footprint yielded the absence of any hydrocarbon detections. Moreover, SVOCs and benzene remain undetected in all samples, and the sole naphthalene detection in groundwater is well below the groundwater-to-indoor air ESL (see Table 2).

## **Conclusions and Recommendations**

Based on the investigation results and the CSM for the site, LRM has developed the following conclusions for the site:

- 1) Soils encountered beneath the site included sands and clayey sands to an approximate depth of 20 feet bgs, followed by sands to the total explored depth of 30 feet bgs;
- 2) Groundwater beneath the site occurs within the sand unit at approximately 26 to 27 feet bgs, with regional groundwater flow toward the west, placing the onsite buildings upgradient of the former USTs located on the sidewalk of Franklin Street;
- 3) Petroleum hydrocarbons in soils are primarily limited to the northern corner of the former UST tank pit, with detections largely limited to depths approximating 20 feet bgs; these include the presence of ethylbenzene, xylenes, naphthalene, TPH-g, and TPH-d, all at or below commercial/industrial soil ESLs. Benzene remains absent in all soil samples;
- 4) Petroleum hydrocarbons in groundwater are largely co-located with the detections of hydrocarbons in the northern corner of the former UST pit, including ethylbenzene, xylenes, naphthalene, TPH-g, and TPH-d. Of these chemicals, naphthalene, TPH-g, and TPH-d levels occur above drinking water standards, but below levels which may pose unacceptable indoor air risks;
- 5) The absence of benzene, fuel oxygenates, and SVOCs in groundwater from both within the UST footprint and beneath the onsite building help confirm that the former heating oil USTs (removed in 2004) did not contain automotive fuels;

In concert with the above conclusions, LRM recommends that the site is a good candidate for closure with no further action necessary. The rationale for this recommendation includes:

- 1) The former heating oil USTs were removed from the sidewalk in 2004, and were likely not in use for many decades before;
- 2) The chemicals of potential concern at the site are limited to TPH-g and TPH-d, and limited levels of naphthalene, reflecting storage of heating oils used in the former USTs. In the absence of the more volatile, mobile, and toxic hydrocarbons (such as benzene and SVOCs), potential exposure and associated health risks to the observed levels of hydrocarbons is considered minimal;
- 3) With the USTs removed, in the absence of soil impacts above commercial/industrial ESLs, and in the absence of SPHs, no ongoing sources of contamination are present at the site and soils beneath the sidewalk area do not pose any threats of exposure and unacceptable health risks; therefore, no active remediation of soil is considered warrant;
- 4) While groundwater concentrations of TPH-g, TPH-d, and naphthalene slightly exceed their respective drinking water standards, these impacts do not reveal an extensive impact to groundwater quality and are considered historical given the use of the USTs for storing heating oil likely dates back to decades ago. As such, the presence of these chemicals in groundwater largely represents a benign presence of weathered and immobile hydrocarbons. In the absence of onsite and threatened offsite shallow water supply wells (with drinking water supplied by EBMUD), and with detected concentrations of hydrocarbons remaining below levels which may pose unacceptable vapor intrusion risks, active remediation or monitoring of groundwater is not considered warranted; and
- 5) Based on the above rationale, the site is considered a strong candidate for no further action and closure under commercial/industrial land use. With the contamination is under the sidewalk and does not pose vapor intrusion risks, no restrictions on the use of the onsite building is deemed necessary. However, a




land use covenant prohibiting development of shallow groundwater at the site for potable purposes may be necessary as a deed restriction in support of site closure.

### Closing

LRM greatly appreciates your assistance with this project and we look forward to your input on the above-referenced conclusions and recommendations. If you have any questions, please contact Mehrdad Javaherian at 415-706-8935, or at [mehrdad@endpoint-inc.com](mailto:mehrdad@endpoint-inc.com).

Sincerely,  
**LRM Consulting, Inc.**

  
\_\_\_\_\_  
Mehrdad Javaherian, Ph.D., MPH, PE, LEED® GA  
Principal




Enclosure:

- Figure 1 – Site Plan with Sample Locations
- Figure 2 – Soil Analytical Results
- Figure 3 – Grab Groundwater Analytical Results
- Figure 4 – Potential Plume Lengths Based on LTCP Technical Justification

- Appendix I – Boring Logs
- Appendix II – Laboratory Analytical Report
- Appendix III – Well and Sensitive Receptor Survey



## **FIGURES**



**SITE PLAN WITH SAMPLE LOCATIONS**  
 CALIFORNIA RURAL LEGAL ASSISTANCE, INC.  
 1428, 1430, & 1432 FRANKLIN STREET  
 OAKLAND, CALIFORNIA  
 MAY 22, 2014

FIGURE:  
**1**

SB-3	5'	10'	20'
B	<0.005	<0.005	<0.005
T	<0.005	<0.005	<0.005
E	<0.005	<0.005	<0.005
X	<0.005	<0.005	<0.005
Napthalene	<0.005	<0.005	<0.005
TPH-g	<0.25	<0.25	<0.25
TPH-d	<1	<1	<1

SB-2	5'	10'	20'
B	<0.005	<0.005	<0.005
T	0.014	<0.005	<0.005
E	<0.005	<0.005	21
X	<0.005	0.016	43
Napthalene	<0.005	<0.005	12
TPH-g	0.86	32	2,200
TPH-d	16	28	1,100

ORIENTAL WELLNESS CENTER  
(1445 FRANKLIN STREET)

SHANGHIA ASSOCIATION OF  
NORTHERN CALIFORNIA  
(1441 FRANKLIN STREET)

UNOCCUPIED  
RESTAURANT  
(1437 FRANKLIN  
STREET)

AMB PARKING  
SERVICES  
(1431 FRANKLIN  
STREET)

DIAGNOSTIC IMAGING LAB  
(1446 FRANKLIN STREET)

GRILL AND CAFE  
(1444 FRANKLIN STREET)

UNIQUE BRAIDS AND  
GIFT SHOP  
(1442 FRANKLIN STREET)

SB-2  
SB-3  
SB-4

1432 FRANKLIN  
STREET

1430 FRANKLIN  
STREET

1428 FRANKLIN  
STREET

SB-1  
NS

SB-4	5'	10'	20'
B	<0.005	<0.005	<0.005
T	<0.005	<0.005	<0.005
E	<0.005	<0.005	<0.005
X	<0.005	<0.005	<0.005
Napthalene	<0.005	<0.005	<0.005
TPH-g	<0.25	<0.25	<0.25
TPH-d	<1	1.1	<1

DOUGLASS PARKING  
(1424 FRANKLIN STREET)







15TH STREET

FRANKLIN STREET


SATISFIED NAILS  
(389 15TH STREET)  
OAKLAND MASSAGE CENTER  
(385 15TH STREET)  
AA FLUSION GOURMET  
(381 15TH STREET)  
FIRST IMPRESSIONS HAIR DESIGN  
(377 15TH STREET)  
I LOVE OAKLAND GROUP  
(371 15TH STREET)  
FIREFIGHTERS LOCAL 55  
ASSOCIATION  
(369 15TH STREET)

WORK FORCE  
COLLABORATIVE  
SEIU, SWORDS TO  
PLOVSHARE  
(1433 WEBSTER STREET)

LEGEND:

-  Soil and Grab Groundwater Sample Location
-  Soil Sample Location
-  Grab Groundwater Sample Location
-  Site Boundary
-  Groundwater Flow Direction
-  Former Location of USTs

NA = Not analyzed  
NS = Soil not sampled  
All concentrations in mg/kg




Base Map: "Site Plan and Sample Location, Figure 2 by Enercon, undated."



**SOIL ANALYTICAL RESULTS**  
CALIFORNIA RURAL LEGAL ASSISTANCE, INC.  
1428, 1430, & 1432 FRANKLIN STREET  
OAKLAND, CALIFORNIA  
MAY 22, 2014

FIGURE:


**2**



NA = Not analyzed  
 ND = Non-detect  
 All concentrations in  $\mu\text{g/L}$

**LEGEND:**

- Soil and Grab Groundwater Sample Location
- Soil Sample Location
- Grab Groundwater Sample Location
- Site Boundary
- Groundwater Flow Direction
- Former Location of USTs








Base Map: "Site Plan and Sample Location, Figure 2 by Enercon, undated."




**GRAB GROUNDWATER ANALYTICAL RESULTS**  
 CALIFORNIA RURAL LEGAL ASSISTANCE, INC.  
 1428, 1430, & 1432 FRANKLIN STREET  
 OAKLAND, CALIFORNIA  
 MAY 22, 2014

FIGURE:  
3



- LEGEND:**
-  Irrigation well
  -  Average gasoline contour (ug/L)\*
  -  90th Percentile gasoline contour (ug/L)\*
  -  Maximum gasoline contour (ug/L)\*


\*100 ug/L contour based on the plume lengths listed on Table 1 of the Technical Justification for Groundwater Plume Lengths, Indicator Constituents, Concentrations, and Buffer Distances (Separation Distances) to Receptors (State Water Resources Control Board Low-Threat UST Closure Policy Task Force, July 11, 2011).



Base Map: Google Earth, 2014.

**POTENTIAL PLUME LENGTHS  
BASED ON LTCP TECHNICAL  
JUSTIFICATION**

CALIFORNIA RURAL LEGAL ASSISTANCE, INC.  
1428, 1430, & 1432 FRANKLIN STREET  
OAKLAND, CALIFORNIA

	Date:	Figure:
	01/04/2015	4

## **TABLES**

**Table 1. Concentrations of Petroleum Hydrocarbons in Soil  
1428-1432 Franklin Street, Oakland, CA**

Boring ID	Sample Date	Sample Depth (ft)	Benzene	Toluene	Ethylbenzene	Xylenes	Naphthalene	TPH-g	TPH-d
SB-2-1	5/22/2014	3	<0.005	<b>0.014</b>	<0.005	<0.005	<0.005	<b>0.86</b>	<b>16</b>
SB-2-2	5/22/2014	10	<0.005	<0.005	<0.005	<b>0.016</b>	<0.005	<b>32</b>	<b>28</b>
SB-2-4	5/22/2014	20	<0.005	<0.005	<b>21</b>	<b>43</b>	<b>12</b>	<b>2200</b>	<b>1100</b>
SB-3-1	5/22/2014	5	<0.005	<0.005	<0.005	<0.005	<0.005	<0.25	<1
SB-3-2	5/22/2014	10	<0.005	<0.005	<0.005	<0.005	<0.005	<0.25	<1
SB-3-3	5/22/2014	15	<0.005	<0.005	<0.005	<0.005	<0.005	<0.25	<1
SB-4-1	5/22/2014	5	<0.005	<0.005	<0.005	<0.005	<0.005	<0.25	<1
SB-4-2	5/22/2014	10	<0.005	<0.005	<0.005	<0.005	<0.005	<0.25	<b>1.1</b>
SB-4-4	5/22/2014	20	<0.005	<0.005	<0.005	<0.005	<0.005	<0.25	<1

Residential ESL- Direct Exposure	0.74	1000	4.8	600	3.1	770	240
Commercial ESL- Direct Exposure	3.7	4900	24	2,600	15	4000	1,100
ESL-Soil Leaching to Groundwater	0.044	2.9	3.3	2.3	1.2	500*	110*

All concentrations in mg/kg

\* Value represents ceiling value.

**Table 2. Concentrations of Petroleum Hydrocarbons in Groundwater  
1428-1432 Franklin Street, Oakland, CA**

Boring ID	Sample Date	Sample Depth (ft)	Benzene	Toluene	Ethylbenzene	Xylenes	Naphthalene	TPH-g	TPH-d
SB-1-GW	5/22/2014	26	<0.5	<0.5	<0.5	<0.5	<0.5	<50	<50
SB-2-GW	5/22/2014	26	<8.4	<8.4	<b>100</b>	<b>270</b>	<b>78</b>	<b>7,800</b>	<b>5,100</b>
SB-3-GS	5/22/2014	26	<0.5	<0.5	<0.5	<0.5	<0.5	<50	<b>410</b>
SB-4-GW	5/22/2014	26	<0.5	<0.5	<0.5	<0.5	<0.5	<50	<50

Drinking Water Standards	1	150	300.0	1800	6.1	100	100
Groundwater ESLs for Protection of Vapor Intrusion- Commercial-Coarse Mix	270	95,000*	3,100.0	37,000*	1600	NA	NA

All concentrations in ug/L

Value represents residential land use



**APPENDIX I**  
**BORING LOGS**

PROJECT:

1428-1432 FRANKLIN STREET  
Oakland, California

## Log of Boring SB-1

PAGE 1 OF 1

Boring location: See Site Plan, Figure 2

Logged by: Marc Hachey  
Drilled By: Vapor Tech

Date started: 5/22/14

Date finished: 5/22/14

Drilling method: Direct Push

Permit No.: NA

Permit Issued by:

Sampling: Geoprobe

DEPTH (feet)	SAMPLES				PID (ppm)	LITHOLOGY	MATERIAL DESCRIPTION
	Sample Number	Sample	Blow Count	Recovery (feet)			
1						SP	SAND with SILT (SP) dark brown, slightly moist, fine to medium grained sand
2							becoming moderate brown to light brown, with trace fine gravel
3							
4						SC	CLAYEY SAND (SC) moderate and gray-brown, slightly moist to moist
5							
6							SILTY SAND (SM) orange-brown with gray-brown, slightly moist, some clay
7							
8						SM	
9							
10							
11							
12							CLAYEY/SILTY (SM/SC) moderate, orange, and dark gray-brown, slightly moist to moist, fine to medium sand
13						SM/ SC	becoming clayey sand to sandy clay, moist (SC/CL)
14							
15							
16							CLAYEY SAND (SC) gray-brown with iron staining, slightly moist, medium sand with zones of sandy lean clay
17						SC	
18							some thin zones of slightly higher moisture (SC)
19							
20						SM	SAND (SM) mostly gray to orange brown, slightly moist, silty fine to medium sand with some coarse sand
21							SAND (SP) gray-brown, slightly moist with 6" zone of moist at 21', fine to medium sand with silt and clay
22						SP	
23							less, moist and less clayey
24							
25							
26						SP	∇ SAND (SP) gray to moderate brown, wet, fine to medium, poorly graded sand
27							
28							
29							
30							

Boring terminated at a depth of 27 feet below ground surface.  
Boring backfilled with cement grout.  
Groundwater encountered at a depth of 25.5 feet during drilling.



Project No.:

Figure:

1

PROJECT:

1428-1432 FRANKLIN STREET  
Oakland, California

# Log of Boring SB-2

PAGE 1 OF 1

Boring location: See Site Plan, Figure 2

Logged by: Marc Hachey  
Drilled By: Vapor Tech

Date started: 5/22/14

Date finished: 5/22/14

Drilling method: Direct Push

Permit No.: NA

Permit Issued by:

Sampling: Geoprobe

DEPTH (feet)	SAMPLES				PID (ppm)	LITHOLOGY	MATERIAL DESCRIPTION
	Sample Number	Sample	Blow Count	Recovery (feet)			
1							6 inches Asphalt Concrete (AC)
							6 inches Aggregate Base (AB)
2					2.0		SAND (SP) mixed gray and orange brown, moist fine to medium sand with silt
3					9.1		
4					4.5		
5							
6					1.2		moist with zones of wet, some clay
7						SP	
8							
9							slight hydrocarbon odor
10					10.1		
11							
12							
13							strong hydrocarbon odor
14					28.5		CLAY/SAND (SC/CL) gray-brown, moist, clayey sand to sandy clay
15							
16					700		
17						SC/ CL	
18							
19					13.65		
20							
21					1750		
22					1660		SAND (SM) interlayered, moderate and gray-brown, moist to very moist, silty sand
23					1660		
24						SM	
25					1025		becoming gray to gray-brown, moist to wet, silty sand to silt with sand (SM/SP)
26							
27							SAND (SP) gray to gray-brown, very moist to wet, fine to medium sand
28					1240		
29						SP	
30					1450		

Boring terminated at a depth of 30 feet below ground surface.  
Boring backfilled with cement grout.  
Groundwater encountered at a depth of 26 feet during drilling.



Project No.:

Figure:

RICHMOND - LRM 1428-1432 FRANKLIN.GPJ T&R.GDT 6/4/14

PROJECT:

1428-1432 FRANKLIN STREET  
Oakland, California

## Log of Boring SB-3

PAGE 1 OF 1

Boring location: See Site Plan, Figure 2

Logged by: Marc Hachey  
Drilled By: Vapor Tech

Date started: 5/22/14

Date finished: 5/22/14

Drilling method: Direct Push

Permit No.: NA

Permit Issued by:

Sampling: Geoprobe

DEPTH (feet)	SAMPLES				PID (ppm)	LITHOLOGY	MATERIAL DESCRIPTION
	Sample Number	Sample	Blow Count	Recovery (feet)			
1							6 inches Asphalt Concrete (AC)
							6 inches Aggregate Base (AB)
2							SAND (SP)
3							mixed mixed orange and gray-brown, moist to wet, fine to medium sand with silt and clay
4						SP	
5							
6							
7					385		SAND (SM/SC)
8							mostly orange brown with some gray-brown, moist, clayey, silty fine sand
9							
10					625	SM/ SC	
11							
12					200		
13							
14							CLAY (CL)
15							moderate to gray-brown, moist, sandy lean clay
16					190	CL	
17							
18					202		SAND (SC)
19							moderate brown, moist, clayey fine to medium sand
20					180	SC	
21							becoming less clayey, more silty, slightly moist
22					2.0		
23							
24					118	SM/ SP	SAND (SM/SP)
25							moderate and gray-brown, moist, silty, fine to medium sand to sand with silt
26					2.5		becoming wet
27					0.9		
28							SAND (SP)
29							moderate brown, very moist to wet, fine to medium sand with silt
30					55	SP	

Boring terminated at a depth of 30 feet below ground surface.  
Boring backfilled with cement grout.  
Groundwater encountered at a depth of 24 feet during drilling.



Project No.:

Figure:

3

PROJECT:

1428-1432 FRANKLIN STREET  
Oakland, California

# Log of Boring SB-4

PAGE 1 OF 2

Boring location: See Site Plan, Figure 2

Logged by: Marc Hachey  
Drilled By: Vapor Tech

Date started: 5/22/14

Date finished: 5/22/14

Drilling method: Direct Push

Permit No.: NA

Permit Issued by:

Sampling: Geoprobe

DEPTH (feet)	SAMPLES				PID (ppm)	LITHOLOGY	MATERIAL DESCRIPTION
	Sample Number	Sample	Blow Count	Recovery (feet)			
1							SAND (SC) moderate, orange and gray-brown, moist, clayey sand
2							
3							
4							
5							
6					1.5	SC	
7							
8					5.5		
9							
10							
11							SAND (SC) moderate to orange brown, slightly moist, clayey, fine to medium sand
12							
13							
14					47		
15							
16					5.5		
17							
18							
19						SC	
20					1.2		
21							becoming very moist
22					28		
23							
24					14		
25							becoming very moist to wet
26					2.0		
27							
28					32	SP	
29							
30					2.0		SAND (SP) moderate to gray-brown, wet, fine to medium sand with trace silt

RICHMOND - LRM 1428-1432 FRANKLIN.GPJ T&R.GDT 6/4/14



Project No.:

Figure:

4a

PROJECT:

1428-1432 FRANKLIN STREET  
Oakland, California

# Log of Boring SB-4

PAGE 2 OF 2

DEPTH (feet)	SAMPLES				PID (ppm)	LITHOLOGY	MATERIAL DESCRIPTION
	Sample Number	Sample	Blow Count	Recovery (feet)			
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
41							
42							
43							
44							
45							
46							
47							
48							
49							
50							
51							
52							
53							
54							
55							
56							
57							
58							
59							
60							

RICHMOND - LRM 1428-1432 FRANKLIN.GPJ T&R.GDT 6/4/14

Boring terminated at a depth of 30 feet below ground surface.  
Boring backfilled with cement grout.  
Groundwater encountered at a depth of 23 feet during drilling.



Project No.:  
Figure: 4b

**APPENDIX II**  
**LABORATORY ANALYTICAL REPORTS**



# McC Campbell Analytical, Inc.

"When Quality Counts"

## Analytical Report

**WorkOrder:** 1405896

**Report Created for:** LRM Consulting, Inc.  
1534 Plaza Lane, #145  
Burlingame, CA 94010

**Project Contact:** Mehrdad Javaherian  
**Project P.O.:**  
**Project Name:** #1428-1430 Franklin St

**Project Received:** 05/22/2014

Analytical Report reviewed & approved for release on 06/02/2014 by:

Question about  
your data?

Angela Rydelius,  
Laboratory Manager

*The report shall not be reproduced except in full, without the written approval of the laboratory. The analytical results relate only to the items tested. Results reported conform to the most current NELAP standards, where applicable, unless otherwise stated in the case narrative.*







## Glossary of Terms & Qualifier Definitions

**Client:** LRM Consulting, Inc.  
**Project:** #1428-1430 Franklin St  
**WorkOrder:** 1405896

### Glossary Abbreviation

95% Interval	95% Confident Interval
DF	Dilution Factor
DUP	Duplicate
EDL	Estimated Detection Limit
ITEF	International Toxicity Equivalence Factor
LCS	Laboratory Control Sample
MB	Method Blank
MB % Rec	% Recovery of Surrogate in Method Blank, if applicable
MDL	Method Detection Limit
ML	Minimum Level of Quantitation
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ND	Not detected at or above the indicated MDL or RL
NR	Matrix interferences, or analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix; or sample diluted due to high matrix or analyte content.
RD	Relative Difference
RL	Reporting Limit (The RL is the lowest calibration standard in a multipoint calibration.)
RPD	Relative Percent Deviation
RRT	Relative Retention Time
SPK Val	Spike Value
SPKRef Val	Spike Reference Value
TEQ	Toxicity Equivalence

### Analytical Qualifiers

S	spike recovery outside accepted recovery limits
c4	surrogate recovery outside of the control limits due to coelution with another peak(s) / cluttered chromatogram.
e2	diesel range compounds are significant; no recognizable pattern
e7	oil range compounds are significant
e11	stoddard solvent/mineral spirit (?)



# Analytical Report

**Client:** LRM Consulting, Inc.  
**Project:** #1428-1430 Franklin St  
**Date Received:** 5/22/14 19:35  
**Date Prepared:** 5/23/14

**WorkOrder:** 1405896  
**Extraction Method:** SW5030B  
**Analytical Method:** SW8260B  
**Unit:** mg/kg

## Benzene, Toluene, Ethylbenzene & Xylenes (BTEX) by P&T and GC/MS

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
SB-3-3	1405896-009A	Soil	05/22/2014 12:10	GC16	90788
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
Benzene	ND		0.0050	1	05/29/2014 01:30
Ethylbenzene	ND		0.0050	1	05/29/2014 01:30
Toluene	ND		0.0050	1	05/29/2014 01:30
Xylenes, Total	ND		0.0050	1	05/29/2014 01:30
<u>Surrogates</u>	<u>REC (%)</u>		<u>Limits</u>		
Dibromofluoromethane	99		70-130		05/29/2014 01:30
Toluene-d8	102		70-130		05/29/2014 01:30
4-BFB	121		70-130		05/29/2014 01:30



## Analytical Report

**Client:** LRM Consulting, Inc.  
**Project:** #1428-1430 Franklin St  
**Date Received:** 5/22/14 19:35  
**Date Prepared:** 5/22/14-5/23/14

**WorkOrder:** 1405896  
**Extraction Method:** SW5030B  
**Analytical Method:** SW8260B  
**Unit:** mg/kg

### TPH(g) by Purge & Trap and GC/MS

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
<b>SB-2-1</b>	<b>1405896-001A</b>	<b>Soil</b>	<b>05/22/2014 10:25</b>	<b>GC16</b>	<b>90755</b>
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH(g)	<b>0.86</b>		0.25	1	05/27/2014 12:53
<u>Surrogates</u>	<u>REC (%)</u>		<u>Limits</u>		
Toluene-d8	102		70-130		05/27/2014 12:53
<b>SB-2-2</b>	<b>1405896-002A</b>	<b>Soil</b>	<b>05/22/2014 10:35</b>	<b>GC16</b>	<b>90755</b>
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH(g)	<b>32</b>		1.0	4	05/28/2014 21:55
<u>Surrogates</u>	<u>REC (%)</u>		<u>Limits</u>		
Toluene-d8	102		70-130		05/28/2014 21:55
<b>SB-2-4</b>	<b>1405896-004A</b>	<b>Soil</b>	<b>05/22/2014 10:55</b>	<b>GC16</b>	<b>90755</b>
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH(g)	<b>2200</b>		250	1000	05/28/2014 16:02
<u>Surrogates</u>	<u>REC (%)</u>		<u>Limits</u>		
Toluene-d8	101		70-130		05/28/2014 16:02
<b>SB-3-1</b>	<b>1405896-007A</b>	<b>Soil</b>	<b>05/22/2014 11:45</b>	<b>GC16</b>	<b>90755</b>
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH(g)	ND		0.25	1	05/28/2014 23:21
<u>Surrogates</u>	<u>REC (%)</u>		<u>Limits</u>		
Toluene-d8	103		70-130		05/28/2014 23:21
<b>SB-3-2</b>	<b>1405896-008A</b>	<b>Soil</b>	<b>05/22/2014 11:55</b>	<b>GC16</b>	<b>90755</b>
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH(g)	ND		0.25	1	05/29/2014 00:04
<u>Surrogates</u>	<u>REC (%)</u>		<u>Limits</u>		
Toluene-d8	103		70-130		05/29/2014 00:04

(Cont.)



# Analytical Report

**Client:** LRM Consulting, Inc.  
**Project:** #1428-1430 Franklin St  
**Date Received:** 5/22/14 19:35  
**Date Prepared:** 5/22/14-5/23/14

**WorkOrder:** 1405896  
**Extraction Method:** SW5030B  
**Analytical Method:** SW8260B  
**Unit:** mg/kg

## TPH(g) by Purge & Trap and GC/MS

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
<b>SB-3-3</b>	<b>1405896-009A</b>	<b>Soil</b>	<b>05/22/2014 12:10</b>	<b>GC16</b>	<b>90788</b>
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH(g)	ND		0.25	1	05/29/2014 01:30
<u>Surrogates</u>	<u>REC (%)</u>		<u>Limits</u>		
Toluene-d8	103		70-130		05/29/2014 01:30
<b>SB-4-1</b>	<b>1405896-013A</b>	<b>Soil</b>	<b>05/22/2014 13:10</b>	<b>GC16</b>	<b>90755</b>
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH(g)	ND		0.25	1	05/29/2014 00:47
<u>Surrogates</u>	<u>REC (%)</u>		<u>Limits</u>		
Toluene-d8	102		70-130		05/29/2014 00:47
<b>SB-4-2</b>	<b>1405896-014A</b>	<b>Soil</b>	<b>05/22/2014 13:20</b>	<b>GC16</b>	<b>90764</b>
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH(g)	ND		0.25	1	05/27/2014 12:10
<u>Surrogates</u>	<u>REC (%)</u>		<u>Limits</u>		
Toluene-d8	101		70-130		05/27/2014 12:10



## Analytical Report

**Client:** LRM Consulting, Inc.  
**Project:** #1428-1430 Franklin St  
**Date Received:** 5/22/14 19:35  
**Date Prepared:** 5/22/14

**WorkOrder:** 1405896  
**Extraction Method:** SW5030B  
**Analytical Method:** SW8260B  
**Unit:** mg/kg

### MTBE and BTEX by GC/MS

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
<b>SB-2-1</b>	<b>1405896-001A</b>	<b>Soil</b>	<b>05/22/2014 10:25</b>	<b>GC16</b>	<b>90755</b>

<u>Analytes</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
Benzene	ND	0.0050	1	05/27/2014 12:53
Ethylbenzene	ND	0.0050	1	05/27/2014 12:53
Naphthalene	ND	0.0050	1	05/27/2014 12:53
Toluene	<b>0.014</b>	0.0050	1	05/27/2014 12:53
Xylenes, Total	ND	0.0050	1	05/27/2014 12:53
<u>Surrogates</u>	<u>REC (%)</u>	<u>Limits</u>		
Dibromofluoromethane	101	70-130		05/27/2014 12:53
Toluene-d8	100	70-130		05/27/2014 12:53

<b>SB-2-2</b>	<b>1405896-002A</b>	<b>Soil</b>	<b>05/22/2014 10:35</b>	<b>GC16</b>	<b>90755</b>
---------------	---------------------	-------------	-------------------------	-------------	--------------

<u>Analytes</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
Benzene	ND	0.0050	1	05/28/2014 17:31
Ethylbenzene	ND	0.0050	1	05/28/2014 17:31
Naphthalene	ND	0.0050	1	05/28/2014 17:31
Toluene	ND	0.0050	1	05/28/2014 17:31
Xylenes, Total	<b>0.016</b>	0.0050	1	05/28/2014 17:31
<u>Surrogates</u>	<u>REC (%)</u>	<u>Limits</u>		
Dibromofluoromethane	100	70-130		05/28/2014 17:31
Toluene-d8	118	70-130		05/28/2014 17:31

<b>SB-2-4</b>	<b>1405896-004A</b>	<b>Soil</b>	<b>05/22/2014 10:55</b>	<b>GC16</b>	<b>90755</b>
---------------	---------------------	-------------	-------------------------	-------------	--------------

<u>Analytes</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
Benzene	ND	1.0	200	05/27/2014 13:36
Ethylbenzene	<b>21</b>	1.0	200	05/27/2014 13:36
Naphthalene	<b>12</b>	1.0	200	05/27/2014 13:36
Toluene	ND	1.0	200	05/27/2014 13:36
Xylenes, Total	<b>43</b>	1.0	200	05/27/2014 13:36
<u>Surrogates</u>	<u>REC (%)</u>	<u>Limits</u>		
Dibromofluoromethane	105	70-130		05/27/2014 13:36
Toluene-d8	121	70-130		05/27/2014 13:36

(Cont.)



## Analytical Report

**Client:** LRM Consulting, Inc.  
**Project:** #1428-1430 Franklin St  
**Date Received:** 5/22/14 19:35  
**Date Prepared:** 5/22/14

**WorkOrder:** 1405896  
**Extraction Method:** SW5030B  
**Analytical Method:** SW8260B  
**Unit:** mg/kg

### MTBE and BTEX by GC/MS

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
<b>SB-3-1</b>	<b>1405896-007A</b>	<b>Soil</b>	<b>05/22/2014 11:45</b>	<b>GC16</b>	<b>90755</b>

Analytes	Result	RL	DF	Date Analyzed
Benzene	ND	0.0050	1	05/28/2014 23:21
Ethylbenzene	ND	0.0050	1	05/28/2014 23:21
Naphthalene	ND	0.0050	1	05/28/2014 23:21
Toluene	ND	0.0050	1	05/28/2014 23:21
Xylenes, Total	ND	0.0050	1	05/28/2014 23:21
Surrogates	REC (%)	Limits		
Dibromofluoromethane	100	70-130		05/28/2014 23:21
Toluene-d8	102	70-130		05/28/2014 23:21

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
<b>SB-3-2</b>	<b>1405896-008A</b>	<b>Soil</b>	<b>05/22/2014 11:55</b>	<b>GC16</b>	<b>90755</b>

Analytes	Result	RL	DF	Date Analyzed
Benzene	ND	0.0050	1	05/29/2014 00:04
Ethylbenzene	ND	0.0050	1	05/29/2014 00:04
Naphthalene	ND	0.0050	1	05/29/2014 00:04
Toluene	ND	0.0050	1	05/29/2014 00:04
Xylenes, Total	ND	0.0050	1	05/29/2014 00:04
Surrogates	REC (%)	Limits		
Dibromofluoromethane	99	70-130		05/29/2014 00:04
Toluene-d8	102	70-130		05/29/2014 00:04

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
<b>SB-4-1</b>	<b>1405896-013A</b>	<b>Soil</b>	<b>05/22/2014 13:10</b>	<b>GC16</b>	<b>90755</b>

Analytes	Result	RL	DF	Date Analyzed
Benzene	ND	0.0050	1	05/29/2014 00:47
Ethylbenzene	ND	0.0050	1	05/29/2014 00:47
Naphthalene	ND	0.0050	1	05/29/2014 00:47
Toluene	ND	0.0050	1	05/29/2014 00:47
Xylenes, Total	ND	0.0050	1	05/29/2014 00:47
Surrogates	REC (%)	Limits		
Dibromofluoromethane	98	70-130		05/29/2014 00:47
Toluene-d8	101	70-130		05/29/2014 00:47

(Cont.)



# Analytical Report

**Client:** LRM Consulting, Inc.  
**Project:** #1428-1430 Franklin St  
**Date Received:** 5/22/14 19:35  
**Date Prepared:** 5/22/14

**WorkOrder:** 1405896  
**Extraction Method:** SW5030B  
**Analytical Method:** SW8260B  
**Unit:** mg/kg

## MTBE and BTEX by GC/MS

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
SB-4-2	1405896-014A	Soil	05/22/2014 13:20	GC16	90764
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
Benzene	ND		0.0050	1	05/27/2014 12:10
Ethylbenzene	ND		0.0050	1	05/27/2014 12:10
Naphthalene	ND		0.0050	1	05/27/2014 12:10
Toluene	ND		0.0050	1	05/27/2014 12:10
Xylenes, Total	ND		0.0050	1	05/27/2014 12:10
<u>Surrogates</u>	<u>REC (%)</u>		<u>Limits</u>		
Dibromofluoromethane	103		70-130		05/27/2014 12:10
Toluene-d8	100		70-130		05/27/2014 12:10



## Analytical Report

**Client:** LRM Consulting, Inc.  
**Project:** #1428-1430 Franklin St  
**Date Received:** 5/22/14 19:35  
**Date Prepared:** 5/22/14-5/23/14

**WorkOrder:** 1405896  
**Extraction Method:** SW3550B  
**Analytical Method:** SW8015B  
**Unit:** mg/Kg

### Total Extractable Petroleum Hydrocarbons

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
<b>SB-2-1</b>	<b>1405896-001A</b>	<b>Soil</b>	<b>05/22/2014 10:25</b>	<b>GC2A</b>	<b>90763</b>
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH-Diesel (C10-C23)	<b>16</b>		2.0	2	05/30/2014 11:57
<u>Surrogates</u>	<u>REC (%)</u>		<u>Limits</u>	Analytical Comments: e7,e2	
C9	112		70-130		05/30/2014 11:57
<b>SB-2-2</b>	<b>1405896-002A</b>	<b>Soil</b>	<b>05/22/2014 10:35</b>	<b>GC9b</b>	<b>90763</b>
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH-Diesel (C10-C23)	<b>28</b>		1.0	1	05/24/2014 07:01
<u>Surrogates</u>	<u>REC (%)</u>		<u>Limits</u>	Analytical Comments: e11	
C9	98		70-130		05/24/2014 07:01
<b>SB-2-4</b>	<b>1405896-004A</b>	<b>Soil</b>	<b>05/22/2014 10:55</b>	<b>GC2A</b>	<b>90763</b>
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH-Diesel (C10-C23)	<b>1100</b>		20	20	05/30/2014 09:24
<u>Surrogates</u>	<u>REC (%)</u>	<u>Qualifiers</u>	<u>Limits</u>	Analytical Comments: e11,c4	
C9	255	S	70-130		05/30/2014 09:24
<b>SB-3-1</b>	<b>1405896-007A</b>	<b>Soil</b>	<b>05/22/2014 11:45</b>	<b>GC6A</b>	<b>90763</b>
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH-Diesel (C10-C23)	ND		1.0	1	05/28/2014 02:47
<u>Surrogates</u>	<u>REC (%)</u>		<u>Limits</u>		
C9	106		70-130		05/28/2014 02:47
<b>SB-3-2</b>	<b>1405896-008A</b>	<b>Soil</b>	<b>05/22/2014 11:55</b>	<b>GC6A</b>	<b>90763</b>
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH-Diesel (C10-C23)	ND		1.0	1	05/28/2014 08:46
<u>Surrogates</u>	<u>REC (%)</u>		<u>Limits</u>		
C9	97		70-130		05/28/2014 08:46

(Cont.)





## Analytical Report

**Client:** LRM Consulting, Inc.  
**Project:** #1428-1430 Franklin St  
**Date Received:** 5/22/14 19:35  
**Date Prepared:** 5/22/14-5/23/14

**WorkOrder:** 1405896  
**Extraction Method:** SW3550B  
**Analytical Method:** SW8015B  
**Unit:** mg/Kg

### Total Extractable Petroleum Hydrocarbons

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
<b>SB-3-3</b>	<b>1405896-009A</b>	<b>Soil</b>	<b>05/22/2014 12:10</b>	<b>GC6A</b>	<b>90770</b>
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH-Diesel (C10-C23)	ND		1.0	1	05/23/2014 23:55
<u>Surrogates</u>	<u>REC (%)</u>		<u>Limits</u>		
C9	98		70-130		05/23/2014 23:55
<b>SB-4-1</b>	<b>1405896-013A</b>	<b>Soil</b>	<b>05/22/2014 13:10</b>	<b>GC9b</b>	<b>90763</b>
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH-Diesel (C10-C23)	ND		1.0	1	05/24/2014 04:44
<u>Surrogates</u>	<u>REC (%)</u>		<u>Limits</u>		
C9	106		70-130		05/24/2014 04:44
<b>SB-4-2</b>	<b>1405896-014A</b>	<b>Soil</b>	<b>05/22/2014 13:20</b>	<b>GC9b</b>	<b>90763</b>
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH-Diesel (C10-C23)	1.1		1.0	1	05/30/2014 03:24
<u>Surrogates</u>	<u>REC (%)</u>		<u>Limits</u>	Analytical Comments: e2	
C9	106		70-130		05/30/2014 03:24



# Quality Control Report

**Client:** LRM Consulting, Inc.  
**Date Prepared:** 5/23/14  
**Date Analyzed:** 5/23/14  
**Instrument:** GC10  
**Matrix:** Soil  
**Project:** #1428-1430 Franklin St

**WorkOrder:** 1405896  
**BatchID:** 90788  
**Extraction Method:** SW5030B  
**Analytical Method:** SW8260B  
**Unit:** mg/Kg  
**Sample ID:** MB/LCS-90788  
 1405926-001AMS/MSD

## QC Summary Report for SW8260B

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Acetone	ND	-	0.10	-	-	-	-
tert-Amyl methyl ether (TAME)	ND	-	0.0050	-	-	-	-
Benzene	ND	0.0482	0.0050	0.050	-	96.5	70-130
Bromobenzene	ND	-	0.0050	-	-	-	-
Bromochloromethane	ND	-	0.0050	-	-	-	-
Bromodichloromethane	ND	-	0.0050	-	-	-	-
Bromoform	ND	-	0.0050	-	-	-	-
Bromomethane	ND	-	0.0050	-	-	-	-
2-Butanone (MEK)	ND	-	0.020	-	-	-	-
t-Butyl alcohol (TBA)	ND	-	0.050	-	-	-	-
n-Butyl benzene	ND	-	0.0050	-	-	-	-
sec-Butyl benzene	ND	-	0.0050	-	-	-	-
tert-Butyl benzene	ND	-	0.0050	-	-	-	-
Carbon Disulfide	ND	-	0.0050	-	-	-	-
Carbon Tetrachloride	ND	-	0.0050	-	-	-	-
Chlorobenzene	ND	-	0.0050	-	-	-	-
Chloroethane	ND	-	0.0050	-	-	-	-
Chloroform	ND	-	0.0050	-	-	-	-
Chloromethane	ND	-	0.0050	-	-	-	-
2-Chlorotoluene	ND	-	0.0050	-	-	-	-
4-Chlorotoluene	ND	-	0.0050	-	-	-	-
Dibromochloromethane	ND	-	0.0050	-	-	-	-
1,2-Dibromo-3-chloropropane	ND	-	0.0040	-	-	-	-
1,2-Dibromoethane (EDB)	ND	-	0.0040	-	-	-	-
Dibromomethane	ND	-	0.0050	-	-	-	-
1,2-Dichlorobenzene	ND	-	0.0050	-	-	-	-
1,3-Dichlorobenzene	ND	-	0.0050	-	-	-	-
1,4-Dichlorobenzene	ND	-	0.0050	-	-	-	-
Dichlorodifluoromethane	ND	-	0.0050	-	-	-	-
1,1-Dichloroethane	ND	-	0.0050	-	-	-	-
1,2-Dichloroethane (1,2-DCA)	ND	-	0.0040	-	-	-	-
1,1-Dichloroethene	ND	0.0539	0.0050	0.050	-	108	70-130
cis-1,2-Dichloroethene	ND	-	0.0050	-	-	-	-
trans-1,2-Dichloroethene	ND	-	0.0050	-	-	-	-
1,2-Dichloropropane	ND	-	0.0050	-	-	-	-
1,3-Dichloropropane	ND	-	0.0050	-	-	-	-
2,2-Dichloropropane	ND	-	0.0050	-	-	-	-
1,1-Dichloropropene	ND	-	0.0050	-	-	-	-
cis-1,3-Dichloropropene	ND	-	0.0050	-	-	-	-
trans-1,3-Dichloropropene	ND	-	0.0050	-	-	-	-

(Cont.)



## Quality Control Report

**Client:** LRM Consulting, Inc.  
**Date Prepared:** 5/23/14  
**Date Analyzed:** 5/23/14  
**Instrument:** GC10  
**Matrix:** Soil  
**Project:** #1428-1430 Franklin St

**WorkOrder:** 1405896  
**BatchID:** 90788  
**Extraction Method:** SW5030B  
**Analytical Method:** SW8260B  
**Unit:** mg/Kg  
**Sample ID:** MB/LCS-90788  
 1405926-001AMS/MSD

### QC Summary Report for SW8260B

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Diisopropyl ether (DIPE)	ND	-	0.0050	-	-	-	-
Ethylbenzene	ND	-	0.0050	-	-	-	-
Ethyl tert-butyl ether (ETBE)	ND	-	0.0050	-	-	-	-
Freon 113	ND	-	0.0050	-	-	-	-
Hexachlorobutadiene	ND	-	0.0050	-	-	-	-
Hexachloroethane	ND	-	0.0050	-	-	-	-
2-Hexanone	ND	-	0.0050	-	-	-	-
Isopropylbenzene	ND	-	0.0050	-	-	-	-
4-Isopropyl toluene	ND	-	0.0050	-	-	-	-
Methyl-t-butyl ether (MTBE)	ND	-	0.0050	-	-	-	-
Methylene chloride	ND	-	0.0050	-	-	-	-
4-Methyl-2-pentanone (MIBK)	ND	-	0.0050	-	-	-	-
Naphthalene	ND	-	0.0050	-	-	-	-
n-Propyl benzene	ND	-	0.0050	-	-	-	-
Styrene	ND	-	0.0050	-	-	-	-
1,1,1,2-Tetrachloroethane	ND	-	0.0050	-	-	-	-
1,1,2,2-Tetrachloroethane	ND	-	0.0050	-	-	-	-
Tetrachloroethene	ND	-	0.0050	-	-	-	-
Toluene	ND	0.0503	0.0050	0.050	-	101	70-130
1,2,3-Trichlorobenzene	ND	-	0.0050	-	-	-	-
1,2,4-Trichlorobenzene	ND	-	0.0050	-	-	-	-
1,1,1-Trichloroethane	ND	-	0.0050	-	-	-	-
1,1,2-Trichloroethane	ND	-	0.0050	-	-	-	-
Trichloroethene	ND	-	0.0050	-	-	-	-
Trichlorofluoromethane	ND	-	0.0050	-	-	-	-
1,2,3-Trichloropropane	ND	-	0.0050	-	-	-	-
1,2,4-Trimethylbenzene	ND	-	0.0050	-	-	-	-
1,3,5-Trimethylbenzene	ND	-	0.0050	-	-	-	-
Vinyl Chloride	ND	-	0.0050	-	-	-	-
Xylenes, Total	ND	-	0.0050	-	-	-	-

#### Surrogate Recovery

Dibromofluoromethane	0.131	0.188		0.18	105	107	70-130
Toluene-d8	0.137	0.194		0.18	110	111	70-130
4-BFB	0.0116	0.0157		0.018	92	89	70-130

(Cont.)



## Quality Control Report

**Client:** LRM Consulting, Inc.  
**Date Prepared:** 5/23/14  
**Date Analyzed:** 5/23/14  
**Instrument:** GC10  
**Matrix:** Soil  
**Project:** #1428-1430 Franklin St

**WorkOrder:** 1405896  
**BatchID:** 90788  
**Extraction Method:** SW5030B  
**Analytical Method:** SW8260B  
**Unit:** mg/Kg  
**Sample ID:** MB/LCS-90788  
 1405926-001AMS/MSD

### QC Summary Report for SW8260B

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
Benzene	0.0468	0.0482	0.050	ND	93.7	96.3	70-130	2.79	30
1,1-Dichloroethene	0.0516	0.0528	0.050	ND	103	106	70-130	2.31	30
Toluene	0.0485	0.0503	0.050	ND	97.1	101	70-130	3.51	30
<b>Surrogate Recovery</b>									
Dibromofluoromethane	0.186	0.185	0.18		106	106	70-130	0	30
Toluene-d8	0.189	0.190	0.18		108	109	70-130	0.415	30
4-BFB	0.0156	0.0158	0.018		89	90	70-130	1.24	30



# Quality Control Report

**Client:** LRM Consulting, Inc.  
**Date Prepared:** 5/22/14  
**Date Analyzed:** 5/23/14  
**Instrument:** GC10  
**Matrix:** Soil  
**Project:** #1428-1430 Franklin St

**WorkOrder:** 1405896  
**BatchID:** 90755  
**Extraction Method:** SW5030B  
**Analytical Method:** SW8260B  
**Unit:** mg/Kg  
**Sample ID:** MB/LCS-90755  
 1405866-008EMS/MSD

## QC Summary Report for SW8260B

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Acetone	ND	-	0.10	-	-	-	-
tert-Amyl methyl ether (TAME)	ND	-	0.0050	-	-	-	-
Benzene	ND	0.0442	0.0050	0.050	-	88.5	70-130
Bromobenzene	ND	-	0.0050	-	-	-	-
Bromochloromethane	ND	-	0.0050	-	-	-	-
Bromodichloromethane	ND	-	0.0050	-	-	-	-
Bromoform	ND	-	0.0050	-	-	-	-
Bromomethane	ND	-	0.0050	-	-	-	-
2-Butanone (MEK)	ND	-	0.020	-	-	-	-
t-Butyl alcohol (TBA)	ND	-	0.050	-	-	-	-
n-Butyl benzene	ND	-	0.0050	-	-	-	-
sec-Butyl benzene	ND	-	0.0050	-	-	-	-
tert-Butyl benzene	ND	-	0.0050	-	-	-	-
Carbon Disulfide	ND	-	0.0050	-	-	-	-
Carbon Tetrachloride	ND	-	0.0050	-	-	-	-
Chlorobenzene	ND	-	0.0050	-	-	-	-
Chloroethane	ND	-	0.0050	-	-	-	-
Chloroform	ND	-	0.0050	-	-	-	-
Chloromethane	ND	-	0.0050	-	-	-	-
2-Chlorotoluene	ND	-	0.0050	-	-	-	-
4-Chlorotoluene	ND	-	0.0050	-	-	-	-
Dibromochloromethane	ND	-	0.0050	-	-	-	-
1,2-Dibromo-3-chloropropane	ND	-	0.0040	-	-	-	-
1,2-Dibromoethane (EDB)	ND	-	0.0040	-	-	-	-
Dibromomethane	ND	-	0.0050	-	-	-	-
1,2-Dichlorobenzene	ND	-	0.0050	-	-	-	-
1,3-Dichlorobenzene	ND	-	0.0050	-	-	-	-
1,4-Dichlorobenzene	ND	-	0.0050	-	-	-	-
Dichlorodifluoromethane	ND	-	0.0050	-	-	-	-
1,1-Dichloroethane	ND	-	0.0050	-	-	-	-
1,2-Dichloroethane (1,2-DCA)	ND	-	0.0040	-	-	-	-
1,1-Dichloroethene	ND	-	0.0050	-	-	-	-
cis-1,2-Dichloroethene	ND	-	0.0050	-	-	-	-
trans-1,2-Dichloroethene	ND	-	0.0050	-	-	-	-
1,2-Dichloropropane	ND	-	0.0050	-	-	-	-
1,3-Dichloropropane	ND	-	0.0050	-	-	-	-
2,2-Dichloropropane	ND	-	0.0050	-	-	-	-
1,1-Dichloropropene	ND	-	0.0050	-	-	-	-
cis-1,3-Dichloropropene	ND	-	0.0050	-	-	-	-
trans-1,3-Dichloropropene	ND	-	0.0050	-	-	-	-

(Cont.)



## Quality Control Report

**Client:** LRM Consulting, Inc.  
**Date Prepared:** 5/22/14  
**Date Analyzed:** 5/23/14  
**Instrument:** GC10  
**Matrix:** Soil  
**Project:** #1428-1430 Franklin St

**WorkOrder:** 1405896  
**BatchID:** 90755  
**Extraction Method:** SW5030B  
**Analytical Method:** SW8260B  
**Unit:** mg/Kg  
**Sample ID:** MB/LCS-90755  
 1405866-008EMS/MSD

### QC Summary Report for SW8260B

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Diisopropyl ether (DIPE)	ND	-	0.0050	-	-	-	-
Ethylbenzene	ND	-	0.0050	-	-	-	-
Ethyl tert-butyl ether (ETBE)	ND	-	0.0050	-	-	-	-
Freon 113	ND	-	0.0050	-	-	-	-
Hexachlorobutadiene	ND	-	0.0050	-	-	-	-
Hexachloroethane	ND	-	0.0050	-	-	-	-
2-Hexanone	ND	-	0.0050	-	-	-	-
Isopropylbenzene	ND	-	0.0050	-	-	-	-
4-Isopropyl toluene	ND	-	0.0050	-	-	-	-
Methyl-t-butyl ether (MTBE)	ND	0.0472	0.0050	0.050	-	94.3	70-130
Methylene chloride	ND	-	0.0050	-	-	-	-
4-Methyl-2-pentanone (MIBK)	ND	-	0.0050	-	-	-	-
Naphthalene	ND	-	0.0050	-	-	-	-
n-Propyl benzene	ND	-	0.0050	-	-	-	-
Styrene	ND	-	0.0050	-	-	-	-
1,1,1,2-Tetrachloroethane	ND	-	0.0050	-	-	-	-
1,1,2,2-Tetrachloroethane	ND	-	0.0050	-	-	-	-
Tetrachloroethene	ND	-	0.0050	-	-	-	-
Toluene	ND	0.0466	0.0050	0.050	-	93.2	70-130
1,2,3-Trichlorobenzene	ND	-	0.0050	-	-	-	-
1,2,4-Trichlorobenzene	ND	-	0.0050	-	-	-	-
1,1,1-Trichloroethane	ND	-	0.0050	-	-	-	-
1,1,2-Trichloroethane	ND	-	0.0050	-	-	-	-
Trichloroethene	ND	-	0.0050	-	-	-	-
Trichlorofluoromethane	ND	-	0.0050	-	-	-	-
1,2,3-Trichloropropane	ND	-	0.0050	-	-	-	-
1,2,4-Trimethylbenzene	ND	-	0.0050	-	-	-	-
1,3,5-Trimethylbenzene	ND	-	0.0050	-	-	-	-
Vinyl Chloride	ND	-	0.0050	-	-	-	-
Xylenes, Total	ND	-	0.0050	-	-	-	-

#### Surrogate Recovery

Dibromofluoromethane	0.130	0.188		0.18	104	108	70-130
Toluene-d8	0.140	0.188		0.18	112	108	70-130
4-BFB	0.0112	-		0.0125	90	-	-

(Cont.)



## Quality Control Report

**Client:** LRM Consulting, Inc.  
**Date Prepared:** 5/22/14  
**Date Analyzed:** 5/23/14  
**Instrument:** GC10  
**Matrix:** Soil  
**Project:** #1428-1430 Franklin St

**WorkOrder:** 1405896  
**BatchID:** 90755  
**Extraction Method:** SW5030B  
**Analytical Method:** SW8260B  
**Unit:** mg/Kg  
**Sample ID:** MB/LCS-90755  
 1405866-008EMS/MSD

### QC Summary Report for SW8260B

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
Benzene	0.0426	0.0435	0.050	ND	85.3	87	70-130	2.00	30
Methyl-t-butyl ether (MTBE)	0.0457	0.0486	0.050	ND	91.5	97.3	70-130	6.17	30
Toluene	0.0459	0.0465	0.050	ND	91.7	92.9	70-130	1.29	30
<b>Surrogate Recovery</b>									
Dibromofluoromethane	0.188	0.192	0.18		108	110	70-130	1.79	30
Toluene-d8	0.190	0.190	0.18		109	109	70-130	0	30

(Cont.)



## Quality Control Report

**Client:** LRM Consulting, Inc.  
**Date Prepared:** 5/22/14  
**Date Analyzed:** 5/27/14  
**Instrument:** GC16  
**Matrix:** Soil  
**Project:** #1428-1430 Franklin St

**WorkOrder:** 1405896  
**BatchID:** 90764  
**Extraction Method:** SW5030B  
**Analytical Method:** SW8260B  
**Unit:** mg/Kg  
**Sample ID:** MB/LCS-90764  
 1405896-014AMS/MSD

### QC Summary Report for SW8260B

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Acetone	ND	-	0.10	-	-	-	-
tert-Amyl methyl ether (TAME)	ND	-	0.0050	-	-	-	-
Benzene	ND	0.0465	0.0050	0.050	-	92.9	70-130
Bromobenzene	ND	-	0.0050	-	-	-	-
Bromochloromethane	ND	-	0.0050	-	-	-	-
Bromodichloromethane	ND	-	0.0050	-	-	-	-
Bromoform	ND	-	0.0050	-	-	-	-
Bromomethane	ND	-	0.0050	-	-	-	-
2-Butanone (MEK)	ND	-	0.020	-	-	-	-
t-Butyl alcohol (TBA)	ND	-	0.050	-	-	-	-
n-Butyl benzene	ND	-	0.0050	-	-	-	-
sec-Butyl benzene	ND	-	0.0050	-	-	-	-
tert-Butyl benzene	ND	-	0.0050	-	-	-	-
Carbon Disulfide	ND	-	0.0050	-	-	-	-
Carbon Tetrachloride	ND	-	0.0050	-	-	-	-
Chlorobenzene	ND	-	0.0050	-	-	-	-
Chloroethane	ND	-	0.0050	-	-	-	-
Chloroform	ND	-	0.0050	-	-	-	-
Chloromethane	ND	-	0.0050	-	-	-	-
2-Chlorotoluene	ND	-	0.0050	-	-	-	-
4-Chlorotoluene	ND	-	0.0050	-	-	-	-
Dibromochloromethane	ND	-	0.0050	-	-	-	-
1,2-Dibromo-3-chloropropane	ND	-	0.0040	-	-	-	-
1,2-Dibromoethane (EDB)	ND	-	0.0040	-	-	-	-
Dibromomethane	ND	-	0.0050	-	-	-	-
1,2-Dichlorobenzene	ND	-	0.0050	-	-	-	-
1,3-Dichlorobenzene	ND	-	0.0050	-	-	-	-
1,4-Dichlorobenzene	ND	-	0.0050	-	-	-	-
Dichlorodifluoromethane	ND	-	0.0050	-	-	-	-
1,1-Dichloroethane	ND	-	0.0050	-	-	-	-
1,2-Dichloroethane (1,2-DCA)	ND	-	0.0040	-	-	-	-
1,1-Dichloroethene	ND	-	0.0050	-	-	-	-
cis-1,2-Dichloroethene	ND	-	0.0050	-	-	-	-
trans-1,2-Dichloroethene	ND	-	0.0050	-	-	-	-
1,2-Dichloropropane	ND	-	0.0050	-	-	-	-
1,3-Dichloropropane	ND	-	0.0050	-	-	-	-
2,2-Dichloropropane	ND	-	0.0050	-	-	-	-
1,1-Dichloropropene	ND	-	0.0050	-	-	-	-
cis-1,3-Dichloropropene	ND	-	0.0050	-	-	-	-
trans-1,3-Dichloropropene	ND	-	0.0050	-	-	-	-

(Cont.)





## Quality Control Report

**Client:** LRM Consulting, Inc.  
**Date Prepared:** 5/22/14  
**Date Analyzed:** 5/27/14  
**Instrument:** GC16  
**Matrix:** Soil  
**Project:** #1428-1430 Franklin St

**WorkOrder:** 1405896  
**BatchID:** 90764  
**Extraction Method:** SW5030B  
**Analytical Method:** SW8260B  
**Unit:** mg/Kg  
**Sample ID:** MB/LCS-90764  
 1405896-014AMS/MSD

### QC Summary Report for SW8260B

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Diisopropyl ether (DIPE)	ND	-	0.0050	-	-	-	-
Ethylbenzene	ND	-	0.0050	-	-	-	-
Ethyl tert-butyl ether (ETBE)	ND	-	0.0050	-	-	-	-
Freon 113	ND	-	0.0050	-	-	-	-
Hexachlorobutadiene	ND	-	0.0050	-	-	-	-
Hexachloroethane	ND	-	0.0050	-	-	-	-
2-Hexanone	ND	-	0.0050	-	-	-	-
Isopropylbenzene	ND	-	0.0050	-	-	-	-
4-Isopropyl toluene	ND	-	0.0050	-	-	-	-
Methyl-t-butyl ether (MTBE)	ND	0.0437	0.0050	0.050	-	87.3	70-130
Methylene chloride	ND	-	0.0050	-	-	-	-
4-Methyl-2-pentanone (MIBK)	ND	-	0.0050	-	-	-	-
Naphthalene	ND	-	0.0050	-	-	-	-
n-Propyl benzene	ND	-	0.0050	-	-	-	-
Styrene	ND	-	0.0050	-	-	-	-
1,1,1,2-Tetrachloroethane	ND	-	0.0050	-	-	-	-
1,1,2,2-Tetrachloroethane	ND	-	0.0050	-	-	-	-
Tetrachloroethene	ND	-	0.0050	-	-	-	-
Toluene	ND	0.0464	0.0050	0.050	-	92.9	70-130
1,2,3-Trichlorobenzene	ND	-	0.0050	-	-	-	-
1,2,4-Trichlorobenzene	ND	-	0.0050	-	-	-	-
1,1,1-Trichloroethane	ND	-	0.0050	-	-	-	-
1,1,2-Trichloroethane	ND	-	0.0050	-	-	-	-
Trichloroethene	ND	-	0.0050	-	-	-	-
Trichlorofluoromethane	ND	-	0.0050	-	-	-	-
1,2,3-Trichloropropane	ND	-	0.0050	-	-	-	-
1,2,4-Trimethylbenzene	ND	-	0.0050	-	-	-	-
1,3,5-Trimethylbenzene	ND	-	0.0050	-	-	-	-
Vinyl Chloride	ND	-	0.0050	-	-	-	-
Xylenes, Total	ND	-	0.0050	-	-	-	-

#### Surrogate Recovery

Dibromofluoromethane	0.126	0.173		0.18	101	99	70-130
Toluene-d8	0.127	0.172		0.18	102	98	70-130
4-BFB	0.0140	-		0.0125	112	-	-

(Cont.)



## Quality Control Report

**Client:** LRM Consulting, Inc.  
**Date Prepared:** 5/22/14  
**Date Analyzed:** 5/27/14  
**Instrument:** GC16  
**Matrix:** Soil  
**Project:** #1428-1430 Franklin St

**WorkOrder:** 1405896  
**BatchID:** 90764  
**Extraction Method:** SW5030B  
**Analytical Method:** SW8260B  
**Unit:** mg/Kg  
**Sample ID:** MB/LCS-90764  
 1405896-014AMS/MSD

### QC Summary Report for SW8260B

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
Benzene	0.0454	0.0446	0.050	ND	90.8	89.1	70-130	1.87	30
Methyl-t-butyl ether (MTBE)	0.0420	0.0413	0.050	ND	84	82.6	70-130	1.62	30
Toluene	0.0450	0.0439	0.050	ND	90.1	87.8	70-130	2.53	30
<b>Surrogate Recovery</b>									
Dibromofluoromethane	0.173	0.171	0.18		99	98	70-130	1.24	30
Toluene-d8	0.168	0.167	0.18		96	96	70-130	0	30



## Quality Control Report

**Client:** LRM Consulting, Inc.  
**Date Prepared:** 5/22/14  
**Date Analyzed:** 5/23/14  
**Instrument:** GC11A, GC11B  
**Matrix:** Soil  
**Project:** #1428-1430 Franklin St

**WorkOrder:** 1405896  
**BatchID:** 90763  
**Extraction Method:** SW3550B  
**Analytical Method:** SW8015B  
**Unit:** mg/Kg  
**Sample ID:** MB/LCS-90763  
 1405896-014AMS/MSD

### QC Summary Report for SW8015B

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
TPH-Diesel (C10-C23)	ND	41.2	1.0	40	-	103	70-130
<b>Surrogate Recovery</b>							
C9	30.8	26.3		25	123	105	70-130

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
TPH-Diesel (C10-C23)	42.8	42.7	40	1.147	104	104	70-130	0	30
<b>Surrogate Recovery</b>									
C9	26.5	26.4	25		106	106	70-130	0	30

(Cont.)



## Quality Control Report

**Client:** LRM Consulting, Inc.  
**Date Prepared:** 5/22/14  
**Date Analyzed:** 5/23/14  
**Instrument:** GC2B  
**Matrix:** Soil  
**Project:** #1428-1430 Franklin St

**WorkOrder:** 1405896  
**BatchID:** 90770  
**Extraction Method:** SW3550B  
**Analytical Method:** SW8015B  
**Unit:** mg/Kg  
**Sample ID:** MB/LCS-90770  
 1405904-017CMS/MSD

### QC Summary Report for SW8015B

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
TPH-Diesel (C10-C23)	ND	42.6	1.0	40	-	106	70-130
<b>Surrogate Recovery</b>							
C9	27.6	27.0		25	110	108	70-130

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
TPH-Diesel (C10-C23)	NR	NR	0	58	NR	NR	-	NR	
<b>Surrogate Recovery</b>									
C9	NR	NR	0		NR	NR	-	NR	



1534 Willow Pass Rd  
Pittsburg, CA 94565-1701  
(925) 252-9262

# CHAIN-OF-CUSTODY RECORD

WorkOrder: 1405896

ClientCode: LRM C

WaterTrax   
  WriteOn   
  EDF   
  Excel   
  EQUIS   
 Email   
 HardCopy   
 ThirdParty   
 J-flag

**Report to:**  
 Mehrdad Javaherian  
 LRM Consulting, Inc.  
 1534 Plaza Lane, #145  
 Burlingame, CA 94010  
 (415) 706-8935    FAX:

Email: mjavaherian@lrm-consulting.com  
 cc/3rd Party:  
 PO:  
 ProjectNo: #1428-1430 Franklin St

**Bill to:**  
 Accounts Payable  
 LRM Consulting, Inc.  
 1534 Plaza Lane, #145  
 Burlingame, CA 94010

**Requested TAT: 5 days**  
  
**Date Received: 05/22/2014**  
**Date Printed: 05/29/2014**

Lab ID	Client ID	Matrix	Collection Date	Hold	Requested Tests (See legend below)												
					1	2	3	4	5	6	7	8	9	10	11	12	
1405896-001	SB-2-1	Soil	5/22/2014 10:25	<input type="checkbox"/>	A	A											
1405896-002	SB-2-2	Soil	5/22/2014 10:35	<input type="checkbox"/>	A	A											
1405896-004	SB-2-4	Soil	5/22/2014 10:55	<input type="checkbox"/>	A	A											
1405896-007	SB-3-1	Soil	5/22/2014 11:45	<input type="checkbox"/>	A	A											
1405896-008	SB-3-2	Soil	5/22/2014 11:55	<input type="checkbox"/>	A	A											
1405896-009	SB-3-3	Soil	5/22/2014 12:10	<input type="checkbox"/>	A	A											
1405896-013	SB-4-1	Soil	5/22/2014 13:10	<input type="checkbox"/>	A	A											
1405896-014	SB-4-2	Soil	5/22/2014 13:20	<input type="checkbox"/>	A	A											

**Test Legend:**

1	GAS8260_S	2	TPH(D)_S	3		4		5	
6		7		8		9		10	
11		12							

The following SampIDs: 001A, 002A, 004A, 007A, 008A, 009A, 013A, 014A contain testgroup.

**Prepared by: Ana Venegas**

**Comments:**

NOTE: Soil samples are discarded 60 days after results are reported unless other arrangements are made (Water samples are 30 days). Hazardous samples will be returned to client or disposed of at client expense.



## WORK ORDER SUMMARY

**Client Name:** LRM CONSULTING, INC.

**QC Level:** LEVEL 2

**Work Order:** 1405896

**Project:** #1428-1430 Franklin St

**Client Contact:** Mehrdad Javaherian

**Date Received:** 5/22/2014

**Comments:**

**Contact's Email:** mjavaherian@lrm-consulting.com

WaterTrax     WriteOn     EDF     Excel     Fax     Email     HardCopy     ThirdParty     J-flag

Lab ID	Client ID	Matrix	Test Name	Number of Containers	Bottle & Preservative	De-chlorinated	Collection Date & Time	TAT	Sediment Content	Hold	SubOut
1405896-001A	SB-2-1	Soil	SW8015B (Diesel)	1	8OZ GJ	<input type="checkbox"/>	5/22/2014 10:25	5 days		<input type="checkbox"/>	
			TPH(g) & MBTEX by 8260B			<input type="checkbox"/>					
1405896-002A	SB-2-2	Soil	SW8015B (Diesel)	1	Acetate Liner	<input type="checkbox"/>	5/22/2014 10:35	5 days		<input type="checkbox"/>	
			TPH(g) & MBTEX by 8260B			<input type="checkbox"/>					
1405896-003A	SB-2-3	Soil		1	8OZ GJ	<input type="checkbox"/>	5/22/2014 10:45				<input checked="" type="checkbox"/>
1405896-004A	SB-2-4	Soil	SW8015B (Diesel)	1	Acetate Liner	<input type="checkbox"/>	5/22/2014 10:55	5 days		<input type="checkbox"/>	
			TPH(g) & MBTEX by 8260B			<input type="checkbox"/>					
1405896-005A	SB-2-5	Soil		1	Acetate Liner	<input type="checkbox"/>	5/22/2014 11:00				<input checked="" type="checkbox"/>
1405896-006A	SB-2-6	Soil		1	Acetate Liner	<input type="checkbox"/>	5/22/2014 11:10				<input checked="" type="checkbox"/>
1405896-007A	SB-3-1	Soil	SW8015B (Diesel)	1	8OZ GJ	<input type="checkbox"/>	5/22/2014 11:45	5 days		<input type="checkbox"/>	
			TPH(g) & MBTEX by 8260B			<input type="checkbox"/>					
1405896-008A	SB-3-2	Soil	SW8015B (Diesel)	1	Acetate Liner	<input type="checkbox"/>	5/22/2014 11:55	5 days		<input type="checkbox"/>	
			TPH(g) & MBTEX by 8260B			<input type="checkbox"/>					
1405896-009A	SB-3-3	Soil	SW8015B (Diesel)	1	Acetate Liner	<input type="checkbox"/>	5/22/2014 12:10	5 days		<input type="checkbox"/>	
			TPH(g) & BTEX by 8260B			<input type="checkbox"/>					
1405896-010A	SB-3-4	Soil		1	Acetate Liner	<input type="checkbox"/>	5/22/2014 12:20				<input checked="" type="checkbox"/>
1405896-011A	SB-3-5	Soil		1	Acetate Liner	<input type="checkbox"/>	5/22/2014 12:25				<input checked="" type="checkbox"/>

**\* NOTE: STLC and TCLP extractions require 48 hrs to complete; therefore, all TATs begin after the extraction is completed (i.e., 24hr TAT yields results in 72 hrs from sample submission).**

**Bottle Legend:**

8OZ GJ = 8oz Glass Jar

Acetate Liner = Acetate Liner



## WORK ORDER SUMMARY

**Client Name:** LRM CONSULTING, INC.

**QC Level:** LEVEL 2

**Work Order:** 1405896

**Project:** #1428-1430 Franklin St

**Client Contact:** Mehrdad Javaherian

**Date Received:** 5/22/2014

**Comments:**

**Contact's Email:** mjavaherian@lrn-consulting.com

WaterTrax   
  WriteOn   
  EDF   
  Excel   
  Fax   
 Email   
 HardCopy   
 ThirdParty   
 J-flag

Lab ID	Client ID	Matrix	Test Name	Number of Containers	Bottle & Preservative	De-chlorinated	Collection Date & Time	TAT	Sediment Content	Hold	SubOut
1405896-012A	SB-3-6	Soil		1	Acetate Liner	<input type="checkbox"/>	5/22/2014 12:35			<input checked="" type="checkbox"/>	
1405896-013A	SB-4-1	Soil	SW8015B (Diesel) TPH(g) & MBTEX by 8260B	1	8OZ GJ	<input type="checkbox"/>	5/22/2014 13:10	5 days		<input type="checkbox"/>	
						<input type="checkbox"/>		5 days		<input type="checkbox"/>	
1405896-014A	SB-4-2	Soil	SW8015B (Diesel) TPH(g) & MBTEX by 8260B	1	Acetate Liner	<input type="checkbox"/>	5/22/2014 13:20	5 days		<input type="checkbox"/>	
						<input type="checkbox"/>		5 days		<input type="checkbox"/>	
1405896-015A	SB-4-3	Soil		1	Acetate Liner	<input type="checkbox"/>	5/22/2014 13:45			<input checked="" type="checkbox"/>	
1405896-016A	SB-4-4	Soil		1	Acetate Liner	<input type="checkbox"/>	5/22/2014 13:50			<input checked="" type="checkbox"/>	
1405896-017A	SB-4-5	Soil		1	Acetate Liner	<input type="checkbox"/>	5/22/2014 13:55			<input checked="" type="checkbox"/>	
1405896-018A	SB-4-6	Soil		1	Acetate Liner	<input type="checkbox"/>	5/22/2014 14:00			<input checked="" type="checkbox"/>	

**\* NOTE: STLC and TCLP extractions require 48 hrs to complete; therefore, all TATs begin after the extraction is completed (i.e., 24hr TAT yields results in 72 hrs from sample submission).**

**Bottle Legend:**

8OZ GJ = 8oz Glass Jar

Acetate Liner = Acetate Liner









### Sample Receipt Checklist

Client Name: **LRM Consulting, Inc.** Date and Time Received: **5/22/2014 7:35:37 PM**  
 Project Name: **#1428-1430 Franklin St** Login Reviewed by: **Ana Venegas**  
 WorkOrder N°: **1405896** Matrix: Soil Carrier: Client Drop-In

#### Chain of Custody (COC) Information

Chain of custody present? Yes  No   
 Chain of custody signed when relinquished and received? Yes  No   
 Chain of custody agrees with sample labels? Yes  No   
 Sample IDs noted by Client on COC? Yes  No   
 Date and Time of collection noted by Client on COC? Yes  No   
 Sampler's name noted on COC? Yes  No

#### Sample Receipt Information

Custody seals intact on shipping container/cooler? Yes  No  NA   
 Shipping container/cooler in good condition? Yes  No   
 Samples in proper containers/bottles? Yes  No   
 Sample containers intact? Yes  No   
 Sufficient sample volume for indicated test? Yes  No

#### Sample Preservation and Hold Time (HT) Information

All samples received within holding time? Yes  No   
 Container/Temp Blank temperature Cooler Temp: 4.7°C NA   
 Water - VOA vials have zero headspace / no bubbles? Yes  No  NA   
 Sample labels checked for correct preservation? Yes  No   
 pH acceptable upon receipt (Metal: pH<2; 522: pH<4)? Yes  No  NA   
 Samples Received on Ice? Yes  No

(Ice Type: WET ICE )

\* NOTE: If the "No" box is checked, see comments below.

-----  
 Comments:



# McC Campbell Analytical, Inc.

"When Quality Counts"

## Analytical Report

**WorkOrder:** 1405896 A

**Report Created for:** LRM Consulting, Inc.  
1534 Plaza Lane, #145  
Burlingame, CA 94010

**Project Contact:** Mehrdad Javaherian  
**Project P.O.:**  
**Project Name:** #1428-1430 Franklin St

**Project Received:** 05/22/2014

Analytical Report reviewed & approved for release on 06/06/2014 by:

Question about  
your data?

[Click here to email  
McC Campbell](#)

Angela Rydelius,  
Laboratory Manager

***The report shall not be reproduced except in full, without the written approval of the laboratory. The analytical results relate only to the items tested. Results reported conform to the most current NELAP standards, where applicable, unless otherwise stated in the case narrative.***





## Glossary of Terms & Qualifier Definitions

**Client:** LRM Consulting, Inc.  
**Project:** #1428-1430 Franklin St  
**WorkOrder:** 1405896

### Glossary Abbreviation

95% Interval	95% Confident Interval
DF	Dilution Factor
DUP	Duplicate
EDL	Estimated Detection Limit
ITEF	International Toxicity Equivalence Factor
LCS	Laboratory Control Sample
MB	Method Blank
MB % Rec	% Recovery of Surrogate in Method Blank, if applicable
MDL	Method Detection Limit
ML	Minimum Level of Quantitation
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ND	Not detected at or above the indicated MDL or RL
NR	Matrix interferences, or analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix; or sample diluted due to high matrix or analyte content.
RD	Relative Difference
RL	Reporting Limit (The RL is the lowest calibration standard in a multipoint calibration.)
RPD	Relative Percent Deviation
RRT	Relative Retention Time
SPK Val	Spike Value
SPKRef Val	Spike Reference Value
TEQ	Toxicity Equivalence

### Analytical Qualifiers

S	spike recovery outside accepted recovery limits
c4	surrogate recovery outside of the control limits due to coelution with another peak(s) / cluttered chromatogram.
e2	diesel range compounds are significant; no recognizable pattern
e7	oil range compounds are significant
e11	stoddard solvent/mineral spirit (?)



# Analytical Report

**Client:** LRM Consulting, Inc.  
**Project:** #1428-1430 Franklin St  
**Date Received:** 5/22/14 19:35  
**Date Prepared:** 6/2/14

**WorkOrder:** 1405896  
**Extraction Method:** SW5030B  
**Analytical Method:** SW8260B  
**Unit:** mg/kg

## Benzene, Toluene, Ethylbenzene & Xylenes (BTEX) by P&T and GC/MS

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
SB-4-4	1405896-016A	Soil	05/22/2014 13:50	GC16	91086
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
Benzene	ND		0.0050	1	06/05/2014 11:10
Ethylbenzene	ND		0.0050	1	06/05/2014 11:10
Naphthalene	ND		0.0050	1	06/05/2014 11:10
Toluene	ND		0.0050	1	06/05/2014 11:10
Xylenes, Total	ND		0.0050	1	06/05/2014 11:10
<u>Surrogates</u>	<u>REC (%)</u>		<u>Limits</u>		
Dibromofluoromethane	94		70-130		06/05/2014 11:10
Toluene-d8	95		70-130		06/05/2014 11:10
4-BFB	116		70-130		06/05/2014 11:10



# Analytical Report

**Client:** LRM Consulting, Inc.  
**Project:** #1428-1430 Franklin St  
**Date Received:** 5/22/14 19:35  
**Date Prepared:** 6/2/14

**WorkOrder:** 1405896  
**Extraction Method:** SW5030B  
**Analytical Method:** SW8260B  
**Unit:** mg/kg

## TPH(g) by Purge & Trap and GC/MS

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
SB-4-4	1405896-016A	Soil	05/22/2014 13:50	GC16	91086
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH(g)	ND		0.25	1	06/05/2014 11:10
<u>Surrogates</u>	<u>REC (%)</u>		<u>Limits</u>		
Toluene-d8	104		70-130		06/05/2014 11:10



# Analytical Report

**Client:** LRM Consulting, Inc.  
**Project:** #1428-1430 Franklin St  
**Date Received:** 5/22/14 19:35  
**Date Prepared:** 6/2/14

**WorkOrder:** 1405896  
**Extraction Method:** SW3550B  
**Analytical Method:** SW8015B  
**Unit:** mg/Kg

## Total Extractable Petroleum Hydrocarbons

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
SB-4-4	1405896-016A	Soil	05/22/2014 13:50	GC6B	91043
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH-Diesel (C10-C23)	ND		1.0	1	06/05/2014 05:07
<u>Surrogates</u>	<u>REC (%)</u>		<u>Limits</u>		
C9	100		70-130		06/05/2014 05:07



# Quality Control Report

**Client:** LRM Consulting, Inc.  
**Date Prepared:** 6/2/14  
**Date Analyzed:** 6/3/14  
**Instrument:** GC16  
**Matrix:** Soil  
**Project:** #1428-1430 Franklin St

**WorkOrder:** 1405896  
**BatchID:** 91086  
**Extraction Method:** SW5030B  
**Analytical Method:** SW8260B  
**Unit:** mg/Kg  
**Sample ID:** MB/LCS-91086  
 1406039-004AMS/MSD

## QC Summary Report for SW8260B

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Acetone	ND	-	0.10	-	-	-	-
tert-Amyl methyl ether (TAME)	ND	-	0.0050	-	-	-	-
Benzene	ND	0.0458	0.0050	0.050	-	91.6	70-130
Bromobenzene	ND	-	0.0050	-	-	-	-
Bromochloromethane	ND	-	0.0050	-	-	-	-
Bromodichloromethane	ND	-	0.0050	-	-	-	-
Bromoform	ND	-	0.0050	-	-	-	-
Bromomethane	ND	-	0.0050	-	-	-	-
2-Butanone (MEK)	ND	-	0.020	-	-	-	-
t-Butyl alcohol (TBA)	ND	-	0.050	-	-	-	-
n-Butyl benzene	ND	-	0.0050	-	-	-	-
sec-Butyl benzene	ND	-	0.0050	-	-	-	-
tert-Butyl benzene	ND	-	0.0050	-	-	-	-
Carbon Disulfide	ND	-	0.0050	-	-	-	-
Carbon Tetrachloride	ND	-	0.0050	-	-	-	-
Chlorobenzene	ND	-	0.0050	-	-	-	-
Chloroethane	ND	-	0.0050	-	-	-	-
Chloroform	ND	-	0.0050	-	-	-	-
Chloromethane	ND	-	0.0050	-	-	-	-
2-Chlorotoluene	ND	-	0.0050	-	-	-	-
4-Chlorotoluene	ND	-	0.0050	-	-	-	-
Dibromochloromethane	ND	-	0.0050	-	-	-	-
1,2-Dibromo-3-chloropropane	ND	-	0.0040	-	-	-	-
1,2-Dibromoethane (EDB)	ND	-	0.0040	-	-	-	-
Dibromomethane	ND	-	0.0050	-	-	-	-
1,2-Dichlorobenzene	ND	-	0.0050	-	-	-	-
1,3-Dichlorobenzene	ND	-	0.0050	-	-	-	-
1,4-Dichlorobenzene	ND	-	0.0050	-	-	-	-
Dichlorodifluoromethane	ND	-	0.0050	-	-	-	-
1,1-Dichloroethane	ND	-	0.0050	-	-	-	-
1,2-Dichloroethane (1,2-DCA)	ND	-	0.0040	-	-	-	-
1,1-Dichloroethene	ND	0.0425	0.0050	0.050	-	84.9	70-130
cis-1,2-Dichloroethene	ND	-	0.0050	-	-	-	-
trans-1,2-Dichloroethene	ND	-	0.0050	-	-	-	-
1,2-Dichloropropane	ND	-	0.0050	-	-	-	-
1,3-Dichloropropane	ND	-	0.0050	-	-	-	-
2,2-Dichloropropane	ND	-	0.0050	-	-	-	-
1,1-Dichloropropene	ND	-	0.0050	-	-	-	-
cis-1,3-Dichloropropene	ND	-	0.0050	-	-	-	-
trans-1,3-Dichloropropene	ND	-	0.0050	-	-	-	-

(Cont.)





# Quality Control Report

**Client:** LRM Consulting, Inc.  
**Date Prepared:** 6/2/14  
**Date Analyzed:** 6/3/14  
**Instrument:** GC16  
**Matrix:** Soil  
**Project:** #1428-1430 Franklin St

**WorkOrder:** 1405896  
**BatchID:** 91086  
**Extraction Method:** SW5030B  
**Analytical Method:** SW8260B  
**Unit:** mg/Kg  
**Sample ID:** MB/LCS-91086  
 1406039-004AMS/MSD

## QC Summary Report for SW8260B

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Diisopropyl ether (DIPE)	ND	-	0.0050	-	-	-	-
Ethylbenzene	ND	-	0.0050	-	-	-	-
Ethyl tert-butyl ether (ETBE)	ND	-	0.0050	-	-	-	-
Freon 113	ND	-	0.0050	-	-	-	-
Hexachlorobutadiene	ND	-	0.0050	-	-	-	-
Hexachloroethane	ND	-	0.0050	-	-	-	-
2-Hexanone	ND	-	0.0050	-	-	-	-
Isopropylbenzene	ND	-	0.0050	-	-	-	-
4-Isopropyl toluene	ND	-	0.0050	-	-	-	-
Methyl-t-butyl ether (MTBE)	ND	-	0.0050	-	-	-	-
Methylene chloride	ND	-	0.0050	-	-	-	-
4-Methyl-2-pentanone (MIBK)	ND	-	0.0050	-	-	-	-
Naphthalene	ND	-	0.0050	-	-	-	-
n-Propyl benzene	ND	-	0.0050	-	-	-	-
Styrene	ND	-	0.0050	-	-	-	-
1,1,1,2-Tetrachloroethane	ND	-	0.0050	-	-	-	-
1,1,2,2-Tetrachloroethane	ND	-	0.0050	-	-	-	-
Tetrachloroethene	ND	-	0.0050	-	-	-	-
Toluene	ND	0.0484	0.0050	0.050	-	96.8	70-130
1,2,3-Trichlorobenzene	ND	-	0.0050	-	-	-	-
1,2,4-Trichlorobenzene	ND	-	0.0050	-	-	-	-
1,1,1-Trichloroethane	ND	-	0.0050	-	-	-	-
1,1,2-Trichloroethane	ND	-	0.0050	-	-	-	-
Trichloroethene	ND	-	0.0050	-	-	-	-
Trichlorofluoromethane	ND	-	0.0050	-	-	-	-
1,2,3-Trichloropropane	ND	-	0.0050	-	-	-	-
1,2,4-Trimethylbenzene	ND	-	0.0050	-	-	-	-
1,3,5-Trimethylbenzene	ND	-	0.0050	-	-	-	-
Vinyl Chloride	ND	-	0.0050	-	-	-	-
Xylenes, Total	ND	-	0.0050	-	-	-	-

### Surrogate Recovery

Dibromofluoromethane	0.114	0.171		0.18	91	98	70-130
Toluene-d8	0.118	0.163		0.18	95	93	70-130
4-BFB	0.0144	0.0187		0.018	116	107	70-130

(Cont.)



## Quality Control Report

**Client:** LRM Consulting, Inc.  
**Date Prepared:** 6/2/14  
**Date Analyzed:** 6/3/14  
**Instrument:** GC16  
**Matrix:** Soil  
**Project:** #1428-1430 Franklin St

**WorkOrder:** 1405896  
**BatchID:** 91086  
**Extraction Method:** SW5030B  
**Analytical Method:** SW8260B  
**Unit:** mg/Kg  
**Sample ID:** MB/LCS-91086  
 1406039-004AMS/MSD

### QC Summary Report for SW8260B

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
Benzene	0.0408	0.0412	0.050	ND	81.6	82.4	70-130	1.02	30
1,1-Dichloroethene	0.0386	0.0392	0.050	ND	77.2	78.3	70-130	1.47	30
Toluene	0.0425	0.0426	0.050	ND	84.9	85.3	70-130	0.416	30
<b>Surrogate Recovery</b>									
Dibromofluoromethane	0.168	0.167	0.18		96	96	70-130	0	30
Toluene-d8	0.158	0.157	0.18		90	90	70-130	0	30
4-BFB	0.0185	0.0184	0.018		106	105	70-130	0.798	30



## Quality Control Report

**Client:** LRM Consulting, Inc.  
**Date Prepared:** 6/2/14  
**Date Analyzed:** 6/2/14  
**Instrument:** GC6B  
**Matrix:** Soil  
**Project:** #1428-1430 Franklin St

**WorkOrder:** 1405896  
**BatchID:** 91043  
**Extraction Method:** SW3550B  
**Analytical Method:** SW8015B  
**Unit:** mg/Kg  
**Sample ID:** MB/LCS-91043  
 1406030-001AMS/MSD

### QC Summary Report for SW8015B

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
TPH-Diesel (C10-C23)	ND	38.5	1.0	40	-	96.2	70-130
<b>Surrogate Recovery</b>							
C9	24.0	23.2		25	96	93	70-130

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
TPH-Diesel (C10-C23)	NR	NR	0	5.2	NR	NR	-	NR	
<b>Surrogate Recovery</b>									
C9	NR	NR	0		NR	NR	-	NR	



1534 Willow Pass Rd  
Pittsburg, CA 94565-1701  
(925) 252-9262

# CHAIN-OF-CUSTODY RECORD

WorkOrder: 1405896 **A** ClientCode: LRMC

WaterTrax  
  WriteOn  
  EDF  
  Excel  
  Fax  
 Email  
  HardCopy  
  ThirdParty  
  J-flag

**Report to:**

Mehrdad Javaherian  
LRM Consulting, Inc.  
1534 Plaza Lane, #145  
Burlingame, CA 94010  
(415) 706-8935 FAX:

Email: mjavaherian@lrm-consulting.com  
cc/3rd Party:  
PO:  
ProjectNo: #1428-1430 Franklin St

**Bill to:**

Accounts Payable  
LRM Consulting, Inc.  
1534 Plaza Lane, #145  
Burlingame, CA 94010

**Requested TAT: 5 days**

**Date Received: 05/22/2014**

**Date Add-On: 06/02/2014**

**Date Printed: 06/03/2014**

Lab ID	Client ID	Matrix	Collection Date	Hold	Requested Tests (See legend below)												
					1	2	3	4	5	6	7	8	9	10	11	12	
1405896-016	SB-4-4	Soil	5/22/2014 13:50	<input type="checkbox"/>	A	A	A										

**Test Legend:**

1	BTEX_8260B_S	2	GAS8260_S	3	TPH(D)_S	4		5	
6		7		8		9		10	
11		12							

**Prepared by: Ana Venegas**

**Add-On Prepared By: Jena Alfaro**

**Comments:** G.Btex,Napthalene by 8260 and D added to 016 STAT 6/2/14

NOTE: Soil samples are discarded 60 days after results are reported unless other arrangements are made (Water samples are 30 days).  
Hazardous samples will be returned to client or disposed of at client expense.



## WORK ORDER SUMMARY

**Client Name:** LRM CONSULTING, INC.

**QC Level:** LEVEL 2

**Work Order:** 1405896

**Project:** #1428-1430 Franklin St

**Client Contact:** Mehrdad Javaherian

**Date Received:** 5/22/2014

**Comments:** G,Btex,Napthalene by 8260 and D added to 016 STAT 6/2/14

**Contact's Email:** mjavaherian@lrm-consulting.com

**Date Add-On:** 6/2/2014

Lab ID	Client ID	Matrix	Test Name	Number of Containers	Bottle & Preservative	Collection Date & Time	TAT	Sediment Content	Hold	SubOut
1405896-016A	SB-4-4	Soil	SW8015B (Diesel)	1	Acetate Liner	5/22/2014 13:50	5 days		<input type="checkbox"/>	
			TPH(g) & BTEX by 8260B				5 days		<input type="checkbox"/>	

**\* NOTE: STLC and TCLP extractions require 48 hrs to complete; therefore, all TATs begin after the extraction is completed (i.e., 24hr TAT yields results in 72 hrs from sample submission).**

**Bottle Legend:**

Acetate Liner = Acetate Liner





# McC Campbell Analytical, Inc.

"When Quality Counts"

## Analytical Report

**WorkOrder:** 1405899 **Amended:** 06/16/2014

**Report Created for:** LRM Consulting, Inc.  
1534 Plaza Lane, #145  
Burlingame, CA 94010

**Project Contact:** Mehrdad Javaherian  
**Project P.O.:**  
**Project Name:** #1428 Franklin

**Project Received:** 05/22/2014

Analytical Report reviewed & approved for release on 06/02/2014 by:

Question about  
your data?

[Click here to email  
McC Campbell](#)

Angela Rydelius,  
Laboratory Manager

*The report shall not be reproduced except in full, without the written approval of the laboratory. The analytical results relate only to the items tested. Results reported conform to the most current NELAP standards, where applicable, unless otherwise stated in the case narrative.*





## Glossary of Terms & Qualifier Definitions

**Client:** LRM Consulting, Inc.  
**Project:** #1428 Franklin  
**WorkOrder:** 1405899

### Glossary Abbreviation

95% Interval	95% Confident Interval
DF	Dilution Factor
DUP	Duplicate
EDL	Estimated Detection Limit
ITEF	International Toxicity Equivalence Factor
LCS	Laboratory Control Sample
MB	Method Blank
MB % Rec	% Recovery of Surrogate in Method Blank, if applicable
MDL	Method Detection Limit
ML	Minimum Level of Quantitation
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ND	Not detected at or above the indicated MDL or RL
NR	Matrix interferences, or analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix; or sample diluted due to high matrix or analyte content.
RD	Relative Difference
RL	Reporting Limit (The RL is the lowest calibration standard in a multipoint calibration.)
RPD	Relative Percent Deviation
RRT	Relative Retention Time
SPK Val	Spike Value
SPKRef Val	Spike Reference Value
TEQ	Toxicity Equivalence

### Analytical Qualifiers

a4	the reporting limits were raised due to the sample's matrix prohibiting a full volume extraction.
b1	aqueous sample that contains greater than ~1 vol. % sediment
e2	diesel range compounds are significant; no recognizable pattern
e7	oil range compounds are significant
e11	stoddard solvent/mineral spirit (?)





## Analytical Report

**Client:** LRM Consulting, Inc.  
**Project:** #1428 Franklin  
**Date Received:** 5/22/14 20:31  
**Date Prepared:** 5/30/14

**WorkOrder:** 1405899  
**Extraction Method:** SW5030B  
**Analytical Method:** SW8260B  
**Unit:** µg/L

### Volatile Organics by P&T and GC/MS (Basic Target List)

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
SB-1	1405899-001C	Water	05/22/2014 13:40	GC28	91011

Analytes	Result	RL	DF	Date Analyzed
tert-Amyl methyl ether (TAME)	ND	0.50	1	05/30/2014 13:56
Benzene	ND	0.50	1	05/30/2014 13:56
t-Butyl alcohol (TBA)	ND	2.0	1	05/30/2014 13:56
Diisopropyl ether (DIPE)	ND	0.50	1	05/30/2014 13:56
Ethylbenzene	ND	0.50	1	05/30/2014 13:56
Ethyl tert-butyl ether (ETBE)	ND	0.50	1	05/30/2014 13:56
Methyl-t-butyl ether (MTBE)	ND	0.50	1	05/30/2014 13:56
Naphthalene	ND	0.50	1	05/30/2014 13:56
Toluene	ND	0.50	1	05/30/2014 13:56
Xylenes, Total	ND	0.50	1	05/30/2014 13:56
<b>Surrogates</b>	<b>REC (%)</b>	<b>Limits</b>	Analytical Comments: b1	
Dibromofluoromethane	100	70-130		05/30/2014 13:56
Toluene-d8	102	70-130		05/30/2014 13:56
4-BFB	98	70-130		05/30/2014 13:56

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
SB-2	1405899-002B	Water	05/22/2014 13:39	GC16	91010

Analytes	Result	RL	DF	Date Analyzed
Benzene	ND	8.4	17	05/30/2014 16:37
Ethylbenzene	<b>100</b>	8.4	17	05/30/2014 16:37
Naphthalene	<b>78</b>	8.4	17	05/30/2014 16:37
Toluene	ND	8.4	17	05/30/2014 16:37
Xylenes, Total	<b>270</b>	8.4	17	05/30/2014 16:37
<b>Surrogates</b>	<b>REC (%)</b>	<b>Limits</b>	Analytical Comments: b1	
Dibromofluoromethane	100	70-130		05/30/2014 16:37
Toluene-d8	92	70-130		05/30/2014 16:37
4-BFB	125	70-130		05/30/2014 16:37

(Cont.)



## Analytical Report

**Client:** LRM Consulting, Inc.  
**Project:** #1428 Franklin  
**Date Received:** 5/22/14 20:31  
**Date Prepared:** 5/30/14

**WorkOrder:** 1405899  
**Extraction Method:** SW5030B  
**Analytical Method:** SW8260B  
**Unit:** µg/L

### Volatile Organics by P&T and GC/MS (Basic Target List)

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
SB-3	1405899-003C	Water	05/22/2014 13:51	GC28	91011

Analytes	Result	RL	DF	Date Analyzed
tert-Amyl methyl ether (TAME)	ND	0.50	1	05/30/2014 14:35
Benzene	ND	0.50	1	05/30/2014 14:35
t-Butyl alcohol (TBA)	ND	2.0	1	05/30/2014 14:35
Diisopropyl ether (DIPE)	ND	0.50	1	05/30/2014 14:35
Ethylbenzene	ND	0.50	1	05/30/2014 14:35
Ethyl tert-butyl ether (ETBE)	ND	0.50	1	05/30/2014 14:35
Methyl-t-butyl ether (MTBE)	ND	0.50	1	05/30/2014 14:35
Naphthalene	ND	0.50	1	05/30/2014 14:35
Toluene	ND	0.50	1	05/30/2014 14:35
Xylenes, Total	ND	0.50	1	05/30/2014 14:35
Surrogates	REC (%)	Limits	Analytical Comments: b1	
Dibromofluoromethane	104	70-130		05/30/2014 14:35
Toluene-d8	103	70-130		05/30/2014 14:35
4-BFB	100	70-130		05/30/2014 14:35

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
SB-4	1405899-004B	Water	05/22/2014 14:20	GC16	91010

Analytes	Result	RL	DF	Date Analyzed
Benzene	ND	0.50	1	05/30/2014 15:54
Ethylbenzene	ND	0.50	1	05/30/2014 15:54
Naphthalene	ND	0.50	1	05/30/2014 15:54
Toluene	ND	0.50	1	05/30/2014 15:54
Xylenes, Total	ND	0.50	1	05/30/2014 15:54
Surrogates	REC (%)	Limits	Analytical Comments: b1	
Dibromofluoromethane	106	70-130		05/30/2014 15:54
Toluene-d8	90	70-130		05/30/2014 15:54
4-BFB	106	70-130		05/30/2014 15:54



## Analytical Report

**Client:** LRM Consulting, Inc.  
**Project:** #1428 Franklin  
**Date Received:** 5/22/14 20:31  
**Date Prepared:** 5/23/14

**WorkOrder:** 1405899  
**Extraction Method:** SW3510C  
**Analytical Method:** SW8270C  
**Unit:** µg/L

### Semi-Volatile Organics by GC/MS (Basic Target List)

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
SB-1	1405899-001B	Water	05/22/2014 13:40	GC21	90800
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
Acenaphthene	ND		2.4	1	05/23/2014 18:04
Acenaphthylene	ND		2.4	1	05/23/2014 18:04
Acetochlor	ND		2.4	1	05/23/2014 18:04
Anthracene	ND		2.4	1	05/23/2014 18:04
Benzidine	ND		12	1	05/23/2014 18:04
Benzo (a) anthracene	ND		2.4	1	05/23/2014 18:04
Benzo (b) fluoranthene	ND		2.4	1	05/23/2014 18:04
Benzo (k) fluoranthene	ND		2.4	1	05/23/2014 18:04
Benzo (g,h,i) perylene	ND		2.4	1	05/23/2014 18:04
Benzo (a) pyrene	ND		2.4	1	05/23/2014 18:04
Benzyl Alcohol	ND		12	1	05/23/2014 18:04
1,1-Biphenyl	ND		2.4	1	05/23/2014 18:04
Bis (2-chloroethoxy) Methane	ND		2.4	1	05/23/2014 18:04
Bis (2-chloroethyl) Ether	ND		2.4	1	05/23/2014 18:04
Bis (2-chloroisopropyl) Ether	ND		2.4	1	05/23/2014 18:04
Bis (2-ethylhexyl) Adipate	ND		2.4	1	05/23/2014 18:04
Bis (2-ethylhexyl) Phthalate	ND		4.9	1	05/23/2014 18:04
4-Bromophenyl Phenyl Ether	ND		12	1	05/23/2014 18:04
Butylbenzyl Phthalate	ND		2.4	1	05/23/2014 18:04
4-Chloroaniline	ND		4.9	1	05/23/2014 18:04
4-Chloro-3-methylphenol	ND		12	1	05/23/2014 18:04
2-Chloronaphthalene	ND		2.4	1	05/23/2014 18:04
2-Chlorophenol	ND		2.4	1	05/23/2014 18:04
4-Chlorophenyl Phenyl Ether	ND		2.4	1	05/23/2014 18:04
Chrysene	ND		2.4	1	05/23/2014 18:04
Dibenzo (a,h) anthracene	ND		2.4	1	05/23/2014 18:04
Dibenzofuran	ND		2.4	1	05/23/2014 18:04
Di-n-butyl Phthalate	ND		2.4	1	05/23/2014 18:04
1,2-Dichlorobenzene	ND		2.4	1	05/23/2014 18:04
1,3-Dichlorobenzene	ND		2.4	1	05/23/2014 18:04
1,4-Dichlorobenzene	ND		2.4	1	05/23/2014 18:04
3,3-Dichlorobenzidine	ND		4.9	1	05/23/2014 18:04
2,4-Dichlorophenol	ND		2.4	1	05/23/2014 18:04
Diethyl Phthalate	ND		2.4	1	05/23/2014 18:04
2,4-Dimethylphenol	ND		2.4	1	05/23/2014 18:04
Dimethyl Phthalate	ND		2.4	1	05/23/2014 18:04
4,6-Dinitro-2-methylphenol	ND		12	1	05/23/2014 18:04
2,4-Dinitrophenol	ND		31	1	05/23/2014 18:04

(Cont.)



## Analytical Report

**Client:** LRM Consulting, Inc.  
**Project:** #1428 Franklin  
**Date Received:** 5/22/14 20:31  
**Date Prepared:** 5/23/14

**WorkOrder:** 1405899  
**Extraction Method:** SW3510C  
**Analytical Method:** SW8270C  
**Unit:** µg/L

### Semi-Volatile Organics by GC/MS (Basic Target List)

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
SB-1	1405899-001B	Water	05/22/2014 13:40	GC21	90800
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
2,4-Dinitrotoluene	ND		2.4	1	05/23/2014 18:04
2,6-Dinitrotoluene	ND		2.4	1	05/23/2014 18:04
Di-n-octyl Phthalate	ND		2.4	1	05/23/2014 18:04
1,2-Diphenylhydrazine	ND		2.4	1	05/23/2014 18:04
Fluoranthene	ND		2.4	1	05/23/2014 18:04
Fluorene	ND		2.4	1	05/23/2014 18:04
Hexachlorobenzene	ND		2.4	1	05/23/2014 18:04
Hexachlorobutadiene	ND		2.4	1	05/23/2014 18:04
Hexachlorocyclopentadiene	ND		12	1	05/23/2014 18:04
Hexachloroethane	ND		2.4	1	05/23/2014 18:04
Indeno (1,2,3-cd) pyrene	ND		2.4	1	05/23/2014 18:04
Isophorone	ND		2.4	1	05/23/2014 18:04
2-Methylnaphthalene	ND		2.4	1	05/23/2014 18:04
2-Methylphenol (o-Cresol)	ND		2.4	1	05/23/2014 18:04
3 &/or 4-Methylphenol (m,p-Cresol)	ND		2.4	1	05/23/2014 18:04
Naphthalene	ND		2.4	1	05/23/2014 18:04
2-Nitroaniline	ND		12	1	05/23/2014 18:04
3-Nitroaniline	ND		12	1	05/23/2014 18:04
4-Nitroaniline	ND		12	1	05/23/2014 18:04
Nitrobenzene	ND		2.4	1	05/23/2014 18:04
2-Nitrophenol	ND		12	1	05/23/2014 18:04
4-Nitrophenol	ND		12	1	05/23/2014 18:04
N-Nitrosodiphenylamine	ND		2.4	1	05/23/2014 18:04
N-Nitrosodi-n-propylamine	ND		2.4	1	05/23/2014 18:04
Pentachlorophenol	ND		12	1	05/23/2014 18:04
Phenanthrene	ND		2.4	1	05/23/2014 18:04
Phenol	ND		2.4	1	05/23/2014 18:04
Pyrene	ND		2.4	1	05/23/2014 18:04
1,2,4-Trichlorobenzene	ND		2.4	1	05/23/2014 18:04
2,4,5-Trichlorophenol	ND		2.4	1	05/23/2014 18:04
2,4,6-Trichlorophenol	ND		2.4	1	05/23/2014 18:04

(Cont.)



# Analytical Report

**Client:** LRM Consulting, Inc.  
**Project:** #1428 Franklin  
**Date Received:** 5/22/14 20:31  
**Date Prepared:** 5/23/14

**WorkOrder:** 1405899  
**Extraction Method:** SW3510C  
**Analytical Method:** SW8270C  
**Unit:** µg/L

## Semi-Volatile Organics by GC/MS (Basic Target List)

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
SB-1	1405899-001B	Water	05/22/2014 13:40	GC21	90800

Analytes	Result	RL	DF	Date Analyzed
<u>Surrogates</u>	<u>REC (%)</u>	<u>Limits</u>	Analytical Comments: b1	
2-Fluorophenol	40	8-130		05/23/2014 18:04
Phenol-d5	30	5-130		05/23/2014 18:04
Nitrobenzene-d5	80	20-140		05/23/2014 18:04
2-Fluorobiphenyl	94	40-140		05/23/2014 18:04
2,4,6-Tribromophenol	115	16-180		05/23/2014 18:04
4-Terphenyl-d14	132	40-170		05/23/2014 18:04

(Cont.)



# Analytical Report

**Client:** LRM Consulting, Inc.  
**Project:** #1428 Franklin  
**Date Received:** 5/22/14 20:31  
**Date Prepared:** 5/23/14

**WorkOrder:** 1405899  
**Extraction Method:** SW3510C  
**Analytical Method:** SW8270C  
**Unit:** µg/L

## Semi-Volatile Organics by GC/MS (Basic Target List)

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
SB-3	1405899-003B	Water	05/22/2014 13:51	GC21	90800
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
Acenaphthene	ND		2.2	1	05/23/2014 18:32
Acenaphthylene	ND		2.2	1	05/23/2014 18:32
Acetochlor	ND		2.2	1	05/23/2014 18:32
Anthracene	ND		2.2	1	05/23/2014 18:32
Benzidine	ND		11	1	05/23/2014 18:32
Benzo (a) anthracene	ND		2.2	1	05/23/2014 18:32
Benzo (b) fluoranthene	ND		2.2	1	05/23/2014 18:32
Benzo (k) fluoranthene	ND		2.2	1	05/23/2014 18:32
Benzo (g,h,i) perylene	ND		2.2	1	05/23/2014 18:32
Benzo (a) pyrene	ND		2.2	1	05/23/2014 18:32
Benzyl Alcohol	ND		11	1	05/23/2014 18:32
1,1-Biphenyl	ND		2.2	1	05/23/2014 18:32
Bis (2-chloroethoxy) Methane	ND		2.2	1	05/23/2014 18:32
Bis (2-chloroethyl) Ether	ND		2.2	1	05/23/2014 18:32
Bis (2-chloroisopropyl) Ether	ND		2.2	1	05/23/2014 18:32
Bis (2-ethylhexyl) Adipate	ND		2.2	1	05/23/2014 18:32
Bis (2-ethylhexyl) Phthalate	ND		4.3	1	05/23/2014 18:32
4-Bromophenyl Phenyl Ether	ND		11	1	05/23/2014 18:32
Butylbenzyl Phthalate	ND		2.2	1	05/23/2014 18:32
4-Chloroaniline	ND		4.3	1	05/23/2014 18:32
4-Chloro-3-methylphenol	ND		11	1	05/23/2014 18:32
2-Chloronaphthalene	ND		2.2	1	05/23/2014 18:32
2-Chlorophenol	ND		2.2	1	05/23/2014 18:32
4-Chlorophenyl Phenyl Ether	ND		2.2	1	05/23/2014 18:32
Chrysene	ND		2.2	1	05/23/2014 18:32
Dibenzo (a,h) anthracene	ND		2.2	1	05/23/2014 18:32
Dibenzofuran	ND		2.2	1	05/23/2014 18:32
Di-n-butyl Phthalate	ND		2.2	1	05/23/2014 18:32
1,2-Dichlorobenzene	ND		2.2	1	05/23/2014 18:32
1,3-Dichlorobenzene	ND		2.2	1	05/23/2014 18:32
1,4-Dichlorobenzene	ND		2.2	1	05/23/2014 18:32
3,3-Dichlorobenzidine	ND		4.3	1	05/23/2014 18:32
2,4-Dichlorophenol	ND		2.2	1	05/23/2014 18:32
Diethyl Phthalate	ND		2.2	1	05/23/2014 18:32
2,4-Dimethylphenol	ND		2.2	1	05/23/2014 18:32
Dimethyl Phthalate	ND		2.2	1	05/23/2014 18:32
4,6-Dinitro-2-methylphenol	ND		11	1	05/23/2014 18:32
2,4-Dinitrophenol	ND		27	1	05/23/2014 18:32

(Cont.)



## Analytical Report

**Client:** LRM Consulting, Inc.  
**Project:** #1428 Franklin  
**Date Received:** 5/22/14 20:31  
**Date Prepared:** 5/23/14

**WorkOrder:** 1405899  
**Extraction Method:** SW3510C  
**Analytical Method:** SW8270C  
**Unit:** µg/L

### Semi-Volatile Organics by GC/MS (Basic Target List)

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
SB-3	1405899-003B	Water	05/22/2014 13:51	GC21	90800
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
2,4-Dinitrotoluene	ND		2.2	1	05/23/2014 18:32
2,6-Dinitrotoluene	ND		2.2	1	05/23/2014 18:32
Di-n-octyl Phthalate	ND		2.2	1	05/23/2014 18:32
1,2-Diphenylhydrazine	ND		2.2	1	05/23/2014 18:32
Fluoranthene	ND		2.2	1	05/23/2014 18:32
Fluorene	ND		2.2	1	05/23/2014 18:32
Hexachlorobenzene	ND		2.2	1	05/23/2014 18:32
Hexachlorobutadiene	ND		2.2	1	05/23/2014 18:32
Hexachlorocyclopentadiene	ND		11	1	05/23/2014 18:32
Hexachloroethane	ND		2.2	1	05/23/2014 18:32
Indeno (1,2,3-cd) pyrene	ND		2.2	1	05/23/2014 18:32
Isophorone	ND		2.2	1	05/23/2014 18:32
2-Methylnaphthalene	ND		2.2	1	05/23/2014 18:32
2-Methylphenol (o-Cresol)	ND		2.2	1	05/23/2014 18:32
3 &/or 4-Methylphenol (m,p-Cresol)	ND		2.2	1	05/23/2014 18:32
Naphthalene	ND		2.2	1	05/23/2014 18:32
2-Nitroaniline	ND		11	1	05/23/2014 18:32
3-Nitroaniline	ND		11	1	05/23/2014 18:32
4-Nitroaniline	ND		11	1	05/23/2014 18:32
Nitrobenzene	ND		2.2	1	05/23/2014 18:32
2-Nitrophenol	ND		11	1	05/23/2014 18:32
4-Nitrophenol	ND		11	1	05/23/2014 18:32
N-Nitrosodiphenylamine	ND		2.2	1	05/23/2014 18:32
N-Nitrosodi-n-propylamine	ND		2.2	1	05/23/2014 18:32
Pentachlorophenol	ND		11	1	05/23/2014 18:32
Phenanthrene	ND		2.2	1	05/23/2014 18:32
Phenol	ND		2.2	1	05/23/2014 18:32
Pyrene	ND		2.2	1	05/23/2014 18:32
1,2,4-Trichlorobenzene	ND		2.2	1	05/23/2014 18:32
2,4,5-Trichlorophenol	ND		2.2	1	05/23/2014 18:32
2,4,6-Trichlorophenol	ND		2.2	1	05/23/2014 18:32

(Cont.)



# Analytical Report

**Client:** LRM Consulting, Inc.  
**Project:** #1428 Franklin  
**Date Received:** 5/22/14 20:31  
**Date Prepared:** 5/23/14

**WorkOrder:** 1405899  
**Extraction Method:** SW3510C  
**Analytical Method:** SW8270C  
**Unit:** µg/L

## Semi-Volatile Organics by GC/MS (Basic Target List)

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
SB-3	1405899-003B	Water	05/22/2014 13:51	GC21	90800

Analytes	Result	RL	DF	Date Analyzed
<u>Surrogates</u>	<u>REC (%)</u>	<u>Limits</u>	Analytical Comments: b1	
2-Fluorophenol	39	8-130		05/23/2014 18:32
Phenol-d5	33	5-130		05/23/2014 18:32
Nitrobenzene-d5	66	20-140		05/23/2014 18:32
2-Fluorobiphenyl	77	40-140		05/23/2014 18:32
2,4,6-Tribromophenol	100	16-180		05/23/2014 18:32
4-Terphenyl-d14	114	40-170		05/23/2014 18:32





## Analytical Report

**Client:** LRM Consulting, Inc.  
**Project:** #1428 Franklin  
**Date Received:** 5/22/14 20:31  
**Date Prepared:** 5/30/14

**WorkOrder:** 1405899  
**Extraction Method:** SW5030B  
**Analytical Method:** SW8260B  
**Unit:** µg/L

### TPH(g) by Purge & Trap and GC/MS

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
<b>SB-1</b>	<b>1405899-001C</b>	<b>Water</b>	<b>05/22/2014 13:40</b>	<b>GC28</b>	<b>91011</b>
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH(g)	ND		50	1	05/30/2014 13:56
<u>Surrogates</u>	<u>REC (%)</u>		<u>Limits</u>	Analytical Comments: b1	
Toluene-d8	104		70-130		05/30/2014 13:56
<b>SB-2</b>	<b>1405899-002B</b>	<b>Water</b>	<b>05/22/2014 13:39</b>	<b>GC16</b>	<b>91010</b>
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH(g)	<b>7800</b>		840	17	05/30/2014 16:37
<u>Surrogates</u>	<u>REC (%)</u>		<u>Limits</u>	Analytical Comments: b1	
Toluene-d8	101		70-130		05/30/2014 16:37
<b>SB-3</b>	<b>1405899-003C</b>	<b>Water</b>	<b>05/22/2014 13:51</b>	<b>GC28</b>	<b>91011</b>
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH(g)	ND		50	1	05/30/2014 14:35
<u>Surrogates</u>	<u>REC (%)</u>		<u>Limits</u>	Analytical Comments: b1	
Toluene-d8	105		70-130		05/30/2014 14:35
<b>SB-4</b>	<b>1405899-004B</b>	<b>Water</b>	<b>05/22/2014 14:20</b>	<b>GC16</b>	<b>91010</b>
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH(g)	ND		50	1	05/30/2014 15:54
<u>Surrogates</u>	<u>REC (%)</u>		<u>Limits</u>	Analytical Comments: b1	
Toluene-d8	99		70-130		05/30/2014 15:54



# Analytical Report

**Client:** LRM Consulting, Inc.  
**Project:** #1428 Franklin  
**Date Received:** 5/22/14 20:31  
**Date Prepared:** 5/22/14

**WorkOrder:** 1405899  
**Extraction Method:** SW3510C  
**Analytical Method:** SW8015B  
**Unit:** µg/L

## Total Extractable Petroleum Hydrocarbons

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
<b>SB-1</b>	<b>1405899-001A</b>	<b>Water</b>	<b>05/22/2014 13:40</b>	<b>GC6A</b>	<b>90758</b>
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH-Diesel (C10-C23)	ND		50	1	05/26/2014 03:29
<u>Surrogates</u>	<u>REC (%)</u>		<u>Limits</u>	Analytical Comments: b1	
C9	98		70-130		05/26/2014 03:29
<b>SB-2</b>	<b>1405899-002A</b>	<b>Water</b>	<b>05/22/2014 13:39</b>	<b>GC6A</b>	<b>90758</b>
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH-Diesel (C10-C23)	<b>5100</b>		50	1	05/26/2014 07:06
<u>Surrogates</u>	<u>REC (%)</u>		<u>Limits</u>	Analytical Comments: e11,a4,b1	
C9	105		70-130		05/26/2014 07:06
<b>SB-3</b>	<b>1405899-003A</b>	<b>Water</b>	<b>05/22/2014 13:51</b>	<b>GC6A</b>	<b>90758</b>
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH-Diesel (C10-C23)	<b>410</b>		100	1	05/26/2014 08:18
<u>Surrogates</u>	<u>REC (%)</u>		<u>Limits</u>	Analytical Comments: e7,e2,b1	
C9	99		70-130		05/26/2014 08:18
<b>SB-4</b>	<b>1405899-004A</b>	<b>Water</b>	<b>05/22/2014 14:20</b>	<b>GC6A</b>	<b>90758</b>
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH-Diesel (C10-C23)	ND		50	1	05/26/2014 04:41
<u>Surrogates</u>	<u>REC (%)</u>		<u>Limits</u>	Analytical Comments: b1	
C9	97		70-130		05/26/2014 04:41



# Quality Control Report

**Client:** LRM Consulting, Inc.  
**Date Prepared:** 5/30/14  
**Date Analyzed:** 5/30/14  
**Instrument:** GC16  
**Matrix:** Water  
**Project:** #1428 Franklin

**WorkOrder:** 1405899  
**BatchID:** 91010  
**Extraction Method:** SW5030B  
**Analytical Method:** SW8260B  
**Unit:** µg/L  
**Sample ID:** MB/LCS-91010  
 1405899-004BMS/MSD

## QC Summary Report for SW8260B

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Acetone	ND	-	100	-	-	-	-
tert-Amyl methyl ether (TAME)	ND	15.8	5.0	20	-	79.2	70-130
Benzene	ND	17.3	5.0	20	-	86.5	70-130
Bromobenzene	ND	-	5.0	-	-	-	-
Bromochloromethane	ND	-	5.0	-	-	-	-
Bromodichloromethane	ND	-	5.0	-	-	-	-
Bromoform	ND	-	5.0	-	-	-	-
Bromomethane	ND	-	5.0	-	-	-	-
2-Butanone (MEK)	ND	-	20	-	-	-	-
t-Butyl alcohol (TBA)	ND	63.0	20	80	-	78.8	70-130
n-Butyl benzene	ND	-	5.0	-	-	-	-
sec-Butyl benzene	ND	-	5.0	-	-	-	-
tert-Butyl benzene	ND	-	5.0	-	-	-	-
Carbon Disulfide	ND	-	5.0	-	-	-	-
Carbon Tetrachloride	ND	-	5.0	-	-	-	-
Chlorobenzene	ND	17.5	5.0	20	-	87.6	70-130
Chloroethane	ND	-	5.0	-	-	-	-
Chloroform	ND	-	5.0	-	-	-	-
Chloromethane	ND	-	5.0	-	-	-	-
2-Chlorotoluene	ND	-	5.0	-	-	-	-
4-Chlorotoluene	ND	-	5.0	-	-	-	-
Dibromochloromethane	ND	-	5.0	-	-	-	-
1,2-Dibromo-3-chloropropane	ND	-	2.0	-	-	-	-
1,2-Dibromoethane (EDB)	ND	16.8	5.0	20	-	84.2	70-130
Dibromomethane	ND	-	5.0	-	-	-	-
1,2-Dichlorobenzene	ND	-	5.0	-	-	-	-
1,3-Dichlorobenzene	ND	-	5.0	-	-	-	-
1,4-Dichlorobenzene	ND	-	5.0	-	-	-	-
Dichlorodifluoromethane	ND	-	5.0	-	-	-	-
1,1-Dichloroethane	ND	-	5.0	-	-	-	-
1,2-Dichloroethane (1,2-DCA)	ND	18.7	5.0	20	-	93.7	70-130
1,1-Dichloroethene	ND	17.6	5.0	20	-	87.8	70-130
cis-1,2-Dichloroethene	ND	-	5.0	-	-	-	-
trans-1,2-Dichloroethene	ND	-	5.0	-	-	-	-
1,2-Dichloropropane	ND	-	5.0	-	-	-	-
1,3-Dichloropropane	ND	-	5.0	-	-	-	-
2,2-Dichloropropane	ND	-	5.0	-	-	-	-
1,1-Dichloropropene	ND	-	5.0	-	-	-	-
cis-1,3-Dichloropropene	ND	-	5.0	-	-	-	-
trans-1,3-Dichloropropene	ND	-	5.0	-	-	-	-

(Cont.)



# Quality Control Report

**Client:** LRM Consulting, Inc.  
**Date Prepared:** 5/30/14  
**Date Analyzed:** 5/30/14  
**Instrument:** GC16  
**Matrix:** Water  
**Project:** #1428 Franklin

**WorkOrder:** 1405899  
**BatchID:** 91010  
**Extraction Method:** SW5030B  
**Analytical Method:** SW8260B  
**Unit:** µg/L  
**Sample ID:** MB/LCS-91010  
 1405899-004BMS/MSD

## QC Summary Report for SW8260B

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Diisopropyl ether (DIPE)	ND	17.3	5.0	20	-	86.4	70-130
Ethylbenzene	ND	-	5.0	-	-	-	-
Ethyl tert-butyl ether (ETBE)	ND	17.3	5.0	20	-	86.3	70-130
Freon 113	ND	-	5.0	-	-	-	-
Hexachlorobutadiene	ND	-	5.0	-	-	-	-
Hexachloroethane	ND	-	5.0	-	-	-	-
2-Hexanone	ND	-	5.0	-	-	-	-
Isopropylbenzene	ND	-	5.0	-	-	-	-
4-Isopropyl toluene	ND	-	5.0	-	-	-	-
Methyl-t-butyl ether (MTBE)	ND	15.7	5.0	20	-	78.4	70-130
Methylene chloride	ND	-	5.0	-	-	-	-
4-Methyl-2-pentanone (MIBK)	ND	-	5.0	-	-	-	-
Naphthalene	ND	-	5.0	-	-	-	-
n-Propyl benzene	ND	-	5.0	-	-	-	-
Styrene	ND	-	5.0	-	-	-	-
1,1,1,2-Tetrachloroethane	ND	-	5.0	-	-	-	-
1,1,2,2-Tetrachloroethane	ND	-	5.0	-	-	-	-
Tetrachloroethene	ND	-	5.0	-	-	-	-
Toluene	ND	17.0	5.0	20	-	85.1	70-130
1,2,3-Trichlorobenzene	ND	-	5.0	-	-	-	-
1,2,4-Trichlorobenzene	ND	-	5.0	-	-	-	-
1,1,1-Trichloroethane	ND	-	5.0	-	-	-	-
1,1,2-Trichloroethane	ND	-	5.0	-	-	-	-
Trichloroethene	ND	18.6	5.0	20	-	92.8	70-130
Trichlorofluoromethane	ND	-	5.0	-	-	-	-
1,2,3-Trichloropropane	ND	-	5.0	-	-	-	-
1,2,4-Trimethylbenzene	ND	-	5.0	-	-	-	-
1,3,5-Trimethylbenzene	ND	-	5.0	-	-	-	-
Vinyl Chloride	ND	-	5.0	-	-	-	-
Xylenes, Total	ND	-	5.0	-	-	-	-

### Surrogate Recovery

Dibromofluoromethane	261	44.0		45	104	98	70-130
Toluene-d8	223	37.0		45	89	82	70-130
4-BFB	26.8	4.55		4.5	107	101	70-130

(Cont.)



## Quality Control Report

**Client:** LRM Consulting, Inc.  
**Date Prepared:** 5/30/14  
**Date Analyzed:** 5/30/14  
**Instrument:** GC16  
**Matrix:** Water  
**Project:** #1428 Franklin

**WorkOrder:** 1405899  
**BatchID:** 91010  
**Extraction Method:** SW5030B  
**Analytical Method:** SW8260B  
**Unit:** µg/L  
**Sample ID:** MB/LCS-91010  
 1405899-004BMS/MSD

### QC Summary Report for SW8260B

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
tert-Amyl methyl ether (TAME)	18.3	18.0	20	ND	91.3	89.9	70-130	1.49	20
Benzene	18.9	18.8	20	ND	94.7	93.9	70-130	0.847	20
t-Butyl alcohol (TBA)	78.3	75.2	80	ND	97.9	94	70-130	4.06	20
Chlorobenzene	19.0	18.6	20	ND	95.2	93.1	70-130	2.19	20
1,2-Dibromoethane (EDB)	19.1	18.7	20	ND	95.5	93.4	70-130	2.19	20
1,2-Dichloroethane (1,2-DCA)	21.1	21.2	20	ND	106	106	70-130	0	20
1,1-Dichloroethene	19.0	18.9	20	ND	95.2	94.3	70-130	0.885	20
Diisopropyl ether (DIPE)	19.6	19.5	20	ND	98	97.3	70-130	0.711	20
Ethyl tert-butyl ether (ETBE)	19.6	19.5	20	ND	97.9	97.5	70-130	0.393	20
Methyl-t-butyl ether (MTBE)	18.1	18.0	20	ND	90.7	90.2	70-130	0.451	20
Toluene	18.3	18.0	20	ND	91.4	90.2	70-130	1.35	20
Trichloroethene	20.5	20.1	20	ND	102	100	70-130	1.96	20
<b>Surrogate Recovery</b>									
Dibromofluoromethane	45.7	45.9	45		101	102	70-130	0.525	20
Toluene-d8	37.9	37.6	45		84	84	70-130	0	20
4-BFB	4.56	4.47	4.5		101	99	70-130	2.08	20

(Cont.)



# Quality Control Report

**Client:** LRM Consulting, Inc.  
**Date Prepared:** 5/30/14  
**Date Analyzed:** 5/30/14  
**Instrument:** GC28  
**Matrix:** Water  
**Project:** #1428 Franklin

**WorkOrder:** 1405899  
**BatchID:** 91011  
**Extraction Method:** SW5030B  
**Analytical Method:** SW8260B  
**Unit:** µg/L  
**Sample ID:** MB/LCS-91011  
 1405A80-001BMS/MSD

## QC Summary Report for SW8260B

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Acetone	ND	-	10	-	-	-	-
tert-Amyl methyl ether (TAME)	ND	16.7	0.50	20	-	83.4	70-130
Benzene	ND	18.6	0.50	20	-	93.1	70-130
Bromobenzene	ND	-	0.50	-	-	-	-
Bromochloromethane	ND	-	0.50	-	-	-	-
Bromodichloromethane	ND	-	0.50	-	-	-	-
Bromoform	ND	-	0.50	-	-	-	-
Bromomethane	ND	-	0.50	-	-	-	-
2-Butanone (MEK)	ND	-	2.0	-	-	-	-
t-Butyl alcohol (TBA)	ND	57.8	2.0	80	-	72.3	70-130
n-Butyl benzene	ND	-	0.50	-	-	-	-
sec-Butyl benzene	ND	-	0.50	-	-	-	-
tert-Butyl benzene	ND	-	0.50	-	-	-	-
Carbon Disulfide	ND	-	0.50	-	-	-	-
Carbon Tetrachloride	ND	-	0.50	-	-	-	-
Chlorobenzene	ND	19.7	0.50	20	-	98.4	70-130
Chloroethane	ND	-	0.50	-	-	-	-
Chloroform	ND	-	0.50	-	-	-	-
Chloromethane	ND	-	0.50	-	-	-	-
2-Chlorotoluene	ND	-	0.50	-	-	-	-
4-Chlorotoluene	ND	-	0.50	-	-	-	-
Dibromochloromethane	ND	-	0.50	-	-	-	-
1,2-Dibromo-3-chloropropane	ND	-	0.20	-	-	-	-
1,2-Dibromoethane (EDB)	ND	18.1	0.50	20	-	90.7	70-130
Dibromomethane	ND	-	0.50	-	-	-	-
1,2-Dichlorobenzene	ND	-	0.50	-	-	-	-
1,3-Dichlorobenzene	ND	-	0.50	-	-	-	-
1,4-Dichlorobenzene	ND	-	0.50	-	-	-	-
Dichlorodifluoromethane	ND	-	0.50	-	-	-	-
1,1-Dichloroethane	ND	-	0.50	-	-	-	-
1,2-Dichloroethane (1,2-DCA)	ND	17.2	0.50	20	-	86.1	70-130
1,1-Dichloroethene	ND	18.7	0.50	20	-	93.7	70-130
cis-1,2-Dichloroethene	ND	-	0.50	-	-	-	-
trans-1,2-Dichloroethene	ND	-	0.50	-	-	-	-
1,2-Dichloropropane	ND	-	0.50	-	-	-	-
1,3-Dichloropropane	ND	-	0.50	-	-	-	-
2,2-Dichloropropane	ND	-	0.50	-	-	-	-
1,1-Dichloropropene	ND	-	0.50	-	-	-	-
cis-1,3-Dichloropropene	ND	-	0.50	-	-	-	-
trans-1,3-Dichloropropene	ND	-	0.50	-	-	-	-

(Cont.)



# Quality Control Report

**Client:** LRM Consulting, Inc.  
**Date Prepared:** 5/30/14  
**Date Analyzed:** 5/30/14  
**Instrument:** GC28  
**Matrix:** Water  
**Project:** #1428 Franklin

**WorkOrder:** 1405899  
**BatchID:** 91011  
**Extraction Method:** SW5030B  
**Analytical Method:** SW8260B  
**Unit:** µg/L  
**Sample ID:** MB/LCS-91011  
 1405A80-001BMS/MSD

## QC Summary Report for SW8260B

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Diisopropyl ether (DIPE)	ND	17.7	0.50	20	-	88.3	70-130
Ethylbenzene	ND	-	0.50	-	-	-	-
Ethyl tert-butyl ether (ETBE)	ND	17.5	0.50	20	-	87.6	70-130
Freon 113	ND	-	0.50	-	-	-	-
Hexachlorobutadiene	ND	-	0.50	-	-	-	-
Hexachloroethane	ND	-	0.50	-	-	-	-
2-Hexanone	ND	-	0.50	-	-	-	-
Isopropylbenzene	ND	-	0.50	-	-	-	-
4-Isopropyl toluene	ND	-	0.50	-	-	-	-
Methyl-t-butyl ether (MTBE)	ND	16.6	0.50	20	-	83	70-130
Methylene chloride	ND	-	0.50	-	-	-	-
4-Methyl-2-pentanone (MIBK)	ND	-	0.50	-	-	-	-
Naphthalene	ND	-	0.50	-	-	-	-
n-Propyl benzene	ND	-	0.50	-	-	-	-
Styrene	ND	-	0.50	-	-	-	-
1,1,1,2-Tetrachloroethane	ND	-	0.50	-	-	-	-
1,1,2,2-Tetrachloroethane	ND	-	0.50	-	-	-	-
Tetrachloroethene	ND	-	0.50	-	-	-	-
Toluene	ND	18.3	0.50	20	-	91.6	70-130
1,2,3-Trichlorobenzene	ND	-	0.50	-	-	-	-
1,2,4-Trichlorobenzene	ND	-	0.50	-	-	-	-
1,1,1-Trichloroethane	ND	-	0.50	-	-	-	-
1,1,2-Trichloroethane	ND	-	0.50	-	-	-	-
Trichloroethene	ND	20.2	0.50	20	-	101	70-130
Trichlorofluoromethane	ND	-	0.50	-	-	-	-
1,2,3-Trichloropropane	ND	-	0.50	-	-	-	-
1,2,4-Trimethylbenzene	ND	-	0.50	-	-	-	-
1,3,5-Trimethylbenzene	ND	-	0.50	-	-	-	-
Vinyl Chloride	ND	-	0.50	-	-	-	-
Xylenes, Total	ND	-	0.50	-	-	-	-

### Surrogate Recovery

Dibromofluoromethane	24.6	44.2		45	99	98	70-130
Toluene-d8	26.2	45.6		45	105	101	70-130
4-BFB	2.56	4.47		4.5	102	99	70-130

(Cont.)



# Quality Control Report

**Client:** LRM Consulting, Inc.  
**Date Prepared:** 5/30/14  
**Date Analyzed:** 5/30/14  
**Instrument:** GC28  
**Matrix:** Water  
**Project:** #1428 Franklin

**WorkOrder:** 1405899  
**BatchID:** 91011  
**Extraction Method:** SW5030B  
**Analytical Method:** SW8260B  
**Unit:** µg/L  
**Sample ID:** MB/LCS-91011  
 1405A80-001BMS/MSD

## QC Summary Report for SW8260B

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
tert-Amyl methyl ether (TAME)	19.6	19.9	20	ND	98	99.4	70-130	1.50	20
Benzene	19.3	19.5	20	ND	96.3	97.6	70-130	1.34	20
t-Butyl alcohol (TBA)	74.0	73.0	80	ND	92.5	91.3	70-130	1.34	20
Chlorobenzene	20.0	20.4	20	ND	99.8	102	70-130	2.34	20
1,2-Dibromoethane (EDB)	20.3	20.6	20	ND	101	103	70-130	1.72	20
1,2-Dichloroethane (1,2-DCA)	19.7	20.1	20	ND	98.3	100	70-130	2.05	20
1,1-Dichloroethene	18.8	19.6	20	ND	94.2	98.1	70-130	4.09	20
Diisopropyl ether (DIPE)	19.1	19.3	20	ND	95.6	96.5	70-130	0.916	20
Ethyl tert-butyl ether (ETBE)	20.2	20.2	20	ND	101	101	70-130	0	20
Methyl-t-butyl ether (MTBE)	19.7	19.8	20	ND	98.6	99.1	70-130	0.494	20
Toluene	18.2	18.4	20	ND	90.7	91.8	70-130	1.16	20
Trichloroethene	21.5	22.0	20	ND	107	110	70-130	2.42	20
<b>Surrogate Recovery</b>									
Dibromofluoromethane	47.5	47.5	45		106	106	70-130	0	20
Toluene-d8	43.6	44.2	45		97	98	70-130	1.46	20
4-BFB	4.32	4.40	4.5		96	98	70-130	1.84	20





## Quality Control Report

**Client:** LRM Consulting, Inc.  
**Date Prepared:** 5/22/14  
**Date Analyzed:** 5/23/14  
**Instrument:** GC11B  
**Matrix:** Water  
**Project:** #1428 Franklin

**WorkOrder:** 1405899  
**BatchID:** 90758  
**Extraction Method:** SW3510C  
**Analytical Method:** SW8015B  
**Unit:** µg/L  
**Sample ID:** MB/LCS-90758

### QC Summary Report for SW8015B

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
TPH-Diesel (C10-C23)	ND	960	50	1000	-	96	70-130
<b>Surrogate Recovery</b>							
C9	655	640		625	105	102	70-130

(Cont.)



# Quality Control Report

**Client:** LRM Consulting, Inc.  
**Date Prepared:** 5/23/14  
**Date Analyzed:** 5/23/14  
**Instrument:** GC21  
**Matrix:** Water  
**Project:** #1428 Franklin

**WorkOrder:** 1405899  
**BatchID:** 90800  
**Extraction Method:** SW3510C  
**Analytical Method:** SW8270C  
**Unit:** µg/L  
**Sample ID:** MB/LCS-90800

## QC Summary Report for SW8270C

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Acenaphthene	ND	17.8	1.0	20	-	88.8	47-145
Acenaphthylene	ND	-	1.0	-	-	-	-
Anthracene	ND	-	1.0	-	-	-	-
Benzidine	ND	-	5.0	-	-	-	-
Benzo (a) anthracene	ND	-	1.0	-	-	-	-
Benzo (b) fluoranthene	ND	-	1.0	-	-	-	-
Benzo (k) fluoranthene	ND	-	1.0	-	-	-	-
Benzo (g,h,i) perylene	ND	-	1.0	-	-	-	-
Benzo (a) pyrene	ND	-	1.0	-	-	-	-
Bis (2-chloroethoxy) Methane	ND	-	1.0	-	-	-	-
Bis (2-chloroethyl) Ether	ND	-	1.0	-	-	-	-
Bis (2-chloroisopropyl) Ether	ND	-	1.0	-	-	-	-
Bis (2-ethylhexyl) Adipate	ND	-	1.0	-	-	-	-
Bis (2-ethylhexyl) Phthalate	ND	-	2.0	-	-	-	-
4-Bromophenyl Phenyl Ether	ND	-	5.0	-	-	-	-
Butylbenzyl Phthalate	ND	-	1.0	-	-	-	-
4-Chloro-3-methylphenol	ND	21.0	1.0	20	-	105	22-147
2-Chloronaphthalene	ND	-	1.0	-	-	-	-
2-Chlorophenol	ND	12.8	1.0	20	-	63.9	23-134
4-Chlorophenyl Phenyl Ether	ND	-	1.0	-	-	-	-
Chrysene	ND	-	1.0	-	-	-	-
Dibenzo (a,h) anthracene	ND	-	1.0	-	-	-	-
Di-n-butyl Phthalate	ND	-	1.0	-	-	-	-
1,2-Dichlorobenzene	ND	-	1.0	-	-	-	-
1,3-Dichlorobenzene	ND	-	1.0	-	-	-	-
1,4-Dichlorobenzene	ND	11.9	1.0	20	-	59.3	20-124
3,3-Dichlorobenzidine	ND	-	2.0	-	-	-	-
2,4-Dichlorophenol	ND	-	1.0	-	-	-	-
Diethyl Phthalate	ND	-	1.0	-	-	-	-
2,4-Dimethylphenol	ND	-	1.0	-	-	-	-
Dimethyl Phthalate	ND	-	1.0	-	-	-	-
4,6-Dinitro-2-methylphenol	ND	-	5.0	-	-	-	-
2,4-Dinitrophenol	ND	-	5.0	-	-	-	-
2,4-Dinitrotoluene	ND	19.3	1.0	20	-	96.5	39-139
2,6-Dinitrotoluene	ND	-	1.0	-	-	-	-
Di-n-octyl Phthalate	ND	-	2.0	-	-	-	-
1,2-Diphenylhydrazine	ND	-	1.0	-	-	-	-
Fluoranthene	ND	-	1.0	-	-	-	-
Fluorene	ND	-	1.0	-	-	-	-
Hexachlorobenzene	ND	-	1.0	-	-	-	-

(Cont.)



# Quality Control Report

**Client:** LRM Consulting, Inc.  
**Date Prepared:** 5/23/14  
**Date Analyzed:** 5/23/14  
**Instrument:** GC21  
**Matrix:** Water  
**Project:** #1428 Franklin

**WorkOrder:** 1405899  
**BatchID:** 90800  
**Extraction Method:** SW3510C  
**Analytical Method:** SW8270C  
**Unit:** µg/L  
**Sample ID:** MB/LCS-90800

## QC Summary Report for SW8270C

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Hexachlorobutadiene	ND	-	1.0	-	-	-	-
Hexachlorocyclopentadiene	ND	-	5.0	-	-	-	-
Hexachloroethane	ND	-	1.0	-	-	-	-
Indeno (1,2,3-cd) pyrene	ND	-	1.0	-	-	-	-
Isophorone	ND	-	1.0	-	-	-	-
2-Methylphenol (o-cresol)	ND	-	1.0	-	-	-	-
3 &/or 4-Methylphenol (m,p-Cresol)	ND	-	1.0	-	-	-	-
Naphthalene	ND	-	1.0	-	-	-	-
Nitrobenzene	ND	-	1.0	-	-	-	-
2-Nitrophenol	ND	-	5.0	-	-	-	-
4-Nitrophenol	ND	93.1	5.0	100	-	93.1	0-132
N-Nitrosodimethylamine	ND	-	5.0	-	-	-	-
N-Nitrosodiphenylamine	ND	-	1.0	-	-	-	-
N-Nitrosodi-n-propylamine	ND	20.3	1.0	20	-	101	0-230
Pentachlorophenol	ND	41.7	5.0	40	-	104	14-176
Phenanthrene	ND	-	1.0	-	-	-	-
Phenol	ND	14.4	1.0	20	-	71.8	5-112
Pyrene	ND	19.0	1.0	20	-	94.9	52-115
1,2,4-Trichlorobenzene	ND	12.9	1.0	20	-	64.6	44-142
2,4,6-Trichlorophenol	ND	-	1.0	-	-	-	-
<b>Surrogate Recovery</b>							
2-Fluorophenol	11.7	14.2		20	59	71	8-130
Phenol-d5	13.2	19.0		20	66	95	5-130
Nitrobenzene-d5	11.9	18.8		20	59	94	20-140
2-Fluorobiphenyl	12.7	23.1		20	63	115	40-140
2,4,6-Tribromophenol	19.7	26.9		20	98	134	30-180
Terphenyl-d14	26.6	29.6		20	133	148	40-170



1534 Willow Pass Rd  
Pittsburg, CA 94565-1701  
(925) 252-9262

# CHAIN-OF-CUSTODY RECORD

WorkOrder: 1405899

ClientCode: LRM C

WaterTrax   
  WriteOn   
  EDF   
  Excel   
  EQuIS   
  Email   
  HardCopy   
  ThirdParty   
  J-flag

**Report to:**  
 Mehrdad Javaherian  
 LRM Consulting, Inc.  
 1534 Plaza Lane, #145  
 Burlingame, CA 94010  
 (415) 706-8935    FAX:

Email: mjavaherian@lrm-consulting.com  
 cc/3rd Party:  
 PO:  
 ProjectNo: #1428 Franklin

**Bill to:**  
 Accounts Payable  
 LRM Consulting, Inc.  
 1534 Plaza Lane, #145  
 Burlingame, CA 94010

**Requested TAT: 5 days**  
  
**Date Received: 05/22/2014**  
**Date Printed: 05/23/2014**

Lab ID	Client ID	Matrix	Collection Date	Hold	Requested Tests (See legend below)												
					1	2	3	4	5	6	7	8	9	10	11	12	
1405899-001	SB-1	Water	5/22/2014 13:40	<input type="checkbox"/>	C	B	C	A									
1405899-002	SB-2	Water	5/22/2014 13:39	<input type="checkbox"/>			B	A									
1405899-003	SB-3	Water	5/22/2014 13:51	<input type="checkbox"/>	C	B	C	A									
1405899-004	SB-4	Water	5/22/2014 14:20	<input type="checkbox"/>			B	A									

**Test Legend:**

1	8260B_W	2	8270D_W	3	GAS8260_W	4	TPH(D)_W	5	
6		7		8		9		10	
11		12							

The following SamplIDs: 001C, 002B, 003C, 004B contain testgroup.

**Prepared by: Shana Carter**

**Comments:**

NOTE: Soil samples are discarded 60 days after results are reported unless other arrangements are made (Water samples are 30 days). Hazardous samples will be returned to client or disposed of at client expense.



## WORK ORDER SUMMARY

**Client Name:** LRM CONSULTING, INC.

**QC Level:** LEVEL 2

**Work Order:** 1405899

**Project:** #1428 Franklin

**Client Contact:** Mehrdad Javaherian

**Date Received:** 5/22/2014

**Comments:**

**Contact's Email:** mjavaherian@lrn-consulting.com

WaterTrax     WriteOn     EDF     Excel     Fax     Email     HardCopy     ThirdParty     J-flag

Lab ID	Client ID	Matrix	Test Name	Number of Containers	Bottle & Preservative	De-chlorinated	Collection Date & Time	TAT	Sediment Content	Hold	SubOut
1405899-001A	SB-1	Water	SW8015B (Diesel)	2	VOA w/ HCl	<input type="checkbox"/>	5/22/2014 13:40	5 days	5%+	<input type="checkbox"/>	
1405899-001B	SB-1	Water	SW8270C (SVOCs)	1	1LA	<input type="checkbox"/>	5/22/2014 13:40	5 days	5%+	<input type="checkbox"/>	
1405899-001C	SB-1	Water	TPH(g) & 8260 (Basic List) by P&T GCMS SW8260B (VOCs) <Benzene, Diisopropyl ether (DIPE), Ethyl tert-butyl ether (ETBE), Ethylbenzene, Methyl-t-butyl ether (MTBE), Naphthalene, t-Butyl alcohol (TBA), tert-Amyl methyl ether (TAME), Toluene, Xylenes, Total>	2	VOA w/ HCl	<input type="checkbox"/>	5/22/2014 13:40	5 days	5%+	<input type="checkbox"/>	
1405899-002A	SB-2	Water	SW8015B (Diesel)	2	VOA w/ HCl	<input type="checkbox"/>	5/22/2014 13:39	5 days	2%+	<input type="checkbox"/>	
1405899-002B	SB-2	Water	TPH(g) & 8260 (Basic List) by P&T GCMS	2	VOA w/ HCl	<input type="checkbox"/>	5/22/2014 13:39	5 days	2%+	<input type="checkbox"/>	
1405899-003A	SB-3	Water	SW8015B (Diesel)	2	VOA w/ HCl	<input type="checkbox"/>	5/22/2014 13:51	5 days	2%+	<input type="checkbox"/>	
1405899-003B	SB-3	Water	SW8270C (SVOCs)	1	1LA	<input type="checkbox"/>	5/22/2014 13:51	5 days	5%+	<input type="checkbox"/>	
1405899-003C	SB-3	Water	TPH(g) & 8260 (Basic List) by P&T GCMS	2	1LA	<input type="checkbox"/>	5/22/2014 13:51	5 days	5%+	<input type="checkbox"/>	

**\* NOTE: STLC and TCLP extractions require 48 hrs to complete; therefore, all TATs begin after the extraction is completed (i.e., 24hr TAT yields results in 72 hrs from sample submission).**

**Bottle Legend:**

1LA = 1L Amber Glass Jar, Unpreserved  
 VOA w/ HCl = 43mL VOA w/ HCl



## WORK ORDER SUMMARY

**Client Name:** LRM CONSULTING, INC.

**QC Level:** LEVEL 2

**Work Order:** 1405899

**Project:** #1428 Franklin

**Client Contact:** Mehrdad Javaherian

**Date Received:** 5/22/2014

**Comments:**

**Contact's Email:** mjavaherian@lrm-consulting.com

WaterTrax   
  WriteOn   
  EDF   
  Excel   
  Fax   
 Email   
 HardCopy   
 ThirdParty   
 J-flag

Lab ID	Client ID	Matrix	Test Name	Number of Containers	Bottle & Preservative	De-chlorinated	Collection Date & Time	TAT	Sediment Content	Hold	SubOut
1405899-003C	SB-3	Water	SW8260B (VOCs) <Benzene, Diisopropyl ether (DIPE), Ethyl tert-butyl ether (ETBE), Ethylbenzene, Methyl-t-butyl ether (MTBE), Naphthalene, t-Butyl alcohol (TBA), tert-Amyl methyl ether (TAME), Toluene, Xylenes, Total>	2	1LA	<input type="checkbox"/>	5/22/2014 13:51	5 days	5%+	<input type="checkbox"/>	
1405899-004A	SB-4	Water	SW8015B (Diesel)	2	VOA w/ HCl	<input type="checkbox"/>	5/22/2014 14:20	5 days	5%+	<input type="checkbox"/>	
1405899-004B	SB-4	Water	TPH(g) & 8260 (Basic List) by P&T GCMS	2	VOA w/ HCl	<input type="checkbox"/>	5/22/2014 14:20	5 days	5%+	<input type="checkbox"/>	

**\* NOTE: STLC and TCLP extractions require 48 hrs to complete; therefore, all TATs begin after the extraction is completed (i.e., 24hr TAT yields results in 72 hrs from sample submission).**

**Bottle Legend:**

1LA = 1L Amber Glass Jar, Unpreserved

VOA w/ HCl = 43mL VOA w/ HCl





### Sample Receipt Checklist

Client Name: **LRM Consulting, Inc.** Date and Time Received: **5/22/2014 8:31:37 PM**  
 Project Name: **#1428 Franklin** LogIn Reviewed by: **Shana Carter**  
 WorkOrder N°: **1405899** Matrix: Water Carrier: Rob Pringle (MAI Courier)

**Chain of Custody (COC) Information**

Chain of custody present? Yes  No   
 Chain of custody signed when relinquished and received? Yes  No   
 Chain of custody agrees with sample labels? Yes  No   
 Sample IDs noted by Client on COC? Yes  No   
 Date and Time of collection noted by Client on COC? Yes  No   
 Sampler's name noted on COC? Yes  No

**Sample Receipt Information**

Custody seals intact on shipping container/cooler? Yes  No  NA   
 Shipping container/cooler in good condition? Yes  No   
 Samples in proper containers/bottles? Yes  No   
 Sample containers intact? Yes  No   
 Sufficient sample volume for indicated test? Yes  No

**Sample Preservation and Hold Time (HT) Information**

All samples received within holding time? Yes  No   
 Container/Temp Blank temperature Cooler Temp: 0.1°C NA   
 Water - VOA vials have zero headspace / no bubbles? Yes  No  NA   
 Sample labels checked for correct preservation? Yes  No   
 pH acceptable upon receipt (Metal: pH<2; 522: pH<4)? Yes  No  NA   
 Samples Received on Ice? Yes  No

(Ice Type: WET ICE )

\* NOTE: If the "No" box is checked, see comments below.

-----  
 Comments:



### **APPENDIX III**

## **WATER SUPPLY WELL AND SENSITIVE RECEPTOR SURVEY**

### **Two Thousand-Foot Radius of 1428-1432 Franklin Street, Oakland, CA**

In response to the County's request, LRM contacted the California Department of Water Resources (DWR) and the Alameda County Public Works Agency (ACPWA) regarding their respective databases for all active, inactive, decommissioned (sealed with concrete), unrecorded, and abandoned (improperly decommissioned or lost) wells including irrigation, water supply, industrial, dewatering, and cathodic protection wells within a 2,000-foot radius of the site, located at 1428-1432 Franklin Street, Oakland, CA. Furthermore, LRM subcontracted with Environmental Data Resources (EDR) to provide additional well information via their GeoCheck Report, as well as a summary of nearby sensitive receptors via their Offsite Receptor Report.

#### **DWR Database Review**

The DWR compiled a database of all wells located proximal to the site. The area of researched wells comprised Township 01S, Range 04W, Sections 26 and 35. A list of 622 wells dated between 1987 and 2010 was provided. The wells were listed as mainly monitoring wells, with some unused wells, extraction wells, irrigation wells, and geophysical wells. The DWR considers these records proprietary information so copies are not included in this report. Two irrigation wells (Well IDs # 1 and 3, see Table III.1) were identified within 2,000 feet of the site. These include a 480-foot deep irrigation well located at 1111 Broadway, Oakland, approximately 1,290 feet southwest of the site. A 280-foot deep irrigation well is located at 300 Lakeside Drive, Oakland, approximately 2,000 feet northeast of the site. No other water supply wells were listed within the DWR database within a 2,000-foot radius of the site address.

#### **ACPWA Database Review**

The ACPWA compiled a database of all wells located within Township 01S, Range 04W, Sections 26 (P, Q and R) and 35 (A thru L). A list of 442 wells dated between 1984 and 2010 was provided. The wells were listed as mainly monitoring wells with some cathodic wells, test wells, geotechnical borings, extraction wells, domestic wells, irrigation wells, piezometers, and injection wells. The ACPWA considers these records proprietary information so copies are not included in this report. Two irrigation wells (Well IDs #2 and 3, see Table III.1) were identified within 2,000 feet of the site. The 95-foot deep well is located at 244 Lakeside Drive, Oakland, approximately 1,900 feet northeast of the site. The other well located at 300 Lakeside Drive, Oakland, is cross-listed within the DWR database and is mentioned in the preceding paragraph. No other water supply wells were listed within the ACPWA database within a 2,000-foot radius of the site address.

#### **Environmental Data Resource – GeoCheck Well**

The GeoCheck Report (see Appendix I), dated December 4, 2014, provided well data for a 1-mile radius surrounding the site. The data is compiled by EDR using information provided by both federal and state agencies, including the EPA/Office of Drinking Water, the DWR, and the California Department of Public Health (CDPH). A total of 64 wells were mapped within a 1-mile radius surrounding the site, including nine public water supply wells. All wells located within a 2,000-foot radius of the site were manually located on the attached Figure III.1, and are further summarized in Table III.1. The usage of all non-water supply wells identified in the EDR GeoCheck Report could not be verified.

As indicated on Figure III.1, the closest water supply well to the site (well cluster A1-A7) is located approximately 120-feet southwest to south of the site. A review of the information contained in the GeoCheck




report pertaining to this well cluster indicates this listing may be erroneous and incorrectly mapped. There are several mentions of towns located distant from Alameda County, and there is no indication this well cluster is located and operated in Oakland. The next nearest water supply well to the site (Well ID # 1 as indicated on the attached Figure III.1) is a 480-foot deep irrigation well located approximately 1,290 feet southwest of the site.

### **Environmental Data Resource – Offsite Receptor Report**

The Offsite Receptor Report (see Attachment III.1), dated December 4, 2014, summarizes all nearby sensitive receptors located within a 1-mile radius of the site. For the site addressed 1428-1432 Franklin Street, receptors included daycare centers, nursing homes, schools, hospitals, colleges, and federal land. A total of 205 receptors were identified within the search radius, and the results were narrowed down to those within 2,000-feet of the site. The nearby receptors are mapped on the attached Figure III.2, and tabulated in Table III.2.

As indicated, a total of 66 potential sensitive receptors are located within a 2000-foot radius of the site. As shown on Figure III.2, the closest potentially sensitive receptor to the site (401 15th St. – Lincoln University) is located approximately 160 feet to the north-northwest of the site.



2 Supply and EDR well locations with number/letter identifiers corresponding to Table 1




Figure III.1 – Well Location Map  
1428-1432 Franklin St., Oakland, California

Not to Scale



**2** Offsite receptor locations with number/letter identifiers corresponding to Table 2



Figure III.2 – Offsite Receptor Location Map  
1428-1432 Franklin St., Oakland, California

Not to Scale

<u>Well ID</u>	<u>Well Usage and Location</u>	<u>Installation Date</u>	<u>Depth (ft.)</u>
1	Irrigation – 1111 Broadway	1990	480
2	Irrigation – 244 Lakeside Dr.	1977 or 1984	95
3	Irrigation – 300 Lakeside Dr.	1991	280
A1-7	Water supply (unspecified)	NP	NP
B8	NP	1994	NP
C9-10	NP	1990/1999	NP
D13-14	NP	1988/1999	NP
E15-17	NP	1995/1998	NP
F20-21	Water supply (unspecified)	NP	NP
G23-24	NP	1989/1996	NP
18	NP	1991	NP
19	NP	1991	NP
22	NP	1987	NP
25	NP	1987	NP

NP = Not Provided

Table III.1 – Well Survey Results  
1428-1432 Franklin St., Oakland, California

<u>Receptor ID</u>	<u>Address/Site Name</u>	<u>Distance from site (ft.)</u>	<u>Direction from site</u>
1	401 15 <sup>th</sup> St. – Lincoln University	160	NNW
A2	Rounesville Health	164	WSW
3	1515 Webster – YMCA	318	E
A4	405 14 <sup>th</sup> Street – Quality Home Health	319	SW
B5	1388 Harrison – Hong Fook Center	729	SE
C6	436 17 <sup>th</sup> Street – Summit Charter Academy	735	N
C7	436 17 <sup>th</sup> Street – Millsmont Academy	735	N
D8	300 Frank Ogawa – E.B. Endoscopy Ctr.	739	WNW
D9	300 Frank Ogawa – E.B. Endosurgery	739	WNW
10	312 13 Street – De Hieu Le, MD	785	SSE
E11	1611 Telegraph – Nurses In Action	799	NNW
E12	1629 Telegraph – Michelle Tam, MD	825	NNW
E13	1629 Telegraph – Lew Lee, MD	825	NNW
B14	275 14 <sup>th</sup> Street – Hong Fook ADHC	889	SE
F15 & 16	345 12 <sup>th</sup> Street – Lighthouse Charter School	899	S
17	1814 Franklin Street – Pacific Occupational	937	NNE
18	285 17 <sup>th</sup> Street – Oasis High School	1041	ENE
G19	1755 Broadway – Cal Pep/Mobile Van	1048	N
G20 & 21	1755 Broadway – APEB Wellness Center	1048	N

<u>Receptor ID</u>	<u>Address/Site Name</u>	<u>Distance from site (ft.)</u>	<u>Direction from site</u>
H22	301 12 <sup>th</sup> Street – Lake Merritt Child Care	1060	S
23	1111 Franklin – UC Admin.	1087	SSW
24	246 14 <sup>th</sup> Street – Starlite Child Development	1131	SE
25	361 19 <sup>th</sup> Street – Oakland Foot Clinic	1140	NE
H26 & 27	274 12 <sup>th</sup> Street – Oakland Head Start	1143	SSE
I28 & 29	1515 Clay Street – Bright Future Learning Center	1280	WNW
30	250 17 <sup>th</sup> Street – Oakland USD	1303	ENE
31	1601 Clay St. – Academy of Chinese Culture	1306	NW
J32	1525 Jackson – Child care	1426	ESE
33	570 14 <sup>th</sup> Street – West Coast Feminist Health	1437	WNW
J34	1540 Jackson – Child care	1475	E
K35 - 37	1850 Alice Street – Lake Park Residences	1476	ENE
38	1920 Telegraph – Bay Area Technology	1510	N
L39	1200 Clay Street – Medical Group	1529	W
L40	1200 Clay Street – Barbara Holmes	1529	W
41	1570 Jackson – Terry Jackson Jones	1538	E
42	1800 San Pablo – Oakland School for Arts	1569	NW
43	291 10 <sup>th</sup> Street – OUSD	1579	S
44	1970 Broadway – NSI Home Health Services	1629	N
45	225 11 <sup>th</sup> Street – Lincoln Elementary School	1660	SSE
M46 – 49	388 9 <sup>th</sup> Street – medical offices	1670	SSW
N50 - 52	169 14 <sup>th</sup> Street – Little Stars Preschool	1674	SE

<u>Receptor ID</u>	<u>Address/Site Name</u>	<u>Distance from site (ft.)</u>	<u>Direction from site</u>
M53 & 54	373 9 <sup>th</sup> Street – medical offices	1684	SSW
O55 - 57	341&345 9 <sup>th</sup> Street – medical offices	1709	SSW
58	919 Harrison – medical office	1742	S
59	300 Lakeside Drive – Employee Health Svcs.	1919	ENE
P60 - 62	818 Webster Street – medical offices	1918	SSW
63	412 8 <sup>th</sup> Street – medical office	1969	SW
Q64 & 65	536 20 <sup>th</sup> – Miles Inc./Aventis Bio Services	1989	NNW
R66	821 Harrison – Asian Network Physical Thpy.	1999	S


Table III.2 – Offsite Receptor Survey Results  
1428-1432 Franklin St., Oakland, California



**1428-1432, Franklin Street**  
1428-1432, Franklin Street  
Oakland, CA 94612

Inquiry Number: 4151839.1s  
December 04, 2014

## EDR Offsite Receptor Report



6 Armstrong Road, 4th floor  
Shelton, CT 06484  
Toll Free: 800.352.0050  
[www.edrnet.com](http://www.edrnet.com)

# TABLE OF CONTENTS

<b>SECTION</b>	<b>PAGE</b>
Executive Summary	2
Census Map	3
Census Findings	4
Receptor Map	5
Map Findings	6
Records Searched/Data Currency Tracking Addendum	152

**Thank you for your business**  
Please contact EDR at 1-800-352-0050  
with any questions or comments.

#### **Disclaimer - Copyright and Trademark Notice**

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2014 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

## EXECUTIVE SUMMARY

A search of available records was conducted by Environmental Data Resources, Inc. (EDR). The EDR Offsite Receptor Report provides information which may be used to comply with the Clean Air Act Risk Management Program 112-R. *"The rule requires that you estimate in the RMP residential populations within the circle defined by the endpoint for your worst-case and alternative release scenarios (i.e., the center of the circle is the point of release and the radius is the distance to the endpoint). In addition, you must report in the RMP whether certain types of public receptors and environmental receptors are within the circles."*

The address of the subject property, for which the search was intended, is:

1428-1432, FRANKLIN STREET  
1428-1432, FRANKLIN STREET  
OAKLAND, CA 94612

Distance Searched: 1.000 miles from subject property

### RECEPTOR SUMMARY

An X indicates the presence of the receptor within the search radius.

#### Residential Population

Estimated population within search radius: 38942 persons.


#### Other Public Receptors

Type	Within Search Radius	Sites Total
Day Care Centers:	<input checked="" type="checkbox"/>	58
Medical Centers:	<input type="checkbox"/>	
Nursing Homes:	<input checked="" type="checkbox"/>	4
Schools:	<input checked="" type="checkbox"/>	22
Hospitals:	<input checked="" type="checkbox"/>	115
Colleges:	<input checked="" type="checkbox"/>	5
Arena:	<input type="checkbox"/>	
Prison:	<input type="checkbox"/>	


#### Environmental Receptors

Type	Within Search Radius	Sites Total
Federal Land:	<input checked="" type="checkbox"/>	1

# CENSUS MAP - 4151839.1s



- ★ Target Property
- ⚡ Roads
- 🌊 Waterways
- 📊 Census Tracts




TARGET PROPERTY:	1428-1432, Franklin Street	CUSTOMER:	Marc Hachey LLC
ADDRESS:	1428-1432, Franklin Street	CONTACT:	Marc Hachey
CITY/STATE/ZIP:	Oakland CA 94612	INQUIRY #:	4151839.1s
LAT/LONG:	37.8044 / 122.2692	DATE:	December 04, 2014 11:46 am


## CENSUS FINDINGS

Map ID	Tract Number	Total Population	Population in Radius	Total Area(sq.mi.)	Area in Radius(sq.mi.)
T1	4014.00	4314	1172.0	0.29	0.08
T2	4035.01	4374	1819.1	0.26	0.11
T3	4013.00	3528	1854.9	0.33	0.17
T4	4016.00	2163	564.6	0.25	0.06
T5	4035.02	1991	730.0	0.07	0.03
T6	4036.00	4482	1349.1	0.15	0.05
T7	4105.00	2193	3.8	0.28	0.00
T8	4024.00	2351	1942.4	0.13	0.11
T9	4027.00	1569	1569.0	0.15	0.15
T10	4037.01	2587	2587.0	0.07	0.07
T11	4037.02	1724	855.1	0.08	0.04
T12	4028.00	3345	3345.0	0.15	0.15
T13	4029.00	1434	1434.0	0.15	0.15
T14	4034.00	4146	3972.2	0.49	0.47
T15	4025.00	1784	1672.9	0.14	0.13
T16	4026.00	1151	1151.0	0.12	0.12
T17	4031.00	2238	2238.0	0.13	0.13
T18	4053.01	2603	1269.2	0.09	0.04
T19	4030.00	2788	2788.0	0.14	0.14
T20	9820.00	71	13.5	0.59	0.11
T21	4033.00	4054	3804.2	0.39	0.37
T22	4287.00	4119	17.5	4.71	0.02
T23	4053.02	2530	1863.2	0.08	0.06
T24	9832.00	540	518.5	0.25	0.24
T25	4060.00	3450	379.8	1.03	0.11
T26	4273.00	4896	28.2	1.08	0.01

# RECEPTOR MAP - 4151839.1s



- ★ Target Property
- Roads
- Waterways
- Environmental or Public Receptor
- Federal Lands Linear Features
- Federal Lands Area



**TARGET PROPERTY:** 1428-1432, Franklin Street  
**ADDRESS:** 1428-1432, Franklin Street  
**CITY/STATE/ZIP:** Oakland CA 94612  
**LAT/LONG:** 37.8044 / 122.2692

**CUSTOMER:** Marc Hachey LLC  
**CONTACT:** Marc Hachey  
**INQUIRY #:** 4151839.1s  
**DATE:** December 04, 2014 11:48 am

# MAP FINDINGS

Map ID			EDR ID
Direction			Database
Distance	Site		
Distance (ft.)			
Elevation			
1			SRCL20051000527
NNW	Unitid:	117557	Colleges
0-1/8 mi	Instnm:	LINCOLN UNIVERSITY	
160	Addr:	401 15TH STREET	
Higher	City:	OAKLAND	
	Stabbr:	CA	
	Zip:	94612	
	Zip4:	2801	
	Unk:	Not Reported	
	Fips:	094612	
	Oberge:	8	
	Chfnm:	CLARENCE W. RIPPEL	
	Chftitle:	DEAN OF STUDENTS	
	Gentele:	5106288010	
	Fintele:	5106288010	
	Admtele:	5106288010	
	Ein:	941347042	
	Duns:	-1	
	Opeid:	697500	
	Opeflag:	1	
	Webaddr:	www.lincolnuca.edu	
	Sector:	2	
	Iclevel:	1	
	Control:	2	
	Hloffr:	7	
	Ugoffer:	1	
	Groffer:	1	
	Fpoffer:	2	
	Hdegoffer:	20	
	Deggrant:	1	
	Hbcu:	2	
	Hospital:	2	
	Medical:	2	
	Tribal:	2	
	Carnegie:	55	
	Locale:	1	
	Openpubl:	1	
	Act:	A	
	Newid:	-2	
	Deathyr:	-2	
	Closedat:	-2	
	Cyactive:	1	
	Postsec:	1	
	Pseflag:	1	
	Pset4flg:	1	
	Rptmth:	1	
	Fte:	102	
	Enrtot:	104	
	Edr id:	SRCL20051000527	
A2			SRHO20070010035
WSW	Hospital type:	01	AHA Hospitals
0-1/8 mi	Num of times COO:	00	
164	Owner date:	Not Reported	
Higher	City:	OAKLAND	

# MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Has plan of corr: Not Reported  
 Compliance status: A  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: 19850129  
 Medicare/Medicaid: 1  
 Facility name: ROUNESVILLE HOME HLTH SERV INC  
 Intermediary/Carrier: 00040  
 Medicaid number: Not Reported  
 Participation date: 19850129  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 057692  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Not Reported  
 state abbrev: CA  
 ssa state: 05  
 state region cd: BK  
 street address: 1441 FRANKLIN ST,MEZZANINE  
 Phone num: 4157636612  
 Termination reason: 01  
 Term Date: 19870915  
 Purpose of action: 1  
 Provider control: 04  
 Zip: 94612  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: 0  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSOTHER  
 Edr id: SRHO20070010035

3  
 East  
 0-1/8 mi  
 318  
 Higher

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: 1  
 Compliance status: A  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: 19941215  
 Medicare/Medicaid: 1  
 Facility name: YWCA HEALTH SERVICES  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19920901

SRHO20070139583  
 AHA Hospitals



## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0680625  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Not Reported  
 state abbrev: CA  
 ssa state: 05  
 state region cd: M2  
 street address: 1515 WEBSTER ST  
 Phone num: 5104444326  
 Termination reason: 12  
 Term Date: 19970329  
 Purpose of action: 1  
 Provider control: 02  
 Zip: 94612  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070139583

A4  
 SW  
 0-1/8 mi  
 319  
 Higher

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: QUALITY HOME HEALTH CARE  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19950615  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 45D0902240  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 405 14TH STREET SUITE 508  
 Phone num: 5102680413

SRHO20070397346  
 AHA Hospitals

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Termination reason: 08  
 Term Date: 20010614  
 Purpose of action: Not Reported  
 Provider control: 04  
 Zip: 94612  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070397346

B5

SE

1/8-1/4 mi

729

Higher

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: HONG FOOK CENTER-HARRISON STREET  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 20010413  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0985299  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 1388 HARRISON ST  
 Phone num: 5103020460  
 Termination reason: 00  
 Term Date: 20070412  
 Purpose of action: Not Reported  
 Provider control: 02  
 Zip: 94612  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported

SRHO20070154152

AHA Hospitals

## MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070154152

C6		SRPU20071007214
North	Ncessch: 060813011809	Public Schools
1/8-1/4 mi	iSchname05: SUMMIT CHARTER ACADEMY	
735	Mstreet05: 426 17TH ST. STE. 200	
Higher	Mcity05: OAKLAND	
	Mstate05: CA	
	Mzip05: 95351	
	Mzip405: Not Reported	
	Member05: -2	
	Phone05: M	
	Locale05: 2	
	Type05: 1	
	Level05: 4	
	Gslo05: N	
	Gshi05: N	
	Edr id: SRPU20071007214	

C7		SRPU20071009651
North	Ncessch: 062805010724	Public Schools
1/8-1/4 mi	iSchname05: MILLSMONT ACADEMY	
735	Mstreet05: 426 17TH ST. STE. 200	
Higher	Mcity05: OAKLAND	
	Mstate05: CA	
	Mzip05: 94612	
	Mzip405: 2820	
	Member05: 271	
	Phone05: (510) 638-9445	
	Locale05: 1	
	Type05: 1	
	Level05: 1	
	Gslo05: KG	
	Gshi05: 08	
	Edr id: SRPU20071009651	

D8		SRHO20070007666
WNW	Hospital type: 01	AHA Hospitals
1/8-1/4 mi	Num of times COO: 00	
739	Owner date: Not Reported	
Higher	City: OAKLAND	
	Has plan of corr: Not Reported	
	Compliance status: A	
	SSA county code: 000	
	Cross ref number: Not Reported	
	FMS survey date: Not Reported	
	Current survey date: 20031223	
	Medicare/Medicaid: 1	
	Facility name: EAST BAY ENDOSCOPY CENTER	

## MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

Intermediary/Carrier: 00542  
 Medicaid number: Not Reported  
 Participation date: 20040120  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05C0001641  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Not Reported  
 state abbrev: CA  
 ssa state: 05  
 state region cd: BK  
 street address: 300 FRANK OGAWA PLAZA, SUITE 135  
 Phone num: 5108931600  
 Termination reason: 00  
 Term Date: Not Reported  
 Purpose of action: 1  
 Provider control: 01  
 Zip: 94612  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: 0  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSOTHER  
 Edr id: SRHO20070007666

D9  
 WNW Hospital type: 01  
 1/8-1/4 mi Num of times COO: 00  
 739 Owner date: Not Reported  
 Higher City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: EAST BAY ENDOSURGERY INC  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 20031126  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D1019728  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05

SRHO20070157287  
 AHA Hospitals

## MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

state region cd: LAB  
street address: 300 FRANK OGAWA PLAZA SUITE 135  
Phone num: 5104443297  
Termination reason: 00  
Term Date: 20071125  
Purpose of action: Not Reported  
Provider control: 04  
Zip: 94612  
Fips state: 06  
Fips cnty: 001  
SSA MSA: 418  
SSA MSA size code: B  
Date accredited: Not Reported  
Accred expire date: Not Reported  
Accred Org: Not Reported  
Num beds: 0000  
Num cert beds: 0000  
Source: US\_HOSPITAL\_POSCLIA  
Edr id: SRHO20070157287

10		SRHO20070146148
SSE	Hospital type: 01	AHA Hospitals
1/8-1/4 mi	Num of times COO: 00	
785	Owner date: Not Reported	
Higher	City: OAKLAND	
	Has plan of corr: Not Reported	
	Compliance status: Not Reported	
	SSA county code: 000	
	Cross ref number: Not Reported	
	FMS survey date: Not Reported	
	Current survey date: Not Reported	
	Medicare/Medicaid: Not Reported	
	Facility name: DE HIEU LE, MD	
	Intermediary/Carrier: Not Reported	
	Medicaid number: Not Reported	
	Participation date: 19950629	
	Prior COO date: Not Reported	
	Prior carrier: Not Reported	
	Provider ID: 05D0902774	
	Record Status: A	
	Region code: 09	
	Is Partial Record: Y	
	state abbrev: CA	
	ssa state: 05	
	state region cd: LAB	
	street address: 312 13TH STREET	
	Phone num: 5108392758	
	Termination reason: 00	
	Term Date: 20070628	
	Purpose of action: Not Reported	
	Provider control: 04	
	Zip: 94612	
	Fips state: 06	
	Fips cnty: 001	
	SSA MSA: 418	

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070146148

E11		SRHO20070147365
NNW	Hospital type: 01	AHA Hospitals
1/8-1/4 mi	Num of times COO: 00	
799	Owner date: Not Reported	
Higher	City: OAKLAND	
	Has plan of corr: Not Reported	
	Compliance status: Not Reported	
	SSA county code: 000	
	Cross ref number: Not Reported	
	FMS survey date: Not Reported	
	Current survey date: Not Reported	
	Medicare/Medicaid: Not Reported	
	Facility name: NURSES IN ACTION	
	Intermediary/Carrier: Not Reported	
	Medicaid number: Not Reported	
	Participation date: 19960926	
	Prior COO date: Not Reported	
	Prior carrier: Not Reported	
	Provider ID: 05D0920242	
	Record Status: A	
	Region code: 09	
	Is Partial Record: Not Reported	
	state abbrev: CA	
	ssa state: 05	
	state region cd: LAB	
	street address: 1611 TELEGRAPH AVE, STE #305	
	Phone num: 5108346817	
	Termination reason: 08	
	Term Date: 19980925	
	Purpose of action: Not Reported	
	Provider control: 02	
	Zip: 94612	
	Fips state: 06	
	Fips cnty: 001	
	SSA MSA: 418	
	SSA MSA size code: B	
	Date accredited: Not Reported	
	Accred expire date: Not Reported	
	Accred Org: Not Reported	
	Num beds: 0000	
	Num cert beds: 0000	
	Source: US_HOSPITAL_POSCLIA	
	Edr id: SRHO20070147365	

## MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Elevation	Site	EDR ID Database
E12	NNW	1/8-1/4 mi	825	Higher	Hospital type: 01 Num of times COO: 00 Owner date: Not Reported City: OAKLAND Has plan of corr: Not Reported Compliance status: Not Reported SSA county code: 000 Cross ref number: 05D0601957 FMS survey date: Not Reported Current survey date: Not Reported Medicare/Medicaid: Not Reported Facility name: SIN-MAN MICHELLE TAM MD Intermediary/Carrier: Not Reported Medicaid number: Not Reported Participation date: 19990217 Prior COO date: Not Reported Prior carrier: Not Reported Provider ID: 05D0957254 Record Status: A Region code: 09 Is Partial Record: Y state abbrev: CA ssa state: 05 state region cd: LAB street address: 1629 TELEGRAPH AVENUE 2ND FLOOR Phone num: 5108934030 Termination reason: 01 Term Date: 20001213 Purpose of action: Not Reported Provider control: 04 Zip: 94612 Fips state: 06 Fips cnty: 001 SSA MSA: 418 SSA MSA size code: B Date accredited: Not Reported Accred expire date: Not Reported Accred Org: Not Reported Num beds: 0000 Num cert beds: 0000 Source: US_HOSPITAL_POSCLIA Edr id: SRHO20070151599	SRHO20070151599 AHA Hospitals
E13	NNW	1/8-1/4 mi	825	Higher	Hospital type: 01 Num of times COO: 00 Owner date: Not Reported City: OAKLAND Has plan of corr: Not Reported Compliance status: Not Reported SSA county code: 000 Cross ref number: Not Reported FMS survey date: Not Reported Current survey date: Not Reported	SRHO20070134362 AHA Hospitals

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Medicare/Medicaid: Not Reported  
 Facility name: LEW H LEE MD  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19921215  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0602679  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Not Reported  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 1629 TELEGRAPH AVE SECOND FLOOR  
 Phone num: 5108934030  
 Termination reason: 04  
 Term Date: 19981231  
 Purpose of action: Not Reported  
 Provider control: 02  
 Zip: 94612  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070134362

B14

SE Hospital type:  
 1/8-1/4 mi Num of times COO:  
 889 Owner date:  
 Higher City:

01  
 00  
 Not Reported  
 OAKLAND  
 Not Reported  
 Not Reported  
 000  
 Not Reported  
 Not Reported  
 Not Reported  
 Not Reported  
 Not Reported  
 HONG FOOK ADHC  
 Not Reported  
 Not Reported  
 19940601  
 Not Reported  
 Not Reported  
 05D0886964  
 A  
 09  
 Y

SRHO20070145815  
 AHA Hospitals



## MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

state abbrev: CA  
ssa state: 05  
state region cd: LAB  
street address: 275 14TH STREET  
Phone num: 5108399673  
Termination reason: 00  
Term Date: 20080531  
Purpose of action: Not Reported  
Provider control: 03  
Zip: 94612  
Fips state: 06  
Fips cnty: 001  
SSA MSA: 418  
SSA MSA size code: B  
Date accredited: Not Reported  
Accred expire date: Not Reported  
Accred Org: Not Reported  
Num beds: 0000  
Num cert beds: 0000  
Source: US\_HOSPITAL\_POSCLIA  
Edr id: SRHO20070145815

F15  
South Ncessch: 062805010726  
1/8-1/4 miSchname05: LIGHTHOUSE COMMUNITY CHARTER HIGH  
899 Mstreet05: 345 12TH ST.  
Higher Mcity05: OAKLAND  
Mstate05: CA  
Mzip05: 94607  
Mzip405: Not Reported  
Member05: 51  
Phone05: (510) 271-8801  
Locale05: 1  
Type05: 1  
Level05: 4  
Gslo05: 09  
Gshi05: 09  
Edr id: SRPU20071009653

SRPU20071009653  
Public Schools

F16  
South Ncessch: 062805010408  
1/8-1/4 miSchname05: LIGHTHOUSE COMMUNITY CHARTER  
899 Mstreet05: 345 12TH ST.  
Higher Mcity05: OAKLAND  
Mstate05: CA  
Mzip05: 94607  
Mzip405: Not Reported  
Member05: 314  
Phone05: (510) 271-8801  
Locale05: 1  
Type05: 1  
Level05: 1  
Gslo05: KG  
Gshi05: 08

SRPU20071013407  
Public Schools

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Edr id: SRPU20071013407

<p>17          NNE          1/8-1/4 mi          937          Higher</p>	<p>Hospital type:          Num of times COO:          Owner date:          City:          Has plan of corr:          Compliance status:          SSA county code:          Cross ref number:          FMS survey date:          Current survey date:          Medicare/Medicaid:          Facility name:          Intermediary/Carrier:          Medicaid number:          Participation date:          Prior COO date:          Prior carrier:          Provider ID:          Record Status:          Region code:          Is Partial Record:          state abbrev:          ssa state:          state region cd:          street address:          Phone num:          Termination reason:          Term Date:          Purpose of action:          Provider control:          Zip:          Fips state:          Fips cnty:          SSA MSA:          SSA MSA size code:          Date accredited:          Accred expire date:          Accred Org:          Num beds:          Num cert beds:          Source:          Edr id:</p>	<p>01          00          Not Reported          OAKLAND          Not Reported          Not Reported          000          Not Reported          Not Reported          Not Reported          Not Reported          Not Reported          PACIFIC OCCUPATIONAL MEDICAL GROUP          Not Reported          Not Reported          19931020          Not Reported          Not Reported          05D0602747          A          09          Not Reported          CA          05          LAB          1814 FRANKLIN STREET #500          5104514840          15          19940831          Not Reported          04          94612          06          001          418          B          Not Reported          Not Reported          Not Reported          0000          0000          US_HOSPITAL_POSCLIA          SRHO20070134376</p>	<p>SRHO20070134376          AHA Hospitals</p>
---	---	--	---

<p>18          ENE          1/8-1/4 mi          1041          Higher</p>	<p>Ncessch:          Scname05:          Mstreet05:          Mcity05:          Mstate05:          Mzip05:          Mzip405:</p>	<p>062805010721          OASIS HIGH          285 17TH ST.          OAKLAND          CA          94612          Not Reported</p>	<p>SRPU20071009648          Public Schools</p>
--	--	---	--

## MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

Member05: 109  
 Phone05: (510) 251-8103  
 Locale05: 1  
 Type05: 1  
 Level05: 3  
 Gslo05: 09  
 Gshi05: 12  
 Edr id: SRPU20071009648

G19		SRHO20070153599
North	Hospital type: 01	AHA Hospitals
1/8-1/4 mi	Num of times COO: 00	
1048	Owner date: Not Reported	
Lower	City: OAKLAND	
	Has plan of corr: Not Reported	
	Compliance status: A	
	SSA county code: 000	
	Cross ref number: Not Reported	
	FMS survey date: Not Reported	
	Current survey date: 20030903	
	Medicare/Medicaid: 1	
	Facility name: CAL-PEP/MOBILE VAN	
	Intermediary/Carrier: Not Reported	
	Medicaid number: Not Reported	
	Participation date: 20001128	
	Prior COO date: Not Reported	
	Prior carrier: Not Reported	
	Provider ID: 05D0980628	
	Record Status: A	
	Region code: 09	
	Is Partial Record: Not Reported	
	state abbrev: CA	
	ssa state: 05	
	state region cd: M2	
	street address: 1755 BROADWAY, SUITE 501	
	Phone num: 5108747850	
	Termination reason: 00	
	Term Date: 20070902	
	Purpose of action: 1	
	Provider control: 03	
	Zip: 94612	
	Fips state: 06	
	Fips cnty: 001	
	SSA MSA: 418	
	SSA MSA size code: B	
	Date accredited: Not Reported	
	Accred expire date: Not Reported	
	Accred Org: Not Reported	
	Num beds: 0000	
	Num cert beds: 0000	
	Source: US_HOSPITAL_POSCLIA	
	Edr id: SRHO20070153599	

## MAP FINDINGS

Map ID Direction Distance Distance (ft.) Elevation	Site	EDR ID Database
G20 North 1/8-1/4 mi 1048 Lower	Hospital type: 01 Num of times COO: 00 Owner date: Not Reported City: OAKLAND Has plan of corr: Not Reported Compliance status: Not Reported SSA county code: 000 Cross ref number: Not Reported FMS survey date: Not Reported Current survey date: Not Reported Medicare/Medicaid: Not Reported Facility name: A P E B WELLNESS CENTER Intermediary/Carrier: Not Reported Medicaid number: Not Reported Participation date: 20020507 Prior COO date: Not Reported Prior carrier: Not Reported Provider ID: 05D0999210 Record Status: A Region code: 09 Is Partial Record: Y state abbrev: CA ssa state: 05 state region cd: M1 street address: 1755 BROADWAY 2ND FLOOR Phone num: 5104574022 Termination reason: 00 Term Date: 20080506 Purpose of action: Not Reported Provider control: 08 Zip: 94612 Fips state: 06 Fips cnty: 001 SSA MSA: 418 SSA MSA size code: B Date accredited: Not Reported Accred expire date: Not Reported Accred Org: Not Reported Num beds: 0000 Num cert beds: 0000 Source: US_HOSPITAL_POSCLIA Edr id: SRHO20070155055	SRHO20070155055 AHA Hospitals
G21 North 1/8-1/4 mi 1048 Lower	Hospital type: 01 Num of times COO: 00 Owner date: Not Reported City: OAKLAND Has plan of corr: Not Reported Compliance status: Not Reported SSA county code: 000 Cross ref number: Not Reported FMS survey date: Not Reported Current survey date: Not Reported	SRHO20070154918 AHA Hospitals

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Medicare/Medicaid: Not Reported  
 Facility name: A P E B WELLNESS CENTER  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 20020219  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0996461  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 1755 BROADWAY 2ND FLOOR  
 Phone num: 5104574022  
 Termination reason: 08  
 Term Date: 20020219  
 Purpose of action: Not Reported  
 Provider control: 03  
 Zip: 94612  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070154918

H22  
 South  
 1/8-1/4 mi  
 1060  
 Higher

EDR ID: SRDCCA200751762  
 Facility number: 10216658  
 Facility name: LAKE MERRITT CHILD CARE CENTER II  
 Facility eval. code: 0203  
 Facility office number: 02  
 Facility county number: 01  
 Facility type code: 850  
 Facility status code: 03  
 Address: 301 - 12TH STREET  
 City: OAKLAND  
 State: CA  
 Zip: 94607  
 Alt. address: 301 12TH STREET  
 City: OAKLAND  
 State: CA  
 Zip: 94607  
 Facility investor: "LIANG, NG & LU, INCORPORATED"  
 Licensee type: D  
 License effective date: 950712  
 License expiration date: Not Reported  
 License issue date: 950712

SRDCCA200751762  
 Daycare

# MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

Program type: "AGES 2YRS. TO 1ST GRADE ENTRY.  
 HOURS: 7:30AM - 6PM, M - F. WAIVER FOR SCHEDULED USE OF PLAY YARD.  
 "

Original app. received date: 950206  
 Facility closed date: Not Reported  
 Mailing address: 2834 LAKESHORE AVENUE  
 Mailing city: OAKLAND  
 Mailing state: CA  
 Mailing zip: 94610  
 Contact person: "LU, LUCY"  
 Facility capacity: 170  
 Type of clients served: 950  
 Facility phone: 5108343399

23 SSW 1/8-1/4 mil 1087 Higher	Unitid: Instnm: Addr: City: Stabbr: Zip: Zip4: Unk: Fips: Oberge: Chfnm: Chftitle: Gentele: Fintele: Admtele: Ein: Duns: Opeid: Opeflag: Webaddr: Sector: Lclevel: Control: Hlofffer: Ugoffer: Groffer: Fpoffer: Hdegoffer: Deggrant: Hbcu: Hospital: Medical: Tribal: Carnegie: Locale: Openpubl: Act: Newid: Deathyr: Closedat:	124557 UNIVERSITY OF CALIFORNIA SYSTEM ADMIN CENTRAL OFF 1111 FRANKLIN ST OAKLAND CA 94607 5200 Not Reported 094607 8 ROBERT C DYNES PRESIDENT 5109870700 5109879531 5109879557 -1 3985512 131100 2 www.ucop.edu 0 1 1 9 1 1 1 11 1 2 2 -2 2 -3 1 1 A -2 -2 -2	SRCL20051000705 Colleges
--	--	---	-----------------------------

# MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Cyactive: 1  
 Postsec: 1  
 Pseflag: 1  
 Pset4flg: 1  
 Rptmth: -2  
 Fte: Not Reported  
 Enrtot: Not Reported  
 Edr id: SRCL20051000705

24 SE EDR ID: SRDCCA200754385 SRDCCA200754385  
 1/8-1/4 mi Facility number: 13415276 Daycare

1131 Facility name: STARLITE CHILD DEVELOPMENT CENTER II  
 Higher Facility eval. code: 0105  
 Facility office number: 02  
 Facility county number: 01  
 Facility type code: 850  
 Facility status code: 03  
 Address: 246 - 14TH STREET  
 City: OAKLAND  
 State: CA  
 Zip: 94612  
 Alt. address: 246 14TH STREET  
 City: OAKLAND  
 State: CA  
 Zip: 94612  
 Facility investor: "WONG, MARGARIDA AND JOHN"  
 Licensee type: A  
 License effective date: 911  
 License expiration date: Not Reported  
 License issue date: 000911  
 Program type: "AGES 2 TO 18 YEARS. NO MORE THAN 6 SCHOOL AGE CHILDREN. HOURS OF OPERATION: 7:30 AM - 6:00 PM, MONDAY - FRIDAY. OPERATING IN 4 ROOMS. LICENSE SUBJECT TO 2 WAIVERS TO BE POSTED."  
 "Original app. received date: 000731  
 Facility closed date: Not Reported  
 Mailing address: 4306 SAINT CLOUD COURT  
 Mailing city: OAKLAND  
 Mailing state: CA  
 Mailing zip: 94619  
 Contact person: "WONG, JOHN"  
 Facility capacity: 77  
 Type of clients served: 950  
 Facility phone: 5102388809

25 NE Hospital type: 01 SRHO20070134377  
 1/8-1/4 mi Num of times COO: 00 AHA Hospitals

1140 Owner date: Not Reported  
 Higher City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000

## MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: OAKLAND FOOT CLINIC  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19950616  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0602757  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Not Reported  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 361 19TH STREET  
 Phone num: 5107630296  
 Termination reason: 08  
 Term Date: 19980831  
 Purpose of action: Not Reported  
 Provider control: 04  
 Zip: 94612  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070134377

H26 SSE 1/8-1/4 mi 1143 Higher	EDR ID: Facility number: Facility name: Facility eval. code: Facility office number: Facility county number: Facility type code: Facility status code: Address: City: State: Zip: Alt. address: City: State: Zip: Facility investor: Licensee type:	SRDCCA200748899 10215002 OAKLAND HEAD START - FRANK MAR 0203 02 01 850 03 274 12TH STREET OAKLAND CA 94607 "150 FRANK H OGAWA PLAZA, #5352" OAKLAND CA 94612 CITY OF OAKLAND F	SRDCCA200748899 Daycare
--	--	---	----------------------------





## MAP FINDINGS

Map ID Direction Distance Distance (ft.) Elevation	Site	EDR ID Database
I28 WNW 1/8-1/4 mi 1280 Higher	EDR ID: SRDCCA200744490 Facility number: 13418195 Facility name: BRIGHT FUTURE EARLY LEARNING CENTER Facility eval. code: 0105 Facility office number: 02 Facility county number: 01 Facility type code: 830 Facility status code: 03 Address: 1515 CLAY STREET City: OAKLAND State: CA Zip: 94612 Alt. address: "22351 CITY CENTER DRIVE, #150 " City: HAYWARD State: CA Zip: 94541 Facility investor: COMMUNITY CHILD CARE COORDINATION COUNCIL-ALA CTY Licensee type: C License effective date: 60901 License expiration date: Not Reported License issue date: 060901 Program type: "AGES BIRTH TO TWO YEARS, INCLUDING A MAXIMUM OF 9 CRIB AGE CHILDREN. INFANT COMPONENT OF A COMBINATION CENTER. OTHER COMPONENT IS PRESCHOOL, CAPACITY 32. TOTAL CAPACITY OF CENTER IS 52. OPERATING MON"- FRI, 7:30AM - 5:30PM IN ONE ROOM. " Original app. received date: 060728 Facility closed date: Not Reported Mailing address: "22351 CITY CENTER DRIVE, #150 " Mailing city: HAYWARD Mailing state: CA Mailing zip: 94541 Contact person: "MCNAIR, LAURA " Facility capacity: 20 Type of clients served: 955 Facility phone: 5108354012	SRDCCA200744490 Daycare
I29 WNW 1/8-1/4 mi 1280 Higher	EDR ID: SRDCCA200755219 Facility number: 13418194 Facility name: BRIGHT FUTURE EARLY LEARNING CENTER Facility eval. code: 0105 Facility office number: 02 Facility county number: 01 Facility type code: 850 Facility status code: 03 Address: 1515 CLAY STREET City: OAKLAND State: CA Zip: 94612 Alt. address: "22351 CITY CENTER DRIVE, #150 " City: HAYWARD State: CA Zip: 94541	SRDCCA200755219 Daycare

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Facility investor: COMMUNITY CHILD CARE COORDINATING COUNCIL-ALA CTY  
 Licensee type: C  
 License effective date: 60901  
 License expiration date: Not Reported  
 License issue date: 060901  
 Program type: "AGES TWO YEARS TO FIRST GRADE ENTRY. PRESCHOOL COMPONENT OF A COMBINATION CENTER. OTHER COMPONENT IS INFANT, CAPACITY 20. TOTAL CAPACITY OF CENTER IS 52. OPERATING MONDAY THROUGH FRIDAY, 7:30AM - 5:30 PM IN ONE ROOM.  
 Original app. received date: 060728  
 Facility closed date: Not Reported  
 Mailing address: "22351 CITY CENTER DRIVE, #150 "  
 Mailing city: HAYWARD  
 Mailing state: CA  
 Mailing zip: 94541  
 Contact person: "MCNAIR, LAURA "  
 Facility capacity: 32  
 Type of clients served: 950  
 Facility phone: 5108354012

30			SRDCCA200752595
ENE	EDR ID:	SRDCCA200752595	Daycare
1/8-1/4 mi	Facility number:	13410076	
1303	Facility name:	OUSD - ALICE	
Higher	Facility eval. code:	0105	
	Facility office number:	02	
	Facility county number:	01	
	Facility type code:	850	
	Facility status code:	03	
	Address:	250 17TH STREET	
	City:	OAKLAND	
	State:	CA	
	Zip:	94612	
	Alt. address:	495 JONES AVE	
	City:	OAKLAND	
	State:	CA	
	Zip:	94603	
	Facility investor:	OAKLAND UNIFIED SCHOOL DISTRICT	
	Licensee type:	F	
	License effective date:	950720	
	License expiration date:	Not Reported	
	License issue date:	950720	
	Program type:	AGES 2YRS TO FIRST GRADE ENTRY. HOURS OF OPERATION: MON. - FRI. 7AM - 6PM IN 3 CLASSROOMS. SUBJECT TO CONDITIONS OF 3 WAIVERS TO BE POSTED.	
	Original app. received date:	950421	
	Facility closed date:	Not Reported	
	Mailing address:	1025 SECOND AVENUE RM #320B	
	Mailing city:	OAKLAND	
	Mailing state:	CA	
	Mailing zip:	94606	
	Contact person:	"KIRTMAN, DIANNE "	
	Facility capacity:	72	
	Type of clients served:	950	
	Facility phone:	5108790856	

## MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Elevation	Site	EDR ID	Database
31	NW	1/8-1/4 mi	1306	Higher	Unitid: 108269 ACADAMY OF CHINESE CULTURE AND HEALTH SCIENCES Addr: 1601 CLAY ST City: OAKLAND Stabbr: CA Zip: 94612 Zip4: Not Reported Unk: Not Reported Fips: 094612 Oberge: 8 Chfnm: WEI TSUEI Chftitle: PRESIDENT Gentele: 5107637787 Fintele: 5107637787 Admtele: 5107637787 Ein: 942881684 Duns: 801852732 Opeid: 3288300 Opeflag: 1 Webaddr: www.acchs.edu Sector: 2 llevel: 1 Control: 2 Hloffr: 7 Ugoffer: 2 Groffer: 1 Fpoffer: 2 Hdegoffer: 20 Deggrant: 1 Hbcu: 2 Hospital: 2 Medical: 2 Tribal: 2 Carnegie: 53 Locale: 1 Openpubl: 1 Act: A Newid: -2 Deathyr: -2 Closedat: -2 Cyactive: 1 Postsec: 1 Pseflag: 1 Pset4flg: 1 Rptmth: 1 Fte: 159 Enrtot: 179 Edr id: SRCL20051000282	SRCL20051000282	Colleges
J32	ESE	1/4-1/2 mi	1426	Higher	Facility number: 13418387 Facility name: "MORRISON, MARILYN N Facility eval. code: 0105	SRDCCA200731785	Daycare



# MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

state region cd: M2  
 street address: 570 14TH STREET #3  
 Phone num: 5108365676  
 Termination reason: 00  
 Term Date: 20080501  
 Purpose of action: 2  
 Provider control: 03  
 Zip: 94612  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070152580

J34

East  
 1/4-1/2 mi  
 1475  
 Higher

EDR ID: SRDCCA200707583  
 Facility number: 13412230  
 Facility name: "FRIEND, GWENDOLYN"  
 Facility eval. code: 0105  
 Facility office number: 02  
 Facility county number: 01  
 Facility type code: 810  
 Facility status code: 03  
 Address: 1540 JACKSON STREET #310  
 City: OAKLAND  
 State: CA  
 Zip: 94612  
 Alt. address: 1540 JACKSON STREET #310  
 City: OAKLAND  
 State: CA  
 Zip: 94612  
 Facility investor: "FRIEND, GWENDOLYN"  
 Licensee type: A  
 License effective date: 970722  
 License expiration date: Not Reported  
 License issue date: 970722  
 Program type: "MAXIMUM CAPACITY: 6 CHILDREN WITH NO MORE THAN 3 INFANTS, OR 4  
 INFANTSONLY, OR CAPACITY 8 CHILDREN WHEN 2 ARE AT LEAST 6 YEARS OF AGE  
 WITH AMAXIMUM OF 2 INFANTS; PROPERTY OWNER/LANDLORD CONSENT IS REQUIRED  
 "  
 Original app. received date: 970508  
 Facility closed date: Not Reported  
 Mailing address: 1540 JACKSON STREET #310  
 Mailing city: OAKLAND  
 Mailing state: CA  
 Mailing zip: 94612  
 Contact person: "FRIEND, GWENDOLYN"  
 Facility capacity: 8  
 Type of clients served: 960

SRDCCA200707583  
 Daycare

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Facility phone: 5107637836

K35		SRHO20070110389
ENE	Hospital type: 01	AHA Hospitals
1/4-1/2 mi	Num of times COO: 00	
1476	Owner date: Not Reported	
Higher	City: OAKLAND	
	Has plan of corr: 1	
	Compliance status: A	
	SSA county code: 000	
	Cross ref number: Not Reported	
	FMS survey date: 20060202	
	Current survey date: 20051222	
	Medicare/Medicaid: 1	
	Facility name: LAKE PARK RET RESIDENCE	
	Intermediary/Carrier: 00040	
	Medicaid number: Not Reported	
	Participation date: 19790701	
	Prior COO date: Not Reported	
	Prior carrier: 00041	
	Provider ID: 555113	
	Record Status: A	
	Region code: 09	
	Is Partial Record: Not Reported	
	state abbrev: CA	
	ssa state: 05	
	state region cd: BK	
	street address: 1850 ALICE STREET	
	Phone num: 5108355511	
	Termination reason: 00	
	Term Date: Not Reported	
	Purpose of action: 2	
	Provider control: 05	
	Zip: 94612	
	Fips state: 06	
	Fips cnty: 001	
	SSA MSA: 418	
	SSA MSA size code: B	
	Date accredited: Not Reported	
	Accred expire date: Not Reported	
	Accred Org: Not Reported	
	Num beds: 0035	
	Num cert beds: 0035	
	Source: US_HOSPITAL_POSOTHER	
	Edr id: SRHO20070110389	

K36		SRHO20070134375
ENE	Hospital type: 01	AHA Hospitals
1/4-1/2 mi	Num of times COO: 00	
1476	Owner date: Not Reported	
Higher	City: OAKLAND	
	Has plan of corr: Not Reported	
	Compliance status: Not Reported	
	SSA county code: 000	

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: LAKE PARK RETIREMENT RESIDENCE  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19930113  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0602742  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 1850 ALICE  
 Phone num: 5108355511  
 Termination reason: 00  
 Term Date: 20080831  
 Purpose of action: Not Reported  
 Provider control: 03  
 Zip: 94612  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070134375

K37  
 ENE 1/4-1/2 mi Higher  
 Provnum: 555113  
 Nursinghome name: LAKE PARK RET RESIDENCE  
 Street: 1850 ALICE STREET  
 City: OAKLAND  
 State: CA  
 Zipcode: 94612  
 Phonenumber: 5108355511  
 Dateoflastinspection: 20051207  
 Certifiednumberofbeds: 35  
 Totalnumberofresidents: 28  
 Percofoccupiedbeds: 80  
 Categorydescription: Participating in Medicare Only  
 Typeofownership: Non profit - Corporation  
 Locatedwithinhospital: NO  
 Multinursinghomeownership: YES  
 Residentandfamilycouncils: RESIDENT  
 Edr id: SRNH20060915730

SRNH20060915730  
 Nursing Homes



## MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Elevation	Site	EDR ID Database
38	North	1/4-1/2 mi	1510	Lower	Ncessch: 062805010720 Mstreet05: BAY AREA TECHNOLOGY Mcity05: 1920 TELEGRAPH AVE. Mstate05: OAKLAND Mzip05: CA Mzip405: 94612 Member05: Not Reported Phone05: 146 Locale05: (510) 645-9932 Type05: 1 Level05: 2 Gslo05: 06 Gshi05: 07 Edr id: SRPU20071009647	SRPU20071009647 Public Schools
L39	West	1/4-1/2 mi	1529	Higher	Hospital type: 01 Num of times COO: 00 Owner date: Not Reported City: OAKLAND Has plan of corr: Not Reported Compliance status: Not Reported SSA county code: 000 Cross ref number: Not Reported FMS survey date: Not Reported Current survey date: Not Reported Medicare/Medicaid: Not Reported Facility name: MEDICAL GROUP AT CITY CENTER INC Intermediary/Carrier: Not Reported Medicaid number: Not Reported Participation date: 19930329 Prior COO date: Not Reported Prior carrier: Not Reported Provider ID: 05D0866278 Record Status: A Region code: 09 Is Partial Record: Y state abbrev: CA ssa state: 05 state region cd: LAB street address: 1200 CLAY ST STE 310 Phone num: 5109878611 Termination reason: 08 Term Date: 20020831 Purpose of action: Not Reported Provider control: 04 Zip: 94612 Fips state: 06 Fips cnty: 001 SSA MSA: 418 SSA MSA size code: B Date accredited: Not Reported Accred expire date: Not Reported	SRHO20070143583 AHA Hospitals

# MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070143583

L40		SRHO20070147054
West	Hospital type: 01	AHA Hospitals
1/4-1/2 mi	Num of times COO: 00	
1529	Owner date: Not Reported	
Higher	City: OAKLAND	
	Has plan of corr: 1	
	Compliance status: A	
	SSA county code: 000	
	Cross ref number: Not Reported	
	FMS survey date: Not Reported	
	Current survey date: 19960513	
	Medicare/Medicaid: 1	
	Facility name: BARBARA HOLMES	
	Intermediary/Carrier: Not Reported	
	Medicaid number: Not Reported	
	Participation date: 19930723	
	Prior COO date: Not Reported	
	Prior carrier: Not Reported	
	Provider ID: 05D0873399	
	Record Status: A	
	Region code: 09	
	Is Partial Record: Not Reported	
	state abbrev: CA	
	ssa state: 05	
	state region cd: M2	
	street address: 1200 CLAY ST STE 210	
	Phone num: 5109878616	
	Termination reason: 08	
	Term Date: 19980816	
	Purpose of action: 2	
	Provider control: 04	
	Zip: 94612	
	Fips state: 06	
	Fips cnty: 001	
	SSA MSA: 418	
	SSA MSA size code: B	
	Date accredited: Not Reported	
	Accred expire date: Not Reported	
	Accred Org: Not Reported	
	Num beds: 0000	
	Num cert beds: 0000	
	Source: US_HOSPITAL_POSCLIA	
	Edr id: SRHO20070147054	

41		SRDCCA200708796
East	EDR ID: SRDCCA200708796	Daycare
1/4-1/2 mi	Facility number: 13412876	
1538	Facility name: "JONES-JACKSON, TERRY	
Higher		

# MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Elevation	Site	EDR ID Database
					Facility eval. code: 0105 Facility office number: 02 Facility county number: 01 Facility type code: 810 Facility status code: 03 Address: 1570 JACKSON STREET #207 City: OAKLAND State: CA Zip: 94612 Alt. address: 1570 JACKSON STREET #207 City: OAKLAND State: CA Zip: 94612 Facility investor: "JONES-JACKSON, TERRY" Licensee type: A License effective date: 980803 License expiration date: Not Reported License issue date: 980803 Program type: "INACTIVE APRIL 7, 2007- APRIL 7, 2008" Original app. received date: 980527 Facility closed date: Not Reported Mailing address: 1570 JACKSON STREET #207 Mailing city: OAKLAND Mailing state: CA Mailing zip: 94612 Contact person: "JONES-JACKSON, TERRY" Facility capacity: 8 Type of clients served: 960 Facility phone: 5102720261	
42	NW	1/4-1/2 mi	1569	Higher	Ncessch: 062805010461 Surname05: OAKLAND SCHOOL FOR THE ARTS Mstreet05: 1800 SAN PABLO AVE. Mcity05: OAKLAND Mstate05: CA Mzip05: 94612 Mzip405: Not Reported Member05: 421 Phone05: (510) 873-8800 Locale05: 1 Type05: 1 Level05: 4 Gslo05: 06 Gshi05: 12 Edr id: SRPU20071013409	SRPU20071013409 Public Schools
43	South	1/4-1/2 mi	1579	Higher	EDR ID: SRDCCA200744942 Facility number: 10206127 Facility name: OUSD - YUK YAU Facility eval. code: 0203 Facility office number: 02	SRDCCA200744942 Daycare

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Facility county number: 01  
 Facility type code: 850  
 Facility status code: 03  
 Address: 291 - 10TH STREET  
 City: OAKLAND  
 State: CA  
 Zip: 94607  
 Alt. address: 495 JONES AVE  
 City: OAKLAND  
 State: CA  
 Zip: 94603  
 Facility investor: OAKLAND UNIFIED SCHOOL DISTRICT  
 Licensee type: F  
 License effective date: 940217  
 License expiration date: Not Reported  
 License issue date: Not Reported  
 Program type: "AGES 2 TO 1ST GRADE ENTRY. OVERALL HOURS OF OPERATION: MON-FRI, 7:30 AM-5:30 PM. CAP. OF 83 7:30 AM -2:30 PM IN RMS 1 & 3. CAPACITY REDUCED TO 43 2:30 PM -5:30 PM IN RM 1."  
 "

Original app. received date: 840202  
 Facility closed date: Not Reported  
 Mailing address: 1025 SECOND AVENUE- ROOM 320  
 Mailing city: OAKLAND  
 Mailing state: CA  
 Mailing zip: 94606  
 Contact person: "CHINN, BETSY"  
 Facility capacity: 82  
 Type of clients served: 950  
 Facility phone: 5108931659

44	North	Hospital type:	01	SRHO20070011753
		1/4-1/2 mi	Num of times COO:	AHA Hospitals
		1629	Owner date:	
	Lower		City:	
		Has plan of corr:	1	
		Compliance status:	A	
		SSA county code:	000	
		Cross ref number:	Not Reported	
		FMS survey date:	Not Reported	
		Current survey date:	19950522	
		Medicare/Medicaid:	1	
		Facility name:	NSI HOME HLTH SERVICES	
		Intermediary/Carrier:	00140	
		Medicaid number:	Not Reported	
		Participation date:	19831221	
		Prior COO date:	19921229	
		Prior carrier:	00040	
		Provider ID:	057585	
		Record Status:	A	
		Region code:	09	
		Is Partial Record:	Not Reported	
		state abbrev:	CA	
		ssa state:	05	

## MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

state region cd: BK  
street address: 1970 BROADWAY, SUITE 307  
Phone num: 5107632350  
Termination reason: 01  
Term Date: 19980531  
Purpose of action: 2  
Provider control: 03  
Zip: 94612  
Fips state: 06  
Fips cnty: 001  
SSA MSA: 418  
SSA MSA size code: B  
Date accredited: Not Reported  
Accred expire date: Not Reported  
Accred Org: 0  
Num beds: 0000  
Num cert beds: 0000  
Source: US\_HOSPITAL\_POSOTHER  
Edr id: SRHO20070011753

45  
SSE Ncessch: 062805004289  
1/4-1/2 miSchname05: LINCOLN ELEMENTARY  
1660 Mstreet05: 225 11TH ST.  
Higher Mcity05: OAKLAND  
Mstate05: CA  
Mzip05: 94607  
Mzip405: 4409  
Member05: 606  
Phone05: (510) 879-1330  
Locale05: 1  
Type05: 1  
Level05: 1  
Gsl05: KG  
Gshi05: 05  
Edr id: SRPU20071013359

SRPU20071013359  
Public Schools

M46  
SSW Hospital type: 01  
1/4-1/2 miNum of times COO: 00  
1670 Owner date: Not Reported  
Higher City: OAKLAND  
Has plan of corr: Not Reported  
Compliance status: Not Reported  
SSA county code: 000  
Cross ref number: Not Reported  
FMS survey date: Not Reported  
Current survey date: Not Reported  
Medicare/Medicaid: Not Reported  
Facility name: EAST BAY PERINATAL MEDICAL ASSOCIATES  
Intermediary/Carrier: Not Reported  
Medicaid number: Not Reported  
Participation date: 19980313  
Prior COO date: Not Reported

SRHO20070154275  
AHA Hospitals

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Prior carrier: Not Reported  
 Provider ID: 05D0942636  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 388 9TH STREET, STE 218  
 Phone num: 5108322388  
 Termination reason: 00  
 Term Date: 20081231  
 Purpose of action: Not Reported  
 Provider control: 04  
 Zip: 94607  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070154275

M47

SSW Hospital type:  
 1/4-1/2 mi Num of times COO:  
 1670 Owner date:  
 Higher City:

01  
 00  
 Not Reported  
 OAKLAND  
 Not Reported  
 Not Reported  
 000  
 Not Reported  
 Not Reported  
 Not Reported  
 Not Reported  
 Not Reported  
 KAM Y CHEUNG MD A PROFESSIONAL CORP  
 Not Reported  
 Not Reported  
 19990604  
 Not Reported  
 Not Reported  
 05D0961375  
 A  
 09  
 Y  
 CA  
 05  
 LAB  
 388 9TH STREET SUITE 218A  
 5102689888  
 00

SRHO20070151310  
 AHA Hospitals

## MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

Term Date: 20070603  
 Purpose of action: Not Reported  
 Provider control: 02  
 Zip: 94607  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070151310

M48

SSW Hospital type:  
 1/4-1/2 mi Num of times COO:  
 1670 Owner date:  
 Higher City:

01  
 00  
 Not Reported  
 OAKLAND  
 Not Reported  
 Not Reported  
 000  
 Not Reported  
 Not Reported  
 Not Reported  
 Not Reported  
 Not Reported  
 SUTTER EAST BAY MEDICAL FOUNDATION  
 Not Reported  
 Not Reported  
 19990409  
 Not Reported  
 Not Reported  
 05D0959383  
 A  
 09  
 Y  
 CA  
 05  
 LAB  
 388 9TH STREET SUITE 218  
 5108397115  
 00  
 20070821  
 Not Reported  
 04  
 94607  
 06  
 001  
 418  
 B  
 Not Reported  
 Not Reported  
 Not Reported

SRHO20070150753  
 AHA Hospitals

# MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070150753

M49  
 SSW Hospital type: 01  
 1/4-1/2 mi Num of times COO: 00  
 1670 Higher Owner date: Not Reported  
 Higher City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: L LEON LEE MD INC  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19930108  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0601918  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Not Reported  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 388 9TH STREET STE 218 A  
 Phone num: 5108323944  
 Termination reason: 08  
 Term Date: 19980831  
 Purpose of action: Not Reported  
 Provider control: 04  
 Zip: 94607  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070134373

SRHO20070134373  
 AHA Hospitals

N50  
 SE EDR ID: SRDCCA200741486  
 1/4-1/2 mi Facility number: 13416021  
 1674 Higher Facility name: LITTLE STARS PRESCHOOL  
 Higher Facility eval. code: 0105

SRDCCA200741486  
 Daycare



# MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Facility office number: 02  
 Facility county number: 01  
 Facility type code: 830  
 Facility status code: 03  
 Address: 169 - 14TH STREET  
 City: OAKLAND  
 State: CA  
 Zip: 94612  
 Alt. address: 169 - 14TH STREET  
 City: OAKLAND  
 State: CA  
 Zip: 94612  
 Facility investor: LITTLE STARS PRESCHOOL  
 Licensee type: D  
 License effective date: 20607  
 License expiration date: Not Reported  
 License issue date: 020607  
 Program type: "AGES BIRTH TO 2 YRS. INFANT COMPONENT OF A COMBINATION CTR. PRESCHOOL COMPONENT, CAPACITY 48. SCHOOLAGE COMPONENT, CAPACITY 12. TOTAL CAP OF CTR IS 68. OPERATING MON-FRI, 8:30AM-5:30PM IN 2 ROOMS. MAXIMUM "CAP OF EACH ROOM IS 4 CHILDREN. 4 CRIB AGE CHILDREN ONLY.  
 Original app. received date: 011029  
 Facility closed date: Not Reported  
 Mailing address: 169 - 14TH STREET  
 Mailing city: OAKLAND  
 Mailing state: CA  
 Mailing zip: 94612  
 Contact person: "LEE, WILLIAM"  
 Facility capacity: 8  
 Type of clients served: 955  
 Facility phone: 5102869800

N51 SE 1/4-1/2 mi 1674 Higher	EDR ID: Facility number: Facility name: Facility eval. code: Facility office number: Facility county number: Facility type code: Facility status code: Address: City: State: Zip: Alt. address: City: State: Zip: Facility investor: Licensee type: License effective date: License expiration date: License issue date: Program type:	SRDCCA200751714 13412488 LITTLE STARS PRESCHOOL 0105 02 01 850 03 169 - 14TH STREET OAKLAND CA 94612 169 14TH STREET OAKLAND CA 94612 SEVEN STARS INVESTMENT CORPORATION D 971103 Not Reported 971103 "AGES 2 TO 1ST GRADE ENTRY. PRESCHOOL COMPONENT OF A COMBINATION CENTER. INFANT COMPONENT - CAPACITY 8, SCHOOLAGE COMPONENT - CAPACITY 12. TOTAL CAPACITY OF CENTER IS 68. OPERATING MON-FRI, 7AM-7PM. "	SRDCCA200751714 Daycare
---	---	--	----------------------------

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Original app. received date: 970910  
 Facility closed date: Not Reported  
 Mailing address: 299 - 13TH STREET  
 Mailing city: OAKLAND  
 Mailing state: CA  
 Mailing zip: 94612  
 Contact person: "SIAO, SHARON       "  
 Facility capacity: 48  
 Type of clients served: 950  
 Facility phone: 5108399600

N52

SRDCCA200746545

SE       EDR ID:                       SRDCCA200746545  
 1/4-1/2 mi Facility number:       13412489  
 1674     Facility name:               LITTLE STARS PRESCHOOL  
 Higher   Facility eval. code:           0105  
           Facility office number:   02  
           Facility county number:   01  
           Facility type code:        840  
           Facility status code:     03  
           Address:                   169 - 14TH STREET  
           City:                      OAKLAND  
           State:                     CA  
           Zip:                       94612  
           Alt. address:             169 14TH STREET  
           City:                      OAKLAND  
           State:                     CA  
           Zip:                       94612  
           Facility investor:       SEVEN STARS INVESTMENT CORPORATION  
           Licensee type:            D  
           License effective date:   971103  
           License expiration date:  Not Reported  
           License issue date:      971103  
           Program type:            "AGES KINDERGARTEN ENROLLMENT TO 18 YEARS. SCHOOL AGE COMPONENT OF A  
   COMBINATION CENTER. PRESCHOOL COMPONENT - CAPACITY 48, INFANT  
   COMPONENT, CAPACITY 8. OPERATING MON-FRI, 7AM-7PM IN ONE ROOM.  
   "

Daycare

Original app. received date: 970910  
 Facility closed date: Not Reported  
 Mailing address: 299 - 13TH STREET  
 Mailing city: OAKLAND  
 Mailing state: CA  
 Mailing zip: 94612  
 Contact person: "SAIO, SHARON       "  
 Facility capacity: 12  
 Type of clients served: 950  
 Facility phone: 5102869800

M53

SRHO20070134385

SSW       Hospital type:               01  
 1/4-1/2 mi Num of times COO:       00  
 1684     Owner date:                Not Reported  
 Higher   City:                        OAKLAND  
           Has plan of corr:       Not Reported

AHA Hospitals

## MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: EAST BAY PRIMARY CARE MEDICAL GRP INC  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19930115  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0601926  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 373 NINTH STREET STE 403  
 Phone num: 5104653588  
 Termination reason: 00  
 Term Date: 20080831  
 Purpose of action: Not Reported  
 Provider control: 04  
 Zip: 94607  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070134385

M54  
 SSW Hospital type:  
 1/4-1/2 mi Num of times COO:  
 1684 Owner date:  
 Higher City:

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: HUA CHEN, MD  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19970317  
 Prior COO date: Not Reported

SRHO20070147859  
 AHA Hospitals

## MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

Prior carrier: Not Reported  
 Provider ID: 05D0926189  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 373 9TH STREET, SUITE 303  
 Phone num: 5102510688  
 Termination reason: 00  
 Term Date: 20070316  
 Purpose of action: Not Reported  
 Provider control: 04  
 Zip: 94607  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070147859

O55

SSW

1/4-1/2 mi

1709

Higher

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: XIAO GUANG HUANG MD  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19990329  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0958893  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: M2  
 street address: 345 9TH STREET SUITE 203  
 Phone num: 5106639518  
 Termination reason: 00

SRHO20070151878  
 AHA Hospitals

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Term Date: 20070328  
 Purpose of action: Not Reported  
 Provider control: 04  
 Zip: 94607  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070151878

O56

SSW

1/4-1/2 mi

1709

Higher

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: PEDIATRIC MED ASSOCIATES OF EAST BAY  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19930111  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0712664  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 345 NINTH ST SUITE 204  
 Phone num: 5108391072  
 Termination reason: 00  
 Term Date: 20080831  
 Purpose of action: Not Reported  
 Provider control: 04  
 Zip: 94607  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported

SRHO20070141350

AHA Hospitals

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070141350

O57 SRHO20070134788  
 SSW Hospital type: 01 AHA Hospitals  
 1/4-1/2 mi Num of times COO: 00

1714 Owner date: Not Reported  
 Higher City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: LUYEN TA MD INC  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19930202  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0601959  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 341 A 9TH STREET  
 Phone num: 5108361095  
 Termination reason: 00  
 Term Date: 20080831  
 Purpose of action: Not Reported  
 Provider control: 04  
 Zip: 94607  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070134788

58 SRHO20070148405  
 South Hospital type: 01 AHA Hospitals  
 1/4-1/2 mi Num of times COO: 00  
 1742 Owner date: Not Reported  
 Higher City: OAKLAND

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: ANH T DO, MD  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19971119  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0936323  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 919 HARRISON STREET, SUITE A  
 Phone num: 5102718028  
 Termination reason: 00  
 Term Date: 20071118  
 Purpose of action: Not Reported  
 Provider control: 04  
 Zip: 94607  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070148405

59  
 ENE 1/4-1/2 mi  
 1918  
 Lower

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: EMPLOYEE HEALTH SERVICES  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19930119

SRHO20070138433  
 AHA Hospitals

## MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0696022  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Not Reported  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 300 LAKESIDE DR  
 Phone num: 5102712351  
 Termination reason: 01  
 Term Date: 19930430  
 Purpose of action: Not Reported  
 Provider control: 02  
 Zip: 94612  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070138433

P60  
 SSW 1/4-1/2 mi  
 1918  
 Higher

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: ASIAN HEALTH SERVICES  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19930524  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0698796  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 818 WEBSTER  
 Phone num: 5107634411

SRHO20070138324  
 AHA Hospitals



# MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

Termination reason: 00  
 Term Date: 20080831  
 Purpose of action: Not Reported  
 Provider control: 02  
 Zip: 94607  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070138324

P61

SRHO20070107543  
 AHA Hospitals

SSW Hospital type: 01  
 1/4-1/2 mi Num of times COO: 00  
 1918 Owner date: Not Reported  
 Higher City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: ADULT MEDICAL SERVICES AT HOTEL OAKLAN  
 Intermediary/Carrier: 00450  
 Medicaid number: Not Reported  
 Participation date: 19960701  
 Prior COO date: Not Reported  
 Prior carrier: 51051  
 Provider ID: 551800  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: BK  
 street address: 818 WEBSTER STREET  
 Phone num: 5107637815  
 Termination reason: 00  
 Term Date: Not Reported  
 Purpose of action: 1  
 Provider control: 02  
 Zip: 94607  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSOTHER  
 Edr id: SRHO20070107543

P62		SRHO20070008977
SSW	Hospital type: 01	AHA Hospitals
1/4-1/2 mi	Num of times COO: 00	
1918	Owner date: Not Reported	
Higher	City: OAKLAND	
	Has plan of corr: Not Reported	
	Compliance status: Not Reported	
	SSA county code: 000	
	Cross ref number: Not Reported	
	FMS survey date: Not Reported	
	Current survey date: Not Reported	
	Medicare/Medicaid: Not Reported	
	Facility name: ASIAN HEALTH SERVICES	
	Intermediary/Carrier: 00450	
	Medicaid number: Not Reported	
	Participation date: 19920701	
	Prior COO date: Not Reported	
	Prior carrier: 51140	
	Provider ID: 051816	
	Record Status: A	
	Region code: 09	
	Is Partial Record: Y	
	state abbrev: CA	
	ssa state: 05	
	state region cd: BK	
	street address: 818 WEBSTER STREET	
	Phone num: 5109866830	
	Termination reason: 00	
	Term Date: Not Reported	
	Purpose of action: 1	
	Provider control: 03	
	Zip: 94607	
	Fips state: 06	
	Fips cnty: 001	
	SSA MSA: 418	
	SSA MSA size code: B	
	Date accredited: Not Reported	
	Accred expire date: Not Reported	
	Accred Org: Not Reported	
	Num beds: 0000	
	Num cert beds: 0000	
	Source: US_HOSPITAL_POSOTHER	
	Edr id: SRHO20070008977	

63		SRHO20070141070
SW	Hospital type: 01	AHA Hospitals
1/4-1/2 mi	Num of times COO: 00	
1969	Owner date: Not Reported	
Higher		

## MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: CUONG TAT VU MD INC  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19951102  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0704244  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 412 8TH ST, SUITE B  
 Phone num: 5104524690  
 Termination reason: 00  
 Term Date: 20080831  
 Purpose of action: Not Reported  
 Provider control: 04  
 Zip: 94607  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070141070

Q64  
 NNW Hospital type: 01  
 1/4-1/2 mi Num of times COO: 00  
 1989 Owner date: Not Reported  
 Lower City: OAKLAND  
 Has plan of corr: 1  
 Compliance status: A  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: 19951010  
 Medicare/Medicaid: 1  
 Facility name: MILES INC  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported

SRHO20070134374  
 AHA Hospitals

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Participation date: 19920901  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0602725  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Not Reported  
 state abbrev: CA  
 ssa state: 05  
 state region cd: M2  
 street address: 536 20TH STREET  
 Phone num: 5108344625  
 Termination reason: 12  
 Term Date: 19961208  
 Purpose of action: 2  
 Provider control: 04  
 Zip: 94612  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070134374

Q65  
 NNW  
 1/4-1/2 mi  
 1989  
 Lower

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: A  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: 20020304  
 Medicare/Medicaid: 1  
 Facility name: AVENTIS BIO-SERVICES INC  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19961022  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0921216  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: M2  
 street address: 536 20TH STREET

SRHO20070146477  
 AHA Hospitals

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Phone num: 5108341641  
 Termination reason: 01  
 Term Date: 20040421  
 Purpose of action: 2  
 Provider control: 04  
 Zip: 94612  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070146477

R66

South  
 1/4-1/2 mi  
 1999  
 Higher

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: 1  
 Compliance status: A  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: 19941213  
 Medicare/Medicaid: 1  
 Facility name: ASIAN NETWORK PHYSICAL THERAPY & REHAB  
 Intermediary/Carrier: 00040  
 Medicaid number: Not Reported  
 Participation date: 19941213  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 054526  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Not Reported  
 state abbrev: CA  
 ssa state: 05  
 state region cd: BK  
 street address: 821 HARRISON STREET  
 Phone num: 5102680222  
 Termination reason: 00  
 Term Date: Not Reported  
 Purpose of action: 1  
 Provider control: 01  
 Zip: 94607  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported

SRHO20070009827  
 AHA Hospitals

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSOTHER  
 Edr id: SRHO20070009827

R67		SRHO20070134387
South	Hospital type: 01	AHA Hospitals
1/4-1/2 mi	Num of times COO: 00	
2010	Owner date: Not Reported	
Higher	City: OAKLAND	
	Has plan of corr: Not Reported	
	Compliance status: Not Reported	
	SSA county code: 000	
	Cross ref number: Not Reported	
	FMS survey date: Not Reported	
	Current survey date: Not Reported	
	Medicare/Medicaid: Not Reported	
	Facility name: PRIME MEDICAL ASSOCIATES INC	
	Intermediary/Carrier: Not Reported	
	Medicaid number: Not Reported	
	Participation date: 19950713	
	Prior COO date: Not Reported	
	Prior carrier: Not Reported	
	Provider ID: 05D0601957	
	Record Status: A	
	Region code: 09	
	Is Partial Record: Y	
	state abbrev: CA	
	ssa state: 05	
	state region cd: LAB	
	street address: 817 HARRISON STREET	
	Phone num: 5104518088	
	Termination reason: 00	
	Term Date: 20080831	
	Purpose of action: Not Reported	
	Provider control: 04	
	Zip: 94607	
	Fips state: 06	
	Fips cnty: 001	
	SSA MSA: 418	
	SSA MSA size code: B	
	Date accredited: Not Reported	
	Accred expire date: Not Reported	
	Accred Org: Not Reported	
	Num beds: 0000	
	Num cert beds: 0000	
	Source: US_HOSPITAL_POSCLIA	
	Edr id: SRHO20070134387	

R68		SRHO20070147130
SSW	Hospital type: 01	AHA Hospitals
1/4-1/2 mi	Num of times COO: 00	
2011		
Higher		

# MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: LIM MEDICAL CLINIC  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19960426  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0914363  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 320 8TH STREET SUITE 1D  
 Phone num: 5108328819  
 Termination reason: 00  
 Term Date: 20080425  
 Purpose of action: Not Reported  
 Provider control: 02  
 Zip: 94607  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070147130

R69  
 SSW EDR ID: SRDCCA200744993  
 1/4-1/2 mi Facility number: 10209421  
 2019 Facility name: CCUMC NURSERY SCHOOL  
 Higher Facility eval. code: 0203  
 Facility office number: 02  
 Facility county number: 01  
 Facility type code: 850  
 Facility status code: 03  
 Address: 321 8TH. STREET  
 City: OAKLAND  
 State: CA  
 Zip: 94607  
 Alt. address: 321 8TH. STREET

SRDCCA200744993  
 Daycare

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

City: OAKLAND  
 State: CA  
 Zip: 94607  
 Facility investor: OAKLAND CHINESE COMMUNITY UNITED METHODIST CHURCH.  
 Licensee type: C  
 License effective date: 960731  
 License expiration date: Not Reported  
 License issue date: 960731  
 Program type: AGES 2 YEARS TO FIRST GRADE ENTRY. HOURS OF OPERATION. MONDAY - FRIDAY8:00 A.M. - 5:30 P.M. IN ONE CLASSROOM (FELLOWSHIP HALL). SUBJECT TO CONDITIONS OF WAIVER TO BE POSTED.  
 Original app. received date: 850520  
 Facility closed date: Not Reported  
 Mailing address: 321 8TH. STREET  
 Mailing city: OAKLAND  
 Mailing state: CA  
 Mailing zip: 94607  
 Contact person: NESANNA LEE  
 Facility capacity: 30  
 Type of clients served: 950  
 Facility phone: 5102688210

R70  
 South Hospital type: 01  
 1/4-1/2 mi Num of times COO: 00  
 2030 Owner date: Not Reported  
 Higher City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: BETTY ANNE SHEN MD  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19950710  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0718851  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 310 8TH STREET SUITE 103  
 Phone num: 5104513900  
 Termination reason: 08  
 Term Date: 20060831  
 Purpose of action: Not Reported  
 Provider control: 02  
 Zip: 94607  
 Fips state: 06

SRHO20070141540  
 AHA Hospitals



## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070141540

S71

SRHO20070107388  
 AHA Hospitals

SSE Hospital type: 01  
 1/4-1/2 mi Num of times COO: 02  
 2117 Owner date: Not Reported  
 Higher City: OAKLAND  
 Has plan of corr: 1  
 Compliance status: A  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: 20050520  
 Medicare/Medicaid: 1  
 Facility name: ASIAN NETWORK PACIFIC HOME CARE, INC  
 Intermediary/Carrier: 00040  
 Medicaid number: HHA57747G  
 Participation date: 19961002  
 Prior COO date: 19971221  
 Prior carrier: Not Reported  
 Provider ID: 557747  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Not Reported  
 state abbrev: CA  
 ssa state: 05  
 state region cd: BK  
 street address: 212 9TH STREET, SUITE 205  
 Phone num: 5102681118  
 Termination reason: 00  
 Term Date: Not Reported  
 Purpose of action: 2  
 Provider control: 04  
 Zip: 94607  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: 0  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSOTHER  
 Edr id: SRHO20070107388

## MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Elevation	Site	EDR ID Database
S72						SRHO20070008748
SSE	Hospital type:				01	AHA Hospitals
1/4-1/2 mi	Num of times COO:				00	
2117	Owner date:				Not Reported	
Higher	City:				OAKLAND	
	Has plan of corr:				1	
	Compliance status:				A	
	SSA county code:				000	
	Cross ref number:				Not Reported	
	FMS survey date:				Not Reported	
	Current survey date:				20020523	
	Medicare/Medicaid:				1	
	Facility name:				ASIAN NETWORK HOSPICE, INC	
	Intermediary/Carrier:				00454	
	Medicaid number:				Not Reported	
	Participation date:				20020523	
	Prior COO date:				Not Reported	
	Prior carrier:				Not Reported	
	Provider ID:				051749	
	Record Status:				A	
	Region code:				09	
	Is Partial Record:				Not Reported	
	state abbrev:				CA	
	ssa state:				05	
	state region cd:				SJ	
	street address:				212 9TH STREET, SUITE 204	
	Phone num:				5102681118	
	Termination reason:				00	
	Term Date:				Not Reported	
	Purpose of action:				1	
	Provider control:				06	
	Zip:				94607	
	Fips state:				06	
	Fips cnty:				001	
	SSA MSA:				418	
	SSA MSA size code:				B	
	Date accredited:				Not Reported	
	Accred expire date:				Not Reported	
	Accred Org:				0	
	Num beds:				0000	
	Num cert beds:				0000	
	Source:				US_HOSPITAL_POSOTHER	
	Edr id:				SRHO20070008748	
S73						SRHO20070146448
SSE	Hospital type:				01	AHA Hospitals
1/4-1/2 mi	Num of times COO:				00	
2117	Owner date:				Not Reported	
Higher	City:				OAKLAND	
	Has plan of corr:				Not Reported	
	Compliance status:				Not Reported	
	SSA county code:				000	
	Cross ref number:				Not Reported	
	FMS survey date:				Not Reported	
	Current survey date:				Not Reported	

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Medicare/Medicaid: Not Reported  
 Facility name: PACIFIC HOME CARE  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19960426  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0914349  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: M2  
 street address: 212 9TH STREET SUITE 205  
 Phone num: 5102681118  
 Termination reason: 00  
 Term Date: 20080425  
 Purpose of action: Not Reported  
 Provider control: 04  
 Zip: 94607  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070146448

74

WSW Hospital type:  
 1/4-1/2 mi Num of times COO:  
 2151 Owner date:  
 Higher City:

01  
 00  
 Not Reported  
 OAKLAND  
 Not Reported  
 Not Reported  
 000  
 Not Reported  
 Not Reported  
 Not Reported  
 Not Reported  
 Not Reported  
 PETER QUON MD  
 Not Reported  
 Not Reported  
 19930330  
 Not Reported  
 Not Reported  
 05D0666755  
 A  
 09  
 Not Reported

SRHO20070136975  
 AHA Hospitals

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 1010 JEFFERSON  
 Phone num: 5108361473  
 Termination reason: 01  
 Term Date: 19950630  
 Purpose of action: Not Reported  
 Provider control: 10  
 Zip: 94607  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070136975

75

NNW Hospital type:  
 1/4-1/2 mi Num of times COO:  
 2230 Owner date:  
 Higher City:

01  
 00  
 Not Reported  
 OAKLAND  
 Not Reported  
 Not Reported  
 000  
 Not Reported  
 Not Reported  
 Not Reported  
 Not Reported  
 Not Reported  
 CENTER FOR ELDERS INDEPENDENCE SAN PAB  
 Not Reported  
 Not Reported  
 20050315  
 Not Reported  
 Not Reported  
 05D1038279  
 A  
 09  
 Y  
 CA  
 05  
 M2  
 1955 SAN PABLO AVE 1ST FLOOR  
 5104331160  
 00  
 20070314  
 Not Reported  
 02  
 94612  
 06

SRHO20070159886  
 AHA Hospitals

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070159886

76

SSW Hospital type: 01  
 1/4-1/2 mi Num of times COO: 00  
 2280 Owner date: Not Reported  
 Higher City: OAKLAND  
 Has plan of corr: 1  
 Compliance status: A  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: 20041008  
 Medicare/Medicaid: 1  
 Facility name: ASIAN AMERICAN HOME CARE  
 Intermediary/Carrier: 00040  
 Medicaid number: HHA57754F  
 Participation date: 19961104  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 557754  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Not Reported  
 state abbrev: CA  
 ssa state: 05  
 state region cd: BK  
 street address: 328 7TH ST 2F  
 Phone num: 5108353268  
 Termination reason: 00  
 Term Date: Not Reported  
 Purpose of action: 2  
 Provider control: 04  
 Zip: 94607  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: 0  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSOTHER  
 Edr id: SRHO20070108648

SRHO20070108648  
 AHA Hospitals

## MAP FINDINGS

Map ID Direction Distance Distance (ft.) Elevation	Site	EDR ID Database
77 SW 1/4-1/2 mi 2330 Higher	Hospital type: 01 Num of times COO: 00 Owner date: Not Reported City: OAKLAND Has plan of corr: Not Reported Compliance status: Not Reported SSA county code: 000 Cross ref number: Not Reported FMS survey date: Not Reported Current survey date: Not Reported Medicare/Medicaid: Not Reported Facility name: VOLUNTEERS OF AMERICA BAY AREA Intermediary/Carrier: Not Reported Medicaid number: Not Reported Participation date: 20060209 Prior COO date: Not Reported Prior carrier: Not Reported Provider ID: 05D1050707 Record Status: A Region code: 09 Is Partial Record: Y state abbrev: CA ssa state: 05 state region cd: M2 street address: 472 7TH STREET Phone num: 5104730500 Termination reason: 00 Term Date: 20080208 Purpose of action: Not Reported Provider control: 01 Zip: 94607 Fips state: 06 Fips cnty: 001 SSA MSA: 418 SSA MSA size code: B Date accredited: Not Reported Accred expire date: Not Reported Accred Org: Not Reported Num beds: 0000 Num cert beds: 0000 Source: US_HOSPITAL_POSCLIA Edr id: SRHO20070164528	SRHO20070164528 AHA Hospitals
78 NW 1/4-1/2 mi 2488 Higher	Facility number: 10206160 Facility name: PCDCI - LITTLE LEARNERS Facility eval. code: 0105 Facility office number: 02 Facility county number: 01 Facility type code: 850 Facility status code: 03 Address: 690 18TH STREET City: OAKLAND	SRDCCA200744957 Daycare

# MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

State: CA  
 Zip: 94612  
 Alt. address: 2619 BROADWAY  
 City: OAKLAND  
 State: CA  
 Zip: 94612  
 Facility investor: "PARENT-CHILD DEVELOPMENT CENTER, INC. "  
 Licensee type: C  
 License effective date: 940526  
 License expiration date: Not Reported  
 License issue date: Not Reported  
 Program type: AGES 2 TO FIRST GRADE ENROLLMENT. NO MORE THAN  
 15 CHILDREN ON THE PLAYGROUND AT ANY ONE TIME.  
 HOURS: 7 A.M. TO 5:30 P.M. MONDAY THROUGH FRIDAY.  
 Original app. received date: 840215  
 Facility closed date: Not Reported  
 Mailing address: 2619 BROADWAY STREET  
 Mailing city: OAKLAND  
 Mailing state: CA  
 Mailing zip: 94612  
 Contact person: "MENDONZA, ZENAIDA "  
 Facility capacity: 24  
 Type of clients served: 950  
 Facility phone: 5104518459

T79 North 1/2-1 mi 2717 Lower	EDR ID: Facility number: Facility name: Facility eval. code: Facility office number: Facility county number: Facility type code: Facility status code: Address: City: State: Zip: Alt. address: City: State: Zip: Facility investor: Licensee type: License effective date: License expiration date: License issue date: Program type: Original app. received date: Facility closed date: Mailing address: Mailing city: Mailing state: Mailing zip:	SRDCCA200750555 10212175 "NEW DAY PRESCHOOL & LEARNING CTR., METROPOLITAN " 0105 02 01 850 03 460 WEST GRAND AVENUE OAKLAND CA 94612 460 WEST GRAND AVENUE OAKLAND CA 94612 "TILLMAN, GLORIA AND COTTEN, HENRY & LEILANI " B 930823 Not Reported 890823 AGE RANGES FROM 2 YEARS TO 6 YEARS OLD. FOR ONE YEAR ONLY HOURS OF OPERATION: 7:00 A.M. TO 6:00 P.M. MONDAY THROUGH FRIDAY. 890411 Not Reported 1985 TUNNEL ROAD BERKELEY CA 94705	SRDCCA200750555 Daycare
---	---	--	----------------------------

# MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

Contact person: "COTTEN, LEILANI"  
 Facility capacity: 37  
 Type of clients served: 950  
 Facility phone: 5104658591

T80

North  
 1/2-1 mi  
 2717  
 Lower

Pss school id: K9501108  
 Pss inst: NEW DAY PRESCHOOL LEARNING  
 Lograde: K  
 Higrade: K  
 Pss address: 460 WEST GRAND AVE  
 Pss city: OAKLAND  
 Pss county no: 001  
 Pss county fips: 06001  
 Pss stabb: CA  
 Pss fips: 06  
 Pss zip5: 94612  
 Pss phone: 5104658591  
 Pss sch days: 200  
 Pss stu day hrs: 10  
 Pss library: No  
 Pss enroll ug: Not Reported  
 Pss enroll pk: 0  
 Pss enroll k: 6  
 Pss enroll 1: Not Reported  
 Pss enroll 2: Not Reported  
 Pss enroll 3: Not Reported  
 Pss enroll 4: Not Reported  
 Pss enroll 5: Not Reported  
 Pss enroll 6: Not Reported  
 Pss enroll 7: Not Reported  
 Pss enroll 8: Not Reported  
 Pss enroll 9: Not Reported  
 Pss enroll 10: Not Reported  
 Pss enroll 11: Not Reported  
 Pss enroll 12: Not Reported  
 Pss enroll t: 6  
 Pss enroll tk12: 6  
 Pss race ai: Not Reported  
 Pss race as: Not Reported  
 Pss race h: Not Reported  
 Pss race b: Not Reported  
 Pss race w: Not Reported  
 Pss fte teach: Not Reported  
 Pss locale: 1  
 Pss coed: 1  
 Pss type: 7  
 Pss level: 1  
 Pss relig: 3  
 Pss comm type: 1  
 Pss indian pct: Not Reported  
 Pss asian pct: Not Reported  
 Pss hisp pct: Not Reported  
 Pss black pct: Not Reported  
 Pss white pct: Not Reported

SRPR20051022473  
 Private Schools



## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Pss stdtch rt: Not Reported  
 Pss orient: 29  
 Pss county name: ALAMEDA  
 Pss assoc 1: No Membership Association  
 Pss assoc 2: Not Reported  
 Pss assoc 3: Not Reported  
 Pss assoc 4: Not Reported  
 Pss assoc 5: Not Reported  
 Pss assoc 6: Not Reported  
 Pss assoc 7: Not Reported  
 Source: NCESDATA\_E72D09B4  
 Edr id: SRPR20051022473

U81		SRHO20070158349
NNE	Hospital type: 01	AHA Hospitals
1/2-1 mi	Num of times COO: 00	
2764	Owner date: Not Reported	
Lower	City: OAKLAND	
	Has plan of corr: Not Reported	
	Compliance status: Not Reported	
	SSA county code: 000	
	Cross ref number: Not Reported	
	FMS survey date: Not Reported	
	Current survey date: Not Reported	
	Medicare/Medicaid: Not Reported	
	Facility name: WEBSTER ORTHOPAEDIC MEDICAL GROUP	
	Intermediary/Carrier: Not Reported	
	Medicaid number: Not Reported	
	Participation date: 20031112	
	Prior COO date: Not Reported	
	Prior carrier: Not Reported	
	Provider ID: 05D1019173	
	Record Status: A	
	Region code: 09	
	Is Partial Record: Y	
	state abbrev: CA	
	ssa state: 05	
	state region cd: M2	
	street address: 80 GRAND AVENUE SUITE 400	
	Phone num: 5102381200	
	Termination reason: 00	
	Term Date: 20071111	
	Purpose of action: Not Reported	
	Provider control: 04	
	Zip: 94612	
	Fips state: 06	
	Fips cnty: 001	
	SSA MSA: 418	
	SSA MSA size code: B	
	Date accredited: Not Reported	
	Accred expire date: Not Reported	
	Accred Org: Not Reported	
	Num beds: 0000	
	Num cert beds: 0000	
	Source: US_HOSPITAL_POSCLIA	

# MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Edr id: SRHO20070158349

U82			SRDCCA200741829
NNE	EDR ID:	SRDCCA200741829	Daycare
1/2-1 mi	Facility number:	13412676	
2798	Facility name:	SMALL TRANS DEPOT - HONEYBEE	
Lower	Facility eval. code:	0105	
	Facility office number:	02	
	Facility county number:	01	
	Facility type code:	830	
	Facility status code:	03	
	Address:	111 GRAND AVENUE	
	City:	OAKLAND	
	State:	CA	
	Zip:	94612	
	Alt. address:	111 GRAND AVENUE	
	City:	OAKLAND	
	State:	CA	
	Zip:	94612	
	Facility investor:	"SPENCER, JUELEAH E./HAMILTON MARY	"
	Licensee type:	B	
	License effective date:	980430	
	License expiration date:	Not Reported	
	License issue date:	980430	
	Program type:	"AGES BIRTH TO 2 YEARS. HOURS OF OPERATION: MONDAY - FRIDAY, 7:00A.M. - 5:30P.M. IN CLASSROOMS.	2
	Original app. received date:	980116	
	Facility closed date:	Not Reported	
	Mailing address:	"484 LAKEPARK AVENUE, # 192	"
	Mailing city:	OAKLAND	
	Mailing state:	CA	
	Mailing zip:	94610	
	Contact person:	"JONES, VANESSA	"
	Facility capacity:	36	
	Type of clients served:	955	
	Facility phone:	5102865130	

83			SRHO20070134386
SW	Hospital type:	01	AHA Hospitals
1/2-1 mi	Num of times COO:	00	
2934	Owner date:	Not Reported	
Lower	City:	OAKLAND	
	Has plan of corr:	1	
	Compliance status:	A	
	SSA county code:	000	
	Cross ref number:	Not Reported	
	FMS survey date:	Not Reported	
	Current survey date:	20050715	
	Medicare/Medicaid:	1	
	Facility name:	ALAMEDA COUNTY PUBLIC	
	Intermediary/Carrier:	Not Reported	
	Medicaid number:	Not Reported	
	Participation date:	19920901	

## MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0601931  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Not Reported  
 state abbrev: CA  
 ssa state: 05  
 state region cd: M2  
 street address: 499 FIFTH STREET ROOM 403  
 Phone num: 5102682700  
 Termination reason: 00  
 Term Date: 20070929  
 Purpose of action: 2  
 Provider control: 06  
 Zip: 94607  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070134386

84  
 WSW  
 1/2-1 mi  
 2935  
 Lower

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: NORTH COUNTY JAIL PRISON HEALTH  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19930708  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0872847  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 550 6TH STREET  
 Phone num: 5102682754

SRHO20070147452  
 AHA Hospitals

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Termination reason: 08  
 Term Date: 20030707  
 Purpose of action: Not Reported  
 Provider control: 04  
 Zip: 94607  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070147452

85  
 NE  
 1/2-1 mi  
 3015  
 Lower

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: 1  
 Compliance status: A  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: 19940311  
 Medicare/Medicaid: 1  
 Facility name: DANIEL H NEUSTEIN MD PC  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19920901  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0594529  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Not Reported  
 state abbrev: CA  
 ssa state: 05  
 state region cd: M2  
 street address: 180 GRAND AVENUE SUITE 100  
 Phone num: 5102084700  
 Termination reason: 00  
 Term Date: 20080516  
 Purpose of action: 1  
 Provider control: 04  
 Zip: 94612  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported

SRHO20070133514  
 AHA Hospitals

# MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070133514

V86		SRDCCA200744944
SSE	EDR ID:	SRDCCA200744944
1/2-1 mi	Facility number:	10206129
3054	Facility name:	LANEY COLLEGE CHILDREN'S CENTER
Lower	Facility eval. code:	0304
	Facility office number:	02
	Facility county number:	01
	Facility type code:	850
	Facility status code:	03
	Address:	900 FALLON STREET
	City:	OAKLAND
	State:	CA
	Zip:	94606
	Alt. address:	900 FALLON STREET
	City:	OAKLAND
	State:	CA
	Zip:	94606
	Facility investor:	PERALTA COMMUNITY COLLEGE DISTRICT
	Licensee type:	F
	License effective date:	951204
	License expiration date:	Not Reported
	License issue date:	Not Reported
	Program type:	"PRESCHOOL COMPONENT OF COMBINATION CENTER. PRESCHOOL CAPACITY 98, TOTAL CAPACITY 110. AGES 2 TO FIRST GRADE ENTRY. HOURS OF OPERATION: 7:45A.M. - 10:00P.M. MONDAY - SATURDAY. "
	Original app. received date:	840202
	Facility closed date:	Not Reported
	Mailing address:	333 EAST 8TH STREET
	Mailing city:	OAKLAND
	Mailing state:	CA
	Mailing zip:	94606
	Contact person:	"MITCHELL, LINDA "
	Facility capacity:	98
	Type of clients served:	950
	Facility phone:	5104643575

V87		SRDCCA200742322
SSE	EDR ID:	SRDCCA200742322
1/2-1 mi	Facility number:	10212101
3054	Facility name:	LANEY COLLEGE CHILDREN'S CENTER
Lower	Facility eval. code:	0304
	Facility office number:	02
	Facility county number:	01
	Facility type code:	830
	Facility status code:	03
	Address:	900 FALLON STREET
	City:	OAKLAND

# MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

State: CA  
 Zip: 94606  
 Alt. address: 900 FALLON STREET  
 City: OAKLAND  
 State: CA  
 Zip: 94606  
 Facility investor: PERALTA COMMUNITY COLLEGE DISTRICT  
 Licensee type: F  
 License effective date: 951204  
 License expiration date: Not Reported  
 License issue date: 891204  
 Program type: "INFANT COMPONENT OF A COMBINAITON CENTER, INFANT CAPACITY 12 TOTAL CAPACITY 110. AGES 6 MONTHS TO 23 MONTHS. HOURS: 7:45 A.M. TO 10 P.M., MONDAY THROUGH FRIDAY."  
 "

Original app. received date: 881104  
 Facility closed date: Not Reported  
 Mailing address: 333 EAST 8TH STREET  
 Mailing city: OAKLAND  
 Mailing state: CA  
 Mailing zip: 94606  
 Contact person: "MITCHELL, LINDA"  
 Facility capacity: 12  
 Type of clients served: 955  
 Facility phone: 5104643104

V88  
 SSE Unitid: 117247  
 1/2-1 mi Instnm: LANEY COLLEGE  
 3054 Addr: 900 FALLON ST  
 Lower City: OAKLAND  
 Stabbr: CA  
 Zip: 94607  
 Zip4: Not Reported  
 Unk: Not Reported  
 Fips: 094607  
 Oberge: 8  
 Chfnm: Odell Johnson  
 Chftitle: PRESIDENT  
 Gentele: 5108345740  
 Fintele: 5104643420  
 Admtele: 5104667368  
 Ein: 941590799  
 Duns: 179363205  
 Opeid: 126600  
 Opeflag: 1  
 Webaddr: laney.peralta.cc.ca.us/  
 Sector: 4  
 llevel: 2  
 Control: 1  
 Hlofffer: 3  
 Ugoffer: 1  
 Groffer: 2  
 Fpoffer: 2  
 Hdegoffer: 40

SRCL20051000524  
 Colleges

# MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Deggrant: 1  
 Hbcu: 2  
 Hospital: 2  
 Medical: 2  
 Tribal: 2  
 Carnegie: 40  
 Locale: 1  
 Openpubl: 1  
 Act: A  
 Newid: -2  
 Deathyr: -2  
 Closedat: -2  
 Cyactive: 1  
 Postsec: 1  
 Pseflag: 1  
 Pset4flg: 1  
 Rptmth: 1  
 Fte: 5591  
 Enrtot: 11591  
 Edr id: SRCL20051000524

W89		SRDCCA200710456
WNW	EDR ID: SRDCCA200710456	Daycare
1/2-1 mi	Facility number: 13412570	
3155	Facility name: "HICKS, MARJORIE	"
Higher	Facility eval. code: 0105	
	Facility office number: 02	
	Facility county number: 01	
	Facility type code: 810	
	Facility status code: 03	
	Address: 788 14TH STREET	
	City: OAKLAND	
	State: CA	
	Zip: 94612	
	Alt. address: 788 14TH STREET	
	City: OAKLAND	
	State: CA	
	Zip: 94612	
	Facility investor: "HICKS, MARJORIE	"
	Licensee type: A	
	License effective date: 980313	
	License expiration date: Not Reported	
	License issue date: 980313	
	Program type: "MAXIMUM CAPACITY:12 CHILDREN WITH NO MORE THAN 4 INFANTS OR CAPACITY 14 WHEN 2 CHILDREN ARE AT LEAST 6 YRS, WITH A MAXIMUM OF 3 INFANTS PROPERTY OWNER/LANDLORD CONSENT IS REQUIRED. "	
	Original app. received date: 971021	
	Facility closed date: Not Reported	
	Mailing address: 788 14TH STREET	
	Mailing city: OAKLAND	
	Mailing state: CA	
	Mailing zip: 94612	
	Contact person: "HICKS, MARJORIE	"
	Facility capacity: 14	

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Type of clients served: 960  
 Facility phone: 5108363150

W90		SRDCCA200708624
WNW	EDR ID: SRDCCA200708624	Daycare
1/2-1 mi	Facility number: 13411239	
3194	Facility name: "GUINN, CHARLOTTE"	
Higher	Facility eval. code: 0105	
	Facility office number: 02	
	Facility county number: 01	
	Facility type code: 810	
	Facility status code: 03	
	Address: 1407A WEST STREET	
	City: OAKLAND	
	State: CA	
	Zip: 94612	
	Alt. address: 1407A WEST STREET	
	City: OAKLAND	
	State: CA	
	Zip: 94612	
	Facility investor: "GUINN, CHARLOTTE"	
	Licensee type: A	
	License effective date: 951228	
	License expiration date: Not Reported	
	License issue date: 951228	
	Program type: "MAXIMUM CAPACITY: 12 CHILDREN, INCLUDING LICENSEE'S CHILDREN UNDER 10 YEARS OF AGE WHO RESIDE IN THE HOME, WITH NO MORE THAN 4 INFANTS. (INFANT MEANS A CHILD UNDER 2 YEARS OLD)."	
	Original app. received date: 951013	
	Facility closed date: Not Reported	
	Mailing address: 1407A WEST STREET	
	Mailing city: OAKLAND	
	Mailing state: CA	
	Mailing zip: 94612	
	Contact person: "GUINN, CHARLOTTE"	
	Facility capacity: 12	
	Type of clients served: 960	
	Facility phone: 5107632439	

X91		SRDCCA200749822
NW	EDR ID: SRDCCA200749822	Daycare
1/2-1 mi	Facility number: 10213265	
3414	Facility name: FOUR C'S CHILD DEVELOPMENT CENTER	
Lower	Facility eval. code: 0105	
	Facility office number: 02	
	Facility county number: 01	
	Facility type code: 850	
	Facility status code: 03	
	Address: 756 - 21ST STREET	
	City: OAKLAND	
	State: CA	
	Zip: 94612	
	Alt. address: "22351 CITY CENTER DR,SUITE 200"	



# MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

City: HAYWARD  
 State: CA  
 Zip: 94541  
 Facility investor: COMMUNITY CHILD CARE COORDINATING COUNCIL-ALA. CO.  
 Licensee type: C  
 License effective date: 930920  
 License expiration date: Not Reported  
 License issue date: 900920  
 Program type: "AGES 2.5 THRU 5 YEARS. COMBINATION CENTER: DAY CARE, CAPACITY 103; INFANT, CAPACITY 41. TOTAL CAPACITY 144. HOURS: 7:00 A.M. TO 6:00 P.M., MONDAY THROUGH FRIDAY."  
 "Original app. received date: 900724  
 Facility closed date: Not Reported  
 Mailing address: 22351 CITY CENTER DR. STE. 200  
 Mailing city: HAYWARD  
 Mailing state: CA  
 Mailing zip: 94541  
 Contact person: SHERRY BURRELL  
 Facility capacity: 103  
 Type of clients served: 950  
 Facility phone: 5102720669

X92		SRDCCA200742104
NW	EDR ID: SRDCCA200742104	Daycare
1/2-1 mi	Facility number: 10213266	
3414	Facility name: FOUR C'S CHILD DEVELOPMENT CENTER	
Lower	Facility eval. code: 0105	
	Facility office number: 02	
	Facility county number: 01	
	Facility type code: 830	
	Facility status code: 03	
	Address: 756 - 21ST STREET	
	City: OAKLAND	
	State: CA	
	Zip: 94612	
	Alt. address: 22351 CITY CENTER DR. STE.200	
	City: HAYWARD	
	State: CA	
	Zip: 94541	
	Facility investor: COMMUNITY CHILD CARE COORDINATING COUNCIL-ALA. CO.	
	Licensee type: C	
	License effective date: 930920	
	License expiration date: Not Reported	
	License issue date: 900920	
	Program type: "AGES 4 MONTHS THRU 30 MONTHS. COMBINATION CENTER: INFANT, CAPACITY 41;DAY CARE, CAPACITY 103. TOTAL CAPACITY 144. HOURS: 7:00 A.M. TO 6:00 P.M., MONDAY THROUGH FRIDAY." "	
	Original app. received date: 900724	
	Facility closed date: Not Reported	
	Mailing address: 22351 CITY CENTER DR. STE 200	
	Mailing city: HAYWARD	
	Mailing state: CA	
	Mailing zip: 94541	

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Contact person: SHERRY BURRELL  
 Facility capacity: 41  
 Type of clients served: 955  
 Facility phone: 5102720669

93		SRDCCA200717777
NW	EDR ID:	SRDCCA200717777
1/2-1 mi	Facility number:	13416518
3469	Facility name:	"HARRISON, ANITA"
Lower	Facility eval. code:	0203
	Facility office number:	02
	Facility county number:	01
	Facility type code:	810
	Facility status code:	03
	Address:	824 18TH STREET
	City:	OAKLAND
	State:	CA
	Zip:	94607
	Alt. address:	824 18TH STREET
	City:	OAKLAND
	State:	CA
	Zip:	94607
	Facility investor:	"HARRISON, ANITA"
	Licensee type:	A
	License effective date:	31006
	License expiration date:	Not Reported
	License issue date:	031006
	Program type:	USUAL & THE FOLLOWING: BACKYARD WILL BE USED FOR CHILDREN BETWEEN THE HOURS OF 11-11:30 A.M. & 3:30-3:55P.M.: CHILDREN MUST BE UNDER THE DIRECT VISUAL SUPERVISION BY THE LICENSEE & WILL NOT BE COMMINGLED WITH OTHER DAYCARE CHILDREN OF LICENSED PROVIDER RESIDING DOWNSTAIRS.
	Original app. received date:	020719
	Facility closed date:	Not Reported
	Mailing address:	824 18TH STREET
	Mailing city:	OAKLAND
	Mailing state:	CA
	Mailing zip:	94607
	Contact person:	"HARRISON, ANITA"
	Facility capacity:	8
	Type of clients served:	960
	Facility phone:	5108346524

Y94		SRHO20070010076
NE	Hospital type:	01
1/2-1 mi	Num of times COO:	00
3559	Owner date:	Not Reported
Lower	City:	OAKLAND
	Has plan of corr:	1
	Compliance status:	A
	SSA county code:	000
	Cross ref number:	Not Reported
	FMS survey date:	Not Reported
	Current survey date:	20060508

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Medicare/Medicaid: 1  
 Facility name: ST PAULS TOWERS  
 Intermediary/Carrier: 52280  
 Medicaid number: Not Reported  
 Participation date: 19721109  
 Prior COO date: Not Reported  
 Prior carrier: 00040  
 Provider ID: 055156  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Not Reported  
 state abbrev: CA  
 ssa state: 05  
 state region cd: BK  
 street address: 100 BAY PLACE  
 Phone num: 5108354700  
 Termination reason: 00  
 Term Date: Not Reported  
 Purpose of action: 2  
 Provider control: 05  
 Zip: 94610  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0043  
 Num cert beds: 0043  
 Source: US\_HOSPITAL\_POSOTHER  
 Edr id: SRHO20070010076

Y95  
 NE  
 1/2-1 mi  
 3559  
 Lower

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: ST PAULS TOWERS  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19930526  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0870857  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y

SRHO20070144687  
 AHA Hospitals

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 100 BAY PLACE  
 Phone num: 5108918524  
 Termination reason: 00  
 Term Date: 20080831  
 Purpose of action: Not Reported  
 Provider control: 01  
 Zip: 94610  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070144687

Y96

NE Provnum: 055156  
 1/2-1 mi Nursinghomename: ST PAULS TOWERS  
 3559 Street: 100 BAY PLACE  
 Lower City: OAKLAND  
 State: CA  
 Zipcode: 94610  
 Phonenumber: 5108354700  
 Dateoflastinspection: 20060427  
 Certifiednumberofbeds: 43  
 Totalnumberofresidents: 41  
 Percofoccupiedbeds: 95  
 Categorydescription: Participating in Medicare Only  
 Typeofownership: Non profit - Corporation  
 Locatedwithinahospital: NO  
 Multinursinghomeownership: YES  
 Residentandfamilycouncils: RESIDENT  
 Edr id: SRNH20060900537

SRNH20060900537  
 Nursing Homes

97

WNW EDR ID: SRDCCA200742476  
 1/2-1 mi Facility number: 13419213  
 3621 Facility name: "PHELON, JESSICA"  
 Lower Facility eval. code: 0203  
 Facility office number: 02  
 Facility county number: 01  
 Facility type code: 810  
 Facility status code: 03  
 Address: 1416 MARKET ST #B  
 City: OAKLAND  
 State: CA  
 Zip: 94607

SRDCCA200742476  
 Daycare

## MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

Alt. address: 1416 MARKET ST #B  
 City: OAKLAND  
 State: CA  
 Zip: 94607  
 Facility investor: "PHELON, JESSICA" "  
 Licensee type: A  
 License effective date: 70404  
 License expiration date: Not Reported  
 License issue date: 070404  
 Program type: "MAX. CAP: 6 - NO MORE THAN 3 INFANTS OR 4 INFANTS ONLY.  
 CAP 8 - NO MORE THAN 2 INFANTS, 1 CHILD IN KINDERGARTEN OR ELEMENTARY  
 SCHOOL AND 1 CHILD AT LEAST AGE 6. "  
 Original app. received date: 070313  
 Facility closed date: Not Reported  
 Mailing address: 1416 MARKET ST #B  
 Mailing city: OAKLAND  
 Mailing state: CA  
 Mailing zip: 94607  
 Contact person: "PHELON, JESSICA" "  
 Facility capacity: 8  
 Type of clients served: 960  
 Facility phone: 5108155414

98

SSW

1/2-1 mi

3637

Lower

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: A  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: 20050209  
 Medicare/Medicaid: 1  
 Facility name: FAMILY PLANNING SPECIALISTS MEDICAL GROUP, INC  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19920901  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0695915  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Not Reported  
 state abbrev: CA  
 ssa state: 05  
 state region cd: M2  
 street address: 200 WEBSTER ST,SUITE 100  
 Phone num: 5102683720  
 Termination reason: 00  
 Term Date: 20070808  
 Purpose of action: 2  
 Provider control: 04  
 Zip: 94607

SRHO20070138152

AHA Hospitals

# MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070138152

99			SRPU20071013355
NW	Ncessch:	062805004285	Public Schools
1/2-1 mi	Schname05:	LAFAYETTE ELEMENTARY	
3793	Mstreet05:	1700 MARKET ST.	
Lower	Mcity05:	OAKLAND	
	Mstate05:	CA	
	Mzip05:	94607	
	Mzip405:	3330	
	Member05:	359	
	Phone05:	(510) 879-1290	
	Locale05:	1	
	Type05:	1	
	Level05:	1	
	Gslo05:	KG	
	Gshi05:	05	
	Edr id:	SRPU20071013355	

100			SRDCCA200713882
West	EDR ID:	SRDCCA200713882	Daycare
1/2-1 mi	Facility number:	13414960	
3881	Facility name:	"HARRIS, JULIA	"
Lower	Facility eval. code:	0203	
	Facility office number:	02	
	Facility county number:	01	
	Facility type code:	810	
	Facility status code:	03	
	Address:	825 MARKET STREET	
	City:	OAKLAND	
	State:	CA	
	Zip:	94607	
	Alt. address:	825 MARKET STREET	
	City:	OAKLAND	
	State:	CA	
	Zip:	94607	
	Facility investor:	"HARRIS, JULIA	"
	Licensee type:	A	
	License effective date:	315	
	License expiration date:	Not Reported	
	License issue date:	000315	
	Program type:	"MAXIMUM CAPACITY: 12 CHILDREN, WITH NO MORE THAN 4 INFANTS, OR CAPACITY 14 CHILDREN WHEN 2 CHILDREN ARE AT LEAST 6 YEARS OF AGE WITH A MAXIMUM OF 3 INFANTS; PROPERTY OWNER/LANDLORD CONSENT IS REQUIRED "	

## MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

Original app. received date: 000207  
 Facility closed date: Not Reported  
 Mailing address: 825 MARKET STREET  
 Mailing city: OAKLAND  
 Mailing state: CA  
 Mailing zip: 94607  
 Contact person: "HARRIS, JULIA"  
 Facility capacity: 14  
 Type of clients served: 960  
 Facility phone: 5102389472

Z101  
 SSW  
 1/2-1 mi  
 3935  
 Lower

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: AM HEALTH  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19930325  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0865799  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Not Reported  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 384 EMBARCADERO WEST  
 Phone num: 5104659565  
 Termination reason: 15  
 Term Date: 19940831  
 Purpose of action: Not Reported  
 Provider control: 04  
 Zip: 94607  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070143181

SRHO20070143181  
 AHA Hospitals

## MAP FINDINGS

Map ID Direction Distance Distance (ft.) Elevation	Site	EDR ID Database
Z102 SSW 1/2-1 mi 3935 Lower	Hospital type: 01 Num of times COO: 00 Owner date: Not Reported City: OAKLAND Has plan of corr: Not Reported Compliance status: Not Reported SSA county code: 000 Cross ref number: Not Reported FMS survey date: Not Reported Current survey date: Not Reported Medicare/Medicaid: Not Reported Facility name: OCCUPATIONAL MED ASSOC/AMHEALTH Intermediary/Carrier: Not Reported Medicaid number: Not Reported Participation date: 19930325 Prior COO date: Not Reported Prior carrier: Not Reported Provider ID: 05D0865800 Record Status: A Region code: 09 Is Partial Record: Y state abbrev: CA ssa state: 05 state region cd: LAB street address: 384 EMBARCADERO WEST Phone num: 5104659565 Termination reason: 00 Term Date: 20080831 Purpose of action: Not Reported Provider control: 04 Zip: 94607 Fips state: 06 Fips cnty: 001 SSA MSA: 418 SSA MSA size code: B Date accredited: Not Reported Accred expire date: Not Reported Accred Org: Not Reported Num beds: 0000 Num cert beds: 0000 Source: US_HOSPITAL_POSCLIA Edr id: SRHO20070143311	SRHO20070143311 AHA Hospitals
103 WNW 1/2-1 mi 3986 Lower	Necessch: 062805007939 Schname05: WEST OAKLAND COMMUNITY CHARTER Mstreet05: 955 12TH ST. Mcity05: OAKLAND Mstate05: CA Mzip05: 94607 Mzip405: Not Reported Member05: 36 Phone05: (510) 465-9627 Locale05: 1	SRPU20071013396 Public Schools



# MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Type05: 1  
 Level05: 2  
 Gslo05: 06  
 Gshi05: 06  
 Edr id: SRPU20071013396

AA104		SRDCCA200751175
West	EDR ID:	SRDCCA200751175
1/2-1 mi	Facility number:	13415181
4012	Facility name:	O.U.S.D. - MARTIN LUTHER KING CHILD DEV. CENTER
Lower	Facility eval. code:	0203
	Facility office number:	02
	Facility county number:	01
	Facility type code:	850
	Facility status code:	03
	Address:	960-A TENTH STREET
	City:	OAKLAND
	State:	CA
	Zip:	94607
	Alt. address:	960-A TENTH STREET
	City:	OAKLAND
	State:	CA
	Zip:	94607
	Facility investor:	OAKLAND UNIFIED SCHOOL DISTRICT
	Licensee type:	F
	License effective date:	518
	License expiration date:	Not Reported
	License issue date:	000518
	Program type:	"AGES 2 YEARS TO FIRST GRADE ENTRY. HOURS OF OPERATION: 7:00P.M. - 6:00P.M., MONDAY - FRIDAY, CAPACITY 75 IN PORTABLE BUILDING WITH 3 CLASSROOMS. "
	Original app. received date:	000515
	Facility closed date:	Not Reported
	Mailing address:	495 JONES AVENUE
	Mailing city:	OAKLAND
	Mailing state:	CA
	Mailing zip:	94603
	Contact person:	SLOCUM(AM)/HAIRSTON(PM)
	Facility capacity:	75
	Type of clients served:	950
	Facility phone:	5108790822

AA105		SRPU20071013364
West	Ncessch:	062805004297
1/2-1 mi	Schname05:	MARTIN LUTHER KING JR. ELEMENTARY
4012	Mstreet05:	960 TENTH ST.
Lower	Mcity05:	OAKLAND
	Mstate05:	CA
	Mzip05:	94607
	Mzip405:	3106
	Member05:	379
	Phone05:	(510) 879-1820
	Locale05:	1

## MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Elevation	Site	EDR ID	Database
					Type05: 1 Level05: 1 Gsl05: KG Gshi05: 05 Edr id: SRPU20071013364		
106	WNW	1/2-1 mi	4035	Lower	EDR ID: SRDCCA200702911 Facility number: 10209023 Facility name: "YOUNG, ALYCIA AND CHEATEM, EVELYN" Facility eval. code: 0203 Facility office number: 02 Facility county number: 01 Facility type code: 810 Facility status code: 03 Address: 1515 MYRTLE STREET City: OAKLAND State: CA Zip: 94607 Alt. address: 1515 MYRTLE STREET City: OAKLAND State: CA Zip: 94607 Facility investor: "YOUNG, ALYCIA AND CHEATEM, EVELYN" Licensee type: A License effective date: 940326 License expiration date: Not Reported License issue date: Not Reported Program type: "MAXIMUM CAPACITY: 12 CHILDREN, INCLUDING LICENSEE'S CHILDREN UNDER 10 YEARS OF AGE WHO RESIDE IN THE HOME, WITH NO MORE THAN 4 INFANTS. (INFANT MEANS A CHILD UNDER 2 YEARS OLD)." Original app. received date: 841102 Facility closed date: Not Reported Mailing address: 1515 MYRTLE STREET Mailing city: OAKLAND Mailing state: CA Mailing zip: 94607 Contact person: "YOUNG, ALYCIA & CHEATEM, E" Facility capacity: 12 Type of clients served: 950 Facility phone: 5108347465	SRDCCA200702911	Daycare
AB107	North	1/2-1 mi	4041	Higher	Hospital type: 01 Num of times COO: 00 Owner date: Not Reported City: OAKLAND Has plan of corr: Not Reported Compliance status: Not Reported SSA county code: 000 Cross ref number: Not Reported FMS survey date: Not Reported Current survey date: Not Reported	SRHO20070154357	AHA Hospitals

## MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

Medicare/Medicaid: Not Reported  
 Facility name: OAKLAND PERITONEAL DIALYSIS CENTER  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19980407  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0944000  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 2633 TELEGRAPH AVE, SUITE 115  
 Phone num: 5102670203  
 Termination reason: 00  
 Term Date: 20080406  
 Purpose of action: Not Reported  
 Provider control: 04  
 Zip: 94612  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070154357

AB108  
 North  
 1/2-1 mi  
 4041  
 Higher

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: A  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: 19980310  
 Medicare/Medicaid: 1  
 Facility name: OAKLAND PERITONEAL DIALYSIS CENTER  
 Intermediary/Carrier: 00040  
 Medicaid number: Not Reported  
 Participation date: 19980310  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 052822  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Not Reported

SRHO20070008233  
 AHA Hospitals

# MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

state abbrev: CA  
 ssa state: 05  
 state region cd: BK  
 street address: 2633 TELEGRAPH AVENUE, SUITE 115  
 Phone num: 5102670819  
 Termination reason: 00  
 Term Date: Not Reported  
 Purpose of action: 1  
 Provider control: 01  
 Zip: 94609  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSOTHER  
 Edr id: SRHO20070008233

109			SRDCCA200730970
NW	EDR ID:	SRDCCA200730970	Daycare
1/2-1 mi	Facility number:	13418459	
4162	Facility name:	"COLE, CAROL F	"
Lower	Facility eval. code:	0203	
	Facility office number:	02	
	Facility county number:	01	
	Facility type code:	810	
	Facility status code:	03	
	Address:	1724 MYRTLE ST	
	City:	OAKLAND	
	State:	CA	
	Zip:	94607	
	Alt. address:	1724 MYRTLE ST	
	City:	OAKLAND	
	State:	CA	
	Zip:	94607	
	Facility investor:	"COLE, CAROL F	"
	Licensee type:	A	
	License effective date:	51014	
	License expiration date:	Not Reported	
	License issue date:	051014	
	Program type:	"MAX. CAP: 6 - NO MORE THAN 3 INFANTS OR 4 INFANTS ONLY. CAP 8 - NO MORE THAN 2 INFANTS, 1 CHILD IN KINDERGARTEN OR ELEMENTARY SCHOOL AND 1 CHILD AT LEAST AGE 6.	"
	Original app. received date:	050901	
	Facility closed date:	Not Reported	
	Mailing address:	1724 MYRTLE ST	
	Mailing city:	OAKLAND	
	Mailing state:	CA	
	Mailing zip:	94607	
	Contact person:	"COLE, CAROL F	"
	Facility capacity:	8	

## MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Elevation	Site	EDR ID	Database
			Type of clients served:		960		
			Facility phone:		5102683916		
110	NE	1/2-1 mi	4210	Higher	EDR ID: SRDCCA200740606 Facility number: 13419111 Facility name: "BAGAGA, NIAMA" Facility eval. code: 0203 Facility office number: 02 Facility county number: 01 Facility type code: 810 Facility status code: 03 Address: 296 LENOX AVE #4 City: OAKLAND State: CA Zip: 94610 Alt. address: 296 LENOX AVE #4 City: OAKLAND State: CA Zip: 94610 Facility investor: "BAGAGA, NIAMA" Licensee type: A License effective date: 61212 License expiration date: Not Reported License issue date: 061212 Program type: "MAX. CAP: 6 - NO MORE THAN 3 INFANTS OR 4 INFANTS ONLY. CAP 8 - NO MORE THAN 2 INFANTS, 1 CHILD IN KINDERGARTEN OR ELEMENTARY SCHOOL AND 1 CHILD AT LEAST AGE 6." Original app. received date: 061120 Facility closed date: Not Reported Mailing address: 296 LENOX AVE #4 Mailing city: OAKLAND Mailing state: CA Mailing zip: 94610 Contact person: "BAGAGA, NIAMA" Facility capacity: 8 Type of clients served: 960 Facility phone: 5108270338	SRDCCA200740606	Daycare
AC111	WNW	1/2-1 mi	4212	Lower	Ncessch: 062805004292 Scname05: LOWELL MIDDLE Mstreet05: 991 14TH ST. Mcity05: OAKLAND Mstate05: CA Mzip05: 94607 Mzip405: 3230 Member05: 85 Phone05: (510) 879-2090 Locale05: 1 Type05: 1 Level05: 4 Gslo05: 08 Gshi05: 08	SRPU20071013361	Public Schools

## MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Elevation	Site	EDR ID	Database
						Edr id:	SRPU20071013361
AC112	WNW	1/2-1 mi	4212	Lower	Ncessch: Scname05: Mstreet05: Mcity05: Mstate05: Mzip05: Mzip405: Member05: Phone05: Locale05: Type05: Level05: Gsl05: Gshi05: Edr id:	062805010464 KIPP BRIDGE COLLEGE PREPARATORY 991 14TH ST. OAKLAND CA 94607 Not Reported 221 (510) 879-2421 1 1 2 05 08 SRPU20071013412	SRPU20071013412 Public Schools
113	SE	1/2-1 mi	4226	Lower	Ncessch: Scname05: Mstreet05: Mcity05: Mstate05: Mzip05: Mzip405: Member05: Phone05: Locale05: Type05: Level05: Gsl05: Gshi05: Edr id:	060008810734 OAKLAND/ALAMEDA ROP 1025 2ND AVE., P-14 OAKLAND CA 94606 Not Reported -1 (510) 337-7093 1 3 3 09 12 SRPU20071005757	SRPU20071005757 Public Schools
114	West	1/2-1 mi	4245	Lower	EDR ID: Facility number: Facility name: Facility eval. code: Facility office number: Facility county number: Facility type code: Facility status code: Address: City: State: Zip: Alt. address: City: State: Zip:	SRDCCA200740508 13419153 "MOM, SOEUN" 0203 02 01 810 03 956 7TH ST OAKLAND CA 94607 956 7TH ST OAKLAND CA 94607	SRDCCA200740508 Daycare

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Facility investor: "MOM, SOEUN"  
 Licensee type: A  
 License effective date: 70306  
 License expiration date: Not Reported  
 License issue date: 070306  
 Program type: "MAX. CAP: 6 - NO MORE THAN 3 INFANTS OR 4 INFANTS ONLY.  
 CAP 8 - NO MORE THAN 2 INFANTS, 1 CHILD IN KINDERGARTEN OR ELEMENTARY  
 SCHOOL AND 1 CHILD AT LEAST AGE 6."  
 Original app. received date: 070112  
 Facility closed date: Not Reported  
 Mailing address: 956 7TH ST  
 Mailing city: OAKLAND  
 Mailing state: CA  
 Mailing zip: 94607  
 Contact person: "MOM, SOEUN"  
 Facility capacity: 8  
 Type of clients served: 960  
 Facility phone: 5104851889

115 SE Ncessch: 062805004255 SRPU20071012628  
 1/2-1 mi Schname05: DEWEY ACADEMY SENIOR HIGH Public Schools  
 4259 Mstreet05: 1111 2ND AVE.  
 Lower Mcity05: OAKLAND  
 Mstate05: CA  
 Mzip05: 94606  
 Mzip405: Not Reported  
 Member05: 280  
 Phone05: (510) 879-3100  
 Locale05: 1  
 Type05: 4  
 Level05: 3  
 Gslo05: 09  
 Gshi05: 12  
 Edr id: SRPU20071012628

AD116 North Hospital type: 01 SRHO20070152805  
 1/2-1 mi Num of times COO: 00 AHA Hospitals  
 4265 Owner date: Not Reported  
 Higher City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: HEART MEDICINE AND CHEST PAIN CLINIC  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 20010801  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported

## MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

Provider ID: 05D0989656  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 471 27TH STREET STE A  
 Phone num: 5104657382  
 Termination reason: 00  
 Term Date: 20070731  
 Purpose of action: Not Reported  
 Provider control: 04  
 Zip: 94612  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070152805

117  
 ESE  
 1/2-1 mi  
 4267  
 Lower

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: PHUONG DUC DANG  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19950707  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0690579  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 145 INTERNATIONAL BLVD  
 Phone num: 5104654422  
 Termination reason: 00  
 Term Date: 20080531

SRHO20070138805  
 AHA Hospitals



## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Purpose of action: Not Reported  
 Provider control: 04  
 Zip: 94606  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070138805

118		SRHO20070148199
NNE	Hospital type: 01	AHA Hospitals
1/2-1 mi	Num of times COO: 00	
4285	Owner date: Not Reported	
Lower	City: OAKLAND	
	Has plan of corr: Not Reported	
	Compliance status: Not Reported	
	SSA county code: 000	
	Cross ref number: Not Reported	
	FMS survey date: Not Reported	
	Current survey date: Not Reported	
	Medicare/Medicaid: Not Reported	
	Facility name: GEORGE M MARTINEZ, MD, INC	
	Intermediary/Carrier: Not Reported	
	Medicaid number: Not Reported	
	Participation date: 19960909	
	Prior COO date: Not Reported	
	Prior carrier: Not Reported	
	Provider ID: 05D0919413	
	Record Status: A	
	Region code: 09	
	Is Partial Record: Y	
	state abbrev: CA	
	ssa state: 05	
	state region cd: LAB	
	street address: 314 27TH STREET	
	Phone num: 5107633005	
	Termination reason: 08	
	Term Date: 19960909	
	Purpose of action: Not Reported	
	Provider control: 04	
	Zip: 94612	
	Fips state: 06	
	Fips cnty: 001	
	SSA MSA: 418	
	SSA MSA size code: B	
	Date accredited: Not Reported	
	Accred expire date: Not Reported	
	Accred Org: Not Reported	
	Num beds: 0000	

# MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070148199

AD119		SRHO20070136111
North	Hospital type: 01	AHA Hospitals
1/2-1 mi	Num of times COO: 00	
4311	Owner date: Not Reported	
Higher	City: OAKLAND	
	Has plan of corr: 1	
	Compliance status: A	
	SSA county code: 000	
	Cross ref number: Not Reported	
	FMS survey date: Not Reported	
	Current survey date: 19960429	
	Medicare/Medicaid: 1	
	Facility name: CENTRAL HEALTH CENTER ALAMEDA CO HCS	
	Intermediary/Carrier: Not Reported	
	Medicaid number: Not Reported	
	Participation date: 19920901	
	Prior COO date: Not Reported	
	Prior carrier: Not Reported	
	Provider ID: 05D0643844	
	Record Status: A	
	Region code: 09	
	Is Partial Record: Y	
	state abbrev: CA	
	ssa state: 05	
	state region cd: M2	
	street address: 470 27TH STREET	
	Phone num: 5102714272	
	Termination reason: 08	
	Term Date: 20050109	
	Purpose of action: 2	
	Provider control: 06	
	Zip: 94612	
	Fips state: 06	
	Fips cnty: 001	
	SSA MSA: 418	
	SSA MSA size code: B	
	Date accredited: Not Reported	
	Accred expire date: Not Reported	
	Accred Org: Not Reported	
	Num beds: 0000	
	Num cert beds: 0000	
	Source: US_HOSPITAL_POSCLIA	
	Edr id: SRHO20070136111	

120		SRDCCA200710469
NNW	EDR ID: SRDCCA200710469	Daycare
1/2-1 mi	Facility number: 13412576	
4334	Facility name: "HUDSON, PATRICIA	"
Lower	Facility eval. code: 0203	
	Facility office number: 02	

# MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Facility county number: 01  
 Facility type code: 810  
 Facility status code: 03  
 Address: 880 ISABELLA ST.  
 City: OAKLAND  
 State: CA  
 Zip: 94607  
 Alt. address: 880 ISABELLA ST.  
 City: OAKLAND  
 State: CA  
 Zip: 94607  
 Facility investor: "HUDSON, PATRICIA"  
 Licensee type: A  
 License effective date: 971217  
 License expiration date: Not Reported  
 License issue date: 971217  
 Program type: "MAXIMUM CAPACITY: 6 CHILDREN WITH NO MORE THAN 3 INFANTS, OR 4  
 INFANTSONLY, OR CAPACITY 8 CHILDREN WHEN 2 ARE AT LEAST 6 YEARS OF AGE  
 WITH AMAXIMUM OF 2 INFANTS; PROPERTY OWNER/LANDLORD CONSENT IS REQUIRED  
 "  
 Original app. received date: 971031  
 Facility closed date: Not Reported  
 Mailing address: 880 ISABELLA ST.  
 Mailing city: OAKLAND  
 Mailing state: CA  
 Mailing zip: 94607  
 Contact person: "HUDSON, PATRICIA"  
 Facility capacity: 8  
 Type of clients served: 960  
 Facility phone: 5108395032

AE121  
 North  
 1/2-1 mi  
 4364  
 Higher

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: RAI CARE CENTERS OF NORTHERN CALIFORNIA II, LLC  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19930119  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0718196  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05

SRHO20070141418  
 AHA Hospitals

## MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

state region cd: M2  
street address: 2710 TELEGRAPH AVENUE, SUITE #200  
Phone num: 5104281188  
Termination reason: 00  
Term Date: 20080831  
Purpose of action: Not Reported  
Provider control: 04  
Zip: 94612  
Fips state: 06  
Fips cnty: 001  
SSA MSA: 418  
SSA MSA size code: B  
Date accredited: Not Reported  
Accred expire date: Not Reported  
Accred Org: Not Reported  
Num beds: 0000  
Num cert beds: 0000  
Source: US\_HOSPITAL\_POSCLIA  
Edr id: SRHO20070141418

AE122  
North  
1/2-1 mi  
4364  
Higher

Hospital type: 01  
Num of times COO: 02  
Owner date: 20051001  
City: OAKLAND  
Has plan of corr: Not Reported  
Compliance status: A  
SSA county code: 000  
Cross ref number: Not Reported  
FMS survey date: Not Reported  
Current survey date: 20040326  
Medicare/Medicaid: 1  
Facility name: RAI - 2710 TELEGRAPH - OAKLAND  
Intermediary/Carrier: 00454  
Medicaid number: Not Reported  
Participation date: 19850114  
Prior COO date: 19960801  
Prior carrier: 00542  
Provider ID: 052610  
Record Status: A  
Region code: 09  
Is Partial Record: Not Reported  
state abbrev: CA  
ssa state: 05  
state region cd: BK  
street address: 2710 TELEGRAPH AVENUE  
Phone num: 4158348494  
Termination reason: 00  
Term Date: Not Reported  
Purpose of action: 2  
Provider control: 01  
Zip: 94609  
Fips state: 06  
Fips cnty: 001  
SSA MSA: 418

SRHO20070008381  
AHA Hospitals

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSOTHER  
 Edr id: SRHO20070008381

123		SRHO20070151600
North	Hospital type: 01	AHA Hospitals
1/2-1 mi	Num of times COO: 00	
4381	Owner date: Not Reported	
Higher	City: OAKLAND	
	Has plan of corr: Not Reported	
	Compliance status: Not Reported	
	SSA county code: 000	
	Cross ref number: Not Reported	
	FMS survey date: Not Reported	
	Current survey date: Not Reported	
	Medicare/Medicaid: Not Reported	
	Facility name: DIANA SYLVESTRE MD	
	Intermediary/Carrier: Not Reported	
	Medicaid number: Not Reported	
	Participation date: 19990218	
	Prior COO date: Not Reported	
	Prior carrier: Not Reported	
	Provider ID: 05D0957305	
	Record Status: A	
	Region code: 09	
	Is Partial Record: Y	
	state abbrev: CA	
	ssa state: 05	
	state region cd: M2	
	street address: 520 27TH STREET	
	Phone num: 5108345442	
	Termination reason: 00	
	Term Date: 20070217	
	Purpose of action: Not Reported	
	Provider control: 04	
	Zip: 94612	
	Fips state: 06	
	Fips cnty: 001	
	SSA MSA: 418	
	SSA MSA size code: B	
	Date accredited: Not Reported	
	Accred expire date: Not Reported	
	Accred Org: Not Reported	
	Num beds: 0000	
	Num cert beds: 0000	
	Source: US_HOSPITAL_POSCLIA	
	Edr id: SRHO20070151600	

## MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Elevation	Site	EDR ID Database
124	WNW	1/2-1 mi	4402	Lower	EDR ID: SRDCCA200700265 Facility number: 15600316 Facility name: FILBERT HOUSE Facility eval. code: 1507 Facility office number: 14 Facility county number: 01 Facility type code: 730 Facility status code: 03 Address: 1625 FILBERT City: OAKLAND State: CA Zip: 94607 Alt. address: 1624 GRAFF COURT City: SAN LEANDRO State: CA Zip: 94577 Facility investor: GREATER NEW BEGINNINGS Licensee type: C License effective date: 981027 License expiration date: Not Reported License issue date: 981027 Program type: AGE RANGE 6 THROUGH 17 YEARS. AMBULATORY ONLY. Original app. received date: 980720 Facility closed date: Not Reported Mailing address: 1624 GRAFF COURT Mailing city: SAN LEANDRO Mailing state: CA Mailing zip: 94577 Contact person: "PORTER, KENNETH" Facility capacity: 12 Type of clients served: 950 Facility phone: 9255600961	SRDCCA200700265 Daycare
125	NE	1/2-1 mi	4520	Higher	Ncessch: 062805004323 Scname05: WESTLAKE MIDDLE Mstreet05: 2629 HARRISON ST. Mcity05: OAKLAND Mstate05: CA Mzip05: 94612 Mzip405: 3813 Member05: 705 Phone05: (510) 879-2130 Locale05: 1 Type05: 1 Level05: 2 Gslo05: 06 Gshi05: 08 Edr id: SRPU20071013388	SRPU20071013388 Public Schools
AF126	NNE	1/2-1 mi	4523	Higher	Hospital type: 01 Num of times COO: 00	SRHO20070133121 AHA Hospitals

# MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: DELBERT F WICHELMAN MD  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19921221  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0602067  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Not Reported  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 425 28TH  
 Phone num: 5104513700  
 Termination reason: 01  
 Term Date: 19940801  
 Purpose of action: Not Reported  
 Provider control: 04  
 Zip: 94609  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070133121

AF127  
 NNE  
 1/2-1 mi  
 4523  
 Higher

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: JOSEPH ROSS MD  
 Intermediary/Carrier: Not Reported

SRHO20070133273  
 AHA Hospitals

## MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

Medicaid number: Not Reported  
 Participation date: 19930114  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0602183  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 425 28TH  
 Phone num: 5108395730  
 Termination reason: 01  
 Term Date: 19970701  
 Purpose of action: Not Reported  
 Provider control: 02  
 Zip: 94609  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070133273

AE128  
 North  
 1/2-1 mi  
 4524  
 Higher

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: 1  
 Compliance status: A  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: 19851203  
 Medicare/Medicaid: 1  
 Facility name: EASTER SEAL SOCIETY OF ALAMEDA COUNTY  
 Intermediary/Carrier: 00040  
 Medicaid number: Not Reported  
 Participation date: 19740101  
 Prior COO date: Not Reported  
 Prior carrier: 00041  
 Provider ID: 056505  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Not Reported  
 state abbrev: CA  
 ssa state: 05  
 state region cd: BK

SRHO20070010579  
 AHA Hospitals



## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

street address: 2757 TELEGRAPH AVENUE  
 Phone num: 8055435145  
 Termination reason: 05  
 Term Date: 19861001  
 Purpose of action: 2  
 Provider control: 01  
 Zip: 94612  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSOTHER  
 Edr id: SRHO20070010579

AE129

North  
 1/2-1 mi  
 4524  
 Higher

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: RAI CARE CENTERS OF NORTHERN CALIFORNIA II, LLC  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19930120  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0718174  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: M2  
 street address: 2757 TELEGRAPH AVENUE  
 Phone num: 5108350154  
 Termination reason: 00  
 Term Date: 20080831  
 Purpose of action: Not Reported  
 Provider control: 04  
 Zip: 94612  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B

SRHO20070141403  
 AHA Hospitals

## MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070141403

AE130

North  
 1/2-1 mi  
 4524  
 Higher

Hospital type: 01  
 Num of times COO: 02  
 Owner date: 20051001  
 City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: A  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: 20031010  
 Medicare/Medicaid: 1  
 Facility name: RAI-2757 TELEGRAPH-OAKLAND  
 Intermediary/Carrier: 00454  
 Medicaid number: Not Reported  
 Participation date: 19920212  
 Prior COO date: 19960801  
 Prior carrier: 00040  
 Provider ID: 052721  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Not Reported  
 state abbrev: CA  
 ssa state: 05  
 state region cd: BK  
 street address: 2757 TELEGRAPH AVENUE  
 Phone num: 5108350154  
 Termination reason: 00  
 Term Date: Not Reported  
 Purpose of action: 2  
 Provider control: 01  
 Zip: 94612  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSOTHER  
 Edr id: SRHO20070008361

SRHO20070008361  
 AHA Hospitals

## MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Elevation	Site	EDR ID Database
AE131	North	1/2-1 mi	4524	Higher	Hospital type: 01 Num of times COO: 00 Owner date: Not Reported City: OAKLAND Has plan of corr: 1 Compliance status: A SSA county code: 000 Cross ref number: Not Reported FMS survey date: Not Reported Current survey date: 19880726 Medicare/Medicaid: 1 Facility name: EASTER SEAL SOCIETY OF ALAMEDA CO Intermediary/Carrier: 00040 Medicaid number: Not Reported Participation date: 19861001 Prior COO date: Not Reported Prior carrier: Not Reported Provider ID: 054508 Record Status: A Region code: 09 Is Partial Record: Not Reported state abbrev: CA ssa state: 05 state region cd: BK street address: 2757 TELEGRAPH AVE Phone num: 5108352131 Termination reason: 00 Term Date: Not Reported Purpose of action: 2 Provider control: 03 Zip: 94612 Fips state: 06 Fips cnty: 001 SSA MSA: 418 SSA MSA size code: B Date accredited: Not Reported Accred expire date: Not Reported Accred Org: Not Reported Num beds: 0000 Num cert beds: 0000 Source: US_HOSPITAL_POSOTHER Edr id: SRHO20070008412	SRHO20070008412 AHA Hospitals
AG132	North	1/2-1 mi	4527	Higher	Hospital type: 01 Num of times COO: 00 Owner date: Not Reported City: OAKLAND Has plan of corr: Not Reported Compliance status: Not Reported SSA county code: 000 Cross ref number: Not Reported FMS survey date: Not Reported Current survey date: Not Reported	SRHO20070149019 AHA Hospitals

## MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

Medicare/Medicaid: Not Reported  
 Facility name: DOWLING CONVALESCENT HOSPITAL  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19951115  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0908829  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 451-28TH STREET  
 Phone num: 5108934066  
 Termination reason: 08  
 Term Date: 19991114  
 Purpose of action: Not Reported  
 Provider control: 10  
 Zip: 94609  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070149019

AG133  
 North  
 1/2-1 mi  
 4527  
 Higher

Hospital type: 02  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: B  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: 20000825  
 Medicare/Medicaid: 2  
 Facility name: DOWLING CONV HOSP  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19740401  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05A072  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Not Reported

SRHO20070005027  
 AHA Hospitals

## MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

state abbrev: CA  
 ssa state: 05  
 state region cd: BK  
 street address: 451 28TH ST  
 Phone num: 5108934066  
 Termination reason: 06  
 Term Date: 20000916  
 Purpose of action: 3  
 Provider control: 03  
 Zip: 94609  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0030  
 Num cert beds: 0030  
 Source: US\_HOSPITAL\_POSOTHER  
 Edr id: SRHO20070005027

AF134

NNE

1/2-1 mi

4533

Higher

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: OAKLAND MEDICAL GROUP INC  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19930611  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0602385  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 424 28TH  
 Phone num: 5104524824  
 Termination reason: 00  
 Term Date: 20071222  
 Purpose of action: Not Reported  
 Provider control: 04  
 Zip: 94609  
 Fips state: 06

SRHO20070133668

AHA Hospitals

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070133668

AH135

SRHO20070152663  
 AHA Hospitals

NNE Hospital type: 01  
 1/2-1 mi Num of times COO: 00  
 4546 Owner date: Not Reported  
 Higher City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: ROBERT C SCOTT MD  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 20010316  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0984246  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 368-28TH STREET  
 Phone num: 5108355000  
 Termination reason: 00  
 Term Date: 20070315  
 Purpose of action: Not Reported  
 Provider control: 04  
 Zip: 94609  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070152663

## MAP FINDINGS

Map ID Direction Distance Distance (ft.) Elevation	Site	EDR ID Database
AH136 NNE 1/2-1 mi 4546 Higher	Hospital type: 01 Num of times COO: 00 Owner date: Not Reported City: OAKLAND Has plan of corr: Not Reported Compliance status: Not Reported SSA county code: 000 Cross ref number: Not Reported FMS survey date: Not Reported Current survey date: Not Reported Medicare/Medicaid: Not Reported Facility name: ALTA BATES MEDICAL GROUP Intermediary/Carrier: Not Reported Medicaid number: Not Reported Participation date: 19930707 Prior COO date: Not Reported Prior carrier: Not Reported Provider ID: 05D0872825 Record Status: A Region code: 09 Is Partial Record: Not Reported state abbrev: CA ssa state: 05 state region cd: LAB street address: 368 28TH ST Phone num: 5108341950 Termination reason: 01 Term Date: 19941001 Purpose of action: Not Reported Provider control: 04 Zip: 94609 Fips state: 06 Fips cnty: 001 SSA MSA: 418 SSA MSA size code: B Date accredited: Not Reported Accred expire date: Not Reported Accred Org: Not Reported Num beds: 0000 Num cert beds: 0000 Source: US_HOSPITAL_POSCLIA Edr id: SRHO20070146929	SRHO20070146929 AHA Hospitals
AH137 NNE 1/2-1 mi 4584 Higher	EDR ID: SRDCCA200749753 Facility number: 10214770 Facility name: TEMPLE SINAI PRESCHOOL Facility eval. code: AU03 Facility office number: 02 Facility county number: 01 Facility type code: 850 Facility status code: 06 Address: 2808 SUMMIT STREET City: OAKLAND	SRDCCA200749753 Daycare

# MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

State: CA  
 Zip: 94609  
 Alt. address: 2808 SUMMIT STREET  
 City: OAKLAND  
 State: CA  
 Zip: 94609  
 Facility investor: FIRST HEBREW CONGREGATION OF OAKLAND  
 Licensee type: C  
 License effective date: 950916  
 License expiration date: Not Reported  
 License issue date: 920916  
 Program type: "AGES 2 YEARS TO FIRST GRADE ENTRY. OPERATING IN ROOMS 1 THROUGH 6, 8, 8A, 10 & 11, MON-FRI, 8AM TO 3:30PM. CAPACITY WILL REDUCE TO 63 WHEN ROOMS 10 & 11 (MULTI PURPOSE ROOM) ARE NOT IN USE. LICENSE SUBJECT TO "ONE WAIVER TO BE POSTED.  
 Original app. received date: 920609  
 Facility closed date: Not Reported  
 Mailing address: 2808 SUMMIT STREET  
 Mailing city: OAKLAND  
 Mailing state: CA  
 Mailing zip: 94609  
 Contact person: MELANIE SANDBERG  
 Facility capacity: 89  
 Type of clients served: 950  
 Facility phone: 5104512821

138 SE 1/2-1 mi 4603 Lower	Ncessch: Schname05: Mstreet05: Mcity05: Mstate05: Mzip05: Mzip405: Member05: Phone05: Locale05: Type05: Level05: Gslo05: Gshi05: Edr id:	062805004284 LA ESCUELITA ELEMENTARY 1100 THIRD AVE. OAKLAND CA 94606 2227 239 (510) 879-1210 1 1 1 KG 05 SRPU20071013354	SRPU20071013354 Public Schools
--	--	---	-----------------------------------

139 NW 1/2-1 mi 4622 Lower	EDR ID: Facility number: Facility name: Facility eval. code: Facility office number: Facility county number: Facility type code: Facility status code: Address: City:	SRDCCA200732096 13418409 "ROUSSELL, BARBARA J 0203 02 01 810 03 2107 MYRTLE ST OAKLAND	SRDCCA200732096 Daycare
--	--	---	----------------------------



## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

State: CA  
 Zip: 94607  
 Alt. address: 2107 MYRTLE ST  
 City: OAKLAND  
 State: CA  
 Zip: 94607  
 Facility investor: "ROUSSELL, BARBARA J" "  
 Licensee type: A  
 License effective date: 60317  
 License expiration date: Not Reported  
 License issue date: 060317  
 Program type: "MAX. CAP: 6 - NO MORE THAN 3 INFANTS OR 4 INFANTS ONLY.  
 CAP 8 - NO MORE THAN 2 INFANTS, 1 CHILD IN KINDERGARTEN OR ELEMENTARY  
 SCHOOL AND 1 CHILD AT LEAST AGE 6. "  
 Original app. received date: 050729  
 Facility closed date: Not Reported  
 Mailing address: 2107 MYRTLE ST  
 Mailing city: OAKLAND  
 Mailing state: CA  
 Mailing zip: 94607  
 Contact person: "ROUSSELL, BARBARA J" "  
 Facility capacity: 8  
 Type of clients served: 960  
 Facility phone: 5108321823

140 SE EDR ID: SRDCCA200705506 SRDCCA200705506  
 1/2-1 mi Facility number: 10216609 Daycare  
 4638 Facility name: "DUNSON, TOSHA" "  
 Lower Facility eval. code: 0304  
 Facility office number: 02  
 Facility county number: 01  
 Facility type code: 810  
 Facility status code: 03  
 Address: 1175 - 3RD AVENUE  
 City: OAKLAND  
 State: CA  
 Zip: 94606  
 Alt. address: 1175 - 3RD AVENUE  
 City: OAKLAND  
 State: CA  
 Zip: 94606  
 Facility investor: "DUNSON, TOSHA" "  
 Licensee type: A  
 License effective date: 950307  
 License expiration date: Not Reported  
 License issue date: 950307  
 Program type: "MAXIMUM CAPACITY: 6 CHILDREN, INCLUDING LICENSEE'S CHILDREN UNDER 10  
 YEARS OF AGE WHO RESIDE IN THE HOME, WITH NO MORE THAN 3 INFANTS OR 4  
 INFANTS ONLY (INFANT MEANS A CHILD UNDER 2 YEARS OLD). "  
 Original app. received date: 950109  
 Facility closed date: Not Reported  
 Mailing address: 1175 - 3RD AVENUE  
 Mailing city: OAKLAND  
 Mailing state: CA

# MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Mailing zip: 94606  
 Contact person: "DUNSON, TOSHA"  
 Facility capacity: 6  
 Type of clients served: 960  
 Facility phone: 5108366131

AI141 SE EDR ID: SRDCCA200744937 SRDCCA200744937  
 1/2-1 mi Facility number: 10206033 Daycare  
 4641 Facility name: OUSD - CENTRO INFANTIL DE LA RAZA ANNEX  
 Lower Facility eval. code: 0304

Facility office number: 02  
 Facility county number: 01  
 Facility type code: 850  
 Facility status code: 03  
 Address: 314 EAST 10TH STREET  
 City: OAKLAND  
 State: CA  
 Zip: 94606  
 Alt. address: 495 JONES AVE  
 City: OAKLAND  
 State: CA  
 Zip: 94603  
 Facility investor: OAKLAND UNIFIED SCHOOL DISTRICT  
 Licensee type: F  
 License effective date: 940405  
 License expiration date: Not Reported  
 License issue date: Not Reported  
 Program type: "AGES 2 YEARS TO FIRST GRADE ENTRY.HOURS: MONDAY-FRIDAY, 7AM TO 6PM OPERATING IN ONE ROOM OF THE PORTABLE AND THE MAIN BUILDING. LICENSE SUBJECT TO A WAIVER TO BE POSTED."  
 "

Original app. received date: 831020  
 Facility closed date: Not Reported  
 Mailing address: 1025 2ND AVENUE - ROOM 320  
 Mailing city: OAKLAND  
 Mailing state: CA  
 Mailing zip: 94606  
 Contact person: "ROTHWELL, MARY"  
 Facility capacity: 72  
 Type of clients served: 950  
 Facility phone: 5108790818

AI142 SE EDR ID: SRDCCA200750073 SRDCCA200750073  
 1/2-1 mi Facility number: 10206138 Daycare  
 4641 Facility name: OUSD - YUK YAU ANNEX  
 Lower Facility eval. code: 0304

Facility office number: 02  
 Facility county number: 01  
 Facility type code: 850  
 Facility status code: 03  
 Address: 314 EAST 10TH STREET  
 City: OAKLAND

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

State: CA  
 Zip: 94606  
 Alt. address: 495 JONES AVE  
 City: OAKLAND  
 State: CA  
 Zip: 94603  
 Facility investor: OAKLAND UNIFIED SCHOOL DISTRICT DEPT. OF CHILD DEV  
 Licensee type: F  
 License effective date: 940405  
 License expiration date: Not Reported  
 License issue date: Not Reported  
 Program type: "AGES 2 YEARS TO FIRST GRADE ENTRY. OPERATING IN 3 ROOMS AND THE MULTI-PURPOSE ROOM. HOURS OF OPERATION: MONDAY-FRIDAY, 7:30AM TO 6:00PM.  
 "

Original app. received date: 840208  
 Facility closed date: Not Reported  
 Mailing address: 1025 SECOND AVENUE - ROOM 320  
 Mailing city: OAKLAND  
 Mailing state: CA  
 Mailing zip: 94606  
 Contact person: "CHEN, ALISON"  
 Facility capacity: 79  
 Type of clients served: 950  
 Facility phone: 5108324388

AI143 SE 1/2-1 mi 4641 Lower	Ncessch: Schname05: Mstreet05: Mcity05: Mstate05: Mzip05: Mzip405: Member05: Phone05: Locale05: Type05: Level05: Gslo05: Gshi05: Edr id:	062805011350 METWEST HIGH 314 EAST 10TH STREET, HUERTA H OAKLAND CA 94606 Not Reported 131 (510) 879-0235 1 1 4 KG 12 SRPU20071009665	SRPU20071009665 Public Schools
--	--	---	-----------------------------------

AH144 NNE 1/2-1 mi 4641 Higher	Hospital type: Num of times COO: Owner date: City: Has plan of corr: Compliance status: SSA county code: Cross ref number: FMS survey date: Current survey date:	01 00 Not Reported OAKLAND Not Reported Not Reported 000 Not Reported Not Reported Not Reported	SRHO20070133681 AHA Hospitals
--	---	--	----------------------------------

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Medicare/Medicaid: Not Reported  
 Facility name: SUMMIT PODIATRY SERVICES  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19921229  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0602421  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: M2  
 street address: 2820 SUMMIT STREET, SUIT #101  
 Phone num: 5108321818  
 Termination reason: 08  
 Term Date: 20040217  
 Purpose of action: Not Reported  
 Provider control: 10  
 Zip: 94609  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070133681

AH145  
 NNE  
 1/2-1 mi  
 4678  
 Higher

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: A  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: 20020326  
 Medicare/Medicaid: 1  
 Facility name: JAMES D JACOBITZ MD INC  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19920901  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0602352  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Not Reported

SRHO20070133551  
 AHA Hospitals

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

state abbrev: CA  
 ssa state: 05  
 state region cd: M2  
 street address: 2828 SUMMIT  
 Phone num: 5108392478  
 Termination reason: 01  
 Term Date: 20030603  
 Purpose of action: 2  
 Provider control: 04  
 Zip: 94609  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070133551

AH146

NNE

1/2-1 mi

4695

Higher

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: ALAN R COHEN MD  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19930514  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0725375  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 2832 SUMMIT ST  
 Phone num: 5108930328  
 Termination reason: 08  
 Term Date: 20051031  
 Purpose of action: Not Reported  
 Provider control: 04  
 Zip: 94609  
 Fips state: 06

SRHO20070140479

AHA Hospitals

# MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070140479

147		SRDCCA200739279
West	EDR ID:	SRDCCA200739279
1/2-1 mi	Facility number:	13419190
4714	Facility name:	"MOORE, KELLYE"
Lower	Facility eval. code:	0203
	Facility office number:	02
	Facility county number:	01
	Facility type code:	810
	Facility status code:	03
	Address:	1051 10TH ST
	City:	OAKLAND
	State:	CA
	Zip:	94607
	Alt. address:	1051 10TH ST
	City:	OAKLAND
	State:	CA
	Zip:	94607
	Facility investor:	"MOORE, KELLYE"
	Licensee type:	A
	License effective date:	70326
	License expiration date:	Not Reported
	License issue date:	070326
	Program type:	"MAX. CAP: 6 - NO MORE THAN 3 INFANTS OR 4 INFANTS ONLY. CAP 8 - NO MORE THAN 2 INFANTS, 1 CHILD IN KINDERGARTEN OR ELEMENTARY SCHOOL AND 1 CHILD AT LEAST AGE 6."
	Original app. received date:	070130
	Facility closed date:	Not Reported
	Mailing address:	1051 10TH ST
	Mailing city:	OAKLAND
	Mailing state:	CA
	Mailing zip:	94607
	Contact person:	"MOORE, KELLYE"
	Facility capacity:	8
	Type of clients served:	960
	Facility phone:	5104723288

148		SRDCCA200701176
NNE	EDR ID:	SRDCCA200701176
1/2-1 mi	Facility number:	15650019
4717	Facility name:	CLARENCE ANDERSON YOUTH HOME
Higher	Facility eval. code:	1507
	Facility office number:	14
	Facility county number:	01

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Facility type code: 730  
 Facility status code: 03  
 Address: 114 HAMILTON PLACE  
 City: OAKLAND  
 State: CA  
 Zip: 94612  
 Alt. address: 112 HAMILTON PLACE  
 City: OAKLAND  
 State: CA  
 Zip: 94612  
 Facility investor: "GAY AND LESBIAN ADOLESCENT SOCIAL SERVICES, INC. "  
 Licensee type: C  
 License effective date: 40414  
 License expiration date: Not Reported  
 License issue date: 040414  
 Program type: LICENSED TO SERVE AGES 6 THROUGH 17. ALL MUST BE AMBULATORY.  
 Original app. received date: 031017  
 Facility closed date: Not Reported  
 Mailing address: 650 N. ROBERTSON BLVD.  
 Mailing city: WEST HOLLYWOOD  
 Mailing state: CA  
 Mailing zip: 90069  
 Contact person: "NAPOLITANO, BRIAN "  
 Facility capacity: 9  
 Type of clients served: 950  
 Facility phone: 5104525437

<p>AJ149          NNE          1/2-1 mi          4752          Higher</p>	<p>Hospital type: 01          Num of times COO: 00          Owner date: Not Reported          City: OAKLAND          Has plan of corr: Not Reported          Compliance status: Not Reported          SSA county code: 000          Cross ref number: Not Reported          FMS survey date: Not Reported          Current survey date: Not Reported          Medicare/Medicaid: Not Reported          Facility name: GEORGE M MARTINEZ, MD, INC          Intermediary/Carrier: Not Reported          Medicaid number: Not Reported          Participation date: 19960909          Prior COO date: Not Reported          Prior carrier: Not Reported          Provider ID: 05D0919411          Record Status: A          Region code: 09          Is Partial Record: Y          state abbrev: CA          ssa state: 05          state region cd: LAB          street address: 2844 SUMMIT STREET, #108          Phone num: 5107633005          Termination reason: 00</p>	<p>SRHO20070148040          AHA Hospitals</p>
---	--	---

## MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

Term Date: 20080908  
 Purpose of action: Not Reported  
 Provider control: 04  
 Zip: 94609  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070148040

AJ150  
 NNE  
 1/2-1 mi  
 4752  
 Higher

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: SAMUEL DONG MD  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19921215  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0602087  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 2844 SUMMIT  
 Phone num: 5104523342  
 Termination reason: 00  
 Term Date: 20080831  
 Purpose of action: Not Reported  
 Provider control: 04  
 Zip: 94609  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported

SRHO20070133123  
 AHA Hospitals



## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070133123

AJ151 SRHO20070133390  
 NNE AHA Hospitals

1/2-1 mi Num of times COO: 00  
 4752 Owner date: Not Reported  
 Higher City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: NEIL H GOZAN MD  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19930317  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0602190  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 2844 SUMMIT ST SUITE 107  
 Phone num: Not Reported  
 Termination reason: 00  
 Term Date: 20080831  
 Purpose of action: Not Reported  
 Provider control: 04  
 Zip: 94609  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070133390

AJ152 SRHO20070133246  
 NNE AHA Hospitals  
 1/2-1 mi Num of times COO: 00  
 4752 Owner date: Not Reported  
 Higher City: OAKLAND

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: CHARLES W SNOOK MD  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19930105  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0602157  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 2844 SUMMIT ST  
 Phone num: 5108344845  
 Termination reason: 17  
 Term Date: 19960831  
 Purpose of action: Not Reported  
 Provider control: 04  
 Zip: 94609  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070133246

AJ153  
 NNE  
 1/2-1 mi  
 4752  
 Higher

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: JAMES O'SHEA MD  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19930119

SRHO20070133128  
 AHA Hospitals

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0602133  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 2844 SUMMIT ST SUITE 212  
 Phone num: 5107633535  
 Termination reason: 00  
 Term Date: 20080831  
 Purpose of action: Not Reported  
 Provider control: 10  
 Zip: 94609  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070133128

AJ154  
 NNE  
 1/2-1 mi  
 4752  
 Higher

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: LOUIS D ROCCA MD  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19921217  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0602199  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 2844 SUMMIT  
 Phone num: 5108933955

SRHO20070133404  
 AHA Hospitals

# MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Termination reason: 08  
 Term Date: 20000831  
 Purpose of action: Not Reported  
 Provider control: 04  
 Zip: 94609  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070133404

155		SRDCCA200700284
North	EDR ID: SRDCCA200700284	Daycare
1/2-1 mi	Facility number: 11440708	
4764	Facility name: TWENTY-EIGHTH STREET RESIDENCE	
Higher	Facility eval. code: 1507	
	Facility office number: 14	
	Facility county number: 01	
	Facility type code: 730	
	Facility status code: 03	
	Address: 524 - 28TH STREET	
	City: OAKLAND	
	State: CA	
	Zip: 94609	
	Alt. address: 522 - 28TH STREET	
	City: OAKLAND	
	State: CA	
	Zip: 94609	
	Facility investor: "WEBB, DORTHY R. "	
	Licensee type: A	
	License effective date: 930802	
	License expiration date: Not Reported	
	License issue date: 900802	
	Program type: AGE RANGE 6-17 YEARS. TWO (2) MAY BE NON-AMBULATORY. PREFERS DEVELOPMENTALLY DISABLED CHILDREN AGED 6-17 YEARS OLD.	
	Original app. received date: 900102	
	Facility closed date: Not Reported	
	Mailing address: 522 - 28TH STREET	
	Mailing city: OAKLAND	
	Mailing state: CA	
	Mailing zip: 94609	
	Contact person: "WEBB, DORTHY R. "	
	Facility capacity: 6	
	Type of clients served: 910	
	Facility phone: 5108931050	

## MAP FINDINGS

Map ID Direction Distance Distance (ft.) Elevation	Site	EDR ID Database
156 NNW 1/2-1 mi 4874 Lower	Hospital type: 01 Num of times COO: 00 Owner date: Not Reported City: OAKLAND Has plan of corr: Not Reported Compliance status: Not Reported SSA county code: 000 Cross ref number: Not Reported FMS survey date: Not Reported Current survey date: Not Reported Medicare/Medicaid: Not Reported Facility name: HEALTHY OAKLAND SAVE A LIFE WELLNESS Intermediary/Carrier: Not Reported Medicaid number: Not Reported Participation date: 20041217 Prior COO date: Not Reported Prior carrier: Not Reported Provider ID: 05D1034988 Record Status: A Region code: 09 Is Partial Record: Y state abbrev: CA ssa state: 05 state region cd: M2 street address: 2580 SAN PABLO AVE Phone num: 5104449155 Termination reason: 08 Term Date: 20061216 Purpose of action: Not Reported Provider control: 02 Zip: 94612 Fips state: 06 Fips cnty: 001 SSA MSA: 418 SSA MSA size code: B Date accredited: Not Reported Accred expire date: Not Reported Accred Org: Not Reported Num beds: 0000 Num cert beds: 0000 Source: US_HOSPITAL_POSCLIA Edr id: SRHO20070158716	SRHO20070158716 AHA Hospitals
157 West 1/2-1 mi 4877 Lower	EDR ID: SRDCCA200755728 Facility number: 13418178 Facility name: OAKLAND HEAD START - CITY TOWERS CENTER Facility eval. code: 0203 Facility office number: 02 Facility county number: 01 Facility type code: 850 Facility status code: 03 Address: 1050 SEVENTH ST. City: OAKLAND	SRDCCA200755728 Daycare

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

State: CA  
 Zip: 94607  
 Alt. address: 150 FRANK OGAWA PLAZA  
 City: OAKLAND  
 State: CA  
 Zip: 94612  
 Facility investor: CITY OF OAKLAND  
 Licensee type: F  
 License effective date: 51230  
 License expiration date: Not Reported  
 License issue date: 051230  
 Program type: AGES TWO TO FIRST GRADE ENTRY. OPERATING 7 AM TO 6 PM IN 3 ROOMS.  
 Original app. received date: 051213  
 Facility closed date: Not Reported  
 Mailing address: 150 FRANK OGAWA PLAZA  
 Mailing city: OAKLAND  
 Mailing state: CA  
 Mailing zip: 94612  
 Contact person: "ASHLEY, SUSIE       "  
 Facility capacity: 60  
 Type of clients served: 950  
 Facility phone: 5102385230

AK158

SRDCCA200709167  
 Daycare

West EDR ID: SRDCCA200709167  
 1/2-1 mi Facility number: 13414171  
 4917 Facility name: "LEVIAS, VIVIEN       "  
 Lower Facility eval. code: 0202  
 Facility office number: 02  
 Facility county number: 01  
 Facility type code: 810  
 Facility status code: 03  
 Address: 1038 CHESTNUT  
 City: OAKLAND  
 State: CA  
 Zip: 94608  
 Alt. address: 1038 CHESTNUT  
 City: OAKLAND  
 State: CA  
 Zip: 94608  
 Facility investor: "LEVIAS, VIVIEN       "  
 Licensee type: A  
 License effective date: 991116  
 License expiration date: Not Reported  
 License issue date: 991116  
 Program type: "MAXIMUM CAPACITY: 12 CHILDREN, WITH NO MORE THAN 4 INFANTS, OR  
 CAPACITY 14 CHILDREN WHEN 2 CHILDREN ARE AT LEAST 6 YEARS OF AGE WITH A  
 MAXIMUM OF 3 INFANTS; PROPERTY OWNER/LANDLORD CONSENT IS REQUIRED   "  
 Original app. received date: 981125  
 Facility closed date: Not Reported  
 Mailing address: 1038 CHESTNUT  
 Mailing city: OAKLAND  
 Mailing state: CA  
 Mailing zip: 94608  
 Contact person: "LEVIAS, VIVIEN       "

## MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Elevation	Site	EDR ID Database
					Facility capacity: 14 Type of clients served: 960 Facility phone: 5107637535	
AL159	West	1/2-1 mi	4953	Lower	EDR ID: SRDCCA200749911 Facility number: 10206027 Facility name: ST. VINCENT'S DAY HOME Facility eval. code: 0203 Facility office number: 02 Facility county number: 01 Facility type code: 850 Facility status code: 03 Address: 1086 8TH STREET City: OAKLAND State: CA Zip: 94607 Alt. address: 1086 8TH STREET City: OAKLAND State: CA Zip: 94607 Facility investor: "SAINT VINCENT'S DAY HOME, INC. " Licensee type: C License effective date: 930927 License expiration date: Not Reported License issue date: Not Reported Program type: "AGES:2YRS. TO 1ST GRADE ENTRY. PRESCHOOL COMPONENT OF A COMBO CTR. OTHER COMPONENT SCHOOLAGE-CAP.46. HOURS: MON-FRI 7AM-5:30PM. CAPACITY OF PRESCHOOL AND SCHOOLAGE MAY VARY, BUT TOTAL CAPACITY OF CENTER "MAY NOT EXCEED 307 CHILDREN AT ANY TIME.  Original app. received date: 831020 Facility closed date: Not Reported Mailing address: 1086 8TH STREET Mailing city: OAKLAND Mailing state: CA Mailing zip: 94607 Contact person: "MOHRMANN, SR.CORINNE " Facility capacity: 261 Type of clients served: 950 Facility phone: 5108328324	SRDCCA200749911 Daycare
AL160	West	1/2-1 mi	4953	Lower	EDR ID: SRDCCA200743446 Facility number: 10213211 Facility name: ST. VINCENT'S DAY HOME Facility eval. code: 0203 Facility office number: 02 Facility county number: 01 Facility type code: 840 Facility status code: 03 Address: 1086 - 8TH STREET City: OAKLAND State: CA Zip: 94607	SRDCCA200743446 Daycare

# MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Alt. address: 1086 - 8TH STREET  
 City: OAKLAND  
 State: CA  
 Zip: 94607  
 Facility investor: "SAINT VINCENT'S DAY HOME, INC. "  
 Licensee type: C  
 License effective date: 10517  
 License expiration date: Not Reported  
 License issue date: 010517  
 Program type: "AGES: KDG TN. ENROLLMENT TO 18YRS. SCHOOLAGE COMPONENT OF A COMBO CTR. OTHER COMP. PRESCH. CAPACITY 261. HOURS: MON-FRI, 7AM-5:30PM. CAPACITY OF SCHOOLAGE AND PRESCHOOL MAY VARY BUT MAY NEVER EXCEED 307 CHILDREN "AT ANY TIME.  
 Original app. received date: 900607  
 Facility closed date: Not Reported  
 Mailing address: 1086 - 8TH STREET  
 Mailing city: OAKLAND  
 Mailing state: CA  
 Mailing zip: 94607  
 Contact person: "MOHRMANN, CORINNE MARIE "  
 Facility capacity: 46  
 Type of clients served: 950  
 Facility phone: 5108328324

AL161  
 West 1/2-1 mi 4953 Lower  
 Pss school id: K9300837  
 Pss inst: ST VINCENT'S DAY HOME  
 Lograde: PK  
 Higrade: K  
 Pss address: 1086 8TH STREET  
 Pss city: OAKLAND  
 Pss county no: 001  
 Pss county fips: 06001  
 Pss stabb: CA  
 Pss fips: 06  
 Pss zip5: 94607  
 Pss phone: 5108328324  
 Pss sch days: 246  
 Pss stu day hrs: 4  
 Pss library: Yes  
 Pss enroll ug: Not Reported  
 Pss enroll pk: 104  
 Pss enroll k: 48  
 Pss enroll 1: Not Reported  
 Pss enroll 2: Not Reported  
 Pss enroll 3: Not Reported  
 Pss enroll 4: Not Reported  
 Pss enroll 5: Not Reported  
 Pss enroll 6: Not Reported  
 Pss enroll 7: Not Reported  
 Pss enroll 8: Not Reported  
 Pss enroll 9: Not Reported  
 Pss enroll 10: Not Reported  
 Pss enroll 11: Not Reported  
 Pss enroll 12: Not Reported

SRPR20051027626  
 Private Schools



## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Pss enroll t: 152  
 Pss enroll tk12: 48  
 Pss race ai: 0  
 Pss race as: 2  
 Pss race h: 19  
 Pss race b: 27  
 Pss race w: 0  
 Pss fte teach: 27  
 Pss locale: 1  
 Pss coed: 1  
 Pss type: 7  
 Pss level: 1  
 Pss relig: 3  
 Pss comm type: 1  
 Pss indian pct: 0  
 Pss asian pct: 4.17  
 Pss hisp pct: 39.58  
 Pss black pct: 56.25  
 Pss white pct: 0  
 Pss stdtch rt: 1.78  
 Pss orient: 29  
 Pss county name: ALAMEDA  
 Pss assoc 1: National Association for the Education of Young Children (NAEYC)  
 Pss assoc 2: Not Reported  
 Pss assoc 3: Not Reported  
 Pss assoc 4: Not Reported  
 Pss assoc 5: Not Reported  
 Pss assoc 6: Not Reported  
 Pss assoc 7: Not Reported  
 Source: NCESDATA\_E72D09B4  
 Edr id: SRPR20051027626

162  
 ESE Hospital type: 01  
 1/2-1 mi Num of times COO: 00  
 4967 Owner date: Not Reported  
 Lower City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: SAV-ON PHARMACY # 7214  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 20051129  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D1048347  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA

SRHO20070164254  
 AHA Hospitals

## MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

ssa state: 05  
 state region cd: LAB  
 street address: 247 EAST 18 STREET  
 Phone num: 5102729042  
 Termination reason: 00  
 Term Date: 20071128  
 Purpose of action: Not Reported  
 Provider control: 04  
 Zip: 94606  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070164254

AK163

West  
 1/2-1 mi  
 4971  
 Lower

EDR ID: SRDCCA200745181  
 Facility number: 13414173  
 Facility name: S.S.U.C. - THURGOOD MARSHALL EARLY HEADSTART  
 Facility eval. code: 0203  
 Facility office number: 02  
 Facility county number: 01  
 Facility type code: 850  
 Facility status code: 03  
 Address: 1117 - 10TH STREET  
 City: OAKLAND  
 State: CA  
 Zip: 94607  
 Alt. address: 1117 10TH ST  
 City: OAKLAND  
 State: CA  
 Zip: 94607  
 Facility investor: SPANISH SPEAKING UNITY COUNCIL  
 Licensee type: C  
 License effective date: 990208  
 License expiration date: Not Reported  
 License issue date: 990208  
 Program type: "AGES 2 YRS TO 1ST GRADE ENTRY. PRESCHOOL COMPONENT OF A COMBINATION CENTER. OTHER COMPONENT IS INFANT, CAPACITY 16. PRESCHOOL CAPACITY MAY INCREASE TO 36 WHEN INFANTS ARE NOT PRESENT. OPERATING MON-FRI, "8AM-5PM. LICENSE SUBJECT TO ONE WAIVER TO BE POSTED.  
 Original app. received date: 981109  
 Facility closed date: Not Reported  
 Mailing address: "1900 FRUITVALE AVE., STE. 2A "  
 Mailing city: OAKLAND  
 Mailing state: CA  
 Mailing zip: 94601  
 Contact person: "TURNER-MUECKE, LEE "  
 Facility capacity: 10

SRDCCA200745181  
 Daycare

# MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Type of clients served: 950  
 Facility phone: 5108360543

AK164 West EDR ID: SRDCCA200742263 SRDCCA200742263  
 1/2-1 mi Facility number: 13414174 Daycare  
 4971 Facility name: S.S.U.C.-THURGOOD MARSHALL EARLY HEADSTART

Lower Facility eval. code: 0203  
 Facility office number: 02  
 Facility county number: 01  
 Facility type code: 830  
 Facility status code: 03  
 Address: 1117 - 10TH STREET  
 City: OAKLAND  
 State: CA  
 Zip: 94607  
 Alt. address: 1117 10TH ST  
 City: OAKLAND  
 State: CA  
 Zip: 94607  
 Facility investor: SPANISH SPEAKING UNITY COUNCIL  
 Licensee type: C  
 License effective date: 990208  
 License expiration date: Not Reported  
 License issue date: 990208  
 Program type: "AGES BIRTH TO 2 YEARS, NO MORE THAN 6 OF WHOM MAY BE YOUNGER THAN 12 MONTHS. INFANT COMPONENT OF A COMBINATION CENTER. OTHER COMPONENT: PRESCHOOL, CAP. 10 TOTAL CAPACITY: 26.  
 ""HOURS OF OPERATION: MON. - FRI., 8:00A.M. - 5:00P.M. IN 2 CLASSROOMS.  
 ""

Original app. received date: 981109  
 Facility closed date: Not Reported  
 Mailing address: 1900 FRUITVALE AVE  
 Mailing city: OAKLAND  
 Mailing state: CA  
 Mailing zip: 94601  
 Contact person: "AHMED, KEDIJA "  
 Facility capacity: 16  
 Type of clients served: 955  
 Facility phone: 5108360543

165 SSE Unitid: 121178 SRCL20051000415  
 1/2-1 mi Instnm: PERALTA COMMUNITY COLLEGE SYSTEM OFFICE Colleges  
 4977 Addr: 333 E EIGHTH ST

Lower City: OAKLAND  
 Stabbr: CA  
 Zip: 94606  
 Zip4: Not Reported  
 Unk: Not Reported  
 Fips: 094606  
 Oberge: 8  
 Chfnm: Elihu Harris  
 Chftitle: Chancellor

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Gentele: 5104667200  
 Fintele: 5104667366  
 Admtele: 5104667366  
 Ein: 941590799  
 Duns: 76567718  
 Opeid: 126500  
 Opeflag: 2  
 Webaddr: www.peralta.cc.ca.us  
 Sector: 0  
 Ilevel: 2  
 Control: 1  
 Hloffter: 4  
 Ugoffer: 1  
 Groffer: 2  
 Fpoffer: 2  
 Hdegoffer: 40  
 Deggrant: 1  
 Hbcu: 2  
 Hospital: 2  
 Medical: -2  
 Tribal: 2  
 Carnegie: -3  
 Locale: 1  
 Openpubl: 1  
 Act: A  
 Newid: -2  
 Deathyr: -2  
 Closedat: -2  
 Cyactive: 1  
 Postsec: 1  
 Pseflag: 1  
 Pset4flg: 1  
 Rptmth: -2  
 Fte: Not Reported  
 Enrtot: Not Reported  
 Edr id: SRCL20051000415

AM166

NNE  
 1/2-1 mi  
 4980  
 Higher

EDR ID: SRDCCA200751926  
 Facility number: 13411232  
 Facility name: FIRST STEP CHILDREN'S CENTER  
 Facility eval. code: 0207  
 Facility office number: 02  
 Facility county number: 01  
 Facility type code: 850  
 Facility status code: 03  
 Address: 111 FAIRMOUNT AVENUE  
 City: OAKLAND  
 State: CA  
 Zip: 94611  
 Alt. address: 111 FAIRMOUNT AVENUE  
 City: OAKLAND  
 State: CA  
 Zip: 94611  
 Facility investor: ASSOCIATION FOR RETARDED CITIZENS- ALA. CO.

SRDCCA200751926  
 Daycare

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Licensee type: C  
 License effective date: 951221  
 License expiration date: Not Reported  
 License issue date: 951221  
 Program type: "AGE RANGE: 2YRS TO FIRST GRADE ENTRY, 6 OF WHOM MAY BE  
 NON-AMBULATORY.PRESCHOOL COMPONENT OF A COMBINATION CENTER. OTHER  
 COMPONENT: INFANT, CAPACITY 12. TOTAL CAPACITY 42. HOURS OF OPERATION:  
 MONDAY THROUGH ""FRIDAY, 7:00 A.M. TO 6:00 P.M. IN 2 CLASSROOMS.  
 "  
 Original app. received date: 951010  
 Facility closed date: Not Reported  
 Mailing address: 575 INDEPENDENT  
 Mailing city: OAKLAND  
 Mailing state: CA  
 Mailing zip: 94621  
 Contact person: "WOLFE, DONNA "  
 Facility capacity: 30  
 Type of clients served: 950  
 Facility phone: 5102380880

AM167		SRDCCA200741799
NNE	EDR ID: SRDCCA200741799	Daycare
1/2-1 mi	Facility number: 13411233	
4980	Facility name: FIRST STEP CHILDREN'S CENTER	
Higher	Facility eval. code: 0207	
	Facility office number: 02	
	Facility county number: 01	
	Facility type code: 830	
	Facility status code: 03	
	Address: 111 FAIRMOUNT AVENUE	
	City: OAKLAND	
	State: CA	
	Zip: 94611	
	Alt. address: 111 FAIRMOUNT AVENUE	
	City: OAKLAND	
	State: CA	
	Zip: 94611	
	Facility investor: ASSOCIATION FOR RETARDED CITIZENS- ALA. CO.	
	Licensee type: C	
	License effective date: 951221	
	License expiration date: Not Reported	
	License issue date: 951221	
	Program type: "AGE RANGE: BIRTH TO 2 YEARS, NO MORE THAN 6 OF WHOM MAY BE YOUNGER THAN 12 MONTHS. INFANT COMPONENT OF A COMBINATION CENTER. OTHER COMP.:PRESCHOOL CAPACITY 30. TOTAL CAPACITY 42.HOURS OF OPERATION: MONDAY ""THROUGH FRIDAY, 7:00 A.M. TO 6:00 P.M. IN 3 ROOMS. "	
	Original app. received date: 951010	
	Facility closed date: Not Reported	
	Mailing address: 575 INDEPENDENT ROAD	
	Mailing city: OAKLAND	
	Mailing state: CA	
	Mailing zip: 94621	
	Contact person: "WOLFE, DONNA "	
	Facility capacity: 12	

## MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Elevation	Site	EDR ID	Database
					Type of clients served: 955 Facility phone: 5102380882		
AK168	West	1/2-1 mi	4985	Lower	EDR ID: SRDCCA200727037 Facility number: 13417674 Facility name: "STROUD, JONTANIKA" Facility eval. code: 0203 Facility office number: 02 Facility county number: 01 Facility type code: 810 Facility status code: 03 Address: 1106 10TH STREET City: OAKLAND State: CA Zip: 94607 Alt. address: 1106 10TH STREET City: OAKLAND State: CA Zip: 94607 Facility investor: "STROUD, JONTANIKA" Licensee type: A License effective date: 40830 License expiration date: Not Reported License issue date: 040830 Program type: MAX. CAP (WHEN THERE IS AN ASSISTANT PRESENT): 12 - NO MORE THAN 4 INFANTS. CAP 14 - NO MORE THAN 3 INFANTS. 1 CHILD IN KINDERGARTEN OR ELEMENTARY SCHOOL AND 1 CHILD AT LEAST AGE 6. Original app. received date: 040621 Facility closed date: Not Reported Mailing address: 1106 10TH STREET Mailing city: OAKLAND Mailing state: CA Mailing zip: 94607 Contact person: "STROUD, JONTANIKA" Facility capacity: 14 Type of clients served: 960 Facility phone: 5104658270	SRDCCA200727037	Daycare
169	ESE	1/2-1 mi	5005	Lower	EDR ID: SRDCCA200715814 Facility number: 13416115 Facility name: "ODOM, JEANNETTE" Facility eval. code: 0304 Facility office number: 02 Facility county number: 01 Facility type code: 810 Facility status code: 03 Address: 166 ATHOL AVENUE #205 City: OAKLAND State: CA Zip: 94606 Alt. address: 166 ATHOL AVENUE #205 City: OAKLAND	SRDCCA200715814	Daycare

## MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

State: CA  
 Zip: 94606  
 Facility investor: "ODOM, JEANNETTE"  
 Licensee type: A  
 License effective date: 20227  
 License expiration date: Not Reported  
 License issue date: 020227  
 Program type: "MAXIMUM CAPACITY: 6 CHILDREN WITH NO MORE THAN 3 INFANTS, OR 4 INFANTSONLY, OR CAPACITY 8 CHILDREN WHEN 2 ARE AT LEAST 6 YEARS OF AGE WITH AMAXIMUM OF 2 INFANTS; PROPERTY OWNER/LANDLORD CONSENT IS REQUIRED."  
 Original app. received date: 011204  
 Facility closed date: Not Reported  
 Mailing address: 166 ATHOL AVENUE #205  
 Mailing city: OAKLAND  
 Mailing state: CA  
 Mailing zip: 94606  
 Contact person: "YDOM, JEANETTE"  
 Facility capacity: 8  
 Type of clients served: 960  
 Facility phone: 5104656112

AN170 NNE 1/2-1 mi 5005 Higher	Ncessch: Scname05: Mstreet05: Mcity05: Mstate05: Mzip05: Mzip405: Member05: Phone05: Locale05: Type05: Level05: Gslo05: Gshi05: Edr id:	062805007804 STREET ACADEMY (ALTERNATIVE) 417 29TH ST. OAKLAND CA 94609 3510 154 (510) 879-3130 1 4 3 09 12 SRPU20071013395	SRPU20071013395 Public Schools
--	---	---	-----------------------------------

AO171 NNE 1/2-1 mi 5007 Higher	Hospital type: Num of times COO: Owner date: City: Has plan of corr: Compliance status: SSA county code: Cross ref number: FMS survey date: Current survey date: Medicare/Medicaid: Facility name: Intermediary/Carrier: Medicaid number:	01 00 Not Reported OAKLAND Not Reported Not Reported 000 Not Reported Not Reported Not Reported Not Reported Not Reported WILLIAM ARTHUR MD Not Reported Not Reported	SRHO20070133525 AHA Hospitals
--	--	---	----------------------------------

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Participation date: 19930512  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0602250  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 447 29TH ST SUITE 106  
 Phone num: 5108399445  
 Termination reason: 08  
 Term Date: 20000831  
 Purpose of action: Not Reported  
 Provider control: 02  
 Zip: 94609  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070133525

AN172  
 NNE  
 1/2-1 mi  
 5012  
 Higher

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: A  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: 20040810  
 Medicare/Medicaid: 1  
 Facility name: KELLER DERMATOPATHOLOGY  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 20030122  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D1008537  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Not Reported  
 state abbrev: CA  
 ssa state: 05  
 state region cd: M2  
 street address: 401 29TH STREET SUITE 109

SRHO20070156336  
 AHA Hospitals



## MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

Phone num: 5106636243  
 Termination reason: 00  
 Term Date: 20070520  
 Purpose of action: 2  
 Provider control: 04  
 Zip: 94609  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070156336

AN173

NNE

1/2-1 mi

5012

Higher

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: JOO SOCK YANG MD  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19930427  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0602206  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: M2  
 street address: 401 29TH STREET, SUITE 103  
 Phone num: 5108937008  
 Termination reason: 00  
 Term Date: 20080831  
 Purpose of action: Not Reported  
 Provider control: 04  
 Zip: 94609  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported

SRHO20070133406

AHA Hospitals

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070133406

AN174		SRHO20070133274
NNE	Hospital type: 01	AHA Hospitals
1/2-1 mi	Num of times COO: 00	
5012	Owner date: Not Reported	
Higher	City: OAKLAND	
	Has plan of corr: Not Reported	
	Compliance status: Not Reported	
	SSA county code: 000	
	Cross ref number: Not Reported	
	FMS survey date: Not Reported	
	Current survey date: Not Reported	
	Medicare/Medicaid: Not Reported	
	Facility name: EDWARD D KRUG MD	
	Intermediary/Carrier: Not Reported	
	Medicaid number: Not Reported	
	Participation date: 19930122	
	Prior COO date: Not Reported	
	Prior carrier: Not Reported	
	Provider ID: 05D0602187	
	Record Status: A	
	Region code: 09	
	Is Partial Record: Y	
	state abbrev: CA	
	ssa state: 05	
	state region cd: LAB	
	street address: 401 29TH	
	Phone num: 5108397292	
	Termination reason: 08	
	Term Date: 20040831	
	Purpose of action: Not Reported	
	Provider control: 04	
	Zip: 94609	
	Fips state: 06	
	Fips cnty: 001	
	SSA MSA: 418	
	SSA MSA size code: B	
	Date accredited: Not Reported	
	Accred expire date: Not Reported	
	Accred Org: Not Reported	
	Num beds: 0000	
	Num cert beds: 0000	
	Source: US_HOSPITAL_POSCLIA	
	Edr id: SRHO20070133274	

AN175		SRHO20070142390
NNE	Hospital type: 01	AHA Hospitals
1/2-1 mi	Num of times COO: 00	
5012		
Higher		

# MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: DONG HA HWANG MD  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19930310  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0864196  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 401 29TH STREET SUITE 103  
 Phone num: 4152211811  
 Termination reason: 00  
 Term Date: 20080831  
 Purpose of action: Not Reported  
 Provider control: 04  
 Zip: 94609  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070142390

AN176  
 NNE  
 1/2-1 mi  
 5012  
 Higher

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: 1  
 Compliance status: A  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: 19960207  
 Medicare/Medicaid: 1  
 Facility name: COMPREHENSIVE ALLERGY SERVICES  
 Intermediary/Carrier: Not Reported

SRHO20070145629  
 AHA Hospitals

## MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

Medicaid number: Not Reported  
 Participation date: 19950718  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0903312  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Not Reported  
 state abbrev: CA  
 ssa state: 05  
 state region cd: M2  
 street address: 401 29TH STREET #201  
 Phone num: 5108344897  
 Termination reason: 00  
 Term Date: 20080206  
 Purpose of action: 1  
 Provider control: 04  
 Zip: 94609  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070145629

AN177  
 NNE  
 1/2-1 mi  
 5014  
 Higher

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: J L TURNER MD  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19921217  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0602212  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Not Reported  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB

SRHO20070133523  
 AHA Hospitals

## MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

street address: 400 29TH  
 Phone num: 5108938771  
 Termination reason: 15  
 Term Date: 19940831  
 Purpose of action: Not Reported  
 Provider control: 10  
 Zip: 94609  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070133523

AN178  
 NNE  
 1/2-1 mi  
 5014  
 Higher

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: WELDON G THYBERG MD  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19930514  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0602064  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Not Reported  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 400 29TH  
 Phone num: 5184511234  
 Termination reason: 08  
 Term Date: 19980831  
 Purpose of action: Not Reported  
 Provider control: 04  
 Zip: 94609  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B

SRHO20070133113  
 AHA Hospitals

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070133113

AN179		SRHO20070142839
NNE	Hospital type: 01	AHA Hospitals
1/2-1 mi	Num of times COO: 00	
5014	Owner date: Not Reported	
Higher	City: OAKLAND	
	Has plan of corr: Not Reported	
	Compliance status: Not Reported	
	SSA county code: 000	
	Cross ref number: Not Reported	
	FMS survey date: Not Reported	
	Current survey date: Not Reported	
	Medicare/Medicaid: Not Reported	
	Facility name: ALTA BATES MEDICAL ASSOCIATES	
	Intermediary/Carrier: Not Reported	
	Medicaid number: Not Reported	
	Participation date: 19931029	
	Prior COO date: Not Reported	
	Prior carrier: Not Reported	
	Provider ID: 05D0878618	
	Record Status: A	
	Region code: 09	
	Is Partial Record: Y	
	state abbrev: CA	
	ssa state: 05	
	state region cd: M2	
	street address: 400 29TH STREET, SUITE 301	
	Phone num: 5108341950	
	Termination reason: 00	
	Term Date: 20070429	
	Purpose of action: Not Reported	
	Provider control: 04	
	Zip: 94609	
	Fips state: 06	
	Fips cnty: 001	
	SSA MSA: 418	
	SSA MSA size code: B	
	Date accredited: Not Reported	
	Accred expire date: Not Reported	
	Accred Org: Not Reported	
	Num beds: 0000	
	Num cert beds: 0000	
	Source: US_HOSPITAL_POSCLIA	
	Edr id: SRHO20070142839	

## MAP FINDINGS

Map ID Direction Distance Distance (ft.) Elevation	Site	EDR ID Database
AN180 NNE 1/2-1 mi 5014 Higher	Hospital type: 01 Num of times COO: 00 Owner date: Not Reported City: OAKLAND Has plan of corr: Not Reported Compliance status: Not Reported SSA county code: 000 Cross ref number: Not Reported FMS survey date: Not Reported Current survey date: Not Reported Medicare/Medicaid: Not Reported Facility name: LESLIE A SOLOMON MD APC Intermediary/Carrier: Not Reported Medicaid number: Not Reported Participation date: 19921218 Prior COO date: Not Reported Prior carrier: Not Reported Provider ID: 05D0700479 Record Status: A Region code: 09 Is Partial Record: Not Reported state abbrev: CA ssa state: 05 state region cd: LAB street address: 400 29TH STREET SUITE 409 Phone num: 5108938611 Termination reason: 04 Term Date: 19940331 Purpose of action: Not Reported Provider control: 04 Zip: 94609 Fips state: 06 Fips cnty: 001 SSA MSA: 418 SSA MSA size code: B Date accredited: Not Reported Accred expire date: Not Reported Accred Org: Not Reported Num beds: 0000 Num cert beds: 0000 Source: US_HOSPITAL_POSCLIA Edr id: SRHO20070138044	SRHO20070138044 AHA Hospitals
AN181 NNE 1/2-1 mi 5014 Higher	Hospital type: 01 Num of times COO: 00 Owner date: Not Reported City: OAKLAND Has plan of corr: Not Reported Compliance status: Not Reported SSA county code: 000 Cross ref number: Not Reported FMS survey date: Not Reported Current survey date: Not Reported	SRHO20070133522 AHA Hospitals

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Medicare/Medicaid: Not Reported  
 Facility name: ROBERT B NICHOLSON MD  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19930106  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0602209  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 400 29TH SUITE 204  
 Phone num: 5108938426  
 Termination reason: 00  
 Term Date: 20080831  
 Purpose of action: Not Reported  
 Provider control: 04  
 Zip: 94609  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070133522

AN182  
 NNE  
 1/2-1 mi  
 5014  
 Higher

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: NURSING 2000, INC  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19971028  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0935372  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y

SRHO20070148818  
 AHA Hospitals



## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 400 29TH STREET, SUITE 105  
 Phone num: 5108031385  
 Termination reason: 08  
 Term Date: 19971028  
 Purpose of action: Not Reported  
 Provider control: 04  
 Zip: 94609  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070148818

183			SRDCCA200739078
WNW	EDR ID:	SRDCCA200739078	Daycare
1/2-1 mi	Facility number:	13418830	
5014	Facility name:	"RICE, MARTHA"	
Lower	Facility eval. code:	0203	
	Facility office number:	02	
	Facility county number:	01	
	Facility type code:	810	
	Facility status code:	03	
	Address:	1615 CHESTNUT STREET	
	City:	OAKLAND	
	State:	CA	
	Zip:	94607	
	Alt. address:	1615 CHESTNUT STREET	
	City:	OAKLAND	
	State:	CA	
	Zip:	94607	
	Facility investor:	"RICE, MARTHA"	
	Licensee type:	A	
	License effective date:	60912	
	License expiration date:	Not Reported	
	License issue date:	060912	
	Program type:	MAX. CAP (WHEN THERE IS AN ASSISTANT PRESENT): 12 - NO MORE THAN 4 INFANTS. CAP 14 - NO MORE THAN 3 INFANTS. 1 CHILD IN KINDERGARTEN OR ELEMENTARY SCHOOL AND 1 CHILD AT LEAST AGE 6.	
	Original app. received date:	060815	
	Facility closed date:	Not Reported	
	Mailing address:	1615 CHESTNUT STREET	
	Mailing city:	OAKLAND	
	Mailing state:	CA	
	Mailing zip:	94607	
	Contact person:	"RICE, MARTHA"	
	Facility capacity:	14	

## MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

Type of clients served: 960  
 Facility phone: 5104651244

AO184 North 1/2-1 mi 5017 Higher	Hospital type: 01 Num of times COO: 00 Owner date: Not Reported City: OAKLAND Has plan of corr: Not Reported Compliance status: Not Reported SSA county code: 000 Cross ref number: Not Reported FMS survey date: Not Reported Current survey date: Not Reported Medicare/Medicaid: Not Reported Facility name: MEDICAL HILL REHABILITATION CENTER Intermediary/Carrier: Not Reported Medicaid number: Not Reported Participation date: 19930818 Prior COO date: Not Reported Prior carrier: Not Reported Provider ID: 05D0603397 Record Status: A Region code: 09 Is Partial Record: Y state abbrev: CA ssa state: 05 state region cd: LAB street address: 475 29TH STREET Phone num: 5108323222 Termination reason: 00 Term Date: 20080729 Purpose of action: Not Reported Provider control: 02 Zip: 94609 Fips state: 06 Fips cnty: 001 SSA MSA: 418 SSA MSA size code: B Date accredited: Not Reported Accred expire date: Not Reported Accred Org: Not Reported Num beds: 0000 Num cert beds: 0000 Source: US_HOSPITAL_POSCLIA Edr id: SRHO20070136168	SRHO20070136168 AHA Hospitals
--	--	----------------------------------

AO185 North 1/2-1 mi 5017 Higher	Hospital type: 03 Num of times COO: 05 Owner date: Not Reported City: OAKLAND Has plan of corr: 1 Compliance status: A	SRHO20070109974 AHA Hospitals
--	---	----------------------------------

## MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: 20040730  
 Current survey date: 20060623  
 Medicare/Medicaid: 1  
 Facility name: MEDICAL HILL REHABILITATION CENTER  
 Intermediary/Carrier: 52280  
 Medicaid number: LTC55254J  
 Participation date: 19870203  
 Prior COO date: 19940524  
 Prior carrier: Not Reported  
 Provider ID: 555254  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Not Reported  
 state abbrev: CA  
 ssa state: 05  
 state region cd: BK  
 street address: 475 29TH ST  
 Phone num: 5108323222  
 Termination reason: 00  
 Term Date: Not Reported  
 Purpose of action: 2  
 Provider control: 01  
 Zip: 94609  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0124  
 Num cert beds: 0124  
 Source: US\_HOSPITAL\_POSOTHER  
 Edr id: SRHO20070109974

AO186  
 North  
 1/2-1 mi  
 5017  
 Higher

Hospital type: 03  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: 1  
 Compliance status: A  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: 19841018  
 Medicare/Medicaid: 1  
 Facility name: SHADOWBROOK MANOR  
 Intermediary/Carrier: 52280  
 Medicaid number: 000010290972  
 Participation date: 19830701  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported

SRHO20070109737  
 AHA Hospitals

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Provider ID: 555155  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Not Reported  
 state abbrev: CA  
 ssa state: 05  
 state region cd: BK  
 street address: 475 29TH ST  
 Phone num: 4158323222  
 Termination reason: 01  
 Term Date: 19860221  
 Purpose of action: 2  
 Provider control: 03  
 Zip: 94609  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0135  
 Num cert beds: 0099  
 Source: US\_HOSPITAL\_POSOTHER  
 Edr id: SRHO20070109737

AO187		SRNH20060913741
North	Provnum: 555254	Nursing Homes
1/2-1 mi	Nursinghomename: MEDICAL HILL REHABILITATION CENTER	
5017	Street: 475 29TH ST	
Higher	City: OAKLAND	
	State: CA	
	Zipcode: 94609	
	Phonenumber: 5108323222	
	Dateoflastinspection: 20060601	
	Certifiednumberofbeds: 124	
	Totalnumberofresidents: 106	
	Percofoccupiedbeds: 85	
	Categorydescription: Participating in Medicare and Medicaid	
	Typeofownership: For profit - Individual	
	Locatedwithinahospital: NO	
	Multinursinghomeownership: YES	
	Residentandfamilycouncils: BOTH	
	Edr id: SRNH20060913741	

AL188		SRDCCA200714383
West	EDR ID: SRDCCA200714383	Daycare
1/2-1 mi	Facility number: 13415779	
5056	Facility name: "JOHNSON, MARTICIA	
Lower	Facility eval. code: 0203	
	Facility office number: 02	
	Facility county number: 01	
	Facility type code: 810	
	Facility status code: 03	

# MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

Address: 1104 8TH STREET  
 City: OAKLAND  
 State: CA  
 Zip: 94607  
 Alt. address: 1104 8TH STREET  
 City: OAKLAND  
 State: CA  
 Zip: 94607  
 Facility investor: "JOHNSON, MARTICIA"  
 Licensee type: A  
 License effective date: 10901  
 License expiration date: Not Reported  
 License issue date: 010901  
 Program type: "MAXIMUM CAPACITY: 6 CHILDREN WITH NO MORE THAN 3 INFANTS, OR 4  
 INFANTSONLY, OR CAPACITY 8 CHILDREN WHEN 2 ARE AT LEAST 6 YEARS OF AGE  
 WITH AMAXIMUM OF 2 INFANTS; PROPERTY OWNER/LANDLORD CONSENT IS REQUIRED"  
 Original app. received date: 010611  
 Facility closed date: Not Reported  
 Mailing address: 1104 8TH STREET  
 Mailing city: OAKLAND  
 Mailing state: CA  
 Mailing zip: 94607  
 Contact person: "JOHNSON, MARTICIA"  
 Facility capacity: 8  
 Type of clients served: 960  
 Facility phone: 5108353233

AP189  
 North  
 1/2-1 mi  
 5080  
 Higher

Hospital type: 03  
 Num of times COO: 01  
 Owner date: 20030731  
 City: OAKLAND  
 Has plan of corr: 1  
 Compliance status: A  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: 20060330  
 Current survey date: 20060404  
 Medicare/Medicaid: 1  
 Facility name: MCCLURE CONVALESCENT HOSP & REHAB CENTER  
 Intermediary/Carrier: 00454  
 Medicaid number: ZZR55067F  
 Participation date: 19770425  
 Prior COO date: Not Reported  
 Prior carrier: 00400  
 Provider ID: 555067  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Not Reported  
 state abbrev: CA  
 ssa state: 05  
 state region cd: BK  
 street address: 2910 MCCLURE STREET  
 Phone num: 5108363677

SRHO20070107789  
 AHA Hospitals

## MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

Termination reason: 00  
 Term Date: Not Reported  
 Purpose of action: 2  
 Provider control: 03  
 Zip: 94609  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0060  
 Num cert beds: 0060  
 Source: US\_HOSPITAL\_POSOTHER  
 Edr id: SRHO20070107789

AP190  
 North  
 1/2-1 mi  
 5080  
 Higher

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: MCCLURE CONVALESCENT HOSP  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19930907  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0722928  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: LAB  
 street address: 2910 MCCLURE ST  
 Phone num: 5108363677  
 Termination reason: 00  
 Term Date: 20080831  
 Purpose of action: Not Reported  
 Provider control: 04  
 Zip: 94609  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported

SRHO20070141452  
 AHA Hospitals

# MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070141452

AP191			SRNH20060915590
North	Provnum:	555067	Nursing Homes
1/2-1 mi	Nursinghome name:	MCCLURE CONVALESCENT HOSP & REHAB CENTER	
5080	Street:	2910 MCCLURE STREET	
Higher	City:	OAKLAND	
	State:	CA	
	Zipcode:	94609	
	Phonenumber:	5108363677	
	Dateoflastinspection:	20060330	
	Certifiednumberofbeds:	60	
	Totalnumberofresidents:	55	
	Percofoccupiedbeds:	92	
	Categorydescription:	Participating in Medicare and Medicaid	
	Typeofownership:	For profit - Corporation	
	Locatedwithinhospital:	NO	
	Multinursinghomeownership:	YES	
	Residentandfamilycouncils:	BOTH	
	Edr id:	SRNH20060915590	

192			SRDCCA200723042
NNW	EDR ID:	SRDCCA200723042	Daycare
1/2-1 mi	Facility number:	13417226	
5087	Facility name:	"MCDOWELL, RUTHIE	"
Lower	Facility eval. code:	0203	
	Facility office number:	02	
	Facility county number:	01	
	Facility type code:	810	
	Facility status code:	03	
	Address:	868 MILTON STREET	
	City:	OAKLAND	
	State:	CA	
	Zip:	94607	
	Alt. address:	868 MILTON STREET	
	City:	OAKLAND	
	State:	CA	
	Zip:	94607	
	Facility investor:	"MCDOWELL, RUTHIE	"
	Licensee type:	A	
	License effective date:	30922	
	License expiration date:	Not Reported	
	License issue date:	030922	
	Program type:	LICENSE INACTIVE FROM 12/01/06 TO 2/28/07	
	Original app. received date:	030827	
	Facility closed date:	Not Reported	
	Mailing address:	868 MILTON STREET	
	Mailing city:	OAKLAND	
	Mailing state:	CA	
	Mailing zip:	94607	

# MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Elevation	Site	EDR ID	Database
					Contact person: "MCDOWELL, RUTHIE" Facility capacity: 8 Type of clients served: 960 Facility phone: 5105024741		
193	NNW	1/2-1 mi	5118	Higher	EDR ID: SRDCCA200738980 Facility number: 13418828 Facility name: "SABRY, AISHA" Facility eval. code: 0105 Facility office number: 02 Facility county number: 01 Facility type code: 810 Facility status code: 03 Address: 2719 WEST ST. City: OAKLAND State: CA Zip: 94612 Alt. address: 2719 WEST ST. City: OAKLAND State: CA Zip: 94612 Facility investor: "SABRY, AISHA" Licensee type: A License effective date: 60831 License expiration date: Not Reported License issue date: 060831 Program type: MAX. CAP(WHEN THERE IS AN ASSISTANT PRESENT): 12 - NO MORE THAN 4 INFANTS. CAP 14 - NO MORE THAN 3 INFANTS. 1 CHILD IN KINDERGARTEN OR ELEMENTARY SCHOOL AND 1 CHILD AT LEAST AGE 6. Original app. received date: 060815 Facility closed date: Not Reported Mailing address: 2719 WEST ST. Mailing city: OAKLAND Mailing state: CA Mailing zip: 94612 Contact person: "SABRY, AISHA" Facility capacity: 14 Type of clients served: 960 Facility phone: 5108123029	SRDCCA200738980	Daycare
AL194	West	1/2-1 mi	5120	Lower	EDR ID: SRDCCA200726189 Facility number: 13417861 Facility name: "HARDAWAY, ERICA" Facility eval. code: 0203 Facility office number: 02 Facility county number: 01 Facility type code: 810 Facility status code: 03 Address: 1116 8TH STREET City: OAKLAND State: CA Zip: 94607	SRDCCA200726189	Daycare



## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Alt. address: 1116 8TH STREET  
 City: OAKLAND  
 State: CA  
 Zip: 94607  
 Facility investor: "HARDAWAY, ERICA"  
 Licensee type: A  
 License effective date: 41007  
 License expiration date: Not Reported  
 License issue date: 041007  
 Program type: "MAXIMUM CAPACITY: 6 CHILDREN WITH NO MORE THAN 3 INFANTS, OR 4  
 INFANTSONLY, OR CAPACITY 8 CHILDREN WHEN 2 ARE AT LEAST 6 YEARS OF AGE  
 WITH AMAXIMUM OF 2 INFANTS; PROPERTY OWNER/LANDLORD CONSENT IS REQUIRED  
 "  
 Original app. received date: 040825  
 Facility closed date: Not Reported  
 Mailing address: 1116 8TH STREET  
 Mailing city: OAKLAND  
 Mailing state: CA  
 Mailing zip: 94607  
 Contact person: "HARDAWAY, ERICA"  
 Facility capacity: 8  
 Type of clients served: 960  
 Facility phone: 5102688658

<p>AP195          North          1/2-1 mi          5125          Higher</p>	<p>Hospital type: 01          Num of times COO: 00          Owner date: Not Reported          City: OAKLAND          Has plan of corr: Not Reported          Compliance status: Not Reported          SSA county code: 000          Cross ref number: Not Reported          FMS survey date: Not Reported          Current survey date: Not Reported          Medicare/Medicaid: Not Reported          Facility name: GORDON A LAKE MD          Intermediary/Carrier: Not Reported          Medicaid number: Not Reported          Participation date: 19980123          Prior COO date: Not Reported          Prior carrier: Not Reported          Provider ID: 05D0939360          Record Status: A          Region code: 09          Is Partial Record: Y          state abbrev: CA          ssa state: 05          state region cd: LAB          street address: 2921 MCCLURE          Phone num: 5107634083          Termination reason: 00          Term Date: 20080122          Purpose of action: Not Reported          Provider control: 04</p>	<p>SRHO20070153835          AHA Hospitals</p>
---	--	---

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Zip: 94609  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070153835

AN196  
 NNE  
 1/2-1 mi  
 5147  
 Higher

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: A  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: 20050511  
 Medicare/Medicaid: 1  
 Facility name: MEDICAL SPECIALTY LAB  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19920901  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0594708  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Not Reported  
 state abbrev: CA  
 ssa state: 05  
 state region cd: M2  
 street address: 2929 SUMMIT STREET STE 208  
 Phone num: 5108394829  
 Termination reason: 00  
 Term Date: 20070720  
 Purpose of action: 2  
 Provider control: 04  
 Zip: 94609  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA

SRHO20070133775  
 AHA Hospitals

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Edr id: SRHO20070133775

<p>AN197          NNE          1/2-1 mi          5147          Higher</p>	<p>Hospital type: 01          Num of times COO: 00          Owner date: Not Reported          City: OAKLAND          Has plan of corr: Not Reported          Compliance status: Not Reported          SSA county code: 000          Cross ref number: Not Reported          FMS survey date: Not Reported          Current survey date: Not Reported          Medicare/Medicaid: Not Reported          Facility name: THI LE NGUYEN MD          Intermediary/Carrier: Not Reported          Medicaid number: Not Reported          Participation date: 20050511          Prior COO date: Not Reported          Prior carrier: Not Reported          Provider ID: 05D1040533          Record Status: A          Region code: 09          Is Partial Record: Y          state abbrev: CA          ssa state: 05          state region cd: M2          street address: 2929 SUMMIT #210          Phone num: 5108320839          Termination reason: 00          Term Date: 20070510          Purpose of action: Not Reported          Provider control: 04          Zip: 94609          Fips state: 06          Fips cnty: 001          SSA MSA: 418          SSA MSA size code: B          Date accredited: Not Reported          Accred expire date: Not Reported          Accred Org: Not Reported          Num beds: 0000          Num cert beds: 0000          Source: US_HOSPITAL_POSCLIA          Edr id: SRHO20070160254</p>	<p>SRHO20070160254          AHA Hospitals</p>
---	---	---

<p>AN198          NNE          1/2-1 mi          5147          Higher</p>	<p>Hospital type: 01          Num of times COO: 00          Owner date: Not Reported          City: OAKLAND          Has plan of corr: 1          Compliance status: A          SSA county code: 000</p>	<p>SRHO20070136521          AHA Hospitals</p>
---	--	---

## MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: 19971001  
 Medicare/Medicaid: 1  
 Facility name: SMITHKLINE BEECHAM CLINICAL LABS  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19920901  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0643719  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Not Reported  
 state abbrev: CA  
 ssa state: 05  
 state region cd: M2  
 street address: 2929 SUMMIT STREET, SUITE 105  
 Phone num: 5108255033  
 Termination reason: 04  
 Term Date: 19981002  
 Purpose of action: 2  
 Provider control: 04  
 Zip: 94609  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070136521

AP199  
 North  
 1/2-1 mi  
 5170  
 Higher

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: 1  
 Compliance status: A  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: 20040408  
 Medicare/Medicaid: 1  
 Facility name: INTERNISTS MEDICAL GROUP  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19920901  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0602051

SRHO20070134791  
 AHA Hospitals

## MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

Record Status: A  
 Region code: 09  
 Is Partial Record: Not Reported  
 state abbrev: CA  
 ssa state: 05  
 state region cd: M2  
 street address: 2930 MCCLURE STREET #5  
 Phone num: 5104442155  
 Termination reason: 00  
 Term Date: 20080824  
 Purpose of action: 2  
 Provider control: 04  
 Zip: 94609  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070134791

200			SRPU20071013390
WSW	Ncessch:	062805005632	
1/2-1 mi	Schname05:	EAST BAY CONSERVATION CORPS CHARTER	Public Schools
5190	Mstreet05:	1021 THIRD ST.	
Lower	Mcity05:	OAKLAND	
	Mstate05:	CA	
	Mzip05:	94607	
	Mzip405:	2223	
	Member05:	238	
	Phone05:	(510) 992-7855	
	Locale05:	1	
	Type05:	1	
	Level05:	4	
	Gslo05:	KG	
	Gshi05:	12	
	Edr id:	SRPU20071013390	

AN201			SRHO20070144653
NNE	Hospital type:	01	AHA Hospitals
1/2-1 mi	Num of times COO:	00	
5199	Owner date:	Not Reported	
Higher	City:	OAKLAND	
	Has plan of corr:	Not Reported	
	Compliance status:	Not Reported	
	SSA county code:	000	
	Cross ref number:	Not Reported	
	FMS survey date:	Not Reported	
	Current survey date:	Not Reported	
	Medicare/Medicaid:	Not Reported	

## MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Facility name: JAMES L RORIE MD  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19950210  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0897675  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA  
 ssa state: 05  
 state region cd: M2  
 street address: 2941 SUMMIT STREET SUITE 2-A  
 Phone num: 5104443318  
 Termination reason: 00  
 Term Date: 20080502  
 Purpose of action: Not Reported  
 Provider control: 07  
 Zip: 94609  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070144653

AN202  
 NNE  
 1/2-1 mi  
 5199  
 Higher

Hospital type: 01  
 Num of times COO: 00  
 Owner date: Not Reported  
 City: OAKLAND  
 Has plan of corr: Not Reported  
 Compliance status: Not Reported  
 SSA county code: 000  
 Cross ref number: Not Reported  
 FMS survey date: Not Reported  
 Current survey date: Not Reported  
 Medicare/Medicaid: Not Reported  
 Facility name: PREVENTIVE CARE NETWORK MED SVCS INC  
 Intermediary/Carrier: Not Reported  
 Medicaid number: Not Reported  
 Participation date: 19990202  
 Prior COO date: Not Reported  
 Prior carrier: Not Reported  
 Provider ID: 05D0956654  
 Record Status: A  
 Region code: 09  
 Is Partial Record: Y  
 state abbrev: CA

SRHO20070150889  
 AHA Hospitals

# MAP FINDINGS

**Map ID**  
**Direction**  
**Distance**  
**Distance (ft.)**  
**Elevation**

**Site**

**EDR ID**  
**Database**

ssa state: 05  
 state region cd: LAB  
 street address: 2940 SUMMIT ST FIRST FLOOR  
 Phone num: 5104449460  
 Termination reason: 00  
 Term Date: 20070201  
 Purpose of action: Not Reported  
 Provider control: 04  
 Zip: 94609  
 Fips state: 06  
 Fips cnty: 001  
 SSA MSA: 418  
 SSA MSA size code: B  
 Date accredited: Not Reported  
 Accred expire date: Not Reported  
 Accred Org: Not Reported  
 Num beds: 0000  
 Num cert beds: 0000  
 Source: US\_HOSPITAL\_POSCLIA  
 Edr id: SRHO20070150889

203			SRDCCA200729291
WNW	EDR ID:	SRDCCA200729291	Daycare
1/2-1 mi	Facility number:	13418303	
5258	Facility name:	"HENDERSON, SONIA	"
Lower	Facility eval. code:	0203	
	Facility office number:	02	
	Facility county number:	01	
	Facility type code:	810	
	Facility status code:	03	
	Address:	1476 ADELINE ST	
	City:	OAKLAND	
	State:	CA	
	Zip:	94607	
	Alt. address:	1476 ADELINE ST	
	City:	OAKLAND	
	State:	CA	
	Zip:	94607	
	Facility investor:	"HENDERSON, SONIA	"
	Licensee type:	A	
	License effective date:	50726	
	License expiration date:	Not Reported	
	License issue date:	050726	
	Program type:	"MAX. CAP: 6 - NO MORE THAN 3 INFANTS OR 4 INFANTS ONLY. CAP 8 - NO MORE THAN 2 INFANTS, 1 CHILD IN KINDERGARTEN OR ELEMENTARY SCHOOL AND 1 CHILD AT LEAST AGE 6.	"
	Original app. received date:	050511	
	Facility closed date:	Not Reported	
	Mailing address:	1476 ADELINE ST	
	Mailing city:	OAKLAND	
	Mailing state:	CA	
	Mailing zip:	94607	
	Contact person:	"HENDERSON, SONIA	"
	Facility capacity:	8	
	Type of clients served:	960	

# MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

EDR ID  
 Database

Facility phone: 5108360527

204 NNE 1/2-1 mi 5260 Higher	Hospital type: 01 Num of times COO: 00 Owner date: Not Reported City: OAKLAND Has plan of corr: Not Reported Compliance status: A SSA county code: 000 Cross ref number: Not Reported FMS survey date: Not Reported Current survey date: 19821014 Medicare/Medicaid: 1 Facility name: NOR CAL HHA Intermediary/Carrier: 00040 Medicaid number: Not Reported Participation date: 19821014 Prior COO date: Not Reported Prior carrier: Not Reported Provider ID: 057512 Record Status: A Region code: 09 Is Partial Record: Not Reported state abbrev: CA ssa state: 05 state region cd: BK street address: 2946 WEBSTER ST Phone num: 4157636490 Termination reason: 04 Term Date: 19870901 Purpose of action: 1 Provider control: 04 Zip: 94609 Fips state: 06 Fips cnty: 001 SSA MSA: 418 SSA MSA size code: B Date accredited: Not Reported Accred expire date: Not Reported Accred Org: 0 Num beds: 0000 Num cert beds: 0000 Source: US_HOSPITAL_POSOTHER Edr id: SRHO20070010260	SRHO20070010260 AHA Hospitals
--	---	----------------------------------

NA SW 1-2 mi 6290 NA	Name: Feature: URL: Bureau: State: Is DOD?:	Alameda Naval Air Station (Closed) Navy DOD Not Reported DOD CA Yes	CUSA136129 FED_LAND
----------------------------------	--	--	------------------------



## RECORDS SEARCHED/DATA CURRENCY TRACKING

### **Census**

Source: U.S. Census Bureau

Telephone: 301-763-4636

2010 U.S. Census data was used to estimate residential population following these EPA guidelines:  
*"Census data are presented by Census tract. If your circle covers only a portion of the tract, you should develop an estimate for that portion...Determine the population density per square mile (total population of the Census tract divided by the number of square miles in the tract) and apply that density figure to the number of square miles within your circle."*

### **FED\_LAND: Federal Lands**

Source: USGS

Telephone: 888-275-8747

Federal lands data. Includes data from several Federal land management agencies, including Fish and Wildlife Service, Bureau of Land Management, National Park Service, and Forest Service. Includes National Parks, Forests, Monuments; Wildlife Sanctuaries, Preserves, Refuges; Federal Wilderness Areas.

### **AHA Hospitals:**

Source: American Hospital Association, Inc.

Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

### **Medical Centers: Provider of Services Listing**

Source: Centers for Medicare & Medicaid Services

Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

### **Nursing Homes**

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

### **Public Schools**

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

### **Private Schools**

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

### **Colleges - Integrated Postsecondary Education Data**

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on integrated postsecondary education in the United States.

### **Arenas**

Source: Dunhill International

EDR indicates the location of buildings and facilities - arenas - where individuals who are public receptors are likely to be located.

### **Prisons: Bureau of Prisons Facilities**

Source: Federal Bureau of Prisons

Telephone: 202-307-3198

List of facilities operated by the Federal Bureau of Prisons.

### **Daycare Centers: Licensed Facilities**

Source: Department of Social Services

Telephone: 916-657-4041


### **STREET AND ADDRESS INFORMATION**

(c) 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

**1428-1432, Franklin Street**  
1428-1432, Franklin Street  
Oakland, CA 94612

Inquiry Number: 4151834.2s  
December 04, 2014

## The EDR GeoCheck® Report



6 Armstrong Road, 4th floor  
Shelton, CT 06484  
Toll Free: 800.352.0050  
[www.edrnet.com](http://www.edrnet.com)

# TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
<b><u>GEOCHECK ADDENDUM</u></b>	
Physical Setting Source Addendum .....	A-1
Physical Setting Source Summary .....	A-2
Physical Setting SSURGO Soil Map .....	A-6
Physical Setting Source Map .....	A-8
Physical Setting Source Map Findings .....	A-9
Physical Setting Source Records Searched .....	PSGR-1

***Thank you for your business.***  
Please contact EDR at 1-800-352-0050  
with any questions or comments.

#### **Disclaimer - Copyright and Trademark Notice**

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2014 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

# GEOCHECK® - PHYSICAL SETTING SOURCE REPORT

## TARGET PROPERTY ADDRESS

1428-1432, FRANKLIN STREET  
1428-1432, FRANKLIN STREET  
OAKLAND, CA 94612

## TARGET PROPERTY COORDINATES

Latitude (North):	37.8044 - 37° 48' 15.84"
Longitude (West):	122.2692 - 122° 16' 9.12"
Universal Transverse Mercator:	Zone 10
UTM X (Meters):	564334.4
UTM Y (Meters):	4184159.5
Elevation:	40 ft. above sea level

## USGS TOPOGRAPHIC MAP

Target Property Map:	37122-G3 OAKLAND WEST, CA
Most Recent Revision:	1980

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principal investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


## TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

## TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General NE

## SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

## FEMA FLOOD ZONE

Target Property County  
ALAMEDA, CA

FEMA Flood  
Electronic Data  
YES - refer to the Overview Map and Detail Map

Flood Plain Panel at Target Property: 06001C - FEMA DFIRM Flood data

Additional Panels in search area: Not Reported

## NATIONAL WETLAND INVENTORY

NWI Quad at Target Property  
OAKLAND WEST

NWI Electronic  
Data Coverage  
YES - refer to the Overview Map and Detail Map

## HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

### *Site-Specific Hydrogeological Data\*:*

Search Radius:	1.25 miles
Location Relative to TP:	1 - 2 Miles SSW
Site Name:	Naval Supply Center, Alameda Annex & Facility
Site EPA ID Number:	CA1170090012
Groundwater Flow Direction:	Southeast
Measured Depth to Water:	5 feet.
Hydraulic Connection:	Information is not available about the hydraulic connection between aquifer(s) underlying the site.
Sole Source Aquifer:	No information about a sole source aquifer is available
Data Quality:	Information based on site-specific subsurface investigations is documented in the CERCLIS investigation report(s)

## AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
B8	0 - 1/8 Mile NNW	N, S

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
C9	0 - 1/8 Mile SE	NE
C10	0 - 1/8 Mile SE	NE
B11	0 - 1/8 Mile North	SW
B12	0 - 1/8 Mile North	SW
D13	1/8 - 1/4 Mile ENE	E
D14	1/8 - 1/4 Mile ENE	NE
E15	1/8 - 1/4 Mile NNE	NE, E, SE
E16	1/8 - 1/4 Mile NNE	NE
E17	1/8 - 1/4 Mile NNE	NE
18	1/8 - 1/4 Mile SE	W
19	1/4 - 1/2 Mile NNE	NNE,SE,S,SW
22	1/4 - 1/2 Mile WNW	E
G23	1/4 - 1/2 Mile SE	N
G24	1/4 - 1/2 Mile SE	W
25	1/4 - 1/2 Mile West	S
26	1/4 - 1/2 Mile NE	E
H27	1/4 - 1/2 Mile SSW	Varies
I28	1/4 - 1/2 Mile South	Varies
I29	1/4 - 1/2 Mile South	N
H30	1/4 - 1/2 Mile SSW	NW
H31	1/4 - 1/2 Mile SSW	NW
32	1/2 - 1 Mile North	SW
J33	1/2 - 1 Mile NNE	SE
J34	1/2 - 1 Mile NNE	SW
J35	1/2 - 1 Mile NNE	E, W
36	1/2 - 1 Mile SSE	NW
37	1/2 - 1 Mile North	W
K38	1/2 - 1 Mile NNE	NE
39	1/2 - 1 Mile SSW	SW
40	1/2 - 1 Mile South	Not Reported
K41	1/2 - 1 Mile NNE	SW
L42	1/2 - 1 Mile NE	N,W,Varies
L43	1/2 - 1 Mile NE	N
L44	1/2 - 1 Mile NE	Varies
M45	1/2 - 1 Mile NNW	Varies
46	1/2 - 1 Mile South	SE
M47	1/2 - 1 Mile NNW	NE
48	1/2 - 1 Mile North	Not Reported
49	1/2 - 1 Mile ENE	SW
50	1/2 - 1 Mile SW	SE
N51	1/2 - 1 Mile NNW	SW
N52	1/2 - 1 Mile NNW	SW
N53	1/2 - 1 Mile NNW	SW
O54	1/2 - 1 Mile ESE	E
O55	1/2 - 1 Mile ESE	E
56	1/2 - 1 Mile NNE	S
57	1/2 - 1 Mile North	SE
P58	1/2 - 1 Mile ENE	NW
Q59	1/2 - 1 Mile SE	N
Q60	1/2 - 1 Mile SE	N
Q61	1/2 - 1 Mile SE	N
62	1/2 - 1 Mile NNE	Varies
63	1/2 - 1 Mile SSE	SE
P64	1/2 - 1 Mile ENE	S

For additional site information, refer to Physical Setting Source Map Findings.

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

### GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

### GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

#### **ROCK STRATIGRAPHIC UNIT**

Era: Cenozoic  
System: Quaternary  
Series: Quaternary  
Code: Q (*decoded above as Era, System & Series*)


#### **GEOLOGIC AGE IDENTIFICATION**

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).



# SSURGO SOIL MAP - 4151834.2s



- ★ Target Property
- ∩ SSURGO Soil
- ∩ Water



SITE NAME: 1428-1432, Franklin Street  
ADDRESS: 1428-1432, Franklin Street  
Oakland CA 94612  
LAT/LONG: 37.8044 / 122.2692

CLIENT: Marc Hachey LLC  
CONTACT: Marc Hachey  
INQUIRY #: 4151834.2s  
DATE: December 04, 2014 1:00 pm

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. The following information is based on Soil Conservation Service SSURGO data.

### Soil Map ID: 1

Soil Component Name: Urban land

Soil Surface Texture:  
Hydrologic Group: Not reported

Soil Drainage Class:  
Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

No Layer Information available.

## LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

## WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	1.000
State Database	1.000

## FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No Wells Found		

## FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
---------------	----------------	-------------------------

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
A1	CA5304106	0 - 1/8 Mile WSW
A2	CA3200108	0 - 1/8 Mile WSW
A3	CA3200019	0 - 1/8 Mile WSW
A4	CA1200690	0 - 1/8 Mile WSW
A5	CA2400009	0 - 1/8 Mile WSW
A6	CA2900604	0 - 1/8 Mile WSW
A7	CA2300668	0 - 1/8 Mile WSW
F20	CA0500053	1/4 - 1/2 Mile North
F21	CA0110005	1/4 - 1/2 Mile North

Note: PWS System location is not always the same as well location.

## STATE DATABASE WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No Wells Found		

# PHYSICAL SETTING SOURCE MAP - 4151834.2s



- County Boundary
- Major Roads
- Contour Lines
- Earthquake Fault Lines
- Airports
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons

- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Closest Hydrogeological Data
- Oil, gas or related wells
- 100-year flood zone
- 500-year flood zone
- National Wetland Inventory

SITE NAME: 1428-1432, Franklin Street  
 ADDRESS: 1428-1432, Franklin Street  
 Oakland CA 94612  
 LAT/LONG: 37.8044 / 122.2692

CLIENT: Marc Hachey LLC  
 CONTACT: Marc Hachey  
 INQUIRY #: 4151834.2s  
 DATE: December 04, 2014 1:00 pm

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Database      EDR ID Number

**A1**  
**WSW**  
**0 - 1/8 Mile**  
**Higher**

**FRDS PWS      CA5304106**

Epa region:	09	State:	CA
Pwsid:	CA5304106		
Pwsname:	DEL LOMA CABINS		
City served:	Not Reported	State served:	CA
Zip served:	Not Reported	Fips county:	06105
Status:	Closed	Pop srvd:	24
Pwsvconn:	7	Source:	Surface_water
Pws type:	TNCWS	Owner:	Private
Contact:	DEL LOMA CABINS		
Contact gname:	Not Reported		
Contact phone:	916-623-5961	Contact address1:	GABE BURKE
Contact address2:	HIGHWAY 299	Contact city:	OAKLAND
Contact state:	CA	Contact zip:	94604
Activity code:	I		

Facid:	1T		
Facname:	PELETRENE CREEK		
Facility type:	Treatment_plant	Activity code:	I
Treatment obj:	particulate removal	Treatment process:	filtration, pressure sand

Location Information:

Name:	DEL LOMA CABINS		
Pwstypcd:	TNCWS	Primsrccd:	SW
Poperved:	24		
Add1:	GABE BURKE		
Add2:	HIGHWAY 299		
City:	OAKLAND	State:	CA
Zip:	94604	Phone:	916-623-5961
Cityserv:	Not Reported	Cntyserv:	Not Reported
Stateserv:	CA	Zipserv:	Not Reported

PWS ID:	CA5304106		
Date Initiated:	7706	Date Deactivated:	Not Reported
PWS Name:	DEL LOMA CABINS		
	GABE BURKE		
	HIGHWAY 299		
	OAKLAND, CA 94604		

Addressee / Facility:      System Owner/Responsible Party  
 GABE BURKE  
 P O BOX 123  
 OAKLAND, CA 94604

Facility Latitude:	37 48 15	Facility Longitude:	122 16 10
City Served:	Not Reported		
Treatment Class:	Treated	Population:	00000024

Violations information not reported.

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Database      EDR ID Number

**A2**  
**WSW**  
**0 - 1/8 Mile**  
**Higher**

**FRDS PWS      CA3200108**

Epa region:	09	State:	CA
Pwsid:	CA3200108		
Pwsname:	TEN-TWO BAR & GRILL		
City served:	Not Reported	State served:	CA
Zip served:	Not Reported	Fips county:	06063
Status:	Active	Pop srvd:	30
Pwsvcconn:	1	Source:	Groundwater
Pws type:	TNCWS	Owner:	Private
Contact:	Gail Diane		
Contact name:	Ten-Two Cafe & Store		
Contact phone:	5302833901	Contact address1:	P.O. Box 185
Contact address2:	Not Reported	Contact city:	Meadow Valley
Contact state:	CA	Contact zip:	95956
Activity code:	A		

Location Information:

Name:	TEN-TWO BAR & GRILL		
Pwstypcd:	TNCWS	Primsrccd:	GW
Popserved:	30		
Add1:	P.O. BOX 185		
Add2:	Not Reported		
City:	MEADOW VALLEY	State:	CA
Zip:	95956	Phone:	5302833901
Cityserv:	Not Reported	Cntyserv:	Plumas
Stateserv:	CA	Zipserv:	Not Reported

Enforcement Information:

Violation id:	1200001	Orig cd:	S
Enf fy:	2012	Enf act date:	07/31/2012
Enf act detail:	St AO (w/o penalty) issued	Enf act cat:	Formal

Violations Information:

Violation id:	1200001	Orig cd:	S
State:	CA	Viol fy:	2012
Contamcd:	3100		
Contamnm:	Coliform (TCR)		
Viol code:	22		
Viol name:	MCL, Monthly (TCR)		
Rule code:	110		
Rule name:	TCR		
Violmeasur:	Not Reported	Unitmeasur:	Not Reported
State mcl:	Not Reported	Cmpbdt:	06/01/2012
Cmpedt:	06/30/2012		

PWS ID:	CA3200108		
Date Initiated:	9311	Date Deactivated:	Not Reported
PWS Name:	TEN-TWO BAR AND CAFE		
	GAIL DIANE		
	1232 BUCKS LAKE RD		
	MEADOW VALLEY, CA 95956		

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Addressee / Facility: System Owner/Responsible Party  
 GAIL DIANE  
 1232 BUCKS LAKE ROAD  
 MEADOW VALLEY, CA 95956

Facility Latitude: 37 48 15                      Facility Longitude: 122 16 10  
 City Served: Not Reported  
 Treatment Class: Untreated                      Population: 00000030

Violations information not reported.

**A3**  
**WSW**  
**0 - 1/8 Mile**  
**Higher**

**FRDS PWS      CA3200019**

Epa region:	09	State:	CA
Pwsid:	CA3200019		
Pwsname:	OAKLAND FEATHER RIVER CAMP		
City served:	Not Reported	State served:	CA
Zip served:	Not Reported	Fips county:	06063
Status:	Active	Pop srvd:	300
Pwsvcconn:	1	Source:	Groundwater
Pws type:	TNCWS	Owner:	Private
Contact:	Lily Myers-Kaplin		
Contact name:	OAKLAND FEATHER RIVER CAMP		
Contact phone:	5103362267	Contact address1:	PO Box 11061
Contact address2:	Not Reported	Contact city:	Oakland
Contact state:	CA	Contact zip:	94611
Activity code:	A		

Facid:	1		
Facname:	TOLLGATE CREEK - TREATED - INACTIVE		
Facility type:	Treatment_plant	Activity code:	A
Treatment obj:	disinfection	Treatment process:	hypochlorination, pre
Treatment obj:	particulate removal	Treatment process:	coagulation
Treatment obj:	particulate removal	Treatment process:	filtration, pressure sand

Facid:	CA3200019001		
Facname:	TOLLGATE CREEK - TREATED - INACTIVE		
Facility type:	Treatment_plant	Activity code:	I
Treatment obj:	disinfection	Treatment process:	hypochlorination, pre
Treatment obj:	particulate removal	Treatment process:	coagulation
Treatment obj:	particulate removal	Treatment process:	filtration, pressure sand

Location Information:

Name:	OAKLAND FEATHER RIVER CAMP		
Pwstypcd:	TNCWS	Primsrccd:	GW
Popserved:	300		
Add1:	PO BOX 11061		
Add2:	Not Reported		
City:	OAKLAND	State:	CA
Zip:	94611	Phone:	5103362267
Cityserv:	Not Reported	Cntyserv:	Plumas
Stateserv:	CA	Zipserv:	Not Reported

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Enforcement Information:

Violation id:	1100003	Orig cd:	S
Enf fy:	2011	Enf act date:	09/20/2011
Enf act detail:	St AO (w/o penalty) issued	Enf act cat:	Formal

Enforcement Information:

Violation id:	1100003	Orig cd:	S
Enf fy:	2006	Enf act date:	07/28/2006
Enf act detail:	St Violation/Reminder Notice	Enf act cat:	Informal

Enforcement Information:

Violation id:	0600002	Orig cd:	S
Enf fy:	2006	Enf act date:	08/21/2006
Enf act detail:	St Violation/Reminder Notice	Enf act cat:	Informal

Enforcement Information:

Violation id:	0600002	Orig cd:	S
Enf fy:	2006	Enf act date:	07/28/2006
Enf act detail:	St Violation/Reminder Notice	Enf act cat:	Informal

Enforcement Information:

Violation id:	0600001	Orig cd:	S
Enf fy:	2006	Enf act date:	07/28/2006
Enf act detail:	St Violation/Reminder Notice	Enf act cat:	Informal

Enforcement Information:

Violation id:	0202002	Orig cd:	S
Enf fy:	2002	Enf act date:	08/05/2002
Enf act detail:	St Violation/Reminder Notice	Enf act cat:	Informal

Enforcement Information:

Violation id:	0202001	Orig cd:	S
Enf fy:	2002	Enf act date:	08/05/2002
Enf act detail:	St Violation/Reminder Notice	Enf act cat:	Informal

Violations Information:

Violation id:	1100003	Orig cd:	S
State:	CA	Viol fy:	2011
Contamcd:	3100		
Contamnm:	Coliform (TCR)		
Viol code:	23		
Viol name:	Monitoring, Routine Major (TCR)		
Rule code:	110		
Rule name:	TCR		
Violmeasur:	Not Reported	Unitmeasur:	Not Reported
State mcl:	Not Reported	Cmpbdt:	08/01/2011
Cmpedt:	08/31/2011		

Violations Information:

Violation id:	0600002	Orig cd:	S
State:	CA	Viol fy:	2006
Contamcd:	3100		
Contamnm:	Coliform (TCR)		
Viol code:	21		
Viol name:	MCL, Acute (TCR)		
Rule code:	110		
Rule name:	TCR		
Violmeasur:	Not Reported	Unitmeasur:	Not Reported



## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

State mcl:	Not Reported	Cmpbdt:	07/01/2006
Cmpedt:	07/31/2006		
Violations Information:			
Violation id:	0600001	Orig cd:	S
State:	CA	Viol fy:	2006
Contamcd:	3100		
Contamnm:	Coliform (TCR)		
Viol code:	21		
Viol name:	MCL, Acute (TCR)		
Rule code:	110		
Rule name:	TCR		
Violmeasur:	Not Reported	Unitmeasur:	Not Reported
State mcl:	Not Reported	Cmpbdt:	06/01/2006
Cmpedt:	06/30/2006		
Violations Information:			
Violation id:	0202002	Orig cd:	S
State:	CA	Viol fy:	2002
Contamcd:	3100		
Contamnm:	Coliform (TCR)		
Viol code:	22		
Viol name:	MCL, Monthly (TCR)		
Rule code:	110		
Rule name:	TCR		
Violmeasur:	Not Reported	Unitmeasur:	Not Reported
State mcl:	Not Reported	Cmpbdt:	07/01/2002
Cmpedt:	07/31/2002		
Violations Information:			
Violation id:	0202001	Orig cd:	S
State:	CA	Viol fy:	2002
Contamcd:	3100		
Contamnm:	Coliform (TCR)		
Viol code:	22		
Viol name:	MCL, Monthly (TCR)		
Rule code:	110		
Rule name:	TCR		
Violmeasur:	Not Reported	Unitmeasur:	Not Reported
State mcl:	Not Reported	Cmpbdt:	06/01/2002
Cmpedt:	06/30/2002		
PWS ID:	CA3200019		
Date Initiated:	7706	Date Deactivated:	Not Reported
PWS Name:	OAKLAND FEATHER RIVER CAMP OAKLAND FEATHER RIVER CAMP OAKLAND CAMP RD QUINCY, CA 95971		
Addressee / Facility:	System Owner/Responsible Party OAKLAND FEATHER RIVER CAMP 7101 EDGEWATER DRIVE OAKLAND, CA 94621		
Facility Latitude:	37 48 15	Facility Longitude:	122 16 10
City Served:	Not Reported		
Treatment Class:	Treated	Population:	00000250

Violations information not reported.

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

### ENFORCEMENT INFORMATION:

Truedate:	03/31/2009	Pwsid:	CA3200019
Pwsname:	Oakland Feather River Camp		
Retpopsrvd:	300	Pwstypecod:	NC
Void:	0202001	Contaminant:	COLIFORM (TCR)
Viol. Type:	MCL, Monthly (TCR)		
Complperbe:	6/1/2002 0:00:00		
Complperen:	6/30/2002 0:00:00	Enfdate:	8/5/2002 0:00:00
Enf action:	State Violation/Reminder Notice		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	CA3200019
Pwsname:	Oakland Feather River Camp		
Retpopsrvd:	300	Pwstypecod:	NC
Void:	0202002	Contaminant:	COLIFORM (TCR)
Viol. Type:	MCL, Monthly (TCR)		
Complperbe:	7/1/2002 0:00:00		
Complperen:	7/31/2002 0:00:00	Enfdate:	8/5/2002 0:00:00
Enf action:	State Violation/Reminder Notice		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	CA3200019
Pwsname:	Oakland Feather River Camp		
Retpopsrvd:	300	Pwstypecod:	NC
Void:	0600001	Contaminant:	COLIFORM (TCR)
Viol. Type:	MCL, Acute (TCR)		
Complperbe:	6/1/2006 0:00:00		
Complperen:	6/30/2006 0:00:00	Enfdate:	7/28/2006 0:00:00
Enf action:	State Violation/Reminder Notice		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	CA3200019
Pwsname:	Oakland Feather River Camp		
Retpopsrvd:	300	Pwstypecod:	NC
Void:	0600002	Contaminant:	COLIFORM (TCR)
Viol. Type:	MCL, Acute (TCR)		
Complperbe:	7/1/2006 0:00:00		
Complperen:	7/31/2006 0:00:00	Enfdate:	7/28/2006 0:00:00
Enf action:	State Violation/Reminder Notice		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	CA3200019
Pwsname:	Oakland Feather River Camp		
Retpopsrvd:	300	Pwstypecod:	NC
Void:	0600002	Contaminant:	COLIFORM (TCR)
Viol. Type:	MCL, Acute (TCR)		
Complperbe:	7/1/2006 0:00:00		
Complperen:	7/31/2006 0:00:00	Enfdate:	8/21/2006 0:00:00
Enf action:	State Violation/Reminder Notice		
Violmeasur:	Not Reported		
System Name:	Oakland Feather River Camp		
Violation Type:	MCL, Monthly (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	06/01/02 - 06/30/02		
Violation ID:	0202001		
Enforcement Date:	08/05/02	Enf. Action:	State Violation/Reminder Notice

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

**ENFORCEMENT INFORMATION:**

System Name:	Oakland Feather River Camp		
Violation Type:	MCL, Monthly (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	6/1/2002 0:00:00 - 6/30/2002 0:00:00		
Violation ID:	0202001		
Enforcement Date:	8/5/2002 0:00:00	Enf. Action:	State Violation/Reminder Notice
System Name:	Oakland Feather River Camp		
Violation Type:	MCL, Monthly (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	07/01/02 - 07/31/02		
Violation ID:	0202002		
Enforcement Date:	08/05/02	Enf. Action:	State Violation/Reminder Notice
System Name:	Oakland Feather River Camp		
Violation Type:	MCL, Monthly (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	7/1/2002 0:00:00 - 7/31/2002 0:00:00		
Violation ID:	0202002		
Enforcement Date:	8/5/2002 0:00:00	Enf. Action:	State Violation/Reminder Notice
System Name:	Oakland Feather River Camp		
Violation Type:	MCL, Acute (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	6/1/2006 0:00:00 - 6/30/2006 0:00:00		
Violation ID:	0600001		
Enforcement Date:	4/12/2007 0:00:00	Enf. Action:	Not Reported
System Name:	Oakland Feather River Camp		
Violation Type:	MCL, Acute (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	7/1/2006 0:00:00 - 7/31/2006 0:00:00		
Violation ID:	0600002		
Enforcement Date:	4/12/2007 0:00:00	Enf. Action:	Not Reported

**CONTACT INFORMATION:**

Name:	Oakland Feather River Camp	Population:	300
Contact:	Terry Cullinan	Phone:	Not Reported
Address:	PO Box 11061		
Address 2:	Oakland		
	CA, 94 51050		

**A4  
WSW  
0 - 1/8 Mile  
Higher**

**FRDS PWS CA1200690**

Facid:	1		
Facname:	TOLLGATE CREEK - TREATED - INACTIVE		
Facility type:	Treatment_plant	Activity code:	A
Treatment obj:	disinfection	Treatment process:	hypochlorination, pre
Treatment obj:	particulate removal	Treatment process:	coagulation
Treatment obj:	particulate removal	Treatment process:	filtration, pressure sand
Facid:	CA3200019001		
Facname:	TOLLGATE CREEK - TREATED - INACTIVE		
Facility type:	Treatment_plant	Activity code:	I
Treatment obj:	disinfection	Treatment process:	hypochlorination, pre
Treatment obj:	particulate removal	Treatment process:	coagulation
Treatment obj:	particulate removal	Treatment process:	filtration, pressure sand

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

**Location Information:**

Name:	HIDDEN VALLEY HOMEOWNERS ASSOC		
Pwstypcd:	CWS	Prmsrccd:	GW
Popserved:	0		
Add1:	Not Reported		
Add2:	Not Reported		
City:	BAYSIDE	State:	CA
Zip:	95524	Phone:	Not Reported
Cityserv:	Not Reported	Cntyserv:	Not Reported
Stateserv:	CA	Zipserv:	Not Reported

PWS ID:	CA1200690		
Date Initiated:	Not Reported	Date Deactivated:	Not Reported
PWS Name:	HIDDEN VALLEY HOMEOWNERS ASSOC BAYSIDE, CA 95524		

Addressee / Facility: System Owner/Responsible Party  
CITY CORP BANK  
P O BOX 20  
OAKLAND, CA 946042082

Facility Latitude:	37 48 15	Facility Longitude:	122 16 10
City Served:	Not Reported		
Treatment Class:	Treated	Population:	50

PWS currently has or had major violation(s) or enforcement: YES

**VIOLATIONS INFORMATION:**

Violation ID:	9300005	Source ID:	Not Reported	PWS Phone:	Not Reported
Vio. beginning Date:	02/01/93	Vio. end Date:	02/28/93	Vio. Period:	001 Months
Num required Samples:	Not Reported	Number of Samples Taken:	Not Reported		
Analysis Result:	Not Reported	Maximum Contaminant Level:	Not Reported		
Analysis Method:	Not Reported				
Violation Type:	Monitoring, Routine Major (TCR)				
Contaminant:	COLIFORM (TCR)				
Vio. Awareness Date:	033093				

Violation ID:	9300004	Source ID:	Not Reported	PWS Phone:	Not Reported
Vio. beginning Date:	01/01/93	Vio. end Date:	01/31/93	Vio. Period:	001 Months
Num required Samples:	Not Reported	Number of Samples Taken:	Not Reported		
Analysis Result:	Not Reported	Maximum Contaminant Level:	Not Reported		
Analysis Method:	Not Reported				
Violation Type:	Monitoring, Routine Major (TCR)				
Contaminant:	COLIFORM (TCR)				
Vio. Awareness Date:	030293				

Violation ID:	9300003	Source ID:	Not Reported	PWS Phone:	Not Reported
Vio. beginning Date:	12/01/92	Vio. end Date:	12/31/92	Vio. Period:	001 Months
Num required Samples:	Not Reported	Number of Samples Taken:	Not Reported		
Analysis Result:	Not Reported	Maximum Contaminant Level:	Not Reported		
Analysis Method:	Not Reported				
Violation Type:	Monitoring, Routine Major (TCR)				
Contaminant:	COLIFORM (TCR)				
Vio. Awareness Date:	013093				

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Violation ID:	9300002	Source ID:	Not Reported	PWS Phone:	Not Reported
Vio. beginning Date:	10/01/92	Vio. end Date:	10/31/92	Vio. Period:	001 Months
Num required Samples:	Not Reported	Number of Samples Taken:	Not Reported		
Analysis Result:	Not Reported	Maximum Contaminant Level:	Not Reported		
Analysis Method:	Not Reported				
Violation Type:	Monitoring, Routine Major (TCR)				
Contaminant:	COLIFORM (TCR)				
Vio. Awareness Date:	113092				

Violation ID:	9301003	Source ID:	Not Reported	PWS Phone:	Not Reported
Vio. beginning Date:	09/01/93	Vio. end Date:	09/30/93	Vio. Period:	001 Months
Num required Samples:	Not Reported	Number of Samples Taken:	Not Reported		
Analysis Result:	Not Reported	Maximum Contaminant Level:	Not Reported		
Analysis Method:	Not Reported				
Violation Type:	Monitoring, Routine Major (TCR)				
Contaminant:	COLIFORM (TCR)				
Vio. Awareness Date:	111593				

### ENFORCEMENT INFORMATION:

System Name:	HIDDEN VALLEY HOMEOWNERS A				
Violation Type:	Initial Tap Sampling for Pb and Cu				
Contaminant:	LEAD & COPPER RULE				
Compliance Period:	1993-07-01 - 2015-12-31				
Violation ID:	95V0001				
Enforcement Date:	Not Reported	Enf. Action:	Not Reported		

**A5**  
**WSW**  
**0 - 1/8 Mile**  
**Higher**

**FRDS PWS CA2400009**

Epa region:	09	State:	CA
Pwsid:	CA2400009		
Pwsname:	Cottages, The CLOSED		
City served:	Not Reported	State served:	CA
Zip served:	Not Reported	Fips county:	06047
Status:	Closed	Pop srvd:	100
Pwsvcconn:	33	Source:	Groundwater
Pws type:	CWS	Owner:	Private
Contact:	Mike Thurber		
Contact name:	COTTAGES THE		
Contact phone:	2093573997	Contact address1:	21308 Mission Blvd.
Contact address2:	Not Reported	Contact city:	Hayward
Contact state:	CA	Contact zip:	94541
Activity code:	I		

Location Information:			
Name:	COTTAGES, THE CLOSED		
Pwstypcd:	CWS	Primsrccd:	GW
Pop served:	100		
Add1:	21308 MISSION BLVD.		
Add2:	Not Reported		
City:	HAYWARD	State:	CA
Zip:	94541	Phone:	2093573997
Cityserv:	Not Reported	Cntyserv:	Merced
Stateserv:	CA	Zipserv:	Not Reported

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

**Enforcement Information:**

Violation id:	95V0001	Orig cd:	F
Enf fy:	2004	Enf act date:	12/31/2003
Enf act detail:	Fed Compliance achieved	Enf act cat:	Resolving

PWS ID:	CA2400009	Date Deactivated:	Not Reported
Date Initiated:	Not Reported		
PWS Name:	GARDEN VILLAGE APTS ATWATER, CA 95301		

Addressee / Facility: System Owner/Responsible Party  
CALIFORNIA PROPERTY MANAGEMENT  
P O BOX 56  
WALNUT CREEK, CA 94596

Facility Latitude:	37 48 15	Facility Longitude:	122 16 10
City Served:	Not Reported		
Treatment Class:	Untreated	Population:	100

PWS currently has or had major violation(s) or enforcement: YES

**VIOLATIONS INFORMATION:**

Violation ID:	9300002	Source ID:	Not Reported	PWS Phone:	Not Reported
Vio. beginning Date:	11/01/92	Vio. end Date:	11/30/92	Vio. Period:	001 Months
Num required Samples:	Not Reported	Number of Samples Taken:	Not Reported		
Analysis Result:	Not Reported	Maximum Contaminant Level:	Not Reported		
Analysis Method:	Not Reported				
Violation Type:	Monitoring, Routine Major (TCR)				
Contaminant:	COLIFORM (TCR)				
Vio. Awareness Date:	123092				

Violation ID:	9300001	Source ID:	Not Reported	PWS Phone:	Not Reported
Vio. beginning Date:	01/01/93	Vio. end Date:	01/31/93	Vio. Period:	001 Months
Num required Samples:	Not Reported	Number of Samples Taken:	Not Reported		
Analysis Result:	Not Reported	Maximum Contaminant Level:	Not Reported		
Analysis Method:	Not Reported				
Violation Type:	Monitoring, Routine Major (TCR)				
Contaminant:	COLIFORM (TCR)				
Vio. Awareness Date:	030293				

**ENFORCEMENT INFORMATION:**

Truedate:	03/31/2009	Pwsid:	CA2400009
Pwsname:	COTTAGES, THE	Pwstypecod:	C
Retpopsrvd:	100	Contaminant:	LEAD & COPPER RULE
Void:	95V0001		
Viol. Type:	Initial Tap Sampling for Pb and Cu		
Complperbe:	7/1/1993 0:00:00		
Comlperen:	12/31/2003 0:00:00	Enfdate:	12/31/2003 0:00:00
Enf action:	Fed Compliance Achieved		
Violmeasur:	0		

System Name:	GARDEN VILLAGE APTS		
Violation Type:	Initial Tap Sampling for Pb and Cu		
Contaminant:	LEAD & COPPER RULE		
Compliance Period:	1993-07-01 - 2015-12-31		
Violation ID:	95V0001		
Enforcement Date:	Not Reported	Enf. Action:	Not Reported

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

**ENFORCEMENT INFORMATION:**

System Name:	GARDEN VILLAGE APTS		
Violation Type:	Initial Tap Sampling for Pb and Cu		
Contaminant:	LEAD & COPPER RULE		
Compliance Period:	1993-07-01 - 2015-12-31		
Violation ID:	95V0001		
Enforcement Date:	Not Reported	Enf. Action:	Not Reported
System Name:	COTTAGES, THE		
Violation Type:	Initial Tap Sampling for Pb and Cu		
Contaminant:	LEAD & COPPER RULE		
Compliance Period:	7/1/1993 0:00:00 - 12/31/2003 0:00:00		
Violation ID:	95V0001		
Enforcement Date:	12/31/2003 0:00:00	Enf. Action:	Fed Compliance Achieved
System Name:	COTTAGES, THE		
Violation Type:	Initial Tap Sampling for Pb and Cu		
Contaminant:	LEAD & COPPER RULE		
Compliance Period:	07/01/93 - 12/31/03		
Violation ID:	95V0001		
Enforcement Date:	12/31/03	Enf. Action:	Fed Compliance Achieved
System Name:	THE COTTAGES		
Violation Type:	Initial Tap Sampling for Pb and Cu		
Contaminant:	LEAD & COPPER RULE		
Compliance Period:	1993-07-01 - 2015-12-31		
Violation ID:	95V0001		
Enforcement Date:	Not Reported	Enf. Action:	Not Reported

**CONTACT INFORMATION:**

Name:	COTTAGES, THE	Population:	100
Contact:	777 West 22nd Street	Phone:	Not Reported
Address:	Merced		
Address 2:	CA 94508, 20		

**A6  
WSW  
0 - 1/8 Mile  
Higher**

**FRDS PWS CA2900604**

Location Information:			
Name:	TRI LODGE ASSOCIATION		
Pwstypcd:	TNCWS	Primsrccd:	GW
Popserved:	25		
Add1:	Not Reported		
Add2:	Not Reported		
City:	OAKLAND	State:	CA
Zip:	94610	Phone:	Not Reported
Cityserv:	Not Reported	Cntyserv:	Not Reported
Stateserv:	CA	Zipserv:	Not Reported
PWS ID:	CA2900604		
Date Initiated:	7706	Date Deactivated:	Not Reported
PWS Name:	TRI LODGE ASSOCIATION TRI LODGE ASSOCIATION 200 MONTECITO AVE OAKLAND, CA 94610		

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Addressee / Facility: System Owner/Responsible Party  
 TRI LODGE ASSOCIATION  
 200 MONTECITO AVENUE 3  
 OAKLAND, CA 94610

Facility Latitude: 37 48 15      Facility Longitude: 122 16 10  
 City Served: Not Reported  
 Treatment Class: Untreated      Population: 00000025

Violations information not reported.

**A7**  
**WSW**  
**0 - 1/8 Mile**  
**Higher**

**FRDS PWS      CA2300668**

Epa region:	09	State:	CA
Pwsid:	CA2300668		
Pwsname:	POINT CABRILLO HIGHLANDS		
City served:	Not Reported	State served:	CA
Zip served:	Not Reported	Fips county:	06045
Status:	Active	Pop srvd:	42
Pwsvcconn:	21	Source:	Groundwater
Pws type:	CWS	Owner:	Private
Contact:	POLONY, GEZA		
Contact gname:	POLONY, GEZA		
Contact phone:	510-421-9055	Contact address1:	P.O. Box 20575
Contact address2:	Not Reported	Contact city:	OAKLAND
Contact state:	CA	Contact zip:	94620
Activity code:	A		

Facid:	1535		
Facname:	TREATMENTPLANT_MAIN WELL - TREATED		
Facility type:	Treatment_plant	Activity code:	A
Treatment obj:	disinfection	Treatment process:	hypochlorination, post

Facid:	2		
Facname:	TREATMENTPLANT_MAIN WELL - TREATED		
Facility type:	Treatment_plant	Activity code:	A
Treatment obj:	dechlorination	Treatment process:	activated carbon, granular
Treatment obj:	disinfection	Treatment process:	hypochlorination, post

Facid:	CA2300668002		
Facname:	TREATMENTPLANT_MAIN WELL - TREATED		
Facility type:	Treatment_plant	Activity code:	A
Treatment obj:	dechlorination	Treatment process:	activated carbon, granular
Treatment obj:	disinfection	Treatment process:	hypochlorination, post

Location Information:

Name:	POINT CABRILLO HIGHLANDS		
Pwstypcd:	CWS	Primsrccd:	GW
Popserved:	42		
Add1:	P.O. BOX 20575		
Add2:	Not Reported		
City:	OAKLAND	State:	CA
Zip:	94620	Phone:	510-421-9055
Cityserv:	Not Reported	Cntyserv:	Mendocino
Stateserv:	CA	Zipserv:	Not Reported



## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

**Enforcement Information:**

Violation id:	3006	Orig cd:	S
Enf fy:	2000	Enf act date:	04/24/2000
Enf act detail:	St AO (w/o penalty) issued	Enf act cat:	Formal

**Violations Information:**

Violation id:	3006	Orig cd:	S
State:	CA	Viol fy:	2000
Contamcd:	3100		
Contamnm:	Coliform (TCR)		
Viol code:	23		
Viol name:	Monitoring, Routine Major (TCR)		
Rule code:	110		
Rule name:	TCR		
Violmeasur:	Not Reported	Unitmeasur:	Not Reported
State mcl:	Not Reported	Cmpbdt:	03/01/2000
Cmpedt:	03/31/2000		

PWS ID: CA2300668  
 Date Initiated: 8404                      Date Deactivated: Not Reported  
 PWS Name: POINT CABRILLO CAMPGROUND  
 ED KOWKS  
 13500 POINT CABRILLO DR  
 MENDOCINO, CA 95460

Addressee / Facility: System Owner/Responsible Party  
 ED KOWKS  
 13500 POINT CABRILLO DRIVE  
 MENDOCINO, CA 95460

Facility Latitude:	37 48 15	Facility Longitude:	122 16 10
City Served:	Not Reported		
Treatment Class:	Untreated	Population:	00000056

PWS currently has or had major violation(s) or enforcement: YES

**VIOLATIONS INFORMATION:**

Violation ID:	9403001	Source ID:	Not Reported	PWS Phone:	Not Reported
Vio. beginning Date:	04/01/94	Vio. end Date:	06/30/94	Vio. Period:	003 Months
Num required Samples:	Not Reported	Number of Samples Taken:	Not Reported		
Analysis Result:	Not Reported	Maximum Contaminant Level:	Not Reported		
Analysis Method:	Not Reported				
Violation Type:	Monitoring, Routine Major (TCR)				
Contaminant:	COLIFORM (TCR)				
Vio. Awareness Date:	070194				

**ENFORCEMENT INFORMATION:**

Truedate:	03/31/2009	Pwsid:	CA2300668
Pwsname:	Point Cabrillo Highlands	Pwstypecod:	C
Retpopsrvd:	42	Contaminant:	COLIFORM (TCR)
Vooid:	0003006		
Viol. Type:	Monitoring, Routine Major (TCR)		
Complperbe:	3/1/2000 0:00:00		
Complperen:	3/31/2000 0:00:00	Enfdate:	4/24/2000 0:00:00
Enf action:	State AO (w/o Penalty) Issued		
Violmeasur:	Not Reported		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

### ENFORCEMENT INFORMATION:

System Name:	Point Cabrillo Highlands		
Violation Type:	Monitoring, Routine Major (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	3/1/2000 0:00:00 - 3/31/2000 0:00:00		
Violation ID:	0003006		
Enforcement Date:	4/24/2000 0:00:00	Enf. Action:	State AO (w/o Penalty) Issued
System Name:	Point Cabrillo Highlands		
Violation Type:	Monitoring, Routine Major (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	03/01/00 - 03/31/00		
Violation ID:	0003006		
Enforcement Date:	04/24/00	Enf. Action:	State AO (w/o Penalty) Issued
System Name:	POINT CABRILLO CAMPGROUND		
Violation Type:	Monitoring, Routine Major (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	1994-04-01 - 1994-06-30		
Violation ID:	9403001		
Enforcement Date:	Not Reported	Enf. Action:	Not Reported
System Name:	POINT CABRILLO CAMPGROUND		
Violation Type:	Monitoring, Routine Major (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	1994-10-01 - 1994-12-31		
Violation ID:	9503002		
Enforcement Date:	1995-03-03	Enf. Action:	State Formal NOV Issued

### CONTACT INFORMATION:

Name:	Point Cabrillo Highlands	Population:	42
Contact:	Donald Howard	Phone:	Not Reported
Address:	P.O. Box 1472		
Address 2:	Mendocino		
	CA, 95 70793		

<b>B8 NNW 0 - 1/8 Mile Lower</b>	Site ID:	01-1921		
	Groundwater Flow:	N, S	<b>AQUIFLOW</b>	<b>55882</b>
	Shallow Water Depth:	Not Reported		
	Deep Water Depth:	Not Reported		
	Average Water Depth:	11		
	Date:	05/26/1994		

<b>C9 SE 0 - 1/8 Mile Higher</b>	Site ID:	01-0355		
	Groundwater Flow:	NE	<b>AQUIFLOW</b>	<b>52380</b>
	Shallow Water Depth:	2.5		
	Deep Water Depth:	9.5		
	Average Water Depth:	Not Reported		
	Date:	12/05/1990		

<b>C10 SE 0 - 1/8 Mile Higher</b>	Site ID:	01-0355		
	Groundwater Flow:	NE	<b>AQUIFLOW</b>	<b>52381</b>
	Shallow Water Depth:	9.5		
	Deep Water Depth:	20.5		
	Average Water Depth:	Not Reported		
	Date:	08/10/1999		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation			Database	EDR ID Number
<b>B11</b> <b>North</b> <b>0 - 1/8 Mile</b> <b>Lower</b>	Site ID:	01-1705	<b>AQUIFLOW</b>	<b>55892</b>
	Groundwater Flow:	SW		
	Shallow Water Depth:	5.6		
	Deep Water Depth:	8.5		
	Average Water Depth:	Not Reported		
Date:	01/28/1991			
<b>B12</b> <b>North</b> <b>0 - 1/8 Mile</b> <b>Lower</b>	Site ID:	01-1705	<b>AQUIFLOW</b>	<b>55893</b>
	Groundwater Flow:	SW		
	Shallow Water Depth:	Not Reported		
	Deep Water Depth:	Not Reported		
	Average Water Depth:	8.5		
Date:	04/02/1996			
<b>D13</b> <b>ENE</b> <b>1/8 - 1/4 Mile</b> <b>Lower</b>	Site ID:	01-0331	<b>AQUIFLOW</b>	<b>52389</b>
	Groundwater Flow:	E		
	Shallow Water Depth:	16.00		
	Deep Water Depth:	20.17		
	Average Water Depth:	Not Reported		
Date:	06/10/1999			
<b>D14</b> <b>ENE</b> <b>1/8 - 1/4 Mile</b> <b>Lower</b>	Site ID:	01-0331	<b>AQUIFLOW</b>	<b>52390</b>
	Groundwater Flow:	NE		
	Shallow Water Depth:	3.0		
	Deep Water Depth:	13.0		
	Average Water Depth:	Not Reported		
Date:	01/27/1988			
<b>E15</b> <b>NNE</b> <b>1/8 - 1/4 Mile</b> <b>Lower</b>	Site ID:	01-0151	<b>AQUIFLOW</b>	<b>55932</b>
	Groundwater Flow:	NE, E, SE		
	Shallow Water Depth:	0.041		
	Deep Water Depth:	0.007		
	Average Water Depth:	Not Reported		
Date:	06/29/1998			
<b>E16</b> <b>NNE</b> <b>1/8 - 1/4 Mile</b> <b>Lower</b>	Site ID:	01-0151	<b>AQUIFLOW</b>	<b>55930</b>
	Groundwater Flow:	NE		
	Shallow Water Depth:	Not Reported		
	Deep Water Depth:	Not Reported		
	Average Water Depth:	15		
Date:	06/28/1995			
<b>E17</b> <b>NNE</b> <b>1/8 - 1/4 Mile</b> <b>Lower</b>	Site ID:	01-0151	<b>AQUIFLOW</b>	<b>55931</b>
	Groundwater Flow:	NE		
	Shallow Water Depth:	Not Reported		
	Deep Water Depth:	Not Reported		
	Average Water Depth:	2		
Date:	08/23/1995			

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

<b>18 SE 1/8 - 1/4 Mile Lower</b>	Site ID: 01-2039		<b>AQUIFLOW</b>	<b>64077</b>
	Groundwater Flow: W			
	Shallow Water Depth: Not Reported			
	Deep Water Depth: Not Reported			
	Average Water Depth: Not Reported			
	Date: 11/15/1991			

<b>19 NNE 1/4 - 1/2 Mile Lower</b>	Site ID: 01-1168		<b>AQUIFLOW</b>	<b>55829</b>
	Groundwater Flow: NNE,SE,S,SW			
	Shallow Water Depth: 4.3			
	Deep Water Depth: 9.0			
	Average Water Depth: Not Reported			
	Date: 03/06/1991			

<b>F20 North 1/4 - 1/2 Mile Lower</b>			<b>FRDS PWS</b>	<b>CA0500053</b>
---	--	--	-----------------	------------------

Epa region:	09	State:	CA
Pwsid:	CA0500053		
Pwsname:	PARDEE CENTER		
City served:	Not Reported	State served:	CA
Zip served:	Not Reported	Fips county:	06009
Status:	Active	Pop srvd:	50
Pwssvconn:	13	Source:	Surface_water
Pws type:	NTNCWS	Owner:	Local_Govt
Contact:	LYDON, PAT		
Contact gname:	LYDON, PAT		
Contact phone:	209-772-8200	Contact address1:	PARDEE CENTER
Contact address2:	Not Reported	Contact city:	VALLEY SPRINGS
Contact state:	CA	Contact zip:	95252
Activity code:	A		

Facid:	1807		
Facname:	TREATMENT PLANT - TREATED		
Facility type:	Treatment_plant	Activity code:	A
Treatment obj:	disinfection	Treatment process:	hypochlorination, post
Treatment obj:	particulate removal	Treatment process:	filtered

Facid:	2		
Facname:	TREATMENT PLANT - TREATED		
Facility type:	Treatment_plant	Activity code:	A
Treatment obj:	particulate removal	Treatment process:	filtered

Facid:	CA0500053002		
Facname:	TREATMENT PLANT - TREATED		
Facility type:	Treatment_plant	Activity code:	A
Treatment obj:	disinfection	Treatment process:	hypochlorination, post

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

**Location Information:**

Name:	PARDEE CENTER	Prmsrccd:	SW
Pwstypcd:	NTNCWS		
Popserved:	50		
Add1:	PARDEE CENTER		
Add2:	Not Reported		
City:	VALLEY SPRINGS	State:	CA
Zip:	95252	Phone:	209-772-8200
Cityserv:	Not Reported	Cntyserv:	Calaveras
Stateserv:	CA	Zipserv:	Not Reported

PWS ID:	CA0500053	
Date Initiated:	9307	Date Deactivated: Not Reported
PWS Name:	PARDEE CENTER CAMP PARDEE CAMP PARDEE N OF VAL VALLEY SPRINGS, CA 95252	

Addressee / Facility: System Owner/Responsible Party  
 CAMP PARDEE  
 P O BOX 240  
 OAKLAND, CA 94623

Facility Latitude:	37 48 30	Facility Longitude:	122 16 06
City Served:	Not Reported		
Treatment Class:	Mixed (treated and untreated)	Population:	00000035

PWS currently has or had major violation(s) or enforcement: YES

**VIOLATIONS INFORMATION:**

Violation ID:	9310002	Source ID:	Not Reported	PWS Phone:	Not Reported
Vio. beginning Date:	09/01/93	Vio. end Date:	09/30/93	Vio. Period:	001 Months
Num required Samples:	Not Reported	Number of Samples Taken:	Not Reported		
Analysis Result:	Not Reported	Maximum Contaminant Level:	Not Reported		
Analysis Method:	Not Reported				
Violation Type:	Record Keeping				
Contaminant:	Not Reported				
Vio. Awareness Date:	111593				

**ENFORCEMENT INFORMATION:**

System Name:	PARDEE CENTER		
Violation Type:	MCL, Average		
Contaminant:	Turbidity		
Compliance Period:	1995-02-01 - 1995-02-28		
Violation ID:	9510006		
Enforcement Date:	1995-03-28	Enf. Action:	State Compliance Achieved
System Name:	PARDEE CENTER		
Violation Type:	MCL, Average		
Contaminant:	Turbidity		
Compliance Period:	1995-01-01 - 1995-01-31		
Violation ID:	9510007		
Enforcement Date:	1995-03-28	Enf. Action:	State Violation/Reminder Notice

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Database      EDR ID Number

**F21**  
**North**  
**1/4 - 1/2 Mile**  
**Lower**

**FRDS PWS      CA0110005**

Epa region:	09	State:	CA
Pwsid:	CA0110005		
Pwsname:	EAST BAY MUD		
City served:	Not Reported	State served:	CA
Zip served:	Not Reported	Fips county:	06001
Status:	Active	Pop srvd:	1300000
Pwsvconn:	386065	Source:	Surface_water
Pws type:	CWS	Owner:	Local_Govt
Contact:	WHITE, EILEEN		
Contact name:	WHITE, EILEEN		
Contact phone:	510-287-1149	Contact address1:	375 ELEVENTH STREET
Contact address2:	Not Reported	Contact city:	OAKLAND
Contact state:	CA	Contact zip:	94607-4246
Activity code:	A		

Facid:	13		
Facname:	SAN PABLO WTP - SAN PABLO RES - TREATED		
Facility type:	Treatment_plant	Activity code:	A
Treatment obj:	disinfection	Treatment process:	gaseous chlorination, post
Treatment obj:	particulate removal	Treatment process:	filtered
Treatment obj:	particulate removal	Treatment process:	coagulation
Treatment obj:	particulate removal	Treatment process:	sedimentation
Treatment obj:	taste / odor control	Treatment process:	not reported

Facid:	1657		
Facname:	LAFAYETTE WTP-MOKELUMNE AQUEDUCT - TRTD		
Facility type:	Treatment_plant	Activity code:	A
Treatment obj:	disinfection	Treatment process:	chloramines
Treatment obj:	disinfection by-products control	Treatment process:	chloramines

Facid:	1658		
Facname:	ORINDA TP-MOKELUMNE AQUEDUCT WATER-TRTD		
Facility type:	Treatment_plant	Activity code:	A
Treatment obj:	disinfection	Treatment process:	chloramines
Treatment obj:	disinfection by-products control	Treatment process:	chloramines

Facid:	1659		
Facname:	SOBRANTE WPT-SAN PABLO WATER - TREATED		
Facility type:	Treatment_plant	Activity code:	A
Treatment obj:	disinfection	Treatment process:	chloramines
Treatment obj:	disinfection by-products control	Treatment process:	chloramines

Facid:	1660		
Facname:	UPPER SAN LEANDRO WTP-USL WATER-TREATED		
Facility type:	Treatment_plant	Activity code:	A
Treatment obj:	disinfection	Treatment process:	chloramines
Treatment obj:	disinfection by-products control	Treatment process:	chloramines

Facid:	1661		
Facname:	WALNUT CREEK WTP-MOKULUMNE AQUEDUCT-TRTD		
Facility type:	Treatment_plant	Activity code:	A
Treatment obj:	disinfection	Treatment process:	chloramines
Treatment obj:	disinfection by-products control	Treatment process:	chloramines

Facid:	1662		
Facname:	SAN PABLO WTP - SAN PABLO RES - TREATED		
Facility type:	Treatment_plant	Activity code:	A
Treatment obj:	disinfection	Treatment process:	chloramines
Treatment obj:	disinfection by-products control	Treatment process:	chloramines
Treatment obj:	particulate removal	Treatment process:	sedimentation
Treatment obj:	particulate removal	Treatment process:	filtered

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

**Location Information:**

Name:	EAST BAY MUD	Prmsrccd:	SW
Pwstypcd:	CWS		
Poperved:	1300000		
Add1:	375 ELEVENTH STREET		
Add2:	Not Reported		
City:	OAKLAND	State:	CA
Zip:	94607-4246	Phone:	510-287-1149
Cityserv:	Not Reported	Cntyserv:	Alameda
Stateserv:	CA	Zipserv:	Not Reported

**Enforcement Information:**

Violation id:	Not Reported	Orig cd:	F
Enf fy:	2000	Enf act date:	03/01/2000
Enf act detail:	Fed Compliance achieved	Enf act cat:	Not Reported

PWS ID:	CA0110005		
Date Initiated:	Not Reported	Date Deactivated:	Not Reported
PWS Name:	EAST BAY MUD		
	OAKLAND, CA 946074240		

Addressee / Facility: Not Reported

Facility Latitude:	37 48 30	Facility Longitude:	122 16 06
City Served:	W ALAMEDA/CONTR		
Treatment Class:	Mixed (treated and untreated)	Population:	1300000

PWS currently has or had major violation(s) or enforcement: YES

**VIOLATIONS INFORMATION:**

Violation ID:	9404007	Source ID:	Not Reported	PWS Phone:	Not Reported
Vio. beginning Date:	07/01/94	Vio. end Date:	07/31/94	Vio. Period:	Not Reported
Num required Samples:	Not Reported	Number of Samples Taken:	Not Reported		
Analysis Result:	Not Reported	Maximum Contaminant Level:	Not Reported		
Analysis Method:	Not Reported				
Violation Type:	Operations Report				
Contaminant:	Not Reported				
Vio. Awareness Date:	Not Reported				

Violation ID:	9204005	Source ID:	Not Reported	PWS Phone:	Not Reported
Vio. beginning Date:	09/01/93	Vio. end Date:	09/30/93	Vio. Period:	001 Months
Num required Samples:	034	Number of Samples Taken:	Not Reported		
Analysis Result:	Not Reported	Maximum Contaminant Level:	Not Reported		
Analysis Method:	Not Reported				
Violation Type:	Operations Report				
Contaminant:	Not Reported				
Vio. Awareness Date:	111593				

**ENFORCEMENT INFORMATION:**

System Name:	EAST BAY MUD		
Violation Type:	Monitoring, Routine Minor (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	1994-07-01 - 1994-07-31		
Violation ID:	9404006		
Enforcement Date:	1994-07-19	Enf. Action:	State Violation/Reminder Notice

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

**ENFORCEMENT INFORMATION:**

System Name:	EAST BAY MUD		
Violation Type:	Operations Report		
Contaminant:	Not Reported		
Compliance Period:	1994-07-01 - 1994-07-31		
Violation ID:	9404007		
Enforcement Date:	Not Reported	Enf. Action:	Not Reported
System Name:	EAST BAY MUD		
Violation Type:	Operations Report		
Contaminant:	Not Reported		
Compliance Period:	1995-11-01 - 1995-11-30		
Violation ID:	9604008		
Enforcement Date:	Not Reported	Enf. Action:	Not Reported

<b>22 WNW 1/4 - 1/2 Mile Higher</b>	Site ID:	01-2232		
	Groundwater Flow:	E	<b>AQUIFLOW</b>	<b>51544</b>
	Shallow Water Depth:	Not Reported		
	Deep Water Depth:	Not Reported		
	Average Water Depth:	120		
	Date:	01/07/1987		

<b>G23 SE 1/4 - 1/2 Mile Lower</b>	Site ID:	01-0055		
	Groundwater Flow:	N	<b>AQUIFLOW</b>	<b>55915</b>
	Shallow Water Depth:	Not Reported		
	Deep Water Depth:	Not Reported		
	Average Water Depth:	3		
	Date:	03/03/1989		

<b>G24 SE 1/4 - 1/2 Mile Lower</b>	Site ID:	01-0055		
	Groundwater Flow:	W	<b>AQUIFLOW</b>	<b>55914</b>
	Shallow Water Depth:	Not Reported		
	Deep Water Depth:	Not Reported		
	Average Water Depth:	6		
	Date:	08/26/1996		

<b>25 West 1/4 - 1/2 Mile Higher</b>	Site ID:	01-0233		
	Groundwater Flow:	S	<b>AQUIFLOW</b>	<b>55975</b>
	Shallow Water Depth:	Not Reported		
	Deep Water Depth:	Not Reported		
	Average Water Depth:	10		
	Date:	09/02/1987		

<b>26 NE 1/4 - 1/2 Mile Lower</b>	Site ID:	01-4011		
	Groundwater Flow:	E	<b>AQUIFLOW</b>	<b>63635</b>
	Shallow Water Depth:	4		
	Deep Water Depth:	8		
	Average Water Depth:	Not Reported		
	Date:	03/18/1993		



## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation			Database	EDR ID Number
<b>H27</b> <b>SSW</b> <b>1/4 - 1/2 Mile</b> <b>Lower</b>	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	01-1611 Varies Not Reported Not Reported 156 09/19/1997	<b>AQUIFLOW</b>	<b>51534</b>
<b>I28</b> <b>South</b> <b>1/4 - 1/2 Mile</b> <b>Lower</b>	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	01-0582 Varies Not Reported Not Reported 18 02/05/1996	<b>AQUIFLOW</b>	<b>64079</b>
<b>I29</b> <b>South</b> <b>1/4 - 1/2 Mile</b> <b>Lower</b>	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	01-1244 N Not Reported Not Reported Not Reported 12/20/1994	<b>AQUIFLOW</b>	<b>64075</b>
<b>H30</b> <b>SSW</b> <b>1/4 - 1/2 Mile</b> <b>Lower</b>	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	01-2307 NW Not Reported Not Reported 7.50 09/23/1994	<b>AQUIFLOW</b>	<b>51869</b>
<b>H31</b> <b>SSW</b> <b>1/4 - 1/2 Mile</b> <b>Lower</b>	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	01-2307 NW Not Reported Not Reported 12 ft 03/15/1995	<b>AQUIFLOW</b>	<b>51870</b>
<b>32</b> <b>North</b> <b>1/2 - 1 Mile</b> <b>Lower</b>	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	01-1466 SW 20.8 22.7 Not Reported 11/04/1997	<b>AQUIFLOW</b>	<b>63631</b>
<b>J33</b> <b>NNE</b> <b>1/2 - 1 Mile</b> <b>Lower</b>	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	01-0875 SE Not Reported Not Reported Not Reported 11/09/1988	<b>AQUIFLOW</b>	<b>55889</b>

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation			Database	EDR ID Number
<b>J34</b> <b>NNE</b> <b>1/2 - 1 Mile</b> <b>Lower</b>	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	01-0875 SW Not Reported Not Reported 13 02/15/1989	<b>AQUIFLOW</b>	<b>55890</b>
<b>J35</b> <b>NNE</b> <b>1/2 - 1 Mile</b> <b>Lower</b>	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	01-0875 E, W Not Reported Not Reported Not Reported 10/07/1992	<b>AQUIFLOW</b>	<b>55891</b>
<b>36</b> <b>SSE</b> <b>1/2 - 1 Mile</b> <b>Lower</b>	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	01-0880 NW Not Reported Not Reported 8 01/01/1996	<b>AQUIFLOW</b>	<b>65392</b>
<b>37</b> <b>North</b> <b>1/2 - 1 Mile</b> <b>Lower</b>	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	01-1706 W Not Reported Not Reported 40.0 01/11/1996	<b>AQUIFLOW</b>	<b>66329</b>
<b>K38</b> <b>NNE</b> <b>1/2 - 1 Mile</b> <b>Lower</b>	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	01-3663 NE Not Reported Not Reported 12 01/29/1988	<b>AQUIFLOW</b>	<b>63934</b>
<b>39</b> <b>SSW</b> <b>1/2 - 1 Mile</b> <b>Lower</b>	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	01-0421 SW Not Reported Not Reported 7 10/28/1996	<b>AQUIFLOW</b>	<b>63810</b>
<b>40</b> <b>South</b> <b>1/2 - 1 Mile</b> <b>Lower</b>	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	01-2300 Not Reported Not Reported Not Reported 2-3 10/23/1996	<b>AQUIFLOW</b>	<b>55761</b>

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation			Database	EDR ID Number
<b>K41</b> <b>NNE</b> <b>1/2 - 1 Mile</b> <b>Lower</b>	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	01-1469 SW Not Reported Not Reported 16-18 12/01/1988	<b>AQUIFLOW</b>	<b>67866</b>
<b>L42</b> <b>NE</b> <b>1/2 - 1 Mile</b> <b>Lower</b>	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	01-0341 N,W,Varies Not Reported Not Reported 20 09/14/1989	<b>AQUIFLOW</b>	<b>55836</b>
<b>L43</b> <b>NE</b> <b>1/2 - 1 Mile</b> <b>Lower</b>	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	01-0341 N Not Reported Not Reported Not Reported 08/17/1988	<b>AQUIFLOW</b>	<b>55837</b>
<b>L44</b> <b>NE</b> <b>1/2 - 1 Mile</b> <b>Lower</b>	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	01-1846 Varies Not Reported Not Reported 20 08/11/1993	<b>AQUIFLOW</b>	<b>63897</b>
<b>M45</b> <b>NNW</b> <b>1/2 - 1 Mile</b> <b>Lower</b>	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	01-3919 Varies Not Reported Not Reported 14 ft 08/29/1997	<b>AQUIFLOW</b>	<b>51332</b>
<b>46</b> <b>South</b> <b>1/2 - 1 Mile</b> <b>Lower</b>	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	01-1151 SE Not Reported Not Reported 5-16 04/13/1997	<b>AQUIFLOW</b>	<b>63663</b>
<b>M47</b> <b>NNW</b> <b>1/2 - 1 Mile</b> <b>Lower</b>	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	01-0674 NE 12.6 22.0 Not Reported 05/26/1988	<b>AQUIFLOW</b>	<b>51546</b>

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation			Database	EDR ID Number
<b>48</b> <b>North</b> <b>1/2 - 1 Mile</b> <b>Lower</b>	Site ID:	01-1313	<b>AQUIFLOW</b>	<b>64106</b>
	Groundwater Flow:	Not Reported		
	Shallow Water Depth:	Not Reported		
	Deep Water Depth:	Not Reported		
	Average Water Depth:	25-30		
Date:	02/22/1999			
<b>49</b> <b>ENE</b> <b>1/2 - 1 Mile</b> <b>Lower</b>	Site ID:	01-1360	<b>AQUIFLOW</b>	<b>63687</b>
	Groundwater Flow:	SW		
	Shallow Water Depth:	Not Reported		
	Deep Water Depth:	Not Reported		
	Average Water Depth:	5		
Date:	11/17/1994			
<b>50</b> <b>SW</b> <b>1/2 - 1 Mile</b> <b>Lower</b>	Site ID:	01-1793	<b>AQUIFLOW</b>	<b>55831</b>
	Groundwater Flow:	SE		
	Shallow Water Depth:	5.00		
	Deep Water Depth:	5.30		
	Average Water Depth:	Not Reported		
Date:	03/12/1997			
<b>N51</b> <b>NNW</b> <b>1/2 - 1 Mile</b> <b>Lower</b>	Site ID:	01-2295	<b>AQUIFLOW</b>	<b>51336</b>
	Groundwater Flow:	SW		
	Shallow Water Depth:	Not Reported		
	Deep Water Depth:	Not Reported		
	Average Water Depth:	100		
Date:	07/09/1997			
<b>N52</b> <b>NNW</b> <b>1/2 - 1 Mile</b> <b>Lower</b>	Site ID:	01-2295	<b>AQUIFLOW</b>	<b>51337</b>
	Groundwater Flow:	SW		
	Shallow Water Depth:	Not Reported		
	Deep Water Depth:	Not Reported		
	Average Water Depth:	20		
Date:	03/12/1997			
<b>N53</b> <b>NNW</b> <b>1/2 - 1 Mile</b> <b>Lower</b>	Site ID:	01-2295	<b>AQUIFLOW</b>	<b>51338</b>
	Groundwater Flow:	SW		
	Shallow Water Depth:	Not Reported		
	Deep Water Depth:	Not Reported		
	Average Water Depth:	8-15		
Date:	08/19/1996			
<b>O54</b> <b>ESE</b> <b>1/2 - 1 Mile</b> <b>Lower</b>	Site ID:	01-1074	<b>AQUIFLOW</b>	<b>55832</b>
	Groundwater Flow:	E		
	Shallow Water Depth:	Not Reported		
	Deep Water Depth:	Not Reported		
	Average Water Depth:	20		
Date:	01/01/1993			

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation			Database	EDR ID Number
<b>O55</b> <b>ESE</b> <b>1/2 - 1 Mile</b> <b>Lower</b>	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	01-1074 E Not Reported Not Reported 15 03/08/1995	<b>AQUIFLOW</b>	<b>55833</b>
<b>56</b> <b>NNE</b> <b>1/2 - 1 Mile</b> <b>Higher</b>	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	01-0241 S Not Reported Not Reported 7.9 11/28/1988	<b>AQUIFLOW</b>	<b>63622</b>
<b>57</b> <b>North</b> <b>1/2 - 1 Mile</b> <b>Higher</b>	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	01-1349 SE 9.00 10.39 Not Reported 10/11/1988	<b>AQUIFLOW</b>	<b>63626</b>
<b>P58</b> <b>ENE</b> <b>1/2 - 1 Mile</b> <b>Lower</b>	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	01-0878 NW Not Reported Not Reported 12 ft 06/12/1995	<b>AQUIFLOW</b>	<b>51910</b>
<b>Q59</b> <b>SE</b> <b>1/2 - 1 Mile</b> <b>Lower</b>	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	01-2323 N Not Reported Not Reported 20 07/17/1996	<b>AQUIFLOW</b>	<b>55754</b>
<b>Q60</b> <b>SE</b> <b>1/2 - 1 Mile</b> <b>Lower</b>	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	01-2323 N Not Reported Not Reported 20 07/17/1996	<b>AQUIFLOW</b>	<b>55755</b>
<b>Q61</b> <b>SE</b> <b>1/2 - 1 Mile</b> <b>Lower</b>	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	01-2323 N Not Reported Not Reported 20 07/17/1996	<b>AQUIFLOW</b>	<b>55756</b>

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID	Direction	Distance	Elevation	Database	EDR ID Number
<b>62</b>	<b>NNE</b>	<b>1/2 - 1 Mile</b>	<b>Higher</b>		
	Site ID:	01-0575		<b>AQUIFLOW</b>	<b>64091</b>
	Groundwater Flow:	Varies			
	Shallow Water Depth:	10.40			
	Deep Water Depth:	14.49			
	Average Water Depth:	Not Reported			
	Date:	08/20/1992			
<b>63</b>	<b>SSE</b>	<b>1/2 - 1 Mile</b>	<b>Lower</b>		
	Site ID:	01-1066		<b>AQUIFLOW</b>	<b>67424</b>
	Groundwater Flow:	SE			
	Shallow Water Depth:	Not Reported			
	Deep Water Depth:	Not Reported			
	Average Water Depth:	Not Reported			
	Date:	09/20/1988			
<b>P64</b>	<b>ENE</b>	<b>1/2 - 1 Mile</b>	<b>Lower</b>		
	Site ID:	01-1467		<b>AQUIFLOW</b>	<b>67429</b>
	Groundwater Flow:	S			
	Shallow Water Depth:	Not Reported			
	Deep Water Depth:	Not Reported			
	Average Water Depth:	0.05			
	Date:	06/10/1986			

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

## AREA RADON INFORMATION

State Database: CA Radon

### Radon Test Results

Zipcode	Num Tests	> 4 pCi/L
94612	42	0

Federal EPA Radon Zone for ALAMEDA County: 2

- Note: Zone 1 indoor average level > 4 pCi/L.  
 : Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.  
 : Zone 3 indoor average level < 2 pCi/L.

---

### Federal Area Radon Information for ALAMEDA COUNTY, CA

Number of sites tested: 49

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	0.776 pCi/L	100%	0%	0%
Living Area - 2nd Floor	-0.400 pCi/L	100%	0%	0%
Basement	1.338 pCi/L	100%	0%	0%

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## TOPOGRAPHIC INFORMATION

### USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

## HYDROLOGIC INFORMATION

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2011 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

## HYDROGEOLOGIC INFORMATION

### AQUIFLOW<sup>R</sup> Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

## GEOLOGIC INFORMATION

### Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

### STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

### SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Services, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

## LOCAL / REGIONAL WATER AGENCY RECORDS

### FEDERAL WATER WELLS

#### PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.



# PHYSICAL SETTING SOURCE RECORDS SEARCHED

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

## STATE RECORDS

Water Well Database

Source: Department of Water Resources

Telephone: 916-651-9648

California Drinking Water Quality Database

Source: Department of Public Health

Telephone: 916-324-2319

The database includes all drinking water compliance and special studies monitoring for the state of California since 1984. It consists of over 3,200,000 individual analyses along with well and water system information.

## OTHER STATE DATABASE INFORMATION

California Oil and Gas Well Locations

Source: Department of Conservation

Telephone: 916-323-1779

Oil and Gas well locations in the state.

## RADON

State Database: CA Radon

Source: Department of Health Services

Telephone: 916-324-2208

Radon Database for California

Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

## OTHER

Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

California Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary fault lines, prepared in 1975 by the United State Geological Survey. Additional information (also from 1975) regarding activity at specific fault lines comes from California's Preliminary Fault Activity Map prepared by the California Division of Mines and Geology.

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## STREET AND ADDRESS INFORMATION

© 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.