

File No. 6-13-858-SA

**SOIL SAMPLING BENEATH  
REMOVED UST AT THE PROPERTY  
LOCATED AT 1501 MARTIN LUTHER KING JR WAY  
OAKLAND, CALIFORNIA  
DECEMBER 26, 2013**

**PREPARED FOR:  
MR. ED HEMMAT  
2420 SAN PABLO AVENUE  
OAKLAND, CALIFORNIA 94612**

**BY:  
ENVIRO SOIL TECH CONSULTANTS  
131 TULLY ROAD  
SAN JOSE, CALIFORNIA 95111**

**ENVIRO SOIL TECH CONSULTANTS**

## **LIST OF TABLES**

**TABLE 1** ... Summary of Soil Samples Analytical Results

## **LIST OF FIGURES**

- FIGURE 1** ... Site Vicinity Map Showing 1501 Martin Luther King Jr. Way, Oakland, California
- FIGURE 2** ... Site Plan Showing Locations of Building, Former UST, Associated Piping, Stockpiled Soil and Soil Samples

## **LIST OF APPENDICES**

- APPENDIX "A"** ... Table 1
- APPENDIX "B"** ... Figures 1 and 2
- APPENDIX "C"** ... COFD's UST Removal Permit, COFD's Inspection Report and Uniform Hazardous Waste Manifest
- APPENDIX "D"** ... Laboratory Reports and Chain-of-Custody Records

## **TABLE OF CONTENTS**

## **PAGE NO.**

Letter of Transmittal	1
UST Removal Activities	2
Soil Sampling Activities	2
Sampling Procedures	3
Laboratory Analyses	3
Analytical Results	3-4
Conclusion and Recommendation	4
Limitations	4-5

### **APPENDIX "A"**

Table 1 - Summary of Soil Samples Analytical Results	T1
--	----

### **APPENDIX "B"**


Figure 1 - Vicinity Map	F1
Figure 2 - Site Plan	F2

### **APPENDIX "C"**

COFD's UST Removal Permit, COFD's Inspection Report  
and Uniform Hazardous Waste Manifest

### **APPENDIX "D"**

Northern CA Accutest Laboratories' Reports and Chain-of-Custody Records



# ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants

131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111

Tel: (408) 297-1500

Fax: (408) 694-3447

December 26, 2013

File No. 6-13-858-SA

**Mr. Ed Hemmat**

2420 San Pablo Avenue

Oakland, California 94612

**SUBJECT: SOIL SAMPLING BENEATH REMOVED UST  
AT THE PROPERTY**

Located at 1501 Martin Luther King Jr. Way,  
Oakland, California

Dear Mr. Hemmat:

Per your request and authorization, CEECON Testing, Inc. (CEECON) has removed one 1000-gallon underground gasoline tank, and our firm conducted soil-sampling service beneath the removed underground storage tank at the 15<sup>th</sup> Street sidewalk of the property located at 1501 Martin Luther King Jr. Way, in Oakland, California (Figure 1).

One UST was removed by CEECON Testing, Inc. of South San Francisco, and Enviro Soil Tech Consultants (ESTC) collected soil samples for analytical analyses in accordance with state and local agencies' standard procedures.

All the UST removal and soil sampling activities were conducted under the supervision of Mr. Cesar Avila with the City of Oakland Fire Department-Fire Prevention Bureau (COFD).

## **UST REMOVAL ACTIVITIES**

On December 3, 2013, after obtaining all the necessary permits from City of Oakland Fire Department-Fire Prevention Bureau (COFD), CEECON, Inc. excavated and removed one 1000-gallon underground storage gasoline tank. The tank was removed and transported under a Uniform Hazardous Waste Manifest by Ecology Control Industries (ECI) to their facility in Richmond, California.

## **SOIL SAMPLING ACTIVITIES**

On December 3, 2013, after the excavation and removal of underground gasoline storage tank, under the supervision of Mr. Cesar Avila with COFD, ESTC's field engineer collected two discrete soil samples from beneath the excavated UST area at a depth of approximately 8 feet below the surface. In addition, the field engineer also collected 1 soil sample beneath the removed associated piping at dispenser area. Soil samples from the removed tank were labeled as 1-8-E and 1-8-W, and soil sample from removed piping was labeled as 1-2-P.

Since the stockpiled soil from the excavation used as backfill of the cavity of removed tank, Mr. Cesar Avila with COFD required ESTC collect 4 random soil samples from the stockpiled soil. The soil samples were labeled as SP-1, SP-2, SP-3 and SP-4.

The approximate locations of soil samples are shown on Figure 2, and Table 1 summarizes the soil samples observations and analytical tests results.

## **SAMPLING PROCEDURES**

Soil samples from removed UST and associated piping were collected in a clean tube with the aid of hand sampler by moving aside slough materials and retrieving native materials from the specified and measured depth, and the stockpiled soil samples were collected randomly at various depth in the stockpile. A clean 2-inch diameter brass tube sampler was driven into the soil. Immediately upon soil sampling, the tube ends were covered with aluminum foil and plastic caps, sealed, labeled and placed in a cold-ice chest for transport to Accutest Analytical Laboratories in San Jose with proper chain-of-custody.

## **LABORATORY ANALYSES**

Per the request of Mr. Cesar Avila with COFD, the soil samples from removed UST excavation and associated piping were analyzed for Total Petroleum Hydrocarbon as gasoline (TPHg) per EPA Method 8015M; Benzene, Toluene, Ethylbenzene, Total Xylenes (BTEX) Methyl Tertiary Butyl Ether (MTBE) and other Volatile Organic Compounds (VOCs) per EPA Method 8260B and Total Lead.

Four stockpiled soil samples were composited into one soil sample in the laboratory, and it was also analyzed for TPHg, VOCs and Total Lead. The laboratory tests results with the chain-of-custody are attached in Appendix "D".

## **ANALYTICAL RESULTS**

Soil sample 1-8-E detected TPHg at 906 milligrams per kilogram (mg/Kg), Total Lead at 8.8 mg/Kg, Toluene at 15100 micrograms per kilogram ( $\mu\text{g}/\text{Kg}$ ), Ethylbenzene at 27200  $\mu\text{g}/\text{Kg}$  and some moderate to elevated levels of volatile organic compounds (VOCs). Soil

sample 1-8-W detected low level of Total Lead at 2.4 mg/Kg only while TPHg, BTEX, MTBE and other VOCs were below detection limit. Soil sample 1-2-P from removed associated pipeline detected low level of Total Lead at 9 mg/Kg only, while TPHg, BTEX, MTBE and other VOCs were below laboratory detection limit. Soil sample from stockpile detected low level of Total Lead at 5.7 mg/Kg and Methyl Ethyl Ketone at 560 µg/Kg only, but TPHg, BTEX and MTBE were below laboratory detection limit.

## **CONCLUSION AND RECOMMENDATION**

Since one of the soil samples from removed UST detected moderate to elevated levels of TPHg, TEX and other VOCs, further investigation for this site is require by the regulatory agencies.

This report must be submitted to the COFD, Alameda County Environmental Health Services Agency (ACEHSA) and the Regional Water Quality Control Board-San Francisco Bay Region (RWQCB-SFBR) for their comments and directives.

## **LIMITATIONS**


This report was prepared in accordance with the currently accepted standards for environmental investigation. The contents of this report reflect the conditions of the subject site during sampling. No other warranties, expressed or implied, as to the professional advice provided are made.

File No. 6-13-858-SA  
December 26, 2013

It has been a pleasure to be of service to you on this project. If you have any questions or require additional information, please feel free to contact our office at (408) 297-1500 or via email at [info@envirosoiltech.com](mailto:info@envirosoiltech.com).

Sincerely,

**ENVIRO SOIL TECH CONSULTANTS**



FRANK HAMEDI  
GENERAL MANAGER



LAWRENCE KOO, P. E.  
C. E. #34928

**ENVIRO SOIL TECH CONSULTANTS**



File No. 6-13-858-SA  
December 26, 2013

# **A P P E N D I X "A"**

## **TABLES**

**ENVIRO SOIL TECH CONSULTANTS**

**TABLE 1**  
**SUMMARY OF SOIL SAMPLES ANALYTICAL RESULTS**

Date	Sample ID	Depth (feet)	TPHg mg/Kg	Total Lead mg/Kg	B µg/Kg	T µg/Kg	E µg/Kg	X µg/Kg	MTBE µg/Kg	Other VOCs (µg/Kg)
12/03/13	1-8-W	8	ND<0.199	2.4	ND<5.0	ND<5.0	ND<5.0	ND<9.9	ND<5.0	None Detected<5.0
	1-8-E	8	906	8.8	ND <21000	15100a	27200	222000	ND <21000	n-Butylbenzene 19300a tert-Butylbenzene 3020a Isopropylbenzene 4740a p-Isopropyltoluene 2390a Naphthalene 20100a n-Propylbenzene 21000 1,2,4-Trimethylbenzene 174000 1,3,5-Trimethylbenzene 43600a
12/03/13	SP-(1-4)	--	ND<4.8	5.7	ND<2.50	ND<2.50	ND<2.50	ND<500	ND<250	Methyl Ethyl Ketone 560a
12/03/13	1-2-P	2	ND<0.093	9.0	ND<4.9	ND<4.9	ND<4.9	ND<9.8	ND<4.9	None Detected<4.9

**TPHg** – Total Petroleum Hydrocarbon as Gasoline

**MTBE** – Methyl Tertiary Butyl Ether

**mg/Kg** – Milligrams per Kilogram

**ND** – Not Detected (below laboratory detection limit)

**a** – Indicates an estimated value

**BTEX** – Benzene, Toluene, Ethylbenzene, Total Xylenes

**VOCs** – Volatile Organic Compounds

**µg/Kg** – Micrograms per Kilogram


**ENVIRO SOIL TECH CONSULTANTS**

File No. 6-13-858-SA  
December 26, 2013

## **A P P E N D I X "B"**

### **FIGURES**


**ENVIRO SOIL TECH CONSULTANTS**



**1501 MARTIN LUTHER KING JR. WAY, OAKLAND, CA**

**ENVIRO SOIL TECH CONSULTANTS**

Figure 1



# ENVIRO SOIL TECH CONSULTANTS

Figure 2

File No. 6-13-858-SA  
December 26, 2013


**A P P E N D I X "C"**

**PERMIT, INSPECTION REPORT AND UHWM  
DOCUMENTS**

**ENVIRO SOIL TECH CONSULTANTS**



Oakland Fire Department, Fire Prevention Bureau  
 250 Frank H. Ogawa Plaza, Ste. 3341  
 Oakland, CA 94612-2032



(510) 238-3851  
 TTY (510) 238-6884

# Fire/Life Safety System Proceed With Installation Permit

Occupancy Mailing Address

UST Removal 1501 MLK  
 434 North Canal St., Ste. 6  
 S. San Francisco, CA 94080

Contractor

CEECON Testing Inc.  
 434 N. Canal St. Suite 6 San Francisco

Permit Ref #

Facility Address

1501 Martin Luther King Jr. WY Oakland CA 94612

UST REMOVAL

The C.U.P.A. Tanks for the Underground Tank Permit has been completed and the project/permit has been .

APPROVED projects may proceed with installation, following the detailed list of comments below:  
 DENIED projects shall have the items listed below corrected and plans must be resubmitted for further review:

<u>Code</u>	<u>Requirements</u>	<u>Requirement Condition Status</u>
-------------	---------------------	-------------------------------------

To schedule/cancel an inspection, call 510-238-3851. Any inspection not cancelled prior to 4 pm on the previous bu: day will be charged a fee equivalent to the 1-hr Inspection fee charge. *Occupancy is prohibited until all applicable provisions of the Fire Code have been met or when written approval is obtained by both building and fire official.*

Should you have any questions, please call (510) 238-3851 or you may send e-mail to or send email to cavila@oaklandnet.com

Oakland Fire Department  
 Fire Prevention Bureau

REVIEWED AND APPROVED  
 OAKLAND FIRE DEPARTMENT  
 BY: CA  
 TITLE: HAZMAT INSPECTOR  
 DATE: 10-28-13  
 ALL INSPECTIONS REQUIRE  
 48 HOURS NOTICE

Inspection Ref #: 2013-34570

Effective Date: 10/28/2013

Permit Ref #:

Expires: 04/28/2014





## Transmittal Sheet

Document UNDERGROUND STORAGE TANK SYSTEM REMOVAL PERMIT APPLICATION

From Mr. Michael Hodges  
CEECON Testing, Inc.  
434 North Canal Street, Suite Six  
South San Francisco, California 94080  
TEL: (650) 827-7474  
FAX: (650) 827-7476  
MBL: (415) 359-6453  
EMAIL: [ceecon@msn.com](mailto:ceecon@msn.com)

Sent To: Inspector Cesar Avila  
Oakland Fire Department  
Fire Prevention Bureau  
250 Frank H. Ogawa Plaza, Suite 3341  
Oakland, California 94612  
TEL: (510) 238-3927  
DIR: (510) 238-7054  
FAX: (510).238-6739

Copy Sent To: Mr. Frank Hamedi-Fard  
EnviroSoil Tech Consultants  
131 Old Tully Road  
San Jose, California 95111-1921  
TEL: (408) 297-1500  
EMAIL: [info@envirosoiltech.com](mailto:info@envirosoiltech.com)

Site Vacant Property  
1501 Martin Luther King Jr. Way  
Oakland, California 94612

Site Number Pending  
Project Number 626.01

Via U.S. Priority Mail

Date October 16<sup>th</sup>, 2013



**APPLICATION PACKET  
FOR  
UNDERGROUND STORAGE TANK  
REMOVAL  
In the CITY OF OAKLAND**

**OAKLAND FIRE DEPARTMENT  
Fire Prevention Bureau  
250 Frank H. Ogawa Plaza, Suite 3341  
Oakland, CA 94612**

**Phone (510) 238-3927  
Fax (510) 238-6739**

REVIEWED AND APPROVED  
OAKLAND FIRE DEPARTMENT

BY: CA

TITLE: HAZMAT INSPECTOR

DATE: 10-28-13

ALL INSPECTIONS REQUIRE  
48 HOURS NOTICE

RECEIVED



**FACILITY INFORMATION**

Facility/Residence Name VACANT PROPERTY Business Type TO BE DEMOLISHED  
 Site Address 1501 MARKET LUBRIC KING, JR WAY City OAKLAND Zip 94612  
 Contact Person FRANK HAMEDE Title OWNER Phone 408 297-1500  
 E-Mail INFO@ENVIRSOFTTECH.COM Cell Phone 408 314-1843  
 Owner, Agency, or Corporation Name (SEE ATTACHED) Phone \_\_\_\_\_  
 Mailing Address \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_  
 EPA ID Number \_\_\_\_\_

Note: Include "Proof of Financial Responsibility" SEE ATTACHED

**CONTRACTOR REMOVING TANK(S) AND PIPING:**

Contractor CEECON TESTING, INC  
 Contract Person MICHAEL HODGES Phone 650 827-7474  
 Business Address 434 NORTH CANAL ST. #6 City SOUTH SAN FRANCISCO Zip 94080  
 State Contractors License 589 926

Note: Attach a copy of Contractors License, Hazardous Materials Certification, and Workers Compensation

**HAZARDOUS WASTE HAULERS:**

Hazardous Waste Hauler, Tank(s) PENDING EPA ID # \_\_\_\_\_  
 Business Address \_\_\_\_\_ City \_\_\_\_\_  
 Contact \_\_\_\_\_ Phone \_\_\_\_\_  
 Tank(s) and piping destination \_\_\_\_\_

Hazardous Waste Hauler (Rinsate) INSOAT EPA ID # \_\_\_\_\_  
 Business address P.O. BOX 2279 City NAU, CA  
 Contact PAULINE McLEWELLIN Phone (530) 253-1809  
 Note: Include Hauler License No. \_\_\_\_\_ License Exp. Date \_\_\_\_\_

**SAMPLE COLLECTION AND ANALYSIS:**

Sample Collector FRANK HAMEDE Company ENVIRSOFTTECH CORP  
 Address 151 OLD TULLY ROAD City SAN JOSE Phone (408) 297-1500  
 Soil/Water Analysis Laboratory TORRANT LABORATORY, INC.  
 State certification No. 1991 Contact \_\_\_\_\_ Phone 408 263-5258  
 Business Address 453 SOUTHERN PROMENADE City MELDENAS Zip 95085

**TANK(S) INFORMATION**

TANK SYSTEM: SIZE (GALLONS)	TANK CONSTRUCTION	SUBSTANCE(S) PREVIOUSLY CONTAINED
TANK 1 <u>500 GALLONS</u>	<u>STEEL</u>	<u>HEATING OIL/DIESEL</u>
TANK 2 <u>-</u>	<u>-</u>	<u>-</u>
TANK 3 <u>-</u>	<u>-</u>	<u>-</u>
TANK 4 <u>-</u>	<u>-</u>	<u>-</u>

## "PROCEDURES TO CLOSE UNDERGROUND STORAGE TANK(S) SYSTEMS"

- 1) Submit to the City of Oakland Office of the Fire Marshal (OFM) three (3) completed **Underground Storage Tank System Closure Permit Application**. Prepare State Water Resources Control Board Facility and Tank Pages. These Forms are available from the OFM or you may download the forms by logging on to [www.unidocs.org](http://www.unidocs.org).
  - Include a complete **Tank Page** for each tank to be closed.
  - Include a complete **Facility Page** (if tank to be closed is home heating oil, or non-regulated).
  - One complete copy of your approved plan must be at the construction site at all the times.
  - Any cutting into tanks requires OFM approval.
  
- 2) Include with the submitted application a check payable to the City of Oakland for the amount of the designated fee, workmen's compensation insurance verification, and plot plan drawing. The drawing consists of a scaled view of the facility which shows the tank(s) location and the following information:
  - Scale
  - North Arrow
  - Property Line
  - Location of structures near the tank(s)
  - Location of relevant existing equipment (including the tank(s) to be removed), associated piping, and fuel dispensers
  - Area Roadways
  - Underground conduits, sewers water lines utilities
  - Existing wells; drinking, monitoring, etc.
  - Depth of ground water
  
- 3) The OFM must be notified a minimum of 48 hours, two (2) days prior to commencement of work in order to schedule a removal inspection. The removal inspection appointment **must be confirmed with the district inspector**. A representative of the OFM must be present at the time of removal.
  
- 4) A site specific Health and Safety Plan must be submitted for review and available at the job site. Underground Service Alert must be contacted at 800-642-2444 prior to the start of any excavation.
  
- 5) A Tank Closure Report must be submitted within 30 days of removal/closure operations completed, containing a general description of the closure activities indicating:
  - Description of tank, fittings and piping conditions. Size and former contents; notes any corrosion, pitting, holes. If any leak(s) are suspected from any tank an unauthorized Leak/Contamination Report form must be included.
  - Description of the excavation itself. Include tank and excavation depth, a log of the stratigraphic units encountered within the excavation, a description of root holes or other potential pathways the depth to any observed ground water,

locations of stained or odor-bearing oil, and descriptions of any observed free product or sheen.

- Detailed description of sampling methods, i.e. – backhoe bucket, drive sampler, bailer, bottles, sleeves.
- Description of any remedial measures conducted at the time of removal.
- To-scale figures showing the excavation size and depth, nearby buildings, sample locations and depth, and tank and piping locations include a copy of the plot prepared for the Tank System Closure Plan Permit Application under item # 2).
- Chain of custody records.
- Copies of signed laboratory reports.
- Copies of TSDF to Generator manifests for all hazardous wastes hauled offsite (sludge, rinsate, tanks and piping, contaminated soil, etc.).
- Documentation of the disposal of/and volume and final destination all non-manifested contaminated soil disposed offsite.

The Closure Report and conclusions are subject to critical review; and the report must be approved by the OFM to be recognized as valid.

- 6) An additional hourly fee will be charged for inspection time exceeding four (4) hours.

The listed items are general closure requirements, modifications may be necessary in certain situations. A deficient application or incomplete information will only cause a delay in the permit process, if you have any questions or need assistance call the OFM at (510) 238-3927. The Underground Storage Tank System Closure Permit **expires 365 days** from the approval date. If the tanks have not been closed/removed within **365 days**, a new closure permit application and fees are required. The closure/removal activities must be scheduled **48 hours** in advance.

**Applicant Declaration:**

I certify the application information is correct and factual. I declare that I have read and will follow the "procedures to Close Underground Storage tank(s) Systems." I further agree to comply with all applicable City of Oakland Ordinances; Fire Code; Health and Safety Code Chapter 6.7; Title 23, California Code of Regulations.

Applicant MICHAEL HONIGES Applicant [Signature] Date 10-16-13  
Print Signature

"This box for OFM use only"

Comments \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Inspectors Signature \_\_\_\_\_ Approval Date \_\_\_\_\_

## Facility Owners:

Owner: Clark Beermann

Phone: 209-743-1463

Address: 2493 Technology Dr., Hayward, ca 94545

Owner: Reginal Tomasello

Phone: 408-280-6444

Address: 864 Race St., San Jose, CA 95126-3854

Owner: Lavergne Engdahl

Phone: 209-954-9925

Address: 3400 Wagner Heights Rd., Valley Oak #163, Stockton, CA 95209



State of California  
 State Water Resources Control Board  
 Division of Financial Assistance  
 P.O. Box 944212  
 Sacramento, CA 94244-2121

For State Use Only

(Instructions on reverse side)

## CERTIFICATION OF FINANCIAL RESPONSIBILITY FOR UNDERGROUND STORAGE TANKS CONTAINING PETROLEUM

A. I am required to demonstrate Financial Responsibility in the required amounts as specified in California Code of Regulations (CCR), Title 23, Division 3, Chapter 18, Section 2807,

500,000 dollars per occurrence

1 million dollars annual aggregate

1 million dollars per occurrence

AND

2 million dollars annual aggregate

B. Laverhne Engdahl hereby certifies that it is in compliance with the requirements of Section 2807,  
(Name of Tank Owner or Operator)

California Code of Regulations, Title 23, Division 3, Chapter 18, Article 3, Section 2807.

The mechanisms used to demonstrate financial responsibility as required by Section 2807 are as follows:

C. Mechanism Type	Name and Address of Issuer	Mechanism Number	Coverage Amount	Coverage Period	Corrective Action	Third Party Comp
State UST Fund	State UST Cleanup Fund P.O. Box 944212 Sacramento, CA 94244 2120	N/A for UST Cleanup Fund	\$995,000 per Occurrence and Annual Aggregate	State UST Cleanup Fund Continuous	YES	YES
Chief Financial Officer Letter	Vacant Property 1501 Martin Luther Jr. Way Oakland, CA 94612	N/A for this mechanism	\$5,000 per Occurrence and Annual Aggregate	Annual	YES	YES

Note:

Note: If you are using the State Fund as any part of your demonstration of financial responsibility, your execution and submission of this certification also certifies that you are in compliance and shall maintain compliance with all conditions for participation in the Fund. See instructions.

D. Facility Name Vacant Property	Facility Address 1501 Martin Luther King Jr. Way Oakland, CA 94612
Facility Name	Facility Address
Facility Name	Facility Address
E. Signature of Tank Owner or Operator <i>Laverhne Engdahl</i>	Date 10/1/13
Signature of Witness or Notary <i>Deane J. Decker</i>	Date 1/10/13
Name and Title of Tank Owner or Operator Laverhne Engdahl, Property Owner	Name of Witness or Notary

NOTE: Effective July 1, 1995, California Small Businesses and California Businesses with 500 employees or less must demonstrate at least \$5,000, exclusive of the UST Cleanup Fund, businesses with over 500 employees must demonstrate at least \$10,000. (Chap. 6.75 H&SC, Sect. 25299.32)

The Chief Financial Officer or the owner or operator must sign, under penalty of perjury, a letter worded EXACTLY as follows or you may complete this letter by filling in the blanks with appropriate information:

LETTER FROM CHIEF FINANCIAL OFFICER

I am the Chief Financial Officer for Vacant Property  
(Business name, business address, and correspondence address of owner or operator)

1501 Martin Luther King Jr. Way, Oakland, CA 94612

This letter is in support of the use of the **Underground Storage Tank Cleanup Fund** to demonstrate financial responsibility for taking corrective action and/or compensating third parties for bodily injury and property damage caused by an unauthorized release of petroleum in the amount of at least \$ 5,000 per occurrence and \$ 5,000 annual aggregate coverage.  
(Dollar Amount) (Dollar Amount)

Underground storage tanks at the following facilities are assured by this letter:

Vacant Property, 1501 Martin Luther King Jr. Way, Oakland, CA 94612  
(Name and address of each facility for which financial responsibility is being demonstrated.)

- 1. Amount of annual aggregate coverage being assured by this letter..... \$ \_\_\_\_\_
- 2. Total tangible assets..... \$ \_\_\_\_\_
- 3. Total liabilities..... \$ \_\_\_\_\_
- 4. Tangible net worth (subtract line 3 from line 2. Line 4 must be at least 10 times line 1)..... \$ \_\_\_\_\_

I hereby certify that the wording of this letter is identical to the wording specified in subsection 2808.1(d)(1), Chapter 18, Division 3, Title 23 of the California Code of Regulations.

I declare under penalty of perjury that the foregoing is true and correct to the best of my knowledge and belief.

Executed at \_\_\_\_\_  
(Place of Execution)

On Sept 18 2013  
(Date)

Laverne Engdahl  
(Signature)

Laverne Engdahl

(Printed Name)  
Property Owner

(Title)





NOTE: Effective July 1, 1995, California Small Businesses and California Businesses with 500 employees or less must demonstrate at least \$5,000, exclusive of the UST Cleanup Fund, businesses with over 500 employees must demonstrate at least \$10,000. (Chap. 6.75 H&SC, Sect. 25299.32)

The Chief Financial Officer or the owner or operator must sign, under penalty of perjury, a letter worded EXACTLY as follows or you may complete this letter by filling in the blanks with appropriate information:

**LETTER FROM CHIEF FINANCIAL OFFICER**

I am the Chief Financial Officer for Vacant Property  
(Business name, business address, and correspondence address of owner or operator)  
1501 Martin Luther King Jr. Way, Oakland, CA 94612

This letter is in support of the use of the **Underground Storage Tank Cleanup Fund** to demonstrate financial responsibility for taking corrective action and/or compensating third parties for bodily injury and property damage caused by an unauthorized release of petroleum in the amount of at least \$ 5,000 per occurrence and \$ 5,000 annual aggregate coverage.  
(Dollar Amount) (Dollar Amount)

Underground storage tanks at the following facilities are assured by this letter:

Vacant Property, 1501 Martin Luther King Jr. Way, Oakland, CA 94612  
(Name and address of each facility for which financial responsibility is being demonstrated.)

- 1. Amount of annual aggregate coverage being assured by this letter..... \$ \_\_\_\_\_
- 2. Total tangible assets..... \$ \_\_\_\_\_
- 3. Total liabilities..... \$ \_\_\_\_\_
- 4. Tangible net worth (subtract line 3 from line 2. Line 4 must be at least 10 times line 1)..... \$ \_\_\_\_\_

I hereby certify that the wording of this letter is identical to the wording specified in subsection 2808.1(d)(1), Chapter 18, Division 3, Title 23 of the California Code of Regulations.

I declare under penalty of perjury that the foregoing is true and correct to the best of my knowledge and belief.

Executed at SAN JOSE CA  
(Place of Execution)

On 10-1-13  
(Date)

Reginald Tomasello  
(Signature)

Reginal Tomasello  
(Printed Name)

Property Owner  
(Title)



State of California  
 State Water Resources Control Board  
 Division of Financial Assistance  
 P.O. Box 944212  
 Sacramento, CA 94244-2121

For State Use Only

(Instructions on reverse side)

## CERTIFICATION OF FINANCIAL RESPONSIBILITY FOR UNDERGROUND STORAGE TANKS CONTAINING PETROLEUM

A. I am required to demonstrate Financial Responsibility in the required amounts as specified in California Code of Regulations (CCR), Title 23, Division 3, Chapter 18, Section 2807.

- |  |     |  |
|--|-----|--|
| <input checked="" type="checkbox"/> 500,000 dollars per occurrence | AND | <input checked="" type="checkbox"/> 1 million dollars annual aggregate |
| <input type="checkbox"/> 1 million dollars per occurrence          |     | <input type="checkbox"/> 2 million dollars annual aggregate            |

B. Clark Beermann hereby certifies that it is in compliance with the requirements of Section 2807,  
 (Name of Tank Owner or Operator)

California Code of Regulations, Title 23, Division 3, Chapter 18, Article 3, Section 2807.

The mechanisms used to demonstrate financial responsibility as required by Section 2807 are as follows:

C. Mechanism Type	Name and Address of Issuer	Mechanism Number	Coverage Amount	Coverage Period	Corrective Action	Third Party Comp
State UST Fund	State UST Cleanup Fund P.O. Box 944212 Sacramento, CA 94244 2120	N/A for UST Cleanup Fund	\$995,000 per Occurrence and Annual Aggregate	State UST Cleanup Fund Continuous	YES	YES
Chief Financial Officer Letter	Vacant Property 1501 Martin Luther Jr. Way Oakland, CA 94612	N/A for this mechanism	\$5,000 per Occurrence and Annual Aggregate	Annual	YES	YES

Note:

Note: If you are using the State Fund as any part of your demonstration of financial responsibility, your execution and submission of this certification also certifies that you are in compliance and shall maintain compliance with all conditions for participation in the Fund. See instructions.

D. Facility Name Vacant Property	Facility Address 1501 Martin Luther King Jr. Way Oakland, CA 94612
-------------------------------------	--

Facility Name	Facility Address
---------------	------------------

Facility Name	Facility Address
---------------	------------------

E. Signature of Tank Owner or Operator 	Date 10-2-13	Name and Title of Tank Owner or Operator Clark Beermann, Property Owner
--	-----------------	--

Signature of Witness or Notary 	Date	Name of Witness or Notary Linda Beermann
------------------------------------	------	---

NOTE: Effective July 1, 1995, California Small Businesses and California Businesses with 500 employees or less must demonstrate at least \$5,000, exclusive of the UST Cleanup Fund, businesses with over 500 employees must demonstrate at least \$10,000. (Chap. 6.75 H&SC, Sect. 25299.32)

The Chief Financial Officer or the owner or operator must sign, under penalty of perjury, a letter worded EXACTLY as follows or you may complete this letter by filling in the blanks with appropriate information:

**LETTER FROM CHIEF FINANCIAL OFFICER**

I am the Chief Financial Officer for Vacant Property  
(Business name, business address, and correspondence address of owner or operator)  
1501 Martin Luther King Jr. Way, Oakland, CA 94612

This letter is in support of the use of the **Underground Storage Tank Cleanup Fund** to demonstrate financial responsibility for taking corrective action and/or compensating third parties for bodily injury and property damage caused by an unauthorized release of petroleum in the amount of at least \$ 5,000 per occurrence and \$ 5,000 annual aggregate coverage.  
(Dollar Amount) (Dollar Amount)

Underground storage tanks at the following facilities are assured by this letter:

Vacant Property, 1501 Martin Luther King Jr. Way, Oakland, CA 94612  
(Name and address of each facility for which financial responsibility is being demonstrated.)


- 1. Amount of annual aggregate coverage being assured by this letter..... \$ \_\_\_\_\_
- 2. Total tangible assets..... \$ \_\_\_\_\_
- 3. Total liabilities..... \$ \_\_\_\_\_
- 4. Tangible net worth (subtract line 3 from line 2. Line 4 must be at least 10 times line 1)..... \$ \_\_\_\_\_

I hereby certify that the wording of this letter is identical to the wording specified in subsection 2808.1(d)(1), Chapter 18, Division 3, Title 23 of the California Code of Regulations.

I declare under penalty of perjury that the foregoing is true and correct to the best of my knowledge and belief.

Executed at TWIN HARK CA  
(Place of Execution)

On 10-2-13  
(Date)

  
(Signature)

Clark Beermann  
(Printed Name)

Property Owner  
(Title)

STATE OF CALIFORNIA

Contractors State License Board

Pursuant to Chapter 9 of Division 3 of the Business and Professions Code and the Rules and Regulations of the Contractors State License Board, the Registrar of Contractors does hereby issue this license to:

CEECON TESTING INC

to engage in the business or act in the capacity of a contractor in the following classification(s):


- A - GENERAL ENGINEERING CONTRACTOR
- C10 - ELECTRICAL
- C57 - WELL DRILLING (WATER)
- HAZ - HAZARDOUS SUBSTANCES REMOVAL

Witness my hand and seal this day,


July 29, 2003

Issued March 8, 1990

Reissued July 28, 2003

  
SIGNATURE OF LICENSE QUALIFIER

SIGNATURE OF LICENSE QUALIFIER



Stephen P. Sands  
Registrar of Contractors

Reassigned 589926

License Number

This license is the property of the Registrar of Contractors, is not transferable, and shall be returned to the Registrar upon demand when suspended, revoked, or invalidated for any reason. It becomes void if not renewed.

# UNDERGROUND STORAGE TANK SYSTEM CLOSURE PERMIT APPLICATION

*For use by Unidocs Member Agencies or where approved by your Local Jurisdiction*

1. Facility Name (Tank Site): VACANT PROPERTY Bldg. No.: \_\_\_\_\_  
 Address: 1501 MARTIN LUTHER KING JR. WAY City: OAKLAND Zip: 94612  
 EPA ID No. CAC002741956 Contact Person: FRANK HAMEDT Phone No.: (408) 297-1500
2. Tank Owner's Name: SEE ATTACHED LISTS OF THREE OWNERS  
 Address: \_\_\_\_\_ City: \_\_\_\_\_ Zip: \_\_\_\_\_
3. Tank Operator's Name: NONE  
 Address: \_\_\_\_\_ City: \_\_\_\_\_ Zip: \_\_\_\_\_
4. Applicant's Name: MICHAEL HODGES / CEECON TESTING, INC.  
 Address: 434 NORTH CANAL ST. #6 City: SOUTH SAN FRANCISCO Zip: 94080  
 Contact Person: MICHAEL HODGES Phone No.: (650) 827-7474
5. Tank Closure Contractor Business Name: CEECON TESTING, INC.  
(As registered with the Contractors State License Board at [www.cslb.ca.gov](http://www.cslb.ca.gov))  
 Address: 434 NORTH CANAL STREET, SUITE 606 City: SOUTH SAN FRANCISCO Zip: 94080  
 CSLB License No.: 589926 Contact Person: MICHAEL HODGES Phone No.: (650) 827-7474  
 Business License (if required):  on file;  attached;  not applicable
6. Firm that will take soil/water samples: ENVIRO SOIL TECH CONSULTANTS Phone No.: (408) 297-1500
7. State-certified laboratory that will analyze samples: TORRENT LABS Phone No.: (408) 263-5258

***This box is for agency use only***

Laboratory analyses shall test for:

	TPHG	TPHD	BTEX, MTBE, TAME, ETBE, DIPE, TBA, EDB, EDC (EPA 8260)	Organic Lead (DHS-LUFT)	O&G	Cl HC	Metals (Cd, Cr, Pb, Ni, Zn (ICAP or AA))	PCB, PCP, PNA, Cresosote (EPA 8270)	pH	Other (Specify)
Tank 1	✓	✓	✓							
Tank 2										
Tank 3										
Tank 4										
Tank 5										
Tank 6										

*Additional analyses may be required by inspector in field.*

UST System Closure Permit Application - p. 2 of 2 Tank Site Address (from page 1): 1501 MARCO LOANER KING, JR WAY

OAKLAND, CA 94612

8. Name of Licensed Transporter of Tanks: PENDING

EPA ID No.: \_\_\_\_\_ Phone No.: (\_\_\_\_) \_\_\_\_\_

9. Destination of Tanks and Piping: \_\_\_\_\_

10. Tank System:	Size (gallons)	Substance(s) Previously Contained
Tank 1	<u>500</u>	<u>HEATING OIL / DIESEL</u>
Tank 2	_____	_____
Tank 3	_____	_____
Tank 4	_____	_____
Tank 5	_____	_____
Tank 6	_____	_____

If the owner/operator does not have a current Hazardous Materials Business Plan (HMBP) which includes these tanks on file with the local agency, provide an 8-1/2" x 11" plot plan of the tanks to be closed. Indicate the nearest cross street to the facility, buildings immediately adjacent to the tanks, location(s) of tanks to be closed, and location of nearby utilities.

This Underground Tank Closure Permit expires 6 months from the date of application. If tanks have not been closed within 6 months, a new closure permit application and appropriate fees may be required.

Facility closure inspections must be scheduled at least 48 hours in advance. Call the appropriate local agency to make necessary arrangements.

I certify that I have read the tank closure guidelines and declare that the above information is correct to the best of my knowledge. The owner of the tank(s) described above is aware of the pending closure. I agree to comply with all applicable city and county ordinances and state laws relating to hazardous materials/wastes, and hereby authorize representatives of local agencies to enter upon the within mentioned property for inspection purposes.

MICHAEL HODGES  
Applicant/Agent's Name (Print)

[Signature]  
Applicant/Agent's Signature

OCT. 16<sup>TH</sup> 2013  
Date

*These boxes are for agency use only*

THIS APPROVAL CONSTITUTES A PERMIT FOR REMOVAL OF THE ABOVE LISTED TANKS.

Agency: \_\_\_\_\_ Date: \_\_\_\_\_

Print Name: \_\_\_\_\_ Sign Name: \_\_\_\_\_

THIS CERTIFIES THAT ALL TANK SYSTEM CLOSURE ACTIVITIES ARE COMPLETE.\*

Agency: \_\_\_\_\_ Date: \_\_\_\_\_

Print Name: \_\_\_\_\_ Sign Name: \_\_\_\_\_

\* If contamination of any detectable concentration is found, contact the leaking underground storage tank Local Oversight Program (LOP) and/or Regional Water Quality Control Board for cleanup and/or remediation requirements.

## Facility Owners:

Owner: Clark Beermann

Phone: 209-743-1463

Address: 2493 Technology Dr., Hayward, ca 94545

Owner: Reginal Tomasello

Phone: 408-280-6444


Address: 864 Race St., San Jose, CA 95126-3854

Owner: Lavergne Engdahl

Phone: 209-954-9925


Address: 3400 Wagner Heights Rd., Valley Oak #163, Stockton, CA 95209





500-Gallon UST  
 Location Map  
 1501 Martin Luther King Jr. Way  
 Oakland, California


Drawing: LM-1      Date: 9/16/13



**CEEC**  **ON**  
CALIFORNIA ENVIRONMENTAL ENGINEERS & CONTRACTORS

500-Gallon UST  
 Tank Location Map  
 1501 Martin Luther King Jr. Way  
 Oakland, California

Drawing: Site Map Date: 9/16/13



**HEALTH AND SAFETY PLAN  
FOR THE PROPERTY  
LOCATED AT  
1501 MARTIN LUTHER KING Jr. WAY  
OAKLAND, CALIFORNIA**

**GENERAL:**

This Health and Safety Plan (HSP) contains the minimum requirements for tank removal activities at the subject site. The field activities for tank removal include: removal of product, excavation, product lines, triple washing the tank, sampling rinsate, removing rinsate with a vacuum truck (or equivalent), removing the tank and proper disposal. All personnel and contractors will be required to strictly adhere to these HSP requirements.

The objective of the HSP plan is to describe procedures and actions to protect the worker, as well as unauthorized person, from inhalation and ingestion of, and direct skin contact with potentially hazardous materials that may be encountered at the site. The plan described (1) personnel responsibilities and (2) protective equipment to be used as deemed necessary when working on the site. At a minimum, all personnel working at the site must read and understand the requirements of this HSP. A copy of this HSP will be on-site, easily accessible to all staff and government field representatives.

## **PERSONNEL RESPONSIBILITIES:**

The key personnel directly involved in the investigation will be responsible for monitoring the implementation of safe work practices and the provisions of this plan is CEECON Testing, Inc.'s project manager, Mr. Michael Hodges. Mr. Hodges is responsible for knowing the provisions of the plan, communicating plan requirements to workers under their supervision and regulatory agencies inspectors and for enforcing the plan.

The personnel-protective equipment will be selected to prevent field personnel from exposure to fuel hydrocarbons that may be present at the site. To prevent direct skin contact, the following protective clothing will be worn as appropriate while working at the site:

1. Tyvek coveralls.
2. Butyl rubber or disposable vinyl gloves.
3. Hardhat with optional face shield.
4. Steel toe boots.
5. Goggles or safety glasses.

The type of gloves used will be determined by the type of work being performed. Excavation and tank removal personnel will be required to wear butyl rubber gloves because they may have long duration contact with the subsurface materials. The triple washing (decontaminated) and vacuum truck crews shall wear butyl rubber gloves as they may have long duration contact with the rinsate. Enviro Soil Tech Consultants' sampling staff will wear disposable gloves when handling any sample. These gloves will be changed between each sample.

Tank removal personnel will be required to wear hard hats, and when appropriate, wear a protective face shield.

Personnel protective equipment shall be put on before entering the immediate work area. The sleeves of the overalls shall be outside of the cuffs of the gloves to facilitate removal of clothing with least potential contamination of personnel. If at any time protective clothing (coveralls, boots or gloves) become torn, wet or excessively soiled, it will be replaced immediately.

Total organic vapors will be monitored at the site with a portable PID and portable LEL meter. Should the total organic vapor content approach that of the threshold limit value (TLV) for any of the substances listed in Table 1, appropriate safety measures will be implemented under the supervision of the site project engineer. These precautions include, but are not limited to, the following: (1) Donning of respirators (with appropriate cartridges) by site personnel, (2) forced ventilation of the site, (3) shutdown of work until such time as appropriate safety measures sufficient to insure the health and safety of site personnel can be implemented.

**TABLE 1  
THRESHOLD LIMIT VALUES  
FOR  
COMMON GASOLINE CONSTITUENTS**

Benzene	10 ppm
Toluene	100 ppm
Ethylbenzene	100 ppm
Total Xylenes	100 ppm

No eating, drinking or smoking will be allowed in the vicinity of the tank removal operations. CEECON Testing, Inc. will designate a separate area on-site for eating and drinking. Smoking will not be allowed at the vicinity of the site except in designated areas. Field personnel will not be allowed to wear contact lenses.

### **WORK ZONES AND SECURITY MEASURES:**

The project manager will call Underground Service Alert (USA), and the utilities will be marked before any excavation is conducted on-site, and excavation will be at a safe distance from the utilities. The client will also be advised to have a representative on-site to advise us in selecting locations of piping trenches with respect to utilities, underground or above ground structures. CEECON Testing, Inc. assumes no responsibility for utilities not so located. The excavation may be hand dug or by using small power tools. **All power tools, including those used to cut the UST, will be sparkles, air-driven tools.** An "air-knife" drill rig may be used to remove UST overburden after surface concrete is removed. Each of the areas where the tank or piping will be excavated will be designated as exclusion zones. Only essential personnel will be allowed into an exclusion zone. When it is practical and local topography allows, approximately 25 to 75 feet of space surrounding those exclusion zones will be designated as contamination reduction zones.

Cones, wooden barricades or a suitable alternative will be used to deny public access to these contamination reduction zones excavation area. The general public will not be allowed close to the work area under any conditions. If for any reason the safety of any member of the tank removal team or the public (e.g. motorists or pedestrians) may be endangered, work will cease until the situation is remedied. Cones and working signs will be used when necessary to redirect motorists or pedestrians.

**LOCATION & PHONE NUMBERS OF EMERGENCY FACILITIES:**

The fire department and hospital addresses and phone numbers are listed below:

City of Oakland	911
Alta Bates Summit Medical Center – Summit Campus 350 Hawthorne Avenue Oakland, CA 94609	(510) 665-4000

**ADDITIONAL CONTINGENCY TELEPHONE NUMBERS:**

Poison Control Center.....	<u>(800) 523-2222</u>
CHEMTREC.....	<u>(800) 424-9300</u>
CEECON Testing, Inc. ....	<u>(415) 359-6453</u>

**NOTE:**

Only call CHEMTREC (that stands for Chemical Transportation Emergency Center), a public service of the Chemical Manufacture’s Association. CHEMTREC can usually provide hazard information, warnings and guidance when given the identification number or the name of the product and the nature of the problem. CHEMTREC can also contact the appropriate experts.



# TOW-AWAY NO PARKING

SEC 22651 (M) C.V.C  
FOR TOWED CAR CALL 238-3021

Application: OB131042

Number of days: 4

Number of spaces: 4


on-site tank removal.

Start: 12/02/13

End: 12/05/13

1501 ML KING JR WY

CITY OF OAKLAND



December 3<sup>rd</sup>, 2013

Inspector Cesar Avila  
Hazardous Materials Inspector II  
City of Oakland  
Oakland Fire Department  
Fire Prevention Bureau  
250 Frank H. Ogawa Plaza, Suite 3341  
Oakland, California 94612  
[ EMAIL: [cavila@oaklandnet.com](mailto:cavila@oaklandnet.com) ]

Subject: UNDERGROUND STORAGE TANK SYSTEM REMOVAL WORKPLAN **ADDENDUM** for  
1501 Martin Luther King Jr. Way, Oakland, California 94612.

Mr. Avila -

Thank You for taking the time to discuss this project with us earlier today at the site of the Underground Storage Tank (UST) removal. As discussed on site, it appears that the size of the UST was larger than anticipated - 1,000 gallon capacity instead of the expected 500-gallon capacity. Therefore, two soil samples were collected; one beneath each end of the UST location. A composite soil sample of the stockpiled soil, largely sand, was also collected prior to backfilling this material, and a soil sample was also collected at the midpoint of the fuel line between the UST and what appears to have been an above ground dispenser location within the property building.

Additionally, the UST appears to have been used to store gasoline, rather than diesel or home heating oil. Therefore, the UST will not be cut up on site and recycled locally. The UST will be transported under a HAZARDOUS WASTE MANIFEST and transported by Ecology Control Industries (ECI) to their disposal facility at 255 Parr Boulevard, Richmond, California 94801. The Transporter EPA ID for ECI is CAD98203.173. The Facility EPA ID for ECI is CAD009466392. Please contact me directly if there are any questions.

Sincerely,  
CEECON Testing, Inc.

Michael Hodges  
President

Source Fuel / Product Type	Analytes	Analytical Method(s)	Comments
Gasoline	BTEX, naphthalene, MTBE, TBA (plus EDC, EDB for pre-1992 release) <sup>1</sup>	EPA 8260B/C	organic lead (GC-ECD) only if pre-1992 product is present
Jet A/JP5/JP8, Diesel #1 or #2, Fuel oil #1 or #2	BTEX, naphthalene, MTBE	EPA 8260B/C	MTBE <sup>3</sup>
Heavy Fuel Oils (bunker fuel, etc.)	BTEX, MTBE, naphthalene	EPA 8260B/C	MTBE <sup>3</sup>
	16 priority pollutant PAHs <sup>2</sup>	EPA 8270 SIM	
Waste (Used) Motor Oil	BTEX, naphthalene, chlorinated VOCs, MTBE, TBA	EPA 8260B/C	
	16 priority pollutant PAHs <sup>2</sup>	EPA 8270 SIM	
	Wear Metals: cadmium, chromium, nickel, lead, zinc	EPA 6010/6020 or EPA 7000/7010	Soil only

**Notes:**

BTEX Benzene, toluene, ethylbenzene, and xylene  
EDB 1,2-dibromoethane  
EDC 1,2-dichloroethane  
Jet A Commercial jet fuel  
JP5 Jet Propellant 5, military jet fuel  
JP8 Jet Propellant 8, military jet fuel  
MTBE Methyl *tertiary* butyl ether  
PAH Polycyclic aromatic hydrocarbon  
TBA t-Butyl alcohol  
VOC Volatile organic compound

- 1) Samples to be analyzed for lead scavengers EDC and EDB only if release is pre-1992. If age of release is unknown, analyze for both oxygenates (MTBE and TBA) and scavengers.
- 2) 16 priority pollutant PAHs = naphthalene, acenaphthene, acenaphthylene, anthracene, phenanthrene, fluorene, chrysene, fluoranthene, pyrene, benzo(b)fluoranthene, benzo(a) pyrene, benzo(k)fluoranthene, benzo(a)anthracene, indeno(1,2,3-c,d)pyrene, dibenz(a,h)anthracene, benzo(g,h,i)perylene.
- 3) MTBE to be analyzed at all LUFT sites unless regulatory agency has determined that the tank contained only diesel or jet fuel per California Health & Safety Code (H&SC) §25296.15(a).

# OAKLAND FIRE DEPARTMENT/FIRE PREVENTION BUREAU HAZARDOUS MATERIALS UNIT

250 FRANK H. OGAWA PLAZA, SUITE 3341, OAKLAND, CA 94612-2032 • (510) 238-3927

## HAZARDOUS MATERIALS INSPECTION REPORT

Site Number	Facility Name	Facility Address	Zip Code
	Vacant Warehouse	1501 MLK Sr Way.	94612

### Inspection Report

PERMISSION TO INSPECT GRANTED

Addressed excavation and tank removal of an approximate 2000 Gal Gasoline tank. Tank is considered to be hazardous waste. Original work plan shall be modify to include correct size of tank found and to include store material (gasoline)

<p>Facility Contact/Print Name: FRANK HAMDEHARD</p> <p>Facility Contact/Signature: <i>[Signature]</i></p>	<p>Inspected By: <input type="checkbox"/> AFM Griffin 238-7759  <input type="checkbox"/> Insp. Matthews 238-2396  <input checked="" type="checkbox"/> C. Avila 238-7253  <input type="checkbox"/> Insp. Skillern 238-3927                  238-3927                  238-7054</p> <p>Date: 12-3-13</p>
---	--

# OAKLAND FIRE DEPARTMENT, OES UNDERGROUND STORAGE TANK CLOSURE/REMOVAL FIELD INSPECTION REPORT

Site Address: <u>500 Milk and 16th St.</u>	Name of Facility: <u>Vacant Bldg.</u>
Inspector: <u>D. Miller</u>	Contact on site: <u>Michael Hodges</u>
Date and Time of Arrival: <u>12-3-13 9:45 am</u>	Contractor/Consultant: <u>Frank Hamed</u>

General Requirements	Yes	No	N/A
Approved closure plan on site.	✓		
Changes to approved plan noted.	✓		
Residuals properly stored/transported.	✓		
Receipt for adequate dry ice noted.	✓		

General Requirements	Yes	No	N/A
Site Safety Plan properly signed.	✓		
40B:C fire extinguisher on site.	✓		
"No Smoking" signs posted.	✓		
Gas detector challenged by inspector.		✓	


Tank Observations	T #1	T #2	T #3	T #4
Tank Capacity (gallons)	2000			
Material last stored	✓			
Dry ice used (pounds)	50			
Combustible gas concentration as %LEL. (Note time & sampling point)				
(1)	2%			
(2)				
(3)				
Oxygen concentration as % volume. (Note time & sampling point.)				
(1)	0.6%			
(2)				
(3)				
Tank Material	Steel			
Wrapping/Coating, if any	None			
Obvious holes?	✓			

Tank Observations	T #1	T #2	T #3	T #4
Obvious corrosion?	✓			
Obvious odors from tank?	✓			
Seams intact?	✓			
Tank bed backfill material	✓			
Obvious discoloration?	✓			
Obvious odors ex tank bed?	✓			
Water in excavation?	ND			
Sheen/product on water?	N/A			
Tank tagged by transporter?	ND			
Tank wrapped for transport?	ND			
Tank plugged w/ vent cap?	✓			
Date/time tank hauled off?	N/A			
No. of soil samples taken?	2			
Depth of soil samples (ft. bgs)	3"			

Piping Removal	Yes	No	N/A
All piping removed hauled off w/ tanks?	✓		
Obvious holes on pipes?		ND	
Obvious odors from pipes?		✓	
Obvious soil discoloration in piping trench?		✓	
Obvious odors from piping trench?		✓	
Water in piping trench?		✓	
Number & depth of soil samples from piping trench?		0	
Number & depth of water samples from piping trench?		0	

General Observations	Yes	No	N/A
Leak from any tank suspected?	✓		
"Leak Report" form given to the operator?	✓		
Obviously contaminated soil excavated?	✓		
Soil stockpile sampled?	✓		
Stockpile lined AND covered?		✓	
Water in excavation sampled?			✓
Number/depth of water samples taken?		N/A	
All samples properly preserved for transport?			✓

Additional Observations	Yes	No	N/A
Soil/water sampling protocols acceptable?	✓		
Sampling "chain of custody" noted?	✓		
Tank pit filled in or covered?	✓		
Tank pit fenced or barricaded?	✓		
Transporter a registered HW hauler?		✓	
Uniform HW Manifest completed?		✓	
Contractor/Consultant reminded of complete UST Removal Report due within 30 days?		✓	
Date/Time removal/closure operations completed?		N/A	
OT hours or additional charges due from contractor?		N/A	



**Notes/Comments:** Stock pile (sandy soil) allowed to be used as fill in excavation trench. Environmental Consultant Mr. Frank Hamed will provide samples from the trench at 2 feet and 4 feet. Lab results come from the lab. Work plan shall include tank size, location, and

# OAKLAND FIRE DEPARTMENT, OES UNDERGROUND STORAGE TANK CLOSURE/REMOVAL FIELD INSPECTION REPORT

Site Address: 1801 MLK and 660 15th St.	Name of Facility: Vincent Bakery
Inspector: L. Avila	Contact on site: Michael Hopkins
Date and Time of Arrival: 12-3-13 9:15am	Contractor/Consultant: Frank Hamelby

General Requirements	Yes	No	N/A
Approved closure plan on site.	✓		
Changes to approved plan noted.	✓		
Residuals properly stored/transported.	✓		
Receipt for adequate dry ice noted.	✓		

General Requirements	Yes	No	N/A
Site Safety Plan properly signed.	✓		
40B:C fire extinguisher on site.	✓		
"No Smoking" signs posted.	✓		
Gas detector challenged by inspector.	✓		


Tank Observations	T #1	T #2	T #3	T #4
Tank Capacity (gallons)	1000			
Material last stored	Cocoa			
Dry ice used (pounds)	50			
Combustible gas concentration as %LEL. (Note time & sampling point)				
(1) 12-3-13 9:45am	98			
(2)				
(3)				
Oxygen concentration as % volume. (Note time & sampling point.)				
(1) 12-3-13 10:01				
(2)				
(3)				
Tank Material	Steel			
Wrapping/Coating, if any	None			
Obvious holes?	NO			

Tank Observations	T #1	T #2	T #3	T #4
Obvious corrosion?	YES			
Obvious odors from tank?	YES			
Seams intact?	YES			
Tank bed backfill material	YES			
Obvious discoloration?	YES			
Obvious odors ex tank bed?	YES			
Water in excavation?	NO			
Sheen/product on water?	N/A			
Tank tagged by transporter?	YES			
Tank wrapped for transport?	NO			
Tank plugged w/ vent cap?	YES			
Date/time tank hauled off?	12/3/13 10:00am			
No. of soil samples taken?	2			
Depth of soil samples ( ft. bgs)	B1			




Piping Removal	Yes	No	N/A
All piping removed hauled off w/ tanks?	✓		
Obvious holes on pipes?		✓	
Obvious odors from pipes?		✓	
Obvious soil discoloration in piping trench?		✓	
Obvious odors from piping trench?		✓	
Water in piping trench?		✓	
Number & depth of soil samples from piping trench?		0	
Number & depth of water samples from piping trench?		0	

General Observations	Yes	No	N/A
Leak from any tank suspected?	✓		
"Leak Report" form given to the operator?	✓		
Obviously contaminated soil excavated?	✓		
Soil stockpile sampled?	✓		
Stockpile lined AND covered?		✓	
Water in excavation sampled?			✓
Number/depth of water samples taken?		N/A	
All samples properly preserved for transport?	✓		

Additional Observations	Yes	No	N/A
Soil/water sampling protocols acceptable?	✓		
Sampling "chain of custody" noted?	✓		
Tank pit filled in or covered?	✓		
Tank pit fenced or barricaded?	✓		
Transporter a registered HW hauler?	✓		
Uniform HW Manifest completed?	✓		
Contractor/Consultant reminded of complete UST Removal Report due within 30 days?	✓		
Date/Time removal/closure operations completed?		12-3-13 10:00am	
OT hours or additional charges due from contractor?		0	



**Notes/Comments:** This inspection report serves as an addendum to inspection conducted on 12-3-13

<b>UNIFORM HAZARDOUS WASTE MANIFEST</b>		1. Generator ID Number <b>CACD02741958</b>	2. Page 1 of	3. Emergency Response Phone <b>800-424-8300</b>	4. Manifest Tracking Number <b>007299289 JJK</b>
5. Generator's Name and Mailing Address <b>CLARK R BEERMANN P O BOX 787 TWIN HARTE, CA 95380</b>					
Generator's Site Address (if different than mailing address) <b>1501 MARTIN LUTHER KING OAKLAND, CA 94812</b>					
Generator's Phone: <b>209-743-1483</b>					
6. Transporter 1 Company Name <b>ECOLOGY CONTROL INDUSTRIES</b>				U.S. EPA ID Number <b>CAD982030173</b>	
7. Transporter 2 Company Name				U.S. EPA ID Number	
8. Designated Facility Name and Site Address <b>ECOLOGY CONTROL INDUSTRIES 255 PARR BOULEVARD RICHMOND, CA 94801</b>					
Facility's Phone: <b>510-235-1303</b>					
9a. HM		9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))		10. Containers	
				11. Total Quantity	
				12. Unit Wt./Vol.	
				13. Waste Codes	
1.		<b>NON-RCRA HAZARDOUS WASTE SOLID (EMPTY STORAGE TANK)</b>		<b>001</b>	<b>TP</b>
2.				<b>0</b>	
3.				<b>0</b>	
4.				<b>0</b>	
14. Special Handling Instructions and Additional Information <b>ECL JOB # 5214632 TANK # 3451R</b> <b>WEAR PROPER PPE WHEN HANDLING // WEIGHTS AND VOLUMES ARE APPROXIMATE</b>					
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. (For export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.					
Generator's/Offoror's Printed/Typed Name <b>MICHAEL HODASS</b>				Signature 	
				Month Day Year <b>12 5 13</b>	
16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: _____ Date leaving U.S.: _____					
17. Transporter Acknowledgment of Receipt of Materials					
Transporter 1 Printed/Typed Name <b>BILL MARASKE</b>				Signature 	
				Month Day Year <b>12 5 13</b>	
Transporter 2 Printed/Typed Name				Signature	
				Month Day Year	
18. Discrepancy					
18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection					
18b. Alternate Facility (or Generator) Manifest Reference Number: _____ U.S. EPA ID Number _____					
Facility's Phone: _____					
18c. Signature of Alternate Facility (or Generator) _____ Month Day Year _____					
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)					
1. <b>A129</b>		2.		3.	
				4.	
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in item 18a					
Printed/Typed Name <b>JOHN SPENCE</b>				Signature 	
				Month Day Year <b>12 5 13</b>	

167-BLC-O 6 10496

GENERATOR

TRANSPORTER INT'L

DESIGNATED FACILITY

File No. 6-13-858-SA  
December 26, 2013

**A P P E N D I X "D"**

**LABORATORY REPORTS**

**ENVIRO SOIL TECH CONSULTANTS**







12/26/13

Technical Report for

Enviro Soil Tech Consultants

1501 Martin Luther King Jr. Way, Oakland, CA

6-13-858-5A

Accutest Job Number: C31221

Sampling Date: 12/03/13

Report to:

Enviro Soil Tech Consultants  
131 Tully Road  
San Jose, CA 95111  
info@envirosoiltech.com

ATTN: Frank Hamedi

Total number of pages in report: **44**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

James J. Rhudy  
Lab Director

Client Service contact: Renea Jackson 408-588-0200

Certifications: CA (08258CA) AZ (AZ0762) DoD ELAP (L-A-B L2242)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.  
Test results relate only to samples analyzed.

# Table of Contents

Sections:



-1-

<b>Section 1: Sample Summary</b> .....	<b>3</b>
<b>Section 2: Summary of Hits</b> .....	<b>4</b>
<b>Section 3: Sample Results</b> .....	<b>5</b>
<b>3.1: C31221-1: 1-8-W</b> .....	<b>6</b>
<b>3.2: C31221-2: 1-8-E</b> .....	<b>11</b>
<b>3.3: C31221-7: SP-(1-4)</b> .....	<b>16</b>
<b>Section 4: Misc. Forms</b> .....	<b>21</b>
<b>4.1: Chain of Custody</b> .....	<b>22</b>
<b>Section 5: GC/MS Volatiles - QC Data Summaries</b> .....	<b>24</b>
<b>5.1: Method Blank Summary</b> .....	<b>25</b>
<b>5.2: Blank Spike/Blank Spike Duplicate Summary</b> .....	<b>28</b>
<b>5.3: Laboratory Control Sample Summary</b> .....	<b>31</b>
<b>5.4: Matrix Spike/Matrix Spike Duplicate Summary</b> .....	<b>32</b>
<b>Section 6: GC Volatiles - QC Data Summaries</b> .....	<b>35</b>
<b>6.1: Method Blank Summary</b> .....	<b>36</b>
<b>6.2: Blank Spike/Blank Spike Duplicate Summary</b> .....	<b>37</b>
<b>6.3: Matrix Spike/Matrix Spike Duplicate Summary</b> .....	<b>38</b>
<b>Section 7: Metals Analysis - QC Data Summaries</b> .....	<b>39</b>
<b>7.1: Prep QC MP7092: Pb</b> .....	<b>40</b>

### Sample Summary

Enviro Soil Tech Consultants

Job No: C31221

1501 Martin Luther King Jr. Way, Oakland, CA  
 Project No: 6-13-858-5A

Sample Number	Collected		Received	Matrix		Client Sample ID
	Date	Time By		Code	Type	
C31221-1	12/03/13	10:20	12/04/13	SO	Soil	I-8-W
C31221-2	12/03/13	10:30	12/04/13	SO	Soil	I-8-E
C31221-3	12/03/13	10:45	12/04/13	SO	Soil	SP-1
C31221-4	12/03/13	10:50	12/04/13	SO	Soil	SP-2
C31221-5	12/03/13	10:55	12/04/13	SO	Soil	SP-3
C31221-6	12/03/13	11:00	12/04/13	SO	Soil	SP-4
C31221-7	12/03/13	00:00	12/04/13	SO	Soil	SP-(1-4)

Soil samples reported on a dry weight basis unless otherwise indicated on result page.


## Summary of Hits



**Job Number:** C31221  
**Account:** Enviro Soil Tech Consultants  
**Project:** 1501 Martin Luther King Jr. Way, Oakland, CA  
**Collected:** 12/03/13

Lab Sample ID	Client Sample ID	Result/ Analyte	RL	MDL	Units	Method
<b>C31221-1</b>	<b>1-8-W</b>					
Lead		2.4	1.8		mg/kg	SW846 6010B
<b>C31221-2</b>	<b>1-8-E</b>					
n-Butylbenzene		19300 J	21000	2100	ug/kg	SW846 8260B
sec-Butylbenzene		3020 J	21000	2100	ug/kg	SW846 8260B
Ethylbenzene		27200	21000	2100	ug/kg	SW846 8260B
Isopropylbenzene		4740 J	21000	2100	ug/kg	SW846 8260B
p-Isopropyltoluene		2390 J	21000	2100	ug/kg	SW846 8260B
Naphthalene		20100 J	21000	4100	ug/kg	SW846 8260B
n-Propylbenzene		21000	21000	2100	ug/kg	SW846 8260B
1,2,4-Trimethylbenzene		174000	21000	4100	ug/kg	SW846 8260B
1,3,5-Trimethylbenzene		43600	21000	4100	ug/kg	SW846 8260B
Toluene		15100 J	21000	2100	ug/kg	SW846 8260B
Xylene (total)		222000	41000	4100	ug/kg	SW846 8260B
TPH-GRO (C6-C10)		906	240	120	mg/kg	SW846 8015B
Lead		8.8	1.7		mg/kg	SW846 6010B
<b>C31221-7</b>	<b>SP-(1-4)</b>					
Methyl ethyl ketone <sup>a</sup>		560 J	1000	100	ug/kg	SW846 8260B
Lead		5.7	1.7		mg/kg	SW846 6010B

(a) 4:1 composite.



Sample Results

---

Report of Analysis

---

## Report of Analysis

<b>Client Sample ID:</b> 1-8-W	
<b>Lab Sample ID:</b> C31221-1	<b>Date Sampled:</b> 12/03/13
<b>Matrix:</b> SO - Soil	<b>Date Received:</b> 12/04/13
<b>Method:</b> SW846 8260B	<b>Percent Solids:</b> n/a <sup>a</sup>
<b>Project:</b> 1501 Martin Luther King Jr. Way, Oakland, CA	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	L29170.D	1	12/04/13	XB	n/a	n/a	VL921
Run #2							

Run #	Initial Weight
Run #1	5.03 g
Run #2	

## VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	40	9.9	ug/kg	
71-43-2	Benzene	ND	5.0	0.50	ug/kg	
108-86-1	Bromobenzene	ND	5.0	0.50	ug/kg	
74-97-5	Bromochloromethane	ND	5.0	0.50	ug/kg	
75-27-4	Bromodichloromethane	ND	5.0	0.50	ug/kg	
75-25-2	Bromoform	ND	5.0	0.50	ug/kg	
104-51-8	n-Butylbenzene	ND	5.0	0.50	ug/kg	
135-98-8	sec-Butylbenzene	ND	5.0	0.50	ug/kg	
98-06-6	tert-Butylbenzene	ND	5.0	0.50	ug/kg	
108-90-7	Chlorobenzene	ND	5.0	0.50	ug/kg	
75-00-3	Chloroethane	ND	5.0	0.99	ug/kg	
67-66-3	Chloroform	ND	5.0	0.50	ug/kg	
95-49-8	o-Chlorotoluene	ND	5.0	0.50	ug/kg	
106-43-4	p-Chlorotoluene	ND	5.0	0.50	ug/kg	
56-23-5	Carbon tetrachloride	ND	5.0	0.50	ug/kg	
75-34-3	1,1-Dichloroethane	ND	5.0	0.50	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	5.0	0.50	ug/kg	
563-58-6	1,1-Dichloropropene	ND	5.0	0.50	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	1.4	ug/kg	
106-93-4	1,2-Dibromoethane	ND	5.0	0.50	ug/kg	
107-06-2	1,2-Dichloroethane	ND	5.0	0.50	ug/kg	
78-87-5	1,2-Dichloropropane	ND	5.0	0.50	ug/kg	
142-28-9	1,3-Dichloropropane	ND	5.0	0.50	ug/kg	
108-20-3	Di-Isopropyl ether	ND	5.0	0.50	ug/kg	
594-20-7	2,2-Dichloropropane	ND	5.0	0.50	ug/kg	
124-48-1	Dibromochloromethane	ND	5.0	0.50	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.99	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	5.0	1.1	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	5.0	0.50	ug/kg	
541-73-1	m-Dichlorobenzene	ND	5.0	0.50	ug/kg	
95-50-1	o-Dichlorobenzene	ND	5.0	0.50	ug/kg	
106-46-7	p-Dichlorobenzene	ND	5.0	0.50	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> 1-8-W	<b>Date Sampled:</b> 12/03/13
<b>Lab Sample ID:</b> C31221-1	<b>Date Received:</b> 12/04/13
<b>Matrix:</b> SO - Soil	<b>Percent Solids:</b> n/a <sup>a</sup>
<b>Method:</b> SW846 8260B	
<b>Project:</b> 1501 Martin Luther King Jr. Way, Oakland, CA	

## VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	5.0	0.50	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	5.0	0.50	ug/kg	
100-41-4	Ethylbenzene	ND	5.0	0.50	ug/kg	
637-92-3	Ethyl tert-Butyl Ether	ND	5.0	0.50	ug/kg	
591-78-6	2-Hexanone	ND	20	2.0	ug/kg	
87-68-3	Hexachlorobutadiene	ND	5.0	0.99	ug/kg	
98-82-8	Isopropylbenzene	ND	5.0	0.50	ug/kg	
99-87-6	p-Isopropyltoluene	ND	5.0	0.50	ug/kg	
108-10-1	4-Methyl-2-pentanone	ND	20	2.0	ug/kg	
74-83-9	Methyl bromide	ND	5.0	0.99	ug/kg	
74-87-3	Methyl chloride	ND	5.0	0.99	ug/kg	
74-95-3	Methylene bromide	ND	5.0	0.50	ug/kg	
75-09-2	Methylene chloride	ND	20	5.0	ug/kg	
78-93-3	Methyl ethyl ketone	ND	20	2.0	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	5.0	0.99	ug/kg	
91-20-3	Naphthalene	ND	5.0	0.99	ug/kg	
103-65-1	n-Propylbenzene	ND	5.0	0.50	ug/kg	
100-42-5	Styrene	ND	5.0	0.50	ug/kg	
994-05-8	Tert-Amyl Methyl Ether	ND	5.0	0.50	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	40	9.9	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	0.50	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	5.0	0.50	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	5.0	0.50	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	5.0	0.50	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.50	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	5.0	0.99	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.50	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	0.99	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	0.99	ug/kg	
127-18-4	Tetrachloroethylene	ND	5.0	0.60	ug/kg	
108-88-3	Toluene	ND	5.0	0.50	ug/kg	
79-01-6	Trichloroethylene	ND	5.0	0.50	ug/kg	
75-69-4	Trichlorofluoromethane	ND	5.0	0.99	ug/kg	
75-01-4	Vinyl chloride	ND	5.0	0.99	ug/kg	
1330-20-7	Xylene (total)	ND	9.9	0.99	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	94%		70-130%
2037-26-5	Toluene-D8	102%		70-130%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound



## Report of Analysis



<b>Client Sample ID:</b> 1-8-W		<b>Date Sampled:</b> 12/03/13
<b>Lab Sample ID:</b> C31221-1		<b>Date Received:</b> 12/04/13
<b>Matrix:</b> SO - Soil		<b>Percent Solids:</b> n/a <sup>a</sup>
<b>Project:</b> 1501 Martin Luther King Jr. Way, Oakland, CA		

**Metals Analysis**

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Lead	2.4	1.8	mg/kg	1	12/06/13	12/12/13 RS	SW846 6010B <sup>1</sup>	SW846 3050B <sup>2</sup>

(1) Instrument QC Batch: MA3635

(2) Prep QC Batch: MP7092

(a) All results reported on a wet weight basis.

---

RL = Reporting Limit

## Report of Analysis

<b>Client Sample ID:</b> 1-8-E	<b>Date Sampled:</b> 12/03/13
<b>Lab Sample ID:</b> C31221-2	<b>Date Received:</b> 12/04/13
<b>Matrix:</b> SO - Soil	<b>Percent Solids:</b> n/a <sup>a</sup>
<b>Method:</b> SW846 8260B	
<b>Project:</b> 1501 Martin Luther King Jr. Way, Oakland, CA	

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #2	L29172.D	1	12/04/13	XB	n/a	n/a	VL921

Run #1	Initial Weight	Final Volume	Methanol Aliquot
Run #2	6.09 g	5.0 ml	1.0 ul

## VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	160000	41000	ug/kg	
71-43-2	Benzene	ND	21000	2100	ug/kg	
108-86-1	Bromobenzene	ND	21000	2100	ug/kg	
74-97-5	Bromochloromethane	ND	21000	2100	ug/kg	
75-27-4	Bromodichloromethane	ND	21000	2100	ug/kg	
75-25-2	Bromoform	ND	21000	2100	ug/kg	
104-51-8	n-Butylbenzene	19300	21000	2100	ug/kg	J
135-98-8	sec-Butylbenzene	3020	21000	2100	ug/kg	J
98-06-6	tert-Butylbenzene	ND	21000	2100	ug/kg	
108-90-7	Chlorobenzene	ND	21000	2100	ug/kg	
75-00-3	Chloroethane	ND	21000	4100	ug/kg	
67-66-3	Chloroform	ND	21000	2100	ug/kg	
95-49-8	o-Chlorotoluene	ND	21000	2100	ug/kg	
106-43-4	p-Chlorotoluene	ND	21000	2100	ug/kg	
56-23-5	Carbon tetrachloride	ND	21000	2100	ug/kg	
75-34-3	1,1-Dichloroethane	ND	21000	2100	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	21000	2100	ug/kg	
563-58-6	1,1-Dichloropropene	ND	21000	2100	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	21000	5700	ug/kg	
106-93-4	1,2-Dibromoethane	ND	21000	2100	ug/kg	
107-06-2	1,2-Dichloroethane	ND	21000	2100	ug/kg	
78-87-5	1,2-Dichloropropane	ND	21000	2100	ug/kg	
142-28-9	1,3-Dichloropropane	ND	21000	2100	ug/kg	
108-20-3	Di-Isopropyl ether	ND	21000	2100	ug/kg	
594-20-7	2,2-Dichloropropane	ND	21000	2100	ug/kg	
124-48-1	Dibromochloromethane	ND	21000	2100	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	21000	4100	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	21000	4500	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	21000	2100	ug/kg	
541-73-1	m-Dichlorobenzene	ND	21000	2100	ug/kg	
95-50-1	o-Dichlorobenzene	ND	21000	2100	ug/kg	
106-46-7	p-Dichlorobenzene	ND	21000	2100	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> 1-8-E	<b>Date Sampled:</b> 12/03/13
<b>Lab Sample ID:</b> C31221-2	<b>Date Received:</b> 12/04/13
<b>Matrix:</b> SO - Soil	<b>Percent Solids:</b> n/a <sup>a</sup>
<b>Method:</b> SW846 8260B	
<b>Project:</b> 1501 Martin Luther King Jr. Way, Oakland, CA	

## VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	21000	2100	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	21000	2100	ug/kg	
100-41-4	Ethylbenzene	27200	21000	2100	ug/kg	
637-92-3	Ethyl tert-Butyl Ether	ND	21000	2100	ug/kg	
591-78-6	2-Hexanone	ND	82000	8200	ug/kg	
87-68-3	Hexachlorobutadiene	ND	21000	4100	ug/kg	
98-82-8	Isopropylbenzene	4740	21000	2100	ug/kg	J
99-87-6	p-Isopropyltoluene	2390	21000	2100	ug/kg	J
108-10-1	4-Methyl-2-pentanone	ND	82000	8200	ug/kg	
74-83-9	Methyl bromide	ND	21000	4100	ug/kg	
74-87-3	Methyl chloride	ND	21000	4100	ug/kg	
74-95-3	Methylene bromide	ND	21000	2100	ug/kg	
75-09-2	Methylene chloride	ND	82000	21000	ug/kg	
78-93-3	Methyl ethyl ketone	ND	82000	8200	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	21000	4100	ug/kg	
91-20-3	Naphthalene	20100	21000	4100	ug/kg	J
103-65-1	n-Propylbenzene	21000	21000	2100	ug/kg	
100-42-5	Styrene	ND	21000	2100	ug/kg	
994-05-8	Tert-Amyl Methyl Ether	ND	21000	2100	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	160000	41000	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	21000	2100	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	21000	2100	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	21000	2100	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	21000	2100	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	21000	2100	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	21000	4100	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	21000	2100	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	174000	21000	4100	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	43600	21000	4100	ug/kg	
127-18-4	Tetrachloroethylene	ND	21000	2500	ug/kg	
108-88-3	Toluene	15100	21000	2100	ug/kg	J
79-01-6	Trichloroethylene	ND	21000	2100	ug/kg	
75-69-4	Trichlorofluoromethane	ND	21000	4100	ug/kg	
75-01-4	Vinyl chloride	ND	21000	4100	ug/kg	
1330-20-7	Xylene (total)	222000	41000	4100	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	95%		70-130%
2037-26-5	Toluene-D8	102%		70-130%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

### Report of Analysis

32  
3

<b>Client Sample ID:</b> 1-8-E	
<b>Lab Sample ID:</b> C31221-2	<b>Date Sampled:</b> 12/03/13
<b>Matrix:</b> SO - Soil	<b>Date Received:</b> 12/04/13
<b>Method:</b> SW846 8260B	<b>Percent Solids:</b> n/a <sup>a</sup>
<b>Project:</b> 1501 Martin Luther King Jr. Way, Oakland, CA	

**VOA 8260 List**

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	99%		70-130%

(a) All results reported on a wet weight basis.

ND = Not detected      MDL - Method Detection Limit  
RL = Reporting Limit

J = Indicates an estimated value  
B = Indicates analyte found in associated method blank  
N = Indicates presumptive evidence of a compound

**Report of Analysis**



<b>Client Sample ID:</b> 1-8-E	<b>Date Sampled:</b> 12/03/13
<b>Lab Sample ID:</b> C31221-2	<b>Date Received:</b> 12/04/13
<b>Matrix:</b> SO - Soil	<b>Percent Solids:</b> n/a <sup>a</sup>
<b>Method:</b> SW846 8015B	
<b>Project:</b> 1501 Martin Luther King Jr. Way, Oakland, CA	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	JK40936.D	1	12/05/13	TT	n/a	n/a	GJK1653
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.13 g	5.0 ml	2.0 ul
Run #2			

**TPH Volatiles**

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-GRO (C6-C10)	906	240	120	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
98-08-8	aaa-Trifluorotoluene	114%		60-115%

(a) All results reported on a wet weight basis.

ND = Not detected      MDL - Method Detection Limit      J = Indicates an estimated value  
 RL = Reporting Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

### Report of Analysis

3.2  
3

<b>Client Sample ID:</b> 1-8-E	<b>Date Sampled:</b> 12/03/13
<b>Lab Sample ID:</b> C31221-2	<b>Date Received:</b> 12/04/13
<b>Matrix:</b> SO - Soil	<b>Percent Solids:</b> n/a <sup>a</sup>
<b>Project:</b> 1501 Martin Luther King Jr. Way, Oakland, CA	

#### Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Lead	8.8	1.7	mg/kg	1	12/06/13	12/12/13 RS	SW846 6010B <sup>1</sup>	SW846 3050B <sup>2</sup>

(1) Instrument QC Batch: MA3635

(2) Prep QC Batch: MP7092

(a) All results reported on a wet weight basis.

RL = Reporting Limit

## Report of Analysis

<b>Client Sample ID:</b> SP-(1-4)	<b>Date Sampled:</b> 12/03/13
<b>Lab Sample ID:</b> C31221-7	<b>Date Received:</b> 12/04/13
<b>Matrix:</b> SO - Soil	<b>Percent Solids:</b> n/a <sup>a</sup>
<b>Method:</b> SW846 8260B	
<b>Project:</b> 1501 Martin Luther King Jr. Way, Oakland, CA	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 <sup>b</sup>	L29171.D	1	12/04/13	XB	n/a	n/a	VL921
Run #2							

Run #	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.00 g	5.0 ml	100 ul
Run #2			

## VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	2000	500	ug/kg	
71-43-2	Benzene	ND	250	25	ug/kg	
108-86-1	Bromobenzene	ND	250	25	ug/kg	
74-97-5	Bromochloromethane	ND	250	25	ug/kg	
75-27-4	Bromodichloromethane	ND	250	25	ug/kg	
75-25-2	Bromoform	ND	250	25	ug/kg	
104-51-8	n-Butylbenzene	ND	250	25	ug/kg	
135-98-8	sec-Butylbenzene	ND	250	25	ug/kg	
98-06-6	tert-Butylbenzene	ND	250	25	ug/kg	
108-90-7	Chlorobenzene	ND	250	25	ug/kg	
75-00-3	Chloroethane	ND	250	50	ug/kg	
67-66-3	Chloroform	ND	250	25	ug/kg	
95-49-8	o-Chlorotoluene	ND	250	25	ug/kg	
106-43-4	p-Chlorotoluene	ND	250	25	ug/kg	
56-23-5	Carbon tetrachloride	ND	250	25	ug/kg	
75-34-3	1,1-Dichloroethane	ND	250	25	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	250	25	ug/kg	
563-58-6	1,1-Dichloropropene	ND	250	25	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	250	70	ug/kg	
106-93-4	1,2-Dibromoethane	ND	250	25	ug/kg	
107-06-2	1,2-Dichloroethane	ND	250	25	ug/kg	
78-87-5	1,2-Dichloropropane	ND	250	25	ug/kg	
142-28-9	1,3-Dichloropropane	ND	250	25	ug/kg	
108-20-3	Di-Isopropyl ether	ND	250	25	ug/kg	
594-20-7	2,2-Dichloropropane	ND	250	25	ug/kg	
124-48-1	Dibromochloromethane	ND	250	25	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	250	50	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	250	55	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	250	25	ug/kg	
541-73-1	m-Dichlorobenzene	ND	250	25	ug/kg	
95-50-1	o-Dichlorobenzene	ND	250	25	ug/kg	
106-46-7	p-Dichlorobenzene	ND	250	25	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

33  
3

<b>Client Sample ID:</b> SP-(1-4)	
<b>Lab Sample ID:</b> C31221-7	
<b>Matrix:</b> SO - Soil	<b>Date Sampled:</b> 12/03/13
<b>Method:</b> SW846 8260B	<b>Date Received:</b> 12/04/13
<b>Project:</b> 1501 Martin Luther King Jr. Way, Oakland, CA	<b>Percent Solids:</b> n/a <sup>a</sup>

**VOA 8260 List**

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	250	25	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	250	25	ug/kg	
100-41-4	Ethylbenzene	ND	250	25	ug/kg	
637-92-3	Ethyl tert-Butyl Ether	ND	250	25	ug/kg	
591-78-6	2-Hexanone	ND	1000	100	ug/kg	
87-68-3	Hexachlorobutadiene	ND	250	50	ug/kg	
98-82-8	Isopropylbenzene	ND	250	25	ug/kg	
99-87-6	p-Isopropyltoluene	ND	250	25	ug/kg	
108-10-1	4-Methyl-2-pentanone	ND	1000	100	ug/kg	
74-83-9	Methyl bromide	ND	250	50	ug/kg	
74-87-3	Methyl chloride	ND	250	50	ug/kg	
74-95-3	Methylene bromide	ND	250	25	ug/kg	
75-09-2	Methylene chloride	ND	1000	250	ug/kg	
78-93-3	Methyl ethyl ketone	560	1000	100	ug/kg	J
1634-04-4	Methyl Tert Butyl Ether	ND	250	50	ug/kg	
91-20-3	Naphthalene	ND	250	50	ug/kg	
103-65-1	n-Propylbenzene	ND	250	25	ug/kg	
100-42-5	Styrene	ND	250	25	ug/kg	
994-05-8	Tert-Amyl Methyl Ether	ND	250	25	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	2000	500	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	250	25	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	250	25	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	250	25	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	250	25	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	250	25	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	250	50	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	250	25	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	250	50	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	250	50	ug/kg	
127-18-4	Tetrachloroethylene	ND	250	30	ug/kg	
108-88-3	Toluene	ND	250	25	ug/kg	
79-01-6	Trichloroethylene	ND	250	25	ug/kg	
75-69-4	Trichlorofluoromethane	ND	250	50	ug/kg	
75-01-4	Vinyl chloride	ND	250	50	ug/kg	
1330-20-7	Xylene (total)	ND	500	50	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	90%		70-130%
2037-26-5	Toluene-D8	97%		70-130%

ND = Not detected      MDL - Method Detection Limit      J = Indicates an estimated value  
 RL = Reporting Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound



## Report of Analysis



<b>Client Sample ID:</b> SP-(1-4)	<b>Date Sampled:</b> 12/03/13
<b>Lab Sample ID:</b> C31221-7	<b>Date Received:</b> 12/04/13
<b>Matrix:</b> SO - Soil	<b>Percent Solids:</b> n/a <sup>a</sup>
<b>Method:</b> SW846 8260B	
<b>Project:</b> 1501 Martin Luther King Jr. Way, Oakland, CA	

**VOA 8260 List**

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	97%		70-130%

- (a) All results reported on a wet weight basis.
- (b) 4;1 composite.

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

### Report of Analysis

3.3  
3

<b>Client Sample ID:</b> SP-(1-4)	<b>Date Sampled:</b> 12/03/13
<b>Lab Sample ID:</b> C31221-7	<b>Date Received:</b> 12/04/13
<b>Matrix:</b> SO - Soil	<b>Percent Solids:</b> n/a <sup>a</sup>
<b>Method:</b> SW846 8015B	
<b>Project:</b> 1501 Martin Luther King Jr. Way, Oakland, CA	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	JK40937.D	1	12/05/13	TT	n/a	n/a	GJK1653
Run #2							

Run #	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.22 g	5.0 ml	100 ul
Run #2			

**TPH Volatiles**

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-GRO (C6-C10)	ND	4.8	2.4	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
98-08-8	aaa-Trifluorotoluene	117% <sup>b</sup>		60-115%

- (a) All results reported on a wet weight basis.
- (b) Outside of in-house control limits; but within method acceptance limits.

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

## Report of Analysis



<b>Client Sample ID:</b> SP-(1-4)		<b>Date Sampled:</b> 12/03/13
<b>Lab Sample ID:</b> C31221-7		<b>Date Received:</b> 12/04/13
<b>Matrix:</b> SO - Soil		<b>Percent Solids:</b> n/a <sup>a</sup>
<b>Project:</b> 1501 Martin Luther King Jr. Way, Oakland, CA		

**Metals Analysis:**

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Lead	5.7	1.7	mg/kg	1	12/06/13	12/12/13 RS	SW846 6010B <sup>1</sup>	SW846 3050B <sup>2</sup>

(1) Instrument QC Batch: MA3635

(2) Prep QC Batch: MP7092

(a) All results reported on a wet weight basis.

---

RL = Reporting Limit



Misc. Forms

---

Custody Documents and Other Forms

---

Includes the following where applicable:

- Chain of Custody


BSTCASPJSBCB

CHAIN OF CUSTODY RECORD

C31221

PROJ. NO.		NAME		ANALYSES REQUESTED						REMARKS			
6-13-958-SA		1501 Martin Luther King Jr. Way, Oakland.		CON-TAINER	TP-Hg (6015M)	EPA 8260B*	Total lead		lab#				
SAMPLERS: (Signature)													
<i>[Signature]</i>													
NO.	DATE	TIME	SOIL	WATER	AIR	LOCATION							
1	12/13/03	10:20	✓			1-8-W	✓	✓	✓	1	* Full list		
2		10:30	✓			1-8-E	✓	✓	✓	2			
3		10:45	✓			SP-1	✓	✓	✓	3	Please composite these 4 samples into 1 sample and label them as SP-1, 2, 3, 4		
4		10:50	✓			SP-2	✓	✓	✓	4			
5		10:55	✓			SP-3	✓	✓	✓	5			
6	✓	11:00	✓			SP-4	✓	✓	✓	6			
Relinquished by: (Signature)		Date/Time		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Date/Time		Received by: (Signature)	
<i>[Signature]</i>		12/13/04		<i>[Signature]</i>		12/13/04							
Relinquished by: (Signature)		Date/Time		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Date/Time		Received by: (Signature)	
<i>[Signature]</i>		12/13/04		<i>[Signature]</i>		12/13/04							
Relinquished by: (Signature)		Date/Time		Received for Laboratory by: (Signature)		Date/Time		Remarks: Please send lab report to Frank Hamedi. Note: Please send back the soil samples to our office when job is done.					

4.1  
4



**ENVIRO SOIL TECH CONSULTANTS**  
 Environmental & Geotechnical Consultants  
 131 TULLY ROAD, SAN JOSE, CALIFORNIA 95131  
 Tel: (408) 297-1500 Fax: (408) 292-2116

Temp: 5.3-1.5 = 3.8°C



# Accutest Laboratories Sample Receipt Summary

Accutest Job Number: C31221 Client: ENVIRO SOIL TECH CONSULTANTS Project: 1501 MARTIN LUTHER KING, JR. WAY, Oakland,  
 Date / Time Received: 12/4/2013 Delivery Method: Accutest Courier Airbill #'s: \_\_\_\_\_  
 Cooler Temps (Initial/Adjusted): #1: (5.3/3.8): 0

**Cooler Security**

	<u>Y or N</u>		<u>Y or N</u>
1. Custody Seals Present:	<input type="checkbox"/> <input checked="" type="checkbox"/>	3. COC Present:	<input checked="" type="checkbox"/> <input type="checkbox"/>
2. Custody Seals Intact:	<input type="checkbox"/> <input type="checkbox"/>	4. Smpl Dates/Time OK	<input checked="" type="checkbox"/> <input type="checkbox"/>

**Cooler Temperature**

	<u>Y or N</u>
1. Temp criteria achieved:	<input checked="" type="checkbox"/> <input type="checkbox"/>
2. Cooler temp verification:	<u>IR1 Plastic;</u>
3. Cooler media:	<u>Ice (Bag)</u>
4. No. Coolers:	<u>1</u>

**Quality Control Preservation**

	<u>Y or N</u>	<u>N/A</u>
1. Trip Blank present / cooler:	<input type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/>
2. Trip Blank listed on COC:	<input type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/>
3. Samples preserved properly:	<input type="checkbox"/> <input type="checkbox"/>	
4. VOCs headspace free:	<input type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/>

**Sample Integrity - Documentation**

	<u>Y or N</u>
1. Sample labels present on bottles:	<input checked="" type="checkbox"/> <input type="checkbox"/>
2. Container labeling complete:	<input checked="" type="checkbox"/> <input type="checkbox"/>
3. Sample container label / COC agree:	<input checked="" type="checkbox"/> <input type="checkbox"/>

**Sample Integrity - Condition**

	<u>Y or N</u>
1. Sample recvd within HT:	<input checked="" type="checkbox"/> <input type="checkbox"/>
2. All containers accounted for:	<input checked="" type="checkbox"/> <input type="checkbox"/>
3. Condition of sample:	<u>Intact</u>

**Sample Integrity - Instructions**

	<u>Y or N</u>	<u>N/A</u>
1. Analysis requested is clear:	<input checked="" type="checkbox"/> <input type="checkbox"/>	
2. Bottles received for unspecified tests	<input type="checkbox"/> <input checked="" type="checkbox"/>	
3. Sufficient volume recvd for analysis:	<input checked="" type="checkbox"/> <input type="checkbox"/>	
4. Compositing instructions clear:	<input checked="" type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>
5. Filtering instructions clear:	<input type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/>

Comments

Accutest Laboratories  
V:408.588.0200

2105 Lundy Avenue  
F: 408.588.0201

San Jose, CA 95131  
www.accutest.com

4.1  
4

GC/MS Volatiles



QC Data Summaries

---

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

# Method Blank Summary

Job Number: C31221  
 Account: ESTCASJ Enviro Soil Tech Consultants  
 Project: 1501 Martin Luther King Jr. Way, Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL921-MB	L29157.D	1	12/04/13	XB	n/a	n/a	VL921

The QC reported here applies to the following samples:

Method: SW846 8260B

C31221-1, C31221-2, C31221-7

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	40	10	ug/kg	
71-43-2	Benzene	ND	5.0	0.50	ug/kg	
108-86-1	Bromobenzene	ND	5.0	0.50	ug/kg	
74-97-5	Bromochloromethane	ND	5.0	0.50	ug/kg	
75-27-4	Bromodichloromethane	ND	5.0	0.50	ug/kg	
75-25-2	Bromoform	ND	5.0	0.50	ug/kg	
104-51-8	n-Butylbenzene	ND	5.0	0.50	ug/kg	
135-98-8	sec-Butylbenzene	ND	5.0	0.50	ug/kg	
98-06-6	tert-Butylbenzene	ND	5.0	0.50	ug/kg	
108-90-7	Chlorobenzene	ND	5.0	0.50	ug/kg	
75-00-3	Chloroethane	ND	5.0	1.0	ug/kg	
67-66-3	Chloroform	ND	5.0	0.50	ug/kg	
95-49-8	o-Chlorotoluene	ND	5.0	0.50	ug/kg	
106-43-4	p-Chlorotoluene	ND	5.0	0.50	ug/kg	
56-23-5	Carbon tetrachloride	ND	5.0	0.50	ug/kg	
75-34-3	1,1-Dichloroethane	ND	5.0	0.50	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	5.0	0.50	ug/kg	
563-58-6	1,1-Dichloropropene	ND	5.0	0.50	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	1.4	ug/kg	
106-93-4	1,2-Dibromoethane	ND	5.0	0.50	ug/kg	
107-06-2	1,2-Dichloroethane	ND	5.0	0.50	ug/kg	
78-87-5	1,2-Dichloropropane	ND	5.0	0.50	ug/kg	
142-28-9	1,3-Dichloropropane	ND	5.0	0.50	ug/kg	
108-20-3	Di-Isopropyl ether	ND	5.0	0.50	ug/kg	
594-20-7	2,2-Dichloropropane	ND	5.0	0.50	ug/kg	
124-48-1	Dibromochloromethane	ND	5.0	0.50	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	5.0	1.1	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	5.0	0.50	ug/kg	
541-73-1	m-Dichlorobenzene	ND	5.0	0.50	ug/kg	
95-50-1	o-Dichlorobenzene	ND	5.0	0.50	ug/kg	
106-46-7	p-Dichlorobenzene	ND	5.0	0.50	ug/kg	
156-60-5	trans-1,2-Dichloroethylene	ND	5.0	0.50	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	5.0	0.50	ug/kg	
100-41-4	Ethylbenzene	ND	5.0	0.50	ug/kg	
637-92-3	Ethyl tert-Butyl Ether	ND	5.0	0.50	ug/kg	

5.1.1  
5



# Method Blank Summary

**Job Number:** C31221  
**Account:** ESTCASJ Enviro Soil Tech Consultants  
**Project:** 1501 Martin Luther King Jr. Way, Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL921-MB	L29157.D	1	12/04/13	XB	n/a	n/a	VL921

The QC reported here applies to the following samples:

Method: SW846 8260B

C31221-1, C31221-2, C31221-7

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	20	2.0	ug/kg	
87-68-3	Hexachlorobutadiene	ND	5.0	1.0	ug/kg	
98-82-8	Isopropylbenzene	ND	5.0	0.50	ug/kg	
99-87-6	p-Isopropyltoluene	ND	5.0	0.50	ug/kg	
108-10-1	4-Methyl-2-pentanone	ND	20	2.0	ug/kg	
74-83-9	Methyl bromide	ND	5.0	1.0	ug/kg	
74-87-3	Methyl chloride	ND	5.0	1.0	ug/kg	
74-95-3	Methylene bromide	ND	5.0	0.50	ug/kg	
75-09-2	Methylene chloride	ND	20	5.0	ug/kg	
78-93-3	Methyl ethyl ketone	ND	20	2.0	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	5.0	1.0	ug/kg	
91-20-3	Naphthalene	ND	5.0	1.0	ug/kg	
103-65-1	n-Propylbenzene	ND	5.0	0.50	ug/kg	
100-42-5	Styrene	ND	5.0	0.50	ug/kg	
994-05-8	Tert-Amyl Methyl Ether	ND	5.0	0.50	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	40	10	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	0.50	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	5.0	0.50	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	5.0	0.50	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	5.0	0.50	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.50	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	5.0	1.0	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.50	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	1.0	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	1.0	ug/kg	
127-18-4	Tetrachloroethylene	ND	5.0	0.60	ug/kg	
108-88-3	Toluene	ND	5.0	0.50	ug/kg	
79-01-6	Trichloroethylene	ND	5.0	0.50	ug/kg	
75-69-4	Trichlorofluoromethane	ND	5.0	1.0	ug/kg	
75-01-4	Vinyl chloride	ND	5.0	1.0	ug/kg	
1330-20-7	Xylene (total)	ND	10	1.0	ug/kg	

CAS No.	Surrogate Recoveries	Limits
1868-53-7	Dibromofluoromethane	85% 70-130%

5.1.1 5

## Method Blank Summary

Page 3 of 3

**Job Number:** C31221  
**Account:** ESTCASJ Enviro Soil Tech Consultants  
**Project:** 1501 Martin Luther King Jr. Way, Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL921-MB	L29157.D	1	12/04/13	XB	n/a	n/a	VL921

The QC reported here applies to the following samples:

Method: SW846 8260B

C31221-1, C31221-2, C31221-7

CAS No.	Surrogate Recoveries	Limits
2037-26-5	Toluene-D8	93% 70-130%
460-00-4	4-Bromofluorobenzene	88% 70-130%

5.1.1  
5

# Blank Spike/Blank Spike Duplicate Summary

Job Number: C31221  
 Account: ESTCASJ Enviro Soil Tech Consultants  
 Project: 1501 Martin Luther King Jr. Way, Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL921-BS	L29154.D	1	12/04/13	XB	n/a	n/a	VL921
VL921-BSD	L29155.D	1	12/04/13	XB	n/a	n/a	VL921

The QC reported here applies to the following samples:

Method: SW846 8260B

C31221-1, C31221-2, C31221-7

CAS No.	Compound	Spike ug/kg	BSP ug/kg	BSP %	BSD ug/kg	BSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	160	139	87	125	78	11	62-130/24
71-43-2	Benzene	40	40.6	102	39.1	98	4	81-119/20
108-86-1	Bromobenzene	40	43.0	108	45.5	114	6	79-120/22
74-97-5	Bromochloromethane	40	41.1	103	41.3	103	0	81-120/19
75-27-4	Bromodichloromethane	40	40.8	102	37.2	93	9	79-124/20
75-25-2	Bromoform	40	46.7	117	45.9	115	2	76-128/21
104-51-8	n-Butylbenzene	40	39.3	98	38.2	96	3	79-123/26
135-98-8	sec-Butylbenzene	40	38.6	97	38.7	97	0	77-122/24
98-06-6	tert-Butylbenzene	40	40.5	101	41.9	105	3	77-121/23
108-90-7	Chlorobenzene	40	40.0	100	38.8	97	3	82-121/20
75-00-3	Chloroethane	40	42.5	106	41.2	103	3	80-126/21
67-66-3	Chloroform	40	37.6	94	38.7	97	3	82-123/20
95-49-8	o-Chlorotoluene	40	40.4	101	45.2	113	11	78-125/25
106-43-4	p-Chlorotoluene	40	34.7	87	39.3	98	12	75-125/26
56-23-5	Carbon tetrachloride	40	41.3	103	39.7	99	4	82-127/22
75-34-3	1,1-Dichloroethane	40	42.1	105	38.7	97	8	80-123/20
75-35-4	1,1-Dichloroethylene	40	39.3	98	36.1	90	8	76-123/19
563-58-6	1,1-Dichloropropene	40	41.4	104	38.7	97	7	79-123/20
96-12-8	1,2-Dibromo-3-chloropropane	40	35.6	89	34.1	85	4	64-133/23
106-93-4	1,2-Dibromoethane	40	41.1	103	40.2	101	2	80-120/20
107-06-2	1,2-Dichloroethane	40	37.8	95	36.0	90	5	76-132/21
78-87-5	1,2-Dichloropropane	40	38.1	95	36.8	92	3	80-121/20
142-28-9	1,3-Dichloropropane	40	43.3	108	37.4	94	15	78-120/20
108-20-3	Di-Isopropyl ether	40	40.8	102	37.0	93	10	78-126/19
594-20-7	2,2-Dichloropropane	40	37.6	94	41.4	104	10	77-132/22
124-48-1	Dibromochloromethane	40	44.1	110	42.7	107	3	76-121/21
75-71-8	Dichlorodifluoromethane	40	53.9	135	47.6	119	12	51-135/23
156-59-2	cis-1,2-Dichloroethylene	40	40.1	100	43.3	108	8	79-123/20
10061-01-5	cis-1,3-Dichloropropene	40	49.9	125* a	40.5	101	21	81-124/21
541-73-1	m-Dichlorobenzene	40	40.3	101	39.2	98	3	79-123/23
95-50-1	o-Dichlorobenzene	40	39.8	100	38.8	97	3	79-124/22
106-46-7	p-Dichlorobenzene	40	43.5	109	42.3	106	3	79-123/22
156-60-5	trans-1,2-Dichloroethylene	40	41.6	104	38.2	96	9	78-120/19
10061-02-6	trans-1,3-Dichloropropene	40	46.4	116	37.8	95	20	81-123/22
100-41-4	Ethylbenzene	40	41.4	104	40.6	102	2	80-119/21
637-92-3	Ethyl tert-Butyl Ether	40	40.4	101	42.3	106	5	75-132/21

\* = Outside of Control Limits.

5.2.1  
 5

# Blank Spike/Blank Spike Duplicate Summary

Job Number: C31221  
 Account: ESTCASJ Enviro Soil Tech Consultants  
 Project: 1501 Martin Luther King Jr. Way, Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL921-BS	L29154.D	1	12/04/13	XB	n/a	n/a	VL921
VL921-BSD	L29155.D	1	12/04/13	XB	n/a	n/a	VL921

The QC reported here applies to the following samples:

Method: SW846 8260B

C31221-1, C31221-2, C31221-7

CAS No.	Compound	Spike ug/kg	BSP ug/kg	BSP %	BSD ug/kg	BSD %	RPD	Limits Rec/RPD
591-78-6	2-Hexanone	160	171	107	131	82	26* a	68-139/24
87-68-3	Hexachlorobutadiene	40	46.7	117	44.6	112	5	81-126/32
98-82-8	Isopropylbenzene	40	40.3	101	40.3	101	0	81-122/22
99-87-6	p-Isopropyltoluene	40	39.4	99	38.2	96	3	81-121/23
108-10-1	4-Methyl-2-pentanone	160	183	114	156	98	16	74-136/23
74-83-9	Methyl bromide	40	48.0	120	47.9	120	0	82-124/20
74-87-3	Methyl chloride	40	47.0	118	44.4	111	6	60-132/26
74-95-3	Methylene bromide	40	42.3	106	39.2	98	8	82-120/20
75-09-2	Methylene chloride	40	40.4	101	37.8	95	7	75-119/20
78-93-3	Methyl ethyl ketone	160	146	91	154	96	5	71-130/22
1634-04-4	Methyl Tert Butyl Ether	40	39.9	100	36.6	92	9	79-127/19
91-20-3	Naphthalene	40	42.5	106	41.6	104	2	78-125/23
103-65-1	n-Propylbenzene	40	36.2	91	41.1	103	13	79-124/22
100-42-5	Styrene	40	43.5	109	42.9	107	1	83-122/21
994-05-8	Tert-Amyl Methyl Ether	40	38.4	96	37.0	93	4	80-127/20
75-65-0	Tert Butyl Alcohol	200	193	97	171	86	12	65-144/23
630-20-6	1,1,1,2-Tetrachloroethane	40	43.3	108	42.9	107	1	82-123/21
71-55-6	1,1,1-Trichloroethane	40	38.9	97	36.8	92	6	79-129/21
79-34-5	1,1,2,2-Tetrachloroethane	40	38.2	96	40.6	102	6	77-126/20
79-00-5	1,1,2-Trichloroethane	40	46.1	115	38.2	96	19	79-123/20
87-61-6	1,2,3-Trichlorobenzene	40	45.0	113	44.2	111	2	81-122/26
96-18-4	1,2,3-Trichloropropane	40	38.2	96	43.3	108	13	79-122/24
120-82-1	1,2,4-Trichlorobenzene	40	44.3	111	43.6	109	2	81-121/26
95-63-6	1,2,4-Trimethylbenzene	40	41.1	103	44.6	112	8	82-121/24
108-67-8	1,3,5-Trimethylbenzene	40	41.9	105	46.8	117	11	81-123/23
127-18-4	Tetrachloroethylene	40	46.7	117	44.6	112	5	80-125/25
108-88-3	Toluene	40	48.7	122* a	40.8	102	18	80-117/21
79-01-6	Trichloroethylene	40	41.3	103	40.1	100	3	81-122/20
75-69-4	Trichlorofluoromethane	40	43.5	109	40.7	102	7	77-133/22
75-01-4	Vinyl chloride	40	42.1	105	41.9	105	0	71-133/23
1330-20-7	Xylene (total)	120	122	102	120	100	2	81-122/22

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
1868-53-7	Dibromofluoromethane	87%	86%	70-130%

\* = Outside of Control Limits.

5.2.1  
5

# Blank Spike/Blank Spike Duplicate Summary

Job Number: C31221

Account: ESTCASJ Enviro Soil Tech Consultants

Project: 1501 Martin Luther King Jr. Way, Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL921-BS	L29154.D	1	12/04/13	XB	n/a	n/a	VL921
VL921-BSD	L29155.D	1	12/04/13	XB	n/a	n/a	VL921

The QC reported here applies to the following samples:

Method: SW846 8260B

C31221-1, C31221-2, C31221-7

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
2037-26-5	Toluene-D8	109%	96%	70-130%
460-00-4	4-Bromofluorobenzene	91%	103%	70-130%

(a) Outside of in-house control limits; but within method acceptance limits.

\* = Outside of Control Limits.

# Laboratory Control Sample Summary

Job Number: C31221  
 Account: ESTCASJ Enviro Soil Tech Consultants  
 Project: 1501 Martin Luther King Jr. Way, Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL921-LCS	L29156.D	1	12/04/13	XB	n/a	n/a	VL921

The QC reported here applies to the following samples:

Method: SW846 8260B

C31221-1, C31221-2, C31221-7

CAS No.	Compound	Spike ug/kg	LCS ug/kg	LCS %	Limits
---------	----------	----------------	--------------	----------	--------

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	82%	70-130%
2037-26-5	Toluene-D8	96%	70-130%
460-00-4	4-Bromofluorobenzene	106%	70-130%

\* = Outside of Control Limits.

5.3.1  
5

# Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C31221

Account: ESTCASJ Enviro Soil Tech Consultants

Project: 1501 Martin Luther King Jr. Way, Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C31221-7MS	L29173.D	1	12/04/13	XB	n/a	n/a	VL921
C31221-7MSD	L29174.D	1	12/04/13	XB	n/a	n/a	VL921
C31221-7 <sup>a</sup>	L29171.D	1	12/04/13	XB	n/a	n/a	VL921

The QC reported here applies to the following samples:

Method: SW846 8260B

C31221-1, C31221-2, C31221-7

CAS No.	Compound	C31221-7 ug/kg	Spike Q	ug/kg	MS ug/kg	MS %	MSD ug/kg	MSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	ND		8000	7330	92	6450	81	13	62-130/24
71-43-2	Benzene	ND		2000	2100	105	2030	102	3	81-119/20
108-86-1	Bromobenzene	ND		2000	2300	115	2130	107	8	79-120/22
74-97-5	Bromochloromethane	ND		2000	2100	105	2130	107	1	81-120/19
75-27-4	Bromodichloromethane	ND		2000	2260	113	2010	101	12	79-124/20
75-25-2	Bromoform	ND		2000	2060	103	2040	102	1	76-128/21
104-51-8	n-Butylbenzene	ND		2000	1910	96	1880	94	2	79-123/26
135-98-8	sec-Butylbenzene	ND		2000	2050	103	2010	101	2	77-122/24
98-06-6	tert-Butylbenzene	ND		2000	2180	109	2040	102	7	77-121/23
108-90-7	Chlorobenzene	ND		2000	2160	108	2070	104	4	82-121/20
75-00-3	Chloroethane	ND		2000	2050	103	1920	96	7	80-126/21
67-66-3	Chloroform	ND		2000	2030	102	1830	92	10	82-123/20
95-49-8	o-Chlorotoluene	ND		2000	2280	114	2120	106	7	78-125/25
106-43-4	p-Chlorotoluene	ND		2000	2090	105	1930	97	8	75-125/26
56-23-5	Carbon tetrachloride	ND		2000	2040	102	1900	95	7	82-127/22
75-34-3	1,1-Dichloroethane	ND		2000	2000	100	1910	96	5	80-123/20
75-35-4	1,1-Dichloroethylene	ND		2000	2020	101	1800	90	12	76-123/19
563-58-6	1,1-Dichloropropene	ND		2000	2090	105	1920	96	8	79-123/20
96-12-8	1,2-Dibromo-3-chloropropane	ND		2000	1550	78	1640	82	6	64-133/23
106-93-4	1,2-Dibromoethane	ND		2000	2070	104	2040	102	1	80-120/20
107-06-2	1,2-Dichloroethane	ND		2000	1950	98	1950	98	0	76-132/21
78-87-5	1,2-Dichloropropane	ND		2000	2230	112	2030	102	9	80-121/20
142-28-9	1,3-Dichloropropane	ND		2000	2050	103	2030	102	1	78-120/20
108-20-3	Di-Isopropyl ether	ND		2000	1970	99	1800	90	9	78-126/19
594-20-7	2,2-Dichloropropane	ND		2000	1840	92	1660	83	10	77-132/22
124-48-1	Dibromochloromethane	ND		2000	2120	106	2060	103	3	76-121/21
75-71-8	Dichlorodifluoromethane	ND		2000	2370	119	2270	114	4	51-135/23
156-59-2	cis-1,2-Dichloroethylene	ND		2000	2100	105	1880	94	11	79-123/20
10061-01-5	cis-1,3-Dichloropropene	ND		2000	2240	112	2040	102	9	81-124/21
541-73-1	m-Dichlorobenzene	ND		2000	2130	107	2070	104	3	79-123/23
95-50-1	o-Dichlorobenzene	ND		2000	2080	104	2070	104	0	79-124/22
106-46-7	p-Dichlorobenzene	ND		2000	2140	107	2060	103	4	79-123/22
156-60-5	trans-1,2-Dichloroethylene	ND		2000	2080	104	1940	97	7	78-120/19
10061-02-6	trans-1,3-Dichloropropene	ND		2000	2050	103	2020	101	1	81-123/22
100-41-4	Ethylbenzene	ND		2000	2140	107	2020	101	6	80-119/21
637-92-3	Ethyl tert-Butyl Ether	ND		2000	2010	101	1960	98	3	75-132/21

\* = Outside of Control Limits.

5.4.1  
**5**

# Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C31221  
 Account: ESTCASJ Enviro Soil Tech Consultants  
 Project: 1501 Martin Luther King Jr. Way, Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C31221-7MS	L29173.D	1	12/04/13	XB	n/a	n/a	VL921
C31221-7MSD	L29174.D	1	12/04/13	XB	n/a	n/a	VL921
C31221-7 <sup>a</sup>	L29171.D	1	12/04/13	XB	n/a	n/a	VL921

5.4.1  
5

The QC reported here applies to the following samples:

Method: SW846 8260B

C31221-1, C31221-2, C31221-7

CAS No.	Compound	C31221-7 ug/kg	Spike ug/kg	MS ug/kg	MS %	MSD ug/kg	MSD %	RPD	Limits Rec/RPD
591-78-6	2-Hexanone	ND	8000	7130	89	7230	90	1	68-139/24
87-68-3	Hexachlorobutadiene	ND	2000	2230	112	1920	96	15	81-126/32
98-82-8	Isopropylbenzene	ND	2000	2150	108	2060	103	4	81-122/22
99-87-6	p-Isopropyltoluene	ND	2000	2050	103	2000	100	2	81-121/23
108-10-1	4-Methyl-2-pentanone	ND	8000	8310	104	7910	99	5	74-136/23
74-83-9	Methyl bromide	ND	2000	2380	119	2260	113	5	82-124/20
74-87-3	Methyl chloride	ND	2000	2320	116	2170	109	7	60-132/26
74-95-3	Methylene bromide	ND	2000	2220	111	2030	102	9	82-120/20
75-09-2	Methylene chloride	ND	2000	2010	101	1940	97	4	75-119/20
78-93-3	Methyl ethyl ketone	560	J 8000	7500	87	7650	89	2	71-130/22
1634-04-4	Methyl Tert Butyl Ether	ND	2000	1990	100	1920	96	4	79-127/19
91-20-3	Naphthalene	ND	2000	2010	101	1820	91	10	78-125/23
103-65-1	n-Propylbenzene	ND	2000	2180	109	1970	99	10	79-124/22
100-42-5	Styrene	ND	2000	2210	111	2130	107	4	83-122/21
994-05-8	Tert-Amyl Methyl Ether	ND	2000	1910	96	2030	102	6	80-127/20
75-65-0	Tert Butyl Alcohol	ND	10000	8640	86	8360	84	3	65-144/23
630-20-6	1,1,1,2-Tetrachloroethane	ND	2000	2120	106	2090	105	1	82-123/21
71-55-6	1,1,1-Trichloroethane	ND	2000	1890	95	1900	95	1	79-129/21
79-34-5	1,1,2,2-Tetrachloroethane	ND	2000	2100	105	1950	98	7	77-126/20
79-00-5	1,1,2-Trichloroethane	ND	2000	2090	105	2060	103	1	79-123/20
87-61-6	1,2,3-Trichlorobenzene	ND	2000	2160	108	1920	96	12	81-122/26
96-18-4	1,2,3-Trichloropropane	ND	2000	1840	92	1870	94	2	79-122/24
120-82-1	1,2,4-Trichlorobenzene	ND	2000	2150	108	1930	97	11	81-121/26
95-63-6	1,2,4-Trimethylbenzene	ND	2000	2150	108	2020	101	6	82-121/24
108-67-8	1,3,5-Trimethylbenzene	ND	2000	2230	112	2020	101	10	81-123/23
127-18-4	Tetrachloroethylene	ND	2000	2140	107	2060	103	4	80-125/25
108-88-3	Toluene	ND	2000	2170	109	2080	104	4	80-117/21
79-01-6	Trichloroethylene	ND	2000	2070	104	2000	100	3	81-122/20
75-69-4	Trichlorofluoromethane	ND	2000	2120	106	1970	99	7	77-133/22
75-01-4	Vinyl chloride	ND	2000	1630	82	1460	73	11	71-133/23
1330-20-7	Xylene (total)	ND	6000	6570	110	6260	104	5	81-122/22

CAS No.	Surrogate Recoveries	MS	MSD	C31221-7	Limits
1868-53-7	Dibromofluoromethane	91%	95%	90%	70-130%

\* = Outside of Control Limits.



# Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C31221  
 Account: ESTCASJ Enviro Soil Tech Consultants  
 Project: 1501 Martin Luther King Jr. Way, Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C31221-7MS	L29173.D	1	12/04/13	XB	n/a	n/a	VL921
C31221-7MSD	L29174.D	1	12/04/13	XB	n/a	n/a	VL921
C31221-7 <sup>a</sup>	L29171.D	1	12/04/13	XB	n/a	n/a	VL921

The QC reported here applies to the following samples:

Method: SW846 8260B

C31221-1, C31221-2, C31221-7

CAS No.	Surrogate Recoveries	MS	MSD	C31221-7	Limits
2037-26-5	Toluene-D8	98%	98%	97%	70-130%
460-00-4	4-Bromofluorobenzene	94%	95%	97%	70-130%

(a) 4:1 composite.

\* = Outside of Control Limits.

5.4.1  
 5

## GC Volatiles

---

9

### QC Data Summaries

---

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

# Method Blank Summary

**Job Number:** C31221  
**Account:** ESTCASJ Enviro Soil Tech Consultants  
**Project:** 1501 Martin Luther King Jr. Way, Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
GJK1653-MB	JK40930.D	1	12/05/13	TT	n/a	n/a	GJK1653

The QC reported here applies to the following samples:

Method: SW846 8015B

C31221-1, C31221-2, C31221-7

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-GRO (C6-C10)	ND	0.10	0.050	mg/kg	

CAS No.	Surrogate Recoveries	Limits
98-08-8	aaa-Trifluorotoluene	117%*

# Blank Spike/Blank Spike Duplicate Summary

Job Number: C31221  
 Account: ESTCASJ Enviro Soil Tech Consultants  
 Project: 1501 Martin Luther King Jr. Way, Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
GJK1653-BS	JK40931.D	1	12/05/13	TT	n/a	n/a	GJK1653
GJK1653-BSD	JK40932.D	1	12/05/13	TT	n/a	n/a	GJK1653

The QC reported here applies to the following samples:

Method: SW846 8015B

C31221-1, C31221-2, C31221-7

6.2.1

6

CAS No.	Compound	Spike mg/kg	BSP mg/kg	BSP %	BSD mg/kg	BSD %	RPD	Limits Rec/RPD
	TPH-GRO (C6-C10)	0.5	0.462	92	0.477	95	3	76-127/32
CAS No.	Surrogate Recoveries	BSP	BSD	Limits				
98-08-8	aaa-Trifluorotoluene	106%	108%	60-115%				

\* = Outside of Control Limits.

# Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C31221  
 Account: ESTCASJ Enviro Soil Tech Consultants  
 Project: 1501 Martin Luther King Jr. Way, Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C31239-1MS	JK40942.D	1	12/05/13	TT	n/a	n/a	GJK1653
C31239-1MSD	JK40943.D	1	12/05/13	TT	n/a	n/a	GJK1653
C31239-1	JK40933.D	1	12/05/13	TT	n/a	n/a	GJK1653

The QC reported here applies to the following samples:

Method: SW846 8015B

C31221-1, C31221-2, C31221-7

CAS No.	Compound	C31239-1 mg/kg	Spike Q	MS mg/kg	MS %	MSD mg/kg	MSD %	RPD	Limits Rec/RPD
	TPH-GRO (C6-C10)	ND	0.527	0.293	56* a	0.301	58* a	3	76-127/32

CAS No.	Surrogate Recoveries	MS	MSD	C31239-1	Limits
98-08-8	aaa-Trifluorotoluene	94%	79%	80%	60-115%

(a) Outside control limits due to matrix interference.

\* = Outside of Control Limits.

6.3.1



Metals Analysis

QC Data Summaries

7

---

Includes the following where applicable:

- Method Blank Summaries
- Matrix Spike and Duplicate Summaries
- Blank Spike and Lab Control Sample Summaries
- Serial Dilution Summaries

BLANK RESULTS SUMMARY  
Part 2 - Method Blanks

Login Number: C31221  
Account: ESTCASJ - Enviro Soil Tech Consultants  
Project: 1501 Martin Luther King Jr. Way, Oakland, CA

QC Batch ID: MP7092  
Matrix Type: SOLID

Methods: SW846 6010B  
Units: mg/kg

Prep Date: 12/05/13

Metal	RL	IDL	MDL	MB raw	final
Aluminum	20	1.3	2		
Antimony	2.0	.07	.087		
Arsenic	2.0	.07	.07		
Barium	20	.04	.035		
Beryllium	1.0	.02	.012		
Boron	10	.09	.2		
Cadmium	1.0	.02	.015		
Calcium	500	.71	7.6		
Chromium	1.0	.03	.054		
Cobalt	1.0	.02	.022		
Copper	2.5	.12	.19		
Iron	20	.64	1.6		
Lead	2.0	.07	.054	0.14	<2.0
Magnesium	500	2.7	1.5		
Manganese	1.5	.01	.054		
Molybdenum	2.0	.02	.024		
Nickel	1.0	.02	.024		
Potassium	1000	1.8	1.3		
Selenium	2.0	.18	.23		
Silicon		.12			
Silver	1.0	.03	.044		
Sodium	1000	1.5	4.8		
Strontium	1.0	.02	.017		
Thallium	2.0	.05	.073		
Tin	50	.02	.41		
Titanium	1.0	.04	.079		
Vanadium	1.0	.03	.025		
Zinc	2.0	.03	.098		

Associated samples MP7092: C31221-1, C31221-2, C31221-7

Results < IDL are shown as zero for calculation purposes  
(\* ) Outside of QC limits  
(anr) Analyte not requested

7.1.1  
7

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: C31221  
 Account: ESTCASJ - Enviro Soil Tech Consultants  
 Project: 1501 Martin Luther King Jr. Way, Oakland, CA

QC Batch ID: MP7092  
 Matrix Type: SOLID

Methods: SW846 6010B  
 Units: mg/kg

Prep Date: 12/05/13

Metal	C31253-1 Original MS	Spikelot MPIR4A	% Rec	QC Limits
Aluminum				
Antimony	anr			
Arsenic	anr			
Barium	anr			
Beryllium	anr			
Boron				
Cadmium	anr			
Calcium				
Chromium	anr			
Cobalt	anr			
Copper	anr			
Iron				
Lead	7.4	51.2	48.6	90.2 75-125
Magnesium				
Manganese				
Molybdenum	anr			
Nickel	anr			
Potassium				
Selenium	anr			
Silicon				
Silver	anr			
Sodium				
Strontium				
Thallium	anr			
Tin				
Titanium				
Vanadium	anr			
Zinc	anr			

Associated samples MP7092: C31221-1, C31221-2, C31221-7

Results < IDL are shown as zero for calculation purposes  
 (\*) Outside of QC limits  
 (N) Matrix Spike Rec. outside of QC limits  
 (anr) Analyte not requested

7.12  
7



MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: C31221  
 Account: ESTCASJ - Enviro Soil Tech Consultants  
 Project: 1501 Martin Luther King Jr. Way, Oakland, CA

QC Batch ID: MP7092  
 Matrix Type: SOLID

Methods: SW846 6010B  
 Units: mg/kg

Prep Date: 12/05/13

Metal	C31253-1 Original MSD	Spikelot MPIR4A	% Rec	MSD RPD	QC Limit
Aluminum					
Antimony	anr				
Arsenic	anr				
Barium	anr				
Beryllium	anr				
Boron					
Cadmium	anr				
Calcium					
Chromium	anr				
Cobalt	anr				
Copper	anr				
Iron					
Lead	7.4	50.8	47.7	90.9	0.8 20
Magnesium					
Manganese					
Molybdenum	anr				
Nickel	anr				
Potassium					
Selenium	anr				
Silicon					
Silver	anr				
Sodium					
Strontium					
Thallium	anr				
Tin					
Titanium					
Vanadium	anr				
Zinc	anr				

Associated samples MP7092: C31221-1, C31221-2, C31221-7

Results < IDL are shown as zero for calculation purposes  
 (\*) Outside of QC limits  
 (N) Matrix Spike Rec. outside of QC limits  
 (anr) Analyte not requested

712  
7

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: C31221  
 Account: ESTCASJ - Enviro Soil Tech Consultants  
 Project: 1501 Martin Luther King Jr. Way, Oakland, CA

QC Batch ID: MP7092  
 Matrix Type: SOLID

Methods: SW846 6010B  
 Units: mg/kg

Prep Date: 12/05/13

Metal	BSP Result	Spikelot MPIR4A	% Rec	QC Limits
Aluminum				
Antimony	anr			
Arsenic	anr			
Barium	anr			
Beryllium	anr			
Boron				
Cadmium	anr			
Calcium				
Chromium	anr			
Cobalt	anr			
Copper	anr			
Iron				
Lead	45.4	50	90.8	80-120
Magnesium				
Manganese				
Molybdenum	anr			
Nickel	anr			
Potassium				
Selenium	anr			
Silicon				
Silver	anr			
Sodium				
Strontium				
Thallium	anr			
Tin				
Titanium				
Vanadium	anr			
Zinc	anr			

7.13  
7

Associated samples MP7092: C31221-1, C31221-2, C31221-7

Results < IDL are shown as zero for calculation purposes  
 (\*) Outside of QC limits  
 (anr) Analyte not requested

SERIAL DILUTION RESULTS SUMMARY

Login Number: C31221  
 Account: ESTCASJ - Enviro Soil Tech Consultants  
 Project: 1501 Martin Luther King Jr. Way, Oakland, CA

QC Batch ID: MP7092  
 Matrix Type: SOLID

Methods: SW846 6010B  
 Units: ug/l

Prep Date: 12/05/13

Metal	C31253-1 Original	SDL 1:5	%DIF	QC Limits
Aluminum				
Antimony	anr			
Arsenic	anr			
Barium	anr			
Beryllium	anr			
Boron				
Cadmium	anr			
Calcium				
Chromium	anr			
Cobalt	anr			
Copper	anr			
Iron				
Lead	73.9	105	41.5*(a)	0-10
Magnesium				
Manganese				
Molybdenum	anr			
Nickel	anr			
Potassium				
Selenium	anr			
Silicon				
Silver	anr			
Sodium				
Strontium				
Thallium	anr			
Tin				
Titanium				
Vanadium	anr			
Zinc	anr			



Associated samples MP7092: C31221-1, C31221-2, C31221-7

Results < IDL are shown as zero for calculation purposes  
 (\*) Outside of QC limits  
 (anr) Analyte not requested  
 (a) Serial dilution indicates possible matrix interference.

7.1.4  
7



12/26/13



Technical Report for

Enviro Soil Tech Consultants

1501 Martin Luther King Jr. Way, Oakland, CA

6-13-858-5A

Accutest Job Number: C31255

Sampling Date: 12/03/13

Report to:

Enviro Soil Tech Consultants  
131 Tully Road  
San Jose, CA 95111  
info@envirosoiltech.com

ATTN: Frank Hamedi

Total number of pages in report: 34



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

James J. Rhudy  
Lab Director

Client Service contact: Renea Jackson 408-588-0200

Certifications: CA (08258CA) AZ (AZ0762) DoD ELAP (L-A-B L2242)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.  
Test results relate only to samples analyzed.

# Table of Contents

Sections:



-1-

<b>Section 1: Sample Summary</b> .....	3
<b>Section 2: Summary of Hits</b> .....	4
<b>Section 3: Sample Results</b> .....	5
<b>3.1: C31255-1: 1-2-P</b> .....	6
<b>Section 4: Misc. Forms</b> .....	11
<b>4.1: Chain of Custody</b> .....	12
<b>Section 5: GC/MS Volatiles - QC Data Summaries</b> .....	14
<b>5.1: Method Blank Summary</b> .....	15
<b>5.2: Blank Spike/Blank Spike Duplicate Summary</b> .....	18
<b>5.3: Laboratory Control Sample Summary</b> .....	21
<b>5.4: Matrix Spike/Matrix Spike Duplicate Summary</b> .....	22
<b>Section 6: GC Volatiles - QC Data Summaries</b> .....	25
<b>6.1: Method Blank Summary</b> .....	26
<b>6.2: Blank Spike/Blank Spike Duplicate Summary</b> .....	27
<b>6.3: Matrix Spike/Matrix Spike Duplicate Summary</b> .....	28
<b>Section 7: Metals Analysis - QC Data Summaries</b> .....	29
<b>7.1: Prep QC MP7101: Pb</b> .....	30



### Sample Summary

Enviro Soil Tech Consultants

1501 Martin Luther King Jr. Way, Oakland, CA  
Project No: 6-13-858-5A

Job No: C31255

Sample Number	Collected		Received	Matrix		Client Sample ID
	Date	Time By		Code	Type	
C31255-1	12/03/13	14:35 FH	12/05/13	SO	Soil	1-2-P

---

Soil samples reported on a dry weight basis unless otherwise indicated on result page.

## Summary of Hits

**Job Number:** C31255  
**Account:** Enviro Soil Tech Consultants  
**Project:** 1501 Martin Luther King Jr. Way, Oakland, CA  
**Collected:** 12/03/13



Lab Sample ID	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
C31255-1	1-2-P					
Lead		9.0	1.8		mg/kg	SW846 6010B



Sample Results

---

Report of Analysis

---



## Report of Analysis

<b>Client Sample ID:</b> 1-2-P	<b>Date Sampled:</b> 12/03/13
<b>Lab Sample ID:</b> C31255-1	<b>Date Received:</b> 12/05/13
<b>Matrix:</b> SO - Soil	<b>Percent Solids:</b> n/a <sup>a</sup>
<b>Method:</b> SW846 8260B	
<b>Project:</b> 1501 Martin Luther King Jr. Way, Oakland, CA	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	L29198.D	1	12/05/13	XB	n/a	n/a	VL922
Run #2							

Run #	Initial Weight
Run #1	5.09 g
Run #2	

## VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	39	9.8	ug/kg	
71-43-2	Benzene	ND	4.9	0.49	ug/kg	
108-86-1	Bromobenzene	ND	4.9	0.49	ug/kg	
74-97-5	Bromochloromethane	ND	4.9	0.49	ug/kg	
75-27-4	Bromodichloromethane	ND	4.9	0.49	ug/kg	
75-25-2	Bromoform	ND	4.9	0.49	ug/kg	
104-51-8	n-Butylbenzene	ND	4.9	0.49	ug/kg	
135-98-8	sec-Butylbenzene	ND	4.9	0.49	ug/kg	
98-06-6	tert-Butylbenzene	ND	4.9	0.49	ug/kg	
108-90-7	Chlorobenzene	ND	4.9	0.49	ug/kg	
75-00-3	Chloroethane	ND	4.9	0.98	ug/kg	
67-66-3	Chloroform	ND	4.9	0.49	ug/kg	
95-49-8	o-Chlorotoluene	ND	4.9	0.49	ug/kg	
106-43-4	p-Chlorotoluene	ND	4.9	0.49	ug/kg	
56-23-5	Carbon tetrachloride	ND	4.9	0.49	ug/kg	
75-34-3	1,1-Dichloroethane	ND	4.9	0.49	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	4.9	0.49	ug/kg	
563-58-6	1,1-Dichloropropene	ND	4.9	0.49	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	4.9	1.4	ug/kg	
106-93-4	1,2-Dibromoethane	ND	4.9	0.49	ug/kg	
107-06-2	1,2-Dichloroethane	ND	4.9	0.49	ug/kg	
78-87-5	1,2-Dichloropropane	ND	4.9	0.49	ug/kg	
142-28-9	1,3-Dichloropropane	ND	4.9	0.49	ug/kg	
108-20-3	Di-Isopropyl ether	ND	4.9	0.49	ug/kg	
594-20-7	2,2-Dichloropropane	ND	4.9	0.49	ug/kg	
124-48-1	Dibromochloromethane	ND	4.9	0.49	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	4.9	0.98	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	4.9	1.1	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	4.9	0.49	ug/kg	
541-73-1	m-Dichlorobenzene	ND	4.9	0.49	ug/kg	
95-50-1	o-Dichlorobenzene	ND	4.9	0.49	ug/kg	
106-46-7	p-Dichlorobenzene	ND	4.9	0.49	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> 1-2-P	<b>Date Sampled:</b> 12/03/13
<b>Lab Sample ID:</b> C31255-1	<b>Date Received:</b> 12/05/13
<b>Matrix:</b> SO - Soil	<b>Percent Solids:</b> n/a <sup>a</sup>
<b>Method:</b> SW846 8260B	
<b>Project:</b> 1501 Martin Luther King Jr. Way, Oakland, CA	

## VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	4.9	0.49	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	4.9	0.49	ug/kg	
100-41-4	Ethylbenzene	ND	4.9	0.49	ug/kg	
637-92-3	Ethyl tert-Butyl Ether	ND	4.9	0.49	ug/kg	
591-78-6	2-Hexanone	ND	20	2.0	ug/kg	
87-68-3	Hexachlorobutadiene	ND	4.9	0.98	ug/kg	
98-82-8	Isopropylbenzene	ND	4.9	0.49	ug/kg	
99-87-6	p-Isopropyltoluene	ND	4.9	0.49	ug/kg	
108-10-1	4-Methyl-2-pentanone	ND	20	2.0	ug/kg	
74-83-9	Methyl bromide	ND	4.9	0.98	ug/kg	
74-87-3	Methyl chloride	ND	4.9	0.98	ug/kg	
74-95-3	Methylene bromide	ND	4.9	0.49	ug/kg	
75-09-2	Methylene chloride	ND	20	4.9	ug/kg	
78-93-3	Methyl ethyl ketone	ND	20	2.0	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	4.9	0.98	ug/kg	
91-20-3	Naphthalene	ND	4.9	0.98	ug/kg	
103-65-1	n-Propylbenzene	ND	4.9	0.49	ug/kg	
100-42-5	Styrene	ND	4.9	0.49	ug/kg	
994-05-8	Tert-Amyl Methyl Ether	ND	4.9	0.49	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	39	9.8	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	4.9	0.49	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	4.9	0.49	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	4.9	0.49	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	4.9	0.49	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	4.9	0.49	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	4.9	0.98	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	4.9	0.49	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	4.9	0.98	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	4.9	0.98	ug/kg	
127-18-4	Tetrachloroethylene	ND	4.9	0.59	ug/kg	
108-88-3	Toluene	ND	4.9	0.49	ug/kg	
79-01-6	Trichloroethylene	ND	4.9	0.49	ug/kg	
75-69-4	Trichlorofluoromethane	ND	4.9	0.98	ug/kg	
75-01-4	Vinyl chloride	ND	4.9	0.98	ug/kg	
1330-20-7	Xylene (total)	ND	9.8	0.98	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	89%		70-130%
2037-26-5	Toluene-D8	94%		70-130%

ND = Not detected    MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

## Report of Analysis



<b>Client Sample ID:</b> 1-2-P	<b>Date Sampled:</b> 12/03/13
<b>Lab Sample ID:</b> C31255-1	<b>Date Received:</b> 12/05/13
<b>Matrix:</b> SO - Soil	<b>Percent Solids:</b> n/a <sup>a</sup>
<b>Method:</b> SW846 8260B	
<b>Project:</b> 1501 Martin Luther King Jr. Way, Oakland, CA	

**VOA 8260 List**

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	93%		70-130%

(a) All results reported on a wet weight basis.

---

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

### Report of Analysis

<b>Client Sample ID:</b> 1-2-P	<b>Date Sampled:</b> 12/03/13
<b>Lab Sample ID:</b> C31255-1	<b>Date Received:</b> 12/05/13
<b>Matrix:</b> SO - Soil	<b>Percent Solids:</b> n/a <sup>a</sup>
<b>Method:</b> SW846 8015B	
<b>Project:</b> 1501 Martin Luther King Jr. Way, Oakland, CA	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	JK40951.D	1	12/06/13	TT	n/a	n/a	GJK1653
Run #2							

	Initial Weight
Run #1	5.38 g
Run #2	

**TPH Volatiles**

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-GRO (C6-C10)	ND	0.093	0.046	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
98-08-8	aaa-Trifluorotoluene	113%		60-115%

(a) All results reported on a wet weight basis.

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

## Report of Analysis



<b>Client Sample ID:</b> 1-2-P	<b>Date Sampled:</b> 12/03/13
<b>Lab Sample ID:</b> C31255-1	<b>Date Received:</b> 12/05/13
<b>Matrix:</b> SO - Soil	<b>Percent Solids:</b> n/a <sup>a</sup>
<b>Project:</b> 1501 Martin Luther King Jr. Way, Oakland, CA	

### Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Lead	9.0	1.8	mg/kg	1	12/10/13	12/14/13 RS	SW846 6010B <sup>1</sup>	SW846 3050B <sup>2</sup>

(1) Instrument QC Batch: MA3638

(2) Prep QC Batch: MP7101

(a) All results reported on a wet weight basis.

---

RL = Reporting Limit

Misc. Forms

Custody Documents and Other Forms

---


Includes the following where applicable:

- Chain of Custody

CHAIN OF CUSTODY RECORD

PROJ. NO. 6-13-858-SA		NAME 1501 Martin Luther King Jr. Way Oakland		CON-TAINER		ANYALYSES REQUESTED				REMARKS	
SAMPLERS: (Signature) <i>[Signature]</i>						TPH (8015M)	EPA 82608	Total Lead			
NO.	DATE	TIME	SOIL	WATER	LOCATION						
1	12/03/13	14:35	✓		1-2-P	✓	✓	✓			
										* Full list	
										Note: Please send <del>to</del> back soil sample to our office when jobs done.	
										TEMP = 9.7 - 1.5 = 8.2 °C	
Relinquished by: (Signature) <i>[Signature]</i>		Date/Time 12/5/13 1600		Received by: (Signature) <i>[Signature]</i>		Date/Time 12/5/13 1600		Relinquished by: (Signature)		Date/Time	
Relinquished by: (Signature)		Date/Time		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Date/Time	
Relinquished by: (Signature)		Date/Time		Received for Laboratory by: (Signature)		Date/Time		Remarks: Please send lab report to Frank Hamedí			

4.1  
4



**ENVIRO SOIL TECH CONSULTANTS**  
 Environmental & Geotechnical Consultants  
 131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111  
 Tel: (408) 297-1500 Fax: (408) 292-2116



# Accutest Laboratories Sample Receipt Summary

Accutest Job Number: C31255 Client: ENVIRO SOIL TECH CONSULTANTS Project: 1501 MARTIN LUTHER KING JR WAY, Oakland, C  
 Date / Time Received: 12/5/2013 Delivery Method: Client Airbill #'s: \_\_\_\_\_

Cooler Temps (Initial/Adjusted): #1: (9.7/8.2); 0

<u>Cooler Security</u>		<u>Y</u>	<u>or</u>	<u>N</u>		<u>Y</u>	<u>or</u>	<u>N</u>
1. Custody Seals Present:	<input type="checkbox"/>	<input checked="" type="checkbox"/>			3. COC Present:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2. Custody Seals Intact:	<input type="checkbox"/>	<input type="checkbox"/>			4. Smpl Dates/Time OK	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

<u>Cooler Temperature</u>		<u>Y</u>	<u>or</u>	<u>N</u>
1. Temp criteria achieved:	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
2. Cooler temp verification:	<u>IR1 Plastic;</u>			
3. Cooler media:	<u>Ice (Bag)</u>			
4. No. Coolers:	<u>1</u>			

<u>Quality Control Preservation</u>	<u>Y</u>	<u>or</u>	<u>N</u>	<u>N/A</u>
1. Trip Blank present / cooler:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
2. Trip Blank listed on COC:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
3. Samples preserved properly:	<input type="checkbox"/>	<input type="checkbox"/>		
4. VOCs headspace free:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

<u>Sample Integrity - Documentation</u>		<u>Y</u>	<u>or</u>	<u>N</u>
1. Sample labels present on bottles:	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
2. Container labeling complete:	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
3. Sample container label / COC agree:	<input checked="" type="checkbox"/>	<input type="checkbox"/>		

<u>Sample Integrity - Condition</u>		<u>Y</u>	<u>or</u>	<u>N</u>
1. Sample recvd within HT:	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
2. All containers accounted for:	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
3. Condition of sample:	<u>Intact</u>			

<u>Sample Integrity - Instructions</u>	<u>Y</u>	<u>or</u>	<u>N</u>	<u>N/A</u>
1. Analysis requested is clear:	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
2. Bottles received for unspecified tests	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
3. Sufficient volume recvd for analysis:	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
4. Compositing instructions clear:	<input type="checkbox"/>	<input type="checkbox"/>		<input checked="" type="checkbox"/>
5. Filtering instructions clear:	<input type="checkbox"/>	<input type="checkbox"/>		<input checked="" type="checkbox"/>

Comments

Accutest Laboratories  
V: 408.588.0200

2105 Lundy Avenue  
F: 408.588.0201

San Jose, CA 95131  
www.accutest.com

4.1  
4



### GC/MS Volatiles

5

### QC Data Summaries

---

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

## Method Blank Summary

Page 1 of 3

**Job Number:** C31255  
**Account:** ESTCASJ Enviro Soil Tech Consultants  
**Project:** 1501 Martin Luther King Jr. Way, Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL922-MB	L29185.D	1	12/05/13	XB	n/a	n/a	VL922

The QC reported here applies to the following samples:

Method: SW846 8260B

C31255-1

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	40	10	ug/kg	
71-43-2	Benzene	ND	5.0	0.50	ug/kg	
108-86-1	Bromobenzene	ND	5.0	0.50	ug/kg	
74-97-5	Bromochloromethane	ND	5.0	0.50	ug/kg	
75-27-4	Bromodichloromethane	ND	5.0	0.50	ug/kg	
75-25-2	Bromoform	ND	5.0	0.50	ug/kg	
104-51-8	n-Butylbenzene	ND	5.0	0.50	ug/kg	
135-98-8	sec-Butylbenzene	ND	5.0	0.50	ug/kg	
98-06-6	tert-Butylbenzene	ND	5.0	0.50	ug/kg	
108-90-7	Chlorobenzene	ND	5.0	0.50	ug/kg	
75-00-3	Chloroethane	ND	5.0	1.0	ug/kg	
67-66-3	Chloroform	ND	5.0	0.50	ug/kg	
95-49-8	o-Chlorotoluene	ND	5.0	0.50	ug/kg	
106-43-4	p-Chlorotoluene	ND	5.0	0.50	ug/kg	
56-23-5	Carbon tetrachloride	ND	5.0	0.50	ug/kg	
75-34-3	1,1-Dichloroethane	ND	5.0	0.50	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	5.0	0.50	ug/kg	
563-58-6	1,1-Dichloropropene	ND	5.0	0.50	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	1.4	ug/kg	
106-93-4	1,2-Dibromoethane	ND	5.0	0.50	ug/kg	
107-06-2	1,2-Dichloroethane	ND	5.0	0.50	ug/kg	
78-87-5	1,2-Dichloropropane	ND	5.0	0.50	ug/kg	
142-28-9	1,3-Dichloropropane	ND	5.0	0.50	ug/kg	
108-20-3	Di-Isopropyl ether	ND	5.0	0.50	ug/kg	
594-20-7	2,2-Dichloropropane	ND	5.0	0.50	ug/kg	
124-48-1	Dibromochloromethane	ND	5.0	0.50	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	5.0	1.1	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	5.0	0.50	ug/kg	
541-73-1	m-Dichlorobenzene	ND	5.0	0.50	ug/kg	
95-50-1	o-Dichlorobenzene	ND	5.0	0.50	ug/kg	
106-46-7	p-Dichlorobenzene	ND	5.0	0.50	ug/kg	
156-60-5	trans-1,2-Dichloroethylene	ND	5.0	0.50	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	5.0	0.50	ug/kg	
100-41-4	Ethylbenzene	ND	5.0	0.50	ug/kg	
637-92-3	Ethyl tert-Butyl Ether	ND	5.0	0.50	ug/kg	

5.1.1  
5

## Method Blank Summary

Job Number: C31255  
 Account: ESTCASJ Enviro Soil Tech Consultants  
 Project: 1501 Martin Luther King Jr. Way, Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL922-MB	L29185.D	1	12/05/13	XB	n/a	n/a	VL922

The QC reported here applies to the following samples:

Method: SW846 8260B

C31255-1

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	20	2.0	ug/kg	
87-68-3	Hexachlorobutadiene	ND	5.0	1.0	ug/kg	
98-82-8	Isopropylbenzene	ND	5.0	0.50	ug/kg	
99-87-6	p-Isopropyltoluene	ND	5.0	0.50	ug/kg	
108-10-1	4-Methyl-2-pentanone	ND	20	2.0	ug/kg	
74-83-9	Methyl bromide	ND	5.0	1.0	ug/kg	
74-87-3	Methyl chloride	ND	5.0	1.0	ug/kg	
74-95-3	Methylene bromide	ND	5.0	0.50	ug/kg	
75-09-2	Methylene chloride	ND	20	5.0	ug/kg	
78-93-3	Methyl ethyl ketone	ND	20	2.0	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	5.0	1.0	ug/kg	
91-20-3	Naphthalene	ND	5.0	1.0	ug/kg	
103-65-1	n-Propylbenzene	ND	5.0	0.50	ug/kg	
100-42-5	Styrene	ND	5.0	0.50	ug/kg	
994-05-8	Tert-Amyl Methyl Ether	ND	5.0	0.50	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	40	10	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	0.50	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	5.0	0.50	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	5.0	0.50	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	5.0	0.50	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.50	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	5.0	1.0	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.50	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	1.0	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	1.0	ug/kg	
127-18-4	Tetrachloroethylene	ND	5.0	0.60	ug/kg	
108-88-3	Toluene	ND	5.0	0.50	ug/kg	
79-01-6	Trichloroethylene	ND	5.0	0.50	ug/kg	
75-69-4	Trichlorofluoromethane	ND	5.0	1.0	ug/kg	
75-01-4	Vinyl chloride	ND	5.0	1.0	ug/kg	
1330-20-7	Xylene (total)	ND	10	1.0	ug/kg	

CAS No.	Surrogate Recoveries	Limits
1868-53-7	Dibromofluoromethane	90% 70-130%

## Method Blank Summary

Page 3 of 3

**Job Number:** C31255  
**Account:** ESTCASJ Enviro Soil Tech Consultants  
**Project:** 1501 Martin Luther King Jr. Way, Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL922-MB	L29185.D	1	12/05/13	XB	n/a	n/a	VL922

The QC reported here applies to the following samples:

Method: SW846 8260B

C31255-1

CAS No.	Surrogate Recoveries	Limits
2037-26-5	Toluene-D8	99% 70-130%
460-00-4	4-Bromofluorobenzene	81% 70-130%

5.1.1  
5

# Blank Spike/Blank Spike Duplicate Summary

Job Number: C31255  
 Account: ESTCASJ Enviro Soil Tech Consultants  
 Project: 1501 Martin Luther King Jr. Way, Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL922-BS	L29182.D	1	12/05/13	XB	n/a	n/a	VL922
VL922-BSD	L29183.D	1	12/05/13	XB	n/a	n/a	VL922

The QC reported here applies to the following samples:

Method: SW846 8260B

C31255-1

CAS No.	Compound	Spike ug/kg	BSP ug/kg	BSP %	BSD ug/kg	BSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	160	134	84	151	94	12	62-130/24
71-43-2	Benzene	40	43.6	109	39.6	99	10	81-119/20
108-86-1	Bromobenzene	40	43.7	109	40.4	101	8	79-120/22
74-97-5	Bromochloromethane	40	44.6	112	41.2	103	8	81-120/19
75-27-4	Bromodichloromethane	40	40.5	101	38.5	96	5	79-124/20
75-25-2	Bromoform	40	41.3	103	41.9	105	1	76-128/21
104-51-8	n-Butylbenzene	40	40.2	101	40.2	101	0	79-123/26
135-98-8	sec-Butylbenzene	40	40.0	100	37.7	94	6	77-122/24
98-06-6	tert-Butylbenzene	40	41.4	104	36.6	92	12	77-121/23
108-90-7	Chlorobenzene	40	40.7	102	38.8	97	5	82-121/20
75-00-3	Chloroethane	40	38.4	96	38.3	96	0	80-126/21
67-66-3	Chloroform	40	41.8	105	38.4	96	8	82-123/20
95-49-8	o-Chlorotoluene	40	40.1	100	35.4	89	12	78-125/25
106-43-4	p-Chlorotoluene	40	35.1	88	31.4	79	11	75-125/26
56-23-5	Carbon tetrachloride	40	42.2	106	37.2	93	13	82-127/22
75-34-3	1,1-Dichloroethane	40	38.3	96	35.2	88	8	80-123/20
75-35-4	1,1-Dichloroethylene	40	40.8	102	40.9	102	0	76-123/19
563-58-6	1,1-Dichloropropene	40	43.4	109	38.3	96	12	79-123/20
96-12-8	1,2-Dibromo-3-chloropropane	40	31.7	79	33.3	83	5	64-133/23
106-93-4	1,2-Dibromoethane	40	40.9	102	40.6	102	1	80-120/20
107-06-2	1,2-Dichloroethane	40	39.9	100	35.1	88	13	76-132/21
78-87-5	1,2-Dichloropropane	40	42.0	105	39.9	100	5	80-121/20
142-28-9	1,3-Dichloropropane	40	39.5	99	38.9	97	2	78-120/20
108-20-3	Di-Isopropyl ether	40	37.6	94	34.0	85	10	78-126/19
594-20-7	2,2-Dichloropropane	40	39.5	99	37.5	94	5	77-132/22
124-48-1	Dibromochloromethane	40	42.9	107	42.2	106	2	76-121/21
75-71-8	Dichlorodifluoromethane	40	50.7	127	47.8	120	6	51-135/23
156-59-2	cis-1,2-Dichloroethylene	40	41.8	105	40.8	102	2	79-123/20
10061-01-5	cis-1,3-Dichloropropene	40	44.2	111	41.5	104	6	81-124/21
541-73-1	m-Dichlorobenzene	40	41.1	103	40.1	100	2	79-123/23
95-50-1	o-Dichlorobenzene	40	42.4	106	39.2	98	8	79-124/22
106-46-7	p-Dichlorobenzene	40	44.8	112	42.8	107	5	79-123/22
156-60-5	trans-1,2-Dichloroethylene	40	43.3	108	43.3	108	0	78-120/19
10061-02-6	trans-1,3-Dichloropropene	40	40.2	101	40.9	102	2	81-123/22
100-41-4	Ethylbenzene	40	42.7	107	39.0	98	9	80-119/21
637-92-3	Ethyl tert-Butyl Ether	40	41.6	104	39.2	98	6	75-132/21

\* = Outside of Control Limits.

5.21  
 5

# Blank Spike/Blank Spike Duplicate Summary

**Job Number:** C31255  
**Account:** ESTCASJ Enviro Soil Tech Consultants  
**Project:** 1501 Martin Luther King Jr. Way, Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL922-BS	L29182.D	1	12/05/13	XB	n/a	n/a	VL922
VL922-BSD	L29183.D	1	12/05/13	XB	n/a	n/a	VL922

The QC reported here applies to the following samples:

Method: SW846 8260B

C31255-1

CAS No.	Compound	Spike ug/kg	BSP ug/kg	BSP %	BSD ug/kg	BSD %	RPD	Limits Rec/RPD
591-78-6	2-Hexanone	160	135	84	147	92	9	68-139/24
87-68-3	Hexachlorobutadiene	40	45.5	114	43.4	109	5	81-126/32
98-82-8	Isopropylbenzene	40	38.5	96	36.8	92	5	81-122/22
99-87-6	p-Isopropyltoluene	40	40.5	101	39.2	98	3	81-121/23
108-10-1	4-Methyl-2-pentanone	160	155	97	161	101	4	74-136/23
74-83-9	Methyl bromide	40	47.9	120	45.6	114	5	82-124/20
74-87-3	Methyl chloride	40	48.2	121	42.8	107	12	60-132/26
74-95-3	Methylene bromide	40	41.8	105	40.3	101	4	82-120/20
75-09-2	Methylene chloride	40	41.6	104	43.2	108	4	75-119/20
78-93-3	Methyl ethyl ketone	160	139	87	140	88	1	71-130/22
1634-04-4	Methyl Tert Butyl Ether	40	40.9	102	41.5	104	1	79-127/19
91-20-3	Naphthalene	40	39.2	98	39.7	99	1	78-125/23
103-65-1	n-Propylbenzene	40	39.3	98	33.6	84	16	79-124/22
100-42-5	Styrene	40	43.8	110	39.9	100	9	83-122/21
994-05-8	Tert-Amyl Methyl Ether	40	42.8	107	39.1	98	9	80-127/20
75-65-0	Tert Butyl Alcohol	200	172	86	196	98	13	65-144/23
630-20-6	1,1,1,2-Tetrachloroethane	40	44.0	110	42.1	105	4	82-123/21
71-55-6	1,1,1-Trichloroethane	40	42.5	106	38.5	96	10	79-129/21
79-34-5	1,1,2,2-Tetrachloroethane	40	38.1	95	34.3	86	10	77-126/20
79-00-5	1,1,2-Trichloroethane	40	40.8	102	41.2	103	1	79-123/20
87-61-6	1,2,3-Trichlorobenzene	40	43.3	108	42.7	107	1	81-122/26
96-18-4	1,2,3-Trichloropropane	40	34.4	86	33.4	84	3	79-122/24
120-82-1	1,2,4-Trichlorobenzene	40	43.3	108	41.7	104	4	81-121/26
95-63-6	1,2,4-Trimethylbenzene	40	42.3	106	38.1	95	10	82-121/24
108-67-8	1,3,5-Trimethylbenzene	40	43.7	109	38.9	97	12	81-123/23
127-18-4	Tetrachloroethylene	40	43.9	110	44.1	110	0	80-125/25
108-88-3	Toluene	40	43.8	110	43.6	109	0	80-117/21
79-01-6	Trichloroethylene	40	42.8	107	40.4	101	6	81-127/20
75-69-4	Trichlorofluoromethane	40	43.1	108	41.0	103	5	77-133/22
75-01-4	Vinyl chloride	40	46.2	116	42.2	106	9	71-133/23
1330-20-7	Xylene (total)	120	125	104	116	97	7	81-122/22

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
1868-53-7	Dibromofluoromethane	96%	90%	70-130%

\* = Outside of Control Limits.

5.2.1  
5

# Blank Spike/Blank Spike Duplicate Summary

Job Number: C31255

Account: ESTCASJ Enviro Soil Tech Consultants

Project: 1501 Martin Luther King Jr. Way, Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL922-BS	L29182.D	1	12/05/13	XB	n/a	n/a	VL922
VL922-BSD	L29183.D	1	12/05/13	XB	n/a	n/a	VL922

The QC reported here applies to the following samples:

Method: SW846 8260B

C31255-1

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
2037-26-5	Toluene-D8	95%	102%	70-130%
460-00-4	4-Bromofluorobenzene	87%	85%	70-130%

\* = Outside of Control Limits.

# Laboratory Control Sample Summary

**Job Number:** C31255  
**Account:** ESTCASJ Enviro Soil Tech Consultants  
**Project:** 1501 Martin Luther King Jr. Way, Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL922-LCS	L29184.D	1	12/05/13	XB	n/a	n/a	VL922

The QC reported here applies to the following samples:

Method: SW846 8260B

C31255-1

CAS No.	Compound	Spike ug/kg	LCS ug/kg	LCS %	Limits
---------	----------	----------------	--------------	----------	--------

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	91%	70-130%
2037-26-5	Toluene-D8	101%	70-130%
460-00-4	4-Bromofluorobenzene	99%	70-130%

\* = Outside of Control Limits.

5.3.1  
5



# Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C31255

Account: ESTCASJ Enviro Soil Tech Consultants

Project: 1501 Martin Luther King Jr. Way, Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C31255-1MS	L29202.D	1	12/05/13	XB	n/a	n/a	VL922
C31255-1MSD	L29203.D	1	12/05/13	XB	n/a	n/a	VL922
C31255-1	L29198.D	1	12/05/13	XB	n/a	n/a	VL922

The QC reported here applies to the following samples:

Method: SW846 8260B

C31255-1

CAS No.	Compound	C31255-1 ug/kg	Spike Q ug/kg	MS ug/kg	MS %	MSD ug/kg	MSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	ND	159	130	82	133	83	2	62-130/24
71-43-2	Benzene	ND	39.8	33.3	84	36.7	92	10	81-119/20
108-86-1	Bromobenzene	ND	39.8	35.9	90	38.8	97	8	79-120/22
74-97-5	Bromochloromethane	ND	39.8	36.8	93	39.6	99	7	81-120/19
75-27-4	Bromodichloromethane	ND	39.8	33.4	84	36.9	92	10	79-124/20
75-25-2	Bromoform	ND	39.8	39.8	100	44.1	110	10	76-128/21
104-51-8	n-Butylbenzene	ND	39.8	28.5	72* a	29.1	73* a	2	79-123/26
135-98-8	sec-Butylbenzene	ND	39.8	31.4	79	32.7	82	4	77-122/24
98-06-6	tert-Butylbenzene	ND	39.8	33.2	83	34.8	87	5	77-121/23
108-90-7	Chlorobenzene	ND	39.8	35.5	89	38.3	96	8	82-121/20
75-00-3	Chloroethane	ND	39.8	30.9	78* a	33.0	83	7	80-126/21
67-66-3	Chloroform	ND	39.8	31.2	78* a	33.4	84	7	82-123/20
95-49-8	o-Chlorotoluene	ND	39.8	32.2	81	34.6	87	7	78-125/25
106-43-4	p-Chlorotoluene	ND	39.8	29.3	74* a	31.1	78	6	75-125/26
56-23-5	Carbon tetrachloride	ND	39.8	34.0	86	36.8	92	8	82-127/22
75-34-3	1,1-Dichloroethane	ND	39.8	29.4	74* a	31.2	78* a	6	80-123/20
75-35-4	1,1-Dichloroethylene	ND	39.8	32.7	82	35.0	88	7	76-123/19
563-58-6	1,1-Dichloropropene	ND	39.8	32.3	81	35.2	88	9	79-123/20
96-12-8	1,2-Dibromo-3-chloropropane	ND	39.8	30.9	78	32.4	81	5	64-133/23
106-93-4	1,2-Dibromoethane	ND	39.8	36.5	92	40.0	100	9	80-120/20
107-06-2	1,2-Dichloroethane	ND	39.8	32.0	80	34.8	87	8	76-132/21
78-87-5	1,2-Dichloropropane	ND	39.8	31.7	80	34.7	87	9	80-121/20
142-28-9	1,3-Dichloropropane	ND	39.8	33.6	85	36.8	92	9	78-120/20
108-20-3	Di-Isopropyl ether	ND	39.8	28.0	70* a	30.1	75* a	7	78-126/19
594-20-7	2,2-Dichloropropane	ND	39.8	29.8	75* a	31.6	79	6	77-132/22
124-48-1	Dibromochloromethane	ND	39.8	37.0	93	40.5	101	9	76-121/21
75-71-8	Dichlorodifluoromethane	ND	39.8	42.9	108	43.7	109	2	51-135/23
156-59-2	cis-1,2-Dichloroethylene	ND	39.8	32.7	82	35.4	89	8	79-123/20
10061-01-5	cis-1,3-Dichloropropene	ND	39.8	33.5	84	37.2	93	10	81-124/21
541-73-1	m-Dichlorobenzene	ND	39.8	33.9	85	36.0	90	6	79-123/23
95-50-1	o-Dichlorobenzene	ND	39.8	34.5	87	36.8	92	6	79-124/22
106-46-7	p-Dichlorobenzene	ND	39.8	34.0	86	35.7	89	5	79-123/22
156-60-5	trans-1,2-Dichloroethylene	ND	39.8	33.2	83	35.1	88	6	78-120/19
10061-02-6	trans-1,3-Dichloropropene	ND	39.8	33.0	83	35.9	90	8	81-123/22
100-41-4	Ethylbenzene	ND	39.8	33.6	85	36.3	91	8	80-119/21
637-92-3	Ethyl tert-Butyl Ether	ND	39.8	30.9	78	32.8	82	6	75-132/21

\* = Outside of Control Limits.

5.4.1  
5

# Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C31255

Account: ESTCASJ Enviro Soil Tech Consultants

Project: 1501 Martin Luther King Jr. Way, Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C31255-1MS	L29202.D	1	12/05/13	XB	n/a	n/a	VL922
C31255-1MSD	L29203.D	1	12/05/13	XB	n/a	n/a	VL922
C31255-1	L29198.D	1	12/05/13	XB	n/a	n/a	VL922

The QC reported here applies to the following samples:

Method: SW846 8260B

C31255-1

CAS No.	Compound	C31255-1 ug/kg	Spike Q	ug/kg	MS ug/kg	MS %	MSD ug/kg	MSD %	RPD	Limits Rec/RPD
591-78-6	2-Hexanone	ND	159	120	75	133	83	10	68-139/24	
87-68-3	Hexachlorobutadiene	ND	39.8	29.5	74* a	28.6	72* a	3	81-126/32	
98-82-8	Isopropylbenzene	ND	39.8	35.0	88	37.1	93	6	81-122/22	
99-87-6	p-Isopropyltoluene	ND	39.8	32.3	81	34.0	85	5	81-121/23	
108-10-1	4-Methyl-2-pentanone	ND	159	158	99	176	110	11	74-136/23	
74-83-9	Methyl bromide	ND	39.8	38.9	98	41.3	103	6	82-124/20	
74-87-3	Methyl chloride	ND	39.8	32.6	82	33.9	85	4	60-132/26	
74-95-3	Methylene bromide	ND	39.8	35.2	89	38.6	97	9	82-120/20	
75-09-2	Methylene chloride	ND	39.8	32.6	82	34.7	87	6	75-119/20	
78-93-3	Methyl ethyl ketone	ND	159	132	83	145	91	9	71-130/22	
1634-04-4	Methyl Tert Butyl Ether	ND	39.8	32.9	83	35.0	88	6	79-127/19	
91-20-3	Naphthalene	ND	39.8	34.8	88	37.1	93	6	78-125/23	
103-65-1	n-Propylbenzene	ND	39.8	30.7	77* a	32.4	81	5	79-124/22	
100-42-5	Styrene	ND	39.8	35.3	89	38.3	96	8	83-122/21	
994-05-8	Tert-Amyl Methyl Ether	ND	39.8	32.7	82	34.9	87	7	80-127/20	
75-65-0	Tert Butyl Alcohol	ND	199	177	89	180	90	2	65-144/23	
630-20-6	1,1,1,2-Tetrachloroethane	ND	39.8	36.3	91	39.7	99	9	82-123/21	
71-55-6	1,1,1-Trichloroethane	ND	39.8	32.0	80	33.9	85	6	79-129/21	
79-34-5	1,1,2,2-Tetrachloroethane	ND	39.8	33.0	83	36.0	90	9	77-126/20	
79-00-5	1,1,2-Trichloroethane	ND	39.8	34.5	87	37.8	95	9	79-123/20	
87-61-6	1,2,3-Trichlorobenzene	ND	39.8	34.1	86	34.1	85	0	81-122/26	
96-18-4	1,2,3-Trichloropropane	ND	39.8	33.1	83	36.3	91	9	79-122/24	
120-82-1	1,2,4-Trichlorobenzene	ND	39.8	33.1	83	33.4	84	1	81-121/26	
95-63-6	1,2,4-Trimethylbenzene	ND	39.8	31.8	80* a	33.4	84	5	82-121/24	
108-67-8	1,3,5-Trimethylbenzene	ND	39.8	31.8	80* a	34.0	85	7	81-123/23	
127-18-4	Tetrachloroethylene	ND	39.8	37.9	95	41.3	103	9	80-125/25	
108-88-3	Toluene	ND	39.8	34.4	87	37.2	93	8	80-117/21	
79-01-6	Trichloroethylene	ND	39.8	34.0	86	37.9	95	11	81-122/20	
75-69-4	Trichlorofluoromethane	ND	39.8	33.9	85	35.9	90	6	77-133/22	
75-01-4	Vinyl chloride	ND	39.8	34.7	87	36.9	92	6	71-133/23	
1330-20-7	Xylene (total)	ND	119	105	88	114	95	8	81-122/22	

CAS No.	Surrogate Recoveries	MS	MSD	C31255-1	Limits
1868-53-7	Dibromofluoromethane	88%	89%	89%	70-130%

\* = Outside of Control Limits.

5.4.1  
5

# Matrix Spike/Matrix Spike Duplicate Summary

**Job Number:** C31255  
**Account:** ESTCASJ Enviro Soil Tech Consultants  
**Project:** 1501 Martin Luther King Jr. Way, Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C31255-1MS	L29202.D	1	12/05/13	XB	n/a	n/a	VL922
C31255-1MSD	L29203.D	1	12/05/13	XB	n/a	n/a	VL922
C31255-1	L29198.D	1	12/05/13	XB	n/a	n/a	VL922

The QC reported here applies to the following samples:

Method: SW846 8260B

C31255-1

CAS No.	Surrogate Recoveries	MS	MSD	C31255-1	Limits
2037-26-5	Toluene-D8	93%	93%	94%	70-130%
460-00-4	4-Bromofluorobenzene	92%	92%	93%	70-130%

(a) Outside laboratory control limits. AZ:M2

\* = Outside of Control Limits.

GC Volatiles



QC Data Summaries

---

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

# Method Blank Summary

**Job Number:** C31255  
**Account:** ESTCASJ Enviro Soil Tech Consultants  
**Project:** 1501 Martin Luther King Jr. Way, Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
GJK1653-MB	JK40930.D	1	12/05/13	TT	n/a	n/a	GJK1653

The QC reported here applies to the following samples:

Method: SW846 8015B

C31255-1

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-GRO (C6-C10)	ND	0.10	0.050	mg/kg	

CAS No.	Surrogate Recoveries	Limits
98-08-8	aaa-Trifluorotoluene	117%*

0.11  
9

# Blank Spike/Blank Spike Duplicate Summary

Job Number: C31255  
 Account: ESTCASI Enviro Soil Tech Consultants  
 Project: 1501 Martin Luther King Jr. Way, Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
GJK1653-BS	JK40931.D	1	12/05/13	TT	n/a	n/a	GJK1653
GJK1653-BSD	JK40932.D	1	12/05/13	TT	n/a	n/a	GJK1653

The QC reported here applies to the following samples:

Method: SW846 8015B

C31255-1

CAS No.	Compound	Spike mg/kg	BSP mg/kg	BSP %	BSD mg/kg	BSD %	RPD	Limits Rec/RPD
	TPH-GRO (C6-C10)	0.5	0.462	92	0.477	95	3	76-127/32

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
98-08-8	aaa-Trifluorotoluene	106%	108%	60-115%

6.2.1  
6

\* = Outside of Control Limits.

# Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C31255  
 Account: ESTCASJ Enviro Soil Tech Consultants  
 Project: 1501 Martin Luther King Jr. Way, Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C31239-1MS	JK40942.D	1	12/05/13	TT	n/a	n/a	GJK1653
C31239-1MSD	JK40943.D	1	12/05/13	TT	n/a	n/a	GJK1653
C31239-1	JK40933.D	1	12/05/13	TT	n/a	n/a	GJK1653

The QC reported here applies to the following samples:

Method: SW846 8015B

C31255-1

CAS No.	Compound	C31239-1 mg/kg	Spike Q	MS mg/kg	MS %	MSD mg/kg	MSD %	RPD	Limits Rec/RPD
	TPH-GRO (C6-C10)	ND	0.527	0.293	56* a	0.301	58* a	3	76-127/32

CAS No.	Surrogate Recoveries	MS	MSD	C31239-1	Limits
98-08-8	aaa-Trifluorotoluene	94%	79%	80%	60-115%

(a) Outside control limits due to matrix interference.

\* = Outside of Control Limits.

Metals Analysis

---

QC Data Summaries

7

---

Includes the following where applicable:

- Method Blank Summaries
- Matrix Spike and Duplicate Summaries
- Blank Spike and Lab Control Sample Summaries
- Serial Dilution Summaries



BLANK RESULTS SUMMARY  
Part 2 - Method Blanks

Login Number: C31255  
Account: ESTCASJ - Enviro Soil Tech Consultants  
Project: 1501 Martin Luther King Jr. Way, Oakland, CA

QC Batch ID: MP7101  
Matrix Type: SOLID

Methods: SW846 6010B  
Units: mg/kg

Prep Date: 12/10/13

Metal	RL	IDL	MDL	MB raw	final
Aluminum	20	1.3	2		
Antimony	2.0	.07	.087		
Arsenic	2.0	.07	.07		
Barium	20	.04	.035		
Beryllium	1.0	.02	.012		
Boron	10	.09	.2		
Cadmium	1.0	.02	.015		
Calcium	500	.71	7.6		
Chromium	1.0	.03	.054		
Cobalt	1.0	.02	.022		
Copper	2.5	.12	.19		
Iron	20	.64	1.6		
Lead	2.0	.07	.054	0.090	<2.0
Magnesium	500	2.7	1.5		
Manganese	1.5	.01	.054		
Molybdenum	2.0	.02	.024		
Nickel	1.0	.02	.024		
Potassium	1000	1.8	1.3		
Selenium	2.0	.18	.23		
Silicon		.12			
Silver	1.0	.03	.044		
Sodium	1000	1.5	4.8		
Strontium	1.0	.02	.017		
Thallium	2.0	.05	.073		
Tin	50	.02	.41		
Titanium	1.0	.04	.079		
Vanadium	1.0	.03	.025		
Zinc	2.0	.03	.098		

Associated samples MP7101: C31255-1

Results < IDL are shown as zero for calculation purposes  
(\* ) Outside of QC limits  
(ahr) Analyte not requested

711  
7

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: C31255  
 Account: ESTCASJ - Enviro Soil Tech Consultants  
 Project: 1501 Martin Luther King Jr. Way, Oakland, CA

QC Batch ID: MP7101  
 Matrix Type: SOLID

Methods: SW846 6010B  
 Units: mg/kg

Prep Date: 12/10/13

Metal	C31240-1 Original MS	Spikelot MPIRSN4	% Rec	QC Limits
Aluminum	anr			
Antimony	anr			
Arsenic	anr			
Barium	anr			
Beryllium	anr			
Boron	anr			
Cadmium	anr			
Calcium	anr			
Chromium	anr			
Cobalt	anr			
Copper	anr			
Iron	anr			
Lead	389	382	50	-14.0(a) 75-125
Magnesium	anr			
Manganese	anr			
Molybdenum	anr			
Nickel	anr			
Potassium	anr			
Selenium	anr			
Silicon				
Silver	anr			
Sodium	anr			
Strontium	anr			
Thallium	anr			
Tin	anr			
Titanium				
Vanadium	anr			
Zinc	anr			

Associated samples MP7101: C31255-1

Results < IDL are shown as zero for calculation purposes

(\*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

(anr) Analyte not requested

(a) Spike amount low relative to the sample amount. Refer to lab control or spike blank for recovery information.

712  
7

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: C31255  
 Account: ESTCASJ - Enviro Soil Tech Consultants  
 Project: 1501 Martin Luther King Jr. Way, Oakland, CA

QC Batch ID: MP7101  
 Matrix Type: SOLID

Methods: SW846 6010B  
 Units: mg/kg

Prep Date: 12/10/13

Metal	C31240-1 Original MSD	Spikelot MPTRSN4	% Rec	MSD RPD	QC Limit
Aluminum	anr				
Antimony	anr				
Arsenic	anr				
Barium	anr				
Beryllium	anr				
Boron	anr				
Cadmium	anr				
Calcium	anr				
Chromium	anr				
Cobalt	anr				
Copper	anr				
Iron	anr				
Lead	389	410	50.4	41.6 (a)	7.1 20
Magnesium	anr				
Manganese	anr				
Molybdenum	anr				
Nickel	anr				
Potassium	anr				
Selenium	anr				
Silicon					
Silver	anr				
Sodium	anr				
Strontium	anr				
Thallium	anr				
Tin	anr				
Titanium					
Vanadium	anr				
Zinc	anr				

Associated samples MP7101: C31255-1

Results < IDL are shown as zero for calculation purposes

(\*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

(anr) Analyte not requested

(a) Spike amount low relative to the sample amount. Refer to lab control or spike blank for recovery information.

7.1.2  
 7

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: C31255  
 Account: ESTCASJ - Enviro Soil Tech Consultants  
 Project: 1501 Martin Luther King Jr. Way, Oakland, CA

QC Batch ID: MP7101  
 Matrix Type: SOLID

Methods: SW846 6010B  
 Units: mg/kg

Prep Date: 12/10/13

Metal	BSP Result	Spikelot MPIRS4	% Rec	QC Limits
Aluminum	anr			
Antimony	anr			
Arsenic	anr			
Barium	anr			
Beryllium	anr			
Boron	anr			
Cadmium	anr			
Calcium	anr			
Chromium	anr			
Cobalt	anr			
Copper	anr			
Iron	anr			
Lead	46.8	50	93.6	80-120
Magnesium	anr			
Manganese	anr			
Molybdenum	anr			
Nickel	anr			
Potassium	anr			
Selenium	anr			
Silicon				
Silver	anr			
Sodium	anr			
Strontium	anr			
Thallium	anr			
Tin	anr			
Titanium				
Vanadium	anr			
Zinc	anr			

Associated samples MP7101: C31255-1

Results < IDL are shown as zero for calculation purposes  
 (\*) Outside of QC limits  
 (anr) Analyte not requested

7.13  
7

SERIAL DILUTION RESULTS SUMMARY

Login Number: C31255  
 Account: ESTCASJ - Enviro Soil Tech Consultants  
 Project: 1501 Martin Luther King Jr. Way, Oakland, CA

QC Batch ID: MP7101  
 Matrix Type: SOLID

Methods: SW846 6010B  
 Units: ug/l

Prep Date: 12/10/13

Metal	C31240-1 Original	SDL 1:5	%DIF	QC Limits
Aluminum	anr			
Antimony	anr			
Arsenic	anr			
Barium	anr			
Beryllium	anr			
Boron	anr			
Cadmium	anr			
Calcium	anr			
Chromium	anr			
Cobalt	anr			
Copper	anr			
Iron	anr			
Lead	3800	3990	5.1	0-10
Magnesium	anr			
Manganese	anr			
Molybdenum	anr			
Nickel	anr			
Potassium	anr			
Selenium	anr			
Silicon				
Silver	anr			
Sodium	anr			
Strontium	anr			
Thallium	anr			
Tin	anr			
Titanium				
Vanadium	anr			
Zinc	anr			

Associated samples MP7101: C31255-1

Results < IDL are shown as zero for calculation purposes  
 (\*) Outside of QC limits  
 (anr) Analyte not requested

7.14  
7