

From: [Soo, Kit, Env. Health](#)
To: ["John Protopappas"](#)
Cc: [simon@mpfcorp.com](#); [bob@mpfcorp.com](#); ["PDKing0000@aol.com"](#); [Roe, Dilan, Env. Health](#)
Subject: RO3160 Precision Cast Products - 1549 32nd , Oakland, CA
Date: Monday, June 05, 2017 4:02:00 PM
Attachments: [ACDEH Correspondence RO3160.msg](#)
[DIR L 2016-12-08.pdf](#)

Dear Mr. Protopappas,

To date, we have the following items outstanding for this project:

- Data Gap Evaluation and Subsurface Investigation Report, which was due February 28, 2017, as referenced in the Alameda County Department of Environmental Health (ACDEH) directive letter dated December 8, 2016. This deliverable is currently overdue. During our last meeting on February 9, 2017, we discussed the findings of the report with your associate Bob Huff and your consultant Paul King. We were told that the report would be submitted shortly after that but have not received anything to date. Please submit this report as soon as possible. See attached ACDEH directive letter dated December 8, 2016.
- On February 16, 2017, I had sent you a fund request letter because your account was in the negative. I had sent numerous follow up emails to Bob Huff but have not heard further on this matter. Please address this issue as soon as possible. See attached fund request letter.
- Offsite investigation and evaluation to address vapor intrusion risk and hazard at the offsite downgradient property boundary and vicinity.

We would like to request another meeting to discuss the above items with you. Please let us know which of the following dates and times work for you:

- Monday, June 26, 2017 – 10am - 12pm
- Wednesday, June 28, 2017 – 10am -12 pm
- Thursday, June 29, 2017 – 10am – 12 pm

If you have further questions, please let me know.

Thank you,

Kit Soo, PG

Senior Hazardous Materials Specialist

Alameda County Department of Environmental Health (ACDEH)

1131 Harbor Bay Pkwy

Alameda, CA 94502

Direct - 510-567-6791

kit.soo@acgov.org