

**From:** [Detterman, Mark, Env. Health](mailto:Mark.Detterman@acgov.org)  
**To:** [Wickham, Jerry, Env. Health](mailto:Wickham, Jerry, Env. Health)  
**Subject:** FW: Chevron case at 2630 Broadway, Oakland  
**Date:** Tuesday, September 29, 2015 11:44:29 AM

---

Jerry,

A new VRAP redevelopment site for Oakland. This was a former Chevron (RO146) closed in May 2014. Dilan and I meet with ENGEO back in June; that meeting attendance PDF file is under the old case number as that was what we did back then. I'll forward what I have for the new case as there has been some work (next email). I probably have the redevelopment plans around (?), but will need to find them.

*Mark Detterman*  
*Senior Hazardous Materials Specialist, PG, CEG*  
*Alameda County Environmental Health*  
*1131 Harbor Bay Parkway*  
*Alameda, CA 94502*  
*Direct: 510.567.6876*  
*Fax: 510.337.9335*  
*Email: [mark.detterman@acgov.org](mailto:mark.detterman@acgov.org)*

*PDF copies of case files can be downloaded at:*

*<http://www.acgov.org/aceh/lop/ust.htm>*

---

**From:** Divya Bhargava [mailto:[dbhargava@engeo.com](mailto:dbhargava@engeo.com)]  
**Sent:** Tuesday, September 29, 2015 10:09 AM  
**To:** Detterman, Mark, Env. Health  
**Subject:** RE: Chevron case at 2630 Broadway, Oakland

Hi Mark,

Our client is ready to move forward with the SCP agreement. Can you please send me a copy of the application?

Thanks!  
Divya

**Divya Bhargava, PE**  
Project Engineer

---

**From:** Detterman, Mark, Env. Health [mailto:[Mark.Detterman@acgov.org](mailto:Mark.Detterman@acgov.org)]  
**Sent:** Tuesday, June 02, 2015 11:22 AM  
**To:** Divya Bhargava  
**Subject:** RE: Chevron case at 2630 Broadway, Oakland

Divya,

Thanks for the data. My first cut is that it looks to be pretty manageable, but could somewhat depend on what is planned. Does your client have approved redevelopment

plans yet? If so, please bring a copy. It will move the discussion along more quickly.  
Thanks,

*Mark Detterman*  
*Senior Hazardous Materials Specialist, PG, CEG*  
*Alameda County Environmental Health*  
*1131 Harbor Bay Parkway*  
*Alameda, CA 94502*  
*Direct: 510.567.6876*  
*Fax: 510.337.9335*  
*Email: [mark.detterman@acgov.org](mailto:mark.detterman@acgov.org)*

*PDF copies of case files can be downloaded at:*

*<http://www.acgov.org/aceh/lop/ust.htm>*

---

**From:** Divya Bhargava [<mailto:dbhargava@engeo.com>]  
**Sent:** Tuesday, June 02, 2015 11:00 AM  
**To:** Detterman, Mark, Env. Health  
**Subject:** RE: Chevron case at 2630 Broadway, Oakland

Mark, attached are the tables and figures from our recent phase II work. This would help facilitate our discussion on Thursday.

Thanks!  
Divya

**Divya Bhargava, PE**  
Project Engineer

---

**From:** Detterman, Mark, Env. Health [<mailto:Mark.Detterman@acgov.org>]  
**Sent:** Tuesday, June 02, 2015 9:40 AM  
**To:** Divya Bhargava  
**Cc:** Shawn Munger  
**Subject:** RE: Chevron case at 2630 Broadway, Oakland

OK; June 4<sup>th</sup> 1 – 3 pm. This is probably better than the previous date for your client. How many should we expect – 3 (you, Shawn, and RP)?  
Let me know if you would.  
Thanks,

*Mark Detterman*  
*Senior Hazardous Materials Specialist, PG, CEG*  
*Alameda County Environmental Health*  
*1131 Harbor Bay Parkway*  
*Alameda, CA 94502*  
*Direct: 510.567.6876*  
*Fax: 510.337.9335*  
*Email: [mark.detterman@acgov.org](mailto:mark.detterman@acgov.org)*

*PDF copies of case files can be downloaded at:*

<http://www.acgov.org/aceh/lop/ust.htm>

---

**From:** Divya Bhargava [<mailto:dbhargava@engeo.com>]  
**Sent:** Tuesday, June 02, 2015 9:22 AM  
**To:** Detterman, Mark, Env. Health  
**Cc:** Shawn Munger  
**Subject:** RE: Chevron case at 2630 Broadway, Oakland

Hi Mark,

1 pm on June 4<sup>th</sup> works for us. I'll send a calendar invite.

Thanks!

Divya

**Divya Bhargava, PE**  
Project Engineer

---

**From:** Detterman, Mark, Env. Health [<mailto:Mark.Detterman@acgov.org>]  
**Sent:** Monday, June 01, 2015 5:00 PM  
**To:** Divya Bhargava  
**Subject:** RE: Chevron case at 2630 Broadway, Oakland

Divya,

It looks like there have been a few changes; right now we have the following:

June 4, 1:00 - 5:00 (2 hr block; this just opened a few minutes ago).

June 10, 3 – 5 (this might be occupied already)

June 12, 10 – 5 (2 hr block)

Let me know.

*Mark Detterman*  
*Senior Hazardous Materials Specialist, PG, CEG*  
*Alameda County Environmental Health*  
*1131 Harbor Bay Parkway*  
*Alameda, CA 94502*  
*Direct: 510.567.6876*  
*Fax: 510.337.9335*  
*Email: [mark.detterman@acgov.org](mailto:mark.detterman@acgov.org)*

*PDF copies of case files can be downloaded at:*

<http://www.acgov.org/aceh/lop/ust.htm>

---

**From:** Divya Bhargava [<mailto:dbhargava@engeo.com>]  
**Sent:** Monday, June 01, 2015 11:58 AM  
**To:** Detterman, Mark, Env. Health  
**Subject:** RE: Chevron case at 2630 Broadway, Oakland

Hi Mark,

No problem about that. Our client's due diligence period ends on 6/12. Do you have any other dates/time sooner than that to meet us?

**Divya Bhargava, PE**  
Project Engineer

---

**From:** Detterman, Mark, Env. Health [<mailto:Mark.Detterman@acgov.org>]  
**Sent:** Monday, June 01, 2015 10:00 AM  
**To:** Divya Bhargava  
**Cc:** Shawn Munger  
**Subject:** RE: Chevron case at 2630 Broadway, Oakland

Divya,

I need to apologize, I have a conflict at that time that I did not see on my calendar for some reason. I'll need to pull that date and time. The June 5<sup>th</sup> period is also starting to infill, so based on experience it would probably be best not to use that date as well. The other time periods remain open, but as you might be able to see, fill very quickly. If neither work, I can find additional times. Let me know.

Again, my apologies for the conflict with the one date and time. That was my error.

*Mark Detterman*  
*Senior Hazardous Materials Specialist, PG, CEG*  
*Alameda County Environmental Health*  
*1131 Harbor Bay Parkway*  
*Alameda, CA 94502*  
*Direct: 510.567.6876*  
*Fax: 510.337.9335*  
*Email: [mark.detterman@acgov.org](mailto:mark.detterman@acgov.org)*

*PDF copies of case files can be downloaded at:*

*<http://www.acgov.org/aceh/lop/ust.htm>*

---

**From:** Divya Bhargava [<mailto:dbhargava@engeo.com>]  
**Sent:** Monday, June 01, 2015 9:49 AM  
**To:** Detterman, Mark, Env. Health  
**Cc:** Shawn Munger  
**Subject:** RE: Chevron case at 2630 Broadway, Oakland

Hi Mark,

Thank you for your email. We can plan to meet on Thursday 6/11 (10-12). I can send out a calendar invite.

Thanks,  
Divya

**Divya Bhargava, PE**  
Project Engineer

---

**From:** Detterman, Mark, Env. Health [<mailto:Mark.Detterman@acgov.org>]  
**Sent:** Friday, May 29, 2015 11:00 AM  
**To:** Divya Bhargava  
**Cc:** Shawn Munger  
**Subject:** RE: Chevron case at 2630 Broadway, Oakland

Hi Divya,

I should include our supervisor in the meeting, and have provided several dates and times that work for the both of us, as follows:

Friday June 5th, 1:30 – 5 (for a 2 hr block of time within)

Thursday June 11<sup>th</sup>, 10 – 12

Friday June 12<sup>th</sup>, 10 – 5 (2 hr block)

Wednesday June 17<sup>th</sup>, 10 – 5 (2 hr block)

Let me know what might work, or if additional dates are needed.

It would also be good to forward any data before hand with the hope we'll have time to review it. It helps to focus discussions.

*Mark Detterman*  
*Senior Hazardous Materials Specialist, PG, CEG*  
*Alameda County Environmental Health*  
*1131 Harbor Bay Parkway*  
*Alameda, CA 94502*  
*Direct: 510.567.6876*  
*Fax: 510.337.9335*  
*Email: [mark.detterman@acgov.org](mailto:mark.detterman@acgov.org)*

*PDF copies of case files can be downloaded at:*

*<http://www.acgov.org/aceh/lop/ust.htm>*

---

**From:** Divya Bhargava [<mailto:dbhargava@engeo.com>]  
**Sent:** Friday, May 29, 2015 9:51 AM  
**To:** Detterman, Mark, Env. Health  
**Cc:** Shawn Munger

**Subject:** RE: Chevron case at 2630 Broadway, Oakland

Hi Mark,

Hope you're doing well. Just wanted to follow up with you regarding this project. We (along with our client) would like to meet with you to discuss the findings of recent work we conducted as well as the path going forward. Let us know what days you're available to meet us.

Thanks,  
Divya

**Divya Bhargava, PE**  
Project Engineer

---

**From:** Detterman, Mark, Env. Health [<mailto:Mark.Detterman@acgov.org>]  
**Sent:** Friday, March 13, 2015 11:42 AM  
**To:** Divya Bhargava  
**Cc:** Shawn Munger  
**Subject:** RE: Chevron case at 2630 Broadway, Oakland

That would be a discussion between the agencies. It is not straight forward, and is decided mutually between the agencies. I'll need to get back to you. I've already forwarded your email for an initial internal discussion.

*Mark Detterman*  
*Senior Hazardous Materials Specialist, PG, CEG*  
*Alameda County Environmental Health*  
*1131 Harbor Bay Parkway*  
*Alameda, CA 94502*  
*Direct: 510.567.6876*  
*Fax: 510.337.9335*  
*Email: [mark.detterman@acgov.org](mailto:mark.detterman@acgov.org)*

*PDF copies of case files can be downloaded at:*

*<http://www.acgov.org/aceh/lop/ust.htm>*

---

**From:** Divya Bhargava [<mailto:dbhargava@engeo.com>]  
**Sent:** Friday, March 13, 2015 11:26 AM  
**To:** Detterman, Mark, Env. Health  
**Cc:** Shawn Munger  
**Subject:** Chevron case at 2630 Broadway, Oakland

Hi Mark,

I had spoken to you yesterday regarding this case. Since the case is closed at the Alameda County Environmental Health, would it be okay for us to enter into a VCA agreement with the Water Board or DTSC?

Let us know.

Thanks,  
Divya

**Divya Bhargava, PE**  
Project Engineer



ENGEO Incorporated  
2010 Crow Canyon Pl, Suite 250  
San Ramon, CA 94583  
(925) 395-2559 Phone  
(888) 279-2698 Fax  
[www.engeo.com](http://www.engeo.com)

\*\*\*\*\*Due to the potential that information by electronic media can deteriorate, be damaged, lost or modified unintentionally or otherwise, use of this electronic data by anyone other than ENGEO Incorporated shall be at the sole risk of such user and without liability or legal exposure to ENGEO Incorporated. The recipient is responsible for verifying the accuracy of data against governing hard copy documentation. Recipient assumes all risks in the changing or modification of data and revisions or updating of hard copy documents.\*\*\*\*\*