SYMBOL	TYPE	MANUFACTURER	MODEL	MATERIAL	COLOR	FINISH	NOTES
PAVING							
	PEDESTRIAN CONCRETE		CAST-IN-PLACE CONCRETE	PORTLAND CEMENT	NATURAL	MEDIUM BROOM	BROOM STRIKE PERPENDICULA TO DIRECTION OF TRAVEL
	SCORED CONCRETE			HARDROCK CONCRETE, TYPE III CEMENT	COBBLE- STONE 860	LIGHT BROOM	
	POURED IN PLACE CONCRETE			HARDROCK CONCRETE, TYPE III CEMENT	COBBLE- STONE 860	LIGHT BROOM	
	PLANTED AREA	MARKER GEOTEXTILE FABRIC	MIRAFI	ORANGE DELINEATION NON-WOVEN TEXTILE OR EQUAL			INSTALL MARKER GEOTEXTILE FABRIC IN ALL LANDSCAPE ARE FOLLOWING OVER-EXCAVATION SEE BELOW ND PRIOR TO BAC
	GRAVEL	LYNGSO 650.364.1730	TBD	PEBBLES	TBD		FILL
	DECOMPOSED GRANITE	LYNGSO 650.364.1730	GOLD PATH FINES	DECOMPOSED GRANITE	GOLD		
WALLS	RETAINING WALL @ WALKWAY			CONCRETE	COBBLE- STONE 860	BOARD FORMED	USE 4" BOARDS
	RETAINING WALL @ PROPERTY LINE			CONCRETE	COBBLE- STONE 860	SMOOTH	
	SEAT WALL			CONCRETE	COBBLE- STONE 860	BOARD FORMED	USE 4" BOARDS
SITE FURNISHING	3						
	ENTRY ELEMENT WITH OVERHEAD LIGHTING	CUSTOM		CORTEN POSTS WITH CORTEN I-BEAMS	TBD	TBD	SEE 6/L5.02
	OVERHEAD LIGHT POST	CUSTOM		RECLAIMED REDWOOD WITH GALVANIZED STEEL	TBD	TBD	SEE 1/L5.01
	BENCH	HAGS TRACEY LYDON 800-879-7730 <i>ALT:</i> FORMS AND SURFACES	ZETA BENCH, #8037075 <i>ALT:</i> BALANCE BENCH (SBBAL-72B)	PINE, STEEL	SILVER- GREY/GALV		
	FIRE TABLE	ROBATA 888.823.8883	ROBATA 72 CONCRETE P-FIR-ROB72-E	CONCRETE, STAINLESS STEEL			
	6' PRE-FAB PLANTER	TOURNESOL SITEWORKS 800.542.2282	WILSHIRE WCR-723042	LIGHTWEIGHT GFRC	TBD	TBD	INSTALL PER MANUFACTURER INSTRUCTIONS
	DOG WASH TABLE	PETLIFT http://petlift.com/	AQ58K AQUAQUEST WALK IN BATH	STAINLESS STEEL			57″H x 24.5″W x 60″L x 15″D
	BIKE RACK	COLUMBIA CASCADE 800.547.1940	CYCLOOP ARCH 2178-84	1-1/2" I.D. STEEL PIPE	NATURAL	galvaniz Ed	IN-GROUND MOUNTED
IGHTING							
*	UPLIGHT	VISTA	5273	5.5 W LED	BLACK		BEAM SPREAD ANGLE TBD
Ö	PATH LIGHT	VISTA	5270	4.5W LED	BLACK		SEE 2/L5.01
	LED LIGHT STRIP	MODA LIGHTING	SUPER NEON X FLAT	2700K			SEE 2/L5.02
- 	STRING LIGHTS	LITESPHERE LED / LSL-B-12-WW-C-		SHATTERPROOF POLYCARBONATE	CORD: BLA GLOBE: WA		12" SPACING

HOSE BIB (SEE MEP DRAWINGS) ۲

SCHEDULE OF MATERIALS AND FURNISHINGS - 2ND FLOOR BALCONIES

	TYPE	MANUFACTURER	MODEL	MATERIAL	COLOR	FINISH	NOTES
PAVING AND SUR	RFACING						
	PEDESTAL PAVERS	BRAVE JHOVANNY GOMEZ 415.684.1355	PEARL 24" X 24"	PORCELAIN		outdoor Paving	INSTALL PER MANUFACTURER'S INSTRUCTIONS
PLANTERS							
	4' PRE-FAB PLANTER WITH GREEN SCREEN VINE SUPPORT	TOURNESOL SITEWORKS 800.542.2282	WILSHIRE WCR-483630	LIGHTWEIGHT GFRC WITH STEEL SCREEN	TBD	TBD	INSTALL PER MANUFACTURER'S INSTRUCTIONS
	8' PRE-FAB PLANTER WITH GREEN SCREEN VINE SUPPORT	TOURNESOL SITEWORKS 800.542.2282	WILSHIRE WCR-963630	LIGHTWEIGHT GFRC WITH STEEL SCREEN	TBD	TBD	INSTALL PER MANUFACTURER'S INSTRUCTIONS
ACCESSORIES							
200000000000000000000000000000000000000	VINE TRELLIS	TOURNESOL SITEWORKS 800.542.2282	VERTIGREEN 3D TRELLIS VTG3-4848	STEEL WIRE			INSTALL PER MANUFACTURER'S INSTRUCTIONS
DRAINAGE & PL	UMBING						
DRAINAGE & PLI	UMBING HOSE BIB (SEE MEP DRAWINGS))					
GENERAL C . ALL WORK S . CONTRACTO LANDSCAPE	HOSE BIB (SEE MEP DRAWINGS) CONSTRUCTION HALL BE PERFORMED OR SHALL VERIFY ALL I ARCHITECT OF ANY D	N NOTES	S AND CONDITION				L NOTIFY THE
GENERAL C ALL WORK S CONTRACTO LANDSCAPE SEE CIVIL DE CONTRACTO CONTRACTO CONDITIONS THROUGHOU	HOSE BIB (SEE MEP DRAWINGS) CONSTRUCTION HALL BE PERFORMED OR SHALL VERIFY ALL I	NOTES IN CONFORMANCE N DIMENSIONS, GRADE DISCREPANCIES. ADING AND DRAINAG ATIONS OF UTILITIES DING WORK. IT SHALL THE CONTRACT. ANY	E INFORMATION E INFORMATION. , BELOW GRADE S BE THE CONTRAC DISRUPTION OR E	S PRIOR TO COMM TRUCTURES, APPL TOR'S RESPONSIB	ENCING WOR IRTENANCES, ILITY TO PRO	K AND SHAL AND ALL OT TECT ITEMS	HER EXISTING TO REMAIN
GENERAL C ALL WORK S CONTRACTO LANDSCAPE SEE CIVIL DE CONTRACTO CONTRACTO CONTRACTO CONTRACTO	HOSE BIB (SEE MEP DRAWINGS) CONSTRUCTION HALL BE PERFORMED OR SHALL VERIFY ALL I ARCHITECT OF ANY D RAWINGS FOR ALL GRA OR SHALL VERIFY LOCA S PRIOR TO COMMENC UT THE DURATION OF	NOTES IN CONFORMANCE A DIMENSIONS, GRADE DISCREPANCIES. ADING AND DRAINAG ATIONS OF UTILITIES DING WORK. IT SHALL THE CONTRACT. ANY COST TO THE OWNER LL PROTECTION, DEM	S AND CONDITION E INFORMATION. , BELOW GRADE S BE THE CONTRAC OISRUPTION OR E R. MOLITION, REMOVA	S PRIOR TO COMM TRUCTURES, APPL TOR'S RESPONSIB DAMAGE TO UTILITI	ENCING WOR IRTENANCES, ILITY TO PRO ^T ES SHALL BE RATION NECE	K AND SHAL AND ALL OT TECT ITEMS CORRECTEI	HER EXISTING TO REMAIN D BY THE
G SENERAL C ALL WORK S CONTRACTO LANDSCAPE SEE CIVIL DF CONTRACTO CONTRACTO CONTRACTO CONTRACTO EXECUTION CONTRACTO	HOSE BIB (SEE MEP DRAWINGS) CONSTRUCTION HALL BE PERFORMED OR SHALL VERIFY ALL I ARCHITECT OF ANY D RAWINGS FOR ALL GRA OR SHALL VERIFY LOCA S PRIOR TO COMMENC UT THE DURATION OF OR AT NO ADDITIONAL OR SHALL PERFORM A	NOTES IN CONFORMANCE N DIMENSIONS, GRADE DISCREPANCIES. ADING AND DRAINAG ATIONS OF UTILITIES DING WORK. IT SHALL THE CONTRACT. ANY COST TO THE OWNER LL PROTECTION, DEN I ON THE DRAWINGS	E INFORMATION. E INFORMATION. , BELOW GRADE S BE THE CONTRAC DISRUPTION OR E R. IOLITION, REMOVA AND DESCRIBED II	S PRIOR TO COMM TRUCTURES, APPL TOR'S RESPONSIB DAMAGE TO UTILITI L AND SITE PREPA N THE SPECIFICATI	ENCING WOR IRTENANCES, ILITY TO PRO ES SHALL BE RATION NECE ONS.	K AND SHAL AND ALL OT TECT ITEMS CORRECTEI	HER EXISTING TO REMAIN D BY THE THE PROPER
GENERAL C ALL WORK S CONTRACTO LANDSCAPE SEE CIVIL DE CONTRACTO CONDITIONS THROUGHOU CONTRACTO EXECUTION CONTRACTO	HOSE BIB (SEE MEP DRAWINGS) CONSTRUCTION HALL BE PERFORMED OR SHALL VERIFY ALL I ARCHITECT OF ANY D RAWINGS FOR ALL GRA OR SHALL VERIFY LOCA OR AT NO ADDITIONAL OR SHALL PERFORM AN OF ALL WORK SHOWN OR SHALL REMOVE FR	NOTES IN CONFORMANCE N DIMENSIONS, GRADE DISCREPANCIES. ADING AND DRAINAG ATIONS OF UTILITIES SING WORK. IT SHALL THE CONTRACT. ANY COST TO THE OWNER LL PROTECTION, DEN I ON THE DRAWINGS OM THE SITE IN A TIM	E INFORMATION. , BELOW GRADE S , BE THE CONTRAC OISRUPTION OR E R. MOLITION, REMOVA AND DESCRIBED II	S PRIOR TO COMM TRUCTURES, APPL TOR'S RESPONSIB DAMAGE TO UTILITI L AND SITE PREPA N THE SPECIFICATI DEBRIS AND UNSU	ENCING WOR IRTENANCES, ILITY TO PRO ES SHALL BE RATION NECE ONS.	K AND SHAL AND ALL OT TECT ITEMS CORRECTEI	HER EXISTING TO REMAIN D BY THE THE PROPER
GENERAL C ALL WORK S CONTRACTO LANDSCAPE SEE CIVIL DF CONTRACTO CONDITIONS THROUGHOU CONTRACTO EXECUTION CONTRACTO EXECUTION CONTRACTO CONTRACTO CONTRACTO	HOSE BIB (SEE MEP DRAWINGS) CONSTRUCTION HALL BE PERFORMED OR SHALL VERIFY ALL I ARCHITECT OF ANY D RAWINGS FOR ALL GRA OR SHALL VERIFY LOCA SPRIOR TO COMMENC UT THE DURATION OF OR AT NO ADDITIONAL OR SHALL PERFORM AN OF ALL WORK SHOWN OR SHALL REMOVE FRE OR'S OPERATIONS.	NOTES IN CONFORMANCE A DIMENSIONS, GRADE DISCREPANCIES. ADING AND DRAINAG ATIONS OF UTILITIES DING WORK. IT SHALL THE CONTRACT. ANY COST TO THE OWNER LL PROTECTION, DEA I ON THE DRAWINGS OM THE SITE IN A TIM OCAL, STATE AND FE	E INFORMATION E INFORMATION. , BELOW GRADE S BE THE CONTRAC DISRUPTION OR E R. MOLITION, REMOVA AND DESCRIBED II IELY MANNER ALL I DERAL ADA REQUI	S PRIOR TO COMM TRUCTURES, APPL TOR'S RESPONSIB DAMAGE TO UTILITI L AND SITE PREPA N THE SPECIFICATI DEBRIS AND UNSU REMENTS.	ENCING WOR IRTENANCES, ILITY TO PRO ES SHALL BE RATION NECE ONS. ITABLE MATEF	K AND SHAL AND ALL OT TECT ITEMS CORRECTEI SSARY FOR RIAL GENERA	HER EXISTING TO REMAIN D BY THE THE PROPER

- DIMENSIONS ARE TAKEN OFF FACE OF EXISTING CURB, EXISTING STRUCTURE, OR AS SHOWN ON PLANS.
 CONTRACTOR TO PLACE A MARKER GEOTEXTILE FABRIC BENEATH THE LANDSCAPE AREAS FOLLOWING OVER-EXCAVATION AND PRIOR TO IMPORT BACKFILL PLACEMENT. THIS WILL PROVIDE A BARRIER FOR FUTURE MAINTENANCE WORKERS TO INDICATE THAT SOIL BELOW THE FABRIC, IF REMOVED, SHOULD BE MANAGED PER THE SITE MANAGEMENT PLAN.

LEGEND

AL	ALIGN	S.A.D. SEE ARCHITECTURAL DR
CL	CENTER LINE	S.C.D. SEE CIVIL DRAWINGS
EJ	EXPANSION JOINT	S.E.D. SEE ELECTRICAL DRAWI
EQ	EQUAL	SJ SCORE JOINT
PA	PLANTING AREA	TBD TO BE DETERMINED
		TYP. TYPICAL

SHEET INDEX

L0.00 L1.00 L1.01	TITLE SHEET & MATERIALS SCHEDULE STREET LEVEL MATERIALS PLAN WEST STREET LEVEL MATERIALS PLAN EAST
L1.02	STREET LEVEL LAYOUT PLAN WEST
L1.03	STREET LEVEL LAYOUT PLAN EAST
L1.04	STREET LEVEL PLANTING PLAN WEST
L1.05	STREET LEVEL PLANTING PLAN EAST
L2.00	2ND LEVEL MATERIALS PLAN EAST
L2.01	2ND LEVEL LAYOUT PLAN EAST
L2.02	2ND LEVEL PLANTING PLAN EAST
L3.00	PLANTING SCHEDULE
L5.00	LANDSCAPE DETAILS
L5.01	LANDSCAPE DETAILS
L5.02	LANDSCAPE DETAILS
L6.00	PLANTING DETAILS

RECEIVED

By Alameda County Environmental Health 11:47 am, Oct 30, 2017

DRAWINGS

WINGS

david bak dbarchitect.co 461 second st san francisco 415 896 6700	m treet lof californ	ft 127 nia 9410	7
HOLLIDA DEVELO		NT	
SAN FRAI 41 www.r	FOLSOM NCISCO, C 5.252.728 nillercomp	chitect ST. CA 94103 8 .com	
\\ _H \	N D S C A f E Z R A f O. 2031 8/24/2016 Date Gignadure une 30/h 2017 Renewal Date F CALIFC	=/ _H ///	
NORMANING RELEA	SE STATI	532 Union Street	Oakland CA 94607
BUILDING PERMIT OFF-SITE DRAWING PRICING SET	3	12.01	4.2016 1.2016 1.2017
ADDENDA No. Desc	ription]	Date
SHEET TITLE LANDS COVE MATEI SCHE	r P/ Riai	AGE _S	&
SCALE APN NUMBER 004-0049-004-00 DRAWN BY	AL	ASE DATE JGUST 24, 2 CKED BY	2016
	JM		

OF SHEETS

STREET LEVEL PLA	NTING S	CHEDULE					
SYMBOL	ABBREV.	SCIENTIFIC NAME	COMMON NAME	SIZE	SPACING	WATER	NOTES
TREES							
	ACE PAL	ACER PALMATUM	JAPANESE MAPLE	36" BOX		MEDIUM	
••	ACE 'SAN'	ACER PALMATUM 'SANGO KAKU'	JAPANESE MAPLE	24" BOX		MEDIUM	
	ACE RUB	ACER RUBRUM 'ARMSTRONG'	UPRIGHT RED MAPLE	36" BOX		MEDIUM	
°®°	BRU CAN	BRUGMANSIA X CANDIDA	ANGEL'S TRUMPET			MEDIUM	
×	COR AUS	CORDYLINE AUSTRALIS 'RED STAR'	RED STAR CORDYLINE			LOW	
	MAY BOR	MAYTENUS BOARIA	MAYTEN			MEDIUM	
ETT CALL	MUS BAS	MUSA BASJOO	JAPANESE FIBER BANANA			HIGH	
	WAS ROB	WASHINGTONIA ROBUSTA	MEXICAN FAN PALM			LOW	
SHRUBS, PERENNIALS AND V	INES						
	ACE 'ORE'	ACER PALMATUM 'ORANGEOLA'	JAPANESE MAPLE			MEDIUM	
	ANE HYB	ANEMONE X HYBRIDA	JAPANESE ANEMONE			MEDIUM	
$\overline{\mathbb{V}}$	ANI FLA	ANIGOZANTHUS FLAVIDUS	KANGAROO PAW			LOW	
	BAM MUL	BAMBUSA MULTIPLEX 'ALPHONSE KARR'	ALPHONSE KARR BAMBOO			LOW	
\bigcirc	DOD VIS	DODONAEA VISCOSA 'PURPUREA'	PURPLE HOPSEED BUSH			LOW	
	FIC PUM	FICUS PUMILA	CREEPING FIG			MEDIUM	
۵	HEU SAN	HEUCHERA SANGUINEA 'SPLENDENS'	CORAL BELLS			MEDIUM	
۵	HEU PAL	HEUCHERA 'PALACE PURPLE'	PALACE PURPLE CORAL BELLS			MEDIUM	

STREET LEVEL PLA	ANTING S	CHEDULE, CON	TINUED				
SYMBOL	ABBREV.	SCIENTIFIC NAME	COMMON NAME	SIZE	SPACING	WATER	NOTES
SHRUBS, PERENNIALS AND	VINES, CONT	-					
\odot	LIR MUS	LIRIOPE MUSCARI	CREEPING LILY TURF			MEDIUM	
\bigcirc	MUH CAP	MUHLENBERGIA CAPILLARIS	PINK MUHLY			LOW	
(\mathbf{x})	NEP COR	NEPHROLEPIS CORDIFOLIA	SOUTHERN SWORDFERN			MEDIUM	
\odot	LOT BER	LOTUS BERTHELOTII	TRAILING LOTUS			LOW	
	OLE 'MON'	OLEA EUROPEA 'MONTRA'	LITTLE OLLIE DWARF OLIVE			VERY LOW	I
	POL MUN	POLYSTICHUM MUNITUM	WESTERN SWORDFERN			MEDIUM	
(SAL MIC	SALVIA MICROPHYLLA 'HOT LIPS'	HOT LIPS SAGE			LOW	
×	SED MOR	SEDUM MORGANIANUM	BURRO TAIL			LOW	
	THY 'ARG'	THYMUS VULGARIS 'ARGENTIUM'	VARIEGATED SILVER THYME			LOW	
Ø	TRA JAS	TRACHELOSPERMUM JASMINOIDES	STAR JASMINE			MEDIUM	
	WOO FIM	WOODWARDIA FIMBRIATA	GIANT CHAIN FERN			MEDIUM	


2ND LEVEL PLANTING SCHEDULE

SYMBOL	ABBREV.	SCIENTIFIC NAME	COMMON NAME	SIZE	SPACING	WATER	NOTES
SHRUBS, P	PERENNIALS	SAND VINES					
\bigoplus	COR GLA	CORREA GLABRA 'COLIBAN RIVER'	COLIBAN RIVER ROCK FUCHSIA			LOW	
Θ	SED SAR	SEDUM SARMENTOSUM	CREEPING STONE CROP			LOW	
9	TRA JAS	TRACHELOSPERMUM JASMINOIDES	STAR JASMINE			MODERATE	

PLANTING NOTES

- 1. All trees shall be of uniform height and form for the species and container size.
- 2. Final placement of plants shall be reviewed at the site by the Landscape Architect. 3. Install all planting after irrigation system is completed, fully operational, and has been reviewed by the Landscape Architect.
- 4. Mulch all newly planted areas with 3" of specified mulch.
- 5. Remove nursery stakes and tags from trees and shrubs at time of planting. 6. The contractor is responsible for taking soil samples of the topsoil to be used as planting medium for the project. This includes site soil and imported topsoils. Lab test results and recommendations to be approved by Landscape Architect prior to soil delivery to site. The Landscape Architect may request re-testing of delivered import topsoil to verify its conformance to the approved sample. Refer to specifications for soil testing methodology.
- 7. Plant schedule is subject to change based on plant availability and existing soil conditions. 8. Listed water requirements are based on water use classification of landscape species as per WUCOLS III, August 2000, and EBMUD - Plants and Landscapes for summer-dry climates of the San Francisco Bay Region, 2004)
- 11. CONTRACTOR TO PLACE A MARKER GEOTEXTILE FABRIC BENEATH THE LANDSCAPE AREAS FOLLOWING OVER-EXCAVATION AND PRIOR TO IMPORT BACKFILL PLACEMENT. THIS WILL PROVIDE A BARRIER FOR FUTURE MAINTENANCE WORKERS TO INDICATE THAT SOIL BELOW THE FABRIC, IF REMOVED, SHOULD BE MANAGED PER THE SITE MANAGEMENT PLAN.

david baker arch dbarchitect.com 461 second street loft 12 san francisco california 9 415 896 6700 fax 415 8	27 94107
HOLLIDAY DEVELOPMEN ⁻	т
MILLER COMP landscape archi 1585 FOLSOM ST. SAN FRANCISCO, CA 94 415.252.7288 www.millercomp.com	tects
LICENSE STAMP	
DRAWING RELEASE STATUS BUILDING PERMIT OFF-SITE DRAWING PRICING SET	232 Union Street 233 Union Street Dakland CA 94607 12.01.2016 02.21.2017
ADDENDA No. Description	Date
SHEET TITLE PLANTING SCHEDULE	
SCALE	
APN NUMBER 004-0049-004-00 AUGUS DRAWN BY GEL JM	ST 24, 2016
L3.00)



david baker architects dbarchitect.com 461 second street loft 127 san francisco california 94107 415 896 6700 fax 415 896 6103 HOLLIDAY DEVELOPMENT
<section-header></section-header>
DRAWING RELEASE STATUS DATE BUILDING PERMIT 08.24.2016 OFF-SITE DRAWING 12.01.2016 PRICING SET 02.21.2017
ADDENDA No. Description Date SHEET TITLE PLANTING DESCRIPTION
SCALE AS SHOWN APN NUMBER 004-0049-004-00 DRAWN BY GEL RELEASE DATE AUGUST 22, 2016 CHECKED BY JM CHECKED BY JM