



ALAMEDA COUNTY
HEALTH CARE SERVICES AGENCY
 DEPARTMENT OF ENVIRONMENTAL HEALTH
 1131 Harbor Bay Parkway, Suite 250
 Alameda, CA 94502-6577

OAKLAND

CA 946

28 APR 17

**RETURN SERVICE
 REQUESTED**



PITNEY BOWES
\$ 000.46⁰
 02 1P
 0003192449 APR 28 2017
 MAILED FROM ZIP CODE 94502

NIXIE 957 7E 1 0005/09/17

RETURN TO SENDER
 ATTEMPTED - NOT KNOWN
 UNABLE TO FORWARD

GC: 94502694091 *1000-05146-26-41

AMP

Morey and Ethel Gross and Peggy Lane
 915 Main Street
 Pleasanton, CA 94566-8218

003199

94566-8218

94502>6540



ALAMEDA COUNTY
**HEALTH CARE SERVICES
AGENCY**

REBECCA GEBHART, Interim Director

DEPARTMENT OF ENVIRONMENTAL HEALTH
LOCAL OVERSIGHT PROGRAM (LOP)
For Hazardous Materials Releases
1131 HARBOR BAY PARKWAY, SUITE 250
ALAMEDA, CA 94502
(510) 567-6700
FAX (510) 337-9335

April 26, 2017

Bradley A & Sandra L Hirst, Trustees
& Bradley Hirst et al.
c/o Equity Enterprises
4460 Black Avenue, Suite L
Pleasanton, CA 94566-6142
(Sent via email to brad@equityenterprises.net)

Paul C and Alice T Sun, Trustees
PO Box 117941
Burlingame, CA 94011-7941
(Sent via email to dsun@dsunlaw.com)

C & H Development Co
43 Panoramic Way
Walnut Creek, CA 94566-8218

Morey and Ethel Gross and Peggy Lane
915 Main Street
Pleasanton, CA 94566-8218

David B. Wheeler
927 Main Street
Pleasanton, CA 94566-6072

Santa Rita Investment Company
915 Main Street
Pleasanton, CA 94566-8218

C & H Development Co
Bradley A. and Sandra L Hirst, Trustees
43 Panoramic Way
Walnut Creek, CA 94595-1605

Autogal, Inc.
Agent: The Prentice-Hall Corporation System, Inc.
2711 Centerville Road Suite 400
Wilmington, DE 19808

Subject: Conditional Work Plan Approval for Fuel Leak Case No. RO0003199 and GeoTracker Global ID T10000008158, Main Street Property, 927 Main Street, Pleasanton, CA 94566

Dear Responsible Parties:

Alameda County Department of Environmental Health (ACDEH) has reviewed the case file, including the "Soil and Groundwater Investigation Work Plan," (Work Plan), dated April 14, 2017, and submitted by Environmental Risk Assessors.

The proposed scope of work is conditionally approved and may be implemented provided that the technical comments below are addressed and incorporated during the proposed site investigation activities. Submittal of a revised Work Plan is not required unless an alternate scope of work outside that described in the Work Plan and technical comments below is proposed.

TECHNICAL COMMENTS

- 1) **Soil Sampling and Field Indicators.** Besides collecting soil samples at the proposed pre-defined depths, ACDEH requests that additional soil samples be collected at signs of contamination such as photoionization detections, staining, odor, and major lithologic changes.