

11J Family Housing, L.P.

RECEIVED

By Alameda County Environmental Health 2:59 pm, Oct 26, 2016

26 October 2016
Project 750622603

Mr. Keith Nowell, PG
Alameda County Health Care Services Agency
Environmental Health Department
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502

Subject: Underground Storage Tank Closure Investigation Report
1110 Jackson Street
Oakland, California
Alameda County SCP Case No. RO0003232
Langan Project: 7506220603

Dear Mr. Nowell:

The property referred to above, (APN: 002-0081-008-01), has been leased from the Oakland Housing Authority for a period of seventy-five (75) years, beginning March 16, 2015, pursuant to the terms of a lease agreement with the 11J Family Housing, Limited Partnership.

As a legally authorized representative of the 11J Family Housing Limited Partnership (*Lessee, Developer, and Building Owner of 188 11th Street, formerly 1110 Jackson Street*) and on behalf of the Oakland Housing Authority (*Lessor*), I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document titled *Underground Storage Tank Closure Investigation Report, 1110 Jackson Street, Oakland, CA*, are true and correct to the best of my knowledge.

Sincerely yours,



Everett Cleveland Jr.
11J Family Housing, L.P.

13 September 2016

Mr. Everett Cleveland
East Bay Asian Local Development Corporation
1825 San Pablo Avenue, Suite 200
Oakland, California 94612

Subject: Underground Storage Tank Closure Investigation Report
1110 Jackson Street
Oakland, California
Langan Project No.: 750622603

Dear Mr. Cleveland,

Langan Treadwell Rollo (Langan) has prepared this *Underground Storage Tank Closure Investigation Report* (report), which summarizes our soil and groundwater investigation conducted at the 1110 Jackson Street development in Oakland, California (Figure 1, site) for the East Bay Asian Local Development Corporation (EBALDC). Three underground storage tanks (USTs) containing gasoline were discovered in the sidewalk of Jackson Street, adjacent to the development during construction. The USTs were removed by Golden Gate Tank Removal (GGTR) of San Francisco, California and soil samples were collected from beneath the USTs and the sidewalls of the excavation. Based on preliminary sampling results, additional sampling was requested by the Alameda County Department of Environmental Health (ACDEH) to further evaluate potential impacts of petroleum and petroleum related compounds to groundwater.

We collected soil and groundwater samples to evaluate subsurface conditions to facilitate regulatory site closure under the State Water Resources Control Board's Low-Threat Underground Storage Tank Case Closure Policy (LTCP). This report details our environmental investigation sampling methodology, location and depth of soil and groundwater borings, analytical results and recommendations.

Site Description and Background

The site is located at 1110 Jackson Street in Oakland, California (Figure 1). The site is bound by 12th Street to the north, Jackson Street to the west, 11th Street to the south and multiple buildings to the east. The site is L-shaped, with long dimensions measuring approximately 190 feet by 200 feet, along 11th and Jackson Streets, respectively. We understand that EBALC is currently constructing an at-grade, 5-story mixed use building that will occupy the entire footprint of the L-shaped lot. The ground floor will be comprised primarily of openly ventilated parking with a small portion of retail space (Figure 2).

Based on UST removal, excavation activities, and our borings, the subsurface profile general consists of layers of fine to coarse sands with varying amounts of silts and clays. Groundwater was observed in our borings at about 20 to 21 feet below ground surface (bgs). Groundwater

predominantly flows east towards Lake Merritt, which is located approximately $\frac{1}{4}$ mile away from the site.

During side development activities, three USTs were discovered in the sidewalk of Jackson Street. The USTs were designated as UST #1, #2 and #3, all contained gasoline and were approximately 265-, 265- and 110-gallons, respectively. The locations of UST #1, #2 and #3 are shown on Figure 2. Based on a review of Sanborn maps, the USTs were likely in place since prior to 1911. The three USTs were found to be in generally poor condition. GGTR removed the three USTs from the sidewalk and conducted the corresponding soil excavation and soil sampling activities on 15 April 2016. UST removal activities were completed under the observation of Langan personnel and a representative from ACDEH. After the USTs and associated piping were removed, GGTR collected confirmation soil samples from excavation sidewalls and bottoms. Soil samples collected from soil beneath former UST #2 had elevated concentrations of petroleum hydrocarbons. Based on the elevated confirmation sample results and a recommendation by ACDEH, GGTR returned to the site on 4 May 2016 to perform over-excavation and additional confirmation sampling activities. GGTR over-excavated from the north side of UST#1 to the south side of UST#3 to a depth of 12 feet below ground surface (bgs). UST removal, excavation and soil sampling activities are summarized in GGTR's *Underground Storage Tank Closure Report* (Closure Report) dated 23 June 2016. The GGTR Closure Report is included as Appendix A.

Prior to the discovery of the USTs, an environmental investigation was performed at the site and detailed in the *Report of Limited Phase II Environmental Site Assessment, Jackson Tower, Oakland, California* prepared by Tetra Tech EM Inc. and dated 18 January 2006 (Appendix B). Three borings SB-1, SB-2, and SB-3 were advanced and soil and groundwater was collected from each boring. The boring locations are illustrated on Figure 2. Groundwater samples were collected approximately 50 to 60 feet from the former UST locations in both the northeast and southeast directions. Total petroleum hydrocarbons (TPH) as gasoline (TPHg), TPH as diesel (TPHd) and TPH as motor oil (TPHmo) were not detected in any of the samples collected. Since the USTs were identified on a 1911 Sanborn map and it is likely that they have been in place since longer than 1911, it is unlikely the groundwater conditions in the areas of SB-1 and SB-2 have changed since the groundwater samples were collected in 2005. Therefore, we propose to utilize the data collected in 2005 to delineate the plume extent in the northeasterly and southeasterly directions.

Summary of Activities

On 11 August 2016, Gregg Drilling & Testing, Inc. (Gregg Drilling) of Martinez, California, a California-licensed drilling company advanced four borings (EB-1 through EB-4) at locations shown on Figure 2. Environmental borings EB-1 through EB-3 were advanced in the vicinity of former UST #1, #2 and #3. Environmental boring EB-4 was advanced east and downgradient of EB-1 through EB-3. All borings were hydraulically driven direct push boings advanced by a truck-mounted drill rig operated by Gregg and supervised by Langan. The borings were advanced to a depth of 28 feet bgs.

Soil cores were visually logged by Langan personnel in general accordance with the Unified Soil Classification System (USCS) working under the supervision of a California professional geologist. Subsurface conditions consisted mainly of sandy soil with varying amounts silts and clays. Petroleum odors were observed at approximately 22 feet bgs in boring EB-2, which was advanced directly through the former UST #2 pit. Soil boring logs describing the materials encountered are presented in Appendix C.

Groundwater samples were collected from each of the four environmental borings EB-1 through EB-4. Groundwater was encountered at approximately 20 feet bgs in each borehole. Temporary 1-inch diameter PVC well casings were installed in each well. The lower ten foot section of each casing (from 18 to 28 feet bgs) was comprised of a slotted well screen to facilitate groundwater sample collection. Prior to groundwater sample collection, the groundwater level was allowed to equilibrate for at least two hours. Groundwater was extracted using clean stainless steel bailers and decanted into laboratory supplied containers. No free product or staining was observed in any of the borings.

Due to previous exceedances in soil at the former UST #2 location, Langan collected three soil samples from environmental boring EB-2. Samples were collected at depths of 13, 15.5 and 22.5 feet bgs. Soil samples were labeled by boring location and bottom depth of the sample (i.e. a sample collected at a depth of 12.5 to 13 feet bgs from boring EB-2 was labeled EB-2-13). Samples were collected based on field observations including visual and olfactory contamination and organic vapor measurement using a photoionization detector (PID). Soil samples were collected into new stainless steel liners. The liners were covered with Teflon sheets and tight-fitting end caps.

Following collection, groundwater and soil samples were placed in an ice-cooled chest pending delivery to McCampbell Analytical Laboratory (McCampbell), a California-certified laboratory in Pittsburg, California.

To avoid cross contamination, all sampling equipment used during the investigation activities was thoroughly cleaned between sample locations. All borings were backfilled with neat cement grout and the surface cover was restored in accordance with the Alameda County Public Works Agency's requirements.

Soil cuttings and decontamination rinsate were placed in a 55-gallon drum, sealed and labeled. The drum was stored onsite, pending analytical profiling and proper disposal. After classification as non-hazardous, the drum was transported and disposed of at an appropriate facility.

Laboratory Analyses

Soil and groundwater samples were submitted to McCampbell. Samples were analyzed for some or all of the following:

- TPHg, TPHd and TPHmo by United States Environmental Protection Agency (EPA) Modified Method 8015;
- Volatile organic compounds (VOCs) by EPA Method 8260; and

- Leaking underground fuel tank (LUFT) 5 metals by EPA Method SW6020.

The samples selected for analysis are presented in Table 1.

Analytical Results

Soil analytical results are presented in Tables 2 and 3 for organic constituents (TPH and VOCs) and LUFT 5 metals, respectively. TPH and VOCs groundwater analytical results are presented in Table 4. The certified laboratory reports and chain-of-custody records are presented in Appendix D. Soil analytical results were compared to construction worker environmental screening levels (ESLs) as presented in the San Francisco Bay Regional Water Quality Control Board's (Water Board) *Interim-Final Environmental Screening Levels* dated February 2016. Groundwater analytical results were compared to ecological ESLs (ecotox) and vapor intrusion ESLs for deep groundwater in fine to coarse grain material for residential and commercial/industrial land use scenarios.

The LTCP presents screening criteria for petroleum-related compounds in soil, groundwater and soil gas. For comparison purposes, the LTCP-specified groundwater screening criteria for benzene and methyl-t-butyl ether (MTBE) are included in Table 4. The LTCP screening criteria for benzene and MTBE in groundwater are 3,000 micrograms per liter ($\mu\text{g}/\text{L}$) and 1,000 $\mu\text{g}/\text{L}$, respectively¹.

Soil Results

Table 2 presents TPH and VOC analytical results for three soil samples collected from environmental boring EB-2. TPHg, TPHd and TPHmo were detected in all three samples at concentrations above the laboratory reporting limits. TPHg was detected at concentrations ranging from 200 to 5,000 milligrams per kilogram (mg/kg). One sample, collected at depth of 15.5 feet bgs, had TPHg detected at a concentration of 5,000 mg/kg, which exceeds the TPHg construction worker ESL of 2,800 mg/kg. TPHd and TPHmo were not detected at concentrations in exceedance of their respective screening levels. Several VOCs were detected at concentrations above the laboratory reporting limit in all three samples; however, none of the detected VOC concentrations were in exceedance of their respective screening levels. Benzene and MTBE were not detected above laboratory limits in any soil samples collected during this investigation.

Table 3 presents soil analytical results for LUFT 5 metals. Total chromium, lead, nickel and zinc were all detected in soil at concentrations above the laboratory reporting limits; however none of the detected metals concentrations were in exceedance of their respective screening levels. Chromium concentrations were compared to chromium III ESLs (51,000 mg/kg) rather than

¹ State Water Resources Control Board, 2012. *Low Threat Underground Storage Tank Case Closure Policy*. May.

chromium VI ESLs (2.8 mg/kg) because the soil sampled is native soil without any likely industrial contamination and therefore, likely exists in the chromium III valence state².

Groundwater Results

Table 4 presents analytical results for the groundwater samples analyzed for TPH and detected VOCs. TPHg, TPHd and TPHmo were detected at concentrations above the laboratory reporting limits. The highest concentrations of TPH were detected from boring EB-2 with TPHg and TPHd at concentrations of 30,000 and 55,000 µg/L, respectively. The laboratory qualified the TPHd detections as having significant gasoline range compounds. TPHg and TPHd were also detected in borings EB-1 and EB-4. TPHg was detected in borings EB-1 and EB-4 at concentrations of 1,600 and 16,000 µg/L, respectively. TPHd was detected in borings EB-1 and EB-4 at concentrations of 3,200 and 2,300 µg/L, respectively. TPHg and TPHd were not detected above laboratory reporting limits in boring EB-3. TPHmo was only detected in boring EB-4 at a concentration of 520 µg/L, although the reporting limit for TPHmo associated with the sample collected from EB-2 were significantly elevated. Since vapor intrusion ESLs have not been established for TPH constituents, none of the detected concentrations of TPH were in exceedance of vapor intrusion ESLs.

VOCs, including acetone, benzene, 2-butanone, sec-butyl benzene, cis-1,2-dichloroethene, ethylbenzene, MTBE, isopropylbenzene, 4-isopropyltoluene, naphthalene, n-propyl benzene, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene and xylenes were detected at or above laboratory reporting limits. Benzene was detected above the commercial vapor intrusion ESLs at a concentration of 320 micrograms per liter (µg/L) in the groundwater sample collected from boring EB-2 only. Boring EB-4, which was advanced near the building and downgradient of boring EB-2 (Figure 2), did not have any VOCs detected above applicable vapor intrusion ESLs. None of the other detected concentrations of VOCs were in exceedance of the commercial vapor intrusion ESLs in any samples. None of the detected concentrations of benzene or MTBE exceeded the LTCP screening criteria in any of the samples analyzed.

Discussion

Soil and groundwater samples collected during this environmental investigation indicate that petroleum hydrocarbons and petroleum hydrocarbon related compounds are present in subsurface soil and groundwater at the site. Elevated concentrations of TPHg were detected in deep subsurface soil (greater than 10 feet bgs) in the vicinity of former UST #2. Elevated concentrations of TPHg and TPHd (with significant contribution from TPHg range hydrocarbons) were detected in borings EB-2 and EB-4, which were advanced directly through the former UST #2 and approximately 12 feet downgradient to the east, respectively. Benzene was detected in one groundwater sample above the commercial vapor intrusion ESLs, but not in the sample closest to the existing building.

² Agency for Toxic Substances and Disease Registry (ATSDR). Toxicological Profile for Chromium. U.S. Public Health Service, U.S. Department of Health and Human Services, Atlanta, GA. 1998.

Next Steps

We propose collect additional groundwater samples further downgradient relative to the former USTs to the east to delineate the extent of petroleum hydrocarbon contamination. Groundwater samples will be collected from environmental borings EB-5 and EB-6, as shown on Figure 2. Groundwater samples will be analyzed for petroleum-related compounds, including TPH and VOCs. Based on results from the additional data collected, we will discuss regulatory site closure through the LTCP and propose next steps with ACDEH.

If you have questions regarding the contents of this report, please contact Joshua Graber at (510) 874-7086.

Sincerely,
Langan Treadwell Rollo

Joshua Graber, CHMM
Senior Project Manager

Elizabeth Kimbrel, PE
Senior Staff Engineer



Enclosures:

- Table 1 – Sampling Analysis Plan
- Table 2 – Soil Analytical Results for Organic Constituents
- Table 3 – Soil Analytical Results for Metals
- Table 4 – Groundwater Analytical Results

Figure 1 – Site Location
Figure 2 – Site Plan

- Appendix A – Underground Storage Tank Closure Report, 1110 Jackson Street, Oakland, California
- Appendix B – Report of Limited Phase II Environmental Site Assessment, Jackson Tower, Oakland, California
- Appendix C - Soil Boring Logs
- Appendix D - Laboratory Analytical Report

TABLES

Table 1
Sampling Analysis Plan
1110 Jackson Street
Oakland, California

Langan Project: 750622603
September 2016

Sample ID	Date Sampled	TPH - gasoline, diesel and motor oil	VOCs	LUFT 5 Metals
		EPA Method 8015	EPA Method 8260	EPA Method 6010/7000
EB-2-13	8/11/16	x	x	x
EB-2-15.5	8/11/16	x	x	x
EB-2-22.5	8/11/16	x	x	x
EB-1-GW	8/11/16	x	x	
EB-2-GW	8/11/16	x	x	
EB-3-GW	8/11/16	x	x	
EB-4-GW	8/11/16	x	x	

Notes:

EPA - Environmental Protection Agency

GW - Groundwater

LUFT - Leaking Underground Fuel Tank

TPH - Total Petroleum Hydrocarbons

VOCs - Volatile Organic Compounds

Table 2
Soil Analytical Results for Organic Constituents
1110 Jackson Street
Oakland, California

Langan Project: 750622603
September 2016

Sample ID	Date Sampled	TPHg	TPHd	TPHmo	VOCs										MTBE	All Other VOCs
					n-Butyl-benzene	sec-Butyl-benzene	Ethylbenzene	Isopropylbenzene	Naphthalene	n-Propyle-benzene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Xylenes			
EB-2-13	8/11/16	200	18	5.5	0.14	0.13	<0.10	0.14	0.39	0.20	<0.10	<0.10	<0.10	<10	ND	
EB-2-15.5	8/11/16	5,000	830	13	2.3	2.5	<2.0	4.2	5.3	5.1	<2.0	<2.0	<2.0	<10	ND	
EB-2-22.5	8/11/16	2,100	370	14	0.12	0.18	0.52	0.33	0.12	0.33	0.55	0.25	0.31	<10	ND	
Construction Worker ESLs		2,800	880	32,000	NE	NE	480	NE	350	NE	NE	NE	2,400	3,700	-	

Notes:

Bolded values exceed commercial ESLs

<0.10 - Compound not detected at or above the referenced laboratory reporting limit (0.10 mg/kg)

ESL - Environmental screening level

mg/kg - milligrams per kilogram

MTBE - Methyl-t-butyl ether

ND - Not detected at or above the laboratory reporting limit

NE - Not established

TPHg - Total Petroleum Hydrocarbons as Gasoline, EPA Method 8015B

TPHd - Total Petroleum Hydrocarbons as Diesel Range, EPA Method 8015B

TPHmo - Total Petroleum Hydrocarbons as Motor Oil, EPA Method 8015B

VOCs - Volatile organic compounds

Residential and commercial ESLs presented in San Francisco Bay Regional Water Quality Control Board, Environmental Screening Level, Table S-1, Any Land Use: Any Soil Depth Exposure (Construction Worker)

Table 3
Soil Analytical Results for Metals
1110 Jackson Street
Oakland, California

Langan Project: 750622603
September 2016

Sample ID	Date Sampled	Cadmium	Total Chromium ¹	Lead	Nickel	Zinc
		mg/kg				
EB-2-13	8/11/16	<0.25	55	2.4	48	24
EB-2-15.5	8/11/16	<0.25	45	1.9	36	22
EB-2-22.5	8/11/16	<0.25	110	2.3	44	26
Construction Worker ESL		43	51,000/2.8	160	86	110,000

Notes:

1 - A total chromium ESL has not been established. Chromium ESLs are listed as either Chromium III or Chromium VI (hexavalent chromium). The Chromium III ESL is 51,000 mg/kg and the Chromium VI ESL is 2.8 mg/kg. In native soil, chromium typically exists in the Chromium III valence state. Chromium VI is less common and most commonly produced by industrial processes (ATSDR, 1998)

mg/kg - milligrams per kilogram

<0.25 - Compound not detected at or above the referenced laboratory reporting limit (0.25 mg/kg)

ESL - San Francisco Bay Regional Water Quality Control Board, Environmental Screening Level, Table S-1, Any Land Use: Any Soil Depth Exposure (Construction Worker)

Table 4
Groundwater Analytical Results
1110 Jackson Street
Oakland, California

Sample ID	Sample Date	TPHg	TPHd	TPHmo	VOCs															All Other VOCs
					Acetone	Benzene	2-Butanone (MEK)	sec-Butyl benzene	cis-1,2-Dichloro ethene	Ethylbenzene	MTBE	Isopropyl-benzene	4-Isopropyl toluene	Naphthalene	n-Propyl benzene	1,2,4-Trimethyl benzene	1,3,5-Trimethyl benzene	Xylenes		
					µg/L															
EB-1-GW	8/11/16	1,600	3,200	<250	<50	<2.5	<10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	ND
EB-2-GW	8/11/16	30,000	55,000	<2,500	630	320	81	23	<12	740	<12	150	<12	100	110	290	92	430	ND	
EB-3-GW	8/11/16	<50	<100	<500	<10	<0.50	<2.0	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	ND
EB-4-GW	8/11/16	16,000	2,300	520	<100	110	<20	14	5.5	250	<5.0	100	8.3	7.9	64	19	<5.0	27	ND	
Ecological ESLs		440	640	NE	1,500	46	NE	NE	590	290	8,000	NE	NE	24	NE	NE	NE	NE	-	
Residential Vapor Intrusion ESLs		NE	NE	NE	140,000,000	30	NE	NE	15,000	370	15,000	NE	NE	180	NE	NE	NE	38,000	-	
Commercial Vapor Intrusion ESLs		NE	NE	NE	NE	260	NE	NE	130,000	3,300	130,000	NE	NE	1,600	NE	NE	NE	NE	-	
LTCP Criteria		NE	NE	NE	NE	3,000	NE	NE	NE	NE	1,000	NE	NE	NE	NE	NE	NE	NE	NE	

Notes:**Bolded** values exceed vapor intrusion ESLs for commercial land use

µg/L - micrograms per liter

<250 - Compound not detected at or above the referenced laboratory reporting limit (250 µg/L)

ESL - Environmental Screening Level

LTCP - Low Threat Underground Storage Tank Case Closure Policy, State Water Resources Control Board, May 2012.

MTBE - Methyl-t-butyl ether

NE - Criteria not established

ND - Not detected at or above the laboratory reporting limit

TPHg - Total Petroleum Hydrocarbons as Gasoline

TPHd - Total Petroleum Hydrocarbons as Diesel Range

TPHmo - Total Petroleum Hydrocarbons as Motor Oil

VOCs - Volatile Organic Compounds

Ecological ESLs = Fresh Water Ecotox ESLs, as established by the San Francisco Regional Water Quality Control Board dated 22 February 2016.

Residential Vapor Intrusion ESLs = Groundwater Vapor Intrusion Human Health Risk Levels for Deep Groundwater, Residential Land Use Scenario: Fine to Coarse Soil, as established by the San Francisco Regional Water Quality Control Board dated 22 February 2016

Commercial Vapor Intrusion ESLs = Groundwater Vapor Intrusion Human Health Risk Levels for Deep Groundwater, Commercial Land Use Scenario: Fine to Coarse Soil, , as established by the San Francisco Regional Water Quality Control Board dated 22 February 2016


FIGURES

**Legend**

Site Boundary

Notes:

1. Aerial imagery provided through Langan's contract with Near Map.
Aerial imagery flown on 6/20/16.
2. Map displayed in California State Coordinate System 3, California
(Teale) Albers, North American Datum of 1983 (NAD83), US Survey Feet.



1110 JACKSON STREETT
Oakland, California


SITE LOCATION MAP

LANGAN TREADWELL ROLLO

Date 8/26/2016

Project 750622603

Figure 1



APPENDIX A

GGTR UST CLOSURE REPORT



UNDERGROUND STORAGE TANK

CLOSURE REPORT

1110 Jackson Street
Oakland, CA 94607

Job No. 9669
June 23, 2016

Prepared For:

11J Family Housing, L.P.
1825 San Pablo Avenue
Oakland, CA 94612

Tim Hallen
Registered Environmental Assessor 08006

TABLE OF CONTENTS

COVER SHEET

TABLE OF CONTENTS

1. SITE LOCATION.....	1
2. SITE HISTORY.....	1
3. PRELIMINARY TANK REMOVAL ACTIVITIES.....	1
4. UST REMOVAL AND CONFIRMATION SAMPLING & ANALYSIS	2
5. TANK AND SOIL CONDITION.....	3
6. SAMPLE DATA REVIEW.....	3
7. OVER-EXCAVATION	4
8. ADDITIONAL CONFIRMATION SOIL SAMPLING & ANALYSIS.....	4
9. WASTE MANAGEMENT & SOIL DISPOSAL	5
10. SITE RESTORATION	5

FIGURES

TABLE

ATTACHMENTS

1. SITE LOCATION

The residential development site is located at 1110 Jackson Street, at the southeast corner of the intersection of 12th and Jackson Streets in Oakland, California. Figure 1 attached shows the general site location.

2. SITE HISTORY

During site construction activities, three underground storage tanks (UST) containing gasoline were located beneath the sidewalk along the Jackson Street frontage of the property. The three USTs, designated as T1, T2 & T3, were all constructed of single wall bare steel and each had a capacity of approximately 265, 265, and 110 gallons, respectively. T1 and T2 were each 5 feet in length by 3 feet in diameter, and T3 was 3 feet in length by 2.5 feet in diameter. The fill port for T1 and T2 was located at the southeast end of the tank, and that for T3 was located on the northwest end of the tank. The age of each tank is unknown. The owner had no prior knowledge of the tanks nor was there any indication of previous site investigation activities. The approximate location of each tank as well as nearby streets is shown on the attached Figure 2.

3. PRELIMINARY TANK REMOVAL ACTIVITIES

In March 2016, Golden Gate Tank Removal, Inc. (GGTR) applied for and obtained permits for the tank removal activities from the Alameda County Department of Environmental Health (ACDEH), the City of Oakland Fire Department (COFD) and City of Oakland Planning and Building Department (COPBD). A copy of each agency's permit is included as an attachment.

On April 5, 2016 GGTR mobilized its equipment and began work on the project. The concrete sidewalk covering the tank was removed and disposed of at a local recycler. The overburden soil covering each UST was removed and stockpiled on visqueen sheeting in the direct vicinity of each respective excavation. Field measurements indicated that the bottom of T1 and T2 was 7 feet below grade (fbg) surface with horizontal orientation, and the bottom of T3 was 6.5 fbg with vertical orientation.

The 1- to 2.5-inch-diameter, subsurface product, remote fill and vent piping extending between the top of each tank and the southeast foundation wall of the subject property building structure were cut at each end, drained of any residual product, then exposed for removal from the trench excavation areas. Any exposed UST vent and product/ remote fill pipes were removed; any inaccessible pipe remaining in place beneath the building structure was plugged with concrete and/or capped at the exposed end.

As part of the removal operations, GGTR on April 14 and 15, 2016, pumped the residual product from each UST and piping into 55-gallon storage drums and portable storage totes. GGTR contracted Patriot Environmental Services to pump the residual product from the drums/totes into vacuum tanker truck. As observed by OFD Inspector Sheryl Skillern, GGTR initially tested the lower explosive limit (LEL) and oxygen (O₂) levels within the tank using a QRae⁺ Multi-Gas meter. The LEL and O₂ levels were 0%-4% and 20.9%, respectively for T1 and T2, and 0% and 20.9% for T3.

GGTR subsequently inerted the interior of each tank by placing 40 pounds of dry ice pellets in T1 and T2, and 20 pounds of dry ice pellets in T3. Approximately 1/2 hour later, GGTR again tested the LEL and O₂ levels within each tank using a QRae⁺ Multi-Gas meter; T1 contained 5% LEL and 1.3% O₂, T2 contained 5% LEL and 0.7% O₂, and T3 contained 0% LEL and 0.6% O₂.

Following approval from OFD inspector Sheryl Skillern and Barbara Jakub of ACDEH, GGTR removed each UST from its respective excavation, and temporarily placed them on plastic sheeting. After visual inspection, the three USTs were loaded onto a flatbed truck and transported by ECI as *Non-RCRA Hazardous Waste Solid* under Uniform Hazardous Waste Manifest No. 013897175JKK to Ecology Control Industries in Richmond, CA. A copy of the manifest and Hazardous Waste Tank Closure Certification Form is attached. Figure 3 depicts photographs of the tank removal activities. Vent piping was removed and transported offsite for disposal following UST removal activities on April 15, 2016.

4. UST REMOVAL AND CONFIRMATION SAMPLING & ANALYSIS

On April 15, 2016, under the direction of Barbara Jakub of the ACDEH and a Langan Treadwell Rollo (LTR) staff representative, GGTR collected one discrete excavation soil sample approximately 2 feet beneath each former tank and one discrete soil sample from each respective stockpile of overburden soil. The discrete samples were collected by hand augering approximately 2 feet into each excavation bottom, and transferring the soil from the auger head directly into a laboratory-supplied brass tube. To facilitate sample collection, GGTR initially removed visually impacted soil beneath each tank to the designated sample depth and transferred the impacted soil to 55-gallon storage drums. Soil samples 9669-T1-C-9 and 9669-T2-C-9 were collected at the bottom center of T1 and T2 excavations, at approximately 9 fbg, and 9669-T3-C-8 was collected at the bottom center of T3 excavation, at approximately 8 fbg. The discrete stockpile samples were labeled 9669-SP1-DISCRETE, 9669-SP2-DISCRETE and 9669-SP3-DISCRETE. GGTR collected one additional 4-point composite sample from the drummed soil (6 drums @ 1.5 cubic yards) and labeled this sample 9669-DRUM-COMP. All samples were transported to Accutest Laboratories (Accutest; State ELAP Certification #08258) under formal chain-of-custody protocol for the required analyses. Figure 2 depicts the approximate UST removal soil sample locations.

On April 22, 2016, GGTR returned to the Site and collected discrete confirmation soil samples beneath the product/return pipe extending approximately 12 feet between the southeast sidewalls of the UST excavations and the northwest foundation wall of the subject property building structure. GGTR measured a total of approximately 50 feet of 1-to 2.5-inch-diameter, steel, product/return pipe existing at the Site, located 2 fbg surfaces.

Under direction of Barbara Jakub of the ACDEH, GGTR collected one discrete soil sample approximately 1.5 to 2 feet beneath each set of product/return pipe, at the center portion and/or piping joint. Sample ID 9669-P1-4 was collected 2 feet beneath the center of the two existing pipes extending from T1 to the building structure at 4 fbg. Sample IDs 9669-P2-3.3 and 9669-P3-4 were collected at 3.3 and 4 fbg, respectively, beneath the product/return piping runs extending from former USTs T2 and T3. The samples were transported to Accutest under formal chain-of-custody protocol for the required analyses. Figure 2 shows the approximate discrete soil sample locations.

All samples were analyzed for Total Petroleum Hydrocarbons (TPH) as Diesel and Motor Oil by EPA Method SW846 8015B M, and TPH as Gasoline and Volatile Organic Compounds (VOCs; Full List) by EPA Method SW846 8260B. The discrete samples collected from each excavation bottom and beneath the associated product/return piping were additionally analyzed for Polycyclic Aromatic Hydrocarbons (PAHs) by EPA Method 8270 SIM, and Cadmium, Chromium, Lead, Nickel, and Zinc (Luft 5 Metals) by EPA Method 6010B. The composite

sample collected from the drummed soil was additionally analyzed for Luft 5 Metals and subsequently for chromium using STLC and TCLP extraction methods. A summary of the analytical results is included in the Tables provided by Accutest Northern California, Inc. A copy of the associated laboratory certificates of analysis (**Accutest Job Nos. C45413, C45413W, C45413T, C45495**) and chain of custody forms is included as an attachment.

5. TANK AND SOIL CONDITION

The USTs were each found to be in poor condition; the welding along the northwest bottom and end cap section of T1 was absent, and visible holes were located along the top portion of the northwest end of T2, as well as along the sidewalls of T3. Obvious soil discoloration and hydrocarbon odors (gasoline) were observed in the soil beneath each UST and in the overburden soil stockpile (SP2) generated during excavation of T2. Soil observed during the UST removal and product/return pipe confirmation sampling, was predominantly a damp to wet, moderate to dark yellowish brown, clayey sand (fine-grained); visually impacted soil observed beneath each UST was olive gray to dark greenish gray in color. The discrete soil samples collected beneath each UST were field screened using a calibrated MiniRae Lite photo ionization detector and contained total volatile organics ranging between 482 (T2) and 978 (T3) parts per million. A small volume of perched drainage water was observed within the bottom of each UST excavation following removal activities. Perched drainage water was also observed in the excavation areas underlying the product/return pipe. Groundwater was not observed in the excavation during the UST removal and over-excavation activities. The depth to groundwater measured in existing monitoring wells located at the 76-branded Service Station (800 Harrison Street @ 8th Street) approximately 0.23 mile southwest of the site, ranged between 18 and 20 fbg (February 2016 Data). An Underground Storage Tank Unauthorized Release (Leak) / Contamination Site Report was required by the ACDEH due to holes observed in each tank and visual contamination beneath the USTs. A copy of the Leak report is included as an attachment.

6. SAMPLE DATA REVIEW

The discrete soil samples collected beneath UST Nos. T1 (9669-T1-C-9) and T2 (9669-T2-C-9) at 9 fbg contained elevated concentrations of TPH as gasoline at 394 and 491 milligrams per kilogram (mg/kg), respectively. Other analysis showed no detectable or insignificant concentrations of TPH as Diesel/Motor Oil/Mineral Spirits/Kerosene, VOCs, and PAHs below their applicable February 2016 San Francisco Bay Regional Water Quality Control Board (RWQCB) Environmental Screening Level (ESL) for Human Health Direct Exposure to shallow soil (Residential Land Usage). The Luft 5 Metals measured in these samples were also below applicable ESLs and appear to be background levels in soil for this area in Oakland.

The discrete sample collected beneath T3 at 8 fbg (9669-T3-C-8) contained 2,480 mg/kg TPH as Gasoline, 580 mg/kg TPH as Kerosene, and 4.59 mg/kg Naphthalene (1.96 mg/kg by EPA Method 8270 SIM), exceeding their applicable residential ESLs for direct exposure to shallow soil. The sample also contained other non detectable or insignificant concentrations of VOCs and PAHs.

The discrete samples collected from UST overburden soil stockpile Nos. SP1 & SP3 contained non detectable concentrations of TPH as gasoline/mineral spirits/kerosene, BTEX, MTBE and Naphthalene, and TPH as diesel/motor oil <19 mg/kg, well below the Tier 1 Concentration

Limits for Gas/Diesel (Table 1) presented in the RWQCB's *Characterization and Reuse of Petroleum Hydrocarbon Impacted Soil as Inert Waste*, suggesting that the associated stockpile material is suitable for onsite reuse as backfill material. The discrete sample collected from UST overburden soil stockpile No# SP2 contained an elevated concentration of TPH gasoline at 3,290 mg/kg, and TPH as kerosene at 217 mg/kg (noted as possible Jet-A grade fuel related) above the Tier 1 Not-to-Exceed Concentration Limits and is considered not suitable for onsite reuse as backfill material per RWQCB reuse guidance.

Due to the results presented above, and as presented in email correspondence to the ACDEH dated April 21, 2016, GGTR proposed to over-excavate and remove all impacted soil underlying the former UST No. 3 to approximately 9-10 fbg or to the extent practicable without compromising the integrity of the excavation sidewalls, adjacent street, and any utilities in the direct vicinity of the excavation. GGTR also proposed to collect additional discrete confirmation soil samples at the bottom depth of the excavation, and if warranted, at excavation sidewalls. *While Onsite during the product/return pipe sampling and removal activities on April 22, 2016, the ACDEH concurred with GGTR's proposed work scope above, and recommended that contaminated soil also be removed surrounding former UST Nos. 1 and 2, to expedite site closure when case is transferred to Local Oversight Program for further groundwater impact assessment.*

The discrete confirmation samples collected beneath the product/return piping contained non detectable concentrations of TPH as Gasoline, Diesel/Motor Oil/Mineral Spirits/Kerosene, and non detectable or insignificant concentrations of VOCs (Methylene Chloride) and PAHs [Benzo(a)anthracene and Benzo(a)pyrene] below their applicable February 2016 San Francisco Bay RWQCB ESL for Human Health Direct Exposure to shallow soil (Residential Land Usage). The Luft 5 Metal concentrations measured in these samples were also below applicable ESLs.

7. OVER-EXCAVATION

On May 4, 2016, GGTR returned to the Site to perform the over-excavation & confirmation sampling activities, as recommended by Inspector Barbara Jakub of the ACDEH. GGTR over-excavated and removed the impacted soil underlying each of the former USTs to approximately 12 to 12.5 fbg, and transferred the impacted soil directly into 20-yard dump trucks, temporarily parked in the southeast parking lane of Jackson Street adjacent to the UST excavations. Visually impacted soil along excavation sidewalls was scraped to the extent feasible and transferred to the dump trucks. GGTR also transferred the impacted soil within each 55-gallon drum to a dump truck. GGTR removed a total of 38.2 tons of impacted soil from the excavation areas. Also, Mr. Miles Hobbs of Branagh Inc., requested that soil previously excavated and removed from the site during trenching and subsurface utility pipe renovation in the vicinity of the former USTs be disposed offsite. On May 5, 2016, approximately 40 tons of additional impacted soil was removed from the site.

8. ADDITIONAL CONFIRMATION SOIL SAMPLING & ANALYSIS

On May 4, 2016, under the direction of ACDEH Inspector Jakub, GGTR collected a discrete confirmation soil sample from the bottom center of each excavation between 12 and 12.5 fbg, and from excavation sidewalls at depths ranging from 6.5 to 9 fbg. GGTR collected each sample utilizing a brass tube-lined remote core sampler hammered approximately 3- to 6-inches into

relatively undisturbed soil. The discrete samples collected from the excavation bottom beneath former UST Nos. T1 thru T3 were labeled 9669-T1-C-12', 9669-T2-C-12.5', and 9669-T3-C-12', respectively. The discrete samples collected at 8 fbg from the north, east and west excavation sidewalls at former UST T1 were labeled 9669-T1-NW-8', 9669-T1-EW-8', 9669-T1-WW-8', the discrete samples collected between 6 and 8 fbg from the south, east and west excavation sidewalls at former T2 were labeled 9669-T2-SW-8', 9669-T2-EW-6', 9669-T2-WW-8', and the samples collected between 6.5 and 9 fbg from the north, south, east and west excavation sidewalls at former UST T3 were labeled 9669-T3-NW-8', 9669-T3-SW-6.5', 9669-T3-EW-9', and 9669-T3-WW-8'. The samples were transported to Accutest under formal chain-of-custody protocol for the required analyses. Figure 2 shows the approximate locations of the additional confirmation soil samples.

All samples were analyzed for TPH as Diesel/Motor Oil/Kerosene/Mineral Spirits by EPA Method SW846 8015B M, TPH as Gasoline and VOCs (Full List) by EPA Method SW846 8260B, PAHs by EPA Method 8270 SIM, and Luft 5 Metals by EPA Method 6010B. A summary of the analytical results is included in the Table provided by Accutest Northern California, Inc. Copies of the associated laboratory certificates of analysis (**Accutest Job No. C45685**) and chain of custody form is included as an attachment.

9. WASTE MANAGEMENT & SOIL DISPOSAL


As above, following pumping of the residual product from each UST into temporary 55-gallon storage drums and portable totes, Patriot Environmental Services, on April 15, 2016, pumped the product into a tanker truck and transported approximately 750 gallons of Non-RCRA Hazardous Waste Liquid under Uniform Waste Manifest No. 014477075 to the Crosby & Overton facility in Long Beach, California. A copy of the associated liquid waste manifest is attached.

Prior to UST removal and over-excavation, GGTR profiled the impacted soil to be generated during over-excavation activities for disposal acceptance at the Keller Canyon Landfill Facility located in Pittsburg, California. On May 4 and 5, 2016, GGTR contacted Poli Trucking to transport and dispose of approximately 78.2 tons of impacted soil under Non-Hazardous Waste Acceptance Profile No. 4212167120 to the Keller Canyon Landfill facility in Pittsburg, California. A copy of each solid waste manifest and associated weight tag is included as an attachment.


10. SITE RESTORATION

Following confirmation sampling (see below), GGTR, between May 6 and 10, 2016, placed import 3/4-inch Class 2 baserock in each excavation to approximately 0.5 fbg. The backfill material was placed in 12" lifts, compacted using a compaction wheel, and tested to 95% relative compaction per COPBD site conditions. GGTR subsequently replaced the sidewalk in conformance with COPBD requirements.

FIGURES



JOB SITE



GOLDEN GATE TANK REMOVAL, INC.

1480 Carroll Avenue
San Francisco, CA 94124
Ph (415) 512-1555 Fx (415) 512-0964

VICINITY MAP

1110 Jackson Street
Oakland, CA 94607

GGTR Project No.9669

Drawing By: EJ

March 2016


Figure 1

Jackson Street

12th Street



Madison St



UST Removal & Over-Excavation Confirmation Soil Sampling

Sample Designation #	GGTR Sample ID
1	9669-T1-C-9
2	9669-T2-C-9
3	9669-T3-C-8
4	9669-SP1-DISCRETE
5	9669-SP2-DISCRETE
6	9669-SP3-DISCRETE
7	9669-DRUM-COMP
8	9669-P1-4
9	9669-P2-3.3
10	9669-P3-4
11	9669-T1-C-12
12	9669-T1-NW-8
13	9669-T1-EW-8
14	9669-T1-WW-8
15	9669-T2-C-12.5
16	9669-T2-SW-8
17	9669-T2-EW-8
18	9669-T2-WW-8
19	9669-T3-C-12
20	9669-T3-NW-8
21	9669-T3-SW-6.5
22	9669-T3-EW-9
23	9669-T3-WW-8

11th Street

Not To Scale

GOLDEN GATE TANK REMOVAL, INC.

1480 Carroll Avenue
San Francisco, California 94124
Phone (415) 512-1555 Fax (415) 512-0964

GGTR Proj. No. 9669



Figure By: EJ

Site Drawing

1110 Jackson Street
Oakland, California 94607

March 2016

Figure 2



TANK REMOVAL ACTIVITIES

GOLDEN GATE TANK REMOVAL, INC.

1480 Carroll Avenue
San Francisco, CA 94124
Ph (415) 512-1555 Fx (415) 512-0964

UST REMOVAL

1110 Jackson Street
Oakland, CA 94607

GGTR Project No. 9669

Drawing By: GW

June 2016

Figure 3



TANK REMOVAL ACTIVITIES



GOLDEN GATE TANK REMOVAL, INC.

1480 Carroll Avenue
San Francisco, CA 94124
Ph (415) 512-1555 Fx (415) 512-0964

UST REMOVAL

1110 Jackson Street
Oakland, CA 94607

GGTR Project No. 9669

Drawing By: GW

June 2016

Figure 3.1



TANK REMOVAL ACTIVITIES

GOLDEN GATE TANK REMOVAL, INC.
1480 Carroll Avenue
San Francisco, CA 94124
Ph (415) 512-1555 Fx (415) 512-0964

UST REMOVAL
1110 Jackson Street
Oakland, CA 94607

GGTR Project No. 9669

Drawing By: GW

June 2016

Figure 3.2

TABLES



Accutest Northern California, Inc.				
Job Number:	C45324			
Account:	Golden Gate Tank Removal			
Project:	1110 Jackson Street - Oakland, CA			
Project Number:	9669			
Legend:				Hit
Client Sample ID:		9669-T1-TC	9669-T2-TC	9669-T3-TC
Lab Sample ID:		C45324-1	C45324-2	C45324-3
Date Sampled:		4/8/2016	4/8/2016	4/8/2016
Matrix:		Water	Water	Water
GC/MS Volatiles (SW846 8260B)				
Acetone	ug/l	ND (2000)	ND (400)	ND (4.0)
Benzene	ug/l	2280	354	ND (0.20)
Bromobenzene	ug/l	ND (100)	ND (20)	ND (0.20)
Bromochloromethane	ug/l	ND (100)	ND (20)	ND (0.20)
Bromodichloromethane	ug/l	ND (100)	ND (20)	ND (0.20)
Bromoform	ug/l	ND (110)	ND (22)	ND (0.22)
n-Butylbenzene	ug/l	ND (100)	ND (20)	ND (0.20)
sec-Butylbenzene	ug/l	ND (100)	41.0 J	ND (0.20)
tert-Butylbenzene	ug/l	ND (140)	ND (28)	ND (0.28)
Chlorobenzene	ug/l	ND (100)	ND (20)	ND (0.20)
Chloroethane	ug/l	ND (100)	ND (20)	ND (0.20)
Chloroform	ug/l	ND (100)	ND (20)	ND (0.20)
o-Chlorotoluene	ug/l	ND (100)	ND (20)	ND (0.20)
p-Chlorotoluene	ug/l	ND (130)	ND (26)	ND (0.26)
Carbon tetrachloride	ug/l	ND (100)	ND (20)	ND (0.20)
1,1-Dichloroethane	ug/l	ND (100)	ND (20)	ND (0.20)
1,1-Dichloroethylene	ug/l	ND (100)	ND (20)	ND (0.20)
1,1-Dichloropropene	ug/l	ND (100)	ND (20)	ND (0.20)
1,2-Dibromo-3-chloropropane	ug/l	ND (200)	ND (40)	ND (0.40)
1,2-Dibromoethane	ug/l	ND (100)	ND (20)	ND (0.20)
1,2-Dichloroethane	ug/l	ND (100)	ND (20)	ND (0.20)
1,2-Dichloropropane	ug/l	ND (100)	ND (20)	ND (0.20)
1,3-Dichloropropane	ug/l	ND (100)	ND (20)	ND (0.20)
Di-Isopropyl ether	ug/l	ND (110)	ND (22)	ND (0.22)
2,2-Dichloropropane	ug/l	ND (100)	ND (20)	ND (0.20)
Dibromochloromethane	ug/l	ND (100)	ND (20)	ND (0.20)
Dichlorodifluoromethane	ug/l	ND (100)	ND (20)	ND (0.20)
cis-1,2-Dichloroethylene	ug/l	ND (100)	ND (20)	ND (0.20)
cis-1,3-Dichloropropene	ug/l	ND (100)	ND (20)	ND (0.20)
m-Dichlorobenzene	ug/l	ND (100)	ND (20)	ND (0.20)
o-Dichlorobenzene	ug/l	ND (100)	ND (20)	ND (0.20)
p-Dichlorobenzene	ug/l	ND (100)	ND (20)	ND (0.20)

1480 Carroll Avenue - San Francisco, CA 94124 - Tel.: 415.512.1555 Fax: 415.512.0964

General Engineering Contractors License No. 616521



trans-1,2-Dichloroethylene	ug/l	ND (100)	ND (20)	ND (0.20)
trans-1,3-Dichloropropene	ug/l	ND (150)	ND (30)	ND (0.30)
Ethylbenzene	ug/l	486 J	212	ND (0.20)
Ethyl Tert Butyl Ether	ug/l	ND (110)	ND (22)	ND (0.22)
2-Hexanone	ug/l	ND (1000)	ND (200)	ND (2.0)
Hexachlorobutadiene	ug/l	ND (100)	ND (20)	ND (0.20)
Isopropylbenzene	ug/l	ND (100)	73.3 J	ND (0.20)
p-Isopropyltoluene	ug/l	ND (100)	64.8 J	ND (0.20)
4-Methyl-2-pentanone	ug/l	ND (500)	ND (100)	ND (1.0)
Methyl bromide	ug/l	ND (100)	ND (20)	ND (0.20)
Methyl chloride	ug/l	ND (150)	ND (30)	ND (0.30)
Methylene bromide	ug/l	ND (100)	ND (20)	ND (0.20)
Methylene chloride	ug/l	ND (1000)	ND (200)	ND (2.0)
Methyl ethyl ketone	ug/l	ND (1000)	ND (200)	ND (2.0)
Methyl Tert Butyl Ether	ug/l	ND (100)	ND (20)	ND (0.20)
Naphthalene	ug/l	349 J	454 J	ND (0.50)
n-Propylbenzene	ug/l	ND (100)	105 J	ND (0.20)
Styrene	ug/l	ND (100)	ND (20)	ND (0.20)
Tert-Amyl Methyl Ether	ug/l	ND (200)	ND (40)	ND (0.40)
Tert-Butyl Alcohol	ug/l	ND (1200)	ND (240)	ND (2.4)
1,1,1,2-Tetrachloroethane	ug/l	ND (150)	ND (30)	ND (0.30)
1,1,1-Trichloroethane	ug/l	ND (100)	ND (20)	ND (0.20)
1,1,2,2-Tetrachloroethane	ug/l	ND (100)	ND (20)	ND (0.20)
1,1,2-Trichloroethane	ug/l	ND (110)	ND (22)	ND (0.22)
1,2,3-Trichlorobenzene	ug/l	ND (100)	ND (20)	ND (0.20)
1,2,3-Trichloropropane	ug/l	ND (100)	ND (20)	ND (0.20)
1,2,4-Trichlorobenzene	ug/l	ND (100)	ND (20)	ND (0.20)
1,2,4-Trimethylbenzene	ug/l	367 J	948	ND (0.20)
1,3,5-Trimethylbenzene	ug/l	ND (100)	281	ND (0.20)
Tetrachloroethylene	ug/l	ND (150)	43.9 J	ND (0.30)
Toluene	ug/l	7250	876	ND (0.20)
Trichloroethylene	ug/l	ND (100)	ND (20)	ND (0.20)
Trichlorofluoromethane	ug/l	ND (100)	ND (20)	ND (0.20)
Vinyl chloride	ug/l	ND (100)	ND (20)	ND (0.20)
Xylene (total)	ug/l	3570	4410	ND (0.46)
TPH-GRO (C6-C10)	ug/l	39100	42700	ND (25)

GC Semi-volatiles (SW846 8015B M)

TPH (Diesel)	mg/l	8.25 J	ND (4.7)	0.0878 J
TPH (Motor Oil)	mg/l	ND (9.4)	ND (9.4)	0.109 J
TPH (Mineral Spirits)	mg/l	120 ^a	91.3 ^a	ND (0.047)
TPH (Kerosene)	mg/l	ND (4.7)	ND (4.7)	ND (0.047)

GC Semi-volatiles (SW846 8082)

Aroclor 1016	ug/l	ND (0.0055)	ND (0.11)	ND (0.0056)
--------------	------	-------------	-----------	-------------



Aroclor 1221	ug/l	ND (0.020)	ND (0.40)	ND (0.020)
Aroclor 1232	ug/l	ND (0.0053)	ND (0.11)	ND (0.0054)
Aroclor 1242	ug/l	ND (0.010)	ND (0.21)	ND (0.011)
Aroclor 1248	ug/l	ND (0.013)	ND (0.26)	ND (0.013)
Aroclor 1254	ug/l	ND (0.0042)	ND (0.085)	ND (0.0043)
Aroclor 1260	ug/l	ND (0.0041)	ND (0.081)	ND (0.0041)

Footnotes:

^a Pattern appears to be Stoddard Solvent related but does not match with calibration standard, quantitated as best match.


Accutest Northern California, Inc.

Job Number:	C45413		
Account:	Golden Gate Tank Removal		
Project:	1110 Jackson Street - Oakland, CA		
Project Number:	9669		

Legend: Hit

Client Sample ID:		9669-T1-C-9	9669-T2-C-9	9669-T3-C-8	9669-SP1-DISCRETE	9669-SP2-DISCRETE	9669-SP3-DISCRETE	9669-DRUM-COMP
Lab Sample ID:		C45413-1	C45413-2	C45413-3	C45413-4	C45413-5	C45413-6	C45413-11
Date Sampled:		04/15/2016	04/15/2016	04/15/2016	04/15/2016	04/15/2016	04/15/2016	04/15/2016
Matrix:		Soil	Soil	Soil	Soil	Soil	Soil	Soil

GC/MS Volatiles (SW846 8260B)

Acetone	ug/kg	ND (9200)	ND (18000)	ND (45000)	ND (490)	ND (45000)	ND (480)	ND (8200)
Benzene	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
Bromobenzene	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
Bromochloromethane	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
Bromodichloromethane	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)



Bromoform	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
n-Butylbenzene	ug/kg	479 J	ND (920)	4030 J	ND (24)	3360 J	ND (24)	538 J
sec-Butylbenzene	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	2270 J	ND (24)	ND (410)
tert-Butylbenzene	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
Chlorobenzene	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
Chloroethane	ug/kg	ND (920)	ND (1800)	ND (4500)	ND (49)	ND (4500)	ND (48)	ND (820)
Chloroform	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
o-Chlorotoluene	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
p-Chlorotoluene	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
Carbon tetrachloride	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
1,1-Dichloroethane	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
1,1-Dichloroethylene	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
1,1-Dichloropropene	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
1,2-Dibromo-3-chloropropane	ug/kg	ND (1300)	ND (2600)	ND (6300)	ND (68)	ND (6300)	ND (68)	ND (1100)
1,2-Dibromoethane	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
1,2-Dichloroethane	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
1,2-Dichloropropane	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
1,3-Dichloropropane	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
Di-Isopropyl ether	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
2,2-Dichloropropane	ug/kg	ND (460) ^a	ND (920) ^a	ND (2200) ^a	ND (24) ^a	ND (2200) ^a	ND (24) ^a	ND (410) ^a



Dibromochloromethane	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
Dichlorodifluoromethane	ug/kg	ND (920)	ND (1800)	ND (4500)	ND (49)	ND (4500)	ND (48)	ND (820)
cis-1,2-Dichloroethylene	ug/kg	ND (1000)	ND (2000)	ND (4900)	ND (54)	ND (4900)	ND (53)	ND (900)
cis-1,3-Dichloropropene	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
m-Dichlorobenzene	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
o-Dichlorobenzene	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
p-Dichlorobenzene	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
trans-1,2-Dichloroethylene	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
trans-1,3-Dichloropropene	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
Ethylbenzene	ug/kg	ND (460)	ND (920)	2500 J	ND (24)	ND (2200)	ND (24)	677 J
Ethyl tert-Butyl Ether	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
2-Hexanone	ug/kg	ND (1800)	ND (3700)	ND (9000)	ND (97)	ND (8900)	ND (97)	ND (1600)
Hexachlorobutadiene	ug/kg	ND (920)	ND (1800)	ND (4500)	ND (49)	ND (4500)	ND (48)	ND (820)
Isopropylbenzene	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
p-Isopropyltoluene	ug/kg	ND (460)	ND (920)	2870 J	ND (24)	ND (2200)	ND (24)	422 J
4-Methyl-2-pentanone	ug/kg	ND (1800)	ND (3700)	ND (9000)	ND (97)	ND (8900)	ND (97)	ND (1600)
Methyl bromide	ug/kg	ND (920)	ND (1800)	ND (4500)	ND (49)	ND (4500)	ND (48)	ND (820)
Methyl chloride	ug/kg	ND (920)	ND (1800)	ND (4500)	ND (49)	ND (4500)	ND (48)	ND (820)
Methylene bromide	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
Methylene chloride	ug/kg	ND (4600)	ND (9200)	ND (22000)	ND (240)	ND (22000)	ND (240)	ND (4100)



Methyl ethyl ketone	ug/kg	ND (1800)	ND (3700)	ND (9000)	ND (97)	ND (8900)	ND (97)	ND (1600)
Methyl Tert Butyl Ether	ug/kg	ND (920)	ND (1800)	ND (4500)	ND (49)	ND (4500)	ND (48)	ND (820)
Naphthalene	ug/kg	ND (920)	ND (1800)	4590 J	ND (49)	ND (4500)	ND (48)	ND (820)
n-Propylbenzene	ug/kg	532 J	ND (920)	3540 J	ND (24)	2640 J	ND (24)	695 J
Styrene	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
Tert-Amyl Methyl Ether	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
Tert Butyl Alcohol	ug/kg	ND (9200)	ND (18000)	ND (45000) a	ND (490)	ND (45000)	ND (480)	ND (8200)
1,1,1,2-Tetrachloroethane	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
1,1,1-Trichloroethane	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
1,1,2,2-Tetrachloroethane	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
1,1,2-Trichloroethane	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
1,2,3-Trichlorobenzene	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
1,2,3-Trichloropropane	ug/kg	ND (920)	ND (1800)	ND (4500)	ND (49)	ND (4500)	ND (48)	ND (820)
1,2,4-Trichlorobenzene	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
1,2,4-Trimethylbenzene	ug/kg	ND (920)	ND (1800)	ND (4500)	ND (49)	ND (4500)	ND (48)	1590 J
1,3,5-Trimethylbenzene	ug/kg	ND (920)	ND (1800)	6170 J	ND (49)	ND (4500)	ND (48)	ND (820)
Tetrachloroethylene	ug/kg	ND (550)	ND (1100)	ND (2700)	ND (29)	ND (2700)	ND (29)	ND (490)
Toluene	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	1340 J
Trichloroethylene	ug/kg	ND (460)	ND (920)	ND (2200)	ND (24)	ND (2200)	ND (24)	ND (410)
Trichlorofluoromethane	ug/kg	ND (920)	ND (1800)	ND (4500)	ND (49)	ND (4500)	ND (48)	ND (820)



Vinyl chloride	ug/kg	ND (920)	ND (1800)	ND (4500)	ND (49)	ND (4500)	ND (48)	ND (820)
Xylene (total)	ug/kg	ND (920)	ND (1800)	9280 J	ND (49)	ND (4500)	ND (48)	3890 J
TPH-GRO (C6-C10)	ug/kg	394000	491000	2480000	ND (2400)	3290000	ND (2400)	497000

GC/MS Semi-volatiles (SW846 8270C BY SIM)

Acenaphthene	ug/kg	ND (8.9)	ND (9.0)	24.2 J	-	-	-	-
Acenaphthylene	ug/kg	ND (12)	ND (12)	ND (12)	-	-	-	-
Anthracene	ug/kg	ND (9.4)	ND (9.4)	ND (9.4)	-	-	-	-
Benzo(a)anthracene	ug/kg	ND (6.3)	ND (6.3)	ND (6.3)	-	-	-	-
Benzo(a)pyrene	ug/kg	ND (5.8)	ND (5.8)	ND (5.8)	-	-	-	-
Benzo(b)fluoranthene	ug/kg	ND (11)	ND (11)	ND (11)	-	-	-	-
Benzo(g,h,i)perylene	ug/kg	ND (13)	ND (13)	ND (13)	-	-	-	-
Benzo(k)fluoranthene	ug/kg	ND (11)	ND (11)	ND (11)	-	-	-	-
Chrysene	ug/kg	ND (11)	ND (11)	ND (11)	-	-	-	-
Dibenzo(a,h)anthracene	ug/kg	ND (14)	ND (14)	ND (14)	-	-	-	-
Fluoranthene	ug/kg	ND (11)	ND (11)	ND (11)	-	-	-	-
Fluorene	ug/kg	ND (9.9)	ND (9.9)	72.8	-	-	-	-
Indeno(1,2,3-cd)pyrene	ug/kg	ND (14)	ND (14)	ND (14)	-	-	-	-
1-Methylnaphthalene	ug/kg	220	132	2280	-	-	-	-



2-Methylnaphthalene	ug/kg	356	238	4130	-	-	-	-
Naphthalene	ug/kg	33.5 J	220	1960	-	-	-	-
Phenanthrene	ug/kg	ND (7.3)	ND (7.3)	34.6 J	-	-	-	-
Pyrene	ug/kg	ND (17)	ND (17)	ND (17)	-	-	-	-

GC Semi-volatiles (SW846 8015B M)

TPH (Diesel)	mg/kg	3.24 J	19.0	ND (33)	2.81 J	ND (17)	7.14	3.47
TPH (Motor Oil)	mg/kg	6.90	4.04 J	ND (66)	6.61	ND (33)	19.0	10.6
TPH (Mineral Spirits)	mg/kg	ND (1.7)	ND (1.7)	ND (33)	ND (1.7)	ND (17)	ND (1.7)	ND (1.7)
TPH (Kerosene)	mg/kg	25.2	ND (1.7)	580	ND (1.7)	217 ^b	ND (1.7)	62.3 ^b

Metals Analysis

Cadmium	mg/kg	<0.93	<0.83	<0.88	-	-	-	<0.99
Chromium	mg/kg	67.3	58.1	62.5	-	-	-	54.1
Lead	mg/kg	3.9	7.9	3.7	-	-	-	7.6
Nickel	mg/kg	40.1	35.4	40.0	-	-	-	31.8
Zinc	mg/kg	34.9	52.6	30.5	-	-	-	176



Footnotes:

^a CCV outside of control limits (biased high); not detected in sample.

^b Pattern appears to be Jet-A related but does not perfectly match with calibration standard, quantitated as best match.



Accutest Northern California, Inc.		
Job Number:	C45413W	
Account:	Golden Gate Tank Removal	
Project:	1110 Jackson Street - Oakland, CA	
Project Number:	9669	
Legend:	Hit	
Client Sample ID:	9669-DRUM-COMP	
Lab Sample ID:	C45413-11W	
Date Sampled:	04/15/2016	
Matrix:	Soil	
Metals Analysis		
Chromium	mg/l	0.34



Accutest Northern California, Inc.	
Job Number:	C45413T
Account:	Golden Gate Tank Removal
Project:	1110 Jackson Street - Oakland, CA
Project Number:	9669
Legend:	Hit
Client Sample ID:	9669-DRUM-COMP
Lab Sample ID:	C45413-11T
Date Sampled:	04/15/2016
Matrix:	Soil
Metals Analysis	
Chromium	mg/l <0.050



Accutest Northern California, Inc.				
Job Number:	C45495			
Account:	Golden Gate Tank Removal			
Project:	1110 Jackson Street - Oakland, CA			
Project Number:	9669			
			Legend:	Hit
Client Sample ID:		9669-P1-4	9669-P2-3.3	9669-P3-4
Lab Sample ID:		C45495-1	C45495-2	C45495-3
Date Sampled:		04/22/2016	04/22/2016	04/22/2016
Matrix:		Soil	Soil	Soil
GC/MS Volatiles (SW846 8260B)				
Acetone	ug/kg	ND (10)	ND (9.9)	ND (10)
Benzene	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
Bromobenzene	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
Bromochloromethane	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
Bromodichloromethane	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
Bromoform	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
n-Butylbenzene	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
sec-Butylbenzene	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
tert-Butylbenzene	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
Chlorobenzene	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
Chloroethane	ug/kg	ND (1.0)	ND (0.99)	ND (1.0)
Chloroform	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
o-Chlorotoluene	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
p-Chlorotoluene	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
Carbon tetrachloride	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
1,1-Dichloroethane	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
1,1-Dichloroethylene	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
1,1-Dichloropropene	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)



1,2-Dibromo-3-chloropropane	ug/kg	ND (1.4)	ND (1.4)	ND (1.4)
1,2-Dibromoethane	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
1,2-Dichloroethane	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
1,2-Dichloropropane	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
1,3-Dichloropropane	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
Di-Isopropyl ether	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
2,2-Dichloropropane	ug/kg	ND (0.50) ^a	ND (0.50) ^a	ND (0.50) ^a
Dibromochloromethane	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
Dichlorodifluoromethane	ug/kg	ND (1.0)	ND (0.99)	ND (1.0)
cis-1,2-Dichloroethylene	ug/kg	ND (1.1)	ND (1.1)	ND (1.1)
cis-1,3-Dichloropropene	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
m-Dichlorobenzene	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
o-Dichlorobenzene	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
p-Dichlorobenzene	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
trans-1,2-Dichloroethylene	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
trans-1,3-Dichloropropene	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
Ethylbenzene	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
Ethyl tert-Butyl Ether	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
2-Hexanone	ug/kg	ND (2.0)	ND (2.0)	ND (2.0)
Hexachlorobutadiene	ug/kg	ND (1.0)	ND (0.99)	ND (1.0)
Isopropylbenzene	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
p-Isopropyltoluene	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
4-Methyl-2-pentanone	ug/kg	ND (2.0)	ND (2.0)	ND (2.0)
Methyl bromide	ug/kg	ND (1.0)	ND (0.99)	ND (1.0)
Methyl chloride	ug/kg	ND (1.0)	ND (0.99)	ND (1.0)
Methylene bromide	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
Methylene chloride	ug/kg	5.2 J	6.5 J	6.0 J
Methyl ethyl ketone	ug/kg	ND (2.0)	ND (2.0)	ND (2.0)
Methyl Tert Butyl Ether	ug/kg	ND (1.0) ^a	ND (0.99) ^a	ND (1.0) ^a
Naphthalene	ug/kg	ND (1.0)	ND (0.99)	ND (1.0)
n-Propylbenzene	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)



Styrene	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
Tert-Amyl Methyl Ether	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
Tert Butyl Alcohol	ug/kg	ND (10) ^a	ND (9.9) ^a	ND (10) ^a
1,1,1,2-Tetrachloroethane	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
1,1,1-Trichloroethane	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
1,1,2,2-Tetrachloroethane	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
1,1,2-Trichloroethane	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
1,2,3-Trichlorobenzene	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
1,2,3-Trichloropropane	ug/kg	ND (1.0)	ND (0.99)	ND (1.0)
1,2,4-Trichlorobenzene	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
1,2,4-Trimethylbenzene	ug/kg	ND (1.0)	ND (0.99)	ND (1.0)
1,3,5-Trimethylbenzene	ug/kg	ND (1.0)	ND (0.99)	ND (1.0)
Tetrachloroethylene	ug/kg	ND (0.60)	ND (0.60)	ND (0.60)
Toluene	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
Trichloroethylene	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
Trichlorofluoromethane	ug/kg	ND (1.0)	ND (0.99)	ND (1.0)
Vinyl chloride	ug/kg	ND (1.0)	ND (0.99)	ND (1.0)
Xylene (total)	ug/kg	ND (1.0)	ND (0.99)	ND (1.0)
TPH-GRO (C6-C10)	ug/kg	ND (50)	ND (50)	ND (50)

GC/MS Semi-volatiles (SW846 8270C BY SIM)

Acenaphthene	ug/kg	ND (0.45)	ND (0.45)	ND (0.45)
Acenaphthylene	ug/kg	ND (0.58)	ND (0.58)	ND (0.58)
Anthracene	ug/kg	ND (0.47)	ND (0.47)	ND (0.47)
Benzo(a)anthracene	ug/kg	0.37 J	ND (0.31)	ND (0.32)
Benzo(a)pyrene	ug/kg	0.31 JB	ND (0.29)	0.38 JB
Benzo(b)fluoranthene	ug/kg	ND (0.57)	ND (0.57)	ND (0.57)
Benzo(g,h,i)perylene	ug/kg	ND (0.65)	ND (0.65)	ND (0.66)
Benzo(k)fluoranthene	ug/kg	ND (0.53)	ND (0.53)	ND (0.53)
Chrysene	ug/kg	ND (0.55)	ND (0.55)	ND (0.55)
Dibenzo(a,h)anthracene	ug/kg	ND (0.68)	ND (0.68)	ND (0.68)
Fluoranthene	ug/kg	ND (0.54)	ND (0.54)	ND (0.54)



Fluorene	ug/kg	ND (0.49)	ND (0.49)	ND (0.50)
Indeno(1,2,3-cd)pyrene	ug/kg	ND (0.69)	ND (0.69)	ND (0.69)
1-Methylnaphthalene	ug/kg	ND (0.56)	ND (0.56)	ND (0.56)
2-Methylnaphthalene	ug/kg	ND (0.40)	ND (0.40)	ND (0.40)
Naphthalene	ug/kg	ND (0.50)	ND (0.50)	ND (0.50)
Phenanthrene	ug/kg	ND (0.36)	ND (0.36)	ND (0.37)
Pyrene	ug/kg	ND (0.86)	ND (0.86)	ND (0.86)

GC Semi-volatiles (SW846 8015B M)

TPH (Diesel)	mg/kg	ND (1.7)	ND (1.7)	ND (1.7)
TPH (Motor Oil)	mg/kg	ND (3.3)	ND (3.3)	ND (3.3)
TPH (Mineral Spirits)	mg/kg	ND (1.7)	ND (1.7)	ND (1.7)
TPH (Kerosene)	mg/kg	ND (1.7)	ND (1.7)	ND (1.7)

Metals Analysis

Cadmium	mg/kg	<0.99	<1.0	<0.97
Chromium	mg/kg	41.4	36.4	37.0
Lead	mg/kg	2.4	2.4	4.2
Nickel	mg/kg	23.2	15.7	16.6
Zinc	mg/kg	20.4	20.6	25.8

Footnotes:

^a CCV outside of control limits (biased high); not detected in sample.



SGS Accutest Northern California

Job Number:	C45685										
Account:	Golden Gate Tank Removal										
Project:	1110 Jackson Street - Oakland, CA										
Project Number:	9669										
Client Sample ID:		9669-T1-EW-8'	9669-T1-C-12'	9669-T1-WW-8'	9669-T1-NW-8'	9669-T2-EW-6'	9669-T2-C-12.5	9669-T2-WW-8'	9669-T2-SW-8'	9669-T3-WW-8'	9669-T3-C-12'
Lab Sample ID:		C45685-1	C45685-2	C45685-3	C45685-4	C45685-5	C45685-6	C45685-7	C45685-8	C45685-9	C45685-10
Date Sampled:		5/4/2016	5/4/2016	5/4/2016	5/4/2016	5/4/2016	5/4/2016	5/4/2016	5/4/2016	5/4/2016	5/4/2016
Matrix:		Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil

GC/MS Volatiles (SW846 8260B)

Acetone	ug/kg	ND (6000)	ND (5400)	ND (5600)	ND (9400)	ND (4600)	ND (46000)	ND (4400)	ND (4600)	ND (490)	ND (480)
Benzene	ug/kg	ND (300)	ND (270)	643 J	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
Bromobenzene	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
Bromochloromethane	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
Bromodichloromethane	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
Bromoform	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
n-Butylbenzene	ug/kg	318 J	ND (270)	ND (280)	530 J	244 J	5640 J	ND (220)	ND (230)	ND (25)	ND (24)
sec-Butylbenzene	ug/kg	ND (300)	273 J	417 J	744 J	ND (230)	6250 J	ND (220)	ND (230)	ND (25)	63.9 J
tert-Butylbenzene	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
Chlorobenzene	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
Chloroethane	ug/kg	ND (600)	ND (540)	ND (560)	ND (940)	ND (460)	ND (4600)	ND (440)	ND (460)	ND (49)	ND (48)
Chloroform	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
o-Chlorotoluene	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)



p-Chlorotoluene	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
Carbon tetrachloride	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
1,1-Dichloroethane	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
1,1-Dichloroethylene	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
1,1-Dichloropropene	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
1,2-Dibromo-3-chloropropane	ug/kg	ND (840)	ND (760)	ND (790)	ND (1300)	ND (640)	ND (6400)	ND (620)	ND (650)	ND (69)	ND (67)
1,2-Dibromoethane	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
1,2-Dichloroethane	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
1,2-Dichloropropane	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
1,3-Dichloropropane	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
Di-Isopropyl ether	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
2,2-Dichloropropane	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
Dibromochloromethane	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
Dichlorodifluoromethane	ug/kg	ND (600)	ND (540)	ND (560)	ND (940)	ND (460)	ND (4600)	ND (440)	ND (460)	ND (49)	ND (48)
cis-1,2-Dichloroethylene	ug/kg	ND (660)	ND (590)	ND (620)	ND (1000)	ND (500)	ND (5000)	ND (490)	ND (510)	ND (54)	ND (53)
cis-1,3-Dichloropropene	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
m-Dichlorobenzene	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
o-Dichlorobenzene	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
p-Dichlorobenzene	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
trans-1,2-Dichloroethylene	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
trans-1,3-Dichloropropene	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
Ethylbenzene	ug/kg	624 J	293 J	392 J	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
Ethyl tert-Butyl Ether	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24) ^a
2-Hexanone	ug/kg	ND (1200)	ND (1100)	ND (1100)	ND (1900)	ND (920)	ND (9100)	ND (880)	ND (930)	ND (98)	ND (96)
Hexachlorobutadiene	ug/kg	ND (600)	ND (540)	ND (560)	ND (940)	ND (460)	ND (4600)	ND (440)	ND (460)	ND (49)	ND (48)
Isopropylbenzene	ug/kg	ND (300)	350 J	ND (280)	ND (470)	ND (230)	10700 J	ND (220)	ND (230)	ND (25)	ND (24)
p-Isopropyltoluene	ug/kg	ND (300)	ND (270)	555 J	ND (470)	ND (230)	2620 J	ND (220)	ND (230)	ND (25)	86.8 J



4-Methyl-2-pentanone	ug/kg	ND (1200)	ND (1100)	ND (1100)	ND (1900)	ND (920)	ND (9100)	ND (880)	ND (930)	ND (98)	ND (96)
Methyl bromide	ug/kg	ND (600)	ND (540)	ND (560)	ND (940)	ND (460)	ND (4600)	ND (440)	ND (460)	ND (49)	ND (48)
Methyl chloride	ug/kg	ND (600)	ND (540)	ND (560)	ND (940)	ND (460)	ND (4600)	ND (440)	ND (460)	ND (49)	ND (48)
Methylene bromide	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
Methylene chloride	ug/kg	ND (3000)	ND (2700)	ND (2800)	ND (4700)	ND (2300)	ND (23000)	ND (2200)	ND (2300)	ND (250)	ND (240)
Methyl ethyl ketone	ug/kg	ND (1200)	ND (1100)	ND (1100)	ND (1900)	ND (920)	ND (9100)	ND (880)	ND (930)	ND (98)	ND (96)
Methyl Tert Butyl Ether	ug/kg	ND (600)	ND (540)	ND (560)	ND (940)	ND (460)	ND (4600)	ND (440)	ND (460)	ND (49)	ND (48) ^a
Naphthalene	ug/kg	ND (600)	900 J	ND (560)	ND (940)	626 J	7770 J	ND (440)	ND (460)	ND (49)	74.3 J
n-Propylbenzene	ug/kg	362 J	559 J	ND (280)	659 J	ND (230)	13000 J	261 J	236 J	ND (25)	36.1 J
Styrene	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
Tert-Amyl Methyl Ether	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24) ^a
Tert Butyl Alcohol	ug/kg	ND (6000) ^a	ND (5400) ^a	ND (5600) ^a	ND (9400) ^a	ND (4600)	ND (46000) ^a	ND (4400) ^a	ND (4600) ^a	ND (490) ^a	ND (480) ^a
1,1,1,2-Tetrachloroethane	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
1,1,1-Trichloroethane	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
1,1,2,2-Tetrachloroethane	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
1,1,2-Trichloroethane	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
1,2,3-Trichlorobenzene	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
1,2,3-Trichloropropane	ug/kg	ND (600)	ND (540)	ND (560)	ND (940)	ND (460)	ND (4600)	ND (440)	ND (460)	ND (49)	ND (48)
1,2,4-Trichlorobenzene	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
1,2,4-Trimethylbenzene	ug/kg	758 J	735 J	ND (560)	ND (940)	ND (460)	5410 J	ND (440)	ND (460)	ND (49)	106 J
1,3,5-Trimethylbenzene	ug/kg	ND (600)	ND (540)	ND (560)	ND (940)	ND (460)	ND (4600)	ND (440)	ND (460)	ND (49)	157 J
Tetrachloroethylene	ug/kg	ND (360)	ND (320)	ND (340)	ND (570)	ND (280)	ND (2700)	ND (260)	ND (280)	ND (30)	ND (29)
Toluene	ug/kg	805 J	449 J	750 J	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
Trichloroethylene	ug/kg	ND (300)	ND (270)	ND (280)	ND (470)	ND (230)	ND (2300)	ND (220)	ND (230)	ND (25)	ND (24)
Trichlorofluoromethane	ug/kg	ND (600)	ND (540)	ND (560)	ND (940)	ND (460)	ND (4600)	ND (440)	ND (460)	ND (49)	ND (48)
Vinyl chloride	ug/kg	ND (600)	ND (540)	ND (560)	ND (940)	ND (460)	ND (4600)	ND (440)	ND (460)	ND (49)	ND (48)



Xylene (total)	ug/kg	3050 J	1330 J	1460 J	ND (940)	ND (460)	ND (4600)	ND (440)	ND (460)	ND (49)	62.0 J
TPH-GRO (C6-C10)	ug/kg	370000	315000	471000	661000	78800	6320000	178000	144000	ND (2500)	67800

GC/MS Semi-volatiles (SW846 8270C BY SIM)

Acenaphthene	ug/kg	ND (0.45)	0.97 J	2.7 J	5.6	ND (0.45)	6.2	ND (0.45)	ND (0.45)	ND (0.45)	3.7
Acenaphthylene	ug/kg	ND (0.58)									
Anthracene	ug/kg	ND (0.47)	ND (0.47)	0.77 J	0.96 J	ND (0.47)					
Benzo(a)anthracene	ug/kg	ND (0.31)	1.6 J	ND (0.32)	4.4	ND (0.31)	1.0 J	ND (0.32)	ND (0.32)	ND (0.32)	ND (0.32)
Benzo(a)pyrene	ug/kg	ND (0.29)	0.69 J	ND (0.29)							
Benzo(b)fluoranthene	ug/kg	ND (0.57)	0.58 J	ND (0.57)	ND (0.56)	ND (0.57)					
Benzo(g,h,i)perylene	ug/kg	ND (0.65)	ND (0.65)	ND (0.65)	0.80 J	ND (0.65)	ND (0.65)	ND (0.65)	ND (0.66)	ND (0.66)	ND (0.66)
Benzo(k)fluoranthene	ug/kg	ND (0.53)	0.57 J	ND (0.53)	ND (0.52)	ND (0.53)					
Chrysene	ug/kg	ND (0.55)	2.4 J	0.86 J	6.7	ND (0.55)	1.3 J	ND (0.55)	ND (0.55)	ND (0.55)	ND (0.55)
Dibenzo(a,h)anthracene	ug/kg	ND (0.68)									
Fluoranthene	ug/kg	ND (0.54)	0.87 J	0.91 J	3.6	ND (0.54)	1.1 J	ND (0.54)	ND (0.54)	ND (0.54)	ND (0.54)
Fluorene	ug/kg	0.63 J	3.0 J	6.4	12.9	ND (0.49)	19.1	ND (0.49)	0.61 J	ND (0.50)	12.1
Indeno(1,2,3-cd)pyrene	ug/kg	ND (0.69)									
1-Methylnaphthalene	ug/kg	25.9	342	125	154	15.5	1860	35.7	52.4	ND (0.56)	124
2-Methylnaphthalene	ug/kg	13.3	701	38.9	154	28.5	3560	64.2	95.6	0.50 J	242
Naphthalene	ug/kg	25.7	426	121	68	14.2	2580	33.3	53.8	ND (0.50)	91.3
Phenanthrene	ug/kg	0.56 J	3.7	3.4	19.3	ND (0.36)	7	0.47 J	0.41 J	ND (0.37)	6.5
Pyrene	ug/kg	ND (0.85)	2.1 J	1.3 J	6.9	ND (0.85)	1.6 J	ND (0.86)	ND (0.86)	ND (0.86)	ND (0.86)

GC Semi-volatiles (SW846 8015B M)

TPH (Diesel)	mg/kg	ND (1.7)	ND (1.7)	ND (6.6)	ND (6.6)	ND (1.7)	ND (17)	ND (1.7)	ND (1.7)	ND (1.7)	ND (1.6)
TPH (Motor Oil)	mg/kg	8.98	41.8	26	135	ND (3.3)	34.4 J	ND (3.3)	4.19 J	ND (3.3)	ND (3.3)
TPH (Mineral Spirits)	mg/kg	ND (1.7)	ND (1.7)	ND (6.6)	ND (6.6)	ND (1.7)	ND (17)	ND (1.7)	ND (1.7)	ND (1.7)	ND (1.6)



TPH (Kerosene)	mg/kg	18.6 ^b	62.0 ^b	103 ^b	56.9 ^b	8.20 ^b	262 ^b	4.73 ^c	16.2 ^b	ND (1.7)	31.8 ^d
Metals Analysis											
Cadmium	mg/kg	<0.91	<0.83	<0.88	<0.93	<0.93	<0.87	<0.88	<0.94	<0.90	<0.82
Chromium	mg/kg	47.9	69.4	45.7	49.3	69.3	61.6	46.4	63	56.7	58.7
Lead	mg/kg	3.7	3.9	3.3	3.4	4	2.4	3.2	3.8	3.5	2.9
Nickel	mg/kg	32.5	43.7	32.5	32.1	42.5	47.2	32.2	33.9	32.8	40.4
Zinc	mg/kg	31.1	34.9	27.2	26.5	26.9	22.5	26	25.3	27.7	21.3
Client Sample ID:		9669-T3-SW-6.5	9669-T3-NW-8'	9669-T3-EW-9'							
Lab Sample ID:		C45685-11	C45685-12	C45685-13							
Date Sampled:		5/4/2016	5/4/2016	5/4/2016							
Matrix:		Soil	Soil	Soil							
GC/MS Volatiles (SW846 8260B)											
Acetone	ug/kg	ND (45000)	ND (430)	ND (450)							
Benzene	ug/kg	ND (2300)	ND (21)	ND (23)							
Bromobenzene	ug/kg	ND (2300)	ND (21)	ND (23)							
Bromochloromethane	ug/kg	ND (2300)	ND (21)	ND (23)							
Bromodichloromethane	ug/kg	ND (2300)	ND (21)	ND (23)							
Bromoform	ug/kg	ND (2300)	ND (21)	ND (23)							
n-Butylbenzene	ug/kg	ND (2300)	24.3 J	ND (23)							
sec-Butylbenzene	ug/kg	10100 J	ND (21)	ND (23)							
tert-Butylbenzene	ug/kg	ND (2300)	ND (21)	ND (23)							
Chlorobenzene	ug/kg	ND (2300)	ND (21)	ND (23)							



Chloroethane	ug/kg	ND (4500)	ND (43)	ND (45)							
Chloroform	ug/kg	ND (2300)	ND (21)	ND (23)							
<i>o</i> -Chlorotoluene	ug/kg	ND (2300)	ND (21)	ND (23)							
<i>p</i> -Chlorotoluene	ug/kg	ND (2300)	ND (21)	ND (23)							
Carbon tetrachloride	ug/kg	ND (2300)	ND (21)	ND (23)							
1,1-Dichloroethane	ug/kg	ND (2300)	ND (21)	ND (23)							
1,1-Dichloroethylene	ug/kg	ND (2300)	ND (21)	ND (23)							
1,1-Dichloropropene	ug/kg	ND (2300)	ND (21)	ND (23)							
1,2-Dibromo-3-chloropropane	ug/kg	ND (6400)	ND (60)	ND (63)							
1,2-Dibromoethane	ug/kg	ND (2300)	ND (21)	ND (23)							
1,2-Dichloroethane	ug/kg	ND (2300)	ND (21)	ND (23)							
1,2-Dichloropropane	ug/kg	ND (2300)	ND (21)	ND (23)							
1,3-Dichloropropane	ug/kg	ND (2300)	ND (21)	ND (23)							
Di-Isopropyl ether	ug/kg	ND (2300)	ND (21)	ND (23)							
2,2-Dichloropropane	ug/kg	ND (2300)	ND (21)	ND (23)							
Dibromochloromethane	ug/kg	ND (2300)	ND (21)	ND (23)							
Dichlorodifluoromethane	ug/kg	ND (4500)	ND (43)	ND (45)							
<i>cis</i> -1,2-Dichloroethylene	ug/kg	ND (5000)	ND (47)	ND (50)							
<i>cis</i> -1,3-Dichloropropene	ug/kg	ND (2300)	ND (21)	ND (23)							
<i>m</i> -Dichlorobenzene	ug/kg	ND (2300)	ND (21)	ND (23)							
<i>o</i> -Dichlorobenzene	ug/kg	ND (2300)	ND (21)	ND (23)							
<i>p</i> -Dichlorobenzene	ug/kg	ND (2300)	ND (21)	ND (23)							
trans-1,2-Dichloroethylene	ug/kg	ND (2300)	ND (21)	ND (23)							
trans-1,3-Dichloropropene	ug/kg	ND (2300)	ND (21)	ND (23)							
Ethylbenzene	ug/kg	ND (2300)	ND (21)	ND (23)							
Ethyl tert-Butyl Ether	ug/kg	ND (2300)	ND (21) ^a	ND (23) ^a							
2-Hexanone	ug/kg	ND (9100)	ND (86)	ND (91)							



Hexachlorobutadiene	ug/kg	ND (4500)	ND (43)	ND (45)							
Isopropylbenzene	ug/kg	2550 J	ND (21)	ND (23)							
p-Isopropyltoluene	ug/kg	18600 J	ND (21)	ND (23)							
4-Methyl-2-pentanone	ug/kg	ND (9100)	ND (86)	ND (91)							
Methyl bromide	ug/kg	ND (4500)	ND (43)	ND (45)							
Methyl chloride	ug/kg	ND (4500)	ND (43)	ND (45)							
Methylene bromide	ug/kg	ND (2300)	ND (21)	ND (23)							
Methylene chloride	ug/kg	ND (23000)	ND (210)	ND (230)							
Methyl ethyl ketone	ug/kg	ND (9100)	ND (86)	ND (91)							
Methyl Tert Butyl Ether	ug/kg	ND (4500)	ND (43) ^a	ND (45) ^a							
Naphthalene	ug/kg	9000 J	ND (43)	ND (45)							
n-Propylbenzene	ug/kg	5400 J	ND (21)	ND (23)							
Styrene	ug/kg	ND (2300)	ND (21)	ND (23)							
Tert-Amyl Methyl Ether	ug/kg	ND (2300)	ND (21) ^a	ND (23) ^a							
Tert Butyl Alcohol	ug/kg	ND (45000) ^a	ND (430) ^a	ND (450) ^a							
1,1,1,2-Tetrachloroethane	ug/kg	ND (2300)	ND (21)	ND (23)							
1,1,1-Trichloroethane	ug/kg	ND (2300)	ND (21)	ND (23)							
1,1,2,2-Tetrachloroethane	ug/kg	ND (2300)	ND (21)	ND (23)							
1,1,2-Trichloroethane	ug/kg	ND (2300)	ND (21)	ND (23)							
1,2,3-Trichlorobenzene	ug/kg	ND (2300)	ND (21)	ND (23)							
1,2,3-Trichloropropane	ug/kg	ND (4500)	ND (43)	ND (45)							
1,2,4-Trichlorobenzene	ug/kg	ND (2300)	ND (21)	ND (23)							
1,2,4-Trimethylbenzene	ug/kg	78600	61.7 J	ND (45)							
1,3,5-Trimethylbenzene	ug/kg	36900	ND (43)	ND (45)							
Tetrachloroethylene	ug/kg	ND (2700)	ND (26)	ND (27)							
Toluene	ug/kg	ND (2300)	ND (21)	ND (23)							



Trichloroethylene	ug/kg	ND (2300)	ND (21)	ND (23)							
Trichlorofluoromethane	ug/kg	ND (4500)	ND (43)	ND (45)							
Vinyl chloride	ug/kg	ND (4500)	ND (43)	ND (45)							
Xylene (total)	ug/kg	6640 J	ND (43)	ND (45)							
TPH-GRO (C6-C10)	ug/kg	1330000	6960	ND (2300)							

GC/MS Semi-volatiles (SW846 8270C BY SIM)

Acenaphthene	ug/kg	24.5 J	ND (0.45)	ND (0.45)							
Acenaphthylene	ug/kg	ND (12)	ND (0.58)	ND (0.58)							
Anthracene	ug/kg	ND (9.4)	ND (0.47)	ND (0.47)							
Benzo(a)anthracene	ug/kg	ND (6.3)	ND (0.32)	ND (0.32)							
Benzo(a)pyrene	ug/kg	ND (5.8)	ND (0.29)	ND (0.29)							
Benzo(b)fluoranthene	ug/kg	ND (11)	ND (0.57)	ND (0.57)							
Benzo(g,h,i)perylene	ug/kg	ND (13)	ND (0.66)	ND (0.66)							
Benzo(k)fluoranthene	ug/kg	ND (11)	ND (0.53)	ND (0.53)							
Chrysene	ug/kg	ND (11)	ND (0.55)	ND (0.55)							
Dibenzo(a,h)anthracene	ug/kg	ND (14)	ND (0.68)	ND (0.68)							
Fluoranthene	ug/kg	ND (11)	ND (0.54)	ND (0.54)							
Fluorene	ug/kg	96.9	ND (0.50)	ND (0.50)							
Indeno(1,2,3-cd)pyrene	ug/kg	ND (14)	ND (0.69)	ND (0.69)							
1-Methylnaphthalene	ug/kg	1970	4.1	0.82 J							
2-Methylnaphthalene	ug/kg	3330	6.6	1.4 J							
Naphthalene	ug/kg	724	1.8 J	0.58 J							
Phenanthrene	ug/kg	38.9 J	ND (0.37)	ND (0.37)							
Pyrene	ug/kg	ND (17)	ND (0.86)	ND (0.86)							

GC Semi-volatiles (SW846 8015B M)



TPH (Diesel)	mg/kg	ND (170)	ND (1.7)	ND (1.7)							
TPH (Motor Oil)	mg/kg	ND (330)	ND (3.3)	ND (3.3)							
TPH (Mineral Spirits)	mg/kg	ND (170)	ND (1.7)	ND (1.7)							
TPH (Kerosene)	mg/kg	5090 ^e	ND (1.7)	ND (1.7)							

Metals Analysis

Cadmium	mg/kg	<0.83	<0.97	<0.91							
Chromium	mg/kg	46.8	57.1	51.9							
Lead	mg/kg	17.1	3.7	3.3							
Nickel	mg/kg	30	34.9	33.4							
Zinc	mg/kg	31.9	28	30.4							

Footnotes:

^a CCV outside of control limits (biased high); not detected in sample.

^b Pattern appears to be Jet-A related but does not match with calibration standard, quantitated as best match.

^c Jet-fuel pattern is not present.

^d Pattern resembles Jet Fuel.

^e Pattern resembles Kerosene.

ATTACHMENTS

**ANALYTICAL REPORTS
LIQUID WASTE MANIFESTS
SOIL WASTE MANIFEST/WEIGHT TAGS
UST UNAUTHORIZED RELEASE (LEAK) / CONTAMINATION REPORT
HAZARDOUS WASTE TANK CLOSURE CERTIFICATION
UST DISPOSAL MANIFEST
PERMITS**

SGS ACCUTEST IS PART OF SGS, THE WORLD'S LEADING INSPECTION,
VERIFICATION, TESTING AND CERTIFICATION COMPANY.**e-Hardcopy 2.0**
*Automated Report***Technical Report for****Golden Gate Tank Removal****1110 Jackson Street - Oakland, CA****9669****SGS Accutest Job Number: C45324****Sampling Date: 04/08/16****Report to:****Golden Gate Tank Removal****gina.wee@ggtr.com****ATTN: Gina Wee****Total number of pages in report: 41**

Test results contained within this data package meet the requirements
of the National Environmental Laboratory Accreditation Program
and/or state specific certification programs as applicable.

James J. Rhudy
Lab Director**Client Service contact: Maureen Coloma 408-588-0200**

Certifications: CA (ELAP 2910) AK (UST-092) AZ (AZ0762) NV (CA00150) OR (CA300006) WA (C925)
DoD ELAP (L-A-B L2242)

This report shall not be reproduced, except in its entirety, without the written approval of SGS Accutest.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Summary of Hits	4
Section 3: Sample Results	5
3.1: C45324-1: 9669-T1-TC	6
3.2: C45324-2: 9669-T2-TC	11
3.3: C45324-3: 9669-T3-TC	16
Section 4: Misc. Forms	21
4.1: Chain of Custody	22
Section 5: GC/MS Volatiles - QC Data Summaries	24
5.1: Method Blank Summary	25
5.2: Blank Spike/Blank Spike Duplicate Summary	28
5.3: Laboratory Control Sample Summary	31
5.4: Matrix Spike/Matrix Spike Duplicate Summary	32
Section 6: GC Semi-volatiles - QC Data Summaries	35
6.1: Method Blank Summary	36
6.2: Blank Spike/Blank Spike Duplicate Summary	38
6.3: Matrix Spike Summary	40
6.4: Duplicate Summary	41

1
2
3
4
5
6

Sample Summary

Golden Gate Tank Removal

Job No: C45324

1110 Jackson Street - Oakland, CA
Project No: 9669

Sample Number	Collected Date	Time By	Matrix Received	Code Type	Client Sample ID	
C45324-1	04/08/16	00:00 AM	04/11/16	AQ	Water	9669-T1-TC
C45324-2	04/08/16	00:00 AM	04/11/16	AQ	Water	9669-T2-TC
C45324-3	04/08/16	00:00 AM	04/11/16	AQ	Water	9669-T3-TC



Summary of Hits

Job Number: C45324
Account: Golden Gate Tank Removal
Project: 1110 Jackson Street - Oakland, CA
Collected: 04/08/16

Lab Sample ID	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
---------------	------------------	-----------------	----	-----	-------	--------

C45324-1 9669-T1-TC

Benzene	2280	500	100	ug/l	SW846 8260B
Ethylbenzene	486 J	500	100	ug/l	SW846 8260B
Naphthalene	349 J	2500	250	ug/l	SW846 8260B
1,2,4-Trimethylbenzene	367 J	1000	100	ug/l	SW846 8260B
Toluene	7250	500	100	ug/l	SW846 8260B
Xylene (total)	3570	1000	230	ug/l	SW846 8260B
TPH-GRO (C6-C10)	39100	25000	13000	ug/l	SW846 8260B
TPH (Diesel)	8.25 J	9.4	4.7	mg/l	SW846 8015B M
TPH (Mineral Spirits) ^a	120	9.4	4.7	mg/l	SW846 8015B M

C45324-2 9669-T2-TC

Benzene ^b	354	100	20	ug/l	SW846 8260B
sec-Butylbenzene ^b	41.0 J	200	20	ug/l	SW846 8260B
Ethylbenzene ^b	212	100	20	ug/l	SW846 8260B
Isopropylbenzene ^b	73.3 J	100	20	ug/l	SW846 8260B
p-Isopropyltoluene ^b	64.8 J	200	20	ug/l	SW846 8260B
Naphthalene ^b	454 J	500	50	ug/l	SW846 8260B
n-Propylbenzene ^b	105 J	200	20	ug/l	SW846 8260B
1,2,4-Trimethylbenzene ^b	948	200	20	ug/l	SW846 8260B
1,3,5-Trimethylbenzene ^b	281	200	20	ug/l	SW846 8260B
Tetrachloroethylene ^b	43.9 J	100	30	ug/l	SW846 8260B
Toluene ^b	876	100	20	ug/l	SW846 8260B
Xylene (total) ^b	4410	200	46	ug/l	SW846 8260B
TPH-GRO (C6-C10) ^b	42700	5000	2500	ug/l	SW846 8260B
TPH (Mineral Spirits) ^a	91.3	9.4	4.7	mg/l	SW846 8015B M

C45324-3 9669-T3-TC

TPH (Diesel)	0.0878 J	0.094	0.047	mg/l	SW846 8015B M
TPH (Motor Oil)	0.109 J	0.19	0.094	mg/l	SW846 8015B M

(a) Pattern appears to be Stoddard Solvent related but does not match with calibration standard, quantitated as best match.

(b) Dilution required due to nature of sample matrix.

Sample Results

Report of Analysis

Report of Analysis

Page 1 of 3

3.1
3

Client Sample ID:	9669-T1-TC	Date Sampled:	04/08/16
Lab Sample ID:	C45324-1	Date Received:	04/11/16
Matrix:	AQ - Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	U34194.D	500	04/12/16	JC	n/a	n/a	VU1405
Run #2							

	Purge Volume
Run #1	10.0 ml
Run #2	

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10000	2000	ug/l	
71-43-2	Benzene	2280	500	100	ug/l	
108-86-1	Bromobenzene	ND	500	100	ug/l	
74-97-5	Bromo(chloromethane)	ND	500	100	ug/l	
75-27-4	Bromodichloromethane	ND	500	100	ug/l	
75-25-2	Bromoform	ND	500	110	ug/l	
104-51-8	n-Butylbenzene	ND	1000	100	ug/l	
135-98-8	sec-Butylbenzene	ND	1000	100	ug/l	
98-06-6	tert-Butylbenzene	ND	1000	140	ug/l	
108-90-7	Chlorobenzene	ND	500	100	ug/l	
75-00-3	Chloroethane	ND	500	100	ug/l	
67-66-3	Chloroform	ND	500	100	ug/l	
95-49-8	o-Chlorotoluene	ND	1000	100	ug/l	
106-43-4	p-Chlorotoluene	ND	1000	130	ug/l	
56-23-5	Carbon tetrachloride	ND	500	100	ug/l	
75-34-3	1,1-Dichloroethane	ND	500	100	ug/l	
75-35-4	1,1-Dichloroethylene	ND	500	100	ug/l	
563-58-6	1,1-Dichloropropene	ND	500	100	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	1000	200	ug/l	
106-93-4	1,2-Dibromoethane	ND	500	100	ug/l	
107-06-2	1,2-Dichloroethane	ND	500	100	ug/l	
78-87-5	1,2-Dichloropropane	ND	500	100	ug/l	
142-28-9	1,3-Dichloropropane	ND	500	100	ug/l	
108-20-3	Di-Isopropyl ether	ND	1000	110	ug/l	
594-20-7	2,2-Dichloropropane	ND	500	100	ug/l	
124-48-1	Dibromo(chloromethane)	ND	500	100	ug/l	
75-71-8	Dichlorodifluoromethane	ND	500	100	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	500	100	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	500	100	ug/l	
541-73-1	m-Dichlorobenzene	ND	500	100	ug/l	
95-50-1	o-Dichlorobenzene	ND	500	100	ug/l	
106-46-7	p-Dichlorobenzene	ND	500	100	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 3

3-1
3

Client Sample ID:	9669-T1-TC	Date Sampled:	04/08/16
Lab Sample ID:	C45324-1	Date Received:	04/11/16
Matrix:	AQ - Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	500	100	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	500	150	ug/l	
100-41-4	Ethylbenzene	486	500	100	ug/l	J
637-92-3	Ethyl Tert Butyl Ether	ND	1000	110	ug/l	
591-78-6	2-Hexanone	ND	5000	1000	ug/l	
87-68-3	Hexachlorobutadiene	ND	1000	100	ug/l	
98-82-8	Isopropylbenzene	ND	500	100	ug/l	
99-87-6	p-Isopropyltoluene	ND	1000	100	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	5000	500	ug/l	
74-83-9	Methyl bromide	ND	1000	100	ug/l	
74-87-3	Methyl chloride	ND	500	150	ug/l	
74-95-3	Methylene bromide	ND	500	100	ug/l	
75-09-2	Methylene chloride	ND	5000	1000	ug/l	
78-93-3	Methyl ethyl ketone	ND	5000	1000	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	500	100	ug/l	
91-20-3	Naphthalene	349	2500	250	ug/l	J
103-65-1	n-Propylbenzene	ND	1000	100	ug/l	
100-42-5	Styrene	ND	500	100	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	1000	200	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	5000	1200	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	500	150	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	500	100	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	500	100	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	500	110	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	1000	100	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	1000	100	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1000	100	ug/l	
95-63-6	1,2,4-Trimethylbenzene	367	1000	100	ug/l	J
108-67-8	1,3,5-Trimethylbenzene	ND	1000	100	ug/l	
127-18-4	Tetrachloroethylene	ND	500	150	ug/l	
108-88-3	Toluene	7250	500	100	ug/l	
79-01-6	Trichloroethylene	ND	500	100	ug/l	
75-69-4	Trichlorofluoromethane	ND	500	100	ug/l	
75-01-4	Vinyl chloride	ND	500	100	ug/l	
1330-20-7	Xylene (total)	3570	1000	230	ug/l	
	TPH-GRO (C6-C10)	39100	25000	13000	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	102%		80-123%

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 3 of 3

3-1

3

Client Sample ID:	9669-T1-TC	Date Sampled:	04/08/16
Lab Sample ID:	C45324-1	Date Received:	04/11/16
Matrix:	AQ - Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	102%		88-112%
460-00-4	4-Bromofluorobenzene	99%		79-114%

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

3

Client Sample ID:	9669-T1-TC	Date Sampled:	04/08/16
Lab Sample ID:	C45324-1	Date Received:	04/11/16
Matrix:	AQ - Water	Percent Solids:	n/a
Method:	SW846 8082 SW846 3510C		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	OO384233.D	1	04/11/16	MT	04/11/16	OP14181	GOO1606
Run #2							

	Initial Volume	Final Volume
Run #1	1060 ml	1.0 ml
Run #2		

PCB List

CAS No.	Compound	Result	RL	MDL	Units	Q
12674-11-2	Aroclor 1016	ND	0.047	0.0055	ug/l	
11104-28-2	Aroclor 1221	ND	0.047	0.020	ug/l	
11141-16-5	Aroclor 1232	ND	0.047	0.0053	ug/l	
53469-21-9	Aroclor 1242	ND	0.047	0.010	ug/l	
12672-29-6	Aroclor 1248	ND	0.047	0.013	ug/l	
11097-69-1	Aroclor 1254	ND	0.047	0.0042	ug/l	
11096-82-5	Aroclor 1260	ND	0.047	0.0041	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
877-09-8	Tetrachloro-m-xylene	74%		10-134%
877-09-8	Tetrachloro-m-xylene	45%		10-134%
2051-24-3	Decachlorobiphenyl	98%		10-139%
2051-24-3	Decachlorobiphenyl	50%		10-139%

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound



Report of Analysis

Page 1 of 1

3

Client Sample ID:	9669-T1-TC	Date Sampled:	04/08/16
Lab Sample ID:	C45324-1	Date Received:	04/11/16
Matrix:	AQ - Water	Percent Solids:	n/a
Method:	SW846 8015B M SW846 3510C		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	HH331553.D	100	04/12/16	YN	04/11/16	OP14182	GHH1787
Run #2							

	Initial Volume	Final Volume
Run #1	1060 ml	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	8.25	9.4	4.7	mg/l	J
	TPH (Motor Oil)	ND	19	9.4	mg/l	
	TPH (Mineral Spirits) ^a	120	9.4	4.7	mg/l	
	TPH (Kerosene)	ND	9.4	4.7	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	132%		40-134%

(a) Pattern appears to be Stoddard Solvent related but does not match with calibration standard, quantitated as best match.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 3

32
3

Client Sample ID:	9669-T2-TC	Date Sampled:	04/08/16
Lab Sample ID:	C45324-2	Date Received:	04/11/16
Matrix:	AQ - Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	U34199.D	100	04/12/16	JC	n/a	n/a	VU1405
Run #2							

Purge Volume	
Run #1	10.0 ml
Run #2	

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	2000	400	ug/l	
71-43-2	Benzene	354	100	20	ug/l	
108-86-1	Bromobenzene	ND	100	20	ug/l	
74-97-5	Bromo(chloromethane)	ND	100	20	ug/l	
75-27-4	Bromodichloromethane	ND	100	20	ug/l	
75-25-2	Bromoform	ND	100	22	ug/l	
104-51-8	n-Butylbenzene	ND	200	20	ug/l	
135-98-8	sec-Butylbenzene	41.0	200	20	ug/l	J
98-06-6	tert-Butylbenzene	ND	200	28	ug/l	
108-90-7	Chlorobenzene	ND	100	20	ug/l	
75-00-3	Chloroethane	ND	100	20	ug/l	
67-66-3	Chloroform	ND	100	20	ug/l	
95-49-8	o-Chlorotoluene	ND	200	20	ug/l	
106-43-4	p-Chlorotoluene	ND	200	26	ug/l	
56-23-5	Carbon tetrachloride	ND	100	20	ug/l	
75-34-3	1,1-Dichloroethane	ND	100	20	ug/l	
75-35-4	1,1-Dichloroethylene	ND	100	20	ug/l	
563-58-6	1,1-Dichloropropene	ND	100	20	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	200	40	ug/l	
106-93-4	1,2-Dibromoethane	ND	100	20	ug/l	
107-06-2	1,2-Dichloroethane	ND	100	20	ug/l	
78-87-5	1,2-Dichloropropane	ND	100	20	ug/l	
142-28-9	1,3-Dichloropropane	ND	100	20	ug/l	
108-20-3	Di-Isopropyl ether	ND	200	22	ug/l	
594-20-7	2,2-Dichloropropane	ND	100	20	ug/l	
124-48-1	Dibromo(chloromethane)	ND	100	20	ug/l	
75-71-8	Dichlorodifluoromethane	ND	100	20	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	100	20	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	100	20	ug/l	
541-73-1	m-Dichlorobenzene	ND	100	20	ug/l	
95-50-1	o-Dichlorobenzene	ND	100	20	ug/l	
106-46-7	p-Dichlorobenzene	ND	100	20	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 3

32
3

Client Sample ID:	9669-T2-TC	Date Sampled:	04/08/16
Lab Sample ID:	C45324-2	Date Received:	04/11/16
Matrix:	AQ - Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	100	20	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	100	30	ug/l	
100-41-4	Ethylbenzene	212	100	20	ug/l	
637-92-3	Ethyl Tert Butyl Ether	ND	200	22	ug/l	
591-78-6	2-Hexanone	ND	1000	200	ug/l	
87-68-3	Hexachlorobutadiene	ND	200	20	ug/l	
98-82-8	Isopropylbenzene	73.3	100	20	ug/l	J
99-87-6	p-Isopropyltoluene	64.8	200	20	ug/l	J
108-10-1	4-Methyl-2-pentanone	ND	1000	100	ug/l	
74-83-9	Methyl bromide	ND	200	20	ug/l	
74-87-3	Methyl chloride	ND	100	30	ug/l	
74-95-3	Methylene bromide	ND	100	20	ug/l	
75-09-2	Methylene chloride	ND	1000	200	ug/l	
78-93-3	Methyl ethyl ketone	ND	1000	200	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	100	20	ug/l	
91-20-3	Naphthalene	454	500	50	ug/l	J
103-65-1	n-Propylbenzene	105	200	20	ug/l	J
100-42-5	Styrene	ND	100	20	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	200	40	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	1000	240	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	100	30	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	100	20	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	100	20	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	100	22	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	200	20	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	200	20	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	200	20	ug/l	
95-63-6	1,2,4-Trimethylbenzene	948	200	20	ug/l	
108-67-8	1,3,5-Trimethylbenzene	281	200	20	ug/l	
127-18-4	Tetrachloroethylene	43.9	100	30	ug/l	J
108-88-3	Toluene	876	100	20	ug/l	
79-01-6	Trichloroethylene	ND	100	20	ug/l	
75-69-4	Trichlorofluoromethane	ND	100	20	ug/l	
75-01-4	Vinyl chloride	ND	100	20	ug/l	
1330-20-7	Xylene (total)	4410	200	46	ug/l	
	TPH-GRO (C6-C10)	42700	5000	2500	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	104%		80-123%

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 3 of 3

32
3

Client Sample ID:	9669-T2-TC	Date Sampled:	04/08/16
Lab Sample ID:	C45324-2	Date Received:	04/11/16
Matrix:	AQ - Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	102%		88-112%
460-00-4	4-Bromofluorobenzene	101%		79-114%

(a) Dilution required due to nature of sample matrix.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

32
3

Client Sample ID:	9669-T2-TC	Date Sampled:	04/08/16
Lab Sample ID:	C45324-2	Date Received:	04/11/16
Matrix:	AQ - Water	Percent Solids:	n/a
Method:	SW846 8082 SW846 3510C		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	OO384261.D	20	04/12/16	MT	04/11/16	OP14181	GOO1607
Run #2							

	Initial Volume	Final Volume
Run #1	1060 ml	1.0 ml
Run #2		

PCB List

CAS No.	Compound	Result	RL	MDL	Units	Q
12674-11-2	Aroclor 1016	ND	0.94	0.11	ug/l	
11104-28-2	Aroclor 1221	ND	0.94	0.40	ug/l	
11141-16-5	Aroclor 1232	ND	0.94	0.11	ug/l	
53469-21-9	Aroclor 1242	ND	0.94	0.21	ug/l	
12672-29-6	Aroclor 1248	ND	0.94	0.26	ug/l	
11097-69-1	Aroclor 1254	ND	0.94	0.085	ug/l	
11096-82-5	Aroclor 1260	ND	0.94	0.081	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
877-09-8	Tetrachloro-m-xylene	63%		10-134%
877-09-8	Tetrachloro-m-xylene	49%		10-134%
2051-24-3	Decachlorobiphenyl	82%		10-139%
2051-24-3	Decachlorobiphenyl	63%		10-139%

(a) Dilution required due to matrix interference (yellow oily extract; high concentration of non-target hydrocarbons).

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

32
3

Client Sample ID:	9669-T2-TC	Date Sampled:	04/08/16
Lab Sample ID:	C45324-2	Date Received:	04/11/16
Matrix:	AQ - Water	Percent Solids:	n/a
Method:	SW846 8015B M SW846 3510C		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	HH331554.D	100	04/12/16	YN	04/11/16	OP14182	GHH1787
Run #2							

	Initial Volume	Final Volume
Run #1	1060 ml	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	ND	9.4	4.7	mg/l	
	TPH (Motor Oil)	ND	19	9.4	mg/l	
	TPH (Mineral Spirits) ^a	91.3	9.4	4.7	mg/l	
	TPH (Kerosene)	ND	9.4	4.7	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	121%		40-134%

(a) Pattern appears to be Stoddard Solvent related but does not match with calibration standard, quantitated as best match.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 3

33
3

Client Sample ID:	9669-T3-TC	Date Sampled:	04/08/16
Lab Sample ID:	C45324-3	Date Received:	04/11/16
Matrix:	AQ - Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	U34203.D	1	04/12/16	JC	n/a	n/a	VU1405
Run #2							

	Purge Volume
Run #1	10.0 ml
Run #2	

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	20	4.0	ug/l	
71-43-2	Benzene	ND	1.0	0.20	ug/l	
108-86-1	Bromobenzene	ND	1.0	0.20	ug/l	
74-97-5	Bromo(chloromethane)	ND	1.0	0.20	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.20	ug/l	
75-25-2	Bromoform	ND	1.0	0.22	ug/l	
104-51-8	n-Butylbenzene	ND	2.0	0.20	ug/l	
135-98-8	sec-Butylbenzene	ND	2.0	0.20	ug/l	
98-06-6	tert-Butylbenzene	ND	2.0	0.28	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.20	ug/l	
75-00-3	Chloroethane	ND	1.0	0.20	ug/l	
67-66-3	Chloroform	ND	1.0	0.20	ug/l	
95-49-8	o-Chlorotoluene	ND	2.0	0.20	ug/l	
106-43-4	p-Chlorotoluene	ND	2.0	0.26	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.20	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethylene	ND	1.0	0.20	ug/l	
563-58-6	1,1-Dichloropropene	ND	1.0	0.20	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.40	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.20	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.20	ug/l	
142-28-9	1,3-Dichloropropane	ND	1.0	0.20	ug/l	
108-20-3	Di-Isopropyl ether	ND	2.0	0.22	ug/l	
594-20-7	2,2-Dichloropropane	ND	1.0	0.20	ug/l	
124-48-1	Dibromo(chloromethane)	ND	1.0	0.20	ug/l	
75-71-8	Dichlorodifluoromethane	ND	1.0	0.20	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	1.0	0.20	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
541-73-1	m-Dichlorobenzene	ND	1.0	0.20	ug/l	
95-50-1	o-Dichlorobenzene	ND	1.0	0.20	ug/l	
106-46-7	p-Dichlorobenzene	ND	1.0	0.20	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 3

33
3

Client Sample ID:	9669-T3-TC	Date Sampled:	04/08/16
Lab Sample ID:	C45324-3	Date Received:	04/11/16
Matrix:	AQ - Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	1.0	0.20	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.30	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.20	ug/l	
637-92-3	Ethyl Tert Butyl Ether	ND	2.0	0.22	ug/l	
591-78-6	2-Hexanone	ND	10	2.0	ug/l	
87-68-3	Hexachlorobutadiene	ND	2.0	0.20	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.20	ug/l	
99-87-6	p-Isopropyltoluene	ND	2.0	0.20	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	10	1.0	ug/l	
74-83-9	Methyl bromide	ND	2.0	0.20	ug/l	
74-87-3	Methyl chloride	ND	1.0	0.30	ug/l	
74-95-3	Methylene bromide	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	10	2.0	ug/l	
78-93-3	Methyl ethyl ketone	ND	10	2.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.20	ug/l	
91-20-3	Naphthalene	ND	5.0	0.50	ug/l	
103-65-1	n-Propylbenzene	ND	2.0	0.20	ug/l	
100-42-5	Styrene	ND	1.0	0.20	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	2.0	0.40	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	10	2.4	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	1.0	0.30	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.20	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.22	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	2.0	0.20	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	2.0	0.20	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	2.0	0.20	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	2.0	0.20	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	2.0	0.20	ug/l	
127-18-4	Tetrachloroethylene	ND	1.0	0.30	ug/l	
108-88-3	Toluene	ND	1.0	0.20	ug/l	
79-01-6	Trichloroethylene	ND	1.0	0.20	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	0.20	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.20	ug/l	
1330-20-7	Xylene (total)	ND	2.0	0.46	ug/l	
	TPH-GRO (C6-C10)	ND	50	25	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	105%		80-123%

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 3 of 3

3.3
3

Client Sample ID:	9669-T3-TC	Date Sampled:	04/08/16
Lab Sample ID:	C45324-3	Date Received:	04/11/16
Matrix:	AQ - Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	99%		88-112%
460-00-4	4-Bromofluorobenzene	90%		79-114%

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

33
3

Client Sample ID:	9669-T3-TC	Date Sampled:	04/08/16
Lab Sample ID:	C45324-3	Date Received:	04/11/16
Matrix:	AQ - Water	Percent Solids:	n/a
Method:	SW846 8082 SW846 3510C		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	OO384234.D	1	04/11/16	MT	04/11/16	OP14181	GOO1606
Run #2							

	Initial Volume	Final Volume
Run #1	1040 ml	1.0 ml
Run #2		

PCB List

CAS No.	Compound	Result	RL	MDL	Units	Q
12674-11-2	Aroclor 1016	ND	0.048	0.0056	ug/l	
11104-28-2	Aroclor 1221	ND	0.048	0.020	ug/l	
11141-16-5	Aroclor 1232	ND	0.048	0.0054	ug/l	
53469-21-9	Aroclor 1242	ND	0.048	0.011	ug/l	
12672-29-6	Aroclor 1248	ND	0.048	0.013	ug/l	
11097-69-1	Aroclor 1254	ND	0.048	0.0043	ug/l	
11096-82-5	Aroclor 1260	ND	0.048	0.0041	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
877-09-8	Tetrachloro-m-xylene	76%		10-134%
877-09-8	Tetrachloro-m-xylene	52%		10-134%
2051-24-3	Decachlorobiphenyl	93%		10-139%
2051-24-3	Decachlorobiphenyl	53%		10-139%

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

33
3

Client Sample ID:	9669-T3-TC	Date Sampled:	04/08/16
Lab Sample ID:	C45324-3	Date Received:	04/11/16
Matrix:	AQ - Water	Percent Solids:	n/a
Method:	SW846 8015B M SW846 3510C		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	HH331546.D	1	04/12/16	YN	04/11/16	OP14182	GHH1787
Run #2							

	Initial Volume	Final Volume
Run #1	1060 ml	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	0.0878	0.094	0.047	mg/l	J
	TPH (Motor Oil)	0.109	0.19	0.094	mg/l	J
	TPH (Mineral Spirits)	ND	0.094	0.047	mg/l	
	TPH (Kerosene)	ND	0.094	0.047	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	112%		40-134%

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody



ACCUTEST®
LABORATORIES

CHAIN OF CUSTODY

2105 Lundy Ave, San Jose, CA 95131
(408) 588-0200 FAX: (408) 588-0201

Client / Reporting Information		Project Information		FED-EX Tracking #	Bottle Order Control #									
Company Name GOLDEN GATE TANK REMOVAL		Project Name: 1110 JACKSON ST.		Accutest Quote #	Accutest NC Job #: C C45324									
Address 1480 Carroll Ave		Street OAKLAND CA		Requested Analysis										
City San Francisco, CA 94124		City OAKLAND CA		Matrix Codes										
Project Contact: Tim Hulen		Project # GLTR 7669		VW- Wastewater										
Phone # 415-512-1555		EMAIL: Tim@GLTR.com		GW- Ground Water										
Samplers Name J. Mora		Client Purchase Order #		SW- Surface Water										
Accutest Sample ID	Collection		Number of preserved Bottles											
	Sample ID / Field Point / Point of Collection	Date	Time	Sampled by	Matrix	# of bottles	PC	NICH	PHCO ₂	SO ₂	NO _x	NO ₂	MECH	ENONE
						5	3	2	1	1	1	1	1	
						5	3	2	1	1	1	1	1	
3	5	3	2	1	1	1	1	1	1	1	1	1	1	
Turnaround Time (Business days)		Data Deliverable Information		Comments / Remarks										
<input type="checkbox"/> 10 Day <input type="checkbox"/> 5 Day <input type="checkbox"/> 3 Day <input checked="" type="checkbox"/> 2 Day 24hrs TBT <input type="checkbox"/> 1 Day <input type="checkbox"/> Same Day		Approved By / Date: 24hrs TBT		<input type="checkbox"/> Commercial "A" - Results only <input type="checkbox"/> Commercial "B" - Results with QC summaries <input type="checkbox"/> Commercial "B4" - Results, QC, and chromatograms <input type="checkbox"/> FULL1 - Level 4 data package <input type="checkbox"/> EDF for GeoTracker <input type="checkbox"/> EDD Format Provide EDF Global ID: _____ Provide EDF Logcode: _____										
Emergency T/A data available VIA Lablink														
Sample Custody must be documented below each time samples change possession, including courier delivery.														
Relinquished by Sampler: 1 MCN Mora	Date Time: 4/11/16 12:52 PM	Received By: K	Relinquished by: 2	Date Time: 4/11/16 12:50 PM	Received By: Ali Zeighami									
Relinquished by: 3	Date Time:	Received By:	Relinquished by: 4	Date Time:	Received By:									
Relinquished by: 5	Date Time:	Received By: 5	Custody Seal # NONE	Appropriate Bottle / Pres. Y / N	Headspace Y / N	On Ice Y / N	Cooler Temp: 3.1/3.3 °C							
Labels match Coc7 Y / N						Separate Receiving Check List used: Y / N								

1 DAY

C45324: Chain of Custody
Page 1 of 2

SGS Accutest Sample Receipt Summary

Job Number: C45324 **Client:** GGTR **Project:** 1110 JACKSON ST
Date / Time Received: 4/11/2016 12:00:00 PM **Delivery Method:** Accutest Courier **Airbill #'s:**
Cooler Temps (Initial/Adjusted): #1: (3.1/3.3);

Cooler Security		Y or N	Y or N	Sample Integrity - Documentation		Y or N	
1. Custody Seals Present:		<input type="checkbox"/>	<input checked="" type="checkbox"/>	3. COC Present:		<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Custody Seals Intact:		<input type="checkbox"/>	<input type="checkbox"/>	4. Smpl Dates/Time OK		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cooler Temperature		Y or N		Sample Integrity - Condition		Y or N	
1. Temp criteria achieved:		<input checked="" type="checkbox"/> <input type="checkbox"/>		1. Sample received within HT:		<input checked="" type="checkbox"/> <input type="checkbox"/>	
2. Therm ID:		IR1;		2. All containers accounted for:		<input checked="" type="checkbox"/> <input type="checkbox"/>	
3. Cooler media:		Ice (Bag)		3. Condition of sample:		Intact	
4. No. Coolers:		1					
Quality Control Preservation		Y or N	N/A	Sample Integrity - Instructions		Y or N	N/A
1. Trip Blank present / cooler:		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1. Analysis requested is clear:		<input checked="" type="checkbox"/> <input type="checkbox"/>
2. Trip Blank listed on COC:		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	2. Bottles received for unspecified tests		<input type="checkbox"/> <input checked="" type="checkbox"/>
3. Samples preserved properly:		<input checked="" type="checkbox"/>	<input type="checkbox"/>	3. Sufficient volume received for analysis:		<input checked="" type="checkbox"/> <input type="checkbox"/>	
4. VOCs headspace free:		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4. Compositing instructions clear:		<input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/>
				5. Filtering instructions clear:		<input type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/>

Comments

4.1

4

C45324: Chain of Custody

Page 2 of 2

GC/MS Volatiles

5

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

Method Blank Summary

Page 1 of 3

Job Number: C45324

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VU1405-MB	U34193.D	1	04/12/16	JC	n/a	n/a	VU1405

The QC reported here applies to the following samples:

Method: SW846 8260B

C45324-1, C45324-2, C45324-3

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	20	4.0	ug/l	
71-43-2	Benzene	ND	1.0	0.20	ug/l	
108-86-1	Bromobenzene	ND	1.0	0.20	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.20	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.20	ug/l	
75-25-2	Bromoform	ND	1.0	0.22	ug/l	
104-51-8	n-Butylbenzene	ND	2.0	0.20	ug/l	
135-98-8	sec-Butylbenzene	ND	2.0	0.20	ug/l	
98-06-6	tert-Butylbenzene	ND	2.0	0.28	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.20	ug/l	
75-00-3	Chloroethane	ND	1.0	0.20	ug/l	
67-66-3	Chloroform	ND	1.0	0.20	ug/l	
95-49-8	o-Chlorotoluene	ND	2.0	0.20	ug/l	
106-43-4	p-Chlorotoluene	ND	2.0	0.26	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.20	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethylene	ND	1.0	0.20	ug/l	
563-58-6	1,1-Dichloropropene	ND	1.0	0.20	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.40	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.20	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.20	ug/l	
142-28-9	1,3-Dichloropropane	ND	1.0	0.20	ug/l	
108-20-3	Di-Isopropyl ether	ND	2.0	0.22	ug/l	
594-20-7	2,2-Dichloropropane	ND	1.0	0.20	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.20	ug/l	
75-71-8	Dichlorodifluoromethane	ND	1.0	0.20	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	1.0	0.20	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
541-73-1	m-Dichlorobenzene	ND	1.0	0.20	ug/l	
95-50-1	o-Dichlorobenzene	ND	1.0	0.20	ug/l	
106-46-7	p-Dichlorobenzene	ND	1.0	0.20	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	1.0	0.20	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.30	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.20	ug/l	
637-92-3	Ethyl Tert Butyl Ether	ND	2.0	0.22	ug/l	

5.1.1
5

Method Blank Summary

Page 2 of 3

Job Number: C45324

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VU1405-MB	U34193.D	1	04/12/16	JC	n/a	n/a	VU1405

The QC reported here applies to the following samples:

Method: SW846 8260B

C45324-1, C45324-2, C45324-3

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	10	2.0	ug/l	
87-68-3	Hexachlorobutadiene	ND	2.0	0.20	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.20	ug/l	
99-87-6	p-Isopropyltoluene	ND	2.0	0.20	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	10	1.0	ug/l	
74-83-9	Methyl bromide	ND	2.0	0.20	ug/l	
74-87-3	Methyl chloride	ND	1.0	0.30	ug/l	
74-95-3	Methylene bromide	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	10	2.0	ug/l	
78-93-3	Methyl ethyl ketone	ND	10	2.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.20	ug/l	
91-20-3	Naphthalene	ND	5.0	0.50	ug/l	
103-65-1	n-Propylbenzene	ND	2.0	0.20	ug/l	
100-42-5	Styrene	ND	1.0	0.20	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	2.0	0.40	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	10	2.4	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	1.0	0.30	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.20	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.22	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	2.0	0.20	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	2.0	0.20	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	2.0	0.20	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	2.0	0.20	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	2.0	0.20	ug/l	
127-18-4	Tetrachloroethylene	ND	1.0	0.30	ug/l	
108-88-3	Toluene	ND	1.0	0.20	ug/l	
79-01-6	Trichloroethylene	ND	1.0	0.20	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	0.20	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.20	ug/l	
1330-20-7	Xylene (total)	ND	2.0	0.46	ug/l	
	TPH-GRO (C6-C10)	ND	50	25	ug/l	

5.1.1
5

Method Blank Summary

Page 3 of 3

Job Number: C45324

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VU1405-MB	U34193.D	1	04/12/16	JC	n/a	n/a	VU1405

The QC reported here applies to the following samples:

Method: SW846 8260B

C45324-1, C45324-2, C45324-3

CAS No. Surrogate Recoveries Limits

1868-53-7	Dibromofluoromethane	97%	80-123%
2037-26-5	Toluene-D8	104%	88-112%
460-00-4	4-Bromofluorobenzene	92%	79-114%

5.1.1
5

Blank Spike/Blank Spike Duplicate Summary

Page 1 of 3

Job Number: C45324

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VU1405-BS	U34188.D	1	04/12/16	JC	n/a	n/a	VU1405
VU1405-BSD	U34189.D	1	04/12/16	JC	n/a	n/a	VU1405

The QC reported here applies to the following samples:

Method: SW846 8260B

C45324-1, C45324-2, C45324-3

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	BSD ug/l	BSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	80	73.5	92	74.4	93	1	55-147/17
71-43-2	Benzene	20	18.4	92	18.4	92	0	76-120/10
108-86-1	Bromobenzene	20	17.1	86	17.4	87	2	80-123/10
74-97-5	Bromochloromethane	20	19.6	98	19.1	96	3	79-124/10
75-27-4	Bromodichloromethane	20	18.3	92	18.2	91	1	75-121/10
75-25-2	Bromoform	20	18.8	94	19.1	96	2	62-127/10
104-51-8	n-Butylbenzene	20	16.2	81	17.0	85	5	74-129/10
135-98-8	sec-Butylbenzene	20	15.9	80	16.5	83	4	75-128/11
98-06-6	tert-Butylbenzene	20	15.8	79	16.2	81	2	74-127/11
108-90-7	Chlorobenzene	20	18.4	92	18.8	94	2	79-119/10
75-00-3	Chloroethane	20	17.8	89	16.9	85	5	60-115/14
67-66-3	Chloroform	20	18.6	93	18.4	92	1	75-122/10
95-49-8	o-Chlorotoluene	20	19.6	98	20.1	101	3	76-125/12
106-43-4	p-Chlorotoluene	20	18.9	95	19.3	97	2	76-126/11
56-23-5	Carbon tetrachloride	20	18.2	91	18.8	94	3	72-128/13
75-34-3	1,1-Dichloroethane	20	18.3	92	18.2	91	1	70-121/10
75-35-4	1,1-Dichloroethylene	20	15.8	79	15.9	80	1	62-125/13
563-58-6	1,1-Dichloropropene	20	17.2	86	17.8	89	3	68-116/11
96-12-8	1,2-Dibromo-3-chloropropane	20	15.3	77	15.8	79	3	64-129/11
106-93-4	1,2-Dibromoethane	20	19.0	95	19.2	96	1	81-124/10
107-06-2	1,2-Dichloroethane	20	19.2	96	19.0	95	1	74-122/10
78-87-5	1,2-Dichloropropane	20	19.0	95	18.9	95	1	75-123/10
142-28-9	1,3-Dichloropropane	20	19.5	98	19.7	99	1	81-127/11
108-20-3	Di-Isopropyl ether	20	18.1	91	17.8	89	2	69-126/10
594-20-7	2,2-Dichloropropane	20	16.6	83	16.8	84	1	66-130/12
124-48-1	Dibromochloromethane	20	18.4	92	18.7	94	2	76-124/10
75-71-8	Dichlorodifluoromethane	20	15.7	79	14.3	72	9	26-163/26
156-59-2	cis-1,2-Dichloroethylene	20	19.3	97	19.0	95	2	75-128/10
10061-01-5	cis-1,3-Dichloropropene	20	19.0	95	19.0	95	0	76-131/10
541-73-1	m-Dichlorobenzene	20	17.0	85	17.1	86	1	79-121/10
95-50-1	o-Dichlorobenzene	20	17.0	85	17.3	87	2	79-120/10
106-46-7	p-Dichlorobenzene	20	17.2	86	17.3	87	1	79-120/10
156-60-5	trans-1,2-Dichloroethylene	20	16.1	81	16.1	81	0	67-116/11
10061-02-6	trans-1,3-Dichloropropene	20	18.2	91	18.5	93	2	73-125/10
100-41-4	Ethylbenzene	20	18.2	91	18.8	94	3	78-123/10
637-92-3	Ethyl Tert Butyl Ether	20	18.3	92	18.0	90	2	75-126/11

* = Outside of Control Limits.

5.2.1
5

Blank Spike/Blank Spike Duplicate Summary

Page 2 of 3

Job Number: C45324

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VU1405-BS	U34188.D	1	04/12/16	JC	n/a	n/a	VU1405
VU1405-BSD	U34189.D	1	04/12/16	JC	n/a	n/a	VU1405

The QC reported here applies to the following samples:

Method: SW846 8260B

C45324-1, C45324-2, C45324-3

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	BSD ug/l	BSD %	RPD	Limits Rec/RPD
591-78-6	2-Hexanone	80	82.9	104	85.2	107	3	71-145/12
87-68-3	Hexachlorobutadiene	20	15.9	80	16.9	85	6	70-130/12
98-82-8	Isopropylbenzene	20	17.8	89	18.4	92	3	77-125/10
99-87-6	p-Isopropyltoluene	20	15.9	80	16.5	83	4	76-126/10
108-10-1	4-Methyl-2-pentanone	80	82.4	103	82.4	103	0	70-142/11
74-83-9	Methyl bromide	20	17.6	88	17.0	85	3	65-124/13
74-87-3	Methyl chloride	20	21.4	107	20.3	102	5	47-143/20
74-95-3	Methylene bromide	20	20.2	101	20.3	102	0	80-125/10
75-09-2	Methylene chloride	20	18.2	91	17.9	90	2	65-124/15
78-93-3	Methyl ethyl ketone	80	78.8	99	77.8	97	1	66-145/12
1634-04-4	Methyl Tert Butyl Ether	20	17.2	86	17.0	85	1	73-120/10
91-20-3	Naphthalene	20	17.0	85	18.5	93	8	66-120/12
103-65-1	n-Propylbenzene	20	16.0	80	16.7	84	4	75-125/10
100-42-5	Styrene	20	18.1	91	18.3	92	1	73-126/10
994-05-8	Tert-Amyl Methyl Ether	20	18.6	93	18.3	92	2	77-126/10
75-65-0	Tert-Butyl Alcohol	100	88.8	89	90.2	90	2	52-148/18
630-20-6	1,1,1,2-Tetrachloroethane	20	18.8	94	19.1	96	2	79-126/10
71-55-6	1,1,1-Trichloroethane	20	17.9	90	18.1	91	1	73-125/11
79-34-5	1,1,2,2-Tetrachloroethane	20	18.1	91	18.4	92	2	78-127/10
79-00-5	1,1,2-Trichloroethane	20	20.0	100	20.1	101	0	79-122/10
87-61-6	1,2,3-Trichlorobenzene	20	17.5	88	18.7	94	7	70-128/12
96-18-4	1,2,3-Trichloropropane	20	17.0	85	17.2	86	1	66-127/10
120-82-1	1,2,4-Trichlorobenzene	20	17.0	85	17.7	89	4	72-125/11
95-63-6	1,2,4-Trimethylbenzene	20	16.2	81	16.6	83	2	76-124/10
108-67-8	1,3,5-Trimethylbenzene	20	16.2	81	16.7	84	3	79-130/10
127-18-4	Tetrachloroethylene	20	17.9	90	18.9	95	5	72-124/13
108-88-3	Toluene	20	17.9	90	18.4	92	3	78-121/10
79-01-6	Trichloroethylene	20	18.2	91	18.7	94	3	75-119/10
75-69-4	Trichlorofluoromethane	20	19.0	95	18.0	90	5	68-130/19
75-01-4	Vinyl chloride	20	20.6	103	20.0	100	3	57-137/18
1330-20-7	Xylene (total)	60	53.9	90	55.5	93	3	78-122/10

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
1868-53-7	Dibromofluoromethane	105%	101%	80-123%

* = Outside of Control Limits.

5.2.1
5

Blank Spike/Blank Spike Duplicate Summary

Page 3 of 3

Job Number: C45324

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VU1405-BS	U34188.D	1	04/12/16	JC	n/a	n/a	VU1405
VU1405-BSD	U34189.D	1	04/12/16	JC	n/a	n/a	VU1405

The QC reported here applies to the following samples:

Method: SW846 8260B

C45324-1, C45324-2, C45324-3

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
2037-26-5	Toluene-D8	101%	102%	88-112%
460-00-4	4-Bromofluorobenzene	100%	101%	79-114%

* = Outside of Control Limits.

Laboratory Control Sample Summary

Page 1 of 1

Job Number: C45324

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VU1405-LCS	U34190.D	1	04/12/16	JC	n/a	n/a	VU1405

The QC reported here applies to the following samples:

Method: SW846 8260B

C45324-1, C45324-2, C45324-3

CAS No.	Compound	Spike ug/l	LCS ug/l	LCS %	Limits
	TPH-GRO (C6-C10)	125	117	94	70-130

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	99%	80-123%
2037-26-5	Toluene-D8	105%	88-112%
460-00-4	4-Bromofluorobenzene	96%	79-114%

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 3

Job Number: C45324

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C45324-2MS	U34211.D	100	04/12/16	JC	n/a	n/a	VU1405
C45324-2MSD	U34212.D	100	04/12/16	JC	n/a	n/a	VU1405
C45324-2 a	U34199.D	100	04/12/16	JC	n/a	n/a	VU1405

The QC reported here applies to the following samples:

Method: SW846 8260B

C45324-1, C45324-2, C45324-3

CAS No.	Compound	C45324-2		Spike	MS	MS	Spike	MSD	MSD	RPD	Limits Rec/RPD
		ug/l	Q	ug/l	ug/l	%	ug/l	ug/l	%		
67-64-1	Acetone	ND		8000	13600	170* b	8000	9950	124	31* c	55-147/17
71-43-2	Benzene	354		2000	2500	107	2000	2730	119	9	76-120/10
108-86-1	Bromobenzene	ND		2000	1860	93	2000	1960	98	5	80-123/10
74-97-5	Bromochloromethane	ND		2000	2140	107	2000	2400	120	11* c	79-124/10
75-27-4	Bromodichloromethane	ND		2000	2050	103	2000	2230	112	8	75-121/10
75-25-2	Bromoform	ND		2000	2050	103	2000	2220	111	8	62-127/10
104-51-8	n-Butylbenzene	ND		2000	1930	97	2000	2030	102	5	74-129/10
135-98-8	sec-Butylbenzene	41.0	J	2000	1840	90	2000	1950	95	6	75-128/11
98-06-6	tert-Butylbenzene	ND		2000	1960	98	2000	2080	104	6	74-127/11
108-90-7	Chlorobenzene	ND		2000	2020	101	2000	2190	110	8	79-119/10
75-00-3	Chloroethane	ND		2000	1860	93	2000	2240	112	19* c	60-115/14
67-66-3	Chloroform	ND		2000	2090	105	2000	2320	116	10	75-122/10
95-49-8	o-Chlorotoluene	ND		2000	1540	77	2000	1640	82	6	76-125/12
106-43-4	p-Chlorotoluene	ND		2000	2040	102	2000	2160	108	6	76-126/11
56-23-5	Carbon tetrachloride	ND		2000	2150	108	2000	2340	117	8	72-128/13
75-34-3	1,1-Dichloroethane	ND		2000	2020	101	2000	2280	114	12* c	70-121/10
75-35-4	1,1-Dichloroethylene	ND		2000	1740	87	2000	1990	100	13	62-125/13
563-58-6	1,1-Dichloropropene	ND		2000	1980	99	2000	2180	109	10	68-116/11
96-12-8	1,2-Dibromo-3-chloropropane	ND		2000	1790	90	2000	1910	96	6	64-129/11
106-93-4	1,2-Dibromoethane	ND		2000	2050	103	2000	2240	112	9	81-124/10
107-06-2	1,2-Dichloroethane	ND		2000	2150	108	2000	2340	117	8	74-122/10
78-87-5	1,2-Dichloropropane	ND		2000	2130	107	2000	2340	117	9	75-123/10
142-28-9	1,3-Dichloropropane	ND		2000	2100	105	2000	2300	115	9	81-127/11
108-20-3	Di-Isopropyl ether	ND		2000	1950	98	2000	2230	112	13* c	69-126/10
594-20-7	2,2-Dichloropropane	ND		2000	1760	88	2000	1990	100	12	66-130/12
124-48-1	Dibromochloromethane	ND		2000	2020	101	2000	2190	110	8	76-124/10
75-71-8	Dichlorodifluoromethane	ND		2000	1750	88	2000	1960	98	11	26-163/26
156-59-2	cis-1,2-Dichloroethylene	ND		2000	2100	105	2000	2370	119	12* c	75-128/10
10061-01-5	cis-1,3-Dichloropropene	ND		2000	2090	105	2000	2310	116	10	76-131/10
541-73-1	m-Dichlorobenzene	ND		2000	1820	91	2000	1920	96	5	79-121/10
95-50-1	o-Dichlorobenzene	ND		2000	1870	94	2000	1970	99	5	79-120/10
106-46-7	p-Dichlorobenzene	ND		2000	1870	94	2000	1970	99	5	79-120/10
156-60-5	trans-1,2-Dichloroethylene	ND		2000	1770	89	2000	1980	99	11	67-116/11
10061-02-6	trans-1,3-Dichloropropene	ND		2000	1940	97	2000	2090	105	7	73-125/10
100-41-4	Ethylbenzene	212		2000	2300	104	2000	2480	113	8	78-123/10
637-92-3	Ethyl Tert Butyl Ether	ND		2000	1950	98	2000	2240	112	14* c	75-126/11

* = Outside of Control Limits.

5.4.1
5

Matrix Spike/Matrix Spike Duplicate Summary

Page 2 of 3

Job Number: C45324

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C45324-2MS	U34211.D	100	04/12/16	JC	n/a	n/a	VU1405
C45324-2MSD	U34212.D	100	04/12/16	JC	n/a	n/a	VU1405
C45324-2 a	U34199.D	100	04/12/16	JC	n/a	n/a	VU1405

The QC reported here applies to the following samples:

Method: SW846 8260B

C45324-1, C45324-2, C45324-3

CAS No.	Compound	C45324-2		Spike	MS	MS	Spike	MSD	MSD	RPD	Limits Rec/RPD
		ug/l	Q	ug/l	ug/l	%	ug/l	ug/l	%		
591-78-6	2-Hexanone	ND		8000	9600	120	8000	10600	133	10	71-145/12
87-68-3	Hexachlorobutadiene	ND		2000	1720	86	2000	1830	92	6	70-130/12
98-82-8	Isopropylbenzene	73.3	J	2000	2100	101	2000	2260	109	7	77-125/10
99-87-6	p-Isopropyltoluene	64.8	J	2000	1850	89	2000	1950	94	5	76-126/10
108-10-1	4-Methyl-2-pentanone	ND		8000	9470	118	8000	10500	131	10	70-142/11
74-83-9	Methyl bromide	ND		2000	1860	93	2000	2210	111	17* c	65-124/13
74-87-3	Methyl chloride	ND		2000	2370	119	2000	2650	133	11	47-143/20
74-95-3	Methylene bromide	ND		2000	2290	115	2000	2480	124	8	80-125/10
75-09-2	Methylene chloride	ND		2000	1990	100	2000	2230	112	11	65-124/15
78-93-3	Methyl ethyl ketone	ND		8000	8490	106	8000	9820	123	15* c	66-145/12
1634-04-4	Methyl Tert Butyl Ether	ND		2000	1830	92	2000	2100	105	14* c	73-120/10
91-20-3	Naphthalene	454	J	2000	2520	103	2000	2880	121* b	13* c	66-120/12
103-65-1	n-Propylbenzene	105	J	2000	1900	90	2000	2020	96	6	75-125/10
100-42-5	Styrene	ND		2000	2130	107	2000	2280	114	7	73-126/10
994-05-8	Tert-Amyl Methyl Ether	ND		2000	2010	101	2000	2280	114	13* c	77-126/10
75-65-0	Tert-Butyl Alcohol	ND		10000	9940	99	10000	11800	118	17	52-148/18
630-20-6	1,1,1,2-Tetrachloroethane	ND		2000	2030	102	2000	2190	110	8	79-126/10
71-55-6	1,1,1-Trichloroethane	ND		2000	2030	102	2000	2300	115	12* c	73-125/11
79-34-5	1,1,2,2-Tetrachloroethane	ND		2000	1940	97	2000	2050	103	6	78-127/10
79-00-5	1,1,2-Trichloroethane	ND		2000	2300	115	2000	2400	120	4	79-122/10
87-61-6	1,2,3-Trichlorobenzene	ND		2000	1930	97	2000	2140	107	10	70-128/12
96-18-4	1,2,3-Trichloropropane	ND		2000	1930	97	2000	2050	103	6	66-127/10
120-82-1	1,2,4-Trichlorobenzene	ND		2000	1890	95	2000	2030	102	7	72-125/11
95-63-6	1,2,4-Trimethylbenzene	948		2000	3050	105	2000	3220	114	5	76-124/10
108-67-8	1,3,5-Trimethylbenzene	281		2000	2200	96	2000	2330	102	6	79-130/10
127-18-4	Tetrachloroethylene	43.9	J	2000	2040	100	2000	2240	110	9	72-124/13
108-88-3	Toluene	876		2000	3000	106	2000	3240	118	8	78-121/10
79-01-6	Trichloroethylene	ND		2000	2090	105	2000	2310	116	10	75-119/10
75-69-4	Trichlorofluoromethane	ND		2000	2080	104	2000	2440	122	16	68-130/19
75-01-4	Vinyl chloride	ND		2000	2260	113	2000	2670	134	17	57-137/18
1330-20-7	Xylene (total)	4410		6000	11700	122	6000	12500	135* b	7	78-122/10

CAS No.	Surrogate Recoveries	MS	MSD	C45324-2	Limits
1868-53-7	Dibromofluoromethane	106%	109%	104%	80-123%

* = Outside of Control Limits.

5.4.1
5

Matrix Spike/Matrix Spike Duplicate Summary

Page 3 of 3

Job Number: C45324

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C45324-2MS	U34211.D	100	04/12/16	JC	n/a	n/a	VU1405
C45324-2MSD	U34212.D	100	04/12/16	JC	n/a	n/a	VU1405
C45324-2 ^a	U34199.D	100	04/12/16	JC	n/a	n/a	VU1405

The QC reported here applies to the following samples:

Method: SW846 8260B

C45324-1, C45324-2, C45324-3

CAS No.	Surrogate Recoveries	MS	MSD	C45324-2	Limits
2037-26-5	Toluene-D8	100%	99%	102%	88-112%
460-00-4	4-Bromofluorobenzene	103%	104%	101%	79-114%

(a) Dilution required due to nature of sample matrix.

(b) Outside control limits due to potential matrix interference. AZ:M1

(c) Outside control limits due to potential matrix interference. AZ:R9

* = Outside of Control Limits.

5.4.1
5

GC Semi-volatiles**QC Data Summaries**

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries



Method Blank Summary

Page 1 of 1

Job Number: C45324

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP14181-MB	OO384222A.D 1		04/11/16	MT	04/11/16	OP14181	GOO1606

The QC reported here applies to the following samples:

Method: SW846 8082

C45324-1, C45324-2, C45324-3

CAS No.	Compound	Result	RL	MDL	Units	Q
12674-11-2	Aroclor 1016	ND	0.050	0.0058	ug/l	
11104-28-2	Aroclor 1221	ND	0.050	0.021	ug/l	
11141-16-5	Aroclor 1232	ND	0.050	0.0056	ug/l	
53469-21-9	Aroclor 1242	ND	0.050	0.011	ug/l	
12672-29-6	Aroclor 1248	ND	0.050	0.014	ug/l	
11097-69-1	Aroclor 1254	ND	0.050	0.0045	ug/l	
11096-82-5	Aroclor 1260	ND	0.050	0.0043	ug/l	

CAS No.	Surrogate Recoveries	Limits
877-09-8	Tetrachloro-m-xylene	78% 10-134%
877-09-8	Tetrachloro-m-xylene	52% 10-134%
2051-24-3	Decachlorobiphenyl	102% 10-139%
2051-24-3	Decachlorobiphenyl	89% 10-139%

Method Blank Summary

Page 1 of 1

Job Number: C45324

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP14182-MB	HH331537.D	1	04/12/16	YN	04/11/16	OP14182	GHH1787

The QC reported here applies to the following samples:

Method: SW846 8015B M

C45324-1, C45324-2, C45324-3

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	ND	0.10	0.050	mg/l	
	TPH (Motor Oil)	ND	0.20	0.10	mg/l	
	TPH (Mineral Spirits)	ND	0.10	0.050	mg/l	
	TPH (Kerosene)	ND	0.10	0.050	mg/l	

CAS No. Surrogate Recoveries Limits

630-01-3 Hexacosane 106% 40-134%

6.1.2
6

Blank Spike/Blank Spike Duplicate Summary

Page 1 of 1

Job Number: C45324

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP14181-BS	OO384223A.D 1		04/11/16	MT	04/11/16	OP14181	GOO1606
OP14181-BSD	OO384224A.D 1		04/11/16	MT	04/11/16	OP14181	GOO1606

The QC reported here applies to the following samples:

Method: SW846 8082

C45324-1, C45324-2, C45324-3

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	BSD ug/l	BSD %	RPD	Limits Rec/RPD
12674-11-2	Aroclor 1016	0.4	0.32	80	0.33	83	3	44-128/24
11096-82-5	Aroclor 1260	0.4	0.33	83	0.34	85	3	34-117/27

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
877-09-8	Tetrachloro-m-xylene	79%	79%	10-134%
877-09-8	Tetrachloro-m-xylene	50%	52%	10-134%
2051-24-3	Decachlorobiphenyl	103%	99%	10-139%
2051-24-3	Decachlorobiphenyl	82%	81%	10-139%

* = Outside of Control Limits.

6.2.1
6

Blank Spike/Blank Spike Duplicate Summary

Page 1 of 1

Job Number: C45324

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP14182-BS	HH331538.D	1	04/12/16	YN	04/11/16	OP14182	GHH1787
OP14182-BSD	HH331539.D	1	04/12/16	YN	04/11/16	OP14182	GHH1787

The QC reported here applies to the following samples:

Method: SW846 8015B M

C45324-1, C45324-2, C45324-3

CAS No.	Compound	Spike mg/l	BSP mg/l	BSP %	BSD mg/l	BSD %	RPD	Limits Rec/RPD
	TPH (Diesel)	1	0.993	99	0.983	98	1	50-109/17
	TPH (Motor Oil)	1	1.16	116	1.16	116	0	56-120/15

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
630-01-3	Hexacosane	112%	110%	40-134%

* = Outside of Control Limits.

Matrix Spike Summary

Page 1 of 1

Job Number: C45324

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP14182-MS	HH331540.D	1	04/12/16	YN	04/11/16	OP14182	GHH1787
C45314-1	HH331541.D	1	04/12/16	YN	04/11/16	OP14182	GHH1787

The QC reported here applies to the following samples:

Method: SW846 8015B M

C45324-1, C45324-2, C45324-3

CAS No.	Compound	C45314-1		Spike	MS	MS	Limits
		mg/l	Q	mg/l	mg/l	%	
	TPH (Diesel)	0.11	U	1.11	1.07	96	50-109
	TPH (Motor Oil)	0.22	U	1.11	1.35	122* a	56-120
CAS No.	Surrogate Recoveries		MS	C45314-1		Limits	
630-01-3	Hexacosane	110%		104%		40-134%	

(a) Outside laboratory control limits.

* = Outside of Control Limits.

Duplicate Summary

Page 1 of 1

Job Number: C45324

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP14182-DUP	HH331746.D	1	04/15/16	FL	04/11/16	OP14182	GHH1791
C45321-8	HH331745.D	1	04/15/16	FL	04/11/16	OP14182	GHH1791

The QC reported here applies to the following samples:

Method: SW846 8015B M

C45324-1, C45324-2, C45324-3

CAS No.	Compound	C45321-8		DUP		Q	RPD	Limits
		mg/l	Q	mg/l				
	TPH (Diesel)	0.496		0.529		6		17
	TPH (Motor Oil)	0.434		0.474		9		15
CAS No.	Surrogate Recoveries		DUP	C45321-8		Limits		
630-01-3	Hexacosane		119%	115%		40-134%		

* = Outside of Control Limits.

6.4.1
6



ACCUTEST

Northern California

04/20/16

SGS ACCUTEST IS PART OF SGS, THE WORLD'S LEADING INSPECTION,
VERIFICATION, TESTING AND CERTIFICATION COMPANY.



e-Hardcopy 2.0
Automated Report

Technical Report for

Golden Gate Tank Removal

1110 Jackson Street - Oakland, CA

9669

SGS Accutest Job Number: C45413

Sampling Date: 04/15/16



Report to:

Golden Gate Tank Removal, Inc.
1455 Yosemite Ave.
San Francisco, CA 94124
gina.wee@ggtr.com; tim@ggtr.com;
b.wheeler@ggtr.com; amm@ggtr.com
ATTN: Tim Hallen

Total number of pages in report: 78



James J. Rhudy
Lab Director

Test results contained within this data package meet the requirements
of the National Environmental Laboratory Accreditation Program
and/or state specific certification programs as applicable.

Client Service contact: Maureen Coloma 408-588-0200

Certifications: CA (ELAP 2910) AK (UST-092) AZ (AZ0762) NV (CA00150) OR (CA300006) WA (C925)
DoD ELAP (L-A-B L2242)

This report shall not be reproduced, except in its entirety, without the written approval of SGS Accutest.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Summary of Hits	4
Section 3: Sample Results	7
3.1: C45413-1: 9669-T1-C-9	8
3.2: C45413-2: 9669-T2-C-9	14
3.3: C45413-3: 9669-T3-C-8	20
3.4: C45413-4: 9669-SP1-DISCRETE	26
3.5: C45413-5: 9669-SP2-DISCRETE	30
3.6: C45413-6: 9669-SP3-DISCRETE	34
3.7: C45413-11: 9669-DRUM-COMP	38
Section 4: Misc. Forms	43
4.1: Chain of Custody	44
Section 5: GC/MS Volatiles - QC Data Summaries	46
5.1: Method Blank Summary	47
5.2: Blank Spike/Blank Spike Duplicate Summary	53
5.3: Laboratory Control Sample Summary	59
5.4: Matrix Spike/Matrix Spike Duplicate Summary	61
Section 6: GC/MS Semi-volatiles - QC Data Summaries	64
6.1: Method Blank Summary	65
6.2: Blank Spike/Blank Spike Duplicate Summary	66
6.3: Matrix Spike/Matrix Spike Duplicate Summary	67
Section 7: GC Semi-volatiles - QC Data Summaries	68
7.1: Method Blank Summary	69
7.2: Blank Spike/Blank Spike Duplicate Summary	71
7.3: Matrix Spike/Matrix Spike Duplicate Summary	72
Section 8: Metals Analysis - QC Data Summaries	73
8.1: Prep QC MP11181: Cd,Cr,Pb,Ni,Zn	74



Sample Summary

Golden Gate Tank Removal

Job No: C45413

1110 Jackson Street - Oakland, CA
Project No: 9669

Sample Number	Collected Date	Time By	Received	Matrix Code	Type	Client Sample ID
C45413-1	04/15/16	15:35 BAW	04/18/16	SO	Soil	9669-T1-C-9
C45413-2	04/15/16	16:20 BAW	04/18/16	SO	Soil	9669-T2-C-9
C45413-3	04/15/16	16:10 BAW	04/18/16	SO	Soil	9669-T3-C-8
C45413-4	04/15/16	16:40 BAW	04/18/16	SO	Soil	9669-SP1-DISCRETE
C45413-5	04/15/16	16:35 BAW	04/18/16	SO	Soil	9669-SP2-DISCRETE
C45413-6	04/15/16	16:45 BAW	04/18/16	SO	Soil	9669-SP3-DISCRETE
C45413-11	04/15/16	16:30 BAW	04/18/16	SO	Soil	9669-DRUM-COMP

Soil samples reported on a dry weight basis unless otherwise indicated on result page.

Summary of Hits

Job Number: C45413
Account: Golden Gate Tank Removal
Project: 1110 Jackson Street - Oakland, CA
Collected: 04/15/16

Lab Sample ID	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
C45413-1 9669-T1-C-9						
n-Butylbenzene	479 J	4600	460	ug/kg	SW846 8260B	
n-Propylbenzene	532 J	4600	460	ug/kg	SW846 8260B	
TPH-GRO (C6-C10)	394000	92000	46000	ug/kg	SW846 8260B	
1-Methylnaphthalene ^a	220	66	11	ug/kg	SW846 8270C BY SIM	
2-Methylnaphthalene ^a	356	66	8.0	ug/kg	SW846 8270C BY SIM	
Naphthalene ^a	33.5 J	66	9.9	ug/kg	SW846 8270C BY SIM	
TPH (Diesel) ^b	3.24 J	3.3	1.7	mg/kg	SW846 8015B M	
TPH (Motor Oil) ^b	6.90	6.6	3.3	mg/kg	SW846 8015B M	
TPH (Kerosene) ^b	25.2	3.3	1.7	mg/kg	SW846 8015B M	
Chromium	67.3	0.93		mg/kg	SW846 6010B	
Lead	3.9	1.9		mg/kg	SW846 6010B	
Nickel	40.1	0.93		mg/kg	SW846 6010B	
Zinc	34.9	1.9		mg/kg	SW846 6010B	
C45413-2 9669-T2-C-9						
TPH-GRO (C6-C10)	491000	180000	92000	ug/kg	SW846 8260B	
1-Methylnaphthalene ^a	132	66	11	ug/kg	SW846 8270C BY SIM	
2-Methylnaphthalene ^a	238	66	8.0	ug/kg	SW846 8270C BY SIM	
Naphthalene ^a	220	66	10	ug/kg	SW846 8270C BY SIM	
TPH (Diesel)	19.0	3.3	1.7	mg/kg	SW846 8015B M	
TPH (Motor Oil)	4.04 J	6.6	3.3	mg/kg	SW846 8015B M	
Chromium	58.1	0.83		mg/kg	SW846 6010B	
Lead	7.9	1.7		mg/kg	SW846 6010B	
Nickel	35.4	0.83		mg/kg	SW846 6010B	
Zinc	52.6	1.7		mg/kg	SW846 6010B	
C45413-3 9669-T3-C-8						
n-Butylbenzene	4030 J	22000	2200	ug/kg	SW846 8260B	
Ethylbenzene	2500 J	22000	2200	ug/kg	SW846 8260B	
p-Isopropyltoluene	2870 J	22000	2200	ug/kg	SW846 8260B	
Naphthalene	4590 J	22000	4500	ug/kg	SW846 8260B	
n-Propylbenzene	3540 J	22000	2200	ug/kg	SW846 8260B	
1,3,5-Trimethylbenzene	6170 J	22000	4500	ug/kg	SW846 8260B	
Xylene (total)	9280 J	45000	4500	ug/kg	SW846 8260B	
TPH-GRO (C6-C10)	2480000	450000	220000	ug/kg	SW846 8260B	
Acenaphthene ^a	24.2 J	66	9.0	ug/kg	SW846 8270C BY SIM	
Fluorene ^a	72.8	66	9.9	ug/kg	SW846 8270C BY SIM	
1-Methylnaphthalene ^a	2280	66	11	ug/kg	SW846 8270C BY SIM	
2-Methylnaphthalene ^a	4130	66	8.0	ug/kg	SW846 8270C BY SIM	
Naphthalene ^a	1960	66	10	ug/kg	SW846 8270C BY SIM	
Phenanthrene ^a	34.6 J	66	7.3	ug/kg	SW846 8270C BY SIM	

Summary of Hits

Job Number: C45413
Account: Golden Gate Tank Removal
Project: 1110 Jackson Street - Oakland, CA
Collected: 04/15/16

Lab Sample ID	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
TPH (Kerosene) ^c	580	66	33	mg/kg	SW846 8015B M	
Chromium	62.5	0.88		mg/kg	SW846 6010B	
Lead	3.7	1.8		mg/kg	SW846 6010B	
Nickel	40.0	0.88		mg/kg	SW846 6010B	
Zinc	30.5	1.8		mg/kg	SW846 6010B	
C45413-4 9669-SP1-DISCRETE						
TPH (Diesel)	2.81 J	3.3	1.7	mg/kg	SW846 8015B M	
TPH (Motor Oil)	6.61	6.6	3.3	mg/kg	SW846 8015B M	
C45413-5 9669-SP2-DISCRETE						
n-Butylbenzene	3360 J	22000	2200	ug/kg	SW846 8260B	
sec-Butylbenzene	2270 J	22000	2200	ug/kg	SW846 8260B	
n-Propylbenzene	2640 J	22000	2200	ug/kg	SW846 8260B	
TPH-GRO (C6-C10)	3290000	450000	220000	ug/kg	SW846 8260B	
TPH (Kerosene) ^d	217	33	17	mg/kg	SW846 8015B M	
C45413-6 9669-SP3-DISCRETE						
TPH (Diesel)	7.14	3.3	1.7	mg/kg	SW846 8015B M	
TPH (Motor Oil)	19.0	6.6	3.3	mg/kg	SW846 8015B M	
C45413-11 9669-DRUM-COMP						
n-Butylbenzene	538 J	4100	410	ug/kg	SW846 8260B	
Ethylbenzene	677 J	4100	410	ug/kg	SW846 8260B	
p-Isopropyltoluene	422 J	4100	410	ug/kg	SW846 8260B	
n-Propylbenzene	695 J	4100	410	ug/kg	SW846 8260B	
1,2,4-Trimethylbenzene	1590 J	4100	820	ug/kg	SW846 8260B	
Toluene	1340 J	4100	410	ug/kg	SW846 8260B	
Xylene (total)	3890 J	8200	820	ug/kg	SW846 8260B	
TPH-GRO (C6-C10)	497000	82000	41000	ug/kg	SW846 8260B	
TPH (Diesel)	3.47	3.3	1.7	mg/kg	SW846 8015B M	
TPH (Motor Oil)	10.6	6.6	3.3	mg/kg	SW846 8015B M	
TPH (Kerosene) ^d	62.3	3.3	1.7	mg/kg	SW846 8015B M	
Chromium	54.1	0.99		mg/kg	SW846 6010B	
Lead	7.6	2.0		mg/kg	SW846 6010B	
Nickel	31.8	0.99		mg/kg	SW846 6010B	
Zinc	176	2.0		mg/kg	SW846 6010B	

(a) Dilution required due to matrix interference (Oily extract).

(b) Pattern appears to be Jet-Fuel related but does not match with calibrations standard, quantitated as best match.

Summary of Hits

Job Number: C45413
Account: Golden Gate Tank Removal
Project: 1110 Jackson Street - Oakland, CA
Collected: 04/15/16

Lab Sample ID	Client Sample ID	Result/ Analyte	Qual	RL	MDL	Units	Method
---------------	------------------	--------------------	------	----	-----	-------	--------

- (c) Pattern appears to be Jet-Fuel related but does not match with calibration standard, quantitated as best match.
- (d) Pattern appears to be Jet-A related but does not perfectly match with calibration standard, quantitated as best match.



Sample Results

Report of Analysis

Report of Analysis

Page 1 of 3

3

Client Sample ID:	9669-T1-C-9	Date Sampled:	04/15/16
Lab Sample ID:	C45413-1	Date Received:	04/18/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	M60090.D	1	04/19/16	JT	n/a	n/a	VM1802
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.46 g	5.0 ml	5.0 ul
Run #2			

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	37000	9200	ug/kg	
71-43-2	Benzene	ND	4600	460	ug/kg	
108-86-1	Bromobenzene	ND	4600	460	ug/kg	
74-97-5	Bromo(chloromethane)	ND	4600	460	ug/kg	
75-27-4	Bromodichloromethane	ND	4600	460	ug/kg	
75-25-2	Bromoform	ND	4600	460	ug/kg	
104-51-8	n-Butylbenzene	479	4600	460	ug/kg	J
135-98-8	sec-Butylbenzene	ND	4600	460	ug/kg	
98-06-6	tert-Butylbenzene	ND	4600	460	ug/kg	
108-90-7	Chlorobenzene	ND	4600	460	ug/kg	
75-00-3	Chloroethane	ND	4600	920	ug/kg	
67-66-3	Chloroform	ND	4600	460	ug/kg	
95-49-8	o-Chlorotoluene	ND	4600	460	ug/kg	
106-43-4	p-Chlorotoluene	ND	4600	460	ug/kg	
56-23-5	Carbon tetrachloride	ND	4600	460	ug/kg	
75-34-3	1,1-Dichloroethane	ND	4600	460	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	4600	460	ug/kg	
563-58-6	1,1-Dichloropropene	ND	4600	460	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	4600	1300	ug/kg	
106-93-4	1,2-Dibromoethane	ND	4600	460	ug/kg	
107-06-2	1,2-Dichloroethane	ND	4600	460	ug/kg	
78-87-5	1,2-Dichloropropane	ND	4600	460	ug/kg	
142-28-9	1,3-Dichloropropane	ND	4600	460	ug/kg	
108-20-3	Di-Isopropyl ether	ND	4600	460	ug/kg	
594-20-7	2,2-Dichloropropane ^b	ND	4600	460	ug/kg	
124-48-1	Dibromo(chloromethane)	ND	4600	460	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	4600	920	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	4600	1000	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	4600	460	ug/kg	
541-73-1	m-Dichlorobenzene	ND	4600	460	ug/kg	
95-50-1	o-Dichlorobenzene	ND	4600	460	ug/kg	
106-46-7	p-Dichlorobenzene	ND	4600	460	ug/kg	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 3

31

3

Client Sample ID:	9669-T1-C-9	Date Sampled:	04/15/16
Lab Sample ID:	C45413-1	Date Received:	04/18/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	4600	460	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	4600	460	ug/kg	
100-41-4	Ethylbenzene	ND	4600	460	ug/kg	
637-92-3	Ethyl tert-Butyl Ether	ND	4600	460	ug/kg	
591-78-6	2-Hexanone	ND	18000	1800	ug/kg	
87-68-3	Hexachlorobutadiene	ND	4600	920	ug/kg	
98-82-8	Isopropylbenzene	ND	4600	460	ug/kg	
99-87-6	p-Isopropyltoluene	ND	4600	460	ug/kg	
108-10-1	4-Methyl-2-pentanone	ND	18000	1800	ug/kg	
74-83-9	Methyl bromide	ND	4600	920	ug/kg	
74-87-3	Methyl chloride	ND	4600	920	ug/kg	
74-95-3	Methylene bromide	ND	4600	460	ug/kg	
75-09-2	Methylene chloride	ND	18000	4600	ug/kg	
78-93-3	Methyl ethyl ketone	ND	18000	1800	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	4600	920	ug/kg	
91-20-3	Naphthalene	ND	4600	920	ug/kg	
103-65-1	n-Propylbenzene	532	4600	460	ug/kg	J
100-42-5	Styrene	ND	4600	460	ug/kg	
994-05-8	Tert-Amyl Methyl Ether	ND	4600	460	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	37000	9200	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	4600	460	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	4600	460	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	4600	460	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	4600	460	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	4600	460	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	4600	920	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	4600	460	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	4600	920	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	4600	920	ug/kg	
127-18-4	Tetrachloroethylene	ND	4600	550	ug/kg	
108-88-3	Toluene	ND	4600	460	ug/kg	
79-01-6	Trichloroethylene	ND	4600	460	ug/kg	
75-69-4	Trichlorofluoromethane	ND	4600	920	ug/kg	
75-01-4	Vinyl chloride	ND	4600	920	ug/kg	
1330-20-7	Xylene (total)	ND	9200	920	ug/kg	
	TPH-GRO (C6-C10)	394000	92000	46000	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	97%		80-136%

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 3 of 3

3-1
3

Client Sample ID:	9669-T1-C-9	Date Sampled:	04/15/16
Lab Sample ID:	C45413-1	Date Received:	04/18/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	106%		88-113%
460-00-4	4-Bromofluorobenzene	107%		79-115%

- (a) All results reported on a wet weight basis.
 (b) CCV outside of control limits (biased high); not detected in sample.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

3

Client Sample ID:	9669-T1-C-9	Date Sampled:	04/15/16		
Lab Sample ID:	C45413-1	Date Received:	04/18/16		
Matrix:	SO - Soil	Percent Solids:	n/a ^a		
Method:	SW846 8270C BY SIM SW846 3550B				
Project:	1110 Jackson Street - Oakland, CA				
Run #1 ^b	File ID T22980.D	DF 20	Analyzed By 04/18/16 BJ Prep Date 04/18/16	Prep Batch OP14214	Analytical Batch ET1047
Run #2					
	Initial Weight Run #1 30.2 g	Final Volume 1.0 ml			
Run #2					

BN PAH List

CAS No.	Compound	Result	RL	MDL	Units	Q
83-32-9	Acenaphthene	ND	66	8.9	ug/kg	
208-96-8	Acenaphthylene	ND	66	12	ug/kg	
120-12-7	Anthracene	ND	66	9.4	ug/kg	
56-55-3	Benzo(a)anthracene	ND	66	6.3	ug/kg	
50-32-8	Benzo(a)pyrene	ND	66	5.8	ug/kg	
205-99-2	Benzo(b)fluoranthene	ND	66	11	ug/kg	
191-24-2	Benzo(g,h,i)perylene	ND	66	13	ug/kg	
207-08-9	Benzo(k)fluoranthene	ND	66	11	ug/kg	
218-01-9	Chrysene	ND	66	11	ug/kg	
53-70-3	Dibenz(a,h)anthracene	ND	66	14	ug/kg	
206-44-0	Fluoranthene	ND	66	11	ug/kg	
86-73-7	Fluorene	ND	66	9.9	ug/kg	
193-39-5	Indeno(1,2,3-cd)pyrene	ND	66	14	ug/kg	
90-12-0	1-Methylnaphthalene	220	66	11	ug/kg	
91-57-6	2-Methylnaphthalene	356	66	8.0	ug/kg	
91-20-3	Naphthalene	33.5	66	9.9	ug/kg	J
85-01-8	Phenanthrene	ND	66	7.3	ug/kg	
129-00-0	Pyrene	ND	66	17	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	86%		10-177%
321-60-8	2-Fluorobiphenyl	90%		41-124%
1718-51-0	Terphenyl-d14	93%		40-149%

(a) All results reported on a wet weight basis.

(b) Dilution required due to matrix interference (Oily extract).

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

3

Client Sample ID:	9669-T1-C-9	Date Sampled:	04/15/16
Lab Sample ID:	C45413-1	Date Received:	04/18/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8015B M SW846 3550B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^b	HH331884.D	1	04/19/16	YN	04/18/16	OP14215	GHH1794
Run #2							

	Initial Weight	Final Volume
Run #1	30.1 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	3.24	3.3	1.7	mg/kg	J
	TPH (Motor Oil)	6.90	6.6	3.3	mg/kg	
	TPH (Mineral Spirits)	ND	3.3	1.7	mg/kg	
	TPH (Kerosene)	25.2	3.3	1.7	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	107%		38-146%

(a) All results reported on a wet weight basis.

(b) Pattern appears to be Jet-Fuel related but does not match with calibrations standard, quantitated as best match.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

3-1
3

Client Sample ID:	9669-T1-C-9	Date Sampled:	04/15/16
Lab Sample ID:	C45413-1	Date Received:	04/18/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Project:	1110 Jackson Street - Oakland, CA		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Cadmium	< 0.93	0.93	mg/kg	1	04/18/16	04/19/16 RS	SW846 6010B ¹	SW846 3050B ²
Chromium	67.3	0.93	mg/kg	1	04/18/16	04/19/16 RS	SW846 6010B ¹	SW846 3050B ²
Lead	3.9	1.9	mg/kg	1	04/18/16	04/19/16 RS	SW846 6010B ¹	SW846 3050B ²
Nickel	40.1	0.93	mg/kg	1	04/18/16	04/19/16 RS	SW846 6010B ¹	SW846 3050B ²
Zinc	34.9	1.9	mg/kg	1	04/18/16	04/19/16 RS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5794

(2) Prep QC Batch: MP11181

(a) All results reported on a wet weight basis.

RL = Reporting Limit

Report of Analysis

Page 1 of 3

32
3

Client Sample ID:	9669-T2-C-9	Date Sampled:	04/15/16
Lab Sample ID:	C45413-2	Date Received:	04/18/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	M60089.D	1	04/19/16	JT	n/a	n/a	VM1802
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.45 g	5.0 ml	2.5 ul
Run #2			

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	73000	18000	ug/kg	
71-43-2	Benzene	ND	9200	920	ug/kg	
108-86-1	Bromobenzene	ND	9200	920	ug/kg	
74-97-5	Bromo(chloromethane)	ND	9200	920	ug/kg	
75-27-4	Bromodichloromethane	ND	9200	920	ug/kg	
75-25-2	Bromoform	ND	9200	920	ug/kg	
104-51-8	n-Butylbenzene	ND	9200	920	ug/kg	
135-98-8	sec-Butylbenzene	ND	9200	920	ug/kg	
98-06-6	tert-Butylbenzene	ND	9200	920	ug/kg	
108-90-7	Chlorobenzene	ND	9200	920	ug/kg	
75-00-3	Chloroethane	ND	9200	1800	ug/kg	
67-66-3	Chloroform	ND	9200	920	ug/kg	
95-49-8	o-Chlorotoluene	ND	9200	920	ug/kg	
106-43-4	p-Chlorotoluene	ND	9200	920	ug/kg	
56-23-5	Carbon tetrachloride	ND	9200	920	ug/kg	
75-34-3	1,1-Dichloroethane	ND	9200	920	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	9200	920	ug/kg	
563-58-6	1,1-Dichloropropene	ND	9200	920	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	9200	2600	ug/kg	
106-93-4	1,2-Dibromoethane	ND	9200	920	ug/kg	
107-06-2	1,2-Dichloroethane	ND	9200	920	ug/kg	
78-87-5	1,2-Dichloropropane	ND	9200	920	ug/kg	
142-28-9	1,3-Dichloropropane	ND	9200	920	ug/kg	
108-20-3	Di-Isopropyl ether	ND	9200	920	ug/kg	
594-20-7	2,2-Dichloropropane ^b	ND	9200	920	ug/kg	
124-48-1	Dibromo(chloromethane)	ND	9200	920	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	9200	1800	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	9200	2000	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	9200	920	ug/kg	
541-73-1	m-Dichlorobenzene	ND	9200	920	ug/kg	
95-50-1	o-Dichlorobenzene	ND	9200	920	ug/kg	
106-46-7	p-Dichlorobenzene	ND	9200	920	ug/kg	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 3

32
3

Client Sample ID:	9669-T2-C-9	Date Sampled:	04/15/16
Lab Sample ID:	C45413-2	Date Received:	04/18/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	9200	920	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	9200	920	ug/kg	
100-41-4	Ethylbenzene	ND	9200	920	ug/kg	
637-92-3	Ethyl tert-Butyl Ether	ND	9200	920	ug/kg	
591-78-6	2-Hexanone	ND	37000	3700	ug/kg	
87-68-3	Hexachlorobutadiene	ND	9200	1800	ug/kg	
98-82-8	Isopropylbenzene	ND	9200	920	ug/kg	
99-87-6	p-Isopropyltoluene	ND	9200	920	ug/kg	
108-10-1	4-Methyl-2-pentanone	ND	37000	3700	ug/kg	
74-83-9	Methyl bromide	ND	9200	1800	ug/kg	
74-87-3	Methyl chloride	ND	9200	1800	ug/kg	
74-95-3	Methylene bromide	ND	9200	920	ug/kg	
75-09-2	Methylene chloride	ND	37000	9200	ug/kg	
78-93-3	Methyl ethyl ketone	ND	37000	3700	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	9200	1800	ug/kg	
91-20-3	Naphthalene	ND	9200	1800	ug/kg	
103-65-1	n-Propylbenzene	ND	9200	920	ug/kg	
100-42-5	Styrene	ND	9200	920	ug/kg	
994-05-8	Tert-Amyl Methyl Ether	ND	9200	920	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	73000	18000	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	9200	920	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	9200	920	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	9200	920	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	9200	920	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	9200	920	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	9200	1800	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	9200	920	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	9200	1800	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	9200	1800	ug/kg	
127-18-4	Tetrachloroethylene	ND	9200	1100	ug/kg	
108-88-3	Toluene	ND	9200	920	ug/kg	
79-01-6	Trichloroethylene	ND	9200	920	ug/kg	
75-69-4	Trichlorofluoromethane	ND	9200	1800	ug/kg	
75-01-4	Vinyl chloride	ND	9200	1800	ug/kg	
1330-20-7	Xylene (total)	ND	18000	1800	ug/kg	
	TPH-GRO (C6-C10)	491000	180000	92000	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	104%		80-136%

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 3 of 3

32
3

Client Sample ID:	9669-T2-C-9	Date Sampled:	04/15/16
Lab Sample ID:	C45413-2	Date Received:	04/18/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	92%		88-113%
460-00-4	4-Bromofluorobenzene	113%		79-115%

(a) All results reported on a wet weight basis.

(b) CCV outside of control limits (biased high); not detected in sample.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

32
3

Client Sample ID:	9669-T2-C-9	Date Sampled:	04/15/16
Lab Sample ID:	C45413-2	Date Received:	04/18/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8270C BY SIM SW846 3550B		
Project:	1110 Jackson Street - Oakland, CA		
Run #1 ^b	File ID T22981.D	DF 20	Analyzed 04/18/16
Run #2			By BJ
			Prep Date 04/18/16
			Prep Batch OP14214
			Analytical Batch ET1047
	Initial Weight 30.2 g	Final Volume 1.0 ml	
Run #1			
Run #2			

BN PAH List

CAS No.	Compound	Result	RL	MDL	Units	Q
83-32-9	Acenaphthene	ND	66	9.0	ug/kg	
208-96-8	Acenaphthylene	ND	66	12	ug/kg	
120-12-7	Anthracene	ND	66	9.4	ug/kg	
56-55-3	Benzo(a)anthracene	ND	66	6.3	ug/kg	
50-32-8	Benzo(a)pyrene	ND	66	5.8	ug/kg	
205-99-2	Benzo(b)fluoranthene	ND	66	11	ug/kg	
191-24-2	Benzo(g,h,i)perylene	ND	66	13	ug/kg	
207-08-9	Benzo(k)fluoranthene	ND	66	11	ug/kg	
218-01-9	Chrysene	ND	66	11	ug/kg	
53-70-3	Dibenz(a,h)anthracene	ND	66	14	ug/kg	
206-44-0	Fluoranthene	ND	66	11	ug/kg	
86-73-7	Fluorene	ND	66	9.9	ug/kg	
193-39-5	Indeno(1,2,3-cd)pyrene	ND	66	14	ug/kg	
90-12-0	1-Methylnaphthalene	132	66	11	ug/kg	
91-57-6	2-Methylnaphthalene	238	66	8.0	ug/kg	
91-20-3	Naphthalene	220	66	10	ug/kg	
85-01-8	Phenanthrene	ND	66	7.3	ug/kg	
129-00-0	Pyrene	ND	66	17	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	70%		10-177%
321-60-8	2-Fluorobiphenyl	88%		41-124%
1718-51-0	Terphenyl-d14	84%		40-149%

(a) All results reported on a wet weight basis.

(b) Dilution required due to matrix interference (Oily extract).

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

32
3

Client Sample ID:	9669-T2-C-9	Date Sampled:	04/15/16
Lab Sample ID:	C45413-2	Date Received:	04/18/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8015B M SW846 3550B		
Project:	1110 Jackson Street - Oakland, CA		
File ID	DF	Analyzed	Prep Date
Run #1 HH331885.D	1	04/19/16 YN	04/18/16
Run #2			
Initial Weight	Final Volume		
Run #1 30.2 g	1.0 ml		
Run #2			

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	19.0	3.3	1.7	mg/kg	
	TPH (Motor Oil)	4.04	6.6	3.3	mg/kg	J
	TPH (Mineral Spirits)	ND	3.3	1.7	mg/kg	
	TPH (Kerosene)	ND	3.3	1.7	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	104%		38-146%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

32
3

Client Sample ID:	9669-T2-C-9	Date Sampled:	04/15/16
Lab Sample ID:	C45413-2	Date Received:	04/18/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Project:	1110 Jackson Street - Oakland, CA		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Cadmium	< 0.83	0.83	mg/kg	1	04/18/16	04/19/16 RS	SW846 6010B ¹	SW846 3050B ²
Chromium	58.1	0.83	mg/kg	1	04/18/16	04/19/16 RS	SW846 6010B ¹	SW846 3050B ²
Lead	7.9	1.7	mg/kg	1	04/18/16	04/19/16 RS	SW846 6010B ¹	SW846 3050B ²
Nickel	35.4	0.83	mg/kg	1	04/18/16	04/19/16 RS	SW846 6010B ¹	SW846 3050B ²
Zinc	52.6	1.7	mg/kg	1	04/18/16	04/19/16 RS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5794

(2) Prep QC Batch: MP11181

(a) All results reported on a wet weight basis.

RL = Reporting Limit

Report of Analysis

Page 1 of 3

33

Client Sample ID:	9669-T3-C-8	Date Sampled:	04/15/16
Lab Sample ID:	C45413-3	Date Received:	04/18/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	M60112.D	1	04/20/16	JT	n/a	n/a	VM1803
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.57 g	5.0 ml	1.0 ul
Run #2			

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	180000	45000	ug/kg	
71-43-2	Benzene	ND	22000	2200	ug/kg	
108-86-1	Bromobenzene	ND	22000	2200	ug/kg	
74-97-5	Bromo(chloromethane)	ND	22000	2200	ug/kg	
75-27-4	Bromodichloromethane	ND	22000	2200	ug/kg	
75-25-2	Bromoform	ND	22000	2200	ug/kg	
104-51-8	n-Butylbenzene	4030	22000	2200	ug/kg	J
135-98-8	sec-Butylbenzene	ND	22000	2200	ug/kg	
98-06-6	tert-Butylbenzene	ND	22000	2200	ug/kg	
108-90-7	Chlorobenzene	ND	22000	2200	ug/kg	
75-00-3	Chloroethane	ND	22000	4500	ug/kg	
67-66-3	Chloroform	ND	22000	2200	ug/kg	
95-49-8	o-Chlorotoluene	ND	22000	2200	ug/kg	
106-43-4	p-Chlorotoluene	ND	22000	2200	ug/kg	
56-23-5	Carbon tetrachloride	ND	22000	2200	ug/kg	
75-34-3	1,1-Dichloroethane	ND	22000	2200	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	22000	2200	ug/kg	
563-58-6	1,1-Dichloropropene	ND	22000	2200	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	22000	6300	ug/kg	
106-93-4	1,2-Dibromoethane	ND	22000	2200	ug/kg	
107-06-2	1,2-Dichloroethane	ND	22000	2200	ug/kg	
78-87-5	1,2-Dichloropropane	ND	22000	2200	ug/kg	
142-28-9	1,3-Dichloropropane	ND	22000	2200	ug/kg	
108-20-3	Di-Isopropyl ether	ND	22000	2200	ug/kg	
594-20-7	2,2-Dichloropropane ^b	ND	22000	2200	ug/kg	
124-48-1	Dibromo(chloromethane)	ND	22000	2200	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	22000	4500	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	22000	4900	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	22000	2200	ug/kg	
541-73-1	m-Dichlorobenzene	ND	22000	2200	ug/kg	
95-50-1	o-Dichlorobenzene	ND	22000	2200	ug/kg	
106-46-7	p-Dichlorobenzene	ND	22000	2200	ug/kg	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	9669-T3-C-8	Date Sampled:	04/15/16
Lab Sample ID:	C45413-3	Date Received:	04/18/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	22000	2200	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	22000	2200	ug/kg	
100-41-4	Ethylbenzene	2500	22000	2200	ug/kg	J
637-92-3	Ethyl tert-Butyl Ether	ND	22000	2200	ug/kg	
591-78-6	2-Hexanone	ND	90000	9000	ug/kg	
87-68-3	Hexachlorobutadiene	ND	22000	4500	ug/kg	
98-82-8	Isopropylbenzene	ND	22000	2200	ug/kg	
99-87-6	p-Isopropyltoluene	2870	22000	2200	ug/kg	J
108-10-1	4-Methyl-2-pentanone	ND	90000	9000	ug/kg	
74-83-9	Methyl bromide	ND	22000	4500	ug/kg	
74-87-3	Methyl chloride	ND	22000	4500	ug/kg	
74-95-3	Methylene bromide	ND	22000	2200	ug/kg	
75-09-2	Methylene chloride	ND	90000	22000	ug/kg	
78-93-3	Methyl ethyl ketone	ND	90000	9000	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	22000	4500	ug/kg	
91-20-3	Naphthalene	4590	22000	4500	ug/kg	J
103-65-1	n-Propylbenzene	3540	22000	2200	ug/kg	J
100-42-5	Styrene	ND	22000	2200	ug/kg	
994-05-8	Tert-Amyl Methyl Ether	ND	22000	2200	ug/kg	
75-65-0	Tert Butyl Alcohol ^b	ND	180000	45000	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	22000	2200	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	22000	2200	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	22000	2200	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	22000	2200	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	22000	2200	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	22000	4500	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	22000	2200	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	22000	4500	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	6170	22000	4500	ug/kg	J
127-18-4	Tetrachloroethylene	ND	22000	2700	ug/kg	
108-88-3	Toluene	ND	22000	2200	ug/kg	
79-01-6	Trichloroethylene	ND	22000	2200	ug/kg	
75-69-4	Trichlorofluoromethane	ND	22000	4500	ug/kg	
75-01-4	Vinyl chloride	ND	22000	4500	ug/kg	
1330-20-7	Xylene (total)	9280	45000	4500	ug/kg	J
	TPH-GRO (C6-C10)	2480000	450000	220000	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		80-136%

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 3 of 3

3.3
3

Client Sample ID:	9669-T3-C-8	Date Sampled:	04/15/16
Lab Sample ID:	C45413-3	Date Received:	04/18/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	105%		88-113%
460-00-4	4-Bromofluorobenzene	105%		79-115%

(a) All results reported on a wet weight basis.

(b) CCV outside of control limits (biased high); not detected in sample.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

33
3

Client Sample ID:	9669-T3-C-8	Date Sampled:	04/15/16
Lab Sample ID:	C45413-3	Date Received:	04/18/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8270C BY SIM SW846 3550B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^b	T22982.D	20	04/18/16	BJ	04/18/16	OP14214	ET1047
Run #2							

	Initial Weight	Final Volume
Run #1	30.1 g	1.0 ml
Run #2		

BN PAH List

CAS No.	Compound	Result	RL	MDL	Units	Q
83-32-9	Acenaphthene	24.2	66	9.0	ug/kg	J
208-96-8	Acenaphthylene	ND	66	12	ug/kg	
120-12-7	Anthracene	ND	66	9.4	ug/kg	
56-55-3	Benzo(a)anthracene	ND	66	6.3	ug/kg	
50-32-8	Benzo(a)pyrene	ND	66	5.8	ug/kg	
205-99-2	Benzo(b)fluoranthene	ND	66	11	ug/kg	
191-24-2	Benzo(g,h,i)perylene	ND	66	13	ug/kg	
207-08-9	Benzo(k)fluoranthene	ND	66	11	ug/kg	
218-01-9	Chrysene	ND	66	11	ug/kg	
53-70-3	Dibenz(a,h)anthracene	ND	66	14	ug/kg	
206-44-0	Fluoranthene	ND	66	11	ug/kg	
86-73-7	Fluorene	72.8	66	9.9	ug/kg	
193-39-5	Indeno(1,2,3-cd)pyrene	ND	66	14	ug/kg	
90-12-0	1-Methylnaphthalene	2280	66	11	ug/kg	
91-57-6	2-Methylnaphthalene	4130	66	8.0	ug/kg	
91-20-3	Naphthalene	1960	66	10	ug/kg	
85-01-8	Phenanthrene	34.6	66	7.3	ug/kg	J
129-00-0	Pyrene	ND	66	17	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	340% ^c		10-177%
321-60-8	2-Fluorobiphenyl	85%		41-124%
1718-51-0	Terphenyl-d14	85%		40-149%

- (a) All results reported on a wet weight basis.
 (b) Dilution required due to matrix interference (Oily extract).
 (c) Outside control limits due to matrix interference and dilution.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

33
3

Client Sample ID:	9669-T3-C-8	Date Sampled:	04/15/16
Lab Sample ID:	C45413-3	Date Received:	04/18/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8015B M SW846 3550B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^b	HH331888.D	20	04/19/16	YN	04/18/16	OP14215	GHH1794
Run #2							

	Initial Weight	Final Volume
Run #1	30.2 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	ND	66	33	mg/kg	
	TPH (Motor Oil)	ND	130	66	mg/kg	
	TPH (Mineral Spirits)	ND	66	33	mg/kg	
	TPH (Kerosene)	580	66	33	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	107%		38-146%

(a) All results reported on a wet weight basis.

(b) Pattern appears to be Jet-Fuel related but does not match with calibration standard, quantitated as best match.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

33
3

Client Sample ID:	9669-T3-C-8	Date Sampled:	04/15/16
Lab Sample ID:	C45413-3	Date Received:	04/18/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Project:	1110 Jackson Street - Oakland, CA		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Cadmium	< 0.88	0.88	mg/kg	1	04/18/16	04/19/16 RS	SW846 6010B ¹	SW846 3050B ²
Chromium	62.5	0.88	mg/kg	1	04/18/16	04/19/16 RS	SW846 6010B ¹	SW846 3050B ²
Lead	3.7	1.8	mg/kg	1	04/18/16	04/19/16 RS	SW846 6010B ¹	SW846 3050B ²
Nickel	40.0	0.88	mg/kg	1	04/18/16	04/19/16 RS	SW846 6010B ¹	SW846 3050B ²
Zinc	30.5	1.8	mg/kg	1	04/18/16	04/19/16 RS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5794

(2) Prep QC Batch: MP11181

(a) All results reported on a wet weight basis.

RL = Reporting Limit

Report of Analysis

Page 1 of 3

34
3

Client Sample ID:	9669-SP1-DISCRETE	Date Sampled:	04/15/16
Lab Sample ID:	C45413-4	Date Received:	04/18/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	M60093.D	1	04/19/16	JT	n/a	n/a	VM1802
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.14 g	5.0 ml	100 ul
Run #2			

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	1900	490	ug/kg	
71-43-2	Benzene	ND	240	24	ug/kg	
108-86-1	Bromobenzene	ND	240	24	ug/kg	
74-97-5	Bromo(chloromethane)	ND	240	24	ug/kg	
75-27-4	Bromodichloromethane	ND	240	24	ug/kg	
75-25-2	Bromoform	ND	240	24	ug/kg	
104-51-8	n-Butylbenzene	ND	240	24	ug/kg	
135-98-8	sec-Butylbenzene	ND	240	24	ug/kg	
98-06-6	tert-Butylbenzene	ND	240	24	ug/kg	
108-90-7	Chlorobenzene	ND	240	24	ug/kg	
75-00-3	Chloroethane	ND	240	49	ug/kg	
67-66-3	Chloroform	ND	240	24	ug/kg	
95-49-8	o-Chlorotoluene	ND	240	24	ug/kg	
106-43-4	p-Chlorotoluene	ND	240	24	ug/kg	
56-23-5	Carbon tetrachloride	ND	240	24	ug/kg	
75-34-3	1,1-Dichloroethane	ND	240	24	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	240	24	ug/kg	
563-58-6	1,1-Dichloropropene	ND	240	24	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	240	68	ug/kg	
106-93-4	1,2-Dibromoethane	ND	240	24	ug/kg	
107-06-2	1,2-Dichloroethane	ND	240	24	ug/kg	
78-87-5	1,2-Dichloropropane	ND	240	24	ug/kg	
142-28-9	1,3-Dichloropropane	ND	240	24	ug/kg	
108-20-3	Di-Isopropyl ether	ND	240	24	ug/kg	
594-20-7	2,2-Dichloropropane ^b	ND	240	24	ug/kg	
124-48-1	Dibromochloromethane	ND	240	24	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	240	49	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	240	54	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	240	24	ug/kg	
541-73-1	m-Dichlorobenzene	ND	240	24	ug/kg	
95-50-1	o-Dichlorobenzene	ND	240	24	ug/kg	
106-46-7	p-Dichlorobenzene	ND	240	24	ug/kg	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 3

34
3

Client Sample ID:	9669-SP1-DISCRETE	Date Sampled:	04/15/16
Lab Sample ID:	C45413-4	Date Received:	04/18/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	240	24	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	240	24	ug/kg	
100-41-4	Ethylbenzene	ND	240	24	ug/kg	
637-92-3	Ethyl tert-Butyl Ether	ND	240	24	ug/kg	
591-78-6	2-Hexanone	ND	970	97	ug/kg	
87-68-3	Hexachlorobutadiene	ND	240	49	ug/kg	
98-82-8	Isopropylbenzene	ND	240	24	ug/kg	
99-87-6	p-Isopropyltoluene	ND	240	24	ug/kg	
108-10-1	4-Methyl-2-pentanone	ND	970	97	ug/kg	
74-83-9	Methyl bromide	ND	240	49	ug/kg	
74-87-3	Methyl chloride	ND	240	49	ug/kg	
74-95-3	Methylene bromide	ND	240	24	ug/kg	
75-09-2	Methylene chloride	ND	970	240	ug/kg	
78-93-3	Methyl ethyl ketone	ND	970	97	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	240	49	ug/kg	
91-20-3	Naphthalene	ND	240	49	ug/kg	
103-65-1	n-Propylbenzene	ND	240	24	ug/kg	
100-42-5	Styrene	ND	240	24	ug/kg	
994-05-8	Tert-Amyl Methyl Ether	ND	240	24	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	1900	490	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	240	24	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	240	24	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	240	24	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	240	24	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	240	24	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	240	49	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	240	24	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	240	49	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	240	49	ug/kg	
127-18-4	Tetrachloroethylene	ND	240	29	ug/kg	
108-88-3	Toluene	ND	240	24	ug/kg	
79-01-6	Trichloroethylene	ND	240	24	ug/kg	
75-69-4	Trichlorofluoromethane	ND	240	49	ug/kg	
75-01-4	Vinyl chloride	ND	240	49	ug/kg	
1330-20-7	Xylene (total)	ND	490	49	ug/kg	
	TPH-GRO (C6-C10)	ND	4900	2400	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	87%		80-136%

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	9669-SP1-DISCRETE	Date Sampled:	04/15/16
Lab Sample ID:	C45413-4	Date Received:	04/18/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	106%		88-113%
460-00-4	4-Bromofluorobenzene	98%		79-115%

(a) All results reported on a wet weight basis.

(b) CCV outside of control limits (biased high); not detected in sample.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

34
3**Client Sample ID:** 9669-SP1-DISCRETE**Lab Sample ID:** C45413-4**Matrix:** SO - Soil**Method:** SW846 8015B M SW846 3550B**Project:** 1110 Jackson Street - Oakland, CA**Date Sampled:** 04/15/16**Date Received:** 04/18/16**Percent Solids:** n/a^a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	HH331889.D	1	04/19/16	YN	04/18/16	OP14215	GHH1794
Run #2							

	Initial Weight	Final Volume
Run #1	30.2 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	2.81	3.3	1.7	mg/kg	J
	TPH (Motor Oil)	6.61	6.6	3.3	mg/kg	
	TPH (Mineral Spirits)	ND	3.3	1.7	mg/kg	
	TPH (Kerosene)	ND	3.3	1.7	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	78%		38-146%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 3

35
3

Client Sample ID:	9669-SP2-DISCRETE	Date Sampled:	04/15/16
Lab Sample ID:	C45413-5	Date Received:	04/18/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	M60088.D	1	04/19/16	JT	n/a	n/a	VM1802
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.60 g	5.0 ml	1.0 ul
Run #2			

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	180000	45000	ug/kg	
71-43-2	Benzene	ND	22000	2200	ug/kg	
108-86-1	Bromobenzene	ND	22000	2200	ug/kg	
74-97-5	Bromo(chloromethane)	ND	22000	2200	ug/kg	
75-27-4	Bromodichloromethane	ND	22000	2200	ug/kg	
75-25-2	Bromoform	ND	22000	2200	ug/kg	
104-51-8	n-Butylbenzene	3360	22000	2200	ug/kg	J
135-98-8	sec-Butylbenzene	2270	22000	2200	ug/kg	J
98-06-6	tert-Butylbenzene	ND	22000	2200	ug/kg	
108-90-7	Chlorobenzene	ND	22000	2200	ug/kg	
75-00-3	Chloroethane	ND	22000	4500	ug/kg	
67-66-3	Chloroform	ND	22000	2200	ug/kg	
95-49-8	o-Chlorotoluene	ND	22000	2200	ug/kg	
106-43-4	p-Chlorotoluene	ND	22000	2200	ug/kg	
56-23-5	Carbon tetrachloride	ND	22000	2200	ug/kg	
75-34-3	1,1-Dichloroethane	ND	22000	2200	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	22000	2200	ug/kg	
563-58-6	1,1-Dichloropropene	ND	22000	2200	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	22000	6300	ug/kg	
106-93-4	1,2-Dibromoethane	ND	22000	2200	ug/kg	
107-06-2	1,2-Dichloroethane	ND	22000	2200	ug/kg	
78-87-5	1,2-Dichloropropane	ND	22000	2200	ug/kg	
142-28-9	1,3-Dichloropropane	ND	22000	2200	ug/kg	
108-20-3	Di-Isopropyl ether	ND	22000	2200	ug/kg	
594-20-7	2,2-Dichloropropane ^b	ND	22000	2200	ug/kg	
124-48-1	Dibromo(chloromethane)	ND	22000	2200	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	22000	4500	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	22000	4900	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	22000	2200	ug/kg	
541-73-1	m-Dichlorobenzene	ND	22000	2200	ug/kg	
95-50-1	o-Dichlorobenzene	ND	22000	2200	ug/kg	
106-46-7	p-Dichlorobenzene	ND	22000	2200	ug/kg	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 3

3.5
3

Client Sample ID:	9669-SP2-DISCRETE	Date Sampled:	04/15/16
Lab Sample ID:	C45413-5	Date Received:	04/18/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	22000	2200	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	22000	2200	ug/kg	
100-41-4	Ethylbenzene	ND	22000	2200	ug/kg	
637-92-3	Ethyl tert-Butyl Ether	ND	22000	2200	ug/kg	
591-78-6	2-Hexanone	ND	89000	8900	ug/kg	
87-68-3	Hexachlorobutadiene	ND	22000	4500	ug/kg	
98-82-8	Isopropylbenzene	ND	22000	2200	ug/kg	
99-87-6	p-Isopropyltoluene	ND	22000	2200	ug/kg	
108-10-1	4-Methyl-2-pentanone	ND	89000	8900	ug/kg	
74-83-9	Methyl bromide	ND	22000	4500	ug/kg	
74-87-3	Methyl chloride	ND	22000	4500	ug/kg	
74-95-3	Methylene bromide	ND	22000	2200	ug/kg	
75-09-2	Methylene chloride	ND	89000	22000	ug/kg	
78-93-3	Methyl ethyl ketone	ND	89000	8900	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	22000	4500	ug/kg	
91-20-3	Naphthalene	ND	22000	4500	ug/kg	
103-65-1	n-Propylbenzene	2640	22000	2200	ug/kg	J
100-42-5	Styrene	ND	22000	2200	ug/kg	
994-05-8	Tert-Amyl Methyl Ether	ND	22000	2200	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	180000	45000	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	22000	2200	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	22000	2200	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	22000	2200	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	22000	2200	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	22000	2200	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	22000	4500	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	22000	2200	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	22000	4500	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	22000	4500	ug/kg	
127-18-4	Tetrachloroethylene	ND	22000	2700	ug/kg	
108-88-3	Toluene	ND	22000	2200	ug/kg	
79-01-6	Trichloroethylene	ND	22000	2200	ug/kg	
75-69-4	Trichlorofluoromethane	ND	22000	4500	ug/kg	
75-01-4	Vinyl chloride	ND	22000	4500	ug/kg	
1330-20-7	Xylene (total)	ND	45000	4500	ug/kg	
	TPH-GRO (C6-C10)	3290000	450000	220000	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	95%		80-136%

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 3 of 3

3.5
3**Client Sample ID:** 9669-SP2-DISCRETE**Lab Sample ID:** C45413-5**Matrix:** SO - Soil**Method:** SW846 8260B**Project:** 1110 Jackson Street - Oakland, CA**Date Sampled:** 04/15/16**Date Received:** 04/18/16**Percent Solids:** n/a^a**VOA 8260 List**

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	108%		88-113%
460-00-4	4-Bromofluorobenzene	105%		79-115%

(a) All results reported on a wet weight basis.

(b) CCV outside of control limits (biased high); not detected in sample.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

35
3

Client Sample ID:	9669-SP2-DISCRETE			Date Sampled:	04/15/16	
Lab Sample ID:	C45413-5			Date Received:	04/18/16	
Matrix:	SO - Soil			Percent Solids:	n/a ^a	
Method:	SW846 8015B M SW846 3550B					
Project:	1110 Jackson Street - Oakland, CA					
Run #1	File ID GG65827.D	DF 10	Analyzed 04/19/16	By FL	Prep Date 04/18/16	Prep Batch OP14215
Run #2						Analytical Batch GGG1965
	Initial Weight Run #1 30.1 g	Final Volume 1.0 ml				
Run #2						

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	ND	33	17	mg/kg	
	TPH (Motor Oil)	ND	66	33	mg/kg	
	TPH (Mineral Spirits)	ND	33	17	mg/kg	
	TPH (Kerosene) ^b	217	33	17	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	104%		38-146%

(a) All results reported on a wet weight basis.

(b) Pattern appears to be Jet-A related but does not perfectly match with calibration standard, quantitated as best match.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 3

36
3

Client Sample ID:	9669-SP3-DISCRETE	Date Sampled:	04/15/16
Lab Sample ID:	C45413-6	Date Received:	04/18/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	M60092.D	1	04/19/16	JT	n/a	n/a	VM1802
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.17 g	5.0 ml	100 ul
Run #2			

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	1900	480	ug/kg	
71-43-2	Benzene	ND	240	24	ug/kg	
108-86-1	Bromobenzene	ND	240	24	ug/kg	
74-97-5	Bromo(chloromethane)	ND	240	24	ug/kg	
75-27-4	Bromodichloromethane	ND	240	24	ug/kg	
75-25-2	Bromoform	ND	240	24	ug/kg	
104-51-8	n-Butylbenzene	ND	240	24	ug/kg	
135-98-8	sec-Butylbenzene	ND	240	24	ug/kg	
98-06-6	tert-Butylbenzene	ND	240	24	ug/kg	
108-90-7	Chlorobenzene	ND	240	24	ug/kg	
75-00-3	Chloroethane	ND	240	48	ug/kg	
67-66-3	Chloroform	ND	240	24	ug/kg	
95-49-8	o-Chlorotoluene	ND	240	24	ug/kg	
106-43-4	p-Chlorotoluene	ND	240	24	ug/kg	
56-23-5	Carbon tetrachloride	ND	240	24	ug/kg	
75-34-3	1,1-Dichloroethane	ND	240	24	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	240	24	ug/kg	
563-58-6	1,1-Dichloropropene	ND	240	24	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	240	68	ug/kg	
106-93-4	1,2-Dibromoethane	ND	240	24	ug/kg	
107-06-2	1,2-Dichloroethane	ND	240	24	ug/kg	
78-87-5	1,2-Dichloropropane	ND	240	24	ug/kg	
142-28-9	1,3-Dichloropropane	ND	240	24	ug/kg	
108-20-3	Di-Isopropyl ether	ND	240	24	ug/kg	
594-20-7	2,2-Dichloropropane ^b	ND	240	24	ug/kg	
124-48-1	Dibromochloromethane	ND	240	24	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	240	48	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	240	53	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	240	24	ug/kg	
541-73-1	m-Dichlorobenzene	ND	240	24	ug/kg	
95-50-1	o-Dichlorobenzene	ND	240	24	ug/kg	
106-46-7	p-Dichlorobenzene	ND	240	24	ug/kg	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 3

36
3**Client Sample ID:** 9669-SP3-DISCRETE**Lab Sample ID:** C45413-6**Matrix:** SO - Soil**Method:** SW846 8260B**Project:** 1110 Jackson Street - Oakland, CA**Date Sampled:** 04/15/16**Date Received:** 04/18/16**Percent Solids:** n/a^a**VOA 8260 List**

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	240	24	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	240	24	ug/kg	
100-41-4	Ethylbenzene	ND	240	24	ug/kg	
637-92-3	Ethyl tert-Butyl Ether	ND	240	24	ug/kg	
591-78-6	2-Hexanone	ND	970	97	ug/kg	
87-68-3	Hexachlorobutadiene	ND	240	48	ug/kg	
98-82-8	Isopropylbenzene	ND	240	24	ug/kg	
99-87-6	p-Isopropyltoluene	ND	240	24	ug/kg	
108-10-1	4-Methyl-2-pentanone	ND	970	97	ug/kg	
74-83-9	Methyl bromide	ND	240	48	ug/kg	
74-87-3	Methyl chloride	ND	240	48	ug/kg	
74-95-3	Methylene bromide	ND	240	24	ug/kg	
75-09-2	Methylene chloride	ND	970	240	ug/kg	
78-93-3	Methyl ethyl ketone	ND	970	97	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	240	48	ug/kg	
91-20-3	Naphthalene	ND	240	48	ug/kg	
103-65-1	n-Propylbenzene	ND	240	24	ug/kg	
100-42-5	Styrene	ND	240	24	ug/kg	
994-05-8	Tert-Amyl Methyl Ether	ND	240	24	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	1900	480	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	240	24	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	240	24	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	240	24	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	240	24	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	240	24	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	240	48	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	240	24	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	240	48	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	240	48	ug/kg	
127-18-4	Tetrachloroethylene	ND	240	29	ug/kg	
108-88-3	Toluene	ND	240	24	ug/kg	
79-01-6	Trichloroethylene	ND	240	24	ug/kg	
75-69-4	Trichlorofluoromethane	ND	240	48	ug/kg	
75-01-4	Vinyl chloride	ND	240	48	ug/kg	
1330-20-7	Xylene (total)	ND	480	48	ug/kg	
	TPH-GRO (C6-C10)	ND	4800	2400	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	89%		80-136%

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 3 of 3

36
3**Client Sample ID:** 9669-SP3-DISCRETE**Lab Sample ID:** C45413-6**Matrix:** SO - Soil**Method:** SW846 8260B**Project:** 1110 Jackson Street - Oakland, CA**Date Sampled:** 04/15/16**Date Received:** 04/18/16**Percent Solids:** n/a^a**VOA 8260 List**

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	107%		88-113%
460-00-4	4-Bromofluorobenzene	100%		79-115%

(a) All results reported on a wet weight basis.

(b) CCV outside of control limits (biased high); not detected in sample.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

3.6
3

Client Sample ID:	9669-SP3-DISCRETE	Date Sampled:	04/15/16
Lab Sample ID:	C45413-6	Date Received:	04/18/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8015B M SW846 3550B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	GG65829.D	1	04/19/16	FL	04/18/16	OP14215	GGG1965
Run #2							

	Initial Weight	Final Volume
Run #1	30.1 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	7.14	3.3	1.7	mg/kg	
	TPH (Motor Oil)	19.0	6.6	3.3	mg/kg	
	TPH (Mineral Spirits)	ND	3.3	1.7	mg/kg	
	TPH (Kerosene)	ND	3.3	1.7	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	102%		38-146%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 3

37
3**Client Sample ID:** 9669-DRUM-COMP**Lab Sample ID:** C45413-11**Date Sampled:** 04/15/16**Matrix:** SO - Soil**Date Received:** 04/18/16**Method:** SW846 8260B**Percent Solids:** n/a^a**Project:** 1110 Jackson Street - Oakland, CA

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	M60091.D	1	04/19/16	JT	n/a	n/a	VM1802
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	6.10 g	5.0 ml	5.0 ul
Run #2			

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	33000	8200	ug/kg	
71-43-2	Benzene	ND	4100	410	ug/kg	
108-86-1	Bromobenzene	ND	4100	410	ug/kg	
74-97-5	Bromo(chloromethane)	ND	4100	410	ug/kg	
75-27-4	Bromodichloromethane	ND	4100	410	ug/kg	
75-25-2	Bromoform	ND	4100	410	ug/kg	
104-51-8	n-Butylbenzene	538	4100	410	ug/kg	J
135-98-8	sec-Butylbenzene	ND	4100	410	ug/kg	
98-06-6	tert-Butylbenzene	ND	4100	410	ug/kg	
108-90-7	Chlorobenzene	ND	4100	410	ug/kg	
75-00-3	Chloroethane	ND	4100	820	ug/kg	
67-66-3	Chloroform	ND	4100	410	ug/kg	
95-49-8	o-Chlorotoluene	ND	4100	410	ug/kg	
106-43-4	p-Chlorotoluene	ND	4100	410	ug/kg	
56-23-5	Carbon tetrachloride	ND	4100	410	ug/kg	
75-34-3	1,1-Dichloroethane	ND	4100	410	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	4100	410	ug/kg	
563-58-6	1,1-Dichloropropene	ND	4100	410	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	4100	1100	ug/kg	
106-93-4	1,2-Dibromoethane	ND	4100	410	ug/kg	
107-06-2	1,2-Dichloroethane	ND	4100	410	ug/kg	
78-87-5	1,2-Dichloropropane	ND	4100	410	ug/kg	
142-28-9	1,3-Dichloropropane	ND	4100	410	ug/kg	
108-20-3	Di-Isopropyl ether	ND	4100	410	ug/kg	
594-20-7	2,2-Dichloropropane ^b	ND	4100	410	ug/kg	
124-48-1	Dibromo(chloromethane)	ND	4100	410	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	4100	820	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	4100	900	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	4100	410	ug/kg	
541-73-1	m-Dichlorobenzene	ND	4100	410	ug/kg	
95-50-1	o-Dichlorobenzene	ND	4100	410	ug/kg	
106-46-7	p-Dichlorobenzene	ND	4100	410	ug/kg	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 3

37
3**Client Sample ID:** 9669-DRUM-COMP**Lab Sample ID:** C45413-11**Matrix:** SO - Soil**Method:** SW846 8260B**Project:** 1110 Jackson Street - Oakland, CA**Date Sampled:** 04/15/16**Date Received:** 04/18/16**Percent Solids:** n/a^a**VOA 8260 List**

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	4100	410	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	4100	410	ug/kg	
100-41-4	Ethylbenzene	677	4100	410	ug/kg	J
637-92-3	Ethyl tert-Butyl Ether	ND	4100	410	ug/kg	
591-78-6	2-Hexanone	ND	16000	1600	ug/kg	
87-68-3	Hexachlorobutadiene	ND	4100	820	ug/kg	
98-82-8	Isopropylbenzene	ND	4100	410	ug/kg	
99-87-6	p-Isopropyltoluene	422	4100	410	ug/kg	J
108-10-1	4-Methyl-2-pentanone	ND	16000	1600	ug/kg	
74-83-9	Methyl bromide	ND	4100	820	ug/kg	
74-87-3	Methyl chloride	ND	4100	820	ug/kg	
74-95-3	Methylene bromide	ND	4100	410	ug/kg	
75-09-2	Methylene chloride	ND	16000	4100	ug/kg	
78-93-3	Methyl ethyl ketone	ND	16000	1600	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	4100	820	ug/kg	
91-20-3	Naphthalene	ND	4100	820	ug/kg	
103-65-1	n-Propylbenzene	695	4100	410	ug/kg	J
100-42-5	Styrene	ND	4100	410	ug/kg	
994-05-8	Tert-Amyl Methyl Ether	ND	4100	410	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	33000	8200	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	4100	410	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	4100	410	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	4100	410	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	4100	410	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	4100	410	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	4100	820	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	4100	410	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	1590	4100	820	ug/kg	J
108-67-8	1,3,5-Trimethylbenzene	ND	4100	820	ug/kg	
127-18-4	Tetrachloroethylene	ND	4100	490	ug/kg	
108-88-3	Toluene	1340	4100	410	ug/kg	J
79-01-6	Trichloroethylene	ND	4100	410	ug/kg	
75-69-4	Trichlorofluoromethane	ND	4100	820	ug/kg	
75-01-4	Vinyl chloride	ND	4100	820	ug/kg	
1330-20-7	Xylene (total)	3890	8200	820	ug/kg	J
	TPH-GRO (C6-C10)	497000	82000	41000	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	97%		80-136%

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 3 of 3

37
3

Client Sample ID:	9669-DRUM-COMP	Date Sampled:	04/15/16
Lab Sample ID:	C45413-11	Date Received:	04/18/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	107%		88-113%
460-00-4	4-Bromofluorobenzene	106%		79-115%

- (a) All results reported on a wet weight basis.
 (b) CCV outside of control limits (biased high); not detected in sample.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

37
3**Client Sample ID:** 9669-DRUM-COMP**Lab Sample ID:** C45413-11**Date Sampled:** 04/15/16**Matrix:** SO - Soil**Date Received:** 04/18/16**Method:** SW846 8015B M SW846 3550B**Percent Solids:** n/a^a**Project:** 1110 Jackson Street - Oakland, CA

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	GG65830.D	1	04/19/16	FL	04/18/16	OP14215	GGG1965
Run #2							

	Initial Weight	Final Volume
Run #1	30.2 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	3.47	3.3	1.7	mg/kg	
	TPH (Motor Oil)	10.6	6.6	3.3	mg/kg	
	TPH (Mineral Spirits)	ND	3.3	1.7	mg/kg	
	TPH (Kerosene) ^b	62.3	3.3	1.7	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	102%		38-146%

(a) All results reported on a wet weight basis.

(b) Pattern appears to be Jet-A related but does not perfectly match with calibration standard, quantitated as best match.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

37
3

Client Sample ID:	9669-DRUM-COMP	Date Sampled:	04/15/16
Lab Sample ID:	C45413-11	Date Received:	04/18/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Project:	1110 Jackson Street - Oakland, CA		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Cadmium	< 0.99	0.99	mg/kg	1	04/18/16	04/19/16 RS	SW846 6010B ¹	SW846 3050B ²
Chromium	54.1	0.99	mg/kg	1	04/18/16	04/19/16 RS	SW846 6010B ¹	SW846 3050B ²
Lead	7.6	2.0	mg/kg	1	04/18/16	04/19/16 RS	SW846 6010B ¹	SW846 3050B ²
Nickel	31.8	0.99	mg/kg	1	04/18/16	04/19/16 RS	SW846 6010B ¹	SW846 3050B ²
Zinc	176	2.0	mg/kg	1	04/18/16	04/19/16 RS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5794

(2) Prep QC Batch: MP11181

(a) All results reported on a wet weight basis.

RL = Reporting Limit

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody



CHAIN OF CUSTODY

2105 Lundy Ave, San Jose, CA 95131
(408) 588-0200 FAX: (408) 588-0201

Client / Reporting Information			Project Information			FED-EX Tracking #		Bottle Order Control #							
Company Name: GOLDEN Gate Tank Removal, INC. Address: 1480 CARROLL AVE. City: SAN FRANCISCO CA Zip: 94124 Project Contact: GINGA WEE Phone #: 415-512-1555 Sampler's Name: B. WILSECKER			Project Name: 9669-1110 JACKSON Street: 1110 JACKSON ST. City: OAKLAND CA Project #: 9669 EMAIL: G.WEE@GSTR.COM Client Purchase Order #: 9669												
Accutest Sample ID	Collection		BT = 2003-10/18/16	Number of preserved Bottles						Matrix Codes					
	Date	Time		Sampled by		Matrix	# of bottles	G	NH3		CO	PCP	None	Headspace	Surface
	1	9/18/16		1505 BAW		SO	1							X	X
	2	9/18/16		1620 BAW		SO	1							X	X
	3	9/18/16		1640 BAW		SO	1							X	X
	4	9/18/16		1645 BAW		SO	1							X	X
	5	9/18/16		1655 BAW		SO	2							X	X
	6	9/18/16		1655 BAW		SO	1							X	X
7	9/18/16	1655 DRUM - COMP		SO	4						X	X			
8															
Turnaround Time (Business days)			Data Deliverable Information						Comments / Remarks						
<input type="checkbox"/> 10 Day <input type="checkbox"/> 5 Day <input type="checkbox"/> 3 Day <input checked="" type="checkbox"/> 2 Day <input checked="" type="checkbox"/> 1 Day <u>24 HRS</u> <input type="checkbox"/> Same Day			Approved By / Date: _____ <input type="checkbox"/> Commercial "A" - Results only <input type="checkbox"/> Commercial "B" - Results with QC summaries <input type="checkbox"/> Commercial "B*" - Results, GC, and chromatograms <input type="checkbox"/> FULL 4 data package <input type="checkbox"/> EDF for Geotracker <input type="checkbox"/> EDD Format _____ Provide EDF Global ID: _____ Provide EDF Logcode: _____						BT = 2003-10/18/16 * COMPLETE (4101) PRIOR TO ANALYSIS						
Emergency T/A data available VIA Lablink			Sample Custody must be documented below each time samples change possession, including courier delivery.												
1 Relinquished by Sampler:	Date/Time:	9/18/16 10:00	Received By:	1	Relinquished By:	2	Date/Time:	9/18/16 14:00	Received By:	2	A/i Zeighami	A2			
3	Date/Time:		Received By:	3	Relinquished By:	4	Date/Time:		Received By:	4		B			
5	Date/Time:		Received By:	5	Custody Seal #	NONE	Appropriate Bottle / Pres. Y/N		Headspace Y/N	On ice Y/N	4.7/4.9				
Labels match Coc? Y / N Separate Receiving Check List used: Y / N															

C45413: Chain of Custody

Page 1 of 2

SGS Accutest Sample Receipt Summary

Job Number: C45413 **Client:** GGTR **Project:** #9669-1110 JACKSON
Date / Time Received: 4/18/2016 2:00:00 PM **Delivery Method:** Accutest Courier **Airbill #'s:**
Cooler Temps (Initial/Adjusted): #1: (4.7/4.9);

Cooler Security Y or N

- | | | | | | |
|---------------------------|--------------------------|-------------------------------------|-----------------------|-------------------------------------|--------------------------|
| 1. Custody Seals Present: | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 3. COC Present: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Custody Seals Intact: | <input type="checkbox"/> | <input type="checkbox"/> | 4. Smpl Dates/Time OK | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

Cooler Temperature Y or N

- | | | |
|----------------------------|-------------------------------------|--------------------------|
| 1. Temp criteria achieved: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Therm ID: | IR1; | |
| 3. Cooler media: | Ice (Bag) | |
| 4. No. Coolers: | 1 | |

Quality Control Preservation Y or N N/A

- | | | | |
|---------------------------------|-------------------------------------|--------------------------|-------------------------------------|
| 1. Trip Blank present / cooler: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 2. Trip Blank listed on COC: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 3. Samples preserved properly: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4. VOCs headspace free: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

Sample Integrity - Documentation

- | | | |
|--|-------------------------------------|--------------------------|
| 1. Sample labels present on bottles: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Container labeling complete: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Sample container label / COC agree: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

Sample Integrity - Condition

- | | | |
|----------------------------------|-------------------------------------|--------------------------|
| 1. Sample recv'd within HT: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. All containers accounted for: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Condition of sample: | Intact | |

Sample Integrity - Instructions

- | | | |
|---|-------------------------------------|-------------------------------------|
| 1. Analysis requested is clear: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Bottles received for unspecified tests | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 3. Sufficient volume recv'd for analysis: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 4. Compositing instructions clear: | <input type="checkbox"/> | <input type="checkbox"/> |
| 5. Filtering instructions clear: | <input type="checkbox"/> | <input type="checkbox"/> |

Comments

4.1

4

C45413: Chain of Custody

Page 2 of 2

GC/MS Volatiles

5

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

Method Blank Summary

Page 1 of 3

Job Number: C45413

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1802-MB	M60079.D	1	04/19/16	JT	n/a	n/a	VM1802

The QC reported here applies to the following samples:

Method: SW846 8260B

C45413-1, C45413-2, C45413-4, C45413-5, C45413-6, C45413-11

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	40	10	ug/kg	
71-43-2	Benzene	ND	5.0	0.50	ug/kg	
108-86-1	Bromobenzene	ND	5.0	0.50	ug/kg	
74-97-5	Bromochloromethane	ND	5.0	0.50	ug/kg	
75-27-4	Bromodichloromethane	ND	5.0	0.50	ug/kg	
75-25-2	Bromoform	ND	5.0	0.50	ug/kg	
104-51-8	n-Butylbenzene	ND	5.0	0.50	ug/kg	
135-98-8	sec-Butylbenzene	ND	5.0	0.50	ug/kg	
98-06-6	tert-Butylbenzene	ND	5.0	0.50	ug/kg	
108-90-7	Chlorobenzene	ND	5.0	0.50	ug/kg	
75-00-3	Chloroethane	ND	5.0	1.0	ug/kg	
67-66-3	Chloroform	ND	5.0	0.50	ug/kg	
95-49-8	o-Chlorotoluene	ND	5.0	0.50	ug/kg	
106-43-4	p-Chlorotoluene	ND	5.0	0.50	ug/kg	
56-23-5	Carbon tetrachloride	ND	5.0	0.50	ug/kg	
75-34-3	1,1-Dichloroethane	ND	5.0	0.50	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	5.0	0.50	ug/kg	
563-58-6	1,1-Dichloropropene	ND	5.0	0.50	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	1.4	ug/kg	
106-93-4	1,2-Dibromoethane	ND	5.0	0.50	ug/kg	
107-06-2	1,2-Dichloroethane	ND	5.0	0.50	ug/kg	
78-87-5	1,2-Dichloropropane	ND	5.0	0.50	ug/kg	
142-28-9	1,3-Dichloropropane	ND	5.0	0.50	ug/kg	
108-20-3	Di-Isopropyl ether	ND	5.0	0.50	ug/kg	
594-20-7	2,2-Dichloropropane	ND	5.0	0.50	ug/kg	
124-48-1	Dibromochloromethane	ND	5.0	0.50	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	5.0	1.1	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	5.0	0.50	ug/kg	
541-73-1	m-Dichlorobenzene	ND	5.0	0.50	ug/kg	
95-50-1	o-Dichlorobenzene	ND	5.0	0.50	ug/kg	
106-46-7	p-Dichlorobenzene	ND	5.0	0.50	ug/kg	
156-60-5	trans-1,2-Dichloroethylene	ND	5.0	0.50	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	5.0	0.50	ug/kg	
100-41-4	Ethylbenzene	ND	5.0	0.50	ug/kg	
637-92-3	Ethyl tert-Butyl Ether	ND	5.0	0.50	ug/kg	

5.1.1
5

Method Blank Summary

Page 2 of 3

Job Number: C45413

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1802-MB	M60079.D	1	04/19/16	JT	n/a	n/a	VM1802

The QC reported here applies to the following samples:

Method: SW846 8260B

C45413-1, C45413-2, C45413-4, C45413-5, C45413-6, C45413-11

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	20	2.0	ug/kg	
87-68-3	Hexachlorobutadiene	ND	5.0	1.0	ug/kg	
98-82-8	Isopropylbenzene	ND	5.0	0.50	ug/kg	
99-87-6	p-Isopropyltoluene	ND	5.0	0.50	ug/kg	
108-10-1	4-Methyl-2-pentanone	ND	20	2.0	ug/kg	
74-83-9	Methyl bromide	ND	5.0	1.0	ug/kg	
74-87-3	Methyl chloride	ND	5.0	1.0	ug/kg	
74-95-3	Methylene bromide	ND	5.0	0.50	ug/kg	
75-09-2	Methylene chloride	ND	20	5.0	ug/kg	
78-93-3	Methyl ethyl ketone	ND	20	2.0	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	5.0	1.0	ug/kg	
91-20-3	Naphthalene	ND	5.0	1.0	ug/kg	
103-65-1	n-Propylbenzene	ND	5.0	0.50	ug/kg	
100-42-5	Styrene	ND	5.0	0.50	ug/kg	
994-05-8	Tert-Amyl Methyl Ether	ND	5.0	0.50	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	40	10	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	0.50	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	5.0	0.50	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	5.0	0.50	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	5.0	0.50	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.50	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	5.0	1.0	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.50	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	1.0	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	1.0	ug/kg	
127-18-4	Tetrachloroethylene	ND	5.0	0.60	ug/kg	
108-88-3	Toluene	ND	5.0	0.50	ug/kg	
79-01-6	Trichloroethylene	ND	5.0	0.50	ug/kg	
75-69-4	Trichlorofluoromethane	ND	5.0	1.0	ug/kg	
75-01-4	Vinyl chloride	ND	5.0	1.0	ug/kg	
1330-20-7	Xylene (total)	ND	10	1.0	ug/kg	
	TPH-GRO (C6-C10)	ND	100	50	ug/kg	

5.1.1
5

Method Blank Summary

Page 3 of 3

Job Number: C45413

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1802-MB	M60079.D	1	04/19/16	JT	n/a	n/a	VM1802

The QC reported here applies to the following samples:

Method: SW846 8260B

C45413-1, C45413-2, C45413-4, C45413-5, C45413-6, C45413-11

CAS No. Surrogate Recoveries Limits

1868-53-7	Dibromofluoromethane	97%	80-136%
2037-26-5	Toluene-D8	105%	88-113%
460-00-4	4-Bromofluorobenzene	101%	79-115%

5.1.1
5

Method Blank Summary

Page 1 of 3

Job Number: C45413

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1803-MB	M60110.D	1	04/20/16	JT	n/a	n/a	VM1803

The QC reported here applies to the following samples:

Method: SW846 8260B

C45413-3

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	40	10	ug/kg	
71-43-2	Benzene	ND	5.0	0.50	ug/kg	
108-86-1	Bromobenzene	ND	5.0	0.50	ug/kg	
74-97-5	Bromochloromethane	ND	5.0	0.50	ug/kg	
75-27-4	Bromodichloromethane	ND	5.0	0.50	ug/kg	
75-25-2	Bromoform	ND	5.0	0.50	ug/kg	
104-51-8	n-Butylbenzene	ND	5.0	0.50	ug/kg	
135-98-8	sec-Butylbenzene	ND	5.0	0.50	ug/kg	
98-06-6	tert-Butylbenzene	ND	5.0	0.50	ug/kg	
108-90-7	Chlorobenzene	ND	5.0	0.50	ug/kg	
75-00-3	Chloroethane	ND	5.0	1.0	ug/kg	
67-66-3	Chloroform	ND	5.0	0.50	ug/kg	
95-49-8	o-Chlorotoluene	ND	5.0	0.50	ug/kg	
106-43-4	p-Chlorotoluene	ND	5.0	0.50	ug/kg	
56-23-5	Carbon tetrachloride	ND	5.0	0.50	ug/kg	
75-34-3	1,1-Dichloroethane	ND	5.0	0.50	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	5.0	0.50	ug/kg	
563-58-6	1,1-Dichloropropene	ND	5.0	0.50	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	1.4	ug/kg	
106-93-4	1,2-Dibromoethane	ND	5.0	0.50	ug/kg	
107-06-2	1,2-Dichloroethane	ND	5.0	0.50	ug/kg	
78-87-5	1,2-Dichloropropane	ND	5.0	0.50	ug/kg	
142-28-9	1,3-Dichloropropane	ND	5.0	0.50	ug/kg	
108-20-3	Di-Isopropyl ether	ND	5.0	0.50	ug/kg	
594-20-7	2,2-Dichloropropane	ND	5.0	0.50	ug/kg	
124-48-1	Dibromochloromethane	ND	5.0	0.50	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	5.0	1.1	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	5.0	0.50	ug/kg	
541-73-1	m-Dichlorobenzene	ND	5.0	0.50	ug/kg	
95-50-1	o-Dichlorobenzene	ND	5.0	0.50	ug/kg	
106-46-7	p-Dichlorobenzene	ND	5.0	0.50	ug/kg	
156-60-5	trans-1,2-Dichloroethylene	ND	5.0	0.50	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	5.0	0.50	ug/kg	
100-41-4	Ethylbenzene	ND	5.0	0.50	ug/kg	
637-92-3	Ethyl tert-Butyl Ether	ND	5.0	0.50	ug/kg	

Method Blank Summary

Page 2 of 3

Job Number: C45413

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1803-MB	M60110.D	1	04/20/16	JT	n/a	n/a	VM1803

The QC reported here applies to the following samples:

Method: SW846 8260B

C45413-3

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	20	2.0	ug/kg	
87-68-3	Hexachlorobutadiene	ND	5.0	1.0	ug/kg	
98-82-8	Isopropylbenzene	ND	5.0	0.50	ug/kg	
99-87-6	p-Isopropyltoluene	ND	5.0	0.50	ug/kg	
108-10-1	4-Methyl-2-pentanone	ND	20	2.0	ug/kg	
74-83-9	Methyl bromide	ND	5.0	1.0	ug/kg	
74-87-3	Methyl chloride	ND	5.0	1.0	ug/kg	
74-95-3	Methylene bromide	ND	5.0	0.50	ug/kg	
75-09-2	Methylene chloride	ND	20	5.0	ug/kg	
78-93-3	Methyl ethyl ketone	ND	20	2.0	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	5.0	1.0	ug/kg	
91-20-3	Naphthalene	ND	5.0	1.0	ug/kg	
103-65-1	n-Propylbenzene	ND	5.0	0.50	ug/kg	
100-42-5	Styrene	ND	5.0	0.50	ug/kg	
994-05-8	Tert-Amyl Methyl Ether	ND	5.0	0.50	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	40	10	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	0.50	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	5.0	0.50	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	5.0	0.50	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	5.0	0.50	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.50	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	5.0	1.0	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.50	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	1.0	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	1.0	ug/kg	
127-18-4	Tetrachloroethylene	ND	5.0	0.60	ug/kg	
108-88-3	Toluene	ND	5.0	0.50	ug/kg	
79-01-6	Trichloroethylene	ND	5.0	0.50	ug/kg	
75-69-4	Trichlorofluoromethane	ND	5.0	1.0	ug/kg	
75-01-4	Vinyl chloride	ND	5.0	1.0	ug/kg	
1330-20-7	Xylene (total)	ND	10	1.0	ug/kg	
	TPH-GRO (C6-C10)	ND	100	50	ug/kg	

5.1.2
5

Method Blank Summary

Page 3 of 3

Job Number: C45413

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1803-MB	M60110.D	1	04/20/16	JT	n/a	n/a	VM1803

The QC reported here applies to the following samples:

Method: SW846 8260B

C45413-3

CAS No. Surrogate Recoveries Limits

1868-53-7	Dibromofluoromethane	98%	80-136%
2037-26-5	Toluene-D8	104%	88-113%
460-00-4	4-Bromofluorobenzene	97%	79-115%

Blank Spike/Blank Spike Duplicate Summary

Page 1 of 3

Job Number: C45413

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1802-BS	M60076.D	1	04/19/16	JT	n/a	n/a	VM1802
VM1802-BSD	M60077.D	1	04/19/16	JT	n/a	n/a	VM1802

The QC reported here applies to the following samples:

Method: SW846 8260B

C45413-1, C45413-2, C45413-4, C45413-5, C45413-6, C45413-11

CAS No.	Compound	Spike ug/kg	BSP ug/kg	BSP %	BSD ug/kg	BSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	160	190	119	165	103	14	48-156/30
71-43-2	Benzene	40	34.9	87	34.2	86	2	73-119/20
108-86-1	Bromobenzene	40	36.0	90	37.0	93	3	73-115/18
74-97-5	Bromochloromethane	40	32.8	82	32.2	81	2	76-125/19
75-27-4	Bromodichloromethane	40	32.2	81	31.8	80	1	72-115/20
75-25-2	Bromoform	40	34.9	87	34.5	86	1	74-120/21
104-51-8	n-Butylbenzene	40	36.4	91	36.6	92	1	70-116/21
135-98-8	sec-Butylbenzene	40	36.9	92	37.1	93	1	73-113/21
98-06-6	tert-Butylbenzene	40	36.5	91	36.9	92	1	72-111/20
108-90-7	Chlorobenzene	40	35.0	88	35.2	88	1	73-109/19
75-00-3	Chloroethane	40	37.0	93	33.4	84	10	67-127/21
67-66-3	Chloroform	40	32.6	82	31.7	79	3	71-121/19
95-49-8	o-Chlorotoluene	40	34.6	87	34.8	87	1	71-114/21
106-43-4	p-Chlorotoluene	40	38.5	96	39.0	98	1	65-120/26
56-23-5	Carbon tetrachloride	40	32.8	82	32.2	81	2	72-121/23
75-34-3	1,1-Dichloroethane	40	35.1	88	34.1	85	3	71-118/19
75-35-4	1,1-Dichloroethylene	40	33.6	84	33.1	83	1	69-118/22
563-58-6	1,1-Dichloropropene	40	33.5	84	32.9	82	2	70-117/20
96-12-8	1,2-Dibromo-3-chloropropane	40	44.6	112	42.5	106	5	63-123/26
106-93-4	1,2-Dibromoethane	40	37.6	94	37.0	93	2	73-117/18
107-06-2	1,2-Dichloroethane	40	34.0	85	32.9	82	3	71-118/20
78-87-5	1,2-Dichloropropane	40	36.3	91	35.8	90	1	73-120/19
142-28-9	1,3-Dichloropropane	40	39.5	99	39.3	98	1	75-120/18
108-20-3	Di-Isopropyl ether	40	35.3	88	34.1	85	3	68-127/19
594-20-7	2,2-Dichloropropane	40	40.7	102	39.4	99	3	66-122/25
124-48-1	Dibromochloromethane	40	34.4	86	34.1	85	1	73-116/20
75-71-8	Dichlorodifluoromethane	40	29.7	74	27.1	68	9	56-118/26
156-59-2	cis-1,2-Dichloroethylene	40	35.4	89	34.8	87	2	73-128/19
10061-01-5	cis-1,3-Dichloropropene	40	35.8	90	35.6	89	1	74-126/17
541-73-1	m-Dichlorobenzene	40	35.3	88	35.6	89	1	71-113/19
95-50-1	o-Dichlorobenzene	40	35.0	88	35.6	89	2	72-115/19
106-46-7	p-Dichlorobenzene	40	35.0	88	35.4	89	1	72-113/18
156-60-5	trans-1,2-Dichloroethylene	40	31.7	79	30.8	77	3	67-112/20
10061-02-6	trans-1,3-Dichloropropene	40	36.1	90	35.8	90	1	72-113/18
100-41-4	Ethylbenzene	40	36.0	90	36.4	91	1	75-112/21
637-92-3	Ethyl tert-Butyl Ether	40	39.7	99	38.8	97	2	67-124/20

* = Outside of Control Limits.

5.2.1
5

Blank Spike/Blank Spike Duplicate Summary

Page 2 of 3

Job Number: C45413

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1802-BS	M60076.D	1	04/19/16	JT	n/a	n/a	VM1802
VM1802-BSD	M60077.D	1	04/19/16	JT	n/a	n/a	VM1802

The QC reported here applies to the following samples:

Method: SW846 8260B

C45413-1, C45413-2, C45413-4, C45413-5, C45413-6, C45413-11

CAS No.	Compound	Spike ug/kg	BSP ug/kg	BSP %	BSD ug/kg	BSD %	RPD	Limits Rec/RPD
591-78-6	2-Hexanone	160	207	129	199	124	4	40-152/26
87-68-3	Hexachlorobutadiene	40	34.1	85	34.5	86	1	72-121/26
98-82-8	Isopropylbenzene	40	35.7	89	35.8	90	0	74-112/22
99-87-6	p-Isopropyltoluene	40	36.2	91	36.7	92	1	72-114/21
108-10-1	4-Methyl-2-pentanone	160	183	114	171	107	7	50-144/28
74-83-9	Methyl bromide	40	32.6	82	29.2	73	11	73-130/20
74-87-3	Methyl chloride	40	35.3	88	32.6	82	8	57-124/31
74-95-3	Methylene bromide	40	34.8	87	33.9	85	3	76-121/20
75-09-2	Methylene chloride	40	32.4	81	31.1	78	4	72-119/19
78-93-3	Methyl ethyl ketone	160	187	117	177	111	5	52-145/27
1634-04-4	Methyl Tert Butyl Ether	40	39.2	98	38.0	95	3	68-118/22
91-20-3	Naphthalene	40	40.4	101	39.8	100	1	67-132/22
103-65-1	n-Propylbenzene	40	36.4	91	36.9	92	1	71-110/19
100-42-5	Styrene	40	35.7	89	35.9	90	1	73-112/19
994-05-8	Tert-Amyl Methyl Ether	40	41.4	104	40.0	100	3	67-126/21
75-65-0	Tert Butyl Alcohol	200	294	147	263	132	11	53-150/30
630-20-6	1,1,1,2-Tetrachloroethane	40	34.1	85	33.7	84	1	75-114/22
71-55-6	1,1,1-Trichloroethane	40	35.4	89	33.8	85	5	72-124/21
79-34-5	1,1,2,2-Tetrachloroethane	40	40.7	102	40.4	101	1	72-121/19
79-00-5	1,1,2-Trichloroethane	40	37.2	93	36.9	92	1	70-120/18
87-61-6	1,2,3-Trichlorobenzene	40	36.3	91	36.3	91	0	68-125/24
96-18-4	1,2,3-Trichloropropane	40	39.0	98	38.0	95	3	75-119/19
120-82-1	1,2,4-Trichlorobenzene	40	34.9	87	35.8	90	3	70-123/23
95-63-6	1,2,4-Trimethylbenzene	40	35.7	89	36.1	90	1	71-112/19
108-67-8	1,3,5-Trimethylbenzene	40	36.9	92	37.2	93	1	72-113/20
127-18-4	Tetrachloroethylene	40	35.8	90	35.6	89	1	68-120/20
108-88-3	Toluene	40	36.3	91	36.2	91	0	75-111/20
79-01-6	Trichloroethylene	40	33.8	85	33.0	83	2	72-120/20
75-69-4	Trichlorofluoromethane	40	32.6	82	29.3	73	11	71-136/21
75-01-4	Vinyl chloride	40	34.1	85	30.8	77	10	61-131/24
1330-20-7	Xylene (total)	120	106	88	106	88	0	73-110/20

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
1868-53-7	Dibromofluoromethane	95%	92%	80-136%

* = Outside of Control Limits.

5.2.1
5

Blank Spike/Blank Spike Duplicate Summary

Page 3 of 3

Job Number: C45413

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1802-BS	M60076.D	1	04/19/16	JT	n/a	n/a	VM1802
VM1802-BSD	M60077.D	1	04/19/16	JT	n/a	n/a	VM1802

The QC reported here applies to the following samples:

Method: SW846 8260B

C45413-1, C45413-2, C45413-4, C45413-5, C45413-6, C45413-11

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
2037-26-5	Toluene-D8	106%	105%	88-113%
460-00-4	4-Bromofluorobenzene	100%	101%	79-115%

* = Outside of Control Limits.

5.2.1
5

Blank Spike/Blank Spike Duplicate Summary

Page 1 of 3

Job Number: C45413

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1803-BS	M60106.D	1	04/20/16	JT	n/a	n/a	VM1803
VM1803-BSD	M60108.D	1	04/20/16	JT	n/a	n/a	VM1803

The QC reported here applies to the following samples:

Method: SW846 8260B

C45413-3

CAS No.	Compound	Spike ug/kg	BSP ug/kg	BSP %	BSD ug/kg	BSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	160	157	98	159	99	1	48-156/30
71-43-2	Benzene	40	33.7	84	34.5	86	2	73-119/20
108-86-1	Bromobenzene	40	35.8	90	36.4	91	2	73-115/18
74-97-5	Bromochloromethane	40	31.2	78	32.5	81	4	76-125/19
75-27-4	Bromodichloromethane	40	30.7	77	31.1	78	1	72-115/20
75-25-2	Bromoform	40	31.7	79	32.6	82	3	74-120/21
104-51-8	n-Butylbenzene	40	35.7	89	37.0	93	4	70-116/21
135-98-8	sec-Butylbenzene	40	36.5	91	37.6	94	3	73-113/21
98-06-6	tert-Butylbenzene	40	35.8	90	36.8	92	3	72-111/20
108-90-7	Chlorobenzene	40	34.1	85	34.9	87	2	73-109/19
75-00-3	Chloroethane	40	36.4	91	36.7	92	1	67-127/21
67-66-3	Chloroform	40	30.4	76	31.6	79	4	71-121/19
95-49-8	o-Chlorotoluene	40	34.6	87	33.7	84	3	71-114/21
106-43-4	p-Chlorotoluene	40	37.5	94	40.2	101	7	65-120/26
56-23-5	Carbon tetrachloride	40	30.4	76	31.3	78	3	72-121/23
75-34-3	1,1-Dichloroethane	40	32.8	82	34.5	86	5	71-118/19
75-35-4	1,1-Dichloroethylene	40	31.7	79	33.5	84	6	69-118/22
563-58-6	1,1-Dichloropropene	40	32.3	81	32.8	82	2	70-117/20
96-12-8	1,2-Dibromo-3-chloropropane	40	37.8	95	38.2	96	1	63-123/26
106-93-4	1,2-Dibromoethane	40	34.6	87	35.6	89	3	73-117/18
107-06-2	1,2-Dichloroethane	40	31.1	78	31.8	80	2	71-118/20
78-87-5	1,2-Dichloropropane	40	34.9	87	34.9	87	0	73-120/19
142-28-9	1,3-Dichloropropane	40	36.8	92	37.7	94	2	75-120/18
108-20-3	Di-Isopropyl ether	40	33.0	83	34.0	85	3	68-127/19
594-20-7	2,2-Dichloropropane	40	39.3	98	39.6	99	1	66-122/25
124-48-1	Dibromochloromethane	40	31.9	80	32.9	82	3	73-116/20
75-71-8	Dichlorodifluoromethane	40	29.5	74	29.3	73	1	56-118/26
156-59-2	cis-1,2-Dichloroethylene	40	33.6	84	35.0	88	4	73-128/19
10061-01-5	cis-1,3-Dichloropropene	40	34.8	87	34.5	86	1	74-126/17
541-73-1	m-Dichlorobenzene	40	34.6	87	35.5	89	3	71-113/19
95-50-1	o-Dichlorobenzene	40	34.6	87	35.2	88	2	72-115/19
106-46-7	p-Dichlorobenzene	40	34.7	87	35.8	90	3	72-113/18
156-60-5	trans-1,2-Dichloroethylene	40	30.1	75	31.3	78	4	67-112/20
10061-02-6	trans-1,3-Dichloropropene	40	33.8	85	34.4	86	2	72-113/18
100-41-4	Ethylbenzene	40	35.0	88	36.1	90	3	75-112/21
637-92-3	Ethyl tert-Butyl Ether	40	37.0	93	37.8	95	2	67-124/20

* = Outside of Control Limits.

5.2.2
5

Blank Spike/Blank Spike Duplicate Summary

Page 2 of 3

Job Number: C45413

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1803-BS	M60106.D	1	04/20/16	JT	n/a	n/a	VM1803
VM1803-BSD	M60108.D	1	04/20/16	JT	n/a	n/a	VM1803

The QC reported here applies to the following samples:

Method: SW846 8260B

C45413-3

CAS No.	Compound	Spike ug/kg	BSP ug/kg	BSP %	BSD ug/kg	BSD %	RPD	Limits Rec/RPD
591-78-6	2-Hexanone	160	177	111	178	111	1	40-152/26
87-68-3	Hexachlorobutadiene	40	32.7	82	33.9	85	4	72-121/26
98-82-8	Isopropylbenzene	40	33.9	85	35.5	89	5	74-112/22
99-87-6	p-Isopropyltoluene	40	35.7	89	37.0	93	4	72-114/21
108-10-1	4-Methyl-2-pentanone	160	159	99	158	99	1	50-144/28
74-83-9	Methyl bromide	40	32.4	81	32.5	81	0	73-130/20
74-87-3	Methyl chloride	40	35.7	89	35.5	89	1	57-124/31
74-95-3	Methylene bromide	40	32.2	81	33.0	83	2	76-121/20
75-09-2	Methylene chloride	40	30.0	75	31.1	78	4	72-119/19
78-93-3	Methyl ethyl ketone	160	157	98	163	102	4	52-145/27
1634-04-4	Methyl Tert Butyl Ether	40	35.9	90	36.7	92	2	68-118/22
91-20-3	Naphthalene	40	36.7	92	36.9	92	1	67-132/22
103-65-1	n-Propylbenzene	40	35.9	90	36.9	92	3	71-110/19
100-42-5	Styrene	40	34.5	86	35.5	89	3	73-112/19
994-05-8	Tert-Amyl Methyl Ether	40	38.5	96	38.9	97	1	67-126/21
75-65-0	Tert Butyl Alcohol	200	227	114	229	115	1	53-150/30
630-20-6	1,1,1,2-Tetrachloroethane	40	32.4	81	33.8	85	4	75-114/22
71-55-6	1,1,1-Trichloroethane	40	33.1	83	34.3	86	4	72-124/21
79-34-5	1,1,2,2-Tetrachloroethane	40	37.7	94	38.3	96	2	72-121/19
79-00-5	1,1,2-Trichloroethane	40	35.2	88	35.9	90	2	70-120/18
87-61-6	1,2,3-Trichlorobenzene	40	34.2	86	34.8	87	2	68-125/24
96-18-4	1,2,3-Trichloropropane	40	34.4	86	36.3	91	5	75-119/19
120-82-1	1,2,4-Trichlorobenzene	40	34.2	86	34.9	87	2	70-123/23
95-63-6	1,2,4-Trimethylbenzene	40	35.0	88	35.9	90	3	71-112/19
108-67-8	1,3,5-Trimethylbenzene	40	36.4	91	37.0	93	2	72-113/20
127-18-4	Tetrachloroethylene	40	34.4	86	36.3	91	5	68-120/20
108-88-3	Toluene	40	35.1	88	36.3	91	3	75-111/20
79-01-6	Trichloroethylene	40	32.7	82	33.6	84	3	72-120/20
75-69-4	Trichlorofluoromethane	40	32.7	82	32.7	82	0	71-136/21
75-01-4	Vinyl chloride	40	33.5	84	33.4	84	0	61-131/24
1330-20-7	Xylene (total)	120	103	86	107	89	4	73-110/20

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
1868-53-7	Dibromofluoromethane	94%	95%	80-136%

* = Outside of Control Limits.

5.2.2
5

Blank Spike/Blank Spike Duplicate Summary

Page 3 of 3

Job Number: C45413

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1803-BS	M60106.D	1	04/20/16	JT	n/a	n/a	VM1803
VM1803-BSD	M60108.D	1	04/20/16	JT	n/a	n/a	VM1803

The QC reported here applies to the following samples:

Method: SW846 8260B

C45413-3

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
2037-26-5	Toluene-D8	105%	104%	88-113%
460-00-4	4-Bromofluorobenzene	97%	98%	79-115%

* = Outside of Control Limits.

Laboratory Control Sample Summary

Page 1 of 1

Job Number: C45413

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1802-LCS	M60078.D	1	04/19/16	JT	n/a	n/a	VM1802

The QC reported here applies to the following samples:

Method: SW846 8260B

C45413-1, C45413-2, C45413-4, C45413-5, C45413-6, C45413-11

CAS No.	Compound	Spike ug/kg	LCS ug/kg	LCS %	Limits
	TPH-GRO (C6-C10)	250	264	106	70-123

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	95%	80-136%
2037-26-5	Toluene-D8	105%	88-113%
460-00-4	4-Bromofluorobenzene	100%	79-115%

* = Outside of Control Limits.

Laboratory Control Sample Summary

Page 1 of 1

Job Number: C45413

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1803-LCS	M60109.D	1	04/20/16	JT	n/a	n/a	VM1803

The QC reported here applies to the following samples:

Method: SW846 8260B

C45413-3

CAS No.	Compound	Spike ug/kg	LCS ug/kg	LCS %	Limits
	TPH-GRO (C6-C10)	250	275	110	70-123

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	99%	80-136%
2037-26-5	Toluene-D8	105%	88-113%
460-00-4	4-Bromofluorobenzene	99%	79-115%

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 3

Job Number: C45413

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C45378-1MS	M60094.D	1	04/19/16	JT	n/a	n/a	VM1802
C45378-1MSD	M60095.D	1	04/19/16	JT	n/a	n/a	VM1802
C45378-1 ^a	M60086.D	1	04/19/16	JT	n/a	n/a	VM1802

The QC reported here applies to the following samples:

Method: SW846 8260B

C45413-1, C45413-2, C45413-4, C45413-5, C45413-6, C45413-11

CAS No.	Compound	C45378-1		Spike	MS	MS	Spike	MSD	MSD	RPD	Limits Rec/RPD
		ug/kg	Q	ug/kg	ug/kg	%	ug/kg	ug/kg	%		
67-64-1	Acetone	ND	158	163	103	158	113	72	36* ^b	48-156/30	
71-43-2	Benzene	ND	39.5	31.9	81	39.4	35.5	90	11	73-119/20	
108-86-1	Bromobenzene	ND	39.5	30.1	76	39.4	31.5	80	5	73-115/18	
74-97-5	Bromochloromethane	ND	39.5	29.8	75* ^b	39.4	32.0	81	7	76-125/19	
75-27-4	Bromodichloromethane	ND	39.5	27.8	70* ^b	39.4	30.3	77	9	72-115/20	
75-25-2	Bromoform	ND	39.5	28.3	72* ^b	39.4	29.8	76	5	74-120/21	
104-51-8	n-Butylbenzene	ND	39.5	24.1	61* ^b	39.4	25.3	64* ^b	5	70-116/21	
135-98-8	sec-Butylbenzene	ND	39.5	27.7	70* ^b	39.4	29.3	74	6	73-113/21	
98-06-6	tert-Butylbenzene	ND	39.5	28.7	73	39.4	30.4	77	6	72-111/20	
108-90-7	Chlorobenzene	ND	39.5	29.9	76	39.4	32.5	82	8	73-109/19	
75-00-3	Chloroethane	ND	39.5	33.6	85	39.4	37.8	96	12	67-127/21	
67-66-3	Chloroform	ND	39.5	28.9	73	39.4	32.0	81	10	71-121/19	
95-49-8	o-Chlorotoluene	ND	39.5	28.0	71	39.4	29.2	74	4	71-114/21	
106-43-4	p-Chlorotoluene	ND	39.5	30.1	76	39.4	31.6	80	5	65-120/26	
56-23-5	Carbon tetrachloride	ND	39.5	28.7	73	39.4	33.6	85	16	72-121/23	
75-34-3	1,1-Dichloroethane	ND	39.5	31.4	79	39.4	35.4	90	12	71-118/19	
75-35-4	1,1-Dichloroethylene	ND	39.5	30.8	78	39.4	35.3	89	14	69-118/22	
563-58-6	1,1-Dichloropropene	ND	39.5	30.0	76	39.4	34.2	87	13	70-117/20	
96-12-8	1,2-Dibromo-3-chloropropane	ND	39.5	34.8	88	39.4	30.6	78	13	63-123/26	
106-93-4	1,2-Dibromoethane	ND	39.5	31.7	80	39.4	33.3	84	5	73-117/18	
107-06-2	1,2-Dichloroethane	ND	39.5	29.3	74	39.4	31.3	79	7	71-118/20	
78-87-5	1,2-Dichloropropane	ND	39.5	32.2	81	39.4	34.7	88	7	73-120/19	
142-28-9	1,3-Dichloropropane	ND	39.5	33.7	85	39.4	35.3	89	5	75-120/18	
108-20-3	Di-Isopropyl ether	ND	39.5	30.9	78	39.4	33.7	85	9	68-127/19	
594-20-7	2,2-Dichloropropane	ND	39.5	36.5	92	39.4	41.7	106	13	66-122/25	
124-48-1	Dibromochloromethane	ND	39.5	28.2	71* ^b	39.4	30.5	77	8	73-116/20	
75-71-8	Dichlorodifluoromethane	ND	39.5	27.9	71	39.4	30.5	77	9	56-118/26	
156-59-2	cis-1,2-Dichloroethylene	ND	39.5	31.8	80	39.4	35.7	90	12	73-128/19	
10061-01-5	cis-1,3-Dichloropropene	ND	39.5	30.3	77	39.4	31.7	80	5	74-126/17	
541-73-1	m-Dichlorobenzene	ND	39.5	26.2	66* ^b	39.4	27.5	70* ^b	5	71-113/19	
95-50-1	o-Dichlorobenzene	ND	39.5	26.5	67* ^b	39.4	27.4	69* ^b	3	72-115/19	
106-46-7	p-Dichlorobenzene	ND	39.5	26.1	66* ^b	39.4	27.7	70* ^b	6	72-113/18	
156-60-5	trans-1,2-Dichloroethylene	ND	39.5	29.1	74	39.4	32.8	83	12	67-112/20	
10061-02-6	trans-1,3-Dichloropropene	ND	39.5	28.5	72	39.4	30.6	78	7	72-113/18	
100-41-4	Ethylbenzene	ND	39.5	30.7	78	39.4	34.1	86	10	75-112/21	
637-92-3	Ethyl tert-Butyl Ether	ND	39.5	34.9	88	39.4	37.9	96	8	67-124/20	

* = Outside of Control Limits.

5.4.1
5

Matrix Spike/Matrix Spike Duplicate Summary

Page 2 of 3

Job Number: C45413

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C45378-1MS	M60094.D	1	04/19/16	JT	n/a	n/a	VM1802
C45378-1MSD	M60095.D	1	04/19/16	JT	n/a	n/a	VM1802
C45378-1 ^a	M60086.D	1	04/19/16	JT	n/a	n/a	VM1802

The QC reported here applies to the following samples:

Method: SW846 8260B

C45413-1, C45413-2, C45413-4, C45413-5, C45413-6, C45413-11

CAS No.	Compound	C45378-1		Spike	MS	MS	Spike	MSD	MSD	RPD	Limits Rec/RPD
		ug/kg	Q	ug/kg	ug/kg	%	ug/kg	ug/kg	%		
591-78-6	2-Hexanone	ND		158	174	110	158	166	105	5	40-152/26
87-68-3	Hexachlorobutadiene	ND		39.5	16.9	43* ^b	39.4	16.5	42* ^b	2	72-121/26
98-82-8	Isopropylbenzene	ND		39.5	28.9	73* ^b	39.4	32.3	82	11	74-112/22
99-87-6	p-Isopropyltoluene	ND		39.5	26.4	67* ^b	39.4	27.8	70* ^b	5	72-114/21
108-10-1	4-Methyl-2-pentanone	ND		158	159	101	158	147	93	8	50-144/28
74-83-9	Methyl bromide	ND		39.5	29.1	74	39.4	32.1	81	10	73-130/20
74-87-3	Methyl chloride	ND		39.5	34.2	87	39.4	38.3	97	11	57-124/31
74-95-3	Methylene bromide	ND		39.5	30.3	77	39.4	31.7	80	5	76-121/20
75-09-2	Methylene chloride	ND		39.5	29.5	75	39.4	32.6	83	10	72-119/19
78-93-3	Methyl ethyl ketone	ND		158	146	92	158	120	76	20	52-145/27
1634-04-4	Methyl Tert Butyl Ether	ND		39.5	34.6	88	39.4	34.6	88	0	68-118/22
91-20-3	Naphthalene	ND		39.5	27.5	70	39.4	23.6	60* ^b	15	67-132/22
103-65-1	n-Propylbenzene	ND		39.5	28.8	73	39.4	30.5	77	6	71-110/19
100-42-5	Styrene	0.82	J	39.5	30.7	76	39.4	33.8	84	10	73-112/19
994-05-8	Tert-Amyl Methyl Ether	ND		39.5	36.1	91	39.4	37.2	94	3	67-126/21
75-65-0	Tert Butyl Alcohol	ND		198	232	117	197	127	64	58* ^b	53-150/30
630-20-6	1,1,1,2-Tetrachloroethane	ND		39.5	28.6	72* ^b	39.4	31.4	80	9	75-114/22
71-55-6	1,1,1-Trichloroethane	ND		39.5	31.4	79	39.4	35.1	89	11	72-124/21
79-34-5	1,1,2,2-Tetrachloroethane	ND		39.5	28.5	72	39.4	27.7	70* ^b	3	72-121/19
79-00-5	1,1,2-Trichloroethane	ND		39.5	32.2	81	39.4	33.8	86	5	70-120/18
87-61-6	1,2,3-Trichlorobenzene	ND		39.5	18.6	47* ^b	39.4	16.0	41* ^b	15	68-125/24
96-18-4	1,2,3-Trichloropropane	ND		39.5	33.5	85	39.4	33.5	85	0	75-119/19
120-82-1	1,2,4-Trichlorobenzene	ND		39.5	18.2	46* ^b	39.4	16.3	41* ^b	11	70-123/23
95-63-6	1,2,4-Trimethylbenzene	ND		39.5	28.3	72	39.4	29.4	75	4	71-112/19
108-67-8	1,3,5-Trimethylbenzene	ND		39.5	28.9	73	39.4	30.5	77	5	72-113/20
127-18-4	Tetrachloroethylene	ND		39.5	49.1	124* ^b	39.4	54.3	138* ^b	10	68-120/20
108-88-3	Toluene	ND		39.5	31.6	80	39.4	35.4	90	11	75-111/20
79-01-6	Trichloroethylene	ND		39.5	34.7	88	39.4	39.0	99	12	72-120/20
75-69-4	Trichlorofluoromethane	ND		39.5	29.7	75	39.4	34.0	86	14	71-136/21
75-01-4	Vinyl chloride	ND		39.5	30.7	78	39.4	40.2	102	27* ^b	61-131/24
1330-20-7	Xylene (total)	ND		119	89.4	75	118	98.9	84	10	73-110/20

CAS No.	Surrogate Recoveries	MS	MSD	C45378-1	Limits
1868-53-7	Dibromofluoromethane	95%	95%		80-136%

* = Outside of Control Limits.

5.4.1
5



62 of 78

ACCUTEST
C45413

Matrix Spike/Matrix Spike Duplicate Summary

Page 3 of 3

Job Number: C45413

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C45378-1MS	M60094.D	1	04/19/16	JT	n/a	n/a	VM1802
C45378-1MSD	M60095.D	1	04/19/16	JT	n/a	n/a	VM1802
C45378-1 ^a	M60086.D	1	04/19/16	JT	n/a	n/a	VM1802

The QC reported here applies to the following samples:

Method: SW846 8260B

C45413-1, C45413-2, C45413-4, C45413-5, C45413-6, C45413-11

CAS No.	Surrogate Recoveries	MS	MSD	C45378-1	Limits
2037-26-5	Toluene-D8	103%	106%		88-113%
460-00-4	4-Bromofluorobenzene	99%	101%		79-115%

(a) Sample used for QC purposes only.

(b) Outside control limits due to matrix interference.

* = Outside of Control Limits.

5.4.1
5

GC/MS Semi-volatiles**QC Data Summaries**

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries



Method Blank Summary

Page 1 of 1

Job Number: C45413

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP14214-MB	T22979.D	1	04/18/16	BJ	04/18/16	OP14214	ET1047

The QC reported here applies to the following samples:

Method: SW846 8270C BY SIM

C45413-1, C45413-2, C45413-3

CAS No.	Compound	Result	RL	MDL	Units	Q
83-32-9	Acenaphthene	ND	3.3	0.45	ug/kg	
208-96-8	Acenaphthylene	ND	3.3	0.58	ug/kg	
120-12-7	Anthracene	ND	3.3	0.47	ug/kg	
56-55-3	Benzo(a)anthracene	ND	3.3	0.32	ug/kg	
50-32-8	Benzo(a)pyrene	ND	3.3	0.29	ug/kg	
205-99-2	Benzo(b)fluoranthene	ND	3.3	0.57	ug/kg	
191-24-2	Benzo(g,h,i)perylene	ND	3.3	0.66	ug/kg	
207-08-9	Benzo(k)fluoranthene	ND	3.3	0.53	ug/kg	
218-01-9	Chrysene	ND	3.3	0.55	ug/kg	
53-70-3	Dibenz(a,h)anthracene	ND	3.3	0.68	ug/kg	
206-44-0	Fluoranthene	ND	3.3	0.54	ug/kg	
86-73-7	Fluorene	ND	3.3	0.50	ug/kg	
193-39-5	Indeno(1,2,3-cd)pyrene	ND	3.3	0.69	ug/kg	
90-12-0	1-Methylnaphthalene	ND	3.3	0.56	ug/kg	
91-57-6	2-Methylnaphthalene	ND	3.3	0.40	ug/kg	
91-20-3	Naphthalene	ND	3.3	0.50	ug/kg	
85-01-8	Phenanthrene	ND	3.3	0.37	ug/kg	
129-00-0	Pyrene	ND	3.3	0.86	ug/kg	

CAS No.	Surrogate Recoveries	Limits
4165-60-0	Nitrobenzene-d5	97%
321-60-8	2-Fluorobiphenyl	94%
1718-51-0	Terphenyl-d14	103%

Blank Spike/Blank Spike Duplicate Summary

Page 1 of 1

Job Number: C45413

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP14214-BS	T22977.D	1	04/18/16	BJ	04/18/16	OP14214	ET1047
OP14214-BSD	T22978.D	1	04/18/16	BJ	04/18/16	OP14214	ET1047

The QC reported here applies to the following samples:

Method: SW846 8270C BY SIM

C45413-1, C45413-2, C45413-3

CAS No.	Compound	Spike ug/kg	BSP ug/kg	BSP %	BSD ug/kg	BSD %	RPD	Limits Rec/RPD
83-32-9	Acenaphthene	167	162	97	161	97	1	53-111/14
208-96-8	Acenaphthylene	167	165	99	163	98	1	53-113/13
120-12-7	Anthracene	167	160	96	151	91	6	57-113/14
56-55-3	Benzo(a)anthracene	167	177	106	164	98	8	60-126/10
50-32-8	Benzo(a)pyrene	167	145	87	144	86	1	51-111/11
205-99-2	Benzo(b)fluoranthene	167	176	106	169	101	4	53-136/19
191-24-2	Benzo(g,h,i)perylene	167	163	98	170	102	4	57-129/17
207-08-9	Benzo(k)fluoranthene	167	166	100	159	95	4	60-126/16
218-01-9	Chrysene	167	173	104	167	100	4	64-119/10
53-70-3	Dibenz(a,h)anthracene	167	173	104	179	107	3	54-128/19
206-44-0	Fluoranthene	167	169	101	167	100	1	62-124/13
86-73-7	Fluorene	167	167	100	161	97	4	56-118/15
193-39-5	Indeno(1,2,3-cd)pyrene	167	176	106	184	110	4	47-135/19
90-12-0	1-Methylnaphthalene	167	157	94	154	92	2	52-107/17
91-57-6	2-Methylnaphthalene	167	164	98	157	94	4	52-110/15
91-20-3	Naphthalene	167	158	95	150	90	5	49-103/14
85-01-8	Phenanthrene	167	169	101	160	96	5	57-114/10
129-00-0	Pyrene	167	173	104	155	93	11	55-124/15

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
4165-60-0	Nitrobenzene-d5	98%	97%	10-177%
321-60-8	2-Fluorobiphenyl	95%	95%	41-124%
1718-51-0	Terphenyl-d14	102%	89%	40-149%

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 1

Job Number: C45413

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP14214-MS ^a	T22983.D	20	04/18/16	BJ	04/18/16	OP14214	ET1047
OP14214-MSD ^a	T22984.D	20	04/18/16	BJ	04/18/16	OP14214	ET1047
C45413-1 ^a	T22980.D	20	04/18/16	BJ	04/18/16	OP14214	ET1047

The QC reported here applies to the following samples:

Method: SW846 8270C BY SIM

C45413-1, C45413-2, C45413-3

CAS No.	Compound	C45413-1		Spike ug/kg	MS ug/kg	MS %	Spike ug/kg	MSD ug/kg	MSD %	RPD	Limits Rec/RPD
		ug/kg	Q								
83-32-9	Acenaphthene	ND	163	158	97	163	143	88	10	53-111/14	
208-96-8	Acenaphthylene	ND	163	157	96	163	143	88	9	53-113/13	
120-12-7	Anthracene	ND	163	139	85	163	138	85	1	57-113/14	
56-55-3	Benzo(a)anthracene	ND	163	156	96	163	147	90	6	60-126/10	
50-32-8	Benzo(a)pyrene	ND	163	100	61	163	91.9	57	8	51-111/11	
205-99-2	Benzo(b)fluoranthene	ND	163	95.7	59	163	94.4	58	1	53-136/19	
191-24-2	Benzo(g,h,i)perylene	ND	163	112	69	163	99.5	61	12	57-129/17	
207-08-9	Benzo(k)fluoranthene	ND	163	153	94	163	148	91	3	60-126/16	
218-01-9	Chrysene	ND	163	165	101	163	165	102	0	64-119/10	
53-70-3	Dibenz(a,h)anthracene	ND	163	73.5	45* ^b	163	69.4	43* ^b	6	54-128/19	
206-44-0	Fluoranthene	ND	163	145	89	163	145	89	0	62-124/13	
86-73-7	Fluorene	ND	163	158	97	163	150	92	5	56-118/15	
193-39-5	Indeno(1,2,3-cd)pyrene	ND	163	66.4	41* ^b	163	66.6	41* ^b	0	47-135/19	
90-12-0	1-Methylnaphthalene	220	163	481	160* ^b	163	363	88	28* ^b	52-107/17	
91-57-6	2-Methylnaphthalene	356	163	718	222* ^c	163	513	97	33* ^b	52-110/15	
91-20-3	Naphthalene	33.5	J	163	209	108* ^b	163	175	87	18* ^b	49-103/14
85-01-8	Phenanthrene	ND	163	162	99	163	159	98	2	57-114/10	
129-00-0	Pyrene	ND	163	187	115	163	165	102	13	55-124/15	

CAS No.	Surrogate Recoveries	MS	MSD	C45413-1	Limits
4165-60-0	Nitrobenzene-d5	85%	84%	86%	10-177%
321-60-8	2-Fluorobiphenyl	84%	88%	90%	41-124%
1718-51-0	Terphenyl-d14	90%	92%	93%	40-149%

(a) Dilution required due to matrix interference (Oily extract).

(b) Outside control limits due to matrix interference and dilution.

(c) Outside control limits due to high level in sample relative to spike amount.

* = Outside of Control Limits.

6.3.1
6

GC Semi-volatiles**QC Data Summaries**

7

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

Method Blank Summary

Page 1 of 1

Job Number: C45413

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP14215-MB	HH331871.D	1	04/19/16	YN	04/18/16	OP14215	GHH1794

The QC reported here applies to the following samples:

Method: SW846 8015B M

C45413-1, C45413-2, C45413-3, C45413-4, C45413-5, C45413-6, C45413-11

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	ND	3.3	1.7	mg/kg	
	TPH (Motor Oil)	ND	6.7	3.3	mg/kg	
	TPH (Mineral Spirits)	ND	3.3	1.7	mg/kg	
	TPH (Kerosene)	ND	3.3	1.7	mg/kg	

CAS No. Surrogate Recoveries Limits

630-01-3	Hexacosane	113%	38-146%
----------	------------	------	---------

Method Blank Summary

Page 1 of 1

Job Number: C45413

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP14215-MB	GG65825.D	1	04/19/16	FL	04/18/16	OP14215	GGG1965

The QC reported here applies to the following samples:

Method: SW846 8015B M

C45413-1, C45413-2, C45413-3, C45413-4, C45413-5, C45413-6, C45413-11

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	ND	3.3	1.7	mg/kg	
	TPH (Motor Oil)	ND	6.7	3.3	mg/kg	
	TPH (Mineral Spirits)	ND	3.3	1.7	mg/kg	
	TPH (Kerosene)	ND	3.3	1.7	mg/kg	

CAS No. Surrogate Recoveries Limits

630-01-3	Hexacosane	104%	38-146%
----------	------------	------	---------

Blank Spike/Blank Spike Duplicate Summary

Page 1 of 1

Job Number: C45413

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP14215-BS	GG65833.D	1	04/19/16	FL	04/18/16	OP14215	GGG1965
OP14215-BSD	GG65834.D	1	04/19/16	FL	04/18/16	OP14215	GGG1965

The QC reported here applies to the following samples:

Method: SW846 8015B M

C45413-1, C45413-2, C45413-3, C45413-4, C45413-5, C45413-6, C45413-11

CAS No.	Compound	Spike mg/kg	BSP mg/kg	BSP %	BSD mg/kg	BSD %	RPD	Limits Rec/RPD
	TPH (Diesel)	33.3	33.3	100	33.2	100	0	53-107/12
	TPH (Motor Oil)	33.3	36.2	109	34.3	103	5	59-119/13

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
630-01-3	Hexacosane	100%	94%	38-146%

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 1

Job Number: C45413

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP14215-MS	GG65846.D	1	04/19/16	FL	04/18/16	OP14215	GGG1965
OP14215-MSD	GG65847.D	1	04/19/16	FL	04/18/16	OP14215	GGG1965
C45412-1	GG65843.D	1	04/19/16	FL	04/18/16	OP14215	GGG1965

The QC reported here applies to the following samples:

Method: SW846 8015B M

C45413-1, C45413-2, C45413-3, C45413-4, C45413-5, C45413-6, C45413-11

CAS No.	Compound	C45412-1		Spike mg/kg	MS mg/kg	MS %	Spike mg/kg	MSD mg/kg	MSD %	RPD	Limits Rec/RPD
		mg/kg	Q								
	TPH (Diesel)	1.84	J	33.1	38.1	110* a	33.1	38.3	110* a	1	53-107/12
	TPH (Motor Oil)	ND		33.1	47.5	144* a	33.1	43.6	132* a	9	59-119/13
CAS No.		Surrogate Recoveries		MS	MSD	C45412-1		Limits			
630-01-3	Hexacosane	104%		104%		99%		38-146%			

(a) Outside laboratory control limits.

* = Outside of Control Limits.

7.3.1
7

Metals Analysis**QC Data Summaries**

∞

Includes the following where applicable:

- Method Blank Summaries
- Matrix Spike and Duplicate Summaries
- Blank Spike and Lab Control Sample Summaries
- Serial Dilution Summaries

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: C45413
Account: GGTRCASF - Golden Gate Tank Removal
Project: 1110 Jackson Street - Oakland, CA

QC Batch ID: MP11181
Matrix Type: SOLID

Methods: SW846 6010B
Units: mg/kg

Prep Date:

04/18/16

Metal	RL	IDL	MDL	MB raw	final
Aluminum	20	1.4	1.5		
Antimony	2.0	.12	.18		
Arsenic	2.0	.16	.17		
Barium	20	.02	.09		
Beryllium	1.0	.02	.01		
Boron	10	.18	.15		
Cadmium	1.0	.02	.031	0.030	<1.0
Calcium	500	2.8	4.5		
Chromium	1.0	.04	.054	0.010	<1.0
Cobalt	1.0	.03	.025		
Copper	2.5	.12	.15		
Iron	20	.53	.76		
Lead	2.0	.1	.14	0.0	<2.0
Magnesium	500	1.6	2.1		
Manganese	1.5	.02	.026		
Molybdenum	2.0	.05	.04		
Nickel	1.0	.04	.047	-0.090	<1.0
Potassium	1000	3.5	4.6		
Selenium	2.0	.17	.33		
Silicon	20	.24	.43		
Silver	1.0	.05	.067		
Sodium	1000	1.1	1.2		
Strontium	1.0	.01	.018		
Thallium	2.0	.17	.12		
Tin	50	.08	.28		
Titanium	1.0	.08	.13		
Vanadium	1.0	.06	.074		
Zinc	2.0	.05	.22	-0.010	<2.0

Associated samples MP11181: C45413-1, C45413-2, C45413-3, C45413-11

Results < IDL are shown as zero for calculation purposes

(*) Outside of QC limits
(anr) Analyte not requested

8.1.1
8

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: C45413

Account: GGTRCASF - Golden Gate Tank Removal
Project: 1110 Jackson Street - Oakland, CAQC Batch ID: MP11181
Matrix Type: SOLIDMethods: SW846 6010B
Units: mg/kg

Prep Date: 04/18/16

Metal	C45414-1 Original MS	Spikelot MPIR5	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic	anr			
Barium				
Beryllium				
Boron				
Cadmium	0.28	40.8	41	98.9 75-125
Calcium				
Chromium	36.6	78.3	41	101.7 75-125
Cobalt				
Copper				
Iron				
Lead	31.4	73.7	41	103.2 75-125
Magnesium				
Manganese				
Molybdenum				
Nickel	39.5	84.0	41	108.6 75-125
Potassium				
Selenium				
Silicon				
Silver				
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Vanadium				
Zinc	41.2	81.8	41	99.1 75-125

Associated samples MP11181: C45413-1, C45413-2, C45413-3, C45413-11

Results < IDL are shown as zero for calculation purposes

(*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

(anr) Analyte not requested

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: C45413

Account: GGTRCASF - Golden Gate Tank Removal
Project: 1110 Jackson Street - Oakland, CAQC Batch ID: MP11181
Matrix Type: SOLIDMethods: SW846 6010B
Units: mg/kg

Prep Date:

04/18/16

Metal	C45414-1 Original	MSD	Spikelot MPIR5	% Rec	MSD RPD	QC Limit
Aluminum						
Antimony						
Arsenic	anr					
Barium						
Beryllium						
Boron						
Cadmium	0.28	44.0	44.2	98.8	7.5	20
Calcium						
Chromium	36.6	78.1	44.2	93.8	0.3	20
Cobalt						
Copper						
Iron						
Lead	31.4	79.2	44.2	108.0	7.2	20
Magnesium						
Manganese						
Molybdenum						
Nickel	39.5	82.8	44.2	97.9	1.4	20
Potassium						
Selenium						
Silicon						
Silver						
Sodium						
Strontium						
Thallium						
Tin						
Titanium						
Vanadium						
Zinc	41.2	83.6	44.2	95.8	2.2	20

Associated samples MP11181: C45413-1, C45413-2, C45413-3, C45413-11

Results < IDL are shown as zero for calculation purposes

(*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

(anr) Analyte not requested

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: C45413

Account: GGTRCASF - Golden Gate Tank Removal
Project: 1110 Jackson Street - Oakland, CAQC Batch ID: MP11181
Matrix Type: SOLIDMethods: SW846 6010B
Units: mg/kg

Prep Date:

04/18/16

Metal	BSP Result	Spikelot MPIR5	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic	anr			
Barium				
Beryllium				
Boron				
Cadmium	52.3	50	104.6	80-120
Calcium				
Chromium	52.8	50	105.6	80-120
Cobalt				
Copper				
Iron				
Lead	49.6	50	99.2	80-120
Magnesium				
Manganese				
Molybdenum				
Nickel	49.6	50	99.2	80-120
Potassium				
Selenium				
Silicon				
Silver				
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Vanadium				
Zinc	54.7	50	109.4	80-120

Associated samples MP11181: C45413-1, C45413-2, C45413-3, C45413-11

Results < IDL are shown as zero for calculation purposes
(*) Outside of QC limits

(anr) Analyte not requested

8.1.3
8

SERIAL DILUTION RESULTS SUMMARY

Login Number: C45413

Account: GGTRCASF - Golden Gate Tank Removal
Project: 1110 Jackson Street - Oakland, CAQC Batch ID: MP11181
Matrix Type: SOLIDMethods: SW846 6010B
Units: ug/l

Prep Date:

04/18/16

Metal	C45414-1	Original	SDL 1:5	%DIF	QC Limits
-------	----------	----------	---------	------	-----------

Aluminum

Antimony

Arsenic anr

Barium

Beryllium

Boron

Cadmium 3.30 3.50 6.1 0-10

Calcium

Chromium 425 462 8.9 0-10

Cobalt

Copper

Iron

Lead 364 393 8.0 0-10

Magnesium

Manganese

Molybdenum

Nickel 458 471 2.9 0-10

Potassium

Selenium

Silicon

Silver

Sodium

Strontium

Thallium

Tin

Titanium

Vanadium

Zinc 478 521 9.0 0-10

Associated samples MP11181: C45413-1, C45413-2, C45413-3, C45413-11

Results < IDL are shown as zero for calculation purposes

(*) Outside of QC limits

(anr) Analyte not requested

8.1.4
8



ACCUTEST

Northern California

04/28/16

SGS ACCUTEST IS PART OF SGS, THE WORLD'S LEADING INSPECTION,
VERIFICATION, TESTING AND CERTIFICATION COMPANY.



e-Hardcopy 2.0
Automated Report

Technical Report for

Golden Gate Tank Removal

1110 Jackson Street - Oakland, CA

9669

SGS Accutest Job Number: C45413W

Sampling Date: 04/15/16



Report to:

Golden Gate Tank Removal, Inc.
1455 Yosemite Ave.
San Francisco, CA 94124
gina.wee@ggtr.com; tim@ggtr.com;
b.wheeler@ggtr.com; amm@ggtr.com
ATTN: Tim Hallen

Total number of pages in report: 15



James J. Rhudy
Lab Director

Test results contained within this data package meet the requirements
of the National Environmental Laboratory Accreditation Program
and/or state specific certification programs as applicable.

Client Service contact: Maureen Coloma 408-588-0200

Certifications: CA (ELAP 2910) AK (UST-092) AZ (AZ0762) NV (CA00150) OR (CA300006) WA (C925)
DoD ELAP (L-A-B L2242)

This report shall not be reproduced, except in its entirety, without the written approval of SGS Accutest.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Summary of Hits	4
Section 3: Sample Results	5
3.1: C45413-11W: 9669-DRUM-COMP	6
Section 4: Misc. Forms	7
4.1: Chain of Custody	8
Section 5: Metals Analysis - QC Data Summaries	11
5.1: Prep QC MP11227: Cr	12



Sample Summary

Golden Gate Tank Removal

Job No: C45413W

1110 Jackson Street - Oakland, CA
Project No: 9669

Sample Number	Collected Date	Time By	Matrix Received	Code Type	Client Sample ID
C45413-11W	04/15/16	16:30 BAW	04/18/16	SO	Soil

Soil samples reported on a dry weight basis unless otherwise indicated on result page.

Summary of Hits

Job Number: C45413W
Account: Golden Gate Tank Removal
Project: 1110 Jackson Street - Oakland, CA
Collected: 04/15/16

Lab Sample ID	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
C45413-11W	9669-DRUM-COMP					
Chromium		0.34	0.25		mg/l	SW846 6010B

Sample Results

Report of Analysis

Report of Analysis

Page 1 of 1

3

Client Sample ID:	9669-DRUM-COMP	Date Sampled:	04/15/16
Lab Sample ID:	C45413-11W	Date Received:	04/18/16
Matrix:	SO - Soil	Percent Solids:	n/a
Project:	1110 Jackson Street - Oakland, CA		

Metals Analysis, STLC Leachate CA WET

Analyte	Result	MCL	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Chromium	0.34		0.25	mg/l	1	04/28/16	04/28/16 RS	SW846 6010B ¹	SW846 3010A ²

(1) Instrument QC Batch: MA5818

(2) Prep QC Batch: MP11227

RL = Reporting Limit

MCL = Maximum Contamination Level (not available)



Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody



CHAIN OF CUSTODY

2105 Lundy Ave, San Jose, CA 95131
(408) 588-0200 FAX: (408) 588-0201

Client / Reporting Information			Project Information		FED-EX Tracking #		Bottle Order Control #							
Company Name GOLDEN Gate Tank Removal, INC.	Address 1480 CARROLL AVE.	City State Zip SAN FRANCISCO CA 94124	Project Name 9669-1110 JACKSON	Street 1110 JACKSON ST.	City State OAKLAND CA	Accutest Quote #	Accutest NC Job #: C	C45413						
Project Contact: Gina Wee	Phone # 415-512-1555	Project # 9669	EMAIL: G.WEE@GSTR.COM	Client Purchase Order # #9669										
Sampler's Name B. WILSECKER														
Accutest Sample ID	Sample ID / Field Point / Point of Collection	Collection		# of bottles	Number of preserved Bottles						Comments / Remarks	Matrix Codes		
		Date	Time		Sampled by	Matrix	G	NH3	CO	HCHO			None	NaOH
1	9669-T1-C-9	1/18/16	1535 3PM	SO	1								X X X X X	
2	9669-T2-C-9	1/18/16	1620 3PM	SO	1								X X X X X	
3	9669-T3-C-8	1/18/16	1640 3PM	SO	1								X X X X X	
4	9669-SP1-DISCRETE	1/18/16	1640 3PM	SO	1								X X X X X	
5	9669-SP2-DISCRETE	1/18/16	1645 3PM	SO	2								X X X X X	
6	9669-SP3-DISCRETE	1/18/16	1645 3PM	SO	1								X X X X X	
7	* 9669-DRUM-COMP	1/18/16	1630 3PM	SO	4								X X X X X	
8														
9														
10														
Turnaround Time (Business days)			Data Deliverable Information											
Approved By / Date:			<input type="checkbox"/> Commercial "A" - Results only <input type="checkbox"/> Commercial "B" - Results with QC summaries <input type="checkbox"/> Commercial "B*" - Results, GC, and chromatograms <input type="checkbox"/> FULL 4 data package <input type="checkbox"/> EDF for Geotracker <input type="checkbox"/> EDD Format Provide EDF Global ID: _____ Provide EDF Logcode: _____						BT = BY 18:00 TO 19:00 * COMPLETE(4101) PRIOR TO ANALYSIS					
Emergency T/A data available VIA Lablink			Sample Custody must be documented below each time samples change possession, including courier delivery.											
1 Relinquished by Sampler:	Date/Time:	Received By:	Relinquished By:	Date/Time:	Received By:	Relinquished By:	Date/Time:	Received By:	Relinquished By:	Date/Time:	Received By:	Relinquished By:	Date/Time:	Received By:
1	9/18/16 8:00	A/18/16 3:00	2	9/18/16 14:00	A/18/16 14:00	2	9/18/16 14:00	A/18/16 14:00	2	9/18/16 14:00	A/18/16 14:00	2	9/18/16 14:00	A/18/16 14:00
3			3			4			4			4		
5			5											

C45413W: Chain of Custody

Page 1 of 3

4.1

4

SGS Accutest Sample Receipt Summary

Job Number: C45413 **Client:** GGTR **Project:** #9669-1110 JACKSON
Date / Time Received: 4/18/2016 2:00:00 PM **Delivery Method:** Accutest Courier **Airbill #'s:**
Cooler Temps (Initial/Adjusted): #1: (4.7/4.9);

Cooler Security		Y or N	Y or N	Sample Integrity - Documentation		Y or N	
1. Custody Seals Present:		<input type="checkbox"/>	<input checked="" type="checkbox"/>	3. COC Present:		<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Custody Seals Intact:		<input type="checkbox"/>	<input type="checkbox"/>	4. Smpl Dates/Time OK		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cooler Temperature		Y or N		Sample Integrity - Condition		Y or N	
1. Temp criteria achieved:		<input checked="" type="checkbox"/> <input type="checkbox"/>		1. Sample received within HT:		<input checked="" type="checkbox"/> <input type="checkbox"/>	
2. Therm ID:		IR1;		2. All containers accounted for:		<input checked="" type="checkbox"/> <input type="checkbox"/>	
3. Cooler media:		Ice (Bag)		3. Condition of sample:		Intact	
4. No. Coolers:		1					
Quality Control Preservation		Y or N	N/A	Sample Integrity - Instructions		Y or N	N/A
1. Trip Blank present / cooler:		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1. Analysis requested is clear:		<input checked="" type="checkbox"/> <input type="checkbox"/>
2. Trip Blank listed on COC:		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	2. Bottles received for unspecified tests		<input type="checkbox"/> <input checked="" type="checkbox"/>
3. Samples preserved properly:		<input checked="" type="checkbox"/>	<input type="checkbox"/>	3. Sufficient volume received for analysis:		<input checked="" type="checkbox"/> <input type="checkbox"/>	
4. VOCs headspace free:		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	4. Compositing instructions clear:		<input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/>
				5. Filtering instructions clear:		<input type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/>

Comments

4.1

4

C45413W: Chain of Custody

Page 2 of 3

Job Change Order: C45413

4.1

Requested Date:	4/25/2016	Received Date:	4/18/2016
Account Name:	Golden Gate Tank Removal	Due Date:	4/19/2016
Project Description:	1110 Jackson Street - Oakland, CA	Deliverable:	COMMB
CSR:	maureenc	TAT (Days):	3

4

Sample #: C45413-11T **Change:**
Dept: client wants to run TCLPE, ECR

Sample #: C45413-11W **Change:**
Dept: client wants to run STLCE, ECR

C45413W: Chain of Custody

Above Changes Per: Brent Wheeler

Date/Time: 4/25/2016 9:29:52 AM

Page 3 of 3

To Client: This Change Order is confirmation of the revisions, previously discussed with the SGS Accutest Client Service Representative.

Page 1 of 1

Metals Analysis

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Matrix Spike and Duplicate Summaries
- Blank Spike and Lab Control Sample Summaries
- Serial Dilution Summaries

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: C45413W
Account: GGTRCASF - Golden Gate Tank Removal
Project: 1110 Jackson Street - Oakland, CA

QC Batch ID: MP11227
Matrix Type: LEACHATE

Methods: SW846 6010B
Units: mg/l

Prep Date:

04/28/16

04/28/16

Metal	RL	IDL	MDL	MB raw	final	MB raw	final
Aluminum	0.20	.014	.027				
Antimony	0.0060	.0012	.0012				
Arsenic	0.010	.0016	.0025				
Barium	0.20	.0002	.0005				
Beryllium	0.0050	.0002	.0006				
Boron	0.10	.0018	.0032				
Cadmium	0.0020	.0002	.0003				
Calcium	5.0	.028	.069				
Chromium	0.010	.0004	.0006	0.0	<0.010	-0.0050	<0.25
Cobalt	0.0050	.0003	.0004				
Copper	0.010	.0012	.0018				
Iron	0.20	.0053	.011				
Lead	0.010	.001	.0017				
Magnesium	5.0	.016	.023				
Manganese	0.015	.0002	.0002				
Molybdenum	0.020	.0005	.0006				
Nickel	0.0050	.0004	.0006				
Potassium	10	.035	.035				
Selenium	0.010	.0017	.0033				
Silicon	0.10	.0024	.0024				
Silver	0.0050	.0005	.0015				
Sodium	10	.011	.025				
Strontium	0.010	.0001	.0002				
Thallium	0.010	.0017	.0048				
Tin	0.050	.0008	.0013				
Titanium	0.010	.0008	.0008				
Vanadium	0.010	.0006	.0006				
Zinc	0.020	.0005	.0031				

Associated samples MP11227: C45413-11W

Results < IDL are shown as zero for calculation purposes
(*) Outside of QC limits
(anr) Analyte not requested

5.1.1
5

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: C45413W
 Account: GGTRCASF - Golden Gate Tank Removal
 Project: 1110 Jackson Street - Oakland, CA

QC Batch ID: MP11227
 Matrix Type: LEACHATE

Methods: SW846 6010B
 Units: mg/l

Prep Date:

04/28/16

04/28/16

Metal	C45517-5W Original DUP	RPD	QC Limits	C45517-5W Original MS	Spikelot MPIR5	% Rec	QC Limits
Aluminum							
Antimony	anr						
Arsenic	anr						
Barium	anr						
Beryllium	anr						
Boron							
Cadmium	anr						
Calcium							
Chromium	0.27	0.28	3.6	0-20	0.27	12.7	12.5
Cobalt	anr						
Copper	anr						
Iron							
Lead	anr						
Magnesium							
Manganese							
Molybdenum	anr						
Nickel	anr						
Potassium							
Selenium	anr						
Silicon							
Silver	anr						
Sodium							
Strontium							
Thallium	anr						
Tin							
Titanium							
Vanadium	anr						
Zinc	anr						

Associated samples MP11227: C45413-11W

Results < IDL are shown as zero for calculation purposes

(*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

(anr) Analyte not requested

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: C45413W

Account: GGTRCASF - Golden Gate Tank Removal
Project: 1110 Jackson Street - Oakland, CAQC Batch ID: MP11227
Matrix Type: LEACHATEMethods: SW846 6010B
Units: mg/l

Prep Date:

04/28/16

Metal	BSP Result	Spikelot MPIR5	% Rec	QC Limits
Aluminum				
Antimony	anr			
Arsenic	anr			
Barium	anr			
Beryllium	anr			
Boron				
Cadmium	anr			
Calcium				
Chromium	13.1	12.5	104.8	80-120
Cobalt	anr			
Copper	anr			
Iron				
Lead	anr			
Magnesium				
Manganese				
Molybdenum	anr			
Nickel	anr			
Potassium				
Selenium	anr			
Silicon				
Silver	anr			
Sodium				
Strontium				
Thallium	anr			
Tin				
Titanium				
Vanadium	anr			
Zinc	anr			

Associated samples MP11227: C45413-11W

Results < IDL are shown as zero for calculation purposes

(*) Outside of QC limits

(anr) Analyte not requested

5.1.3
5

SERIAL DILUTION RESULTS SUMMARY

Login Number: C45413W

Account: GGTRCASF - Golden Gate Tank Removal
Project: 1110 Jackson Street - Oakland, CAQC Batch ID: MP11227
Matrix Type: LEACHATEMethods: SW846 6010B
Units: ug/l

Prep Date:

04/28/16

Metal	C45517-5W	Original	SDL 1:5	%DIF	QC Limits
Aluminum					
Antimony	anr				
Arsenic	anr				
Barium	anr				
Beryllium	anr				
Boron					
Cadmium	anr				
Calcium					
Chromium	10.9	10.5	3.7		0-10
Cobalt	anr				
Copper	anr				
Iron					
Lead	anr				
Magnesium					
Manganese					
Molybdenum	anr				
Nickel	anr				
Potassium					
Selenium	anr				
Silicon					
Silver	anr				
Sodium					
Strontium					
Thallium	anr				
Tin					
Titanium					
Vanadium	anr				
Zinc	anr				

Associated samples MP11227: C45413-11W

Results < IDL are shown as zero for calculation purposes

(*) Outside of QC limits

(anr) Analyte not requested

5.1.4

5



ACCUTEST

Northern California

04/28/16

SGS ACCUTEST IS PART OF SGS, THE WORLD'S LEADING INSPECTION,
VERIFICATION, TESTING AND CERTIFICATION COMPANY.



*e-Hardcopy 2.0
Automated Report*

Technical Report for

Golden Gate Tank Removal

1110 Jackson Street - Oakland, CA

9669

SGS Accutest Job Number: C45413T

Sampling Date: 04/15/16



Report to:

Golden Gate Tank Removal, Inc.
1455 Yosemite Ave.
San Francisco, CA 94124
gina.wee@ggtr.com; tim@ggtr.com;
b.wheeler@ggtr.com; amm@ggtr.com
ATTN: Tim Hallen

Total number of pages in report: 15



James J. Rhudy
Lab Director

Test results contained within this data package meet the requirements
of the National Environmental Laboratory Accreditation Program
and/or state specific certification programs as applicable.

Client Service contact: Maureen Coloma 408-588-0200

Certifications: CA (ELAP 2910) AK (UST-092) AZ (AZ0762) NV (CA00150) OR (CA300006) WA (C925)
DoD ELAP (L-A-B L2242)

This report shall not be reproduced, except in its entirety, without the written approval of SGS Accutest.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Summary of Hits	4
Section 3: Sample Results	5
3.1: C45413-11T: 9669-DRUM-COMP	6
Section 4: Misc. Forms	7
4.1: Chain of Custody	8
Section 5: Metals Analysis - QC Data Summaries	11
5.1: Prep QC MP11225: Cr	12

1
2
3
4
5



Sample Summary

Golden Gate Tank Removal

Job No: C45413T

1110 Jackson Street - Oakland, CA
Project No: 9669

Sample Number	Collected Date	Time By	Matrix Received	Code Type	Client Sample ID
C45413-11T	04/15/16	16:30 BAW	04/18/16	SO	Soil

Soil samples reported on a dry weight basis unless otherwise indicated on result page.

Summary of Hits

Job Number: C45413T
Account: Golden Gate Tank Removal
Project: 1110 Jackson Street - Oakland, CA
Collected: 04/15/16

Lab Sample ID	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
Analyte						

C45413-11T 9669-DRUM-COMP

No hits reported in this sample.

Sample Results

Report of Analysis

Report of Analysis

Page 1 of 1

3

Client Sample ID:	9669-DRUM-COMP	Date Sampled:	04/15/16
Lab Sample ID:	C45413-11T	Date Received:	04/18/16
Matrix:	SO - Soil	Percent Solids:	n/a
Project:	1110 Jackson Street - Oakland, CA		

Metals Analysis, TCLP Leachate SW846 1311

Analyte	Result	HW#	MCL	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Chromium	< 0.050	D007	5.0	0.050	mg/l	1	04/27/16	04/28/16 RS	SW846 6010B ¹	SW846 3010A ²

(1) Instrument QC Batch: MA5818

(2) Prep QC Batch: MP11225

RL = Reporting Limit

MCL = Maximum Contamination Level (40 CFR 261 6/96)



Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody



CHAIN OF CUSTODY

2105 Lundy Ave, San Jose, CA 95131
(408) 588-0200 FAX: (408) 588-0201

Client / Reporting Information		Project Information		FED-EX Tracking #	Bottle Order Control #
Company Name: GOLDEN Gate Tank Removal, INC. Address: 1480 CARROLL AVE. City: SAN FRANCISCO CA Zip: 94124 Project Contact: GINGA WEE Phone #: 415-512-1555 Sampler's Name: B. WILSECKER		Project Name: 9669-1110 JACKSON Street: 1110 JACKSON ST. City: OAKLAND CA Project #: 9669 EMAIL: G.WEE@GSTR.COM Client Purchase Order #: 9669			Accutest Quote # Accutest NC Job #: C C45413
				Requested Analysis <div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="flex: 1;"> TPH (S2403) VOCs - Full (S2403) TPH-Diesel (S2403) PAHs (S2403) PCBs (S2403) SVOCs (S2403) </div> <div style="flex: 1;"> Lead (S2403) Arsenic (S2403) Cadmium (S2403) Mercury (S2403) Nitrate (S2403) </div> <div style="flex: 1;"> None None None None None </div> </div>	
				Matrix Codes <div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="flex: 1;"> WW - Wastewater GW - Ground Water SW - Surface Water SO - Soil OI - Oil WP - Wipe LIQ - Non-aqueous Liquid </div> <div style="flex: 1;"> AIR DW - Drinking Water (Perchlorate Only) </div> </div>	
				LAB USE ONLY	

Accutest Sample ID	Sample ID / Field Point / Point of Collection	Collection		# of bottles	Number of preserved Bottles												
		Date	Time		Sampled by	Matrix	G	NH3	CO	PCB	None	Heavy Metals	SVOCs				
1	9669-T1-C-9	1/18/16	1535	3PM	BWV	SO	1					X	X	X	X	X	
2	9669-T2-C-9	1/18/16	1620	3PM	BWV	SO	1					X	X	X	X	X	
3	9669-T3-C-8	1/18/16	1640	BWV	BWV	SO	1					X	X	X	X	X	
4	9669-SP1-DISCRETE	1/18/16	1645	BWV	BWV	SO	1					X	X	X	X	X	
5	9669-SP2-DISCRETE	1/18/16	1655	BWV	BWV	SO	2					X	X	X			
6	9669-SP3-DISCRETE	1/18/16	1745	BWV	BWV	SO	1					X	X	X			
7	* 9669-DRUM-COMP	1/18/16	1630	BWV	BWV	SO	4					X	X	X	X		
8																	
9																	
10																	

Turnaround Time (Business days)

Approved By / Date:

- 10 Day
- 5 Day
- 3 Day
- 2 Day
- 1 Day 24 HR
- Same Day

- Commercial "A" - Results only
- Commercial "B" - Results with QC summaries
- Commercial "B*" - Results, QC, and chromatograms
- FULL - Level 4 data package
- EDF for Geotracker
- EDD Format
- Provide EDF Global ID: _____
- Provide EDF Logcode: _____

BT = BYTES TO

* COMPLETE(4101) PRIOR TO ANALYSIS

Comments / Remarks

Emergency T/A data available VIA Lablink

Sample Custody must be documented below each time samples change possession, including courier delivery.

Relinquished by Sampler:	Date/Time:	Received By:	Relinquished By:	Date/Time:	Received By:
1	9/18/16 8:00	A/18/16 12:00	2	9/18/16 14:00	A/18/16 14:00
3			3		
5			4		
			5		

C45413T: Chain of Custody

Page 1 of 3

4.1

A2

8 of 15

SGS Accutest Sample Receipt Summary

Job Number: C45413 **Client:** GGTR **Project:** #9669-1110 JACKSON
Date / Time Received: 4/18/2016 2:00:00 PM **Delivery Method:** Accutest Courier **Airbill #'s:**
Cooler Temps (Initial/Adjusted): #1: (4.7/4.9);

Cooler Security Y or N

- | | | | | | |
|---------------------------|--------------------------|-------------------------------------|-----------------------|-------------------------------------|--------------------------|
| 1. Custody Seals Present: | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 3. COC Present: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Custody Seals Intact: | <input type="checkbox"/> | <input type="checkbox"/> | 4. Smpl Dates/Time OK | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

Cooler Temperature Y or N

- | | | |
|----------------------------|-------------------------------------|--------------------------|
| 1. Temp criteria achieved: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Therm ID: | IR1; | |
| 3. Cooler media: | Ice (Bag) | |
| 4. No. Coolers: | 1 | |

Quality Control Preservation Y or N N/A

- | | | | |
|---------------------------------|-------------------------------------|--------------------------|-------------------------------------|
| 1. Trip Blank present / cooler: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 2. Trip Blank listed on COC: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 3. Samples preserved properly: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4. VOCs headspace free: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

Sample Integrity - Documentation

- | | | |
|--|-------------------------------------|--------------------------|
| 1. Sample labels present on bottles: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Container labeling complete: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Sample container label / COC agree: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

Sample Integrity - Condition

- | | | |
|----------------------------------|-------------------------------------|--------------------------|
| 1. Sample recv'd within HT: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. All containers accounted for: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Condition of sample: | Intact | |

Sample Integrity - Instructions

- | | | |
|---|-------------------------------------|-------------------------------------|
| 1. Analysis requested is clear: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Bottles received for unspecified tests | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 3. Sufficient volume recv'd for analysis: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 4. Compositing instructions clear: | <input type="checkbox"/> | <input type="checkbox"/> |
| 5. Filtering instructions clear: | <input type="checkbox"/> | <input type="checkbox"/> |

Comments

4.1

4

C45413T: Chain of Custody
Page 2 of 3

Job Change Order: C45413

4.1

Requested Date:	4/25/2016	Received Date:	4/18/2016
Account Name:	Golden Gate Tank Removal	Due Date:	4/19/2016
Project Description:	1110 Jackson Street - Oakland, CA	Deliverable:	COMMB
CSR:	maureenc	TAT (Days):	3

4

Sample #: C45413-11T **Change:**
Dept: client wants to run TCLPE, ECR

Sample #: C45413-11W **Change:**
Dept: client wants to run STLCE, ECR

C45413T: Chain of Custody

Above Changes Per: Brent Wheeler

Date/Time: 4/25/2016 9:29:52 AM

Page 3 of 3

To Client: This Change Order is confirmation of the revisions, previously discussed with the SGS Accutest Client Service Representative.

Page 1 of 1

Metals Analysis

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Matrix Spike and Duplicate Summaries
- Blank Spike and Lab Control Sample Summaries
- Serial Dilution Summaries

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: C45413T
Account: GGTRCASF - Golden Gate Tank Removal
Project: 1110 Jackson Street - Oakland, CA

QC Batch ID: MP11225
Matrix Type: LEACHATE

Methods: SW846 6010B
Units: mg/l

Prep Date:

04/27/16

04/27/16

Metal	RL	IDL	MDL	MB raw	final	MB raw	final
Aluminum	0.20	.014	.027				
Antimony	0.0060	.0012	.0012				
Arsenic	0.010	.0016	.0025				
Barium	0.20	.0002	.0005				
Beryllium	0.0050	.0002	.0006				
Boron	0.10	.0018	.0032				
Cadmium	0.0020	.0002	.0003				
Calcium	5.0	.028	.069				
Chromium	0.010	.0004	.0006	-0.00040	<0.010	-0.0020	<0.050
Cobalt	0.0050	.0003	.0004				
Copper	0.010	.0012	.0018				
Iron	0.20	.0053	.011				
Lead	0.010	.001	.0017				
Magnesium	5.0	.016	.023				
Manganese	0.015	.0002	.0002				
Molybdenum	0.020	.0005	.0006				
Nickel	0.0050	.0004	.0006				
Potassium	10	.035	.035				
Selenium	0.010	.0017	.0033				
Silicon	0.10	.0024	.0024				
Silver	0.0050	.0005	.0015				
Sodium	10	.011	.025				
Strontium	0.010	.0001	.0002				
Thallium	0.010	.0017	.0048				
Tin	0.050	.0008	.0013				
Titanium	0.010	.0008	.0008				
Vanadium	0.010	.0006	.0006				
Zinc	0.020	.0005	.0031				

Associated samples MP11225: C45413-11T

Results < IDL are shown as zero for calculation purposes
(*) Outside of QC limits
(anr) Analyte not requested

5.1.1
5

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: C45413T

Account: GGTRCASF - Golden Gate Tank Removal
Project: 1110 Jackson Street - Oakland, CAQC Batch ID: MP11225
Matrix Type: LEACHATEMethods: SW846 6010B
Units: mg/l

Prep Date:

04/27/16

04/27/16

Metal	C45541-4T Original DUP	RPD	QC Limits	C45541-4T Original MS	Spikelot MPIR5	% Rec	QC Limits
Aluminum							
Antimony	anr						
Arsenic	anr						
Barium	anr						
Beryllium	anr						
Boron							
Cadmium	anr						
Calcium							
Chromium	0.017	0.015	12.5	0-20	0.017	2.5	2.5
Cobalt							
Copper							
Iron							
Lead	anr						
Magnesium							
Manganese							
Molybdenum							
Nickel	anr						
Potassium							
Selenium	anr						
Silicon							
Silver	anr						
Sodium							
Strontium							
Thallium							
Tin							
Titanium							
Vanadium							
Zinc							

Associated samples MP11225: C45413-11T

Results < IDL are shown as zero for calculation purposes

(*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

(anr) Analyte not requested

5.1.2

5

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: C45413T
 Account: GGTRCASF - Golden Gate Tank Removal
 Project: 1110 Jackson Street - Oakland, CA

QC Batch ID: MP11225
 Matrix Type: LEACHATE

Methods: SW846 6010B
 Units: mg/l

Prep Date: 04/27/16

Metal	BSP Result	Spikelot MPIR5	% Rec	QC Limits
Aluminum				
Antimony	anr			
Arsenic	anr			
Barium	anr			
Beryllium	anr			
Boron				
Cadmium	anr			
Calcium				
Chromium	2.6	2.5	104.0	80-120
Cobalt				
Copper				
Iron				
Lead	anr			
Magnesium				
Manganese				
Molybdenum				
Nickel	anr			
Potassium				
Selenium	anr			
Silicon				
Silver	anr			
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Vanadium				
Zinc				

Associated samples MP11225: C45413-11T

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits
 (anr) Analyte not requested

5.1.3
5

SERIAL DILUTION RESULTS SUMMARY

Login Number: C45413T
 Account: GGTRCASF - Golden Gate Tank Removal
 Project: 1110 Jackson Street - Oakland, CA

QC Batch ID: MP11225
 Matrix Type: LEACHATE

Methods: SW846 6010B
 Units: ug/l

Prep Date: 04/27/16

Metal	C45541-4T Original	SDL 1:5	%DIF	QC Limits
Aluminum				
Antimony	anr			
Arsenic	anr			
Barium	anr			
Beryllium	anr			
Boron				
Cadmium	anr			
Calcium				
Chromium	3.40	5.60	64.7 (a)	0-10
Cobalt				
Copper				
Iron				
Lead	anr			
Magnesium				
Manganese				
Molybdenum				
Nickel	anr			
Potassium				
Selenium	anr			
Silicon				
Silver	anr			
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Vanadium				
Zinc				

Associated samples MP11225: C45413-11T

Results < IDL are shown as zero for calculation purposes

(*) Outside of QC limits

(anr) Analyte not requested

(a) Percent difference acceptable due to low initial sample concentration (< 50 times IDL).

SGS ACCUTEST IS PART OF SGS, THE WORLD'S LEADING INSPECTION,
VERIFICATION, TESTING AND CERTIFICATION COMPANY.**e-Hardcopy 2.0**
*Automated Report***Technical Report for****Golden Gate Tank Removal**

1110 Jackson Street - Oakland, CA

9669

SGS Accutest Job Number: C45495

Sampling Date: 04/22/16

**Report to:**

Golden Gate Tank Removal, Inc.
1455 Yosemite Ave.
San Francisco, CA 94124
gina.wee@ggtr.com; tim@ggtr.com;
b.wheeler@ggtr.com; amm@ggtr.com
ATTN: Tim Hallen

Total number of pages in report: **51**James J. Rhudy
Lab Director

Test results contained within this data package meet the requirements
of the National Environmental Laboratory Accreditation Program
and/or state specific certification programs as applicable.

Client Service contact: Maureen Coloma 408-588-0200

Certifications: CA (ELAP 2910) AK (UST-092) AZ (AZ0762) NV (CA00150) OR (CA300006) WA (C925)
DoD ELAP (L-A-B L2242)

This report shall not be reproduced, except in its entirety, without the written approval of SGS Accutest.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Summary of Hits	4
Section 3: Sample Results	5
3.1: C45495-1: 9669-P1-4	6
3.2: C45495-2: 9669-P2-3.3	12
3.3: C45495-3: 9669-P3-4	18
Section 4: Misc. Forms	24
4.1: Chain of Custody	25
Section 5: GC/MS Volatiles - QC Data Summaries	27
5.1: Method Blank Summary	28
5.2: Blank Spike/Blank Spike Duplicate Summary	31
5.3: Laboratory Control Sample Summary	34
5.4: Matrix Spike/Matrix Spike Duplicate Summary	35
Section 6: GC/MS Semi-volatiles - QC Data Summaries	38
6.1: Method Blank Summary	39
6.2: Blank Spike/Blank Spike Duplicate Summary	40
6.3: Matrix Spike/Matrix Spike Duplicate Summary	41
Section 7: GC Semi-volatiles - QC Data Summaries	42
7.1: Method Blank Summary	43
7.2: Blank Spike/Blank Spike Duplicate Summary	44
7.3: Matrix Spike/Matrix Spike Duplicate Summary	45
Section 8: Metals Analysis - QC Data Summaries	46
8.1: Prep QC MP11207: Cd,Cr,Pb,Ni,Zn	47



Sample Summary

Golden Gate Tank Removal

Job No: C45495

1110 Jackson Street - Oakland, CA
Project No: 9669

Sample Number	Collected Date	Time By	Received	Matrix Code	Type	Client Sample ID
C45495-1	04/22/16	09:50 BW	04/22/16	SO	Soil	9669-P1-4
C45495-2	04/22/16	10:00 BW	04/22/16	SO	Soil	9669-P2-3.3
C45495-3	04/22/16	10:05 BW	04/22/16	SO	Soil	9669-P3-4

Soil samples reported on a dry weight basis unless otherwise indicated on result page.

Summary of Hits

Job Number: C45495
Account: Golden Gate Tank Removal
Project: 1110 Jackson Street - Oakland, CA
Collected: 04/22/16

Lab Sample ID Analyte	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
C45495-1	9669-P1-4					
Methylene chloride	5.2 J	20	5.0	ug/kg	SW846 8260B	
Benzo(a)anthracene	0.37 J	3.3	0.32	ug/kg	SW846 8270C BY SIM	
Benzo(a)pyrene	0.31 JB	3.3	0.29	ug/kg	SW846 8270C BY SIM	
Chromium	41.4	0.99		mg/kg	SW846 6010B	
Lead	2.4	2.0		mg/kg	SW846 6010B	
Nickel	23.2	0.99		mg/kg	SW846 6010B	
Zinc	20.4	2.0		mg/kg	SW846 6010B	
C45495-2	9669-P2-3.3					
Methylene chloride	6.5 J	20	5.0	ug/kg	SW846 8260B	
Chromium	36.4	1.0		mg/kg	SW846 6010B	
Lead	2.4	2.0		mg/kg	SW846 6010B	
Nickel	15.7	1.0		mg/kg	SW846 6010B	
Zinc	20.6	2.0		mg/kg	SW846 6010B	
C45495-3	9669-P3-4					
Methylene chloride	6.0 J	20	5.0	ug/kg	SW846 8260B	
Benzo(a)pyrene	0.38 JB	3.3	0.29	ug/kg	SW846 8270C BY SIM	
Chromium	37.0	0.97		mg/kg	SW846 6010B	
Lead	4.2	1.9		mg/kg	SW846 6010B	
Nickel	16.6	0.97		mg/kg	SW846 6010B	
Zinc	25.8	1.9		mg/kg	SW846 6010B	

Sample Results

Report of Analysis

Report of Analysis

Page 1 of 3

3

Client Sample ID:	9669-P1-4	Date Sampled:	04/22/16
Lab Sample ID:	C45495-1	Date Received:	04/22/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	M60167.D	1	04/22/16	JT	n/a	n/a	VM1805
Run #2							

	Initial Weight
Run #1	5.01 g
Run #2	

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	40	10	ug/kg	
71-43-2	Benzene	ND	5.0	0.50	ug/kg	
108-86-1	Bromobenzene	ND	5.0	0.50	ug/kg	
74-97-5	Bromo(chloromethane)	ND	5.0	0.50	ug/kg	
75-27-4	Bromodichloromethane	ND	5.0	0.50	ug/kg	
75-25-2	Bromoform	ND	5.0	0.50	ug/kg	
104-51-8	n-Butylbenzene	ND	5.0	0.50	ug/kg	
135-98-8	sec-Butylbenzene	ND	5.0	0.50	ug/kg	
98-06-6	tert-Butylbenzene	ND	5.0	0.50	ug/kg	
108-90-7	Chlorobenzene	ND	5.0	0.50	ug/kg	
75-00-3	Chloroethane	ND	5.0	1.0	ug/kg	
67-66-3	Chloroform	ND	5.0	0.50	ug/kg	
95-49-8	o-Chlorotoluene	ND	5.0	0.50	ug/kg	
106-43-4	p-Chlorotoluene	ND	5.0	0.50	ug/kg	
56-23-5	Carbon tetrachloride	ND	5.0	0.50	ug/kg	
75-34-3	1,1-Dichloroethane	ND	5.0	0.50	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	5.0	0.50	ug/kg	
563-58-6	1,1-Dichloropropene	ND	5.0	0.50	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	1.4	ug/kg	
106-93-4	1,2-Dibromoethane	ND	5.0	0.50	ug/kg	
107-06-2	1,2-Dichloroethane	ND	5.0	0.50	ug/kg	
78-87-5	1,2-Dichloropropane	ND	5.0	0.50	ug/kg	
142-28-9	1,3-Dichloropropane	ND	5.0	0.50	ug/kg	
108-20-3	Di-Isopropyl ether	ND	5.0	0.50	ug/kg	
594-20-7	2,2-Dichloropropane ^b	ND	5.0	0.50	ug/kg	
124-48-1	Dibromo(chloromethane)	ND	5.0	0.50	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	5.0	1.1	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	5.0	0.50	ug/kg	
541-73-1	m-Dichlorobenzene	ND	5.0	0.50	ug/kg	
95-50-1	o-Dichlorobenzene	ND	5.0	0.50	ug/kg	
106-46-7	p-Dichlorobenzene	ND	5.0	0.50	ug/kg	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 3

3-1
3

Client Sample ID:	9669-P1-4	Date Sampled:	04/22/16
Lab Sample ID:	C45495-1	Date Received:	04/22/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	5.0	0.50	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	5.0	0.50	ug/kg	
100-41-4	Ethylbenzene	ND	5.0	0.50	ug/kg	
637-92-3	Ethyl tert-Butyl Ether	ND	5.0	0.50	ug/kg	
591-78-6	2-Hexanone	ND	20	2.0	ug/kg	
87-68-3	Hexachlorobutadiene	ND	5.0	1.0	ug/kg	
98-82-8	Isopropylbenzene	ND	5.0	0.50	ug/kg	
99-87-6	p-Isopropyltoluene	ND	5.0	0.50	ug/kg	
108-10-1	4-Methyl-2-pentanone	ND	20	2.0	ug/kg	
74-83-9	Methyl bromide	ND	5.0	1.0	ug/kg	
74-87-3	Methyl chloride	ND	5.0	1.0	ug/kg	
74-95-3	Methylene bromide	ND	5.0	0.50	ug/kg	
75-09-2	Methylene chloride	5.2	20	5.0	ug/kg	J
78-93-3	Methyl ethyl ketone	ND	20	2.0	ug/kg	
1634-04-4	Methyl Tert Butyl Ether ^b	ND	5.0	1.0	ug/kg	
91-20-3	Naphthalene	ND	5.0	1.0	ug/kg	
103-65-1	n-Propylbenzene	ND	5.0	0.50	ug/kg	
100-42-5	Styrene	ND	5.0	0.50	ug/kg	
994-05-8	Tert-Amyl Methyl Ether	ND	5.0	0.50	ug/kg	
75-65-0	Tert Butyl Alcohol ^b	ND	40	10	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	0.50	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	5.0	0.50	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	5.0	0.50	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	5.0	0.50	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.50	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	5.0	1.0	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.50	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	1.0	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	1.0	ug/kg	
127-18-4	Tetrachloroethylene	ND	5.0	0.60	ug/kg	
108-88-3	Toluene	ND	5.0	0.50	ug/kg	
79-01-6	Trichloroethylene	ND	5.0	0.50	ug/kg	
75-69-4	Trichlorofluoromethane	ND	5.0	1.0	ug/kg	
75-01-4	Vinyl chloride	ND	5.0	1.0	ug/kg	
1330-20-7	Xylene (total)	ND	10	1.0	ug/kg	
	TPH-GRO (C6-C10)	ND	100	50	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	101%		80-136%

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 3 of 3

3-1
3

Client Sample ID:	9669-P1-4	Date Sampled:	04/22/16
Lab Sample ID:	C45495-1	Date Received:	04/22/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	105%		88-113%
460-00-4	4-Bromofluorobenzene	100%		79-115%

(a) All results reported on a wet weight basis.

(b) CCV outside of control limits (biased high); not detected in sample.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

3

Client Sample ID:	9669-P1-4	Date Sampled:	04/22/16
Lab Sample ID:	C45495-1	Date Received:	04/22/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8270C BY SIM	SW846 3550B	
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	T23061.D	1	04/23/16	BJ	04/22/16	OP14233	ET1051
Run #2							

	Initial Weight	Final Volume
Run #1	30.1 g	1.0 ml
Run #2		

BN PAH List

CAS No.	Compound	Result	RL	MDL	Units	Q
83-32-9	Acenaphthene	ND	3.3	0.45	ug/kg	
208-96-8	Acenaphthylene	ND	3.3	0.58	ug/kg	
120-12-7	Anthracene	ND	3.3	0.47	ug/kg	
56-55-3	Benzo(a)anthracene	0.37	3.3	0.32	ug/kg	J
50-32-8	Benzo(a)pyrene	0.31	3.3	0.29	ug/kg	JB
205-99-2	Benzo(b)fluoranthene	ND	3.3	0.57	ug/kg	
191-24-2	Benzo(g,h,i)perylene	ND	3.3	0.65	ug/kg	
207-08-9	Benzo(k)fluoranthene	ND	3.3	0.53	ug/kg	
218-01-9	Chrysene	ND	3.3	0.55	ug/kg	
53-70-3	Dibenz(a,h)anthracene	ND	3.3	0.68	ug/kg	
206-44-0	Fluoranthene	ND	3.3	0.54	ug/kg	
86-73-7	Fluorene	ND	3.3	0.49	ug/kg	
193-39-5	Indeno(1,2,3-cd)pyrene	ND	3.3	0.69	ug/kg	
90-12-0	1-Methylnaphthalene	ND	3.3	0.56	ug/kg	
91-57-6	2-Methylnaphthalene	ND	3.3	0.40	ug/kg	
91-20-3	Naphthalene	ND	3.3	0.50	ug/kg	
85-01-8	Phenanthrene	ND	3.3	0.36	ug/kg	
129-00-0	Pyrene	ND	3.3	0.86	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	86%		10-177%
321-60-8	2-Fluorobiphenyl	75%		41-124%
1718-51-0	Terphenyl-d14	98%		40-149%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

3

Client Sample ID:	9669-P1-4	Date Sampled:	04/22/16
Lab Sample ID:	C45495-1	Date Received:	04/22/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8015B M SW846 3550B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	HH331991.D	1	04/22/16	YN	04/22/16	OP14241	GHH1798
Run #2							

	Initial Weight	Final Volume
Run #1	30.1 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	ND	3.3	1.7	mg/kg	
	TPH (Motor Oil)	ND	6.6	3.3	mg/kg	
	TPH (Mineral Spirits)	ND	3.3	1.7	mg/kg	
	TPH (Kerosene)	ND	3.3	1.7	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	84%		38-146%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

3

Client Sample ID:	9669-P1-4	Date Sampled:	04/22/16
Lab Sample ID:	C45495-1	Date Received:	04/22/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Project:	1110 Jackson Street - Oakland, CA		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Cadmium	< 0.99	0.99	mg/kg	1	04/25/16	04/25/16 RS	SW846 6010B ¹	SW846 3050B ²
Chromium	41.4	0.99	mg/kg	1	04/25/16	04/25/16 RS	SW846 6010B ¹	SW846 3050B ²
Lead	2.4	2.0	mg/kg	1	04/25/16	04/25/16 RS	SW846 6010B ¹	SW846 3050B ²
Nickel	23.2	0.99	mg/kg	1	04/25/16	04/25/16 RS	SW846 6010B ¹	SW846 3050B ²
Zinc	20.4	2.0	mg/kg	1	04/25/16	04/25/16 RS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5809

(2) Prep QC Batch: MP11207

(a) All results reported on a wet weight basis.

RL = Reporting Limit

Report of Analysis

Page 1 of 3

32
3

Client Sample ID:	9669-P2-3.3	Date Sampled:	04/22/16
Lab Sample ID:	C45495-2	Date Received:	04/22/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	M60178.D	1	04/22/16	JT	n/a	n/a	VM1805
Run #2							

Initial Weight	
Run #1	5.03 g
Run #2	

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	40	9.9	ug/kg	
71-43-2	Benzene	ND	5.0	0.50	ug/kg	
108-86-1	Bromobenzene	ND	5.0	0.50	ug/kg	
74-97-5	Bromo(chloromethane)	ND	5.0	0.50	ug/kg	
75-27-4	Bromodichloromethane	ND	5.0	0.50	ug/kg	
75-25-2	Bromoform	ND	5.0	0.50	ug/kg	
104-51-8	n-Butylbenzene	ND	5.0	0.50	ug/kg	
135-98-8	sec-Butylbenzene	ND	5.0	0.50	ug/kg	
98-06-6	tert-Butylbenzene	ND	5.0	0.50	ug/kg	
108-90-7	Chlorobenzene	ND	5.0	0.50	ug/kg	
75-00-3	Chloroethane	ND	5.0	0.99	ug/kg	
67-66-3	Chloroform	ND	5.0	0.50	ug/kg	
95-49-8	o-Chlorotoluene	ND	5.0	0.50	ug/kg	
106-43-4	p-Chlorotoluene	ND	5.0	0.50	ug/kg	
56-23-5	Carbon tetrachloride	ND	5.0	0.50	ug/kg	
75-34-3	1,1-Dichloroethane	ND	5.0	0.50	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	5.0	0.50	ug/kg	
563-58-6	1,1-Dichloropropene	ND	5.0	0.50	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	1.4	ug/kg	
106-93-4	1,2-Dibromoethane	ND	5.0	0.50	ug/kg	
107-06-2	1,2-Dichloroethane	ND	5.0	0.50	ug/kg	
78-87-5	1,2-Dichloropropane	ND	5.0	0.50	ug/kg	
142-28-9	1,3-Dichloropropane	ND	5.0	0.50	ug/kg	
108-20-3	Di-Isopropyl ether	ND	5.0	0.50	ug/kg	
594-20-7	2,2-Dichloropropane ^b	ND	5.0	0.50	ug/kg	
124-48-1	Dibromochloromethane	ND	5.0	0.50	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.99	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	5.0	1.1	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	5.0	0.50	ug/kg	
541-73-1	m-Dichlorobenzene	ND	5.0	0.50	ug/kg	
95-50-1	o-Dichlorobenzene	ND	5.0	0.50	ug/kg	
106-46-7	p-Dichlorobenzene	ND	5.0	0.50	ug/kg	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 3

32
3

Client Sample ID:	9669-P2-3.3	Date Sampled:	04/22/16
Lab Sample ID:	C45495-2	Date Received:	04/22/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	5.0	0.50	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	5.0	0.50	ug/kg	
100-41-4	Ethylbenzene	ND	5.0	0.50	ug/kg	
637-92-3	Ethyl tert-Butyl Ether	ND	5.0	0.50	ug/kg	
591-78-6	2-Hexanone	ND	20	2.0	ug/kg	
87-68-3	Hexachlorobutadiene	ND	5.0	0.99	ug/kg	
98-82-8	Isopropylbenzene	ND	5.0	0.50	ug/kg	
99-87-6	p-Isopropyltoluene	ND	5.0	0.50	ug/kg	
108-10-1	4-Methyl-2-pentanone	ND	20	2.0	ug/kg	
74-83-9	Methyl bromide	ND	5.0	0.99	ug/kg	
74-87-3	Methyl chloride	ND	5.0	0.99	ug/kg	
74-95-3	Methylene bromide	ND	5.0	0.50	ug/kg	
75-09-2	Methylene chloride	6.5	20	5.0	ug/kg	J
78-93-3	Methyl ethyl ketone	ND	20	2.0	ug/kg	
1634-04-4	Methyl Tert Butyl Ether ^b	ND	5.0	0.99	ug/kg	
91-20-3	Naphthalene	ND	5.0	0.99	ug/kg	
103-65-1	n-Propylbenzene	ND	5.0	0.50	ug/kg	
100-42-5	Styrene	ND	5.0	0.50	ug/kg	
994-05-8	Tert-Amyl Methyl Ether	ND	5.0	0.50	ug/kg	
75-65-0	Tert Butyl Alcohol ^b	ND	40	9.9	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	0.50	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	5.0	0.50	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	5.0	0.50	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	5.0	0.50	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.50	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	5.0	0.99	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.50	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	0.99	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	0.99	ug/kg	
127-18-4	Tetrachloroethylene	ND	5.0	0.60	ug/kg	
108-88-3	Toluene	ND	5.0	0.50	ug/kg	
79-01-6	Trichloroethylene	ND	5.0	0.50	ug/kg	
75-69-4	Trichlorofluoromethane	ND	5.0	0.99	ug/kg	
75-01-4	Vinyl chloride	ND	5.0	0.99	ug/kg	
1330-20-7	Xylene (total)	ND	9.9	0.99	ug/kg	
	TPH-GRO (C6-C10)	ND	99	50	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	117%		80-136%

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 3 of 3

32
3

Client Sample ID:	9669-P2-3.3	Date Sampled:	04/22/16
Lab Sample ID:	C45495-2	Date Received:	04/22/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	104%		88-113%
460-00-4	4-Bromofluorobenzene	99%		79-115%

(a) All results reported on a wet weight basis.

(b) CCV outside of control limits (biased high); not detected in sample.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

32
3

Client Sample ID:	9669-P2-3.3	Date Sampled:	04/22/16
Lab Sample ID:	C45495-2	Date Received:	04/22/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8270C BY SIM SW846 3550B		
Project:	1110 Jackson Street - Oakland, CA		
File ID	DF	Analyzed	By
Run #1	T23062.D	1	04/23/16 BJ
Run #2			
	Initial Weight	Final Volume	
Run #1	30.2 g	1.0 ml	
Run #2			

BN PAH List

CAS No.	Compound	Result	RL	MDL	Units	Q
83-32-9	Acenaphthene	ND	3.3	0.45	ug/kg	
208-96-8	Acenaphthylene	ND	3.3	0.58	ug/kg	
120-12-7	Anthracene	ND	3.3	0.47	ug/kg	
56-55-3	Benzo(a)anthracene	ND	3.3	0.31	ug/kg	
50-32-8	Benzo(a)pyrene	ND	3.3	0.29	ug/kg	
205-99-2	Benzo(b)fluoranthene	ND	3.3	0.57	ug/kg	
191-24-2	Benzo(g,h,i)perylene	ND	3.3	0.65	ug/kg	
207-08-9	Benzo(k)fluoranthene	ND	3.3	0.53	ug/kg	
218-01-9	Chrysene	ND	3.3	0.55	ug/kg	
53-70-3	Dibenz(a,h)anthracene	ND	3.3	0.68	ug/kg	
206-44-0	Fluoranthene	ND	3.3	0.54	ug/kg	
86-73-7	Fluorene	ND	3.3	0.49	ug/kg	
193-39-5	Indeno(1,2,3-cd)pyrene	ND	3.3	0.69	ug/kg	
90-12-0	1-Methylnaphthalene	ND	3.3	0.56	ug/kg	
91-57-6	2-Methylnaphthalene	ND	3.3	0.40	ug/kg	
91-20-3	Naphthalene	ND	3.3	0.50	ug/kg	
85-01-8	Phenanthrene	ND	3.3	0.36	ug/kg	
129-00-0	Pyrene	ND	3.3	0.86	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	89%		10-177%
321-60-8	2-Fluorobiphenyl	83%		41-124%
1718-51-0	Terphenyl-d14	102%		40-149%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

32
3

Client Sample ID:	9669-P2-3.3	Date Sampled:	04/22/16
Lab Sample ID:	C45495-2	Date Received:	04/22/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8015B M SW846 3550B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	HH331992.D	1	04/22/16	YN	04/22/16	OP14241	GHH1798
Run #2							

	Initial Weight	Final Volume
Run #1	30.2 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	ND	3.3	1.7	mg/kg	
	TPH (Motor Oil)	ND	6.6	3.3	mg/kg	
	TPH (Mineral Spirits)	ND	3.3	1.7	mg/kg	
	TPH (Kerosene)	ND	3.3	1.7	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	92%		38-146%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

32
3

Client Sample ID:	9669-P2-3.3	Date Sampled:	04/22/16
Lab Sample ID:	C45495-2	Date Received:	04/22/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Project:	1110 Jackson Street - Oakland, CA		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Cadmium	< 1.0	1.0	mg/kg	1	04/25/16	04/25/16 RS	SW846 6010B ¹	SW846 3050B ²
Chromium	36.4	1.0	mg/kg	1	04/25/16	04/25/16 RS	SW846 6010B ¹	SW846 3050B ²
Lead	2.4	2.0	mg/kg	1	04/25/16	04/25/16 RS	SW846 6010B ¹	SW846 3050B ²
Nickel	15.7	1.0	mg/kg	1	04/25/16	04/25/16 RS	SW846 6010B ¹	SW846 3050B ²
Zinc	20.6	2.0	mg/kg	1	04/25/16	04/25/16 RS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5809

(2) Prep QC Batch: MP11207

(a) All results reported on a wet weight basis.

RL = Reporting Limit

Report of Analysis

Page 1 of 3

33
3

Client Sample ID:	9669-P3-4	Date Sampled:	04/22/16
Lab Sample ID:	C45495-3	Date Received:	04/22/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	M60179.D	1	04/22/16	JT	n/a	n/a	VM1805
Run #2							

	Initial Weight
Run #1	5.02 g
Run #2	

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	40	10	ug/kg	
71-43-2	Benzene	ND	5.0	0.50	ug/kg	
108-86-1	Bromobenzene	ND	5.0	0.50	ug/kg	
74-97-5	Bromo(chloromethane)	ND	5.0	0.50	ug/kg	
75-27-4	Bromodichloromethane	ND	5.0	0.50	ug/kg	
75-25-2	Bromoform	ND	5.0	0.50	ug/kg	
104-51-8	n-Butylbenzene	ND	5.0	0.50	ug/kg	
135-98-8	sec-Butylbenzene	ND	5.0	0.50	ug/kg	
98-06-6	tert-Butylbenzene	ND	5.0	0.50	ug/kg	
108-90-7	Chlorobenzene	ND	5.0	0.50	ug/kg	
75-00-3	Chloroethane	ND	5.0	1.0	ug/kg	
67-66-3	Chloroform	ND	5.0	0.50	ug/kg	
95-49-8	o-Chlorotoluene	ND	5.0	0.50	ug/kg	
106-43-4	p-Chlorotoluene	ND	5.0	0.50	ug/kg	
56-23-5	Carbon tetrachloride	ND	5.0	0.50	ug/kg	
75-34-3	1,1-Dichloroethane	ND	5.0	0.50	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	5.0	0.50	ug/kg	
563-58-6	1,1-Dichloropropene	ND	5.0	0.50	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	1.4	ug/kg	
106-93-4	1,2-Dibromoethane	ND	5.0	0.50	ug/kg	
107-06-2	1,2-Dichloroethane	ND	5.0	0.50	ug/kg	
78-87-5	1,2-Dichloropropane	ND	5.0	0.50	ug/kg	
142-28-9	1,3-Dichloropropane	ND	5.0	0.50	ug/kg	
108-20-3	Di-Isopropyl ether	ND	5.0	0.50	ug/kg	
594-20-7	2,2-Dichloropropane ^b	ND	5.0	0.50	ug/kg	
124-48-1	Dibromo(chloromethane)	ND	5.0	0.50	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	5.0	1.1	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	5.0	0.50	ug/kg	
541-73-1	m-Dichlorobenzene	ND	5.0	0.50	ug/kg	
95-50-1	o-Dichlorobenzene	ND	5.0	0.50	ug/kg	
106-46-7	p-Dichlorobenzene	ND	5.0	0.50	ug/kg	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 3

33
3

Client Sample ID:	9669-P3-4	Date Sampled:	04/22/16
Lab Sample ID:	C45495-3	Date Received:	04/22/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	5.0	0.50	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	5.0	0.50	ug/kg	
100-41-4	Ethylbenzene	ND	5.0	0.50	ug/kg	
637-92-3	Ethyl tert-Butyl Ether	ND	5.0	0.50	ug/kg	
591-78-6	2-Hexanone	ND	20	2.0	ug/kg	
87-68-3	Hexachlorobutadiene	ND	5.0	1.0	ug/kg	
98-82-8	Isopropylbenzene	ND	5.0	0.50	ug/kg	
99-87-6	p-Isopropyltoluene	ND	5.0	0.50	ug/kg	
108-10-1	4-Methyl-2-pentanone	ND	20	2.0	ug/kg	
74-83-9	Methyl bromide	ND	5.0	1.0	ug/kg	
74-87-3	Methyl chloride	ND	5.0	1.0	ug/kg	
74-95-3	Methylene bromide	ND	5.0	0.50	ug/kg	
75-09-2	Methylene chloride	6.0	20	5.0	ug/kg	J
78-93-3	Methyl ethyl ketone	ND	20	2.0	ug/kg	
1634-04-4	Methyl Tert Butyl Ether ^b	ND	5.0	1.0	ug/kg	
91-20-3	Naphthalene	ND	5.0	1.0	ug/kg	
103-65-1	n-Propylbenzene	ND	5.0	0.50	ug/kg	
100-42-5	Styrene	ND	5.0	0.50	ug/kg	
994-05-8	Tert-Amyl Methyl Ether	ND	5.0	0.50	ug/kg	
75-65-0	Tert Butyl Alcohol ^b	ND	40	10	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	0.50	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	5.0	0.50	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	5.0	0.50	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	5.0	0.50	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.50	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	5.0	1.0	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.50	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	1.0	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	1.0	ug/kg	
127-18-4	Tetrachloroethylene	ND	5.0	0.60	ug/kg	
108-88-3	Toluene	ND	5.0	0.50	ug/kg	
79-01-6	Trichloroethylene	ND	5.0	0.50	ug/kg	
75-69-4	Trichlorofluoromethane	ND	5.0	1.0	ug/kg	
75-01-4	Vinyl chloride	ND	5.0	1.0	ug/kg	
1330-20-7	Xylene (total)	ND	10	1.0	ug/kg	
	TPH-GRO (C6-C10)	ND	100	50	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	126%		80-136%

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 3 of 3

3.3
3

Client Sample ID:	9669-P3-4	Date Sampled:	04/22/16
Lab Sample ID:	C45495-3	Date Received:	04/22/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	105%		88-113%
460-00-4	4-Bromofluorobenzene	101%		79-115%

- (a) All results reported on a wet weight basis.
 (b) CCV outside of control limits (biased high); not detected in sample.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

33
3

Client Sample ID:	9669-P3-4	Date Sampled:	04/22/16
Lab Sample ID:	C45495-3	Date Received:	04/22/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8270C BY SIM	SW846 3550B	
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	T23063.D	1	04/23/16	BJ	04/22/16	OP14233	ET1051
Run #2							

	Initial Weight	Final Volume
Run #1	30.0 g	1.0 ml
Run #2		

BN PAH List

CAS No.	Compound	Result	RL	MDL	Units	Q
83-32-9	Acenaphthene	ND	3.3	0.45	ug/kg	
208-96-8	Acenaphthylene	ND	3.3	0.58	ug/kg	
120-12-7	Anthracene	ND	3.3	0.47	ug/kg	
56-55-3	Benzo(a)anthracene	ND	3.3	0.32	ug/kg	
50-32-8	Benzo(a)pyrene	0.38	3.3	0.29	ug/kg	JB
205-99-2	Benzo(b)fluoranthene	ND	3.3	0.57	ug/kg	
191-24-2	Benzo(g,h,i)perylene	ND	3.3	0.66	ug/kg	
207-08-9	Benzo(k)fluoranthene	ND	3.3	0.53	ug/kg	
218-01-9	Chrysene	ND	3.3	0.55	ug/kg	
53-70-3	Dibenz(a,h)anthracene	ND	3.3	0.68	ug/kg	
206-44-0	Fluoranthene	ND	3.3	0.54	ug/kg	
86-73-7	Fluorene	ND	3.3	0.50	ug/kg	
193-39-5	Indeno(1,2,3-cd)pyrene	ND	3.3	0.69	ug/kg	
90-12-0	1-Methylnaphthalene	ND	3.3	0.56	ug/kg	
91-57-6	2-Methylnaphthalene	ND	3.3	0.40	ug/kg	
91-20-3	Naphthalene	ND	3.3	0.50	ug/kg	
85-01-8	Phenanthrene	ND	3.3	0.37	ug/kg	
129-00-0	Pyrene	ND	3.3	0.86	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	91%		10-177%
321-60-8	2-Fluorobiphenyl	88%		41-124%
1718-51-0	Terphenyl-d14	103%		40-149%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

33
3

Client Sample ID:	9669-P3-4	Date Sampled:	04/22/16
Lab Sample ID:	C45495-3	Date Received:	04/22/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8015B M SW846 3550B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	HH331993.D	1	04/22/16	YN	04/22/16	OP14241	GHH1798
Run #2							

	Initial Weight	Final Volume
Run #1	30.1 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	ND	3.3	1.7	mg/kg	
	TPH (Motor Oil)	ND	6.7	3.3	mg/kg	
	TPH (Mineral Spirits)	ND	3.3	1.7	mg/kg	
	TPH (Kerosene)	ND	3.3	1.7	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	53%		38-146%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

33
3

Client Sample ID:	9669-P3-4	Date Sampled:	04/22/16
Lab Sample ID:	C45495-3	Date Received:	04/22/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Project:	1110 Jackson Street - Oakland, CA		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Cadmium	< 0.97	0.97	mg/kg	1	04/25/16	04/25/16 RS	SW846 6010B ¹	SW846 3050B ²
Chromium	37.0	0.97	mg/kg	1	04/25/16	04/25/16 RS	SW846 6010B ¹	SW846 3050B ²
Lead	4.2	1.9	mg/kg	1	04/25/16	04/25/16 RS	SW846 6010B ¹	SW846 3050B ²
Nickel	16.6	0.97	mg/kg	1	04/25/16	04/25/16 RS	SW846 6010B ¹	SW846 3050B ²
Zinc	25.8	1.9	mg/kg	1	04/25/16	04/25/16 RS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5809

(2) Prep QC Batch: MP11207

(a) All results reported on a wet weight basis.

RL = Reporting Limit

Misc. Forms**Custody Documents and Other Forms**

Includes the following where applicable:

- Chain of Custody



CHAIN OF CUSTODY

2105 Lundy Ave, San Jose, CA 95131
(408) 588-0200 FAX: (408) 588-0201

FED-EX Tracking #	Bottle Order Control #
Accutest Quote #	Accutest NC Job #: C C45495

Client / Reporting Information		Project Information		Requested Analysis		Matrix Codes	
Company Name OLDEN GATE TANK REMOVAL	Project Name:	Street 1480 CARROLL AVE	City OAKLAND CA			WW - Wastewater	
Address SAN FRANCISCO, CA 94124	City State Zip	City OAKLAND CA	State			GW - Ground Water	
Project Contact: JIM HALLEN	Project # 9669					SW - Surface Water	
Phone # 415-512-1555	EMAIL: Jim@669.com					SO - Soil	
Samplers Name B. WHEELER	Client Purchase Order #					OL - Oil	
						WP - Wipe	
						LQ - Non-aqueous Liquid	
						AIR	
						DW - Drinking Water (Perchlorate Only)	
						LAB USE ONLY	
Accutest Sample ID	Sample ID / Field Point / Point of Collection	Collection Date	Time	Sampled by Matrix	# of bottles	Number of preserved Bottles	
1	9669-P1-4	1/22/04 950	BAW	SD	1	G NaOH HNO3 HCO3 NONE NaHSO4 NaOH	
2	9669-P2-3.3	1000			1		X X X X
3	9669-P3-4	1000			1		X X X X
Turnaround Time (Business days)	Approved By / Date:	Data Deliverable Information	Comments / Remarks				
<input type="checkbox"/> 10 Day <input type="checkbox"/> 5 Day <input type="checkbox"/> 3 Day <input checked="" type="checkbox"/> 2 Day <input checked="" type="checkbox"/> 1 Day <input type="checkbox"/> Same Day	<i>M. H.R.</i>	<input type="checkbox"/> Commercial "A" - Results only <input type="checkbox"/> Commercial "B" - Results with QC summaries <input type="checkbox"/> Commercial "B+" - Results, QC, and chromatograms <input type="checkbox"/> FULL1 - Level 4 data package <input type="checkbox"/> EDF for Geotracker <input type="checkbox"/> EDD Format Provide EDF Global ID _____ Provide EDF Logcode: _____	<i>BT = BRASS TOBE</i>				
Emergency T/A data available VIA Lablink Sample Custody must be documented below each time samples change possession, including courier delivery.							
Relinquished by Sampler: <i>BSH</i>	Date/Time: <i>1/22/04 10:05</i>	Received By: <i>Mr. Marshall</i>	Relinquished By: <i>Mr. Marshall</i>	Date/Time: <i>1/22/04 13:00</i>	Received By: <i>[Signature]</i>		
Relinquished by: 3	Date/Time:	Received By:	Relinquished By:	Date/Time:	Received By:		
Relinquished by: 5	Date/Time:	Received By:	Custody Seal # <i>500</i>	Appropriate Bottle / Pres. Y/N Labels match Ccs? Y / N	Headspace Y/N Separate Receiving Check List used: Y / N	On Ice Y/N Colder Temp. <i>25/27 °C</i>	

1 DAY

C45495: Chain of Custody
Page 1 of 2

SGS Accutest Sample Receipt Summary

Job Number: C45495 **Client:** GGTR **Project:** 1110 JACKSON STREET
Date / Time Received: 4/22/2016 1:00:00 PM **Delivery Method:** Accutest Courier **Airbill #'s:**
Cooler Temps (Initial/Adjusted): #1: (2.5/2.7);

Cooler Security		Y or N	Y or N	Sample Integrity - Documentation		Y or N		
1. Custody Seals Present:		<input type="checkbox"/>	<input checked="" type="checkbox"/>	3. COC Present:		<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2. Custody Seals Intact:		<input type="checkbox"/>	<input type="checkbox"/>	4. Smpl Dates/Time OK		<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Cooler Temperature		Y or N		Sample Integrity - Condition		Y or N		
1. Temp criteria achieved:		<input checked="" type="checkbox"/>	<input type="checkbox"/>	1. Sample recv'd within HT:		<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2. Therm ID:		IR1;		2. All containers accounted for:		<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3. Cooler media:		Ice (Bag)		3. Condition of sample:		Intact		
4. No. Coolers:		1						
Quality Control Preservation		Y or N	N/A	Sample Integrity - Instructions		Y or N	N/A	
1. Trip Blank present / cooler:		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1. Analysis requested is clear:		<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Trip Blank listed on COC:		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	2. Bottles received for unspecified tests		<input type="checkbox"/>	<input checked="" type="checkbox"/>
3. Samples preserved properly:		<input checked="" type="checkbox"/>	<input type="checkbox"/>	3. Sufficient volume recv'd for analysis:		<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4. VOCs headspace free:		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	4. Compositing instructions clear:		<input type="checkbox"/>	<input type="checkbox"/>
				5. Filtering instructions clear:		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Comments

4.1

4

C45495: Chain of Custody
Page 2 of 2

GC/MS Volatiles

5

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

Method Blank Summary

Page 1 of 3

Job Number: C45495

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1805-MB	M60164.D	1	04/22/16	JT	n/a	n/a	VM1805

The QC reported here applies to the following samples:

Method: SW846 8260B

C45495-1, C45495-2, C45495-3

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	40	10	ug/kg	
71-43-2	Benzene	ND	5.0	0.50	ug/kg	
108-86-1	Bromobenzene	ND	5.0	0.50	ug/kg	
74-97-5	Bromochloromethane	ND	5.0	0.50	ug/kg	
75-27-4	Bromodichloromethane	ND	5.0	0.50	ug/kg	
75-25-2	Bromoform	ND	5.0	0.50	ug/kg	
104-51-8	n-Butylbenzene	ND	5.0	0.50	ug/kg	
135-98-8	sec-Butylbenzene	ND	5.0	0.50	ug/kg	
98-06-6	tert-Butylbenzene	ND	5.0	0.50	ug/kg	
108-90-7	Chlorobenzene	ND	5.0	0.50	ug/kg	
75-00-3	Chloroethane	ND	5.0	1.0	ug/kg	
67-66-3	Chloroform	ND	5.0	0.50	ug/kg	
95-49-8	o-Chlorotoluene	ND	5.0	0.50	ug/kg	
106-43-4	p-Chlorotoluene	ND	5.0	0.50	ug/kg	
56-23-5	Carbon tetrachloride	ND	5.0	0.50	ug/kg	
75-34-3	1,1-Dichloroethane	ND	5.0	0.50	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	5.0	0.50	ug/kg	
563-58-6	1,1-Dichloropropene	ND	5.0	0.50	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	1.4	ug/kg	
106-93-4	1,2-Dibromoethane	ND	5.0	0.50	ug/kg	
107-06-2	1,2-Dichloroethane	ND	5.0	0.50	ug/kg	
78-87-5	1,2-Dichloropropane	ND	5.0	0.50	ug/kg	
142-28-9	1,3-Dichloropropane	ND	5.0	0.50	ug/kg	
108-20-3	Di-Isopropyl ether	ND	5.0	0.50	ug/kg	
594-20-7	2,2-Dichloropropane	ND	5.0	0.50	ug/kg	
124-48-1	Dibromochloromethane	ND	5.0	0.50	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	5.0	1.1	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	5.0	0.50	ug/kg	
541-73-1	m-Dichlorobenzene	ND	5.0	0.50	ug/kg	
95-50-1	o-Dichlorobenzene	ND	5.0	0.50	ug/kg	
106-46-7	p-Dichlorobenzene	ND	5.0	0.50	ug/kg	
156-60-5	trans-1,2-Dichloroethylene	ND	5.0	0.50	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	5.0	0.50	ug/kg	
100-41-4	Ethylbenzene	ND	5.0	0.50	ug/kg	
637-92-3	Ethyl tert-Butyl Ether	ND	5.0	0.50	ug/kg	

Method Blank Summary

Page 2 of 3

Job Number: C45495

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1805-MB	M60164.D	1	04/22/16	JT	n/a	n/a	VM1805

The QC reported here applies to the following samples:

Method: SW846 8260B

C45495-1, C45495-2, C45495-3

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	20	2.0	ug/kg	
87-68-3	Hexachlorobutadiene	ND	5.0	1.0	ug/kg	
98-82-8	Isopropylbenzene	ND	5.0	0.50	ug/kg	
99-87-6	p-Isopropyltoluene	ND	5.0	0.50	ug/kg	
108-10-1	4-Methyl-2-pentanone	ND	20	2.0	ug/kg	
74-83-9	Methyl bromide	ND	5.0	1.0	ug/kg	
74-87-3	Methyl chloride	ND	5.0	1.0	ug/kg	
74-95-3	Methylene bromide	ND	5.0	0.50	ug/kg	
75-09-2	Methylene chloride	ND	20	5.0	ug/kg	
78-93-3	Methyl ethyl ketone	ND	20	2.0	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	5.0	1.0	ug/kg	
91-20-3	Naphthalene	ND	5.0	1.0	ug/kg	
103-65-1	n-Propylbenzene	ND	5.0	0.50	ug/kg	
100-42-5	Styrene	ND	5.0	0.50	ug/kg	
994-05-8	Tert-Amyl Methyl Ether	ND	5.0	0.50	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	40	10	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	0.50	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	5.0	0.50	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	5.0	0.50	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	5.0	0.50	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.50	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	5.0	1.0	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.50	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	1.0	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	1.0	ug/kg	
127-18-4	Tetrachloroethylene	ND	5.0	0.60	ug/kg	
108-88-3	Toluene	ND	5.0	0.50	ug/kg	
79-01-6	Trichloroethylene	ND	5.0	0.50	ug/kg	
75-69-4	Trichlorofluoromethane	ND	5.0	1.0	ug/kg	
75-01-4	Vinyl chloride	ND	5.0	1.0	ug/kg	
1330-20-7	Xylene (total)	ND	10	1.0	ug/kg	
	TPH-GRO (C6-C10)	ND	100	50	ug/kg	

5.1.1
5

Method Blank Summary

Page 3 of 3

Job Number: C45495

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1805-MB	M60164.D	1	04/22/16	JT	n/a	n/a	VM1805

The QC reported here applies to the following samples:

Method: SW846 8260B

C45495-1, C45495-2, C45495-3

CAS No. Surrogate Recoveries Limits

1868-53-7	Dibromofluoromethane	106%	80-136%
2037-26-5	Toluene-D8	104%	88-113%
460-00-4	4-Bromofluorobenzene	99%	79-115%

Blank Spike/Blank Spike Duplicate Summary

Page 1 of 3

Job Number: C45495

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1805-BS	M60161.D	1	04/22/16	JT	n/a	n/a	VM1805
VM1805-BSD	M60162.D	1	04/22/16	JT	n/a	n/a	VM1805

The QC reported here applies to the following samples:

Method: SW846 8260B

C45495-1, C45495-2, C45495-3

CAS No.	Compound	Spike ug/kg	BSP ug/kg	BSP %	BSD ug/kg	BSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	160	186	116	184	115	1	48-156/30
71-43-2	Benzene	40	36.8	92	36.8	92	0	73-119/20
108-86-1	Bromobenzene	40	34.8	87	37.0	93	6	73-115/18
74-97-5	Bromochloromethane	40	35.9	90	35.0	88	3	76-125/19
75-27-4	Bromodichloromethane	40	34.7	87	34.7	87	0	72-115/20
75-25-2	Bromoform	40	34.0	85	34.6	87	2	74-120/21
104-51-8	n-Butylbenzene	40	37.5	94	37.8	95	1	70-116/21
135-98-8	sec-Butylbenzene	40	37.4	94	38.4	96	3	73-113/21
98-06-6	tert-Butylbenzene	40	36.4	91	38.1	95	5	72-111/20
108-90-7	Chlorobenzene	40	35.1	88	36.0	90	3	73-109/19
75-00-3	Chloroethane	40	43.2	108	39.9	100	8	67-127/21
67-66-3	Chloroform	40	37.0	93	35.6	89	4	71-121/19
95-49-8	o-Chlorotoluene	40	36.2	91	37.9	95	5	71-114/21
106-43-4	p-Chlorotoluene	40	36.6	92	39.1	98	7	65-120/26
56-23-5	Carbon tetrachloride	40	36.8	92	35.4	89	4	72-121/23
75-34-3	1,1-Dichloroethane	40	39.4	99	38.3	96	3	71-118/19
75-35-4	1,1-Dichloroethylene	40	36.7	92	35.3	88	4	69-118/22
563-58-6	1,1-Dichloropropene	40	36.0	90	35.7	89	1	70-117/20
96-12-8	1,2-Dibromo-3-chloropropane	40	42.6	107	42.7	107	0	63-123/26
106-93-4	1,2-Dibromoethane	40	35.7	89	37.3	93	4	73-117/18
107-06-2	1,2-Dichloroethane	40	37.1	93	36.3	91	2	71-118/20
78-87-5	1,2-Dichloropropane	40	38.0	95	39.0	98	3	73-120/19
142-28-9	1,3-Dichloropropane	40	38.5	96	39.9	100	4	75-120/18
108-20-3	Di-Isopropyl ether	40	39.1	98	38.3	96	2	68-127/19
594-20-7	2,2-Dichloropropane	40	50.6	127* a	48.3	121	5	66-122/25
124-48-1	Dibromochloromethane	40	34.6	87	35.2	88	2	73-116/20
75-71-8	Dichlorodifluoromethane	40	35.8	90	31.9	80	12	56-118/26
156-59-2	cis-1,2-Dichloroethylene	40	39.0	98	37.9	95	3	73-128/19
10061-01-5	cis-1,3-Dichloropropene	40	36.6	92	37.6	94	3	74-126/17
541-73-1	m-Dichlorobenzene	40	35.2	88	36.3	91	3	71-113/19
95-50-1	o-Dichlorobenzene	40	35.5	89	36.1	90	2	72-115/19
106-46-7	p-Dichlorobenzene	40	35.1	88	36.3	91	3	72-113/18
156-60-5	trans-1,2-Dichloroethylene	40	35.0	88	33.9	85	3	67-112/20
10061-02-6	trans-1,3-Dichloropropene	40	35.9	90	37.5	94	4	72-113/18
100-41-4	Ethylbenzene	40	37.1	93	37.6	94	1	75-112/21
637-92-3	Ethyl tert-Butyl Ether	40	44.2	111	42.9	107	3	67-124/20

* = Outside of Control Limits.

5.2.1
5

Blank Spike/Blank Spike Duplicate Summary

Page 2 of 3

Job Number: C45495

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1805-BS	M60161.D	1	04/22/16	JT	n/a	n/a	VM1805
VM1805-BSD	M60162.D	1	04/22/16	JT	n/a	n/a	VM1805

The QC reported here applies to the following samples:

Method: SW846 8260B

C45495-1, C45495-2, C45495-3

CAS No.	Compound	Spike ug/kg	BSP ug/kg	BSP %	BSD ug/kg	BSD %	RPD	Limits Rec/RPD
591-78-6	2-Hexanone	160	187	117	200	125	7	40-152/26
87-68-3	Hexachlorobutadiene	40	32.7	82	33.0	83	1	72-121/26
98-82-8	Isopropylbenzene	40	37.6	94	37.5	94	0	74-112/22
99-87-6	p-Isopropyltoluene	40	36.4	91	38.0	95	4	72-114/21
108-10-1	4-Methyl-2-pentanone	160	181	113	186	116	3	50-144/28
74-83-9	Methyl bromide	40	37.5	94	34.7	87	8	73-130/20
74-87-3	Methyl chloride	40	43.7	109	40.9	102	7	57-124/31
74-95-3	Methylene bromide	40	36.6	92	36.0	90	2	76-121/20
75-09-2	Methylene chloride	40	38.3	96	35.7	89	7	72-119/19
78-93-3	Methyl ethyl ketone	160	178	111	183	114	3	52-145/27
1634-04-4	Methyl Tert Butyl Ether	40	43.0	108	41.6	104	3	68-118/22
91-20-3	Naphthalene	40	37.1	93	38.1	95	3	67-132/22
103-65-1	n-Propylbenzene	40	36.4	91	38.4	96	5	71-110/19
100-42-5	Styrene	40	35.5	89	37.1	93	4	73-112/19
994-05-8	Tert-Amyl Methyl Ether	40	45.4	114	44.3	111	2	67-126/21
75-65-0	Tert Butyl Alcohol	200	268	134	284	142	6	53-150/30
630-20-6	1,1,1,2-Tetrachloroethane	40	36.2	91	35.5	89	2	75-114/22
71-55-6	1,1,1-Trichloroethane	40	40.9	102	39.2	98	4	72-124/21
79-34-5	1,1,2,2-Tetrachloroethane	40	39.7	99	40.7	102	2	72-121/19
79-00-5	1,1,2-Trichloroethane	40	36.7	92	37.9	95	3	70-120/18
87-61-6	1,2,3-Trichlorobenzene	40	33.6	84	34.3	86	2	68-125/24
96-18-4	1,2,3-Trichloropropane	40	37.9	95	38.2	96	1	75-119/19
120-82-1	1,2,4-Trichlorobenzene	40	34.0	85	34.3	86	1	70-123/23
95-63-6	1,2,4-Trimethylbenzene	40	35.9	90	37.6	94	5	71-112/19
108-67-8	1,3,5-Trimethylbenzene	40	37.2	93	38.7	97	4	72-113/20
127-18-4	Tetrachloroethylene	40	36.2	91	36.1	90	0	68-120/20
108-88-3	Toluene	40	36.8	92	37.3	93	1	75-111/20
79-01-6	Trichloroethylene	40	34.7	87	34.8	87	0	72-120/20
75-69-4	Trichlorofluoromethane	40	39.2	98	36.1	90	8	71-136/21
75-01-4	Vinyl chloride	40	43.8	110	38.5	96	13	61-131/24
1330-20-7	Xylene (total)	120	109	91	110	92	1	73-110/20

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
1868-53-7	Dibromofluoromethane	107%	101%	80-136%

* = Outside of Control Limits.

5.2.1
5

Blank Spike/Blank Spike Duplicate Summary

Page 3 of 3

Job Number: C45495

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1805-BS	M60161.D	1	04/22/16	JT	n/a	n/a	VM1805
VM1805-BSD	M60162.D	1	04/22/16	JT	n/a	n/a	VM1805

The QC reported here applies to the following samples:

Method: SW846 8260B

C45495-1, C45495-2, C45495-3

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
2037-26-5	Toluene-D8	105%	103%	88-113%
460-00-4	4-Bromofluorobenzene	101%	100%	79-115%

(a) Outside laboratory control limits (high bias); not detected in associated samples.

* = Outside of Control Limits.

5.2.1
5

Laboratory Control Sample Summary

Page 1 of 1

Job Number: C45495

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1805-LCS	M60163.D	1	04/22/16	JT	n/a	n/a	VM1805

The QC reported here applies to the following samples:

Method: SW846 8260B

C45495-1, C45495-2, C45495-3

CAS No.	Compound	Spike ug/kg	LCS ug/kg	LCS %	Limits
	TPH-GRO (C6-C10)	250	287	115	70-123

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	102%	80-136%
2037-26-5	Toluene-D8	106%	88-113%
460-00-4	4-Bromofluorobenzene	99%	79-115%

* = Outside of Control Limits.

5.3.1
5

Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 3

Job Number: C45495

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C45495-1MS	M60180.D	1	04/22/16	JT	n/a	n/a	VM1805
C45495-1MSD	M60181.D	1	04/22/16	JT	n/a	n/a	VM1805
C45495-1	M60167.D	1	04/22/16	JT	n/a	n/a	VM1805

The QC reported here applies to the following samples:

Method: SW846 8260B

C45495-1, C45495-2, C45495-3

CAS No.	Compound	C45495-1		Spike	MS	MS	Spike	MSD	MSD	RPD	Limits Rec/RPD
		ug/kg	Q	ug/kg	ug/kg	%	ug/kg	ug/kg	%		
67-64-1	Acetone	ND	155	169	109	155	173	112	2	48-156/30	
71-43-2	Benzene	ND	38.8	36.2	93	38.7	34.9	90	4	73-119/20	
108-86-1	Bromobenzene	ND	38.8	34.0	88	38.7	33.3	86	2	73-115/18	
74-97-5	Bromo(chloromethane)	ND	38.8	33.6	87	38.7	32.6	84	3	76-125/19	
75-27-4	Bromodichloromethane	ND	38.8	36.4	94	38.7	34.7	90	5	72-115/20	
75-25-2	Bromoform	ND	38.8	33.3	86	38.7	32.1	83	4	74-120/21	
104-51-8	n-Butylbenzene	ND	38.8	35.0	90	38.7	34.9	90	0	70-116/21	
135-98-8	sec-Butylbenzene	ND	38.8	36.2	93	38.7	35.9	93	1	73-113/21	
98-06-6	tert-Butylbenzene	ND	38.8	35.6	92	38.7	35.0	90	2	72-111/20	
108-90-7	Chlorobenzene	ND	38.8	33.8	87	38.7	32.7	85	3	73-109/19	
75-00-3	Chloroethane	ND	38.8	43.7	113	38.7	42.2	109	3	67-127/21	
67-66-3	Chloroform	ND	38.8	37.4	96	38.7	36.0	93	4	71-121/19	
95-49-8	o-Chlorotoluene	ND	38.8	36.0	93	38.7	36.6	95	2	71-114/21	
106-43-4	p-Chlorotoluene	ND	38.8	36.9	95	38.7	34.4	89	7	65-120/26	
56-23-5	Carbon tetrachloride	ND	38.8	38.0	98	38.7	36.6	95	4	72-121/23	
75-34-3	1,1-Dichloroethane	ND	38.8	38.8	100	38.7	37.5	97	3	71-118/19	
75-35-4	1,1-Dichloroethylene	ND	38.8	34.1	88	38.7	33.4	86	2	69-118/22	
563-58-6	1,1-Dichloropropene	ND	38.8	36.1	93	38.7	35.5	92	2	70-117/20	
96-12-8	1,2-Dibromo-3-chloropropane	ND	38.8	39.4	102	38.7	39.1	101	1	63-123/26	
106-93-4	1,2-Dibromoethane	ND	38.8	35.6	92	38.7	33.8	87	5	73-117/18	
107-06-2	1,2-Dichloroethane	ND	38.8	40.0	103	38.7	38.1	98	5	71-118/20	
78-87-5	1,2-Dichloropropane	ND	38.8	37.8	98	38.7	36.5	94	3	73-120/19	
142-28-9	1,3-Dichloropropane	ND	38.8	38.8	100	38.7	37.1	96	4	75-120/18	
108-20-3	Di-Isopropyl ether	ND	38.8	36.7	95	38.7	35.3	91	4	68-127/19	
594-20-7	2,2-Dichloropropane	ND	38.8	49.3	127* a	38.7	49.2	127* a	0	66-122/25	
124-48-1	Dibromochloromethane	ND	38.8	34.5	89	38.7	33.2	86	4	73-116/20	
75-71-8	Dichlorodifluoromethane	ND	38.8	39.4	102	38.7	37.0	96	6	56-118/26	
156-59-2	cis-1,2-Dichloroethylene	ND	38.8	36.6	94	38.7	35.9	93	2	73-128/19	
10061-01-5	cis-1,3-Dichloropropene	ND	38.8	36.8	95	38.7	35.1	91	5	74-126/17	
541-73-1	m-Dichlorobenzene	ND	38.8	32.5	84	38.7	32.0	83	2	71-113/19	
95-50-1	o-Dichlorobenzene	ND	38.8	32.5	84	38.7	32.0	83	2	72-115/19	
106-46-7	p-Dichlorobenzene	ND	38.8	32.4	84	38.7	32.2	83	1	72-113/18	
156-60-5	trans-1,2-Dichloroethylene	ND	38.8	32.5	84	38.7	31.7	82	2	67-112/20	
10061-02-6	trans-1,3-Dichloropropene	ND	38.8	36.3	94	38.7	34.2	88	6	72-113/18	
100-41-4	Ethylbenzene	ND	38.8	36.3	94	38.7	35.8	93	1	75-112/21	
637-92-3	Ethyl tert-Butyl Ether	ND	38.8	42.4	109	38.7	40.7	105	4	67-124/20	

* = Outside of Control Limits.

5.4.1
5

Matrix Spike/Matrix Spike Duplicate Summary

Page 2 of 3

Job Number: C45495

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C45495-1MS	M60180.D	1	04/22/16	JT	n/a	n/a	VM1805
C45495-1MSD	M60181.D	1	04/22/16	JT	n/a	n/a	VM1805
C45495-1	M60167.D	1	04/22/16	JT	n/a	n/a	VM1805

The QC reported here applies to the following samples:

Method: SW846 8260B

C45495-1, C45495-2, C45495-3

CAS No.	Compound	C45495-1		Spike	MS	MS	Spike	MSD	MSD	RPD	Limits Rec/RPD
		ug/kg	Q	ug/kg	ug/kg	%	ug/kg	ug/kg	%		
591-78-6	2-Hexanone	ND		155	187	121	155	175	113	7	40-152/26
87-68-3	Hexachlorobutadiene	ND		38.8	29.9	77	38.7	29.3	76	2	72-121/26
98-82-8	Isopropylbenzene	ND		38.8	36.1	93	38.7	35.5	92	2	74-112/22
99-87-6	p-Isopropyltoluene	ND		38.8	34.7	90	38.7	34.6	89	0	72-114/21
108-10-1	4-Methyl-2-pentanone	ND		155	179	115	155	167	108	7	50-144/28
74-83-9	Methyl bromide	ND		38.8	38.6	100	38.7	36.4	94	6	73-130/20
74-87-3	Methyl chloride	ND		38.8	47.9	124	38.7	45.9	119	4	57-124/31
74-95-3	Methylene bromide	ND		38.8	36.2	93	38.7	34.7	90	4	76-121/20
75-09-2	Methylene chloride	5.2	J	38.8	38.0	85	38.7	36.4	81	4	72-119/19
78-93-3	Methyl ethyl ketone	ND		155	165	106	155	157	101	5	52-145/27
1634-04-4	Methyl Tert Butyl Ether	ND		38.8	40.8	105	38.7	39.5	102	3	68-118/22
91-20-3	Naphthalene	ND		38.8	31.4	81	38.7	30.6	79	3	67-132/22
103-65-1	n-Propylbenzene	ND		38.8	35.8	92	38.7	35.4	92	1	71-110/19
100-42-5	Styrene	ND		38.8	34.1	88	38.7	33.7	87	1	73-112/19
994-05-8	Tert-Amyl Methyl Ether	ND		38.8	43.0	111	38.7	41.3	107	4	67-126/21
75-65-0	Tert Butyl Alcohol	ND		194	247	127	193	264	136	7	53-150/30
630-20-6	1,1,1,2-Tetrachloroethane	ND		38.8	34.3	88	38.7	33.3	86	3	75-114/22
71-55-6	1,1,1-Trichloroethane	ND		38.8	41.7	108	38.7	40.7	105	2	72-124/21
79-34-5	1,1,2,2-Tetrachloroethane	ND		38.8	37.2	96	38.7	36.0	93	3	72-121/19
79-00-5	1,1,2-Trichloroethane	ND		38.8	36.8	95	38.7	34.5	89	6	70-120/18
87-61-6	1,2,3-Trichlorobenzene	ND		38.8	27.3	70	38.7	27.2	70	0	68-125/24
96-18-4	1,2,3-Trichloropropane	ND		38.8	37.8	98	38.7	36.3	94	4	75-119/19
120-82-1	1,2,4-Trichlorobenzene	ND		38.8	28.0	72	38.7	26.7	69* a	5	70-123/23
95-63-6	1,2,4-Trimethylbenzene	ND		38.8	34.7	90	38.7	34.4	89	1	71-112/19
108-67-8	1,3,5-Trimethylbenzene	ND		38.8	35.7	92	38.7	35.2	91	1	72-113/20
127-18-4	Tetrachloroethylene	ND		38.8	37.3	96	38.7	36.3	94	3	68-120/20
108-88-3	Toluene	ND		38.8	35.4	91	38.7	34.5	89	3	75-111/20
79-01-6	Trichloroethylene	ND		38.8	33.8	87	38.7	33.2	86	2	72-120/20
75-69-4	Trichlorofluoromethane	ND		38.8	43.3	112	38.7	40.1	104	8	71-136/21
75-01-4	Vinyl chloride	ND		38.8	50.3	130	38.7	44.4	115	12	61-131/24
1330-20-7	Xylene (total)	ND		116	104	89	116	101	87	3	73-110/20

CAS No.	Surrogate Recoveries	MS	MSD	C45495-1	Limits
1868-53-7	Dibromofluoromethane	110%	108%	101%	80-136%

* = Outside of Control Limits.

5.4.1
5

Matrix Spike/Matrix Spike Duplicate Summary

Page 3 of 3

Job Number: C45495

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C45495-1MS	M60180.D	1	04/22/16	JT	n/a	n/a	VM1805
C45495-1MSD	M60181.D	1	04/22/16	JT	n/a	n/a	VM1805
C45495-1	M60167.D	1	04/22/16	JT	n/a	n/a	VM1805

The QC reported here applies to the following samples:

Method: SW846 8260B

C45495-1, C45495-2, C45495-3

CAS No.	Surrogate Recoveries	MS	MSD	C45495-1	Limits
2037-26-5	Toluene-D8	104%	104%	105%	88-113%
460-00-4	4-Bromofluorobenzene	104%	103%	100%	79-115%

(a) Outside control limits due to matrix interference.

* = Outside of Control Limits.

5.4.1
5

GC/MS Semi-volatiles**QC Data Summaries**

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries



Method Blank Summary

Page 1 of 1

Job Number: C45495

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP14233-MB	T23031.D	1	04/22/16	BJ	04/22/16	OP14233	ET1050

The QC reported here applies to the following samples:

Method: SW846 8270C BY SIM

C45495-1, C45495-2, C45495-3

CAS No.	Compound	Result	RL	MDL	Units	Q
83-32-9	Acenaphthene	ND	3.3	0.45	ug/kg	
208-96-8	Acenaphthylene	ND	3.3	0.58	ug/kg	
120-12-7	Anthracene	ND	3.3	0.47	ug/kg	
56-55-3	Benzo(a)anthracene	ND	3.3	0.32	ug/kg	
50-32-8	Benzo(a)pyrene ^a	0.46	3.3	0.29	ug/kg	J
205-99-2	Benzo(b)fluoranthene	ND	3.3	0.57	ug/kg	
191-24-2	Benzo(g,h,i)perylene	ND	3.3	0.66	ug/kg	
207-08-9	Benzo(k)fluoranthene	ND	3.3	0.53	ug/kg	
218-01-9	Chrysene	ND	3.3	0.55	ug/kg	
53-70-3	Dibenz(a,h)anthracene	ND	3.3	0.68	ug/kg	
206-44-0	Fluoranthene	ND	3.3	0.54	ug/kg	
86-73-7	Fluorene	ND	3.3	0.50	ug/kg	
193-39-5	Indeno(1,2,3-cd)pyrene	ND	3.3	0.69	ug/kg	
90-12-0	1-Methylnaphthalene	ND	3.3	0.56	ug/kg	
91-57-6	2-Methylnaphthalene	ND	3.3	0.40	ug/kg	
91-20-3	Naphthalene	ND	3.3	0.50	ug/kg	
85-01-8	Phenanthrene	ND	3.3	0.37	ug/kg	
129-00-0	Pyrene	ND	3.3	0.86	ug/kg	

CAS No.	Surrogate Recoveries	Limits	
4165-60-0	Nitrobenzene-d5	91%	10-177%
321-60-8	2-Fluorobiphenyl	88%	41-124%
1718-51-0	Terphenyl-d14	104%	40-149%

(a) Associated sample(s) with "B" qualifiers indicate analyte is found at concentrations less than 10 times of method blank. Concentration present in blank is less than 1/2 RL; meeting method criteria.

Blank Spike/Blank Spike Duplicate Summary

Page 1 of 1

Job Number: C45495

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP14233-BS	T23032.D	1	04/22/16	BJ	04/22/16	OP14233	ET1050
OP14233-BSD	T23033.D	1	04/22/16	BJ	04/22/16	OP14233	ET1050

The QC reported here applies to the following samples:

Method: SW846 8270C BY SIM

C45495-1, C45495-2, C45495-3

CAS No.	Compound	Spike ug/kg	BSP ug/kg	BSP %	BSD ug/kg	BSD %	RPD	Limits Rec/RPD
83-32-9	Acenaphthene	167	161	97	161	97	0	53-111/14
208-96-8	Acenaphthylene	167	159	95	159	95	0	53-113/13
120-12-7	Anthracene	167	173	104	152	91	13	57-113/14
56-55-3	Benzo(a)anthracene	167	186	112	184	110	1	60-126/10
50-32-8	Benzo(a)pyrene	167	140	84	146	88	4	51-111/11
205-99-2	Benzo(b)fluoranthene	167	167	100	169	101	1	53-136/19
191-24-2	Benzo(g,h,i)perylene	167	164	98	164	98	0	57-129/17
207-08-9	Benzo(k)fluoranthene	167	179	107	179	107	0	60-126/16
218-01-9	Chrysene	167	170	102	166	100	2	64-119/10
53-70-3	Dibenz(a,h)anthracene	167	175	105	176	106	1	54-128/19
206-44-0	Fluoranthene	167	181	109	175	105	3	62-124/13
86-73-7	Fluorene	167	165	99	164	98	1	56-118/15
193-39-5	Indeno(1,2,3-cd)pyrene	167	175	105	175	105	0	47-135/19
90-12-0	1-Methylnaphthalene	167	149	89	145	87	3	52-107/17
91-57-6	2-Methylnaphthalene	167	154	92	149	89	3	52-110/15
91-20-3	Naphthalene	167	148	89	143	86	3	49-103/14
85-01-8	Phenanthrene	167	166	100	164	98	1	57-114/10
129-00-0	Pyrene	167	170	102	173	104	2	55-124/15

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
4165-60-0	Nitrobenzene-d5	91%	92%	10-177%
321-60-8	2-Fluorobiphenyl	91%	89%	41-124%
1718-51-0	Terphenyl-d14	97%	102%	40-149%

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 1

Job Number: C45495

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP14233-MS ^a	T23042.D	5	04/22/16	BJ	04/22/16	OP14233	ET1050
OP14233-MSD ^a	T23043.D	5	04/22/16	BJ	04/22/16	OP14233	ET1050
C45454-4 ^a	T23041.D	5	04/22/16	BJ	04/22/16	OP14233	ET1050

The QC reported here applies to the following samples:

Method: SW846 8270C BY SIM

C45495-1, C45495-2, C45495-3

CAS No.	Compound	C45454-4		Spike	MS	MS	Spike	MSD	MSD	RPD	Limits Rec/RPD
		ug/kg	Q	ug/kg	ug/kg	%	ug/kg	ug/kg	%		
83-32-9	Acenaphthene	3.3	J	166	162	95	166	151	89	7	53-111/14
208-96-8	Acenaphthylene	10.3	J	166	178	101	166	164	92	8	53-113/13
120-12-7	Anthracene	8.2	J	166	173	99	166	172	99	1	57-113/14
56-55-3	Benzo(a)anthracene	78.0		166	246	101	166	240	97	2	60-126/10
50-32-8	Benzo(a)pyrene	87.0		166	221	81	166	223	82	1	51-111/11
205-99-2	Benzo(b)fluoranthene	73.9		166	230	94	166	239	99	4	53-136/19
191-24-2	Benzo(g,h,i)perylene	54.5		166	183	77	166	193	83	5	57-129/17
207-08-9	Benzo(k)fluoranthene	67.5		166	196	77	166	195	77	1	60-126/16
218-01-9	Chrysene	105		166	237	79	166	245	84	3	64-119/10
53-70-3	Dibenz(a,h)anthracene	18.0		166	166	89	166	186	101	11	54-128/19
206-44-0	Fluoranthene	137		166	297	96	166	294	94	1	62-124/13
86-73-7	Fluorene	4.2	J	166	172	101	166	161	94	7	56-118/15
193-39-5	Indeno(1,2,3-cd)pyrene	71.7		166	242	102	166	259	113	7	47-135/19
90-12-0	1-Methylnaphthalene	3.2	J	166	142	84	166	144	85	1	52-107/17
91-57-6	2-Methylnaphthalene	2.9	J	166	148	87	166	148	87	0	52-110/15
91-20-3	Naphthalene	5.9	J	166	144	83	166	146	84	1	49-103/14
85-01-8	Phenanthrene	67.9		166	224	94	166	220	92	2	57-114/10
129-00-0	Pyrene	161		166	302	85	166	284	74	6	55-124/15

CAS No.	Surrogate Recoveries	MS	MSD	C45454-4	Limits
4165-60-0	Nitrobenzene-d5	90%	89%	98%	10-177%
321-60-8	2-Fluorobiphenyl	93%	86%	96%	41-124%
1718-51-0	Terphenyl-d14	91%	92%	102%	40-149%

(a) Dilution required due to matrix interference (Brown extract).

* = Outside of Control Limits.

6.3.1
6

GC Semi-volatiles**QC Data Summaries**

7

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

Method Blank Summary

Page 1 of 1

Job Number: C45495

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP14241-MB	HH332028.D	1	04/25/16	YN	04/22/16	OP14241	GHH1799

The QC reported here applies to the following samples:

Method: SW846 8015B M

C45495-1, C45495-2, C45495-3

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	ND	3.3	1.7	mg/kg	
	TPH (Motor Oil)	ND	6.7	3.3	mg/kg	

CAS No. Surrogate Recoveries Limits

630-01-3 Hexacosane 105% 38-146%

7
1

Blank Spike/Blank Spike Duplicate Summary

Page 1 of 1

Job Number: C45495

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP14241-BS	HH331989.D	1	04/22/16	YN	04/22/16	OP14241	GHH1798
OP14241-BSD	HH331990.D	1	04/22/16	YN	04/22/16	OP14241	GHH1798

The QC reported here applies to the following samples:

Method: SW846 8015B M

C45495-1, C45495-2, C45495-3

CAS No.	Compound	Spike	BSP	BSP	BSD	BSD	RPD	Limits
		mg/kg	mg/kg	%	mg/kg	%		Rec/RPD
	TPH (Diesel)	33.3	20.1	60	21.4	64	6	53-107/12
	TPH (Motor Oil)	33.3	21.9	66	22.9	69	4	59-119/13
CAS No.	Surrogate Recoveries	BSP		BSD		Limits		
630-01-3	Hexacosane	67%		71%		38-146%		

* = Outside of Control Limits.

7.2.1

Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 1

Job Number: C45495

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP14241-MS	HH331994.D	1	04/23/16	YN	04/22/16	OP14241	GHH1798
OP14241-MSD	HH331995.D	1	04/23/16	YN	04/22/16	OP14241	GHH1798
C45495-2	HH331992.D	1	04/22/16	YN	04/22/16	OP14241	GHH1798

The QC reported here applies to the following samples:

Method: SW846 8015B M

C45495-1, C45495-2, C45495-3

CAS No.	Compound	C45495-2		Spike	MS	MS	Spike	MSD	MSD	RPD	Limits Rec/RPD
		mg/kg	Q	mg/kg	mg/kg	%	mg/kg	mg/kg	%		
	TPH (Diesel)	ND		33.2	30.5	92	33.2	30.9	93	1	53-107/12
	TPH (Motor Oil)	ND		33.2	31.8	96	33.2	31.8	96	0	59-119/13
CAS No.	Surrogate Recoveries	MS		MSD		C45495-2		Limits			
630-01-3	Hexacosane	100%		101%		92%		38-146%			

* = Outside of Control Limits.

7.3.1
7

Metals Analysis**QC Data Summaries**

∞

Includes the following where applicable:

- Method Blank Summaries
- Matrix Spike and Duplicate Summaries
- Blank Spike and Lab Control Sample Summaries
- Serial Dilution Summaries

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: C45495
Account: GGTRCASF - Golden Gate Tank Removal
Project: 1110 Jackson Street - Oakland, CA

QC Batch ID: MP11207
Matrix Type: SOLID

Methods: SW846 6010B
Units: mg/kg

Prep Date:

04/25/16

Metal	RL	IDL	MDL	MB raw	final
Aluminum	20	1.4	1.5		
Antimony	2.0	.12	.18		
Arsenic	2.0	.16	.17		
Barium	20	.02	.09		
Beryllium	1.0	.02	.01		
Boron	10	.18	.15		
Cadmium	1.0	.02	.031	0.010	<1.0
Calcium	500	2.8	4.5		
Chromium	1.0	.04	.054	0.0	<1.0
Cobalt	1.0	.03	.025		
Copper	2.5	.12	.15		
Iron	20	.53	.76		
Lead	2.0	.1	.14	0.070	<2.0
Magnesium	500	1.6	2.1		
Manganese	1.5	.02	.026		
Molybdenum	2.0	.05	.04		
Nickel	1.0	.04	.047	0.0	<1.0
Potassium	1000	3.5	4.6		
Selenium	2.0	.17	.33		
Silicon	20	.24	.43		
Silver	1.0	.05	.067		
Sodium	1000	1.1	1.2		
Strontium	1.0	.01	.018		
Thallium	2.0	.17	.12		
Tin	50	.08	.28		
Titanium	1.0	.08	.13		
Vanadium	1.0	.06	.074		
Zinc	2.0	.05	.22	0.040	<2.0

Associated samples MP11207: C45495-1, C45495-2, C45495-3

Results < IDL are shown as zero for calculation purposes

(*) Outside of QC limits
(anr) Analyte not requested

8.1.1
8

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: C45495

Account: GGTRCASF - Golden Gate Tank Removal
Project: 1110 Jackson Street - Oakland, CAQC Batch ID: MP11207
Matrix Type: SOLIDMethods: SW846 6010B
Units: mg/kg

Prep Date: 04/25/16

Metal	C45495-1 Original MS	Spikelot MPIR5	% Rec	QC Limits
Aluminum				
Antimony	anr			
Arsenic	anr			
Barium	anr			
Beryllium	anr			
Boron				
Cadmium	0.050	43.4	47.2	91.9
Calcium				
Chromium	41.4	88.9	47.2	100.7
Cobalt	anr			
Copper	anr			
Iron				
Lead	2.4	45.0	47.2	90.3
Magnesium				
Manganese				
Molybdenum	anr			
Nickel	23.2	65.1	47.2	88.8
Potassium				
Selenium	anr			
Silicon				
Silver	anr			
Sodium				
Strontium				
Thallium	anr			
Tin				
Titanium				
Vanadium	anr			
Zinc	20.4	61.4	47.2	86.9

Associated samples MP11207: C45495-1, C45495-2, C45495-3

Results < IDL are shown as zero for calculation purposes

(*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

(anr) Analyte not requested

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: C45495

Account: GGTRCASF - Golden Gate Tank Removal
Project: 1110 Jackson Street - Oakland, CAQC Batch ID: MP11207
Matrix Type: SOLIDMethods: SW846 6010B
Units: mg/kg

Prep Date: 04/25/16

Metal	C45495-1 Original	MSD	Spikelot MPIR5	% Rec	MSD RPD	QC Limit
Aluminum						
Antimony	anr					
Arsenic	anr					
Barium	anr					
Beryllium	anr					
Boron						
Cadmium	0.050	44.4	49	90.5	2.3	20
Calcium						
Chromium	41.4	89.0	49	97.1	0.1	20
Cobalt	anr					
Copper	anr					
Iron						
Lead	2.4	46.4	49	89.8	3.1	20
Magnesium						
Manganese						
Molybdenum	anr					
Nickel	23.2	65.0	49	85.3	0.2	20
Potassium						
Selenium	anr					
Silicon						
Silver	anr					
Sodium						
Strontium						
Thallium	anr					
Tin						
Titanium						
Vanadium	anr					
Zinc	20.4	61.2	49	83.2	0.3	20

Associated samples MP11207: C45495-1, C45495-2, C45495-3

Results < IDL are shown as zero for calculation purposes

(*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

(anr) Analyte not requested

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: C45495

Account: GGTRCASF - Golden Gate Tank Removal
Project: 1110 Jackson Street - Oakland, CAQC Batch ID: MP11207
Matrix Type: SOLIDMethods: SW846 6010B
Units: mg/kg

Prep Date: 04/25/16

Metal	BSP Result	Spikelot MPIR5	% Rec	QC Limits
Aluminum				
Antimony	anr			
Arsenic	anr			
Barium	anr			
Beryllium	anr			
Boron				
Cadmium	47.9	50	95.8	80-120
Calcium				
Chromium	51.7	50	103.4	80-120
Cobalt	anr			
Copper	anr			
Iron				
Lead	47.0	50	94.0	80-120
Magnesium				
Manganese				
Molybdenum	anr			
Nickel	46.7	50	93.4	80-120
Potassium				
Selenium	anr			
Silicon				
Silver	anr			
Sodium				
Strontium				
Thallium	anr			
Tin				
Titanium				
Vanadium	anr			
Zinc	50.2	50	100.4	80-120

Associated samples MP11207: C45495-1, C45495-2, C45495-3

Results < IDL are shown as zero for calculation purposes
(*) Outside of QC limits
(anr) Analyte not requested

8.1.3

8

SERIAL DILUTION RESULTS SUMMARY

Login Number: C45495

Account: GGTRCASF - Golden Gate Tank Removal
Project: 1110 Jackson Street - Oakland, CAQC Batch ID: MP11207
Matrix Type: SOLIDMethods: SW846 6010B
Units: ug/l

Prep Date: 04/25/16

Metal	C45495-1 Original	SDL 1:5	%DIF	QC Limits
Aluminum				
Antimony	anr			
Arsenic	anr			
Barium	anr			
Beryllium	anr			
Boron				
Cadmium	0.500	0.00	100.0(a)	0-10
Calcium				
Chromium	418	446	6.6	0-10
Cobalt	anr			
Copper	anr			
Iron				
Lead	24.7	27.9	13.0 (a)	0-10
Magnesium				
Manganese				
Molybdenum	anr			
Nickel	234	240	2.7	0-10
Potassium				
Selenium	anr			
Silicon				
Silver	anr			
Sodium				
Strontium				
Thallium	anr			
Tin				
Titanium				
Vanadium	anr			
Zinc	206	219	6.3	0-10

Associated samples MP11207: C45495-1, C45495-2, C45495-3

Results < IDL are shown as zero for calculation purposes

(*) Outside of QC limits

(anr) Analyte not requested

(a) Percent difference acceptable due to low initial sample concentration (< 50 times IDL).

SGS ACCUTEST IS PART OF SGS, THE WORLD'S LEADING INSPECTION,
VERIFICATION, TESTING AND CERTIFICATION COMPANY.**e-Hardcopy 2.0**
*Automated Report***Technical Report for****Golden Gate Tank Removal**

1110 Jackson Street - Oakland, CA

9669

SGS Accutest Job Number: C45685

Sampling Date: 05/04/16

**Report to:**

Golden Gate Tank Removal, Inc.
1455 Yosemite Ave.
San Francisco, CA 94124
gina.wee@ggtr.com; tim@ggtr.com;
b.wheeler@ggtr.com; amm@ggtr.com
ATTN: Tim Hallen

Total number of pages in report: **144**James J. Rhudy
Lab Director

Test results contained within this data package meet the requirements
of the National Environmental Laboratory Accreditation Program
and/or state specific certification programs as applicable.

Client Service contact: Maureen Coloma 408-588-0200

Certifications: CA (ELAP 2910) AK (UST-092) AZ (AZ0762) NV (CA00150) OR (CA300006) WA (C925)
DoD ELAP (L-A-B L2242)

This report shall not be reproduced, except in its entirety, without the written approval of SGS Accutest.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Summary of Hits	4
Section 3: Sample Results	10
3.1: C45685-1: 9669-T1-EW-8'	11
3.2: C45685-2: 9669-T1-C-12'	17
3.3: C45685-3: 9669-T1-WW-8'	23
3.4: C45685-4: 9669-T1-NW-8'	29
3.5: C45685-5: 9669-T2-EW-6'	35
3.6: C45685-6: 9669-T2-C-12.5	41
3.7: C45685-7: 9669-T2-WW-8'	47
3.8: C45685-8: 9669-T2-SW-8'	53
3.9: C45685-9: 9669-T3-WW-8'	59
3.10: C45685-10: 9669-T3-C-12'	65
3.11: C45685-11: 9669-T3-SW-6.5	71
3.12: C45685-12: 9669-T3-NW-8'	77
3.13: C45685-13: 9669-T3-EW-9'	83
Section 4: Misc. Forms	89
4.1: Chain of Custody	90
Section 5: GC/MS Volatiles - QC Data Summaries	93
5.1: Method Blank Summary	94
5.2: Blank Spike/Blank Spike Duplicate Summary	106
5.3: Laboratory Control Sample Summary	118
5.4: Matrix Spike/Matrix Spike Duplicate Summary	122
Section 6: GC/MS Semi-volatiles - QC Data Summaries	131
6.1: Method Blank Summary	132
6.2: Blank Spike/Blank Spike Duplicate Summary	133
6.3: Matrix Spike/Matrix Spike Duplicate Summary	134
Section 7: GC Semi-volatiles - QC Data Summaries	135
7.1: Method Blank Summary	136
7.2: Blank Spike/Blank Spike Duplicate Summary	137
7.3: Matrix Spike/Matrix Spike Duplicate Summary	138
Section 8: Metals Analysis - QC Data Summaries	139
8.1: Prep QC MP11265: Cd,Cr,Pb,Ni,Zn	140

1
2
3
4
5
6
7
8

Sample Summary

Golden Gate Tank Removal

Job No: C45685

1110 Jackson Street - Oakland, CA
Project No: 9669

Sample Number	Collected Date	Time By	Received	Matrix Code	Type	Client Sample ID
C45685-1	05/04/16	11:00 AM	05/05/16	SO	Soil	9669-T1-EW-8'
C45685-2	05/04/16	11:05 AM	05/05/16	SO	Soil	9669-T1-C-12'
C45685-3	05/04/16	11:10 AM	05/05/16	SO	Soil	9669-T1-WW-8'
C45685-4	05/04/16	11:15 AM	05/05/16	SO	Soil	9669-T1-NW-8'
C45685-5	05/04/16	11:20 AM	05/05/16	SO	Soil	9669-T2-EW-6'
C45685-6	05/04/16	11:25 AM	05/05/16	SO	Soil	9669-T2-C-12.5
C45685-7	05/04/16	11:30 AM	05/05/16	SO	Soil	9669-T2-WW-8'
C45685-8	05/04/16	11:35 AM	05/05/16	SO	Soil	9669-T2-SW-8'
C45685-9	05/04/16	11:45 AM	05/05/16	SO	Soil	9669-T3-WW-8'
C45685-10	05/04/16	11:50 AM	05/05/16	SO	Soil	9669-T3-C-12'
C45685-11	05/04/16	11:55 AM	05/05/16	SO	Soil	9669-T3-SW-6.5
C45685-12	05/04/16	12:00 AM	05/05/16	SO	Soil	9669-T3-NW-8'
C45685-13	05/04/16	12:05 AM	05/05/16	SO	Soil	9669-T3-EW-9'

Soil samples reported on a dry weight basis unless otherwise indicated on result page.

Summary of Hits

Job Number: C45685
Account: Golden Gate Tank Removal
Project: 1110 Jackson Street - Oakland, CA
Collected: 05/04/16

Lab Sample ID	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
---------------	------------------	-----------------	----	-----	-------	--------

C45685-1 9669-T1-EW-8'

n-Butylbenzene	318 J	3000	300	ug/kg	SW846 8260B
Ethylbenzene	624 J	3000	300	ug/kg	SW846 8260B
n-Propylbenzene	362 J	3000	300	ug/kg	SW846 8260B
1,2,4-Trimethylbenzene	758 J	3000	600	ug/kg	SW846 8260B
Toluene	805 J	3000	300	ug/kg	SW846 8260B
Xylene (total)	3050 J	6000	600	ug/kg	SW846 8260B
TPH-GRO (C6-C10)	370000	60000	30000	ug/kg	SW846 8260B
Fluorene	0.63 J	3.3	0.49	ug/kg	SW846 8270C BY SIM
1-Methylnaphthalene	25.9	3.3	0.56	ug/kg	SW846 8270C BY SIM
2-Methylnaphthalene	13.3	3.3	0.40	ug/kg	SW846 8270C BY SIM
Naphthalene	25.7	3.3	0.50	ug/kg	SW846 8270C BY SIM
Phenanthrene	0.56 J	3.3	0.36	ug/kg	SW846 8270C BY SIM
TPH (Motor Oil)	8.98	6.6	3.3	mg/kg	SW846 8015B M
TPH (Kerosene) ^a	18.6	3.3	1.7	mg/kg	SW846 8015B M
Chromium	47.9	0.91		mg/kg	SW846 6010B
Lead	3.7	1.8		mg/kg	SW846 6010B
Nickel	32.5	0.91		mg/kg	SW846 6010B
Zinc	31.1	1.8		mg/kg	SW846 6010B

C45685-2 9669-T1-C-12'

sec-Butylbenzene	273 J	2700	270	ug/kg	SW846 8260B
Ethylbenzene	293 J	2700	270	ug/kg	SW846 8260B
Isopropylbenzene	350 J	2700	270	ug/kg	SW846 8260B
Naphthalene	900 J	2700	540	ug/kg	SW846 8260B
n-Propylbenzene	559 J	2700	270	ug/kg	SW846 8260B
1,2,4-Trimethylbenzene	735 J	2700	540	ug/kg	SW846 8260B
Toluene	449 J	2700	270	ug/kg	SW846 8260B
Xylene (total)	1330 J	5400	540	ug/kg	SW846 8260B
TPH-GRO (C6-C10)	315000	54000	27000	ug/kg	SW846 8260B
Acenaphthene	0.97 J	3.3	0.45	ug/kg	SW846 8270C BY SIM
Benzo(a)anthracene	1.6 J	3.3	0.31	ug/kg	SW846 8270C BY SIM
Benzo(a)pyrene	0.69 J	3.3	0.29	ug/kg	SW846 8270C BY SIM
Benzo(b)fluoranthene	0.58 J	3.3	0.57	ug/kg	SW846 8270C BY SIM
Benzo(k)fluoranthene	0.57 J	3.3	0.53	ug/kg	SW846 8270C BY SIM
Chrysene	2.4 J	3.3	0.55	ug/kg	SW846 8270C BY SIM
Fluoranthene	0.87 J	3.3	0.54	ug/kg	SW846 8270C BY SIM
Fluorene	3.0 J	3.3	0.49	ug/kg	SW846 8270C BY SIM
1-Methylnaphthalene	342	3.3	0.56	ug/kg	SW846 8270C BY SIM
2-Methylnaphthalene ^b	701	17	2.0	ug/kg	SW846 8270C BY SIM
Naphthalene	426	3.3	0.50	ug/kg	SW846 8270C BY SIM
Phenanthrene	3.7	3.3	0.36	ug/kg	SW846 8270C BY SIM
Pyrene	2.1 J	3.3	0.86	ug/kg	SW846 8270C BY SIM

Summary of Hits

Job Number: C45685
Account: Golden Gate Tank Removal
Project: 1110 Jackson Street - Oakland, CA
Collected: 05/04/16

Lab Sample ID	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
Analyte						

TPH (Motor Oil)	41.8	6.7	3.3	mg/kg	SW846 8015B M
TPH (Kerosene) ^a	62.0	3.3	1.7	mg/kg	SW846 8015B M
Chromium	69.4	0.83		mg/kg	SW846 6010B
Lead	3.9	1.7		mg/kg	SW846 6010B
Nickel	43.7	0.83		mg/kg	SW846 6010B
Zinc	34.9	1.7		mg/kg	SW846 6010B

C45685-3 9669-T1-WW-8'

Benzene	643 J	2800	280	ug/kg	SW846 8260B
sec-Butylbenzene	417 J	2800	280	ug/kg	SW846 8260B
Ethylbenzene	392 J	2800	280	ug/kg	SW846 8260B
p-Isopropyltoluene	555 J	2800	280	ug/kg	SW846 8260B
Toluene	750 J	2800	280	ug/kg	SW846 8260B
Xylene (total)	1460 J	5600	560	ug/kg	SW846 8260B
TPH-GRO (C6-C10)	471000	56000	28000	ug/kg	SW846 8260B
Acenaphthene	2.7 J	3.3	0.45	ug/kg	SW846 8270C BY SIM
Anthracene	0.77 J	3.3	0.47	ug/kg	SW846 8270C BY SIM
Chrysene	0.86 J	3.3	0.55	ug/kg	SW846 8270C BY SIM
Fluoranthene	0.91 J	3.3	0.54	ug/kg	SW846 8270C BY SIM
Fluorene	6.4	3.3	0.49	ug/kg	SW846 8270C BY SIM
1-Methylnaphthalene	125	3.3	0.56	ug/kg	SW846 8270C BY SIM
2-Methylnaphthalene	38.9	3.3	0.40	ug/kg	SW846 8270C BY SIM
Naphthalene	121	3.3	0.50	ug/kg	SW846 8270C BY SIM
Phenanthrene	3.4	3.3	0.36	ug/kg	SW846 8270C BY SIM
Pyrene	1.3 J	3.3	0.86	ug/kg	SW846 8270C BY SIM
TPH (Motor Oil)	26.0	26	13	mg/kg	SW846 8015B M
TPH (Kerosene) ^a	103	13	6.6	mg/kg	SW846 8015B M
Chromium	45.7	0.88		mg/kg	SW846 6010B
Lead	3.3	1.8		mg/kg	SW846 6010B
Nickel	32.5	0.88		mg/kg	SW846 6010B
Zinc	27.2	1.8		mg/kg	SW846 6010B

C45685-4 9669-T1-NW-8'

n-Butylbenzene	530 J	4700	470	ug/kg	SW846 8260B
sec-Butylbenzene	744 J	4700	470	ug/kg	SW846 8260B
n-Propylbenzene	659 J	4700	470	ug/kg	SW846 8260B
TPH-GRO (C6-C10)	661000	94000	47000	ug/kg	SW846 8260B
Acenaphthene	5.6	3.3	0.45	ug/kg	SW846 8270C BY SIM
Anthracene	0.96 J	3.3	0.47	ug/kg	SW846 8270C BY SIM
Benzo(a)anthracene	4.4	3.3	0.31	ug/kg	SW846 8270C BY SIM
Benzo(g,h,i)perylene	0.80 J	3.3	0.65	ug/kg	SW846 8270C BY SIM
Chrysene	6.7	3.3	0.54	ug/kg	SW846 8270C BY SIM
Fluoranthene	3.6	3.3	0.54	ug/kg	SW846 8270C BY SIM

Summary of Hits

Job Number: C45685
Account: Golden Gate Tank Removal
Project: 1110 Jackson Street - Oakland, CA
Collected: 05/04/16

Lab Sample ID Analyte	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
Fluorene		12.9	3.3	0.49	ug/kg	SW846 8270C BY SIM
1-Methylnaphthalene		154	3.3	0.56	ug/kg	SW846 8270C BY SIM
2-Methylnaphthalene		154	3.3	0.40	ug/kg	SW846 8270C BY SIM
Naphthalene		68.0	3.3	0.50	ug/kg	SW846 8270C BY SIM
Phenanthrene		19.3	3.3	0.36	ug/kg	SW846 8270C BY SIM
Pyrene		6.9	3.3	0.85	ug/kg	SW846 8270C BY SIM
TPH (Motor Oil)		135	27	13	mg/kg	SW846 8015B M
TPH (Kerosene) ^a		56.9	13	6.6	mg/kg	SW846 8015B M
Chromium		49.3	0.93		mg/kg	SW846 6010B
Lead		3.4	1.9		mg/kg	SW846 6010B
Nickel		32.1	0.93		mg/kg	SW846 6010B
Zinc		26.5	1.9		mg/kg	SW846 6010B

C45685-5 9669-T2-EW-6'

n-Butylbenzene	244 J	2300	230	ug/kg	SW846 8260B
Naphthalene	626 J	2300	460	ug/kg	SW846 8260B
TPH-GRO (C6-C10)	78800	46000	23000	ug/kg	SW846 8260B
1-Methylnaphthalene	15.5	3.3	0.56	ug/kg	SW846 8270C BY SIM
2-Methylnaphthalene	28.5	3.3	0.40	ug/kg	SW846 8270C BY SIM
Naphthalene	14.2	3.3	0.50	ug/kg	SW846 8270C BY SIM
TPH (Kerosene) ^a	8.20	3.3	1.7	mg/kg	SW846 8015B M
Chromium	69.3	0.93		mg/kg	SW846 6010B
Lead	4.0	1.9		mg/kg	SW846 6010B
Nickel	42.5	0.93		mg/kg	SW846 6010B
Zinc	26.9	1.9		mg/kg	SW846 6010B

C45685-6 9669-T2-C-12.5

n-Butylbenzene	5640 J	23000	2300	ug/kg	SW846 8260B
sec-Butylbenzene	6250 J	23000	2300	ug/kg	SW846 8260B
Isopropylbenzene	10700 J	23000	2300	ug/kg	SW846 8260B
p-Isopropyltoluene	2620 J	23000	2300	ug/kg	SW846 8260B
Naphthalene	7770 J	23000	4600	ug/kg	SW846 8260B
n-Propylbenzene	13000 J	23000	2300	ug/kg	SW846 8260B
1,2,4-Trimethylbenzene	5410 J	23000	4600	ug/kg	SW846 8260B
TPH-GRO (C6-C10)	6320000	460000	230000	ug/kg	SW846 8260B
Acenaphthene	6.2	3.3	0.45	ug/kg	SW846 8270C BY SIM
Benzo(a)anthracene	1.0 J	3.3	0.32	ug/kg	SW846 8270C BY SIM
Chrysene	1.3 J	3.3	0.55	ug/kg	SW846 8270C BY SIM
Fluoranthene	1.1 J	3.3	0.54	ug/kg	SW846 8270C BY SIM
Fluorene	19.1	3.3	0.49	ug/kg	SW846 8270C BY SIM
1-Methylnaphthalene ^b	1860	66	11	ug/kg	SW846 8270C BY SIM
2-Methylnaphthalene ^b	3560	66	8.0	ug/kg	SW846 8270C BY SIM
Naphthalene ^b	2580	66	10	ug/kg	SW846 8270C BY SIM

Summary of Hits

Job Number: C45685
Account: Golden Gate Tank Removal
Project: 1110 Jackson Street - Oakland, CA
Collected: 05/04/16

Lab Sample ID Analyte	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
Phenanthrene		7.0	3.3	0.37	ug/kg	SW846 8270C BY SIM
Pyrene		1.6 J	3.3	0.86	ug/kg	SW846 8270C BY SIM
TPH (Motor Oil)		34.4 J	66	33	mg/kg	SW846 8015B M
TPH (Kerosene) ^a		262	33	17	mg/kg	SW846 8015B M
Chromium		61.6	0.87		mg/kg	SW846 6010B
Lead		2.4	1.7		mg/kg	SW846 6010B
Nickel		47.2	0.87		mg/kg	SW846 6010B
Zinc		22.5	1.7		mg/kg	SW846 6010B

C45685-7 9669-T2-WW-8'

n-Propylbenzene	261 J	2200	220	ug/kg	SW846 8260B
TPH-GRO (C6-C10)	178000	44000	22000	ug/kg	SW846 8260B
1-Methylnaphthalene	35.7	3.3	0.56	ug/kg	SW846 8270C BY SIM
2-Methylnaphthalene	64.2	3.3	0.40	ug/kg	SW846 8270C BY SIM
Naphthalene	33.3	3.3	0.50	ug/kg	SW846 8270C BY SIM
Phenanthrene	0.47 J	3.3	0.36	ug/kg	SW846 8270C BY SIM
TPH (Kerosene) ^c	4.73	3.3	1.7	mg/kg	SW846 8015B M
Chromium	46.4	0.88		mg/kg	SW846 6010B
Lead	3.2	1.8		mg/kg	SW846 6010B
Nickel	32.2	0.88		mg/kg	SW846 6010B
Zinc	26.0	1.8		mg/kg	SW846 6010B

C45685-8 9669-T2-SW-8'

n-Propylbenzene	236 J	2300	230	ug/kg	SW846 8260B
TPH-GRO (C6-C10)	144000	46000	23000	ug/kg	SW846 8260B
Fluorene	0.61 J	3.3	0.50	ug/kg	SW846 8270C BY SIM
1-Methylnaphthalene	52.4	3.3	0.56	ug/kg	SW846 8270C BY SIM
2-Methylnaphthalene	95.6	3.3	0.40	ug/kg	SW846 8270C BY SIM
Naphthalene	53.8	3.3	0.50	ug/kg	SW846 8270C BY SIM
Phenanthrene	0.41 J	3.3	0.37	ug/kg	SW846 8270C BY SIM
TPH (Motor Oil)	4.19 J	6.6	3.3	mg/kg	SW846 8015B M
TPH (Kerosene) ^a	16.2	3.3	1.7	mg/kg	SW846 8015B M
Chromium	63.0	0.94		mg/kg	SW846 6010B
Lead	3.8	1.9		mg/kg	SW846 6010B
Nickel	33.9	0.94		mg/kg	SW846 6010B
Zinc	25.3	1.9		mg/kg	SW846 6010B

C45685-9 9669-T3-WW-8'

2-Methylnaphthalene	0.50 J	3.3	0.40	ug/kg	SW846 8270C BY SIM
Chromium	56.7	0.90		mg/kg	SW846 6010B
Lead	3.5	1.8		mg/kg	SW846 6010B
Nickel	32.8	0.90		mg/kg	SW846 6010B

Summary of Hits

Job Number: C45685
Account: Golden Gate Tank Removal
Project: 1110 Jackson Street - Oakland, CA
Collected: 05/04/16

Lab Sample ID	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
Zinc		27.7	1.8		mg/kg	SW846 6010B
C45685-10 9669-T3-C-12'						
sec-Butylbenzene	63.9 J	240	24	ug/kg	SW846 8260B	
p-Isopropyltoluene	86.8 J	240	24	ug/kg	SW846 8260B	
Naphthalene	74.3 J	240	48	ug/kg	SW846 8260B	
n-Propylbenzene	36.1 J	240	24	ug/kg	SW846 8260B	
1,2,4-Trimethylbenzene	106 J	240	48	ug/kg	SW846 8260B	
1,3,5-Trimethylbenzene	157 J	240	48	ug/kg	SW846 8260B	
Xylene (total)	62.0 J	480	48	ug/kg	SW846 8260B	
TPH-GRO (C6-C10)	67800	4800	2400	ug/kg	SW846 8260B	
Acenaphthene	3.7	3.3	0.45	ug/kg	SW846 8270C BY SIM	
Fluorene	12.1	3.3	0.50	ug/kg	SW846 8270C BY SIM	
1-Methylnaphthalene	124	3.3	0.56	ug/kg	SW846 8270C BY SIM	
2-Methylnaphthalene	242	3.3	0.40	ug/kg	SW846 8270C BY SIM	
Naphthalene	91.3	3.3	0.50	ug/kg	SW846 8270C BY SIM	
Phenanthrene	6.5	3.3	0.37	ug/kg	SW846 8270C BY SIM	
TPH (Kerosene) ^d	31.8	3.3	1.6	mg/kg	SW846 8015B M	
Chromium	58.7	0.82		mg/kg	SW846 6010B	
Lead	2.9	1.6		mg/kg	SW846 6010B	
Nickel	40.4	0.82		mg/kg	SW846 6010B	
Zinc	21.3	1.6		mg/kg	SW846 6010B	
C45685-11 9669-T3-SW-6.5						
sec-Butylbenzene	10100 J	23000	2300	ug/kg	SW846 8260B	
Isopropylbenzene	2550 J	23000	2300	ug/kg	SW846 8260B	
p-Isopropyltoluene	18600 J	23000	2300	ug/kg	SW846 8260B	
Naphthalene	9000 J	23000	4500	ug/kg	SW846 8260B	
n-Propylbenzene	5400 J	23000	2300	ug/kg	SW846 8260B	
1,2,4-Trimethylbenzene	78600	23000	4500	ug/kg	SW846 8260B	
1,3,5-Trimethylbenzene	36900	23000	4500	ug/kg	SW846 8260B	
Xylene (total)	6640 J	45000	4500	ug/kg	SW846 8260B	
TPH-GRO (C6-C10)	1330000	910000	450000	ug/kg	SW846 8260B	
Acenaphthene ^b	24.5 J	66	8.9	ug/kg	SW846 8270C BY SIM	
Fluorene ^b	96.9	66	9.9	ug/kg	SW846 8270C BY SIM	
1-Methylnaphthalene ^b	1970	66	11	ug/kg	SW846 8270C BY SIM	
2-Methylnaphthalene ^b	3330	66	8.0	ug/kg	SW846 8270C BY SIM	
Naphthalene ^b	724	66	9.9	ug/kg	SW846 8270C BY SIM	
Phenanthrene ^b	38.9 J	66	7.3	ug/kg	SW846 8270C BY SIM	
TPH (Kerosene) ^e	5090	330	170	mg/kg	SW846 8015B M	
Chromium	46.8	0.83		mg/kg	SW846 6010B	
Lead	17.1	1.7		mg/kg	SW846 6010B	
Nickel	30.0	0.83		mg/kg	SW846 6010B	

Summary of Hits

Job Number: C45685
Account: Golden Gate Tank Removal
Project: 1110 Jackson Street - Oakland, CA
Collected: 05/04/16

Lab Sample ID	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
Zinc		31.9	1.7		mg/kg	SW846 6010B
C45685-12 9669-T3-NW-8'						
n-Butylbenzene	24.3 J	210	21	ug/kg	SW846 8260B	
1,2,4-Trimethylbenzene	61.7 J	210	43	ug/kg	SW846 8260B	
TPH-GRO (C6-C10)	6960	4300	2100	ug/kg	SW846 8260B	
1-Methylnaphthalene	4.1	3.3	0.56	ug/kg	SW846 8270C BY SIM	
2-Methylnaphthalene	6.6	3.3	0.40	ug/kg	SW846 8270C BY SIM	
Naphthalene	1.8 J	3.3	0.50	ug/kg	SW846 8270C BY SIM	
Chromium	57.1	0.97		mg/kg	SW846 6010B	
Lead	3.7	1.9		mg/kg	SW846 6010B	
Nickel	34.9	0.97		mg/kg	SW846 6010B	
Zinc	28.0	1.9		mg/kg	SW846 6010B	
C45685-13 9669-T3-EW-9'						
1-Methylnaphthalene	0.82 J	3.3	0.56	ug/kg	SW846 8270C BY SIM	
2-Methylnaphthalene	1.4 J	3.3	0.40	ug/kg	SW846 8270C BY SIM	
Naphthalene	0.58 J	3.3	0.50	ug/kg	SW846 8270C BY SIM	
Chromium	51.9	0.91		mg/kg	SW846 6010B	
Lead	3.3	1.8		mg/kg	SW846 6010B	
Nickel	33.4	0.91		mg/kg	SW846 6010B	
Zinc	30.4	1.8		mg/kg	SW846 6010B	

- (a) Pattern appears to be Jet-A related but does not match with calibration standard, quantitated as best match.
- (b) Dilution required due to matrix interference.
- (c) Jet-fuel pattern is not present.
- (d) Pattern resembles Jet Fuel.
- (e) Pattern resembles Kerosene.



Sample Results

Report of Analysis

Report of Analysis

Page 1 of 3

3

Client Sample ID:	9669-T1-EW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-1	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	M60470.D	1	05/06/16	JT	n/a	n/a	VM1816
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.19 g	5.0 ml	8.0 ul
Run #2			

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	24000	6000	ug/kg	
71-43-2	Benzene	ND	3000	300	ug/kg	
108-86-1	Bromobenzene	ND	3000	300	ug/kg	
74-97-5	Bromo(chloromethane)	ND	3000	300	ug/kg	
75-27-4	Bromodichloromethane	ND	3000	300	ug/kg	
75-25-2	Bromoform	ND	3000	300	ug/kg	
104-51-8	n-Butylbenzene	318	3000	300	ug/kg	J
135-98-8	sec-Butylbenzene	ND	3000	300	ug/kg	
98-06-6	tert-Butylbenzene	ND	3000	300	ug/kg	
108-90-7	Chlorobenzene	ND	3000	300	ug/kg	
75-00-3	Chloroethane	ND	3000	600	ug/kg	
67-66-3	Chloroform	ND	3000	300	ug/kg	
95-49-8	o-Chlorotoluene	ND	3000	300	ug/kg	
106-43-4	p-Chlorotoluene	ND	3000	300	ug/kg	
56-23-5	Carbon tetrachloride	ND	3000	300	ug/kg	
75-34-3	1,1-Dichloroethane	ND	3000	300	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	3000	300	ug/kg	
563-58-6	1,1-Dichloropropene	ND	3000	300	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	3000	840	ug/kg	
106-93-4	1,2-Dibromoethane	ND	3000	300	ug/kg	
107-06-2	1,2-Dichloroethane	ND	3000	300	ug/kg	
78-87-5	1,2-Dichloropropane	ND	3000	300	ug/kg	
142-28-9	1,3-Dichloropropane	ND	3000	300	ug/kg	
108-20-3	Di-Isopropyl ether	ND	3000	300	ug/kg	
594-20-7	2,2-Dichloropropane	ND	3000	300	ug/kg	
124-48-1	Dibromo(chloromethane)	ND	3000	300	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	3000	600	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	3000	660	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	3000	300	ug/kg	
541-73-1	m-Dichlorobenzene	ND	3000	300	ug/kg	
95-50-1	o-Dichlorobenzene	ND	3000	300	ug/kg	
106-46-7	p-Dichlorobenzene	ND	3000	300	ug/kg	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 3

3-1
3

Client Sample ID:	9669-T1-EW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-1	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	3000	300	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	3000	300	ug/kg	
100-41-4	Ethylbenzene	624	3000	300	ug/kg	J
637-92-3	Ethyl tert-Butyl Ether	ND	3000	300	ug/kg	
591-78-6	2-Hexanone	ND	12000	1200	ug/kg	
87-68-3	Hexachlorobutadiene	ND	3000	600	ug/kg	
98-82-8	Isopropylbenzene	ND	3000	300	ug/kg	
99-87-6	p-Isopropyltoluene	ND	3000	300	ug/kg	
108-10-1	4-Methyl-2-pentanone	ND	12000	1200	ug/kg	
74-83-9	Methyl bromide	ND	3000	600	ug/kg	
74-87-3	Methyl chloride	ND	3000	600	ug/kg	
74-95-3	Methylene bromide	ND	3000	300	ug/kg	
75-09-2	Methylene chloride	ND	12000	3000	ug/kg	
78-93-3	Methyl ethyl ketone	ND	12000	1200	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	3000	600	ug/kg	
91-20-3	Naphthalene	ND	3000	600	ug/kg	
103-65-1	n-Propylbenzene	362	3000	300	ug/kg	J
100-42-5	Styrene	ND	3000	300	ug/kg	
994-05-8	Tert-Amyl Methyl Ether	ND	3000	300	ug/kg	
75-65-0	Tert Butyl Alcohol ^b	ND	24000	6000	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	3000	300	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	3000	300	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	3000	300	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	3000	300	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	3000	300	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	3000	600	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	3000	300	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	758	3000	600	ug/kg	J
108-67-8	1,3,5-Trimethylbenzene	ND	3000	600	ug/kg	
127-18-4	Tetrachloroethylene	ND	3000	360	ug/kg	
108-88-3	Toluene	805	3000	300	ug/kg	J
79-01-6	Trichloroethylene	ND	3000	300	ug/kg	
75-69-4	Trichlorofluoromethane	ND	3000	600	ug/kg	
75-01-4	Vinyl chloride	ND	3000	600	ug/kg	
1330-20-7	Xylene (total)	3050	6000	600	ug/kg	J
	TPH-GRO (C6-C10)	370000	60000	30000	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		80-136%

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	9669-T1-EW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-1	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	98%		88-113%
460-00-4	4-Bromofluorobenzene	101%		79-115%

(a) All results reported on a wet weight basis.

(b) CCV outside of control limits (biased high); not detected in sample.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

3.1

3

Client Sample ID:	9669-T1-EW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-1	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8270C BY SIM	SW846 3550B	
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	T23193.D	1	05/05/16	BJ	05/05/16	OP14318	ET1057
Run #2							

	Initial Weight	Final Volume
Run #1	30.3 g	1.0 ml
Run #2		

BN PAH List

CAS No.	Compound	Result	RL	MDL	Units	Q
83-32-9	Acenaphthene	ND	3.3	0.45	ug/kg	
208-96-8	Acenaphthylene	ND	3.3	0.58	ug/kg	
120-12-7	Anthracene	ND	3.3	0.47	ug/kg	
56-55-3	Benzo(a)anthracene	ND	3.3	0.31	ug/kg	
50-32-8	Benzo(a)pyrene	ND	3.3	0.29	ug/kg	
205-99-2	Benzo(b)fluoranthene	ND	3.3	0.57	ug/kg	
191-24-2	Benzo(g,h,i)perylene	ND	3.3	0.65	ug/kg	
207-08-9	Benzo(k)fluoranthene	ND	3.3	0.53	ug/kg	
218-01-9	Chrysene	ND	3.3	0.55	ug/kg	
53-70-3	Dibenz(a,h)anthracene	ND	3.3	0.68	ug/kg	
206-44-0	Fluoranthene	ND	3.3	0.54	ug/kg	
86-73-7	Fluorene	0.63	3.3	0.49	ug/kg	J
193-39-5	Indeno(1,2,3-cd)pyrene	ND	3.3	0.69	ug/kg	
90-12-0	1-Methylnaphthalene	25.9	3.3	0.56	ug/kg	
91-57-6	2-Methylnaphthalene	13.3	3.3	0.40	ug/kg	
91-20-3	Naphthalene	25.7	3.3	0.50	ug/kg	
85-01-8	Phenanthrene	0.56	3.3	0.36	ug/kg	J
129-00-0	Pyrene	ND	3.3	0.85	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	84%		10-177%
321-60-8	2-Fluorobiphenyl	84%		41-124%
1718-51-0	Terphenyl-d14	80%		40-149%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

3

Client Sample ID:	9669-T1-EW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-1	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8015B M SW846 3550B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	BB3220.D	1	05/06/16	FL	05/06/16	OP14328	GBB125
Run #2							

	Initial Weight	Final Volume
Run #1	30.2 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	ND	3.3	1.7	mg/kg	
	TPH (Motor Oil)	8.98	6.6	3.3	mg/kg	
	TPH (Mineral Spirits)	ND	3.3	1.7	mg/kg	
	TPH (Kerosene) ^b	18.6	3.3	1.7	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	92%		38-146%

(a) All results reported on a wet weight basis.

(b) Pattern appears to be Jet-A related but does not match with calibration standard, quantitated as best match.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

3

Client Sample ID:	9669-T1-EW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-1	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Project:	1110 Jackson Street - Oakland, CA		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Cadmium	< 0.91	0.91	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Chromium	47.9	0.91	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Lead	3.7	1.8	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Nickel	32.5	0.91	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Zinc	31.1	1.8	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5838

(2) Prep QC Batch: MP11265

(a) All results reported on a wet weight basis.

RL = Reporting Limit

Report of Analysis

Page 1 of 3

32
3

Client Sample ID:	9669-T1-C-12'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-2	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	M60471.D	1	05/06/16	JT	n/a	n/a	VM1816
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.78 g	5.0 ml	8.0 ul
Run #2			

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	22000	5400	ug/kg	
71-43-2	Benzene	ND	2700	270	ug/kg	
108-86-1	Bromobenzene	ND	2700	270	ug/kg	
74-97-5	Bromo(chloromethane)	ND	2700	270	ug/kg	
75-27-4	Bromodichloromethane	ND	2700	270	ug/kg	
75-25-2	Bromoform	ND	2700	270	ug/kg	
104-51-8	n-Butylbenzene	ND	2700	270	ug/kg	
135-98-8	sec-Butylbenzene	273	2700	270	ug/kg	J
98-06-6	tert-Butylbenzene	ND	2700	270	ug/kg	
108-90-7	Chlorobenzene	ND	2700	270	ug/kg	
75-00-3	Chloroethane	ND	2700	540	ug/kg	
67-66-3	Chloroform	ND	2700	270	ug/kg	
95-49-8	o-Chlorotoluene	ND	2700	270	ug/kg	
106-43-4	p-Chlorotoluene	ND	2700	270	ug/kg	
56-23-5	Carbon tetrachloride	ND	2700	270	ug/kg	
75-34-3	1,1-Dichloroethane	ND	2700	270	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	2700	270	ug/kg	
563-58-6	1,1-Dichloropropene	ND	2700	270	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2700	760	ug/kg	
106-93-4	1,2-Dibromoethane	ND	2700	270	ug/kg	
107-06-2	1,2-Dichloroethane	ND	2700	270	ug/kg	
78-87-5	1,2-Dichloropropane	ND	2700	270	ug/kg	
142-28-9	1,3-Dichloropropane	ND	2700	270	ug/kg	
108-20-3	Di-Isopropyl ether	ND	2700	270	ug/kg	
594-20-7	2,2-Dichloropropane	ND	2700	270	ug/kg	
124-48-1	Dibromo(chloromethane)	ND	2700	270	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	2700	540	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	2700	590	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	2700	270	ug/kg	
541-73-1	m-Dichlorobenzene	ND	2700	270	ug/kg	
95-50-1	o-Dichlorobenzene	ND	2700	270	ug/kg	
106-46-7	p-Dichlorobenzene	ND	2700	270	ug/kg	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 3

32
3

Client Sample ID:	9669-T1-C-12'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-2	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	2700	270	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	2700	270	ug/kg	
100-41-4	Ethylbenzene	293	2700	270	ug/kg	J
637-92-3	Ethyl tert-Butyl Ether	ND	2700	270	ug/kg	
591-78-6	2-Hexanone	ND	11000	1100	ug/kg	
87-68-3	Hexachlorobutadiene	ND	2700	540	ug/kg	
98-82-8	Isopropylbenzene	350	2700	270	ug/kg	J
99-87-6	p-Isopropyltoluene	ND	2700	270	ug/kg	
108-10-1	4-Methyl-2-pentanone	ND	11000	1100	ug/kg	
74-83-9	Methyl bromide	ND	2700	540	ug/kg	
74-87-3	Methyl chloride	ND	2700	540	ug/kg	
74-95-3	Methylene bromide	ND	2700	270	ug/kg	
75-09-2	Methylene chloride	ND	11000	2700	ug/kg	
78-93-3	Methyl ethyl ketone	ND	11000	1100	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	2700	540	ug/kg	
91-20-3	Naphthalene	900	2700	540	ug/kg	J
103-65-1	n-Propylbenzene	559	2700	270	ug/kg	J
100-42-5	Styrene	ND	2700	270	ug/kg	
994-05-8	Tert-Amyl Methyl Ether	ND	2700	270	ug/kg	
75-65-0	Tert Butyl Alcohol ^b	ND	22000	5400	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	2700	270	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	2700	270	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	2700	270	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	2700	270	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	2700	270	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	2700	540	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	2700	270	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	735	2700	540	ug/kg	J
108-67-8	1,3,5-Trimethylbenzene	ND	2700	540	ug/kg	
127-18-4	Tetrachloroethylene	ND	2700	320	ug/kg	
108-88-3	Toluene	449	2700	270	ug/kg	J
79-01-6	Trichloroethylene	ND	2700	270	ug/kg	
75-69-4	Trichlorofluoromethane	ND	2700	540	ug/kg	
75-01-4	Vinyl chloride	ND	2700	540	ug/kg	
1330-20-7	Xylene (total)	1330	5400	540	ug/kg	J
	TPH-GRO (C6-C10)	315000	54000	27000	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	103%		80-136%

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 3 of 3

32
3

Client Sample ID:	9669-T1-C-12'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-2	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	96%		88-113%
460-00-4	4-Bromofluorobenzene	104%		79-115%

(a) All results reported on a wet weight basis.

(b) CCV outside of control limits (biased high); not detected in sample.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

32
3

Client Sample ID:	9669-T1-C-12'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-2	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8270C BY SIM	SW846 3550B	
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	T23194.D	1	05/05/16	BJ	05/05/16	OP14318	ET1057
Run #2 ^b	T23217.D	5	05/06/16	BJ	05/05/16	OP14318	ET1058

	Initial Weight	Final Volume
Run #1	30.2 g	1.0 ml
Run #2	30.2 g	1.0 ml

BN PAH List

CAS No.	Compound	Result	RL	MDL	Units	Q
83-32-9	Acenaphthene	0.97	3.3	0.45	ug/kg	J
208-96-8	Acenaphthylene	ND	3.3	0.58	ug/kg	
120-12-7	Anthracene	ND	3.3	0.47	ug/kg	
56-55-3	Benzo(a)anthracene	1.6	3.3	0.31	ug/kg	J
50-32-8	Benzo(a)pyrene	0.69	3.3	0.29	ug/kg	J
205-99-2	Benzo(b)fluoranthene	0.58	3.3	0.57	ug/kg	J
191-24-2	Benzo(g,h,i)perylene	ND	3.3	0.65	ug/kg	
207-08-9	Benzo(k)fluoranthene	0.57	3.3	0.53	ug/kg	J
218-01-9	Chrysene	2.4	3.3	0.55	ug/kg	J
53-70-3	Dibenz(a,h)anthracene	ND	3.3	0.68	ug/kg	
206-44-0	Fluoranthene	0.87	3.3	0.54	ug/kg	J
86-73-7	Fluorene	3.0	3.3	0.49	ug/kg	J
193-39-5	Indeno(1,2,3-cd)pyrene	ND	3.3	0.69	ug/kg	
90-12-0	1-Methylnaphthalene	342	3.3	0.56	ug/kg	
91-57-6	2-Methylnaphthalene	701 ^c	17	2.0	ug/kg	
91-20-3	Naphthalene	426	3.3	0.50	ug/kg	
85-01-8	Phenanthrene	3.7	3.3	0.36	ug/kg	
129-00-0	Pyrene	2.1	3.3	0.86	ug/kg	J

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	107%	107%	10-177%
321-60-8	2-Fluorobiphenyl	85%	90%	41-124%
1718-51-0	Terphenyl-d14	90%	106%	40-149%

- (a) All results reported on a wet weight basis.
 (b) Dilution required due to matrix interference.
 (c) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

32
3

Client Sample ID:	9669-T1-C-12'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-2	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8015B M SW846 3550B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	BB3221.D	1	05/06/16	FL	05/06/16	OP14328	GBB125
Run #2							

	Initial Weight	Final Volume
Run #1	30.1 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	ND	3.3	1.7	mg/kg	
	TPH (Motor Oil)	41.8	6.7	3.3	mg/kg	
	TPH (Mineral Spirits)	ND	3.3	1.7	mg/kg	
	TPH (Kerosene) ^b	62.0	3.3	1.7	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	84%		38-146%

(a) All results reported on a wet weight basis.

(b) Pattern appears to be Jet-A related but does not match with calibration standard, quantitated as best match.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

32
3

Client Sample ID:	9669-T1-C-12'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-2	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Project:	1110 Jackson Street - Oakland, CA		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Cadmium	< 0.83	0.83	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Chromium	69.4	0.83	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Lead	3.9	1.7	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Nickel	43.7	0.83	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Zinc	34.9	1.7	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5838

(2) Prep QC Batch: MP11265

(a) All results reported on a wet weight basis.

RL = Reporting Limit

Report of Analysis

Page 1 of 3

33
3

Client Sample ID:	9669-T1-WW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-3	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	M60472.D	1	05/06/16	JT	n/a	n/a	VM1816
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.54 g	5.0 ml	8.0 ul
Run #2			

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	23000	5600	ug/kg	
71-43-2	Benzene	643	2800	280	ug/kg	J
108-86-1	Bromobenzene	ND	2800	280	ug/kg	
74-97-5	Bromo(chloromethane)	ND	2800	280	ug/kg	
75-27-4	Bromodichloromethane	ND	2800	280	ug/kg	
75-25-2	Bromoform	ND	2800	280	ug/kg	
104-51-8	n-Butylbenzene	ND	2800	280	ug/kg	
135-98-8	sec-Butylbenzene	417	2800	280	ug/kg	J
98-06-6	tert-Butylbenzene	ND	2800	280	ug/kg	
108-90-7	Chlorobenzene	ND	2800	280	ug/kg	
75-00-3	Chloroethane	ND	2800	560	ug/kg	
67-66-3	Chloroform	ND	2800	280	ug/kg	
95-49-8	o-Chlorotoluene	ND	2800	280	ug/kg	
106-43-4	p-Chlorotoluene	ND	2800	280	ug/kg	
56-23-5	Carbon tetrachloride	ND	2800	280	ug/kg	
75-34-3	1,1-Dichloroethane	ND	2800	280	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	2800	280	ug/kg	
563-58-6	1,1-Dichloropropene	ND	2800	280	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2800	790	ug/kg	
106-93-4	1,2-Dibromoethane	ND	2800	280	ug/kg	
107-06-2	1,2-Dichloroethane	ND	2800	280	ug/kg	
78-87-5	1,2-Dichloropropane	ND	2800	280	ug/kg	
142-28-9	1,3-Dichloropropane	ND	2800	280	ug/kg	
108-20-3	Di-Isopropyl ether	ND	2800	280	ug/kg	
594-20-7	2,2-Dichloropropane	ND	2800	280	ug/kg	
124-48-1	Dibromo(chloromethane)	ND	2800	280	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	2800	560	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	2800	620	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	2800	280	ug/kg	
541-73-1	m-Dichlorobenzene	ND	2800	280	ug/kg	
95-50-1	o-Dichlorobenzene	ND	2800	280	ug/kg	
106-46-7	p-Dichlorobenzene	ND	2800	280	ug/kg	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	9669-T1-WW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-3	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	2800	280	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	2800	280	ug/kg	
100-41-4	Ethylbenzene	392	2800	280	ug/kg	J
637-92-3	Ethyl tert-Butyl Ether	ND	2800	280	ug/kg	
591-78-6	2-Hexanone	ND	11000	1100	ug/kg	
87-68-3	Hexachlorobutadiene	ND	2800	560	ug/kg	
98-82-8	Isopropylbenzene	ND	2800	280	ug/kg	
99-87-6	p-Isopropyltoluene	555	2800	280	ug/kg	J
108-10-1	4-Methyl-2-pentanone	ND	11000	1100	ug/kg	
74-83-9	Methyl bromide	ND	2800	560	ug/kg	
74-87-3	Methyl chloride	ND	2800	560	ug/kg	
74-95-3	Methylene bromide	ND	2800	280	ug/kg	
75-09-2	Methylene chloride	ND	11000	2800	ug/kg	
78-93-3	Methyl ethyl ketone	ND	11000	1100	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	2800	560	ug/kg	
91-20-3	Naphthalene	ND	2800	560	ug/kg	
103-65-1	n-Propylbenzene	ND	2800	280	ug/kg	
100-42-5	Styrene	ND	2800	280	ug/kg	
994-05-8	Tert-Amyl Methyl Ether	ND	2800	280	ug/kg	
75-65-0	Tert Butyl Alcohol ^b	ND	23000	5600	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	2800	280	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	2800	280	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	2800	280	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	2800	280	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	2800	280	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	2800	560	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	2800	280	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	2800	560	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	2800	560	ug/kg	
127-18-4	Tetrachloroethylene	ND	2800	340	ug/kg	
108-88-3	Toluene	750	2800	280	ug/kg	J
79-01-6	Trichloroethylene	ND	2800	280	ug/kg	
75-69-4	Trichlorofluoromethane	ND	2800	560	ug/kg	
75-01-4	Vinyl chloride	ND	2800	560	ug/kg	
1330-20-7	Xylene (total)	1460	5600	560	ug/kg	J
	TPH-GRO (C6-C10)	471000	56000	28000	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	101%		80-136%

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	9669-T1-WW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-3	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	97%		88-113%
460-00-4	4-Bromofluorobenzene	108%		79-115%

(a) All results reported on a wet weight basis.

(b) CCV outside of control limits (biased high); not detected in sample.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

33
3

Client Sample ID:	9669-T1-WW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-3	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8270C BY SIM SW846 3550B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	T23195.D	1	05/05/16	BJ	05/05/16	OP14318	ET1057
Run #2							

	Initial Weight	Final Volume
Run #1	30.1 g	1.0 ml
Run #2		

BN PAH List

CAS No.	Compound	Result	RL	MDL	Units	Q
83-32-9	Acenaphthene	2.7	3.3	0.45	ug/kg	J
208-96-8	Acenaphthylene	ND	3.3	0.58	ug/kg	
120-12-7	Anthracene	0.77	3.3	0.47	ug/kg	
56-55-3	Benzo(a)anthracene	ND	3.3	0.32	ug/kg	
50-32-8	Benzo(a)pyrene	ND	3.3	0.29	ug/kg	
205-99-2	Benzo(b)fluoranthene	ND	3.3	0.57	ug/kg	
191-24-2	Benzo(g,h,i)perylene	ND	3.3	0.65	ug/kg	
207-08-9	Benzo(k)fluoranthene	ND	3.3	0.53	ug/kg	
218-01-9	Chrysene	0.86	3.3	0.55	ug/kg	J
53-70-3	Dibenzo(a,h)anthracene	ND	3.3	0.68	ug/kg	
206-44-0	Fluoranthene	0.91	3.3	0.54	ug/kg	J
86-73-7	Fluorene	6.4	3.3	0.49	ug/kg	
193-39-5	Indeno(1,2,3-cd)pyrene	ND	3.3	0.69	ug/kg	
90-12-0	1-Methylnaphthalene	125	3.3	0.56	ug/kg	
91-57-6	2-Methylnaphthalene	38.9	3.3	0.40	ug/kg	
91-20-3	Naphthalene	121	3.3	0.50	ug/kg	
85-01-8	Phenanthrene	3.4	3.3	0.36	ug/kg	
129-00-0	Pyrene	1.3	3.3	0.86	ug/kg	J

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	115%		10-177%
321-60-8	2-Fluorobiphenyl	82%		41-124%
1718-51-0	Terphenyl-d14	100%		40-149%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

33
3

Client Sample ID:	9669-T1-WW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-3	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8015B M SW846 3550B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	BB3222.D	4	05/06/16	FL	05/06/16	OP14328	GBB125
Run #2							

	Initial Weight	Final Volume
Run #1	30.4 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	ND	13	6.6	mg/kg	
	TPH (Motor Oil)	26.0	26	13	mg/kg	
	TPH (Mineral Spirits)	ND	13	6.6	mg/kg	
	TPH (Kerosene) ^b	103	13	6.6	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	78%		38-146%

(a) All results reported on a wet weight basis.

(b) Pattern appears to be Jet-A related but does not match with calibration standard, quantitated as best match.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

33
3

Client Sample ID:	9669-T1-WW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-3	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Project:	1110 Jackson Street - Oakland, CA		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Cadmium	< 0.88	0.88	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Chromium	45.7	0.88	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Lead	3.3	1.8	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Nickel	32.5	0.88	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Zinc	27.2	1.8	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5838

(2) Prep QC Batch: MP11265

(a) All results reported on a wet weight basis.

RL = Reporting Limit

Report of Analysis

Page 1 of 3

34
3

Client Sample ID:	9669-T1-NW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-4	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	M60474.D	1	05/06/16	JT	n/a	n/a	VM1816
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.30 g	5.0 ml	5.0 ul
Run #2			

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	38000	9400	ug/kg	
71-43-2	Benzene	ND	4700	470	ug/kg	
108-86-1	Bromobenzene	ND	4700	470	ug/kg	
74-97-5	Bromo(chloromethane)	ND	4700	470	ug/kg	
75-27-4	Bromodichloromethane	ND	4700	470	ug/kg	
75-25-2	Bromoform	ND	4700	470	ug/kg	
104-51-8	n-Butylbenzene	530	4700	470	ug/kg	J
135-98-8	sec-Butylbenzene	744	4700	470	ug/kg	J
98-06-6	tert-Butylbenzene	ND	4700	470	ug/kg	
108-90-7	Chlorobenzene	ND	4700	470	ug/kg	
75-00-3	Chloroethane	ND	4700	940	ug/kg	
67-66-3	Chloroform	ND	4700	470	ug/kg	
95-49-8	o-Chlorotoluene	ND	4700	470	ug/kg	
106-43-4	p-Chlorotoluene	ND	4700	470	ug/kg	
56-23-5	Carbon tetrachloride	ND	4700	470	ug/kg	
75-34-3	1,1-Dichloroethane	ND	4700	470	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	4700	470	ug/kg	
563-58-6	1,1-Dichloropropene	ND	4700	470	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	4700	1300	ug/kg	
106-93-4	1,2-Dibromoethane	ND	4700	470	ug/kg	
107-06-2	1,2-Dichloroethane	ND	4700	470	ug/kg	
78-87-5	1,2-Dichloropropane	ND	4700	470	ug/kg	
142-28-9	1,3-Dichloropropane	ND	4700	470	ug/kg	
108-20-3	Di-Isopropyl ether	ND	4700	470	ug/kg	
594-20-7	2,2-Dichloropropane	ND	4700	470	ug/kg	
124-48-1	Dibromo(chloromethane)	ND	4700	470	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	4700	940	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	4700	1000	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	4700	470	ug/kg	
541-73-1	m-Dichlorobenzene	ND	4700	470	ug/kg	
95-50-1	o-Dichlorobenzene	ND	4700	470	ug/kg	
106-46-7	p-Dichlorobenzene	ND	4700	470	ug/kg	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	9669-T1-NW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-4	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	4700	470	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	4700	470	ug/kg	
100-41-4	Ethylbenzene	ND	4700	470	ug/kg	
637-92-3	Ethyl tert-Butyl Ether	ND	4700	470	ug/kg	
591-78-6	2-Hexanone	ND	19000	1900	ug/kg	
87-68-3	Hexachlorobutadiene	ND	4700	940	ug/kg	
98-82-8	Isopropylbenzene	ND	4700	470	ug/kg	
99-87-6	p-Isopropyltoluene	ND	4700	470	ug/kg	
108-10-1	4-Methyl-2-pentanone	ND	19000	1900	ug/kg	
74-83-9	Methyl bromide	ND	4700	940	ug/kg	
74-87-3	Methyl chloride	ND	4700	940	ug/kg	
74-95-3	Methylene bromide	ND	4700	470	ug/kg	
75-09-2	Methylene chloride	ND	19000	4700	ug/kg	
78-93-3	Methyl ethyl ketone	ND	19000	1900	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	4700	940	ug/kg	
91-20-3	Naphthalene	ND	4700	940	ug/kg	
103-65-1	n-Propylbenzene	659	4700	470	ug/kg	J
100-42-5	Styrene	ND	4700	470	ug/kg	
994-05-8	Tert-Amyl Methyl Ether	ND	4700	470	ug/kg	
75-65-0	Tert Butyl Alcohol ^b	ND	38000	9400	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	4700	470	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	4700	470	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	4700	470	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	4700	470	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	4700	470	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	4700	940	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	4700	470	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	4700	940	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	4700	940	ug/kg	
127-18-4	Tetrachloroethylene	ND	4700	570	ug/kg	
108-88-3	Toluene	ND	4700	470	ug/kg	
79-01-6	Trichloroethylene	ND	4700	470	ug/kg	
75-69-4	Trichlorofluoromethane	ND	4700	940	ug/kg	
75-01-4	Vinyl chloride	ND	4700	940	ug/kg	
1330-20-7	Xylene (total)	ND	9400	940	ug/kg	
	TPH-GRO (C6-C10)	661000	94000	47000	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	103%		80-136%

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	9669-T1-NW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-4	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	98%		88-113%
460-00-4	4-Bromofluorobenzene	104%		79-115%

(a) All results reported on a wet weight basis.

(b) CCV outside of control limits (biased high); not detected in sample.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

34
3

Client Sample ID:	9669-T1-NW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-4	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8270C BY SIM	SW846 3550B	
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	T23196.D	1	05/05/16	BJ	05/05/16	OP14318	ET1057
Run #2							

	Initial Weight	Final Volume
Run #1	30.3 g	1.0 ml
Run #2		

BN PAH List

CAS No.	Compound	Result	RL	MDL	Units	Q
83-32-9	Acenaphthene	5.6	3.3	0.45	ug/kg	
208-96-8	Acenaphthylene	ND	3.3	0.58	ug/kg	
120-12-7	Anthracene	0.96	3.3	0.47	ug/kg	J
56-55-3	Benzo(a)anthracene	4.4	3.3	0.31	ug/kg	
50-32-8	Benzo(a)pyrene	ND	3.3	0.29	ug/kg	
205-99-2	Benzo(b)fluoranthene	ND	3.3	0.56	ug/kg	
191-24-2	Benzo(g,h,i)perylene	0.80	3.3	0.65	ug/kg	J
207-08-9	Benzo(k)fluoranthene	ND	3.3	0.52	ug/kg	
218-01-9	Chrysene	6.7	3.3	0.54	ug/kg	
53-70-3	Dibenz(a,h)anthracene	ND	3.3	0.68	ug/kg	
206-44-0	Fluoranthene	3.6	3.3	0.54	ug/kg	
86-73-7	Fluorene	12.9	3.3	0.49	ug/kg	
193-39-5	Indeno(1,2,3-cd)pyrene	ND	3.3	0.69	ug/kg	
90-12-0	1-Methylnaphthalene	154	3.3	0.56	ug/kg	
91-57-6	2-Methylnaphthalene	154	3.3	0.40	ug/kg	
91-20-3	Naphthalene	68.0	3.3	0.50	ug/kg	
85-01-8	Phenanthrene	19.3	3.3	0.36	ug/kg	
129-00-0	Pyrene	6.9	3.3	0.85	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	99%		10-177%
321-60-8	2-Fluorobiphenyl	84%		41-124%
1718-51-0	Terphenyl-d14	97%		40-149%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

34
3

Client Sample ID:	9669-T1-NW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-4	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8015B M SW846 3550B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	BB3223.D	4	05/06/16	FL	05/06/16	OP14328	GBB125
Run #2							

	Initial Weight	Final Volume
Run #1	30.1 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	ND	13	6.6	mg/kg	
	TPH (Motor Oil)	135	27	13	mg/kg	
	TPH (Mineral Spirits)	ND	13	6.6	mg/kg	
	TPH (Kerosene) ^b	56.9	13	6.6	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	79%		38-146%

(a) All results reported on a wet weight basis.

(b) Pattern appears to be Jet-A related but does not match with calibration standard, quantitated as best match.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

34
3

Client Sample ID:	9669-T1-NW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-4	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Project:	1110 Jackson Street - Oakland, CA		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Cadmium	< 0.93	0.93	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Chromium	49.3	0.93	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Lead	3.4	1.9	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Nickel	32.1	0.93	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Zinc	26.5	1.9	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5838

(2) Prep QC Batch: MP11265

(a) All results reported on a wet weight basis.

RL = Reporting Limit

Report of Analysis

Page 1 of 3

35

3

Client Sample ID:	9669-T2-EW-6'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-5	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	L48843.D	1	05/06/16	JT	n/a	n/a	VL1460
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.45 g	5.0 ml	10.0 ul
Run #2			

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	18000	4600	ug/kg	
71-43-2	Benzene	ND	2300	230	ug/kg	
108-86-1	Bromobenzene	ND	2300	230	ug/kg	
74-97-5	Bromo(chloromethane)	ND	2300	230	ug/kg	
75-27-4	Bromodichloromethane	ND	2300	230	ug/kg	
75-25-2	Bromoform	ND	2300	230	ug/kg	
104-51-8	n-Butylbenzene	244	2300	230	ug/kg	J
135-98-8	sec-Butylbenzene	ND	2300	230	ug/kg	
98-06-6	tert-Butylbenzene	ND	2300	230	ug/kg	
108-90-7	Chlorobenzene	ND	2300	230	ug/kg	
75-00-3	Chloroethane	ND	2300	460	ug/kg	
67-66-3	Chloroform	ND	2300	230	ug/kg	
95-49-8	o-Chlorotoluene	ND	2300	230	ug/kg	
106-43-4	p-Chlorotoluene	ND	2300	230	ug/kg	
56-23-5	Carbon tetrachloride	ND	2300	230	ug/kg	
75-34-3	1,1-Dichloroethane	ND	2300	230	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	2300	230	ug/kg	
563-58-6	1,1-Dichloropropene	ND	2300	230	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2300	640	ug/kg	
106-93-4	1,2-Dibromoethane	ND	2300	230	ug/kg	
107-06-2	1,2-Dichloroethane	ND	2300	230	ug/kg	
78-87-5	1,2-Dichloropropane	ND	2300	230	ug/kg	
142-28-9	1,3-Dichloropropane	ND	2300	230	ug/kg	
108-20-3	Di-Isopropyl ether	ND	2300	230	ug/kg	
594-20-7	2,2-Dichloropropane	ND	2300	230	ug/kg	
124-48-1	Dibromo(chloromethane)	ND	2300	230	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	2300	460	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	2300	500	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	2300	230	ug/kg	
541-73-1	m-Dichlorobenzene	ND	2300	230	ug/kg	
95-50-1	o-Dichlorobenzene	ND	2300	230	ug/kg	
106-46-7	p-Dichlorobenzene	ND	2300	230	ug/kg	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 3

3.5

3

Client Sample ID:	9669-T2-EW-6'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-5	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	2300	230	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	2300	230	ug/kg	
100-41-4	Ethylbenzene	ND	2300	230	ug/kg	
637-92-3	Ethyl tert-Butyl Ether	ND	2300	230	ug/kg	
591-78-6	2-Hexanone	ND	9200	920	ug/kg	
87-68-3	Hexachlorobutadiene	ND	2300	460	ug/kg	
98-82-8	Isopropylbenzene	ND	2300	230	ug/kg	
99-87-6	p-Isopropyltoluene	ND	2300	230	ug/kg	
108-10-1	4-Methyl-2-pentanone	ND	9200	920	ug/kg	
74-83-9	Methyl bromide	ND	2300	460	ug/kg	
74-87-3	Methyl chloride	ND	2300	460	ug/kg	
74-95-3	Methylene bromide	ND	2300	230	ug/kg	
75-09-2	Methylene chloride	ND	9200	2300	ug/kg	
78-93-3	Methyl ethyl ketone	ND	9200	920	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	2300	460	ug/kg	
91-20-3	Naphthalene	626	2300	460	ug/kg	J
103-65-1	n-Propylbenzene	ND	2300	230	ug/kg	
100-42-5	Styrene	ND	2300	230	ug/kg	
994-05-8	Tert-Amyl Methyl Ether	ND	2300	230	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	18000	4600	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	2300	230	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	2300	230	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	2300	230	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	2300	230	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	2300	230	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	2300	460	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	2300	230	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	2300	460	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	2300	460	ug/kg	
127-18-4	Tetrachloroethylene	ND	2300	280	ug/kg	
108-88-3	Toluene	ND	2300	230	ug/kg	
79-01-6	Trichloroethylene	ND	2300	230	ug/kg	
75-69-4	Trichlorofluoromethane	ND	2300	460	ug/kg	
75-01-4	Vinyl chloride	ND	2300	460	ug/kg	
1330-20-7	Xylene (total)	ND	4600	460	ug/kg	
	TPH-GRO (C6-C10)	78800	46000	23000	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	95%		80-136%

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	9669-T2-EW-6'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-5	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	93%		88-113%
460-00-4	4-Bromofluorobenzene	93%		79-115%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

35
3

Client Sample ID:	9669-T2-EW-6'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-5	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8270C BY SIM	SW846 3550B	
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	T23197.D	1	05/05/16	BJ	05/05/16	OP14318	ET1057
Run #2							

	Initial Weight	Final Volume
Run #1	30.2 g	1.0 ml
Run #2		

BN PAH List

CAS No.	Compound	Result	RL	MDL	Units	Q
83-32-9	Acenaphthene	ND	3.3	0.45	ug/kg	
208-96-8	Acenaphthylene	ND	3.3	0.58	ug/kg	
120-12-7	Anthracene	ND	3.3	0.47	ug/kg	
56-55-3	Benzo(a)anthracene	ND	3.3	0.31	ug/kg	
50-32-8	Benzo(a)pyrene	ND	3.3	0.29	ug/kg	
205-99-2	Benzo(b)fluoranthene	ND	3.3	0.57	ug/kg	
191-24-2	Benzo(g,h,i)perylene	ND	3.3	0.65	ug/kg	
207-08-9	Benzo(k)fluoranthene	ND	3.3	0.53	ug/kg	
218-01-9	Chrysene	ND	3.3	0.55	ug/kg	
53-70-3	Dibenz(a,h)anthracene	ND	3.3	0.68	ug/kg	
206-44-0	Fluoranthene	ND	3.3	0.54	ug/kg	
86-73-7	Fluorene	ND	3.3	0.49	ug/kg	
193-39-5	Indeno(1,2,3-cd)pyrene	ND	3.3	0.69	ug/kg	
90-12-0	1-Methylnaphthalene	15.5	3.3	0.56	ug/kg	
91-57-6	2-Methylnaphthalene	28.5	3.3	0.40	ug/kg	
91-20-3	Naphthalene	14.2	3.3	0.50	ug/kg	
85-01-8	Phenanthrene	ND	3.3	0.36	ug/kg	
129-00-0	Pyrene	ND	3.3	0.85	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	85%		10-177%
321-60-8	2-Fluorobiphenyl	84%		41-124%
1718-51-0	Terphenyl-d14	108%		40-149%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

3.5
3

Client Sample ID:	9669-T2-EW-6'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-5	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8015B M SW846 3550B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	BB3224.D	1	05/06/16	FL	05/06/16	OP14328	GBB125
Run #2							

	Initial Weight	Final Volume
Run #1	30.2 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	ND	3.3	1.7	mg/kg	
	TPH (Motor Oil)	ND	6.6	3.3	mg/kg	
	TPH (Mineral Spirits)	ND	3.3	1.7	mg/kg	
	TPH (Kerosene) ^b	8.20	3.3	1.7	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	83%		38-146%

(a) All results reported on a wet weight basis.

(b) Pattern appears to be Jet-A related but does not match with calibration standard, quantitated as best match.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

3.5
3

Client Sample ID:	9669-T2-EW-6'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-5	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Project:	1110 Jackson Street - Oakland, CA		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Cadmium	< 0.93	0.93	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Chromium	69.3	0.93	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Lead	4.0	1.9	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Nickel	42.5	0.93	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Zinc	26.9	1.9	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5838

(2) Prep QC Batch: MP11265

(a) All results reported on a wet weight basis.

RL = Reporting Limit

Report of Analysis

Page 1 of 3

3.6
3

Client Sample ID:	9669-T2-C-12.5	Date Sampled:	05/04/16
Lab Sample ID:	C45685-6	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	M60473.D	1	05/06/16	JT	n/a	n/a	VM1816
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.48 g	5.0 ml	1.0 ul
Run #2			

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	180000	46000	ug/kg	
71-43-2	Benzene	ND	23000	2300	ug/kg	
108-86-1	Bromobenzene	ND	23000	2300	ug/kg	
74-97-5	Bromo(chloromethane)	ND	23000	2300	ug/kg	
75-27-4	Bromodichloromethane	ND	23000	2300	ug/kg	
75-25-2	Bromoform	ND	23000	2300	ug/kg	
104-51-8	n-Butylbenzene	5640	23000	2300	ug/kg	J
135-98-8	sec-Butylbenzene	6250	23000	2300	ug/kg	J
98-06-6	tert-Butylbenzene	ND	23000	2300	ug/kg	
108-90-7	Chlorobenzene	ND	23000	2300	ug/kg	
75-00-3	Chloroethane	ND	23000	4600	ug/kg	
67-66-3	Chloroform	ND	23000	2300	ug/kg	
95-49-8	o-Chlorotoluene	ND	23000	2300	ug/kg	
106-43-4	p-Chlorotoluene	ND	23000	2300	ug/kg	
56-23-5	Carbon tetrachloride	ND	23000	2300	ug/kg	
75-34-3	1,1-Dichloroethane	ND	23000	2300	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	23000	2300	ug/kg	
563-58-6	1,1-Dichloropropene	ND	23000	2300	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	23000	6400	ug/kg	
106-93-4	1,2-Dibromoethane	ND	23000	2300	ug/kg	
107-06-2	1,2-Dichloroethane	ND	23000	2300	ug/kg	
78-87-5	1,2-Dichloropropane	ND	23000	2300	ug/kg	
142-28-9	1,3-Dichloropropane	ND	23000	2300	ug/kg	
108-20-3	Di-Isopropyl ether	ND	23000	2300	ug/kg	
594-20-7	2,2-Dichloropropane	ND	23000	2300	ug/kg	
124-48-1	Dibromo(chloromethane)	ND	23000	2300	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	23000	4600	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	23000	5000	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	23000	2300	ug/kg	
541-73-1	m-Dichlorobenzene	ND	23000	2300	ug/kg	
95-50-1	o-Dichlorobenzene	ND	23000	2300	ug/kg	
106-46-7	p-Dichlorobenzene	ND	23000	2300	ug/kg	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	9669-T2-C-12.5	Date Sampled:	05/04/16
Lab Sample ID:	C45685-6	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	23000	2300	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	23000	2300	ug/kg	
100-41-4	Ethylbenzene	ND	23000	2300	ug/kg	
637-92-3	Ethyl tert-Butyl Ether	ND	23000	2300	ug/kg	
591-78-6	2-Hexanone	ND	91000	9100	ug/kg	
87-68-3	Hexachlorobutadiene	ND	23000	4600	ug/kg	
98-82-8	Isopropylbenzene	10700	23000	2300	ug/kg	J
99-87-6	p-Isopropyltoluene	2620	23000	2300	ug/kg	J
108-10-1	4-Methyl-2-pentanone	ND	91000	9100	ug/kg	
74-83-9	Methyl bromide	ND	23000	4600	ug/kg	
74-87-3	Methyl chloride	ND	23000	4600	ug/kg	
74-95-3	Methylene bromide	ND	23000	2300	ug/kg	
75-09-2	Methylene chloride	ND	91000	23000	ug/kg	
78-93-3	Methyl ethyl ketone	ND	91000	9100	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	23000	4600	ug/kg	
91-20-3	Naphthalene	7770	23000	4600	ug/kg	J
103-65-1	n-Propylbenzene	13000	23000	2300	ug/kg	J
100-42-5	Styrene	ND	23000	2300	ug/kg	
994-05-8	Tert-Amyl Methyl Ether	ND	23000	2300	ug/kg	
75-65-0	Tert Butyl Alcohol ^b	ND	180000	46000	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	23000	2300	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	23000	2300	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	23000	2300	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	23000	2300	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	23000	2300	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	23000	4600	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	23000	2300	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	5410	23000	4600	ug/kg	J
108-67-8	1,3,5-Trimethylbenzene	ND	23000	4600	ug/kg	
127-18-4	Tetrachloroethylene	ND	23000	2700	ug/kg	
108-88-3	Toluene	ND	23000	2300	ug/kg	
79-01-6	Trichloroethylene	ND	23000	2300	ug/kg	
75-69-4	Trichlorofluoromethane	ND	23000	4600	ug/kg	
75-01-4	Vinyl chloride	ND	23000	4600	ug/kg	
1330-20-7	Xylene (total)	ND	46000	4600	ug/kg	
	TPH-GRO (C6-C10)	6320000	460000	230000	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	101%		80-136%

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 3 of 3

3.6
3

Client Sample ID:	9669-T2-C-12.5	Date Sampled:	05/04/16
Lab Sample ID:	C45685-6	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	97%		88-113%
460-00-4	4-Bromofluorobenzene	107%		79-115%

(a) All results reported on a wet weight basis.

(b) CCV outside of control limits (biased high); not detected in sample.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

3.6
3

Client Sample ID:	9669-T2-C-12.5	Date Sampled:	05/04/16
Lab Sample ID:	C45685-6	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8270C BY SIM	SW846 3550B	
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	T23198.D	1	05/05/16	BJ	05/05/16	OP14318	ET1057
Run #2 ^b	T23218.D	20	05/06/16	BJ	05/05/16	OP14318	ET1058

	Initial Weight	Final Volume
Run #1	30.1 g	1.0 ml
Run #2	30.1 g	1.0 ml

BN PAH List

CAS No.	Compound	Result	RL	MDL	Units	Q
83-32-9	Acenaphthene	6.2	3.3	0.45	ug/kg	
208-96-8	Acenaphthylene	ND	3.3	0.58	ug/kg	
120-12-7	Anthracene	ND	3.3	0.47	ug/kg	
56-55-3	Benzo(a)anthracene	1.0	3.3	0.32	ug/kg	J
50-32-8	Benzo(a)pyrene	ND	3.3	0.29	ug/kg	
205-99-2	Benzo(b)fluoranthene	ND	3.3	0.57	ug/kg	
191-24-2	Benzo(g,h,i)perylene	ND	3.3	0.65	ug/kg	
207-08-9	Benzo(k)fluoranthene	ND	3.3	0.53	ug/kg	
218-01-9	Chrysene	1.3	3.3	0.55	ug/kg	J
53-70-3	Dibenzo(a,h)anthracene	ND	3.3	0.68	ug/kg	
206-44-0	Fluoranthene	1.1	3.3	0.54	ug/kg	J
86-73-7	Fluorene	19.1	3.3	0.49	ug/kg	
193-39-5	Indeno(1,2,3-cd)pyrene	ND	3.3	0.69	ug/kg	
90-12-0	1-Methylnaphthalene	1860 ^c	66	11	ug/kg	
91-57-6	2-Methylnaphthalene	3560 ^c	66	8.0	ug/kg	
91-20-3	Naphthalene	2580 ^c	66	10	ug/kg	
85-01-8	Phenanthrene	7.0	3.3	0.37	ug/kg	
129-00-0	Pyrene	1.6	3.3	0.86	ug/kg	J

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	105%	298% ^d	10-177%
321-60-8	2-Fluorobiphenyl	87%	87%	41-124%
1718-51-0	Terphenyl-d14	98%	98%	40-149%

- (a) All results reported on a wet weight basis.
 (b) Dilution required due to matrix interference.
 (c) Result is from Run# 2
 (d) Outside control limits due to dilution and matrix interference.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

3.6
3

Client Sample ID:	9669-T2-C-12.5	Date Sampled:	05/04/16
Lab Sample ID:	C45685-6	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8015B M SW846 3550B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	BB3225.D	10	05/06/16	FL	05/06/16	OP14328	GBB125
Run #2							

	Initial Weight	Final Volume
Run #1	30.2 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	ND	33	17	mg/kg	
	TPH (Motor Oil)	34.4	66	33	mg/kg	J
	TPH (Mineral Spirits)	ND	33	17	mg/kg	
	TPH (Kerosene) ^b	262	33	17	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	77%		38-146%

(a) All results reported on a wet weight basis.

(b) Pattern appears to be Jet-A related but does not match with calibration standard, quantitated as best match.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

3.6
3

Client Sample ID:	9669-T2-C-12.5	Date Sampled:	05/04/16
Lab Sample ID:	C45685-6	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Project:	1110 Jackson Street - Oakland, CA		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Cadmium	< 0.87	0.87	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Chromium	61.6	0.87	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Lead	2.4	1.7	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Nickel	47.2	0.87	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Zinc	22.5	1.7	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5838

(2) Prep QC Batch: MP11265

(a) All results reported on a wet weight basis.

RL = Reporting Limit

Report of Analysis

Page 1 of 3

37
3

Client Sample ID:	9669-T2-WW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-7	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	M60468.D	1	05/06/16	JT	n/a	n/a	VM1816
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.67 g	5.0 ml	10.0 ul
Run #2			

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	18000	4400	ug/kg	
71-43-2	Benzene	ND	2200	220	ug/kg	
108-86-1	Bromobenzene	ND	2200	220	ug/kg	
74-97-5	Bromo(chloromethane)	ND	2200	220	ug/kg	
75-27-4	Bromodichloromethane	ND	2200	220	ug/kg	
75-25-2	Bromoform	ND	2200	220	ug/kg	
104-51-8	n-Butylbenzene	ND	2200	220	ug/kg	
135-98-8	sec-Butylbenzene	ND	2200	220	ug/kg	
98-06-6	tert-Butylbenzene	ND	2200	220	ug/kg	
108-90-7	Chlorobenzene	ND	2200	220	ug/kg	
75-00-3	Chloroethane	ND	2200	440	ug/kg	
67-66-3	Chloroform	ND	2200	220	ug/kg	
95-49-8	o-Chlorotoluene	ND	2200	220	ug/kg	
106-43-4	p-Chlorotoluene	ND	2200	220	ug/kg	
56-23-5	Carbon tetrachloride	ND	2200	220	ug/kg	
75-34-3	1,1-Dichloroethane	ND	2200	220	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	2200	220	ug/kg	
563-58-6	1,1-Dichloropropene	ND	2200	220	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2200	620	ug/kg	
106-93-4	1,2-Dibromoethane	ND	2200	220	ug/kg	
107-06-2	1,2-Dichloroethane	ND	2200	220	ug/kg	
78-87-5	1,2-Dichloropropane	ND	2200	220	ug/kg	
142-28-9	1,3-Dichloropropane	ND	2200	220	ug/kg	
108-20-3	Di-Isopropyl ether	ND	2200	220	ug/kg	
594-20-7	2,2-Dichloropropane	ND	2200	220	ug/kg	
124-48-1	Dibromo(chloromethane)	ND	2200	220	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	2200	440	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	2200	490	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	2200	220	ug/kg	
541-73-1	m-Dichlorobenzene	ND	2200	220	ug/kg	
95-50-1	o-Dichlorobenzene	ND	2200	220	ug/kg	
106-46-7	p-Dichlorobenzene	ND	2200	220	ug/kg	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 3

37
3

Client Sample ID:	9669-T2-WW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-7	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	2200	220	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	2200	220	ug/kg	
100-41-4	Ethylbenzene	ND	2200	220	ug/kg	
637-92-3	Ethyl tert-Butyl Ether	ND	2200	220	ug/kg	
591-78-6	2-Hexanone	ND	8800	880	ug/kg	
87-68-3	Hexachlorobutadiene	ND	2200	440	ug/kg	
98-82-8	Isopropylbenzene	ND	2200	220	ug/kg	
99-87-6	p-Isopropyltoluene	ND	2200	220	ug/kg	
108-10-1	4-Methyl-2-pentanone	ND	8800	880	ug/kg	
74-83-9	Methyl bromide	ND	2200	440	ug/kg	
74-87-3	Methyl chloride	ND	2200	440	ug/kg	
74-95-3	Methylene bromide	ND	2200	220	ug/kg	
75-09-2	Methylene chloride	ND	8800	2200	ug/kg	
78-93-3	Methyl ethyl ketone	ND	8800	880	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	2200	440	ug/kg	
91-20-3	Naphthalene	ND	2200	440	ug/kg	
103-65-1	n-Propylbenzene	261	2200	220	ug/kg	J
100-42-5	Styrene	ND	2200	220	ug/kg	
994-05-8	Tert-Amyl Methyl Ether	ND	2200	220	ug/kg	
75-65-0	Tert Butyl Alcohol ^b	ND	18000	4400	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	2200	220	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	2200	220	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	2200	220	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	2200	220	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	2200	220	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	2200	440	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	2200	220	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	2200	440	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	2200	440	ug/kg	
127-18-4	Tetrachloroethylene	ND	2200	260	ug/kg	
108-88-3	Toluene	ND	2200	220	ug/kg	
79-01-6	Trichloroethylene	ND	2200	220	ug/kg	
75-69-4	Trichlorofluoromethane	ND	2200	440	ug/kg	
75-01-4	Vinyl chloride	ND	2200	440	ug/kg	
1330-20-7	Xylene (total)	ND	4400	440	ug/kg	
	TPH-GRO (C6-C10)	178000	44000	22000	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		80-136%

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 3 of 3

37
3

Client Sample ID:	9669-T2-WW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-7	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	97%		88-113%
460-00-4	4-Bromofluorobenzene	105%		79-115%

- (a) All results reported on a wet weight basis.
 (b) CCV outside of control limits (biased high); not detected in sample.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

37
3

Client Sample ID:	9669-T2-WW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-7	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8270C BY SIM	SW846 3550B	
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	T23199.D	1	05/05/16	BJ	05/05/16	OP14318	ET1057
Run #2							

	Initial Weight	Final Volume
Run #1	30.1 g	1.0 ml
Run #2		

BN PAH List

CAS No.	Compound	Result	RL	MDL	Units	Q
83-32-9	Acenaphthene	ND	3.3	0.45	ug/kg	
208-96-8	Acenaphthylene	ND	3.3	0.58	ug/kg	
120-12-7	Anthracene	ND	3.3	0.47	ug/kg	
56-55-3	Benzo(a)anthracene	ND	3.3	0.32	ug/kg	
50-32-8	Benzo(a)pyrene	ND	3.3	0.29	ug/kg	
205-99-2	Benzo(b)fluoranthene	ND	3.3	0.57	ug/kg	
191-24-2	Benzo(g,h,i)perylene	ND	3.3	0.65	ug/kg	
207-08-9	Benzo(k)fluoranthene	ND	3.3	0.53	ug/kg	
218-01-9	Chrysene	ND	3.3	0.55	ug/kg	
53-70-3	Dibenz(a,h)anthracene	ND	3.3	0.68	ug/kg	
206-44-0	Fluoranthene	ND	3.3	0.54	ug/kg	
86-73-7	Fluorene	ND	3.3	0.49	ug/kg	
193-39-5	Indeno(1,2,3-cd)pyrene	ND	3.3	0.69	ug/kg	
90-12-0	1-Methylnaphthalene	35.7	3.3	0.56	ug/kg	
91-57-6	2-Methylnaphthalene	64.2	3.3	0.40	ug/kg	
91-20-3	Naphthalene	33.3	3.3	0.50	ug/kg	
85-01-8	Phenanthrene	0.47	3.3	0.36	ug/kg	J
129-00-0	Pyrene	ND	3.3	0.86	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	84%		10-177%
321-60-8	2-Fluorobiphenyl	83%		41-124%
1718-51-0	Terphenyl-d14	99%		40-149%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

37
3

Client Sample ID:	9669-T2-WW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-7	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8015B M SW846 3550B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	BB3226.D	1	05/06/16	FL	05/06/16	OP14328	GBB125
Run #2							

	Initial Weight	Final Volume
Run #1	30.2 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	ND	3.3	1.7	mg/kg	
	TPH (Motor Oil)	ND	6.6	3.3	mg/kg	
	TPH (Mineral Spirits)	ND	3.3	1.7	mg/kg	
	TPH (Kerosene) ^b	4.73	3.3	1.7	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	86%		38-146%

(a) All results reported on a wet weight basis.

(b) Jet-fuel pattern is not present.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

37
3

Client Sample ID:	9669-T2-WW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-7	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Project:	1110 Jackson Street - Oakland, CA		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Cadmium	< 0.88	0.88	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Chromium	46.4	0.88	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Lead	3.2	1.8	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Nickel	32.2	0.88	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Zinc	26.0	1.8	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5838

(2) Prep QC Batch: MP11265

(a) All results reported on a wet weight basis.

RL = Reporting Limit

Report of Analysis

Page 1 of 3

38

3

Client Sample ID:	9669-T2-SW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-8	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	M60469.D	1	05/06/16	JT	n/a	n/a	VM1816
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.39 g	5.0 ml	10.0 ul
Run #2			

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	19000	4600	ug/kg	
71-43-2	Benzene	ND	2300	230	ug/kg	
108-86-1	Bromobenzene	ND	2300	230	ug/kg	
74-97-5	Bromo(chloromethane)	ND	2300	230	ug/kg	
75-27-4	Bromodichloromethane	ND	2300	230	ug/kg	
75-25-2	Bromoform	ND	2300	230	ug/kg	
104-51-8	n-Butylbenzene	ND	2300	230	ug/kg	
135-98-8	sec-Butylbenzene	ND	2300	230	ug/kg	
98-06-6	tert-Butylbenzene	ND	2300	230	ug/kg	
108-90-7	Chlorobenzene	ND	2300	230	ug/kg	
75-00-3	Chloroethane	ND	2300	460	ug/kg	
67-66-3	Chloroform	ND	2300	230	ug/kg	
95-49-8	o-Chlorotoluene	ND	2300	230	ug/kg	
106-43-4	p-Chlorotoluene	ND	2300	230	ug/kg	
56-23-5	Carbon tetrachloride	ND	2300	230	ug/kg	
75-34-3	1,1-Dichloroethane	ND	2300	230	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	2300	230	ug/kg	
563-58-6	1,1-Dichloropropene	ND	2300	230	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2300	650	ug/kg	
106-93-4	1,2-Dibromoethane	ND	2300	230	ug/kg	
107-06-2	1,2-Dichloroethane	ND	2300	230	ug/kg	
78-87-5	1,2-Dichloropropane	ND	2300	230	ug/kg	
142-28-9	1,3-Dichloropropane	ND	2300	230	ug/kg	
108-20-3	Di-Isopropyl ether	ND	2300	230	ug/kg	
594-20-7	2,2-Dichloropropane	ND	2300	230	ug/kg	
124-48-1	Dibromo(chloromethane)	ND	2300	230	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	2300	460	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	2300	510	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	2300	230	ug/kg	
541-73-1	m-Dichlorobenzene	ND	2300	230	ug/kg	
95-50-1	o-Dichlorobenzene	ND	2300	230	ug/kg	
106-46-7	p-Dichlorobenzene	ND	2300	230	ug/kg	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 3

3.8

3

Client Sample ID:	9669-T2-SW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-8	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	2300	230	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	2300	230	ug/kg	
100-41-4	Ethylbenzene	ND	2300	230	ug/kg	
637-92-3	Ethyl tert-Butyl Ether	ND	2300	230	ug/kg	
591-78-6	2-Hexanone	ND	9300	930	ug/kg	
87-68-3	Hexachlorobutadiene	ND	2300	460	ug/kg	
98-82-8	Isopropylbenzene	ND	2300	230	ug/kg	
99-87-6	p-Isopropyltoluene	ND	2300	230	ug/kg	
108-10-1	4-Methyl-2-pentanone	ND	9300	930	ug/kg	
74-83-9	Methyl bromide	ND	2300	460	ug/kg	
74-87-3	Methyl chloride	ND	2300	460	ug/kg	
74-95-3	Methylene bromide	ND	2300	230	ug/kg	
75-09-2	Methylene chloride	ND	9300	2300	ug/kg	
78-93-3	Methyl ethyl ketone	ND	9300	930	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	2300	460	ug/kg	
91-20-3	Naphthalene	ND	2300	460	ug/kg	
103-65-1	n-Propylbenzene	236	2300	230	ug/kg	J
100-42-5	Styrene	ND	2300	230	ug/kg	
994-05-8	Tert-Amyl Methyl Ether	ND	2300	230	ug/kg	
75-65-0	Tert Butyl Alcohol ^b	ND	19000	4600	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	2300	230	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	2300	230	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	2300	230	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	2300	230	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	2300	230	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	2300	460	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	2300	230	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	2300	460	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	2300	460	ug/kg	
127-18-4	Tetrachloroethylene	ND	2300	280	ug/kg	
108-88-3	Toluene	ND	2300	230	ug/kg	
79-01-6	Trichloroethylene	ND	2300	230	ug/kg	
75-69-4	Trichlorofluoromethane	ND	2300	460	ug/kg	
75-01-4	Vinyl chloride	ND	2300	460	ug/kg	
1330-20-7	Xylene (total)	ND	4600	460	ug/kg	
	TPH-GRO (C6-C10)	144000	46000	23000	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%		80-136%

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 3 of 3

3.8
3

Client Sample ID:	9669-T2-SW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-8	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	98%		88-113%
460-00-4	4-Bromofluorobenzene	104%		79-115%

(a) All results reported on a wet weight basis.

(b) CCV outside of control limits (biased high); not detected in sample.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

38

3

Client Sample ID:	9669-T2-SW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-8	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8270C BY SIM SW846 3550B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	T23200.D	1	05/05/16	BJ	05/05/16	OP14318	ET1057
Run #2							

	Initial Weight	Final Volume
Run #1	30.0 g	1.0 ml
Run #2		

BN PAH List

CAS No.	Compound	Result	RL	MDL	Units	Q
83-32-9	Acenaphthene	ND	3.3	0.45	ug/kg	
208-96-8	Acenaphthylene	ND	3.3	0.58	ug/kg	
120-12-7	Anthracene	ND	3.3	0.47	ug/kg	
56-55-3	Benzo(a)anthracene	ND	3.3	0.32	ug/kg	
50-32-8	Benzo(a)pyrene	ND	3.3	0.29	ug/kg	
205-99-2	Benzo(b)fluoranthene	ND	3.3	0.57	ug/kg	
191-24-2	Benzo(g,h,i)perylene	ND	3.3	0.66	ug/kg	
207-08-9	Benzo(k)fluoranthene	ND	3.3	0.53	ug/kg	
218-01-9	Chrysene	ND	3.3	0.55	ug/kg	
53-70-3	Dibenz(a,h)anthracene	ND	3.3	0.68	ug/kg	
206-44-0	Fluoranthene	ND	3.3	0.54	ug/kg	
86-73-7	Fluorene	0.61	3.3	0.50	ug/kg	J
193-39-5	Indeno(1,2,3-cd)pyrene	ND	3.3	0.69	ug/kg	
90-12-0	1-Methylnaphthalene	52.4	3.3	0.56	ug/kg	
91-57-6	2-Methylnaphthalene	95.6	3.3	0.40	ug/kg	
91-20-3	Naphthalene	53.8	3.3	0.50	ug/kg	
85-01-8	Phenanthrene	0.41	3.3	0.37	ug/kg	J
129-00-0	Pyrene	ND	3.3	0.86	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	69%		10-177%
321-60-8	2-Fluorobiphenyl	68%		41-124%
1718-51-0	Terphenyl-d14	96%		40-149%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

3.8
3

Client Sample ID:	9669-T2-SW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-8	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8015B M SW846 3550B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	BB3228.D	1	05/06/16	FL	05/06/16	OP14328	GBB125
Run #2							

	Initial Weight	Final Volume
Run #1	30.2 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	ND	3.3	1.7	mg/kg	
	TPH (Motor Oil)	4.19	6.6	3.3	mg/kg	J
	TPH (Mineral Spirits)	ND	3.3	1.7	mg/kg	
	TPH (Kerosene) ^b	16.2	3.3	1.7	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	83%		38-146%

(a) All results reported on a wet weight basis.

(b) Pattern appears to be Jet-A related but does not match with calibration standard, quantitated as best match.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

3.8
3

Client Sample ID:	9669-T2-SW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-8	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Project:	1110 Jackson Street - Oakland, CA		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Cadmium	< 0.94	0.94	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Chromium	63.0	0.94	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Lead	3.8	1.9	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Nickel	33.9	0.94	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Zinc	25.3	1.9	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5838

(2) Prep QC Batch: MP11265

(a) All results reported on a wet weight basis.

RL = Reporting Limit

Report of Analysis

Page 1 of 3

39
3

Client Sample ID:	9669-T3-WW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-9	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	M60461.D	1	05/06/16	JT	n/a	n/a	VM1816
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.08 g	5.0 ml	100 ul
Run #2			

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	2000	490	ug/kg	
71-43-2	Benzene	ND	250	25	ug/kg	
108-86-1	Bromobenzene	ND	250	25	ug/kg	
74-97-5	Bromo(chloromethane)	ND	250	25	ug/kg	
75-27-4	Bromodichloromethane	ND	250	25	ug/kg	
75-25-2	Bromoform	ND	250	25	ug/kg	
104-51-8	n-Butylbenzene	ND	250	25	ug/kg	
135-98-8	sec-Butylbenzene	ND	250	25	ug/kg	
98-06-6	tert-Butylbenzene	ND	250	25	ug/kg	
108-90-7	Chlorobenzene	ND	250	25	ug/kg	
75-00-3	Chloroethane	ND	250	49	ug/kg	
67-66-3	Chloroform	ND	250	25	ug/kg	
95-49-8	o-Chlorotoluene	ND	250	25	ug/kg	
106-43-4	p-Chlorotoluene	ND	250	25	ug/kg	
56-23-5	Carbon tetrachloride	ND	250	25	ug/kg	
75-34-3	1,1-Dichloroethane	ND	250	25	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	250	25	ug/kg	
563-58-6	1,1-Dichloropropene	ND	250	25	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	250	69	ug/kg	
106-93-4	1,2-Dibromoethane	ND	250	25	ug/kg	
107-06-2	1,2-Dichloroethane	ND	250	25	ug/kg	
78-87-5	1,2-Dichloropropane	ND	250	25	ug/kg	
142-28-9	1,3-Dichloropropane	ND	250	25	ug/kg	
108-20-3	Di-Isopropyl ether	ND	250	25	ug/kg	
594-20-7	2,2-Dichloropropane	ND	250	25	ug/kg	
124-48-1	Dibromo(chloromethane)	ND	250	25	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	250	49	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	250	54	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	250	25	ug/kg	
541-73-1	m-Dichlorobenzene	ND	250	25	ug/kg	
95-50-1	o-Dichlorobenzene	ND	250	25	ug/kg	
106-46-7	p-Dichlorobenzene	ND	250	25	ug/kg	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 3

39
3

Client Sample ID:	9669-T3-WW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-9	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	250	25	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	250	25	ug/kg	
100-41-4	Ethylbenzene	ND	250	25	ug/kg	
637-92-3	Ethyl tert-Butyl Ether	ND	250	25	ug/kg	
591-78-6	2-Hexanone	ND	980	98	ug/kg	
87-68-3	Hexachlorobutadiene	ND	250	49	ug/kg	
98-82-8	Isopropylbenzene	ND	250	25	ug/kg	
99-87-6	p-Isopropyltoluene	ND	250	25	ug/kg	
108-10-1	4-Methyl-2-pentanone	ND	980	98	ug/kg	
74-83-9	Methyl bromide	ND	250	49	ug/kg	
74-87-3	Methyl chloride	ND	250	49	ug/kg	
74-95-3	Methylene bromide	ND	250	25	ug/kg	
75-09-2	Methylene chloride	ND	980	250	ug/kg	
78-93-3	Methyl ethyl ketone	ND	980	98	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	250	49	ug/kg	
91-20-3	Naphthalene	ND	250	49	ug/kg	
103-65-1	n-Propylbenzene	ND	250	25	ug/kg	
100-42-5	Styrene	ND	250	25	ug/kg	
994-05-8	Tert-Amyl Methyl Ether	ND	250	25	ug/kg	
75-65-0	Tert Butyl Alcohol ^b	ND	2000	490	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	250	25	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	250	25	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	250	25	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	250	25	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	250	25	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	250	49	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	250	25	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	250	49	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	250	49	ug/kg	
127-18-4	Tetrachloroethylene	ND	250	30	ug/kg	
108-88-3	Toluene	ND	250	25	ug/kg	
79-01-6	Trichloroethylene	ND	250	25	ug/kg	
75-69-4	Trichlorofluoromethane	ND	250	49	ug/kg	
75-01-4	Vinyl chloride	ND	250	49	ug/kg	
1330-20-7	Xylene (total)	ND	490	49	ug/kg	
	TPH-GRO (C6-C10)	ND	4900	2500	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%		80-136%

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 3 of 3

39
3

Client Sample ID:	9669-T3-WW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-9	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	100%		88-113%
460-00-4	4-Bromofluorobenzene	95%		79-115%

(a) All results reported on a wet weight basis.

(b) CCV outside of control limits (biased high); not detected in sample.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

39
3

Client Sample ID:	9669-T3-WW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-9	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8270C BY SIM	SW846 3550B	
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	T23201.D	1	05/05/16	BJ	05/05/16	OP14318	ET1057
Run #2							

	Initial Weight	Final Volume
Run #1	30.0 g	1.0 ml
Run #2		

BN PAH List

CAS No.	Compound	Result	RL	MDL	Units	Q
83-32-9	Acenaphthene	ND	3.3	0.45	ug/kg	
208-96-8	Acenaphthylene	ND	3.3	0.58	ug/kg	
120-12-7	Anthracene	ND	3.3	0.47	ug/kg	
56-55-3	Benzo(a)anthracene	ND	3.3	0.32	ug/kg	
50-32-8	Benzo(a)pyrene	ND	3.3	0.29	ug/kg	
205-99-2	Benzo(b)fluoranthene	ND	3.3	0.57	ug/kg	
191-24-2	Benzo(g,h,i)perylene	ND	3.3	0.66	ug/kg	
207-08-9	Benzo(k)fluoranthene	ND	3.3	0.53	ug/kg	
218-01-9	Chrysene	ND	3.3	0.55	ug/kg	
53-70-3	Dibenz(a,h)anthracene	ND	3.3	0.68	ug/kg	
206-44-0	Fluoranthene	ND	3.3	0.54	ug/kg	
86-73-7	Fluorene	ND	3.3	0.50	ug/kg	
193-39-5	Indeno(1,2,3-cd)pyrene	ND	3.3	0.69	ug/kg	
90-12-0	1-Methylnaphthalene	ND	3.3	0.56	ug/kg	
91-57-6	2-Methylnaphthalene	0.50	3.3	0.40	ug/kg	J
91-20-3	Naphthalene	ND	3.3	0.50	ug/kg	
85-01-8	Phenanthrene	ND	3.3	0.37	ug/kg	
129-00-0	Pyrene	ND	3.3	0.86	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	81%		10-177%
321-60-8	2-Fluorobiphenyl	81%		41-124%
1718-51-0	Terphenyl-d14	100%		40-149%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

39
3

Client Sample ID:	9669-T3-WW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-9	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8015B M SW846 3550B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	BB3229.D	1	05/06/16	FL	05/06/16	OP14328	GBB125
Run #2							

	Initial Weight	Final Volume
Run #1	30.2 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	ND	3.3	1.7	mg/kg	
	TPH (Motor Oil)	ND	6.6	3.3	mg/kg	
	TPH (Mineral Spirits)	ND	3.3	1.7	mg/kg	
	TPH (Kerosene)	ND	3.3	1.7	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	83%		38-146%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

39
3

Client Sample ID:	9669-T3-WW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-9	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Project:	1110 Jackson Street - Oakland, CA		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Cadmium	< 0.90	0.90	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Chromium	56.7	0.90	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Lead	3.5	1.8	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Nickel	32.8	0.90	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Zinc	27.7	1.8	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5838

(2) Prep QC Batch: MP11265

(a) All results reported on a wet weight basis.

RL = Reporting Limit

Report of Analysis

Page 1 of 3

3.10
3

Client Sample ID:	9669-T3-C-12'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-10	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	L48810.D	1	05/05/16	JT	n/a	n/a	VL1459
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.23 g	5.0 ml	100 ul
Run #2			

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	1900	480	ug/kg	
71-43-2	Benzene	ND	240	24	ug/kg	
108-86-1	Bromobenzene	ND	240	24	ug/kg	
74-97-5	Bromo(chloromethane)	ND	240	24	ug/kg	
75-27-4	Bromodichloromethane	ND	240	24	ug/kg	
75-25-2	Bromoform	ND	240	24	ug/kg	
104-51-8	n-Butylbenzene	ND	240	24	ug/kg	
135-98-8	sec-Butylbenzene	63.9	240	24	ug/kg	J
98-06-6	tert-Butylbenzene	ND	240	24	ug/kg	
108-90-7	Chlorobenzene	ND	240	24	ug/kg	
75-00-3	Chloroethane	ND	240	48	ug/kg	
67-66-3	Chloroform	ND	240	24	ug/kg	
95-49-8	o-Chlorotoluene	ND	240	24	ug/kg	
106-43-4	p-Chlorotoluene	ND	240	24	ug/kg	
56-23-5	Carbon tetrachloride	ND	240	24	ug/kg	
75-34-3	1,1-Dichloroethane	ND	240	24	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	240	24	ug/kg	
563-58-6	1,1-Dichloropropene	ND	240	24	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	240	67	ug/kg	
106-93-4	1,2-Dibromoethane	ND	240	24	ug/kg	
107-06-2	1,2-Dichloroethane	ND	240	24	ug/kg	
78-87-5	1,2-Dichloropropane	ND	240	24	ug/kg	
142-28-9	1,3-Dichloropropane	ND	240	24	ug/kg	
108-20-3	Di-Isopropyl ether	ND	240	24	ug/kg	
594-20-7	2,2-Dichloropropane	ND	240	24	ug/kg	
124-48-1	Dibromo(chloromethane)	ND	240	24	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	240	48	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	240	53	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	240	24	ug/kg	
541-73-1	m-Dichlorobenzene	ND	240	24	ug/kg	
95-50-1	o-Dichlorobenzene	ND	240	24	ug/kg	
106-46-7	p-Dichlorobenzene	ND	240	24	ug/kg	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 3

3.10
3

Client Sample ID:	9669-T3-C-12'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-10	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	240	24	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	240	24	ug/kg	
100-41-4	Ethylbenzene	ND	240	24	ug/kg	
637-92-3	Ethyl tert-Butyl Ether ^b	ND	240	24	ug/kg	
591-78-6	2-Hexanone	ND	960	96	ug/kg	
87-68-3	Hexachlorobutadiene	ND	240	48	ug/kg	
98-82-8	Isopropylbenzene	ND	240	24	ug/kg	
99-87-6	p-Isopropyltoluene	86.8	240	24	ug/kg	J
108-10-1	4-Methyl-2-pentanone	ND	960	96	ug/kg	
74-83-9	Methyl bromide	ND	240	48	ug/kg	
74-87-3	Methyl chloride	ND	240	48	ug/kg	
74-95-3	Methylene bromide	ND	240	24	ug/kg	
75-09-2	Methylene chloride	ND	960	240	ug/kg	
78-93-3	Methyl ethyl ketone	ND	960	96	ug/kg	
1634-04-4	Methyl Tert Butyl Ether ^b	ND	240	48	ug/kg	
91-20-3	Naphthalene	74.3	240	48	ug/kg	J
103-65-1	n-Propylbenzene	36.1	240	24	ug/kg	J
100-42-5	Styrene	ND	240	24	ug/kg	
994-05-8	Tert-Amyl Methyl Ether ^b	ND	240	24	ug/kg	
75-65-0	Tert Butyl Alcohol ^b	ND	1900	480	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	240	24	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	240	24	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	240	24	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	240	24	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	240	24	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	240	48	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	240	24	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	106	240	48	ug/kg	J
108-67-8	1,3,5-Trimethylbenzene	157	240	48	ug/kg	J
127-18-4	Tetrachloroethylene	ND	240	29	ug/kg	
108-88-3	Toluene	ND	240	24	ug/kg	
79-01-6	Trichloroethylene	ND	240	24	ug/kg	
75-69-4	Trichlorofluoromethane	ND	240	48	ug/kg	
75-01-4	Vinyl chloride	ND	240	48	ug/kg	
1330-20-7	Xylene (total)	62.0	480	48	ug/kg	J
	TPH-GRO (C6-C10)	67800	4800	2400	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	104%		80-136%

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 3 of 3

3.10
3

Client Sample ID:	9669-T3-C-12'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-10	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	94%		88-113%
460-00-4	4-Bromofluorobenzene	106%		79-115%

(a) All results reported on a wet weight basis.

(b) CCV outside of control limits (biased high); not detected in sample.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

3.10
3

Client Sample ID:	9669-T3-C-12'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-10	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8270C BY SIM	SW846 3550B	
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	T23202.D	1	05/05/16	BJ	05/05/16	OP14318	ET1057
Run #2							

	Initial Weight	Final Volume
Run #1	30.1 g	1.0 ml
Run #2		

BN PAH List

CAS No.	Compound	Result	RL	MDL	Units	Q
83-32-9	Acenaphthene	3.7	3.3	0.45	ug/kg	
208-96-8	Acenaphthylene	ND	3.3	0.58	ug/kg	
120-12-7	Anthracene	ND	3.3	0.47	ug/kg	
56-55-3	Benzo(a)anthracene	ND	3.3	0.32	ug/kg	
50-32-8	Benzo(a)pyrene	ND	3.3	0.29	ug/kg	
205-99-2	Benzo(b)fluoranthene	ND	3.3	0.57	ug/kg	
191-24-2	Benzo(g,h,i)perylene	ND	3.3	0.66	ug/kg	
207-08-9	Benzo(k)fluoranthene	ND	3.3	0.53	ug/kg	
218-01-9	Chrysene	ND	3.3	0.55	ug/kg	
53-70-3	Dibenz(a,h)anthracene	ND	3.3	0.68	ug/kg	
206-44-0	Fluoranthene	ND	3.3	0.54	ug/kg	
86-73-7	Fluorene	12.1	3.3	0.50	ug/kg	
193-39-5	Indeno(1,2,3-cd)pyrene	ND	3.3	0.69	ug/kg	
90-12-0	1-Methylnaphthalene	124	3.3	0.56	ug/kg	
91-57-6	2-Methylnaphthalene	242	3.3	0.40	ug/kg	
91-20-3	Naphthalene	91.3	3.3	0.50	ug/kg	
85-01-8	Phenanthrene	6.5	3.3	0.37	ug/kg	
129-00-0	Pyrene	ND	3.3	0.86	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	108%		10-177%
321-60-8	2-Fluorobiphenyl	84%		41-124%
1718-51-0	Terphenyl-d14	101%		40-149%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

Client Sample ID:	9669-T3-C-12'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-10	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8015B M SW846 3550B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	BB3230.D	1	05/06/16	FL	05/06/16	OP14328	GBB125
Run #2							

	Initial Weight	Final Volume
Run #1	30.3 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	ND	3.3	1.6	mg/kg	
	TPH (Motor Oil)	ND	6.6	3.3	mg/kg	
	TPH (Mineral Spirits)	ND	3.3	1.6	mg/kg	
	TPH (Kerosene) ^b	31.8	3.3	1.6	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	86%		38-146%

(a) All results reported on a wet weight basis.

(b) Pattern resembles Jet Fuel.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

3.10
3

Client Sample ID:	9669-T3-C-12'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-10	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Project:	1110 Jackson Street - Oakland, CA		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Cadmium	< 0.82	0.82	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Chromium	58.7	0.82	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Lead	2.9	1.6	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Nickel	40.4	0.82	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Zinc	21.3	1.6	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5838

(2) Prep QC Batch: MP11265

(a) All results reported on a wet weight basis.

RL = Reporting Limit

Report of Analysis

Page 1 of 3

Client Sample ID:	9669-T3-SW-6.5	Date Sampled:	05/04/16
Lab Sample ID:	C45685-11	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	M60533.D	1	05/10/16	JT	n/a	n/a	VM1819
Run #2	M60535.D	100	05/10/16	JT	n/a	n/a	VM1819

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.51 g	5.0 ml	1.0 ul
Run #2	5.51 g	5.0 ml	50.0 ul

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	180000	45000	ug/kg	
71-43-2	Benzene	ND	23000	2300	ug/kg	
108-86-1	Bromobenzene	ND	23000	2300	ug/kg	
74-97-5	Bromo(chloromethane)	ND	23000	2300	ug/kg	
75-27-4	Bromodichloromethane	ND	23000	2300	ug/kg	
75-25-2	Bromoform	ND	23000	2300	ug/kg	
104-51-8	n-Butylbenzene	ND	23000	2300	ug/kg	
135-98-8	sec-Butylbenzene	10100	23000	2300	ug/kg	J
98-06-6	tert-Butylbenzene	ND	23000	2300	ug/kg	
108-90-7	Chlorobenzene	ND	23000	2300	ug/kg	
75-00-3	Chloroethane	ND	23000	4500	ug/kg	
67-66-3	Chloroform	ND	23000	2300	ug/kg	
95-49-8	o-Chlorotoluene	ND	23000	2300	ug/kg	
106-43-4	p-Chlorotoluene	ND	23000	2300	ug/kg	
56-23-5	Carbon tetrachloride	ND	23000	2300	ug/kg	
75-34-3	1,1-Dichloroethane	ND	23000	2300	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	23000	2300	ug/kg	
563-58-6	1,1-Dichloropropene	ND	23000	2300	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	23000	6400	ug/kg	
106-93-4	1,2-Dibromoethane	ND	23000	2300	ug/kg	
107-06-2	1,2-Dichloroethane	ND	23000	2300	ug/kg	
78-87-5	1,2-Dichloropropane	ND	23000	2300	ug/kg	
142-28-9	1,3-Dichloropropane	ND	23000	2300	ug/kg	
108-20-3	Di-Isopropyl ether	ND	23000	2300	ug/kg	
594-20-7	2,2-Dichloropropane	ND	23000	2300	ug/kg	
124-48-1	Dibromo(chloromethane)	ND	23000	2300	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	23000	4500	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	23000	5000	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	23000	2300	ug/kg	
541-73-1	m-Dichlorobenzene	ND	23000	2300	ug/kg	
95-50-1	o-Dichlorobenzene	ND	23000	2300	ug/kg	
106-46-7	p-Dichlorobenzene	ND	23000	2300	ug/kg	

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	9669-T3-SW-6.5	Date Sampled:	05/04/16
Lab Sample ID:	C45685-11	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	23000	2300	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	23000	2300	ug/kg	
100-41-4	Ethylbenzene	ND	23000	2300	ug/kg	
637-92-3	Ethyl tert-Butyl Ether	ND	23000	2300	ug/kg	
591-78-6	2-Hexanone	ND	91000	9100	ug/kg	
87-68-3	Hexachlorobutadiene	ND	23000	4500	ug/kg	
98-82-8	Isopropylbenzene	2550	23000	2300	ug/kg	J
99-87-6	p-Isopropyltoluene	18600	23000	2300	ug/kg	J
108-10-1	4-Methyl-2-pentanone	ND	91000	9100	ug/kg	
74-83-9	Methyl bromide	ND	23000	4500	ug/kg	
74-87-3	Methyl chloride	ND	23000	4500	ug/kg	
74-95-3	Methylene bromide	ND	23000	2300	ug/kg	
75-09-2	Methylene chloride	ND	91000	23000	ug/kg	
78-93-3	Methyl ethyl ketone	ND	91000	9100	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	23000	4500	ug/kg	
91-20-3	Naphthalene	9000	23000	4500	ug/kg	J
103-65-1	n-Propylbenzene	5400	23000	2300	ug/kg	J
100-42-5	Styrene	ND	23000	2300	ug/kg	
994-05-8	Tert-Amyl Methyl Ether	ND	23000	2300	ug/kg	
75-65-0	Tert Butyl Alcohol ^b	ND	180000	45000	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	23000	2300	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	23000	2300	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	23000	2300	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	23000	2300	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	23000	2300	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	23000	4500	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	23000	2300	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	78600	23000	4500	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	36900	23000	4500	ug/kg	
127-18-4	Tetrachloroethylene	ND	23000	2700	ug/kg	
108-88-3	Toluene	ND	23000	2300	ug/kg	
79-01-6	Trichloroethylene	ND	23000	2300	ug/kg	
75-69-4	Trichlorofluoromethane	ND	23000	4500	ug/kg	
75-01-4	Vinyl chloride	ND	23000	4500	ug/kg	
1330-20-7	Xylene (total)	6640	45000	4500	ug/kg	J
	TPH-GRO (C6-C10)	1330000 ^c	910000	450000	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	104%	109%	80-136%

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 3 of 3

3.11
3

Client Sample ID:	9669-T3-SW-6.5	Date Sampled:	05/04/16
Lab Sample ID:	C45685-11	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	94%	92%	88-113%
460-00-4	4-Bromofluorobenzene	114%	101%	79-115%

- (a) All results reported on a wet weight basis.
 (b) CCV outside of control limits (biased high); not detected in sample.
 (c) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

Client Sample ID:	9669-T3-SW-6.5	Date Sampled:	05/04/16
Lab Sample ID:	C45685-11	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8270C BY SIM SW846 3550B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^b	T23219.D	20	05/06/16	BJ	05/05/16	OP14318	ET1058
Run #2							

	Initial Weight	Final Volume
Run #1	30.2 g	1.0 ml
Run #2		

BN PAH List

CAS No.	Compound	Result	RL	MDL	Units	Q
83-32-9	Acenaphthene	24.5	66	8.9	ug/kg	
208-96-8	Acenaphthylene	ND	66	12	ug/kg	
120-12-7	Anthracene	ND	66	9.4	ug/kg	
56-55-3	Benzo(a)anthracene	ND	66	6.3	ug/kg	
50-32-8	Benzo(a)pyrene	ND	66	5.8	ug/kg	
205-99-2	Benzo(b)fluoranthene	ND	66	11	ug/kg	
191-24-2	Benzo(g,h,i)perylene	ND	66	13	ug/kg	
207-08-9	Benzo(k)fluoranthene	ND	66	11	ug/kg	
218-01-9	Chrysene	ND	66	11	ug/kg	
53-70-3	Dibenz(a,h)anthracene	ND	66	14	ug/kg	
206-44-0	Fluoranthene	ND	66	11	ug/kg	
86-73-7	Fluorene	96.9	66	9.9	ug/kg	
193-39-5	Indeno(1,2,3-cd)pyrene	ND	66	14	ug/kg	
90-12-0	1-Methylnaphthalene	1970	66	11	ug/kg	
91-57-6	2-Methylnaphthalene	3330	66	8.0	ug/kg	
91-20-3	Naphthalene	724	66	9.9	ug/kg	
85-01-8	Phenanthrene	38.9	66	7.3	ug/kg	J
129-00-0	Pyrene	ND	66	17	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	473% ^c		10-177%
321-60-8	2-Fluorobiphenyl	80%		41-124%
1718-51-0	Terphenyl-d14	84%		40-149%

- (a) All results reported on a wet weight basis.
 (b) Dilution required due to matrix interference.
 (c) Outside control limits due to dilution and matrix interference.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

SGS Accutest

Report of Analysis

Page 1 of 1

Client Sample ID:	9669-T3-SW-6.5	Date Sampled:	05/04/16
Lab Sample ID:	C45685-11	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8015B M SW846 3550B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	BB3260.D	100	05/09/16	FL	05/06/16	OP14328	GBB127
Run #2							

	Initial Weight	Final Volume
Run #1	30.0 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	ND	330	170	mg/kg	
	TPH (Motor Oil)	ND	670	330	mg/kg	
	TPH (Mineral Spirits)	ND	330	170	mg/kg	
	TPH (Kerosene) ^b	5090	330	170	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	84%		38-146%

(a) All results reported on a wet weight basis.

(b) Pattern resembles Kerosene.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

Client Sample ID:	9669-T3-SW-6.5	Date Sampled:	05/04/16
Lab Sample ID:	C45685-11	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Project:	1110 Jackson Street - Oakland, CA		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Cadmium	< 0.83	0.83	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Chromium	46.8	0.83	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Lead	17.1	1.7	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Nickel	30.0	0.83	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Zinc	31.9	1.7	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5838

(2) Prep QC Batch: MP11265

(a) All results reported on a wet weight basis.

RL = Reporting Limit

Report of Analysis

Page 1 of 3

Client Sample ID:	9669-T3-NW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-12	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	L48812.D	1	05/05/16	JT	n/a	n/a	VL1459
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.83 g	5.0 ml	100 ul
Run #2			

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	1700	430	ug/kg	
71-43-2	Benzene	ND	210	21	ug/kg	
108-86-1	Bromobenzene	ND	210	21	ug/kg	
74-97-5	Bromo(chloromethane)	ND	210	21	ug/kg	
75-27-4	Bromodichloromethane	ND	210	21	ug/kg	
75-25-2	Bromoform	ND	210	21	ug/kg	
104-51-8	n-Butylbenzene	24.3	210	21	ug/kg	J
135-98-8	sec-Butylbenzene	ND	210	21	ug/kg	
98-06-6	tert-Butylbenzene	ND	210	21	ug/kg	
108-90-7	Chlorobenzene	ND	210	21	ug/kg	
75-00-3	Chloroethane	ND	210	43	ug/kg	
67-66-3	Chloroform	ND	210	21	ug/kg	
95-49-8	o-Chlorotoluene	ND	210	21	ug/kg	
106-43-4	p-Chlorotoluene	ND	210	21	ug/kg	
56-23-5	Carbon tetrachloride	ND	210	21	ug/kg	
75-34-3	1,1-Dichloroethane	ND	210	21	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	210	21	ug/kg	
563-58-6	1,1-Dichloropropene	ND	210	21	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	210	60	ug/kg	
106-93-4	1,2-Dibromoethane	ND	210	21	ug/kg	
107-06-2	1,2-Dichloroethane	ND	210	21	ug/kg	
78-87-5	1,2-Dichloropropane	ND	210	21	ug/kg	
142-28-9	1,3-Dichloropropane	ND	210	21	ug/kg	
108-20-3	Di-Isopropyl ether	ND	210	21	ug/kg	
594-20-7	2,2-Dichloropropane	ND	210	21	ug/kg	
124-48-1	Dibromo(chloromethane)	ND	210	21	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	210	43	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	210	47	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	210	21	ug/kg	
541-73-1	m-Dichlorobenzene	ND	210	21	ug/kg	
95-50-1	o-Dichlorobenzene	ND	210	21	ug/kg	
106-46-7	p-Dichlorobenzene	ND	210	21	ug/kg	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 3

Client Sample ID:	9669-T3-NW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-12	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	210	21	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	210	21	ug/kg	
100-41-4	Ethylbenzene	ND	210	21	ug/kg	
637-92-3	Ethyl tert-Butyl Ether ^b	ND	210	21	ug/kg	
591-78-6	2-Hexanone	ND	860	86	ug/kg	
87-68-3	Hexachlorobutadiene	ND	210	43	ug/kg	
98-82-8	Isopropylbenzene	ND	210	21	ug/kg	
99-87-6	p-Isopropyltoluene	ND	210	21	ug/kg	
108-10-1	4-Methyl-2-pentanone	ND	860	86	ug/kg	
74-83-9	Methyl bromide	ND	210	43	ug/kg	
74-87-3	Methyl chloride	ND	210	43	ug/kg	
74-95-3	Methylene bromide	ND	210	21	ug/kg	
75-09-2	Methylene chloride	ND	860	210	ug/kg	
78-93-3	Methyl ethyl ketone	ND	860	86	ug/kg	
1634-04-4	Methyl Tert Butyl Ether ^b	ND	210	43	ug/kg	
91-20-3	Naphthalene	ND	210	43	ug/kg	
103-65-1	n-Propylbenzene	ND	210	21	ug/kg	
100-42-5	Styrene	ND	210	21	ug/kg	
994-05-8	Tert-Amyl Methyl Ether ^b	ND	210	21	ug/kg	
75-65-0	Tert Butyl Alcohol ^b	ND	1700	430	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	210	21	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	210	21	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	210	21	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	210	21	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	210	21	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	210	43	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	210	21	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	61.7	210	43	ug/kg	J
108-67-8	1,3,5-Trimethylbenzene	ND	210	43	ug/kg	
127-18-4	Tetrachloroethylene	ND	210	26	ug/kg	
108-88-3	Toluene	ND	210	21	ug/kg	
79-01-6	Trichloroethylene	ND	210	21	ug/kg	
75-69-4	Trichlorofluoromethane	ND	210	43	ug/kg	
75-01-4	Vinyl chloride	ND	210	43	ug/kg	
1330-20-7	Xylene (total)	ND	430	43	ug/kg	
	TPH-GRO (C6-C10)	6960	4300	2100	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	101%		80-136%

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	9669-T3-NW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-12	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	99%		88-113%
460-00-4	4-Bromofluorobenzene	99%		79-115%

- (a) All results reported on a wet weight basis.
 (b) CCV outside of control limits (biased high); not detected in sample.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

Client Sample ID:	9669-T3-NW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-12	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8270C BY SIM	SW846 3550B	
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	T23204.D	1	05/05/16	BJ	05/05/16	OP14318	ET1057
Run #2							

	Initial Weight	Final Volume
Run #1	30.1 g	1.0 ml
Run #2		

BN PAH List

CAS No.	Compound	Result	RL	MDL	Units	Q
83-32-9	Acenaphthene	ND	3.3	0.45	ug/kg	
208-96-8	Acenaphthylene	ND	3.3	0.58	ug/kg	
120-12-7	Anthracene	ND	3.3	0.47	ug/kg	
56-55-3	Benzo(a)anthracene	ND	3.3	0.32	ug/kg	
50-32-8	Benzo(a)pyrene	ND	3.3	0.29	ug/kg	
205-99-2	Benzo(b)fluoranthene	ND	3.3	0.57	ug/kg	
191-24-2	Benzo(g,h,i)perylene	ND	3.3	0.66	ug/kg	
207-08-9	Benzo(k)fluoranthene	ND	3.3	0.53	ug/kg	
218-01-9	Chrysene	ND	3.3	0.55	ug/kg	
53-70-3	Dibenz(a,h)anthracene	ND	3.3	0.68	ug/kg	
206-44-0	Fluoranthene	ND	3.3	0.54	ug/kg	
86-73-7	Fluorene	ND	3.3	0.50	ug/kg	
193-39-5	Indeno(1,2,3-cd)pyrene	ND	3.3	0.69	ug/kg	
90-12-0	1-Methylnaphthalene	4.1	3.3	0.56	ug/kg	
91-57-6	2-Methylnaphthalene	6.6	3.3	0.40	ug/kg	
91-20-3	Naphthalene	1.8	3.3	0.50	ug/kg	J
85-01-8	Phenanthrene	ND	3.3	0.37	ug/kg	
129-00-0	Pyrene	ND	3.3	0.86	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	76%		10-177%
321-60-8	2-Fluorobiphenyl	76%		41-124%
1718-51-0	Terphenyl-d14	100%		40-149%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

Client Sample ID:	9669-T3-NW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-12	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8015B M SW846 3550B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	BB3232.D	1	05/06/16	FL	05/06/16	OP14328	GBB125
Run #2							

	Initial Weight	Final Volume
Run #1	30.1 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	ND	3.3	1.7	mg/kg	
	TPH (Motor Oil)	ND	6.6	3.3	mg/kg	
	TPH (Mineral Spirits)	ND	3.3	1.7	mg/kg	
	TPH (Kerosene)	ND	3.3	1.7	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	83%		38-146%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

Client Sample ID:	9669-T3-NW-8'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-12	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Project:	1110 Jackson Street - Oakland, CA		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Cadmium	< 0.97	0.97	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Chromium	57.1	0.97	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Lead	3.7	1.9	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Nickel	34.9	0.97	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Zinc	28.0	1.9	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5838

(2) Prep QC Batch: MP11265

(a) All results reported on a wet weight basis.

RL = Reporting Limit

Report of Analysis

Page 1 of 3

Client Sample ID:	9669-T3-EW-9'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-13	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	L48813.D	1	05/05/16	JT	n/a	n/a	VL1459
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.52 g	5.0 ml	100 ul
Run #2			

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	1800	450	ug/kg	
71-43-2	Benzene	ND	230	23	ug/kg	
108-86-1	Bromobenzene	ND	230	23	ug/kg	
74-97-5	Bromo(chloromethane)	ND	230	23	ug/kg	
75-27-4	Bromodichloromethane	ND	230	23	ug/kg	
75-25-2	Bromoform	ND	230	23	ug/kg	
104-51-8	n-Butylbenzene	ND	230	23	ug/kg	
135-98-8	sec-Butylbenzene	ND	230	23	ug/kg	
98-06-6	tert-Butylbenzene	ND	230	23	ug/kg	
108-90-7	Chlorobenzene	ND	230	23	ug/kg	
75-00-3	Chloroethane	ND	230	45	ug/kg	
67-66-3	Chloroform	ND	230	23	ug/kg	
95-49-8	o-Chlorotoluene	ND	230	23	ug/kg	
106-43-4	p-Chlorotoluene	ND	230	23	ug/kg	
56-23-5	Carbon tetrachloride	ND	230	23	ug/kg	
75-34-3	1,1-Dichloroethane	ND	230	23	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	230	23	ug/kg	
563-58-6	1,1-Dichloropropene	ND	230	23	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	230	63	ug/kg	
106-93-4	1,2-Dibromoethane	ND	230	23	ug/kg	
107-06-2	1,2-Dichloroethane	ND	230	23	ug/kg	
78-87-5	1,2-Dichloropropane	ND	230	23	ug/kg	
142-28-9	1,3-Dichloropropane	ND	230	23	ug/kg	
108-20-3	Di-Isopropyl ether	ND	230	23	ug/kg	
594-20-7	2,2-Dichloropropane	ND	230	23	ug/kg	
124-48-1	Dibromo(chloromethane)	ND	230	23	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	230	45	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	230	50	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	230	23	ug/kg	
541-73-1	m-Dichlorobenzene	ND	230	23	ug/kg	
95-50-1	o-Dichlorobenzene	ND	230	23	ug/kg	
106-46-7	p-Dichlorobenzene	ND	230	23	ug/kg	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 3

3.13
3

Client Sample ID:	9669-T3-EW-9'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-13	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	230	23	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	230	23	ug/kg	
100-41-4	Ethylbenzene	ND	230	23	ug/kg	
637-92-3	Ethyl tert-Butyl Ether ^b	ND	230	23	ug/kg	
591-78-6	2-Hexanone	ND	910	91	ug/kg	
87-68-3	Hexachlorobutadiene	ND	230	45	ug/kg	
98-82-8	Isopropylbenzene	ND	230	23	ug/kg	
99-87-6	p-Isopropyltoluene	ND	230	23	ug/kg	
108-10-1	4-Methyl-2-pentanone	ND	910	91	ug/kg	
74-83-9	Methyl bromide	ND	230	45	ug/kg	
74-87-3	Methyl chloride	ND	230	45	ug/kg	
74-95-3	Methylene bromide	ND	230	23	ug/kg	
75-09-2	Methylene chloride	ND	910	230	ug/kg	
78-93-3	Methyl ethyl ketone	ND	910	91	ug/kg	
1634-04-4	Methyl Tert Butyl Ether ^b	ND	230	45	ug/kg	
91-20-3	Naphthalene	ND	230	45	ug/kg	
103-65-1	n-Propylbenzene	ND	230	23	ug/kg	
100-42-5	Styrene	ND	230	23	ug/kg	
994-05-8	Tert-Amyl Methyl Ether ^b	ND	230	23	ug/kg	
75-65-0	Tert Butyl Alcohol ^b	ND	1800	450	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	230	23	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	230	23	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	230	23	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	230	23	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	230	23	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	230	45	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	230	23	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	230	45	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	230	45	ug/kg	
127-18-4	Tetrachloroethylene	ND	230	27	ug/kg	
108-88-3	Toluene	ND	230	23	ug/kg	
79-01-6	Trichloroethylene	ND	230	23	ug/kg	
75-69-4	Trichlorofluoromethane	ND	230	45	ug/kg	
75-01-4	Vinyl chloride	ND	230	45	ug/kg	
1330-20-7	Xylene (total)	ND	450	45	ug/kg	
	TPH-GRO (C6-C10)	ND	4500	2300	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		80-136%

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 3 of 3

Client Sample ID:	9669-T3-EW-9'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-13	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8260B		
Project:	1110 Jackson Street - Oakland, CA		

VOA 8260 List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	98%		88-113%
460-00-4	4-Bromofluorobenzene	97%		79-115%

(a) All results reported on a wet weight basis.

(b) CCV outside of control limits (biased high); not detected in sample.

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

Client Sample ID:	9669-T3-EW-9'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-13	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8270C BY SIM	SW846 3550B	
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	T23205.D	1	05/05/16	BJ	05/05/16	OP14318	ET1057
Run #2							

	Initial Weight	Final Volume
Run #1	30.0 g	1.0 ml
Run #2		

BN PAH List

CAS No.	Compound	Result	RL	MDL	Units	Q
83-32-9	Acenaphthene	ND	3.3	0.45	ug/kg	
208-96-8	Acenaphthylene	ND	3.3	0.58	ug/kg	
120-12-7	Anthracene	ND	3.3	0.47	ug/kg	
56-55-3	Benzo(a)anthracene	ND	3.3	0.32	ug/kg	
50-32-8	Benzo(a)pyrene	ND	3.3	0.29	ug/kg	
205-99-2	Benzo(b)fluoranthene	ND	3.3	0.57	ug/kg	
191-24-2	Benzo(g,h,i)perylene	ND	3.3	0.66	ug/kg	
207-08-9	Benzo(k)fluoranthene	ND	3.3	0.53	ug/kg	
218-01-9	Chrysene	ND	3.3	0.55	ug/kg	
53-70-3	Dibenz(a,h)anthracene	ND	3.3	0.68	ug/kg	
206-44-0	Fluoranthene	ND	3.3	0.54	ug/kg	
86-73-7	Fluorene	ND	3.3	0.50	ug/kg	
193-39-5	Indeno(1,2,3-cd)pyrene	ND	3.3	0.69	ug/kg	
90-12-0	1-Methylnaphthalene	0.82	3.3	0.56	ug/kg	J
91-57-6	2-Methylnaphthalene	1.4	3.3	0.40	ug/kg	J
91-20-3	Naphthalene	0.58	3.3	0.50	ug/kg	J
85-01-8	Phenanthrene	ND	3.3	0.37	ug/kg	
129-00-0	Pyrene	ND	3.3	0.86	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	69%		10-177%
321-60-8	2-Fluorobiphenyl	63%		41-124%
1718-51-0	Terphenyl-d14	104%		40-149%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

Client Sample ID:	9669-T3-EW-9'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-13	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Method:	SW846 8015B M SW846 3550B		
Project:	1110 Jackson Street - Oakland, CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	BB3233.D	1	05/06/16	FL	05/06/16	OP14328	GBB125
Run #2							

	Initial Weight	Final Volume
Run #1	30.2 g	1.0 ml
Run #2		

TPH Extractable

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	ND	3.3	1.7	mg/kg	
	TPH (Motor Oil)	ND	6.6	3.3	mg/kg	
	TPH (Mineral Spirits)	ND	3.3	1.7	mg/kg	
	TPH (Kerosene)	ND	3.3	1.7	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	78%		38-146%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

Client Sample ID:	9669-T3-EW-9'	Date Sampled:	05/04/16
Lab Sample ID:	C45685-13	Date Received:	05/05/16
Matrix:	SO - Soil	Percent Solids:	n/a ^a
Project:	1110 Jackson Street - Oakland, CA		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Cadmium	< 0.91	0.91	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Chromium	51.9	0.91	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Lead	3.3	1.8	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Nickel	33.4	0.91	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²
Zinc	30.4	1.8	mg/kg	1	05/05/16	05/05/16 RS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5838

(2) Prep QC Batch: MP11265

(a) All results reported on a wet weight basis.

RL = Reporting Limit

Misc. Forms**Custody Documents and Other Forms**

Includes the following where applicable:

- Chain of Custody



ACCUTEST®
LABORATORIES

CHAIN OF CUSTODY

2105 Lundy Ave, San Jose, CA 95131
(408) 588-0200 FAX: (408) 588-0201

FED-EX Tracking #		Bottle Order Control #												
Accutest Quote #		Accutest NC Job #:												
		C45685												
Client / Reporting Information		Project Information												
Company Name GOLDEN GATE TANK REMOVAL		Project Name: Street 1160 JACKSON ST.												
Address 1980 CARROLL AVE.		City OAKLAND State CA												
City S.F. State CA Zip 94124		Project # 9669												
Project Contact: TM HALEN		Phone # 915 512 1555												
Email: TM@GTR.COM		Client Purchase Order #												
Samplers Name ASCENSION MOREA		Collection												
Accutest Sample ID	Sample ID / Field Point / Point of Collection 9669-TI-EW-8'	Date 5/16	Time 11:00 AM	Sampled by SDH	Matrix WT	# of bottles 1	Number of preserved Bottles							
							<input checked="" type="checkbox"/> HCl	<input type="checkbox"/> NaOH	<input type="checkbox"/> Fe(III)	<input type="checkbox"/> Hg(II)	<input type="checkbox"/> None	<input type="checkbox"/> Ni(II)	<input type="checkbox"/> Se(IV)	<input type="checkbox"/> Enclosed
							<input checked="" type="checkbox"/> HCl	<input checked="" type="checkbox"/> NaOH	<input type="checkbox"/> Fe(III)	<input type="checkbox"/> Hg(II)	<input type="checkbox"/> None	<input type="checkbox"/> Ni(II)	<input type="checkbox"/> Se(IV)	<input checked="" type="checkbox"/> Enclosed
							<input checked="" type="checkbox"/> HCl	<input checked="" type="checkbox"/> NaOH	<input type="checkbox"/> Fe(III)	<input type="checkbox"/> Hg(II)	<input type="checkbox"/> None	<input type="checkbox"/> Ni(II)	<input type="checkbox"/> Se(IV)	<input checked="" type="checkbox"/> Enclosed
							<input checked="" type="checkbox"/> HCl	<input checked="" type="checkbox"/> NaOH	<input type="checkbox"/> Fe(III)	<input type="checkbox"/> Hg(II)	<input type="checkbox"/> None	<input type="checkbox"/> Ni(II)	<input type="checkbox"/> Se(IV)	<input checked="" type="checkbox"/> Enclosed
							<input checked="" type="checkbox"/> HCl	<input checked="" type="checkbox"/> NaOH	<input type="checkbox"/> Fe(III)	<input type="checkbox"/> Hg(II)	<input type="checkbox"/> None	<input type="checkbox"/> Ni(II)	<input type="checkbox"/> Se(IV)	<input checked="" type="checkbox"/> Enclosed
							<input checked="" type="checkbox"/> HCl	<input checked="" type="checkbox"/> NaOH	<input type="checkbox"/> Fe(III)	<input type="checkbox"/> Hg(II)	<input type="checkbox"/> None	<input type="checkbox"/> Ni(II)	<input type="checkbox"/> Se(IV)	<input checked="" type="checkbox"/> Enclosed
							<input checked="" type="checkbox"/> HCl	<input checked="" type="checkbox"/> NaOH	<input type="checkbox"/> Fe(III)	<input type="checkbox"/> Hg(II)	<input type="checkbox"/> None	<input type="checkbox"/> Ni(II)	<input type="checkbox"/> Se(IV)	<input checked="" type="checkbox"/> Enclosed
							<input checked="" type="checkbox"/> HCl	<input checked="" type="checkbox"/> NaOH	<input type="checkbox"/> Fe(III)	<input type="checkbox"/> Hg(II)	<input type="checkbox"/> None	<input type="checkbox"/> Ni(II)	<input type="checkbox"/> Se(IV)	<input checked="" type="checkbox"/> Enclosed
Turnaround Time (Business days)		Data Deliverable Information		Comments / Remarks										
Approved By / Date:		<input type="checkbox"/> Commercial "A" - Results only <input type="checkbox"/> Commercial "B" - Results with QC summaries <input type="checkbox"/> Commercial "B+" - Results, QC, and chromatograms <input type="checkbox"/> Full TI - Level 4 data package <input type="checkbox"/> EDF for Geotracker <input type="checkbox"/> EDD Format Provide EDF Global ID Provide EDF Logocode: EDF-0013						BT = BRASS TUBE						
<input type="checkbox"/> 10 Day <input type="checkbox"/> 5 Day <input type="checkbox"/> 3 Day <input checked="" type="checkbox"/> 2 Day <input checked="" type="checkbox"/> 1 Day <input type="checkbox"/> Same Day														
Emergency T/A data available VIA Lablink														
Sample Custody must be documented below each time samples change possession, including courier delivery.														
Relinquished by Sampler: ASCE	Date Time: 3:30	Received By: BS	Relinquished By: 2	Date Time: 5/16 10:10	Received By: Ali Zeighami									
Relinquished by: ASCE	Date Time: 5/16 10:00	Received By: BS	Relinquished By: 3	Date Time: 5/16 10:10	Received By: Ali Zeighami									
3	Relinquished by: ASCE	Date Time: 5/16 10:00	Received By: BS	Custody Seal # NONE	Appropriate Bottle / Pres. Y/N Labels match Coc? Y / N	Headspace Y/N	On Ice Y/N	Cooler Temp. 3.14.1 °C						
5	Relinquished by: ASCE	Date Time: 5/16 10:00	Received By: 5											

C45685: Chain of Custody
Page 1 of 3

41



ACCUTEST
LABORATORIES

CHAIN OF CUSTODY

2105 Lundy Ave, San Jose, CA 95131
(408) 588-0200 FAX: (408) 588-0201

Client / Reporting Information		Project Information		FED-EX Tracking #	Bottle Order Control #							
Company Name <i>165TR</i>		Project Name: <i>1110 JACKSON ST</i>		Accutest Quote #	Accutest NC Job #: C <i>C45685</i>							
Address <i>1480 CARROLL AVE</i>		Street <i>1110 JACKSON ST</i>	City <i>OAKLAND CA</i>									
City <i>SF</i>	State <i>CA</i>	Zip <i>94124</i>	City <i>OAKLAND CA</i>									
Project Contact <i>TIM HALLEN</i>		Project # <i>9669</i>										
Phone # <i>415 512-1555</i>		EMAIL: <i>TIM@165TR.COM</i>										
Sampler's Name <i>ASCENSION MORA</i>		Client Purchase Order #										
Accutest Sample ID	Sample ID / Field Point / Point of Collection	Collection		Number of preserved Bottles						Requested Analysis	Matrix Codes	
		Date	Time	Sampled by	Matrix	# of bottles	HCl	NaOH	HCO ₃			None
9	9669-T3-WW-8'	5/16	11:45 AM	SDI	1							
10	9669-T3-C-12'	=	11:50	=	1							
11	9669-T3-SW-6.5	=	11:55	=	1							
12	9669-T3-NW-8'	=	12:00	=	1							
13	9669-T3-FW-9'	=	12:05	=	1							
Turnaround Time (Business days)		Data Deliverable Information								Comments / Remarks		
<input type="checkbox"/> 10 Day <input type="checkbox"/> 5 Day <input type="checkbox"/> 3 Day <input checked="" type="checkbox"/> 2 Day <input checked="" type="checkbox"/> 1 Day <input type="checkbox"/> Same Day		Approved By / Date: _____		<input type="checkbox"/> Commercial "A" - Results only <input type="checkbox"/> Commercial "B" - Results with QC summaries <input type="checkbox"/> Commercial "B+" - Results, QC, and chromatograms <input type="checkbox"/> FULT1 - Level 4 data package <input type="checkbox"/> EDF for Geotracker <input type="checkbox"/> EDD Format Provide EDF Global ID: _____ Provide EDF Logcode: _____								
Emergency T/A data available VIA Lablink		Sample Custody must be documented below each time samples change possession, including courier delivery.										
Relinquished by Sampler: <i>AMER MORA</i>	Date Time: <i>5/16 11:30</i>	Received By: <i>6516820</i>	Relinquished By: <i>18</i>	Date Time: <i>5/16 10:10</i>	Received By: <i>Ali zeighami</i>							
Relinquished by: _____	Date Time: <i>5/16</i>	Received By: <i>3</i>	Relinquished By: <i>4</i>	Date Time: <i>5/16</i>	Received By: <i>4</i>							
Relinquished by: _____	Date Time: <i>5/16</i>	Received By: <i>5</i>	Cust/Seal #: <i>Intact</i>	Appropriate Bottle / Pres. Y/N	Headspace Y/N	On Ice Y/N	Cooler Temp. <i>31/4.1</i>					
										Separate Receiving Check List used: Y / N		

41

4

DAY

C45685: Chain of Custody
Page 2 of 3

SGS Accutest Sample Receipt Summary

Job Number: C45685 **Client:** GGTR **Project:** 1110 JACKSON ST
Date / Time Received: 5/5/2016 10:10:00 AM **Delivery Method:** Accutest Courier **Airbill #'s:**
Cooler Temps (Initial/Adjusted): #1: (3.1/4.1);

Cooler Security Y or N

- | | | | | | |
|---------------------------|--------------------------|-------------------------------------|-----------------------|-------------------------------------|--------------------------|
| 1. Custody Seals Present: | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 3. COC Present: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Custody Seals Intact: | <input type="checkbox"/> | <input type="checkbox"/> | 4. Smpl Dates/Time OK | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

Cooler Temperature Y or N

- | | | |
|----------------------------|-------------------------------------|--------------------------|
| 1. Temp criteria achieved: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Therm ID: | IR3; | |
| 3. Cooler media: | Ice (Bag) | |
| 4. No. Coolers: | 1 | |

Quality Control Preservation Y or N N/A

- | | | | |
|---------------------------------|-------------------------------------|--------------------------|-------------------------------------|
| 1. Trip Blank present / cooler: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 2. Trip Blank listed on COC: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 3. Samples preserved properly: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4. VOCs headspace free: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

Sample Integrity - Documentation

- | | | |
|--|-------------------------------------|--------------------------|
| 1. Sample labels present on bottles: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Container labeling complete: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Sample container label / COC agree: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

Sample Integrity - Condition

- | | | |
|----------------------------------|-------------------------------------|--------------------------|
| 1. Sample recv'd within HT: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. All containers accounted for: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Condition of sample: | Intact | |

Sample Integrity - Instructions

- | | | |
|---|-------------------------------------|-------------------------------------|
| 1. Analysis requested is clear: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Bottles received for unspecified tests | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 3. Sufficient volume recv'd for analysis: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 4. Compositing instructions clear: | <input type="checkbox"/> | <input type="checkbox"/> |
| 5. Filtering instructions clear: | <input type="checkbox"/> | <input type="checkbox"/> |

Comments

4.1

4

C45685: Chain of Custody
Page 3 of 3

GC/MS Volatiles

5

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

Method Blank Summary

Page 1 of 3

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL1459-MB	L48798.D	1	05/05/16	JT	n/a	n/a	VL1459

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-10, C45685-12, C45685-13

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	40	10	ug/kg	
71-43-2	Benzene	ND	5.0	0.50	ug/kg	
108-86-1	Bromobenzene	ND	5.0	0.50	ug/kg	
74-97-5	Bromochloromethane	ND	5.0	0.50	ug/kg	
75-27-4	Bromodichloromethane	ND	5.0	0.50	ug/kg	
75-25-2	Bromoform	ND	5.0	0.50	ug/kg	
104-51-8	n-Butylbenzene	ND	5.0	0.50	ug/kg	
135-98-8	sec-Butylbenzene	ND	5.0	0.50	ug/kg	
98-06-6	tert-Butylbenzene	ND	5.0	0.50	ug/kg	
108-90-7	Chlorobenzene	ND	5.0	0.50	ug/kg	
75-00-3	Chloroethane	ND	5.0	1.0	ug/kg	
67-66-3	Chloroform	ND	5.0	0.50	ug/kg	
95-49-8	o-Chlorotoluene	ND	5.0	0.50	ug/kg	
106-43-4	p-Chlorotoluene	ND	5.0	0.50	ug/kg	
56-23-5	Carbon tetrachloride	ND	5.0	0.50	ug/kg	
75-34-3	1,1-Dichloroethane	ND	5.0	0.50	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	5.0	0.50	ug/kg	
563-58-6	1,1-Dichloropropene	ND	5.0	0.50	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	1.4	ug/kg	
106-93-4	1,2-Dibromoethane	ND	5.0	0.50	ug/kg	
107-06-2	1,2-Dichloroethane	ND	5.0	0.50	ug/kg	
78-87-5	1,2-Dichloropropane	ND	5.0	0.50	ug/kg	
142-28-9	1,3-Dichloropropane	ND	5.0	0.50	ug/kg	
108-20-3	Di-Isopropyl ether	ND	5.0	0.50	ug/kg	
594-20-7	2,2-Dichloropropane	ND	5.0	0.50	ug/kg	
124-48-1	Dibromochloromethane	ND	5.0	0.50	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	5.0	1.1	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	5.0	0.50	ug/kg	
541-73-1	m-Dichlorobenzene	ND	5.0	0.50	ug/kg	
95-50-1	o-Dichlorobenzene	ND	5.0	0.50	ug/kg	
106-46-7	p-Dichlorobenzene	ND	5.0	0.50	ug/kg	
156-60-5	trans-1,2-Dichloroethylene	ND	5.0	0.50	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	5.0	0.50	ug/kg	
100-41-4	Ethylbenzene	ND	5.0	0.50	ug/kg	
637-92-3	Ethyl tert-Butyl Ether	ND	5.0	0.50	ug/kg	

5.1.1
5

Method Blank Summary

Page 2 of 3

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL1459-MB	L48798.D	1	05/05/16	JT	n/a	n/a	VL1459

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-10, C45685-12, C45685-13

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	20	2.0	ug/kg	
87-68-3	Hexachlorobutadiene	ND	5.0	1.0	ug/kg	
98-82-8	Isopropylbenzene	ND	5.0	0.50	ug/kg	
99-87-6	p-Isopropyltoluene	ND	5.0	0.50	ug/kg	
108-10-1	4-Methyl-2-pentanone	ND	20	2.0	ug/kg	
74-83-9	Methyl bromide	ND	5.0	1.0	ug/kg	
74-87-3	Methyl chloride	ND	5.0	1.0	ug/kg	
74-95-3	Methylene bromide	ND	5.0	0.50	ug/kg	
75-09-2	Methylene chloride	ND	20	5.0	ug/kg	
78-93-3	Methyl ethyl ketone	ND	20	2.0	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	5.0	1.0	ug/kg	
91-20-3	Naphthalene	ND	5.0	1.0	ug/kg	
103-65-1	n-Propylbenzene	ND	5.0	0.50	ug/kg	
100-42-5	Styrene	ND	5.0	0.50	ug/kg	
994-05-8	Tert-Amyl Methyl Ether	ND	5.0	0.50	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	40	10	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	0.50	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	5.0	0.50	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	5.0	0.50	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	5.0	0.50	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.50	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	5.0	1.0	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.50	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	1.0	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	1.0	ug/kg	
127-18-4	Tetrachloroethylene	ND	5.0	0.60	ug/kg	
108-88-3	Toluene	ND	5.0	0.50	ug/kg	
79-01-6	Trichloroethylene	ND	5.0	0.50	ug/kg	
75-69-4	Trichlorofluoromethane	ND	5.0	1.0	ug/kg	
75-01-4	Vinyl chloride	ND	5.0	1.0	ug/kg	
1330-20-7	Xylene (total)	ND	10	1.0	ug/kg	
	TPH-GRO (C6-C10)	ND	100	50	ug/kg	

5.1.1
5

Method Blank Summary

Page 3 of 3

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL1459-MB	L48798.D	1	05/05/16	JT	n/a	n/a	VL1459

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-10, C45685-12, C45685-13

CAS No. Surrogate Recoveries Limits

1868-53-7	Dibromofluoromethane	104%	80-136%
2037-26-5	Toluene-D8	98%	88-113%
460-00-4	4-Bromofluorobenzene	85%	79-115%

5.1.1
5

Method Blank Summary

Page 1 of 3

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1816-MB	M60459.D	1	05/06/16	JT	n/a	n/a	VM1816

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-1, C45685-2, C45685-3, C45685-4, C45685-6, C45685-7, C45685-8, C45685-9

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	40	10	ug/kg	
71-43-2	Benzene	ND	5.0	0.50	ug/kg	
108-86-1	Bromobenzene	ND	5.0	0.50	ug/kg	
74-97-5	Bromochloromethane	ND	5.0	0.50	ug/kg	
75-27-4	Bromodichloromethane	ND	5.0	0.50	ug/kg	
75-25-2	Bromoform	ND	5.0	0.50	ug/kg	
104-51-8	n-Butylbenzene	ND	5.0	0.50	ug/kg	
135-98-8	sec-Butylbenzene	ND	5.0	0.50	ug/kg	
98-06-6	tert-Butylbenzene	ND	5.0	0.50	ug/kg	
108-90-7	Chlorobenzene	ND	5.0	0.50	ug/kg	
75-00-3	Chloroethane	ND	5.0	1.0	ug/kg	
67-66-3	Chloroform	ND	5.0	0.50	ug/kg	
95-49-8	o-Chlorotoluene	ND	5.0	0.50	ug/kg	
106-43-4	p-Chlorotoluene	ND	5.0	0.50	ug/kg	
56-23-5	Carbon tetrachloride	ND	5.0	0.50	ug/kg	
75-34-3	1,1-Dichloroethane	ND	5.0	0.50	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	5.0	0.50	ug/kg	
563-58-6	1,1-Dichloropropene	ND	5.0	0.50	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	1.4	ug/kg	
106-93-4	1,2-Dibromoethane	ND	5.0	0.50	ug/kg	
107-06-2	1,2-Dichloroethane	ND	5.0	0.50	ug/kg	
78-87-5	1,2-Dichloropropane	ND	5.0	0.50	ug/kg	
142-28-9	1,3-Dichloropropane	ND	5.0	0.50	ug/kg	
108-20-3	Di-Isopropyl ether	ND	5.0	0.50	ug/kg	
594-20-7	2,2-Dichloropropane	ND	5.0	0.50	ug/kg	
124-48-1	Dibromochloromethane	ND	5.0	0.50	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	5.0	1.1	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	5.0	0.50	ug/kg	
541-73-1	m-Dichlorobenzene	ND	5.0	0.50	ug/kg	
95-50-1	o-Dichlorobenzene	ND	5.0	0.50	ug/kg	
106-46-7	p-Dichlorobenzene	ND	5.0	0.50	ug/kg	
156-60-5	trans-1,2-Dichloroethylene	ND	5.0	0.50	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	5.0	0.50	ug/kg	
100-41-4	Ethylbenzene	ND	5.0	0.50	ug/kg	
637-92-3	Ethyl tert-Butyl Ether	ND	5.0	0.50	ug/kg	

Method Blank Summary

Page 2 of 3

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1816-MB	M60459.D	1	05/06/16	JT	n/a	n/a	VM1816

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-1, C45685-2, C45685-3, C45685-4, C45685-6, C45685-7, C45685-8, C45685-9

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	20	2.0	ug/kg	
87-68-3	Hexachlorobutadiene	ND	5.0	1.0	ug/kg	
98-82-8	Isopropylbenzene	ND	5.0	0.50	ug/kg	
99-87-6	p-Isopropyltoluene	ND	5.0	0.50	ug/kg	
108-10-1	4-Methyl-2-pentanone	ND	20	2.0	ug/kg	
74-83-9	Methyl bromide	ND	5.0	1.0	ug/kg	
74-87-3	Methyl chloride	ND	5.0	1.0	ug/kg	
74-95-3	Methylene bromide	ND	5.0	0.50	ug/kg	
75-09-2	Methylene chloride	ND	20	5.0	ug/kg	
78-93-3	Methyl ethyl ketone	ND	20	2.0	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	5.0	1.0	ug/kg	
91-20-3	Naphthalene	ND	5.0	1.0	ug/kg	
103-65-1	n-Propylbenzene	ND	5.0	0.50	ug/kg	
100-42-5	Styrene	ND	5.0	0.50	ug/kg	
994-05-8	Tert-Amyl Methyl Ether	ND	5.0	0.50	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	40	10	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	0.50	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	5.0	0.50	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	5.0	0.50	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	5.0	0.50	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.50	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	5.0	1.0	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.50	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	1.0	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	1.0	ug/kg	
127-18-4	Tetrachloroethylene	ND	5.0	0.60	ug/kg	
108-88-3	Toluene	ND	5.0	0.50	ug/kg	
79-01-6	Trichloroethylene	ND	5.0	0.50	ug/kg	
75-69-4	Trichlorofluoromethane	ND	5.0	1.0	ug/kg	
75-01-4	Vinyl chloride	ND	5.0	1.0	ug/kg	
1330-20-7	Xylene (total)	ND	10	1.0	ug/kg	
	TPH-GRO (C6-C10)	ND	100	50	ug/kg	

Method Blank Summary

Page 3 of 3

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1816-MB	M60459.D	1	05/06/16	JT	n/a	n/a	VM1816

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-1, C45685-2, C45685-3, C45685-4, C45685-6, C45685-7, C45685-8, C45685-9

CAS No. Surrogate Recoveries Limits

1868-53-7	Dibromofluoromethane	104%	80-136%
2037-26-5	Toluene-D8	98%	88-113%
460-00-4	4-Bromofluorobenzene	94%	79-115%

Method Blank Summary

Page 1 of 3

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL1460-MB	L48825.D	1	05/06/16	JT	n/a	n/a	VL1460

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-5

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	40	10	ug/kg	
71-43-2	Benzene	ND	5.0	0.50	ug/kg	
108-86-1	Bromobenzene	ND	5.0	0.50	ug/kg	
74-97-5	Bromochloromethane	ND	5.0	0.50	ug/kg	
75-27-4	Bromodichloromethane	ND	5.0	0.50	ug/kg	
75-25-2	Bromoform	ND	5.0	0.50	ug/kg	
104-51-8	n-Butylbenzene	ND	5.0	0.50	ug/kg	
135-98-8	sec-Butylbenzene	ND	5.0	0.50	ug/kg	
98-06-6	tert-Butylbenzene	ND	5.0	0.50	ug/kg	
108-90-7	Chlorobenzene	ND	5.0	0.50	ug/kg	
75-00-3	Chloroethane	ND	5.0	1.0	ug/kg	
67-66-3	Chloroform	ND	5.0	0.50	ug/kg	
95-49-8	o-Chlorotoluene	ND	5.0	0.50	ug/kg	
106-43-4	p-Chlorotoluene	ND	5.0	0.50	ug/kg	
56-23-5	Carbon tetrachloride	ND	5.0	0.50	ug/kg	
75-34-3	1,1-Dichloroethane	ND	5.0	0.50	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	5.0	0.50	ug/kg	
563-58-6	1,1-Dichloropropene	ND	5.0	0.50	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	1.4	ug/kg	
106-93-4	1,2-Dibromoethane	ND	5.0	0.50	ug/kg	
107-06-2	1,2-Dichloroethane	ND	5.0	0.50	ug/kg	
78-87-5	1,2-Dichloropropane	ND	5.0	0.50	ug/kg	
142-28-9	1,3-Dichloropropane	ND	5.0	0.50	ug/kg	
108-20-3	Di-Isopropyl ether	ND	5.0	0.50	ug/kg	
594-20-7	2,2-Dichloropropane	ND	5.0	0.50	ug/kg	
124-48-1	Dibromochloromethane	ND	5.0	0.50	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	5.0	1.1	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	5.0	0.50	ug/kg	
541-73-1	m-Dichlorobenzene	ND	5.0	0.50	ug/kg	
95-50-1	o-Dichlorobenzene	ND	5.0	0.50	ug/kg	
106-46-7	p-Dichlorobenzene	ND	5.0	0.50	ug/kg	
156-60-5	trans-1,2-Dichloroethylene	ND	5.0	0.50	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	5.0	0.50	ug/kg	
100-41-4	Ethylbenzene	ND	5.0	0.50	ug/kg	
637-92-3	Ethyl tert-Butyl Ether	ND	5.0	0.50	ug/kg	

Method Blank Summary

Page 2 of 3

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL1460-MB	L48825.D	1	05/06/16	JT	n/a	n/a	VL1460

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-5

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	20	2.0	ug/kg	
87-68-3	Hexachlorobutadiene	ND	5.0	1.0	ug/kg	
98-82-8	Isopropylbenzene	ND	5.0	0.50	ug/kg	
99-87-6	p-Isopropyltoluene	ND	5.0	0.50	ug/kg	
108-10-1	4-Methyl-2-pentanone	ND	20	2.0	ug/kg	
74-83-9	Methyl bromide	ND	5.0	1.0	ug/kg	
74-87-3	Methyl chloride	ND	5.0	1.0	ug/kg	
74-95-3	Methylene bromide	ND	5.0	0.50	ug/kg	
75-09-2	Methylene chloride	ND	20	5.0	ug/kg	
78-93-3	Methyl ethyl ketone	ND	20	2.0	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	5.0	1.0	ug/kg	
91-20-3	Naphthalene	ND	5.0	1.0	ug/kg	
103-65-1	n-Propylbenzene	ND	5.0	0.50	ug/kg	
100-42-5	Styrene	ND	5.0	0.50	ug/kg	
994-05-8	Tert-Amyl Methyl Ether	ND	5.0	0.50	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	40	10	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	0.50	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	5.0	0.50	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	5.0	0.50	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	5.0	0.50	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.50	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	5.0	1.0	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.50	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	1.0	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	1.0	ug/kg	
127-18-4	Tetrachloroethylene	ND	5.0	0.60	ug/kg	
108-88-3	Toluene	ND	5.0	0.50	ug/kg	
79-01-6	Trichloroethylene	ND	5.0	0.50	ug/kg	
75-69-4	Trichlorofluoromethane	ND	5.0	1.0	ug/kg	
75-01-4	Vinyl chloride	ND	5.0	1.0	ug/kg	
1330-20-7	Xylene (total)	ND	10	1.0	ug/kg	
	TPH-GRO (C6-C10)	ND	100	50	ug/kg	

5.1.3
5

Method Blank Summary

Page 3 of 3

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL1460-MB	L48825.D	1	05/06/16	JT	n/a	n/a	VL1460

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-5

CAS No. Surrogate Recoveries Limits

1868-53-7	Dibromofluoromethane	96%	80-136%
2037-26-5	Toluene-D8	92%	88-113%
460-00-4	4-Bromofluorobenzene	91%	79-115%

5.1.3
5

Method Blank Summary

Page 1 of 3

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1819-MB	M60532.D	1	05/10/16	JT	n/a	n/a	VM1819

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-11

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	40	10	ug/kg	
71-43-2	Benzene	ND	5.0	0.50	ug/kg	
108-86-1	Bromobenzene	ND	5.0	0.50	ug/kg	
74-97-5	Bromochloromethane	ND	5.0	0.50	ug/kg	
75-27-4	Bromodichloromethane	ND	5.0	0.50	ug/kg	
75-25-2	Bromoform	ND	5.0	0.50	ug/kg	
104-51-8	n-Butylbenzene	ND	5.0	0.50	ug/kg	
135-98-8	sec-Butylbenzene	ND	5.0	0.50	ug/kg	
98-06-6	tert-Butylbenzene	ND	5.0	0.50	ug/kg	
108-90-7	Chlorobenzene	ND	5.0	0.50	ug/kg	
75-00-3	Chloroethane	ND	5.0	1.0	ug/kg	
67-66-3	Chloroform	ND	5.0	0.50	ug/kg	
95-49-8	o-Chlorotoluene	ND	5.0	0.50	ug/kg	
106-43-4	p-Chlorotoluene	ND	5.0	0.50	ug/kg	
56-23-5	Carbon tetrachloride	ND	5.0	0.50	ug/kg	
75-34-3	1,1-Dichloroethane	ND	5.0	0.50	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	5.0	0.50	ug/kg	
563-58-6	1,1-Dichloropropene	ND	5.0	0.50	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	1.4	ug/kg	
106-93-4	1,2-Dibromoethane	ND	5.0	0.50	ug/kg	
107-06-2	1,2-Dichloroethane	ND	5.0	0.50	ug/kg	
78-87-5	1,2-Dichloropropane	ND	5.0	0.50	ug/kg	
142-28-9	1,3-Dichloropropane	ND	5.0	0.50	ug/kg	
108-20-3	Di-Isopropyl ether	ND	5.0	0.50	ug/kg	
594-20-7	2,2-Dichloropropane	ND	5.0	0.50	ug/kg	
124-48-1	Dibromochloromethane	ND	5.0	0.50	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	5.0	1.1	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	5.0	0.50	ug/kg	
541-73-1	m-Dichlorobenzene	ND	5.0	0.50	ug/kg	
95-50-1	o-Dichlorobenzene	ND	5.0	0.50	ug/kg	
106-46-7	p-Dichlorobenzene	ND	5.0	0.50	ug/kg	
156-60-5	trans-1,2-Dichloroethylene	ND	5.0	0.50	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	5.0	0.50	ug/kg	
100-41-4	Ethylbenzene	ND	5.0	0.50	ug/kg	
637-92-3	Ethyl tert-Butyl Ether	ND	5.0	0.50	ug/kg	

Method Blank Summary

Page 2 of 3

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1819-MB	M60532.D	1	05/10/16	JT	n/a	n/a	VM1819

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-11

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	20	2.0	ug/kg	
87-68-3	Hexachlorobutadiene	ND	5.0	1.0	ug/kg	
98-82-8	Isopropylbenzene	ND	5.0	0.50	ug/kg	
99-87-6	p-Isopropyltoluene	ND	5.0	0.50	ug/kg	
108-10-1	4-Methyl-2-pentanone	ND	20	2.0	ug/kg	
74-83-9	Methyl bromide	ND	5.0	1.0	ug/kg	
74-87-3	Methyl chloride	ND	5.0	1.0	ug/kg	
74-95-3	Methylene bromide	ND	5.0	0.50	ug/kg	
75-09-2	Methylene chloride	ND	20	5.0	ug/kg	
78-93-3	Methyl ethyl ketone	ND	20	2.0	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	5.0	1.0	ug/kg	
91-20-3	Naphthalene	ND	5.0	1.0	ug/kg	
103-65-1	n-Propylbenzene	ND	5.0	0.50	ug/kg	
100-42-5	Styrene	ND	5.0	0.50	ug/kg	
994-05-8	Tert-Amyl Methyl Ether	ND	5.0	0.50	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	40	10	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	0.50	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	5.0	0.50	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	5.0	0.50	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	5.0	0.50	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.50	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	5.0	1.0	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.50	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	1.0	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	1.0	ug/kg	
127-18-4	Tetrachloroethylene	ND	5.0	0.60	ug/kg	
108-88-3	Toluene	ND	5.0	0.50	ug/kg	
79-01-6	Trichloroethylene	ND	5.0	0.50	ug/kg	
75-69-4	Trichlorofluoromethane	ND	5.0	1.0	ug/kg	
75-01-4	Vinyl chloride	ND	5.0	1.0	ug/kg	
1330-20-7	Xylene (total)	ND	10	1.0	ug/kg	
	TPH-GRO (C6-C10)	ND	100	50	ug/kg	

5.1.4
5

Method Blank Summary

Page 3 of 3

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1819-MB	M60532.D	1	05/10/16	JT	n/a	n/a	VM1819

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-11

CAS No. Surrogate Recoveries Limits

1868-53-7	Dibromofluoromethane	115%	80-136%
2037-26-5	Toluene-D8	93%	88-113%
460-00-4	4-Bromofluorobenzene	100%	79-115%

5.1.4
5

Blank Spike/Blank Spike Duplicate Summary

Page 1 of 3

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL1459-BS	L48794.D	1	05/05/16	JT	n/a	n/a	VL1459
VL1459-BSD	L48795.D	1	05/05/16	JT	n/a	n/a	VL1459

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-10, C45685-12, C45685-13

CAS No.	Compound	Spike ug/kg	BSP ug/kg	BSP %	BSD ug/kg	BSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	160	252	158* ^a	222	139	13	48-156/30
71-43-2	Benzene	40	42.2	106	41.3	103	2	73-119/20
108-86-1	Bromobenzene	40	39.6	99	39.6	99	0	73-115/18
74-97-5	Bromochloromethane	40	47.3	118	44.7	112	6	76-125/19
75-27-4	Bromodichloromethane	40	40.7	102	40.9	102	0	72-115/20
75-25-2	Bromoform	40	44.4	111	46.1	115	4	74-120/21
104-51-8	n-Butylbenzene	40	40.8	102	38.9	97	5	70-116/21
135-98-8	sec-Butylbenzene	40	40.9	102	38.3	96	7	73-113/21
98-06-6	tert-Butylbenzene	40	40.3	101	37.7	94	7	72-111/20
108-90-7	Chlorobenzene	40	39.1	98	40.9	102	4	73-109/19
75-00-3	Chloroethane	40	53.6	134* ^a	50.8	127	5	67-127/21
67-66-3	Chloroform	40	44.5	111	42.2	106	5	71-121/19
95-49-8	o-Chlorotoluene	40	40.9	102	38.6	97	6	71-114/21
106-43-4	p-Chlorotoluene	40	38.9	97	39.1	98	1	65-120/26
56-23-5	Carbon tetrachloride	40	44.1	110	40.6	102	8	72-121/23
75-34-3	1,1-Dichloroethane	40	45.3	113	41.9	105	8	71-118/19
75-35-4	1,1-Dichloroethylene	40	43.9	110	39.1	98	12	69-118/22
563-58-6	1,1-Dichloropropene	40	41.2	103	39.2	98	5	70-117/20
96-12-8	1,2-Dibromo-3-chloropropane	40	51.6	129* ^a	46.1	115	11	63-123/26
106-93-4	1,2-Dibromoethane	40	41.4	104	39.6	99	4	73-117/18
107-06-2	1,2-Dichloroethane	40	44.7	112	44.0	110	2	71-118/20
78-87-5	1,2-Dichloropropane	40	42.0	105	42.4	106	1	73-120/19
142-28-9	1,3-Dichloropropane	40	42.3	106	39.4	99	7	75-120/18
108-20-3	Di-Isopropyl ether	40	44.2	111	42.1	105	5	68-127/19
594-20-7	2,2-Dichloropropane	40	48.0	120	39.9	100	18	66-122/25
124-48-1	Dibromochloromethane	40	40.8	102	38.6	97	6	73-116/20
75-71-8	Dichlorodifluoromethane	40	41.9	105	37.9	95	10	56-118/26
156-59-2	cis-1,2-Dichloroethylene	40	46.6	117	43.6	109	7	73-128/19
10061-01-5	cis-1,3-Dichloropropene	40	41.6	104	43.9	110	5	74-126/17
541-73-1	m-Dichlorobenzene	40	39.7	99	39.1	98	2	71-113/19
95-50-1	o-Dichlorobenzene	40	41.5	104	39.8	100	4	72-115/19
106-46-7	p-Dichlorobenzene	40	39.9	100	39.3	98	2	72-113/18
156-60-5	trans-1,2-Dichloroethylene	40	41.2	103	38.7	97	6	67-112/20
10061-02-6	trans-1,3-Dichloropropene	40	38.8	97	36.3	91	7	72-113/18
100-41-4	Ethylbenzene	40	40.0	100	41.3	103	3	75-112/21
637-92-3	Ethyl tert-Butyl Ether	40	46.0	115	42.8	107	7	67-124/20

* = Outside of Control Limits.

5.2.1
5

Blank Spike/Blank Spike Duplicate Summary

Page 2 of 3

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL1459-BS	L48794.D	1	05/05/16	JT	n/a	n/a	VL1459
VL1459-BSD	L48795.D	1	05/05/16	JT	n/a	n/a	VL1459

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-10, C45685-12, C45685-13

CAS No.	Compound	Spike ug/kg	BSP ug/kg	BSP %	BSD ug/kg	BSD %	RPD	Limits Rec/RPD
591-78-6	2-Hexanone	160	204	128	178	111	14	40-152/26
87-68-3	Hexachlorobutadiene	40	39.5	99	37.5	94	5	72-121/26
98-82-8	Isopropylbenzene	40	41.4	104	40.5	101	2	74-112/22
99-87-6	p-Isopropyltoluene	40	40.9	102	38.6	97	6	72-114/21
108-10-1	4-Methyl-2-pentanone	160	204	128	197	123	3	50-144/28
74-83-9	Methyl bromide	40	49.0	123	45.9	115	7	73-130/20
74-87-3	Methyl chloride	40	49.6	124	47.2	118	5	57-124/31
74-95-3	Methylene bromide	40	43.8	110	43.2	108	1	76-121/20
75-09-2	Methylene chloride	40	43.9	110	39.9	100	10	72-119/19
78-93-3	Methyl ethyl ketone	160	220	138	204	128	8	52-145/27
1634-04-4	Methyl Tert Butyl Ether	40	46.1	115	42.0	105	9	68-118/22
91-20-3	Naphthalene	40	47.9	120	43.3	108	10	67-132/22
103-65-1	n-Propylbenzene	40	38.4	96	36.5	91	5	71-110/19
100-42-5	Styrene	40	40.1	100	42.2	106	5	73-112/19
994-05-8	Tert-Amyl Methyl Ether	40	48.5	121	45.0	113	7	67-126/21
75-65-0	Tert Butyl Alcohol	200	292	146	245	123	18	53-150/30
630-20-6	1,1,1,2-Tetrachloroethane	40	43.2	108	42.4	106	2	75-114/22
71-55-6	1,1,1-Trichloroethane	40	47.2	118	42.4	106	11	72-124/21
79-34-5	1,1,2,2-Tetrachloroethane	40	44.8	112	42.5	106	5	72-121/19
79-00-5	1,1,2-Trichloroethane	40	41.3	103	39.8	100	4	70-120/18
87-61-6	1,2,3-Trichlorobenzene	40	44.5	111	40.8	102	9	68-125/24
96-18-4	1,2,3-Trichloropropane	40	48.3	121* a	48.6	122* a	1	75-119/19
120-82-1	1,2,4-Trichlorobenzene	40	42.6	107	40.2	101	6	70-123/23
95-63-6	1,2,4-Trimethylbenzene	40	40.6	102	38.7	97	5	71-112/19
108-67-8	1,3,5-Trimethylbenzene	40	41.4	104	38.9	97	6	72-113/20
127-18-4	Tetrachloroethylene	40	41.9	105	40.6	102	3	68-120/20
108-88-3	Toluene	40	38.9	97	35.5	89	9	75-111/20
79-01-6	Trichloroethylene	40	41.7	104	41.2	103	1	72-120/20
75-69-4	Trichlorofluoromethane	40	53.5	134	50.1	125	7	71-136/21
75-01-4	Vinyl chloride	40	45.8	115	44.0	110	4	61-131/24
1330-20-7	Xylene (total)	120	120	100	123	103	2	73-110/20

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
1868-53-7	Dibromofluoromethane	114%	108%	80-136%

* = Outside of Control Limits.

5.2.1
5

Blank Spike/Blank Spike Duplicate Summary

Page 3 of 3

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL1459-BS	L48794.D	1	05/05/16	JT	n/a	n/a	VL1459
VL1459-BSD	L48795.D	1	05/05/16	JT	n/a	n/a	VL1459

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-10, C45685-12, C45685-13

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
2037-26-5	Toluene-D8	96%	95%	88-113%
460-00-4	4-Bromofluorobenzene	99%	105%	79-115%

(a) Outside laboratory control limits (high bias); not detected in associated samples. AZ:L1

* = Outside of Control Limits.

5.2.1
5

Blank Spike/Blank Spike Duplicate Summary

Page 1 of 3

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1816-BS	M60456.D	1	05/06/16	JT	n/a	n/a	VM1816
VM1816-BSD	M60457.D	1	05/06/16	JT	n/a	n/a	VM1816

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-1, C45685-2, C45685-3, C45685-4, C45685-6, C45685-7, C45685-8, C45685-9

CAS No.	Compound	Spike ug/kg	BSP ug/kg	BSP %	BSD ug/kg	BSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	160	137	86	133	83	3	48-156/30
71-43-2	Benzene	40	39.9	100	41.6	104	4	73-119/20
108-86-1	Bromobenzene	40	38.3	96	40.0	100	4	73-115/18
74-97-5	Bromochloromethane	40	40.1	100	42.8	107	7	76-125/19
75-27-4	Bromodichloromethane	40	38.4	96	40.0	100	4	72-115/20
75-25-2	Bromoform	40	40.6	102	41.5	104	2	74-120/21
104-51-8	n-Butylbenzene	40	37.7	94	40.0	100	6	70-116/21
135-98-8	sec-Butylbenzene	40	37.7	94	39.8	100	5	73-113/21
98-06-6	tert-Butylbenzene	40	38.0	95	40.4	101	6	72-111/20
108-90-7	Chlorobenzene	40	38.9	97	40.4	101	4	73-109/19
75-00-3	Chloroethane	40	43.2	108	44.2	111	2	67-127/21
67-66-3	Chloroform	40	38.5	96	40.7	102	6	71-121/19
95-49-8	o-Chlorotoluene	40	36.6	92	38.8	97	6	71-114/21
106-43-4	p-Chlorotoluene	40	37.4	94	39.5	99	5	65-120/26
56-23-5	Carbon tetrachloride	40	37.9	95	40.8	102	7	72-121/23
75-34-3	1,1-Dichloroethane	40	38.9	97	41.5	104	6	71-118/19
75-35-4	1,1-Dichloroethylene	40	37.3	93	38.9	97	4	69-118/22
563-58-6	1,1-Dichloropropene	40	37.2	93	39.4	99	6	70-117/20
96-12-8	1,2-Dibromo-3-chloropropane	40	36.3	91	39.2	98	8	63-123/26
106-93-4	1,2-Dibromoethane	40	38.5	96	39.1	98	2	73-117/18
107-06-2	1,2-Dichloroethane	40	38.4	96	39.8	100	4	71-118/20
78-87-5	1,2-Dichloropropane	40	40.3	101	42.1	105	4	73-120/19
142-28-9	1,3-Dichloropropane	40	39.7	99	40.2	101	1	75-120/18
108-20-3	Di-Isopropyl ether	40	38.0	95	40.3	101	6	68-127/19
594-20-7	2,2-Dichloropropane	40	36.9	92	40.2	101	9	66-122/25
124-48-1	Dibromochloromethane	40	38.1	95	39.9	100	5	73-116/20
75-71-8	Dichlorodifluoromethane	40	34.7	87	36.0	90	4	56-118/26
156-59-2	cis-1,2-Dichloroethylene	40	42.1	105	44.8	112	6	73-128/19
10061-01-5	cis-1,3-Dichloropropene	40	42.3	106	42.7	107	1	74-126/17
541-73-1	m-Dichlorobenzene	40	37.8	95	40.4	101	7	71-113/19
95-50-1	o-Dichlorobenzene	40	38.0	95	40.5	101	6	72-115/19
106-46-7	p-Dichlorobenzene	40	37.9	95	39.9	100	5	72-113/18
156-60-5	trans-1,2-Dichloroethylene	40	36.1	90	38.4	96	6	67-112/20
10061-02-6	trans-1,3-Dichloropropene	40	38.3	96	39.4	99	3	72-113/18
100-41-4	Ethylbenzene	40	39.3	98	41.0	103	4	75-112/21
637-92-3	Ethyl tert-Butyl Ether	40	38.0	95	41.0	103	8	67-124/20

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Page 2 of 3

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1816-BS	M60456.D	1	05/06/16	JT	n/a	n/a	VM1816
VM1816-BSD	M60457.D	1	05/06/16	JT	n/a	n/a	VM1816

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-1, C45685-2, C45685-3, C45685-4, C45685-6, C45685-7, C45685-8, C45685-9

CAS No.	Compound	Spike ug/kg	BSP ug/kg	BSP %	BSD ug/kg	BSD %	RPD	Limits Rec/RPD
591-78-6	2-Hexanone	160	171	107	167	104	2	40-152/26
87-68-3	Hexachlorobutadiene	40	36.2	91	40.7	102	12	72-121/26
98-82-8	Isopropylbenzene	40	40.1	100	42.1	105	5	74-112/22
99-87-6	p-Isopropyltoluene	40	38.0	95	40.3	101	6	72-114/21
108-10-1	4-Methyl-2-pentanone	160	173	108	171	107	1	50-144/28
74-83-9	Methyl bromide	40	40.4	101	41.6	104	3	73-130/20
74-87-3	Methyl chloride	40	43.3	108	44.1	110	2	57-124/31
74-95-3	Methylene bromide	40	40.0	100	41.0	103	2	76-121/20
75-09-2	Methylene chloride	40	37.7	94	40.4	101	7	72-119/19
78-93-3	Methyl ethyl ketone	160	174	109	172	108	1	52-145/27
1634-04-4	Methyl Tert Butyl Ether	40	36.9	92	38.8	97	5	68-118/22
91-20-3	Naphthalene	40	37.9	95	41.7	104	10	67-132/22
103-65-1	n-Propylbenzene	40	36.5	91	38.4	96	5	71-110/19
100-42-5	Styrene	40	40.6	102	41.8	105	3	73-112/19
994-05-8	Tert-Amyl Methyl Ether	40	40.6	102	42.9	107	6	67-126/21
75-65-0	Tert Butyl Alcohol	200	228	114	227	114	0	53-150/30
630-20-6	1,1,1,2-Tetrachloroethane	40	38.8	97	41.7	104	7	75-114/22
71-55-6	1,1,1-Trichloroethane	40	38.7	97	41.1	103	6	72-124/21
79-34-5	1,1,2,2-Tetrachloroethane	40	38.8	97	41.0	103	6	72-121/19
79-00-5	1,1,2-Trichloroethane	40	39.0	98	40.3	101	3	70-120/18
87-61-6	1,2,3-Trichlorobenzene	40	37.1	93	41.3	103	11	68-125/24
96-18-4	1,2,3-Trichloropropane	40	40.2	101	40.7	102	1	75-119/19
120-82-1	1,2,4-Trichlorobenzene	40	38.0	95	41.6	104	9	70-123/23
95-63-6	1,2,4-Trimethylbenzene	40	37.2	93	39.7	99	7	71-112/19
108-67-8	1,3,5-Trimethylbenzene	40	37.9	95	40.2	101	6	72-113/20
127-18-4	Tetrachloroethylene	40	37.2	93	38.4	96	3	68-120/20
108-88-3	Toluene	40	38.4	96	40.7	102	6	75-111/20
79-01-6	Trichloroethylene	40	40.1	100	42.1	105	5	72-120/20
75-69-4	Trichlorofluoromethane	40	42.0	105	42.5	106	1	71-136/21
75-01-4	Vinyl chloride	40	44.8	112	45.6	114	2	61-131/24
1330-20-7	Xylene (total)	120	118	98	123	103	4	73-110/20

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
1868-53-7	Dibromofluoromethane	99%	102%	80-136%

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Page 3 of 3

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1816-BS	M60456.D	1	05/06/16	JT	n/a	n/a	VM1816
VM1816-BSD	M60457.D	1	05/06/16	JT	n/a	n/a	VM1816

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-1, C45685-2, C45685-3, C45685-4, C45685-6, C45685-7, C45685-8, C45685-9

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
2037-26-5	Toluene-D8	96%	99%	88-113%
460-00-4	4-Bromofluorobenzene	102%	101%	79-115%

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Page 1 of 3

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL1460-BS	L48822.D	1	05/06/16	JT	n/a	n/a	VL1460
VL1460-BSD	L48823.D	1	05/06/16	JT	n/a	n/a	VL1460

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-5

CAS No.	Compound	Spike ug/kg	BSP ug/kg	BSP %	BSD ug/kg	BSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	160	169	106	154	96	9	48-156/30
71-43-2	Benzene	40	41.8	105	38.3	96	9	73-119/20
108-86-1	Bromobenzene	40	44.4	111	40.7	102	9	73-115/18
74-97-5	Bromochloromethane	40	46.2	116	41.5	104	11	76-125/19
75-27-4	Bromodichloromethane	40	40.7	102	36.9	92	10	72-115/20
75-25-2	Bromoform	40	47.2	118	42.9	107	10	74-120/21
104-51-8	n-Butylbenzene	40	40.2	101	37.3	93	7	70-116/21
135-98-8	sec-Butylbenzene	40	41.0	103	38.4	96	7	73-113/21
98-06-6	tert-Butylbenzene	40	41.9	105	39.1	98	7	72-111/20
108-90-7	Chlorobenzene	40	43.0	108	40.0	100	7	73-109/19
75-00-3	Chloroethane	40	43.2	108	40.3	101	7	67-127/21
67-66-3	Chloroform	40	40.7	102	37.4	94	8	71-121/19
95-49-8	o-Chlorotoluene	40	39.3	98	36.3	91	8	71-114/21
106-43-4	p-Chlorotoluene	40	39.4	99	36.5	91	8	65-120/26
56-23-5	Carbon tetrachloride	40	42.9	107	39.6	99	8	72-121/23
75-34-3	1,1-Dichloroethane	40	39.1	98	35.8	90	9	71-118/19
75-35-4	1,1-Dichloroethylene	40	40.0	100	37.2	93	7	69-118/22
563-58-6	1,1-Dichloropropene	40	39.5	99	37.1	93	6	70-117/20
96-12-8	1,2-Dibromo-3-chloropropane	40	38.5	96	35.8	90	7	63-123/26
106-93-4	1,2-Dibromoethane	40	42.3	106	39.1	98	8	73-117/18
107-06-2	1,2-Dichloroethane	40	41.7	104	38.1	95	9	71-118/20
78-87-5	1,2-Dichloropropane	40	40.1	100	37.6	94	6	73-120/19
142-28-9	1,3-Dichloropropane	40	41.2	103	38.4	96	7	75-120/18
108-20-3	Di-Isopropyl ether	40	35.5	89	32.2	81	10	68-127/19
594-20-7	2,2-Dichloropropane	40	41.1	103	37.6	94	9	66-122/25
124-48-1	Dibromochloromethane	40	43.9	110	40.0	100	9	73-116/20
75-71-8	Dichlorodifluoromethane	40	35.7	89	32.8	82	8	56-118/26
156-59-2	cis-1,2-Dichloroethylene	40	44.7	112	40.5	101	10	73-128/19
10061-01-5	cis-1,3-Dichloropropene	40	42.6	107	39.0	98	9	74-126/17
541-73-1	m-Dichlorobenzene	40	43.7	109	40.0	100	9	71-113/19
95-50-1	o-Dichlorobenzene	40	43.8	110	40.0	100	9	72-115/19
106-46-7	p-Dichlorobenzene	40	43.5	109	40.1	100	8	72-113/18
156-60-5	trans-1,2-Dichloroethylene	40	38.6	97	36.2	91	6	67-112/20
10061-02-6	trans-1,3-Dichloropropene	40	39.8	100	36.0	90	10	72-113/18
100-41-4	Ethylbenzene	40	41.6	104	38.9	97	7	75-112/21
637-92-3	Ethyl tert-Butyl Ether	40	38.3	96	34.4	86	11	67-124/20

* = Outside of Control Limits.

5.2.3
5

Blank Spike/Blank Spike Duplicate Summary

Page 2 of 3

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL1460-BS	L48822.D	1	05/06/16	JT	n/a	n/a	VL1460
VL1460-BSD	L48823.D	1	05/06/16	JT	n/a	n/a	VL1460

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-5

CAS No.	Compound	Spike ug/kg	BSP ug/kg	BSP %	BSD ug/kg	BSD %	RPD	Limits Rec/RPD
591-78-6	2-Hexanone	160	147	92	144	90	2	40-152/26
87-68-3	Hexachlorobutadiene	40	46.8	117	43.5	109	7	72-121/26
98-82-8	Isopropylbenzene	40	43.2	108	40.1	100	7	74-112/22
99-87-6	p-Isopropyltoluene	40	42.1	105	39.3	98	7	72-114/21
108-10-1	4-Methyl-2-pentanone	160	179	112	172	108	4	50-144/28
74-83-9	Methyl bromide	40	43.1	108	39.2	98	9	73-130/20
74-87-3	Methyl chloride	40	50.3	126* ^a	46.9	117	7	57-124/31
74-95-3	Methylene bromide	40	42.7	107	38.4	96	11	76-121/20
75-09-2	Methylene chloride	40	38.1	95	35.0	88	8	72-119/19
78-93-3	Methyl ethyl ketone	160	163	102	151	94	8	52-145/27
1634-04-4	Methyl Tert Butyl Ether	40	37.9	95	34.3	86	10	68-118/22
91-20-3	Naphthalene	40	41.3	103	39.2	98	5	67-132/22
103-65-1	n-Propylbenzene	40	37.6	94	35.3	88	6	71-110/19
100-42-5	Styrene	40	43.9	110	40.5	101	8	73-112/19
994-05-8	Tert-Amyl Methyl Ether	40	40.8	102	36.8	92	10	67-126/21
75-65-0	Tert Butyl Alcohol	200	186	93	173	87	7	53-150/30
630-20-6	1,1,1,2-Tetrachloroethane	40	45.5	114	40.6	102	11	75-114/22
71-55-6	1,1,1-Trichloroethane	40	42.2	106	39.1	98	8	72-124/21
79-34-5	1,1,2,2-Tetrachloroethane	40	38.3	96	35.7	89	7	72-121/19
79-00-5	1,1,2-Trichloroethane	40	40.6	102	37.9	95	7	70-120/18
87-61-6	1,2,3-Trichlorobenzene	40	45.1	113	41.3	103	9	68-125/24
96-18-4	1,2,3-Trichloropropane	40	43.8	110	40.4	101	8	75-119/19
120-82-1	1,2,4-Trichlorobenzene	40	45.5	114	41.8	105	8	70-123/23
95-63-6	1,2,4-Trimethylbenzene	40	40.9	102	37.3	93	9	71-112/19
108-67-8	1,3,5-Trimethylbenzene	40	40.8	102	37.7	94	8	72-113/20
127-18-4	Tetrachloroethylene	40	46.7	117	44.9	112	4	68-120/20
108-88-3	Toluene	40	40.5	101	37.9	95	7	75-111/20
79-01-6	Trichloroethylene	40	43.2	108	40.3	101	7	72-120/20
75-69-4	Trichlorofluoromethane	40	44.9	112	42.2	106	6	71-136/21
75-01-4	Vinyl chloride	40	48.5	121	45.7	114	6	61-131/24
1330-20-7	Xylene (total)	120	129	108	119	99	8	73-110/20

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
1868-53-7	Dibromofluoromethane	99%	98%	80-136%

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Page 3 of 3

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL1460-BS	L48822.D	1	05/06/16	JT	n/a	n/a	VL1460
VL1460-BSD	L48823.D	1	05/06/16	JT	n/a	n/a	VL1460

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-5

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
2037-26-5	Toluene-D8	93%	95%	88-113%
460-00-4	4-Bromofluorobenzene	93%	95%	79-115%

(a) Outside laboratory control limits (high bias); not detected in associated samples.

* = Outside of Control Limits.

5.2.3
5

Blank Spike/Blank Spike Duplicate Summary

Page 1 of 3

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1819-BS	M60529.D	1	05/10/16	JT	n/a	n/a	VM1819
VM1819-BSD	M60530.D	1	05/10/16	JT	n/a	n/a	VM1819

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-11

CAS No.	Compound	Spike ug/kg	BSP ug/kg	BSP %	BSD ug/kg	BSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	160	108	68	134	84	21	48-156/30
71-43-2	Benzene	40	37.6	94	39.2	98	4	73-119/20
108-86-1	Bromobenzene	40	32.6	82	35.4	89	8	73-115/18
74-97-5	Bromochloromethane	40	39.4	99	41.3	103	5	76-125/19
75-27-4	Bromodichloromethane	40	35.9	90	38.1	95	6	72-115/20
75-25-2	Bromoform	40	35.4	89	38.7	97	9	74-120/21
104-51-8	n-Butylbenzene	40	31.8	80	34.3	86	8	70-116/21
135-98-8	sec-Butylbenzene	40	32.5	81	34.6	87	6	73-113/21
98-06-6	tert-Butylbenzene	40	32.3	81	34.9	87	8	72-111/20
108-90-7	Chlorobenzene	40	34.2	86	36.8	92	7	73-109/19
75-00-3	Chloroethane	40	42.1	105	43.8	110	4	67-127/21
67-66-3	Chloroform	40	38.0	95	39.0	98	3	71-121/19
95-49-8	o-Chlorotoluene	40	30.7	77	34.2	86	11	71-114/21
106-43-4	p-Chlorotoluene	40	33.3	83	34.2	86	3	65-120/26
56-23-5	Carbon tetrachloride	40	36.9	92	37.0	93	0	72-121/23
75-34-3	1,1-Dichloroethane	40	38.5	96	39.4	99	2	71-118/19
75-35-4	1,1-Dichloroethylene	40	36.2	91	36.3	91	0	69-118/22
563-58-6	1,1-Dichloropropene	40	35.9	90	36.5	91	2	70-117/20
96-12-8	1,2-Dibromo-3-chloropropane	40	33.4	84	36.4	91	9	63-123/26
106-93-4	1,2-Dibromoethane	40	33.8	85	37.5	94	10	73-117/18
107-06-2	1,2-Dichloroethane	40	36.8	92	39.1	98	6	71-118/20
78-87-5	1,2-Dichloropropane	40	37.0	93	39.8	100	7	73-120/19
142-28-9	1,3-Dichloropropane	40	35.6	89	38.6	97	8	75-120/18
108-20-3	Di-Isopropyl ether	40	37.2	93	38.8	97	4	68-127/19
594-20-7	2,2-Dichloropropane	40	36.8	92	36.3	91	1	66-122/25
124-48-1	Dibromochloromethane	40	34.1	85	36.6	92	7	73-116/20
75-71-8	Dichlorodifluoromethane	40	33.8	85	34.9	87	3	56-118/26
156-59-2	cis-1,2-Dichloroethylene	40	41.5	104	42.9	107	3	73-128/19
10061-01-5	cis-1,3-Dichloropropene	40	37.6	94	42.5	106	12	74-126/17
541-73-1	m-Dichlorobenzene	40	32.1	80	34.6	87	7	71-113/19
95-50-1	o-Dichlorobenzene	40	33.0	83	35.1	88	6	72-115/19
106-46-7	p-Dichlorobenzene	40	32.7	82	35.1	88	7	72-113/18
156-60-5	trans-1,2-Dichloroethylene	40	35.5	89	36.2	91	2	67-112/20
10061-02-6	trans-1,3-Dichloropropene	40	34.3	86	37.4	94	9	72-113/18
100-41-4	Ethylbenzene	40	34.3	86	36.4	91	6	75-112/21
637-92-3	Ethyl tert-Butyl Ether	40	37.4	94	39.0	98	4	67-124/20

* = Outside of Control Limits.

5.2.4
5

Blank Spike/Blank Spike Duplicate Summary

Page 2 of 3

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1819-BS	M60529.D	1	05/10/16	JT	n/a	n/a	VM1819
VM1819-BSD	M60530.D	1	05/10/16	JT	n/a	n/a	VM1819

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-11

CAS No.	Compound	Spike ug/kg	BSP ug/kg	BSP %	BSD ug/kg	BSD %	RPD	Limits Rec/RPD
591-78-6	2-Hexanone	160	146	91	171	107	16	40-152/26
87-68-3	Hexachlorobutadiene	40	33.4	84	33.9	85	1	72-121/26
98-82-8	Isopropylbenzene	40	34.7	87	36.3	91	5	74-112/22
99-87-6	p-Isopropyltoluene	40	32.4	81	34.5	86	6	72-114/21
108-10-1	4-Methyl-2-pentanone	160	154	96	182	114	17	50-144/28
74-83-9	Methyl bromide	40	39.7	99	40.8	102	3	73-130/20
74-87-3	Methyl chloride	40	40.7	102	42.2	106	4	57-124/31
74-95-3	Methylene bromide	40	37.7	94	41.0	103	8	76-121/20
75-09-2	Methylene chloride	40	37.9	95	38.2	96	1	72-119/19
78-93-3	Methyl ethyl ketone	160	145	91	183	114	23	52-145/27
1634-04-4	Methyl Tert Butyl Ether	40	36.1	90	38.1	95	5	68-118/22
91-20-3	Naphthalene	40	34.7	87	37.6	94	8	67-132/22
103-65-1	n-Propylbenzene	40	30.8	77	33.1	83	7	71-110/19
100-42-5	Styrene	40	34.8	87	37.2	93	7	73-112/19
994-05-8	Tert-Amyl Methyl Ether	40	39.2	98	41.4	104	5	67-126/21
75-65-0	Tert Butyl Alcohol	200	198	99	245	123	21	53-150/30
630-20-6	1,1,1,2-Tetrachloroethane	40	35.7	89	36.2	91	1	75-114/22
71-55-6	1,1,1-Trichloroethane	40	37.9	95	38.4	96	1	72-124/21
79-34-5	1,1,2,2-Tetrachloroethane	40	34.1	85	37.7	94	10	72-121/19
79-00-5	1,1,2-Trichloroethane	40	35.9	90	38.4	96	7	70-120/18
87-61-6	1,2,3-Trichlorobenzene	40	34.3	86	36.2	91	5	68-125/24
96-18-4	1,2,3-Trichloropropane	40	34.9	87	38.9	97	11	75-119/19
120-82-1	1,2,4-Trichlorobenzene	40	33.1	83	35.2	88	6	70-123/23
95-63-6	1,2,4-Trimethylbenzene	40	31.8	80	34.2	86	7	71-112/19
108-67-8	1,3,5-Trimethylbenzene	40	32.3	81	34.3	86	6	72-113/20
127-18-4	Tetrachloroethylene	40	35.5	89	35.8	90	1	68-120/20
108-88-3	Toluene	40	34.6	87	36.1	90	4	75-111/20
79-01-6	Trichloroethylene	40	37.2	93	38.5	96	3	72-120/20
75-69-4	Trichlorofluoromethane	40	40.5	101	41.5	104	2	71-136/21
75-01-4	Vinyl chloride	40	41.7	104	42.8	107	3	61-131/24
1330-20-7	Xylene (total)	120	103	86	109	91	6	73-110/20

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
1868-53-7	Dibromofluoromethane	103%	101%	80-136%

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Page 3 of 3

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1819-BS	M60529.D	1	05/10/16	JT	n/a	n/a	VM1819
VM1819-BSD	M60530.D	1	05/10/16	JT	n/a	n/a	VM1819

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-11

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
2037-26-5	Toluene-D8	96%	93%	88-113%
460-00-4	4-Bromofluorobenzene	101%	101%	79-115%

* = Outside of Control Limits.

5.2.4
5

Laboratory Control Sample Summary

Page 1 of 1

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL1459-LCS	L48797.D	1	05/05/16	JT	n/a	n/a	VL1459

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-10, C45685-12, C45685-13

CAS No.	Compound	Spike ug/kg	LCS ug/kg	LCS %	Limits
	TPH-GRO (C6-C10)	250	265	106	70-123

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	106%	80-136%
2037-26-5	Toluene-D8	106%	88-113%
460-00-4	4-Bromofluorobenzene	107%	79-115%

* = Outside of Control Limits.

Laboratory Control Sample Summary

Page 1 of 1

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL1460-LCS	L48824.D	1	05/06/16	JT	n/a	n/a	VL1460

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-5

CAS No.	Compound	Spike ug/kg	LCS ug/kg	LCS %	Limits
	TPH-GRO (C6-C10)	250	234	94	70-123

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	98%	80-136%
2037-26-5	Toluene-D8	94%	88-113%
460-00-4	4-Bromofluorobenzene	93%	79-115%

* = Outside of Control Limits.

5.3.2
5

Laboratory Control Sample Summary

Page 1 of 1

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1816-LCS	M60458.D	1	05/06/16	JT	n/a	n/a	VM1816

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-1, C45685-2, C45685-3, C45685-4, C45685-6, C45685-7, C45685-8, C45685-9

CAS No.	Compound	Spike ug/kg	LCS ug/kg	LCS %	Limits
	TPH-GRO (C6-C10)	250	253	101	70-123

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	102%	80-136%
2037-26-5	Toluene-D8	97%	88-113%
460-00-4	4-Bromofluorobenzene	95%	79-115%

* = Outside of Control Limits.

Laboratory Control Sample Summary

Page 1 of 1

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VM1819-LCS	M60531.D	1	05/10/16	JT	n/a	n/a	VM1819

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-11

CAS No.	Compound	Spike ug/kg	LCS ug/kg	LCS %	Limits
	TPH-GRO (C6-C10)	250	235	94	70-123

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	103%	80-136%
2037-26-5	Toluene-D8	96%	88-113%
460-00-4	4-Bromofluorobenzene	98%	79-115%

* = Outside of Control Limits.

5.3.4
5

Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 3

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C45685-9MS	L48814.D	1	05/05/16	JT	n/a	n/a	VL1459
C45685-9MSD	L48815.D	1	05/05/16	JT	n/a	n/a	VL1459
C45685-9 a	L48809.D	1	05/05/16	JT	n/a	n/a	VL1459

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-10, C45685-12, C45685-13

CAS No.	Compound	C45685-9		Spike	MS	MS	Spike	MSD	MSD	RPD	Limits Rec/RPD
		ug/kg	Q	ug/kg	ug/kg	%	ug/kg	ug/kg	%		
67-64-1	Acetone	ND	7080	8870	125	7080	8220	116	8	48-156/30	
71-43-2	Benzene	ND	1770	1780	101	1770	1770	100	1	73-119/20	
108-86-1	Bromobenzene	ND	1770	1880	106	1770	1840	104	2	73-115/18	
74-97-5	Bromo(chloromethane)	ND	1770	1870	106	1770	1890	107	1	76-125/19	
75-27-4	Bromodichloromethane	ND	1770	1670	94	1770	1670	94	0	72-115/20	
75-25-2	Bromoform	ND	1770	1790	101	1770	1800	102	1	74-120/21	
104-51-8	n-Butylbenzene	ND	1770	1760	99	1770	1750	99	1	70-116/21	
135-98-8	sec-Butylbenzene	ND	1770	1800	102	1770	1780	101	1	73-113/21	
98-06-6	tert-Butylbenzene	ND	1770	1830	103	1770	1820	103	1	72-111/20	
108-90-7	Chlorobenzene	ND	1770	1810	102	1770	1820	103	1	73-109/19	
75-00-3	Chloroethane	ND	1770	2330	132* b	1770	2300	130* b	1	67-127/21	
67-66-3	Chloroform	ND	1770	1630	92	1770	1660	94	2	71-121/19	
95-49-8	o-Chlorotoluene	ND	1770	1830	103	1770	1790	101	2	71-114/21	
106-43-4	p-Chlorotoluene	ND	1770	1840	104	1770	1840	104	0	65-120/26	
56-23-5	Carbon tetrachloride	ND	1770	1660	94	1770	1660	94	0	72-121/23	
75-34-3	1,1-Dichloroethane	ND	1770	1620	92	1770	2030	115	22* c	71-118/19	
75-35-4	1,1-Dichloroethylene	ND	1770	1870	106	1770	1900	107	2	69-118/22	
563-58-6	1,1-Dichloropropene	ND	1770	1620	92	1770	1630	92	1	70-117/20	
96-12-8	1,2-Dibromo-3-chloropropane	ND	1770	1790	101	1770	1740	98	3	63-123/26	
106-93-4	1,2-Dibromoethane	ND	1770	1800	102	1770	1820	103	1	73-117/18	
107-06-2	1,2-Dichloroethane	ND	1770	1690	95	1770	1680	95	1	71-118/20	
78-87-5	1,2-Dichloropropane	ND	1770	1780	101	1770	1770	100	1	73-120/19	
142-28-9	1,3-Dichloropropane	ND	1770	1930	109	1770	1950	110	1	75-120/18	
108-20-3	Di-Isopropyl ether	ND	1770	1530	86	1770	2050	116	29* c	68-127/19	
594-20-7	2,2-Dichloropropane	ND	1770	1440	81	1770	1560	88	8	66-122/25	
124-48-1	Dibromochloromethane	ND	1770	1750	99	1770	1790	101	2	73-116/20	
75-71-8	Dichlorodifluoromethane	ND	1770	1650	93	1770	1660	94	1	56-118/26	
156-59-2	cis-1,2-Dichloroethylene	ND	1770	1850	105	1770	1950	110	5	73-128/19	
10061-01-5	cis-1,3-Dichloropropene	ND	1770	2150	121	1770	2140	121	0	74-126/17	
541-73-1	m-Dichlorobenzene	ND	1770	1810	102	1770	1790	101	1	71-113/19	
95-50-1	o-Dichlorobenzene	ND	1770	1840	104	1770	1830	103	1	72-115/19	
106-46-7	p-Dichlorobenzene	ND	1770	1810	102	1770	1790	101	1	72-113/18	
156-60-5	trans-1,2-Dichloroethylene	ND	1770	1640	93	1770	1880	106	14	67-112/20	
10061-02-6	trans-1,3-Dichloropropene	ND	1770	1750	99	1770	1780	101	2	72-113/18	
100-41-4	Ethylbenzene	ND	1770	1800	102	1770	1840	104	2	75-112/21	
637-92-3	Ethyl tert-Butyl Ether	ND	1770	1630	92	1770	2030	115	22* c	67-124/20	

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Page 2 of 3

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C45685-9MS	L48814.D	1	05/05/16	JT	n/a	n/a	VL1459
C45685-9MSD	L48815.D	1	05/05/16	JT	n/a	n/a	VL1459
C45685-9 a	L48809.D	1	05/05/16	JT	n/a	n/a	VL1459

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-10, C45685-12, C45685-13

CAS No.	Compound	C45685-9		Spike	MS	MS	Spike	MSD	MSD	RPD	Limits Rec/RPD
		ug/kg	Q	ug/kg	ug/kg	%	ug/kg	ug/kg	%		
591-78-6	2-Hexanone	ND		7080	7730	109	7080	7690	109	1	40-152/26
87-68-3	Hexachlorobutadiene	ND		1770	1700	96	1770	1730	98	2	72-121/26
98-82-8	Isopropylbenzene	ND		1770	1780	101	1770	1810	102	2	74-112/22
99-87-6	p-Isopropyltoluene	ND		1770	1790	101	1770	1790	101	0	72-114/21
108-10-1	4-Methyl-2-pentanone	ND		7080	8810	124	7080	8680	123	1	50-144/28
74-83-9	Methyl bromide	ND		1770	2090	118	1770	2050	116	2	73-130/20
74-87-3	Methyl chloride	ND		1770	2170	123	1770	2150	121	1	57-124/31
74-95-3	Methylene bromide	ND		1770	1770	100	1770	1770	100	0	76-121/20
75-09-2	Methylene chloride	ND		1770	1940	110	1770	1970	111	2	72-119/19
78-93-3	Methyl ethyl ketone	ND		7080	7310	103	7080	8500	120	15	52-145/27
1634-04-4	Methyl Tert Butyl Ether	ND		1770	1710	97	1770	1910	108	11	68-118/22
91-20-3	Naphthalene	ND		1770	1830	103	1770	1810	102	1	67-132/22
103-65-1	n-Propylbenzene	ND		1770	1720	97	1770	1710	97	1	71-110/19
100-42-5	Styrene	ND		1770	1830	103	1770	1870	106	2	73-112/19
994-05-8	Tert-Amyl Methyl Ether	ND		1770	1710	97	1770	1730	98	1	67-126/21
75-65-0	Tert Butyl Alcohol	ND		8850	9590	108	8850	9340	106	3	53-150/30
630-20-6	1,1,1,2-Tetrachloroethane	ND		1770	1850	105	1770	1880	106	2	75-114/22
71-55-6	1,1,1-Trichloroethane	ND		1770	1620	92	1770	1650	93	2	72-124/21
79-34-5	1,1,2,2-Tetrachloroethane	ND		1770	1910	108	1770	1860	105	3	72-121/19
79-00-5	1,1,2-Trichloroethane	ND		1770	1870	106	1770	1900	107	2	70-120/18
87-61-6	1,2,3-Trichlorobenzene	ND		1770	1810	102	1770	1800	102	1	68-125/24
96-18-4	1,2,3-Trichloropropane	ND		1770	1880	106	1770	1910	108	2	75-119/19
120-82-1	1,2,4-Trichlorobenzene	ND		1770	1750	99	1770	1740	98	1	70-123/23
95-63-6	1,2,4-Trimethylbenzene	ND		1770	1800	102	1770	1790	101	1	71-112/19
108-67-8	1,3,5-Trimethylbenzene	ND		1770	1840	104	1770	1810	102	2	72-113/20
127-18-4	Tetrachloroethylene	ND		1770	1830	103	1770	1790	101	2	68-120/20
108-88-3	Toluene	ND		1770	1780	101	1770	1800	102	1	75-111/20
79-01-6	Trichloroethylene	ND		1770	1780	101	1770	1760	99	1	72-120/20
75-69-4	Trichlorofluoromethane	ND		1770	2130	120	1770	2150	121	1	71-136/21
75-01-4	Vinyl chloride	ND		1770	1370	77	1770	1360	77	1	61-131/24
1330-20-7	Xylene (total)	ND		5310	5400	102	5310	5480	103	1	73-110/20

CAS No.	Surrogate Recoveries	MS	MSD	C45685-9	Limits
1868-53-7	Dibromofluoromethane	93%	94%		80-136%

* = Outside of Control Limits.

5.4.1
5



Matrix Spike/Matrix Spike Duplicate Summary

Page 3 of 3

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C45685-9MS	L48814.D	1	05/05/16	JT	n/a	n/a	VL1459
C45685-9MSD	L48815.D	1	05/05/16	JT	n/a	n/a	VL1459
C45685-9 ^a	L48809.D	1	05/05/16	JT	n/a	n/a	VL1459

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-10, C45685-12, C45685-13

CAS No.	Surrogate Recoveries	MS	MSD	C45685-9	Limits
2037-26-5	Toluene-D8	98%	100%		88-113%
460-00-4	4-Bromofluorobenzene	98%	99%		79-115%

(a) Sample used for QC purposes only.

(b) Outside laboratory control limits. AZ:L1

(c) RPD exceeded laboratory acceptance limit; MS/MSD recoveries met acceptance criteria. AZ:R5

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 3

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C45586-1MS	M60475.D	1	05/06/16	JT	n/a	n/a	VM1816
C45586-1MSD	M60476.D	1	05/06/16	JT	n/a	n/a	VM1816
C45586-1	M60462.D	1	05/06/16	JT	n/a	n/a	VM1816

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-1, C45685-2, C45685-3, C45685-4, C45685-6, C45685-7, C45685-8, C45685-9

CAS No.	Compound	C45586-1		Spike ug/kg	MS ug/kg	MS %	Spike ug/kg	MSD ug/kg	MSD %	RPD	Limits
		ug/kg	Q								Rec/RPD
67-64-1	Acetone	2000 U	7870	4780	61	7870	4650	59	3	48-156/30	
71-43-2	Benzene	250 U	1970	2150	109	1970	2190	111	2	73-119/20	
108-86-1	Bromobenzene	250 U	1970	2230	113	1970	2220	113	0	73-115/18	
74-97-5	Bromochloromethane	250 U	1970	2070	105	1970	2040	104	1	76-125/19	
75-27-4	Bromodichloromethane	250 U	1970	2000	102	1970	2030	103	1	72-115/20	
75-25-2	Bromoform	250 U	1970	2010	102	1970	1960	100	3	74-120/21	
104-51-8	n-Butylbenzene	250 U	1970	2020	103	1970	2020	103	0	70-116/21	
135-98-8	sec-Butylbenzene	250 U	1970	2110	107	1970	2140	109	1	73-113/21	
98-06-6	tert-Butylbenzene	250 U	1970	2120	108	1970	2140	109	1	72-111/20	
108-90-7	Chlorobenzene	250 U	1970	2140	109	1970	2140	109	0	73-109/19	
75-00-3	Chloroethane	250 U	1970	2310	117	1970	2300	117	0	67-127/21	
67-66-3	Chloroform	250 U	1970	2020	103	1970	2000	102	1	71-121/19	
95-49-8	o-Chlorotoluene	250 U	1970	2030	103	1970	2100	107	3	71-114/21	
106-43-4	p-Chlorotoluene	250 U	1970	2180	111	1970	2200	112	1	65-120/26	
56-23-5	Carbon tetrachloride	250 U	1970	1980	101	1970	2000	102	1	72-121/23	
75-34-3	1,1-Dichloroethane	250 U	1970	2060	105	1970	2050	104	0	71-118/19	
75-35-4	1,1-Dichloroethylene	250 U	1970	1980	101	1970	1960	100	1	69-118/22	
563-58-6	1,1-Dichloropropene	250 U	1970	2000	102	1970	2050	104	2	70-117/20	
96-12-8	1,2-Dibromo-3-chloropropane	250 U	1970	1800	91	1970	1760	89	2	63-123/26	
106-93-4	1,2-Dibromoethane	250 U	1970	2040	104	1970	2040	104	0	73-117/18	
107-06-2	1,2-Dichloroethane	250 U	1970	2000	102	1970	1990	101	1	71-118/20	
78-87-5	1,2-Dichloropropane	250 U	1970	2180	111	1970	2240	114	3	73-120/19	
142-28-9	1,3-Dichloropropane	250 U	1970	2200	112	1970	2180	111	1	75-120/18	
108-20-3	Di-Isopropyl ether	250 U	1970	2040	104	1970	2030	103	0	68-127/19	
594-20-7	2,2-Dichloropropane	250 U	1970	1750	89	1970	1810	92	3	66-122/25	
124-48-1	Dibromochloromethane	250 U	1970	2020	103	1970	2020	103	0	73-116/20	
75-71-8	Dichlorodifluoromethane	250 U	1970	1770	90	1970	1770	90	0	56-118/26	
156-59-2	cis-1,2-Dichloroethylene	250 U	1970	2220	113	1970	2230	113	0	73-128/19	
10061-01-5	cis-1,3-Dichloropropene	250 U	1970	2230	113	1970	2270	115	2	74-126/17	
541-73-1	m-Dichlorobenzene	250 U	1970	2080	106	1970	2110	107	1	71-113/19	
95-50-1	o-Dichlorobenzene	250 U	1970	2080	106	1970	2070	105	0	72-115/19	
106-46-7	p-Dichlorobenzene	250 U	1970	2090	106	1970	2130	108	2	72-113/18	
156-60-5	trans-1,2-Dichloroethylene	250 U	1970	1900	97	1970	1910	97	1	67-112/20	
10061-02-6	trans-1,3-Dichloropropene	250 U	1970	2060	105	1970	2090	106	1	72-113/18	
100-41-4	Ethylbenzene	250 U	1970	2100	107	1970	2110	107	0	75-112/21	
637-92-3	Ethyl tert-Butyl Ether	250 U	1970	2020	103	1970	2010	102	0	67-124/20	

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Page 2 of 3

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C45586-1MS	M60475.D	1	05/06/16	JT	n/a	n/a	VM1816
C45586-1MSD	M60476.D	1	05/06/16	JT	n/a	n/a	VM1816
C45586-1	M60462.D	1	05/06/16	JT	n/a	n/a	VM1816

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-1, C45685-2, C45685-3, C45685-4, C45685-6, C45685-7, C45685-8, C45685-9

CAS No.	Compound	C45586-1		Spike ug/kg	MS ug/kg	MS %	Spike ug/kg	MSD ug/kg	MSD %	RPD	Limits Rec/RPD
		ug/kg	Q								
591-78-6	2-Hexanone	332	J	7870	8950	109	7870	8890	109	1	40-152/26
87-68-3	Hexachlorobutadiene	250 U		1970	2050	104	1970	2060	105	0	72-121/26
98-82-8	Isopropylbenzene	250 U		1970	2060	105	1970	2050	104	0	74-112/22
99-87-6	p-Isopropyltoluene	250 U		1970	2080	106	1970	2120	108	2	72-114/21
108-10-1	4-Methyl-2-pentanone	980 U		7870	8030	102	7870	8090	103	1	50-144/28
74-83-9	Methyl bromide	250 U		1970	2160	110	1970	2150	109	0	73-130/20
74-87-3	Methyl chloride	250 U		1970	2250	114	1970	2240	114	0	57-124/31
74-95-3	Methylene bromide	250 U		1970	2050	104	1970	2070	105	1	76-121/20
75-09-2	Methylene chloride	980 U		1970	2020	103	1970	2000	102	1	72-119/19
78-93-3	Methyl ethyl ketone	980 U		7870	7380	94	7870	7390	94	0	52-145/27
1634-04-4	Methyl Tert Butyl Ether	250 U		1970	1870	95	1970	1840	93	2	68-118/22
91-20-3	Naphthalene	250 U		1970	2020	103	1970	2010	102	0	67-132/22
103-65-1	n-Propylbenzene	250 U		1970	2070	105	1970	2090	106	1	71-110/19
100-42-5	Styrene	250 U		1970	2200	112	1970	2190	111	0	73-112/19
994-05-8	Tert-Amyl Methyl Ether	250 U		1970	2080	106	1970	2030	103	2	67-126/21
75-65-0	Tert Butyl Alcohol	2000 U		9840	8960	91	9840	9160	93	2	53-150/30
630-20-6	1,1,1,2-Tetrachloroethane	250 U		1970	2040	104	1970	2030	103	0	75-114/22
71-55-6	1,1,1-Trichloroethane	250 U		1970	1960	100	1970	1990	101	2	72-124/21
79-34-5	1,1,2,2-Tetrachloroethane	250 U		1970	351	18* a	1970	277	14* a	24* a	72-121/19
79-00-5	1,1,2-Trichloroethane	250 U		1970	2110	107	1970	2080	106	1	70-120/18
87-61-6	1,2,3-Trichlorobenzene	250 U		1970	2010	102	1970	2030	103	1	68-125/24
96-18-4	1,2,3-Trichloropropane	250 U		1970	1940	99	1970	1870	95	4	75-119/19
120-82-1	1,2,4-Trichlorobenzene	250 U		1970	1970	100	1970	1980	101	1	70-123/23
95-63-6	1,2,4-Trimethylbenzene	250 U		1970	2060	105	1970	2080	106	1	71-112/19
108-67-8	1,3,5-Trimethylbenzene	250 U		1970	2110	107	1970	2150	109	2	72-113/20
127-18-4	Tetrachloroethylene	250 U		1970	3750	190* a	1970	3780	192* a	1	68-120/20
108-88-3	Toluene	250 U		1970	2150	109	1970	2170	110	1	75-111/20
79-01-6	Trichloroethylene	250 U		1970	3850	196* a	1970	3960	201* a	3	72-120/20
75-69-4	Trichlorofluoromethane	250 U		1970	2150	109	1970	2150	109	0	71-136/21
75-01-4	Vinyl chloride	250 U		1970	1320	67	1970	1290	66	2	61-131/24
1330-20-7	Xylene (total)	490 U		5910	6260	106	5910	6340	107	1	73-110/20

CAS No.	Surrogate Recoveries	MS	MSD	C45586-1	Limits
1868-53-7	Dibromofluoromethane	89%	86%	94%	80-136%

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Page 3 of 3

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C45586-1MS	M60475.D	1	05/06/16	JT	n/a	n/a	VM1816
C45586-1MSD	M60476.D	1	05/06/16	JT	n/a	n/a	VM1816
C45586-1	M60462.D	1	05/06/16	JT	n/a	n/a	VM1816

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-1, C45685-2, C45685-3, C45685-4, C45685-6, C45685-7, C45685-8, C45685-9

CAS No.	Surrogate Recoveries	MS	MSD	C45586-1	Limits
2037-26-5	Toluene-D8	99%	98%	97%	88-113%
460-00-4	4-Bromofluorobenzene	95%	95%	93%	79-115%

(a) Outside control limits due to matrix interference.

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 3

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C45620-2MS	L48841.D	1	05/06/16	JT	n/a	n/a	VL1460
C45620-2MSD	L48842.D	1	05/06/16	JT	n/a	n/a	VL1460
C45620-2	L48826.D	1	05/06/16	JT	n/a	n/a	VL1460

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-5

CAS No.	Compound	C45620-2		Spike	MS	MS	Spike	MSD	MSD	RPD	Limits Rec/RPD
		ug/kg	Q	ug/kg	ug/kg	%	ug/kg	ug/kg	%		
67-64-1	Acetone	ND	159	150	95	158	167	105	11	48-156/30	
71-43-2	Benzene	ND	39.7	36.6	92	39.6	36.5	92	0	73-119/20	
108-86-1	Bromobenzene	ND	39.7	37.6	95	39.6	37.9	96	1	73-115/18	
74-97-5	Bromo(chloromethane)	ND	39.7	40.3	102	39.6	40.0	101	1	76-125/19	
75-27-4	Bromodichloromethane	ND	39.7	35.4	89	39.6	35.5	90	0	72-115/20	
75-25-2	Bromoform	ND	39.7	41.5	105	39.6	42.7	108	3	74-120/21	
104-51-8	n-Butylbenzene	ND	39.7	32.8	83	39.6	32.6	82	1	70-116/21	
135-98-8	sec-Butylbenzene	ND	39.7	34.9	88	39.6	34.5	87	1	73-113/21	
98-06-6	tert-Butylbenzene	ND	39.7	36.4	92	39.6	35.9	91	1	72-111/20	
108-90-7	Chlorobenzene	ND	39.7	37.7	95	39.6	37.0	93	2	73-109/19	
75-00-3	Chloroethane	ND	39.7	40.8	103	39.6	40.3	102	1	67-127/21	
67-66-3	Chloroform	ND	39.7	36.3	91	39.6	36.1	91	1	71-121/19	
95-49-8	o-Chlorotoluene	ND	39.7	33.4	84	39.6	33.4	84	0	71-114/21	
106-43-4	p-Chlorotoluene	ND	39.7	33.3	84	39.6	33.4	84	0	65-120/26	
56-23-5	Carbon tetrachloride	ND	39.7	38.2	96	39.6	38.7	98	1	72-121/23	
75-34-3	1,1-Dichloroethane	ND	39.7	34.4	87	39.6	34.3	87	0	71-118/19	
75-35-4	1,1-Dichloroethylene	ND	39.7	34.6	87	39.6	34.4	87	1	69-118/22	
563-58-6	1,1-Dichloropropene	ND	39.7	34.7	87	39.6	34.6	87	0	70-117/20	
96-12-8	1,2-Dibromo-3-chloropropane	ND	39.7	32.9	83	39.6	35.5	90	8	63-123/26	
106-93-4	1,2-Dibromoethane	ND	39.7	37.2	94	39.6	38.1	96	2	73-117/18	
107-06-2	1,2-Dichloroethane	ND	39.7	38.0	96	39.6	38.0	96	0	71-118/20	
78-87-5	1,2-Dichloropropane	ND	39.7	35.3	89	39.6	35.0	88	1	73-120/19	
142-28-9	1,3-Dichloropropane	ND	39.7	37.0	93	39.6	37.0	93	0	75-120/18	
108-20-3	Di-Isopropyl ether	ND	39.7	31.1	78	39.6	30.8	78	1	68-127/19	
594-20-7	2,2-Dichloropropane	ND	39.7	36.3	91	39.6	36.3	92	0	66-122/25	
124-48-1	Dibromochloromethane	ND	39.7	38.2	96	39.6	37.9	96	1	73-116/20	
75-71-8	Dichlorodifluoromethane	ND	39.7	33.5	84	39.6	33.5	85	0	56-118/26	
156-59-2	cis-1,2-Dichloroethylene	ND	39.7	38.4	97	39.6	39.1	99	2	73-128/19	
10061-01-5	cis-1,3-Dichloropropene	ND	39.7	36.2	91	39.6	36.7	93	1	74-126/17	
541-73-1	m-Dichlorobenzene	ND	39.7	36.3	91	39.6	36.4	92	0	71-113/19	
95-50-1	o-Dichlorobenzene	ND	39.7	36.6	92	39.6	37.1	94	1	72-115/19	
106-46-7	p-Dichlorobenzene	ND	39.7	36.1	91	39.6	36.6	92	1	72-113/18	
156-60-5	trans-1,2-Dichloroethylene	ND	39.7	33.9	85	39.6	34.0	86	0	67-112/20	
10061-02-6	trans-1,3-Dichloropropene	ND	39.7	34.7	87	39.6	34.1	86	2	72-113/18	
100-41-4	Ethylbenzene	ND	39.7	36.3	91	39.6	35.8	90	1	75-112/21	
637-92-3	Ethyl tert-Butyl Ether	ND	39.7	33.9	85	39.6	33.9	86	0	67-124/20	

* = Outside of Control Limits.

5.4.3
5

Matrix Spike/Matrix Spike Duplicate Summary

Page 2 of 3

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C45620-2MS	L48841.D	1	05/06/16	JT	n/a	n/a	VL1460
C45620-2MSD	L48842.D	1	05/06/16	JT	n/a	n/a	VL1460
C45620-2	L48826.D	1	05/06/16	JT	n/a	n/a	VL1460

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-5

CAS No.	Compound	C45620-2		Spike	MS	MS	Spike	MSD	MSD	RPD	Limits Rec/RPD
		ug/kg	Q	ug/kg	ug/kg	%	ug/kg	ug/kg	%		
591-78-6	2-Hexanone	ND	159	128	81	158	144	91	12	40-152/26	
87-68-3	Hexachlorobutadiene	ND	39.7	33.4	84	39.6	32.0	81	4	72-121/26	
98-82-8	Isopropylbenzene	ND	39.7	37.5	95	39.6	36.7	93	2	74-112/22	
99-87-6	p-Isopropyltoluene	ND	39.7	35.0	88	39.6	35.0	88	0	72-114/21	
108-10-1	4-Methyl-2-pentanone	ND	159	156	98	158	176	111	12	50-144/28	
74-83-9	Methyl bromide	ND	39.7	40.6	102	39.6	39.2	99	4	73-130/20	
74-87-3	Methyl chloride	ND	39.7	46.7	118	39.6	45.4	115	3	57-124/31	
74-95-3	Methylene bromide	ND	39.7	37.0	93	39.6	38.5	97	4	76-121/20	
75-09-2	Methylene chloride	ND	39.7	35.5	89	39.6	34.6	87	3	72-119/19	
78-93-3	Methyl ethyl ketone	ND	159	138	87	158	160	101	15	52-145/27	
1634-04-4	Methyl Tert Butyl Ether	ND	39.7	33.4	84	39.6	34.2	86	2	68-118/22	
91-20-3	Naphthalene	ND	39.7	35.2	89	39.6	36.6	92	4	67-132/22	
103-65-1	n-Propylbenzene	ND	39.7	31.7	80	39.6	31.9	81	1	71-110/19	
100-42-5	Styrene	ND	39.7	37.7	95	39.6	36.7	93	3	73-112/19	
994-05-8	Tert-Amyl Methyl Ether	ND	39.7	35.8	90	39.6	36.3	92	1	67-126/21	
75-65-0	Tert Butyl Alcohol	ND	198	170	86	198	186	94	9	53-150/30	
630-20-6	1,1,1,2-Tetrachloroethane	ND	39.7	39.9	101	39.6	38.8	98	3	75-114/22	
71-55-6	1,1,1-Trichloroethane	ND	39.7	37.7	95	39.6	37.7	95	0	72-124/21	
79-34-5	1,1,2,2-Tetrachloroethane	ND	39.7	33.3	84	39.6	34.4	87	3	72-121/19	
79-00-5	1,1,2-Trichloroethane	ND	39.7	35.9	90	39.6	36.6	92	2	70-120/18	
87-61-6	1,2,3-Trichlorobenzene	ND	39.7	35.5	89	39.6	35.3	89	1	68-125/24	
96-18-4	1,2,3-Trichloropropane	ND	39.7	41.8	105	39.6	41.9	106	0	75-119/19	
120-82-1	1,2,4-Trichlorobenzene	ND	39.7	34.9	88	39.6	34.9	88	0	70-123/23	
95-63-6	1,2,4-Trimethylbenzene	ND	39.7	33.9	85	39.6	33.0	83	3	71-112/19	
108-67-8	1,3,5-Trimethylbenzene	ND	39.7	34.6	87	39.6	34.4	87	1	72-113/20	
127-18-4	Tetrachloroethylene	ND	39.7	48.7	123* a	39.6	49.0	124* a	1	68-120/20	
108-88-3	Toluene	ND	39.7	35.7	90	39.6	34.9	88	2	75-111/20	
79-01-6	Trichloroethylene	ND	39.7	37.2	94	39.6	38.5	97	3	72-120/20	
75-69-4	Trichlorofluoromethane	ND	39.7	42.5	107	39.6	43.0	109	1	71-136/21	
75-01-4	Vinyl chloride	ND	39.7	44.3	112	39.6	45.4	115	2	61-131/24	
1330-20-7	Xylene (total)	ND	119	111	93	119	110	93	1	73-110/20	

CAS No.	Surrogate Recoveries	MS	MSD	C45620-2	Limits
1868-53-7	Dibromofluoromethane	97%	100%	97%	80-136%

* = Outside of Control Limits.

5.4.3
5



Matrix Spike/Matrix Spike Duplicate Summary

Page 3 of 3

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C45620-2MS	L48841.D	1	05/06/16	JT	n/a	n/a	VL1460
C45620-2MSD	L48842.D	1	05/06/16	JT	n/a	n/a	VL1460
C45620-2	L48826.D	1	05/06/16	JT	n/a	n/a	VL1460

The QC reported here applies to the following samples:

Method: SW846 8260B

C45685-5

CAS No.	Surrogate Recoveries	MS	MSD	C45620-2	Limits
2037-26-5	Toluene-D8	95%	96%	94%	88-113%
460-00-4	4-Bromofluorobenzene	97%	98%	94%	79-115%

(a) Outside laboratory control limits.

* = Outside of Control Limits.

GC/MS Semi-volatiles**QC Data Summaries**

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries



Method Blank Summary

Page 1 of 1

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP14318-MB	T23190.D	1	05/05/16	BJ	05/05/16	OP14318	ET1057

The QC reported here applies to the following samples:

Method: SW846 8270C BY SIM

C45685-1, C45685-2, C45685-3, C45685-4, C45685-5, C45685-6, C45685-7, C45685-8, C45685-9, C45685-10, C45685-11, C45685-12, C45685-13

CAS No.	Compound	Result	RL	MDL	Units	Q
83-32-9	Acenaphthene	ND	3.3	0.45	ug/kg	
208-96-8	Acenaphthylene	ND	3.3	0.58	ug/kg	
120-12-7	Anthracene	ND	3.3	0.47	ug/kg	
56-55-3	Benzo(a)anthracene	ND	3.3	0.32	ug/kg	
50-32-8	Benzo(a)pyrene	ND	3.3	0.29	ug/kg	
205-99-2	Benzo(b)fluoranthene	ND	3.3	0.57	ug/kg	
191-24-2	Benzo(g,h,i)perylene	ND	3.3	0.66	ug/kg	
207-08-9	Benzo(k)fluoranthene	ND	3.3	0.53	ug/kg	
218-01-9	Chrysene	ND	3.3	0.55	ug/kg	
53-70-3	Dibenz(a,h)anthracene	ND	3.3	0.68	ug/kg	
206-44-0	Fluoranthene	ND	3.3	0.54	ug/kg	
86-73-7	Fluorene	ND	3.3	0.50	ug/kg	
193-39-5	Indeno(1,2,3-cd)pyrene	ND	3.3	0.69	ug/kg	
90-12-0	1-Methylnaphthalene	ND	3.3	0.56	ug/kg	
91-57-6	2-Methylnaphthalene	ND	3.3	0.40	ug/kg	
91-20-3	Naphthalene	ND	3.3	0.50	ug/kg	
85-01-8	Phenanthrene	ND	3.3	0.37	ug/kg	
129-00-0	Pyrene	ND	3.3	0.86	ug/kg	

CAS No.	Surrogate Recoveries	Limits
4165-60-0	Nitrobenzene-d5	92%
321-60-8	2-Fluorobiphenyl	79%
1718-51-0	Terphenyl-d14	103%

Blank Spike/Blank Spike Duplicate Summary

Page 1 of 1

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP14318-BS	T23191.D	1	05/05/16	BJ	05/05/16	OP14318	ET1057
OP14318-BSD	T23192.D	1	05/05/16	BJ	05/05/16	OP14318	ET1057

The QC reported here applies to the following samples:

Method: SW846 8270C BY SIM

C45685-1, C45685-2, C45685-3, C45685-4, C45685-5, C45685-6, C45685-7, C45685-8, C45685-9, C45685-10, C45685-11, C45685-12, C45685-13

CAS No.	Compound	Spike	BSP	BSP	BSD	BSD	Limits	
		ug/kg	ug/kg	%	ug/kg	%	RPD	Rec/RPD
83-32-9	Acenaphthene	167	151	91	156	94	3	53-111/14
208-96-8	Acenaphthylene	167	148	89	155	93	5	53-113/13
120-12-7	Anthracene	167	159	95	165	99	4	57-113/14
56-55-3	Benzo(a)anthracene	167	176	106	180	108	2	60-126/10
50-32-8	Benzo(a)pyrene	167	148	89	145	87	2	51-111/11
205-99-2	Benzo(b)fluoranthene	167	160	96	165	99	3	53-136/19
191-24-2	Benzo(g,h,i)perylene	167	174	104	161	97	8	57-129/17
207-08-9	Benzo(k)fluoranthene	167	165	99	166	100	1	60-126/16
218-01-9	Chrysene	167	165	99	169	101	2	64-119/10
53-70-3	Dibenz(a,h)anthracene	167	167	100	162	97	3	54-128/19
206-44-0	Fluoranthene	167	173	104	178	107	3	62-124/13
86-73-7	Fluorene	167	157	94	146	88	7	56-118/15
193-39-5	Indeno(1,2,3-cd)pyrene	167	179	107	169	101	6	47-135/19
90-12-0	1-Methylnaphthalene	167	138	83	140	84	1	52-107/17
91-57-6	2-Methylnaphthalene	167	149	89	151	91	1	52-110/15
91-20-3	Naphthalene	167	135	81	139	83	3	49-103/14
85-01-8	Phenanthrene	167	155	93	164	98	6	57-114/10
129-00-0	Pyrene	167	161	97	168	101	4	55-124/15

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
4165-60-0	Nitrobenzene-d5	77%	83%	10-177%
321-60-8	2-Fluorobiphenyl	77%	81%	41-124%
1718-51-0	Terphenyl-d14	88%	94%	40-149%

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 1

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP14318-MS	T23208.D	1	05/05/16	BJ	05/05/16	OP14318	ET1057
OP14318-MSD	T23209.D	1	05/06/16	BJ	05/05/16	OP14318	ET1057
C45685-12	T23204.D	1	05/05/16	BJ	05/05/16	OP14318	ET1057

The QC reported here applies to the following samples:

Method: SW846 8270C BY SIM

C45685-1, C45685-2, C45685-3, C45685-4, C45685-5, C45685-6, C45685-7, C45685-8, C45685-9, C45685-10, C45685-11, C45685-12, C45685-13

CAS No.	Compound	C45685-12		Spike ug/kg	MS ug/kg	MS %	Spike ug/kg	MSD ug/kg	MSD %	RPD	Limits Rec/RPD
		ug/kg	Q								
83-32-9	Acenaphthene	ND	166	140	84	166	140	84	0	53-111/14	
208-96-8	Acenaphthylene	ND	166	135	81	166	141	85	4	53-113/13	
120-12-7	Anthracene	ND	166	151	91	166	147	89	3	57-113/14	
56-55-3	Benzo(a)anthracene	ND	166	179	108	166	178	107	1	60-126/10	
50-32-8	Benzo(a)pyrene	ND	166	149	90	166	155	93	4	51-111/11	
205-99-2	Benzo(b)fluoranthene	ND	166	155	93	166	162	98	4	53-136/19	
191-24-2	Benzo(g,h,i)perylene	ND	166	167	101	166	177	107	6	57-129/17	
207-08-9	Benzo(k)fluoranthene	ND	166	151	91	166	155	93	3	60-126/16	
218-01-9	Chrysene	ND	166	159	96	166	161	97	1	64-119/10	
53-70-3	Dibenz(a,h)anthracene	ND	166	170	102	166	177	107	4	54-128/19	
206-44-0	Fluoranthene	ND	166	174	105	166	174	105	0	62-124/13	
86-73-7	Fluorene	ND	166	145	87	166	150	90	3	56-118/15	
193-39-5	Indeno(1,2,3-cd)pyrene	ND	166	185	111	166	196	118	6	47-135/19	
90-12-0	1-Methylnaphthalene	4.1	166	131	76	166	130	76	1	52-107/17	
91-57-6	2-Methylnaphthalene	6.6	166	141	81	166	139	80	1	52-110/15	
91-20-3	Naphthalene	1.8	J	166	126	75	166	127	75	1	49-103/14
85-01-8	Phenanthrene	ND	166	143	86	166	145	87	1	57-114/10	
129-00-0	Pyrene	ND	166	153	92	166	155	93	1	55-124/15	

CAS No.	Surrogate Recoveries	MS	MSD	C45685-12	Limits
4165-60-0	Nitrobenzene-d5	76%	76%	76%	10-177%
321-60-8	2-Fluorobiphenyl	73%	73%	76%	41-124%
1718-51-0	Terphenyl-d14	91%	88%	100%	40-149%

* = Outside of Control Limits.



GC Semi-volatiles**QC Data Summaries**

7

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

Method Blank Summary

Page 1 of 1

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP14328-MB	BB3217.D	1	05/06/16	FL	05/06/16	OP14328	GBB125

The QC reported here applies to the following samples:

Method: SW846 8015B M

C45685-1, C45685-2, C45685-3, C45685-4, C45685-5, C45685-6, C45685-7, C45685-8, C45685-9, C45685-10, C45685-11, C45685-12, C45685-13

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	ND	3.3	1.7	mg/kg	
	TPH (Motor Oil)	ND	6.7	3.3	mg/kg	
	TPH (Mineral Spirits)	ND	3.3	1.7	mg/kg	
	TPH (Kerosene)	ND	3.3	1.7	mg/kg	

CAS No. Surrogate Recoveries Limits

630-01-3	Hexacosane	90%	38-146%
----------	------------	-----	---------

Blank Spike/Blank Spike Duplicate Summary

Page 1 of 1

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP14328-BS	BB3218.D	1	05/06/16	FL	05/06/16	OP14328	GBB125
OP14328-BSD	BB3219.D	1	05/06/16	FL	05/06/16	OP14328	GBB125

The QC reported here applies to the following samples:

Method: SW846 8015B M

C45685-1, C45685-2, C45685-3, C45685-4, C45685-5, C45685-6, C45685-7, C45685-8, C45685-9, C45685-10, C45685-11, C45685-12, C45685-13

CAS No.	Compound	Spike mg/kg	BSP mg/kg	BSP %	BSD mg/kg	BSD %	RPD	Limits Rec/RPD
	TPH (Diesel)	33.3	25.2	76	24.0	72	5	53-107/12
	TPH (Motor Oil)	33.3	24.9	75	24.1	72	3	59-119/13

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
630-01-3	Hexacosane	90%	88%	38-146%

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 1

Job Number: C45685

Account: GGTRCASF Golden Gate Tank Removal

Project: 1110 Jackson Street - Oakland, CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP14328-MS	BB3240.D	1	05/07/16	FL	05/06/16	OP14328	GBB125
OP14328-MSD	BB3241.D	1	05/07/16	FL	05/06/16	OP14328	GBB125
C45675-1	BB3239.D	1	05/07/16	FL	05/06/16	OP14328	GBB125

The QC reported here applies to the following samples:

Method: SW846 8015B M

C45685-1, C45685-2, C45685-3, C45685-4, C45685-5, C45685-6, C45685-7, C45685-8, C45685-9, C45685-10, C45685-11, C45685-12, C45685-13

CAS No.	Compound	C45675-1		Spike	MS	MS	Spike	MSD	MSD	RPD	Limits Rec/RPD
		mg/kg	Q	mg/kg	mg/kg	%	mg/kg	mg/kg	%		
	TPH (Diesel)	3.3	U	33.1	24.3	73	33.1	23.3	70	4	53-107/12
	TPH (Motor Oil)	4.13	J	33.1	27.5	71	33.1	26.4	67	4	59-119/13
CAS No.		Surrogate Recoveries		MS	MSD	C45675-1	Limits				
630-01-3	Hexacosane	89%		86%		86%	38-146%				

* = Outside of Control Limits.

7.3.1
7

Metals Analysis**QC Data Summaries**

∞

Includes the following where applicable:

- Method Blank Summaries
- Matrix Spike and Duplicate Summaries
- Blank Spike and Lab Control Sample Summaries
- Serial Dilution Summaries

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: C45685
Account: GGTRCASF - Golden Gate Tank Removal
Project: 1110 Jackson Street - Oakland, CA

QC Batch ID: MP11265
Matrix Type: SOLID

Methods: SW846 6010B
Units: mg/kg

Prep Date:

05/05/16

Metal	RL	IDL	MDL	MB raw	final
Aluminum	20	1.4	1.5		
Antimony	2.0	.12	.18		
Arsenic	2.0	.16	.17		
Barium	20	.02	.09		
Beryllium	1.0	.02	.01		
Boron	10	.18	.15		
Cadmium	1.0	.02	.031	-0.020	<1.0
Calcium	500	2.8	4.5		
Chromium	1.0	.04	.054	-0.030	<1.0
Cobalt	1.0	.03	.025		
Copper	2.5	.12	.15		
Iron	20	.53	.76		
Lead	2.0	.1	.14	0.010	<2.0
Magnesium	500	1.6	2.1		
Manganese	1.5	.02	.026		
Molybdenum	2.0	.05	.04		
Nickel	1.0	.04	.047	0.0	<1.0
Potassium	1000	3.5	4.6		
Selenium	2.0	.17	.33		
Silicon	20	.24	.43		
Silver	1.0	.05	.067		
Sodium	1000	1.1	1.2		
Strontium	1.0	.01	.018		
Thallium	2.0	.17	.12		
Tin	50	.08	.28		
Titanium	1.0	.08	.13		
Vanadium	1.0	.06	.074		
Zinc	2.0	.05	.22	-0.060	<2.0

Associated samples MP11265: C45685-1, C45685-2, C45685-3, C45685-4, C45685-5, C45685-6, C45685-7, C45685-8, C45685-9, C45685-10, C45685-11, C45685-12, C45685-13

Results < IDL are shown as zero for calculation purposes
(*) Outside of QC limits
(anr) Analyte not requested

8.1.1
8

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: C45685

Account: GGTRCASF - Golden Gate Tank Removal
Project: 1110 Jackson Street - Oakland, CAQC Batch ID: MP11265
Matrix Type: SOLIDMethods: SW846 6010B
Units: mg/kg

Prep Date: 05/05/16

Metal	C45664-5 Original MS	Spikelot MPIR5	% Rec	QC Limits
Aluminum				
Antimony	anr			
Arsenic	anr			
Barium	anr			
Beryllium	anr			
Boron				
Cadmium	0.0	38.5	44	87.5 75-125
Calcium				
Chromium	21.7	61.5	44	90.5 75-125
Cobalt	anr			
Copper	anr			
Iron				
Lead	5.3	44.2	44	88.4 75-125
Magnesium				
Manganese				
Molybdenum	anr			
Nickel	22.1	62.8	44	92.5 75-125
Potassium				
Selenium	anr			
Silicon				
Silver	anr			
Sodium				
Strontium				
Thallium	anr			
Tin				
Titanium				
Vanadium	anr			
Zinc	26.7	66.3	44	90.0 75-125

Associated samples MP11265: C45685-1, C45685-2, C45685-3, C45685-4, C45685-5, C45685-6, C45685-7, C45685-8, C45685-9, C45685-10, C45685-11, C45685-12, C45685-13

Results < IDL are shown as zero for calculation purposes

(*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

(anr) Analyte not requested

8.12
8

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: C45685
 Account: GGTRCASF - Golden Gate Tank Removal
 Project: 1110 Jackson Street - Oakland, CA

QC Batch ID: MP11265
 Matrix Type: SOLID

Methods: SW846 6010B
 Units: mg/kg

Prep Date: 05/05/16

Metal	C45664-5 Original	MSD	Spikelot MPIR5	% Rec	MSD RPD	QC Limit
Aluminum						
Antimony	anr					
Arsenic	anr					
Barium	anr					
Beryllium	anr					
Boron						
Cadmium	0.0	39.4	45.1	87.3	2.3	20
Calcium						
Chromium	21.7	61.7	45.1	88.6	0.3	20
Cobalt	anr					
Copper	anr					
Iron						
Lead	5.3	44.4	45.1	86.6	0.5	20
Magnesium						
Manganese						
Molybdenum	anr					
Nickel	22.1	62.3	45.1	89.1	0.8	20
Potassium						
Selenium	anr					
Silicon						
Silver	anr					
Sodium						
Strontium						
Thallium	anr					
Tin						
Titanium						
Vanadium	anr					
Zinc	26.7	65.7	45.1	86.4	0.9	20

Associated samples MP11265: C45685-1, C45685-2, C45685-3, C45685-4, C45685-5, C45685-6, C45685-7, C45685-8, C45685-9, C45685-10, C45685-11, C45685-12, C45685-13

Results < IDL are shown as zero for calculation purposes

(*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

(anr) Analyte not requested

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: C45685
 Account: GGTRCASF - Golden Gate Tank Removal
 Project: 1110 Jackson Street - Oakland, CA

QC Batch ID: MP11265
 Matrix Type: SOLID

Methods: SW846 6010B
 Units: mg/kg

Prep Date: 05/05/16

Metal	BSP Result	Spikelot MPIR5	% Rec	QC Limits
Aluminum				
Antimony	anr			
Arsenic	anr			
Barium	anr			
Beryllium	anr			
Boron				
Cadmium	46.5	50	93.0	80-120
Calcium				
Chromium	49.4	50	98.8	80-120
Cobalt	anr			
Copper	anr			
Iron				
Lead	45.3	50	90.6	80-120
Magnesium				
Manganese				
Molybdenum	anr			
Nickel	45.6	50	91.2	80-120
Potassium				
Selenium	anr			
Silicon				
Silver	anr			
Sodium				
Strontium				
Thallium	anr			
Tin				
Titanium				
Vanadium	anr			
Zinc	48.7	50	97.4	80-120

Associated samples MP11265: C45685-1, C45685-2, C45685-3, C45685-4, C45685-5, C45685-6, C45685-7, C45685-8, C45685-9, C45685-10, C45685-11, C45685-12, C45685-13

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits
 (anr) Analyte not requested

8.1.3
8

SERIAL DILUTION RESULTS SUMMARY

Login Number: C45685
 Account: GGTRCASF - Golden Gate Tank Removal
 Project: 1110 Jackson Street - Oakland, CA

QC Batch ID: MP11265
 Matrix Type: SOLID

Methods: SW846 6010B
 Units: ug/l

Prep Date: 05/05/16

Metal	C45664-5 Original	SDL 1:5	%DIF	QC Limits
Aluminum				
Antimony	anr			
Arsenic	anr			
Barium	anr			
Beryllium	anr			
Boron				
Cadmium	0.00	0.00	NC	0-10
Calcium				
Chromium	234	246	4.9	0-10
Cobalt	anr			
Copper	anr			
Iron				
Lead	57.5	56.9	1.0	0-10
Magnesium				
Manganese				
Molybdenum	anr			
Nickel	238	237	0.5	0-10
Potassium				
Selenium	anr			
Silicon				
Silver	anr			
Sodium				
Strontium				
Thallium	anr			
Tin				
Titanium				
Vanadium	anr			
Zinc	288	308	6.8	0-10

Associated samples MP11265: C45685-1, C45685-2, C45685-3, C45685-4, C45685-5, C45685-6, C45685-7, C45685-8, C45685-9, C45685-10, C45685-11, C45685-12, C45685-13

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits
 (anr) Analyte not requested

A UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator ID Number CAC 002 853 474	2. Page 1 of 1	3. Emergency Response Phone 1-800 624-9136	4. Manifest Tracking Number 014477075 JJK	
5. Generator's Name and Mailing Address 115 Family Housing 1825 San Pablo Ave Oakland, CA 94612		Generator's Site Address (if different than mailing address) 1110 Jackson Street Oakland, CA 94607				
Generator's Phone: 510 287-5353						
6. Transporter 1 Company Name PARTNERT ENVIRONMENTAL SERVICES		U.S. EPA ID Number CAD 053866 794				
7. Transporter 2 Company Name ENVIRONMENTAL LOGISTICS, INC.		U.S. EPA ID Number CARD021753				
8. Designated Facility Name and Site Address CROSSY AND OVERTON INC. 1630 West 17th Street Long Beach, CA 90813		U.S. EPA ID Number CAD 028409 019				
Facility's Phone: 562 432-5445						
9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any)) NON-RCRA HAZARDOUS WASTE Liquid (Hydrocarbons, water)	10. Containers		11. Total Quantity	12. Unit Wt./Vol.	
		No.	Type			13. Waste Codes 134
1.	03	TP	750	6		
2.						
3.						
4.						
14. Special Handling Instructions and Additional Information Wear appropriate Personal Protective Equipment Project #: 100522						
Job# / PO# 09-16-0173 0131188						
15. GENERATOR/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.						
Generator's/Officer's Printed/Typed Name Brent W. Kress		Signature 		Month 1	Day 15	Year 16
16. International Shipments <input type="checkbox"/> Import to U.S.		<input type="checkbox"/> Export from U.S.		Port of entry/exit: _____		
Transporter signature (for exports only):				Date leaving U.S.: _____		
17. Transporter Acknowledgment of Receipt of Materials						
Transporter 1 Printed/Typed Name Edwin Rios		Signature 		Month 1	Day 15	Year 16
Transporter 2 Printed/Typed Name Patricia Chantrell		Signature 		Month 1	Day 15	Year 16
18. Discrepancy						
18a. Discrepancy Indication Space 9b. 1 ONE (1) tote size UN 1993, WASTE Flammable Liquids, H.O.S. (gasoline), 3, 11 USE WASTE CODES 331, D001, D018, Proj. 100538 Manifest Reference Number: 101141		<input type="checkbox"/> Quantity <input checked="" type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection				
18b. Alternate Facility (or Generator)		U.S. EPA ID Number				
Facility's Phone:						
18c. Signature of Alternate Facility (or Generator)		Month Day Year				
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)						
1. H135		2.		3.		4.
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a						
Printed/Typed Name JR CAMYUEN		Signature 		Month 1	Day 15	Year 16

SITE

KELLER CANYON LANDFILL

Pittsburg, CA 925-458-9800

CUSTOMER

674678
 Golden Gate Tank Removal, Inc.
 1480 Carroll Avenue
 San Francisco, CA 94124
 4212167120

SITE	TICKET #	CELL
01	1065008	
WEIGHMASTER		
Felipe C.		
DATE/TIME IN		
05-05-2016 12:22 pm		
VEHICLE		
YMT10		
REFERENCE		
BILL OF LADING		
TINVOTCE		

SCALE IN	GROSS WEIGHT	68,460	NET TONS	18.86	
TARE OUT	TARE WEIGHT	30,740	NET WEIGHT	37,720	INBOUND

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL
20.00	YD	TRACKING QTY				
18.86	TN	SW-CONT SOIL				
1.00		OAKLAND				
1.00		ENVIRONMENTAL FEE 1				
		FUEL RECOVERY FEE				



WEIGHMASTER CERTIFICATE - This is to certify that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the **Division of Measurement Standards of the California Department of Food & Agriculture**.
 The undersigned individual signing this document on behalf of Customer acknowledges that he or she has read and understands the terms and conditions on the reverse side and that he or she has the authority to sign this document on behalf of the customer.

NET AMOUNT

TENDERED

CHANGE

CHECK#

RS-F042UPR (07/12)

SIGNATURE *Felipe C.*

SITE	KELLER CANYON LANDFILL
CUSTOMER	Pittsburg, CA 925-458-9800
674678 Golden Gate Tank Removal, Inc. 1480 Carroll Avenue San Francisco, CA 94124 4212167120	

SITE	TICKET #	CELL
01	1065067	
WEIGHMASTER		
Felipe C.		
DATE/TIME IN		
05-05-2016 2:45 pm		
VEHICLE		
YMT10		
REFERENCE		
BILL OF LADING		
INVOICE		

SCALE IN	GROSS WEIGHT	73,060	NET TONS	21.16	
TARE OUT	TARE WEIGHT	30,740	NET WEIGHT	42,320	INBOUND

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL
20.00	YD	TRACKING QTY				
21.16	TN	SW-CONT SOIL				
1.00		OAKLAND				
1.00		ENVIRONMENTAL FEE 1				
		FUEL RECOVERY FEE				



WEIGHMASTER CERTIFICATE - This is to certify that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the **Division of Measurement Standards of the California Department of Food & Agriculture**.
 The undersigned individual signing this document on behalf of Customer acknowledges that he or she has read and understands the terms and conditions on the reverse side and that he or she has the authority to sign this document on behalf of the customer.

NET AMOUNT

TENDERED

CHANGE

CHECK#

RS-F042UPR (07/12)

SIGNATURE *Felipe C.*

SITE

KELLER CANYON LANDFILL

Pittsburg, CA 925-458-9800

CUSTOMER

674678
 Golden Gate Tank Removal, Inc.
 1480 Carroll Avenue
 San Francisco, CA 94124
 4212167120

SITE	TICKET #	CELL
01	1064750	

WEIGHMASTER

Felipe C.

DATE/TIME IN

05-04-2016 11:36 am

VEHICLE

YMT10

REFERENCE

DATE/TIME OUT

05-4-2016 12:00 pm

CONTAINER

INVOICE

BILL OF LADING

SCALE IN	GROSS WEIGHT	76,500	NET TONS	22.88	
SCALE OUT	TARE WEIGHT	30,740	NET WEIGHT	45,760	INBOUND

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL
20.00	YD	TRACKING QTY				
22.88	TN	SW-CONT SOIL				
1.00		OAKLAND				
1.00		ENVIRONMENTAL FEE 1				
		FUEL RECOVERY FEE				

WEIGHMASTER CERTIFICATE - This is to certify that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the

Division of Measurement Standards of the California Department of Food & Agriculture.
The undersigned individual signing this document on behalf of Customer acknowledges that he or she has read and understands the terms and conditions on the reverse side and that he or she has the authority to sign this document on behalf of the customer.

NET AMOUNT

TENDERED

CHANGE

CHECK#

RS-F042UPR (07/12)

2/21

SIGNATURE

Franco

SITE

KELLER CANYON LANDFILL

Pittsburg, CA 925-458-9800

CUSTOMER

674678
 Golden Gate Tank Removal, Inc.
 1480 Carroll Avenue
 San Francisco, CA 94124
 4212167120

SITE	TICKET #	CELL
01	1064825	

WEIGHMASTER

Felipe C.

DATE/TIME IN

05-04-2016 2:43 pm

DATE/TIME OUT

05-4-2016 2:43 pm

VEHICLE

YMT10

REFERENCE

INVOICE

BILL OF LADING

SCALE IN	GROSS WEIGHT	61,460	NET TONS	15.36	
TARE OUT	TARE WEIGHT	30,740	NET WEIGHT	30,720	INBOUND

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL
20.00	YD	TRACKING QTY				
15.36	TN	SW-CONT SOIL				
1.00		OAKLAND				
1.00		ENVIRONMENTAL FEE 1				
		FUEL RECOVERY FEE				

WEIGHMASTER CERTIFICATE - This is to certify that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the

Division of Measurement Standards of the California Department of Food & Agriculture.
The undersigned individual signing this document on behalf of Customer acknowledges that he or she has read and understands the terms and conditions on the reverse side and that he or she has the authority to sign this document on behalf of the customer.

NET AMOUNT

TENDERED

CHANGE

CHECK#

RS-F042UPR (07/12)

SIGNATURE

Franco



NON-HAZARDOUS SPECIAL WASTE & ASBESTOS MANIFEST

If waste is asbestos waste, complete Sections I, II, III and IV
If waste is NOT asbestos waste, complete Sections I, II and III

I. GENERATOR (Generator completes 1a-r)

a. Generator's US EPA ID Number N/A	b. Manifest Document Number	c. Page 1 of				
d. Generator's Name and Location: 11J Family Housing LP 1110 Jackson St. Oakland, CA 94607 f. Phone: 510-287-5353	e. Generator's Mailing Address: 11J Family Housing LP c/o East Bay Asian Local Development Corp 1825 San Pablo Ave Oakland, CA 94612 g. Phone: 510-287-5353					
If owner of the generating facility differs from the generator, provide:						
h. Owner's Name:	i. Owner's Phone No.:					
j. Waste Profile #	k. Exp. Date	l. Waste Shipping Name and Description	m. Containers No.	m. Containers Type	n. Total Quantity	o. Unit Wt/Vol
4212167120	04/22/2017	Soil				

GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if this waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions. I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR 268 and is no longer a hazardous waste as defined by 40 CFR 261.

Gina Wee

b. Generator Authorized Agent Name (Print)

q. Signature

r. Date

5/4/16

H. TRANSPORTER (Generator completes IIa-b and Transporter completes IIc-e)

a. Transporter's Name and Address: Golden Gate Tank Removal, Inc
1480 Carroll Avenue
San Francisco, CA 94124
b. Phone: 415-512-1555
c. Driver Name (Print): Francis
d. Signature: Francis
e. Date: 5 5 16

III. DESTINATION (Generator complete IIIa-c and Destination Site completes IIId-g)

a. Disposal Facility and Site Address: Keller Canyon Landfill 901 Baily Rd. Pittsburg, CA 94565 b. Phone: 925-458-9800	c. US EPA Number	d. Discrepancy Indication Space:
I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.		
e. Name of Authorized Agent (Print) <i>Miller Loma Jr</i>	f. Signature <i>JL</i>	g. Date <i>5-5-16</i>

IV ASBESTOS (Generator completes IVa-f and Operator complete IVg-i)

IV. ASBESTOS (Generator completes IVa-1 and Operator complete IVg-1)		
a. Operator's Name and Address:	c. Responsible Agency Name and Address:	
b. Phone:	d. Phone:	
e. Special Handling Instructions and Additional Information:		
f. <input type="checkbox"/> Friable <input type="checkbox"/> Non-Friable <input type="checkbox"/> Both % Friable % Non-Friable OPERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations.		
g. Operator's Name and Title (Print)	h. Signature	i. Date
*Operator refers to the company which owns, leases, operates, controls, or supervises the facility being demolished or renovated, or the demolition or renovation operation or both		



NON-HAZARDOUS SPECIAL WASTE & ASBESTOS MANIFEST

If waste is asbestos waste, complete Sections I, II, III and IV
 If waste is NOT asbestos waste, complete Sections I, II and III

I. GENERATOR (Generator completes Ia-r)

a. Generator's US EPA ID Number N/A	b. Manifest Document Number	c. Page 1 of			
d. Generator's Name and Location: 11J Family Housing LP 1110 Jackson St. Oakland, CA 94607 f. Phone: 510-287-5353		e. Generator's Mailing Address: 11J Family Housing LP c/o East Bay Asian Local Development Corp 1825 San Pablo Ave Oakland, CA 94612 g. Phone: 510-287-5353			
If owner of the generating facility differs from the generator, provide:					
h. Owner's Name:		i. Owner's Phone No.:			
j. Waste Profile #	k. Exp. Date	l. Waste Shipping Name and Description		m. Containers	n. Total Quantity
No.	Type				o. Unit Wt/Vol
4212167120	04/22/2017	Soil			

GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if this waste is a treatment residue of a previously restricted hazardous waste/subject to the Land Disposal Restrictions. I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR 268 and is no longer a hazardous waste as defined by 40 CFR 261.

Gina Wee

p. Generator Authorized Agent Name (Print)

q. Signature

5/6/16

r. Date

II. TRANSPORTER (Generator completes IIa-b and Transporter completes IIc-e)

a. Transporter's Name and Address: Golden Gate Tank Removal, Inc 1480 Carroll Avenue San Francisco, CA 94124		You +魏 Trk 16	
b. Phone: 415-512-1555	510 760 4386		
Frank S	Frank	55 16	
c. Driver Name (Print)	d. Signature	e. Date	

III. DESTINATION (Generator complete IIIa-c and Destination Site completes IIId-g)

a. Disposal Facility and Site Address: Keller Canyon Landfill 901 Baily Rd. Pittsburg, CA 94565 b. Phone: 925-458-9800	c. US EPA Number	d. Discrepancy Indication Space:
I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.		
e. Name of Authorized Agent (Print)	f. Signature	g. Date

IV. ASBESTOS (Generator completes IVa-f and Operator complete IVg-i)

a. Operator's Name and Address:	c. Responsible Agency Name and Address:		
b. Phone:	d. Phone:		
e. Special Handling Instructions and Additional Information:			
f. <input type="checkbox"/> Friable <input type="checkbox"/> Non-Friable <input type="checkbox"/> Both		% Friable	% Non-Friable
OPERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations.			
g. Operator's Name and Title (Print)	h. Signature	i. Date	
*Operator refers to the company which owns, leases, operates, controls, or supervises the facility being demolished or renovated, or the demolition or renovation operation or both			



NON-HAZARDOUS SPECIAL WASTE & ASBESTOS MANIFEST

If waste is asbestos waste, complete Sections I, II, III and IV
 If waste is NOT asbestos waste, complete Sections I, II and III

I. GENERATOR (Generator completes Ia-r)

a. Generator's US EPA ID Number N/A	b. Manifest Document Number	c. Page 1 of			
d. Generator's Name and Location: 11J Family Housing LP 1110 Jackson St. Oakland, CA 94607 f. Phone: 510-287-5353		e. Generator's Mailing Address: 11J Family Housing LP c/o East Bay Asian Local Development Corp 1825 San Pablo Ave Oakland, CA 94612 g. Phone: 510-287-5353			
If owner of the generating facility differs from the generator, provide:					
h. Owner's Name:		i. Owner's Phone No.:			
j. Waste Profile #	k. Exp. Date	l. Waste Shipping Name and Description	m. Containers No.	n. Total Quantity	o. Unit Wt/Vol
4212167120	04/22/2017	Soil			

GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if this waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR 268 and is no longer a hazardous waste as defined by 40 CFR 261.

Gina Wee	<i>Anne</i>	5/4/16
p. Generator Authorized Agent Name (Print)	q. Signature	r. Date

II. TRANSPORTER (Generator completes IIa-b and Transporter completes IIc-e)

a. Transporter's Name and Address: Golden Gate Tank Removal, Inc 1480 Carroll Avenue San Francisco, CA 94124	<i>Yan + Mike Trk</i>	10
b. Phone: 415-512-1555		510 760 4386
c. Driver Name (Print) <i>Francis</i>	d. Signature <i>Ergene</i>	e. Date 5 4 16

III. DESTINATION (Generator complete IIIa-c and Destination Site completes IIId-g)

a. Disposal Facility and Site Address: Keller Canyon Landfill 901 Baily Rd. Pittsburg, CA 94565 b. Phone: 925-458-9800	c. US EPA Number	d. Discrepancy Indication Space: <i>✓</i>
--	------------------	--

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

e. Name of Authorized Agent (Print) <i>Phyllis Lomax</i>	f. Signature <i>L</i>	g. Date 5-4-16
---	--------------------------	-------------------

IV. ASBESTOS (Generator completes IVa-f and Operator complete IVg-i)

a. Operator's Name and Address:	c. Responsible Agency Name and Address:		
b. Phone:	d. Phone:		
e. Special Handling Instructions and Additional Information:			

f. Friable Non-Friable Both % Friable % Non-Friable

OPERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations.

g. Operator's Name and Title (Print)	h. Signature	i. Date
--------------------------------------	--------------	---------

*Operator refers to the company which owns, leases, operates, controls, or supervises the facility being demolished or renovated, or the demolition or renovation operation or both



NON-HAZARDOUS SPECIAL WASTE & ASBESTOS MANIFEST

If waste is asbestos waste, complete Sections I, II, III and IV
 If waste is NOT asbestos waste, complete Sections I, II and III

I. GENERATOR (Generator completes Ia-r)

a. Generator's US EPA ID Number N/A	b. Manifest Document Number	c. Page 1 of			
d. Generator's Name and Location: 11J Family Housing LP 11-10 Jackson St. Oakland, CA 94607 f. Phone: 510-287-5353		e. Generator's Mailing Address: 11J Family Housing LP c/o East Bay Asian Local Development Corp 1825 San Pablo Ave Oakland, CA 94612 g. Phone: 510-287-5353			
If owner of the generating facility differs from the generator, provide:		i. Owner's Phone No.:			
h. Owner's Name:					
j. Waste Profile #	k. Exp. Date	l. Waste Shipping Name and Description	m. Containers No.	n. Total Quantity	o. Unit Wt/Vol
4212167120	04/22/2017	Soil			

GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if this waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR 268 and is no longer a hazardous waste as defined by 40 CFR 261.

Gina Wee	<i>[Signature]</i>	5/4/16
p. Generator Authorized Agent Name (Print)	q. Signature	r. Date

II. TRANSPORTER (Generator completes IIa-b and Transporter completes IIc-e)

a. Transporter's Name and Address: Golden Gate Tank Removal, Inc 1480 Carroll Avenue San Francisco, CA 94124		<i>Yuri Me Tris 10</i>
b. Phone: 415-512-1555		
<i>Franck S</i>	<i>Franck M</i>	5/4/16
c. Driver Name (Print)	d. Signature	e. Date

III. DESTINATION (Generator complete IIIa-c and Destination Site completes IIId-g)

a. Disposal Facility and Site Address: Keller Canyon Landfill 901 Baily Rd. Pittsburg, CA 94565 b. Phone: 925-458-9800	c. US EPA Number	d. Discrepancy Indication Space: <i>[Signature]</i>
I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.		
<i>Franck M</i>	<i>[Signature]</i>	5-4-16
e. Name of Authorized Agent (Print)	f. Signature	g. Date

IV. ASBESTOS (Generator completes IVa-f and Operator complete IVg-i)

a. Operator's Name and Address:	c. Responsible Agency Name and Address:		
b. Phone:	d. Phone:		
e. Special Handling Instructions and Additional Information:			
f. <input type="checkbox"/> Friable <input type="checkbox"/> Non-Friable <input type="checkbox"/> Both % Friable % Non-Friable			
OPERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations.			
g. Operator's Name and Title (Print)	h. Signature		i. Date
*Operator refers to the company which owns, leases, operates, controls, or supervises the facility being demolished or renovated, or the demolition or renovation operation or both.			

UNDERGROUND STORAGE TANK UNAUTHORIZED RELEASE (LEAK)/ CONTAMINATION SITE REPORT

EMERGENCY <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		HAS STATE OFFICE OF EMERGENCY SERVICES REPORT BEEN FILED? <input type="checkbox"/> Yes <input type="checkbox"/> No	FOR LOCAL AGENCY USE ONLY I HEREBY CERTIFY THAT I AM A DESIGNATED GOVERNMENT EMPLOYEE AND THAT I HAVE REPORTED THIS INFORMATION TO LOCAL OFFICIALS PERSUANT TO SECTION 25180.7 OF THE HEALTH AND SAFETY CODE. <small>SIGNED _____ DATE _____</small>			
REPORT DATE 04/15/16		CASE #				
REPORTED BY	NAME OF INDIVIDUAL FILING REPORT Gina Wee		PHONE (415) 512-1555	SIGNATURE 		
	REPRESENTING <input type="checkbox"/> LOCAL AGENCY <input type="checkbox"/> REGIONAL BOARD <input type="checkbox"/> OWNER/OPERATOR <input checked="" type="checkbox"/> OTHER... contractor		COMPANY OR AGENCY NAME Golden Gate Tank Removal, Inc.			
RESPONSIBLE PARTY	ADDRESS 1480 Carroll Avenue STREET		San Francisco CITY	CA 94124 STATE ZIP		
	NAME 11J Family Housing, LP		<input type="checkbox"/> Unknown	PHONE 510-287-5353		
SITE LOCATION	ADDRESS 1825 San Pablo Avenue STREET		Oakland CITY	CA 94612 STATE ZIP		
	FACILITY NAME (IF APPLICABLE)		OPERATOR	PHONE		
IMPLEMENTING AGENCIES	ADDRESS 1110 Jackson St STREET		Oakland CITY	Alameda 94607 COUNTY ZIP		
	CROSS STREET 38th Avenue					
SUBSTANCES INVOLVED	LOCAL AGENCY Alameda County Environmental Health		AGENCY NAME -Barbara Jakub	PHONE 510-567-6737		
	REGIONAL BOARD			PHONE		
DISCOVERY/ABATEMENT	(1) Gasoline		NAME	QUANTITY LOST (GALLONS) <input type="checkbox"/> Unknown		
	(2)			<input type="checkbox"/> Unknown		
SOURCE/CAUSE	DATE DISCOVERED 04/15/16		HOW DISCOVERED <input type="checkbox"/> Tank Test <input checked="" type="checkbox"/> Tank Removal <input type="checkbox"/> Nuisance Conditions <input type="checkbox"/> Inventory Control <input type="checkbox"/> Subsurface Monitoring <input type="checkbox"/> Other...	METHOD USED TO STOP DISCHARGE (CHECK ALL THAT APPLY) <input checked="" type="checkbox"/> Remove Contents <input checked="" type="checkbox"/> Close Tank & Removed <input type="checkbox"/> Repair Tank <input type="checkbox"/> Change Procedure <input type="checkbox"/> Replace Tank <input type="checkbox"/> Other... <input type="checkbox"/> Repair Piping		
	DATE DISCHARGE BEGAN <input checked="" type="checkbox"/> Unknown					
CASE TYPE	HAS DISCHARGE BEEN STOPPED? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No 04/15/16 IF YES, DATE		-			
	SOURCE OF DISCHARGE <input type="checkbox"/> Tank Leak <input type="checkbox"/> Piping Leak <input checked="" type="checkbox"/> Unknown <input type="checkbox"/> Other...		CAUSE(S) <input type="checkbox"/> Overfill <input type="checkbox"/> Corrosion <input type="checkbox"/> Rupture/Failure <input type="checkbox"/> Unknown <input type="checkbox"/> Spill <input type="checkbox"/> Other...			
CURRENT STATUS	CHECK ONE ONLY <input type="checkbox"/> Undetermined <input checked="" type="checkbox"/> Soil Only <input type="checkbox"/> Groundwater <input type="checkbox"/> Drinking Water		- (CHECK ONLY IF WATER WELLS HAVE ACTUALLY BEEN AFFECTED)			
	CHECK ONE ONLY <input type="checkbox"/> No Action Taken <input checked="" type="checkbox"/> Leak Being Confirmed <input type="checkbox"/> Remediation Plan <input type="checkbox"/> Preliminary Site Assessment Workplan Submitted <input type="checkbox"/> Preliminary Site Assessment Underway		<input type="checkbox"/> Case Closed (Cleanup Completed or Unnecessary) <input type="checkbox"/> Pollution Characterization <input type="checkbox"/> Post Cleanup Monitoring in Progress <input type="checkbox"/> Cleanup Underway			
REMEDIATION ACTION	CHECK APPROPRIATE ACTION(S) <input type="checkbox"/> Cap Site (CD) <input type="checkbox"/> Excavate & Treat (ET) <input type="checkbox"/> Treatment at Hookup (HU) <input type="checkbox"/> Other... <input type="checkbox"/> Contamination Barrier (CB) <input type="checkbox"/> No Action Required (NA) <input type="checkbox"/> Enhanced Bio Degradation (IT) <input type="checkbox"/> Vacuum Extract (VE) <input type="checkbox"/> Remove Free Product (FP) <input type="checkbox"/> Replace Supply (RS) <input checked="" type="checkbox"/> Excavate & Dispose (ED) <input type="checkbox"/> Pump & Treat Groundwater (GT) <input type="checkbox"/> Vent Soil (VS)					
	COMMENTS Holes found in the tanks Contaminated Soil					

UNIFIED PROGRAM CONSOLIDATED FORM
HAZARDOUS WASTE
HAZARDOUS WASTE TANK CLOSURE CERTIFICATION

Page _____ of _____

I. FACILITY IDENTIFICATION


BUSINESS NAME (Same as FACILITY NAME or DBA – Doing Business As)	3.	FACILITY ID#	1.	
1110 Jackson Street				
TANK OWNER NAME			740.	
11J Family Housing, L.P.				
TANK OWNER ADDRESS			741.	
1825 San Pablo Avenue				
TANK OWNER CITY	Oakland	742. STATE CA	743. ZIP CODE 94612	744.

II. TANK CLOSURE INFORMATION

TANK INTERIOR ATMOSPHERE READINGS	Tank ID # (Attach additional copies of this page for more than three tanks)	Concentration of Flammable Vapor			Concentration of Oxygen		
		Top	Center	Bottom	Top	Center	Bottom
1	745.	746a.	746b.	746c.	747a.	747b.	747c.
2	748.	749a.	749b.	749c.	750a.	750b.	750c.
3	751.	752a.	752b.	752c.	753a.	753b.	753c.

III. CERTIFICATION

On examination of the tank, I certify the tank is visually free from product, sludge, scale (thin, flaky residual of tank contents), rinseate and debris. I further certify that the information provided herein is true and accurate to the best of my knowledge.

SIGNATURE OF CERTIFIER	754.			STATUS OR AFFILIATION OF CERTIFYING PERSON			
				Certifier is a representative of the CUPA, authorized agency, or LIA:	760.		
NAME OF CERTIFIER (Print)				<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			
Shon Space				Name of CUPA, authorized agency, or LIA:	761.		
TITLE OF CERTIFIER	755.						
GENERAL MANAGER	756.						
ADDRESS	757.						
255 Parr Blvd							
CITY	758.						
Richmond							
PHONE	759.						
510-235-1393							
DATE	759.	CERTIFICATION TIME	760.	TANK	763.		
4/20/16		10 AM		34722			

TANK PREVIOUSLY HELD FLAMMABLE OR COMBUSTIBLE MATERIALS	763.	
(If yes, the tank interior atmosphere shall be re-checked with a combustible gas indicator prior to work being conducted on the tank.)		
<input type="checkbox"/> Yes <input type="checkbox"/> No		
CERTIFIER'S TANK MANAGEMENT INSTRUCTIONS FOR SCRAP DEALER, DISPOSAL FACILITY, ETC:		764.
<p>A copy of this certificate shall accompany the tank to the recycling/disposal facility and be provided to the agency overseeing tank closure (i.e. CUPA or other authorized local agency); the owner and/or operator of the tank system; and the tank removal contractor.</p>		

UNIFIED PROGRAM CONSOLIDATED FORM
HAZARDOUS WASTE
HAZARDOUS WASTE TANK CLOSURE CERTIFICATION

Page _____ of _____

I. FACILITY IDENTIFICATION

BUSINESS NAME (Same as FACILITY NAME or DBA – Doing Business As)	3.	FACILITY ID#	1.	
1110 Jackson Street				
TANK OWNER NAME			740.	
11J Family Housing, L.P.				
TANK OWNER ADDRESS			741.	
1825 San Pablo Avenue				
TANK OWNER CITY	Oakland	742. STATE CA	743. ZIP CODE 94612	744.

II. TANK CLOSURE INFORMATION

TANK INTERIOR ATMOSPHERE READINGS	Tank ID # (Attach additional copies of this page for more than three tanks)	Concentration of Flammable Vapor			Concentration of Oxygen		
		Top	Center	Bottom	Top	Center	Bottom
1	745.	746a.	746b.	746c.	747a.	747b.	747c.
2	748.	749a.	749b.	749c.	750a.	750b.	750c.
3	751.	752a.	752b.	752c.	753a.	753b.	753c.

III. CERTIFICATION

On examination of the tank, I certify the tank is visually free from product, sludge, scale (thin, flaky residual of tank contents), rinseate and debris. I further certify that the information provided herein is true and accurate to the best of my knowledge.

SIGNATURE OF CERTIFIER	STATUS OR AFFILIATION OF CERTIFYING PERSON		
	Certifier is a representative of the CUPA, authorized agency, or LIA:		
NAME OF CERTIFIER (Print)	754.	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Shon Space		Name of CUPA, authorized agency, or LIA:	
TITLE OF CERTIFIER	755.		
ADDRESS	756.	If certifier is other than CUPA / LIA check appropriate box below:	
255 Parr Blvd		<input type="checkbox"/> a. Certified Industrial Hygienist (CIH) <input type="checkbox"/> b. Certified Safety Professional (CSP) <input type="checkbox"/> c. Certified Marine Chemist (CMC) <input type="checkbox"/> d. Registered Environmental Health Specialist (REHS) <input type="checkbox"/> e. Professional Engineer (PE) <input type="checkbox"/> f. Class II Registered Environmental Assessor <input checked="" type="checkbox"/> g. Contractors' State License Board licensed contractor (with hazardous substance removal certification)	
CITY	757.		
Richmond			
PHONE	758.		
DATE	759.		
4/20/16	CERTIFICATION TIME	TANK	760.
	12 Noon	34723	

TANK PREVIOUSLY HELD FLAMMABLE OR COMBUSTIBLE MATERIALS

(If yes, the tank interior atmosphere shall be re-checked with a combustible gas indicator prior to work being conducted on the tank.)

Yes No

CERTIFIER'S TANK MANAGEMENT INSTRUCTIONS FOR SCRAP DEALER, DISPOSAL FACILITY, ETC:

A copy of this certificate shall accompany the tank to the recycling/disposal facility and be provided to the agency overseeing tank closure (i.e. CUPA or other authorized local agency); the owner and/or operator of the tank system; and the tank removal contractor.

UNIFIED PROGRAM CONSOLIDATED FORM
HAZARDOUS WASTE
HAZARDOUS WASTE TANK CLOSURE CERTIFICATION

Page _____ of _____

I. FACILITY IDENTIFICATION

BUSINESS NAME (Same as FACILITY NAME or DBA – Doing Business As)	3.	FACILITY ID#	1.			
1110 Jackson Street						
TANK OWNER NAME						740.
11J Family Housing, L.P.						
TANK OWNER ADDRESS						741.
1825 San Pablo Avenue						
TANK OWNER CITY	Oakland	742.	STATE	CA	743.	ZIP CODE 94612 744.

II. TANK CLOSURE INFORMATION

TANK INTERIOR ATMOSPHERE READINGS	Tank ID # (Attach additional copies of this page for more than three tanks)	Concentration of Flammable Vapor			Concentration of Oxygen		
		Top	Center	Bottom	Top	Center	Bottom
1	745.	746a.	746b.	746c.	747a.	747b.	747c.
2	748.	749a.	749b.	749c.	750a.	750b.	750c.
3	751.	752a	752b.	752c.	753a.	753b.	753c.

III. CERTIFICATION

On examination of the tank, I certify the tank is visually free from product, sludge, scale (thin, flaky residual of tank contents), rinseate and debris. I further certify that the information provided herein is true and accurate to the best of my knowledge.

SIGNATURE OF CERTIFIER	STATUS OR AFFILIATION OF CERTIFYING PERSON			
	Certifier is a representative of the CUPA, authorized agency, or LIA: 760.			
NAME OF CERTIFIER (Print)	754.	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Shon Space	755.	Name of CUPA, authorized agency, or LIA: 761.		
TITLE OF CERTIFIER	756.	If certifier is other than CUPA / LIA check appropriate box below: 762.		
Genkate Manager	757.	<input type="checkbox"/> a. Certified Industrial Hygienist (CIH) <input type="checkbox"/> b. Certified Safety Professional (CSP) <input type="checkbox"/> c. Certified Marine Chemist (CMC) <input type="checkbox"/> d. Registered Environmental Health Specialist (REHS) <input type="checkbox"/> e. Professional Engineer (PE) <input type="checkbox"/> f. Class II Registered Environmental Assessor <input checked="" type="checkbox"/> g. Contractors' State License Board licensed contractor (with hazardous substance removal certification)		
ADDRESS	758.			
255 Parr Blvd	759.			
CITY	760.			
Richmond	761.			
PHONE	762.			
510-235-1393	763.			
DATE	764.			
4/20/16	765.			
CERTIFICATION TIME	Tank			
	1030 am 3/4/16			

TANK PREVIOUSLY HELD FLAMMABLE OR COMBUSTIBLE MATERIALS
 (If yes, the tank interior atmosphere shall be re-checked with a combustible gas indicator prior to work being conducted on the tank.)

Yes No

CERTIFIER'S TANK MANAGEMENT INSTRUCTIONS FOR SCRAP DEALER, DISPOSAL FACILITY, ETC: 764.

A copy of this certificate shall accompany the tank to the recycling/disposal facility and be provided to the agency overseeing tank closure (i.e. CUPA or other authorized local agency); the owner and/or operator of the tank system; and the tank removal contractor.

UNIFORM HAZARDOUS WASTE MANIFEST	1. Generator ID Number CAC002853474	2. Page 1 of 1	3. Emergency Response Phone 510-235-1393	4. Manifest Tracking Number 013897175 JJK		
5. Generator's Name and Mailing Address 111 FAMILY HOUSING 1825 SAN PABLO AVE OAKLAND CA. 94612 Generator's Phone: 510-287-5353		Generator's Site Address (if different than mailing address) 1110 JACKSON ST OAKLAND CA. 94607				
6. Transporter 1 Company Name PATRIOT ENVIRONMENTAL SERVICES		U.S. EPA ID Number CAD053866794				
7. Transporter 2 Company Name		U.S. EPA ID Number				
8. Designated Facility Name and Site Address ECOLOGY CONTROL INDUSTRIES 255 PARR BLVD RICHMOND CA. 94801 Facility's Phone: 510-235-1393		U.S. EPA ID Number CAD009466392				
GENERATOR	9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any)) 1. (NON-RCRA HAZARDOUS WASTE SOLID (EMPTY STORAGE TANKS))	10. Containers No. 003 Type TP	11. Total Quantity 1500 P	12. Unit Wt./Vol. 512	13. Waste Codes
	2.					
	3.					
	4.					
14. Special Handling Instructions and Additional Information ECI JOB#52T4995 TANK#34722 34723 34724 WEIGHTS ARE APPROXIMATE						
15. GENERATOR/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.						
Generator/Offeror's Printed/Typed Name ADAN RODRIGUEZ		Signature _____ Date _____ Month Day Year 4/13/16				
TRANSPORTER INT'L	16. International Shipments	<input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S.	Port of entry/exit: _____ Date leaving U.S.: _____			
	Transporter signature (for exports only): _____					
TRANSPORTER	17. Transporter Acknowledgment of Receipt of Materials	Signature _____ Date _____ Month Day Year 4/15/16				
	Transporter 1 Printed/Typed Name DUSTY WATKINS					
DESIGNATED FACILITY	18. Discrepancy					
	18a. Discrepancy Indication Space	<input type="checkbox"/> Quantity	<input type="checkbox"/> Type	<input type="checkbox"/> Residue	<input type="checkbox"/> Partial Rejection	<input type="checkbox"/> Full Rejection
	Manifest Reference Number:					
18b. Alternate Facility (or Generator)		U.S. EPA ID Number				
Facility's Phone:						
18c. Signature of Alternate Facility (or Generator)		Month Day Year				
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)						
1. H129	2.	3.	4.			
20. Designated Facility Owner or Operator. Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a						
Printed/Typed Name RON JOSEPH		Signature Ron Joseph		Month Day Year 4/18/16		

**CITY OF OAKLAND**

250 FRANK H. OGAWA PLAZA • 2ND FLOOR • OAKLAND, CA 94612

CHECK REVERSEPlanning and Building Department
www.oaklandnet.comPH: 510-238-3891
FAX: 510-238-2263
TDD: 510-238-3254

Permit No: X1600656 OPW - Excavation

Filed Date: 4/4/2016

Job Site: 1110 JACKSON ST

Schedule Inspection by calling 510-238-3444

Parcel No: 002 008100801

District:

For SL; X; and CGS permits see **SPECIAL NOTE** below

Project Description: Remove UG storage tank in SIDEWALK AREA ONLY.

If working within 25' feet of a monument you must comply with State Law 8771, contact the Inspector prior to starting excavation: minimum \$5,800.00 fine for non-compliance.

No impact on traffic lane (vehicular or pedestrian) allowed without approved Traffic Control Plan.

Alameda County HAZMAT review required.

Permit valid 90 days.

Call PWA INSPECTION prior to start: 510-238-3651. ~~44444444~~

Related Permits: X1500233

	<u>Name</u>	<u>Applicant</u>	<u>Address</u>	<u>Phone</u>	<u>License #</u>
Owner:	CITY OF OAKLAND HOUSING AUTHORITY		1619 HARRISON ST OAKLAND, CA		
Contractor:	GOLDEN GATE TANK REMOVAL INC	X	1455 YOSEMITE AVENUE SAN FRANCISCO, CA	(415) 512-1555	
Contractor:	GOLDEN GATE TANK REMOVAL INC		1455 YOSEMITE AVENUE SAN FRANCISCO, CA	(415) 512-1555	616521

PERMIT DETAILS: Building/Public Infrastructure/Excavation/NA**General Information**

Excavation Type: Private Party

Special Paving Detail Required:

Tree Removal Involved:

Date Street Last Resurfaced:

Holiday Restriction (Nov 1 - Jan 1):

Worker's Compensation Company Name:

Limited Operation Area (7AM-9AM) And (4PM-6PM):

Worker's Compensation Policy #:

Key Dates

Approximate Start Date:

Approximate End Date:

TOTAL FEES TO BE PAID AT FILING: \$434.91

Application Fee	\$70.00	Excavation - Private Party Type	\$309.00	Records Management Fee	\$36.01
Technology Enhancement Fee	\$19.90				

Plans Checked By _____ Date _____ Permit Issued By _____ Date _____

Finalized By _____ Date _____

CITY OF OAKLAND**SPECIAL NOTE**

- SL; X; and CGS permits: prior to start, email pwa_inspections@oaklandnet.com or call 510-238-3651
- SL and X permits valid 90 days; CGS permits valid 30 days



Oakland Fire Department, Fire Prevention Bureau
250 Frank H. Ogawa Plaza, Ste. 3341
Oakland, CA 94612-2032



(510) 238-3851
TTY (510) 238-6884

Operational Fire Permit

Post Permit in Conspicuous Location

Occupancy Mailing Address

GOLDEN GATE TANK REMOVAL
1480 carroll ave
san francisco ca 94124

Effective 4/1/2016 Expires 4/1/2017
Inspection Ref # 2016-29808
Permit Ref #

Facility Address

1110 JACKSON ST OAKLAND CA 94607

This operational Underground Tank Permit Removal permit is here by granted and is effective 4/1/2016 and expires on 4/1/2017.

The holder of this permit agrees to maintain the building/business compliant with City, State, and Federal standards associated with the business operations. Failure to do so will result in the termination of this fire permit. At the time this permit was issued, the facility was in compliance with the City of Oakland Fire Code.

Not Valid If Permit Fees Not Paid

Code

Requirements

Specifics

O'Neal,Nehemiah Inspector
Oakland Fire Prevention Bureau

Teresa Deloach Reed, Fire Chief
Office of the Fire Marshal



ALAMEDA COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
1131 HARBOR BAY PARKWAY
ALAMEDA, CA 94502-6577
PHONE (510) 567-6700

ACCEPTED

Underground Storage Tank Closure Permit Application
Alameda County Division of Hazardous Materials
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

These closure/removal plans have been received and found to be acceptable and essentially meet the requirements of State and Local Health Laws. Changes to your closure plans indicated by this Department are to assure compliance with State and local laws. The project proposed herein is now released for issuance of any required building permits for construction/destruction.

One copy of the accepted plans must be on the job and available to all contractors and craftsmen involved with the removal.

Any changes or alterations of these plans and specifications must be submitted to this Department and to the Fire and Building Inspections Department to determine if such changes meet the requirements of State and local laws. Notify this Department at least 72 hours prior to the following required inspections:

- Removal of Tank(s) and Piping
 Sampling
 Final Inspection

Issuance of a) permit to operate, b) permanent site closure, is dependent on compliance with accepted plans and all applicable laws and regulations.

***THERE IS A FINANCIAL PENALTY FOR
NOT OBTAINING THESE INSPECTIONS***

Contact Specialist

Barbara Jakub
barbara.jakub@acgov.org
510-567-6737
Approved 3/22/2016

UNDERGROUND STORAGE TANK CLOSURE PLAN

***** Complete closure plan according to instructions *****

1. Name of Business 1110 Jackson Street
Business Owner or Contact Person (PRINT) 11J Family Housing, L.P. *Everette Cleveland*
2. Site Address 1110 Jackson Street
City, State Oakland, CA Zip 94607 Phone 510-287-5353
3. Mailing Address 1825 San Pablo Avenue, Suite 200
City, State Oakland, CA Zip 94612 Phone 510-287-5353
4. Property Owner 11J Family Housing, L.P.
Business Name (if applicable) _____
Address 1825 San Pablo Avenue, Suite 200
City, State Oakland, CA Zip 94612 Phone 510-287-5353
5. Generator name under which tank will be manifested
11 J Family Housing, L.P.
- EPA I.D. No. under which tank(s) will be manifested CAC 002-853-474

SR0029858

6. Contractor Golden Gate Tank Removal, Inc.
Address 1480 Carroll Avenue
City, State San Francisco, CA Zip 94124 Phone 415-512-1555
License Type A C-8, Haz ID# 616521
7. Consultant (if applicable) _____
Address _____
City, State _____ Zip _____ Phone _____
8. Main Contact Person for Investigation (if applicable)
Name Tim Hallen Title Project Manager
Company Golden Gate Tank Removal, Inc.
Phone 415-512-1555
9. Number of underground tanks being closed with this plan 3 (three)
Length of piping being removed under this plan up to 15 feet
Total number underground tanks at this facility (**confirmed with owner or operator) ~~two~~ THREE
10. State Registered Hazardous Waste Transporters/Facilities (See Instructions).
a) Product/Residual Sludge/Rinsate Transporter
Name Big Sky Environmental Solutions. EPA I.D. No. CAL000346010
Hauler License No. 5840 License Exp. Date 09/30/16
Address P.O. Box 481
City, State Benicia, CA Zip 94510
b) Product/Residual Sludge/Rinsate Disposal Site
Name DK Dixon EPA I.D. No. CAT080012602
Address 7300 Chevron Way
City, State Dixon, CA Zip 95620

Before tank(s) are pumped out and inerted, all associated piping must be flushed back into the tank(s). All accessible piping must then be removed. Inaccessible piping must be permanently plugged using grout.

The Bay Area Air Quality Management District, (415) 771-6000, along with local Fire and Building Departments, must also be contacted for tank removal permits. Fire departments typically require the use of a combustible gas indicator to verify tank inertness. **It is the contractor's responsibility to have a functional combustible gas indicator on-site to verify that the tank(s) is inerted.**

15. Tank History and Sampling Information *(See Instructions)*****

Tank			
Capacity (gallons)	Use History include date last used (estimated)	Material to be sampled (tank contents, soil, groundwater)	Location and Depth of Sample(s)
Tank 1,2,3- 500gals each	Unknown	Soil samples & water if present	1.stockpile 2.north/east end of excavation 3.south/west end of excavation Bottom of tank -- max 15 feet

One soil sample must be collected for every 20 linear feet of underground piping that is removed. A groundwater sample must be collected if any groundwater is present in the excavation.

Subject: Conditions for Approval of Closure Plan

The following items are included in the Conditions of Approval by Item #:

- 14. Vacuum fluids concurrently during all cleaning activities of the single-wall tanks and associated piping.** Ensure that all liquids are captured and appropriately disposed.
- 16. Tank was reported by visual inspection as a gasoline tank.** Use the recommended minimum verification analysis for gasoline and diesel fuel per the attached sheet.

APPENDIX B

**REPORT of LIMITED PHASE II ENVIRONMENTAL SITE ASSESSMENT,
JACKSON TOWER, OAKLAND, CA**



**REPORT
OF
LIMITED PHASE II ENVIRONMENTAL SITE ASSESSMENT
JACKSON TOWER
OAKLAND, CALIFORNIA**

Prepared for:

**D.R. HORTON, INC.
5790 FLEET STREET, SUITE 200
CARLSBAD, CALIFORNIA 92008**

Prepared by:

**TETRA TECH EM INC.
10860 GOLD CENTER DRIVE, SUITE 200
RANCHO CORDOVA, CALIFORNIA 95670**

TETRA TECH PROJECT P2261.06.1.BAD0.0030.2C

JANUARY 18, 2006



TETRA TECH EM INC.

January 18, 2006

Mr. Chris Chambers
Northern California Region President
D.R. Horton, Inc.
5790 Fleet Street, Suite 200
Carlsbad, California 92008

Subject: **REPORT OF LIMITED PHASE II ENVIRONMENTAL SITE ASSESSMENT**
Jackson Tower
Oakland, California
Tetra Tech Project: P2261.06.1.BAD0.0030.2C

Dear Mr. Chambers:

Tetra Tech EM Inc. (Tetra Tech) is pleased to provide this letter report of a Limited Phase II Environmental Site Assessment (ESA) for the above-referenced property (target property) shown in Figure 1. The purpose of the Limited Phase II ESA was to evaluate the potential for petroleum contamination at the target property associated with an adjacent property, the Alcopark Garage Parking Facility (Alcopark Garage), located at 165 13th Street. The Alcopark Garage was listed on several environmental databases including the leaking underground storage tank (LUST) database and has impacted groundwater in the vicinity of the target property (Figure 2). The Limited Phase II ESA scope of work was authorized by Mr. Adam Fritz on December 9, 2005.

PROJECT BACKGROUND

The target property consists of three contiguous parcels of commercially developed land, configured in an L-shape totaling approximately 0.66 acres. The northern portion of the target property is improved with a one-story office building and a parking lot. The southern portion of the target property is improved with an Asian food store and a two-story office building with a small asphalt parking lot between them. The target property is located northeast of the intersection of Jackson Street and 11th Street in Oakland, California. The target property is addressed as 1110 Jackson Street, 198 11th Street, and 176 11th Street.

IDENTIFICATION OF OFF-SITE RECOGNIZED ENVIRONMENTAL CONDITION

The target property is bordered to the north by Alcopark Garage, an eight-story garage that serves the surrounding downtown area. This site is adjacent to the target property and has two 10,000-gallon underground fuel tanks. The garage was constructed sometime between 1960 and 1964. This site appears on several environmental databases, including the Hazardous Waste Information System, California Facility Inventory Database, LUST, "Cortese" Hazardous Waste & Substances Sites List, and Underground Storage Tank database.

Based on a file review conducted at the Oakland Fire Department, no further action is required concerning the soil at Alcopark Garage. However, elevated concentrations of total petroleum hydrocarbons (TPH) as gasoline (TPH-g) and other volatile organic compounds (VOC) including benzene, toluene, ethylbenzene, and xylene (BTEX), and methyl tert-butyl ether (MTBE) were detected in groundwater samples collected from on-site monitoring wells. Due to the location of this site adjacent to the target property, the varying groundwater flow direction, and the shallow groundwater level in the vicinity, less than 20 feet below ground surface (bgs), Tetra Tech concluded that an off-site release from Alcopark Garage may have impacted groundwater beneath the target property. Therefore, the Alcopark Garage was considered an off-site recognized environmental condition (REC) to the target property and Tetra Tech recommended further assessment of the groundwater conditions beneath the target property.

LIMITED PHASE II ESA ACTIVITES

Prior to advancing the soil borings, Tetra Tech contacted Underground Service Alert to locate underground utilities in the work area. In addition, Subtronic Corporation conducted a utility clearance survey of the boring locations and surrounding area. Precision Sampling Inc., of Richmond, California, conducted the direct-push drilling services. A soil boring permit was obtained from Alameda County Public Works Agency – Water Resources (ACPWA) for drilling activities. The soil boring permit is included as Attachment A. Soil boring locations are presented on Figure 2.

On December 27, 2005, soil borings SB-1, SB-2, and SB-3 were advanced to groundwater to a maximum depth of 25 feet bgs to assess soil and groundwater conditions at the target property. Soil borings SB-1 and SB-2 were advanced in the parking lot for the building located at 1110 Jackson Street, and soil boring SB-3 was advanced in the parking lot for the Asian food store located at 198 11th Street (Figure 2). Field screening of soil samples using visual and olfactory observations did not indicated petroleum hydrocarbon contamination in the borings. In addition, field screening of soil samples was conducted using a photoionization detector (PID). Only very low PID readings (0.2 and 0.7 parts per million) were measured in one soil boring (SB-1) at depths between 20 and 22 feet bgs. Groundwater was encountered at a depth of approximately 18 to 21 feet bgs.

Soil borings were continuously cored and logged in general accordance with the Unified Soil Classification System, by a staff geologist under supervision of a California-professional geologist, and in accordance with Tetra Tech standard operating procedures. Soil boring logs are included as Attachment B. Tetra Tech retained soil samples in acetate sleeves and covered the ends with Teflon™ film, capped by polyvinyl chloride (PVC) end caps. Soil samples from approximately 12 feet bgs from each boring were retained for chemical analyses. At each borehole, water samples were collected from temporary, 1-inch diameter PVC casing using a bailer. Water samples were contained in laboratory supplied 250-milliliter (ml) polyethylene bottles and pre-preserved 40-ml volatile organic analyses vials. The samples were labeled, packaged, and stored on ice in an insulated cooler for transport under chain-of-custody protocol to SunStar Laboratories Inc. (SunStar), a California-certified analytical laboratory.

Three soil and three groundwater samples were collected and submitted to SunStar for analysis of TPH-g, TPH as diesel (TPH-d), and TPH as motor oil (TPH-mo) using U.S. Environmental Protection Agency (EPA) Method 8015; California Assessment Manual (CAM 17) metals using EPA Method 6010B and 7470/7471; and VOCs including fuel oxygenates using EPA Method 8260B. Groundwater samples for metals analyses were filtered at the laboratory. Certified analytical reports and chain-of-custody documentation are included as Attachment C.

All drilling and sampling equipment was decontaminated before advancing each boring using alconox detergent followed by a double rinse of deionized water.

All soil borings were sealed to the surface with neat cement by tremmie pipe. ACPWA personnel authorized the sealing of all borings without inspection.

Soils encountered from ground surface to approximately 5 feet bgs consisted of silty sand. From approximately 5 to approximately 22 feet bgs soils alternated from clay with sand to sand with clay. Soils from approximately 22 to the total depth drilled (25 feet bgs) consisted of sand with silt. A perched water zone was encountered at approximately 3 to 4 feet bgs, and wet zones were encountered at various depths; however, saturated conditions were encountered at depths of approximately 18 to 21 feet bgs.

Investigation Derived Waste

Soil cuttings were placed into one 55-gallon Department of Transportation specified drum. The 55-gallon drum is currently stored on-site at the 1110 Jackson Street property pending an evaluation of disposal options. Decontamination water was disposed of by the driller.

Investigation Results

Laboratory results of soil samples indicate concentrations of TPH-g, TPH-d, TPH-mo, and VOCs including fuel oxygenates were below laboratory reporting limits, and metals were below laboratory reporting limits or within reported California background concentrations.

Laboratory results of groundwater samples indicate concentrations of TPH-g, TPH-d, TPH-mo, VOCs including fuel oxygenates, and metals were below laboratory reporting limits or below California Department of Health Services Maximum Contaminant Levels (MCL), where established. Tetrachloroethene (PERC) and trichloroethene (TCE) were both detected at concentrations of 4.1 micrograms per liter ($\mu\text{g}/\text{L}$) in the groundwater sample collected beneath the parking lot of the Asian food store. These concentrations are below the MCL of 5.0 $\mu\text{g}/\text{L}$ for both constituents; however, it should be noted that if construction dewatering is necessary during the planned development of the target property, the extracted groundwater will likely require testing for presence of contaminants such as PERC and TCE. Pumping and discharge of extracted groundwater should be done pursuant to a National Pollutant Discharge Elimination System (NPDES) permit issued by the Regional Water Quality Control Board (RWQCB).

No further assessment of the target property is warranted.

CONCLUSIONS AND RECOMMENDATIONS

Tetra Tech conducted a Limited Phase II ESA at the target property. Based on the investigation results discussed above, our conclusions and recommendations are summarized below:

Laboratory results of soil samples indicate concentrations of TPH and VOCs were below laboratory reporting limits, and metals were below laboratory reporting limits or within reported California background concentrations.

January 18, 2006

Laboratory results of groundwater samples indicate concentrations of TPH, VOCs, and metals were below laboratory reporting limits or below MCLs, where established. PERC and TCE were both detected at concentrations of 4.1 µg/L in the groundwater sample collected beneath the parking lot of the Asian food store. These concentrations are below the MCL of 5.0 µg/L for both constituents; however, it should be noted that if construction dewatering is necessary during the planned development of the target property, the extracted groundwater will likely require testing for presence of contaminants such as PERC and TCE. Pumping and discharge of extracted groundwater should be done pursuant to a NPDES permit issued by the RWQCB. Additionally, engineering controls may be required for planned subsurface structures.

No further assessment of the target property is warranted.

This report is intended only for the use of D. R. Horton Inc. (DHI) and its subsidiaries. If other parties wish to rely on this report, please have them contact us so that a mutual understanding and agreement of the terms and conditions for our services may be established prior to their use of this information.

This report is based on available information and was prepared in accordance with currently accepted geologic, hydrogeologic, and engineering practices. No other warranty is implied or intended. This report has been prepared for the sole use of DHI and applies only to the target property. Use of this report by third parties shall be at their sole risk.

If you have any questions or concerns, please contact Mr. David M. Foley at 916-853-4522 or via email at david.foley@ttemi.com.

Sincerely,

TETRA TECH EM INC.





David M. Foley, P.G.
Project Manager

Attached: Figure 1
 Figure 2
 Attachment A – Soil Boring Permit
 Attachment B – Soil Boring Logs
 Attachment C – Certified Analytical Reports and Chain-of-Custody Documentation


Cc: Mr. Ed Perez – DHI, Fort Worth
 Tetra Tech File Copy – Rancho Cordova

FIGURES




D·R·HORTON®
Tetra Tech EM Inc. Project P2261.06.1.BAD0.0030.2C

FIGURE
1



LEGEND

- - - Target Property Boundary
- ⊕ Soil Boring



0 50' 100'
APPROX. SCALE IN FEET

SOIL BORING LOCATION MAP
JACKSON TOWER
JACKSON STREET
OAKLAND, CA 94607

D·R·HORTON®
Tetra Tech EM Inc. Project P2261.06.1.BAD0.0030.2C

SOURCE: TETRA TECH EM INC., 2005

FIGURE
2

ATTACHMENT A
SOIL BORING PERMIT

Alameda County Public Works Agency - Water Resources Well Permit



399 Elmhurst Street
Hayward, CA 94544-1395
Telephone: (510)670-6633 Fax:(510)782-1939

Application Approved on: 12/19/2005 By jamesy
Permits Issued: W2005-1195

Receipt Number: WR2005-2253
Permits Valid from 12/21/2005 to 12/27/2005

Application Id: 1135013238254
Site Location: 11th St. to the South, Jackson St. to the West, 12th St. to the North (L-shaped property w/ 3 businesses), Oakland, CA
Project Start Date: 12/21/2005 Completion Date: 12/27/2005
Applicant: Tetra Tech EM Inc. - Robert Azam Phone: 916-769-3688
10860 Gold Center Dr #200, Rancho Cordova, CA 95670
Property Owner: Properties (see attached list) Three Separate Phone: --
3 Separate Tenants & Owners, Oakland, CA 01111
Client: ** same as Property Owner **
Contact: David Foley Phone: --
Cell: --

Total Due: \$200.00
Total Amount Paid: \$200.00
Paid By: CHECK PAID IN FULL

Works Requesting Permits:

Borehole(s) for Investigation-Contamination Study - 3 Boreholes

Driller: Precision Sampling Inc. - Lic #: 636387 - Method: DP

Work Total: \$200.00

Specifications

Permit Number	Issued Dt	Expire Dt	#	Hole Diam	Max Depth
W2005-1195	12/19/2005	03/21/2006	3	2.00 in.	21.00 ft

Specific Work Permit Conditions

1. Boreholes shall not be left open for a period of more than 24 hours. All boreholes left open more than 24 hours will need approval from Alameda County Public Works Agency, Water Resources Section. All boreholes shall be backfilled according to permit destruction requirements and all concrete material and asphalt material shall be to Caltrans Spec or County/City Codes. No borehole(s) shall be left in a manner to act as a conduit at any time.
2. Permittee shall assume entire responsibility for all activities and uses under this permit and shall indemnify, defend and save the Alameda County Public Works Agency, its officers, agents, and employees free and harmless from any and all expense, cost, liability in connection with or resulting from the exercise of this Permit including, but not limited to, properly damage, personal injury and wrongful death.
3. Applicant shall contact George Bolton for an inspection time at 510-670-5594 at least five (5) working days prior to starting, once the permit has been approved. Confirm the scheduled date(s) at least 24 hours prior to drilling.
4. Copy of approved drilling permit must be on site at all times. Failure to present or show proof of the approved permit application on site shall result in a fine of \$500.00.
5. Permit is valid only for the purpose specified herein. No changes in construction procedures, as described on this permit application. Boreholes shall not be converted to monitoring wells, without a permit application process.

ATTACHMENT B
SOIL BORING LOGS

**Tetra Tech EM Inc.**

10670 White Rock Road, Suite 100
Rancho Cordova, California 95670
(916) 852-8300

BORING LOG

BORING NO.:

SB-1

PROJECT NAME: Jackson Towers
PROJECT NUMBER: P2261.06.1 BAD 0.0030.2C
SOIL BORING MONITORING WELL

SHEET 1 OF

PROJECT LOCATION

1110 Jackson Street
Oakland, Alameda County, CA

START DATE

12-27-05

COMPLETION DATE

12-27-05

COMPLETED DEPTH (FEET)

25'

GROUNDWATER DEPTH (FEET)

19' e 1105

DRILLING CONTRACTOR

PSI

DRILLER

Roberto Estrada

WELL CONSTRUCTION

DRILLING EQUIPMENT

Geoprobe XD-1
Dow wall

BORING DIAMETER

Outer = 2 1/2"
Inner = 1 3/4"

TYPE AND DIAMETER OF WELL CASING

Temporary 1" Sched 40 PVC

SAMPLING METHOD

California Modified

Hand Auger

DP

SLOT SIZE

0.010

FILTER MATERIAL

None

LOGGED BY

Bob Azam

BACKFILL MATERIAL

Grouted To surface
by tremie

WELL DEPTH

25'

PERFORATED INTERVAL

20-25'

TIME	DESCRIPTION	100% BLOW COUNT	DEPTH (FEET)	SAMPLE	UCSC SOIL TYPE	LITHOLOGY	WELL	PID/FID READINGS	OVA (ppm)	REMARKS
0830	Asphalt surface									
	Sand with trace silt, dark brown, very moist, loose, no odor. Very fine sand 3' = color changes to light brown. Wet at 3'	100%	-		SM			∅	∅	Perched water 3.5'-4'
0850	Clay with 5-10% very fine sand, light brown, very moist, stiff, high plasticity, no odor	5	5		CL			∅	∅	NO odor
	7'-10': same as above, increasing moisture. Trace orange mottles	100	10					∅	∅	NO free water
0905	10-13': Decrease in moisture to moist! Very moist; hard; increase in sand 15-20%,	100	10					∅	∅	NO odor
	Increasing sand 13-14.5': TO 30% low plasticity from 13'	SB-1-12'						∅	∅	Hard drilling 12'-16'
0940	SAND with CLAY, brown, very moist to wet (not saturated), moderately dense, no odor. 30-40% clay, some plasticity. Increasing moisture at 15'-19': decreasing clay to 25%, some silt	100	15		SC			∅	∅	Very moist to wet from 13' Increasing moisture
	Clay with sand, brown to orange-brown, wet, high plasticity, soft, no odor 10-15% very fine sand	100	20					∅	∅	Fine-med, subangular to subrounded sand
1010	Sand with silt, brown to light brown, wet (saturated), moderately dense, no odor. Dense at 24'; trace clay	80	CL				0.2	∅	∅	Hard drilling from 19' Increasing moisture
1055		80	SM				0.7	∅	∅	19-22' = Slush No free water. Hard drilling
		25					∅	∅	∅	Fine, subangular sand
										SB-1-GW1 @ 110 DTW @ 1210 = 18.2'



Tetra Tech EM Inc.

10670 White Rock Road, Suite 100
Rancho Cordova, California 95670
(916) 852-8300

BORING LOG

BORING NO.:

SB-2

PROJECT NAME: Jack Son Towers
PROJECT NUMBER: P2261.06.1.BAD6.0034.AC

SOIL BORING MONITORING WELL

SHEET 1 OF 1

PROJECT LOCATION

1110 Jackson Street
Oakland, Alameda County, CA

START DATE

12-27-05

COMPLETION DATE

12-27-05

COMPLETED DEPTH

(FEET)

25'

GROUNDWATER DEPTH

(FEET)

25' 21' e 1245

DRILLING CONTRACTOR

PSI

DRILLER

Roberto Estrada

WELL CONSTRUCTION

DRILLING EQUIPMENT

Geoprobe X D-1

Dual wall

BORING DIAMETER

Outer = 2 1/2"

Inner = 1 3/4"

TYPE AND DIAMETER OF WELL CASING

Temporary 1" sched 40 PVC

SAMPLING METHOD

California Modified

Hand Auger

DP

SLOT SIZE

0.010"

FILTER MATERIAL

None

LOGGED BY

Robby Azam

BACKFILL MATERIAL

Grouted to surface
by tremie

WELL DEPTH

25'

PERFORATED

INTERVAL

20-25'

TIME	DESCRIPTION	BLOW COUNTS	DEPTH (FEET)	SAMPLE	UCSC SOIL TYPE	LITHOLOGY	WELL	PBD/FID OVA (ppm)	REMARKS	
									WELL	READINGS
1125	Asphalt surface (~4") 2" layer of concrete Silty Sand, brown, loose, moist, no odor Changes color to light brown to brown at 3'	5%		SM		▽	∅	∅	0-4': Material fell out of sleeve, Sand Catcher did not catch material wet 3-4': perched water	
			5				∅	∅	very fine sand to 30%	
	Clay with sand, light brown to brown, moist to very moist, stiff, med plasticity, no odor trace silt changes color to orange brown at 8', increase in moisture to very moist	100%		CL			∅	∅		
		100%					∅	∅		
			10				∅	∅		
1150	Increasing sand and moisture Silty sand with clay, light brown to orange brown, very moist, loose to slightly dense 10' odor 12.5': Clay with silt and sand, light brown to orange brown, very moist, slightly stiff, low to medium plasticity	100	12	SM/SC			∅	∅	11.5-12.5': very moist to wet SB-2-12' e 1155	
		100	13	X			∅	∅		
			10				∅	∅		
			11				∅	∅		
			12				∅	∅		
			13				∅	∅		
			14				∅	∅		
			15				∅	∅		
1215	SAND with clay, orange-brown, very moist, slightly loose, no odor, 35-40% clay, some plasticity Changes color to brown - light brown at 17' Trace silt; 15-20% clay from 17'	100					∅	∅	fine grained sand slightly moist 16-17.5' (Decrease in moisture 16-17.5')	
	Very moist to wet from 19'. No odor	100					∅	∅		
		100					∅	∅		
			19				∅	∅		
			20				∅	∅		
			21				∅	∅		
			22				∅	∅		
			23				∅	∅		
			24				∅	∅		
			25				∅	∅		
1235	Orange brown at 21', decreases to 10%	100					∅	∅	No odor	
	Sand with silt, trace clay, light grayish brown, wet (saturated), loose, no odor	100'					∅	∅	very fine to fine sand	
		100'					∅	∅		
			25				∅	∅		
			26				∅	∅		
			27				∅	∅		
			28				∅	∅		
			29				∅	∅		
			30				∅	∅		
			31				∅	∅		
			32				∅	∅		
			33				∅	∅		
			34				∅	∅		
			35				∅	∅		
			36				∅	∅		
			37				∅	∅		
			38				∅	∅		
			39				∅	∅		
			40				∅	∅		
			41				∅	∅		
			42				∅	∅		
			43				∅	∅		
			44				∅	∅		
			45				∅	∅		
			46				∅	∅		
			47				∅	∅		
			48				∅	∅		
			49				∅	∅		
			50				∅	∅		
			51				∅	∅		
			52				∅	∅		
			53				∅	∅		
			54				∅	∅		
			55				∅	∅		
			56				∅	∅		
			57				∅	∅		
			58				∅	∅		
			59				∅	∅		
			60				∅	∅		
			61				∅	∅		
			62				∅	∅		
			63				∅	∅		
			64				∅	∅		
			65				∅	∅		
			66				∅	∅		
			67				∅	∅		
			68				∅	∅		
			69				∅	∅		
			70				∅	∅		
			71				∅	∅		
			72				∅	∅		
			73				∅	∅		
			74				∅	∅		
			75				∅	∅		
			76				∅	∅		
			77				∅	∅		
			78				∅	∅		
			79				∅	∅		
			80				∅	∅		
			81				∅	∅		
			82				∅	∅		
			83				∅	∅		
			84				∅	∅		
			85				∅	∅		
			86				∅	∅		
			87				∅	∅		
			88				∅	∅		
			89				∅	∅		
			90				∅	∅		
			91				∅	∅		
			92				∅	∅		
			93				∅	∅		
			94				∅	∅		
			95				∅	∅		
			96				∅	∅		
			97				∅	∅		
			98				∅	∅		
			99				∅	∅		
			100				∅	∅		
			101				∅	∅		
			102				∅	∅		
			103				∅	∅		
			104				∅	∅		
			105				∅	∅		
			106				∅	∅		
			107				∅	∅		
			108				∅	∅		
			109				∅	∅		
			110				∅	∅		
			111				∅	∅		
			112				∅	∅		
			113				∅	∅		
			114				∅	∅		
			115				∅	∅		
			116				∅	∅		
			117				∅	∅		
			118				∅	∅		
			119				∅	∅		
			120				∅	∅		
			121				∅	∅		
			122				∅	∅		
			123				∅	∅		
			124				∅	∅		
			125				∅	∅		
			126				∅	∅		
			127				∅	∅		
			128				∅	∅		
			129				∅	∅		
			130				∅	∅		
			131				∅	∅		
			132				∅	∅		
			133				∅	∅		
			134				∅	∅		
			135				∅	∅		
			136				∅	∅		
			137				∅	∅		
			138				∅	∅		
			139				∅	∅		
			140				∅	∅		
			141				∅	∅		
			142				∅	∅		
			143				∅	∅		
			144				∅	∅		
			145				∅	∅		
			146				∅	∅		
			147				∅			



Tetra Tech EM Inc.

10670 White Rock Road, Suite 100
Rancho Cordova, California 95670
(916) 852-8300

BORING LOG

BORING NO.:

SB-3

PROJECT NAME: Jackson Towers
PROJECT NUMBER: P2261-06-1-BADD.0036-2C
SOIL BORING MONITORING WELL

SHEET 1 OF 1

PROJECT LOCATION

170 11th Street
Oakland, Alameda County, CA

START DATE

12-27-85

COMPLETION DATE

12-27-85

COMPLETED DEPTH

22

GROUNDWATER DEPTH

18' e 1600, 19.17 e 1615

DRILLING CONTRACTOR

PSI

DRILLER

Roberto Estrada

WELL CONSTRUCTION

DRILLING EQUIPMENT

Geo probe XD-1
Dual wall

BORING DIAMETER

Outer = 2 1/2"
Inner = 1 3/4"

TYPE AND DIAMETER OF WELL CASING

Temporary Sched 40 PVC, 1"

SAMPLING METHOD

California Modified

Hand Auger

DP

SLOT SIZE

0.010

FILTER MATERIAL

None

LOGGED BY

Bob A Zam

BACKFILL MATERIAL

Grouted to surface
by tremie

WELL DEPTH

22 25

PERFORATED

17-22 20-25

TIME	DESCRIPTION	RECOVERY (%)	DEPTH (FEET)	SAMPLE	UCSC SOIL TYPE	LITHOLOGY	WELL	PID/FID OVA (ppm)	REMARKS	
									PID/FID READINGS	OVA (ppm)
1400	Asphalt surface = 4"-6" thick									
	Silty sand, trace clay, dark brown, wet, loose, no odor. Trace silt	20%			SM			Ø	Very fine to fine sand. Low recovery. 0.5' PID reading from top of hole	
	4.5': Clay with sand, light brown.		5					Ø		
	Very moist to wet, stiff, med plasticity, no odor. Trace silt	75%			CL			Ø	Fines sand 20-25%	
	7-10': Same as above with decreasing sand to 15%; orange-brown at 8.5'. Very stiff to hard 7-10'	100%	10					Ø	Trace silt	
1435	SAND with clay, orange-brown, very moist to slightly wet, slightly dense, some plasticity, 20-25% clay decreases in clay with depth; trace silt	100		X	SC			Ø	Fine-medium subrounded/subangular sand	
	Wet from 14' - not enough to produce water	75%	15					Ø	SB-3-12' e 1435 - brown to orange-brown 14'-16'	
	17-19': 10-15% clay							Ø		
	18': Changes color to light grayish-brown	80%						Ø	No odor	
	19': Increasing clay content and moisture							Ø		
	CLAY with sand, grayish-brown, very moist to wet, hard, medium plasticity, no odor	100%	20	EE	SC			Ø	No odor	
1515	Sand with clay, grayish to orange-brown, very moist to wet, slightly dense, no odor							Ø	No odor. Not producing water	
	20-22': Silty sand with gritty face							Ø	Very hard drilling from 22'. Driller suggests flowing sands	
	Clay, light brown to light grayish-brown, wet, loose, no odor. Sample is wet not saturated but top to the 20-22' section has free water							Ø	Stagnant 19-22' but is permeable	
								Not well produced down to 25'		
									fine sand.	
									1555 set tap well	
									SB-S-GW 3 e 1605	

ATTACHMENT C
CERTIFIED ANALYTICAL REPORTS AND
CHAIN-OF-CUSTODY DOCUMENTATION

30 December 2005

David Foley
Tetra Tech -- Sacramento
10860 Gold Center Drive #200
Rancho Cordova, CA 95670
RE: Jackson Towers

Enclosed are the results of analyses for samples received by the laboratory on 12/28/05 10:00. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "John J. Shepler".

John Shepler
Laboratory Director

Tetra Tech -- Sacramento
10860 Gold Center Drive #200
Rancho Cordova CA, 95670

Project: Jackson Towers
Project Number: [none]
Project Manager: David Foley

Reported:
12/30/05 10:24

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
SB-1-12'	T501565-01	Soil	12/27/05 09:05	12/28/05 10:00
SB-1-GW1	T501565-02	Water	12/27/05 11:10	12/28/05 10:00
SB-2-12'	T501565-03	Soil	12/27/05 11:55	12/28/05 10:00
SB-2-GW2	T501565-04	Water	12/27/05 12:50	12/28/05 10:00
SB-3-12'	T501565-05	Soil	12/27/05 14:35	12/28/05 10:00
SB-3-GW3	T501565-06	Water	12/27/05 16:05	12/28/05 10:00

SunStar Laboratories, Inc.



John Shepler, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Tetra Tech -- Sacramento
10860 Gold Center Drive #200
Rancho Cordova CA, 95670

Project: Jackson Towers
Project Number: [none]
Project Manager: David Foley

Reported:
12/30/05 10:24

SB-1-12'
T501565-01 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Extractable Petroleum Hydrocarbons by 8015

C6-C12 (GRO)	ND	10	mg/kg	1	5122818	12/28/05	12/29/05	EPA 8015m	
C13-C28 (DRO)	ND	10	"	"	"	"	"	"	"
C29-C40 (MORO)	ND	10	"	"	"	"	"	"	"

Metals by EPA 6010B

Antimony	ND	3.0	mg/kg	1	5122822	12/28/05	12/29/05	EPA 6010B	
Silver	ND	2.0	"	"	"	"	"	"	"
Arsenic	ND	5.0	"	"	"	"	"	"	"
Barium	70	1.0	"	"	"	"	"	"	"
Beryllium	ND	1.0	"	"	"	"	12/29/05	"	
Cadmium	ND	2.0	"	"	"	"	12/29/05	"	
Chromium	63	2.0	"	"	"	"	"	"	"
Cobalt	7.1	2.0	"	"	"	"	"	"	"
Copper	4.4	1.0	"	"	"	"	"	"	"
Lead	ND	3.0	"	"	"	"	"	"	"
Molybdenum	ND	1.0	"	"	"	"	"	"	"
Nickel	40	2.0	"	"	"	"	"	"	"
Selenium	ND	5.0	"	"	"	"	"	"	"
Thallium	ND	2.0	"	"	"	"	"	"	"
Vanadium	17	5.0	"	"	"	"	"	"	"
Zinc	20	1.0	"	"	"	"	"	"	"

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.10	mg/kg	1	5122821	12/28/05	12/30/05	EPA 7471A	
---------	----	------	-------	---	---------	----------	----------	-----------	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director

Page 2 of 31

Tetra Tech -- Sacramento
10860 Gold Center Drive #200
Rancho Cordova CA, 95670

Project: Jackson Towers
Project Number: [none]
Project Manager: David Foley

Reported:
12/30/05 10:24

SB-1-12'
T501565-01 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Bromobenzene	ND	2.0	ug/kg	1	5122817	12/28/05	12/28/05	EPA 8260B	
Bromoform	ND	2.0	"	"	"	"	"	"	
Bromochloromethane	ND	2.0	"	"	"	"	"	"	
Bromodichloromethane	ND	2.0	"	"	"	"	"	"	
Bromomethane	ND	2.0	"	"	"	"	"	"	
n-Butylbenzene	ND	2.0	"	"	"	"	"	"	
sec-Butylbenzene	ND	2.0	"	"	"	"	"	"	
tert-Butylbenzene	ND	2.0	"	"	"	"	"	"	
Carbon tetrachloride	ND	2.0	"	"	"	"	"	"	
Chlorobenzene	ND	2.0	"	"	"	"	"	"	
Chloroethane	ND	2.0	"	"	"	"	"	"	
Chloroform	ND	2.0	"	"	"	"	"	"	
Chloromethane	ND	2.0	"	"	"	"	"	"	
2-Chlorotoluene	ND	2.0	"	"	"	"	"	"	
4-Chlorotoluene	ND	2.0	"	"	"	"	"	"	
Dibromochloromethane	ND	2.0	"	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	ND	2.0	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	2.0	"	"	"	"	"	"	
Dibromomethane	ND	2.0	"	"	"	"	"	"	
1,2-Dichlorobenzene	ND	2.0	"	"	"	"	"	"	
1,3-Dichlorobenzene	ND	2.0	"	"	"	"	"	"	
1,4-Dichlorobenzene	ND	2.0	"	"	"	"	"	"	
Dichlorodifluoromethane	ND	2.0	"	"	"	"	"	"	
1,1-Dichloroethane	ND	2.0	"	"	"	"	"	"	
1,2-Dichloroethane	ND	2.0	"	"	"	"	"	"	
1,1-Dichloroethene	ND	2.0	"	"	"	"	"	"	
cis-1,2-Dichloroethene	ND	2.0	"	"	"	"	"	"	
trans-1,2-Dichloroethene	ND	2.0	"	"	"	"	"	"	
1,2-Dichloropropane	ND	2.0	"	"	"	"	"	"	
1,3-Dichloropropane	ND	2.0	"	"	"	"	"	"	
2,2-Dichloropropane	ND	2.0	"	"	"	"	"	"	
1,1-Dichloropropene	ND	2.0	"	"	"	"	"	"	
cis-1,3-Dichloropropene	ND	2.0	"	"	"	"	"	"	
trans-1,3-Dichloropropene	ND	2.0	"	"	"	"	"	"	
Hexachlorobutadiene	ND	2.0	"	"	"	"	"	"	
Isopropylbenzene	ND	2.0	"	"	"	"	"	"	
p-Isopropyltoluene	ND	2.0	"	"	"	"	"	"	
Methylene chloride	ND	2.0	"	"	"	"	"	"	
Naphthalene	ND	2.0	"	"	"	"	"	"	
n-Propylbenzene	ND	2.0	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director

Page 3 of 31

Tetra Tech -- Sacramento
10860 Gold Center Drive #200
Rancho Cordova CA, 95670

Project: Jackson Towers
Project Number: [none]
Project Manager: David Foley

Reported:
12/30/05 10:24

SB-1-12'
T501565-01 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
SunStar Laboratories, Inc.									
Volatile Organic Compounds by EPA Method 8260B									
Styrene	ND	2.0	ug/kg	1	5122817	12/28/05	12/28/05	EPA 8260B	
1,1,2,2-Tetrachloroethane	ND	2.0	"	"	"	"	"	"	"
1,1,1,2-Tetrachloroethane	ND	2.0	"	"	"	"	"	"	"
Tetrachloroethene	ND	2.0	"	"	"	"	"	"	"
1,2,3-Trichlorobenzene	ND	2.0	"	"	"	"	"	"	"
1,2,4-Trichlorobenzene	ND	2.0	"	"	"	"	"	"	"
1,1,2-Trichloroethane	ND	2.0	"	"	"	"	"	"	"
1,1,1-Trichloroethane	ND	2.0	"	"	"	"	"	"	"
Trichloroethene	ND	2.0	"	"	"	"	"	"	"
Trichlorofluoromethane	ND	2.0	"	"	"	"	"	"	"
1,2,3-Trichloropropane	ND	2.0	"	"	"	"	"	"	"
1,3,5-Trimethylbenzene	ND	2.0	"	"	"	"	"	"	"
1,2,4-Trimethylbenzene	ND	2.0	"	"	"	"	"	"	"
Vinyl chloride	ND	2.0	"	"	"	"	"	"	"
Benzene	ND	2.0	"	"	"	"	"	"	"
Toluene	ND	2.0	"	"	"	"	"	"	"
Ethylbenzene	ND	2.0	"	"	"	"	"	"	"
m,p-Xylene	ND	4.0	"	"	"	"	"	"	"
o-Xylene	ND	2.0	"	"	"	"	"	"	"
Tert-amyl methyl ether	ND	5.0	"	"	"	"	"	"	"
Tert-butyl alcohol	ND	20	"	"	"	"	"	"	"
Di-isopropyl ether	ND	5.0	"	"	"	"	"	"	"
Ethyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	"
Methyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	"
Surrogate: Toluene-d8		98.2 %	85.8-113	"	"	"	"	"	"
Surrogate: 4-Bromofluorobenzene		106 %	73.5-115	"	"	"	"	"	"
Surrogate: Dibromofluoromethane		104 %	79-126	"	"	"	"	"	"

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director

Page 4 of 31

Tetra Tech -- Sacramento
10860 Gold Center Drive #200
Rancho Cordova CA, 95670

Project: Jackson Towers
Project Number: [none]
Project Manager: David Foley

Reported:
12/30/05 10:24

SB-1-GW1
T501565-02 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Extractable Petroleum Hydrocarbons by 8015

C6-C12 (GRO)	ND	0.050	mg/l	1	5122823	12/28/05	12/29/05	EPA 8015m	
C13-C28 (DRO)	ND	0.050	"	"	"	"	"	"	"
C29-C40 (MORO)	ND	0.10	"	"	"	"	"	"	"

Metals by EPA 6010B

Antimony	ND	50	ug/l	1	5122819	12/28/05	12/29/05	EPA 6010B	
Silver	ND	50	"	"	"	"	"	"	"
Arsenic	ND	50	"	"	"	"	"	"	"
Barium	94	50	"	"	"	"	"	"	"
Beryllium	ND	50	"	"	"	"	12/29/05	"	
Cadmium	ND	50	"	"	"	"	12/29/05	"	
Chromium	ND	50	"	"	"	"	"	"	
Cobalt	ND	50	"	"	"	"	"	"	
Copper	ND	50	"	"	"	"	"	"	
Lead	ND	50	"	"	"	"	"	"	
Molybdenum	ND	50	"	"	"	"	"	"	
Nickel	ND	50	"	"	"	"	"	"	
Selenium	ND	50	"	"	"	"	"	"	
Thallium	ND	50	"	"	"	"	"	"	
Vanadium	ND	50	"	"	"	"	"	"	
Zinc	ND	50	"	"	"	"	"	"	

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.50	ug/l	1	5122820	12/28/05	12/28/05	EPA 7470A Water	
---------	----	------	------	---	---------	----------	----------	--------------------	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director

Page 5 of 31

Tetra Tech -- Sacramento
10860 Gold Center Drive #200
Rancho Cordova CA, 95670

Project: Jackson Towers
Project Number: [none]
Project Manager: David Foley

Reported:
12/30/05 10:24

SB-1-GW1
T501565-02 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Bromobenzene	ND	1.0	ug/l	1	5122824	12/28/05	12/28/05	EPA 8260B	
Bromoform	ND	1.0	"	"	"	"	"	"	
Bromochloromethane	ND	1.0	"	"	"	"	"	"	
Bromodichloromethane	ND	1.0	"	"	"	"	"	"	
Bromomethane	ND	1.0	"	"	"	"	"	"	
n-Butylbenzene	ND	1.0	"	"	"	"	"	"	
sec-Butylbenzene	ND	1.0	"	"	"	"	"	"	
tert-Butylbenzene	ND	1.0	"	"	"	"	"	"	
Carbon tetrachloride	ND	0.50	"	"	"	"	"	"	
Chlorobenzene	ND	1.0	"	"	"	"	"	"	
Chloroethane	ND	1.0	"	"	"	"	"	"	
Chloroform	ND	1.0	"	"	"	"	"	"	
Chloromethane	ND	1.0	"	"	"	"	"	"	
2-Chlorotoluene	ND	1.0	"	"	"	"	"	"	
4-Chlorotoluene	ND	1.0	"	"	"	"	"	"	
Dibromochloromethane	ND	1.0	"	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	ND	1.0	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	1.0	"	"	"	"	"	"	
Dibromomethane	ND	1.0	"	"	"	"	"	"	
1,2-Dichlorobenzene	ND	1.0	"	"	"	"	"	"	
1,3-Dichlorobenzene	ND	1.0	"	"	"	"	"	"	
1,4-Dichlorobenzene	ND	1.0	"	"	"	"	"	"	
Dichlorodifluoromethane	ND	0.50	"	"	"	"	"	"	
1,1-Dichloroethane	ND	1.0	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
1,1-Dichloroethene	ND	1.0	"	"	"	"	"	"	
cis-1,2-Dichloroethene	ND	1.0	"	"	"	"	"	"	
trans-1,2-Dichloroethene	ND	1.0	"	"	"	"	"	"	
1,2-Dichloropropane	ND	1.0	"	"	"	"	"	"	
1,3-Dichloropropane	ND	1.0	"	"	"	"	"	"	
2,2-Dichloropropane	ND	1.0	"	"	"	"	"	"	
1,1-Dichloropropene	ND	1.0	"	"	"	"	"	"	
cis-1,3-Dichloropropene	ND	0.50	"	"	"	"	"	"	
trans-1,3-Dichloropropene	ND	0.50	"	"	"	"	"	"	
Hexachlorobutadiene	ND	1.0	"	"	"	"	"	"	
Isopropylbenzene	ND	1.0	"	"	"	"	"	"	
p-Isopropyltoluene	ND	1.0	"	"	"	"	"	"	
Methylene chloride	ND	1.0	"	"	"	"	"	"	
Naphthalene	ND	1.0	"	"	"	"	"	"	
n-Propylbenzene	ND	1.0	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director

Page 6 of 31

Tetra Tech -- Sacramento
10860 Gold Center Drive #200
Rancho Cordova CA, 95670

Project: Jackson Towers
Project Number: [none]
Project Manager: David Foley

Reported:
12/30/05 10:24

SB-1-GW1
T501565-02 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
SunStar Laboratories, Inc.									
Volatile Organic Compounds by EPA Method 8260B									
Styrene	ND	1.0	ug/l	1	5122824	12/28/05	12/28/05	EPA 8260B	
1,1,2,2-Tetrachloroethane	ND	1.0	"	"	"	"	"	"	"
1,1,1,2-Tetrachloroethane	ND	1.0	"	"	"	"	"	"	"
Tetrachloroethene	ND	1.0	"	"	"	"	"	"	"
1,2,3-Trichlorobenzene	ND	1.0	"	"	"	"	"	"	"
1,2,4-Trichlorobenzene	ND	1.0	"	"	"	"	"	"	"
1,1,2-Trichloroethane	ND	1.0	"	"	"	"	"	"	"
1,1,1-Trichloroethane	ND	1.0	"	"	"	"	"	"	"
Trichloroethene	ND	1.0	"	"	"	"	"	"	"
Trichlorofluoromethane	ND	1.0	"	"	"	"	"	"	"
1,2,3-Trichloropropane	ND	1.0	"	"	"	"	"	"	"
1,3,5-Trimethylbenzene	ND	1.0	"	"	"	"	"	"	"
1,2,4-Trimethylbenzene	ND	1.0	"	"	"	"	"	"	"
Vinyl chloride	ND	0.50	"	"	"	"	"	"	"
Benzene	ND	0.50	"	"	"	"	"	"	"
Toluene	ND	0.50	"	"	"	"	"	"	"
Ethylbenzene	ND	0.50	"	"	"	"	"	"	"
m,p-Xylene	ND	1.0	"	"	"	"	"	"	"
o-Xylene	ND	0.50	"	"	"	"	"	"	"
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	"
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	"
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	"
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	"
Methyl tert-butyl ether	ND	1.0	"	"	"	"	"	"	"
<i>Surrogate: Toluene-d8</i>		102 %	87.6-115	"	"	"	"	"	"
<i>Surrogate: 4-Bromofluorobenzene</i>		103 %	80-112	"	"	"	"	"	"
<i>Surrogate: Dibromofluoromethane</i>		114 %	78.6-122	"	"	"	"	"	"

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director

Page 7 of 31

Tetra Tech -- Sacramento
10860 Gold Center Drive #200
Rancho Cordova CA, 95670

Project: Jackson Towers
Project Number: [none]
Project Manager: David Foley

Reported:
12/30/05 10:24

SB-2-12'
T501565-03 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
SunStar Laboratories, Inc.									

Extractable Petroleum Hydrocarbons by 8015

C6-C12 (GRO)	ND	10	mg/kg	1	5122818	12/28/05	12/29/05	EPA 8015m	
C13-C28 (DRO)	ND	10	"	"	"	"	"	"	"
C29-C40 (MORO)	ND	10	"	"	"	"	"	"	"

Metals by EPA 6010B

Antimony	ND	3.0	mg/kg	1	5122822	12/28/05	12/29/05	EPA 6010B	
Silver	ND	2.0	"	"	"	"	"	"	"
Arsenic	ND	5.0	"	"	"	"	"	"	"
Barium	36	1.0	"	"	"	"	"	"	"
Beryllium	ND	1.0	"	"	"	"	12/29/05	"	
Cadmium	ND	2.0	"	"	"	"	12/29/05	"	
Chromium	48	2.0	"	"	"	"	"	"	"
Cobalt	7.8	2.0	"	"	"	"	"	"	"
Copper	2.6	1.0	"	"	"	"	"	"	"
Lead	ND	3.0	"	"	"	"	"	"	"
Molybdenum	ND	1.0	"	"	"	"	"	"	"
Nickel	35	2.0	"	"	"	"	"	"	"
Selenium	ND	5.0	"	"	"	"	"	"	"
Thallium	ND	2.0	"	"	"	"	"	"	"
Vanadium	16	5.0	"	"	"	"	"	"	"
Zinc	18	1.0	"	"	"	"	"	"	"

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.10	mg/kg	1	5122821	12/28/05	12/30/05	EPA 7471A	Soil
---------	----	------	-------	---	---------	----------	----------	-----------	------

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director

Page 8 of 31

Tetra Tech -- Sacramento
10860 Gold Center Drive #200
Rancho Cordova CA, 95670

Project: Jackson Towers
Project Number: [none]
Project Manager: David Foley

Reported:
12/30/05 10:24

SB-2-12'
T501565-03 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Bromobenzene	ND	2.0	ug/kg	1	5122817	12/28/05	12/29/05	EPA 8260B	
Bromoform	ND	2.0	"	"	"	"	"	"	"
Bromochloromethane	ND	2.0	"	"	"	"	"	"	"
Bromodichloromethane	ND	2.0	"	"	"	"	"	"	"
Bromomethane	ND	2.0	"	"	"	"	"	"	"
n-Butylbenzene	ND	2.0	"	"	"	"	"	"	"
sec-Butylbenzene	ND	2.0	"	"	"	"	"	"	"
tert-Butylbenzene	ND	2.0	"	"	"	"	"	"	"
Carbon tetrachloride	ND	2.0	"	"	"	"	"	"	"
Chlorobenzene	ND	2.0	"	"	"	"	"	"	"
Chloroethane	ND	2.0	"	"	"	"	"	"	"
Chloroform	ND	2.0	"	"	"	"	"	"	"
Chloromethane	ND	2.0	"	"	"	"	"	"	"
2-Chlorotoluene	ND	2.0	"	"	"	"	"	"	"
4-Chlorotoluene	ND	2.0	"	"	"	"	"	"	"
Dibromochloromethane	ND	2.0	"	"	"	"	"	"	"
1,2-Dibromo-3-chloropropane	ND	2.0	"	"	"	"	"	"	"
1,2-Dibromoethane (EDB)	ND	2.0	"	"	"	"	"	"	"
Dibromomethane	ND	2.0	"	"	"	"	"	"	"
1,2-Dichlorobenzene	ND	2.0	"	"	"	"	"	"	"
1,3-Dichlorobenzene	ND	2.0	"	"	"	"	"	"	"
1,4-Dichlorobenzene	ND	2.0	"	"	"	"	"	"	"
Dichlorodifluoromethane	ND	2.0	"	"	"	"	"	"	"
1,1-Dichloroethane	ND	2.0	"	"	"	"	"	"	"
1,2-Dichloroethane	ND	2.0	"	"	"	"	"	"	"
1,1-Dichloroethene	ND	2.0	"	"	"	"	"	"	"
cis-1,2-Dichloroethene	ND	2.0	"	"	"	"	"	"	"
trans-1,2-Dichloroethene	ND	2.0	"	"	"	"	"	"	"
1,2-Dichloropropane	ND	2.0	"	"	"	"	"	"	"
1,3-Dichloropropane	ND	2.0	"	"	"	"	"	"	"
2,2-Dichloropropane	ND	2.0	"	"	"	"	"	"	"
1,1-Dichloropropene	ND	2.0	"	"	"	"	"	"	"
cis-1,3-Dichloropropene	ND	2.0	"	"	"	"	"	"	"
trans-1,3-Dichloropropene	ND	2.0	"	"	"	"	"	"	"
Hexachlorobutadiene	ND	2.0	"	"	"	"	"	"	"
Isopropylbenzene	ND	2.0	"	"	"	"	"	"	"
p-Isopropyltoluene	ND	2.0	"	"	"	"	"	"	"
Methylene chloride	ND	2.0	"	"	"	"	"	"	"
Naphthalene	ND	2.0	"	"	"	"	"	"	"
n-Propylbenzene	ND	2.0	"	"	"	"	"	"	"

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director

Page 9 of 31

Tetra Tech -- Sacramento
10860 Gold Center Drive #200
Rancho Cordova CA, 95670

Project: Jackson Towers
Project Number: [none]
Project Manager: David Foley

Reported:
12/30/05 10:24

SB-2-12'
T501565-03 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
SunStar Laboratories, Inc.									
Volatile Organic Compounds by EPA Method 8260B									
Styrene	ND	2.0	ug/kg	1	5122817	12/28/05	12/29/05	EPA 8260B	
1,1,2,2-Tetrachloroethane	ND	2.0	"	"	"	"	"	"	"
1,1,1,2-Tetrachloroethane	ND	2.0	"	"	"	"	"	"	"
Tetrachloroethene	ND	2.0	"	"	"	"	"	"	"
1,2,3-Trichlorobenzene	ND	2.0	"	"	"	"	"	"	"
1,2,4-Trichlorobenzene	ND	2.0	"	"	"	"	"	"	"
1,1,2-Trichloroethane	ND	2.0	"	"	"	"	"	"	"
1,1,1-Trichloroethane	ND	2.0	"	"	"	"	"	"	"
Trichloroethene	ND	2.0	"	"	"	"	"	"	"
Trichlorofluoromethane	ND	2.0	"	"	"	"	"	"	"
1,2,3-Trichloropropane	ND	2.0	"	"	"	"	"	"	"
1,3,5-Trimethylbenzene	ND	2.0	"	"	"	"	"	"	"
1,2,4-Trimethylbenzene	ND	2.0	"	"	"	"	"	"	"
Vinyl chloride	ND	2.0	"	"	"	"	"	"	"
Benzene	ND	2.0	"	"	"	"	"	"	"
Toluene	ND	2.0	"	"	"	"	"	"	"
Ethylbenzene	ND	2.0	"	"	"	"	"	"	"
m,p-Xylene	ND	4.0	"	"	"	"	"	"	"
o-Xylene	ND	2.0	"	"	"	"	"	"	"
Tert-amyl methyl ether	ND	5.0	"	"	"	"	"	"	"
Tert-butyl alcohol	ND	20	"	"	"	"	"	"	"
Di-isopropyl ether	ND	5.0	"	"	"	"	"	"	"
Ethyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	"
Methyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	"
Surrogate: Toluene-d8		96.6 %	85.8-113	"	"	"	"	"	"
Surrogate: 4-Bromofluorobenzene		95.2 %	73.5-115	"	"	"	"	"	"
Surrogate: Dibromofluoromethane		123 %	79-126	"	"	"	"	"	"

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director

Page 10 of 31

Tetra Tech -- Sacramento
10860 Gold Center Drive #200
Rancho Cordova CA, 95670

Project: Jackson Towers
Project Number: [none]
Project Manager: David Foley

Reported:
12/30/05 10:24

SB-2-GW2
T501565-04 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Extractable Petroleum Hydrocarbons by 8015

C6-C12 (GRO)	ND	0.050	mg/l	1	5122823	12/28/05	12/29/05	EPA 8015m	
C13-C28 (DRO)	ND	0.050	"	"	"	"	"	"	"
C29-C40 (MORO)	ND	0.10	"	"	"	"	"	"	"

Metals by EPA 6010B

Antimony	ND	50	ug/l	1	5122819	12/28/05	12/29/05	EPA 6010B	
Silver	ND	50	"	"	"	"	"	"	"
Arsenic	ND	50	"	"	"	"	"	"	"
Barium	110	50	"	"	"	"	"	"	"
Beryllium	ND	50	"	"	"	"	"	"	"
Cadmium	ND	50	"	"	"	"	"	"	"
Chromium	ND	50	"	"	"	"	"	"	"
Cobalt	ND	50	"	"	"	"	"	"	"
Copper	ND	50	"	"	"	"	"	"	"
Lead	ND	50	"	"	"	"	"	"	"
Molybdenum	ND	50	"	"	"	"	"	"	"
Nickel	ND	50	"	"	"	"	"	"	"
Selenium	ND	50	"	"	"	"	"	"	"
Thallium	ND	50	"	"	"	"	"	"	"
Vanadium	ND	50	"	"	"	"	"	"	"
Zinc	ND	50	"	"	"	"	"	"	"

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.50	ug/l	1	5122820	12/28/05	12/28/05	EPA 7470A Water	
---------	----	------	------	---	---------	----------	----------	--------------------	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director

Page 11 of 31

Tetra Tech -- Sacramento
10860 Gold Center Drive #200
Rancho Cordova CA, 95670

Project: Jackson Towers
Project Number: [none]
Project Manager: David Foley

Reported:
12/30/05 10:24

SB-2-GW2
T501565-04 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Bromobenzene	ND	1.0	ug/l	1	5122824	12/28/05	12/28/05	EPA 8260B	
Bromoform	ND	1.0	"	"	"	"	"	"	"
Bromochloromethane	ND	1.0	"	"	"	"	"	"	"
Bromodichloromethane	ND	1.0	"	"	"	"	"	"	"
Bromomethane	ND	1.0	"	"	"	"	"	"	"
n-Butylbenzene	ND	1.0	"	"	"	"	"	"	"
sec-Butylbenzene	ND	1.0	"	"	"	"	"	"	"
tert-Butylbenzene	ND	1.0	"	"	"	"	"	"	"
Carbon tetrachloride	ND	0.50	"	"	"	"	"	"	"
Chlorobenzene	ND	1.0	"	"	"	"	"	"	"
Chloroethane	ND	1.0	"	"	"	"	"	"	"
Chloroform	ND	1.0	"	"	"	"	"	"	"
Chloromethane	ND	1.0	"	"	"	"	"	"	"
2-Chlorotoluene	ND	1.0	"	"	"	"	"	"	"
4-Chlorotoluene	ND	1.0	"	"	"	"	"	"	"
Dibromochloromethane	ND	1.0	"	"	"	"	"	"	"
1,2-Dibromo-3-chloropropane	ND	1.0	"	"	"	"	"	"	"
1,2-Dibromoethane (EDB)	ND	1.0	"	"	"	"	"	"	"
Dibromomethane	ND	1.0	"	"	"	"	"	"	"
1,2-Dichlorobenzene	ND	1.0	"	"	"	"	"	"	"
1,3-Dichlorobenzene	ND	1.0	"	"	"	"	"	"	"
1,4-Dichlorobenzene	ND	1.0	"	"	"	"	"	"	"
Dichlorodifluoromethane	ND	0.50	"	"	"	"	"	"	"
1,1-Dichloroethane	ND	1.0	"	"	"	"	"	"	"
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	"
1,1-Dichloroethene	ND	1.0	"	"	"	"	"	"	"
cis-1,2-Dichloroethene	ND	1.0	"	"	"	"	"	"	"
trans-1,2-Dichloroethene	ND	1.0	"	"	"	"	"	"	"
1,2-Dichloropropane	ND	1.0	"	"	"	"	"	"	"
1,3-Dichloropropane	ND	1.0	"	"	"	"	"	"	"
2,2-Dichloropropane	ND	1.0	"	"	"	"	"	"	"
1,1-Dichloropropene	ND	1.0	"	"	"	"	"	"	"
cis-1,3-Dichloropropene	ND	0.50	"	"	"	"	"	"	"
trans-1,3-Dichloropropene	ND	0.50	"	"	"	"	"	"	"
Hexachlorobutadiene	ND	1.0	"	"	"	"	"	"	"
Isopropylbenzene	ND	1.0	"	"	"	"	"	"	"
p-Isopropyltoluene	ND	1.0	"	"	"	"	"	"	"
Methylene chloride	ND	1.0	"	"	"	"	"	"	"
Naphthalene	ND	1.0	"	"	"	"	"	"	"
n-Propylbenzene	ND	1.0	"	"	"	"	"	"	"

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director

Page 12 of 31

Tetra Tech -- Sacramento
10860 Gold Center Drive #200
Rancho Cordova CA, 95670

Project: Jackson Towers
Project Number: [none]
Project Manager: David Foley

Reported:
12/30/05 10:24

SB-2-GW2
T501565-04 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
SunStar Laboratories, Inc.									
Volatile Organic Compounds by EPA Method 8260B									
Styrene	ND	1.0	ug/l	1	5122824	12/28/05	12/28/05	EPA 8260B	
1,1,2,2-Tetrachloroethane	ND	1.0	"	"	"	"	"	"	"
1,1,1,2-Tetrachloroethane	ND	1.0	"	"	"	"	"	"	"
Tetrachloroethene	ND	1.0	"	"	"	"	"	"	"
1,2,3-Trichlorobenzene	ND	1.0	"	"	"	"	"	"	"
1,2,4-Trichlorobenzene	ND	1.0	"	"	"	"	"	"	"
1,1,2-Trichloroethane	ND	1.0	"	"	"	"	"	"	"
1,1,1-Trichloroethane	ND	1.0	"	"	"	"	"	"	"
Trichloroethene	ND	1.0	"	"	"	"	"	"	"
Trichlorofluoromethane	ND	1.0	"	"	"	"	"	"	"
1,2,3-Trichloropropane	ND	1.0	"	"	"	"	"	"	"
1,3,5-Trimethylbenzene	ND	1.0	"	"	"	"	"	"	"
1,2,4-Trimethylbenzene	ND	1.0	"	"	"	"	"	"	"
Vinyl chloride	ND	0.50	"	"	"	"	"	"	"
Benzene	ND	0.50	"	"	"	"	"	"	"
Toluene	ND	0.50	"	"	"	"	"	"	"
Ethylbenzene	ND	0.50	"	"	"	"	"	"	"
m,p-Xylene	ND	1.0	"	"	"	"	"	"	"
o-Xylene	ND	0.50	"	"	"	"	"	"	"
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	"
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	"
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	"
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	"
Methyl tert-butyl ether	ND	1.0	"	"	"	"	"	"	"
Surrogate: Toluene-d8		104 %	87.6-115	"	"	"	"	"	"
Surrogate: 4-Bromofluorobenzene		99.8 %	80-112	"	"	"	"	"	"
Surrogate: Dibromofluoromethane		115 %	78.6-122	"	"	"	"	"	"

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director

Page 13 of 31

Tetra Tech -- Sacramento
10860 Gold Center Drive #200
Rancho Cordova CA, 95670

Project: Jackson Towers
Project Number: [none]
Project Manager: David Foley

Reported:
12/30/05 10:24

SB-3-12'
T501565-05 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
SunStar Laboratories, Inc.									

Extractable Petroleum Hydrocarbons by 8015

C6-C12 (GRO)	ND	10	mg/kg	1	5122818	12/28/05	12/29/05	EPA 8015m	
C13-C28 (DRO)	ND	10	"	"	"	"	"	"	"
C29-C40 (MORO)	ND	10	"	"	"	"	"	"	"

Metals by EPA 6010B

Antimony	ND	3.0	mg/kg	1	5122822	12/28/05	12/29/05	EPA 6010B	
Silver	ND	2.0	"	"	"	"	"	"	"
Arsenic	ND	5.0	"	"	"	"	"	"	"
Barium	56	1.0	"	"	"	"	12/29/05	"	
Beryllium	ND	1.0	"	"	"	"	"	"	"
Cadmium	ND	2.0	"	"	"	"	12/29/05	"	
Chromium	66	2.0	"	"	"	"	"	"	
Cobalt	6.5	2.0	"	"	"	"	"	"	
Copper	4.3	1.0	"	"	"	"	"	"	
Lead	ND	3.0	"	"	"	"	"	"	"
Molybdenum	ND	1.0	"	"	"	"	"	"	"
Nickel	33	2.0	"	"	"	"	"	"	
Selenium	ND	5.0	"	"	"	"	"	"	"
Thallium	ND	2.0	"	"	"	"	"	"	"
Vanadium	24	5.0	"	"	"	"	"	"	
Zinc	20	1.0	"	"	"	"	"	"	

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.10	mg/kg	1	5122821	12/28/05	12/30/05	EPA 7471A	Soil
---------	----	------	-------	---	---------	----------	----------	-----------	------

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director

Page 14 of 31

Tetra Tech -- Sacramento
10860 Gold Center Drive #200
Rancho Cordova CA, 95670

Project: Jackson Towers
Project Number: [none]
Project Manager: David Foley

Reported:
12/30/05 10:24

SB-3-12'
T501565-05 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Bromobenzene	ND	2.0	ug/kg	1	5122817	12/28/05	12/28/05	EPA 8260B	
Bromoform	ND	2.0	"	"	"	"	"	"	
Bromochloromethane	ND	2.0	"	"	"	"	"	"	
Bromodichloromethane	ND	2.0	"	"	"	"	"	"	
Bromomethane	ND	2.0	"	"	"	"	"	"	
n-Butylbenzene	ND	2.0	"	"	"	"	"	"	
sec-Butylbenzene	ND	2.0	"	"	"	"	"	"	
tert-Butylbenzene	ND	2.0	"	"	"	"	"	"	
Carbon tetrachloride	ND	2.0	"	"	"	"	"	"	
Chlorobenzene	ND	2.0	"	"	"	"	"	"	
Chloroethane	ND	2.0	"	"	"	"	"	"	
Chloroform	ND	2.0	"	"	"	"	"	"	
Chloromethane	ND	2.0	"	"	"	"	"	"	
2-Chlorotoluene	ND	2.0	"	"	"	"	"	"	
4-Chlorotoluene	ND	2.0	"	"	"	"	"	"	
Dibromochloromethane	ND	2.0	"	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	ND	2.0	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	2.0	"	"	"	"	"	"	
Dibromomethane	ND	2.0	"	"	"	"	"	"	
1,2-Dichlorobenzene	ND	2.0	"	"	"	"	"	"	
1,3-Dichlorobenzene	ND	2.0	"	"	"	"	"	"	
1,4-Dichlorobenzene	ND	2.0	"	"	"	"	"	"	
Dichlorodifluoromethane	ND	2.0	"	"	"	"	"	"	
1,1-Dichloroethane	ND	2.0	"	"	"	"	"	"	
1,2-Dichloroethane	ND	2.0	"	"	"	"	"	"	
1,1-Dichloroethene	ND	2.0	"	"	"	"	"	"	
cis-1,2-Dichloroethene	ND	2.0	"	"	"	"	"	"	
trans-1,2-Dichloroethene	ND	2.0	"	"	"	"	"	"	
1,2-Dichloropropane	ND	2.0	"	"	"	"	"	"	
1,3-Dichloropropane	ND	2.0	"	"	"	"	"	"	
2,2-Dichloropropane	ND	2.0	"	"	"	"	"	"	
1,1-Dichloropropene	ND	2.0	"	"	"	"	"	"	
cis-1,3-Dichloropropene	ND	2.0	"	"	"	"	"	"	
trans-1,3-Dichloropropene	ND	2.0	"	"	"	"	"	"	
Hexachlorobutadiene	ND	2.0	"	"	"	"	"	"	
Isopropylbenzene	ND	2.0	"	"	"	"	"	"	
p-Isopropyltoluene	ND	2.0	"	"	"	"	"	"	
Methylene chloride	ND	2.0	"	"	"	"	"	"	
Naphthalene	ND	2.0	"	"	"	"	"	"	
n-Propylbenzene	ND	2.0	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director

Page 15 of 31

Tetra Tech -- Sacramento
10860 Gold Center Drive #200
Rancho Cordova CA, 95670

Project: Jackson Towers
Project Number: [none]
Project Manager: David Foley

Reported:
12/30/05 10:24

SB-3-12'
T501565-05 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
SunStar Laboratories, Inc.									
Volatile Organic Compounds by EPA Method 8260B									
Styrene	ND	2.0	ug/kg	1	5122817	12/28/05	12/28/05	EPA 8260B	
1,1,2,2-Tetrachloroethane	ND	2.0	"	"	"	"	"	"	"
1,1,1,2-Tetrachloroethane	ND	2.0	"	"	"	"	"	"	"
Tetrachloroethene	ND	2.0	"	"	"	"	"	"	"
1,2,3-Trichlorobenzene	ND	2.0	"	"	"	"	"	"	"
1,2,4-Trichlorobenzene	ND	2.0	"	"	"	"	"	"	"
1,1,2-Trichloroethane	ND	2.0	"	"	"	"	"	"	"
1,1,1-Trichloroethane	ND	2.0	"	"	"	"	"	"	"
Trichloroethene	ND	2.0	"	"	"	"	"	"	"
Trichlorofluoromethane	ND	2.0	"	"	"	"	"	"	"
1,2,3-Trichloropropane	ND	2.0	"	"	"	"	"	"	"
1,3,5-Trimethylbenzene	ND	2.0	"	"	"	"	"	"	"
1,2,4-Trimethylbenzene	ND	2.0	"	"	"	"	"	"	"
Vinyl chloride	ND	2.0	"	"	"	"	"	"	"
Benzene	ND	2.0	"	"	"	"	"	"	"
Toluene	ND	2.0	"	"	"	"	"	"	"
Ethylbenzene	ND	2.0	"	"	"	"	"	"	"
m,p-Xylene	ND	4.0	"	"	"	"	"	"	"
o-Xylene	ND	2.0	"	"	"	"	"	"	"
Tert-amyl methyl ether	ND	5.0	"	"	"	"	"	"	"
Tert-butyl alcohol	ND	20	"	"	"	"	"	"	"
Di-isopropyl ether	ND	5.0	"	"	"	"	"	"	"
Ethyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	"
Methyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	"
Surrogate: Toluene-d8		96.0 %	85.8-113	"	"	"	"	"	"
Surrogate: 4-Bromofluorobenzene		95.0 %	73.5-115	"	"	"	"	"	"
Surrogate: Dibromofluoromethane		114 %	79-126	"	"	"	"	"	"

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director

Page 16 of 31

Tetra Tech -- Sacramento
10860 Gold Center Drive #200
Rancho Cordova CA, 95670

Project: Jackson Towers
Project Number: [none]
Project Manager: David Foley

Reported:
12/30/05 10:24

SB-3-GW3
T501565-06 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Extractable Petroleum Hydrocarbons by 8015

C6-C12 (GRO)	ND	0.050	mg/l	1	5122823	12/28/05	12/29/05	EPA 8015m	
C13-C28 (DRO)	ND	0.050	"	"	"	"	"	"	"
C29-C40 (MORO)	ND	0.10	"	"	"	"	"	"	"

Metals by EPA 6010B

Antimony	ND	50	ug/l	1	5122819	12/28/05	12/29/05	EPA 6010B	
Silver	ND	50	"	"	"	"	"	"	"
Arsenic	ND	50	"	"	"	"	"	"	"
Barium	150	50	"	"	"	"	"	"	"
Beryllium	ND	50	"	"	"	"	"	"	"
Cadmium	ND	50	"	"	"	"	"	"	"
Chromium	ND	50	"	"	"	"	"	"	"
Cobalt	ND	50	"	"	"	"	"	"	"
Copper	ND	50	"	"	"	"	"	"	"
Lead	ND	50	"	"	"	"	"	"	"
Molybdenum	ND	50	"	"	"	"	"	"	"
Nickel	ND	50	"	"	"	"	"	"	"
Selenium	ND	50	"	"	"	"	"	"	"
Thallium	ND	50	"	"	"	"	"	"	"
Vanadium	ND	50	"	"	"	"	"	"	"
Zinc	ND	50	"	"	"	"	"	"	"

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.50	ug/l	1	5122820	12/28/05	12/28/05	EPA 7470A Water	
---------	----	------	------	---	---------	----------	----------	--------------------	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director

Page 17 of 31

Tetra Tech -- Sacramento
10860 Gold Center Drive #200
Rancho Cordova CA, 95670

Project: Jackson Towers
Project Number: [none]
Project Manager: David Foley

Reported:
12/30/05 10:24

SB-3-GW3
T501565-06 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Bromobenzene	ND	1.0	ug/l	1	5122824	12/28/05	12/28/05	EPA 8260B	
Bromoform	ND	1.0	"	"	"	"	"	"	
Bromochloromethane	ND	1.0	"	"	"	"	"	"	
Bromodichloromethane	ND	1.0	"	"	"	"	"	"	
Bromomethane	ND	1.0	"	"	"	"	"	"	
n-Butylbenzene	ND	1.0	"	"	"	"	"	"	
sec-Butylbenzene	ND	1.0	"	"	"	"	"	"	
tert-Butylbenzene	ND	1.0	"	"	"	"	"	"	
Carbon tetrachloride	ND	0.50	"	"	"	"	"	"	
Chlorobenzene	ND	1.0	"	"	"	"	"	"	
Chloroethane	ND	1.0	"	"	"	"	"	"	
Chloroform	ND	1.0	"	"	"	"	"	"	
Chloromethane	ND	1.0	"	"	"	"	"	"	
2-Chlorotoluene	ND	1.0	"	"	"	"	"	"	
4-Chlorotoluene	ND	1.0	"	"	"	"	"	"	
Dibromochloromethane	ND	1.0	"	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	ND	1.0	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	1.0	"	"	"	"	"	"	
Dibromomethane	ND	1.0	"	"	"	"	"	"	
1,2-Dichlorobenzene	ND	1.0	"	"	"	"	"	"	
1,3-Dichlorobenzene	ND	1.0	"	"	"	"	"	"	
1,4-Dichlorobenzene	ND	1.0	"	"	"	"	"	"	
Dichlorodifluoromethane	ND	0.50	"	"	"	"	"	"	
1,1-Dichloroethane	ND	1.0	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
1,1-Dichloroethene	ND	1.0	"	"	"	"	"	"	
cis-1,2-Dichloroethene	ND	1.0	"	"	"	"	"	"	
trans-1,2-Dichloroethene	ND	1.0	"	"	"	"	"	"	
1,2-Dichloropropane	ND	1.0	"	"	"	"	"	"	
1,3-Dichloropropane	ND	1.0	"	"	"	"	"	"	
2,2-Dichloropropane	ND	1.0	"	"	"	"	"	"	
1,1-Dichloropropene	ND	1.0	"	"	"	"	"	"	
cis-1,3-Dichloropropene	ND	0.50	"	"	"	"	"	"	
trans-1,3-Dichloropropene	ND	0.50	"	"	"	"	"	"	
Hexachlorobutadiene	ND	1.0	"	"	"	"	"	"	
Isopropylbenzene	ND	1.0	"	"	"	"	"	"	
p-Isopropyltoluene	ND	1.0	"	"	"	"	"	"	
Methylene chloride	ND	1.0	"	"	"	"	"	"	
Naphthalene	ND	1.0	"	"	"	"	"	"	
n-Propylbenzene	ND	1.0	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director

Page 18 of 31

Tetra Tech -- Sacramento
10860 Gold Center Drive #200
Rancho Cordova CA, 95670

Project: Jackson Towers
Project Number: [none]
Project Manager: David Foley

Reported:
12/30/05 10:24

SB-3-GW3
T501565-06 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
SunStar Laboratories, Inc.									
Volatile Organic Compounds by EPA Method 8260B									
Styrene	ND	1.0	ug/l	1	5122824	12/28/05	12/28/05	EPA 8260B	
1,1,2,2-Tetrachloroethane	ND	1.0	"	"	"	"	"	"	"
1,1,1,2-Tetrachloroethane	ND	1.0	"	"	"	"	"	"	"
Tetrachloroethene	4.1	1.0	"	"	"	"	"	"	"
1,2,3-Trichlorobenzene	ND	1.0	"	"	"	"	"	"	"
1,2,4-Trichlorobenzene	ND	1.0	"	"	"	"	"	"	"
1,1,2-Trichloroethane	ND	1.0	"	"	"	"	"	"	"
1,1,1-Trichloroethane	ND	1.0	"	"	"	"	"	"	"
Trichloroethene	4.1	1.0	"	"	"	"	"	"	"
Trichlorofluoromethane	ND	1.0	"	"	"	"	"	"	"
1,2,3-Trichloropropane	ND	1.0	"	"	"	"	"	"	"
1,3,5-Trimethylbenzene	ND	1.0	"	"	"	"	"	"	"
1,2,4-Trimethylbenzene	ND	1.0	"	"	"	"	"	"	"
Vinyl chloride	ND	0.50	"	"	"	"	"	"	"
Benzene	ND	0.50	"	"	"	"	"	"	"
Toluene	ND	0.50	"	"	"	"	"	"	"
Ethylbenzene	ND	0.50	"	"	"	"	"	"	"
m,p-Xylene	ND	1.0	"	"	"	"	"	"	"
o-Xylene	ND	0.50	"	"	"	"	"	"	"
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	"
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	"
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	"
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	"
Methyl tert-butyl ether	ND	1.0	"	"	"	"	"	"	"
<i>Surrogate: Toluene-d8</i>		104 %	87.6-115	"	"	"	"	"	"
<i>Surrogate: 4-Bromofluorobenzene</i>		96.0 %	80-112	"	"	"	"	"	"
<i>Surrogate: Dibromofluoromethane</i>		117 %	78.6-122	"	"	"	"	"	"

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director

Page 19 of 31

Tetra Tech -- Sacramento
10860 Gold Center Drive #200
Rancho Cordova CA, 95670

Project: Jackson Towers
Project Number: [none]
Project Manager: David Foley

Reported:
12/30/05 10:24

Extractable Petroleum Hydrocarbons by 8015 - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	---------	-----------	-------

Batch 5122818 - EPA 3550B GC

Blank (5122818-BLK1)										Prepared: 12/28/05 Analyzed: 12/29/05
C6-C12 (GRO)	ND	10	mg/kg							
C13-C28 (DRO)	ND	10	"							
C29-C40 (MORO)	ND	10	"							
LCS (5122818-BS1)										
C13-C28 (DRO)	510	10	mg/kg	500		102	75-125			
Matrix Spike (5122818-MS1)		Source: T501565-01								Prepared: 12/28/05 Analyzed: 12/29/05
C13-C28 (DRO)	530	10	mg/kg	500	ND	106	75-125			
Matrix Spike Dup (5122818-MSD1)		Source: T501565-01								Prepared: 12/28/05 Analyzed: 12/29/05
C13-C28 (DRO)	550	10	mg/kg	500	ND	110	75-125	3.70	20	

Batch 5122823 - EPA 3510C GC

Blank (5122823-BLK1)										Prepared: 12/28/05 Analyzed: 12/29/05
C6-C12 (GRO)	ND	0.050	mg/l							
C13-C28 (DRO)	ND	0.050	"							
C29-C40 (MORO)	ND	0.10	"							
LCS (5122823-BS1)										
C13-C28 (DRO)	22.8	0.050	mg/l	20.0		114	75-125			
Matrix Spike (5122823-MS1)		Source: T501565-02								Prepared: 12/28/05 Analyzed: 12/29/05
C13-C28 (DRO)	21.9	0.050	mg/l	20.0	ND	110	75-125			
Matrix Spike Dup (5122823-MSD1)		Source: T501565-02								Prepared: 12/28/05 Analyzed: 12/29/05
C13-C28 (DRO)	21.9	0.050	mg/l	20.0	ND	110	75-125	0.00	20	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director

Page 20 of 31

Tetra Tech -- Sacramento
10860 Gold Center Drive #200
Rancho Cordova CA, 95670

Project: Jackson Towers
Project Number: [none]
Project Manager: David Foley

Reported:
12/30/05 10:24

Metals by EPA 6010B - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC	%REC Limits	RPD RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	-----------	-------------	---------	-----------	-------

Batch 5122819 - EPA 3010A

Blank (5122819-BLK1) Prepared: 12/28/05 Analyzed: 12/29/05

Antimony	ND	50	ug/l							
Silver	ND	50	"							
Arsenic	ND	50	"							
Barium	ND	50	"							
Beryllium	ND	50	"							
Cadmium	ND	50	"							
Chromium	ND	50	"							
Cobalt	ND	50	"							
Copper	ND	50	"							
Lead	ND	50	"							
Molybdenum	ND	50	"							
Nickel	ND	50	"							
Selenium	ND	50	"							
Thallium	ND	50	"							
Vanadium	ND	50	"							
Zinc	ND	50	"							

LCS (5122819-BS1) Prepared: 12/28/05 Analyzed: 12/29/05

Arsenic	1060	50	ug/l	1110		95.5	75-125
Barium	1150	50	"	1110		104	75-125
Cadmium	1150	50	"	1110		104	75-125
Chromium	1100	50	"	1110		99.1	75-125
Lead	1140	50	"	1110		103	75-125

Matrix Spike (5122819-MS1) Source: T501565-02 Prepared: 12/28/05 Analyzed: 12/29/05

Arsenic	1180	50	ug/l	1110	ND	106	75-125
Barium	1190	50	"	1110	94	98.7	75-125
Cadmium	1090	50	"	1110	ND	98.2	75-125
Chromium	1030	50	"	1110	ND	92.8	75-125
Lead	998	50	"	1110	ND	89.9	75-125

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director

Page 21 of 31

Tetra Tech -- Sacramento
10860 Gold Center Drive #200
Rancho Cordova CA, 95670

Project: Jackson Towers
Project Number: [none]
Project Manager: David Foley

Reported:
12/30/05 10:24

Metals by EPA 6010B - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	---------	-----------	-------

Batch 5122819 - EPA 3010A

Matrix Spike Dup (5122819-MSD1)	Source: T501565-02			Prepared: 12/28/05 Analyzed: 12/29/05					
Arsenic	1150	50	ug/l	1110	ND	104	75-125	2.58	20
Barium	1210	50	"	1110	94	101	75-125	1.67	20
Cadmium	1110	50	"	1110	ND	100	75-125	1.82	20
Chromium	1020	50	"	1110	ND	91.9	75-125	0.976	20
Lead	983	50	"	1110	ND	88.6	75-125	1.51	20

Batch 5122822 - EPA 3051

Blank (5122822-BLK1)	Prepared: 12/28/05 Analyzed: 12/29/05					
Antimony	ND	3.0	mg/kg			
Silver	ND	2.0	"			
Arsenic	ND	5.0	"			
Barium	ND	1.0	"			
Beryllium	ND	1.0	"			
Cadmium	ND	2.0	"			
Chromium	ND	2.0	"			
Cobalt	ND	2.0	"			
Copper	ND	1.0	"			
Lead	ND	3.0	"			
Molybdenum	ND	1.0	"			
Nickel	ND	2.0	"			
Selenium	ND	5.0	"			
Thallium	ND	2.0	"			
Vanadium	ND	5.0	"			
Zinc	ND	1.0	"			

Matrix Spike (5122822-MS1)	Source: T501565-01			Prepared: 12/28/05 Analyzed: 12/29/05			
Arsenic	103	5.0	mg/kg	100	ND	103	75-125
Barium	175	1.0	"	100	70	105	75-125
Cadmium	108	2.0	"	100	0.40	108	75-125
Chromium	157	2.0	"	100	63	94.0	75-125
Lead	109	3.0	"	100	1.7	107	75-125

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director

Page 22 of 31

Tetra Tech -- Sacramento
10860 Gold Center Drive #200
Rancho Cordova CA, 95670

Project: Jackson Towers
Project Number: [none]
Project Manager: David Foley

Reported:
12/30/05 10:24

Metals by EPA 6010B - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	---------	-----------	-------

Batch 5122822 - EPA 3051

Matrix Spike Dup (5122822-MSD1)	Source: T501565-01			Prepared: 12/28/05			Analyzed: 12/29/05		
Arsenic	101	5.0	mg/kg	100	ND	101	75-125	1.96	20
Barium	177	1.0	"	100	70	107	75-125	1.14	20
Cadmium	107	2.0	"	100	0.40	107	75-125	0.930	20
Chromium	171	2.0	"	100	63	108	75-125	8.54	20
Lead	110	3.0	"	100	1.7	108	75-125	0.913	20

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director

Page 23 of 31

Tetra Tech -- Sacramento
10860 Gold Center Drive #200
Rancho Cordova CA, 95670

Project: Jackson Towers
Project Number: [none]
Project Manager: David Foley

Reported:
12/30/05 10:24

Cold Vapor Extraction EPA 7470/7471 - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	---------	-----------	-------

Batch 5122820 - EPA 7470A Water

Blank (5122820-BLK1)	Prepared & Analyzed: 12/28/05								
Mercury	ND	0.50	ug/l						
LCS (5122820-BS1)	Prepared & Analyzed: 12/28/05								
Mercury	9.50	0.50	ug/l	10.3		92.2	75-125		
Matrix Spike (5122820-MS1)	Source: T501565-02 Prepared & Analyzed: 12/28/05								
Mercury	10.0	0.50	ug/l	10.3	ND	97.1	75-125		
Matrix Spike Dup (5122820-MSD1)	Source: T501565-02 Prepared & Analyzed: 12/28/05								
Mercury	9.69	0.50	ug/l	10.3	ND	94.1	75-125	3.15	20

Batch 5122821 - EPA 7471A Soil

Blank (5122821-BLK1)	Prepared: 12/28/05 Analyzed: 12/30/05								
Mercury	ND	0.10	mg/kg						
LCS (5122821-BS1)	Prepared: 12/28/05 Analyzed: 12/30/05								
Mercury	2.05	0.10	mg/kg	2.00		102	80-120		
Matrix Spike (5122821-MS1)	Source: T501565-01 Prepared: 12/28/05 Analyzed: 12/30/05								
Mercury	1.97	0.10	mg/kg	2.00	0.038	96.6	75-125		
Matrix Spike Dup (5122821-MSD1)	Source: T501565-01 Prepared: 12/28/05 Analyzed: 12/30/05								
Mercury	1.91	0.10	mg/kg	2.00	0.038	93.6	75-125	3.09	20

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director

Page 24 of 31

Tetra Tech -- Sacramento
10860 Gold Center Drive #200
Rancho Cordova CA, 95670

Project: Jackson Towers
Project Number: [none]
Project Manager: David Foley

Reported:
12/30/05 10:24

Volatile Organic Compounds by EPA Method 8260B - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC	RPD Limits	RPD RPD	Notes
---------	--------	-----------------	-------	-------------	---------------	-----------	------------	---------	-------

Batch 5122817 - EPA 5030 GCMS

Blank (5122817-BLK1)	Prepared & Analyzed: 12/28/05					
Surrogate: Toluene-d8	97.0		ug/kg	100	97.0	85.8-113
Surrogate: 4-Bromofluorobenzene	95.6		"	100	95.6	73.5-115
Surrogate: Dibromofluoromethane	104		"	100	104	79-126
Bromobenzene	ND	2.0	"			
Bromochloromethane	ND	2.0	"			
Bromodichloromethane	ND	2.0	"			
Bromoform	ND	2.0	"			
Bromomethane	ND	2.0	"			
n-Butylbenzene	ND	2.0	"			
sec-Butylbenzene	ND	2.0	"			
tert-Butylbenzene	ND	2.0	"			
Carbon tetrachloride	ND	2.0	"			
Chlorobenzene	ND	2.0	"			
Chloroethane	ND	2.0	"			
Chloroform	ND	2.0	"			
Chloromethane	ND	2.0	"			
2-Chlorotoluene	ND	2.0	"			
4-Chlorotoluene	ND	2.0	"			
Dibromochloromethane	ND	2.0	"			
1,2-Dibromo-3-chloropropane	ND	2.0	"			
1,2-Dibromoethane (EDB)	ND	2.0	"			
Dibromomethane	ND	2.0	"			
1,2-Dichlorobenzene	ND	2.0	"			
1,3-Dichlorobenzene	ND	2.0	"			
1,4-Dichlorobenzene	ND	2.0	"			
Dichlorodifluoromethane	ND	2.0	"			
1,1-Dichloroethane	ND	2.0	"			
1,2-Dichloroethane	ND	2.0	"			
1,1-Dichloroethene	ND	2.0	"			
cis-1,2-Dichloroethene	ND	2.0	"			
trans-1,2-Dichloroethene	ND	2.0	"			
1,2-Dichloropropane	ND	2.0	"			
1,3-Dichloropropane	ND	2.0	"			
2,2-Dichloropropane	ND	2.0	"			
1,1-Dichloropropene	ND	2.0	"			
cis-1,3-Dichloropropene	ND	2.0	"			
trans-1,3-Dichloropropene	ND	2.0	"			
Hexachlorobutadiene	ND	2.0	"			
Isopropylbenzene	ND	2.0	"			
p-Isopropyltoluene	ND	2.0	"			
Methylene chloride	ND	2.0	"			

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director

Page 25 of 31

Tetra Tech -- Sacramento
10860 Gold Center Drive #200
Rancho Cordova CA, 95670

Project: Jackson Towers
Project Number: [none]
Project Manager: David Foley

Reported:
12/30/05 10:24

Volatile Organic Compounds by EPA Method 8260B - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC	RPD Limits	RPD RPD	Notes
---------	--------	-----------------	-------	-------------	---------------	-----------	------------	---------	-------

Batch 5122817 - EPA 5030 GCMS

Blank (5122817-BLK1)		Prepared & Analyzed: 12/28/05							
Naphthalene	ND	2.0	ug/kg						
n-Propylbenzene	ND	2.0	"						
Styrene	ND	2.0	"						
1,1,2,2-Tetrachloroethane	ND	2.0	"						
1,1,1,2-Tetrachloroethane	ND	2.0	"						
Tetrachloroethene	ND	2.0	"						
1,2,3-Trichlorobenzene	ND	2.0	"						
1,2,4-Trichlorobenzene	ND	2.0	"						
1,1,2-Trichloroethane	ND	2.0	"						
1,1,1-Trichloroethane	ND	2.0	"						
Trichloroethene	ND	2.0	"						
Trichlorofluoromethane	ND	2.0	"						
1,2,3-Trichloropropane	ND	2.0	"						
1,3,5-Trimethylbenzene	ND	2.0	"						
1,2,4-Trimethylbenzene	ND	2.0	"						
Vinyl chloride	ND	2.0	"						
Benzene	ND	2.0	"						
Toluene	ND	2.0	"						
Ethylbenzene	ND	2.0	"						
m,p-Xylene	ND	4.0	"						
o-Xylene	ND	2.0	"						
Tert-amyl methyl ether	ND	5.0	"						
Tert-butyl alcohol	ND	20	"						
Di-isopropyl ether	ND	5.0	"						
Ethyl tert-butyl ether	ND	5.0	"						
Methyl tert-butyl ether	ND	5.0	"						

LCS (5122817-BS1)		Prepared & Analyzed: 12/28/05							
Surrogate: Toluene-d8	102	ug/kg	100		102	85.8-113			
Surrogate: 4-Bromofluorobenzene	99.5	"	100		99.5	73.5-115			
Surrogate: Dibromofluoromethane	117	"	100		117	79-126			
Chlorobenzene	241	2.0	"	250	96.4	75-125			
1,1-Dichloroethene	268	2.0	"	250	107	75-125			
Trichloroethene	289	2.0	"	250	116	75-125			
Benzene	296	2.0	"	250	118	75-125			
Toluene	272	2.0	"	250	109	75-125			

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director

Page 26 of 31

Tetra Tech -- Sacramento
10860 Gold Center Drive #200
Rancho Cordova CA, 95670

Project: Jackson Towers
Project Number: [none]
Project Manager: David Foley

Reported:
12/30/05 10:24

Volatile Organic Compounds by EPA Method 8260B - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	---------	-----------	-------

Batch 5122817 - EPA 5030 GCMS

Matrix Spike (5122817-MS1)	Source: T501565-01	Prepared & Analyzed: 12/28/05								
Surrogate: Toluene-d8	103	ug/kg	100		103	85.8-113				
Surrogate: 4-Bromofluorobenzene	95.4	"	100		95.4	73.5-115				
Surrogate: Dibromofluoromethane	118	"	100		118	79-126				
Chlorobenzene	194	2.0	"	250	ND	77.6	75-125			
1,1-Dichloroethene	233	2.0	"	250	ND	93.2	75-125			
Trichloroethene	235	2.0	"	250	ND	94.0	75-125			
Benzene	252	2.0	"	250	ND	101	75-125			
Toluene	221	2.0	"	250	ND	88.4	75-125			

Matrix Spike Dup (5122817-MSD1)	Source: T501565-01	Prepared & Analyzed: 12/28/05								
Surrogate: Toluene-d8	100	ug/kg	100		100	85.8-113				
Surrogate: 4-Bromofluorobenzene	96.5	"	100		96.5	73.5-115				
Surrogate: Dibromofluoromethane	115	"	100		115	79-126				
Chlorobenzene	189	2.0	"	250	ND	75.6	75-125	2.61	20	
1,1-Dichloroethene	228	2.0	"	250	ND	91.2	75-125	2.17	20	
Trichloroethene	216	2.0	"	250	ND	86.4	75-125	8.43	20	
Benzene	229	2.0	"	250	ND	91.6	75-125	9.56	20	
Toluene	191	2.0	"	250	ND	76.4	75-125	14.6	20	

Batch 5122824 - EPA 5030 GCMS

Blank (5122824-BLK1)	Prepared & Analyzed: 12/28/05					
Surrogate: Toluene-d8	39.7	ug/l	40.0		99.2	87.6-115
Surrogate: 4-Bromofluorobenzene	41.3	"	40.0		103	80-112
Surrogate: Dibromofluoromethane	43.0	"	40.0		108	78.6-122
Bromobenzene	ND	1.0	"			
Bromochloromethane	ND	1.0	"			
Bromodichloromethane	ND	1.0	"			
Bromoform	ND	1.0	"			
Bromomethane	ND	1.0	"			
n-Butylbenzene	ND	1.0	"			
sec-Butylbenzene	ND	1.0	"			
tert-Butylbenzene	ND	1.0	"			
Carbon tetrachloride	ND	0.50	"			
Chlorobenzene	ND	1.0	"			
Chloroethane	ND	1.0	"			
Chloroform	ND	1.0	"			
Chloromethane	ND	1.0	"			
2-Chlorotoluene	ND	1.0	"			
4-Chlorotoluene	ND	1.0	"			
Dibromochloromethane	ND	1.0	"			

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director

Page 27 of 31

Tetra Tech -- Sacramento
10860 Gold Center Drive #200
Rancho Cordova CA, 95670

Project: Jackson Towers
Project Number: [none]
Project Manager: David Foley

Reported:
12/30/05 10:24

Volatile Organic Compounds by EPA Method 8260B - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC	RPD Limits	RPD RPD	Notes
---------	--------	-----------------	-------	-------------	---------------	-----------	------------	---------	-------

Batch 5122824 - EPA 5030 GCMS

Blank (5122824-BLK1) Prepared & Analyzed: 12/28/05

1,2-Dibromo-3-chloropropane	ND	1.0	ug/l						
1,2-Dibromoethane (EDB)	ND	1.0	"						
Dibromomethane	ND	1.0	"						
1,2-Dichlorobenzene	ND	1.0	"						
1,3-Dichlorobenzene	ND	1.0	"						
1,4-Dichlorobenzene	ND	1.0	"						
Dichlorodifluoromethane	ND	0.50	"						
1,1-Dichloroethane	ND	1.0	"						
1,2-Dichloroethane	ND	0.50	"						
1,1-Dichloroethene	ND	1.0	"						
cis-1,2-Dichloroethene	ND	1.0	"						
trans-1,2-Dichloroethene	ND	1.0	"						
1,2-Dichloropropane	ND	1.0	"						
1,3-Dichloropropane	ND	1.0	"						
2,2-Dichloropropane	ND	1.0	"						
1,1-Dichloropropene	ND	1.0	"						
cis-1,3-Dichloropropene	ND	0.50	"						
trans-1,3-Dichloropropene	ND	0.50	"						
Hexachlorobutadiene	ND	1.0	"						
Isopropylbenzene	ND	1.0	"						
p-Isopropyltoluene	ND	1.0	"						
Methylene chloride	ND	1.0	"						
Naphthalene	ND	1.0	"						
n-Propylbenzene	ND	1.0	"						
Styrene	ND	1.0	"						
1,1,2,2-Tetrachloroethane	ND	1.0	"						
1,1,1,2-Tetrachloroethane	ND	1.0	"						
Tetrachloroethene	ND	1.0	"						
1,2,3-Trichlorobenzene	ND	1.0	"						
1,2,4-Trichlorobenzene	ND	1.0	"						
1,1,2-Trichloroethane	ND	1.0	"						
1,1,1-Trichloroethane	ND	1.0	"						
Trichloroethene	ND	1.0	"						
Trichlorofluoromethane	ND	1.0	"						
1,2,3-Trichloropropane	ND	1.0	"						
1,3,5-Trimethylbenzene	ND	1.0	"						
1,2,4-Trimethylbenzene	ND	1.0	"						
Vinyl chloride	ND	0.50	"						
Benzene	ND	0.50	"						
Toluene	ND	0.50	"						
Ethylbenzene	ND	0.50	"						

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director

Page 28 of 31

Tetra Tech -- Sacramento
10860 Gold Center Drive #200
Rancho Cordova CA, 95670

Project: Jackson Towers
Project Number: [none]
Project Manager: David Foley

Reported:
12/30/05 10:24

Volatile Organic Compounds by EPA Method 8260B - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC	RPD Limits	RPD RPD	Notes
---------	--------	-----------------	-------	-------------	---------------	-----------	------------	---------	-------

Batch 5122824 - EPA 5030 GCMS

Blank (5122824-BLK1) Prepared & Analyzed: 12/28/05

m,p-Xylene	ND	1.0	ug/l						
o-Xylene	ND	0.50	"						
Tert-amyl methyl ether	ND	2.0	"						
Tert-butyl alcohol	ND	10	"						
Di-isopropyl ether	ND	2.0	"						
Ethyl tert-butyl ether	ND	2.0	"						
Methyl tert-butyl ether	ND	1.0	"						

LCS (5122824-BS1) Prepared & Analyzed: 12/28/05

Surrogate: Toluene-d8	39.4	ug/l	40.0	98.5	87.6-115
Surrogate: 4-Bromofluorobenzene	39.9	"	40.0	99.8	80-112
Surrogate: Dibromofluoromethane	45.3	"	40.0	113	78.6-122
Chlorobenzene	117	1.0	"	117	75-125
1,1-Dichloroethene	95.7	1.0	"	95.7	75-125
Trichloroethene	114	1.0	"	114	75-125
Benzene	109	0.50	"	109	75-125
Toluene	97.4	0.50	"	97.4	75-125

Matrix Spike (5122824-MS1) Source: T501565-02 Prepared & Analyzed: 12/28/05

Surrogate: Toluene-d8	40.1	ug/l	40.0	100	87.6-115
Surrogate: 4-Bromofluorobenzene	39.5	"	40.0	98.8	80-112
Surrogate: Dibromofluoromethane	47.7	"	40.0	119	78.6-122
Chlorobenzene	116	1.0	"	116	75-125
1,1-Dichloroethene	107	1.0	"	107	75-125
Trichloroethene	102	1.0	"	102	75-125
Benzene	112	0.50	"	112	75-125
Toluene	93.4	0.50	"	93.4	75-125

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director

Page 29 of 31

Tetra Tech -- Sacramento
10860 Gold Center Drive #200
Rancho Cordova CA, 95670

Project: Jackson Towers
Project Number: [none]
Project Manager: David Foley

Reported:
12/30/05 10:24

Volatile Organic Compounds by EPA Method 8260B - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	---------	-----------	-------

Batch 5122824 - EPA 5030 GCMS

Matrix Spike Dup (5122824-MSD1) **Source: T501565-02** **Prepared & Analyzed: 12/28/05**

Surrogate: Toluene-d8	39.9		ug/l	40.0		99.8	87.6-115			
Surrogate: 4-Bromofluorobenzene	39.0		"	40.0		97.5	80-112			
Surrogate: Dibromofluoromethane	46.2		"	40.0		116	78.6-122			
Chlorobenzene	118	1.0	"	100	ND	118	75-125	1.71	20	
1,1-Dichloroethene	109	1.0	"	100	ND	109	75-125	1.85	20	
Trichloroethene	104	1.0	"	100	ND	104	75-125	1.94	20	
Benzene	114	0.50	"	100	ND	114	75-125	1.77	20	
Toluene	108	0.50	"	100	ND	108	75-125	14.5	20	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director

Page 30 of 31

Tetra Tech -- Sacramento
10860 Gold Center Drive #200
Rancho Cordova CA, 95670

Project: Jackson Towers
Project Number: [none]
Project Manager: David Foley

Reported:
12/30/05 10:24

Notes and Definitions

DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



John Shepler, Laboratory Director



Tetra Tech EM Inc.

CHAIN OF CUSTODY RECORD

**10870 White Rock Road, Suite 109
Rancho Cordova, CA 95741
(916) 862-8009 FAX (916) 862-0077**

PROJECT NAME	Jackson Towers	PROJECT MANAGER	David Ferley / Bob Azam
PROJECT NUMBER	P2261.06.1.BA#P.0034	TELEPHONE NUMBER	222-2222
PROJECT LOCATION	Oakland	DESTINATION LABORATORY	Sunstar Laboratory
SAMPLE(S)	Bob Azam	ADDRESS	
SAMPLE SIGNATURE	<i>Bob Azam</i>	CITY	Tustin
SITE CONTACT TELEPHONE NUMBER	Bob Azam 916.769.3685	STATE	CA
		ZIP	
		LABORATORY TELEPHONE NUMBER	
		811 Hennell 530-304-5525	

DATE	TIME	MATERIAL	TYPE	NO. & TYPE OF CONTAINERS	TURN AROUND TIME	REMARKS (RAD. COMPOSITE, ETC.)	
						01	02
4/27	0925	Soil	1-12" Acetate sleeve	B9 12/20/05	X X X		
	1110	water	6-VOAS 1-250ml poly		X X X		
	1155	Soil	1-12" Acetate sleeve		X X X		
	1250	water	6-VOAS 1-750ml poly		X X X		
	1435	Soil	1-12" Acetate sleeve		X X X		
	1605	water	6-U3 As 1-250ml poly		X X X		

SHIPPED VIA: C

SHIPPED VIA: <u>Courier</u>		AIRBILL #: _____		SPECIAL INSTRUCTIONS: Filter groundwater samples for fines (4mm). Vets are HCl preserved, Poly is HNO3 preserved. Results by 12/29/05			
RELINQUISHED BY (SIGNATURE)	PRINT NAME/COMPANY	DATE	TIME	RECEIVED BY (SIGNATURE)	PRINT NAME/COMPANY	DATE	TIME
<u>Bob Adam</u>	<u>Bolatum/TetraTech</u>	<u>12/27/05</u>	<u>1911</u>	<u>John Smith</u>	<u>Strate Mizer</u>	<u>12/29/05</u>	<u>1911</u>
<u>C. S. C.</u>	<u>CSRC</u>	<u>12/28/05</u>	<u>1000</u>	<u>Bob</u>	<u>Alceo & HARRI</u>	<u>12/28/05</u>	<u>1500</u>

DISTRIBUTION:

YELLOW = PROJECT MANAGER PINK = ELLE

APPENDIX C
SOIL BORING LOGS

PROJECT: 1110 JACKSON STREET Oakland, California						Log of Boring EB-1 PAGE 1 OF 1			
Boring location: See Figure 2						Logged by: J.S. Drilled By: Gregg Drilling Co.			
Date started: 8/11/16			Date finished: 8/11/16						
Drilling method: Direct Push									
Hammer weight/drop: NA			Hammer type: NA						
Sampler: Continuous									
DEPTH (feet)	SAMPLES					MATERIAL DESCRIPTION			
	Sample Number	Sample	Water Level	Recovery (Inches)	O/M (ppm)	LITHOLOGY			
1					SM	3 inches Concrete			
2						SILTY SAND (SM) dark brown, moist, loose, 85% sand, 15% fines			
3						CLAYEY SILTY SAND (SC-SM) red-brown, moist, loose			
4									
5						CLAYEY SILTY SAND (SC-SM) yellow-brown, moist, brown mottling, medium-grained			
6									
7									
8									
9									
10									
11									
12						CLAYEY SILTY SAND (SC-SM) yellow-brown, moist, mottling, dense, 85% sand, 15% fines			
13									
14						SILTY SAND (SM) yellow-brown, moist, medium dense, 85% sand, 15% fines			
15						dense, mottled, 90% sand, 10% fines			
16									
17						SP	SAND (SP) olive-gray, moist, loose, fine to medium-grained, 95% sand, 5% fines		
18									
19						SM	SILTY SAND (SM) yellow-brown, moist, dense, mottled		
20	▽								
21						SM	SILTY SAND (SM) gray-brown, moist, medium-grained		
22						SC	CLAYEY SAND (SC) yellow-brown, moist, low plasticity, very stiff		
23									
24						SM	SILTY SAND (SM) gray-brown, moist, dense, 85% sand, 15% fines		
25									
26						SP	SAND (SP) gray, moist, dense, 95% sand, 5% fines		
27									
28							wet		
29									
30									
TEST ENVIRONMENTAL INCHES 750622602 1110 JACKSON-ENVR GPU T&R GDT 8/16/16						LANGAN TREADWELL ROLLO			
Boring terminated at a depth of 27 feet below ground surface. Boring backfilled with cement grout. Groundwater encountered at 20 feet below ground surface during drilling.						Project No.: 750622602	Figure: A-1		

PROJECT: 1110 JACKSON STREET Oakland, California						Log of Boring EB-2 PAGE 1 OF 1	
Boring location: See Figure 2						Logged by: T. Houghton Drilled By: Gregg Drilling Co.	
Date started: 8/11/16			Date finished: 8/11/16				
Drilling method: Direct Push							
Hammer weight/drop: NA			Hammer type: NA				
Sampler: Continuous							
DEPTH (feet)	SAMPLES					MATERIAL DESCRIPTION	
	Sample Number	Sample	Water Level	Recovery (Inches)	O/M (ppm)	LITHOLOGY	
1						4 inches asphalt	
2						SANDY GRAVEL (GP) dark brown, moist, loose	
3						GRAVELY SAND (GW) dark brown, moist, loose, 80% sand, 15% gravel, 5% fines	
4							
5						SILTY SAND with GRAVEL (SM) dark brown, moist, loose, medium-grained	
6							
7							
8							
9							
10							
11							
12							
13	EB-2-13	*				SILTY SAND with GRAVEL (SM) dark brown, moist, loose, gravel <.5 inches, medium- to fine-grained	
14						SILTY SAND (SM) gray, moist, fine- to medium-grained	
15							
16	EB-2-15.5	*					
17						unable to remove the 16 to 20 feet sample from tube switching to 2 feet runs	
18							
19							
20		▽				SILTY SAND (SM) gray-brown, moist, mottled, medium-grained,	
21							
22	EB-2-22.5	*				SILTY SAND (SM) gray-brown, moist, mottled, medium-grained, petroleum odor	
23						SILTY SAND (SM) gray, wet, dense, fine-grained, petroleum odor	
24						SAND (SP) gray, wet, fine-grained	
25						gravel layer at 24.5 feet, bottom 3 inches color brown	
26						SAND (SP) brown, wet, fine-grained, strong petroleum odor, bottom 5 inches brown	
27							
28							
29							
30							
Boring terminated at a depth of 28 feet below ground surface. Boring backfilled with cement grout. Groundwater encountered at 19.95 feet below ground surface during drilling.						LANGAN TREADWELL ROLLO	
						Project No.: 750622602	Figure: A-2

PROJECT: 1110 JACKSON STREET Oakland, California						Log of Boring EB-3 PAGE 1 OF 1	
Boring location: See Figure 2						Logged by: T. Houghton Drilled By: Gregg Drilling Co.	
Date started: 8/11/16			Date finished: 8/11/16				
Drilling method: Direct Push							
Hammer weight/drop: NA			Hammer type: NA				
Sampler: Continuous							
DEPTH (feet)	SAMPLES				LITHOLOGY	MATERIAL DESCRIPTION	
	Sample Number	Sample	Water Level	Recovery (Inches)			
1						1.5 inches concrete	
2						SILTY SAND (SM) yellow-brown, moist, loose, 90% sand, 10% fines	
3							
4						CLAYEY SAND (SC) yellow-brown, moist, brown mottling, medium plasticity	
5				36/ 36"		CLAYEY SILTY SAND (SC-SM) yellow-brown, moist, brown mottling, low plasticity	
6							
7							
8				48/ 48"	1.7		
9						moist, brown mottling, medium dense, 90% sand, 10% fines	
10							
11							
12				48/ 48"			
13						moist, mottling, medium dense, 90% sand, 10% fines	
14							
15							
16				24/ 24"	3.1		
17						SP SAND (SP) red-brown, moist, loose, 95% sand, 5% fines	
18						SM SILTY SAND (SM) brown, moist, dense, 85% sand, 15% fines	
19							
20				24/ 24"		SC CLAYEY SAND (SC) brown, moist, low plasticity	
21						SM SILTY SAND (SM) yellow-brown, moist, mottling, dense, , 90% sand, 10% fines	
22							
23				24/ 24"	1.8	SC-SM CLAYEY SILTY SAND (SM) yellow-brown, moist, dense, 95% sand, 5% fines	
24							
25						SP SAND (SP) brown, wet, dense, no odor, 95% sand, 5% fines	
26							
27						SP SAND (SP) brown, wet, dense, 95% sand, 5% fines lamination at 26.5 feet	
28							
29							
30							
Boring terminated at a depth of 28 feet below ground surface. Boring backfilled with cement grout. Groundwater encountered at 20.35 feet below ground surface during drilling.						LANGAN TREADWELL ROLLO	
						Project No.: 750622602	Figure: A-3

PROJECT: 1110 JACKSON STREET Oakland, California						Log of Boring EB-4 PAGE 1 OF 1			
Boring location: See Figure 2						Logged by: T. Houghton Drilled By: Gregg Drilling Co.			
Date started: 8/11/16			Date finished: 8/11/16						
Drilling method: Direct Push									
Hammer weight/drop: NA			Hammer type: NA						
Sampler: Continuous									
DEPTH (feet)	SAMPLES					MATERIAL DESCRIPTION			
	Sample Number	Sample	Water Level	Recovery (Inches)	O/M (ppm)			LITHOLOGY	
1						SILTY SAND (SM) brown, moist, loose, medium-grained, gravel less than 1-inch, gravel subrounded to subangular, 80% sand, 10% gravel, 10% fines			
2									
3									
4									
5				36/ 36"		SP- SC			
6						SAND with CLAY (SP-SC) yellow-brown, moist, brown mottling, medium plasticity, 85% sand, 15% fines			
7									
8						CLAYEY SAND (SC) yellow-brown, moist, soft, low plasticity			
9									
10				48/ 48"					
11						SC			
12						SM			
13				6.1		SILTY SAND (SM) yellow-brown, moist, mottled, medium dense, 85% sand, 15% silt			
14									
15				24/ 24"		SC- SM			
16						CLAYEY SILTY SAND (SC-SM) yellow-brown, moist, dense, fine-grained			
17				24.3					
18						SM			
19				24/ 24"		SILTY SAND (SM) gray-brown, moist, medium dense, fine-grained			
20									
21				253		SAND (SP) gray-brown, moist, medium dense, fine-grained, 95% sand, 5% fines			
22									
23				24/ 24"		moist, dense, medium-grained, petroleum odor, 95% sand, 5% fine			
24									
25				84		moist, dense, fine- to medium-grained, mild petroleum odor, 95% sand, 5% fines			
26				106					
27						moist, dense, brown mottling, fine- to medium-grained, petroleum odor,			
28				961					
29						moist, dense, fine- to medium-grained, 95% sand, 5% fines			
30				1482		wet, loose, medium-grained, 95% sand, 5% fines			
				1274		SAND (SP) gray, wet, dense, medium-grained, 95% sand, 5% fines			
Boring terminated at a depth of 28 feet below ground surface. Boring backfilled with cement grout. Groundwater encountered at 20.1 feet below ground surface during drilling.						LANGAN TREADWELL ROLLO			
						Project No.: 750622602	Figure: A-4		

APPENDIX D
LABORATORY ANALYTICAL REPORT



McCampbell Analytical, Inc.

"When Quality Counts"

Analytical Report

WorkOrder: 1608622

Report Created for: Treadwell & Rollo

555 Montgomery St., Suite 1300
San Francisco, CA 94111

Project Contact: Noel Liner

Project P.O.:

Project Name: 750623602; 1110 Jackson

Project Received: 08/12/2016

Analytical Report reviewed & approved for release on 08/18/2016 by:

Angela Rydelius,
Laboratory Manager

The report shall not be reproduced except in full, without the written approval of the laboratory. The analytical results relate only to the items tested. Results reported conform to the most current NELAP standards, where applicable, unless otherwise stated in the case narrative.





Glossary of Terms & Qualifier Definitions

Client: Treadwell & Rollo
Project: 750623602; 1110 Jackson
WorkOrder: 1608622

Glossary Abbreviation

%D	Serial Dilution Percent Difference
95% Interval	95% Confident Interval
DF	Dilution Factor
DI WET	(DISTLC) Waste Extraction Test using DI water
DISS	Dissolved (direct analysis of 0.45 µm filtered and acidified water sample)
DLT	Dilution Test (Serial Dilution)
DUP	Duplicate
EDL	Estimated Detection Limit
ITEF	International Toxicity Equivalence Factor
LCS	Laboratory Control Sample
MB	Method Blank
MB % Rec	% Recovery of Surrogate in Method Blank, if applicable
MDL	Method Detection Limit
ML	Minimum Level of Quantitation
MS	Matrix Spike
MSD	Matrix Spike Duplicate
N/A	Not Applicable
ND	Not detected at or above the indicated MDL or RL
NR	Data Not Reported due to matrix interference or insufficient sample amount.
PDS	Post Digestion Spike
PDSD	Post Digestion Spike Duplicate
PF	Prep Factor
RD	Relative Difference
RL	Reporting Limit (The RL is the lowest calibration standard in a multipoint calibration.)
RPD	Relative Percent Deviation
RRT	Relative Retention Time
SPK Val	Spike Value
SPKRef Val	Spike Reference Value
SPLP	Synthetic Precipitation Leachate Procedure
ST	Sorbent Tube
TCLP	Toxicity Characteristic Leachate Procedure
TEQ	Toxicity Equivalents
WET (STLC)	Waste Extraction Test (Soluble Threshold Limit Concentration)



Glossary of Terms & Qualifier Definitions

Client: Treadwell & Rollo
Project: 750623602; 1110 Jackson
WorkOrder: 1608622

Analytical Qualifiers

S	Surrogate spike recovery outside accepted recovery limits
a3	sample diluted due to high organic content.
b1	aqueous sample that contains greater than ~1 vol. % sediment
c2	surrogate recovery outside of the control limits due to matrix interference.
c4	surrogate recovery outside of the control limits due to coelution with another peak(s) / cluttered chromatogram.
c7	Surrogate value diluted out of range
d1	weakly modified or unmodified gasoline is significant
d7/d9	strongly aged gasoline or diesel range compounds are significant in the TPH(g) chromatogram; and/or no recognizable pattern
d9	no recognizable pattern
e2	diesel range compounds are significant; no recognizable pattern
e4	gasoline range compounds are significant.
e7	oil range compounds are significant
e8	kerosene/kerosene range/jet fuel range
e11/e8	stoddard solvent/mineral spirit (?); and/or kerosene/kerosene range/jet fuel range
e11	stoddard solvent/mineral spirit (?)

Quality Control Qualifiers

F1	MS/MSD recovery and/or RPD is out of acceptance criteria; LCS validated the prep batch.
F10	MS/MSD outside control limits. Physical or chemical interferences exist due to sample matrix.



Analytical Report

Client: Treadwell & Rollo
Date Received: 8/12/16 14:15
Date Prepared: 8/12/16
Project: 750623602; 1110 Jackson

WorkOrder: 1608622
Extraction Method: SW5030B
Analytical Method: SW8260B
Unit: mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-13	1608622-001A	Soil	08/11/2016 08:40	GC18	125112
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
Acetone	ND		2.0	20	08/16/2016 16:10
tert-Amyl methyl ether (TAME)	ND		0.10	20	08/16/2016 16:10
Benzene	ND		0.10	20	08/16/2016 16:10
Bromobenzene	ND		0.10	20	08/16/2016 16:10
Bromoform	ND		0.10	20	08/16/2016 16:10
Bromomethane	ND		0.10	20	08/16/2016 16:10
2-Butanone (MEK)	ND		0.40	20	08/16/2016 16:10
t-Butyl alcohol (TBA)	ND		1.0	20	08/16/2016 16:10
n-Butyl benzene	0.14		0.10	20	08/16/2016 16:10
sec-Butyl benzene	0.13		0.10	20	08/16/2016 16:10
tert-Butyl benzene	ND		0.10	20	08/16/2016 16:10
Carbon Disulfide	ND		0.10	20	08/16/2016 16:10
Carbon Tetrachloride	ND		0.10	20	08/16/2016 16:10
Chlorobenzene	ND		0.10	20	08/16/2016 16:10
Chloroethane	ND		0.10	20	08/16/2016 16:10
Chloroform	ND		0.10	20	08/16/2016 16:10
Chloromethane	ND		0.10	20	08/16/2016 16:10
2-Chlorotoluene	ND		0.10	20	08/16/2016 16:10
4-Chlorotoluene	ND		0.10	20	08/16/2016 16:10
Dibromochloromethane	ND		0.10	20	08/16/2016 16:10
1,2-Dibromo-3-chloropropane	ND		0.080	20	08/16/2016 16:10
1,2-Dibromoethane (EDB)	ND		0.080	20	08/16/2016 16:10
Dibromomethane	ND		0.10	20	08/16/2016 16:10
1,2-Dichlorobenzene	ND		0.10	20	08/16/2016 16:10
1,3-Dichlorobenzene	ND		0.10	20	08/16/2016 16:10
1,4-Dichlorobenzene	ND		0.10	20	08/16/2016 16:10
Dichlorodifluoromethane	ND		0.10	20	08/16/2016 16:10
1,1-Dichloroethane	ND		0.10	20	08/16/2016 16:10
1,2-Dichloroethane (1,2-DCA)	ND		0.080	20	08/16/2016 16:10
1,1-Dichloroethene	ND		0.10	20	08/16/2016 16:10
cis-1,2-Dichloroethene	ND		0.10	20	08/16/2016 16:10
trans-1,2-Dichloroethene	ND		0.10	20	08/16/2016 16:10
1,2-Dichloropropane	ND		0.10	20	08/16/2016 16:10
1,3-Dichloropropane	ND		0.10	20	08/16/2016 16:10
2,2-Dichloropropane	ND		0.10	20	08/16/2016 16:10

(Cont.)

NELAP 4033ORELAP

 Angela Rydelius, Lab Manager



Analytical Report

Client: Treadwell & Rollo
Date Received: 8/12/16 14:15
Date Prepared: 8/12/16
Project: 750623602; 1110 Jackson

WorkOrder: 1608622
Extraction Method: SW5030B
Analytical Method: SW8260B
Unit: mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-13	1608622-001A	Soil	08/11/2016 08:40	GC18	125112
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
1,1-Dichloropropene	ND		0.10	20	08/16/2016 16:10
cis-1,3-Dichloropropene	ND		0.10	20	08/16/2016 16:10
trans-1,3-Dichloropropene	ND		0.10	20	08/16/2016 16:10
Diisopropyl ether (DIPE)	ND		0.10	20	08/16/2016 16:10
Ethylbenzene	ND		0.10	20	08/16/2016 16:10
Ethyl tert-butyl ether (ETBE)	ND		0.10	20	08/16/2016 16:10
Freon 113	ND		0.10	20	08/16/2016 16:10
Hexachlorobutadiene	ND		0.10	20	08/16/2016 16:10
Hexachloroethane	ND		0.10	20	08/16/2016 16:10
2-Hexanone	ND		0.10	20	08/16/2016 16:10
Isopropylbenzene	0.14		0.10	20	08/16/2016 16:10
4-Isopropyl toluene	ND		0.10	20	08/16/2016 16:10
Methyl-t-butyl ether (MTBE)	ND		0.10	20	08/16/2016 16:10
Methylene chloride	ND		0.10	20	08/16/2016 16:10
4-Methyl-2-pentanone (MIBK)	ND		0.10	20	08/16/2016 16:10
Naphthalene	0.39		0.10	20	08/16/2016 16:10
n-Propyl benzene	0.20		0.10	20	08/16/2016 16:10
Styrene	ND		0.10	20	08/16/2016 16:10
1,1,1,2-Tetrachloroethane	ND		0.10	20	08/16/2016 16:10
1,1,2,2-Tetrachloroethane	ND		0.10	20	08/16/2016 16:10
Tetrachloroethene	ND		0.10	20	08/16/2016 16:10
Toluene	ND		0.10	20	08/16/2016 16:10
1,2,3-Trichlorobenzene	ND		0.10	20	08/16/2016 16:10
1,2,4-Trichlorobenzene	ND		0.10	20	08/16/2016 16:10
1,1,1-Trichloroethane	ND		0.10	20	08/16/2016 16:10
1,1,2-Trichloroethane	ND		0.10	20	08/16/2016 16:10
Trichloroethene	ND		0.10	20	08/16/2016 16:10
Trichlorofluoromethane	ND		0.10	20	08/16/2016 16:10
1,2,3-Trichloropropane	ND		0.10	20	08/16/2016 16:10
1,2,4-Trimethylbenzene	ND		0.10	20	08/16/2016 16:10
1,3,5-Trimethylbenzene	ND		0.10	20	08/16/2016 16:10
Vinyl Chloride	ND		0.10	20	08/16/2016 16:10
Xylenes, Total	ND		0.10	20	08/16/2016 16:10

(Cont.)

NELAP 4033ORELAP

 Angela Rydelius, Lab Manager



Analytical Report

Client: Treadwell & Rollo
Date Received: 8/12/16 14:15
Date Prepared: 8/12/16
Project: 750623602; 1110 Jackson

WorkOrder: 1608622
Extraction Method: SW5030B
Analytical Method: SW8260B
Unit: mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-13	1608622-001A	Soil	08/11/2016 08:40	GC18	125112
Analytes	Result		RL	DF	Date Analyzed
Surrogates	REC (%)	Qualifiers	Limits		
Dibromofluoromethane	104		70-130		08/16/2016 16:10
Toluene-d8	113		70-130		08/16/2016 16:10
4-BFB	82		70-130		08/16/2016 16:10
Benzene-d6	117		60-140		08/16/2016 16:10
Ethylbenzene-d10	146	S	60-140		08/16/2016 16:10
1,2-DCB-d4	105		60-140		08/16/2016 16:10
<u>Analyst(s):</u> KF	<u>Analytical Comments:</u> c7				

(Cont.)

NELAP 4033ORELAP

 Angela Rydelius, Lab Manager



Analytical Report

Client: Treadwell & Rollo
Date Received: 8/12/16 14:15
Date Prepared: 8/12/16
Project: 750623602; 1110 Jackson

WorkOrder: 1608622
Extraction Method: SW5030B
Analytical Method: SW8260B
Unit: mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-15.5	1608622-002A	Soil	08/11/2016	GC18	125112
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
Acetone	ND		40	400	08/16/2016 16:50
tert-Amyl methyl ether (TAME)	ND		2.0	400	08/16/2016 16:50
Benzene	ND		2.0	400	08/16/2016 16:50
Bromobenzene	ND		2.0	400	08/16/2016 16:50
Bromoform	ND		2.0	400	08/16/2016 16:50
Bromochloromethane	ND		2.0	400	08/16/2016 16:50
Bromodichloromethane	ND		2.0	400	08/16/2016 16:50
Bromoform	ND		2.0	400	08/16/2016 16:50
Bromomethane	ND		2.0	400	08/16/2016 16:50
2-Butanone (MEK)	ND		8.0	400	08/16/2016 16:50
t-Butyl alcohol (TBA)	ND		20	400	08/16/2016 16:50
n-Butyl benzene	2.3		2.0	400	08/16/2016 16:50
sec-Butyl benzene	2.5		2.0	400	08/16/2016 16:50
tert-Butyl benzene	ND		2.0	400	08/16/2016 16:50
Carbon Disulfide	ND		2.0	400	08/16/2016 16:50
Carbon Tetrachloride	ND		2.0	400	08/16/2016 16:50
Chlorobenzene	ND		2.0	400	08/16/2016 16:50
Chloroethane	ND		2.0	400	08/16/2016 16:50
Chloroform	ND		2.0	400	08/16/2016 16:50
Chloromethane	ND		2.0	400	08/16/2016 16:50
2-Chlorotoluene	ND		2.0	400	08/16/2016 16:50
4-Chlorotoluene	ND		2.0	400	08/16/2016 16:50
Dibromochloromethane	ND		2.0	400	08/16/2016 16:50
1,2-Dibromo-3-chloropropane	ND		1.6	400	08/16/2016 16:50
1,2-Dibromoethane (EDB)	ND		1.6	400	08/16/2016 16:50
Dibromomethane	ND		2.0	400	08/16/2016 16:50
1,2-Dichlorobenzene	ND		2.0	400	08/16/2016 16:50
1,3-Dichlorobenzene	ND		2.0	400	08/16/2016 16:50
1,4-Dichlorobenzene	ND		2.0	400	08/16/2016 16:50
Dichlorodifluoromethane	ND		2.0	400	08/16/2016 16:50
1,1-Dichloroethane	ND		2.0	400	08/16/2016 16:50
1,2-Dichloroethane (1,2-DCA)	ND		1.6	400	08/16/2016 16:50
1,1-Dichloroethene	ND		2.0	400	08/16/2016 16:50
cis-1,2-Dichloroethene	ND		2.0	400	08/16/2016 16:50
trans-1,2-Dichloroethene	ND		2.0	400	08/16/2016 16:50
1,2-Dichloropropane	ND		2.0	400	08/16/2016 16:50
1,3-Dichloropropane	ND		2.0	400	08/16/2016 16:50
2,2-Dichloropropane	ND		2.0	400	08/16/2016 16:50

(Cont.)

NELAP 4033ORELAP

 Angela Rydelius, Lab Manager



Analytical Report

Client: Treadwell & Rollo
Date Received: 8/12/16 14:15
Date Prepared: 8/12/16
Project: 750623602; 1110 Jackson

WorkOrder: 1608622
Extraction Method: SW5030B
Analytical Method: SW8260B
Unit: mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-15.5	1608622-002A	Soil	08/11/2016	GC18	125112
Analyses	Result		RL	DF	Date Analyzed
1,1-Dichloropropene	ND		2.0	400	08/16/2016 16:50
cis-1,3-Dichloropropene	ND		2.0	400	08/16/2016 16:50
trans-1,3-Dichloropropene	ND		2.0	400	08/16/2016 16:50
Diisopropyl ether (DIPE)	ND		2.0	400	08/16/2016 16:50
Ethylbenzene	ND		2.0	400	08/16/2016 16:50
Ethyl tert-butyl ether (ETBE)	ND		2.0	400	08/16/2016 16:50
Freon 113	ND		2.0	400	08/16/2016 16:50
Hexachlorobutadiene	ND		2.0	400	08/16/2016 16:50
Hexachloroethane	ND		2.0	400	08/16/2016 16:50
2-Hexanone	ND		2.0	400	08/16/2016 16:50
Isopropylbenzene	4.2		2.0	400	08/16/2016 16:50
4-Isopropyl toluene	ND		2.0	400	08/16/2016 16:50
Methyl-t-butyl ether (MTBE)	ND		2.0	400	08/16/2016 16:50
Methylene chloride	ND		2.0	400	08/16/2016 16:50
4-Methyl-2-pentanone (MIBK)	ND		2.0	400	08/16/2016 16:50
Naphthalene	5.3		2.0	400	08/16/2016 16:50
n-Propyl benzene	5.1		2.0	400	08/16/2016 16:50
Styrene	ND		2.0	400	08/16/2016 16:50
1,1,1,2-Tetrachloroethane	ND		2.0	400	08/16/2016 16:50
1,1,2,2-Tetrachloroethane	ND		2.0	400	08/16/2016 16:50
Tetrachloroethene	ND		2.0	400	08/16/2016 16:50
Toluene	ND		2.0	400	08/16/2016 16:50
1,2,3-Trichlorobenzene	ND		2.0	400	08/16/2016 16:50
1,2,4-Trichlorobenzene	ND		2.0	400	08/16/2016 16:50
1,1,1-Trichloroethane	ND		2.0	400	08/16/2016 16:50
1,1,2-Trichloroethane	ND		2.0	400	08/16/2016 16:50
Trichloroethene	ND		2.0	400	08/16/2016 16:50
Trichlorofluoromethane	ND		2.0	400	08/16/2016 16:50
1,2,3-Trichloropropane	ND		2.0	400	08/16/2016 16:50
1,2,4-Trimethylbenzene	ND		2.0	400	08/16/2016 16:50
1,3,5-Trimethylbenzene	ND		2.0	400	08/16/2016 16:50
Vinyl Chloride	ND		2.0	400	08/16/2016 16:50
Xylenes, Total	ND		2.0	400	08/16/2016 16:50

(Cont.)

NELAP 4033ORELAP

 Angela Rydelius, Lab Manager



Analytical Report

Client: Treadwell & Rollo
Date Received: 8/12/16 14:15
Date Prepared: 8/12/16
Project: 750623602; 1110 Jackson

WorkOrder: 1608622
Extraction Method: SW5030B
Analytical Method: SW8260B
Unit: mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-15.5	1608622-002A	Soil	08/11/2016	GC18	125112
Analytes	Result		RL	DF	Date Analyzed
Surrogates	REC (%)	Qualifiers	Limits		
Dibromofluoromethane	103		70-130		08/16/2016 16:50
Toluene-d8	111		70-130		08/16/2016 16:50
4-BFB	87		70-130		08/16/2016 16:50
Benzene-d6	128		60-140		08/16/2016 16:50
Ethylbenzene-d10	463	S	60-140		08/16/2016 16:50
1,2-DCB-d4	161	S	60-140		08/16/2016 16:50

Analyst(s): KF

Analytical Comments: c7

(Cont.)

NELAP 4033ORELAP

 Angela Rydelius, Lab Manager



Analytical Report

Client: Treadwell & Rollo
Date Received: 8/12/16 14:15
Date Prepared: 8/12/16
Project: 750623602; 1110 Jackson

WorkOrder: 1608622
Extraction Method: SW5030B
Analytical Method: SW8260B
Unit: mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-22.5	1608622-003A	Soil	08/11/2016	GC16	125159
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
Acetone	ND		2.0	20	08/16/2016 15:57
tert-Amyl methyl ether (TAME)	ND		0.10	20	08/16/2016 15:57
Benzene	ND		0.10	20	08/16/2016 15:57
Bromobenzene	ND		0.10	20	08/16/2016 15:57
Bromoform	ND		0.10	20	08/16/2016 15:57
Bromochloromethane	ND		0.10	20	08/16/2016 15:57
Bromodichloromethane	ND		0.10	20	08/16/2016 15:57
Bromoform	ND		0.10	20	08/16/2016 15:57
Bromomethane	ND		0.10	20	08/16/2016 15:57
2-Butanone (MEK)	ND		0.40	20	08/16/2016 15:57
t-Butyl alcohol (TBA)	ND		1.0	20	08/16/2016 15:57
n-Butyl benzene	0.12		0.10	20	08/16/2016 15:57
sec-Butyl benzene	0.18		0.10	20	08/16/2016 15:57
tert-Butyl benzene	ND		0.10	20	08/16/2016 15:57
Carbon Disulfide	ND		0.10	20	08/16/2016 15:57
Carbon Tetrachloride	ND		0.10	20	08/16/2016 15:57
Chlorobenzene	ND		0.10	20	08/16/2016 15:57
Chloroethane	ND		0.10	20	08/16/2016 15:57
Chloroform	ND		0.10	20	08/16/2016 15:57
Chloromethane	ND		0.10	20	08/16/2016 15:57
2-Chlorotoluene	ND		0.10	20	08/16/2016 15:57
4-Chlorotoluene	ND		0.10	20	08/16/2016 15:57
Dibromochloromethane	ND		0.10	20	08/16/2016 15:57
1,2-Dibromo-3-chloropropane	ND		0.080	20	08/16/2016 15:57
1,2-Dibromoethane (EDB)	ND		0.080	20	08/16/2016 15:57
Dibromomethane	ND		0.10	20	08/16/2016 15:57
1,2-Dichlorobenzene	ND		0.10	20	08/16/2016 15:57
1,3-Dichlorobenzene	ND		0.10	20	08/16/2016 15:57
1,4-Dichlorobenzene	ND		0.10	20	08/16/2016 15:57
Dichlorodifluoromethane	ND		0.10	20	08/16/2016 15:57
1,1-Dichloroethane	ND		0.10	20	08/16/2016 15:57
1,2-Dichloroethane (1,2-DCA)	ND		0.080	20	08/16/2016 15:57
1,1-Dichloroethene	ND		0.10	20	08/16/2016 15:57
cis-1,2-Dichloroethene	ND		0.10	20	08/16/2016 15:57
trans-1,2-Dichloroethene	ND		0.10	20	08/16/2016 15:57
1,2-Dichloropropane	ND		0.10	20	08/16/2016 15:57
1,3-Dichloropropane	ND		0.10	20	08/16/2016 15:57
2,2-Dichloropropane	ND		0.10	20	08/16/2016 15:57

(Cont.)

NELAP 4033ORELAP

 Angela Rydelius, Lab Manager



Analytical Report

Client: Treadwell & Rollo
Date Received: 8/12/16 14:15
Date Prepared: 8/12/16
Project: 750623602; 1110 Jackson

WorkOrder: 1608622
Extraction Method: SW5030B
Analytical Method: SW8260B
Unit: mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-22.5	1608622-003A	Soil	08/11/2016	GC16	125159
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
1,1-Dichloropropene	ND		0.10	20	08/16/2016 15:57
cis-1,3-Dichloropropene	ND		0.10	20	08/16/2016 15:57
trans-1,3-Dichloropropene	ND		0.10	20	08/16/2016 15:57
Diisopropyl ether (DIPE)	ND		0.10	20	08/16/2016 15:57
Ethylbenzene	0.52		0.10	20	08/16/2016 15:57
Ethyl tert-butyl ether (ETBE)	ND		0.10	20	08/16/2016 15:57
Freon 113	ND		0.10	20	08/16/2016 15:57
Hexachlorobutadiene	ND		0.10	20	08/16/2016 15:57
Hexachloroethane	ND		0.10	20	08/16/2016 15:57
2-Hexanone	ND		0.10	20	08/16/2016 15:57
Isopropylbenzene	0.33		0.10	20	08/16/2016 15:57
4-Isopropyl toluene	ND		0.10	20	08/16/2016 15:57
Methyl-t-butyl ether (MTBE)	ND		0.10	20	08/16/2016 15:57
Methylene chloride	ND		0.10	20	08/16/2016 15:57
4-Methyl-2-pentanone (MIBK)	ND		0.10	20	08/16/2016 15:57
Naphthalene	0.12		0.10	20	08/16/2016 15:57
n-Propyl benzene	0.33		0.10	20	08/16/2016 15:57
Styrene	ND		0.10	20	08/16/2016 15:57
1,1,1,2-Tetrachloroethane	ND		0.10	20	08/16/2016 15:57
1,1,2,2-Tetrachloroethane	ND		0.10	20	08/16/2016 15:57
Tetrachloroethene	ND		0.10	20	08/16/2016 15:57
Toluene	ND		0.10	20	08/16/2016 15:57
1,2,3-Trichlorobenzene	ND		0.10	20	08/16/2016 15:57
1,2,4-Trichlorobenzene	ND		0.10	20	08/16/2016 15:57
1,1,1-Trichloroethane	ND		0.10	20	08/16/2016 15:57
1,1,2-Trichloroethane	ND		0.10	20	08/16/2016 15:57
Trichloroethene	ND		0.10	20	08/16/2016 15:57
Trichlorofluoromethane	ND		0.10	20	08/16/2016 15:57
1,2,3-Trichloropropane	ND		0.10	20	08/16/2016 15:57
1,2,4-Trimethylbenzene	0.55		0.10	20	08/16/2016 15:57
1,3,5-Trimethylbenzene	0.25		0.10	20	08/16/2016 15:57
Vinyl Chloride	ND		0.10	20	08/16/2016 15:57
Xylenes, Total	0.31		0.10	20	08/16/2016 15:57

(Cont.)

NELAP 4033ORELAP

 Angela Rydelius, Lab Manager



Analytical Report

Client: Treadwell & Rollo
Date Received: 8/12/16 14:15
Date Prepared: 8/12/16
Project: 750623602; 1110 Jackson

WorkOrder: 1608622
Extraction Method: SW5030B
Analytical Method: SW8260B
Unit: mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-22.5	1608622-003A	Soil	08/11/2016	GC16	125159
Analytes	Result		RL	DF	Date Analyzed
Surrogates	REC (%)	Qualifiers	Limits		
Dibromofluoromethane	113		70-130		08/16/2016 15:57
Toluene-d8	100		70-130		08/16/2016 15:57
4-BFB	103		70-130		08/16/2016 15:57
Benzene-d6	13	S	60-140		08/16/2016 15:57
Ethylbenzene-d10	49	S	60-140		08/16/2016 15:57
1,2-DCB-d4	12	S	60-140		08/16/2016 15:57

Analyst(s): KF

Analytical Comments: c7



Analytical Report

Client: Treadwell & Rollo
Date Received: 8/12/16 14:15
Date Prepared: 8/15/16-8/16/16
Project: 750623602; 1110 Jackson

WorkOrder: 1608622
Extraction Method: SW5030B
Analytical Method: SW8260B
Unit: µg/L

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-GW	1608622-004A	Water	08/11/2016 14:50	GC16	125245
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
Acetone	630		250	25	08/16/2016 13:58
tert-Amyl methyl ether (TAME)	ND		12	25	08/16/2016 13:58
Benzene	320		12	25	08/16/2016 13:58
Bromobenzene	ND		12	25	08/16/2016 13:58
Bromoform	ND		12	25	08/16/2016 13:58
Bromomethane	ND		12	25	08/16/2016 13:58
2-Butanone (MEK)	81		50	25	08/16/2016 13:58
t-Butyl alcohol (TBA)	ND		50	25	08/16/2016 13:58
n-Butyl benzene	ND		12	25	08/16/2016 13:58
sec-Butyl benzene	23		12	25	08/16/2016 13:58
tert-Butyl benzene	ND		12	25	08/16/2016 13:58
Carbon Disulfide	ND		12	25	08/16/2016 13:58
Carbon Tetrachloride	ND		12	25	08/16/2016 13:58
Chlorobenzene	ND		12	25	08/16/2016 13:58
Chloroethane	ND		12	25	08/16/2016 13:58
Chloroform	ND		12	25	08/16/2016 13:58
Chloromethane	ND		12	25	08/16/2016 13:58
2-Chlorotoluene	ND		12	25	08/16/2016 13:58
4-Chlorotoluene	ND		12	25	08/16/2016 13:58
Dibromochloromethane	ND		12	25	08/16/2016 13:58
1,2-Dibromo-3-chloropropane	ND		5.0	25	08/16/2016 13:58
1,2-Dibromoethane (EDB)	ND		12	25	08/16/2016 13:58
Dibromomethane	ND		12	25	08/16/2016 13:58
1,2-Dichlorobenzene	ND		12	25	08/16/2016 13:58
1,3-Dichlorobenzene	ND		12	25	08/16/2016 13:58
1,4-Dichlorobenzene	ND		12	25	08/16/2016 13:58
Dichlorodifluoromethane	ND		12	25	08/16/2016 13:58
1,1-Dichloroethane	ND		12	25	08/16/2016 13:58
1,2-Dichloroethane (1,2-DCA)	ND		12	25	08/16/2016 13:58
1,1-Dichloroethene	ND		12	25	08/16/2016 13:58
cis-1,2-Dichloroethene	ND		12	25	08/16/2016 13:58
trans-1,2-Dichloroethene	ND		12	25	08/16/2016 13:58
1,2-Dichloropropane	ND		12	25	08/16/2016 13:58
1,3-Dichloropropane	ND		12	25	08/16/2016 13:58
2,2-Dichloropropane	ND		12	25	08/16/2016 13:58

(Cont.)

NELAP 4033ORELAP

 Angela Rydelius, Lab Manager



Analytical Report

Client: Treadwell & Rollo
Date Received: 8/12/16 14:15
Date Prepared: 8/15/16-8/16/16
Project: 750623602; 1110 Jackson

WorkOrder: 1608622
Extraction Method: SW5030B
Analytical Method: SW8260B
Unit: µg/L

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-GW	1608622-004A	Water	08/11/2016 14:50	GC16	125245
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
1,1-Dichloropropene	ND		12	25	08/16/2016 13:58
cis-1,3-Dichloropropene	ND		12	25	08/16/2016 13:58
trans-1,3-Dichloropropene	ND		12	25	08/16/2016 13:58
Diisopropyl ether (DIPE)	ND		12	25	08/16/2016 13:58
Ethylbenzene	740		12	25	08/16/2016 13:58
Ethyl tert-butyl ether (ETBE)	ND		12	25	08/16/2016 13:58
Freon 113	ND		12	25	08/16/2016 13:58
Hexachlorobutadiene	ND		12	25	08/16/2016 13:58
Hexachloroethane	ND		12	25	08/16/2016 13:58
2-Hexanone	ND		12	25	08/16/2016 13:58
Isopropylbenzene	150		12	25	08/16/2016 13:58
4-Isopropyl toluene	ND		12	25	08/16/2016 13:58
Methyl-t-butyl ether (MTBE)	ND		12	25	08/16/2016 13:58
Methylene chloride	ND		12	25	08/16/2016 13:58
4-Methyl-2-pentanone (MIBK)	ND		12	25	08/16/2016 13:58
Naphthalene	100		12	25	08/16/2016 13:58
n-Propyl benzene	110		12	25	08/16/2016 13:58
Styrene	ND		12	25	08/16/2016 13:58
1,1,1,2-Tetrachloroethane	ND		12	25	08/16/2016 13:58
1,1,2,2-Tetrachloroethane	ND		12	25	08/16/2016 13:58
Tetrachloroethene	ND		12	25	08/16/2016 13:58
Toluene	ND		12	25	08/16/2016 13:58
1,2,3-Trichlorobenzene	ND		12	25	08/16/2016 13:58
1,2,4-Trichlorobenzene	ND		12	25	08/16/2016 13:58
1,1,1-Trichloroethane	ND		12	25	08/16/2016 13:58
1,1,2-Trichloroethane	ND		12	25	08/16/2016 13:58
Trichloroethene	ND		12	25	08/16/2016 13:58
Trichlorofluoromethane	ND		12	25	08/16/2016 13:58
1,2,3-Trichloropropane	ND		12	25	08/16/2016 13:58
1,2,4-Trimethylbenzene	290		12	25	08/16/2016 13:58
1,3,5-Trimethylbenzene	92		12	25	08/16/2016 13:58
Vinyl Chloride	ND		12	25	08/16/2016 13:58
Xylenes, Total	430		12	25	08/16/2016 13:58

(Cont.)

NELAP 4033ORELAP

 Angela Rydelius, Lab Manager



Analytical Report

Client: Treadwell & Rollo
Date Received: 8/12/16 14:15
Date Prepared: 8/15/16-8/16/16
Project: 750623602; 1110 Jackson

WorkOrder: 1608622
Extraction Method: SW5030B
Analytical Method: SW8260B
Unit: µg/L

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-GW	1608622-004A	Water	08/11/2016 14:50	GC16	125245
Analytes	Result		RL	DF	Date Analyzed
Surrogates	REC (%)		Limits		
Dibromofluoromethane	117		70-130		08/16/2016 13:58
Toluene-d8	96		70-130		08/16/2016 13:58
4-BFB	97		70-130		08/16/2016 13:58
<u>Analyst(s):</u>	KF		<u>Analytical Comments:</u> b1		

(Cont.)

NELAP 4033ORELAP

 Angela Rydelius, Lab Manager



Analytical Report

Client: Treadwell & Rollo
Date Received: 8/12/16 14:15
Date Prepared: 8/15/16-8/16/16
Project: 750623602; 1110 Jackson

WorkOrder: 1608622
Extraction Method: SW5030B
Analytical Method: SW8260B
Unit: µg/L

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-4-GW	1608622-005A	Water	08/11/2016 15:05	GC16	125245
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
Acetone	ND		100	10	08/16/2016 14:41
tert-Amyl methyl ether (TAME)	ND		5.0	10	08/16/2016 14:41
Benzene	110		5.0	10	08/16/2016 14:41
Bromobenzene	ND		5.0	10	08/16/2016 14:41
Bromoform	ND		5.0	10	08/16/2016 14:41
Bromomethane	ND		5.0	10	08/16/2016 14:41
2-Butanone (MEK)	ND		20	10	08/16/2016 14:41
t-Butyl alcohol (TBA)	ND		20	10	08/16/2016 14:41
n-Butyl benzene	ND		5.0	10	08/16/2016 14:41
sec-Butyl benzene	14		5.0	10	08/16/2016 14:41
tert-Butyl benzene	ND		5.0	10	08/16/2016 14:41
Carbon Disulfide	ND		5.0	10	08/16/2016 14:41
Carbon Tetrachloride	ND		5.0	10	08/16/2016 14:41
Chlorobenzene	ND		5.0	10	08/16/2016 14:41
Chloroethane	ND		5.0	10	08/16/2016 14:41
Chloroform	ND		5.0	10	08/16/2016 14:41
Chloromethane	ND		5.0	10	08/16/2016 14:41
2-Chlorotoluene	ND		5.0	10	08/16/2016 14:41
4-Chlorotoluene	ND		5.0	10	08/16/2016 14:41
Dibromochloromethane	ND		5.0	10	08/16/2016 14:41
1,2-Dibromo-3-chloropropane	ND		2.0	10	08/16/2016 14:41
1,2-Dibromoethane (EDB)	ND		5.0	10	08/16/2016 14:41
Dibromomethane	ND		5.0	10	08/16/2016 14:41
1,2-Dichlorobenzene	ND		5.0	10	08/16/2016 14:41
1,3-Dichlorobenzene	ND		5.0	10	08/16/2016 14:41
1,4-Dichlorobenzene	ND		5.0	10	08/16/2016 14:41
Dichlorodifluoromethane	ND		5.0	10	08/16/2016 14:41
1,1-Dichloroethane	ND		5.0	10	08/16/2016 14:41
1,2-Dichloroethane (1,2-DCA)	ND		5.0	10	08/16/2016 14:41
1,1-Dichloroethene	ND		5.0	10	08/16/2016 14:41
cis-1,2-Dichloroethene	5.5		5.0	10	08/16/2016 14:41
trans-1,2-Dichloroethene	ND		5.0	10	08/16/2016 14:41
1,2-Dichloropropane	ND		5.0	10	08/16/2016 14:41
1,3-Dichloropropane	ND		5.0	10	08/16/2016 14:41
2,2-Dichloropropane	ND		5.0	10	08/16/2016 14:41

(Cont.)

NELAP 4033ORELAP

 Angela Rydelius, Lab Manager



Analytical Report

Client: Treadwell & Rollo
Date Received: 8/12/16 14:15
Date Prepared: 8/15/16-8/16/16
Project: 750623602; 1110 Jackson

WorkOrder: 1608622
Extraction Method: SW5030B
Analytical Method: SW8260B
Unit: µg/L

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-4-GW	1608622-005A	Water	08/11/2016 15:05	GC16	125245
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
1,1-Dichloropropene	ND		5.0	10	08/16/2016 14:41
cis-1,3-Dichloropropene	ND		5.0	10	08/16/2016 14:41
trans-1,3-Dichloropropene	ND		5.0	10	08/16/2016 14:41
Diisopropyl ether (DIPE)	ND		5.0	10	08/16/2016 14:41
Ethylbenzene	250		5.0	10	08/16/2016 14:41
Ethyl tert-butyl ether (ETBE)	ND		5.0	10	08/16/2016 14:41
Freon 113	ND		5.0	10	08/16/2016 14:41
Hexachlorobutadiene	ND		5.0	10	08/16/2016 14:41
Hexachloroethane	ND		5.0	10	08/16/2016 14:41
2-Hexanone	ND		5.0	10	08/16/2016 14:41
Isopropylbenzene	100		5.0	10	08/16/2016 14:41
4-Isopropyl toluene	8.3		5.0	10	08/16/2016 14:41
Methyl-t-butyl ether (MTBE)	ND		5.0	10	08/16/2016 14:41
Methylene chloride	ND		5.0	10	08/16/2016 14:41
4-Methyl-2-pentanone (MIBK)	ND		5.0	10	08/16/2016 14:41
Naphthalene	7.9		5.0	10	08/16/2016 14:41
n-Propyl benzene	64		5.0	10	08/16/2016 14:41
Styrene	ND		5.0	10	08/16/2016 14:41
1,1,1,2-Tetrachloroethane	ND		5.0	10	08/16/2016 14:41
1,1,2,2-Tetrachloroethane	ND		5.0	10	08/16/2016 14:41
Tetrachloroethene	ND		5.0	10	08/16/2016 14:41
Toluene	ND		5.0	10	08/16/2016 14:41
1,2,3-Trichlorobenzene	ND		5.0	10	08/16/2016 14:41
1,2,4-Trichlorobenzene	ND		5.0	10	08/16/2016 14:41
1,1,1-Trichloroethane	ND		5.0	10	08/16/2016 14:41
1,1,2-Trichloroethane	ND		5.0	10	08/16/2016 14:41
Trichloroethene	ND		5.0	10	08/16/2016 14:41
Trichlorofluoromethane	ND		5.0	10	08/16/2016 14:41
1,2,3-Trichloropropane	ND		5.0	10	08/16/2016 14:41
1,2,4-Trimethylbenzene	19		5.0	10	08/16/2016 14:41
1,3,5-Trimethylbenzene	ND		5.0	10	08/16/2016 14:41
Vinyl Chloride	ND		5.0	10	08/16/2016 14:41
Xylenes, Total	27		5.0	10	08/16/2016 14:41

(Cont.)

NELAP 4033ORELAP

 Angela Rydelius, Lab Manager



Analytical Report

Client: Treadwell & Rollo
Date Received: 8/12/16 14:15
Date Prepared: 8/15/16-8/16/16
Project: 750623602; 1110 Jackson

WorkOrder: 1608622
Extraction Method: SW5030B
Analytical Method: SW8260B
Unit: µg/L

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-4-GW	1608622-005A	Water	08/11/2016 15:05	GC16	125245
Analytes	Result		RL	DF	Date Analyzed
Surrogates	REC (%)		Limits		
Dibromofluoromethane	121		70-130		08/16/2016 14:41
Toluene-d8	98		70-130		08/16/2016 14:41
4-BFB	88		70-130		08/16/2016 14:41
<u>Analyst(s):</u> KF			<u>Analytical Comments:</u>	b1	

(Cont.)

NELAP 4033ORELAP

 Angela Rydelius, Lab Manager



Analytical Report

Client: Treadwell & Rollo
Date Received: 8/12/16 14:15
Date Prepared: 8/15/16-8/16/16
Project: 750623602; 1110 Jackson

WorkOrder: 1608622
Extraction Method: SW5030B
Analytical Method: SW8260B
Unit: µg/L

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-1-GW	1608622-006A	Water	08/11/2016 15:15	GC16	125245
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
Acetone	ND		50	5	08/15/2016 16:40
tert-Amyl methyl ether (TAME)	ND		2.5	5	08/15/2016 16:40
Benzene	ND		2.5	5	08/15/2016 16:40
Bromobenzene	ND		2.5	5	08/15/2016 16:40
Bromoform	ND		2.5	5	08/15/2016 16:40
Bromomethane	ND		2.5	5	08/15/2016 16:40
2-Butanone (MEK)	ND		10	5	08/15/2016 16:40
t-Butyl alcohol (TBA)	ND		10	5	08/15/2016 16:40
n-Butyl benzene	ND		2.5	5	08/15/2016 16:40
sec-Butyl benzene	ND		2.5	5	08/15/2016 16:40
tert-Butyl benzene	ND		2.5	5	08/15/2016 16:40
Carbon Disulfide	ND		2.5	5	08/15/2016 16:40
Carbon Tetrachloride	ND		2.5	5	08/15/2016 16:40
Chlorobenzene	ND		2.5	5	08/15/2016 16:40
Chloroethane	ND		2.5	5	08/15/2016 16:40
Chloroform	ND		2.5	5	08/15/2016 16:40
Chloromethane	ND		2.5	5	08/15/2016 16:40
2-Chlorotoluene	ND		2.5	5	08/15/2016 16:40
4-Chlorotoluene	ND		2.5	5	08/15/2016 16:40
Dibromochloromethane	ND		2.5	5	08/15/2016 16:40
1,2-Dibromo-3-chloropropane	ND		1.0	5	08/15/2016 16:40
1,2-Dibromoethane (EDB)	ND		2.5	5	08/15/2016 16:40
Dibromomethane	ND		2.5	5	08/15/2016 16:40
1,2-Dichlorobenzene	ND		2.5	5	08/15/2016 16:40
1,3-Dichlorobenzene	ND		2.5	5	08/15/2016 16:40
1,4-Dichlorobenzene	ND		2.5	5	08/15/2016 16:40
Dichlorodifluoromethane	ND		2.5	5	08/15/2016 16:40
1,1-Dichloroethane	ND		2.5	5	08/15/2016 16:40
1,2-Dichloroethane (1,2-DCA)	ND		2.5	5	08/15/2016 16:40
1,1-Dichloroethene	ND		2.5	5	08/15/2016 16:40
cis-1,2-Dichloroethene	ND		2.5	5	08/15/2016 16:40
trans-1,2-Dichloroethene	ND		2.5	5	08/15/2016 16:40
1,2-Dichloropropane	ND		2.5	5	08/15/2016 16:40
1,3-Dichloropropane	ND		2.5	5	08/15/2016 16:40
2,2-Dichloropropane	ND		2.5	5	08/15/2016 16:40

(Cont.)

NELAP 4033ORELAP

 Angela Rydelius, Lab Manager



Analytical Report

Client: Treadwell & Rollo
Date Received: 8/12/16 14:15
Date Prepared: 8/15/16-8/16/16
Project: 750623602; 1110 Jackson

WorkOrder: 1608622
Extraction Method: SW5030B
Analytical Method: SW8260B
Unit: µg/L

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-1-GW	1608622-006A	Water	08/11/2016 15:15	GC16	125245
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
1,1-Dichloropropene	ND		2.5	5	08/15/2016 16:40
cis-1,3-Dichloropropene	ND		2.5	5	08/15/2016 16:40
trans-1,3-Dichloropropene	ND		2.5	5	08/15/2016 16:40
Diisopropyl ether (DIPE)	ND		2.5	5	08/15/2016 16:40
Ethylbenzene	ND		2.5	5	08/15/2016 16:40
Ethyl tert-butyl ether (ETBE)	ND		2.5	5	08/15/2016 16:40
Freon 113	ND		2.5	5	08/15/2016 16:40
Hexachlorobutadiene	ND		2.5	5	08/15/2016 16:40
Hexachloroethane	ND		2.5	5	08/15/2016 16:40
2-Hexanone	ND		2.5	5	08/15/2016 16:40
Isopropylbenzene	ND		2.5	5	08/15/2016 16:40
4-Isopropyl toluene	ND		2.5	5	08/15/2016 16:40
Methyl-t-butyl ether (MTBE)	ND		2.5	5	08/15/2016 16:40
Methylene chloride	ND		2.5	5	08/15/2016 16:40
4-Methyl-2-pentanone (MIBK)	ND		2.5	5	08/15/2016 16:40
Naphthalene	ND		2.5	5	08/15/2016 16:40
n-Propyl benzene	ND		2.5	5	08/15/2016 16:40
Styrene	ND		2.5	5	08/15/2016 16:40
1,1,1,2-Tetrachloroethane	ND		2.5	5	08/15/2016 16:40
1,1,2,2-Tetrachloroethane	ND		2.5	5	08/15/2016 16:40
Tetrachloroethene	ND		2.5	5	08/15/2016 16:40
Toluene	ND		2.5	5	08/15/2016 16:40
1,2,3-Trichlorobenzene	ND		2.5	5	08/15/2016 16:40
1,2,4-Trichlorobenzene	ND		2.5	5	08/15/2016 16:40
1,1,1-Trichloroethane	ND		2.5	5	08/15/2016 16:40
1,1,2-Trichloroethane	ND		2.5	5	08/15/2016 16:40
Trichloroethene	ND		2.5	5	08/15/2016 16:40
Trichlorofluoromethane	ND		2.5	5	08/15/2016 16:40
1,2,3-Trichloropropane	ND		2.5	5	08/15/2016 16:40
1,2,4-Trimethylbenzene	ND		2.5	5	08/15/2016 16:40
1,3,5-Trimethylbenzene	ND		2.5	5	08/15/2016 16:40
Vinyl Chloride	ND		2.5	5	08/15/2016 16:40
Xylenes, Total	ND		2.5	5	08/15/2016 16:40

(Cont.)

NELAP 4033ORELAP

 Angela Rydelius, Lab Manager



Analytical Report

Client: Treadwell & Rollo
Date Received: 8/12/16 14:15
Date Prepared: 8/15/16-8/16/16
Project: 750623602; 1110 Jackson

WorkOrder: 1608622
Extraction Method: SW5030B
Analytical Method: SW8260B
Unit: µg/L

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-1-GW	1608622-006A	Water	08/11/2016 15:15	GC16	125245
Analytes	Result		RL	DF	Date Analyzed
Surrogates	REC (%)		Limits		
Dibromofluoromethane	107		70-130		08/15/2016 16:40
Toluene-d8	97		70-130		08/15/2016 16:40
4-BFB	92		70-130		08/15/2016 16:40
<u>Analyst(s):</u>	KF		<u>Analytical Comments:</u> a3,b1		

(Cont.)

NELAP 4033ORELAP

 Angela Rydelius, Lab Manager



Analytical Report

Client: Treadwell & Rollo
Date Received: 8/12/16 14:15
Date Prepared: 8/15/16-8/16/16
Project: 750623602; 1110 Jackson

WorkOrder: 1608622
Extraction Method: SW5030B
Analytical Method: SW8260B
Unit: µg/L

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-GW	1608622-007A	Water	08/11/2016 15:30	GC16	125245
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
Acetone	ND		10	1	08/15/2016 15:58
tert-Amyl methyl ether (TAME)	ND		0.50	1	08/15/2016 15:58
Benzene	ND		0.50	1	08/15/2016 15:58
Bromobenzene	ND		0.50	1	08/15/2016 15:58
Bromoform	ND		0.50	1	08/15/2016 15:58
Bromochloromethane	ND		0.50	1	08/15/2016 15:58
Bromodichloromethane	ND		0.50	1	08/15/2016 15:58
Bromoform	ND		0.50	1	08/15/2016 15:58
Bromomethane	ND		0.50	1	08/15/2016 15:58
2-Butanone (MEK)	ND		2.0	1	08/15/2016 15:58
t-Butyl alcohol (TBA)	ND		2.0	1	08/15/2016 15:58
n-Butyl benzene	ND		0.50	1	08/15/2016 15:58
sec-Butyl benzene	ND		0.50	1	08/15/2016 15:58
tert-Butyl benzene	ND		0.50	1	08/15/2016 15:58
Carbon Disulfide	ND		0.50	1	08/15/2016 15:58
Carbon Tetrachloride	ND		0.50	1	08/15/2016 15:58
Chlorobenzene	ND		0.50	1	08/15/2016 15:58
Chloroethane	ND		0.50	1	08/15/2016 15:58
Chloroform	ND		0.50	1	08/15/2016 15:58
Chloromethane	ND		0.50	1	08/15/2016 15:58
2-Chlorotoluene	ND		0.50	1	08/15/2016 15:58
4-Chlorotoluene	ND		0.50	1	08/15/2016 15:58
Dibromochloromethane	ND		0.50	1	08/15/2016 15:58
1,2-Dibromo-3-chloropropane	ND		0.20	1	08/15/2016 15:58
1,2-Dibromoethane (EDB)	ND		0.50	1	08/15/2016 15:58
Dibromomethane	ND		0.50	1	08/15/2016 15:58
1,2-Dichlorobenzene	ND		0.50	1	08/15/2016 15:58
1,3-Dichlorobenzene	ND		0.50	1	08/15/2016 15:58
1,4-Dichlorobenzene	ND		0.50	1	08/15/2016 15:58
Dichlorodifluoromethane	ND		0.50	1	08/15/2016 15:58
1,1-Dichloroethane	ND		0.50	1	08/15/2016 15:58
1,2-Dichloroethane (1,2-DCA)	ND		0.50	1	08/15/2016 15:58
1,1-Dichloroethene	ND		0.50	1	08/15/2016 15:58
cis-1,2-Dichloroethene	ND		0.50	1	08/15/2016 15:58
trans-1,2-Dichloroethene	ND		0.50	1	08/15/2016 15:58
1,2-Dichloropropane	ND		0.50	1	08/15/2016 15:58
1,3-Dichloropropane	ND		0.50	1	08/15/2016 15:58
2,2-Dichloropropane	ND		0.50	1	08/15/2016 15:58

(Cont.)

NELAP 4033ORELAP

 Angela Rydelius, Lab Manager



Analytical Report

Client: Treadwell & Rollo
Date Received: 8/12/16 14:15
Date Prepared: 8/15/16-8/16/16
Project: 750623602; 1110 Jackson

WorkOrder: 1608622
Extraction Method: SW5030B
Analytical Method: SW8260B
Unit: µg/L

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-GW	1608622-007A	Water	08/11/2016 15:30	GC16	125245
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
1,1-Dichloropropene	ND		0.50	1	08/15/2016 15:58
cis-1,3-Dichloropropene	ND		0.50	1	08/15/2016 15:58
trans-1,3-Dichloropropene	ND		0.50	1	08/15/2016 15:58
Diisopropyl ether (DIPE)	ND		0.50	1	08/15/2016 15:58
Ethylbenzene	ND		0.50	1	08/15/2016 15:58
Ethyl tert-butyl ether (ETBE)	ND		0.50	1	08/15/2016 15:58
Freon 113	ND		0.50	1	08/15/2016 15:58
Hexachlorobutadiene	ND		0.50	1	08/15/2016 15:58
Hexachloroethane	ND		0.50	1	08/15/2016 15:58
2-Hexanone	ND		0.50	1	08/15/2016 15:58
Isopropylbenzene	ND		0.50	1	08/15/2016 15:58
4-Isopropyl toluene	ND		0.50	1	08/15/2016 15:58
Methyl-t-butyl ether (MTBE)	ND		0.50	1	08/15/2016 15:58
Methylene chloride	ND		0.50	1	08/15/2016 15:58
4-Methyl-2-pentanone (MIBK)	ND		0.50	1	08/15/2016 15:58
Naphthalene	ND		0.50	1	08/15/2016 15:58
n-Propyl benzene	ND		0.50	1	08/15/2016 15:58
Styrene	ND		0.50	1	08/15/2016 15:58
1,1,1,2-Tetrachloroethane	ND		0.50	1	08/15/2016 15:58
1,1,2,2-Tetrachloroethane	ND		0.50	1	08/15/2016 15:58
Tetrachloroethene	ND		0.50	1	08/15/2016 15:58
Toluene	ND		0.50	1	08/15/2016 15:58
1,2,3-Trichlorobenzene	ND		0.50	1	08/15/2016 15:58
1,2,4-Trichlorobenzene	ND		0.50	1	08/15/2016 15:58
1,1,1-Trichloroethane	ND		0.50	1	08/15/2016 15:58
1,1,2-Trichloroethane	ND		0.50	1	08/15/2016 15:58
Trichloroethene	ND		0.50	1	08/15/2016 15:58
Trichlorofluoromethane	ND		0.50	1	08/15/2016 15:58
1,2,3-Trichloropropane	ND		0.50	1	08/15/2016 15:58
1,2,4-Trimethylbenzene	ND		0.50	1	08/15/2016 15:58
1,3,5-Trimethylbenzene	ND		0.50	1	08/15/2016 15:58
Vinyl Chloride	ND		0.50	1	08/15/2016 15:58
Xylenes, Total	ND		0.50	1	08/15/2016 15:58

(Cont.)

NELAP 4033ORELAP

 Angela Rydelius, Lab Manager



Analytical Report

Client: Treadwell & Rollo
Date Received: 8/12/16 14:15
Date Prepared: 8/15/16-8/16/16
Project: 750623602; 1110 Jackson

WorkOrder: 1608622
Extraction Method: SW5030B
Analytical Method: SW8260B
Unit: µg/L

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-GW	1608622-007A	Water	08/11/2016 15:30	GC16	125245
Analytes	Result		RL	DF	Date Analyzed
Surrogates	REC (%)		Limits		
Dibromofluoromethane	108		70-130		08/15/2016 15:58
Toluene-d8	99		70-130		08/15/2016 15:58
4-BFB	95		70-130		08/15/2016 15:58
<u>Analyst(s):</u>	KF		<u>Analytical Comments:</u> b1		



Analytical Report

Client: Treadwell & Rollo
Date Received: 8/12/16 14:15
Date Prepared: 8/12/16
Project: 750623602; 1110 Jackson

WorkOrder: 1608622
Extraction Method: SW5030B
Analytical Method: SW8021B/8015Bm
Unit: mg/Kg

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-13	1608622-001A	Soil	08/11/2016 08:40	GC19	125157

Analyses	Result	RL	DF	Date Analyzed
TPH(g)	200	10	10	08/16/2016 21:22
MTBE	---	0.50	10	08/16/2016 21:22
Benzene	---	0.050	10	08/16/2016 21:22
Toluene	---	0.050	10	08/16/2016 21:22
Ethylbenzene	---	0.050	10	08/16/2016 21:22
Xylenes	---	0.15	10	08/16/2016 21:22

Surrogates	REC (%)	Limits	
2-Fluorotoluene	129	70-130	08/16/2016 21:22

Analyst(s): IA Analytical Comments: d9

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-15.5	1608622-002A	Soil	08/11/2016	GC19	125157

Analyses	Result	RL	DF	Date Analyzed
TPH(g)	5000	200	200	08/16/2016 13:56
MTBE	---	10	200	08/16/2016 13:56
Benzene	---	1.0	200	08/16/2016 13:56
Toluene	---	1.0	200	08/16/2016 13:56
Ethylbenzene	---	1.0	200	08/16/2016 13:56
Xylenes	---	3.0	200	08/16/2016 13:56

Surrogates	REC (%)	Qualifiers	Limits	
2-Fluorotoluene	978	S	70-130	08/16/2016 13:56

Analyst(s): IA Analytical Comments: d9,c4

(Cont.)

NELAP 4033ORELAP

 Angela Rydelius, Lab Manager



Analytical Report

Client: Treadwell & Rollo
Date Received: 8/12/16 14:15
Date Prepared: 8/12/16
Project: 750623602; 1110 Jackson

WorkOrder: 1608622
Extraction Method: SW5030B
Analytical Method: SW8021B/8015Bm
Unit: mg/Kg

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-22.5	1608622-003A	Soil	08/11/2016	GC19	125157
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH(g)	2100		200	200	08/14/2016 17:55
MTBE	---		10	200	08/14/2016 17:55
Benzene	---		1.0	200	08/14/2016 17:55
Toluene	---		1.0	200	08/14/2016 17:55
Ethylbenzene	---		1.0	200	08/14/2016 17:55
Xylenes	---		3.0	200	08/14/2016 17:55
<u>Surrogates</u>	<u>REC (%)</u>	<u>Qualifiers</u>	<u>Limits</u>		
2-Fluorotoluene	718	S	70-130		08/14/2016 17:55
<u>Analyst(s):</u>	TD		<u>Analytical Comments:</u>	d7/d9,c2	



Analytical Report

Client: Treadwell & Rollo
Date Received: 8/12/16 14:15
Date Prepared: 8/15/16-8/17/16
Project: 750623602; 1110 Jackson

WorkOrder: 1608622
Extraction Method: SW5030B
Analytical Method: SW8021B/8015Bm
Unit: µg/L

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-GW	1608622-004B	Water	08/11/2016 14:50	GC7	125253

Analyses	Result	RL	DF	Date Analyzed
TPH(g)	30,000	5000	100	08/16/2016 21:09
MTBE	---	500	100	08/16/2016 21:09
Benzene	---	50	100	08/16/2016 21:09
Toluene	---	50	100	08/16/2016 21:09
Ethylbenzene	---	50	100	08/16/2016 21:09
Xylenes	---	150	100	08/16/2016 21:09

Surrogates	REC (%)	Limits	
aaa-TFT	125	70-130	08/16/2016 21:09

Analyst(s): IA Analytical Comments: d1,d9,b1

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-4-GW	1608622-005B	Water	08/11/2016 15:05	GC7	125253

Analyses	Result	RL	DF	Date Analyzed
TPH(g)	16,000	500	10	08/17/2016 07:42
MTBE	---	50	10	08/17/2016 07:42
Benzene	---	5.0	10	08/17/2016 07:42
Toluene	---	5.0	10	08/17/2016 07:42
Ethylbenzene	---	5.0	10	08/17/2016 07:42
Xylenes	---	15	10	08/17/2016 07:42

Surrogates	REC (%)	Limits	
aaa-TFT	115	70-130	08/17/2016 07:42

Analyst(s): IA Analytical Comments: d1,d9,b1

(Cont.)

NELAP 4033ORELAP

 Angela Rydelius, Lab Manager



Analytical Report

Client: Treadwell & Rollo
Date Received: 8/12/16 14:15
Date Prepared: 8/15/16-8/17/16
Project: 750623602; 1110 Jackson

WorkOrder: 1608622
Extraction Method: SW5030B
Analytical Method: SW8021B/8015Bm
Unit: µg/L

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-1-GW	1608622-006B	Water	08/11/2016 15:15	GC7	125253

Analyses	Result	RL	DF	Date Analyzed
TPH(g)	1600	500	10	08/17/2016 08:13
MTBE	---	50	10	08/17/2016 08:13
Benzene	---	5.0	10	08/17/2016 08:13
Toluene	---	5.0	10	08/17/2016 08:13
Ethylbenzene	---	5.0	10	08/17/2016 08:13
Xylenes	---	15	10	08/17/2016 08:13

Surrogates	REC (%)	Limits	
aaa-TFT	101	70-130	08/17/2016 08:13

Analyst(s): IA Analytical Comments: d9,b1

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-GW	1608622-007B	Water	08/11/2016 15:30	GC7	125253

Analyses	Result	RL	DF	Date Analyzed
TPH(g)	ND	50	1	08/15/2016 18:48
MTBE	---	5.0	1	08/15/2016 18:48
Benzene	---	0.50	1	08/15/2016 18:48
Toluene	---	0.50	1	08/15/2016 18:48
Ethylbenzene	---	0.50	1	08/15/2016 18:48
Xylenes	---	1.5	1	08/15/2016 18:48

Surrogates	REC (%)	Limits	
aaa-TFT	108	70-130	08/15/2016 18:48

Analyst(s): IA Analytical Comments: b1



Analytical Report

Client: Treadwell & Rollo
Date Received: 8/12/16 14:15
Date Prepared: 8/12/16
Project: 750623602; 1110 Jackson

WorkOrder: 1608622
Extraction Method: SW3050B
Analytical Method: SW6020
Unit: mg/Kg

LUFT 5 Metals

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-13	1608622-001A	Soil	08/11/2016 08:40	ICP-MS2	125151
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
Cadmium	ND		0.25	1	08/15/2016 22:48
Chromium	55		0.50	1	08/15/2016 22:48
Lead	2.4		0.50	1	08/15/2016 22:48
Nickel	48		0.50	1	08/15/2016 22:48
Zinc	24		5.0	1	08/15/2016 22:48
<u>Surrogates</u>	<u>REC (%)</u>		<u>Limits</u>		
Terbium	101		70-130		08/15/2016 22:48
<u>Analyst(s):</u>	BBO				
Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-15.5	1608622-002A	Soil	08/11/2016 08:50	ICP-MS2	125151
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
Cadmium	ND		0.25	1	08/15/2016 22:54
Chromium	45		0.50	1	08/15/2016 22:54
Lead	1.9		0.50	1	08/15/2016 22:54
Nickel	36		0.50	1	08/15/2016 22:54
Zinc	22		5.0	1	08/15/2016 22:54
<u>Surrogates</u>	<u>REC (%)</u>		<u>Limits</u>		
Terbium	95		70-130		08/15/2016 22:54
<u>Analyst(s):</u>	BBO				
Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-22.5	1608622-003A	Soil	08/11/2016 09:01	ICP-MS2	125151
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
Cadmium	ND		0.25	1	08/15/2016 23:19
Chromium	110		0.50	1	08/15/2016 23:19
Lead	2.3		0.50	1	08/15/2016 23:19
Nickel	44		0.50	1	08/15/2016 23:19
Zinc	26		5.0	1	08/15/2016 23:19
<u>Surrogates</u>	<u>REC (%)</u>		<u>Limits</u>		
Terbium	98		70-130		08/15/2016 23:19
<u>Analyst(s):</u>	BBO				



Analytical Report

Client: Treadwell & Rollo
Date Received: 8/12/16 14:15
Date Prepared: 8/12/16
Project: 750623602; 1110 Jackson

WorkOrder: 1608622
Extraction Method: SW3550B
Analytical Method: SW8015B
Unit: mg/Kg

Total Extractable Petroleum Hydrocarbons w/out SG Clean-Up

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-13	1608622-001A	Soil	08/11/2016 08:40	GC11A	125140

<u>Analytes</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH-Diesel (C10-C23)	18	1.0	1	08/15/2016 22:45
TPH-Motor Oil (C18-C36)	5.5	5.0	1	08/15/2016 22:45

<u>Surrogates</u>	<u>REC (%)</u>	<u>Limits</u>	
C9	99	70-130	08/15/2016 22:45
<u>Analyst(s):</u>	<u>Analytical Comments:</u> e4,e11/e8		

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-15.5	1608622-002A	Soil	08/11/2016	GC11A	125140

<u>Analytes</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH-Diesel (C10-C23)	830	1.0	1	08/15/2016 23:24
TPH-Motor Oil (C18-C36)	13	5.0	1	08/15/2016 23:24

<u>Surrogates</u>	<u>REC (%)</u>	<u>Limits</u>	
C9	93	70-130	08/15/2016 23:24
<u>Analyst(s):</u>	<u>Analytical Comments:</u> e11,e8		

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-22.5	1608622-003A	Soil	08/11/2016	GC11A	125140

<u>Analytes</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH-Diesel (C10-C23)	370	1.0	1	08/16/2016 00:03
TPH-Motor Oil (C18-C36)	14	5.0	1	08/16/2016 00:03

<u>Surrogates</u>	<u>REC (%)</u>	<u>Limits</u>	
C9	93	70-130	08/16/2016 00:03
<u>Analyst(s):</u>	<u>Analytical Comments:</u> e11,e8		



Analytical Report

Client: Treadwell & Rollo
Date Received: 8/12/16 14:15
Date Prepared: 8/12/16
Project: 750623602; 1110 Jackson

WorkOrder: 1608622
Extraction Method: SW3510C
Analytical Method: SW8015B
Unit: µg/L

Total Extractable Petroleum Hydrocarbons w/out SG Clean-Up

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-GW	1608622-004B	Water	08/11/2016 14:50	GC11A	125114

<u>Analytes</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>	
TPH-Diesel (C10-C23)	55,000	500	5	08/15/2016 20:09	
TPH-Motor Oil (C18-C36)	ND	2500	5	08/15/2016 20:09	
<u>Surrogates</u>	<u>REC (%)</u>	<u>Limits</u>			
C26	93	70-130		08/15/2016 20:09	
<u>Analyst(s):</u>	TK	<u>Analytical Comments:</u> e4,a3,b1			

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-4-GW	1608622-005B	Water	08/11/2016 15:05	GC6A	125114

<u>Analytes</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>	
TPH-Diesel (C10-C23)	2300	50	1	08/14/2016 06:46	
TPH-Motor Oil (C18-C36)	520	250	1	08/14/2016 06:46	
<u>Surrogates</u>	<u>REC (%)</u>	<u>Limits</u>			
C9	103	70-130		08/14/2016 06:46	
<u>Analyst(s):</u>	TK	<u>Analytical Comments:</u> e4,e7,e2,b1			

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-1-GW	1608622-006B	Water	08/11/2016 15:15	GC6B	125114

<u>Analytes</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>	
TPH-Diesel (C10-C23)	3200	50	1	08/14/2016 00:18	
TPH-Motor Oil (C18-C36)	ND	250	1	08/14/2016 00:18	
<u>Surrogates</u>	<u>REC (%)</u>	<u>Limits</u>			
C9	109	70-130		08/14/2016 00:18	
<u>Analyst(s):</u>	TK	<u>Analytical Comments:</u> e4,b1			

(Cont.)

NELAP 4033ORELAP

 Angela Rydelius, Lab Manager



Analytical Report

Client: Treadwell & Rollo
Date Received: 8/12/16 14:15
Date Prepared: 8/12/16
Project: 750623602; 1110 Jackson

WorkOrder: 1608622
Extraction Method: SW3510C
Analytical Method: SW8015B
Unit: µg/L

Total Extractable Petroleum Hydrocarbons w/out SG Clean-Up

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-GW	1608622-007B	Water	08/11/2016 15:30	GC6B	125114
<u>Analytes</u>	<u>Result</u>		<u>RL</u>	<u>DF</u>	<u>Date Analyzed</u>
TPH-Diesel (C10-C23)	ND		100	1	08/13/2016 23:00
TPH-Motor Oil (C18-C36)	ND		500	1	08/13/2016 23:00
<u>Surrogates</u>	<u>REC (%)</u>		<u>Limits</u>		
C9	98		70-130		08/13/2016 23:00
<u>Analyst(s):</u>	TK		<u>Analytical Comments:</u>	a3,b1	



Quality Control Report

Client: Treadwell & Rollo
Date Prepared: 8/11/16
Date Analyzed: 8/13/16
Instrument: GC10
Matrix: Soil
Project: 750623602; 1110 Jackson

WorkOrder: 1608622
BatchID: 125112
Extraction Method: SW5030B
Analytical Method: SW8260B
Unit: mg/kg
Sample ID: MB/LCS-125112
1608594-015AMS/MSD

QC Summary Report for SW8260B

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Acetone	ND	-	0.10	-	-	-	-
tert-Amyl methyl ether (TAME)	ND	0.0404	0.0050	0.050	-	81	53-116
Benzene	ND	0.0491	0.0050	0.050	-	98	63-137
Bromobenzene	ND	-	0.0050	-	-	-	-
Bromochloromethane	ND	-	0.0050	-	-	-	-
Bromodichloromethane	ND	-	0.0050	-	-	-	-
Bromoform	ND	-	0.0050	-	-	-	-
Bromomethane	ND	-	0.0050	-	-	-	-
2-Butanone (MEK)	ND	-	0.020	-	-	-	-
t-Butyl alcohol (TBA)	ND	0.163	0.050	0.20	-	81	41-135
n-Butyl benzene	ND	-	0.0050	-	-	-	-
sec-Butyl benzene	ND	-	0.0050	-	-	-	-
tert-Butyl benzene	ND	-	0.0050	-	-	-	-
Carbon Disulfide	ND	-	0.0050	-	-	-	-
Carbon Tetrachloride	ND	-	0.0050	-	-	-	-
Chlorobenzene	ND	0.0468	0.0050	0.050	-	94	77-121
Chloroethane	ND	-	0.0050	-	-	-	-
Chloroform	ND	-	0.0050	-	-	-	-
Chloromethane	ND	-	0.0050	-	-	-	-
2-Chlorotoluene	ND	-	0.0050	-	-	-	-
4-Chlorotoluene	ND	-	0.0050	-	-	-	-
Dibromochloromethane	ND	-	0.0050	-	-	-	-
1,2-Dibromo-3-chloropropane	ND	-	0.0040	-	-	-	-
1,2-Dibromoethane (EDB)	ND	0.0452	0.0040	0.050	-	90	67-119
Dibromomethane	ND	-	0.0050	-	-	-	-
1,2-Dichlorobenzene	ND	-	0.0050	-	-	-	-
1,3-Dichlorobenzene	ND	-	0.0050	-	-	-	-
1,4-Dichlorobenzene	ND	-	0.0050	-	-	-	-
Dichlorodifluoromethane	ND	-	0.0050	-	-	-	-
1,1-Dichloroethane	ND	-	0.0050	-	-	-	-
1,2-Dichloroethane (1,2-DCA)	ND	0.0437	0.0040	0.050	-	87	58-135
1,1-Dichloroethene	ND	0.0495	0.0050	0.050	-	99	42-145
cis-1,2-Dichloroethene	ND	-	0.0050	-	-	-	-
trans-1,2-Dichloroethene	ND	-	0.0050	-	-	-	-
1,2-Dichloropropane	ND	-	0.0050	-	-	-	-
1,3-Dichloropropane	ND	-	0.0050	-	-	-	-
2,2-Dichloropropane	ND	-	0.0050	-	-	-	-

(Cont.)

NELAP 4033ORELAP

 QA/QC Officer



Quality Control Report

Client:	Treadwell & Rollo	WorkOrder:	1608622
Date Prepared:	8/11/16	BatchID:	125112
Date Analyzed:	8/13/16	Extraction Method:	SW5030B
Instrument:	GC10	Analytical Method:	SW8260B
Matrix:	Soil	Unit:	mg/kg
Project:	750623602; 1110 Jackson	Sample ID:	MB/LCS-125112 1608594-015AMS/MSD

QC Summary Report for SW8260B

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
1,1-Dichloropropene	ND	-	0.0050	-	-	-	-
cis-1,3-Dichloropropene	ND	-	0.0050	-	-	-	-
trans-1,3-Dichloropropene	ND	-	0.0050	-	-	-	-
Diisopropyl ether (DIPE)	ND	0.0428	0.0050	0.050	-	86	52-129
Ethylbenzene	ND	-	0.0050	-	-	-	-
Ethyl tert-butyl ether (ETBE)	ND	0.0433	0.0050	0.050	-	87	53-125
Freon 113	ND	-	0.0050	-	-	-	-
Hexachlorobutadiene	ND	-	0.0050	-	-	-	-
Hexachloroethane	ND	-	0.0050	-	-	-	-
2-Hexanone	ND	-	0.0050	-	-	-	-
Isopropylbenzene	ND	-	0.0050	-	-	-	-
4-Isopropyl toluene	ND	-	0.0050	-	-	-	-
Methyl-t-butyl ether (MTBE)	ND	0.0434	0.0050	0.050	-	87	58-122
Methylene chloride	ND	-	0.0050	-	-	-	-
4-Methyl-2-pentanone (MIBK)	ND	-	0.0050	-	-	-	-
Naphthalene	ND	-	0.0050	-	-	-	-
n-Propyl benzene	ND	-	0.0050	-	-	-	-
Styrene	ND	-	0.0050	-	-	-	-
1,1,1,2-Tetrachloroethane	ND	-	0.0050	-	-	-	-
1,1,2,2-Tetrachloroethane	ND	-	0.0050	-	-	-	-
Tetrachloroethene	ND	-	0.0050	-	-	-	-
Toluene	ND	0.0528	0.0050	0.050	-	106	76-130
1,2,3-Trichlorobenzene	ND	-	0.0050	-	-	-	-
1,2,4-Trichlorobenzene	ND	-	0.0050	-	-	-	-
1,1,1-Trichloroethane	ND	-	0.0050	-	-	-	-
1,1,2-Trichloroethane	ND	-	0.0050	-	-	-	-
Trichloroethene	ND	0.0579	0.0050	0.050	-	116	72-132
Trichlorofluoromethane	ND	-	0.0050	-	-	-	-
1,2,3-Trichloropropane	ND	-	0.0050	-	-	-	-
1,2,4-Trimethylbenzene	ND	-	0.0050	-	-	-	-
1,3,5-Trimethylbenzene	ND	-	0.0050	-	-	-	-
Vinyl Chloride	ND	-	0.0050	-	-	-	-
Xylenes, Total	ND	-	0.0050	-	-	-	-

(Cont.)

NELAP 4033ORELAP

 QA/QC Officer



Quality Control Report

Client:	Treadwell & Rollo	WorkOrder:	1608622
Date Prepared:	8/11/16	BatchID:	125112
Date Analyzed:	8/13/16	Extraction Method:	SW5030B
Instrument:	GC10	Analytical Method:	SW8260B
Matrix:	Soil	Unit:	mg/kg
Project:	750623602; 1110 Jackson	Sample ID:	MB/LCS-125112 1608594-015AMS/MSD

QC Summary Report for SW8260B

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits		
Surrogate Recovery									
Dibromofluoromethane	0.120	0.120		0.12	96	96	70-130		
Toluene-d8	0.138	0.140		0.12	111	112	70-130		
4-BFB	0.0116	0.0116		0.012	93	93	70-130		
Benzene-d6	0.119	0.130		0.10	119	130	60-140		
Ethylbenzene-d10	0.132	0.137		0.10	132	137	60-140		
1,2-DCB-d4	0.0862	0.0872		0.10	86	87	60-140		
Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
tert-Amyl methyl ether (TAME)	0.0431	0.0423	0.050	ND	86	85	53-116	2.00	20
Benzene	0.0482	0.0468	0.050	ND	96	94	63-137	3.12	20
t-Butyl alcohol (TBA)	0.198	0.190	0.20	ND	99	95	41-135	4.12	20
Chlorobenzene	0.0463	0.0449	0.050	ND	93	90	77-121	3.07	20
1,2-Dibromoethane (EDB)	0.0462	0.0447	0.050	ND	92	89	67-119	3.19	20
1,2-Dichloroethane (1,2-DCA)	0.0438	0.0430	0.050	ND	88	86	58-135	1.88	20
1,1-Dichloroethylene	0.0491	0.0472	0.050	ND	98	94	42-145	4.05	20
Diisopropyl ether (DIPE)	0.0426	0.0416	0.050	ND	85	83	52-129	2.34	20
Ethyl tert-butyl ether (ETBE)	0.0445	0.0434	0.050	ND	89	87	53-125	2.46	20
Methyl-t-butyl ether (MTBE)	0.0458	0.0444	0.050	ND	92	89	58-122	3.08	20
Toluene	0.0510	0.0493	0.050	ND	102	99	76-130	3.44	20
Trichloroethylene	0.0496	0.0483	0.050	ND	99	97	72-132	2.78	20
Surrogate Recovery									
Dibromofluoromethane	0.122	0.122	0.12		97	97	70-130	0	20
Toluene-d8	0.136	0.136	0.12		108	109	70-130	0.235	20
4-BFB	0.0117	0.0121	0.012		94	97	70-130	3.29	20
Benzene-d6	0.124	0.116	0.10		124	116	60-140	6.43	20
Ethylbenzene-d10	0.127	0.124	0.10		127	124	60-140	2.14	20
1,2-DCB-d4	0.0855	0.0848	0.10		85	85	60-140	0	20

(Cont.)

NELAP 4033ORELAP

 QA/QC Officer



Quality Control Report

Client: Treadwell & Rollo
Date Prepared: 8/12/16
Date Analyzed: 8/12/16
Instrument: GC10
Matrix: Soil
Project: 750623602; 1110 Jackson

WorkOrder: 1608622
BatchID: 125159
Extraction Method: SW5030B
Analytical Method: SW8260B
Unit: mg/kg
Sample ID: MB/LCS-125159
1608622-008AMS/MSD

QC Summary Report for SW8260B

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Acetone	ND	-	0.10	-	-	-	-
tert-Amyl methyl ether (TAME)	ND	0.0419	0.0050	0.050	-	84	53-116
Benzene	ND	0.0450	0.0050	0.050	-	90	63-137
Bromobenzene	ND	-	0.0050	-	-	-	-
Bromochloromethane	ND	-	0.0050	-	-	-	-
Bromodichloromethane	ND	-	0.0050	-	-	-	-
Bromoform	ND	-	0.0050	-	-	-	-
Bromomethane	ND	-	0.0050	-	-	-	-
2-Butanone (MEK)	ND	-	0.020	-	-	-	-
t-Butyl alcohol (TBA)	ND	0.178	0.050	0.20	-	89	41-135
n-Butyl benzene	ND	-	0.0050	-	-	-	-
sec-Butyl benzene	ND	-	0.0050	-	-	-	-
tert-Butyl benzene	ND	-	0.0050	-	-	-	-
Carbon Disulfide	ND	-	0.0050	-	-	-	-
Carbon Tetrachloride	ND	-	0.0050	-	-	-	-
Chlorobenzene	ND	0.0440	0.0050	0.050	-	88	77-121
Chloroethane	ND	-	0.0050	-	-	-	-
Chloroform	ND	-	0.0050	-	-	-	-
Chloromethane	ND	-	0.0050	-	-	-	-
2-Chlorotoluene	ND	-	0.0050	-	-	-	-
4-Chlorotoluene	ND	-	0.0050	-	-	-	-
Dibromochloromethane	ND	-	0.0050	-	-	-	-
1,2-Dibromo-3-chloropropane	ND	-	0.0040	-	-	-	-
1,2-Dibromoethane (EDB)	ND	0.0436	0.0040	0.050	-	87	67-119
Dibromomethane	ND	-	0.0050	-	-	-	-
1,2-Dichlorobenzene	ND	-	0.0050	-	-	-	-
1,3-Dichlorobenzene	ND	-	0.0050	-	-	-	-
1,4-Dichlorobenzene	ND	-	0.0050	-	-	-	-
Dichlorodifluoromethane	ND	-	0.0050	-	-	-	-
1,1-Dichloroethane	ND	-	0.0050	-	-	-	-
1,2-Dichloroethane (1,2-DCA)	ND	0.0424	0.0040	0.050	-	85	58-135
1,1-Dichloroethene	ND	0.0442	0.0050	0.050	-	88	42-145
cis-1,2-Dichloroethene	ND	-	0.0050	-	-	-	-
trans-1,2-Dichloroethene	ND	-	0.0050	-	-	-	-
1,2-Dichloropropane	ND	-	0.0050	-	-	-	-
1,3-Dichloropropane	ND	-	0.0050	-	-	-	-
2,2-Dichloropropane	ND	-	0.0050	-	-	-	-

(Cont.)

NELAP 4033ORELAP

 QA/QC Officer



Quality Control Report

Client:	Treadwell & Rollo	WorkOrder:	1608622
Date Prepared:	8/12/16	BatchID:	125159
Date Analyzed:	8/12/16	Extraction Method:	SW5030B
Instrument:	GC10	Analytical Method:	SW8260B
Matrix:	Soil	Unit:	mg/kg
Project:	750623602; 1110 Jackson	Sample ID:	MB/LCS-125159 1608622-008AMS/MSD

QC Summary Report for SW8260B

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
1,1-Dichloropropene	ND	-	0.0050	-	-	-	-
cis-1,3-Dichloropropene	ND	-	0.0050	-	-	-	-
trans-1,3-Dichloropropene	ND	-	0.0050	-	-	-	-
Diisopropyl ether (DIPE)	ND	0.0409	0.0050	0.050	-	82	52-129
Ethylbenzene	ND	-	0.0050	-	-	-	-
Ethyl tert-butyl ether (ETBE)	ND	0.0424	0.0050	0.050	-	85	53-125
Freon 113	ND	-	0.0050	-	-	-	-
Hexachlorobutadiene	ND	-	0.0050	-	-	-	-
Hexachloroethane	ND	-	0.0050	-	-	-	-
2-Hexanone	ND	-	0.0050	-	-	-	-
Isopropylbenzene	ND	-	0.0050	-	-	-	-
4-Isopropyl toluene	ND	-	0.0050	-	-	-	-
Methyl-t-butyl ether (MTBE)	ND	0.0433	0.0050	0.050	-	87	58-122
Methylene chloride	ND	-	0.0050	-	-	-	-
4-Methyl-2-pentanone (MIBK)	ND	-	0.0050	-	-	-	-
Naphthalene	ND	-	0.0050	-	-	-	-
n-Propyl benzene	ND	-	0.0050	-	-	-	-
Styrene	ND	-	0.0050	-	-	-	-
1,1,1,2-Tetrachloroethane	ND	-	0.0050	-	-	-	-
1,1,2,2-Tetrachloroethane	ND	-	0.0050	-	-	-	-
Tetrachloroethene	ND	-	0.0050	-	-	-	-
Toluene	ND	0.0485	0.0050	0.050	-	97	76-130
1,2,3-Trichlorobenzene	ND	-	0.0050	-	-	-	-
1,2,4-Trichlorobenzene	ND	-	0.0050	-	-	-	-
1,1,1-Trichloroethane	ND	-	0.0050	-	-	-	-
1,1,2-Trichloroethane	ND	-	0.0050	-	-	-	-
Trichloroethene	ND	0.0455	0.0050	0.050	-	91	72-132
Trichlorofluoromethane	ND	-	0.0050	-	-	-	-
1,2,3-Trichloropropane	ND	-	0.0050	-	-	-	-
1,2,4-Trimethylbenzene	ND	-	0.0050	-	-	-	-
1,3,5-Trimethylbenzene	ND	-	0.0050	-	-	-	-
Vinyl Chloride	ND	-	0.0050	-	-	-	-
Xylenes, Total	ND	-	0.0050	-	-	-	-

(Cont.)

NELAP 4033ORELAP

 QA/QC Officer



Quality Control Report

Client:	Treadwell & Rollo	WorkOrder:	1608622
Date Prepared:	8/12/16	BatchID:	125159
Date Analyzed:	8/12/16	Extraction Method:	SW5030B
Instrument:	GC10	Analytical Method:	SW8260B
Matrix:	Soil	Unit:	mg/kg
Project:	750623602; 1110 Jackson	Sample ID:	MB/LCS-125159 1608622-008AMS/MSD

QC Summary Report for SW8260B

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits		
Surrogate Recovery									
Dibromofluoromethane	0.123	0.122		0.12	98	98	70-130		
Toluene-d8	0.137	0.140		0.12	109	112	70-130		
4-BFB	0.0117	0.0117		0.012	93	94	70-130		
Benzene-d6	0.120	0.120		0.10	120	120	60-140		
Ethylbenzene-d10	0.130	0.127		0.10	130	127	60-140		
1,2-DCB-d4	0.0871	0.0853		0.10	87	85	60-140		
Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
tert-Amyl methyl ether (TAME)	0.0381	0.0390	0.050	ND	76	78	53-116	2.20	20
Benzene	0.0435	0.0436	0.050	ND	87	87	63-137	0	20
t-Butyl alcohol (TBA)	0.170	0.176	0.20	ND	85	88	41-135	3.07	20
Chlorobenzene	0.0426	0.0438	0.050	ND	80	83	77-121	2.72	20
1,2-Dibromoethane (EDB)	0.0420	0.0430	0.050	ND	84	86	67-119	2.28	20
1,2-Dichloroethane (1,2-DCA)	0.0400	0.0400	0.050	ND	80	80	58-135	0	20
1,1-Dichloroethene	0.0455	0.0459	0.050	ND	91	92	42-145	0.957	20
Diisopropyl ether (DIPE)	0.0389	0.0385	0.050	ND	78	77	52-129	1.14	20
Ethyl tert-butyl ether (ETBE)	0.0404	0.0404	0.050	ND	81	81	53-125	0	20
Methyl-t-butyl ether (MTBE)	0.0408	0.0413	0.050	ND	82	83	58-122	1.19	20
Toluene	0.0458	0.0470	0.050	ND	92	94	76-130	2.42	20
Trichloroethylene	0.0806	0.0809	0.050	ND	161,F1	162,F1	72-132	0.390	20
Surrogate Recovery									
Dibromofluoromethane	0.122	0.120	0.12		97	96	70-130	1.44	20
Toluene-d8	0.142	0.146	0.12		113	117	70-130	2.97	20
4-BFB	0.0127	0.0130	0.012		102	104	70-130	2.49	20
Benzene-d6	0.125	0.112	0.10		125	112	60-140	11.3	20
Ethylbenzene-d10	0.120	0.121	0.10		120	121	60-140	0.648	20
1,2-DCB-d4	0.0844	0.0843	0.10		84	84	60-140	0	20



Quality Control Report

Client: Treadwell & Rollo
Date Prepared: 8/15/16
Date Analyzed: 8/15/16
Instrument: GC16
Matrix: Water
Project: 750623602; 1110 Jackson

WorkOrder: 1608622
BatchID: 125245
Extraction Method: SW5030B
Analytical Method: SW8260B
Unit: µg/L
Sample ID: MB/LCS-125245
1608622-007AMS/MSD

QC Summary Report for SW8260B

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Acetone	ND	-	10	-	-	-	-
tert-Amyl methyl ether (TAME)	ND	9.17	0.50	10	-	92	54-140
Benzene	ND	10.3	0.50	10	-	103	47-158
Bromobenzene	ND	-	0.50	-	-	-	-
Bromochloromethane	ND	-	0.50	-	-	-	-
Bromodichloromethane	ND	-	0.50	-	-	-	-
Bromoform	ND	-	0.50	-	-	-	-
Bromomethane	ND	-	0.50	-	-	-	-
2-Butanone (MEK)	ND	-	2.0	-	-	-	-
t-Butyl alcohol (TBA)	ND	28.4	2.0	40	-	71	42-140
n-Butyl benzene	ND	-	0.50	-	-	-	-
sec-Butyl benzene	ND	-	0.50	-	-	-	-
tert-Butyl benzene	ND	-	0.50	-	-	-	-
Carbon Disulfide	ND	-	0.50	-	-	-	-
Carbon Tetrachloride	ND	-	0.50	-	-	-	-
Chlorobenzene	ND	10.1	0.50	10	-	101	43-157
Chloroethane	ND	-	0.50	-	-	-	-
Chloroform	ND	-	0.50	-	-	-	-
Chloromethane	ND	-	0.50	-	-	-	-
2-Chlorotoluene	ND	-	0.50	-	-	-	-
4-Chlorotoluene	ND	-	0.50	-	-	-	-
Dibromochloromethane	ND	-	0.50	-	-	-	-
1,2-Dibromo-3-chloropropane	ND	-	0.20	-	-	-	-
1,2-Dibromoethane (EDB)	ND	9.15	0.50	10	-	91	44-155
Dibromomethane	ND	-	0.50	-	-	-	-
1,2-Dichlorobenzene	ND	-	0.50	-	-	-	-
1,3-Dichlorobenzene	ND	-	0.50	-	-	-	-
1,4-Dichlorobenzene	ND	-	0.50	-	-	-	-
Dichlorodifluoromethane	ND	-	0.50	-	-	-	-
1,1-Dichloroethane	ND	-	0.50	-	-	-	-
1,2-Dichloroethane (1,2-DCA)	ND	9.94	0.50	10	-	99	66-125
1,1-Dichloroethene	ND	10.7	0.50	10	-	107	47-149
cis-1,2-Dichloroethene	ND	-	0.50	-	-	-	-
trans-1,2-Dichloroethene	ND	-	0.50	-	-	-	-
1,2-Dichloropropane	ND	-	0.50	-	-	-	-
1,3-Dichloropropane	ND	-	0.50	-	-	-	-
2,2-Dichloropropane	ND	-	0.50	-	-	-	-

(Cont.)

NELAP 4033ORELAP

 QA/QC Officer



Quality Control Report

Client:	Treadwell & Rollo	WorkOrder:	1608622
Date Prepared:	8/15/16	BatchID:	125245
Date Analyzed:	8/15/16	Extraction Method:	SW5030B
Instrument:	GC16	Analytical Method:	SW8260B
Matrix:	Water	Unit:	µg/L
Project:	750623602; 1110 Jackson	Sample ID:	MB/LCS-125245 1608622-007AMS/MSD

QC Summary Report for SW8260B

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
1,1-Dichloropropene	ND	-	0.50	-	-	-	-
cis-1,3-Dichloropropene	ND	-	0.50	-	-	-	-
trans-1,3-Dichloropropene	ND	-	0.50	-	-	-	-
Diisopropyl ether (DIPE)	ND	9.75	0.50	10	-	98	57-136
Ethanol	ND	-	50	-	-	-	-
Ethylbenzene	ND	-	0.50	-	-	-	-
Ethyl tert-butyl ether (ETBE)	ND	9.59	0.50	10	-	96	55-137
Freon 113	ND	-	0.50	-	-	-	-
Hexachlorobutadiene	ND	-	0.50	-	-	-	-
Hexachloroethane	ND	-	0.50	-	-	-	-
2-Hexanone	ND	-	0.50	-	-	-	-
Isopropylbenzene	ND	-	0.50	-	-	-	-
4-Isopropyl toluene	ND	-	0.50	-	-	-	-
Methyl-t-butyl ether (MTBE)	ND	9.03	0.50	10	-	90	53-139
Methylene chloride	ND	-	0.50	-	-	-	-
4-Methyl-2-pentanone (MIBK)	ND	-	0.50	-	-	-	-
Naphthalene	ND	-	0.50	-	-	-	-
n-Propyl benzene	ND	-	0.50	-	-	-	-
Styrene	ND	-	0.50	-	-	-	-
1,1,1,2-Tetrachloroethane	ND	-	0.50	-	-	-	-
1,1,2,2-Tetrachloroethane	ND	-	0.50	-	-	-	-
Tetrachloroethene	ND	-	0.50	-	-	-	-
Toluene	ND	10.1	0.50	10	-	101	52-137
1,2,3-Trichlorobenzene	ND	-	0.50	-	-	-	-
1,2,4-Trichlorobenzene	ND	-	0.50	-	-	-	-
1,1,1-Trichloroethane	ND	-	0.50	-	-	-	-
1,1,2-Trichloroethane	ND	-	0.50	-	-	-	-
Trichloroethene	ND	10.6	0.50	10	-	106	43-157
Trichlorofluoromethane	ND	-	0.50	-	-	-	-
1,2,3-Trichloropropane	ND	-	0.50	-	-	-	-
1,2,4-Trimethylbenzene	ND	-	0.50	-	-	-	-
1,3,5-Trimethylbenzene	ND	-	0.50	-	-	-	-
Vinyl Chloride	ND	-	0.50	-	-	-	-
Xylenes, Total	ND	-	0.50	-	-	-	-

(Cont.)

NELAP 4033ORELAP

 QA/QC Officer



Quality Control Report

Client: Treadwell & Rollo
Date Prepared: 8/15/16
Date Analyzed: 8/15/16
Instrument: GC16
Matrix: Water
Project: 750623602; 1110 Jackson

WorkOrder: 1608622
BatchID: 125245
Extraction Method: SW5030B
Analytical Method: SW8260B
Unit: µg/L
Sample ID: MB/LCS-125245
1608622-007AMS/MSD

QC Summary Report for SW8260B

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits		
Surrogate Recovery									
Dibromofluoromethane	26.5	26.7		25	106	107	70-130		
Toluene-d8	25.4	25.3		25	101	101	70-130		
4-BFB	2.68	2.61		2.5	107	104	70-130		
Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
tert-Amyl methyl ether (TAME)	10.7	10.3	10	ND	107	103	69-139	3.70	20
Benzene	10.4	10.3	10	ND	103	102	69-141	1.48	20
t-Butyl alcohol (TBA)	41.4	38.2	40	ND	103	96	41-152	7.86	20
Chlorobenzene	9.89	9.84	10	ND	99	98	77-120	0.476	20
1,2-Dibromoethane (EDB)	10.5	9.98	10	ND	105	100	76-135	5.52	20
1,2-Dichloroethane (1,2-DCA)	10.9	10.6	10	ND	109	106	73-139	2.93	20
1,1-Dichloroethene	10.5	10.4	10	ND	105	104	59-140	1.15	20
Diisopropyl ether (DIPE)	10.5	10.3	10	ND	105	103	72-140	2.07	20
Ethyl tert-butyl ether (ETBE)	10.9	10.6	10	ND	109	106	71-140	2.49	20
Methyl-t-butyl ether (MTBE)	11.0	10.5	10	ND	110	105	73-139	5.10	20
Toluene	9.63	9.57	10	ND	95	95	71-128	0	20
Trichloroethene	10.5	10.3	10	ND	105	103	64-132	1.92	20
Surrogate Recovery									
Dibromofluoromethane	27.6	27.3	25		111	109	73-131	1.11	20
Toluene-d8	24.4	24.5	25		98	98	72-117	0	20
4-BFB	2.48	2.51	2.5		99	100	74-116	0.951	20



Quality Control Report

Client:	Treadwell & Rollo	WorkOrder:	1608622
Date Prepared:	8/12/16	BatchID:	125157
Date Analyzed:	8/13/16	Extraction Method:	SW5030B
Instrument:	GC19	Analytical Method:	SW8021B/8015Bm
Matrix:	Soil	Unit:	mg/Kg
Project:	750623602; 1110 Jackson	Sample ID:	MB/LCS-125157 1608622-002AMS/MSD

QC Summary Report for SW8021B/8015Bm

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
TPH(btex)	ND	0.653	0.40	0.60	-	109	70-130
MTBE	ND	0.104	0.050	0.10	-	104	70-130
Benzene	ND	0.0975	0.0050	0.10	-	98	70-130
Toluene	ND	0.101	0.0050	0.10	-	101	70-130
Ethylbenzene	ND	0.100	0.0050	0.10	-	101	70-130
Xylenes	ND	0.306	0.015	0.30	-	102	70-130
Surrogate Recovery							
2-Fluorotoluene	0.103	0.101		0.10	103	101	70-130

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
TPH(btex)	NR	NR		1300	NR	NR	-	NR	
MTBE	NR	NR		ND<10	NR	NR	-	NR	
Benzene	NR	NR		ND<1	NR	NR	-	NR	
Toluene	NR	NR		2.8	NR	NR	-	NR	
Ethylbenzene	NR	NR		8.4	NR	NR	-	NR	
Xylenes	NR	NR		48	NR	NR	-	NR	
Surrogate Recovery									
2-Fluorotoluene	NR	NR			NR	NR	-	NR	



Quality Control Report

Client:	Treadwell & Rollo	WorkOrder:	1608622
Date Prepared:	8/15/16 - 8/16/16	BatchID:	125253
Date Analyzed:	8/15/16 - 8/16/16	Extraction Method:	SW5030B
Instrument:	GC7	Analytical Method:	SW8021B/8015Bm
Matrix:	Water	Unit:	µg/L
Project:	750623602; 1110 Jackson	Sample ID:	MB/LCS-125253 1608661-003AMS/MSD

QC Summary Report for SW8021B/8015Bm

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
TPH(btex)	ND	54.0	40	60	-	90	70-130
MTBE	ND	10.2	5.0	10	-	102	70-130
Benzene	ND	11.0	0.50	10	-	109	70-130
Toluene	ND	10.6	0.50	10	-	106	70-130
Ethylbenzene	ND	10.4	0.50	10	-	104	70-130
Xylenes	ND	31.0	1.5	30	-	104	70-130
Surrogate Recovery							
aaa-TFT	10.6	11.7		10	106	117	70-130

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
TPH(btex)	58.0	55.1	60	ND	97	92	70-130	5.18	20
MTBE	9.08	8.53	10	ND	91	85	70-130	6.33	20
Benzene	10.3	9.68	10	ND	103	97	70-130	6.00	20
Toluene	9.83	9.52	10	ND	98	95	70-130	3.15	20
Ethylbenzene	10.1	9.71	10	ND	101	97	70-130	3.97	20
Xylenes	31.0	29.8	30	ND	103	99	70-130	3.94	20
Surrogate Recovery									
aaa-TFT	11.1	10.6	10		111	106	70-130	4.45	20



Quality Control Report

Client:	Treadwell & Rollo	WorkOrder:	1608622
Date Prepared:	8/12/16	BatchID:	125151
Date Analyzed:	8/15/16	Extraction Method:	SW3050B
Instrument:	ICP-MS3	Analytical Method:	SW6020
Matrix:	Soil	Unit:	mg/Kg
Project:	750623602; 1110 Jackson	Sample ID:	MB/LCS-125151 1608614-005AMS/MSD

QC Summary Report for Metals

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Cadmium	ND	54.3	0.25	50	-	109	75-125
Chromium	ND	54.4	0.50	50	-	109	75-125
Lead	ND	53.7	0.50	50	-	107	75-125
Nickel	ND	55.7	0.50	50	-	111	75-125
Zinc	ND	562	5.0	500	-	112	75-125

Surrogate Recovery

Terbium	511	532	500	102	106	70-130
---------	-----	-----	-----	-----	-----	--------

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
Cadmium	55.3	52.6	50	ND	110	105	75-125	4.99	20
Chromium	125	120	50	73.13	104	95	75-125	3.75	20
Lead	65.5	59.8	50	10.89	109	98	75-125	9.00	20
Nickel	160	154	50	116.9	86	74,F10	75-125	3.76	20
Zinc	633	605	500	92.77	108	103	75-125	4.51	20

Surrogate Recovery

Terbium	570	526	500	114	105	70-130	7.96	20
---------	-----	-----	-----	-----	-----	--------	------	----

Analyte	DLT Result	DLTRef Val	%D	%D Limit
Cadmium	ND<1.2	ND	-	-
Chromium	74.6	73.13	2.01	20
Lead	10.5	10.89	3.58	-
Nickel	112	116.9	4.19	20
Zinc	90.8	92.77	2.12	-

%D Control Limit applied to analytes with concentrations greater than 25 times the reporting limits.



Quality Control Report

Client:	Treadwell & Rollo	WorkOrder:	1608622
Date Prepared:	8/12/16	BatchID:	125151
Date Analyzed:	8/15/16	Extraction Method:	SW3050B
Instrument:	ICP-MS3	Analytical Method:	SW6020
Matrix:	Soil	Unit:	mg/Kg
Project:	750623602; 1110 Jackson	Sample ID:	MB/LCS-125151 1608614-005AMS/MSD

QC Summary Report for Metals

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Cadmium	ND	54.3	0.25	50	-	109	75-125
Chromium	ND	54.4	0.50	50	-	109	75-125
Lead	ND	53.7	0.50	50	-	107	75-125
Nickel	ND	55.7	0.50	50	-	111	75-125
Zinc	ND	562	5.0	500	-	112	75-125

Surrogate Recovery

Terbium	511	532	500	102	106	70-130
---------	-----	-----	-----	-----	-----	--------

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
Cadmium	55.3	52.6	50	ND	110	105	75-125	4.99	20
Chromium	125	120	50	73.13	104	95	75-125	3.75	20
Lead	65.5	59.8	50	10.89	109	98	75-125	9.00	20
Nickel	160	154	50	116.9	86	74,F10	75-125	3.76	20
Zinc	633	605	500	92.77	108	103	75-125	4.51	20

Surrogate Recovery

Terbium	570	526	500	114	105	70-130	7.96	20
---------	-----	-----	-----	-----	-----	--------	------	----

Analyte	DLT Result	DLTRef Val	%D	%D Limit
Cadmium	ND<1.2	ND	-	-
Chromium	74.6	73.13	2.01	20
Lead	10.5	10.89	3.58	-
Nickel	112	116.9	4.19	20
Zinc	90.8	92.77	2.12	-

%D Control Limit applied to analytes with concentrations greater than 25 times the reporting limits.



Quality Control Report

Client: Treadwell & Rollo **WorkOrder:** 1608622
Date Prepared: 8/12/16 **BatchID:** 125140
Date Analyzed: 8/12/16 **Extraction Method:** SW3550B
Instrument: GC6A **Analytical Method:** SW8015B
Matrix: Soil **Unit:** mg/Kg
Project: 750623602; 1110 Jackson **Sample ID:** MB/LCS-125140
1608452-001AMS/MSD

QC Report for SW8015B w/out SG Clean-Up

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits		
TPH-Diesel (C10-C23)	ND	48.4	1.0	40	-	121	70-130		
TPH-Motor Oil (C18-C36)	ND	-	5.0	-	-	-	-		
Surrogate Recovery									
C9	26.2	26.1		25	105	104	70-130		
Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
TPH-Diesel (C10-C23)	46.3	48.6	40	ND	116	122	70-130	4.94	30
Surrogate Recovery									
C9	22.4	24.2	25		89	97	70-130	7.88	30



Quality Control Report

Client: Treadwell & Rollo
Date Prepared: 8/11/16
Date Analyzed: 8/11/16 - 8/13/16
Instrument: GC39B, GC6B
Matrix: Water
Project: 750623602; 1110 Jackson

WorkOrder: 1608622
BatchID: 125114
Extraction Method: SW3510C
Analytical Method: SW8015B
Unit: µg/L
Sample ID: MB/LCS/LCSD-125114

QC Report for SW8015B w/out SG Clean-Up

Analyte	MB Result	RL	SPK Val	MB SS %REC	MB SS Limits			
TPH-Diesel (C10-C23)	ND	50	-	-	-			
TPH-Motor Oil (C18-C36)	ND	250	-	-	-			
Surrogate Recovery								
C9	573		625	92	65-122			
Analyte	LCS Result	LCSD Result	SPK Val	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Limit
TPH-Diesel (C10-C23)	1220	1220	1000	122	123	61-157	0.296	30
Surrogate Recovery								
C9	605	608	625	97	97	65-122	0	30



CHAIN-OF-CUSTODY RECORD

Page 1 of 1

WaterTrax WriteOn EDF

Excel EQuIS Email HardCopy ThirdParty J-flag

Report to:

Noel Liner

Treadwell & Rollo

555 Montgomery St., Suite 1300

San Francisco, CA 94111

(415) 955-5244

FAX: (415) 955-9041

Email: ncliner@treadwellrollo.com

cc/3rd Party: thoughton@langan.com;

PO:

ProjectNo: 750623602; 1110 Jackson

Bill to:

Accounts Payable

Treadwell & Rollo

555 Montgomery St., Suite 1300

San Francisco, CA 94111

Langan_InvoiceCapture@concursolutio

Requested TAT: 5 days;

Date Received: 08/12/2016

Date Logged: 08/12/2016

Lab ID	Client ID	Matrix	Collection Date	Hold	Requested Tests (See legend below)											
					1	2	3	4	5	6	7	8	9	10	11	12
1608622-001	EB-2-13	Soil	8/11/2016 8:40	<input type="checkbox"/>	A		A		A	A						
1608622-002	EB-2-15.5	Soil	8/11/2016 8:50	<input type="checkbox"/>	A		A		A	A						
1608622-003	EB-2-22.5	Soil	8/11/2016 9:01	<input type="checkbox"/>	A		A		A	A						
1608622-004	EB-2-GW	Water	8/11/2016 14:50	<input type="checkbox"/>		A		B			B					
1608622-005	EB-4-GW	Water	8/11/2016 15:05	<input type="checkbox"/>		A		B			B					
1608622-006	EB-1-GW	Water	8/11/2016 15:15	<input type="checkbox"/>		A		B			B					
1608622-007	EB-3-GW	Water	8/11/2016 15:30	<input type="checkbox"/>		A		B			B					
1608622-008	DI	Soil	8/11/2016 15:40	<input type="checkbox"/>	A		A		A	A						

Test Legend:

1	8260B_S
5	LUFTMS_6020_TTLC_S
9	

2	8260B_W
6	TPH(DMO)_S
10	

3	G-MBTEX_S
7	TPH(DMO)_W
11	

4	G-MBTEX_W
8	
12	

Prepared by: Agustina Venegas

The following SampIDs: 001A, 002A, 003A, 008A contain testgroup Multi Range_S.; The following SampIDs: 004B, 005B, 006B, 007B contain testgroup Multi Range_W.

Comments: 008 (DI) sample moved to addon for separate reporting. 8260 revised to BTEX&MTBE only. 8/16/16

NOTE: Soil samples are discarded 60 days after results are reported unless other arrangements are made (Water samples are 30 days). Hazardous samples will be returned to client or disposed of at client expense.



WORK ORDER SUMMARY

Client Name: TREADWELL & ROLLO

QC Level: LEVEL 2

Work Order: 1608622

Project: 750623602; 1110 Jackson

Client Contact: Noel Liner

Date Logged: 8/12/2016

Comments: 008 (DI) sample moved to addon for separate reporting. 8260
revised to BTEX&MTBE only. 8/16/16

Contact's Email: ncliner@treadwellrollo.com

WaterTrax WriteOn EDF Excel Fax Email HardCopy ThirdParty J-flag

Lab ID	Client ID	Matrix	Test Name	Containers /Composites	Bottle & Preservative	De-chlorinated	Collection Date & Time	TAT	Sediment Content	Hold	SubOut
1608622-001A	EB-2-13	Soil	SW6020 (LUFT)	1	Stainless Steel tube 2"x6"	<input type="checkbox"/>	8/11/2016 8:40	5 days	<input type="checkbox"/>	<input type="checkbox"/>	
			Multi-Range TPH(g,d,mo)								
			SW8260B (VOCs)								
1608622-002A	EB-2-15.5	Soil	SW6020 (LUFT)	1	Stainless Steel tube 2"x6"	<input type="checkbox"/>	8/11/2016 8:50	5 days	<input type="checkbox"/>	<input type="checkbox"/>	
			Multi-Range TPH(g,d,mo)								
			SW8260B (VOCs)								
1608622-003A	EB-2-22.5	Soil	SW6020 (LUFT)	1	Stainless Steel tube 2"x6"	<input type="checkbox"/>	8/11/2016 9:01	5 days	<input type="checkbox"/>	<input type="checkbox"/>	
			Multi-Range TPH(g,d,mo)								
			SW8260B (VOCs)								
1608622-004A	EB-2-GW	Water	SW8260B (VOCs)	2	VOA w/ HCl	<input type="checkbox"/>	8/11/2016 14:50	5 days	10%+	<input type="checkbox"/>	
1608622-004B	EB-2-GW	Water	Multi-Range TPH(g,d,mo) by EPA 8015Bm	4	2 VOAs w/HCL + 2-aVOAs (multi-range)	<input type="checkbox"/>	8/11/2016 14:50	5 days	10%+	<input type="checkbox"/>	
1608622-005A	EB-4-GW	Water	SW8260B (VOCs)	2	VOA w/ HCl	<input type="checkbox"/>	8/11/2016 15:05	5 days	2%+	<input type="checkbox"/>	<input type="checkbox"/>
1608622-005B	EB-4-GW	Water	Multi-Range TPH(g,d,mo) by EPA 8015Bm	4	2 VOAs w/HCL + 2-aVOAs (multi-range)	<input type="checkbox"/>	8/11/2016 15:05	5 days	2%+	<input type="checkbox"/>	
1608622-006A	EB-1-GW	Water	SW8260B (VOCs)	2	VOA w/ HCl	<input type="checkbox"/>	8/11/2016 15:15	5 days	20%+	<input type="checkbox"/>	

NOTES: - STLC and TCLP extractions require 2 days to complete; therefore, all TATs begin after the extraction is completed (i.e., One-day TAT yields results in 3 days from sample submission).

- MAI assumes that all material present in the provided sampling container is considered part of the sample - MAI does not exclude any material from the sample prior to sample preparation unless requested in writing by the client.



WORK ORDER SUMMARY

Client Name: TREADWELL & ROLLO

QC Level: LEVEL 2

Work Order: 1608622

Project: 750623602; 1110 Jackson

Client Contact: Noel Liner

Date Logged: 8/12/2016

Comments: 008 (DI) sample moved to addon for separate reporting. 8260
revised to BTEX&MTBE only. 8/16/16

Contact's Email: ncliner@treadwellrollo.com

WaterTrax WriteOn EDF Excel Fax Email HardCopy ThirdParty J-flag

Lab ID	Client ID	Matrix	Test Name	Containers /Composites	Bottle & Preservative	De-chlorinated	Collection Date & Time	TAT	Sediment Content	Hold	SubOut
1608622-006B	EB-1-GW	Water	Multi-Range TPH(g,d,mo) by EPA 8015Bm	4	2 VOAs w/HCL + 2-aVOAs (multi-range)	<input type="checkbox"/>	8/11/2016 15:15	5 days	20%+	<input type="checkbox"/>	
1608622-007A	EB-3-GW	Water	SW8260B (VOCs)	2	VOA w/ HCl	<input type="checkbox"/>	8/11/2016 15:30	5 days	20%+	<input type="checkbox"/>	
				1	ILA	<input type="checkbox"/>			20%+	<input type="checkbox"/>	
1608622-007B	EB-3-GW	Water	Multi-Range TPH(g,d,mo) by EPA 8015Bm	4	2 VOAs w/HCL + 2-aVOAs (multi-range)	<input type="checkbox"/>	8/11/2016 15:30	5 days	20%+	<input type="checkbox"/>	
1608622-008A	DI	Soil	SW6020 (LUFT) Multi-Range TPH(g,d,mo) SW8260B (VOCs) <Benzene, Ethylbenzene, Methyl-t-butyl ether (MTBE), Toluene, Xylenes, Total>	1	Stainless Steel tube 2"x6"	<input type="checkbox"/>	8/11/2016 15:40	5 days		<input type="checkbox"/>	
						<input type="checkbox"/>		5 days	<input type="checkbox"/>		
						<input type="checkbox"/>		5 days	<input type="checkbox"/>		

NOTES: - STLC and TCLP extractions require 2 days to complete; therefore, all TATs begin after the extraction is completed (i.e., One-day TAT yields results in 3 days from sample submission).

- MAI assumes that all material present in the provided sampling container is considered part of the sample - MAI does not exclude any material from the sample prior to sample preparation unless requested in writing by the client.

160 \$622

008007

CHAIN OF CUSTODY RECORD

Page 1 of 1

- 555 Montgomery Street, Suite 1300, San Francisco, CA 94111 Ph: 415.955.9040/Fax: 415.955.9041
- 501 14th Street, Third Floor, Oakland CA 94612 Ph: 510.874.4500/Fax: 510.874.4507
- 777 Campus Commons Road, Suite 200, Sacramento, CA 95825 Ph: 916.565.7412/Fax: 916.565.7413
- 50 Airport Parkway, Suite 175, San Jose, CA 95110 Ph: 408.437.7708/Fax: 408.437.7709

Site Name: 1110 Jackson
Job Number: 7506 22602

TThought@Langan.com

JGruber@Langan.com

Project Manager/Contact: Nel Linen / NelLinen@Langan.com

Samplers: Tyler Houghton

Recorder (Signature Required): Tyler Houghton

Field Sample Identification No.	Date	Time	Lab Sample No.	Matrix					No. Containers & Preservative		Analysis Requested				Silica gel clean-up	Hold	Remarks
				Soil	Water	Air	Other	HCl	H ₂ SO ₄	HNO ₃	Ice	VOCs	EPA 8260	TPH G, D, no 80/53			
EB-2-13 EB-2-13	8/11/16	0840		X						1	X	X	X				
EB-2-15.5 EB-2-15.5	8/11/16	0850		X						1	X	X	X				
EB-2-27.5 EB-2-27.5	8/11/16	0901		X						1	X	X	X				
EB-2-GW EB-2-GW	8/11/16	1450		X	4					3	X	X					
EB-4-GW EB-4-GW	8/11/16	1505		X	4					3	X	X				Hold Amber L	
EB-7-GW EB-7-GW	8/11/16	1515		X	4					2	X	X				Hold Amber L	
EB-3-GW EB-3-GW	8/11/16	1530		X	4					3	X	X				1 TPH Domo use light unable to get enough H2O to f' n 1011 AMBER	
D1	8/11/16	1540		X							X	X				Hold AMBER	
																For GW Samples Please let Gravity Settle + Decant water	
Relinquished by: (Signature)				Date	Time			Received by: (Signature)				Date	Time				
<u>Tyler Houghton</u>				8/12/16	1030			<u>Tyler Houghton</u>				8/12/16	1030				
Relinquished by: (Signature)				Date	Time			Received by: (Signature)				Date	Time				
<u>Tyler Houghton</u>				8/12/16	1415			<u>Tyler Houghton</u>				8/12/16	1415				
Relinquished by: (Signature)				Date	Time			Received by Lab: (Signature)				Date	Time				
Sent to Laboratory (Name): <u>McCampbell</u>								Method of Shipment		<input checked="" type="checkbox"/> Lab courier		<input type="checkbox"/> Fed Ex		<input type="checkbox"/> Airborne		<input type="checkbox"/> UPS	
Laboratory Comments/Notes:								<input type="checkbox"/> Hand Carried		<input type="checkbox"/> Private Courier (Co. Name) _____							

White Copy - Original

Yellow Copy - Laboratory

Pink Copy - Field

COC Number:

Turnaround
Time
Standard



Sample Receipt Checklist

Client Name: **Treadwell & Rollo**
Project Name: **750623602; 1110 Jackson**
WorkOrder No: **1608622** Matrix: Soil/Water
Carrier: Bernie Cummins (MAI Courier)

Date and Time Received: **8/12/2016 14:15**
Date Logged: **8/12/2016**
Received by: **Jena Alfaro**
Logged by: **Agustina Venegas**

Chain of Custody (COC) Information

- | | | |
|---|---|-----------------------------|
| Chain of custody present? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |
| Chain of custody signed when relinquished and received? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |
| Chain of custody agrees with sample labels? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |
| Sample IDs noted by Client on COC? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |
| Date and Time of collection noted by Client on COC? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |
| Sampler's name noted on COC? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |

Sample Receipt Information

- | | | | |
|--|---|-----------------------------|--|
| Custody seals intact on shipping container/cooler? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | NA <input checked="" type="checkbox"/> |
| Shipping container/cooler in good condition? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Samples in proper containers/bottles? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Sample containers intact? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Sufficient sample volume for indicated test? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |

Sample Preservation and Hold Time (HT) Information

- | | | | |
|---|---|-----------------------------|--|
| All samples received within holding time? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Sample/Temp Blank temperature | | Temp: 4.3°C | NA <input type="checkbox"/> |
| Water - VOA vials have zero headspace / no bubbles? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | NA <input type="checkbox"/> |
| Sample labels checked for correct preservation? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| pH acceptable upon receipt (Metal: <2; 522: <4; 218.7: >8)? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | NA <input checked="" type="checkbox"/> |
| Samples Received on Ice? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |

(Ice Type: WET ICE)

UCMR3 Samples:

- | | | | |
|--|------------------------------|-----------------------------|--|
| Total Chlorine tested and acceptable upon receipt for EPA 522? Yes | <input type="checkbox"/> | No <input type="checkbox"/> | NA <input checked="" type="checkbox"/> |
| Free Chlorine tested and acceptable upon receipt for EPA 218.7, 300.1, 537, 539? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | NA <input checked="" type="checkbox"/> |

Comments: