t. Emeryville, CA 94608-2411 Fax: 510-547-5043 Phone: **510-450-6000**

93 OCT 14 AMII: 19

September 30, 1993

Brian Oliva Alameda County Department of Environmental Health 80 Swan Way, Room 200 Oakland, CA 94621

STIP 4B

Re: Shell Service Station WIC #204-5508-2404 2800 Telegraph Avenue Oakland, California WA Job #81-700-203

Dear Mr. Oliva:

This letter describes recently completed and anticipated activities at the Shell service station referenced above (Figure 1). This status report satisfies the quarterly reporting requirements prescribed by California Administrative Code Title 23 Waters, Chapter 3, Subchapter 16, Article 5, Section 265.d. Included below are descriptions and results of activities performed in the third quarter 1993 and proposed work for the fourth quarter 1993.

Third Ouarter 1993 Activities:

- Blaine Tech Services, Inc. (BTS) of San Jose, California measured ground water depths in ten of the eleven site wells and collected ground water samples from nine of the eleven site wells. Well S-3 is paved over and could not be located or sampled. Well SR-1 is a ground water extraction well and is not sampled. BTS' report describing these activities and the analytic report for the ground water samples are included as Attachment A.
- Weiss Associates (WA) calculated ground water elevations and compiled the analytic data (Tables 1 and 2) and prepared a ground water elevation contour map (Figure 2).
- WA subcontracted a line locating service to locate the metal vault for well S-3, which was buried during recent site upgrades after Shell relinquished the site. However, the line locator was unable to locate the well vault. WA then hand probed approximately 60 locations on six inch centers to several ft depth in the vicinity of the well to locate the well's cement sanitary well seal. However, no cement seal or indications of the well were encountered.

Brian Oliva September 30, 1993



Anticipated Fourth Quarter 1993 Activities:

• WA will submit a report presenting the results of the fourth quarter 1993 ground water sampling and ground water depth measurements. The report will include tabulated chemical analytic results, ground water elevations and a ground water elevation contour map.

Please call if you have any questions.

Sincerely,

Weiss Associates

Malieka Bundy

Technical Assistant

N. Scott MacLeod, R.G.

Project Geologist

MB/NSM:mb

J:\SHELL\700\700QMSE3.WP

No. 5747

Attachments:

A - Blaine Tech's Ground Water Monitoring Report

cc: Lynn Walker, Shell Oil Company, P.O. Box 5278, Concord, California 94520-9998 Richard Hiett, Regional Water Quality Control Board - San Francisco Bay Region, 2101 Webster Street, Suite 500, Oakland, California 94612




Figure 1. Site Location Map - Former Shell Service Station WIC #204-5508-2404, 2800 Telegraph Avenue, Oakland, California






Figure 2. Monitoring Well Locations and Ground Water Elevations - August 13, 1993 - Former Shell Service Station WIC #204-5508-2404, 2800 Telegraph Avenue, Oakland, California

Table 1. Ground Water Elevations - Shell Service Station WIC #204-5508-2303, 2800 Telegraph Avenue, Oakland, California

Well ID	Date	Top-of-Casing Elevation (ft above msl)	Depth to Water (ft)	Ground Water Elevation (ft above msl)
S-1	05/04/92 08/10/92 11/09/92 02/22/93 06/07/93	35.31	9.50 10.85 10.34 7.60 8.63	25.81 24.46 24.97 27.71 26.68
S-2	05/04/92° 08/10/92 11/09/92 02/22/93ª	33.91	9.44 10.73 10.29 9.04	24.47 23.18 23.62 24.87
S-3	05/04/92 08/10/92 11/09/92 02/22/93 06/07/93	33.56	9.22 Well inaccessible " " "	24.34
S-4	05/04/92 08/10/92 11/09/92 02/22/93 06/07/93	34.08	9.96 11.32 11.29 9.82 10.51	24.12 22.76 22.79 24.26 23.57
S-5	05/04/92 08/10/92 11/09/92 02/22/93 06/07/93	33.42	10.27 10.68 10.69 9.45 10.23	23.15 22.74 22.73 23.97 23.19
S-6	05/04/92 08/10/92 11/09/92 02/22/93 06/07/93	32.59	9.42 10.40 10.16 7.60 8.90	23.17 22.19 22.43 24.99 23.69

⁻⁻ Table 1 continues on next page --

Table 1. Ground Water Elevations - Shell Service Station WIC #204-5508-2303, 2800 Telegraph Avenue, Oakland, California (continued)

Well ID	Date	Top-of-Casing Elevation (ft above msl)	Depth to Water (ft)	Ground Water Elevation (ft above msl)
***************************************	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		
S-7	05/04/92	33.33	11.21	22.12
	08/10/92 11/09/92		12.28 11.77	21.05
	02/22/93		8.86	21.56 24.47
	06/07/93		10.58	22.75
	08/13/93		11,34	21.99
S-8	05/04/92	31.97	10.29	21.68
	08/10/92	52.57	11.12	20.85
	11/09/92		10.71	21.26
	02/22/93		6.04	25.93
	06/07/93		10.06	21.91
	08/13/93		10.56	21.41
S-9	05/04/92	31.86	10.45	21.41
	08/10/92		11.52	20.34
	11/09/92		11.02	20.84
	02/22/93		8.00	23.86
	06/07/93		10.07	21.79
	08/13/93		10.92	20.94
S-10	05/04/92	32.95	8.54	24.41
	08/10/92		10.43	22.52
	11/09/92		9.14	23.81
	02/22/93		6.72	26.23
	06/07/93	STATUTE CANNOT BE A TO A CONTROL OF THE CONTROL OF	8.08	24.87
	08/13/93		8.83	24.12
S-11	05/04/92	30.78	9.99	20.79
	08/10/92		10.92	19.86
	11/09/92		10.44	20.34
	02/22/93		7.30	23.48
	06/07/93		9.51	21.27
	08/13/93		10.39	20,39
SR-1	05/04/92 ^b		9.02	
	08/10/92		10.29	
	11/09/92		10.92	
	02/22/93		6.64	** *****
	06/07/93	د منتسمین اور در این	7.36	ga e ngana aya aya sa sa sa sa s
	08/13/93		7,96	and the second of the second o

⁻⁻ Table 1 continues on next page --



Table 1. Ground Water Elevations - Shell Service Station WIC #204-5508-2303, 2800 Telegraph Avenue, Oakland, California (continued)

Notes:

- a = Destroyed on April 8, 1993 for onsite construction
- b = Top-of-Casing not surveyed

Sample		Depth to Water	TPH-G	8	E	Ţ	x
ID	Date	(ft)	<	·	earts per billion (#	g/L)	>
WELLS							· · · · · · · · · · · · · · · · · · ·
s-1	05/04/92	9.50	<50	<0.5	<0.5	<0.5	<0.5
	08/10/92	10.85	<50	<0.5	<0.5	<0.5	<0.5
	11/09/92	10.34	<50	<0.5	<0.5	<0.5	<0.5
	02/23/93	7.60	<50	<0.5	<0.5	<0.5	<0.5
	06/07/93	8.63	<50	2.8	0.7	1.3	3.0
	08/13/93	9,20		ua pr os ioni	<0.5		945-10-19 0-3 5
s-2	05/04/92	9.44	1,600	190	240	6	54
	08/10/92	10.73	<50	4.1	<0.5	<0.5	<0.5
	09/11/92	10.29	84	19	2.2	0.7	4.3
	02/23/93	9.04	16,000	1,600	850	480	1,800
	06/07/93	Well destroyed			***		-+-
s-3	05/04/92	9.22		***			
	08/10/92	Well covered					
	11/09/92	AE .					
	02/23/93	W					
	06/07/93	ıt	***				
s-4	05/04/92	9.96	<50	<0.5	<0.5	<0.5	<0.5
	08/10/92	11.32	<50	<0.5	<0.5	<0.5	<0.5
	11/09/92	11.29	<50	<0.5	<0.5	<0.5	<0.5
_	02/23/93	9.82	<50	<0.5	<0.5	<0.5	<0.5
	06/07/93	10.51	50	9.2	3.3	5.5	
	08/13/93	. 126,995 711,05 91 (19)	50 00000000000000000000000000000000000		(debut) 4.5		6.V.1617, XQ5 694
s-5	05/04/92	10.27	<50	<0.5	<0.5	<0.5	<0.5
	08/10/92	10.68	<50	<0.5	<0.5	<0.5	<0.5
	11/09/92	10.69	<50	<0.5	<0.5	<0.5	<0.5
	02/23/93	9.45	<50	<0.5	<0.5	<0.5	<0.5
	06/07/93	10.23	<50	<0.5	<0.5	<0.5	<0.5
	08/13/93	.Fij ykpd: 10.58 .22-i0		40.5 90,590		(1) 1,000 (0,5 (0,1) 1,000 1,	
5-6	05/04/92	9.42	3,100	640	23	22	97
	08/10/92	10.40	3,400	430	26	27	120
	11/09/92	10.16	2,000	320	15	15	100
	02/23/93	7.60	14,000	780	380	180	1,300
	06/07/93	8.90 ~~~~~~~~~~~~~~~~~~	3,900	1,400	83		210
	08/13/93	9.39	4,000	870	<0.5		
s-7	05/04/92	11.21	180	1.6	1.5	<0.5	3
	08/10/92	12.28	190	8	4.7	1.4	8.5

Analytic Results for Ground Water, Former Shell Service Station, WIC #204-5508-2404, 2800 Telegraph Avenue, Oakland, California

Table 2.

⁻⁻ Table 2 continues on next page --

Sample		Depth to Water	TPH-G	В	E	Т	x
ID	Date	(ft)	<	р	arts per billion (#	/g/L)	
	11/09/92 02/23/93 06/07/93 08/13/93	11.77 8.86 10.58	280 210 90	16 13 1.2	7.8 5.4 1.0	4 2.2 2.5 G.8	21 12 ≪0.5
s-8	05/05/92 08/10/92 11/09/92 02/23/93 06/07/93	10.29 11.12 10.71 6.04 10.06	1,600 1,500 710 3,800 1,200	20 19 5.7 40 13	96 60 28 68 65	420 37 24 54 19	330 250 120 260 150
s-9	05/05/92 08/10/92 11/09/92 02/23/92 06/07/93 08/13/93	10.45 11.52 11.02 8.00 10.07	<50 <50 <50 <50 <50 <60	<0.5 <0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 0.7 <0.5 <0.5
s-10	05/05/92 08/10/92 11/09/92 02/22/93 06/07/93	8.54 10.43 9.14 6.72 8.08	<50 <50 <50 <50 <50 <50	<0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5 \$0.5	<0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5
s-11	05/04/92 08/10/92 11/09/92 02/23/93 06/07/93 06/07/93 ^{dup} 08/13/93	9.99 10.92 10.44 7.30 9.51 9.51 10.39	1,500 750 4,100 760 1,700 1,600	55 29 32 15 40 51	57 43 120 37 100 83	32 13 62 13 16 16	190 120 1,100 140 360 300
Trip Blank	06/04/93 08/13/93		<50	<0.5	<0.5	<0.5 \$_1_1_ \\0.5 \\\\\1\\\	<0.5 <0.5
DTSC MCLs			ИE	1.0	680	100 ^c	1,750

⁻⁻ Table 2 continues on next page --

Table 2. Analytic Results for Ground Water, Former Shell Service Station, WIC #204-5510-0303, 5755 Broadway, Oakland, California (continued)

Abbreviations:

TPH-G = Total petroleum hydrocarbons as gasoline by Modified EPA Method 8015

B = Benzene by EPA Method 8020

E = Ethylbenzene by EPA Method 8020

T = Toluene by EPA Method 8020

X = Xylenes by EPA Method 8020

--- = Not analyzed

DTSC MCLs = California Department of Toxic Substances Control maximum contaminant levels for drinking water

NE = Not established

<n = Not detected at detection limits of n ppb</pre>

dup = Duplicate sample


Notes:

- a = The concentration reported as gasoline is primarily due to the presence of a combination of gasoline and a discrete peak not indicative of gasoline.
- b = The concentration reported as gasoline is primarily due to the presence of a discrete peak not indicative of gasoline.
- c = DTSC recommended action level for drinking water: MCL not established



ATTACHMENT A

GROUND WATER MONITORING REPORT AND ANALYTIC REPORT



BLAINE TECH SERVICES INC.

985 TIMOTHY DRIVE SAN JOSE, CA 95133 (408) 995-5535 FAX (408) 293-8773

September 1, 1993

Shell Oil Company P.O. Box 5278 Concord, CA 94520-9998

Attn: Lynn Walker

SITE: Shell WIC #204-5508-2303 2800 Telegraph Avenue Oakland, California

QUARTER: 3rd quarter of 1993

QUARTERLY GROUNDWATER SAMPLING REPORT 930813-N-2

This report contains data collected during routine inspection, gauging and sampling of groundwater monitoring wells performed by Blaine Tech Services, Inc. in reponse to the request of the consultant who is overseeing work at this site on behalf of our mutual client, Shell Oil Company. Data collected in the course of our field work is presented in a TABLE OF WELL GAUGING DATA. The field information was collected during our preliminary gauging and inspection of the wells, the subsequent evacuation of each well prior to sampling, and at the time of sampling.

Measurements taken include the total depth of the well and the depth to water. The surface of water was further inspected for the presence of immiscibles which may be present as a thin film (a sheen on the surface of the water) or as a measurable free product zone (FPZ). At intervals during the evacuation phase, the purge water was monitored with instruments that measure electrical conductivity (EC), potential hydrogen (pH), temperature (degrees Fahrenheit), and turbidity (NTU). In the interest of simplicity, fundamental information is tabulated here, while the bulk of the information is turned over directly to the consultant who is making professional interpretations and evaluations of the conditions at the site.

STANDARD PROCEDURES

Evacuation

Groundwater wells are thoroughly purged before sampling to insure that the sample is collected from water that has been newly drawn into the well from the surrounding geologic formation. The selection of equipment to evacuate each well is based on the physical characteristics of the well and what is known about the performance of the formation in which the well has been installed. There are several suitable devices which can be used for evacuation. The most commonly employed devices are air or gas actuated pumps, electric submersible pumps, and hand or mechanically actuated bailers. Our personnel frequently employ USGS/Middleburg positive displacement pumps or similar air actuated pumps which do not agitate the water standing in the well.

Normal evacuation removes three case volumes of water from the well. More than three case volumes of water may be removed in cases where more evacuation is needed to achieve stabilization of water parameters. Less than three case volumes of water may be obtained in cases where the well dewaters and does not recharge to 80% of its original volume within two hours and any additional time our personnel have reason to remain at the site. In such cases, our personnel return to the site within twenty four hours and collect sample material from the water which has recharged into the well case.

Decontamination

All apparatus is brought to the site in clean and serviceable condition. The equipment is decontaminated after each use and before leaving the site.

Free Product Skimmer

The column headed, VOLUME OF IMMISCIBLES REMOVED (ml) is included in the TABLE OF WELL GAUGING DATA to cover situations where a free product skimming device must be removed from the well prior to gauging. Skimmers are installed in wells with a free product zone on the surface of the water. The skimmer is a free product recovery device which often prevents normal well gauging and free product zone measurements. The 2.0" and 3.0" PetroTraps fall into the category of devices that obstruct normal gauging. In cases where the consultant elects to have our personnel pull the skimmers out of the well and gauge the well, our personnel perform the additional task of draining the accumulated free product out of the PetroTrap before putting it back in the well. This recovered free product is measured and logged in the VOLUME OF IMMISCIBLES REMOVED column. Gauging at such sites is performed in accordance with specific directions from the professional consulting firm overseeing work at the site on Shell's behalf.

Sample Containers

Sample material is collected in specially prepared containers which are provided by the laboratory that performs the analyses.

Sampling

Sample material is collected in stainless steel bailer type devices normally fitted with both a top and a bottom check valve. Water is promptly decanted into new sample containers in a manner which reduces the loss of volatile constituents and follows the applicable EPA standard for handling volatile organic and semi-volatile compounds.

Following collection, samples are promptly placed in an ice chest containing prefrozen blocks of an inert ice substitute such as Blue Ice or Super Ice. The samples are maintained in either an ice chest or a refrigerator until delivered into the custody of the laboratory.

Sample Designations

All sample containers are identified with a site designation and a discrete sample identification number specific to that particular groundwater well. Additional standard notations (e.g. time, date, sampler) are also made on the label.

Chain of Custody

Samples are continuously maintained in an appropriate cooled container while in our custody and until delivered to the laboratory under a standard Shell Oil Company chain of custody. If the samples are taken charge of by a different party (such as another person from our office, a courier, etc.) prior to being delivered to the laboratory, appropriate release and acceptance records are made on the chain of custody (time, date, and signature of the person releasing the samples followed by the time, date and signature of the person accepting custody of the samples).

Hazardous Materials Testing Laboratory

The samples obtained at this site were delivered to Anametrix, Inc. in San Jose, California. Anametrix, Inc. is a California Department of Health Services certified Hazardous Materials Testing Laboratory and is listed as DOHS HMTL #1234.

Objective Information Collection

Blaine Tech Services, Inc. performs specialized environmental sampling and documentation as an independent third party. In order to avoid compromising the objectivity necessary for the proper and disinterested performance of this work, Blaine Tech Services, Inc. performs no consulting and does not become involved in the marketing or installation of remedial systems of any kind. Blaine Tech Services, Inc. is concerned only with the generation of objective information, not with the use of that information to support evaluations and recommendations concerning the environmental condition of the site. Even the straightforward interpretation of objective analytical data is better performed by interested regulatory agencies, and those engineers and geologists who are engaged in the work of providing professional opinions about the site and proposals to perform additional investigation or design remedial systems.

Reportage

Submission of this report and the attached laboratory report to interested regulatory agencies is handled by the consultant in charge of the project. Any professional evaluations or recommendations will be made by the consultant under separate cover.

Please call if we can be of any further assistance.

Richard C. Blaine

RCB/lpn

attachments: table of well gauging data

chain of custody

certified analytical report

cc: Weiss Associates

5500 Shellmound Street SEmeryville, CA 94608-2411

ATTN: Michael Asport

TABLE OF WELL GAUGING DATA

WELL 1.D.	DATA COLLECTION DATE	MEASUREMENT REFERENCED TO	QUALITATIVE OBSERVATIONS (sheen)	DEPTH TO FIRST IMMISCIBLES LIQUID (FPZ) (feet)	THICKNESS OF IMMISCIBLES LIQUID ZONE (feet)	VOLUME OF IMMISCIBLES REMOVED (mi)	DEPTH TO WATER (feet)	DEPTH TO WELL BOTTOM (feet)
\$-1	8/13/93	ТОВ	_	NONE	_		9.20	27.90
S-2	8/13/93	DESTROYED						
S-3	8/13/93	LOST						
S-4	8/13/93	TOB		NONE	-		11.05	30.56
\$-5	8/13/93	TOB	-	NONE			10.58	30.60
S-6	8/13/93	TOB	ODOR	NONE	_		9.39	22.29
S-7	8/13/93	TOB	-	NONE			11.34	30.79
S-8	8/13/93	ТОВ	ODOR	NONE			10.56	19.21
S-9	8/13/93	ТОВ	-	NONE	-	-	10.92	30.15
S-10	8/13/93	TOB		NONE	_		8.83	24.46
S-11 *	8/13/93	ТОВ	ODOR	NONE		-	10.39	19.18
SR-1	8/13/93	ТОВ	-	NONE		-	7.96	34.79

^{*} Sample DUP was a duplicate sample taken from well S-11.

043

9308 233 (8)

[SHELL OIL COMPANY							:	CHAIN OF CUSTODY RECORD Date: \$ 13 99 Serial No: 930813. N. Page 1 of 2													
	RETAIL EI						ING -	WES	T			CH	AII\ ie\$	iai N	ر کے:ہ	13C	180 OF	۱ ۲ <u>۱</u> 3	λΕς . Ν	ORD	Dale: Page	1 -1 - 1
L		Teleg	raph Av	e., (Daklar	nd					And	alys	ls R	equ	red					LAB: Anametri		
-	WIC#: 204-5	508-2	2303												\cdot					CHECK ONE (1) TOX OHLY	CI/DI .	JWIT DHUOSA HEUT
.	Shell Engineer:]	Phone	No.:	(510)												ļ	Quarierty Monitoring	1111	24 hours 🔲
	Lynn			5	75-61 ax#:	69 675-	(510) 61 <i>7</i> 2				٠								[SI + Inv +- Ng otlan	1	4 houn
	Consullant Name & Address: Blaine Tech Services, Inc.											020		ļ					Soli Charley/Obpoint	ا	ik days (X) (Normal)	
	985 Timothy Drive San Jose, CA 95133 Consultant Contact: Phone No.: (408					((0.0)		ـ ا		8		BTEX 8020		ļ					Water Cloudy/Okposet	1 444	Olyet	
1	Jim Keller			i G	95-59	35	(408)	G ₀₃)	Dleset).		8240)		8 8					•		501/Ju 20m. or 5ye.	1462	-
į	Jim Keller 995-5535 Fax #: 293-877:						0773			ନ	(EPA		8015 &							Wederstom or Sys.	٠ [معدد [HOTE: Hollry Lab or soon as foulble of 24/41 hm, TAT,
	Sampled by Add Lancie						Mod.	8015 Mod.	09/0	Ş	৳	PH (9	z	Other	ŀ	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
i			mey.		_			8015	3015	802	rga	spos	일				Size	, U.S.	N/X			•
	Printed Name: NAT	= c	VERN	<u>1∈√</u>	$\in \mathbb{R}$	-		(EPA	(EPA	(EPA	2	70	pci		}	2012	iner	<u>a</u>	뜒	MATERIAL	_	SAMPLE - CONDITION/
	Sample ID	Dale	Sludge	\$oll	Water	Alr	No. of confs,	PH (PH (STEX (EPA 8020/602)	Volaille Organics	Test for Disposal	Combination TPH			Asbeslos	Container	Preparation Used	Composite	DESCRIPTION		COMMENTS
)	S·10	8/13			X		3	:			-	•	X				40 WC	HCL	N	6W		
2)	EB.	1											X					1	1			
$\left(\mathbf{S}_{i}\right)$	5.1			٠.									X	-								-
4	S - 7			•							_		X		٠.,	٠.					1	
5	5.11												X			1	1		11		1	
٦	5.9		-									·	X			+	+		$\parallel \parallel$			
<u>)</u>	2.8								-		<u> </u>	-	X			+		+				-
2	1,5.6	4			4		4			 			X			*	A	4	1	3	 	
,	Relinfuling the (signature): Printed Name: NATE OVER MEYE					eve/	001	0:87	12-4	200	e Vie	वं (धंत	pahiy		/		,	Pini	ed Name:		0010: S-1/6-73	
ک.	Relinquished by Lignature): Phinted Name:					1	Dai	<u>o://-</u>	4-5] Kok	0 0	1,00	nalty	1):	CP			Print	d Nouse.	, .	Dole: 8/16/93	
C	Rollnquished By (signeture):		d Nom		~/~!		Dal	0;	1 25				nature					Pilo	Varia Tar	3 JUS_	Dale: 17:25
	THE LABORATORY MUST PROVI						PROVIDE	m[[22.A.		E THIS	CHA	IN-Q	F-CUS	ΙΩΩΥ	YHH	אַצַּכ	PICE	7 N D 1	RESUL			Rme:

	RETAIL		CON NMENTA			NG -	; WE:	ST	CHAIN OF CUSTODY RECORD Sorial No: 930873 . N. 2						ORD		0: 8/13/97 10 2 01 2					
1	Sile Address: 2800	7'&legr	aph Ave	., Oal	land	•	Analysis Required LA						LAB: Anametrix									
[WIC#: 204-	5508-23	103								\neg			\cdot			$\overline{}$		CHECK OHE (I) TOX OHEY		THE GHUOSA HEUT	
	Shell Engineer: Lynn Consultant Name & Blaine Tech Ser 985 Timothy Dri Consultant Contact: Jim Keller Comments: Sampled by: Printed Name: Sample ID	Sa Sa	inc. n Jose,	CA 9 Pho 995 Fox	one No.: -5535 (#: 293-	(408) 8773	TPH (EPA 8015 Mod. Gas)	TPH (EPA 8015 Mod, Diesel).	BIEX (EPA 8020/602)	Volaille Organics (EPA 8240)	Test for Disposai	Combination TPH 8015 & BTEX 8020			Asbeslos	Container Size		Composite Y/N	STE laveling of loa Soli Choulty/Disposal Workst Choulty/Disposal Soli/Ali Rem or Sys. O A M	H41 H42 H42 H42 H43 H43	21 hour 44 hours 16 days (Notmon) 16 days (Notmon) 16 days North North Year of 24/14 hrs. TAIL SAMPLE CONDITION/ COMMENTS	
(9)	S·5	8/12		_	X	contr.	:	=	Ε	>	1	X				(10		<u>ن</u> الم	() (_		
9	5.4.	13			<u>, </u>	3									_	ML	1400.		6W	_		ı
						 		 -	-			X	-		11	\rightarrow		1	-0 0 0 i	_		ļ
	TB				<u> </u>	2			_			X			-	- -		_	TRIP BLAN	14		İ
(12	DUP.	1		_	4	3						X		• •	4	4	V	+	6W			
																						1
											·									1		<u> </u>
					1	1	-	 	-		-								-	+		
		1				-	-	-		<u> </u>				_								,
	Relinquished by Asignatur	•):	Pinled	Name:	NERM			o:5-	16-7	3 807	elyec	(slgr	anice);			- P1	Inte	od Name:		Date: 8-12-79	

1961 Concourse Drive San Jose, CA 95131 Tel: 408-432-8192 Fax: 408-432-8198

MR. JIM KELLER BLAINE TECH 985 TIMOTHY DRIVE SAN JOSE, CA 95133 Workorder # : 9308233 Date Received: 08/16/93 Project ID: 204-5508-2303

Purchase Order: MOH-B813

The following samples were received at Anametrix, Inc. for analysis:

ANAMETRIX ID	CLIENT SAMPLE ID
9308233- 1 9308233- 2 9308233- 3 9308233- 4 9308233- 5 9308233- 6 9308233- 7 9308233- 8 9308233- 9 9308233-10 9308233-11 9308233-12	S-10 EB-1 S-1 S-7 S-11 S-9 S-8 S-6 S-5 S-4 TB DUP.

This report consists of 8 pages not including the cover letter, and is organized in sections according to the specific Anametrix laboratory group or section which performed the analysis(es) and generated the data. The Report Summary that precedes each section will help you determine which Anametrix group is responsible for those test results, and will bear the signatures of the department supervisor and the chemist who have reviewed the analytical data. Please refer all questions to the department supervisor who signed the form.

Anametrix is certified by the California Department of Health Services (DHS) to perform environmental testing under Certificate Number 1234. A detailed list of the approved fields of testing can be obtained by calling our office, or the DHS Environmental Laboratory Accreditation Program at (415)540-2800.

If you have any further questions or comments on this report, please give us a call as soon as possible. Thank you for using Anametrix.

Sarah Schoen, Ph.D.

Laboratory Director

08/27/93

REPORT SUMMARY ANAMETRIX, INC. (408) 432-8192

MR. JIM KELLER BLAINE TECH

985 TIMOTHY DRIVE SAN JOSE, CA 95133

Workorder # : 9308233 Date Received: 08/16/93
Project ID: 204-5508-2303
Purchase Order: MOH-B813
Department: GC

Sub-Department: TPH

SAMPLE INFORMATION:

ANAMETRIX SAMPLE ID	CLIENT SAMPLE ID	MATRIX	DATE SAMPLED	METHOD
9308233- 1	S-10	WATER	08/13/93	ТРНЭВТЕХ
9308233- 2	EB-1	WATER	08/13/93	TPHgBTEX
9308233- 3	S-1	WATER	08/13/93	ТРНЭВТЕХ
9308233- 4	S-7	WATER	08/13/93	ТРНЭВТЕХ
9308233- 5	S-11	WATER	08/13/93	трндвтех
9308233- 6	S-9	WATER	08/13/93	ТРНЭВТЕХ
9308233- 7	S-8	WATER	08/13/93	ТРНдВТЕХ
9308233- 8	S-6	WATER	08/13/93	ТРНЭВТЕХ
9308233- 9	S-5	WATER	08/13/93	ТРНдВТЕХ
9308233-10	S-4	WATER	08/13/93	ТРНЭВТЕХ
9308233-11	ТВ	WATER	08/13/93	TPHgBTEX
9308233-12	DUP.	WATER	08/13/93	TPHgBTEX

REPORT SUMMARY ANAMETRIX, INC. (408)432-8192

MR. JIM KELLER BLAINE TECH 985 TIMOTHY DRIVE SAN JOSE, CA 95133 Workorder # : 9308233
Date Received : 08/16/93
Project ID : 204-5508-2303
Purchase Order: MOH-B813

Department : GC Sub-Department: TPH

QA/QC SUMMARY:

- The concentration reported as gasoline for sample S-9 is primarily due to the presence of a discrete peak not indicative of gasoline.
- The concentration reported as gasoline for sample S-6 is primarily due to the presence of a combination of gasoline and a discrete peak not indicative of gasoline.

Cheng Bome Department Supervisor

Date

Chemist

leh Buch 8.26.93

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS (GASOLINE WITH BTEX) ANAMETRIX, INC. - (408) 432-8192

Anametrix W.O.: 9308233 Project Number: 204-5508-2303

Matrix : WATER Date Released : 08/26/93

Date Sampled : 08/13/93

	Reporting Limit	Sample I.D.# S-10	Sample I.D.# EB-1	Sample I.D.# S-1	Sample I.D.# S-7	Sample I.D.# S-11
COMPOUNDS	(ug/L)	-01 	-02	-03	-04	-05
Benzene Toluene Ethylbenzene Total Xylenes TPH as Gasoline % Surrogate Rece Instrument I. Date Analyzed RLMF		ND ND ND ND ND 95% HP12 08/21/93	ND ND ND ND ND 93% HP12 08/21/93	ND ND ND ND ND 95% HP12 08/21/93	4.0 0.8 ND 0.5 140 97% HP12 08/21/93	0.9 ND 0.8 1.2 60 94% HP21 08/24/93

ND - Not detected at or above the practical quantitation limit for the method.

TPHg - Total Petroleum Hydrocarbons as gasoline is determined by GCFID using modified EPA Method 8015 following sample purge and trap by EPA Method 5030.

BTEX - Benzene, Toluene, Ethylbenzene, and Total Xylenes are determined by modified EPA Method 8020 following sample purge and trap by EPA Method 5030.

RLMF - Reporting Limit Multiplication Factor.

Anametrix control limits for surrogate p-Bromofluorobenzene recovery are 61-139%.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

Charleton Binch 8.27.93

Analyst Date

Cherl Bulma 5/27/53 Supervisor Date

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS (GASOLINE WITH BTEX) ANAMETRIX, INC. - (408) 432-8192

Project Number : 204-5508-2303 Date Released : 08/26/93 Anametrix W.O.: 9308233

Matrix : WATER

Date Sampled: 08/13/93

	Reporting Limit	Sample I.D.# S-9	Sample I.D.# S-8	Sample I.D.# S-6	Sample I.D.# S-5	Sample I.D.# S-4
COMPOUNDS	(ug/L)	-06	- 07	-08	-09	-10
Benzene Toluene Ethylbenzene Total Xylenes TPH as Gasoline % Surrogate Rec Instrument I. Date Analyzed RLMF		ND ND ND 140 107% HP12 08/21/93	21 23 49 250 1300 90% HP12 08/21/93	890 16 ND 41 4000 120% HP12 08/21/93 25	ND ND ND ND ND 96% HP12 08/21/93	ND ND ND ND ND 97% HP12 08/21/93

ND - Not detected at or above the practical quantitation limit for the

TPHg - Total Petroleum Hydrocarbons as gasoline is determined by GCFID using modified EPA Method 8015 following sample purge and trap by EPA Method 5030.

BTEX - Benzene, Toluene, Ethylbenzene, and Total Xylenes are determined by modified EPA Method 8020 following sample purge and trap by EPA Method 5030.

RLMF - Reporting Limit Multiplication Factor.

Anametrix control limits for surrogate p-Bromofluorobenzene recovery are 61-139%.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

lesh Buch 8.27.83

Cheugh Beelmen 8/27 k3
Supervisor Date

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS (GASOLINE WITH BTEX) ANAMETRIX, INC. - (408) 432-8192

Anametrix W.O.: 9308233 Project Number: 204-5508-2303

Matrix : WATER Date Released : 08/26/93

Date Sampled: 08/13/93

	Reporting Limit	Sample I.D.# TB	Sample I.D.# DUP.	Sample I.D.# BG2101E2	Sample I.D.# BG2401E2	
COMPOUNDS	(ug/L)	-11 	-12 	BLANK	BLANK	
Benzene Toluene Ethylbenzene Total Xylenes TPH as Gasoline % Surrogate Rece Instrument I.I Date Analyzed RLMF		ND ND ND ND ND 91% HP12 08/21/93	2.1 ND 0.9 2.1 70 98% HP12 08/21/93	ND ND ND ND ND 101% HP12 08/21/93	ND ND ND ND ND 98% HP21 08/24/93	

ND - Not detected at or above the practical quantitation limit for the method.

TPHg - Total Petroleum Hydrocarbons as gasoline is determined by GCFID using modified EPA Method 8015 following sample purge and trap by EPA Method 5030.

BTEX - Benzene, Toluene, Ethylbenzene, and Total Xylenes are determined by modified EPA Method 8020 following sample purge and trap by EPA Method 5030.

RLMF - Reporting Limit Multiplication Factor.

Anametrix control limits for surrogate p-Bromofluorobenzene recovery are 61-139%.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

Charlesh Burch 8.27.93 Analyst Date

Chara Brenn Sp 7/52 Supervisor Date

TOTAL VOLATILE HYDROCARBON MATRIX SPIKE REPORT EPA METHOD 5030 WITH GC/PID ANAMETRIX, INC. (408) 432-8192

Anametrix I.D.: 08233-09

Sample I.D. : 204-5508-2303 S-5
Matrix : WATER
Date Sampled : 08/13/93
Date Analyzed : 08/21/93

Analyst : OMB
Supervisor : 08/26/93

Instrument I.D.: HP12

COMPOUND	SPIKE AMT (ug/L)	SAMPLE CONC (ug/L)	REC MS (ug/L)	%REC MS	REC MD (ug/L)	%REC MD	RPD	%REC LIMITS
BENZENE TOLUENE ETHYLBENZENE TOTAL XYLENES	20.0 20.0 20.0 20.0	0.0 0.0 0.0 0.0	14.2 14.3 15.3 14.6	71% 72% 77% 73%	16.3 18.8 20.0 18.8	82% 94% 100% 94%	14% 27% 27% 25%	45-139 51-138 48-146 50-139
p-BFB				100%		93%		61-139

^{*} Quality control established by Anametrix, Inc.

TOTAL VOLATILE HYDROCARBON LABORATORY CONTROL SAMPLE REPORT EPA METHOD 5030 WITH GC/PID ANAMETRIX, INC. (408) 432-8192

Anametrix I.D.: MG2101E1

Sample I.D. : LAB CONTROL SAMPLE
Matrix : WATER
Date Sampled : N/A
Date Analyzed : 08/21/93

Analyst : OMB Supervisor : M Date Released : 08/25/93 Instrument I.D.: HP12

COMPOUND	SPIKE AMT. (ug/L)	LCS (ug/L)	REC LCS	%REC LIMITS
Benzene Toluene Ethylbenzene TOTAL Xylenes	20.0 20.0 20.0 20.0 20.0	19.9 20.8 21.8 21.5	99% 104% 109% 108%	52-133 57-136 56-139 56-141
P-BFB			99%	61-139

^{*} Limits established by Anametrix, Inc.

TOTAL VOLATILE HYDROCARBON LABORATORY CONTROL SAMPLE REPORT EPA METHOD 5030 WITH GC/PID ANAMETRIX, INC. (408) 432-8192

Anametrix I.D.: MG2401E3

Sample I.D. : LAB CONTROL SAMPLE
Matrix : WATER
Date Sampled : N/A Analyst : GMG
Supervisor : CS
Date Released : 08/26/93
Instrument I.D.: HP21

Date Analyzed : 08/24/93

COMPOUND	SPIKE AMT. (ug/L)	LCS (ug/L)	REC LCS	%REC LIMITS
Benzene Toluene Ethylbenzene TOTAL Xylenes	20.0 20.0 20.0 20.0 20.0	18.9 17.6 17.5 17.9	95% 88% 88% 89%	52-133 57-136 56-139 56-141
P-BFB			100%	61-139

^{*} Limits established by Anametrix, Inc.