

MAY 01 2001

R049

**Semiannual Monitoring Report for
January 1 through March 31, 2001
East Baybridge Center
Emeryville and Oakland, California**

**April 30, 2001
1649.21-002**

Prepared for
Catellus Development Corporation
201 Mission Street
San Francisco, California 94105



April 30, 2001

1649.21-002

Ms. Susan Hugo
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, Second Floor
Alameda, California 94502

Ms. Betty Graham
Regional Water Quality Control Board
1515 Clay Street, 14th Floor
Oakland, California 94612

Subject: Quarterly Monitoring Report for January 1 through March 31, 2001, East Baybridge Center, Emeryville and Oakland, California

Dear Ms. Hugo and Ms. Graham:

This report presents the results of quarterly groundwater monitoring by LFR Levine•Fricke (LFR) on behalf of Catellus Development Corporation (Catellus) for January 1 through March 31, 2001, at the Yerba Buena/East Baybridge Center in Emeryville and Oakland, California ("the Site"). This report presents the analytical results of the samples collected during the first quarterly groundwater monitoring event conducted after the groundwater extraction and treatment system (GWETS) was shut down on November 20, 2000.

Groundwater monitoring was conducted in accordance with the schedule presented during a meeting on November 17, 2000, with representatives of the Regional Water Quality Control Board (RWQCB), Catellus, and LFR, and in the semiannual groundwater monitoring report dated January 31, 2001. As discussed, selected wells will be monitored on a quarterly basis (every three months) until November 2001. Table 1 presents the schedule and analyses for the wells to be sampled. After one year of monitoring is completed, the data will be evaluated to assess the future monitoring schedule. The wells selected for quarterly monitoring were based on their locations and the historical analytical results of samples collected from the wells.

As we discussed, shutting down the GWETS will allow volatile organic compound-affected groundwater to migrate off site to the west. If 1,1-dichloroethene (1,1-DCE) is detected in samples collected from wells MW-4, MW-5, MW-9, LF-22, or LF-23 at a concentration greater than 165 micrograms per liter ($\mu\text{g/l}$) for two consecutive monitoring events, Catellus will notify the RWQCB and together we will evaluate whether the GWETS should be restarted. The concentration of 165 $\mu\text{g/l}$ for 1,1-DCE was selected because it is half of the highest concentration of 1,1-DCE that has been detected in groundwater samples collected at the Site. The highest concentration of 1,1-DCE detected at the Site (330 $\mu\text{g/l}$) was in a sample collected from well MW-6 in September 1996. The proposed target concentration of 165 $\mu\text{g/l}$ is well below the risk-based screening level of 1,000 $\mu\text{g/l}$ for 1,1-DCE, which was provided by the RWQCB for groundwater that is not to be used for drinking water.

If you have any questions or comments concerning this report or the project in general, please call me at (510) 652-4500.

Sincerely,



Ron Goloubow
Senior Project Geologist

Enclosures

cc: Sandra Stevens, Catellus Development

CONTENTS

1.0	INTRODUCTION.....	1
2.0	BACKGROUND	2
2.1	Areas A and B	2
2.2	Area C.....	3
3.0	GROUNDWATER ELEVATIONS AND FLOW DIRECTION	3
3.1	Areas A and B	3
3.2	Area C.....	4
4.0	GROUNDWATER SAMPLING AND ANALYSIS.....	4
5.0	GROUNDWATER QUALITY	5
5.1	Volatile Organic Compounds	5
5.2	Total Petroleum Hydrocarbons	6
6.0	SUMMARY	6
7.0	SCHEDULED ACTIVITIES PROPOSED	6
8.0	REFERENCES.....	7

TABLES

- 1 Semiannual Groundwater Monitoring Schedule
- 2 Well Construction and Groundwater Elevation Data
- 3A Summary of Sampling QA/QC
- 3B Summary of Analytical QA/QC
- 4 Semiannual Summary of Groundwater Quality Data

FIGURES

- 1 Site Location Map
- 2 Site Plan Showing Groundwater Elevations in Shallow Wells, February 8, 2001

APPENDIX

- A Field Procedures

CERTIFICATION

All hydrogeologic and geologic information, conclusions, and recommendations in this document have been prepared under the supervision of and reviewed by an LFR Levine-Fricke California Registered Geologist.


Donald T. Bradshaw
Principal Hydrogeologist
California Registered Geologist (5300)

4/30/01
Date



1.0 INTRODUCTION

This report presents the results of groundwater monitoring by LFR Levine·Fricke (LFR) during the quarterly monitoring period from January 1 through March 31, 2001, at East Baybridge Center in Emeryville and Oakland, California ("the Site"; Figure 1). LFR is performing groundwater monitoring and submitting this report on behalf of Catellus Development Corporation ("Catellus") in accordance with an April 15, 1998, groundwater monitoring plan submitted to the Alameda County Health Care Services Agency (ACHCSA; LFR 1998).

The Site covers approximately 51 acres, is partially developed, and is undergoing further development. To aid in organizing environmental investigation, remediation, and monitoring, the Site has been divided into Areas A, B, and C (Figure 2).

Quarterly monitoring at the Site includes measuring water levels in accessible wells and collecting groundwater samples from selected wells to monitor volatile organic compound (VOC) concentrations in groundwater and assess the effectiveness of a groundwater extraction and treatment system (GWETS) installed at the Site in 1994. In addition, soils affected with total petroleum hydrocarbons (TPH) have been contained on site beneath building pads, and monitoring data are being collected to assess possible effects on groundwater quality beneath the Site from the contained soils.

As agreed during a meeting on November 17, 2000, with representatives of the Regional Water Quality Control Board (RWQCB), Catellus, and LFR, the GWETS at the Site was shut down on November 20, 2000. The GWETS was shut down to assess the effect of the GWETS on groundwater quality at the Site. To assess this effect, Catellus will collect samples from selected groundwater monitoring wells for a period of one year. This report documents the results of the first groundwater monitoring event after the GWETS was shut down on November 20, 2000.

This report includes the following tables:

- 1 Groundwater Monitoring Schedule
- 2 Well Construction and Groundwater Elevation Data
- 3A Summary of Sampling QA/QC
- 3B Summary of Analytical QA/QC
- 4 Semiannual Summary of Groundwater Quality Data

Revised Monitoring Schedule

As discussed, selected wells will be monitored on a quarterly basis (every three months) until November 2001. Table 1 presents the schedule and analyses for the wells to be sampled. After one year of monitoring is completed, the data will be evaluated to assess

The hydraulic gradient across this portion of the Site is 0.015 foot per foot (ft/ft), as measured between wells MW-2 and MW-4. The direction and gradient are consistent with the groundwater flow direction previously reported at the Site (LFR 2001).

Depressions in the groundwater surface and deflections of contour lines in the vicinity of the extraction wells and collection trench typically created by the influence of pumping from the shallow extraction wells and collection trench on the groundwater flow pattern are not shown for this period because the GWETS was not operating when this monitoring took place.

3.2 Area C

As illustrated on Figure 2, the direction of shallow groundwater flow beneath Area C of the Site is toward the west. The hydraulic gradient across this portion of the Site is 0.008 ft/ft, as measured between wells MW-10R and MW-12R. The direction and gradient are consistent with the groundwater flow direction previously reported at the Site (LFR 2001).

4.0 GROUNDWATER SAMPLING AND ANALYSIS

On February 8 and 9, 2001, LFR personnel collected groundwater samples for chemical analysis. Eight samples were collected from seven shallow groundwater monitoring wells (less than 25 feet bgs; MW-4, MW-5, MW-6, MW-7, MW-9, LF-22, and LF-23).

Before groundwater samples were collected, three to four well volumes of water was purged from each well in accordance with field procedures for groundwater sampling described in Appendix A. During purging, indicator parameters such as pH, temperature, and specific conductance were recorded on water-quality sampling sheets. After collection, samples were submitted under strict chain-of-custody protocol to Curtis and Tompkins, Inc., a California state-certified laboratory located in Berkeley, California.

Samples were analyzed as follows:

- Samples from wells MW-4, MW-5, MW-6, MW-7, MW-9, LF-22, and LF-23 were analyzed for VOCs using EPA Method 8010.
- Samples from wells MW-4, MW-5, MW-6, MW-7, MW-9, LF-22, and LF-23 were analyzed for TPH as diesel (TPHd; carbon chain length C₁₂ to C₂₂), and TPH as oil (TPHO; carbon chain length C₂₂ to C₃₆) in accordance with the Soils Management Plan (LFR 1994).

For quality assurance/quality control (QA/QC) purposes, a duplicate sample was collected from well LF-23. The sample was analyzed for VOCs, TPHd, and TPHo.

Results of the duplicate sample collected at LF-23 were similar to the results from the primary sample. Tables 3A and 3B summarize the sampling and analytical QA/QC for samples collected during this semiannual monitoring period.

5.0 GROUNDWATER QUALITY

Table 4 summarizes the analytical results for groundwater samples collected.

5.1 Volatile Organic Compounds

In general, the concentrations of VOCs detected in samples collected during this monitoring period are within the same order of magnitude as samples previously collected at the Site (Table 4). Concentrations of total VOCs detected in samples collected from wells MW-6 and MW-9 were slightly lower than total VOCs detected in samples collected from these wells during the previous monitoring event. No VOCs were detected at concentrations above method detection limits in groundwater samples collected from shallow wells MW-4 and LF-22.

1,1-Dichloroethene (1,1-DCE) was detected in samples collected from shallow monitoring wells MW-5 (0.011 ppm), MW-6 (.160 ppm), MW-7 (0.140 ppm), and MW-9 (0.044 ppm). 1,1-DCE was not detected above analytical reporting limits in samples collected from the remaining shallow or deeper wells sampled during the current monitoring event.

Trichloroethene (TCE) was detected at a concentration of 0.0005 ppm/0.0006 ppm (primary/duplicate) in the samples collected from off-site well LF-23. TCE was not detected above analytical reporting limits in samples collected from the remaining shallow or deeper wells sampled during the current monitoring event.

Tetrachloroethene (PCE) was detected at a concentration of 0.0014 in the sample collected from shallow monitoring well MW-5. PCE was detected at a concentration of 0.009 ppm/0.008 ppm (primary/duplicate) in the sample collected from off-site well LF-23. PCE was not detected above analytical reporting limits in samples collected from the remaining shallow or deeper wells sampled during the current monitoring event.

1,1,1-Trichloroethane (1,1,1-TCA) was detected in samples collected from shallow monitoring wells MW-6 (0.0086 ppm), MW-7 (0.008 ppm), and MW-9 (0.002 ppm). 1,1,1-TCA was not detected above analytical reporting limits in samples collected from the remaining shallow or deeper wells sampled during the current monitoring event.

5.2 Total Petroleum Hydrocarbons

TPHd was detected in samples collected from shallow monitoring wells MW-4 (0.072 ppm), MW-6 (0.059 ppm), MW-7 (0.056 ppm), and LF-23 (0.059 ppm primary/0.073 ppm duplicate).

6.0 SUMMARY

Groundwater gradient and flow direction measured in February 2001 are generally consistent with the groundwater flow direction previously reported for the Site (LFR 2001).

Analytical results for groundwater samples collected in February 2001 are similar to results previously reported for the Site (Table 4). Analytical results for groundwater samples collected during this monitoring period indicate that the plume of VOC-affected groundwater likely extends to the north between wells MW-3 and MW-6 and to the south between wells MW-7 and MW-8. The plume extends approximately 800 feet southwest (downgradient) of well MW-6 toward the extraction wells and collection trench, and is approximately 300 feet wide. These plume dimensions are consistent with historical measurements made at the Site. Analytical results for samples collected from wells LF-22 and LF-23 indicate that the shut down of the GWETS has not affected groundwater quality across Hollis Street.

7.0 SCHEDULED ACTIVITIES PROPOSED

In accordance with the revised "Groundwater Monitoring Plan, East Baybridge Center, Emeryville and Oakland, California," submitted on April 15, 1998, to ACHCSA, groundwater monitoring consisting of water-level measurements and groundwater sampling will occur during the next three quarters of 2001. The sampling schedule is summarized in Table 1.

8.0 REFERENCES

- LFR. 1992a. Containment Plan for Total Petroleum Hydrocarbon-Affected Soils, Yerba Buena Project Site, Emeryville and Oakland, California. March 10.
- _____. 1992b. Soil Remediation Activities Report, Former Ransome Property, Yerba Buena Project Site, Emeryville, California. March 21.
- _____. 1994. Soils Management Plan for Petroleum Hydrocarbon-Affected Soils, Yerba Buena/East Baybridge Center, Emeryville and Oakland, California. November 30.
- _____. 1996. Quarterly Monitoring Report for April 1 through June 30, 1996, East Baybridge Center, Emeryville and Oakland, California. July 31.
- _____. 1998. Groundwater Monitoring Plan, East Baybridge Center, Emeryville and Oakland, California. April 15.
- _____. 2001. Semiannual Monitoring Report for July 1 through December 31, 2000, East Baybridge Center, Emeryville and Oakland, California. January 30.

Table 1
Groundwater Monitoring Schedule
East Baybridge Center
Emeryville and Oakland, California

Quarterly Period	Well Identification	Analysis
Jan- Mar	MW-4, MW-5, MW-6, MW-7, MW-9, LF-22, LF-23	VOCs, TPHd, TPHo
Apr-June	MW-2, MW-3	VOCs, TPHg, BTEX
	MW-4, MW-5, MW-6, MW-7, MW-8, MW-9, MW-10R, MW-12R, LF-22, LF-23, MW-34	VOCs
Jul- Sept	MW-4, MW-5, MW-6, MW-7, MW-9, LF-22, LF-23	VOCs, TPHd, TPHo
Oct-Dec	MW-2, MW-3	VOCs, TPHg, BTEX
	MW-4, MW-5, MW-6, MW-7, MW-8, MW-9, MW-10R, MW-12R, LF-22, LF-23, MW-34	VOCs

NOTES:

The samples will be collected in accordance with the methods provided in LFR's December 19, 1994 "Groundwater Monitoring Plan, East Baybridge Center, Emeryville and Oakland, California."

Analysis for TPHg, TPHd, and TPHo will use EPA Method 8015, modified.

Analysis for BTEX will use EPA Method 8020.

Analysis for VOCs will use EPA Method 8010.

One duplicate sample, a trip blank, and bailer rinsate blank will be analyzed for VOCs.

BTEX = benzene, toluene, ethylbenzene, and xylenes

TPHd = total petroleum hydrocarbons as diesel

TPHg = total petroleum hydrocarbons as gasoline

TPHo = total petroleum hydrocarbons as oil

VOCs = volatile organic compounds

Table 2
Well Construction and Groundwater Elevation Data
East Baybridge Center
Emeryville and Oakland, California

Well Number	Well Elevation (1)	Well Depth (2)	Screened Interval (2)	Date Measured	Depth to Water	Groundwater Elevation (3)
Shallow Wells						
MW-1	27.47	30	15-30	12-Sep-94 30-Nov-94 16-Feb-95 08-May-95 30-Aug-95 19-Dec-95 26-Feb-96 29-Apr-96 03-Sep-96 13-Dec-96	14.88 14.61 14.73 14.55 14.62 13.38 14.27 14.69 14.70 (4)	12.59 12.86 12.74 12.92 12.85 14.09 13.20 12.78 12.77
MW-2	37.23	18	8-18	12-Sep-94 30-Nov-94 16-Feb-95 08-May-95 30-Aug-95 19-Dec-95 26-Feb-96 29-Apr-96 03-Sep-96 13-Dec-96 18-Feb-97 26-May-97 21-Aug-97 02-Jan-98 09-Mar-98 14-Sep-98 25-Mar-99 21-Sep-99 10-May-00 24-Oct-00 08-Feb-01	8.00 6.84 6.84 7.08 9.03 6.95 6.62 7.92 8.10 6.59 7.60 8.16 7.06 7.87 6.94 7.79 6.93 7.71 7.35 8.44 8.45	29.23 30.39 30.39 30.15 28.20 30.28 30.61 29.31 29.13 30.64 29.63 29.07 30.17 29.36 30.29 29.44 30.30 29.52 29.88 28.79 28.78
MW-3	32.05	25	14-25	12-Sep-94 30-Nov-94 16-Feb-95 08-May-95 30-Aug-95 19-Dec-95 26-Feb-96 29-Apr-96 03-Sep-96 13-Dec-96	9.88 9.96 9.24 9.82 11.75 9.65 8.80 10.66 10.51 9.85	22.17 22.09 22.81 22.23 20.30 22.40 23.25 21.39 21.54 22.20

Table 2
Well Construction and Groundwater Elevation Data
East Baybridge Center
Emeryville and Oakland, California

Well Number	Well Elevation (1)	Well Depth (2)	Screened Interval (2)	Date Measured	Depth to Water	Groundwater Elevation (3)
				18-Feb-97	9.93	22.12
				26-May-97	10.66	21.39
				21-Aug-97	9.80	22.25
				02-Jan-98	10.75	21.30
				09-Mar-98	9.03	23.02
				14-Sep-98	9.82	22.23
				25-Mar-99	9.19	22.86
				21-Sep-99	10.04	22.01
				10-May-00	10.70	21.35
				24-Oct-00	11.23	20.82
				08-Feb-01	11.42	20.63
MW-4	24.28	25	12-25	12-Sep-94	17.01	7.27
				30-Nov-94	16.15	8.13
				16-Feb-95	16.38	7.90
				08-May-95	16.27	8.01
				30-Aug-95	16.32	7.96
				19-Dec-95	14.52	9.76
				26-Feb-96	13.29	10.99
				29-Apr-96	15.08	9.20
				03-Sep-96	14.70	9.58
				13-Dec-96	13.52	10.76
				18-Feb-97	13.92	10.36
				26-May-97	14.51	9.77
				21-Aug-97	14.40	9.88
				02-Jan-98	14.07	10.21
				09-Mar-98	13.39	10.89
				14-Sep-98	14.30	9.98
				25-Mar-99	12.99	11.29
				21-Sep-99	14.45	9.83
				09-May-00	14.25	10.03
				24-Oct-00	15.17	9.11
				08-Feb-01	15.32	8.96
MW-5	22.19	21.5	11.5-21.5	12-Sep-94	17.15	5.04
				30-Nov-94	15.94	6.25
				16-Feb-95	16.45	5.74
				08-May-95	16.08	6.11
				30-Aug-95	15.79	6.40
				19-Dec-95	13.81	8.38
				26-Feb-96	12.69	9.50
				29-Apr-96	14.49	7.70
				03-Sep-96	14.11	8.08

Table 2
Well Construction and Groundwater Elevation Data
East Baybridge Center
Emeryville and Oakland, California

Well Number	Well Elevation (1)	Well Depth (2)	Screened Interval (2)	Date Measured	Depth to Water	Groundwater Elevation (3)
				13-Dec-96	12.67	9.52
				18-Feb-97	12.83	9.36
				26-May-97	13.90	8.29
				21-Aug-97	13.71	8.48
				02-Jan-98	13.54	8.65
				09-Mar-98	12.88	9.31
				14-Sep-98	13.88	8.31
				25-Mar-99	12.34	9.85
				21-Sep-99	14.00	8.19
				09-May-00	13.75	8.44
				24-Oct-00	14.61	7.58
				08-Feb-01	13.81	8.38
MW-6	28.54	21.5	11.5-21.5	12-Sep-94	12.58	15.96
				30-Nov-94	12.75	15.79
				16-Feb-95	12.17	16.37
				08-May-95	12.75	15.79
				30-Aug-95	14.22	14.32
				19-Dec-95	13.17	15.37
				26-Feb-96	11.37	17.17
				29-Apr-96	12.95	15.59
				03-Sep-96	12.67	15.87
				13-Dec-96	11.83	16.71
				18-Feb-97	11.92	16.62
				26-May-97	12.40	16.14
				21-Aug-97	12.31	16.23
				02-Jan-98	12.18	16.36
				09-Mar-98	11.37	17.17
				14-Sep-98	12.24	16.30
				25-Mar-99	10.69	17.85
				21-Sep-99	12.70	15.84
				10-May-00	12.68	15.86
				24-Oct-00	13.78	14.76
				08-Feb-01	13.45	15.09
MW-7	26.29	23.5	13.5-23.5	12-Sep-94	11.60	14.69
				30-Nov-94	11.53	14.76
				16-Feb-95	10.82	15.47
				08-May-95	11.84	14.45
				30-Aug-95	12.81	13.48
				19-Dec-95	11.77	14.52
				26-Feb-96	10.04	16.25
				29-Apr-96	11.55	14.74
				03-Sep-96	11.32	14.97
				13-Dec-96	10.96	15.33

Table 2
Well Construction and Groundwater Elevation Data
East Baybridge Center
Emeryville and Oakland, California

Well Number	Well Elevation (1)	Well Depth (2)	Screened Interval (2)	Date Measured	Depth to Water	Groundwater Elevation (3)
MW-8	24.40	20.5	10.5-20.5	18-Feb-97 26-May-97 21-Aug-97 02-Jan-98 09-Mar-98 14-Sep-98 25-Mar-99 21-Sep-99 09-May-00 24-Oct-00 08-Feb-01	10.68 11.08 10.92 10.78 10.06 10.95 10.13 11.32 11.35 12.32 11.82	15.61 15.21 15.37 15.51 16.23 15.34 16.16 14.97 14.94 13.97 14.47
MW-8	24.40	20.5	10.5-20.5	12-Sep-94 30-Nov-94 16-Feb-95 08-May-95 30-Aug-95 19-Dec-95 26-Feb-96 29-Apr-96 03-Sep-96 13-Dec-96 18-Feb-97 26-May-97 21-Aug-97 02-Jan-98 09-Mar-98 14-Sep-98 25-Mar-99 21-Sep-99 09-May-00 24-Oct-00 08-Feb-01	9.96 9.96 9.68 10.06 11.10 10.22 8.78 10.05 9.67 9.20 9.30 9.50 9.06 9.38 8.51 9.38 8.95 9.55 9.70 10.62 10.31	14.44 14.44 14.72 14.34 13.30 14.18 15.62 14.35 14.73 15.20 15.10 14.90 15.34 15.02 15.89 15.02 15.45 14.85 14.70 13.78 14.09
MW-9	24.17	26	14-26	12-Sep-94 30-Nov-94 16-Feb-95 08-May-95 30-Aug-95 19-Dec-95 26-Feb-96 29-Apr-96 03-Sep-96 13-Dec-96 18-Feb-97	19.70 17.65 18.85 19.47 19.65 18.43 16.46 18.91 19.12 16.22 18.49	4.47 6.52 5.32 4.70 4.52 5.74 7.71 5.26 5.05 7.95 5.68

Table 2
Well Construction and Groundwater Elevation Data
East Baybridge Center
Emeryville and Oakland, California

Well Number	Well Elevation (1)	Well Depth (2)	Screened Interval (2)	Date Measured	Depth to Water	Groundwater Elevation (3)
				26-May-97	18.60	5.57
				21-Aug-97	17.32	6.85
				02-Jan-98	15.33	8.84
				09-Mar-98	17.41	6.76
				14-Sep-98	18.45	5.72
				25-Mar-99	17.85	6.32
				21-Sep-99	17.82	6.35
				08-Feb-01	15.02	9.15
MW-10	13.21			19-Dec-95	6.31	6.90
				26-Feb-96	6.09	7.12
				29-Apr-96	6.73	6.48
				03-Sep-96	6.50	6.71
				13-Dec-96	5.86	7.35
				18-Feb-97	6.72	6.49
				26-May-97	6.61	6.60
				21-Aug-97	6.82	6.39
				02-Jan-98	6.60	6.61
				09-Mar-98	5.95	7.26
				14-Sep-98	6.45	6.76
				25-Mar-99	5.71	7.50
				21-Sep-99	7.20	6.01
				09-May-00	6.80	6.41
				24-Oct-00	7.39	5.82
				08-Feb-01	7.29	5.92
MW-12	10.42			19-Dec-95	10.69	-0.27
				26-Feb-96	9.66	0.76
				29-Apr-96	10.98	-0.56
				03-Sep-96	11.05	-0.63
				13-Dec-96	10.04	0.38
				18-Feb-97	10.42	0.00
				26-May-97	10.83	-0.41
				21-Aug-97	10.53	-0.11
				02-Jan-98	10.05	0.37
				09-Mar-98	10.10	0.32
				14-Sep-98	10.71	-0.29
				25-Mar-99	9.95	0.47
				21-Sep-99	10.94	-0.52
				10-May-00	10.50	-0.08
				24-Oct-00	11.13	-0.71
				08-Feb-01	10.79	-0.37
MW-31	19.14			19-Dec-95	6.92	12.22
				26-Feb-96	6.99	12.15

Table 2
Well Construction and Groundwater Elevation Data
East Baybridge Center
Emeryville and Oakland, California

Well Number	Well Elevation (1)	Well Depth (2)	Screened Interval (2)	Date Measured	Depth to Water	Groundwater Elevation (3)
MW-32	15.52			29-Apr-96	7.54	11.60
				03-Sep-96	7.55	11.59
				13-Dec-96	6.72	12.42
				18-Feb-97	7.45	11.69
				26-May-97	7.45	11.69
				21-Aug-97	7.06	12.08
				02-Jan-98	7.30	11.84
				09-Mar-98	7.04	12.10
				14-Sep-98	7.38	11.76
				25-Mar-99	7.05	12.09
				21-Sep-99	7.43	11.71
				24-Oct-00	7.65	11.49
				08-Feb-01	7.62	11.52
				19-Dec-95	8.92	6.60
				26-Feb-96	8.48	7.04
				29-Apr-96	9.46	6.06
MW-34	11.97			03-Sep-96	9.20	6.32
				13-Dec-96	8.35	7.17
				18-Feb-97	9.15	6.37
				26-May-97	9.10	6.42
				21-Aug-97	9.32	6.20
				02-Jan-98	8.98	6.54
				09-Mar-98	8.29	7.23
				14-Sep-98	8.95	6.57
				25-Mar-99	8.04	7.48
				21-Sep-99	9.67	5.85
				24-Oct-00	9.91	5.61
				08-Feb-01	9.76	5.76
				19-Dec-95	11.20	0.77
				26-Feb-96	12.12	-0.15
				29-Apr-96	12.47	-0.50

Table 2
Well Construction and Groundwater Elevation Data
East Baybridge Center
Emeryville and Oakland, California

Well Number	Well Elevation (1)	Well Depth (2)	Screened Interval (2)	Date Measured	Depth to Water	Groundwater Elevation (3)
				08-Feb-01	12.22	-0.25
LF-13	9.19			19-Dec-95	2.86	6.33
				26-Feb-96	2.55	6.64
				29-Apr-96	6.13	3.06
				03-Sep-96	6.58	2.61
				13-Dec-96	1.67	7.52
				18-Feb-97	4.59	4.60
				21-Aug-97	NM	NM
				02-Jan-98	NM	NM
				09-Mar-98	NM	NM
				14-Sep-98	NM	NM
LF-22	17.99	20	10-20	25-Mar-99	NM	NM
				12-Sep-94	11.96	6.03
				30-Nov-94	9.69	8.30
				16-Feb-95	10.45	7.54
				08-May-95	11.40	6.59
				30-Aug-95	13.03	4.96
				19-Dec-95	9.42	8.57
				26-Feb-96	8.84	9.15
				29-Apr-96	10.29	7.70
				03-Sep-96	11.20	6.79
				13-Dec-96	8.18	9.81
				18-Feb-97	9.56	8.43
				26-May-97	10.90	7.09
				21-Aug-97	10.75	7.24
				02-Jan-98	9.33	8.66
				09-Mar-98	9.23	8.76
				14-Sep-98	10.55	7.44
				25-Mar-99	9.26	8.73
				21-Sep-99	10.03	7.96
LF-23	17.99	20	10-20	09-May-00	10.20	7.79
				24-Oct-00	11.88	6.11
				08-Feb-01	10.17	7.82
				12-Sep-94	12.24	5.75
				30-Nov-94	10.05	7.94
				16-Feb-95	11.10	6.89
				08-May-95	11.88	6.11
				30-Aug-95	13.38	4.61
				19-Dec-95	10.01	7.98
				26-Feb-96	8.97	9.02

Table 2
Well Construction and Groundwater Elevation Data
East Baybridge Center
Emeryville and Oakland, California

Well Number	Well Elevation (1)	Well Depth (2)	Screened Interval (2)	Date Measured	Depth to Water	Groundwater Elevation (3)
				13-Dec-96	8.47	9.52
				18-Feb-97	9.28	8.71
				26-May-97	10.71	7.28
				21-Aug-97	10.75	7.24
				02-Jan-98	9.57	8.42
				09-Mar-98	9.21	8.78
				14-Sep-98	10.97	7.02
				25-Mar-99	9.21	8.78
				21-Sep-99	10.35	7.64
				09-May-00	10.65	7.34
				24-Oct-00	12.40	5.59
				08-Feb-01	10.66	7.33
Extraction Wells						
EX-1 (LF-1)	23.51	NA	NA	12-Sep-94	24.83	-1.32
				30-Nov-94	19.16	4.35
				08-May-95	23.45	0.06
				30-Aug-95	23.45	0.06
				19-Dec-95	23.50	0.01
				26-Feb-96	18.38	5.13
				29-Apr-96	NM	NM
				03-Sep-96	22.15	1.36
				13-Dec-96	13.38	10.13
				09-Jan-97	10.65	12.86
				18-Feb-97	20.55	2.96
				26-May-97	19.40	4.11
				21-Aug-97	20.70	2.81
				02-Jan-98	9.70	13.81
				09-Mar-98	20.60	2.91
				14-Sep-98	NM	NM
				25-Mar-99	19.15	4.36
				24-Oct-00	22.40	1.11
				08-Feb-01	NM	NM
EX-2 (LF-2)	20.03	NA	NA	12-Sep-94	20.11	-0.08
				30-Nov-94	15.68	4.35
				08-May-95	20.70	-0.67
				30-Aug-95	20.68	-0.65
				19-Dec-95	20.40	-0.37
				26-Feb-96	14.91	5.12
				29-Apr-96	20.47	-0.44
				03-Sep-96	18.80	1.23
				13-Dec-96	NM	NM
				09-Jan-97	10.69	9.34
				18-Feb-97	NM	NM

Table 2
Well Construction and Groundwater Elevation Data
East Baybridge Center
Emeryville and Oakland, California

Well Number	Well Elevation (1)	Well Depth (2)	Screened Interval (2)	Date Measured	Depth to Water	Groundwater Elevation (3)
				26-May-97	23.50	-3.47
				21-Aug-97	23.46	-3.43
				02-Jan-98	NM	NM
				09-Mar-98	NM	NM
				14-Sep-98	22.05	-2.02
				25-Mar-99	22.35	-2.32
				24-Oct-00	18.92	1.11
				08-Feb-01	NM	NM
EX-3	20.96	24	7.5-24	12-Sep-94	22.33	-1.37
				30-Nov-94	15.50	5.46
				16-Feb-95	17.80	3.16
				08-May-95	19.80	1.16
				30-Aug-95	19.86	1.10
				19-Dec-95	17.00	3.96
				26-Feb-96	15.10	5.86
				29-Apr-96	16.21	4.75
				03-Sep-96	16.65	4.31
				13-Dec-96	12.95	8.01
				18-Feb-97	12.40	8.56
				26-May-97	13.11	7.85
				21-Aug-97	13.15	7.81
				02-Jan-98	10.86	10.10
				09-Mar-98	12.03	8.93
				14-Sep-98	15.36	5.60
				25-Mar-99	11.80	9.16
				21-Sep-99	16.80	4.16
				24-Oct-00	14.51	6.45
				08-Feb-01	12.75	8.21
EX-4	24.40	25	8-25	12-Sep-94	22.61	1.79
				30-Nov-94	20.70	3.70
				16-Feb-95	20.55	3.85
				08-May-95	20.85	3.55
				30-Aug-95	20.88	3.52
				19-Dec-95	19.41	4.99
				26-Feb-96	20.40	4.00
				29-Apr-96	19.75	4.65
				03-Sep-96	20.65	3.75
				13-Dec-96	18.59	5.81
				18-Feb-97	21.00	3.40
				26-May-97	21.00	3.40
				21-Aug-97	18.67	5.73
				02-Jan-98	13.09	11.31
				09-Mar-98	20.90	3.50

Table 2
Well Construction and Groundwater Elevation Data
East Baybridge Center
Emeryville and Oakland, California

Well Number	Well Elevation (1)	Well Depth (2)	Screened Interval (2)	Date Measured	Depth to Water	Groundwater Elevation (3)
				14-Sep-98	20.28	4.12
				25-Mar-99	18.85	5.55
				21-Sep-99	20.15	4.25
				24-Oct-00	20.42	3.98
				08-Feb-01	14.41	9.99
Deeper Wells						
MW-6D	28.48	45	32-40	12-Sep-94	11.09	17.39
				30-Nov-94	11.46	17.02
				16-Feb-95	10.67	17.81
				08-May-95	11.58	16.90
				30-Aug-95	12.93	15.55
				19-Dec-95	13.14	15.34
				26-Feb-96	10.14	18.34
				29-Apr-96	11.57	16.91
				03-Sep-96	11.48	17.00
				13-Dec-96	12.29	16.19
				18-Feb-97	10.75	17.73
				26-May-97	16.50	11.98
				21-Aug-97	10.86	17.62
				02-Jan-98	11.21	17.27
				09-Mar-98	9.97	18.51
				14-Sep-98	11.85	16.63
				25-Mar-99	11.55	16.93
				21-Sep-99	11.56	16.92
				10-May-00	14.50	13.98
				24-Oct-00	13.72	14.76
				08-Feb-01	12.26	16.22
MW-7D	26.27	40	27-40	12-Sep-94	11.32	14.95
				30-Nov-94	11.30	14.97
				16-Feb-95	11.01	15.26
				08-May-95	11.35	14.92
				30-Aug-95	12.65	13.62
				19-Dec-95	11.61	14.66
				26-Feb-96	9.84	16.43
				29-Apr-96	11.38	14.89
				03-Sep-96	11.18	15.09
				13-Dec-96	10.72	15.55
				18-Feb-97	10.45	15.82
				26-May-97	10.90	15.37
				21-Aug-97	10.75	15.52
				02-Jan-98	10.60	15.67
				09-Mar-98	9.87	16.40
				14-Sep-98	10.77	15.50

Table 2
Well Construction and Groundwater Elevation Data
East Baybridge Center
Emeryville and Oakland, California

Well Number	Well Elevation (1)	Well Depth (2)	Screened Interval (2)	Date Measured	Depth to Water	Groundwater Elevation (3)
				25-Mar-99	9.98	16.29
				21-Sep-99	11.15	15.12
				09-May-00	11.15	15.12
				24-Oct-00	12.13	14.14
				08-Feb-01	10.15	16.12
MW-9D	24.17	45	32-45	12-Sep-94	18.38	5.79
				30-Nov-94	16.35	7.82
				16-Feb-95	16.43	7.74
				08-May-95	16.96	7.21
				30-Aug-95	18.28	5.89
				19-Dec-95	16.50	7.67
				26-Feb-96	14.68	9.49
				29-Apr-96	16.85	7.32
				03-Sep-96	17.61	6.56
				13-Dec-96	15.23	8.94
				18-Feb-97	15.97	8.20
				26-May-97	17.14	7.03
				21-Aug-97	17.22	6.95
				02-Jan-98	16.10	8.07
				09-Mar-98	15.11	9.06
				14-Sep-98	17.29	6.88
				25-Mar-99	14.86	9.31
				21-Sep-99	17.50	6.67
				08-Feb-01	16.58	7.59
Deep Well						
MW-7Z	25.96	65	50-65	12-Sep-94	11.78	14.18
				30-Nov-94	10.76	15.20
				16-Feb-95	9.16	16.80
				08-May-95	9.85	16.11
				30-Aug-95	11.85	14.11
				19-Dec-95	10.89	15.07
				26-Feb-96	8.62	17.34
				29-Apr-96	9.91	16.05
				03-Sep-96	11.01	14.95
				13-Dec-96	10.31	15.65
				18-Feb-97	9.25	16.71
				26-May-97	13.00	12.96
				21-Aug-97	11.10	14.86
				02-Jan-98	NM	NM
				09-Mar-98	7.93	18.03
				14-Sep-98	10.72	15.24
				25-Mar-99	9.04	16.92
				21-Sep-99	10.50	15.46

Table 2
Well Construction and Groundwater Elevation Data
East Baybridge Center
Emeryville and Oakland, California

Well Number	Well Elevation (1)	Well Depth (2)	Screened Interval (2)	Date Measured	Depth to Water	Groundwater Elevation (3)
				10-May-00	11.20	14.76
				24-Oct-00	11.76	14.20
				08-Feb-01	12.67	13.29

Data updated by KCK 04/13/01 Proofed by K.E.G..

Notes:

- (1) Well elevation is in feet mean sea level as surveyed by Nolte and Associates in August 1994.
- (2) Well depth and screened interval are in feet below ground surface as measured at the time of well installation.
- (3) Water level elevation is in feet mean sea level.
- (4) Monitoring Well MW-1 was abandoned in December 1996.
- NA Not applicable, well associated with extraction trench
- NM Water level not measured.

**Table 3A: Summary of Sampling QA/QC
East Baybridge Center, Emeryville and Oakland, California**

Site Name:	Site Address:	Monitoring Period Covered:
East Baybridge Center	East Baybridge Center	January 1 through March 31, 2001
Emeryville and Oakland, CA		
Sampling Performed By: M. Dance		
Firm Name: LFR Levine - Fricke		
Firm Address: 1900 Powell Street, Emeryville, California		
Firm Contact: Ron Goloubow		
Firm Telephone Number: (510) 652-4500		
Were chain-of-custody forms completed for all samples? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Were field parameters stabilized prior to taking samples? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
For VOCs samples, was there zero head space in sample containers? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Were samples preserved according to analytical method? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Were the required field QA/QC samples taken? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
For any questions above answered with "No," please provide an explanation:		

Data entered by KEB. QA/QC by SXS.

Table 3B: Summary of Analytical QA/QC
East Baybridge Center, Emeryville and Oakland, California

Site Name:	Site Address:	Monitoring Period Covered:
East Baybridge Center	East Baybridge Center Emeryville and Oakland, CA	January 1 through March 31, 2001
Analysis Performed By:		
Lab Name:	Curtis and Tompkins, Ltd. 2323 Fifth Street, Berkeley, CA	
Lab Address:		
Lab Contact:	Tracy Babjar	
Lab Telephone Number:	510-486-0900	
Analytical Method Used: (check applicable methods)		
<input type="checkbox"/> Total Dissolved Solids by EPA Method _____		
<input type="checkbox"/> Bioassay 96-hr % survival by Standard Method _____		
<input type="checkbox"/> Turbidity (NTU) by EPA Method _____		
<input type="checkbox"/> Dissolved Oxygen (mg/l and % saturation) by Standard Method _____		
<input type="checkbox"/> Hardness (mg/l CaCO ₃) by EPA Method _____		
<input type="checkbox"/> Arsenic by EPA Method _____		
<input type="checkbox"/> Cadmium by EPA Method _____		
<input type="checkbox"/> Chromium (total) by EPA Method _____		
<input type="checkbox"/> Chromium (hexavalent) _____		
<input type="checkbox"/> Copper by EPA Method _____		
<input type="checkbox"/> Lead by EPA Method _____		
<input type="checkbox"/> Mercury by EPA Method _____		
<input type="checkbox"/> Nickel by EPA Method _____		
<input type="checkbox"/> Selenium by EPA Method _____		
<input type="checkbox"/> Silver by EPA Method _____		
<input type="checkbox"/> Zinc by EPA Method _____		
<input type="checkbox"/> Halogenated Volatile Organics by EPA Method 601 or 8010 _____		
<input type="checkbox"/> Aromatic and Unsaturated Volatile Organics by EPA 602 or 8020 _____		
<input checked="" type="checkbox"/> Volatile Organics by EPA Method 624 or 8240 _____		
<input type="checkbox"/> Semivolatile Organics by EPA Method 625 or 8270 _____		
<input type="checkbox"/> EDB and DBCP by EPA Method 504 _____		
<input type="checkbox"/> TPH gasoline by EPA Method 8015 modified _____		
<input type="checkbox"/> TPH diesel by EPA Method 8015 modified _____		
Is the lab state-certified for the above analytical method(s)? <input checked="" type="checkbox"/>		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Were analyses performed according to standard methods? <input checked="" type="checkbox"/>		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Were sample holding times met? <input checked="" type="checkbox"/>		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Were all reported analytical results values above MDLs? <input checked="" type="checkbox"/>		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Were QA/QC samples (i.e., blanks, field replicates, spikes, and surrogates) analyzed in accordance and consistent with the analytical method? <input checked="" type="checkbox"/>		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Did QA/QC results meet all acceptance criteria? <input checked="" type="checkbox"/>		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Are QA/QC results and acceptance criteria on file? <input checked="" type="checkbox"/>		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
For any questions above answered with "No", please provide an explanation: *		

Data entered by KEA. QA/QC by SXS.

* The explanation should describe any modifications to standard methods and whether approved by Board staff, and describe corrective actions taken in response to any QA/QC results that fall outside acceptance criteria

Table 4
Semiannual Summary of Groundwater Quality Data
East Baybridge Center
Emeryville and Oakland, California
(concentrations expressed in parts per million [ppm])

Well ID	Notes	Date Sampled	Lab	TPHg	TPHd	Benzene	Toluene	Ethyl-benzene	Total Xylenes	TCE	1,1,1-TCA	PCE	1,1-DCE	1,1-DCA	1,2-DCA	cis/trans-1,2-DCE	Total VOCs
Shallow Wells (20 to 25 feet below grade)																	
MW-1		13-Sep-94	AEN	<0.005	0.30	<0.0005	<0.0005	<0.0005	<0.0005	NA	NA	NA	NA	NA	NA	NA	NA
		30-Nov-94	AEN	NA	0.10	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		17-Feb-95	AEN	<0.05	0.08	<0.0005	<0.0005	<0.0005	<0.0005	NA	NA	NA	NA	NA	NA	NA	NA
		09-May-95	AEN	<0.05	0.20	<0.0005	<0.0005	<0.0005	<0.0005	NA	NA	NA	NA	NA	NA	NA	NA
		31-Aug-95	AEN	<0.05	0.30	<0.0005	<0.0005	<0.0005	<0.0005	NA	NA	NA	NA	NA	NA	NA	NA
		27-Dec-95	AEN	<0.05	0.10	<0.0005	<0.0005	<0.0005	<0.0005	NA	NA	NA	NA	NA	NA	NA	NA
		27-Feb-96	AEN	<0.05	0.18	<0.0005	<0.0005	<0.0005	<0.0005	NA	NA	NA	NA	NA	NA	NA	NA
		01-May-96	AEN	<0.05	0.10	<0.0005	<0.0005	<0.0005	<0.0005	NA	NA	NA	NA	NA	NA	NA	NA
		04-Sep-96	AEN	<0.05	0.25	<0.0005	<0.0005	<0.0005	<0.0005	NA	NA	NA	NA	NA	NA	NA	NA
MW-2		01-Dec-94	AEN	7.10	NA	0.065	<0.01	0.13	0.47	NA	NA	NA	NA	NA	NA	NA	NA
		17-Feb-95	AEN	3.50	0.30	0.045	0.005	0.11	0.35	NA	NA	NA	NA	NA	NA	NA	NA
		09-May-95	AEN	3.50	0.20	0.025	0.009	0.085	0.25	NA	NA	NA	NA	NA	NA	NA	NA
		31-Aug-95	AEN	0.90	0.20	0.011	<0.0005	0.032	0.072	NA	NA	NA	NA	NA	NA	NA	NA
		20-Dec-95	AEN	2.60	<0.05	0.016	0.002	0.079	0.24	NA	NA	NA	NA	NA	NA	NA	NA
		27-Feb-96	AEN	4.10	0.20	0.076	0.0095	0.21	0.62	NA	NA	NA	NA	NA	NA	NA	NA
		01-May-96	AEN	2.40	0.23	0.039	0.0047	0.098	0.26	NA	NA	NA	NA	NA	NA	NA	NA
		04-Sep-96	AEN	0.54	0.22	0.0024	<0.0005	0.018	0.045	NA	NA	NA	NA	NA	NA	NA	NA
		17-Dec-96	A2AC	0.776	<0.010	0.004	0.009	0.011	0.019	NA	NA	NA	NA	NA	NA	NA	NA
		18-Feb-97	AEN	1.2	0.24	0.015	0.0009	0.057	0.140	NA	NA	NA	NA	NA	NA	NA	NA
		15-May-97	AEN	0.46	0.11	0.0033	<0.0005	0.035	0.059	NA	NA	NA	NA	NA	NA	NA	NA
(44)		11-Dec-97	AEN	1.7	0.15	0.016	0.0010	0.061	0.106	NA	NA	NA	NA	NA	NA	NA	NA
		10-Mar-98	AEN	0.81	0.14	0.011	0.0006	0.045	0.086	NA	NA	NA	NA	NA	NA	NA	NA
		15-Sep-98	ENT	0.95	<0.05	0.0061	<0.0005	0.054	0.051	NA	NA	NA	NA	NA	NA	NA	NA
		02-Mar-99	CT	1.10	0.36	<0.0005	0.0016	0.042	0.052	NA	NA	NA	NA	NA	NA	NA	NA
		22-Sep-99	CT	0.29	0.082	<0.0005	<0.0005	0.019	0.015	NA	NA	NA	NA	NA	NA	NA	NA
		10-May-00	CT	0.92	0.085	<0.0005	0.0011	0.043	0.035	NA	NA	NA	NA	NA	NA	NA	NA
		12-Sep-00	CT	0.50	0.099	<0.0005	<0.0005	0.040	0.025	NA	NA	NA	NA	NA	NA	NA	NA
		12-Sep-94	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		01-Dec-94	AEN	NA	0.07	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		16-Feb-95	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
dup		08-May-95	AEN	NA	0.07	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		31-Aug-95	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		20-Dec-95	AEN	NA	<0.05	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		27-Feb-96	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		30-Apr-96	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		04-Sep-96	AEN	NA	0.11	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		17-Dec-96	A2AC	NA	<0.010	NA	NA	NA	NA	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	ND
		18-Feb-97	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		18-Feb-97	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		15-May-97	AEN	NA	0.08	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		21-Aug-97	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		11-Dec-97	AEN	NA	<0.05	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		10-Mar-98	AEN	NA	<0.05	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		15-Sep-98	ENT	NA	<0.05	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		03-Mar-99	CT	NA	<0.05	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		22-Sep-99	CT	NA	<0.05	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		09-May-00	CT	NA	<0.05	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		12-Sep-00	CT	NA	<0.05	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	0.0012	<0.0005	<0.0005	0.0012

Table 4
Semiannual Summary of Groundwater Quality Data
East Baybridge Center
Emeryville and Oakland, California
(concentrations expressed in parts per million [ppm])

Well ID	Notes	Date Sampled	Lab	TPHg	TPHd	Benzene	Toluene	Ethyl-benzene	Total Xylenes	TCE	1,1,1-TCA	PCE	1,1-DCE	1,1-DCA	1,2-DCA	cis/trans-1,2-DCE	Total VOCs
MW-4		01-Dec-94	AEN	NA	0.09	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
		08-May-95	AEN	NA	0.10	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	0.004	<0.0005	<0.0005	0.004	
		20-Dec-95	AEN	NA	0.09	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	0.001	<0.0005	<0.0005	0.001
		30-Apr-96	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	0.0022	<0.0005	<0.0005	0.0022
		04-Sep-96	AEN	NA	0.14	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
(27)		17-Dec-96	A2AC	NA	<0.010	NA	NA	NA	NA	<0.001	<0.001	<0.001	0.002	0.001	<0.001	0.001	0.004
		15-May-97	AEN	NA	0.45	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	0.0013	<0.0005	<0.0005	0.0013
		11-Dec-97	AEN	NA	0.08	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	0.0008	<0.0005	<0.0005	0.0008
		10-Mar-98	AEN	NA	0.08	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		15-Sep-98	ENT	NA	<0.05	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		03-Mar-99	CT	NA	0.071	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	0.0005	<0.0005	<0.0005	0.0005
		22-Sep-99	CT	NA	0.073	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		09-May-00	CT	NA	<0.05	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		11-Sep-00	CT	NA	<0.05	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	0.0005	<0.0005	<0.0005	0.0005
		09-Feb-01	CT	NA	0.072	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
MW-5		13-Sep-94	AEN	NA	NA	NA	NA	NA	NA	<0.0005	0.001	0.0007	0.003	0.002	<0.0005	<0.0005	0.0067
		01-Dec-94	AEN	NA	0.05	NA	NA	NA	NA	<0.0005	0.0007	0.0005	0.004	0.003	<0.0005	<0.0005	0.0082
		16-Feb-95	AEN	NA	NA	NA	NA	NA	NA	<0.0005	0.001	0.002	0.008	0.003	<0.0005	<0.0005	0.014
		08-May-95	AEN	NA	0.09	NA	NA	NA	NA	0.0005	0.002	0.002	0.016	0.005	<0.0005	<0.0005	0.0255
		31-Aug-95	AEN	NA	NA	NA	NA	NA	NA	0.0007	0.002	0.002	0.013	0.004	<0.0005	<0.0005	0.0217
		20-Dec-95	AEN	NA	0.1	NA	NA	NA	NA	<0.0005	0.001	0.0008	0.009	0.002	<0.0005	<0.0005	0.0128
		27-Feb-96	AEN	NA	NA	NA	NA	NA	NA	<0.0005	0.0008	0.0024	0.010	0.0029	<0.0005	<0.0005	0.0161
		30-Apr-96	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	0.001	0.0051	0.0021	<0.0005	<0.0005	0.0082
		04-Sep-96	AEN	NA	0.24	NA	NA	NA	NA	<0.0005	<0.0005	0.0010	0.0051	0.0022	<0.0005	<0.0005	0.0083
		17-Dec-96	A2AC	NA	NA	NA	NA	NA	NA	<0.001	<0.001	0.002	0.005	0.002	<0.001	<0.001	0.009
		18-Feb-97	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	0.0009	0.0079	0.002	<0.0005	<0.0005	0.0108
		15-May-97	AEN	NA	0.07	NA	NA	NA	NA	0.0006	0.0005	0.0021	0.019	0.0039	<0.0005	<0.0005	0.0261
duplicate		21-Aug-97	AEN	NA	NA	NA	NA	NA	NA	0.0006	<0.0005	0.0026	0.019	0.0041	<0.0005	<0.0005	0.0263
		21-Aug-97	AEN	NA	NA	NA	NA	NA	NA	0.0005	<0.0005	0.0024	0.015	0.0038	<0.0005	<0.0005	0.0217
		11-Dec-97	AEN	NA	0.06	NA	NA	NA	NA	<0.0005	<0.0005	0.0019	0.012	0.0029	<0.0005	<0.0005	0.0168
		10-Mar-98	AEN	NA	0.05	NA	NA	NA	NA	<0.0005	<0.0005	0.0015	0.0071	0.0024	<0.0005	<0.0005	0.011
		15-Sep-98	ENT	NA	<0.05	NA	NA	NA	NA	<0.0005	<0.005	0.0005	<0.0005	0.0015	<0.0005	<0.0005	0.002
		02-Mar-99	CT	NA	<0.05	NA	NA	NA	NA	<0.0005	<0.0005	0.0014	0.0092	0.0023	<0.0005	<0.0005	0.0129
		22-Sep-99	CT	NA	<0.05	NA	NA	NA	NA	<0.0005	<0.0005	0.0019	0.0048	0.0014	<0.0005	<0.0005	0.0081
		09-May-00	CT	NA	<0.05	NA	NA	NA	NA	<0.0005	<0.0005	0.0009	0.0052	0.0013	<0.0005	<0.0005	0.0074
		11-Sep-00	CT	NA	<0.05	NA	NA	NA	NA	<0.0005	<0.0005	0.0013	0.0057	0.0014	<0.0005	<0.0005	0.0084
		09-Feb-01	CT	NA	<0.05	NA	NA	NA	NA	<0.0005	<0.0005	0.0014	0.011	0.0019	<0.0005	<0.0005	0.0143
MW-6	(2)	13-Sep-94	AEN	NA	NA	NA	NA	NA	NA	0.0005	0.041	<0.0005	0.280	0.005	0.001	0.001	0.3285
	(6)	01-Dec-94	AEN	NA	0.08	NA	NA	NA	NA	0.0006	0.041	<0.0005	0.300	0.004	<0.0005	<0.0005	0.3456
duplicate		16-Feb-95	AEN	NA	NA	NA	NA	NA	NA	<0.003	0.039	<0.003	0.280	0.003	<0.003	<0.003	0.322
		16-Feb-95	AEN	NA	NA	NA	NA	NA	NA	<0.003	0.045	<0.003	0.290	0.004	<0.003	<0.003	0.339
		09-May-95	AEN	NA	0.20	NA	NA	NA	NA	<0.003	0.031	<0.003	0.260	0.003	<0.003	<0.003	0.294
		31-Aug-95	AEN	NA	NA	NA	NA	NA	NA	<0.003	0.032	<0.003	0.270	0.004	<0.003	<0.003	0.306
		28-Dec-95	AEN	NA	0.1	NA	NA	NA	NA	<0.003	0.040	<0.003	0.280	0.004	<0.003	<0.003	0.324
		27-Feb-96	AEN	NA	NA	NA	NA	NA	NA	<0.005	0.031	<0.005	0.270	<0.005	<0.005	<0.005	0.301
		01-May-96	AEN	NA	NA	NA	NA	NA	NA	<0.003	0.026	<0.003	<0.200	0.003	<0.003	<0.003	0.029
		04-Sep-96	AEN	NA	0.17	NA	NA	NA	NA	<0.003	0.033	<0.003	0.330	0.005	<0.003	<0.003	0.368
		17-Dec-96	A2AC	NA	<0.010	NA	NA	NA	NA	0.010	0.060	<0.001	0.310	<0.001	<0.001	<0.001	0.38
		18-Feb-97	AEN	NA	NA	NA	NA	NA	NA	<0.003	0.029	<0.003	0.260	0.003	<0.003	<0.003	0.292
		15-May-97	AEN	NA	0.07	NA	NA	NA	NA	<0.003	0.018	<0.003	0.200	0.004	<0.003	<0.003	0.222
		21-Aug-97	AEN	NA	NA	NA	NA	NA	NA	<0.003	0.019	<0.003	0.230	0.003	<0.003	<0.003	0.252

Table 4
Semiannual Summary of Groundwater Quality Data
East Baybridge Center
Emeryville and Oakland, California
(concentrations expressed in parts per million [ppm])

Well ID	Notes	Date Sampled	Lab	TPHg	TPHd	Benzene	Toluene	Ethyl-benzene	Total Xylenes	TCE	1,1,1-TCA	PCE	1,1-DCE	1,1-DCA	1,2-DCA	cis/trans-1,2-DCE	Total VOCs
(61)		11-Dec-97	AEN	NA	0.07	NA	NA	NA	NA	<0.003	0.020	<0.003	0.210	0.004	<0.003	<0.003	0.234
		09-Mar-98	AEN	NA	0.08	NA	NA	NA	NA	<0.003	0.015	<0.003	0.180	0.003	<0.003	<0.003	0.198
		14-Sep-98	ENT	NA	<0.05	NA	NA	NA	NA	<0.003	0.0099	<0.003	0.210	0.0048	<0.003	<0.003	0.2247
		02-Mar-99	CT	NA	<0.05	NA	NA	NA	NA	<0.001	0.015	<0.001	0.210	0.0045	<0.001	<0.001	0.2295
		22-Sep-99	CT	NA	0.059	NA	NA	NA	NA	<0.001	0.015	<0.001	0.240	0.0045	<0.001	<0.001	0.2624
		10-May-00	CT	NA	<0.05	NA	NA	NA	NA	<0.001	0.0098	<0.001	0.190	0.0033	<0.001	<0.001	0.2031
		11-Sep-00	CT	NA	<0.05	NA	NA	NA	NA	<0.0005	0.011	<0.0005	0.180	0.0034	<0.0005	<0.0005	0.1969
MW-7		09-Feb-01	CT	NA	0.059	NA	NA	NA	NA	<0.0005	0.0086	<0.0005	0.160	0.0033	<0.0005	<0.0005	0.1731
		12-Sep-94	AEN	NA	NA	NA	NA	NA	NA	<0.0005	0.017	<0.0005	0.160	0.003	0.0009	<0.0005	0.1809
		30-Nov-94	AEN	NA	NA	NA	NA	NA	NA	<0.0005	0.016	<0.0005	0.170	0.003	<0.0005	<0.0005	0.189
		16-Feb-95	AEN	NA	NA	NA	NA	NA	NA	<0.003	0.011	<0.003	0.120	<0.003	<0.003	<0.003	0.131
		09-May-95	AEN	NA	0.09	NA	NA	NA	NA	<0.0005	0.015	<0.0005	0.180	0.004	<0.0005	<0.0005	0.199
		30-Aug-95	AEN	NA	NA	NA	NA	NA	NA	<0.003	0.012	<0.003	0.140	0.003	<0.003	<0.003	0.155
		20-Dec-95	AEN	NA	<0.05	NA	NA	NA	NA	<0.003	0.011	<0.003	0.170	<0.003	<0.003	<0.003	0.181
duplicate		27-Feb-96	AEN	NA	NA	NA	NA	NA	NA	<0.003	0.018	<0.003	0.210	0.0035	<0.003	<0.003	0.2315
		27-Feb-96	AEN	NA	NA	NA	NA	NA	NA	<0.003	0.017	<0.003	0.210	0.003	<0.003	<0.003	0.23
		30-Apr-96	AEN	NA	NA	NA	NA	NA	NA	<0.003	0.016	<0.003	0.220	0.003	<0.003	<0.003	0.239
		03-Sep-96	AEN	NA	0.11	NA	NA	NA	NA	<0.003	0.021	<0.003	0.290	0.004	<0.003	<0.003	0.315
		17-Dec-96	A2AC	NA	<0.010	NA	NA	NA	NA	<0.001	0.050	<0.001	0.280	<0.001	<0.001	<0.001	0.33
		19-Feb-97	AEN	NA	NA	NA	NA	NA	NA	<0.003	0.007	<0.003	0.150	<0.003	<0.003	<0.003	0.157
		15-May-97	AEN	NA	<0.05	NA	NA	NA	NA	<0.003	0.014	<0.003	0.230	0.005	<0.003	<0.003	0.249
duplicate		21-Aug-97	AEN	NA	NA	NA	NA	NA	NA	<0.003	0.013	<0.003	0.250	0.005	<0.003	<0.003	0.268
		11-Dec-97	AEN	NA	0.06	NA	NA	NA	NA	<0.003	0.014	<0.003	0.220	0.006	<0.003	<0.003	0.24
		09-Mar-98	AEN	NA	0.05	NA	NA	NA	NA	<0.003	0.010	<0.003	0.170	0.005	<0.003	<0.003	0.185
		15-Sep-98	ENT	NA	<0.05	NA	NA	NA	NA	<0.0005	0.0097	<0.0005	0.270	0.008	<0.0005	<0.0005	0.2876
		15-Sep-98	ENT	NA	<0.05	NA	NA	NA	NA	<0.0005	0.0064	<0.0005	0.190	0.0089	<0.0005	<0.0005	0.2053
		(51)	02-Mar-99	CT	NA	0.055	NA	NA	NA	<0.0005	0.011	<0.0005	0.200	0.0081	<0.0005	<0.0005	0.2263
		(60)	22-Sep-99	CT	NA	0.076	NA	NA	NA	0.0012	0.010	<0.0005	0.220	0.0076	<0.0005	<0.0005	0.247
duplicate		(64)	09-May-00	CT	NA	<0.05	NA	NA	NA	0.0011	0.008	<0.0005	0.220	0.0062	<0.0005	<0.0005	0.243
		(67)	11-Sep-00	CT	NA	NA	NA	NA	NA	<0.0005	0.004	<0.0005	0.120	0.0043	<0.0005	<0.0005	0.1349
		(68)	11-Sep-00	CT	NA	NA	NA	NA	NA	<0.0005	0.0043	<0.0005	0.120	0.0044	<0.0005	<0.0005	0.135
MW-8		(73)	09-Feb-01	CT	NA	0.056	NA	NA	NA	<0.0005	0.0041	<0.0005	0.140	0.0051	<0.0005	<0.0005	0.1544
		(3)	13-Sep-94	AEN	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	0.0005	<0.0005	<0.0005	0.0005
		02-Dec-94	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		16-Feb-95	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		09-May-95	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		31-Aug-95	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		20-Dec-95	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
duplicate		27-Feb-96	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		29-Apr-96	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		04-Sep-96	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		17-Dec-96	A2AC	NA	NA	NA	NA	NA	NA	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	ND
		19-Feb-97	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		15-May-97	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		15-May-97	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		21-Aug-97	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		11-Dec-97	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		10-Mar-98	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		15-Sep-98	ENT	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		02-Mar-99	CT	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		21-Sep-99	CT	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND

Table 4
Semiannual Summary of Groundwater Quality Data
East Baybridge Center
Emeryville and Oakland, California
(concentrations expressed in parts per million [ppm])

Well ID	Notes	Date Sampled	Lab	TPHg	TPHd	Benzene	Toluene	Ethyl-benzene	Total Xylenes	TCE	1,1,1-TCA	PCE	1,1-DCE	1,1-DCA	1,2-DCA	cis/trans-1,2-DCE	Total VOCs
		09-May-00	CT	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND
		12-Sep-00	CT	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND
MW-9		12-Sep-94	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	0.017	< 0.0005	0.120	0.0005	0.006	< 0.0005	0.1435
duplicate		12-Sep-94	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	0.015	< 0.0005	0.120	0.0005	0.009	< 0.0005	0.1445
duplicate		30-Nov-94	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	0.016	< 0.0005	0.150	0.0005	< 0.0005	< 0.0005	0.1665
		30-Nov-94	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	0.016	< 0.0005	0.160	0.0005	< 0.0005	< 0.0005	0.1765
		16-Feb-95	AEN	NA	NA	NA	NA	NA	NA	< 0.003	0.014	< 0.003	0.120	< 0.003	< 0.003	< 0.003	0.134
		08-May-95	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	0.013	< 0.0005	0.110	0.005	< 0.0005	< 0.0005	0.128
		31-Aug-95	AEN	NA	NA	NA	NA	NA	NA	< 0.003	0.013	< 0.003	0.130	0.004	< 0.003	< 0.003	0.147
		20-Dec-95	AEN	NA	NA	NA	NA	NA	NA	< 0.003	0.009	< 0.003	0.092	< 0.003	< 0.003	< 0.003	0.101
		27-Feb-96	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	0.0099	< 0.0005	0.087	0.0035	< 0.0005	< 0.0005	0.1004
		03-Sep-96	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	0.0083	< 0.0005	0.099	0.0030	< 0.0005	< 0.0005	0.1103
		03-Sep-96	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	0.0078	< 0.0005	0.097	0.0026	< 0.0005	< 0.0005	0.1074
	dup	17-Dec-96	A2AC	NA	NA	NA	NA	NA	NA	< 0.001	0.005	< 0.001	0.059	0.002	< 0.001	< 0.001	0.066
	dup	17-Dec-96	A2AC	NA	NA	NA	NA	NA	NA	< 0.001	0.006	< 0.001	0.064	0.002	< 0.001	< 0.001	0.072
		19-Feb-97	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	0.008	< 0.0005	0.087	0.0023	< 0.0005	< 0.0005	0.0973
		15-May-97	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	0.0056	< 0.0005	0.063	0.0025	< 0.0005	< 0.0005	0.0711
		22-Aug-97	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	0.0080	< 0.0005	0.067	0.0022	< 0.0005	< 0.0005	0.0772
		11-Dec-97	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	0.0050	< 0.0005	0.058	0.0022	< 0.0005	< 0.0005	0.0652
		10-Mar-98	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	0.0060	< 0.0005	0.084	0.0018	< 0.0005	< 0.0005	0.0918
		14-Sep-98	ENT	NA	NA	NA	NA	NA	NA	< 0.0005	0.0037	< 0.0005	0.078	0.0030	< 0.0005	< 0.0005	0.0847
		02-Mar-99	CT	NA	NA	NA	NA	NA	NA	< 0.0005	0.0049	< 0.0005	0.078	0.0022	< 0.0005	< 0.0005	0.0851
		22-Sep-99	CT	NA	NA	NA	NA	NA	NA	< 0.0005	0.0052	0.0013	0.091	0.0022	< 0.0005	< 0.0005	0.0997
		08-Feb-01	CT	NA	<.05	NA	NA	NA	NA	< 0.0005	0.0020	< 0.0005	0.044	0.0014	< 0.0005	< 0.0005	0.0474
MW-10R		20-Dec-95	AEN	NA	NA	NA	NA	NA	NA	0.910	< 0.005	0.007	< 0.005	< 0.005	< 0.005	0.222	1.139
	(19)	29-Apr-96	AEN	NA	NA	NA	NA	NA	NA	0.650	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.65
	(28)	17-Dec-96	A2AC	NA	NA	NA	NA	NA	NA	0.610	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	0.77
	(47)	15-May-97	AEN	NA	NA	NA	NA	NA	NA	0.500	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.656
		12-Dec-97	AEN	NA	NA	NA	NA	NA	NA	0.420	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.545
		10-Mar-98	AEN	NA	NA	NA	NA	NA	NA	0.500	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.64
		15-Sep-98	ENT	NA	NA	NA	NA	NA	NA	0.550	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.582
		03-Mar-99	CT	NA	NA	NA	NA	NA	NA	0.390	0.0011	0.0045	0.0019	< 0.0005	0.0005	0.141	0.539
		21-Sep-99	CT	NA	NA	NA	NA	NA	NA	0.400	< 0.0017	0.0065	0.0020	< 0.0017	< 0.0017	0.113	0.5315
		09-May-00	CT	NA	NA	NA	NA	NA	NA	0.340	< 0.0013	0.004	0.0016	< 0.0013	< 0.0013	0.108	0.4636
		(65)	09-May-00	CT	NA	NA	NA	NA	NA	0.320	< 0.0013	0.0033	0.0170	< 0.0013	< 0.0013	0.100	0.4495
		(66)	09-May-00	CT	NA	NA	NA	NA	NA	0.410	< 0.0017	0.0037	0.0021	< 0.0017	< 0.0017	0.144	0.5728
MW-12R		27-Dec-95	AEN	NA	0.2	NA	NA	NA	NA	0.003	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	0.002	0.005
		27-Feb-96	AEN	< 0.05	0.36	< 0.0005	< 0.0005	< 0.0005	< 0.002	NA	NA	NA	NA	NA	NA	NA	NA
	(20)	30-Apr-96	AEN	< 0.05	0.23	< 0.0005	< 0.0005	< 0.0005	< 0.002	0.0025	< 0.0005	< 0.0005	< 0.0005	0.0024	< 0.0005	< 0.0005	0.0049
		17-Dec-96	A2AC	NA	< 0.010	NA	NA	NA	NA	0.001	< 0.001	< 0.001	< 0.001	0.005	< 0.001	0.004	0.01
		15-May-97	AEN	NA	0.29	NA	NA	NA	NA	0.0009	< 0.0005	< 0.0005	< 0.0005	0.0059	< 0.0005	0.0007	0.0075
		12-Dec-97	AEN	NA	0.44	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	0.0014	< 0.0005	< 0.0005	0.0014
		10-Mar-98	AEN	NA	0.49	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND
		16-Sep-98	ENT	NA	< 0.05	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND
		03-Mar-99	CT	NA	0.47	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	0.0006	< 0.0005	< 0.0005	#REF!
		22-Sep-99	CT	NA	0.46	NA	NA	NA	NA	0.0006	< 0.0005	< 0.0005	< 0.0005	0.0013	< 0.0005	0.0009	#REF!
		09-May-00	CT	NA	0.38	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005
		12-Sep-00	CT	NA	0.43	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	0.001	< 0.0005	0.0007	0.0017
MW-31R		27-Dec-95	AEN	NA	0.3	NA	NA	NA	NA	0.018	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	0.009	0.027

Table 4
Semiannual Summary of Groundwater Quality Data
East Baybridge Center
Emeryville and Oakland, California
(concentrations expressed in parts per million [ppm])

Well ID	Notes	Date Sampled	Lab	TPHg	TPHd	Benzene	Toluene	Ethyl-benzene	Total Xylenes	TCE	1,1,1-TCA	PCE	1,1-DCE	1,1-DCA	1,2-DCA	cis/trans-1,2-DCE	Total VOCs
(21)		27-Feb-96	AEN	<0.05	0.37	<0.0005	<0.0005	<0.002	NA	NA	NA	NA	NA	NA	NA	NA	NA
		30-Apr-96	AEN	NA	0.19	NA	NA	NA	0.015	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.015
		05-Sep-96	AEN	NA	0.54	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
		17-Dec-96	A2AC	NA	<0.010	NA	NA	NA	NA	0.008	<0.001	<0.001	<0.001	<0.001	<0.001	0.004	0.012
MW-32R	(15)	19-Feb-97	AEN	NA	0.49	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
		22-Dec-95	AEN	NA	0.2	NA	NA	NA	NA	0.058	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.055	0.113
		27-Feb-96	AEN	<0.05	0.26	<0.0005	<0.0005	<0.0005	<0.002	NA	NA	NA	NA	NA	NA	NA	NA
	(22)	01-May-96	AEN	NA	0.17	NA	NA	NA	NA	0.074	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.074
(31)		05-Sep-96	AEN	NA	0.34	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
		17-Dec-96	A2AC	NA	<0.010	NA	NA	NA	NA	0.110	<0.001	<0.001	<0.001	<0.001	<0.001	0.100	0.21
		19-Feb-97	AEN	NA	0.35	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-34R		27-Dec-95	AEN	NA	0.3	NA	NA	NA	NA	0.009	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.009
	(23)	29-Apr-96	AEN	NA	NA	NA	NA	NA	NA	0.035	0.0011	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0361
		17-Dec-96	AEN	NA	NA	NA	NA	NA	NA	0.018	<0.001	<0.001	0.002	<0.001	<0.001	0.005	0.025
	(40)	15-May-97	AEN	NA	NA	NA	NA	NA	NA	0.0028	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0036
	(46)	12-Dec-97	AEN	NA	NA	NA	NA	NA	NA	0.0012	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0012
	(49)	10-Mar-98	AEN	NA	NA	NA	NA	NA	NA	0.020	<0.0005	<0.0005	0.0021	<0.0005	<0.0005	0.0015	0.249
		16-Sep-98	ENT	NA	NA	NA	NA	NA	NA	0.0073	<0.0005	<0.0005	0.0010	<0.0005	<0.0005	0.0022	0.0022
	(54)	03-Mar-99	CT	NA	NA	NA	NA	NA	NA	0.011	<0.0005	<0.0005	0.0022	<0.0005	<0.0005	0.002	#REF!
	(57)	21-Sep-99	CT	NA	NA	NA	NA	NA	NA	0.018	0.0006	0.0013	0.0038	0.0007	<0.0005	0.0032	#REF!
	(57)	21-Sep-99	CT	NA	NA	NA	NA	NA	NA	0.017	0.0006	0.0013	0.0035	0.0007	<0.0005	0.0032	#REF!
duplicate		09-May-00	CT	NA	NA	NA	NA	NA	NA	0.018	<0.0005	<0.0005	0.0033	0.0006	<0.0005	0.0027	#REF!
	(71)	12-Sep-00	CT	NA	NA	NA	NA	NA	NA	0.036	0.0007	<0.0005	0.004	0.0008	<0.0005	0.0038	0.046
LF-13		09-May-95	AEN	NA	NA	NA	NA	NA	NA	0.006	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.006
		28-Dec-95	AEN	NA	NA	NA	NA	NA	NA	0.006	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.006
		30-Apr-96	AEN	NA	NA	NA	NA	NA	NA	0.0031	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0031
	(38)	30-Apr-96	AEN	NA	NA	NA	NA	NA	NA	0.0031	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0031
LF-22		17-Dec-96	A2AC	NA	NA	NA	NA	NA	NA	0.003	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.003
		12-Jul-91	ANA	NA	NA	NA	NA	NA	NA	0.0007	0.012	0.0017	0.053	0.0063	0.0016	<0.0005	0.0753
		07-Jan-92	ANA	NA	NA	NA	NA	NA	NA	<0.0005	0.009	0.0037	0.041	0.0054	0.0011	<0.0005	0.0602
		16-Apr-92	ANA	NA	NA	NA	NA	NA	NA	<0.0005	0.0026	0.0018	0.015	0.0021	<0.0005	<0.0005	0.0215
	(1)	23-Jul-92	ANA	NA	NA	NA	NA	NA	NA	<0.0005	0.0034	0.0014	0.027	0.0052	<0.0005	<0.0005	0.037
		20-Oct-92	ANA	NA	NA	NA	NA	NA	NA	0.0008	0.0013	0.0007	0.014	0.004	<0.0005	<0.0005	0.02074
		25-May-93	ANA	NA	NA	NA	NA	NA	NA	<0.0005	0.0008	0.0006	0.0061	0.0024	<0.0005	<0.0005	0.00992
		13-Jul-93	ANA	NA	NA	NA	NA	NA	NA	0.0007	0.001	0.0009	0.0077	0.0033	<0.0005	<0.0005	0.01352
	(4)	13-Sep-94	AEN	NA	NA	NA	NA	NA	NA	0.004	<0.0005	0.008	0.003	0.001	0.0007	<0.0005	0.0167
		01-Dec-94	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	0.0006	0.0009	<0.0005	<0.0005	0.0015
duplicate		17-Feb-95	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	0.0006	0.0007	0.001	<0.0005	<0.0005	0.0023
		09-May-95	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	0.0007	0.0007	<0.0005	<0.0005	0.0014
		09-May-95	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	0.0005	0.0006	<0.0005	<0.0005	0.0011
	(11)	31-Aug-95	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	0.001	0.001	<0.0005	<0.0005	0.002
duplicate	(11)	31-Aug-95	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	0.001	0.001	<0.0005	<0.0005	0.002
		20-Dec-95	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		27-Feb-96	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
	(24)	29-Apr-96	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
duplicate		04-Sep-96	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		17-Dec-96	A2AC	NA	NA	NA	NA	NA	NA	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	ND
		18-Feb-97	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		16-May-97	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND

Table 4
Semiannual Summary of Groundwater Quality Data
East Baybridge Center
Emeryville and Oakland, California
(concentrations expressed in parts per million [ppm])

Well ID	Notes	Date Sampled	Lab	TPHg	TPHd	Benzene	Toluene	Ethyl-benzene	Total Xylenes	TCE	1,1,1-TCA	PCE	1,1-DCE	1,1-DCA	1,2-DCA	cis/trans-1,2-DCE	Total VOCs
		22-Aug-97	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		12-Dec-97	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		09-Mar-98	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		16-Sep-98	ENT	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		03-Mar-99	CT	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		22-Sep-99	CT	NA	NA	NA	NA	NA	NA	0.0008	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0008
		09-May-00	CT	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		12-Sep-00	CT	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		08-Feb-01	CT	NA	<.05	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LF-23		12-Jul-91	ANA	NA	NA	NA	NA	NA	NA	0.0039	0.0009	0.027	0.0012	0.011	0.0009	<0.0005	0.0449
		07-Jan-92	ANA	NA	NA	NA	NA	NA	NA	0.0007	0.0023	0.056	0.0034	0.012	0.0013	<0.0005	0.082
		16-Apr-92	ANA	NA	NA	NA	NA	NA	NA	0.0036	0.0007	0.020	0.0044	0.0044	0.0011	<0.0005	0.03418
		23-Jul-92	ANA	NA	NA	NA	NA	NA	NA	0.0038	0.0013	0.029	0.0061	0.0044	0.0014	<0.0005	0.046
		20-Oct-92	ANA	NA	NA	NA	NA	NA	NA	0.0033	0.0005	0.023	0.0047	0.002	0.0015	<0.0005	0.03504
		25-May-93	ANA	NA	NA	NA	NA	NA	NA	0.0042	0.0007	0.016	0.0035	0.0017	0.0019	<0.0005	0.02795
		13-Jul-93	ANA	NA	NA	NA	NA	NA	NA	0.0081	0.0015	0.018	0.0074	0.0033	0.0051	<0.0005	0.0434
		13-Sep-94	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	0.0006	0.002	0.003	0.0007	<0.0005	0.0063
	(7)	01-Dec-94	AEN	NA	NA	NA	NA	NA	NA	0.004	<0.0005	0.008	0.0006	<0.0005	<0.0005	0.002	0.0146
	(8)	17-Feb-95	AEN	NA	NA	NA	NA	NA	NA	0.003	<0.0005	0.006	<0.0005	<0.0005	<0.0005	0.002	0.011
	(9)	09-May-95	AEN	NA	NA	NA	NA	NA	NA	0.002	<0.0005	0.005	<0.0005	<0.0005	<0.0005	0.001	0.008
	(10)	31-Aug-95	AEN	NA	NA	NA	NA	NA	NA	0.002	<0.0005	0.007	0.0007	0.0007	<0.0005	0.001	0.0114
	(14)	20-Dec-95	AEN	NA	NA	NA	NA	NA	NA	0.0001	<0.0005	0.006	<0.0005	<0.0005	<0.0005	<0.0005	0.007
	(18)	27-Feb-96	AEN	NA	NA	NA	NA	NA	NA	0.0008	<0.0005	0.0038	<0.0005	<0.0005	<0.0005	<0.0005	0.0046
	(25)	29-Apr-96	AEN	NA	NA	NA	NA	NA	NA	0.0006	<0.0005	0.0028	<0.0005	<0.0005	<0.0005	<0.0005	0.0034
	(26)	04-Sep-96	AEN	NA	NA	NA	NA	NA	NA	0.0014	<0.0005	0.0032	<0.0005	<0.0005	<0.0005	<0.0005	0.0046
	(35)	17-Dec-96	A2AC	NA	NA	NA	NA	NA	NA	0.0001	<0.001	0.003	<0.001	<0.001	<0.001	<0.001	0.004
	(39)	18-Feb-97	AEN	NA	NA	NA	NA	NA	NA	0.0007	<0.0005	0.0017	<0.0005	<0.0005	<0.0005	<0.0005	0.0024
	(41)	16-May-97	AEN	NA	NA	NA	NA	NA	NA	0.0014	<0.0005	0.0021	<0.0005	<0.0005	<0.0005	0.0012	0.0047
	(43)	22-Aug-97	AEN	NA	NA	NA	NA	NA	NA	0.0013	<0.0005	0.0025	<0.0005	<0.0005	<0.0005	0.0009	0.0047
	(45)	11-Dec-97	AEN	NA	NA	NA	NA	NA	NA	0.0010	<0.0005	0.0019	<0.0005	<0.0005	<0.0005	0.0009	0.0038
	(48)	09-Mar-98	AEN	NA	NA	NA	NA	NA	NA	0.0010	<0.0005	0.0024	<0.0005	<0.0005	<0.0005	0.0005	0.0045
		16-Sep-98	ENT	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	0.0007	<0.0005	<0.0005	<0.0005	<0.0005	0.0007
	(53)	03-Mar-99	CT	NA	NA	NA	NA	NA	NA	0.0007	<0.0005	0.001	<0.0005	<0.0005	<0.0005	0.0006	0.0034
	(59)	22-Sep-99	CT	NA	NA	NA	NA	NA	NA	0.0008	<0.0005	0.0016	<0.0005	<0.0005	<0.0005	<0.0005	0.0047
		09-May-00	CT	NA	NA	NA	NA	NA	NA	0.0006	<0.0005	0.0007	<0.0005	<0.0005	<0.0005	<0.0005	0.0013
		12-Sep-00	CT	NA	NA	NA	NA	NA	NA	0.0008	<0.0005	0.0014	<0.0005	0.001	0.0007	<0.0005	0.0036
		08-Feb-01	CT	NA	0.059	NA	NA	NA	NA	0.0005	<0.0005	0.0009	<0.0005	<0.0005	<0.0005	<0.0005	0.0014
	duplicate	08-Feb-01	CT	NA	0.073	NA	NA	NA	NA	0.0006	<0.0005	0.0008	<0.0005	<0.0005	<0.0005	<0.0005	0.0014

Shallow Extraction Wells (20 to 30 feet below grade)																	
EX-3	14-Sep-94	AEN	NA	NA	NA	NA	NA	NA	NA	0.004	0.014	0.042	0.100	0.005	0.001	0.008	0.174
	02-Dec-94	AEN	NA	0.10	NA	NA	NA	NA	NA	0.004	0.015	0.045	0.140	0.005	<0.0005	<0.0005	0.209
	17-Feb-95	AEN	NA	<0.05	NA	NA	NA	NA	NA	0.003	0.014	0.037	0.096	0.005	<0.0005	<0.0005	0.155
	09-May-95	AEN	NA	0.10	NA	NA	NA	NA	NA	0.003	0.012	0.031	0.120	0.005	<0.0005	<0.0005	0.171
	31-Aug-95	AEN	NA	0.10	NA	NA	NA	NA	NA	<0.003	0.012	0.027	0.120	0.005	<0.003	<0.003	0.164
	28-Dec-95	AEN	NA	0.10	NA	NA	NA	NA	NA	<0.003	0.009	0.036	0.160	0.004	<0.003	<0.003	0.209
	27-Feb-96	AEN	NA	0.12	NA	NA	NA	NA	NA	<0.003	0.0077	0.030	0.120	0.0032	<0.003	<0.003	0.1609
	30-Apr-96	AEN	NA	0.08	NA	NA	NA	NA	NA	<0.003	0.008	0.026	0.120	0.003	<0.003	<0.003	0.157
	05-Sep-96	AEN	NA	0.14	NA	NA	NA	NA	NA	<0.003	0.008	0.029	0.140	0.004	<0.003	<0.003	0.181
	17-Dec-96	A2AC	NA	<0.010	NA	NA	NA	NA	NA	0.006	0.010	0.020	0.098	0.003	<0.001	0.004	0.141
	19-Feb-97	AEN	NA	<0.05	NA	NA	NA	NA	NA	<0.003	0.006	<0.003	0.070	<0.003	<0.003	<0.003	0.076

Table 4
Semiannual Summary of Groundwater Quality Data
East Baybridge Center
Emeryville and Oakland, California
(concentrations expressed in parts per million [ppm])

Well ID	Notes	Date Sampled	Lab	TPHg	TPHd	Benzene	Toluene	Ethyl-benzene	Total Xylenes	TCE	1,1,1-TCA	PCE	1,1-DCE	1,1-DCA	1,2-DCA	cis/trans-1,2-DCE	Total VOCs
(42)	15-May-97	AEN	NA	0.12	NA	NA	NA	NA	<0.0005	0.007	0.0048	0.082	0.0025	<0.0005	<0.0005	0.0963	
	21-Aug-97	AEN	NA	<0.05	NA	NA	NA	NA	<0.0005	0.0073	0.0053	0.075	0.0022	<0.0005	<0.0005	0.0898	
	12-Dec-97	AEN	NA	0.06	NA	NA	NA	NA	<0.0005	0.0079	0.0050	0.083	0.0029	<0.0005	<0.0005	0.0988	
	09-Mar-98	AEN	NA	0.05	NA	NA	NA	NA	<0.0005	0.0043	0.0035	0.062	0.0021	<0.0005	<0.0005	0.0719	
	16-Sep-98	ENT	NA	<0.05	NA	NA	NA	NA	<0.0005	0.0037	0.0300	0.150	<0.0005	<0.0005	<0.0005	0.1837	
	14-Jun-99	CT	NA	0.056	NA	NA	NA	NA	0.0021	0.0075	0.0270	0.160	0.0040	<0.0005	<0.0005	0.2006	
	23-Sep-99	CT	NA	<0.05	NA	NA	NA	NA	0.0024	0.0062	0.0310	0.140	0.0039	<0.0005	<0.0005	0.1835	
	10-May-00	CT	NA	<0.05	NA	NA	NA	NA	0.0022	0.0060	0.0260	0.160	0.0041	<0.0005	<0.0005	0.1983	
EX-4	24-Oct-00	CT	NA	<0.05	NA	NA	NA	NA	0.0016	0.0047	0.0210	0.130	0.0035	0.0007	<0.0005	0.1615	
	14-Sep-94	AEN	NA	NA	NA	NA	NA	NA	<0.0005	0.025	0.010	0.220	0.006	0.001	<0.0005	0.262	
	02-Dec-94	AEN	NA	0.09	NA	NA	NA	NA	<0.0005	0.020	0.011	0.240	0.006	<0.0005	<0.0005	0.277	
	17-Feb-95	AEN	NA	<0.05	NA	NA	NA	NA	<0.003	0.017	0.011	0.210	0.004	<0.003	<0.003	0.242	
	09-May-95	AEN	NA	0.10	NA	NA	NA	NA	<0.003	0.020	0.011	0.210	0.004	<0.003	<0.003	0.245	
	31-Aug-95	AEN	NA	0.20	NA	NA	NA	NA	<0.003	0.016	0.010	0.200	0.005	<0.003	<0.003	0.231	
	28-Dec-95	AEN	NA	0.10	NA	NA	NA	NA	<0.003	0.014	0.014	0.210	0.004	<0.003	<0.003	0.242	
	27-Feb-96	AEN	NA	0.13	NA	NA	NA	NA	<0.0005	0.0086	0.012	0.150	<0.0005	<0.0005	<0.0005	0.1706	
	30-Apr-96	AEN	NA	0.06	NA	NA	NA	NA	<0.003	0.010	0.010	0.150	<0.003	<0.003	<0.003	0.17	
	05-Sep-96	AEN	NA	0.14	NA	NA	NA	NA	<0.003	0.008	0.009	0.140	0.003	<0.003	<0.003	0.16	
	17-Dec-96	A2AC	NA	0.334	NA	NA	NA	NA	0.001	0.009	0.010	0.090	0.003	<0.001	0.004	0.117	
	19-Feb-97	AEN	NA	0.11	NA	NA	NA	NA	<0.003	0.005	0.005	0.097	<0.003	<0.003	<0.003	0.107	
	15-May-97	AEN	NA	0.17	NA	NA	NA	NA	<0.003	0.006	0.008	0.110	0.003	<0.003	<0.003	0.127	
	21-Aug-97	AEN	NA	0.13	NA	NA	NA	NA	<0.003	0.005	0.007	0.087	<0.003	<0.003	<0.003	0.099	
	12-Dec-97	AEN	NA	<0.05	NA	NA	NA	NA	<0.003	0.007	0.014	0.097	0.003	<0.003	<0.003	0.121	
	09-Mar-98	AEN	NA	0.13	NA	NA	NA	NA	<0.0005	0.0051	0.0098	0.072	0.0023	<0.0005	0.072	0.1612	
(156)	16-Sep-98	ENT	NA	<0.05	NA	NA	NA	NA	<0.0005	0.0025	0.0120	0.096	0.0009	<0.0005	<0.0005	0.1114	
	03-Mar-99	CT	NA	<0.05	NA	NA	NA	NA	<0.0005	0.0038	0.0091	0.063	0.0021	<0.0005	<0.0005	0.079	
	23-Sep-99	CT	NA	<0.05	NA	NA	NA	NA	<0.0005	0.0037	0.012	0.071	0.0023	<0.0005	<0.0005	0.0927	
	10-May-00	CT	NA	<0.05	NA	NA	NA	NA	<0.0005	0.0041	0.012	0.096	0.0027	<0.0005	<0.0005	0.1148	
	24-Oct-00	CT	NA	<0.05	NA	NA	NA	NA	<0.0005	0.0028	0.009	0.065	0.0020	0.0008	<0.0005	0.0794	
EXTR	27-Feb-96	AEN	NA	0.15	NA	NA	NA	NA	<0.0005	0.0069	0.0013	0.066	0.0028	<0.0005	<0.0005	0.077	
	30-Apr-96	AEN	NA	0.11	NA	NA	NA	NA	<0.0005	0.0055	0.0012	0.063	0.0024	<0.0005	<0.0005	0.0721	
	05-Sep-96	AEN	NA	0.12	NA	NA	NA	NA	<0.0005	0.0082	0.0031	0.099	0.0031	<0.0005	<0.0005	0.1134	
	17-Dec-96	A2AC	NA	1.520	NA	NA	NA	NA	0.001	0.008	0.009	0.074	0.002	<0.001	0.004	0.098	
	19-Feb-97	AEN	NA	0.13	NA	NA	NA	NA	<0.0005	0.0034	0.0021	0.059	0.0016	<0.0005	<0.0005	0.0661	
	15-May-97	AEN	NA	0.08	NA	NA	NA	NA	<0.0005	0.0041	0.0018	0.060	0.0021	<0.0005	0.0006	0.0686	
	21-Aug-97	AEN	NA	0.07	NA	NA	NA	NA	<0.0005	0.007	0.0048	0.073	0.0023	<0.0005	<0.0005	0.0871	
	12-Dec-97	AEN	NA	<0.05	NA	NA	NA	NA	0.0006	0.0063	0.0040	0.075	0.0031	<0.0005	0.0006	0.0896	
	09-Mar-98	AEN	NA	0.07	NA	NA	NA	NA	<0.0005	0.0043	0.0040	0.064	0.0021	<0.0005	<0.0005	0.0744	
	16-Sep-98	ENT	NA	<0.05	NA	NA	NA	NA	<0.0005	<0.0005	0.0150	0.150	<0.0005	<0.0005	<0.0005	0.165	
	03-Mar-99	CT	NA	<0.05	NA	NA	NA	NA	<0.0005	0.0039	0.0035	0.068	0.0022	<0.0005	<0.0005	0.0776	
(62)	23-Sep-99	CT	NA	<0.05	NA	NA	NA	NA	<0.0005	0.0023	0.0010	0.047	0.0013	<0.0005	<0.0005	0.0522	
	10-May-00	CT	NA	<0.05	NA	NA	NA	NA	<0.0005	0.0031	0.0010	0.068	0.0018	<0.0005	<0.0005	0.0739	
	24-Oct-00	CT	NA	<0.05	NA	NA	NA	NA	0.0027	0.0013	0.0013	0.066	0.0016	0.0013	<0.0005	0.0729	

Deeper Wells (40 to 45 feet below grade)																
MW-6D	13-Sep-94	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	0.003	<0.0005	0.0005	<0.0005	0.0035
	01-Dec-94	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
	16-Feb-95	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
	09-May-95	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
	31-Aug-95	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
	28-Dec-95	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND

Table 4
Semiannual Summary of Groundwater Quality Data
East Baybridge Center
Emeryville and Oakland, California
(concentrations expressed in parts per million [ppm])

Well ID	Notes	Date Sampled	Lab	TPHg	TPHd	Benzene	Toluene	Ethyl-benzene	Total Xylenes	TCE	1,1,1-TCA	PCE	1,1-DCE	1,1-DCA	1,2-DCA	cis/trans-1,2-DCE	Total VOCs
		27-Feb-96	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		01-May-96	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		03-Sep-96	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		17-Dec-96	A2AC	NA	NA	NA	NA	NA	NA	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	ND
		18-Feb-97	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		16-May-97	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		22-Aug-97	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		11-Dec-97	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		09-Mar-98	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		14-Sep-98	ENT	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		02-Mar-99	CT	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		23-Sep-99	CT	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		10-May-00	CT	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		11-Sep-00	CT	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
MW-7D		13-Sep-94	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	0.003	<0.0005	<0.0005	<0.0005	0.003
		30-Nov-94	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	0.003	<0.0005	<0.0005	<0.0005	0.003
		16-Feb-95	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	0.003	<0.0005	<0.0005	<0.0005	0.003
		09-May-95	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		30-Aug-95	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	0.002	<0.0005	<0.0005	<0.0005	0.002
		20-Dec-95	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		20-Dec-95	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		27-Feb-96	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		30-Apr-96	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		03-Sep-96	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	0.0010	<0.0005	<0.0005	<0.0005	0.001
		17-Dec-96	A2AC	NA	NA	NA	NA	NA	NA	<0.001	<0.001	<0.001	0.008	<0.001	<0.001	<0.001	0.008
		19-Feb-97	AEN	NA	NA	NA	NA	NA	NA	<0.0025	<0.0009	<0.0005	0.0081	<0.0005	<0.0005	<0.0005	0.009
		16-May-97	AEN	NA	NA	NA	NA	NA	NA	<0.0025	<0.0005	<0.0005	0.0023	<0.0005	<0.0005	<0.0005	0.0023
		22-Aug-97	AEN	NA	NA	NA	NA	NA	NA	<0.0025	<0.0005	<0.0005	0.0083	<0.0005	<0.0005	<0.0005	0.0083
		11-Dec-97	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	0.0081	<0.0005	<0.0005	<0.0005	0.0081
		09-Mar-98	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	0.0081	<0.0005	<0.0005	<0.0005	0.0081
		15-Sep-98	ENT	NA	NA	NA	NA	NA	NA	<0.0005	<0.0009	0.0008	0.0160	0.0013	<0.0005	<0.0005	0.0181
		02-Mar-99	CT	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	0.0098	0.0006	<0.0005	<0.0005	0.0104
		02-Mar-99	CT	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	0.0084	0.0005	<0.0005	<0.0005	0.0089
		22-Sep-99	CT	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	0.014	0.0008	<0.0005	<0.0005	0.0148
		09-May-00	CT	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	0.015	0.0007	<0.0005	<0.0005	0.0157
		11-Sep-00	CT	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	0.015	0.0008	0.0009	<0.0005	0.0167
MW-9D		12-Sep-94	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		30-Nov-94	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		16-Feb-95	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		08-May-95	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		31-Aug-95	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		20-Dec-95	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		26-Feb-96	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		01-May-96	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		03-Sep-96	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		17-Dec-96	A2AC	NA	NA	NA	NA	NA	NA	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	0.001
		19-Feb-97	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		16-May-97	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		22-Aug-97	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
		11-Dec-97	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	0.0024	<0.0005	<0.0005	<0.0005	0.0024
DUP		11-Dec-97	AEN	NA	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	0.0025	<0.0005	<0.0005	<0.0005	0.0025

Table 4
Semiannual Summary of Groundwater Quality Data
East Baybridge Center
Emeryville and Oakland, California
(concentrations expressed in parts per million [ppm])

Well ID	Notes	Date Sampled	Lab	TPHg	TPHd	Benzene	Toluene	Ethyl-benzene	Total Xylenes	TCE	1,1,1-TCA	PCE	1,1-DCE	1,1-DCA	1,2-DCA	cis/trans-1,2-DCE	Total VOCs
		10-Mar-98	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND
		14-Sep-98	ENT	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND
		02-Mar-99	CT	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	0.0007	< 0.0005	< 0.0005	< 0.0005	0.0007
		22-Sep-99	CT	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	0.0037	< 0.0005	< 0.0005	< 0.0005	0.0037
Deep Well (65 feet below grade)																	
MW-7Z		13-Sep-94	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND
		30-Nov-94	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND
		16-Feb-95	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND
		30-Aug-95	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND
		28-Dec-95	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND
		27-Feb-96	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND
		30-Apr-96	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND
		03-Sep-96	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND
	(36)	17-Dec-96	A2AC	NA	NA	NA	NA	NA	NA	0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	0.004	0.005
		19-Feb-97	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND
		16-May-97	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND
		22-Aug-97	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND
		11-Dec-97	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	0.0092	< 0.0005	< 0.0005	< 0.0005	< 0.0005	0.0092
Duplicate		09-Mar-98	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	0.0092	< 0.0005	< 0.0005	< 0.0005	< 0.0005	0.0092
		09-Mar-98	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	0.0092	< 0.0005	< 0.0005	< 0.0005	< 0.0005	0.0092
		15-Sep-98	ENT	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND
		02-Mar-99	CT	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND
		22-Sep-99	CT	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND
		10-May-00	CT	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND
		11-Sep-00	CT	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND
REGULATORY CONCENTRATIONS																	
MCL			NE	NE	0.005	1.000	0.700	10.00	0.005	0.200	0.005	0.0005	0.005	0.005	0.006/0.010		
RWQCB RBSL groundwater is NOT a source of drinking water			0.500	0.640	0.046	0.130	0.290	0.013	0.360	0.062	0.120	0.025	0.047	0.910	0.590/0.590		
RWQCB RBSL groundwater is a source of drinking water			0.100	0.100	1.000	0.040	0.030	0.013	0.005	0.062	0.005	0.0032	0.005	0.005	0.006/0.010		
Trip Blanks																	
		17-Feb-95	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND
		10-May-95	AEN	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.002	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND
		31-Aug-95	AEN	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.002	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND
		28-Dec-95	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND
		27-Feb-96	AEN	< 0.05	NA	< 0.0005	< 0.0005	< 0.0005	< 0.002	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND
		03-Sep-96	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND
		19-Feb-97	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND
		15-May-97	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND
		22-Aug-97	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND
		11-Dec-97	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND
		09-Mar-98	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND
		23-Sep-99	CT	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND
Field Blanks																	
LF-22		17-Feb-95	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND
LF-22		09-May-95	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND
MW-7Z		09-May-95	AEN	NA	NA	NA	NA	NA	NA	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	ND

Table 4
Semiannual Summary of Groundwater Quality Data
East Baybridge Center
Emeryville and Oakland, California
(concentrations expressed in parts per million [ppm])

Well ID	Notes	Date Sampled	Lab	TPHg	TPHd	Benzene	Toluene	Ethyl-benzene	Total Xylenes	TCE	1,1,1-TCA	PCE	1,1-DCE	1,1-DCA	1,2-DCA	cis/trans-1,2-DCE	Total VOCs
LF-22-FB		31-Aug-95	AEN	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
MW-7D-FB		20-Dec-95	AEN	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
MW-7-FB		26-Feb-96	AEN	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
MW-9-FB		03-Sep-96	AEN	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
LF-22-FB	(37)	17-Dec-96	A2AC	NA	NA	NA	NA	NA	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	ND
MW-8-FB		19-Feb-97	AEN	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
MW-10R-FB		15-May-97	AEN	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
MW-10R-FB		15-Sep-98	AEN	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.032	0.032
LF-23-FB		22-Aug-97	AEN	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
MW-9-FB		11-Dec-97	AEN	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
MW-6D-FB		09-Mar-98	AEN	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
MW-34R-FB		16-Sep-98	ENT	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
MW-7Z-FB	(52)	02-Mar-99	CT	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.025
MW-10-FB		21-Sep-99	CT	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
MW-10-FB		09-May-00	CT	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
MW-6D-FB		11-Sep-00	CT	NA	NA	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	ND
LF-22-FB		08-Feb-01	CT	NA	<.05	NA	NA	NA	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005

Data entered by KCK. Data proofed by REG and QA/QC by SXS

NOTES:

Key to abbreviations:

MCL denotes U.S. EPA maximum contaminant levels; where available MCLs by the California Department of Health Services are provided

RWQCB RBSL denotes Regional Water Quality Control Board Risk-Based Screening Level

NE denotes none established

TPHg = Total petroleum hydrocarbons as gasoline

TPHd = Total petroleum hydrocarbons as diesel

TPHo = Total petroleum hydrocarbons as oil

TCE = Trichloroethene

1,1,1-TCA = 1,1,1-Trichloroethane

PCE = Tetrachloroethene

1,1-DCE = 1,1-Dichloroethene

1,1-DCA = 1,1-Dichloroethane

1,2-DCA = 1,2-Dichloroethane

ENY = Entech Analytical Labs Inc in Sunnyvale California

Tompkins, Berkeley, CA

AEN = American Environmental Network in Pleasant Hill, California

ANA = Inchoape Testing Anametrix, Inc., in San Jose, California

A2AC = Aqua Air (A2) Analytical Corporation

NA = parameter not analyzed

ND = parameter not detected

Notes:

(1) 0.00081 ppm vinyl chloride

(2) 0.002 ppm chloroform.

(3) 0.0008 ppm chloroform

(4) 0.002 ppm chloroform

(5) 0.002 ppm chloroform

(6) 0.0002 ppm chloroform

(7) 0.0002 ppm chloroform

(8) 0.002 ppm chloroform

(9) 0.014 ppm chloroform

Table 4
Semiannual Summary of Groundwater Quality Data
East Baybridge Center
Emeryville and Oakland, California
(concentrations expressed in parts per million [ppm])

Well ID	Notes	Date Sampled	Lab	TPHg	TPHd	Benzene	Toluene	Ethyl-benzene	Total Xylenes	TCE	1,1,1-TCA	PCE	1,1-DCE	1,1-DCA	1,2-DCA	cis/trans-1,2-DCE	Total VOCs
---------	-------	--------------	-----	------	------	---------	---------	---------------	---------------	-----	-----------	-----	---------	---------	---------	-------------------	------------

- (10) Chloroform = 0.004
(11) Chloroform = 0.0006
(14) Chloroform = 0.006.
(15) Bromodichloroethane = 0.010 ppm, vinyl chloride = 0.017
(17) Chloroform = 0.0012
(18) Chloroform = 0.010, Bromodichloromethane = 0.0011
(19) 1,2-DCE = 0.194
(20) 1,2-DCE = 0.0024
(21) 1,2-DCE = 0.011
(22) Vinyl chloride = 0.025, 1,2-DCE = 0.087, Bromodichloromethane = 0.004
(23) 1,1,2-Trichlorotrifluoroethane = 0.0021
(24) Chloroform = 0.0015
(25) Bromodichloromethane = 0.001, Chloroform = 0.013
(26) Chloroform = 0.002
(27) Methylene Chloride=0.001
(28) Chloroform=0.030 .
(31) Methylene Chloride=0.010
(35) Chloroform=0.002
(36) Chloroform=0.001
(37) Chloroform=0.001.
(38) Methylene Chloride=0.001
(39) Chloroform=0.0007
(40) Bromodichloromethane=0.0014, Chloroform=0.043
(41) Chloroform=0.0009
(42) TPH as Oil 0.0003
(43) Chloroform=0.0009
(44) Methyl t-Butyl Ether 0.063
(45) Chloroform 0.0006
(46) Bromodichloromethane 0.0010, Chloroform 0.015
(47) Vinyl chloride 0.006
(48) Vinyl chloride 0.006
(49) 1,1,2-Trichlorotrifluoroethane
(50) A duplicate sample was collected at MW-7D. The results for this sample were rejected based on Entech's conclusion that the sample reported false positive results because of cross contamination by the laboratory
(51) Vinyl chloride .0072
(52) Chloroform 0.025
(53) Chloroform 0.0011
(54) Freon 113 0.0013
(55) Vinyl Chloride 0.015 and Trichlorofluoromethane 0.0027
(56) Chloroform: 0.001
(57) Chloroform 0.0012
(58) Vinyl Chloride 0.010
(59) Chloroform 0.0023
(60) Vinyl chloride .0082
(61) Vinyl chloride .0029
(62) Chloroform 0.0006
(63) Vinyl chloride .0017
(64) Vinyl chloride .008
(65) Vinyl chloride .010
(66) Vinyl chloride .0092
(67) Vinyl chloride .0063
(68) Vinyl chloride .0066

Table 4
Semiannual Summary of Groundwater Quality Data
East Baybridge Center
Emeryville and Oakland, California
(concentrations expressed in parts per million [ppm])

Well ID	Notes	Date Sampled	Lab	TPHg	TPHd	Benzene	Toluene	Ethyl-benzene	Total Xylenes	TCE	1,1,1-TCA	PCE	1,1-DCE	1,1-DCA	1,2-DCA	cis/trans-1,2-DCE	Total VOCs
---------	-------	--------------	-----	------	------	---------	---------	---------------	---------------	-----	-----------	-----	---------	---------	---------	-------------------	------------


(69) Vinyl chloride .0019 and Chloroform 0.0006

(70) Vinyl chloride .013

(71) Vinyl chloride .0007

(72) Vinyl chloride 0012

(73) Vinyl chloride 0052





© Copyright 1997, Thomas Bros. Map ®
Alameda/Contra Costa County
1998 Edition

Site Location Map

FAST BAY BRIDGE CENTER



Figure 1



APPENDIX A

Field Procedures

FIELD PROCEDURES

Before sample collection, depth to static water was measured in each well and the volume of water in the well casing was calculated. Three to 5 well-casing volumes of groundwater were then purged from each well using a centrifugal pump or a bailer until indicator parameter readings (pH, specific conductance, and temperature) stabilized. Indicator parameters were measured using portable field instruments and measurements were recorded on water-quality sampling forms. Purging and sampling equipment were steam cleaned before use at each well. Purged groundwater was pumped into the on-site treatment system.

After each well had been purged, groundwater samples were collected using a clean Teflon bailer. Samples were collected in containers appropriate for the laboratory analysis to be performed. Samples collected for VOC analyses were collected by pouring groundwater directly from the bailer into laboratory-supplied, 40-milliliter volatile organic analysis (VOA) glass vials. Vials were gently filled to overflowing, capped, and then inverted to check for trapped air. If an air bubble was observed, the vial was discarded and a new vial filled. Samples were immediately capped and placed in an ice-chilled cooler for transportation to the analytical laboratory.

Groundwater samples were submitted to Curtis and Tompkins under strict chain-of-custody protocols. For quality assurance/quality control, a duplicate sample was collected from well MW-10R were analyzed for VOCs.