



March 20, 2002

3164 Gold Camp Drive Suite 200 Rancho Cordova, CA 95670-6021 U.S A. 916/638-2085 FAX: 916/638-8385



Mr. Paul Supple ARCO Products Company P.O. Box 6549 Moraga, CA 94570

Subject: Quarterly Groundwater Monitoring Report, Fourth Quarter 2001

ARCO Service Station No. 374

6407 Telegraph Avenue Oakland, California

Delta Project No. D000-302

Dear Mr. Supple:

Delta Environmental Consultants, Inc. is submitting the attached report that presents the results of the fourth quarter 2001 groundwater monitoring program at ARCO Products Company Service Station No. 374, located at 6407 Telegraph Avenue, Oakland, California. The monitoring program complies with the California Regional Water Quality Control Board requirements regarding underground tank investigations.

The interpretations contained in this report represent our professional opinions and are based, in part, on information supplied by the client. These opinions are based on currently available information and are arrived at in accordance with currently accepted hydrogeological and engineering practices at this time and location. Other than this, no warranty is implied or intended.

If you have any questions concerning this project, please contact Steven W. Meeks at (916) 536-2613.

Sincerely,

DELTA ENVIRONMENTAL CONSULTANTS, INC.

Steven W. Meeks, P.E.

Project Manager

California Registered Civil Engineer No. C057461

TLA (LRP006.302.doc) Enclosures

cc: Ms. Susan Hugo - Alameda County Health Care Services

Mr. John Kaiser - California Regional Water Quality Control Board, San Francisco Bay Region

Date: March 25, 2002

ARCO QUARTERLY GROUNDWATER MONITORING REPORT

Station No.: 374 Address: 6407 Telegraph Avenue, Oakland, CA
ARCO Environmental Engineer/Phone No.:
Consulting Co./Contact Person
Consultant Project No.:
Primary Agency/Regulatory ID No.

6407 Telegraph Avenue, Oakland, CA
Paul Supple 925-299-8891
Delta Environmental Consultants, Inc.
Steven W. Meeks, P.E.
D000-302
California Regional Water Quality Control Board
San Francisco Bay Region

WORK PERFORMED THIS QUARTER

1. Performed quarterly groundwater monitoring for the fourth quarter 2001.

2. Prepared and submitted quarterly groundwater monitoring report for third quarter 2001.

WORK PROPOSED FOR NEXT QUARTER

1. Prepare and submit quarterly groundwater monitoring report for the fourth quarter 2001.

2. Perform quarterly groundwater monitoring and sampling for the first quarter 2002.

QUARTERLY MONITORING:

Current Phase of Project	Monitoring
Frequency of Groundwater Sampling:	Annual (2 nd Quarter): MW-1, MW-2, MW-6
	Semi-annual (2 nd /4 th Quarter): MW-3, MW-4
	Quarterly: MW-5
Frequency of Groundwater Monitoring:	Quarterly
Is Free Product (FP) Present On-Site:	No_
FP Recovered this Quarter:	None
Cumulative FP Recovered to Date:	None
Bulk Soil Removed This Quarter:	None
Bulk Soil Removed to Date:	None
Current Remediation Techniques:	Intrinsic Bioremediation
Approximate Depth to Groundwater:	5.32 feet
Groundwater Gradient:	0.043 ft/ft toward southwest

DISCUSSION:

- Benzene was detected in a groundwater sample collected from MW-4 at 470 micrograms per liter (µg/L)
- Total petroleum hydrocarbons was detected in a groundwater sample collected from MW-4 at 2,800 μg/L
- Methel tertiary butyl ether was detected in a sampled collected from MW-3 and MW-4 at 4.9 and 130 μg/L, respectively.

ATTACHMENTS:

 Table 1 	Groundwater Elevation and Analytical Data
Table 2	Groundwater Flow Direction and Gradient
 Figure 1 	Groundwater Analytical Summary Map
• Figure 2	Groundwater Elevation Contour Map
 Appendix A 	Sampling and Analysis Procedures
Appendix B	Historical Groundwater Elevation Analytical Data Table
••	Groundwater Flow Direction and Gradient Table
	Intrinsic Bioremediation Evaluation and Enhancement Data
 Appendix C 	Certified Analytical Reports with Chain-of-Custody Documentation
Annendiy D	Field Data Sheet

TABLE 1
GROUNDWATER ANALYTICAL DATA

Well Number	Date Sampled	Top of Riser Elevation (ft)	Depth to Groundwater (ft)	Groundwater Elevation (ft)	Benzene (µg/L)	Toluene (μg/L)	Ethyl- benzene (µg/L)	Total Xylenes (μg/L)	TPH as Gasoline (µg/L)	MTBE (µg/L)
MW-1	6/20/2000	158.91	6.86	152.05	NS	NS	NS	NS	NS	NS
	9/28/2000		7.50	151.41	NS	NS	NS	NS	NS	NS
	12/17/2000		7.49	151.42	NS	NS	NS	NS	NS	NS
	3/23/2001		5.90	153.01	<0.5	<0.5	<0.5	<0.5	<50	2,710
	6/21/2001		7.45	151.46	NS	NS	NS	NS	NS	NS
	9/23/2001		8.46	150.45	NS	NS	NS	NS	NS	NS
	12/31/2001		5.50	153.41	NS	NS	NS	NS	NS	NS
MW-2	6/20/2000	157.92	7.67	150.25	NS	NS	NS	NS	NS	NS
	9/28/2000		8.51	149.41	NS	NS	NS	NS	NS	NS
	12/17/2000		8.14	149.78	NS	NS	NS	NS	NS	NS
	3/23/2001		7.21	150.71	<0.5	<0.5	<0.5	<0.5	<50	<2.5
	6/21/2001		7.99	149.93	NS	NS	NS	NS	NS	NS
	9/23/2001		8.52	149.40	NS	NS	NS	NS	NS	NS
	12/31/2001		6.01	151.91	NS	NS	NS	NS	NS	NS
MW-3	6/20/2000	153.64	6.42	147,22	<0.5	<0.5	<0.5	<1.0	<50	<10
	9/28/2000		7.31	146.33	NS	NS	NS	NS	NS	NS
	12/17/2000		6.45	147.19	<0.5	<0.5	<0.5	<0.5	<50	<2.5
	3/23/2001		6.01	147.63	NS	NS	NS	NS	NS	NS
	6/21/2001		6.80	146.84	5.5	<0.5	5.4	4.1	110	2.5
	9/23/2001		7.32	146.32	NS	NS	NS	NS	NS	NS
	12/31/2001		4.48	149.16	<0.5	<0.5	<0.5	<0.5	<50	4.9
MW-4	6/20/2000	156.53	7.50	149.03	5,100	440	1,000	1,700	20,000	<250
	9/28/2000		8.20	148.33	NS	NS	NS	NS	NS	NS
	12/17/2000		8.11	148.42	1240	<20	27.2	249	4,320	<100
	3/23/2001		6.69	149.84	NS	NS	NS	NS	NS	NS
	6/21/2001		8.01	148.52	470	16	19	160	2,800	130

TABLE 1
GROUNDWATER ANALYTICAL DATA

Weli Number	Date Sampled	Top of Riser Elevation (ft)	Depth to Groundwater (ft)	Groundwater Elevation (ft)	Benzene (µg/L)	Toluene (μg/L)	Ethyl- benzene (µg/L)	Total Xylenes (μg/L)	TPH as Gasoline (μg/L)	MTBE (μg/L)
MW-4	9/23/2001		8.91	147.62	NS	NS	NS	NS	NS	NS
(cont.)	12/31/2001		4.42	152.11	1,500	100	160	210	4,600	160
MW-5	6/20/2000	151.33	7.84	143.49	<0.5	<0.5	<0.5	<1.0	<50	<10
	9/28/2000		8.37	142.96	<0.5	<0.5	<0.5	<0.5	<50	<2.5
	12/17/2000		8.36	142.97	< 0.5	< 0.5	< 0.5	< 0.5	<50	<2.5
	3/23/2001		7.55	143.78	< 0.5	< 0.5	< 0.5	< 0.5	<50	<2.5
	6/21/2001		8.20	143.13	< 0.5	< 0.5	< 0.5	< 0.5	<50	<2.5
	9/23/2001		8.68	142.65	<0.5	< 0.5	< 0.5	< 0.5	<50	<2.5
	12/31/2001		7.57	143.76	<0.5	< 0.5	< 0.5	< 0.5	<50	<2.5
MW-6	6/20/2000	153.84	4.79	149.05	NS	NS	NS	NS	NS	NS
	9/28/2000		5.39	148.45	NS	NS	NS	NS	NS	NS
	12/17/2000		4.71	149.13	NS	NS	NS	NS	NS	NS
	3/23/2001		4.69	149.15	< 0.5	< 0.5	< 0.5	< 0.5	<50	<2.5
	6/21/2001		5.22	148.62	NS	NS	NS	NS	NS	NS
	9/23/2001		5.40	148.44	NS	NS	NS	NS	NS	NS
	12/31/2001		3.95	149.89	NS	NS	NS	NS	NS	NS

TPH = Total Petroleum Hydrocarbons

MTBE = Methyl tertiary butyl ether analyzed by EPA Method 8021B unless otherwise noted

μg/L ≃ Micrograms per liter

NM = Not measured

NC = Not calculated

NS = Not sampled

Note: Please Refer to Appendix B for Historical Groundwater Elevation and Analytical Data Tables developed by IT


TABLE 2


GROUNDWATER FLOW DIRECTION AND GRADIENT

ARCO Service Station No. 374 6407 Telegraph Avenue Oakland, California

Date Measured	Average Flow Direction	Average Hydraulic Gradient
06/20/00	Southwest	0.035
09/28/00	Southwest	0.034
12/17/00	Southwest	0.032
03/23/01	Southwest	0.034
06/21/01	Southwest	0.032
09/23/01	Southwest	0.029
12/31/01	Southwest	0.043

Note: Please refer to Appendix B for Historical Groundwater Elevation and Analytical Data Tables developed by IT Corporation





APPENDIX A

Sampling and Analysis Procedures

FIELD METHODS AND PROCEDURES

1.0 GROUND WATER AND LIQUID-PHASE HYDROCARBON DEPTH ASSESSMENT

A water/liquid-phase hydrocarbon (LPH) interface probe was used to assess the thickness of LPH, if present, and a water level indicator was used to measure ground water depth in monitoring wells that did not contain LPH. Depth to ground water was measured from the top of each monitoring well casing. The tip of the water level indicator was subjectively analyzed for LPH sheen. All measurements and physical observations were recorded in the field.

2.0 SUBJECTIVE ANALYSIS OF GROUND WATER

Prior to purging, a water sample was collected from the monitoring well for subjective analysis. The sample was retrieved by gently lowering a clean, disposable bailer to approximately one-half the bailer length past the air/liquid interface. The bailer was then retrieved and the sample contained within the bailer was examined for LPH and the appearance of a LPH sheen.

3.0 MONITORING WELL PURGING AND SAMPLING

Monitoring wells were purged using a centrifugal pump or disposable bailers until pH, temperature, and conductivity of the purge water had stabilized and a minimum of three to four well volumes of water had been removed. Ground water removed from the wells was stored in 55-gallon barrels at the site. The barrels were labeled with corresponding monitoring well numbers and the date of purging. After purging, ground water levels were allowed to stabilize. A ground water sample was then removed from each of the wells using a dedicated disposable bailer. If the well was purged dry, it was allowed to sufficiently recharge and a sample was collected. Samples were collected in air-tight vials, appropriately labeled, and stored on ice from the time of collection through the time of delivery to the laboratory. A chain-of-custody form was completed to document possession of the samples. Ground water samples were transported to the laboratory and analyzed within the EPA-specified holding times for the requested analyses. Purge water will be collected from the storage barrels in a vacuum truck and transported to an appropriate facility for treatment and/or disposal.

If the depth to groundwater was above the top of screens of the monitoring wells, then the wells were purged. Before sampling occurred, a polyvinyl chloride (PVC) bailer, centrifugal pump, low—flow submersible pump, or Teflon bailer was used to purge standing water in the casing and gravel pack from the monitoring well. Monitoring wells were purged according to the protocol previously stated in the first paragraph of this sub-section. In most monitoring wells, the amount of water purged before sampling was greater than or equal to three casing volumes. Some monitoring wells were expected to be evacuated to dryness after removing fewer than three casing volumes. These low—yield monitoring wells were allowed to recharge for up to 24 hours. Samples were obtained as soon as the monitoring wells recharged to a level sufficient for sample collection. If insufficient water recharged after 24 hours, the monitoring well was recorded as dry for the sampling event.

.

APPENDIX B

IT Corporation
Historical Groundwater Elevation and Analytical Data Table
Groundwater Flow Direction and Gradient Table
Intrinsic Bioremediation Evaluation and Enhancement Data

Table 1
Groundwater Elevation and Analytical Data
Total Purgeable Petroleum Hydrocarbons
(TPPH as Gasoline, BTEX Compounds, and MTBE)

	Date	Well	Depth to	Groundwater	TPPH as	<u></u>		Ethyl-	Total		Dissolved	Purged/
Well	Gauged/	Elevation	Water	Elevation	Gasoline	Benzene	Toluene	benzene	Xylenes	MTBE	Oxygen	Not Purged
Number	Sampled	(feet, MSL)	(feet, TOC)	(feet, MSL)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(P/NP)
MW-1	01/31/96	158.91	6.34	152.57	Not Sampl	ed: Well Sa	mpled Annu	ally				
MW-1	04/10/96	158.91	5.82	153.09	Not Sampl	ed: Well Sa	mpled Annı	ıally				
MW-1	07/16/96	158.91	7.23	151.68	< 50		<0.5		< 0.5	340	NM	
MW-1	10/14/96	158.91	8.34	150.57	Not Sampl	led: Well Sa	mpled Annı	ıally				
MW-1	03/27/97	158.91	6.37	152.54	Not Sampl	led: Well Sa	mpled Anກເ	ıally				
MW-1	05/27/97	158.91	7.30	151.61	Not Sampl	led: Well Sa	mpled Anni	ıally				
MW-1	08/12/97	158.91	8.22	150.69	< 50	<0.5	<0.5	<0.5	<0.5	620	NM	
MW-1	11/17/97	158.91	7.98	150.93	Not Sampl	led: Well Sa	mpled Anກເ	ıally				
MW-1	03/16/98	158.91	4.94	153.97	Not Sampl	led: Well Sa	mpled Annı	ıally				
MW-1	05/12/98	158.91	5.28	153.63	Not Sampl	led: Well Sa	mpled Anni	ually				
MW-1	07/27/98	158.91	6.84	152.07	<500	<5	<5	<5	<5	580	0.6	P
MW-1	10/15/98	158.91	7.32	151.59	Not Samp	led: Well Sa	mpled Anni	ıally				
MW-1	02/18/99	158.91	6.28	152.63	Not Sampl	led: Well Sa	mpled Anni	ıally				
MW-1	05/24/99	158.91	6.45	152.46	<50	<0.5	<0.5	< 0.5	< 0.5	1,300	2.0	NP
MW-1	08/27/99	158.91	7.86	151.05	<50	< 0.5	<0.5	< 0.5	< 0.5	1,500	1.65	NP
MW-1	10/26/99	158.91	8.43	150.48	Not Sampl	led: Well Sa	mpled Anni	ually			2.16	
MW-1	02/03/00	158.91	7.28	151.63	<50	< 0.5	<0.5	<0.5	<1	4,000	1.0	NP
MW-2	01/31/96	157.92	6.51	151.41	Not Samp	ied: Well Sa	mpled Ann	ally				
MW-2	04/10/96	157.92	6.94	150.98	_	led: Well Sa	•	•				
MW-2	07/16/96	157.92	7.73	150.19	<50		<0.5		< 0.5	33	NM	
MW-2	10/14/96	157.92	8.35	149.57		led: Well Sa						
MW-2	03/27/97	157.92	7.40	150.52		led: Well Sa						
MW-2	05/27/97	157.92	7.82	150.10		led: Well Sa	-	•				
MW-2	08/12/97	157.92	8.29	149.63	<50		-	•	< 0.5	23	NM	
MW-2	11/17/97	157.92	8.05	149.87		led: Well Sa				20	. 1,1,1	
MW-2	03/16/98	157.92	6.45	151.47		led: Well Sa led: Well Sa						

Table 1
Groundwater Elevation and Analytical Data
Total Purgeable Petroleum Hydrocarbons
(TPPH as Gasoline, BTEX Compounds, and MTBE)

37-11	Date Coursed!	Well	Depth to	Groundwater Elevation	TPPH as Gasoline	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	Dissolved Oxygen	Purged/ Not Purged
Well Number	Gauged/ Sampled	Elevation (feet, MSL)	Water (feet, TOC)	(feet, MSL)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(P/NP)
									(ppo)	(рро)	(ppin)	(1/1/1)
MW-2	05/12/98	157.92	6.93	150.99	•	ed: Well Sar	•			_		
MW-2	07/27/98	157.92	7.39	150.53	<50	<0.5	<0.5	<0.5	<0.5	<3	0.85	NP
MW-2	10/15/98	157.92	7.67	150.25	•	ed: Well Sar	•	•				
MW-2	02/18/99	157.92	6.63	151.29	-	ed: Well Sar						
MW-2	05/24/99	157.92	7.43	150.49	<50	6.3	<0.5	0.7	<0.5	29	3.0	P
MW-2	08/27/99	157.92	8.22	149.70	<50	< 0.5	<0.5	< 0.5	<0.5	<3	0.95	NP
MW-2	10/26/99	157.92	8.46	149.46	Not Sampl	ed: Well Sat	npled Annu				1.71	
MW-2	02/03/00	157.92	7.75	150.17	<50	<0.5	<0.5	<0.5	<1	<3	1.0	NP
MW-3 *	01/31/96	153.64	7.02	146.62	140	20	0.87	11	14	NA	NM	
MW-3 *	04/10/96	153.64	7.82	145.82	84	2.4	< 0.5	1.9	1.1	NA	NM	
MW-3 *	07/16/96	153.64	6.80	146.84	< 50	2.2	< 0.5	< 0.5	<0.5	<2.5	NM	
MW-3 *	10/14/96	153.64	7.67	145.97	< 50	1.2	< 0.5	< 0.5	0.81	2.9	NM	
MW-3 *	03/27/97	153.64	7.62	146.02	<50	0.94	< 0.5	0.9	0.63	<2.5	NM	
MW-3 *	05/27/97	153.64	6.72	146.92	Not Sampl	ed: Well Sar	npled Semi:	annually				
MW-3 *	08/12/97	153.64	8.20	145.44	<50	< 0.5	<0.5	<0.5	< 0.5	<2.5	NM	
MW-3 *	11/17/97	153.64	7.64	146.00	Not Sampl	ed: Well Sai	npled Semi	annually			12.0	
MW-3 *		153.64	5.14	148.50	<50	< 0.5	<0.5	<0.5	< 0.5	<3	4.0	P
MW-3 *	05/12/98	153.64	5.53	148.11	Not Sampl	ed: Well Sar	npled Semi	annually				
MW-3 *	07/27/98	153.64	7.63	146.01	74	< 0.5	< 0.5	< 0.5	< 0.5	<3	1.7	NP
MW-3 *		153.64	7.46	146.18	Not Sampl	ed: Well Sar	npled Semi	annually				
MW-3 *		153.64	5.85	147.79	Not Sampl	led	•	-				
-	05/24/99	153.64	7.00	146.64	<50		< 0.5	< 0.5	< 0.5	4	6.0	NP
MW-3 *		153.64	7.16	146.48	<50		< 0.5	< 0.5	< 0.5	<3	16.57	NP
MW-3 *		153.64	7.79	145.85	<50		< 0.5		<1	<3	14.86	NP
MW-3 *		153.64	7.11	146.53	<50		< 0.5	< 0.5	<1	<3	1.0	NP

Table 1
Groundwater Elevation and Analytical Data
Total Purgeable Petroleum Hydrocarbons
(TPPH as Gasoline, BTEX Compounds, and MTBE)

<u> </u>	Date	Well	Depth to	Groundwater	TPPH as			Ethyl-	Total		Dissolved	Purged/
Well	Gauged/	Elevation	Water	Elevation	Gasoline	Benzene	Toluene	benzene	Xylenes	MTBE	Oxygen	Not Purged
Number	Sampled	(feet, MSL)	(feet, TOC)	(feet, MSL)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(P/NP)
MW-4	01/31/96	156.53	5.64	150.89	230	23	2.2	3.7	32	NA	NM	
MW-4	04/10/96	156.53	6.66	149.87	7,300	1,600	350	350	830	NA	NM	
MW-4	07/16/96	156.53	7.73	148.80	5,600	1,100	160	240	520	150	NM	
MW-4	10/14/96	156.53	8.55	147.98	4,500	860	72	160	340	<62	NM	
MW-4	03/27/97	156.53	7.15	149.38	25,000	5,200	760	850	2,600	<250	NM	
MW-4	05/27/97	156.53	7.75	148.78	Not Sampi	ed: Well Sar	npled Semia	innually				
MW-4	08/12/97	156.53	8.46	148.07	4,800	950	40	140	210	170	NM	
MW-4	11/17/97	156.53	8.24	148.29	Not Sampl	ed: Well Sar	npled Semia	innually				
MW-4	03/16/98	156.53	5.32	151.21	<50	< 0.5	< 0.5	< 0.5	< 0.5	<3	1.5	P
MW-4	05/12/98	156.53	6.38	150.15	Not Sampl	ed: Well Sar	npled Semia					
MW-4	07/27/98	156.53	7.36	149.17	21,000	6,100	390	810	1,600	<300	0.5	NP
MW-4 *	10/15/98	156.53	8.30	148.23	Not Sampl	ed: Well Sar	npled Semia	nnually				
MW-4 *	02/18/99	156.53	4.39	152.14	Not Sampl							
MW-4 *	05/24/99	156.53	7.45	149.08	18,000	•	350	410	1,300	<300		NP
MW-4 *	08/27/99	156.53	8.07	148.46	12,000	3,200	170	490	810	65	1.32	NP
MW-4 *	10/26/99	156.53	8.72	147.81	12,000	3,100	130	450	680	12		NP
MW-4 *	02/03/00	156.53	7.41	149.12	9,300	2,800	96	330	400	73	1.0	NP
MW-5	01/31/96	151.33	8.64	142.69	<50	<0.5	<0.5	<0.5	<0.5	NA	NM	
MW-5	04/10/96	151.33	N/A		<50	< 0.5	< 0.5	< 0.5	< 0.5	NA	NM	
MW-5	07/16/96	151.33	8.15	143.18	<50	0.79	1.3	< 0.5	< 0.5	<2.5	NM	
MW-5	10/14/96	151.33	7.92	143.41	< 50	< 0.5	< 0.5	< 0.5	< 0.5	<2.5	NM	
MW-5	03/27/97	151.33	7.75	143.58	< 50	< 0.5	< 0.5	< 0.5	< 0.5	<2.5	NM	
MW-5	05/27/97	151.33	8.16	143.17	<50	< 0.5	< 0.5	< 0.5	< 0.5	<2.5	NM	
MW-5	08/12/97	151.33				W	ell Inaccess	ible			.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
MW-5	11/17/97	151.33	8.75	142.58	< 50	< 0.5	< 0.5	< 0.5	< 0.5	<2.5	4.0	NP
MW-5	03/16/98	151.33	6.90	144.43	<50	< 0.5	<0.5	<0.5	<0.5	<3	1.5	<u> P</u>

Table 1
Groundwater Elevation and Analytical Data
Total Purgeable Petroleum Hydrocarbons
(TPPH as Gasoline, BTEX Compounds, and MTBE)

	Date	Well	Depth to	Groundwater	TPPH as			Ethyl-	Total		Dissolved	Purged/
Well	Gauged/	Elevation	Water	Elevation	Gasoline	Benzene	Toluene	benzene	Xylenes	MTBE	Oxygen	Not Purged
Number	Sampled	(feet, MSL)	(feet, TOC)	(feet, MSL)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(P/NP)
MW-5	05/12/98	151.33	7.24	144.09	<50	< 0.5	< 0.5	<0.5	<0.5	<3	2.2	P
MW-5	07/27/98	151.33	7.91	143.42	<50	< 0.5	< 0.5	< 0.5	<0.5	<3	1.3	P
MW-5	10/15/98	151.33	8.31	143.02	<50	< 0.5	< 0.5	<0.5	0.6	<3	3.0	P
MW-5	02/18/99	151.33	7.25	144.08	<50	< 0.5	< 0.5	< 0.5	< 0.5	<3	2.0	P
MW-5	05/24/99	151.33	7.52	143.81	<50	< 0.5	< 0.5	< 0.5	<0.5	<3	2.0	NP
MW-5	08/27/99	151.33	8.31	143.02	<50	< 0.5	< 0.5	< 0.5	<0.5	<3	2.28	P
MW-5	10/26/99	151.33	8.61	142.72	<50	< 0.5	< 0.5	<0.5	<1	<3	1.99	P
MW-5	02/03/00	151.33	10.09	141.24	<50	<0.5	<0.5	<0.5	<1	<3	1.0	NP
MW-6	01/31/96	153.84	5.15	148.69	Not Sampi	ed: Well Sai	npled Annu	ally				
MW-6	04/10/96	153.84	4.58	149.26	Not Sampl	ed: Well Sai	npled Annu	ally				
MW-6	07/16/96	153.84	4.96	148.88	<50	< 0.5	<0.5	< 0.5	< 0.5	150	NM	
MW-6	10/14/96	153.84	6.15	147.69	Not Sampl	ed: Well Sa	npled Annu	ally				
MW-6	03/27/97	153.84	4.40	149.44	Not Sampl	ed: Well Sai	npled Annu	ally				
MW-6	05/27/97	153.84	4.90	148.94	Not Sampl	ed: Well Sai	npled Annu	ally				
MW-6	08/12/97	153.84	5.43	148.41	<50	<0.5	< 0.5	< 0.5	< 0.5	39	NM	
MW-6	11/17/97	153.84	5.87	147.97	Not Sampl	ed: Well Sar	npled Annu	ally				
MW-6	03/16/98	153.84	4.52	149.32	Not Sampl	ed: Well Sai	npled Annu	ally				
MW-6	05/12/98	153.84	4.42	149.42	Not Sampl	ed: Well Sar	npled Annu	ally				
MW-6	07/27/98	153.84	4.75	149.09	<50	< 0.5	< 0.5	< 0.5	<0.5	18	0.9	P
MW-6	10/15/98	153.84	5.75	148.09	Not Sampl	ed: Well Sa	npled Annu	ally				
MW-6	02/18/99	153.84	3.93	149.91	Not Sampl	ed: Well Sai	npled Annu	ally				
MW-6	05/24/99	153.84	4.32	149.52	<50	<0.5	< 0.5	< 0.5	< 0.5	6	2.0	NP
MW-6	08/27/99	153.84	5.72	148.12	<50	< 0.5	< 0.5	< 0.5	<0.5	8	1.02	NP
MW-6	10/26/99	153.84	5.94	147.90	Not Sampl	ed: Well Sa	mpled Annu	ally			2.51	
MW-6	02/03/00	153.84	5.44	148.40	<50	< 0.5	<0.5	<0.5	<1	<3	1.0	.NP

Table 1

Groundwater Elevation and Analytical Data Total Purgeable Petroleum Hydrocarbons (TPPH as Gasoline, BTEX Compounds, and MTBE)

	Date	Well	Depth to	Groundwater	TPPH as			Ethyl-	Total		Dissolved	Purged/			
Well	Gauged/	Elevation	Water	Elevation	Gasoline	Benzene	Toluene	benzene	Xylenes	MTBE	Oxygen	Not Purged			
Number	Sampled	(feet, MSL)	(feet, TOC)	(feet, MSL)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(P/NP)			
	= Mean sea level.														
M\$L	= Mean sea level. = Top of casing.														
TOC	·														
TPPH	= Total purgeable petroleum hydrocarbons by modified EPA method 8015.														
BTEX	= Benzene, toluene, ethylbenzene, total xylenes by EPA method 8021B. (EPA method 8020 prior to 10/26/99).														
MTBE	= Methyl tert -Butyl Ether by EPA method 8021B. (EPA method 8020 prior to 10/26/99).														
ррь	= Parts per billion.														
ppm	= Parts per mi	llion.													
<	= Less than ial	oratory detection	limit stated to the	right.											
NA	= Not analyze	i.													
NM	= Not measure	ed.													
N/A	= Not availabl														
*	= ORCs instal	led in well MW-3	beginning 11/14/9	5 and in well MW-	beginning 09	29/98. Please	refer to Append	dix D for detail	s.						

Table 2 Groundwater Flow Direction and Gradient

Date	Average	Average
Measured	Flow Direction	Hydraulic Gradient
01-31-96	Southwest	0.04
04-10-96	Southwest	0.04
07-16-96	Southwest	0.03
10-14-96	Southwest	0.03
03-27-97	Southwest	0.04
05-27-97	Southwest	0.03
08-12-97	Southwest	0.04
11-17-97	Southwest	0.03
03-16-98	Southwest	0.03
05-12-98	Southwest	0.04
07-27-98	Southwest	0.04
10-15-98	Southwest	0.02
02-18-99	Southwest	0.05
05-24-99	Southwest	0.03
08-27-99	Southwest	0.03
10-26-99	Southwest	0.03
02-03-00	Southwest	0.047

Table D-1
Intrinsic Bioremediation Evaluation and Enhancement Data

	···	1		Field Analyses							Lab	oratory A	nalyses				
													Nitrate	Nitrite			
			Groundwater				Ferrous	Total		Carbon			as	as		TPH as	Total
	Date	- {	Temperature	pН	Conductivity	D.O.	Iron	Alkalinity	B.O.D.	Dioxide	C.O.D.	Methane	Nitrate	Nitrite	Sulfate	Gasoline	BTEX
Well	Sampled		(deg F)	(units)	(µmhos)	(mg/L)	(mg/L)	(mg CaCO3/L)	(mg/L)	(mg/L)	(mg/L)	(%)	(mg/L)	(mg/L)	(mg/L)	(μg/L)	(μg/L)
MW-3	11/14/95	**	65.5*	6.76*	508*	7.17	N/A	NS	NS	NS	NS	NS	6.6	<1.0	NS	140	46
MW-3	06/06/96	**	66.2	7.38	700	12.28	N/A	NS	NS	NS	NS	NS	NS	NS	NS	84†	5.4†
MW-3	07/16/96	i	67.8	7.08	1,010	8.73	0.0	280	1.8	270	44	< 0.020	<1.0	NS	78	<50	2.2
MW-3	01/21/97	**	59	N/A	N/A	11.15	0.5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
MW-3	08/12/97	**	74.4	6.65	600	6.7	1.6	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
MW-3	11/17/97		N/A	N/A	N/A	12.0	0.2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
MW-3	03/16/98	- 1	68.5	7.75	806	4.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	ND
MW-3	05/12/98	ŀ	NM	NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-3	07/27/98	- (68.1	6.81	904	1.7	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	74	ND
MW-3	09/29/98	**	ORC installed					· 									
MW-3	10/15/98		NM	NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-3	02/18/99	- 1	NM	NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-3	05/24/99		66.2	7.24	799	6.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	ND
MW-3	07/26/99	**	ORC installed						~~~~~~							/	
MW-3	08/27/99		69.0	7.97	782	16.57	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	ND
MW-3	10/26/99		66.5	5.93	794	14.86	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	ND
MW-3	02/03/00		62.0	7.42	7,877	1.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	ND
N .						• • •		100) IC	470	NIC	0.11	~1.0	NS	18	5,600	2,020
Н	07/16/96		69.5	6.72	1,370	3.20	4.20	420	NS	470	NS N/A	0.11 N/A	<1.0 N/A	N/A	N/A	ND	2,020 ND
MW-4	03/16/98		66.2	6.89	1,411	1.50	N/A	N/A	N/A	N/A		NS NS	N/A. NS	NS NS	NS NS	NS NS	NS NS
MW-4	05/12/98		NM	NM	NM	NM	N/A	NS	NS N/A	NS	NS NI/A	NS N/A	N/A	N/A	N/A	21,000	8,900
MW-4	07/27/98		70.5	6.34	1,434	0.5	N/A	N/A	N/A	N/A	N/A	in/A	IN/A	IN/A	11/14	21,000	0,500
MW-4	09/29/98	**	ORC installed		``````````````````````````````````````	NING	NIN &	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-4	10/15/98		NM	NM	NM	NM	NM	NS NS	NS NS	NS NS	NS NS	NS NS	NS	NS	NS	NS	NS
MW-4	02/18/99		NM 67.6	NM	NM	NM	NM	N/A	ns N/A	N/A	N/A	N/A	N/A	N/A	N/A	18,000	7,660
MW-4	05/24/99	**	67.6	6.72	1,509	1.0	N/A	N/A	N/A	IN/ A	13/37	17/24	17/27	17/71	14177	10,000	7,000
MW-4	07/26/9 <u>9</u>	47.4	ORC installed	1										_			

Table D-1
Intrinsic Bioremediation Evaluation and Enhancement Data

Dat Well Samp MW-4 08/27 MW-4 10/26 MW-4 02/03 MW-5 07/16 MW-5 03/16	te Teoled 7/99 5/99 8/00 5/96 6/98	roundwater emperature (deg F) 70.5 66.8 64.1	pH (units) 7.09 7.05 7.27	Conductivity (µmhos) 1,469 1,565 1,506	D.O. (mg/L) 1.32 1.39 1.0	Ferrous Iron (mg/L) N/A N/A N/A	Total Alkalinity (mg CaCO3/L) N/A N/A	B.O.D. (mg/L) N/A N/A	Carbon Dioxide (mg/L) N/A	C.O.D. (mg/L) N/A	Methane (%) N/A	Nitrate as Nitrate (mg/L) N/A	Nitrite as Nitrite (mg/L) N/A	Sulfate (mg/L) N/A	TPH as Gasoline (µg/L) 12,000	Total BTEX (µg/L) 4,670
Well Samp MW-4 08/27 MW-4 10/26 MW-4 02/03 MW-5 07/16	te Teoled 7/99 5/99 8/00 5/96 6/98	emperature (deg F) 70.5 66.8 64.1 70.4	(units) 7.09 7.05 7.27	(µmhos) 1,469 1,565	(mg/L) 1.32 1.39	Iron (mg/L) N/A N/A	Alkalinity (mg CaCO3/L) N/A N/A	(mg/L) N/A	Dioxide (mg/L)	(mg/L)	(%)	Nitrate (mg/L)	Nitrite (mg/L)	(mg/L)	Gasoline (μg/L)	BTEX (μg/L)
Well Samp MW-4 08/27 MW-4 10/26 MW-4 02/03 MW-5 07/16	oled 7/99 5/99 8/00 5/96 5/98	70.5 66.8 64.1 70.4	(units) 7.09 7.05 7.27	(µmhos) 1,469 1,565	(mg/L) 1.32 1.39	(mg/L) N/A N/A	(mg CaCO3/L) N/A N/A	(mg/L) N/A	(mg/L)	(mg/L)	(%)	(mg/L)	(mg/L)	(mg/L)	(μg/L)	(μg/L)
MW-4 08/27 MW-4 10/26 MW-4 02/03 MW-5 07/16	oled 7/99 5/99 8/00 5/96 5/98	70.5 66.8 64.1 70.4	(units) 7.09 7.05 7.27	1,469 1,565	1.32 1.39	N/A N/A	N/A N/A	N/A								
MW-4 10/26 MW-4 02/03 MW-5 07/16	5/99 3/00 5/9 6 5/98	66.8 64.1 70.4	7.05 7.27	1,565	1.39	N/A	N/A		N/A	N/A	N/A	N/A	N/A	N/A	12,000	4 670
MW-4 10/26 MW-4 02/03 MW-5 07/16	5/99 3/00 5/9 6 5/98	66.8 64.1 70.4	7.05 7.27	1,565				NIA							•	
MW-4 02/03 MW-5 07/16	3/00 5/96 5/98	64.1 70.4		-	1.0	N/A		14/ W	N/A	N/A	N/A	N/A	N/A	N/A	12,000	4,360
	5/98		6 95				N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9,300	3,626
	5/98			690	6.80	0.0	170	NS	180	NS	<0.020	<1.0	NS	35	<50	1.1
	· · · · · · · · · · · · · · · · · · ·	69.5	7.19	584	1.5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	ND
MW-5 05/12	2/UX I	65.9	7.04	619	2.2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	ND
MW-5 07/27		73.6	7.39	569	1.3	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	ND
MW-5 10/15		65.8	6.88	626	3.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	0.6
MW-5 02/18	I .	63.4	6.98	616	2.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	ND
MW-5 05/24		66.7	6.70	591	2.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	ND
MW-5 08/27	7/99	72.6	7.10	624	2.28	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	ND
MW-5 10/26	5/99	70.4	5.95	601	1.99	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	ND
MW-5 02/03	3/00	62.1	7.31	6,072	1.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	ND
 MW-6 06/06	6/96	N/A	N/A	N/A	3.47	N/A	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-6 03/16	I .	N/A	N/A	N/A	N/A	N/A	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-6 05/12		NM	NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-6 07/27		70.3	6.67	638	0.9	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	ND
MW-6 10/15	1	NM	NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-6 02/18	-,	NM	NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-6 05/24		65.5	6.62	713	2.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	ND
MW-6 08/27		73.0	7.12	589	1.02	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	ND
MW-6 10/26	1	NM	NM	NM	2.51	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-6 02/03	1	61.7	7.32	5,091	1.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	ND

Table D-1
Intrinsic Bioremediation Evaluation and Enhancement Data

			<u>F</u> i	eld Analyses						Lab	oratory A	nalyses Nitrate	Nitrite			
Well	Date Sampled	Groundwater Temperature (deg F)	pH (units)	Conductivity (µmhos)	D.O. (mg/L)	Ferrous Iron (mg/L)	Total Alkalinity (mg CaCO3/L)	B.O.D. (mg/L)	Carbon Dioxide (mg/L)	C.O.D. (mg/L)	Methane	as	as Nitrite (mg/L)	Sulfate (mg/L)	TPH as Gasoline (µg/L)	Total BTEX (µg/L)
D.O. B.O.D C.O.D TPPH BTEX deg F		xygen demand gen demand le petroleum hydroc ene, ethylbenzene, a enheit		;			μg/L NM NS ND N/A *	= not mea = Not sam = Not det = Not ava Field mea ORC insta	npled ected ilable isurements co	llected on l						

APPPENDIX C

Certified Analytical Reports And Chain-of-Custody Documentation



11 January, 2002

Steven Meeks
Delta Environmental Consultants (Rancho Cordova)
3164 Gold Camp Drive Ste. 200
Rancho Cordova, CA 95670

RE: ARCO 374, Oakland, CA Sequola Report: S201020

Enclosed are the results of analyses for samples received by the laboratory on 01/02/02 14:12. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Ron Chew

Client Services Representative

Lito Diaz

Laboratory Director

CA ELAP Certificate #1624



819 Striker Avenue, Suite 8 Sacramento, CA 95834 (916) 921-9600 FAX (916) 921-0100 www.sequoialabs.com

Delta Environmental Consultants (Rancho Cordova

3164 Gold Camp Drive Ste. 200 Rancho Cordova CA, 95670 Project: ARCO 374, Oakland, CA

Project Number: 374, Oakland, CA Project Manager: Steven Meeks Reported: 01/11/02 13:36

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-3	S201020-01	Water	12/31/01 16:53	01/02/02 14:12
MW-4	S201020-02	Water	12/31/01 17:26	01/02/02 14:12
MW-5	S201020-03	Water	12/31/01 16:25	01/02/02 14:12
ТВ	S201020-04	Water	12/31/01 06:00	01/02/02 14:12

Sequoia Analytical - Sacramento

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



3164 Gold Camp Drive Ste. 200 Rancho Cordova CA, 95670 Project: ARCO 374, Oakland, CA

Project Number: 374, Oakland, CA
Project Manager: Steven Meeks

Reported: 01/11/02 13:36

Total Purgeable Hydrocarbon, BTEX and MTBE by DHS LUFT

Sequoia Analytical - Sacramento

	Se	quoia Ana	lytical	- Sacra	mento				
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW-3 (S201020-01) Water	Sampled: 12/31/01 16:53	Received: 0	1/02/02 1	4:12	 -				
Purgeable Hydrocarbons	ND	50	ug/i	1	2010116	01/08/02	01/08/02	DHS LUFT	
Benzene	ND	0.50	Ħ	n	0	Ħ	n n	17	
Toluene	ND	0.50	10	n	n	17	11	11	
Ethylbenzene	ND	0.50	1)		н	n	н	н	
Xylenes (total)	ND	0.50	**	n	**	10	tf	11	
Methyl tert-butyl ether	4.9	2,5	10	н	Pf	11	11	11	
Surrogate: a,a,a-Trifluorotolu	ene	85.8 %	60-	-140	"	"	"	"	
MW-4 (S201020-02) Water	Sampled: 12/31/01 17:26	Received: 0	<u>1/02/02</u> 1	14:12	 				
Purgeable Hydrocarbons	4600	2000	ug/l	40	2010118	01/09/02	01/09/02	DHS LUFT	
Benzene	1500	20	"	11	11	H	19	Pt .	
Toluene	109	20	н	н	**	**	**	11	
Ethylbenzene	160	20	n	10	D	n	Ħ	*1	
Xylenes (total)	210	20	•	11	tr	11	17	H	
Methyl tert-butyl ether	160	100	n		H	11	11	11	
Surrogate: a,a,a-Trifluorotolu	ene	99.1 %	60	-140	"	"	"	"	
MW-5 (S201020-03) Water	Sampled: 12/31/01 16:25	Received: 0	1/02/02	14:12					
Purgeable Hydrocarbons	ND	50	ug/l	1	2010116	01/08/02	01/08/02	DHS LUFT	
Benzene	ND	0.50	11	11	11	19	10	11	
Toluene	ND	0.50	n	*)	n	11	*1	11	
Ethylbenzene	ND	0.50	11	11	Ħ	n	H	n	
Xylenes (total)	ND	0.50	**	**	**	n	11	17	
Methyl tert-butyl ether	ND	2.5	н	et .	n	11		11	·
Surrogate: a,a,a-Trifluorotolu	uene	82.3 %	60	-140	"	"	"	11	





3164 Gold Camp Drive Ste. 200 Rancho Cordova CA, 95670 Project: ARCO 374, Oakland, CA

Project Number: 374, Oakland, CA Project Manager: Steven Meeks Reported: 01/11/02 13:36

Total Purgeable Hydrocarbon, BTEX and MTBE by DHS LUFT

Sequoia Analytical - Sacramento

		Reporting	<u></u>						
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
TB (S201020-04) Water	Sampled: 12/31/01 06:00	Received: 01/02	2/02 14:1.	2					
Purgeable Hydrocarbons	ND	50	ug/l	1	2010116	01/08/02	01/09/02	DHS LUFT	
Benzene	ИD	0.50	u	**	13	n	11	Ħ	
Toluene	ND	0.50	10	"	D	"	11	н	
Ethylbenzene	ND	0.50	**	n	11	1f	•	n	
Xylenes (total)	ND	0.50	Ħ	н	II	11	11	11	
Methyl tert-butyl ether	ND	2.5		17	H	н		*11	
Surrogate: a,a,a-Trifluoro	toluene	87.4 %	60-	140	"	"	"	"	



3164 Gold Camp Drive Ste. 200 Rancho Cordova CA, 95670 Project: ARCO 374, Oakland, CA

Project Number: 374, Oakland, CA Project Manager: Steven Meeks Reported: 01/11/02 13:36

Total Purgeable Hydrocarbon, BTEX and MTBE by DHS LUFT - Quality Control Sequoia Analytical - Sacramento

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 2010116 - EPA 5030B (P/T)	<u>"</u>									
Blank (2010116-BLK1)				Prepared .	& Analyze	ed: 01/08/0	02			
Purgeable Hydrocarbons	ND	50	ug/l							
Benzene	ND	0.50	11							
Toluene	ND	0.50	17							
Ethylbenzene	ND	0.50	н							
Xylenes (total)	ND	0.50	и							
Methyl tert-butyl ether	ND_	2.5								
Surrogate: a,a,a-Trifluorotoluene	9.45		"	10.0		94.5	60-140			
LCS (2010116-BS1)			· · · · · · · · · · · · · · · · · · ·	Prepared	& Analyze	ed: 01/08/	02			
Benzene	9.43	0.50	ug/l	10.0		94.3	70-130			
Toluene .	9.32	0.50	11	10.0		93.2	70-130			
Ethylbenzene	9.10	0.50	*1	10.0		91.0	70-130			
Xylenes (total)	27.6	0.50	n	30.0		92.0	70-130			
Methyl tert-butyl ether	9.01	2.5		10.0		90.1	70-130			
Surrogate: a,a,a-Trifluorotoluene	10.1		"	10.0		101	60-140			
Matrix Spike (2010116-MS1)	So	urce: <u>S2010</u> 2	20-04	Prepared:	01/08/02	Analyzed	: 01/09/02	<u> </u>		
Benzene	9.10	0.50	ug/l	10.0	ND	91.0	60-140			
Toluene	9.20	0.50	11	10.0	ND	92.0	60-140			
Ethylbenzene	8.70	0.50	41	10.0	ND	87.0	60-140			
Xylenes (total)	26.8	0.50	н	30.0	ND	89.3	60-140			
Methyl tert-butyl ether	9.24	2.5		10.0	ND	92.4	60-140			
Surrogate: a,a,a-Trifluorotoluene	8.89		"	10.0		88.9	60-140			
Matrix Spike Dup (2010116-MSD1)	So	urce: S2010	20-04	Prepared:	01/08/02	Analyzed	1: 01/09/02			
Benzene	7.95	0.50	ug/l	10.0	ND	79.5	60-140	13.5	25	
Toluenc	8.04	0.50	11	10.0	ND	80.4	60-140	13.5	25	
Ethylbenzenc	7.50	0.50	•	10.0	ND	75.0	60-140	14.8	25	
Xylenes (total)	23.1	0.50	19	30.0	ND	77.0	60-140	14.8	25	
Methyl tert-butyl ether	8.88	2.5		10.0	ND	88.8	60-140	3.97	25	
Surrogate: a,a,a-Trifluorotoluene	8.04		и	10.0		80.4	60-140			



3164 Gold Camp Drive Ste. 200 Rancho Cordova CA, 95670 Project: ARCO 374, Oakland, CA

Project Number: 374, Oakland, CA Project Manager: Steven Meeks Reported: 01/11/02 13:36

Total Purgeable Hydrocarbon, BTEX and MTBE by DHS LUFT - Quality Control Sequoia Analytical - Sacramento

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 2010118 - EPA 5030B (P/T)									,	
Blank (2010118-BLK1)				Prepared	& Analyze	ed: 01/09/0)2			
Purgeable Hydrocarbons	ND	50	ug/l							
Benzene	ND	0.50	11							
Toluene	ND	0.50	*1							
Ethylbenzene	ND	0.50	n							
Xylenes (total)	ND	0.50	19							
Methyl tert-butyl ether	ND	2.5	19							
Surrogate: a,a,a-Trifluorotoluene	8.67		"	10.0		86.7	60-140			
LCS (2010118-BS1)				Prepared	& Analyze	ed: 01/09/0	02		·	
Benzene	9.14	0.50	ug/l	10.0		91.4	70-130			
Toluene	9.11	0.50	10	10.0		91.1	70-130			
Ethylbenzene	8.82	0.50	"	10.0		88.2	70-130			
Xylenes (total)	27.2	0.50	n	30.0		90.7	70-130			
Methyl tert-butyl ether	8.64	2.5	n	10.0		86.4	70-130			
Surrogate: a,a,a-Trifluorotoluene	10,1		"	10.0		101	60-140			
LCS Dup (2010118-BSD1)				Prepared	& Analyz	ed: 01/09/	02			· · · · · · · · · · · · · · · · · · ·
Benzene	8.60	0.50	ug/l	10.0		86.0	70-130	6.09	25	
Toluene	9.23	0.50		10.0		92.3	70-130	1.31	25	
Ethylbenzene	8.62	0.50	tī	10.0		86.2	70-130	2.29	25	
Xylencs (total)	27.0	0.50	10	30.0		90.0	70-130	0.738	25	
Methyl teri-butyl ether	8.44	2.5	11	10.0		84.4	70-130	2.34	25	
Surrogate: a,a,a-Trifluorotoluene	8.08	· , ,,,	"	10.0		80.8	60-140			



819 Striker Avenue, Suite 8 Sacramento, CA 95834 (916) 921-9600 FAX (916) 921-0100 www.sequoialabs.com

Delta Environmental Consultants (Rancho Cordova

3164 Gold Camp Drive Ste. 200 Rancho Cordova CA, 95670 Project: ARCO 374, Oakland, CA

Project Number: 374, Oakland, CA
Project Manager: Steven Meeks

Reported: 01/11/02 13:36

Notes and Definitions

DET

Analyte DETECTED

ND

Analyte NOT DETECTED at or above the reporting limit

NR

Not Reported

dгу

Sample results reported on a dry weight basis

RPD

Relative Percent Difference

ARCO	♦							We	ork Au	thoriza	ation i	No.	254	300		········	_						Chain of Cu	stody
ARCO Facilit	-	374		C	ity Facility)	Ank	land	2			I Projec	t Mana	iger	18-1 0 +	<u>ر</u> ن	me							Laboratory name	
ARCO engin	eer D	2.1	8.	an da			Teleph (ARCC	юпе по.			Telepi	none no		82			Fa	х по,		38			Servais	
Company na (Consultant)	me	aul Sel	ta				1(2100	1	Address (Consultan	nt)	Ra						Į(C	onsuna				5	Contract number	
	! i			Matrix		Prese	rvation			•		r&£ /8015	15		386		ates	Semi VOACI	0007/010				Method of shipmer	nt
Sample I.D.	Lab no.	Container no.	Soil	Water	Other	Ice	Acid		Sampling date	Sampling time	BTEX 602/EPA 8021	BTEX/TPH * M T & E EPA M602/8021/8015	TPH Modified 8015 Gas □ Diesel □	Oil and Grease 413.1 ☐ 413.2 □	TPH EPA 418.1/SM503E	TEX + MTBE PA 8260	81EX + Standard Oxygenates EPA 8260	CLP etals (1 VOA(1)	AM Metals EPA 6/ 7LCC STLCC	Lead Org./DHS CI Lead EPA 7420/7421 CI			Special detection Limit/reporting	·
MW-3		2		X	<u> </u>	X	X	12-31		653	1 8 6	4	- 5	04	T	<u> </u>	20)()-/	1				
MW-4										726										2				
MW-5										515										03			Special QA/QC	
TB		1		1		/		1	6	00	<u> </u>	1	<u> </u>)	9				
			-					-			-											-		
		-	-					-			ļ				· 								Remarks	
	<u></u>]				<u> </u>	1														-		
							 	 																
																						•	Type or Work Dispenser Worl Line Job	k
																							☐ Routine Sampli☐ Site Acquisition☐ Site Assessmen	าร
								<u> </u>				····											☐ UST Removal ☐ UST Replaceme	
								-		· · · · · · · · · · · · · · · · · · ·													OtherLab number	
						· · · · · · · · · · · · · · · · · · ·		 		· · · · · · · · · · · · · · · · · · ·											_			
						- · · · · · · · · · · · · · · · · · · ·																	Turnaround time Priority Rush	;
Condition of	sampie:	<u></u>		<u> , , ,</u>			<u> </u>	<u> </u>			Temper	rature re	eceived	6									1 Business Day	
Relinquished	by same	pler q /	12/	an	10.		Date /~1-01)_	14	112	Receive	d by	الم		/ N	Bl	11		1/21	02 	-υ	12	Rush 2 Business Days	
Relinquished	by	_JOLAHA	1 14			•	Date		<u> </u>	Time	Receive			<u></u>			· · · ·	-,.	الموا	<u> </u>	1-0		Expedited 5 Business Days	
Relinquished	by						Date		· · · · · · · · · · · · · · · · · · ·	Time	Receive	ed by la	borator	у		-	D	ate	, , , , , , , , , , , , , , , , , , , 		Time		Standard 10 Business Days	超

APPENDIX D

Field Data Sheets



3164 Gold Camp Drive, Suite 200
Rancho Cordova, California 95670
Direct: (916) 638-2085
Env. (016) 629 9285

Arco Site Address:	6407 Telegraph Avenue	Arco Site Number:	374	
_	Oakland, California	Delta Project No.:	D000-302	
rco Project Manager:	Paul Supple	Delta Project PM:	Steven W. Meeks	
Site Sampled By:	Doulos Environmental	Date Sampled:	12/31/01	

Site Contact & Phone Number: Water Level Data							Site Sa	impled By:	Doulos	Environ	mental	Date	Sampled:		12/3	1/01		
		Water Le	vel Data	<u></u>		F	Purge Vo	lume Cal	culation	s		Sam	oling An	alytes		San	nple Rec	ord
Well ID	Time	Depth to Water (feet)	Top of Screen Interval (feet)	Total Depth of	Check if Purge Not Required	Casing Water Column (A)	Weil Diameter (inches)	Multiplier Value (B)	Three Casing Volumes (gallons)	Actual Water Purged (gallons)	BTEX (8020) VOA	TPH-g (8015M) VOA	MTBE (8020) VOA	Other	Dissolved Oxygen (mg/L)	Sample Freqency (A, S, Q)	Sample I.D.	Sample Time
MW-1	16:12	5.50	7.0	26.3		20.81	4 inch	2.0	41.6	N/A					NM	A/2		
MW-2	16:09	6.01	7.0	25.9		19.87	4 inch	2.0	39.7	N/A					NM	A/2		
MW-3	15:57	4.48	7.0	26,5		21.97	4 inch	2.0	43.9	44.0	V	V	7		1.36	S/5,11	MW-3	16:53
MW-4	16:05	4.42	7.0	26.6		22.14	4 inch	2.0	44.3	44.4	V	V	7		0.52	S/5,11	MW-4	17:26
MW-5	15:53	7.57	10.0	22.7		15.11	4 inch	2.0	30.2	30.3	হ	\forall 	4		1.16	Q/2,5,8,11	MW-5	16:25
MW-6	16:01	3.95	5.0	14.5		10.55	4 inch	2.0	21.1	N/A					NM	A/2		
	e: Purge '	Wells if O	RC is pre	sent														
																		
																		<u> </u>
																		<u> </u>
																		<u> </u>
													1 🗇					

Site Sampled By:

(A)-Casing Water Column: Depth to Bottom - Depth to Water (B)-Multiplier Values: (2" Well: 0.5) (4" Well: 2.0) (6" Well: 4.4)

Sampling Sequence:

Annual: MW-1, MW-2, MW-3; Semi-Annual: MW-3, MW-4

Quarterly: MW-5

Sampling Notes:

List depth of Sample on C.O.C. [i.e. MW-1(30)]. Make Sure to Note on C.O.C. "Provide Lowest Reporting Limit Available."

Original Copies of Field Sampling Sheets are Located in Project File

If the water level is below the top of the screen, take a grab sample and check box for NO PURGE (NP). If the water level is above the screen, purge as normal.



Site Contact & Phone Number:

3164 Gold Camp Drive, Suite 200 Rancho Cordova, California 95670 Direct: (916) 638-2085

Direct: (916) 638-2085 Fax: (916) 638-8385

Arco Site Address:	6407	Telegraph	Avenue

Oakland, California

Paul Supple

Site Sampled By: Doulos Environmental

Arco Site Number:	374						
Delta Project No.:	D000-302						
Delta Project PM:	Steven W. Meeks						

Date Sampled: 12/31/01

141 H ID T		÷ 0c l		Cand	Gallons	Woll ID	Time	Temp ⁰ E	pH Units	Cond.	Gallons	Well ID	Time	Temp °F	pH Units	Cond.	Gallons
Well ID			pH Units	Cona.	Gallons	Well ID	nine	1 temp r	ph Onio	COM.	Canons	-	711110	10mp 1	1		
MW-1	Not Sam	oled										}					
1		<u></u>				<u> </u>	·					ŀ					
1						-		1				: }					-
Well ID	Time	Town °E	pH Units	Cond.	Gallons	MAILID	Time	I Temp °F	pH Units	Cond.	Gallons	Well ID	Time	Temp °F	pH Units	Cond.	Gallons
			pri Offics	CONG.	Ganons	TTCII ID	11110	Tomp :	promis					<u> </u>	<u> </u>		
MW-2	Not Sam	plea				}				 							<u> </u>
ŀ						<u> </u>					 	İ		··			†
ŀ		-					-					Ì					
Well ID	Time	Temp °F	pH Units	Cond.	Gallons	Well ID	Time	Temp °F	pH Units	Cond.	Gallons	Well ID	Time	Temp °F	pH Units	Cond.	Gallons
MW-3	16:34	67.2	7.39	879	15	<u>1</u>		<u> </u>									
MINA-2	16:38	66.4	7.31	882	30	ŀ						İ					
	16:42	66.3	7.28	865	43		······································										
Well ID	Time	Temp °F	pH Units	Cond.	Gallons	Well ID	Time	Temp °F	pH Units	Cond.	Gallons	Well ID	Time	Temp °F	pH Units	Cond.	Gallons
MW-4	17:01	65.0	7.39	943	15												
	17:06	64.8	7.25	910	30										<u>.</u>		
	17:12	64.5	7.21	906	45				-				····		ļ		
												347.015	Ŧ.	T °r	pH Units	Cond.	Gallons
Well ID	Time		pH Units	Cond.	L	Well ID	Time	Temp *F	pH Units	Cond.	Gallons	Well ID	Time	remp r	ph Units	Cona.	Gallons
MW-5	16:15	67.5	7.44	1,194	10		·								ļ		
	16:18	66.9	7.30	1,182	20				1		_			1	1		┼──
	16:21	66.8	7.22	1,176	30								···	 	 		
						344-8-05	*=!	T 0r	al I I laita	Cond.	Collopa	Well ID	Time	Temp ^o F	pH Units	Cond.	Gallons
Well ID	<u> </u>	<u> </u>	pH Units	Cond.	Gallons	Well ID	Time	Temp F	pH Units	Coria.	Gallons	Well ID	: 11116	1 chisp 1	I pri orinto	00110.	Validitio
MW-6	Not Sam	pled															
								-	<u> </u>		 				-		
								 	[-						+
Well ID	Time	Toma °E	pH Units	Cond.	Gallons	Well ID	Time	Temp °F	pH Units	Cond.	Gallons	Well ID	Time	Temp °F	pH Units	Cond.	Gallons
AAGILID	ime	Leith L	PLI OHIIS	Coriu,	Janons	1101110	14110	1 101111	1 5 5		1				<u> </u>	<u> </u>	†
	ļ	 	 						 		1			 	†	 	
		 			 	1								 			
	-	 	1			1		 			 						

Arco Project Manager:

Notes: NP = NO PURGE

Original Copies of Field Sampling Sheets are Located in Project File