

Atlantic Richfield Company

Chuck Carmel

Remediation Management Project Manager

PO Box 1257
San Ramon, CA 94583
Phone: (925) 275-3804
Fax: (925) 275-3815
E-Mail: chuck.carmel@bp.com

October 30, 2015

RECEIVED

By Alameda County Environmental Health 2:20 pm, Nov 02, 2015

Re: Third Quarter 2015 Monitoring Report
Atlantic Richfield Company Station #374
6407 Telegraph Avenue, Oakland, California
ACEH Case #RO0000078

"I declare, that to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached document are true and correct."

Submitted by,



Chuck Carmel
Remediation Management Project Manager

Attachment





4820 Business Center Drive, Suite 110
Fairfield, CA 94534
[T] 707-455-7290 [F] 707-863-9046
broadbentinc.com

Creating Solutions. Building Trust.

October 30, 2015

Project No. 06-88-602

Atlantic Richfield Company
P.O. Box 1257
San Ramon, CA 94583
Submitted via ENFOS

Attn.: Mr. Chuck Carmel

Re: Third Quarter 2015 Monitoring Report, Atlantic Richfield Company Station #374,
6407 Telegraph Avenue, Oakland, Alameda County, California
ACEH Case #RO0000078

Dear Mr. Carmel


Attached is the *Third Quarter 2015 Monitoring Report* for Atlantic Richfield Company (a BP affiliated company) for Station #374 located at 6407 Telegraph Avenue, Oakland, California (Site). Should you have questions regarding the work performed or results obtained, please do not hesitate to contact us at (707) 455-7290.

Sincerely,
BROADBENT & ASSOCIATES, INC.

Jessica Collado
Staff Scientist



Kristene Tidwell, P.G., C.H.G.
Associate Hydrogeologist



Enclosures

cc: Ms. Karol Detterman, Alameda County Environmental Health (Submitted via ACEH ftp site)
Electronic copy uploaded to GeoTracker

**THIRD QUARTER 2015
GROUNDWATER MONITORING REPORT
ATLANTIC RICHFIELD COMPANY STATION #374
OAKLAND, CALIFORNIA**

Broadbent & Associates, Inc. (Broadbent) is pleased to present this *Third Quarter 2015 Monitoring Report* on behalf of Atlantic Richfield Company (ARC, a BP affiliated company) for Station #374 located at 6407 Telegraph Avenue, Oakland, Alameda County, California (the Site). Monitoring activities at the Site were performed in accordance with an agency directive issued by the Alameda County Environmental Health (ACEH). Details of work performed, discussion of results, and recommendations are provided below.

Facility Name / Address:	Station #374 / 6407 Telegraph Avenue, Oakland, California
Client Project Manager / Title:	Mr. Chuck Carmel / Operations Project Manager
Broadbent Contact:	Ms. Kristene Tidwell, P.G., C.HG.
Broadbent Project No.:	06-88-602
Primary Regulatory Agency / ID No.:	ACEH / Case #RO0000078
Current phase of project:	Monitoring
List of Acronyms / Abbreviations:	See end of report text for list of acronyms/abbreviations used in report.

WORK PERFORMED THIS QUARTER (Third Quarter 2015):

1. Submitted *Second Quarter 2015 Status Report* on July 17, 2015.
2. Conducted Third Quarter 2015 groundwater monitoring and sampling event on August 31, 2015.

WORK SCHEDULED FOR NEXT QUARTER (Fourth Quarter 2015):

1. Submit *Third Quarter 2015 Monitoring Report* (contained herein).
2. No other environmental field activities are planned for Fourth Quarter 2015.

QUARTERLY MONITORING PLAN SUMMARY:

Groundwater level gauging:	MW-1 through MW-9	(Semi-Annually, 1Q & 3Q)
Groundwater sample collection:	MW-1, MW-2, MW-4, MW-7, MW-8, and MW-9	(Semi-Annually, 1Q & 3Q)
	MW-3, MW-5, and MW-6	(Annually, 3Q)

QUARTERLY RESULTS SUMMARY:

LNAPL

LNAPL observed this quarter:	No	(yes\no)
LNAPL recovered this quarter:	None	(gal)
Cumulative LNAPL recovered:	None	(gal)

Groundwater Elevation and Gradient:

Depth to groundwater:	5.19 (MW-6) to 8.88 (MW-1)	(ft below TOC)
Gradient direction:	Southwest	(compass direction)
Gradient magnitude:	0.03	(ft/ft)
Average change in elevation:	-2.47	(ft since last measurement)

Laboratory Analytical Data

Summary:

Analytical results are as follows:

- GRO was detected in one well at a maximum concentration of 6,300 µg/L in well MW-4
- Benzene was detected in one well at a concentration of 570 µg/L in well MW-4
- MTBE was detected in seven wells at a maximum concentration of 110 µg/L in well MW-1 and MW-8
- TAME was detected in one well at a concentration of 2.30 µg/L in well MW-8
- Ethylbenzene was detected in one well at a concentration of 27 µg/L in well MW-4
- Total xylenes were detected in one well at a concentration of 52 µg/L in well MW-4
- Toluene was detected in one well at a concentration of 43 µg/L in well MW-4

ACTIVITIES CONDUCTED & RESULTS:

Third Quarter 2015 groundwater monitoring was conducted on August 31, 2015 in accordance with the monitoring plan summary presented above. No irregularities were noted during water level gauging. Collected depth to water measurements ranged from 5.19 ft in monitoring well MW-6 to 8.88 ft in monitoring well MW-1. Resulting groundwater surface elevations ranged from 149.12 ft bgs in well MW-5 to 156.3 ft bgs in well MW-7. Groundwater elevations are summarized in Table 1. Water level elevations yielded a potentiometric groundwater gradient to the southwest at approximately 0.03 ft/ft. Historical groundwater gradient direction and magnitude data are summarized in Table 3. Field methods used during groundwater monitoring are provided in Appendix A. Field data sheets are included in Appendix B.

Groundwater samples collected from monitoring wells MW-1 through MW-9 were submitted to Test America Laboratories, Inc. (Test America) of Irvine, California for analysis of GRO, by EPA Method 8015B; BTEX, MTBE, ETBE, TAME, DIPE, TBA, EDB, 1,2-DCA, and ethanol by EPA Method 8260B. No significant irregularities were encountered during analysis of the samples. Laboratory analytical report and chain of custody record are provided in Appendix C.

Results of this sampling event are included in the laboratory analytical data summary presented above. These results indicate that the highest overall petroleum concentrations are present in well MW-4. The analytes detected this quarter are within historical concentration ranges. Further discussion of these results are presented below.

DISCUSSION:

Review of historical groundwater gradient data indicates that the gradient measured during Third Quarter 2015 monitoring is consistent with predominant measurements observed historically at the Site. During Third Quarter 2015, groundwater elevations decreased an average of 2.47 feet across the Site relative to measurements collected during First Quarter 2015.

Review of historical groundwater results indicate that well MW-4 contains the highest residual concentrations of petroleum compounds due to its location near the former Underground Storage Tank

(UST). Petroleum hydrocarbon concentrations from the Third Quarter 2015 monitoring event were within historical ranges with the following exceptions: MTBE reached historic minimum in MW-3 of 0.53 µg/L, respectively. Historical analytical data indicates decreasing trends for all Site wells.

The groundwater level in MW-6 is currently above the top of their respective screen intervals. Ideally, groundwater samples would not be collected from wells where screens are flooded. In general, wells with flooded screens are older wells, where water levels over time may have risen. Additionally, wells onsite only periodically have flooded screens.

The concentrations noted during events when the screen is not flooded are comparable to those where the screen is flooded. Additionally, data from wells with lower hydrocarbon concentrations is comparable to site wells without flooded screens. For these reasons, the data reported herein appears valid despite the occurrence of the flooded screen.

RECOMMENDATIONS:

A Soil Investigation and Vapor Intrusion Assessment field work was carried out during the First Quarter of 2015, the results of which are contained within the *Soil Investigation and Vapor Intrusion Assessment Report*. It was recommended that an offsite investigation be conducted further downgradient of the Site and that a monitoring well be installed in the immediate vicinity of boring B-1.

LIMITATIONS:

The findings presented in this report are based upon observations of field personnel, points investigated, results of laboratory tests performed by Test America and our understanding of ACEH guidelines. Our services were performed in accordance with the generally accepted standard of practice at the time this report was written. No other warranty, expressed or implied was made. This report has been prepared for the exclusive use of Atlantic Richfield Company (a BP affiliated company). It is possible that variations in soil or groundwater conditions could exist beyond points explored in this investigation. Also, changes in site conditions could occur in the future due to variations in rainfall, temperature, regional water usage, or other factors.

ATTACHMENTS:


- Drawing 1: Site Location Map
- Drawing 2: Groundwater Elevation Contour and Analytical Summary Map

- Table 1: Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
- Table 2: Summary of Fuel Additives Analytical Data
- Table 3: Historical Groundwater Gradient - Direction and Magnitude

- Appendix A: Field Methods
- Appendix B: Field Data Sheets and Non-Hazardous Waste Data Form
- Appendix C: Laboratory Report and Chain-of-Custody Documentation
- Appendix D: GeoTracker Upload Confirmation Receipts

LIST OF COMMONLY USED ACRONYMS/ABBREVIATIONS:

ACEH	Alameda County Environmental Health	gal:	Gallons
ARC:	Atlantic Richfield Company	GRO:	Gasoline Range Organics (C6-12)
BAI:	Broadbent & Associates, Inc.	LNAPL:	Light Non-Aqueous Phase Liquid
BTEX:	Benzene, Toluene, Ethylbenzene, Total Xylenes	MTBE:	Methyl Tertiary Butyl Ether
1,2-DCA:	1,2-Dichloroethane	TAME:	Tert-Amyl Methyl Ether
DIPE:	Di-Isopropyl Ether	TBA:	Tert-Butyl Alcohol
EDB:	1,2-Dibromomethane	TOC:	Top Of Casing
ft/ft:	Feet Per Foot	µg/L:	Micrograms Per Liter
UST:	Underground Storage Tank	ft bgs:	Feet Below Ground Surface



—N—

0 2000 400

APPROXIMATE SCALE (ft)

IMAGE SOURCE: USGS



BROADBENT
875 Cotting Lane, Suite G


Vacaville, California 95688
Project No : 06-88-602 Date: 3/8/2013

Station #374
6407 Telegraph Ave.
Oakland, California

Site Location Map

Drawing

1



NOTE: SITE MAP ADAPTED FROM IT CORPORATION FIGURES.
SITE DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED.

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote					
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE								
ESL - DW						100	1.0	40	30	20	5.0									
ESL - NDW						210	46	130	43	100	1,800									
MW-1																				
6/20/2000	--	158.91	7.00	27.00	6.86	152.05	--	--	--	--	--	--	--	--						
9/28/2000	--		7.00	27.00	7.50	151.41	--	--	--	--	--	--	--	--						
12/17/2000	--		7.00	27.00	7.49	151.42	--	--	--	--	--	--	--	--						
3/23/2001	--		7.00	27.00	5.90	153.01	<50	<0.5	<0.5	<0.5	<0.5	2,710	--	--						
6/21/2001	--		7.00	27.00	7.45	151.46	--	--	--	--	--	--	--	--						
9/23/2001	--		7.00	27.00	8.46	150.45	--	--	--	--	--	--	--	--						
12/31/2001	--		7.00	27.00	5.50	153.41	--	--	--	--	--	--	--	--						
3/21/2002	--		7.00	27.00	4.71	154.20	<5,000	<50	<50	<50	<50	2,000	--	--						
4/17/2002	--		7.00	27.00	5.54	153.37	--	--	--	--	--	--	--	--						
8/12/2002	--		7.00	27.00	7.77	151.14	--	--	--	--	--	--	--	--						
12/6/2002	--		7.00	27.00	7.65	151.26	--	--	--	--	--	--	--	--						
1/29/2003	--		7.00	27.00	5.88	153.03	--	--	--	--	--	--	--	--	b					
5/23/2003	--		7.00	27.00	5.62	153.29	<10,000	<100	<100	<100	<100	1,600	1.3	7.1						
9/4/2003	--		7.00	27.00	7.85	151.06	--	--	--	--	--	--	--	--						
11/20/2003	P		7.00	27.00	8.17	150.74	1,600	<10	<10	<10	<10	1,500	1.7	6.7						
2/2/2004	P	164.57	7.00	27.00	6.71	157.86	--	--	--	--	--	--	1.0	--	f					
5/14/2004	P		7.00	27.00	7.08	157.49	<2,500	<25	<25	<25	<25	1,200	1.4	6.6						
9/2/2004	P		7.00	27.00	8.12	156.45	580	<5.0	<5.0	<5.0	<5.0	660	3.8	6.7						
11/4/2004	P		7.00	27.00	7.38	157.19	1,700	<10	<10	<10	<10	580	6.0	6.5						
2/8/2005	P		7.00	27.00	6.60	157.97	<1,000	<10	<10	<10	<10	610	0.71	6.5						
5/9/2005	P		7.00	27.00	6.84	157.73	540	<5.0	<5.0	<5.0	5.5	620	3.12	6.6	e					
8/11/2005	P		7.00	27.00	7.36	157.21	540	<2.5	<2.5	<2.5	4.0	390	0.8	6.6						
11/18/2005	P		7.00	27.00	8.02	156.55	350	<2.5	<2.5	<2.5	<2.5	340	2.6	6.7	e					
2/16/2006	P		7.00	27.00	6.44	158.13	350	<2.5	<2.5	<2.5	<2.5	340	1.6	6.7	e					
5/30/2006	P		7.00	27.00	6.87	157.70	270	<2.5	<2.5	<2.5	<2.5	420	4.73	6.4						
8/24/2006	P		7.00	27.00	7.75	156.82	95	<5.0	<5.0	<5.0	<5.0	180	0.65	6.9						
11/1/2006	P		7.00	27.00	8.28	156.29	120	<5.0	<5.0	<5.0	<5.0	220	1.65	7.07						
2/7/2007	NP		7.00	27.00	7.40	157.17	120	<5.0	<5.0	<5.0	<5.0	190	1.88	7.45	e					

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote					
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE								
ESL - DW						100	1.0	40	30	20	5.0									
ESL - NDW						210	46	130	43	100	1,800									
MW-1 Cont.																				
5/8/2007	P	164.57	7.00	27.00	6.50	158.07	<500	<5.0	<5.0	<5.0	<5.0	420	1.21	6.94						
8/8/2007	NP		7.00	27.00	8.17	156.40	82	<0.50	<0.50	<0.50	<0.50	110	1.16	7.00	e					
11/14/2007	NP		7.00	27.00	8.01	156.56	170	<2.5	<2.5	<2.5	<2.5	210	1.92	6.49						
2/22/2008	P		7.00	27.00	6.00	158.57	<50	<0.50	<0.50	<0.50	<0.50	250	2.57	6.65						
5/24/2008	NP		7.00	27.00	7.58	156.99	<50	<5.0	<5.0	<5.0	<5.0	380	2.28	6.81						
8/21/2008	NP		7.00	27.00	8.60	155.97	<50	<2.5	<2.5	<2.5	<2.5	170	2.16	6.98						
11/19/2008	NP		7.00	27.00	8.88	155.69	<50	<0.50	<0.50	<0.50	<0.50	30	2.12	7.27						
2/23/2009	P		7.00	27.00	6.40	158.17	78	<2.5	<2.5	<2.5	<2.5	240	2.19	6.03						
5/14/2009	P		7.00	27.00	6.67	157.90	53	<0.50	<0.50	<0.50	<0.50	200	1.75	6.69						
8/20/2009	NP		7.00	27.00	8.25	156.32	150	<2.0	<2.0	<2.0	<2.0	170	2.14	6.25	i (GRO)					
2/19/2010	P		7.00	27.00	6.07	158.50	<50	<0.50	<0.50	<0.50	<0.50	170	0.92	6.66						
8/10/2010	NP		7.00	27.00	7.58	156.99	<50	<2.5	<2.5	<2.5	<2.5	230	3.86	7.1						
12/16/2010	P	164.45	7.00	27.00	6.64	157.81	<50	<2.0	<2.0	<2.0	<2.0	140	1.20	6.86	j					
2/14/2011	NP		7.00	27.00	7.10	157.35	<50	<2.5	<2.5	<2.5	<2.5	170	1.18	6.7						
5/20/2011	--		7.00	27.00	6.38	158.07	--	--	--	--	--	--	--	--						
8/15/2011	NP		7.00	27.00	7.24	157.21	<50	<2.5	<2.5	<2.5	<2.5	130	2.54	6.9						
2/2/2012	P		7.00	27.00	7.32	157.13	<50	<1.0	<1.0	<1.0	<1.0	66	1.01	7.1						
8/9/2012	P		7.00	27.00	6.69	157.76	<50	<0.50	<0.50	<0.50	<1.0	170	1.65	6.99						
2/14/2013	P		7.00	27.00	5.97	158.48	<50	<0.50	<0.50	<0.50	<1.0	140	1.74	7.20						
8/22/2013	P		7.00	27.00	7.87	156.58	<50	<0.50	<0.50	<0.50	<1.0	91	5.69	7.21						
2/11/2014	P		7.00	27.00	7.75	156.70	<50	<0.50	<0.50	<0.50	<1.0	26	2.02	7.04						
8/15/2014	P		7.00	27.00	8.51	155.94	<50	<0.50	<0.50	<0.50	<1.0	120	1.82	6.70						
2/12/2015	P		7.00	27.00	6.57	157.88	<50	<0.50	<0.50	<0.50	<1.0	130	1.00	6.17						
8/31/2015	P		7.00	27.00	8.88	155.57	<50	<0.50	<0.50	<0.50	<1.0	110	1.32	6.38						
MW-2																				
6/20/2000	--	157.92	7.00	27.00	7.67	150.25	--	--	--	--	--	--	--	--						
9/28/2000	--		7.00	27.00	8.51	149.41	--	--	--	--	--	--	--	--						
12/17/2000	--		7.00	27.00	8.14	149.78	--	--	--	--	--	--	--	--						

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote					
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE								
ESL - DW						100	1.0	40	30	20	5.0									
ESL - NDW						210	46	130	43	100	1,800									
MW-2 Cont.																				
3/23/2001	--	157.92	7.00	27.00	7.21	150.71	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--						
6/21/2001	--		7.00	27.00	7.99	149.93	--	--	--	--	--	--	--	--						
9/23/2001	--		7.00	27.00	8.52	149.40	--	--	--	--	--	--	--	--						
12/31/2001	--		7.00	27.00	6.01	151.91	--	--	--	--	--	--	--	--						
3/21/2002	--		7.00	27.00	5.95	151.97	<50	<0.5	<0.5	<0.5	<0.5	45	--	--						
4/17/2002	--		7.00	27.00	6.45	151.47	--	--	--	--	--	--	--	--						
8/12/2002	--		7.00	27.00	8.08	149.84	--	--	--	--	--	--	--	--						
12/6/2002	--		7.00	27.00	8.29	149.63	--	--	--	--	--	--	--	--						
1/29/2003	--		7.00	27.00	7.22	150.70	--	--	--	--	--	--	--	--	b					
5/23/2003	--		7.00	27.00	6.85	151.07	<50	<0.50	<0.50	<0.50	<0.50	55	1.4	7.2						
9/4/2003	--		7.00	27.00	7.94	149.98	--	--	--	--	--	--	--	--						
11/20/2003	--		7.00	27.00	8.05	149.87	--	--	--	--	--	--	--	--						
2/2/2004	P	163.46	7.00	27.00	7.00	156.46	74	<0.50	<0.50	<0.50	<0.50	37	1.1	8.9	f					
5/14/2004	--		7.00	27.00	7.97	155.49	--	--	--	--	--	--	--	--						
9/2/2004	P		7.00	27.00	8.19	155.27	<250	<2.5	<2.5	<2.5	<2.5	67	2.7	6.9						
11/4/2004	--		7.00	27.00	7.54	155.92	--	--	--	--	--	--	--	--						
2/8/2005	P		7.00	27.00	6.72	156.74	<50	<0.50	<0.50	<0.50	<0.50	30	0.86	6.7						
5/9/2005	--		7.00	27.00	7.16	156.30	--	--	--	--	--	--	--	--						
8/11/2005	P		7.00	27.00	7.85	155.61	<50	<0.50	<0.50	<0.50	<0.50	35	1.0	6.6						
11/18/2005	--		7.00	27.00	8.23	155.23	--	--	--	--	--	--	--	--						
2/16/2006	P		7.00	27.00	6.82	156.64	<50	<0.50	<0.50	<0.50	<0.50	39	1.3	7.0						
5/30/2006	--		7.00	27.00	7.23	156.23	--	--	--	--	--	--	--	--						
8/24/2006	P		7.00	27.00	8.00	155.46	60	<0.50	<0.50	<0.50	<0.50	25	0.90	6.8						
11/1/2006	--		7.00	27.00	8.38	155.08	--	--	--	--	--	--	--	--						
2/7/2007	NP		7.00	27.00	7.88	155.58	<50	0.50	<0.50	<0.50	<0.50	7.2	0.94	7.39						
5/8/2007	--		7.00	27.00	7.28	156.18	--	--	--	--	--	--	--	--						
8/8/2007	NP		7.00	27.00	8.38	155.08	88	3.2	<0.50	<0.50	<0.50	7.2	0.94	7.75						
11/14/2007	--		7.00	27.00	8.10	155.36	--	--	--	--	--	--	--	--						

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote					
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE								
ESL - DW						100	1.0	40	30	20	5.0									
ESL - NDW						210	46	130	43	100	1,800									
MW-2 Cont.																				
2/22/2008	P	163.46	7.00	27.00	6.75	156.71	<50	<0.50	<0.50	<0.50	<0.50	24	2.18	7.02						
5/24/2008	--		7.00	27.00	7.98	155.48	--	--	--	--	--	--	--	--	--					
8/21/2008	NP		7.00	27.00	8.58	154.88	<50	2.6	<0.50	<0.50	<0.50	4.9	2.20	7.11						
11/19/2008	--		7.00	27.00	8.66	154.80	--	--	--	--	--	--	--	--	--					
2/23/2009	P		7.00	27.00	6.67	156.79	74	1.0	<0.50	<0.50	<0.50	24	2.25	6.16						
5/14/2009	--		7.00	27.00	7.02	156.44	--	--	--	--	--	--	--	--	--					
8/20/2009	NP		7.00	27.00	8.41	155.05	82	2.4	<0.50	<0.50	<0.50	8.4	2.19	6.37						
2/19/2010	NP		7.00	27.00	7.36	156.10	<50	<0.50	<0.50	<0.50	<0.50	22	0.81	6.90						
8/10/2010	NP		7.00	27.00	7.69	155.77	<50	<0.50	<0.50	<0.50	<0.50	23	2.40	7.67						
12/16/2010	P	163.49	7.00	27.00	7.12	156.37	<50	<0.50	<0.50	<0.50	<0.50	17	0.69	7.06	j					
2/14/2011	NP		7.00	27.00	7.35	156.14	<50	<0.50	<0.50	<0.50	<0.50	11	0.87	7.0						
5/20/2011	--		7.00	27.00	7.02	156.47	--	--	--	--	--	--	--	--	--					
8/15/2011	NP		7.00	27.00	7.62	155.87	<50	<0.50	<0.50	<0.50	<0.50	1.7	1.45	7.1						
2/2/2012	P		7.00	27.00	7.56	155.93	<50	<0.50	<0.50	<0.50	<0.50	1.8	0.85	7.3						
8/9/2012	P		7.00	27.00	6.31	157.18	<50	<0.50	<0.50	<0.50	<1.0	73	1.28	7.15						
2/14/2013	P		7.00	27.00	6.03	157.46	<50	<0.50	<0.50	<0.50	<1.0	46	1.71	7.48						
8/22/2013	P		7.00	27.00	7.79	155.70	<50	<0.50	<0.50	<0.50	<1.0	82	4.16	7.23						
2/11/2014	P		7.00	27.00	7.12	156.37	<50	<0.50	<0.50	<0.50	<1.0	7.5	2.32	6.65						
8/15/2014	P		7.00	27.00	8.53	154.96	<50	<0.50	<0.50	<0.50	<1.0	61	2.90	6.02						
2/12/2015	P		7.00	27.00	6.98	156.51	<50	<0.50	<0.50	<0.50	<1.0	57	0.78	6.27						
8/31/2015	P		7.00	27.00	8.77	154.72	<50	<0.50	<0.50	<0.50	<1.0	40	0.90	6.79						
MW-3																				
6/20/2000	--	153.64	7.00	27.00	6.42	147.22	<50	<0.5	<0.5	<0.5	<1.0	<10	--	--						
9/28/2000	--		7.00	27.00	7.31	146.33	--	--	--	--	--	--	--	--						
12/17/2000	--		7.00	27.00	6.45	147.19	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--						
3/23/2001	--		7.00	27.00	6.01	147.63	--	--	--	--	--	--	--	--						
6/21/2001	--		7.00	27.00	6.80	146.84	110	5.5	<0.5	5.4	4.1	2.5	--	--						
9/23/2001	--		7.00	27.00	7.32	146.32	--	--	--	--	--	--	--	--						

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote					
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE								
ESL - DW						100	1.0	40	30	20	5.0									
ESL - NDW						210	46	130	43	100	1,800									
MW-3 Cont.																				
12/31/2001	--	153.64	7.00	27.00	4.48	149.16	<50	<0.5	<0.5	<0.5	<0.5	4.9	--	--						
3/21/2002	--		7.00	27.00	4.36	149.28	--	--	--	--	--	--	--	--						
4/17/2002	--		7.00	27.00	5.31	148.33	<50	<0.5	<0.5	<0.5	<0.5	8.7	--	--						
8/12/2002	--		7.00	27.00	7.00	146.64	--	--	--	--	--	--	--	--						
12/6/2002	--		7.00	27.00	7.32	146.32	<50	<0.5	<0.5	<0.5	<0.5	6.2	1.4	6.7						
1/29/2003	--		7.00	27.00	6.07	147.57	--	--	--	--	--	--	--	--	b					
5/23/2003	--		7.00	27.00	6.45	147.19	<50	<0.50	<0.50	<0.50	<0.50	1.6	0.9	7.7						
9/4/2003	--		7.00	27.00	6.93	146.71	--	--	--	--	--	--	--	--	c					
11/20/2003	--		7.00	27.00	7.04	146.60	--	--	--	--	--	--	--	--	c					
2/2/2004	--	159.21	7.00	27.00	5.92	153.29	--	--	--	--	--	--	--	--	f					
5/14/2004	--		7.00	27.00	7.52	151.69	--	--	--	--	--	--	--	--						
9/2/2004	P		7.00	27.00	7.19	152.02	<50	<0.50	<0.50	<0.50	<0.50	6.5	9.3	8.9						
11/4/2004	--		7.00	27.00	6.40	152.81	--	--	--	--	--	--	--	--						
2/8/2005	--		7.00	27.00	6.01	153.20	--	--	--	--	--	--	--	--						
5/9/2005	--		7.00	27.00	6.74	152.47	--	--	--	--	--	--	--	--						
8/11/2005	P		7.00	27.00	6.77	152.44	<50	<0.50	<0.50	<0.50	<0.50	11	1.9	6.5						
11/18/2005	--		7.00	27.00	7.83	151.38	--	--	--	--	--	--	--	--						
2/16/2006	--		7.00	27.00	7.26	151.95	--	--	--	--	--	--	--	--						
5/30/2006	--		7.00	27.00	5.82	153.39	--	--	--	--	--	--	--	--						
8/24/2006	P		7.00	27.00	7.00	152.21	<50	<0.50	<0.50	<0.50	<0.50	7.6	1.15	6.4						
11/1/2006	--		7.00	27.00	7.50	151.71	--	--	--	--	--	--	--	--						
2/7/2007	--		7.00	27.00	6.90	152.31	--	--	--	--	--	--	--	--						
5/8/2007	--		7.00	27.00	5.95	153.26	--	--	--	--	--	--	--	--						
8/8/2007	NP		7.00	27.00	7.47	151.74	<50	<0.50	<0.50	<0.50	<0.50	1.2	1.21	6.93						
11/14/2007	--		7.00	27.00	7.05	152.16	--	--	--	--	--	--	--	--						
2/22/2008	--		7.00	27.00	5.50	153.71	--	--	--	--	--	--	--	--						
5/24/2008	--		7.00	27.00	7.03	152.18	--	--	--	--	--	--	--	--						
8/21/2008	NP		7.00	27.00	7.80	151.41	<50	<0.50	<0.50	<0.50	<0.50	3.1	2.11	6.84						

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote					
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE								
ESL - DW						100	1.0	40	30	20	5.0									
ESL - NDW						210	46	130	43	100	1,800									
MW-3 Cont.																				
11/19/2008	--	159.21	7.00	27.00	7.69	151.52	--	--	--	--	--	--	--	--	--					
2/23/2009	--		7.00	27.00	7.28	151.93	--	--	--	--	--	--	--	--						
5/14/2009	--		7.00	27.00	6.17	153.04	--	--	--	--	--	--	--	--	--					
8/20/2009	NP		7.00	27.00	7.38	151.83	<50	<0.50	<0.50	<0.50	<0.50	2.2	2.05	7.01						
2/19/2010	--		7.00	27.00	5.31	153.90	--	--	--	--	--	--	--	--	--					
8/10/2010	NP		7.00	27.00	7.12	152.09	<50	<0.50	<0.50	<0.50	<0.50	1.6	1.27	7.33						
12/16/2010	--		7.00	27.00	5.65	153.56	--	--	--	--	--	--	--	--	j					
2/14/2011	--		7.00	27.00	6.20	153.01	--	--	--	--	--	--	--	--						
5/20/2011	--		7.00	27.00	5.77	153.44	--	--	--	--	--	--	--	--	--					
8/15/2011	P		7.00	27.00	6.41	152.80	<50	<0.50	<0.50	<0.50	<0.50	1.2	1.04	7.0						
2/2/2012	--		7.00	27.00	6.34	152.87	--	--	--	--	--	--	--	--	--					
8/9/2012	P		7.00	27.00	6.62	152.59	<50	<0.50	<0.50	<0.50	<1.0	2.0	1.16	6.71						
2/14/2013	--		7.00	27.00	6.09	153.12	--	--	--	--	--	--	--	--	--					
8/22/2013	P		7.00	27.00	7.15	152.06	<50	<0.50	<0.50	<0.50	<1.0	1.4	4.35	6.72						
2/11/2014	--		7.00	27.00	5.79	153.42	--	--	--	--	--	--	--	--						
8/15/2014	P		7.00	27.00	6.30	152.91	<50	<0.50	<0.50	<0.50	<1.0	1.2	0.15	6.12						
2/12/2015	--		7.00	27.00	3.41	155.80	--	--	--	--	--	--	--	--						
8/31/2015	P		7.00	27.00	7.30	151.91	<50	<0.50	<0.50	<0.50	<1.0	0.53	0.90	6.01						
MW-4																				
6/20/2000	--	156.53	7.00	27.00	7.50	149.03	20,000	5,100	440	1,000	1,700	<250	--	--	c					
9/28/2000	--		7.00	27.00	8.20	148.33	--	--	--	--	--	--	--	--						
12/17/2000	--		7.00	27.00	8.11	148.42	4,320	1,240	<20	27.2	249	<100	--	--						
3/23/2001	--		7.00	27.00	6.69	149.84	--	--	--	--	--	--	--	--						
6/21/2001	--		7.00	27.00	8.01	148.52	2,800	470	16	19	160	130	--	--						
9/23/2001	--		7.00	27.00	8.91	147.62	--	--	--	--	--	--	--	--						
12/31/2001	--		7.00	27.00	4.42	152.11	4,600	1,500	100	160	210	160	--	--						
3/21/2002	--		7.00	27.00	4.98	151.55	--	--	--	--	--	--	--	--						
4/17/2002	--		7.00	27.00	6.23	150.30	7,100	2,200	110	290	450	<250	--	--						

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote					
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE								
ESL - DW						100	1.0	40	30	20	5.0									
ESL - NDW						210	46	130	43	100	1,800									
MW-4 Cont.																				
8/12/2002	--	156.53	7.00	27.00	8.24	148.29	--	--	--	--	--	--	--	--	--					
12/6/2002	--		7.00	27.00	8.42	148.11	1,500	410	6.8	20	29	43	1.1	6.7	a					
1/29/2003	--		7.00	27.00	7.20	149.33	--	--	--	--	--	--	--	--	b					
5/23/2003	--		7.00	27.00	7.18	149.35	<5,000	1,300	89	210	260	<50	1.4	6.9						
9/4/2003	--		7.00	27.00	8.15	148.38	--	--	--	--	--	--	--	--	c					
11/20/2003	--		7.00	27.00	8.73	147.80	--	--	--	--	--	--	--	--	c					
2/2/2004	P	163.25	7.00	27.00	6.25	157.00	980	280	21	29	38	29	1.4	10.6	c, f, g					
5/14/2004	--		7.00	27.00	8.38	154.87	--	--	--	--	--	--	--	--	g					
9/2/2004	P		7.00	27.00	8.36	154.89	260	11	<1.0	5.5	14	28	2.4	7.4	g					
11/4/2004	--		7.00	27.00	7.71	155.54	--	--	--	--	--	--	--	--	c, g					
2/8/2005	P		7.00	27.00	6.27	156.98	7,500	1,700	320	480	920	45	0.65	6.5	g					
5/9/2005	--		7.00	27.00	5.90	157.35	--	--	--	--	--	--	--	--	g					
8/11/2005	P		7.00	27.00	7.96	155.29	3,100	1,100	41	160	110	32	0.6	6.5	g					
11/18/2005	--		7.00	27.00	8.57	154.68	--	--	--	--	--	--	--	--	g					
2/16/2006	P		7.00	27.00	6.28	156.97	9,400	1,800	130	600	420	35	0.5	6.8	g					
5/30/2006	--	162.47	7.00	27.00	7.02	155.45	--	--	--	--	--	--	--	--	g					
8/24/2006	P		7.00	27.00	8.26	154.21	3,600	1,400	21	110	70	39	1.00	6.8						
11/1/2006	--		7.00	27.00	8.67	153.80	--	--	--	--	--	--	--	--						
2/7/2007	NP		7.00	27.00	8.02	154.45	3,100	570	17	170	110	67	0.95	7.07						
5/8/2007	--		7.00	27.00	7.03	155.44	--	--	--	--	--	--	--	--						
8/8/2007	NP		7.00	27.00	8.60	153.87	2,900	630	22	67	57	72	0.93	6.79						
11/14/2007	--		7.00	27.00	8.53	153.94	--	--	--	--	--	--	--	--						
2/22/2008	P		7.00	27.00	6.25	156.22	3,900	880	39	180	92	70	2.31	6.87						
5/24/2008	--		7.00	27.00	--	--	--	--	--	--	--	--	--	--	d					
8/21/2008	NP		7.00	27.00	8.96	153.51	3,700	1,100	26	85	130	53	2.26	6.80						
11/19/2008	--		7.00	27.00	9.20	153.27	--	--	--	--	--	--	--	--						
2/23/2009	P		7.00	27.00	6.35	156.12	3,000	220	9.1	23	19	39	2.21	6.51						
5/14/2009	--		7.00	27.00	7.00	155.47	--	--	--	--	--	--	--	--						

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote					
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE								
ESL - DW						100	1.0	40	30	20	5.0									
ESL - NDW						210	46	130	43	100	1,800									
MW-4 Cont.																				
8/20/2009	NP	162.47	7.00	27.00	8.05	154.42	5,700	1,100	35	110	100	23	2.17	6.81						
2/19/2010	P		7.00	27.00	5.71	156.76	12,000	1,200	120	230	390	<5.0	0.81	6.70	i					
8/10/2010	NP		7.00	27.00	7.59	154.88	9,700	1,500	120	400	400	<20	3.81	6.8						
12/16/2010	P	162.48	7.00	27.00	6.83	155.65	15,000	1,800	82	270	210	<25	0.49	6.81	j					
2/14/2011	NP		7.00	27.00	7.33	155.15	260	<0.50	<0.50	2.7	11	13	0.80	7.10						
5/20/2011	--		7.00	27.00	6.89	155.59	--	--	--	--	--	--	--	--						
8/15/2011	P		7.00	27.00	7.59	154.89	8,600	2,100	86	250	210	<12	1.02	7.0	i					
2/2/2012	P		7.00	27.00	7.71	154.77	4,600	1,000	34	23	33	<12	0.60	7.2						
8/9/2012	P		7.00	27.00	6.57	155.91	3,200	660	44	53	57	<5.0	1.09	7.05						
2/14/2013	P		7.00	27.00	6.26	156.22	7,200	1,400	150	390	700	<10	1.20	7.51						
8/22/2013	P		7.00	27.00	7.59	154.89	6,900	1,600	100	120	330	<10	4.50	6.98						
2/11/2014	P		7.00	27.00	7.13	155.35	140	800	80	84	230	<5.0	1.03	6.65						
8/15/2014	P		7.00	27.00	8.33	154.15	6,300	900	45	38	92	<5.0	0.21	6.14						
2/12/2015	P		7.00	27.00	5.98	156.50	7,000	120	8.0	31	22	<0.50	0.61	6.23						
8/31/2015	P		7.00	27.00	8.66	153.82	6,300	570	43	27	52	<5.0	0.88	6.61						
MW-5																				
6/20/2000	--	151.33	10.00	23.00	7.84	143.49	<50	<0.5	<0.5	<0.5	<1.0	<10	--	--						
9/28/2000	--		10.00	23.00	8.37	142.96	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--						
12/17/2000	--		10.00	23.00	8.36	142.97	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--						
3/23/2001	--		10.00	23.00	7.55	143.78	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--						
6/21/2001	--		10.00	23.00	8.20	143.13	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--						
9/23/2001	--		10.00	23.00	8.68	142.65	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--						
12/31/2001	--		10.00	23.00	7.57	143.76	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--						
3/21/2002	--		10.00	23.00	6.12	145.21	<50	<0.5	<0.5	<0.5	<0.5	3.2	--	--						
4/17/2002	--		10.00	23.00	6.61	144.72	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--						
8/12/2002	--		10.00	23.00	8.14	143.19	<50	<0.5	<0.5	<0.5	<0.5	<2.5	4.1	7.6						
12/6/2002	--		10.00	23.00	8.65	142.68	<50	<0.5	<0.5	<0.5	<0.5	<2.5	1.1	6.8						
1/29/2003	--		10.00	23.00	7.22	144.11	<50	<0.5	<0.5	<0.5	<0.5	<0.50	1	6.6	b					

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote					
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE								
ESL - DW						100	1.0	40	30	20	5.0									
ESL - NDW						210	46	130	43	100	1,800									
MW-5 Cont.																				
5/23/2003	--	151.33	10.00	23.00	7.31	144.02	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.1	6.6						
9/4/2003	--		10.00	23.00	9.50	141.83	<50	<0.50	<0.50	<0.50	<0.50	<0.50	3.2	6.7						
11/20/2003	--		10.00	23.00	8.31	143.02	--	--	--	--	--	--	--	--						
2/2/2004	--		10.00	23.00	6.92	144.41	--	--	--	--	--	--	--	--	c, f, h					
5/14/2004	--		10.00	23.00	8.56	142.77	--	--	--	--	--	--	--	--	h					
9/2/2004	P		10.00	23.00	8.79	142.54	<50	<0.50	<0.50	<0.50	<0.50	<0.50	3.5	6.8	h					
11/4/2004	--		10.00	23.00	8.33	143.00	--	--	--	--	--	--	--	--	c, h					
2/8/2005	--		10.00	23.00	7.28	144.05	--	--	--	--	--	--	--	--	h					
5/9/2005	--		10.00	23.00	8.19	143.14	--	--	--	--	--	--	--	--	h					
8/11/2005	P		10.00	23.00	8.39	142.94	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.2	6.6	h					
11/18/2005	--		10.00	23.00	11.25	140.08	--	--	--	--	--	--	--	--	h					
2/16/2006	--		10.00	23.00	9.22	142.11	--	--	--	--	--	--	--	--	h					
5/30/2006	--		10.00	23.00	7.52	143.81	--	--	--	--	--	--	--	--	h					
8/24/2006	P		10.00	23.00	7.95	143.38	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.60	6.6						
11/1/2006	--		10.00	23.00	8.32	143.01	--	--	--	--	--	--	--	--						
2/7/2007	--		10.00	23.00	8.25	143.08	--	--	--	--	--	--	--	--						
5/8/2007	--		10.00	23.00	7.60	143.73	--	--	--	--	--	--	--	--						
8/8/2007	P		10.00	23.00	8.12	143.21	<50	<0.50	<0.50	<0.50	<0.50	<0.50	3.26	7.31						
11/14/2007	--		10.00	23.00	9.10	142.23	--	--	--	--	--	--	--	--						
2/22/2008	--		10.00	23.00	7.48	143.85	--	--	--	--	--	--	--	--						
5/24/2008	--		10.00	23.00	8.12	143.21	--	--	--	--	--	--	--	--						
8/21/2008	P		10.00	23.00	8.65	142.68	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.14	6.54						
11/19/2008	--		10.00	23.00	11.86	139.47	--	--	--	--	--	--	--	--						
2/23/2009	--		10.00	23.00	10.20	141.13	--	--	--	--	--	--	--	--						
5/14/2009	--		10.00	23.00	9.63	141.70	--	--	--	--	--	--	--	--						
8/20/2009	P		10.00	23.00	8.52	142.81	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.01	6.47						
2/19/2010	--		10.00	23.00	--	--	--	--	--	--	--	--	--	--	d					
8/10/2010	P		10.00	23.00	8.05	143.28	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.15	7.1						

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
ESL - DW						100	1.0	40	30	20	5.0				
ESL - NDW						210	46	130	43	100	1,800				
MW-5 Cont.															
12/16/2010	--	156.90	10.00	23.00	8.10	148.80	--	--	--	--	--	--	--	--	j
2/14/2011	--		10.00	23.00	--	--	--	--	--	--	--	--	--	--	d
5/20/2011	--		10.00	23.00	--	--	--	--	--	--	--	--	--	--	d
8/15/2011	P		10.00	23.00	7.91	148.99	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.46	7.4	
2/2/2012	--		10.00	23.00	8.08	148.82	--	--	--	--	--	--	--	--	
8/9/2012	P		10.00	23.00	8.02	148.88	<50	<0.50	<0.50	<0.50	<1.0	<0.50	1.25	6.99	
2/14/2013	--		10.00	23.00	7.54	149.36	--	--	--	--	--	--	--	--	
8/22/2013	P		10.00	23.00	8.34	148.56	<50	<0.50	<0.50	<0.50	<1.0	<0.50	4.33	6.95	
2/11/2014	--		10.00	23.00	7.61	149.29	--	--	--	--	--	--	--	--	
8/15/2014	P		10.00	23.00	8.06	148.84	<50	<0.50	<0.50	<0.50	<1.0	<0.50	2.33	5.92	
2/12/2015	--		10.00	23.00	5.32	151.58	--	--	--	--	--	--	--	--	
8/31/2015	P		10.00	23.00	7.78	149.12	<50	<0.50	<0.50	<0.50	<1.0	<0.50	0.83	6.47	
MW-6															
6/20/2000	--	153.84	5.00	15.00	4.79	149.05	--	--	--	--	--	--	--	--	
9/28/2000	--		5.00	15.00	5.39	148.45	--	--	--	--	--	--	--	--	
12/17/2000	--		5.00	15.00	4.71	149.13	--	--	--	--	--	--	--	--	
3/23/2001	--		5.00	15.00	4.69	149.15	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	
6/21/2001	--		5.00	15.00	5.22	148.62	--	--	--	--	--	--	--	--	
9/23/2001	--		5.00	15.00	5.40	148.44	--	--	--	--	--	--	--	--	
12/31/2001	--		5.00	15.00	3.95	149.89	--	--	--	--	--	--	--	--	
3/21/2002	--		5.00	15.00	2.94	150.90	<50	<0.5	<0.5	<0.5	<0.5	5.2	--	--	
4/17/2002	--		5.00	15.00	5.11	148.73	--	--	--	--	--	--	--	--	
8/12/2002	--		5.00	15.00	5.23	148.61	--	--	--	--	--	--	--	--	
12/6/2002	--		5.00	15.00	5.29	148.55	--	--	--	--	--	--	--	--	
1/29/2003	--		5.00	15.00	4.79	149.05	--	--	--	--	--	--	--	--	b
5/23/2003	--		5.00	15.00	4.31	149.53	<50	<0.50	<0.50	<0.50	<0.50	9.4	1	6.7	
9/4/2003	--		5.00	15.00	--	--	--	--	--	--	--	--	--	--	d
11/20/2003	--		5.00	15.00	6.31	147.53	--	--	--	--	--	--	--	--	

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote					
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE								
ESL - DW						100	1.0	40	30	20	5.0									
ESL - NDW						210	46	130	43	100	1,800									
MW-6 Cont.																				
2/2/2004	--	159.41	5.00	15.00	4.78	154.63	--	--	--	--	--	--	--	--	f					
5/14/2004	--		5.00	15.00	6.29	153.12	--	--	--	--	--	--	--	--						
9/2/2004	--		5.00	15.00	5.79	153.62	--	--	--	--	--	--	--	--	d					
11/4/2004	--		5.00	15.00	--	--	--	--	--	--	--	--	--	--	d					
2/8/2005	--		5.00	15.00	5.13	154.28	--	--	--	--	--	--	--	--						
5/9/2005	--		5.00	15.00	4.52	154.89	--	--	--	--	--	--	--	--						
8/11/2005	P		5.00	15.00	5.02	154.39	<50	<0.50	<0.50	<0.50	<0.50	7.9	2.1	6.6						
11/18/2005	--		5.00	15.00	6.31	153.10	--	--	--	--	--	--	--	--						
2/16/2006	--		5.00	15.00	4.24	155.17	--	--	--	--	--	--	--	--						
5/30/2006	--		5.00	15.00	4.45	154.96	--	--	--	--	--	--	--	--						
8/24/2006	P		5.00	15.00	5.18	154.23	<50	<0.50	<0.50	<0.50	<0.50	12	3.4	6.8						
11/1/2006	--		5.00	15.00	6.05	153.36	--	--	--	--	--	--	--	--						
2/7/2007	--		5.00	15.00	5.00	154.41	--	--	--	--	--	--	--	--						
5/8/2007	--		5.00	15.00	4.30	155.11	--	--	--	--	--	--	--	--						
8/8/2007	NP		5.00	15.00	5.51	153.90	<50	<0.50	<0.50	<0.50	<0.50	0.57	2.94	6.87						
11/14/2007	--		5.00	15.00	5.38	154.03	--	--	--	--	--	--	--	--						
2/22/2008	--		5.00	15.00	4.70	154.71	--	--	--	--	--	--	--	--						
5/24/2008	--		5.00	15.00	5.25	154.16	--	--	--	--	--	--	--	--						
8/21/2008	NP		5.00	15.00	6.14	153.27	<50	<0.50	<0.50	<0.50	<0.50	1.9	1.99	7.13						
11/19/2008	--		5.00	15.00	5.94	153.47	--	--	--	--	--	--	--	--						
2/23/2009	--		5.00	15.00	5.00	154.41	--	--	--	--	--	--	--	--						
5/14/2009	--		5.00	15.00	4.60	154.81	--	--	--	--	--	--	--	--						
8/20/2009	NP		5.00	15.00	5.65	153.76	<50	<0.50	<0.50	<0.50	<0.50	2.0	1.98	6.81						
2/19/2010	--		5.00	15.00	7.28	152.13	--	--	--	--	--	--	--	--						
8/10/2010	NP		5.00	15.00	5.02	154.39	<50	<0.50	<0.50	<0.50	<0.50	4.3	1.99	6.93						
12/16/2010	--		5.00	15.00	4.50	154.91	--	--	--	--	--	--	--	--	j					
2/14/2011	--		5.00	15.00	4.80	154.61	--	--	--	--	--	--	--	--						
5/20/2011	--		5.00	15.00	4.29	155.12	--	--	--	--	--	--	--	--						

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote						
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE									
ESL - DW							100	1.0	40	30	20	5.0									
ESL - NDW							210	46	130	43	100	1,800									
MW-6 Cont.																					
8/15/2011	P	159.41	5.00	15.00	4.52	154.89	<50	<0.50	<0.50	<0.50	<0.50	2.2	1.55	7.1							
2/2/2012	--		5.00	15.00	--	--	--	--	--	--	--	--	--	--	d						
8/9/2012	P		5.00	15.00	4.65	154.76	<50	<0.50	<0.50	<0.50	<1.0	3.6	1.14	6.89							
2/14/2013	--		5.00	15.00	--	--	--	--	--	--	--	--	--	--	d						
8/22/2013	--		5.00	15.00	--	--	--	--	--	--	--	--	--	--	d						
2/11/2014	--		5.00	15.00	4.67	154.74	--	--	--	--	--	--	--	--							
8/15/2014	P		5.00	15.00	2.84	156.57	<50	<0.50	<0.50	<0.50	<1.0	1.7	1.08	6.01							
2/12/2015	--		5.00	15.00	1.40	158.01	--	--	--	--	--	--	--	--							
8/31/2015	P		5.00	15.00	5.19	154.22	<50	<0.50	<0.50	<0.50	<1.0	0.68	1.05	6.10							
MW-7																					
12/16/2010	P	164.80	5.00	20.00	6.52	158.28	700	<0.50	<0.50	15	32	62	--	7.08	j						
2/14/2011	NP		5.00	20.00	6.77	158.03	7,100	1,700	98	260	210	<20	1.02	6.8							
5/20/2011	NP		5.00	20.00	5.84	158.96	570	<0.50	<0.50	37	25	4.6	1.66	6.7	I (GRO)						
8/15/2011	P		5.00	20.00	6.96	157.84	420	<1.0	<1.0	49	6.7	14	0.58	6.9							
2/2/2012	P		5.00	20.00	7.15	157.65	<50	<0.50	<0.50	<0.50	<0.50	6.2	0.45	7.5							
8/9/2012	P		5.00	20.00	5.05	159.75	85	<0.50	<0.50	5.8	1.1	7.0	1.04	7.25							
2/14/2013	P		5.00	20.00	4.38	160.42	310	1.2	<0.50	1.6	6.3	5.1	1.31	7.64							
8/22/2013	P		5.00	20.00	7.39	157.41	78	<0.50	<0.50	3.9	<1.0	3.1	4.01	7.00							
2/11/2014	P		5.00	20.00	7.37	157.43	<50	<0.50	<0.50	<0.50	<1.0	12	1.90	6.94							
8/15/2014	P		5.00	20.00	8.39	156.41	<50	<0.50	<0.50	<0.50	<1.0	50	0.14	6.34							
2/12/2015	P		5.00	20.00	6.76	158.04	<50	<0.50	<0.50	<0.50	<1.0	4.0	0.65	6.38							
8/31/2015	P		5.00	20.00	8.50	156.30	<50	<0.50	<0.50	<0.50	<1.0	27	0.80	6.78							
MW-8																					
12/16/2010	P	164.14	5.00	20.00	6.85	157.29	520	43	<0.50	4.1	21	150	0.46	7.12	j						
2/14/2011	NP		5.00	20.00	7.30	156.84	<50	<2.0	<2.0	<2.0	<2.0	110	1.07	6.7							
5/20/2011	NP		5.00	20.00	6.88	157.26	<50	<2.0	<2.0	<2.0	<2.0	88	1.35	6.5							
8/15/2011	P		5.00	20.00	6.00	158.14	<50	5.2	<1.0	9.7	<1.0	57	0.51	6.7							

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote					
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE								
ESL - DW						100	1.0	40	30	20	5.0									
ESL - NDW						210	46	130	43	100	1,800									
MW-8 Cont.																				
2/2/2012	P	164.14	5.00	20.00	7.57	156.57	<50	<0.50	<0.50	<0.50	<0.50	3.9	0.68	7.1						
8/9/2012	P		5.00	20.00	6.08	158.06	110	67	<0.50	<0.50	<1.0	150	1.16	6.98						
2/14/2013	P		5.00	20.00	5.70	158.44	720	350	<2.0	<2.0	<4.0	240	1.23	7.40						
8/22/2013	P		5.00	20.00	7.95	156.19	<50	1.5	<0.50	<0.50	<1.0	180	3.96	6.88						
2/11/2014	P		5.00	20.00	7.56	156.58	<50	<0.50	<0.50	<0.50	<1.0	78	1.93	6.72						
8/15/2014	P		5.00	20.00	8.65	155.49	<50	<0.50	<0.50	<0.50	<1.0	21	1.92	5.88						
2/12/2015	P		5.00	20.00	7.13	157.01	<50	<0.50	<0.50	<0.50	<1.0	47	6.27	5.96						
8/31/2015	P		5.00	20.00	8.83	155.31	230	57	<0.50	<0.50	<1.0	110	1.15	6.36						
MW-9																				
12/16/2010	P	163.77	5.00	20.00	6.63	157.14	330	18	<0.50	11	38	390	0.57	6.97	j					
2/14/2011	NP		5.00	20.00	6.85	156.92	<50	<4.0	<4.0	<4.0	<4.0	270	0.98	6.9						
5/20/2011	NP		5.00	20.00	6.39	157.38	66	<4.0	<4.0	<4.0	<4.0	280	1.64	6.7	I (GRO)					
8/15/2011	NP		5.00	20.00	7.09	156.68	<50	<2.0	<2.0	<2.0	<2.0	120	0.88	7.1						
2/2/2012	P		5.00	20.00	7.18	156.59	<50	<0.50	<0.50	<0.50	<0.50	34	0.65	7.2						
8/9/2012	P		5.00	20.00	5.68	158.09	82	1.9	<0.50	<0.50	<1.0	19	1.61	7.13						
2/14/2013	P		5.00	20.00	5.27	158.50	250	5.2	<0.50	<0.50	1.4	25	1.23	7.51						
8/22/2013	P		5.00	20.00	7.46	156.31	290	0.71	<0.50	<0.50	1.4	31	4.71	7.07						
2/11/2014	P		5.00	20.00	7.07	156.70	250	<0.50	<0.50	<0.50	<1.0	39	1.12	7.07						
8/15/2014	P		5.00	20.00	8.27	155.50	180	<0.50	<0.50	<0.50	<1.0	68	0.10	6.03						
2/12/2015	P		5.00	20.00	6.63	157.14	<50	<0.50	<0.50	<0.50	<1.0	90	0.61	6.17						
8/31/2015	P		5.00	20.00	8.50	155.27	<50	<0.50	<0.50	<0.50	<1.0	62	0.78	6.60						

Symbols & Abbreviations:

-- = Not analyzed/applicable/measured/available
< = Not detected at or above laboratory reporting limit
DO = Dissolved oxygen
DTW = Depth to water in ft below TOC
ft bgs = Feet below ground surface
GRO = Gasoline range organics
GWE = Groundwater elevation measured in ft
mg/L = Milligrams per liter
MTBE = Methyl tert-butyl ether
NP = Well was not purged prior to sampling
P = Well was purged prior to sampling
TOC = Top of casing measured in ft
TPH-g = Total petroleum hydrocarbons as gasoline
µg/L = Micrograms per liter
BTEX = Benzene, toluene, ethylbenzene and xylenes

ESL - DW = Environmental Screening Levels (ESLs), shallow soils (<3 meters bgs), groundwater is a current or potential source of drinking water, for residential land use. Ref. California Regional Water Quality Control Board, San Francisco Bay Region (CRWQCB-SFBR), Screening for Environmental Concerns at Sites with Contaminated Soil & Groundwater, Interim Final-November 2007 (Revised May 2008).

ESL - NDW = Environmental Screening Levels (ESLs), shallow soils (<3 meters bgs), groundwater is NOT a current or potential source of drinking water, for residential land use. Ref. California Regional Water Quality Control Board, San Francisco Bay Region (CRWQCB-SFBR), Screening for Environmental Concerns at Sites with Contaminated Soil & Groundwater, Interim Final-November 2007 (Revised May 2008).

NE = ESL not established

Footnotes:

a = Chromatogram pattern: Gasoline C6-C10 for GRO/TPH-g
b = Beginning this quarter, groundwater samples were analyzed by EPA method 8260B for TPH-g, BTEX, and fuel oxygenates
c = Wells gauged with ORC sock in well
d = Well inaccessible
e = The hydrocarbon result for GRO was partly due to individual peaks in the quantitative range
f = Well resurveyed on 1/27/2004 to NAVD88
g = Upon review of survey data (1/27/2004), TOC elevation for MW-4 is actually 162.47 ft.
h = Upon review of survey data (1/27/2004), MW-5 was not surveyed from the TOC. MW-5 was surveyed from the pavement due to inaccessibility to the TOC. Therefore, survey data for MW-5 from the TOC is unavailable. Historic data prior to 5/30/2006 (change in consultant) not modified
i = Quantitation of unknown hydrocarbon(s) in sample based on gasoline
j = Surveyed 12/9/2010
k = Grab groundwater sample
l = Quantitated against gasoline

Notes:

Beginning in the fourth quarter 2003, the laboratory modified the reported analyte list. TPH-g was changed to GRO. The resulting data may be impacted by the potential of non-TPH-g analytes within the requested fuel range resulting in a higher concentration being reported

Beginning in the second quarter 2004, the carbon range for GRO was changed from C6-C10 to C4-C12

Values for DO and pH were obtained through field measurements

The DTW's and TOC's for wells MW-5 and MW-6 were taken from Delta Environmental sampling sheets because the well logs were not available

GRO analysis was completed by EPA method 8260B (C4-C12) for samples collected from the time period April 2006 through February 4, 2008. The analysis for GRO was changed to EPA method 8015B (C6-C12) for samples collected from the time period February 5, 2008 through the present

The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
ESL - DW	NE	12	5.0	NE	NE	NE	0.5	0.05	
ESL - NDW	NE	18,000	1,800	NE	NE	NE	200	150	
MW-1									
3/23/2001	--	--	2,710	--	--	--	--	--	
3/21/2002	--	--	2,000	--	--	--	--	--	
5/23/2003	<20,000	<4,000	1,600	<100	<100	<100	--	--	
11/20/2003	<2,000	<400	1,500	<10	<10	<10	--	--	a
5/14/2004	<5,000	<1,000	1,200	<25	<25	<25	<25	<25	
9/2/2004	<1,000	<200	660	<5.0	<5.0	<5.0	<5.0	<5.0	
11/4/2004	<2,000	<400	580	<10	<10	<10	<10	<10	
2/8/2005	<2,000	<400	610	<10	<10	<10	<10	<10	
5/9/2005	<1,000	<200	620	<5.0	<5.0	<5.0	<5.0	<5.0	a
8/11/2005	<500	250	390	<2.5	<2.5	2.6	<2.5	<2.5	a
11/18/2005	<500	<100	340	<2.5	<2.5	<2.5	<2.5	<2.5	a
2/16/2006	<1,500	<100	340	<2.5	<2.5	<2.5	<2.5	<2.5	
5/30/2006	<1,500	<100	420	<2.5	<2.5	<2.5	<2.5	<2.5	a
8/24/2006	<3,000	<200	180	<5.0	<5.0	<5.0	<5.0	<5.0	
11/1/2006	<3,000	<200	220	<5.0	<5.0	<5.0	<5.0	<5.0	a
2/7/2007	<3,000	<200	190	<5.0	<5.0	<5.0	<5.0	<5.0	
5/8/2007	<3,000	<200	420	<5.0	<5.0	<5.0	<5.0	<5.0	
8/8/2007	<300	<20	110	<0.50	<0.50	<0.50	<0.50	<0.50	
11/14/2007	<1,500	<100	210	<2.5	<2.5	<2.5	<2.5	<2.5	
2/22/2008	<300	<10	250	<0.50	<0.50	1.5	<0.50	<0.50	
5/24/2008	<3,000	<100	380	<5.0	<5.0	<5.0	<5.0	<5.0	
8/21/2008	<1,500	<50	170	<2.5	<2.5	<2.5	<2.5	<2.5	
11/19/2008	<300	<10	30	<0.50	<0.50	<0.50	<0.50	<0.50	
2/23/2009	<1,500	<50	240	<2.5	<2.5	<2.5	<2.5	<2.5	
5/14/2009	<300	<10	200	<0.50	<0.50	1.3	<0.50	<0.50	
8/20/2009	<1,200	<40	170	<2.0	<2.0	<2.0	<2.0	<2.0	
2/19/2010	<300	<10	170	<0.50	<0.50	1.2	<0.50	<0.50	
8/10/2010	<1,500	<50	230	<2.5	<2.5	<2.5	<2.5	<2.5	
12/16/2010	<1,200	<40	140	<2.0	<2.0	<2.0	<2.0	<2.0	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
ESL - DW	NE	12	5.0	NE	NE	NE	0.5	0.05	
ESL - NDW	NE	18,000	1,800	NE	NE	NE	200	150	
MW-1 Cont.									
2/14/2011	<1,500	<50	170	<2.5	<2.5	<2.5	<2.5	<2.5	
8/15/2011	<1,500	<50	130	<2.5	<2.5	<2.5	<2.5	<2.5	
2/2/2012	<600	<20	66	<1.0	<1.0	<1.0	<1.0	<1.0	
8/9/2012	<150	<10	170	<0.50	<0.50	0.78	<0.50	<0.50	
2/14/2013	<150	<10	140	<0.50	<0.50	0.58	<0.50	<0.50	
8/22/2013	<150	<10	91	<0.50	<0.50	<0.50	<0.50	<0.50	
2/11/2014	<150	<10	26	<0.50	<0.50	<0.50	<0.50	<0.50	
8/15/2014	<150	<10	120	<0.50	<0.50	0.61	<0.50	<0.50	
2/12/2015	<150	<10	130	<0.50	<0.50	0.57	<0.50	<0.50	
8/31/2015	<150	<10	110	<0.50	<0.50	0.63	<0.50	<0.50	
MW-2									
3/23/2001	--	--	<2.5	--	--	--	--	--	
3/21/2002	--	--	45	--	--	--	--	--	
5/23/2003	<100	<20	55	<0.50	<0.50	0.53	--	--	
2/2/2004	<100	<20	37	<0.50	<0.50	<0.50	<0.50	<0.50	
9/2/2004	<500	<100	67	<2.5	<2.5	<2.5	<2.5	<2.5	
2/8/2005	<100	<20	30	<0.50	<0.50	<0.50	<0.50	<0.50	
8/11/2005	<100	<20	35	<0.50	<0.50	<0.50	<0.50	<0.50	a
2/16/2006	<300	<20	39	<0.50	<0.50	<0.50	<0.50	<0.50	
8/24/2006	<300	<20	25	<0.50	<0.50	<0.50	<0.50	<0.50	
2/7/2007	<300	<20	7.2	<0.50	<0.50	<0.50	<0.50	<0.50	
8/8/2007	<300	<20	7.2	<0.50	<0.50	<0.50	<0.50	<0.50	
2/22/2008	<300	<10	24	<0.50	<0.50	<0.50	<0.50	<0.50	
8/21/2008	<300	<10	4.9	<0.50	<0.50	<0.50	<0.50	<0.50	
2/23/2009	<300	<10	24	<0.50	<0.50	<0.50	<0.50	<0.50	
8/20/2009	<300	<10	8.4	<0.50	<0.50	<0.50	<0.50	<0.50	
2/19/2010	<300	<10	22	<0.50	<0.50	<0.50	<0.50	<0.50	
8/10/2010	<300	<10	23	<0.50	<0.50	<0.50	<0.50	<0.50	
12/16/2010	<300	<10	17	<0.50	<0.50	<0.50	<0.50	<0.50	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
ESL - DW	NE	12	5.0	NE	NE	NE	0.5	0.05	
ESL - NDW	NE	18,000	1,800	NE	NE	NE	200	150	
MW-2 Cont.									
2/14/2011	<300	<10	11	<0.50	<0.50	<0.50	<0.50	<0.50	
8/15/2011	<300	<10	1.7	<0.50	<0.50	<0.50	<0.50	<0.50	
2/2/2012	<300	<10	1.8	<0.50	<0.50	<0.50	<0.50	<0.50	
8/9/2012	<150	<10	73	<0.50	<0.50	0.61	<0.50	<0.50	
2/14/2013	<150	<10	46	<0.50	<0.50	<0.50	<0.50	<0.50	
8/22/2013	<150	<10	82	<0.50	<0.50	1.1	<0.50	<0.50	
2/11/2014	<150	<10	7.5	<0.50	<0.50	<0.50	<0.50	<0.50	
8/15/2014	<150	<10	61	<0.50	<0.50	0.73	<0.50	<0.50	
2/12/2015	<150	<10	57	<0.50	<0.50	<0.50	<0.50	<0.50	
8/31/2015	<150	<10	40	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-3									
6/20/2000	--	--	<10	--	--	--	--	--	
12/17/2000	--	--	<2.5	--	--	--	--	--	
6/21/2001	--	--	2.5	--	--	--	--	--	
12/31/2001	--	--	4.9	--	--	--	--	--	
4/17/2002	--	--	8.7	--	--	--	--	--	
12/6/2002	--	--	6.2	--	--	--	--	--	
5/23/2003	<100	<20	1.6	<0.50	<0.50	<0.50	--	--	
9/2/2004	<100	<20	6.5	<0.50	<0.50	<0.50	<0.50	<0.50	
8/11/2005	<100	<20	11	<0.50	<0.50	<0.50	<0.50	<0.50	a
8/24/2006	<300	<20	7.6	<0.50	<0.50	<0.50	<0.50	<0.50	
8/8/2007	<300	<20	1.2	<0.50	<0.50	<0.50	<0.50	<0.50	
8/21/2008	<300	<10	3.1	<0.50	<0.50	<0.50	<0.50	<0.50	
8/20/2009	<300	<10	2.2	<0.50	<0.50	<0.50	<0.50	<0.50	
8/10/2010	<300	<10	1.6	<0.50	<0.50	<0.50	<0.50	<0.50	
8/15/2011	<300	<10	1.2	<0.50	<0.50	<0.50	<0.50	<0.50	
8/9/2012	<150	<10	2.0	<0.50	<0.50	<0.50	<0.50	<0.50	
8/22/2013	<150	<10	1.4	<0.50	<0.50	<0.50	<0.50	<0.50	
8/15/2014	<150	<10	1.2	<0.50	<0.50	<0.50	<0.50	<0.50	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
ESL - DW	NE	12	5.0	NE	NE	NE	0.5	0.05	
ESL - NDW	NE	18,000	1,800	NE	NE	NE	200	150	
MW-3 Cont.									
8/31/2015	<150	<10	0.53	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-4									
6/20/2000	--	--	<250	--	--	--	--	--	
12/17/2000	--	--	<100	--	--	--	--	--	
6/21/2001	--	--	130	--	--	--	--	--	
12/31/2001	--	--	160	--	--	--	--	--	
4/17/2002	--	--	<250	--	--	--	--	--	
12/6/2002	--	--	43	--	--	--	--	--	
5/23/2003	<10,000	<2,000	<50	<50	<50	<50	--	--	
2/2/2004	<500	<100	29	<2.5	<2.5	2.6	<2.5	<2.5	
9/2/2004	<200	<40	28	<1.0	<1.0	<1.0	<1.0	<1.0	
2/8/2005	<5,000	<1,000	45	<25	<25	<25	<25	<25	
8/11/2005	<2,000	<400	32	<10	<10	<10	<10	<10	
2/16/2006	<6,000	<400	35	<10	<10	<10	<10	<10	
8/24/2006	<1,500	<100	39	<2.5	<2.5	<2.5	<2.5	<2.5	
2/7/2007	<6,000	<400	67	<10	<10	<10	<10	<10	
8/8/2007	<6,000	<400	72	<10	<10	<10	<10	<10	
2/22/2008	<6,000	<200	70	<10	<10	<10	<10	<10	
8/21/2008	<12,000	<400	53	<20	<20	<20	<20	<20	
2/23/2009	<3,000	<100	39	<5.0	<5.0	<5.0	<5.0	<5.0	
8/20/2009	<12,000	<400	23	<20	<20	<20	<20	<20	
2/19/2010	<3,000	<100	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
8/10/2010	<12,000	<400	<20	<20	<20	<20	<20	<20	
12/16/2010	<15,000	<500	<25	<25	<25	<25	<25	<25	
2/14/2011	<300	<10	13	<0.50	<0.50	<0.50	<0.50	<0.50	
8/15/2011	<7,500	<250	<12	<12	<12	<12	<12	<12	
2/2/2012	<7,500	<250	<12	<12	<12	<12	<12	<12	
8/9/2012	<1,500	<100	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
2/14/2013	<3,000	<200	<10	<10	<10	<10	<10	<10	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
ESL - DW	NE	12	5.0	NE	NE	NE	0.5	0.05	
ESL - NDW	NE	18,000	1,800	NE	NE	NE	200	150	
MW-4 Cont.									
8/22/2013	<3,000	<200	<10	<10	<10	<10	<10	<10	
2/11/2014	<1,500	<100	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
8/15/2014	<1,500	<100	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
2/12/2015	<150	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/31/2015	<1,500	<100	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
MW-5									
6/20/2000	--	--	<10	--	--	--	--	--	
9/28/2000	--	--	<2.5	--	--	--	--	--	
12/17/2000	--	--	<2.5	--	--	--	--	--	
3/23/2001	--	--	<2.5	--	--	--	--	--	
6/21/2001	--	--	<2.5	--	--	--	--	--	
9/23/2001	--	--	<2.5	--	--	--	--	--	
12/31/2001	--	--	<2.5	--	--	--	--	--	
3/21/2002	--	--	3.2	--	--	--	--	--	
4/17/2002	--	--	<2.5	--	--	--	--	--	
8/12/2002	--	--	<2.5	--	--	--	--	--	
12/6/2002	--	--	<2.5	--	--	--	--	--	
1/29/2003	<40	<20	<0.50	<0.50	<0.50	<0.50	--	--	
5/23/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	--	--	
9/4/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
9/2/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/11/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/24/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/8/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/21/2008	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/20/2009	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/10/2010	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/15/2011	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/9/2012	<150	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
ESL - DW	NE	12	5.0	NE	NE	NE	0.5	0.05	
ESL - NDW	NE	18,000	1,800	NE	NE	NE	200	150	
MW-5 Cont.									
8/22/2013	<150	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/15/2014	<150	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/31/2015	<150	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-6									
3/23/2001	--	--	<2.5	--	--	--	--	--	
3/21/2002	--	--	5.2	--	--	--	--	--	
5/23/2003	<100	<20	9.4	<0.50	<0.50	<0.50	--	--	
8/11/2005	<100	<20	7.9	<0.50	<0.50	<0.50	<0.50	<0.50	a
8/24/2006	<300	<20	12	<0.50	<0.50	<0.50	<0.50	<0.50	
8/8/2007	<300	<20	0.57	<0.50	<0.50	<0.50	<0.50	<0.50	
8/21/2008	<300	<10	1.9	<0.50	<0.50	<0.50	<0.50	<0.50	
8/20/2009	<300	<10	2.0	<0.50	<0.50	<0.50	<0.50	<0.50	
8/10/2010	<300	<10	4.3	<0.50	<0.50	<0.50	<0.50	<0.50	
8/15/2011	<300	<10	2.2	<0.50	<0.50	<0.50	<0.50	<0.50	
8/9/2012	<150	<10	3.6	<0.50	<0.50	<0.50	<0.50	<0.50	
8/15/2014	<150	<10	1.7	<0.50	<0.50	<0.50	<0.50	<0.50	
8/31/2015	<150	<10	0.68	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-7									
12/16/2010	<300	<10	62	<0.50	<0.50	<0.50	<0.50	<0.50	
2/14/2011	<1,2000	<400	<20	<20	<20	<20	<20	<20	
5/20/2011	<300	<10	4.6	<0.50	<0.50	<0.50	<0.50	<0.50	
8/15/2011	<600	<20	14	<1.0	<1.0	<1.0	<1.0	<1.0	
2/2/2012	<300	<10	6.2	<0.50	<0.50	<0.50	<0.50	<0.50	
8/9/2012	<150	<10	7.0	<0.50	<0.50	<0.50	<0.50	<0.50	
2/14/2013	<150	<10	5.1	<0.50	<0.50	<0.50	<0.50	<0.50	
8/22/2013	<150	<10	3.1	<0.50	<0.50	<0.50	<0.50	<0.50	
2/11/2014	<150	<10	12	<0.50	<0.50	<0.50	<0.50	<0.50	
8/15/2014	<150	<10	50	<0.50	<0.50	<0.50	<0.50	<0.50	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
ESL - DW	NE	12	5.0	NE	NE	NE	0.5	0.05	
ESL - NDW	NE	18,000	1,800	NE	NE	NE	200	150	
MW-7 Cont.									
2/12/2015	<150	<10	4.0	<0.50	<0.50	<0.50	<0.50	<0.50	
8/31/2015	<150	<10	27	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-8									
12/16/2010	<300	<10	150	<0.50	<0.50	1.7	<0.50	<0.50	
2/14/2011	<1,200	<40	110	<2.0	<2.0	<2.0	<2.0	<2.0	
5/20/2011	<1,200	<40	88	<2.0	<2.0	<2.0	<2.0	<2.0	
8/15/2011	<600	<20	57	<1.0	<1.0	<1.0	<1.0	<1.0	
2/2/2012	<300	<10	3.9	<0.50	<0.50	<0.50	<0.50	<0.50	
8/9/2012	<150	31	150	<0.50	<0.50	2.0	<0.50	<0.50	
2/14/2013	<600	150	240	<2.0	<2.0	5.2	<2.0	<2.0	
8/22/2013	<150	39	180	<0.50	<0.50	2.8	<0.50	<0.50	
2/11/2014	<150	<10	78	<0.50	<0.50	0.83	<0.50	<0.50	
8/15/2014	<150	<10	21	<0.50	<0.50	<0.50	<0.50	<0.50	
2/12/2015	<150	<10	47	<0.50	<0.50	<0.50	<0.50	<0.50	
8/31/2015	<150	<10	110	<0.50	<0.50	2.3	<0.50	<0.50	
MW-9									
12/16/2010	<300	40	390	<0.50	<0.50	4.1	<0.50	<0.50	
2/14/2011	<2,400	<80	270	<4.0	<4.0	<4.0	<4.0	<4.0	
5/20/2011	<2,400	<80	280	<4.0	<4.0	<4.0	<4.0	<4.0	
8/15/2011	<1,200	<40	120	<2.0	<2.0	<2.0	<2.0	<2.0	
2/2/2012	<300	<10	34	<0.50	<0.50	<0.50	<0.50	<0.50	
8/9/2012	<150	<10	19	<0.50	<0.50	<0.50	<0.50	<0.50	
2/14/2013	<150	<10	25	<0.50	<0.50	<0.50	<0.50	<0.50	
8/22/2013	<150	<10	31	<0.50	<0.50	0.55	<0.50	<0.50	
2/11/2014	<150	<10	39	<0.50	<0.50	<0.50	<0.50	<0.50	
8/15/2014	<150	<10	68	<0.50	<0.50	0.67	<0.50	<0.50	
2/12/2015	<150	<10	90	<0.50	<0.50	<0.50	<0.50	<0.50	
8/31/2015	<150	<10	62	<0.50	<0.50	<0.50	<0.50	<0.50	

Symbols & Abbreviations:

-- = Not analyzed/applicable/measured/available

< = Not detected at or above the laboratory reporting limit

1,2-DCA = 1,2-Dichloroethane

ether

EDB = 1,2-Dibromoethane

ETBE = Ethyl tert-butyl ether

MTBE = Methyl tert-butyl ether

TAME = tert-Amyl methyl ether

TBA = tert-Butyl alcohol

µg/L = Micrograms per Liter

ESL - DW = Environmental Screening Levels (ESLs), shallow soils (<3 meters bgs), groundwater is a current or potential source of drinking water, for residential land use. Ref. California Regional Water Quality Control Board, San Francisco Bay Region (CRWQCB-SFBR), Screening for Environmental Concerns at Sites with Contaminated Soil & Groundwater, Interim Final-November 2007 (Revised May 2008).

ESL - NDW = Environmental Screening Levels (ESLs), shallow soils (<3 meters bgs), groundwater is NOT a current or potential source of drinking water, for residential land use. Ref. California Regional Water Quality Control Board, San Francisco Bay Region (CRWQCB-SFBR), Screening for Environmental Concerns at Sites with Contaminated Soil & Groundwater, Interim Final-November 2007 (Revised May 2008).

NE = ESL not established

Footnotes:

a = The continuing calibration verification for ethanol was outside of client contractual limits, however, it was within method acceptance limits. The data should still be useful for its intended purpose

Notes:

All volatile organic compounds analyzed using EPA Method 8260B

The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information

Table 3. Summary of Groundwater Gradient - Direction and Magnitude

ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Date Measured	Approximate Gradient Direction	Approximate Gradient Magnitude (ft/ft)
1/31/1996	Southwest	0.04
4/10/1996	Southwest	0.04
7/16/1996	Southwest	0.03
10/14/1996	Southwest	0.03
3/27/1997	Southwest	0.04
5/27/1997	Southwest	0.03
8/12/1997	Southwest	0.04
11/17/1997	Southwest	0.03
3/16/1998	Southwest	0.03
5/12/1998	Southwest	0.04
7/27/1998	Southwest	0.04
10/15/1998	Southwest	0.02
2/18/1999	Southwest	0.05
5/24/1999	Southwest	0.03
8/27/1999	Southwest	0.03
10/26/1999	Southwest	0.03
2/3/2000	Southwest	0.047
6/20/2000	Southwest	0.035
9/28/2000	Southwest	0.034
12/17/2000	Southwest	0.032
3/23/2001	Southwest	0.034
6/21/2001	Southwest	0.032
9/23/2001	Southwest	0.029
12/31/2001	Southwest	0.043
3/21/2002	Southwest	0.038
4/17/2002	Southwest	0.031
8/12/2002	Southwest	0.032
12/6/2002	Southwest	0.020
1/29/2003	Southwest	0.027
5/23/2003	Southwest	0.039
9/4/2003	Southwest	0.033
11/20/2003	Southwest	0.029
2/2/2004	Southwest	0.043 (a)
5/14/2004	Southwest	0.037 (a)
9/2/2004	Southwest	0.027 (a)
11/4/2004	Southwest	0.034 (a)
2/8/2005	Southwest	0.061 (a)
5/9/2005	Southwest	0.08 (a)
8/11/2005	Southwest	0.06 (a)
11/18/2005	Southwest	0.07 (a)
2/16/2006	Southwest	0.09 (a)
5/30/2006	Southwest	0.06 (a)

Table 3. Summary of Groundwater Gradient - Direction and Magnitude**ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA**

Date Measured	Approximate Gradient Direction	Approximate Gradient Magnitude (ft/ft)
8/24/2006	Southwest	0.03
11/1/2006	Southwest	0.02
2/7/2007	Southwest	0.03
5/8/2007	Southwest	0.03
8/8/2007	Southwest	0.03
11/14/2007	Southwest	0.03
2/22/2008	Southwest	0.03
5/24/2008	Southwest	0.03
8/21/2008	Southwest	0.03
11/19/2008	Southwest	0.03
2/23/2009	Southwest	0.04
5/14/2009	Southwest	0.03
8/20/2009	Southwest	0.03
2/19/2010	West-Southwest	0.05
8/10/2010	Southwest	0.03
12/16/2010	Southwest	0.03
2/14/2011	Southwest	0.03
5/20/2011	Southwest	0.03
8/15/2011	Southwest	0.03
2/2/2012	Southwest	0.03
8/9/2012	Southwest	0.03
2/14/2013	Southwest	0.04
8/22/2013	Southwest	0.03
2/11/2014	Southwest	0.03
8/15/2014	South-Southwest	0.03
2/12/2015	South-Southwest	0.16
8/31/2015	Southwest	0.03

Footnotes:

a = Gradients potentially suspect due to error in MW-4 and MW-5 TOC measuring point elevations discovered third quarter 2006

Notes:

The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information

Analytical Analysis for 3Q15

ARCO Service Station #0374

B-19	Current Event					Standard Deviation	# of Events
	3Q15 (None)	Minimum	Maximum	Average			
Depth to Water							0
GW Elevation							0
pH							0
Dissolved Oxygen							0
GRO	580	11/23/2010	580	11/23/2010	580.00		1
DRO							0
Benzene	20	11/23/2010	20	11/23/2010	20.00		1
Toluene	<1.0	11/23/2010	<1.0	11/23/2010	1.00		1
Ethylbenzene	16	11/23/2010	16	11/23/2010	16.00		1
Xylenes	1.9	11/23/2010	1.9	11/23/2010	1.90		1
MTBE	74	11/23/2010	74	11/23/2010	74.00		1
Ethanol	<600	11/23/2010	<600	11/23/2010	600.00		1
TBA	30	11/23/2010	30	11/23/2010	30.00		1
DIPE	<1.0	11/23/2010	<1.0	11/23/2010	1.00		1
ETBE	<1.0	11/23/2010	<1.0	11/23/2010	1.00		1
TAME	<1.0	11/23/2010	<1.0	11/23/2010	1.00		1
1,2-DCA	<1.0	11/23/2010	<1.0	11/23/2010	1.00		1
EDB	<1.0	11/23/2010	<1.0	11/23/2010	1.00		1

MW-1	Current Event					Standard Deviation	# of Events
	3Q15 (8/31/2015)	Minimum	Maximum	Average			
Depth to Water	8.88	4.71	3/21/2002	8.88	11/19/2008	7.17	0.95
GW Elevation	155.57	150.45	9/23/2001	158.57	2/22/2008	155.74	2.53
pH	6.38	6.03	2/23/2009	7.45	2/7/2007	6.77	0.32
Dissolved Oxygen	1.32	0.65	8/24/2006	6.0	11/4/2004	2.06	1.27
GRO	<50	<50	3/23/2001	<10,000	5/23/2003	684.56	1,784.88
DRO							0
Benzene	<0.50	<0.5	3/23/2001	<100	5/23/2003	7.09	17.56
Toluene	<0.50	<0.5	3/23/2001	<100	5/23/2003	7.09	17.56
Ethylbenzene	<0.50	<0.5	3/23/2001	<100	5/23/2003	7.09	17.56
Xylenes	<1.0	<0.5	3/23/2001	<100	5/23/2003	7.23	17.51
MTBE	110	26	2/11/2014	2,710	3/23/2001	447.00	581.62
Ethanol	<150	<150	8/9/2012	<20,000	5/23/2003	1,798.65	3,277.23
TBA	<10	<10	2/22/2008	<4,000	5/23/2003	233.24	663.27
DIPE	<0.50	<0.50	8/8/2007	<100	5/23/2003	6.11	16.49
ETBE	<0.50	<0.50	8/8/2007	<100	5/23/2003	6.11	16.49
TAME	0.63	<0.50	8/8/2007	<100	5/23/2003	6.20	16.47
1,2-DCA	<0.50	<0.50	8/8/2007	<25	5/14/2004	3.31	4.51
EDB	<0.50	<0.50	8/8/2007	<25	5/14/2004	3.31	4.51

Analytical Analysis for 3Q15

ARCO Service Station #0374

MW-2	Current Event						Standard Deviation	# of Events
	3Q15 (8/31/2015)	Minimum		Maximum		Average		
Depth to Water	8.77	5.95	3/21/2002	8.77	8/31/2015	7.56	0.74	52
GW Elevation	154.72	149.4	9/23/2001	157.46	2/14/2013	154.31	2.63	52
pH	6.79	6.02	8/15/2014	8.9	2/2/2004	7.02	0.58	26
Dissolved Oxygen	0.90	0.69	12/16/2010	4.16	8/22/2013	1.58	0.86	26
GRO	<50	<50	3/23/2001	<250	9/2/2004	61.71	38.43	28
DRO								0
Benzene	<0.50	<0.5	3/23/2001	3.2	8/8/2007	0.83	0.78	28
Toluene	<0.50	<0.5	3/23/2001	<2.5	9/2/2004	0.57	0.38	28
Ethylbenzene	<0.50	<0.5	3/23/2001	<2.5	9/2/2004	0.57	0.38	28
Xylenes	<1.0	<0.5	3/23/2001	<2.5	9/2/2004	0.70	0.42	28
MTBE	40	1.7	8/15/2011	82	8/22/2013	30.51	23.33	28
Ethanol	<150	<100	5/23/2003	<500	9/2/2004	236.54	100.56	26
TBA	<10	<10	2/22/2008	<100	9/2/2004	16.54	17.65	26
DIPE	<0.50	<0.50	5/23/2003	<2.5	9/2/2004	0.58	0.39	26
ETBE	<0.50	<0.50	5/23/2003	<2.5	9/2/2004	0.58	0.39	26
TAME	<0.50	<0.50	2/2/2004	<2.5	9/2/2004	0.61	0.40	26
1,2-DCA	<0.50	<0.50	2/2/2004	<2.5	9/2/2004	0.58	0.40	25
EDB	<0.50	<0.50	2/2/2004	<2.5	9/2/2004	0.58	0.40	25

MW-3	Current Event						Standard Deviation	# of Events
	3Q15 (8/31/2015)	Minimum		Maximum		Average		
Depth to Water	7.3	3.41	2/12/2015	7.83	11/18/2005	6.52	0.90	52
GW Elevation	151.91	146.32	9/23/2001	155.8	2/12/2015	151.09	2.60	52
pH	6.01	6.01	8/31/2015	8.9	9/2/2004	6.92	0.72	14
Dissolved Oxygen	0.90	0.15	8/15/2014	9.3	9/2/2004	2.06	2.30	14
GRO	<50	<50	6/20/2000	110	6/21/2001	53.16	13.76	19
DRO								0
Benzene	<0.50	<0.5	6/20/2000	5.5	6/21/2001	0.76	1.15	19
Toluene	<0.50	<0.5	6/20/2000	<0.5	6/20/2000	0.50	0.00	19
Ethylbenzene	<0.50	<0.5	6/20/2000	5.4	6/21/2001	0.76	1.12	19
Xylenes	<1.0	<0.5	12/17/2000	4.1	6/21/2001	0.82	0.83	19
MTBE	0.53	0.53	8/31/2015	11	8/11/2005	4.00	3.32	19
Ethanol	<150	<100	5/23/2003	<300	8/24/2006	207.69	90.94	13
TBA	<10	<10	8/21/2008	<20	5/23/2003	13.85	5.06	13
DIPE	<0.50	<0.50	5/23/2003	<0.50	5/23/2003	0.50	0.00	13
ETBE	<0.50	<0.50	5/23/2003	<0.50	5/23/2003	0.50	0.00	13
TAME	<0.50	<0.50	5/23/2003	<0.50	5/23/2003	0.50	0.00	13
1,2-DCA	<0.50	<0.50	9/2/2004	<0.50	9/2/2004	0.50	0.00	12
EDB	<0.50	<0.50	9/2/2004	<0.50	9/2/2004	0.50	0.00	12

Analytical Analysis for 3Q15

ARCO Service Station #0374

MW-4	Current Event						Standard Deviation	# of Events
	3Q15 (8/31/2015)	Minimum		Maximum		Average		
Depth to Water	8.66	4.42	12/31/2001	9.2	11/19/2008	7.43	1.09	51
GW Elevation	153.82	147.62	9/23/2001	157.35	5/9/2005	153.44	3.03	51
pH	6.61	6.14	8/15/2014	10.6	2/2/2004	6.96	0.79	27
Dissolved Oxygen	0.88	0.21	8/15/2014	4.50	8/22/2013	1.37	1.02	27
GRO	6,300	140	2/11/2014	20,000	6/20/2000	5,614.38	4,286.62	32
DRO								0
Benzene	570	<0.50	2/14/2011	5,100	6/20/2000	1,145.67	935.72	32
Toluene	43	<0.50	2/14/2011	440	6/20/2000	74.26	92.08	32
Ethylbenzene	27	2.7	2/14/2011	1,000	6/20/2000	177.01	212.18	32
Xylenes	52	11	2/14/2011	1,700	6/20/2000	246.09	336.75	32
MTBE	<5.0	<0.50	2/12/2015	<250	6/20/2000	51.33	63.80	32
Ethanol	<1,500	<150	2/12/2015	<15,000	12/16/2010	4,909.62	4,305.53	26
TBA	<100	<10	2/14/2011	<2,000	5/23/2003	317.69	403.62	26
DIPE	<5.0	<0.50	2/14/2011	<50	5/23/2003	11.19	10.67	26
ETBE	<5.0	<0.50	2/14/2011	<50	5/23/2003	11.19	10.67	26
TAME	<5.0	<0.50	2/14/2011	<50	5/23/2003	11.20	10.66	26
1,2-DCA	<5.0	<0.50	2/14/2011	<25	2/8/2005	9.64	7.30	25
EDB	<5.0	<0.50	2/14/2011	<25	2/8/2005	9.64	7.30	25

MW-5	Current Event						Standard Deviation	# of Events
	3Q15 (8/31/2015)	Minimum		Maximum		Average		
Depth to Water	7.78	5.32	2/12/2015	11.86	11/19/2008	8.19	1.09	49
GW Elevation	149.12	139.47	11/19/2008	151.58	2/12/2015	144.27	2.74	49
pH	6.47	5.92	8/15/2014	7.6	8/12/2002	6.79	0.41	17
Dissolved Oxygen	0.83	0.83	8/31/2015	4.33	8/22/2013	2.21	1.15	17
GRO	<50	<50	6/20/2000	<50	6/20/2000	50.00	0.00	26
DRO								0
Benzene	<0.50	<0.5	6/20/2000	<0.5	6/20/2000	0.50	0.00	26
Toluene	<0.50	<0.5	6/20/2000	<0.5	6/20/2000	0.50	0.00	26
Ethylbenzene	<0.50	<0.5	6/20/2000	<0.5	6/20/2000	0.50	0.00	26
Xylenes	<1.0	<0.5	9/28/2000	<1.0	6/20/2000	0.60	0.20	26
MTBE	<0.50	<0.50	1/29/2003	<10	6/20/2000	1.66	1.98	26
Ethanol	<150	<40	1/29/2003	<300	8/24/2006	189.33	97.79	15
TBA	<10	<10	8/21/2008	<20	1/29/2003	14.67	5.16	15
DIPE	<0.50	<0.50	1/29/2003	<0.50	1/29/2003	0.50	0.00	15
ETBE	<0.50	<0.50	1/29/2003	<0.50	1/29/2003	0.50	0.00	15
TAME	<0.50	<0.50	1/29/2003	<0.50	1/29/2003	0.50	0.00	15
1,2-DCA	<0.50	<0.50	9/4/2003	<0.50	9/4/2003	0.50	0.00	13
EDB	<0.50	<0.50	9/4/2003	<0.50	9/4/2003	0.50	0.00	13

Analytical Analysis for 3Q15

ARCO Service Station #0374

MW-6	Current Event						Standard Deviation	# of Events
	3Q15 (8/31/2015)	Minimum		Maximum		Average		
Depth to Water	5.19	1.4	2/12/2015	7.28	2/19/2010	4.95	0.96	47
GW Elevation	154.22	147.53	11/20/2003	158.01	2/12/2015	152.80	2.70	47
pH	6.10	6.01	8/15/2014	7.13	8/21/2008	6.72	0.36	11
Dissolved Oxygen	1.05	1	5/23/2003	3.4	8/24/2006	1.84	0.79	11
GRO	<50	<50	3/23/2001	<50	3/23/2001	50.00	0.00	13
DRO								0
Benzene	<0.50	<0.5	3/23/2001	<0.5	3/23/2001	0.50	0.00	13
Toluene	<0.50	<0.5	3/23/2001	<0.5	3/23/2001	0.50	0.00	13
Ethylbenzene	<0.50	<0.5	3/23/2001	<0.5	3/23/2001	0.50	0.00	13
Xylenes	<1.0	<0.5	3/23/2001	<1.0	8/9/2012	0.62	0.22	13
MTBE	0.68	0.57	8/8/2007	12	8/24/2006	4.15	3.56	13
Ethanol	<150	<100	5/23/2003	<300	8/24/2006	222.73	90.45	11
TBA	<10	<10	8/21/2008	<20	5/23/2003	13.64	5.05	11
DIPE	<0.50	<0.50	5/23/2003	<0.50	5/23/2003	0.50	0.00	11
ETBE	<0.50	<0.50	5/23/2003	<0.50	5/23/2003	0.50	0.00	11
TAME	<0.50	<0.50	5/23/2003	<0.50	5/23/2003	0.50	0.00	11
1,2-DCA	<0.50	<0.50	8/11/2005	<0.50	8/11/2005	0.50	0.00	10
EDB	<0.50	<0.50	8/11/2005	<0.50	8/11/2005	0.50	0.00	10

MW-7	Current Event						Standard Deviation	# of Events
	3Q15 (8/31/2015)	Minimum		Maximum		Average		
Depth to Water	8.5	4.38	2/14/2013	8.5	8/31/2015	6.76	1.21	12
GW Elevation	156.3	156.3	8/31/2015	160.42	2/14/2013	158.04	1.21	12
pH	6.78	6.34	8/15/2014	7.64	2/14/2013	6.94	0.39	12
Dissolved Oxygen	0.80	0.14	8/15/2014	4.01	8/22/2013	1.23	1.06	11
GRO	<50	<50	2/2/2012	7,100	2/14/2011	792.75	1,999.59	12
DRO								0
Benzene	<0.50	<0.50	12/16/2010	1,700	2/14/2011	142.23	490.57	12
Toluene	<0.50	<0.50	12/16/2010	98	2/14/2011	8.67	28.13	12
Ethylbenzene	<0.50	<0.50	2/2/2012	260	2/14/2011	31.23	73.82	12
Xylenes	<1.0	<0.50	2/2/2012	210	2/14/2011	23.88	59.54	12
MTBE	27	3.1	8/22/2013	62	12/16/2010	17.92	19.36	12
Ethanol	<150	<150	8/9/2012	<1,2000	2/14/2011	1,212.50	3,399.81	12
TBA	<10	<10	12/16/2010	<400	2/14/2011	43.33	112.36	12
DIPE	<0.50	<0.50	12/16/2010	<20	2/14/2011	2.17	5.62	12
ETBE	<0.50	<0.50	12/16/2010	<20	2/14/2011	2.17	5.62	12
TAME	<0.50	<0.50	12/16/2010	<20	2/14/2011	2.17	5.62	12
1,2-DCA	<0.50	<0.50	12/16/2010	<20	2/14/2011	2.17	5.62	12
EDB	<0.50	<0.50	12/16/2010	<20	2/14/2011	2.17	5.62	12

Analytical Analysis for 3Q15

ARCO Service Station #0374

MW-8	Current Event						Standard Deviation	# of Events
	3Q15 (8/31/2015)	Minimum		Maximum		Average		
Depth to Water	8.83	5.7	2/14/2013	8.83	8/31/2015	7.21	0.99	12
GW Elevation	155.31	155.31	8/31/2015	158.44	2/14/2013	156.93	0.99	12
pH	6.36	5.88	8/15/2014	7.40	2/14/2013	6.69	0.46	12
Dissolved Oxygen	1.15	0.46	12/16/2010	6.27	2/12/2015	1.81	1.69	12
GRO	230	<50	2/14/2011	720	2/14/2013	165.00	223.02	12
DRO								0
Benzene	57	<0.50	2/2/2012	350	2/14/2013	44.14	99.43	12
Toluene	<0.50	<0.50	12/16/2010	<2.0	2/14/2011	0.92	0.67	12
Ethylbenzene	<0.50	<0.50	2/2/2012	9.7	8/15/2011	1.94	2.69	12
Xylenes	<1.0	<0.50	2/2/2012	21	12/16/2010	3.04	5.73	12
MTBE	110	3.9	2/2/2012	240	2/14/2013	102.91	68.66	12
Ethanol	<150	<150	8/9/2012	<1,200	2/14/2011	425.00	398.58	12
TBA	<10	<10	12/16/2010	150	2/14/2013	31.67	39.48	12
DIPE	<0.50	<0.50	12/16/2010	<2.0	2/14/2011	0.92	0.67	12
ETBE	<0.50	<0.50	12/16/2010	<2.0	2/14/2011	0.92	0.67	12
TAME	2.3	<0.50	2/2/2012	5.2	2/14/2013	1.78	1.33	12
1,2-DCA	<0.50	<0.50	12/16/2010	<2.0	2/14/2011	0.92	0.67	12
EDB	<0.50	<0.50	12/16/2010	<2.0	2/14/2011	0.92	0.67	12

MW-9	Current Event						Standard Deviation	# of Events
	3Q15 (8/31/2015)	Minimum		Maximum		Average		
Depth to Water	8.5	5.27	2/14/2013	8.5	8/31/2015	6.92	0.93	12
GW Elevation	155.27	155.27	8/31/2015	158.5	2/14/2013	156.85	0.93	12
pH	6.60	6.03	8/15/2014	7.51	2/14/2013	6.87	0.43	12
Dissolved Oxygen	0.78	0.10	8/15/2014	4.71	8/22/2013	1.24	1.18	12
GRO	<50	<50	2/14/2011	330	12/16/2010	141.50	110.25	12
DRO								0
Benzene	<0.50	<0.50	2/2/2012	18	12/16/2010	3.19	4.96	12
Toluene	<0.50	<0.50	12/16/2010	<4.0	2/14/2011	1.21	1.37	12
Ethylbenzene	<0.50	<0.50	2/2/2012	11	12/16/2010	2.08	3.12	12
Xylenes	<1.0	<0.50	2/2/2012	38	12/16/2010	4.69	10.55	12
MTBE	62	19	8/9/2012	390	12/16/2010	119.00	123.97	12
Ethanol	<150	<150	8/9/2012	<2,400	2/14/2011	637.50	874.94	12
TBA	<10	<10	2/2/2012	<80	2/14/2011	26.67	27.41	12
DIPE	<0.50	<0.50	12/16/2010	<4.0	2/14/2011	1.21	1.37	12
ETBE	<0.50	<0.50	12/16/2010	<4.0	2/14/2011	1.21	1.37	12
TAME	<0.50	<0.50	2/2/2012	4.1	12/16/2010	1.53	1.57	12
1,2-DCA	<0.50	<0.50	12/16/2010	<4.0	2/14/2011	1.21	1.37	12
EDB	<0.50	<0.50	12/16/2010	<4.0	2/14/2011	1.21	1.37	12

APPENDIX A

FIELD METHODS

QUALITY ASSURANCE/QUALITY CONTROL FIELD METHODS

Field methods discussed herein were implemented to provide for accuracy and reliability of field activities, data collection, sample collection, and handling. Discussion of these methods is provided below.

1.0 Equipment Calibration

Equipment calibration was performed per equipment manufacturer specifications before use.

2.0 Depth to Groundwater and Light Non-Aqueous Phase Liquid Measurement

Depth to groundwater was measured in wells identified for gauging in the scope of work using a decontaminated water level indicator. The depth to water measurement was taken from a cut notch or permanent mark at the top of the well casing to which the well head elevation was originally surveyed.

Once depth to water was measured, an oil/water interface meter or a new disposable bailer was utilized to evaluate the presence and, if present, to measure the “apparent” thickness of light non-aqueous phase liquid (LNAPL) in the well. If LNAPL was present in the well, groundwater purging and sampling were not performed, unless sampling procedures in the scope of work specified collection of samples in the presence of LNAPL. Otherwise, time allowing, LNAPL was bailed from the well using either a new disposable bailer, or the disposal bailer previously used for initial LNAPL assessment. Bailing of LNAPL continued until the thickness of LNAPL (or volume) stabilized in each bailer pulled from the well, or LNAPL was no longer present. After LNAPL thickness either stabilized or was eliminated, periodic depth to water and depth to LNAPL measurements were collected as product came back into the well to evaluate product recovery rate and to aid in further assessment of LNAPL in the subsurface. LNAPL thickness measurements were recorded as “apparent.” If a bailer was used for LNAPL thickness measurement, the field sampler noted the bailer entry diameter and chamber diameter to enable correction of thickness measurements. Recovered LNAPL was stored on-site in a labeled steel drum(s) or other appropriate container(s) prior to disposal.

3.0 Well Purging and Groundwater Sample Collection

Well purging and groundwater sampling were performed in wells specified in the scope of work after measuring depth to groundwater and evaluating the presence of LNAPL. Purging and sampling were performed using one of the methods detailed below. The method used was noted in the field records. Purge water was stored on-site in labeled steel drum(s) or other appropriate container(s) prior to disposal or on-site treatment (in cases where treatment using an on-site system is authorized).

3.1 Purging a Predetermined Well Volume

Purging a predetermined well volume is performed per ASTM International (ASTM) D4448-01. This purging method has the objective of removing a predetermined volume of stagnant water from the well prior to sampling. The volume of stagnant water

is defined as either the volume of water contained within the well casing, or the volume within the well casing and sand/gravel in the annulus if natural flow through these is deemed insufficient to keep them flushed out.

This purging method involves removal of a minimum of three stagnant water volumes from the well using a decontaminated pump with new disposable plastic discharge or suction tubing, dedicated well tubing, or using a new disposable or decontaminated reusable bailer. If a new disposable bailer was used for assessment of LNAPL, that bailer may be used for purging. The withdrawal rate used is one that minimizes drawdown while satisfying time constraints.

To evaluate when purging is complete, one or more groundwater stabilization parameters are monitored and recorded during purging activities until stabilization is achieved. Most commonly, stabilization parameters include temperature, conductivity, and pH, but field procedures detailed in the scope of work may also include monitoring of dissolved oxygen concentrations, oxidation reduction potential, and/or turbidity¹. Parameters are considered stable when two (2) consecutive readings recorded three (3) minutes apart fall within ranges provided below in Table 1. In the event that the parameters have not stabilized and five (5) well casing volumes have been removed, purging activities will cease and be considered complete. Once the well is purged, a groundwater sample(s) is collected from the well using a new disposable bailer. If a new disposable bailer was used for purging, that bailer may be used to collect the sample(s). A sample is not collected if the well is inadvertently purged dry.

Table 1. Criteria for Defining Stabilization of Water-Quality Indicator Parameters

Parameter	Stabilization Criterion
Temperature	$\pm 0.2^{\circ}\text{C}$ ($\pm 0.36^{\circ}\text{F}$)
pH	± 0.1 standard units
Conductivity	$\pm 3\%$
Dissolved oxygen	$\pm 10\%$
Oxidation reduction potential	$\pm 10 \text{ mV}$
Turbidity ¹	$\pm 10\%$ or 1.0 NTU (whichever is greater)

3.2 Low-Flow Purging and Sampling

“Low-Flow”, “Minimal Drawdown”, or “Low-Stress” purging is performed per ASTM D6771-02. It is a method of groundwater removal from within a well’s screened interval that is intended to minimize drawdown and mixing of the water column in the well casing. This is accomplished by pumping the well using a decontaminated pump with new disposable plastic discharge or suction tubing or dedicated well tubing at a low flow rate while evaluating the groundwater elevation during pumping.

¹ As stated in ASTM D6771-02, turbidity is not a chemical parameter and not indicative of when formation-quality water is being purged; however, turbidity may be helpful in evaluating stress on the formation during purging. Turbidity measurements are taken at the same time that stabilization parameter measurements are made, or, at a minimum, once when purging is initiated and again just prior to sample collection, after stabilization parameters have stabilized. To avoid artifacts in sample analysis, turbidity should be as low as possible when samples are collected. If turbidity values are persistently high, the withdrawal rate is lowered until turbidity decreases. If high turbidity persists even after lowering the withdrawal rate, the purging is stopped for a period of time until turbidity settles, and the purging process is then restarted. If this fails to solve the problem, the purging/sampling process for the well is ceased, and well maintenance or redevelopment is considered.

The low flow pumping rate is well specific and is generally established at a volume that is less than or equal to the natural recovery rate of the well. A pump with adjustable flow rate control is positioned with the intake at or near the mid-point of the submerged well screen. The pumping rate used during low-flow purging is low enough to minimize mobilization of particulate matter and drawdown (stress) of the water column. Low-flow purging rates will vary based on the individual well characteristics; however, the purge rate should not exceed 1.0 Liter per minute (L/min) or 0.25 gallon per minute (gal/min). Low-flow purging should begin at a rate of approximately 0.1 L/min (0.03 gal/min)², or the lowest rate possible, and be adjusted based on an evaluation of drawdown. Water level measurements should be recorded at approximate one (1) to two (2) minute intervals until the low-flow rate has been established, and drawdown is minimized. As a general rule, drawdown should not exceed 25% of the distance between the top of the water column and the pump in-take.

To evaluate when purging is complete, one or more groundwater stabilization parameters are monitored and recorded during purging activities until stabilization is achieved. Most commonly, stabilization parameters include temperature, conductivity, and pH, but field procedures detailed in the scope of work may also include monitoring of dissolved oxygen concentrations, oxidation reduction potential, and/or turbidity¹. The frequency between measurements will be at an interval of one (1) to three (3) minutes; however, if a flow cell is used, the frequency will be determined based on the time required to evacuate one cell volume. Stabilization is defined as three (3) consecutive readings recorded several minutes apart falling within ranges provided in Table 1. Samples will be collected by filling appropriate containers from the pump discharge tubing at a rate not to exceed the established pumping rate.

3.3 Minimal Purge, Discrete Depth, and Passive Sampling

Per ASTM D4448-01, sampling techniques that do not rely on purging, or require only minimal purging, may be used if a particular zone within a screened interval is to be sampled or if a well is not capable of yielding sufficient groundwater for purging. To properly use these sampling techniques, a water sample is collected within the screened interval with little or no mixing of the water column within the casing. These techniques include minimal purge sampling which uses a dedicated sampling pump capable of pumping rates of less than 0.1 L/min (0.03 gal/min)², discrete depth sampling using a bailer that allows groundwater entry at a controlled depth (e.g. differential pressure bailer), or passive (diffusion) sampling. These techniques are based on certain studies referenced in ASTM D4448-01 that indicate that under certain conditions, natural groundwater flow is laminar and horizontal with little or no mixing within the well screen.

² According to ASTM D4448-01, studies have indicated that at flow rates of 0.1 L/min, low-density polyethylene (LDPE) and plasticized polypropylene tubing materials are prone to sorption. Therefore, TFE-fluorocarbon or other appropriate tubing material is used, particularly when tubing lengths of 50 feet or longer are used.

4.0 Decontamination

Reusable groundwater sampling equipment were cleaned using a solution of Alconox or other acceptable detergent, rinsed with tap water, and finally rinsed with distilled water prior to use in each well. Decontamination water was stored on-site in labeled steel drum(s) or other appropriate container(s) prior to disposal.

5.0 Sample Containers, Labeling, and Storage

Samples were collected in laboratory prepared containers with appropriate preservative (if preservative was required). Samples were properly labeled (site name, sample I.D., sampler initials, date, and time of collection) and stored chilled (refrigerator or ice chest with ice) until delivery to a certified laboratory, under chain of custody procedures.

6.0 Chain of Custody Record and Procedure

The field sampler was personally responsible for care and custody of the samples collected until they were properly transferred to another party. To document custody and transfer of samples, a Chain of Custody Record was prepared. The Chain of Custody Record provided identification of the samples corresponding to sample labels and specified analyses to be performed by the laboratory. The original Chain of Custody Record accompanied the shipment, and a copy of the record was stored in the project file. When the samples were transferred, the individuals relinquishing and receiving them signed, dated, and noted the time of transfer on the record.

7.0 Field Records

Daily Report and data forms were completed by staff personnel to provide daily record of significant events, observations, and measurements. Field records were signed, dated, and stored in the project file.

APPENDIX B

FIELD DATA SHEETS AND NON-HAZARDOUS WASTE DATA FORM



DAILY REPORT

Page 1 of 1

Project: BP 374 Project No.: 06-88-602

Field Representative(s): AM & JR Day: Monday Date: 8/31/15

Time Onsite: From: 0800 To: 1200; From: _____ To: _____; From: _____ To: _____

- Signed HASP Safety Glasses Hard Hat Steel Toe Boots Safety Vest
 UST Emergency System Shut-off Switches Located Proper Gloves
 Proper Level of Barricading Other PPE (describe) _____

Weather: Sunny

Equipment In Use: 4-gas meter, peri pump, UST meter, interface probe

Visitors: None

TIME:

WORK DESCRIPTION:

0800 Arrived on site & conducted tailgate.

0815 Set up for gauging.

0845 Set up for sampling @ MW-1

0910 Set up @ MW-6

0935 Set up @ MW-3

0955 Set up @ MW-5

1015 Set up @ MW-2

1030 Set up @ MW-9

1055 Set up @ MW-7 (per owner's request)

1120 Set up @ MW-8

1140 Set up @ MW-4

1200 Completed fieldwork is offsite.

Signature: Aly Mankin



GROUNDWATER MONITORING SITE SHEET

Page 1 of 10

Project: BP 374

Project No.: 06-38-602

Date: 8/31/15

Field Representative: AM / JR

Elevation: _____

Elevation: _____

Formation recharge rate is historically:

High Low (*circle one*)

W. L. Indicator ID #:

Oil/Water Interface ID #: *(List #s of all equip used.)*

* Device used to measure LNAPL thickness:

Bailer

Oil/Water Interface Meter

(circle one)

If bailer used, note bailer dimensions (inches):

Entry Diameter _____

Chamber Diameter _____

Signature:

Alt ~~mark~~

Revision: 8/19/11



GROUNDWATER SAMPLING DATA SHEET

Page 2 of 10

Project: BP 374
 Field Representative: JR/AM
 Well ID: MW-1

Project No.: 06-88-62 Date: 8/31/15

Start Time: _____ End Time: _____ Total Time (minutes): _____

PURGE EQUIPMENT		<input type="checkbox"/> Disp. Bailer	<input type="checkbox"/> 120V Pump	<input checked="" type="checkbox"/> Flow Cell
<input checked="" type="checkbox"/> Disp. Tubing		<input type="checkbox"/> 12V Pump	<input checked="" type="checkbox"/> Peristaltic Pump	Other/ID#:
WELL HEAD INTEGRITY (cap, lock, vault, etc.)		Comments:		
<input checked="" type="checkbox"/> Improvement Needed (circle one)				
PURGING/SAMPLING METHOD		Predetermined Well Volume	<input checked="" type="checkbox"/> Low-Flow	Other: (circle one)
PREDETERMINED WELL VOLUME		 LOW-FLOW		
Casing Diameter Unit Volume (gal/ft) (circle one)		Previous Low-Flow Purge Rate: _____ (lpm)		
1" (0.04)	1.25" (0.08)	2" (0.17)	3" (0.38)	Other: _____
4" (0.66)	6" (1.50)	8" (2.60)	12" (5.81)	" ()
Total Well Depth (a): _____ (ft)		Total Well Depth (a): <u>76.67</u> (ft)		
Initial Depth to Water (b): _____ (ft)		Initial Depth to Water (b): <u>8.37</u> (ft)		
Water Column Height (WCH) = (a - b): _____ (ft)		Pump In-take Depth = b + (a-b)/2: <u>17.72</u> (ft)		
Water Column Volume (WCV) = WCH x Unit Volume: _____ (gal)		Maximum Allowable Drawdown = (a-b)/8: <u>2.24</u> (ft)		
Three Casing Volumes = WCV x 3: _____ (gal)		Low-Flow Purge Rate: <u>0.25</u> (Lpm)*		
Five Casing Volumes = WCV x 5: _____ (gal)		Comments: _____		
Pump Depth (if pump used): _____ (ft)		*Low-flow purge rate should be within range of instruments used but should not exceed 0.25 gpm. Drawdown should not exceed Maximum Allowable Drawdown.		

Time (24:00)	Cumulative Vol. gal <u>0</u>	Temperature °C	pH	Conductivity µS/cm mS	DO mg/L	ORP mV	Turbidity NTU	NOTES Odor, color, sheen or other
0852	<u>0</u>	<u>19.13</u>	<u>6.75</u>	<u>836</u>	<u>3.73</u>	<u>-58</u>	<u>150</u>	
0854	<u>0.5</u>	<u>19.92</u>	<u>8.57</u>	<u>831</u>	<u>2.35</u>	<u>-43</u>	<u>121</u>	
0856	<u>1.0</u>	<u>18.72</u>	<u>6.50</u>	<u>878</u>	<u>1.65</u>	<u>-20</u>	<u>64.2</u>	
0858	<u>1.5</u>	<u>18.55</u>	<u>6.43</u>	<u>827</u>	<u>1.40</u>	<u>-10</u>	<u>69.3</u>	
0900	<u>2.0</u>	<u>16.62</u>	<u>6.38</u>	<u>827</u>	<u>1.32</u>	<u>-10</u>	<u>71.3</u>	

Previous Stabilized Parameters

PURGE COMPLETION RECORD Low Flow & Parameters Stable 3 Casing Volumes & Parameters Stable 5 Casing Volumes

Other: _____

SAMPLE COLLECTION RECORD		GEOCHEMICAL PARAMETERS																							
Depth to Water at Sampling: <u>9.22</u> (ft)		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;">Parameter</td> <td style="width: 33%;">Time</td> <td style="width: 33%;">Measurement</td> </tr> <tr> <td>DO (mg/L)</td> <td></td> <td></td> </tr> <tr> <td>Ferrous Iron (mg/L)</td> <td></td> <td></td> </tr> <tr> <td>Redox Potential (mV)</td> <td></td> <td></td> </tr> <tr> <td>Alkalinity (mg/L)</td> <td></td> <td></td> </tr> <tr> <td>Other:</td> <td></td> <td></td> </tr> <tr> <td>Other:</td> <td></td> <td></td> </tr> </table>			Parameter	Time	Measurement	DO (mg/L)			Ferrous Iron (mg/L)			Redox Potential (mV)			Alkalinity (mg/L)			Other:			Other:		
Parameter	Time	Measurement																							
DO (mg/L)																									
Ferrous Iron (mg/L)																									
Redox Potential (mV)																									
Alkalinity (mg/L)																									
Other:																									
Other:																									
Sample Collected Via: <input type="checkbox"/> Disp. Bailer <input type="checkbox"/> Dedicated Pump Tubing																									
<input checked="" type="checkbox"/> Disp. Pump Tubing Other: _____																									
Sample ID: <u>MW-1</u> Sample Collection Time: <u>0900</u> (24:00)																									
Containers (#): <u>6</u> VOA (<input checked="" type="checkbox"/> preserved or <input type="checkbox"/> unpreserved) <input type="checkbox"/> Liter Amber																									
Other: _____																									
Other: _____																									

Signature:

Revision 3/15/2013



GROUNDWATER SAMPLING DATA SHEET

Page 3 of 10

Project: BP 374

Project No.: 06-88-602

Date: 5/31/15

Field Representative: JR/AM

Well ID: MW-2 Start Time:

End Time:

Total Time (minutes):

PURGE EQUIPMENT		<input type="checkbox"/> Disp. Bailer	<input type="checkbox"/> 120V Pump	<input checked="" type="checkbox"/> Flow Cell
<input checked="" type="checkbox"/> Disp. Tubing		<input type="checkbox"/> 12V Pump	<input checked="" type="checkbox"/> Peristaltic Pump	Other/ID#:
WELL HEAD INTEGRITY (cap, lock, vault, etc.) Comments:				
<input checked="" type="checkbox"/> Improvement Needed (circle one)				
PURGING/SAMPLING METHOD		Predetermined Well Volume	Low <input checked="" type="checkbox"/> Flow	Other: <input type="checkbox"/>
PREDETERMINED WELL VOLUME				
Casing Diameter Unit Volume (gal/ft) (circle one) 1" (0.04) 1.25" (0.08) 2" (0.17) 3" (0.38) Other: 4" (0.66) 6" (1.50) 8" (2.60) 12" (5.81) " ()				
Total Well Depth (a): _____ (ft) Initial Depth to Water (b): _____ (ft) Water Column Height (WCH) = (a - b): _____ (ft) Water Column Volume (WCV) = WCH x Unit Volume: _____ (gal) Three Casing Volumes = WCV x 3: _____ (gal) Five Casing Volumes = WCV x 5: _____ (gal) Pump Depth (if pump used): _____ (ft)				
LOW-FLOW				
Previous Low-Flow Purge Rate: _____ (lpm) Total Well Depth (a): <u>26.27</u> (ft) Initial Depth to Water (b): <u>6.77</u> (ft) Pump In-take Depth = b + (a-b)/2: <u>17.53</u> (ft) Maximum Allowable Drawdown = (a-b)/8: <u>2.19</u> (ft) Low-Flow Purge Rate: <u>0.25</u> (lpm)* Comments:				
*Low-flow purge rate should be within range of instruments used but should not exceed 0.25 gpm. Drawdown should not exceed Maximum Allowable Drawdown.				

Time (24:00)	Cumulative Vol. gal or <u>5</u>	Temperature °C	pH	Conductivity <u>μS or mS</u>	DO mg/L	ORP mV	Turbidity NTU	NOTES Odor, color, sheen or other
1018	0	22.37	6.89	601	0.29	59	0.0	
1019	0.5	22.24	6.83	600	0.00	58	0.0	
1020	1.0	22.12	6.80	598	1.63	56	0.0	
1023	1.5	22.11	6.74	597	0.95	55	0.0	
1025	2.0	22.20	6.77	597	0.90	53	0.0	

Previous Stabilized Parameters

PURGE COMPLETION RECORD Low Flow & Parameters Stable 3 Casing Volumes & Parameters Stable 5 Casing Volumes

Other:

SAMPLE COLLECTION RECORD		GEOCHEMICAL PARAMETERS		
Depth to Water at Sampling: <u>4.10</u> (ft)	Sample Collected Via: <input type="checkbox"/> Disp. Bailer <input type="checkbox"/> Dedicated Pump Tubing	Parameter	Time	Measurement
<input checked="" type="checkbox"/> Disp. Pump Tubing	Other:	DO (mg/L)		
Sample ID: <u>MW-2</u>	Sample Collection Time: <u>1025</u> (24:00)	Ferrous Iron (mg/L)		
Containers (#): <u>6</u> VOA (<input checked="" type="checkbox"/> preserved or <input type="checkbox"/> unpreserved)	<input type="checkbox"/> Liter Amber	Redox Potential (mV)		
Other:	Other:	Alkalinity (mg/L)		
Other:	Other:	Other:		
Other:	Other:	Other:		

Signature: 

Revision: 3/15/2013



GROUNDWATER SAMPLING DATA SHEET

Page 4 of 16

Project: BP 374

Project No.: 06-88-602

Date: 8/31/15

Field Representative: JP/AM

Well ID: MW-3 Start Time:


End Time: Total Time (minutes):

PURGE EQUIPMENT	<input type="checkbox"/> Disp. Bailer	<input type="checkbox"/> 120V Pump	<input checked="" type="checkbox"/> Flow Cell
	<input checked="" type="checkbox"/> Disp. Tubing	<input type="checkbox"/> 12V Pump	<input checked="" type="checkbox"/> Peristaltic Pump

WELL HEAD INTEGRITY (cap, lock, vault, etc.)	Comments:
<input checked="" type="checkbox"/> Improvement Needed (circle one)	

PURGING/SAMPLING METHOD	Predetermined Well Volume	Low-Flow	Other:	(circle one)
-------------------------	---------------------------	----------	--------	--------------

PREDETERMINED WELL VOLUME					LOW-FLOW			
Casing Diameter Unit Volume (gal/ft) (circle one)					Previous Low-Flow Purge Rate: (lpm)			
1" (0.04)	1.25" (0.08)	2" (0.17)	3" (0.38)	Other:	Total Well Depth (a):	<u>26.73</u>	(ft)	
4" (0.66)	6" (1.50)	8" (2.60)	12" (5.81)	" ()	Initial Depth to Water (b):	<u>7.30</u>	(ft)	
Total Well Depth (a):					Pump In-take Depth = b + (a-b)/2:	<u>17.05</u>	(ft)	
Initial Depth to Water (b):					Maximum Allowable Drawdown = (a-b)/8:	<u>2.12</u>	(ft)	
Water Column Height (WCH) = (a - b):					Low-Flow Purge Rate:	<u>0.25</u>	(Lpm)*	
Water Column Volume (WCV) = WCH x Unit Volume:					Comments:			
Three Casing Volumes = WCV x 3:					*Low-flow purge rate should be within range of instruments used but should not exceed 0.25 gpm. Drawdown should not exceed Maximum Allowable Drawdown.			
Five Casing Volumes = WCV x 5:								
Pump Depth (if pump used):								



GROUNDWATER STABILIZATION PARAMETER RECORD								
Time (24:00)	Cumulative Vol. gal or <input checked="" type="checkbox"/>	Temperature °C	pH	Conductivity µS/cm mS	DO mg/L	ORP mV	Turbidity NTU	NOTES Odor, color, sheen or other
0937	0	19.66	6.21	595	4.93	-86	0.6	
0939	0.5	19.99	6.14	600	1.50	+86	0.0	
0941	1.0	19.45	6.11	601	6.15	-86	0.0	
0943	1.5	19.43	6.08	601	0.77	-85	0.0	
0945	2.0	19.41	6.01	601	0.90	-85	0.0	

Previous Stabilized Parameters			
--------------------------------	--	--	--

PURGE COMPLETION RECORD	<input checked="" type="checkbox"/> Low Flow & Parameters Stable	<input type="checkbox"/> 3 Casing Volumes & Parameters Stable	<input type="checkbox"/> 5 Casing Volumes
-------------------------	--	---	---

Other:

SAMPLE COLLECTION RECORD				GEOCHEMICAL PARAMETERS		
Depth to Water at Sampling	<u>7.85</u> (ft)			Parameter	Time	Measurement
Sample Collected Via:	<input type="checkbox"/> Disp. Bailer	<input type="checkbox"/> Dedicated Pump Tubing		DO (mg/L)		
<input checked="" type="checkbox"/> Disp. Pump Tubing	Other:			Ferrous Iron (mg/L)		
Sample ID:	<u>MW-3</u>	Sample Collection Time:	<u>0945</u> (24:00)	Redox Potential (mV)		
Containers (#):	<u>b</u> VOA (<input checked="" type="checkbox"/> preserved or <input type="checkbox"/> unpreserved)	Liter Amber		Alkalinity (mg/L)		
Other:				Other:		
Other:				Other:		

Signature:

Revision: 3/15/2013



GROUNDWATER SAMPLING DATA SHEET

Page 5 of 10

Project: BP 374

Project No.: 06-08-602

Date: 8/31/15

Field Representative: JR IAM

Well ID: MW-4 Start Time:

End Time:

Total Time (minutes):

PURGE EQUIPMENT		<input type="checkbox"/> Disp. Bailer	<input type="checkbox"/> 120V Pump	<input checked="" type="checkbox"/> Flow Cell
		<input checked="" type="checkbox"/> Disp. Tubing	<input type="checkbox"/> 12V Pump	<input type="checkbox"/> Peristaltic Pump
WELL HEAD INTEGRITY (cap, lock, vault, etc.) Comments:				
Good	Improvement Needed	(circle one)		
PURGING/SAMPLING METHOD Predetermined Well Volume Low-Flow Other: _____ (circle one)				
PREDETERMINED WELL VOLUME				
Casing Diameter Unit Volume (gal/ft) (circle one) 1" (0.04) 1.25" (0.08) 2" (0.17) 3" (0.38) Other: 4" (0.66) 6" (1.50) 8" (2.60) 12" (5.81) " ()				
Total Well Depth (a): _____ (ft) Initial Depth to Water (b): _____ (ft) Water Column Height (WCH) = (a - b): _____ (ft) Water Column Volume (WCV) = WCH x Unit Volume: _____ (gal) Three Casing Volumes = WCV x 3: _____ (gal) Five Casing Volumes = WCV x 5: _____ (gal) Pump Depth (if pump used): _____ (ft)				
LOW-FLOW				
Previous Low-Flow Purge Rate: _____ (lpm) Total Well Depth (a): <u>26.95</u> (ft) Initial Depth to Water (b): <u>8.66</u> (ft) Pump In-take Depth = b + (a-b)/2: <u>17.80</u> (ft) Maximum Allowable Drawdown = (a-b)/8: <u>2.28</u> (ft) Low-Flow Purge Rate: <u>0.75</u> (Lpm)* Comments: _____				
*Low-flow purge rate should be within range of instruments used but should not exceed 0.25 gpm. Drawdown should not exceed Maximum Allowable Drawdown.				

GROUNDWATER STABILIZATION PARAMETER RECORD								
Time (24:00)	Cumulative Vol. gal or ft ³	Temperature °C	pH	Conductivity µS or mS	DO mg/L	ORP mV	Turbidity NTU	NOTES Odor, color, sheen or other
1147	0	21.28	6.63	853	3.98	-160	0.0	
1149	0.5	20.30	6.61	856	1.60	-163	0.0	
1151	1.0	20.03	6.61	857	1.08	-155	0.0	
1153	1.5	19.89	6.61	858	0.95	-166	0.0	
1155	2.0	19.76	6.61	858	0.88	-168	0.0	
Previous Stabilized Parameters								

PURGE COMPLETION RECORD		<input checked="" type="checkbox"/> Low Flow & Parameters Stable	<input type="checkbox"/> 3 Casing Volumes & Parameters Stable	<input type="checkbox"/> 5 Casing Volumes
Other: _____				
SAMPLE COLLECTION RECORD				
Depth to Water at Sampling: <u>9.18</u> (ft) Sample Collected Via: <input type="checkbox"/> Disp. Bailer <input type="checkbox"/> Dedicated Pump Tubing <input checked="" type="checkbox"/> Disp. Pump Tubing Other: _____ Sample ID: <u>MW-4</u> Sample Collection Time: <u>1155</u> (24:00) Containers (#): <u>6</u> VOA (<input checked="" type="checkbox"/> preserved or <input type="checkbox"/> unpreserved) <input type="checkbox"/> Liter Amber Other: _____ Other: _____ Other: _____ Other: _____				
GEOCHEMICAL PARAMETERS				
Parameter Time Measurement DO (mg/L) Ferrous Iron (mg/L) Redox Potential (mV) Alkalinity (mg/L) Other: _____ Other: _____				

Signature: JR

Revision: 3/15/2013



GROUNDWATER SAMPLING DATA SHEET

Page 6 of 10

Project: BP 374


Project No.: 06-88-6c2

Date: 8/31/15

Field Representative: JR/AM

Well ID: MW-5 Start Time:

End Time: Total Time (minutes):

PURGE EQUIPMENT		<input type="checkbox"/> Disp. Bailer	<input type="checkbox"/> 120V Pump	<input checked="" type="checkbox"/> Flow Cell				
<input checked="" type="checkbox"/> Disp. Tubing		<input type="checkbox"/> 12V Pump	<input checked="" type="checkbox"/> Peristaltic Pump	Other/ID#:				
WELL HEAD INTEGRITY (cap, lock, vault, etc.)		Comments:						
<input checked="" type="checkbox"/> Improvement Needed (circle one)								
PURGING/SAMPLING METHOD		Predetermined Well Volume	<input checked="" type="checkbox"/> Low-Flow	Other: (circle one)				
PREDETERMINED WELL VOLUME Casing Diameter Unit Volume (gal/ft) (circle one) 1" (0.04) 1.25" (0.08) 2" (0.17) 3" (0.38) Other: 4" (0.66) 6" (1.50) 8" (2.60) 12" (5.81) " ()			LOW-FLOW Previous Low-Flow Purge Rate: <u>03.04</u> (lpm) Total Well Depth (a): <u>7.78</u> (ft) Initial Depth to Water (b): <u>15.41</u> (ft) Pump In-take Depth = b + (a-b)/2: <u>1.90</u> (ft) Maximum Allowable Drawdown = (a-b)/8: <u>0.25</u> (lpm)* Low-Flow Purge Rate: Comments:					
Total Well Depth (a): _____ (ft) Initial Depth to Water (b): _____ (ft) Water Column Height (WCH) = (a - b): _____ (ft) Water Column Volume (WCV) = WCH x Unit Volume: _____ (gal) Three Casing Volumes = WCV x 3: _____ (gal) Five Casing Volumes = WCV x 5: _____ (gal) Pump Depth (if pump used): _____ (ft)								
GROUNDWATER STABILIZATION PARAMETER RECORD								
Time (24:00)	Cumulative Vol. gal or <u>0</u>	Temperature °C	pH	Conductivity µS/cm	DO mg/L	ORP mV	Turbidity NTU	NOTES Odor, color, sheen or other
0958	0	21.73	6.61	568	2.85	42	0.0	
1000	0.5	21.57	6.49	566	1.39	45	0.0	
1002	1.0	21.47	6.97	565	1.03	49	0.0	
1004	1.5	21.66	6.48	563	0.85	47	0.0	
1006	2.0	21.67	6.49	563	0.83	50	0.0	
Previous Stabilized Parameters								
PURGE COMPLETION RECORD		<input checked="" type="checkbox"/> Low Flow & Parameters Stable			<input type="checkbox"/> 3 Casing Volumes & Parameters Stable		<input type="checkbox"/> 5 Casing Volumes	
		<input type="checkbox"/> Other:						
SAMPLE COLLECTION RECORD						GEOCHEMICAL PARAMETERS		
Depth to Water at Sampling: <u>6.52</u> (ft) Sample Collected Via: <input type="checkbox"/> Disp. Bailer <input type="checkbox"/> Dedicated Pump Tubing <input checked="" type="checkbox"/> Disp. Pump Tubing Other: Sample ID: <u>MW-5</u> Sample Collection Time: <u>10:10</u> (24:00) Containers (#): <u>6</u> VOA (<input checked="" type="checkbox"/> preserved or <input type="checkbox"/> unpreserved) <input type="checkbox"/> Liter Amber Other: _____ Other: _____ Other: _____ Other: _____ Other: _____						Parameter DO (mg/L) Ferrous Iron (mg/L) Redox Potential (mV) Alkalinity (mg/L) Other: Other:		

Signature: 

Revision 3/15/2013



GROUNDWATER SAMPLING DATA SHEET

Page 7 of 10Project: BP 374Project No.: 06-00-602Date: 8/31/15Field Representative: JR/AMWell ID: MW-6 Start Time:

End Time:

Total Time (minutes):

PURGE EQUIPMENT	<input type="checkbox"/> Disp. Bailer	<input type="checkbox"/> 120V Pump	<input checked="" type="checkbox"/> Flow Cell																
<input checked="" type="checkbox"/> Disp. Tubing	<input type="checkbox"/> 12V Pump	<input type="checkbox"/> Peristaltic Pump	Other/ID#:																
WELL HEAD INTEGRITY (cap, lock, vault, etc.)		Comments:																	
<input checked="" type="checkbox"/> Improvement Needed (circle one)																			
PURGING/SAMPLING METHOD		Predetermined Well Volume	<input type="checkbox"/> Low-Flow Other: _____ (circle one)																
PREDETERMINED WELL VOLUME <table border="1" style="float: right; margin-right: 20px;"> <tr><th colspan="2">LOW-FLOW</th></tr> <tr><td>Previous Low-Flow Purge Rate:</td><td>(lpm)</td></tr> <tr><td>Total Well Depth (a):</td><td><u>14.56</u> (ft)</td></tr> <tr><td>Initial Depth to Water (b):</td><td><u>5.19</u> (ft)</td></tr> <tr><td>Pump In-take Depth = b + (a-b)/2:</td><td><u>9.87</u> (ft)</td></tr> <tr><td>Maximum Allowable Drawdown = (a-b)/8:</td><td><u>1.17</u> (ft)</td></tr> <tr><td>Low-Flow Purge Rate:</td><td><u>0.25</u> (Lpm)*</td></tr> <tr><td>Comments:</td><td></td></tr> </table>				LOW-FLOW		Previous Low-Flow Purge Rate:	(lpm)	Total Well Depth (a):	<u>14.56</u> (ft)	Initial Depth to Water (b):	<u>5.19</u> (ft)	Pump In-take Depth = b + (a-b)/2:	<u>9.87</u> (ft)	Maximum Allowable Drawdown = (a-b)/8:	<u>1.17</u> (ft)	Low-Flow Purge Rate:	<u>0.25</u> (Lpm)*	Comments:	
LOW-FLOW																			
Previous Low-Flow Purge Rate:	(lpm)																		
Total Well Depth (a):	<u>14.56</u> (ft)																		
Initial Depth to Water (b):	<u>5.19</u> (ft)																		
Pump In-take Depth = b + (a-b)/2:	<u>9.87</u> (ft)																		
Maximum Allowable Drawdown = (a-b)/8:	<u>1.17</u> (ft)																		
Low-Flow Purge Rate:	<u>0.25</u> (Lpm)*																		
Comments:																			
Casing Diameter Unit Volume (gal/ft) (circle one) 1" (0.04) 1.25" (0.08) 2" (0.17) 3" (0.38) Other: 4" (0.66) 6" (1.50) 8" (2.60) 12" (5.81) " ()																			
Total Well Depth (a): _____ (ft) Initial Depth to Water (b): _____ (ft) Water Column Height (WCH) = (a - b): _____ (ft) Water Column Volume (WCV) = WCH x Unit Volume: _____ (gal) Three Casing Volumes = WCV x 3: _____ (gal) Five Casing Volumes = WCV x 5: _____ (gal) Pump Depth (if pump used): _____ (ft)																			
*Low-flow purge rate should be within range of instruments used but should not exceed 0.25 gpm. Drawdown should not exceed Maximum Allowable Drawdown.																			

Time (24:00)	Cumulative Vol. gal on ①	Temperature °C	pH	Conductivity μS/cmS	DO mg/L	ORP mV	Turbidity NTU	NOTES Odor, color, sheen or other
0917	0	19.71	6.42	403	3.32	85	0.0	
0919	0.5	19.66	6.27	397	1.77	90	0.0	
0921	1.0	19.72	6.20	390	1.25	95	0.0	
0923	1.5	19.80	6.15	386	1.10	100	0.0	
0925	2.0	19.94	6.10	385	1.05	105	0.0	

Previous Stabilized Parameters

PURGE COMPLETION RECORD Low Flow & Parameters Stable 3 Casing Volumes & Parameters Stable 5 Casing Volumes

Other:

SAMPLE COLLECTION RECORD		GEOCHEMICAL PARAMETERS		
Depth to Water at Sampling:	<u>6.0 ft</u> (ft)	Parameter	Time	Measurement
Sample Collected Via:	<input type="checkbox"/> Disp. Bailer <input type="checkbox"/> Dedicated Pump Tubing	DO (mg/L)		
<input checked="" type="checkbox"/> Disp. Pump Tubing	Other:	Ferrous Iron (mg/L)		
Sample ID:	<u>MW-6</u>	Redox Potential (mV)		
Containers (#):	<input type="checkbox"/> VOA (<input checked="" type="checkbox"/> preserved or <input type="checkbox"/> unpreserved) <input type="checkbox"/> Liter Amber	Alkalinity (mg/L)		
Other:		Other:		
Other:		Other:		

Signature:

Revision 3/15/2013



GROUNDWATER SAMPLING DATA SHEET

Page 8 of 10

Project: BP 374
Field Representative: JR IAM
Well ID: MW-7 Start Time:

Project No.: 06-08-6c2

Date: 8/3/15

Well ID: Mw-7 Start Time:

End Time:

Total Time (minutes):

[View Details](#) | [Edit](#) | [Delete](#)

Disp. Bailer

120V Pump

Flow Cell

10

Domestic Runes

Other IDs

WELL HEAD INTEGRITY (cap, lock, vault, etc.)

Comments


WEED INTEGRITY (a)

(*etc., vault, etc.*)

BURGING/SAMPLING METHOD

卷之三

PURGING/SAMPLING METHOD		Predetermined Well Volume	Low-Flow	Other:	(circle one)
PREDETERMINED WELL VOLUME					LOW-FLOW
Casing Diameter Unit Volume (gal/ft) (circle one) 1" (0.04) 1.25" (0.08) 2" (0.17) 3" (0.38) Other: 4" (0.66) 6" (1.50) 8" (2.60) 12" (5.81) " ()					Previous Low-Flow Purge Rate:
					19.90 (lpm)
Total Well Depth (a): _____ (ft) Initial Depth to Water (b): _____ (ft)					Total Well Depth (a):
					6.56 (ft)
Water Column Height (WCH) = (a - b): _____ (ft) Water Column Volume (WCV) = WCH x Unit Volume: _____ (gal)					Initial Depth to Water (b):
					14.20 (ft)
Three Casing Volumes = WCV x 3: _____ (gal) Five Casing Volumes = WCV x 5: _____ (gal)					Maximum Allowable Drawdown = (a-b)/8:
					1.47 (ft)
Pump Depth (if pump used): _____ (ft)					Low-Flow Purge Rate:
					0.25 (Lpm)*
					Comments: _____
*Low-flow purge rate should be within range of instruments used but should not exceed 0.25 gpm. Drawdown should not exceed Maximum Allowable Drawdown.					



Previous Stabilized Parameters

PURGE COMPLETION RECORD Low Flow & Parameters Stable 3 Casing Volumes & Parameters Stable 5 Casing Volumes
Other:

SAMPLE COLLECTION RECORD		GEOCHEMICAL PARAMETERS		
Depth to Water at Sampling:	<u>8.73</u> (ft)	Parameter	Time	Measurement
Sample Collected Via:	<input type="checkbox"/> Disp. Bailer <input type="checkbox"/> Dedicated Pump Tubing	DO (mg/L)		
X Disp. Pump Tubing Other:		Ferrous Iron (mg/L)		
Sample ID:	<u>MW-7</u>	Redox Potential (mV)		
Containers (#):	<u>6</u> VOA (<input checked="" type="checkbox"/> preserved or <input type="checkbox"/> unpreserved)	Alkalinity (mg/L)		
Other:	<input type="checkbox"/>	Other:		
Other:	<input type="checkbox"/>	Other:		

Signature:


Revision: 3/15/2013



GROUNDWATER SAMPLING DATA SHEET

Page 10 of 10

Project: BP 374 Project No.: 06-88-002 Date: 8/31/15
Field Representative: Jedam
Well ID: M47-9 Start Time: _____ End Time: _____ Total Time (minutes): _____

PURGE EQUIPMENT	<input type="checkbox"/> Disp. Bailer	<input type="checkbox"/> 120V Pump	<input checked="" type="checkbox"/> Flow Cell																																			
<input checked="" type="checkbox"/> Disp. Tubing	<input type="checkbox"/> 12V Pump	<input checked="" type="checkbox"/> Peristaltic Pump	Other/ID#:																																			
WELL HEAD INTEGRITY (cap, lock, vault, etc.)		Comments:																																				
<input checked="" type="checkbox"/> Good	Improvement Needed (circle one)																																					
PURGING/SAMPLING METHOD		Predetermined Well Volume	Low-Flow Other: (circle one)																																			
<table border="1"> <thead> <tr> <th colspan="5">PREDETERMINED WELL VOLUME</th> </tr> <tr> <th>Casing Diameter Unit Volume (gal/ft) (circle one)</th> <th colspan="4"></th> </tr> </thead> <tbody> <tr> <td>1" (0.04)</td> <td>1.25" (0.08)</td> <td>2" (0.17)</td> <td>3" (0.38)</td> <td>Other: _____</td> </tr> <tr> <td>4" (0.66)</td> <td>6" (1.50)</td> <td>8" (2.60)</td> <td>12" (5.81)</td> <td>" (_____)</td> </tr> </tbody> </table> 				PREDETERMINED WELL VOLUME					Casing Diameter Unit Volume (gal/ft) (circle one)					1" (0.04)	1.25" (0.08)	2" (0.17)	3" (0.38)	Other: _____	4" (0.66)	6" (1.50)	8" (2.60)	12" (5.81)	" (_____)															
PREDETERMINED WELL VOLUME																																						
Casing Diameter Unit Volume (gal/ft) (circle one)																																						
1" (0.04)	1.25" (0.08)	2" (0.17)	3" (0.38)	Other: _____																																		
4" (0.66)	6" (1.50)	8" (2.60)	12" (5.81)	" (_____)																																		
<table border="1"> <thead> <tr> <th colspan="5">LOW-FLOW</th> </tr> <tr> <th>Previous Low-Flow Purge Rate: (lpm)</th> <th colspan="4"></th> </tr> </thead> <tbody> <tr> <td>19.50 (ft)</td> <td colspan="4"></td> </tr> <tr> <td>8.50 (ft)</td> <td colspan="4"></td> </tr> <tr> <td>14.00 (ft)</td> <td colspan="4"></td> </tr> <tr> <td>1.37 (ft)</td> <td colspan="4"></td> </tr> <tr> <td>0.25 (lpm)*</td> <td colspan="4"></td> </tr> </tbody> </table> <p>Comments: _____</p> <p>*Low-flow purge rate should be within range of instruments used but should not exceed 0.25 gpm. Drawdown should not exceed Maximum Allowable Drawdown.</p>				LOW-FLOW					Previous Low-Flow Purge Rate: (lpm)					19.50 (ft)					8.50 (ft)					14.00 (ft)					1.37 (ft)					0.25 (lpm)*				
LOW-FLOW																																						
Previous Low-Flow Purge Rate: (lpm)																																						
19.50 (ft)																																						
8.50 (ft)																																						
14.00 (ft)																																						
1.37 (ft)																																						
0.25 (lpm)*																																						

Previous Stabilized Parameters

PURGE COMPLETION RECORD	<input checked="" type="checkbox"/> Low Flow & Parameters Stable	<input type="checkbox"/> 3 Casing Volumes & Parameters Stable	<input type="checkbox"/> 5 Casing Volumes
	Other:		
SAMPLE COLLECTION RECORD		GEOCHEMICAL PARAMETERS	
Depth to Water at Sampling:	8.75 (ft)	Parameter	Time
Sample Collected Via:	<input type="checkbox"/> Disp. Bailer <input type="checkbox"/> Dedicated Pump Tubing	DO (mg/L)	
<input checked="" type="checkbox"/> Disp. Pump Tubing Other:		Ferrous Iron (mg/L)	
Sample ID:	MW-9	Redox Potential (mV)	
Containers (#):	6 VOA (<input checked="" type="checkbox"/> preserved or <input type="checkbox"/> unpreserved) <input type="checkbox"/> Liter Amber	Alkalinity (mg/L)	
Other:	Other:	Other:	
Other:	Other:	Other:	

Signature:

Revision: 3/15/2013

APPENDIX C

LABORATORY REPORT
AND CHAIN-OF-CUSTODY DOCUMENTATION

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Irvine

17461 Derian Ave

Suite 100

Irvine, CA 92614-5817

Tel: (949)261-1022

TestAmerica Job ID: 440-119744-1

Client Project/Site: ARCO 0374, Oakland

For:

Broadbent & Associates, Inc.

4820 Business Center Drive

#110

Fairfield, California 94534

Attn: Kristene Tidwell



Authorized for release by:

9/17/2015 2:25:01 PM

Kathleen Robb, Project Manager II

(949)261-1022

kathleen.robb@testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Sample Summary	3
Case Narrative	4
Client Sample Results	5
Method Summary	14
Lab Chronicle	15
QC Sample Results	17
QC Association Summary	23
Definitions/Glossary	24
Certification Summary	25
Chain of Custody	26
Receipt Checklists	27

Sample Summary

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-119744-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
440-119744-1	MW-1	Water	08/31/15 09:00	09/02/15 09:35
440-119744-2	MW-2	Water	08/31/15 10:25	09/02/15 09:35
440-119744-3	MW-3	Water	08/31/15 09:45	09/02/15 09:35
440-119744-4	MW-4	Water	08/31/15 11:55	09/02/15 09:35
440-119744-5	MW-5	Water	08/31/15 10:10	09/02/15 09:35
440-119744-6	MW-6	Water	08/31/15 09:25	09/02/15 09:35
440-119744-7	MW-7	Water	08/31/15 11:10	09/02/15 09:35
440-119744-8	MW-8	Water	08/31/15 11:30	09/02/15 09:35
440-119744-9	MW-9	Water	08/31/15 10:45	09/02/15 09:35

1

2

3

4

5

6

7

8

9

10

11

12

13

TestAmerica Irvine

Case Narrative

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-119744-1

Job ID: 440-119744-1

Laboratory: TestAmerica Irvine

Narrative

Job Narrative 440-119744-1

Comments

No additional comments.

Receipt

The samples were received on 9/2/2015 9:35 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 3.2° C.

GC/MS VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

GC VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Client Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-119744-1

Client Sample ID: MW-1

Date Collected: 08/31/15 09:00

Date Received: 09/02/15 09:35

Lab Sample ID: 440-119744-1

Matrix: Water

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dibromoethane (EDB)	ND		0.50	ug/L			09/06/15 14:25	1
1,2-DCA	ND		0.50	ug/L			09/06/15 14:25	1
Benzene	ND		0.50	ug/L			09/06/15 14:25	1
Ethanol	ND		150	ug/L			09/06/15 14:25	1
Ethylbenzene	ND		0.50	ug/L			09/06/15 14:25	1
Ethyl-t-butyl ether (ETBE)	ND		0.50	ug/L			09/06/15 14:25	1
Isopropyl Ether (DIPÉ)	ND		0.50	ug/L			09/06/15 14:25	1
m,p-Xylene	ND		1.0	ug/L			09/06/15 14:25	1
Methyl-t-Butyl Ether (MTBE)	110		0.50	ug/L			09/06/15 14:25	1
Naphthalene	ND		1.0	ug/L			09/06/15 14:25	1
o-Xylene	ND		0.50	ug/L			09/06/15 14:25	1
Tert-amyl-methyl ether (TAME)	0.63		0.50	ug/L			09/06/15 14:25	1
tert-Butyl alcohol (TBA)	ND		10	ug/L			09/06/15 14:25	1
Toluene	ND		0.50	ug/L			09/06/15 14:25	1
Xylenes, Total	ND		1.0	ug/L			09/06/15 14:25	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	97		80 - 120		09/06/15 14:25	1
Dibromofluoromethane (Surr)	98		76 - 132		09/06/15 14:25	1
Toluene-d8 (Surr)	100		80 - 128		09/06/15 14:25	1

Method: 8015B/5030B - Gasoline Range Organics (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C12)	ND		50	ug/L			09/04/15 01:11	1
Surrogate	%Recovery	Qualifier	Limits					
4-Bromofluorobenzene (Surr)	91		65 - 140				09/04/15 01:11	1

Client Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-119744-1

Client Sample ID: MW-2

Date Collected: 08/31/15 10:25

Date Received: 09/02/15 09:35

Lab Sample ID: 440-119744-2

Matrix: Water

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dibromoethane (EDB)	ND		0.50	ug/L		09/06/15 15:55		1
1,2-DCA	ND		0.50	ug/L		09/06/15 15:55		1
Benzene	ND		0.50	ug/L		09/06/15 15:55		1
Ethanol	ND		150	ug/L		09/06/15 15:55		1
Ethylbenzene	ND		0.50	ug/L		09/06/15 15:55		1
Ethyl-t-butyl ether (ETBE)	ND		0.50	ug/L		09/06/15 15:55		1
Isopropyl Ether (DIPÉ)	ND		0.50	ug/L		09/06/15 15:55		1
m,p-Xylene	ND		1.0	ug/L		09/06/15 15:55		1
Methyl-t-Butyl Ether (MTBE)	40		0.50	ug/L		09/06/15 15:55		1
Naphthalene	ND		1.0	ug/L		09/06/15 15:55		1
o-Xylene	ND		0.50	ug/L		09/06/15 15:55		1
Tert-amyl-methyl ether (TAME)	ND		0.50	ug/L		09/06/15 15:55		1
tert-Butyl alcohol (TBA)	ND		10	ug/L		09/06/15 15:55		1
Toluene	ND		0.50	ug/L		09/06/15 15:55		1
Xylenes, Total	ND		1.0	ug/L		09/06/15 15:55		1

Surrogate

	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	99		80 - 120		09/06/15 15:55	1
Dibromofluoromethane (Surr)	98		76 - 132		09/06/15 15:55	1
Toluene-d8 (Surr)	98		80 - 128		09/06/15 15:55	1

Method: 8015B/5030B - Gasoline Range Organics (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C12)	ND		50	ug/L		09/04/15 01:37		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	96		65 - 140			09/04/15 01:37		1

Client Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-119744-1

Client Sample ID: MW-3

Date Collected: 08/31/15 09:45

Date Received: 09/02/15 09:35

Lab Sample ID: 440-119744-3

Matrix: Water

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dibromoethane (EDB)	ND		0.50	ug/L			09/06/15 16:25	1
1,2-DCA	ND		0.50	ug/L			09/06/15 16:25	1
Benzene	ND		0.50	ug/L			09/06/15 16:25	1
Ethanol	ND		150	ug/L			09/06/15 16:25	1
Ethylbenzene	ND		0.50	ug/L			09/06/15 16:25	1
Ethyl-t-butyl ether (ETBE)	ND		0.50	ug/L			09/06/15 16:25	1
Isopropyl Ether (DIPÉ)	ND		0.50	ug/L			09/06/15 16:25	1
m,p-Xylene	ND		1.0	ug/L			09/06/15 16:25	1
Methyl-t-Butyl Ether (MTBE)	0.53		0.50	ug/L			09/06/15 16:25	1
Naphthalene	ND		1.0	ug/L			09/06/15 16:25	1
o-Xylene	ND		0.50	ug/L			09/06/15 16:25	1
Tert-amyl-methyl ether (TAME)	ND		0.50	ug/L			09/06/15 16:25	1
tert-Butyl alcohol (TBA)	ND		10	ug/L			09/06/15 16:25	1
Toluene	ND		0.50	ug/L			09/06/15 16:25	1
Xylenes, Total	ND		1.0	ug/L			09/06/15 16:25	1

Surrogate

	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	98		80 - 120		09/06/15 16:25	1
Dibromofluoromethane (Surr)	98		76 - 132		09/06/15 16:25	1
Toluene-d8 (Surr)	99		80 - 128		09/06/15 16:25	1

Method: 8015B/5030B - Gasoline Range Organics (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C12)	ND		50	ug/L			09/04/15 02:02	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	89		65 - 140				09/04/15 02:02	1

Client Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-119744-1

Client Sample ID: MW-4

Date Collected: 08/31/15 11:55
Date Received: 09/02/15 09:35

Lab Sample ID: 440-119744-4

Matrix: Water

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dibromoethane (EDB)	ND		5.0	ug/L			09/08/15 17:47	10
1,2-DCA	ND		5.0	ug/L			09/08/15 17:47	10
Ethanol	ND		1500	ug/L			09/08/15 17:47	10
Ethylbenzene	27		5.0	ug/L			09/08/15 17:47	10
Ethyl-t-butyl ether (ETBE)	ND		5.0	ug/L			09/08/15 17:47	10
Isopropyl Ether (DIPE)	ND		5.0	ug/L			09/08/15 17:47	10
m,p-Xylene	52		10	ug/L			09/08/15 17:47	10
Methyl-t-Butyl Ether (MTBE)	ND		5.0	ug/L			09/08/15 17:47	10
Naphthalene	55		10	ug/L			09/08/15 17:47	10
o-Xylene	ND		5.0	ug/L			09/08/15 17:47	10
Tert-amyl-methyl ether (TAME)	ND		5.0	ug/L			09/08/15 17:47	10
tert-Butyl alcohol (TBA)	ND		100	ug/L			09/08/15 17:47	10
Toluene	43		5.0	ug/L			09/08/15 17:47	10
Xylenes, Total	52		10	ug/L			09/08/15 17:47	10
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	98		80 - 120				09/08/15 17:47	10
Dibromofluoromethane (Surr)	109		76 - 132				09/08/15 17:47	10
Toluene-d8 (Surr)	111		80 - 128				09/08/15 17:47	10

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS) - DL

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	570		10	ug/L			09/09/15 20:35	20
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		80 - 120				09/09/15 20:35	20
Dibromofluoromethane (Surr)	96		76 - 132				09/09/15 20:35	20
Toluene-d8 (Surr)	111		80 - 128				09/09/15 20:35	20

Method: 8015B/5030B - Gasoline Range Organics (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C12)	6300		1000	ug/L			09/04/15 02:28	20
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	98		65 - 140				09/04/15 02:28	20

Client Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-119744-1

Client Sample ID: MW-5

Date Collected: 08/31/15 10:10
Date Received: 09/02/15 09:35

Lab Sample ID: 440-119744-5

Matrix: Water

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
1,2-Dibromoethane (EDB)	ND		0.50	ug/L			09/06/15 17:25	1	1
1,2-DCA	ND		0.50	ug/L			09/06/15 17:25	1	2
Benzene	ND		0.50	ug/L			09/06/15 17:25	1	3
Ethanol	ND		150	ug/L			09/06/15 17:25	1	4
Ethylbenzene	ND		0.50	ug/L			09/06/15 17:25	1	5
Ethyl-t-butyl ether (ETBE)	ND		0.50	ug/L			09/06/15 17:25	1	6
Isopropyl Ether (DIPÉ)	ND		0.50	ug/L			09/06/15 17:25	1	7
m,p-Xylene	ND		1.0	ug/L			09/06/15 17:25	1	8
Methyl-t-Butyl Ether (MTBE)	ND		0.50	ug/L			09/06/15 17:25	1	9
Naphthalene	ND		1.0	ug/L			09/06/15 17:25	1	10
o-Xylene	ND		0.50	ug/L			09/06/15 17:25	1	11
Tert-amyl-methyl ether (TAME)	ND		0.50	ug/L			09/06/15 17:25	1	12
tert-Butyl alcohol (TBA)	ND		10	ug/L			09/06/15 17:25	1	
Toluene	ND		0.50	ug/L			09/06/15 17:25	1	
Xylenes, Total	ND		1.0	ug/L			09/06/15 17:25	1	

Surrogate

	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	100		80 - 120		09/06/15 17:25	1	
Dibromofluoromethane (Surr)	98		76 - 132		09/06/15 17:25	1	
Toluene-d8 (Surr)	98		80 - 128		09/06/15 17:25	1	

Method: 8015B/5030B - Gasoline Range Organics (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
GRO (C6-C12)	ND		50	ug/L			09/04/15 02:53	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	92		65 - 140			09/04/15 02:53	1		

Client Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-119744-1

Client Sample ID: MW-6

Date Collected: 08/31/15 09:25

Date Received: 09/02/15 09:35

Lab Sample ID: 440-119744-6

Matrix: Water

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dibromoethane (EDB)	ND		0.50	ug/L			09/06/15 17:55	1
1,2-DCA	ND		0.50	ug/L			09/06/15 17:55	1
Benzene	ND		0.50	ug/L			09/06/15 17:55	1
Ethanol	ND		150	ug/L			09/06/15 17:55	1
Ethylbenzene	ND		0.50	ug/L			09/06/15 17:55	1
Ethyl-t-butyl ether (ETBE)	ND		0.50	ug/L			09/06/15 17:55	1
Isopropyl Ether (DIPÉ)	ND		0.50	ug/L			09/06/15 17:55	1
m,p-Xylene	ND		1.0	ug/L			09/06/15 17:55	1
Methyl-t-Butyl Ether (MTBE)	0.68		0.50	ug/L			09/06/15 17:55	1
Naphthalene	ND		1.0	ug/L			09/06/15 17:55	1
o-Xylene	ND		0.50	ug/L			09/06/15 17:55	1
Tert-amyl-methyl ether (TAME)	ND		0.50	ug/L			09/06/15 17:55	1
tert-Butyl alcohol (TBA)	ND		10	ug/L			09/06/15 17:55	1
Toluene	ND		0.50	ug/L			09/06/15 17:55	1
Xylenes, Total	ND		1.0	ug/L			09/06/15 17:55	1

Surrogate

	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		80 - 120		09/06/15 17:55	1
Dibromofluoromethane (Surr)	102		76 - 132		09/06/15 17:55	1
Toluene-d8 (Surr)	99		80 - 128		09/06/15 17:55	1

Method: 8015B/5030B - Gasoline Range Organics (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C12)	ND		50	ug/L			09/04/15 03:19	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	91		65 - 140				09/04/15 03:19	1

Client Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-119744-1

Client Sample ID: MW-7

Date Collected: 08/31/15 11:10

Date Received: 09/02/15 09:35

Lab Sample ID: 440-119744-7

Matrix: Water

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	1
1,2-Dibromoethane (EDB)	ND		0.50	ug/L			09/06/15 18:26		1
1,2-DCA	ND		0.50	ug/L			09/06/15 18:26		1
Benzene	ND		0.50	ug/L			09/06/15 18:26		1
Ethanol	ND		150	ug/L			09/06/15 18:26		1
Ethylbenzene	ND		0.50	ug/L			09/06/15 18:26		1
Ethyl-t-butyl ether (ETBE)	ND		0.50	ug/L			09/06/15 18:26		1
Isopropyl Ether (DIPÉ)	ND		0.50	ug/L			09/06/15 18:26		1
m,p-Xylene	ND		1.0	ug/L			09/06/15 18:26		1
Methyl-t-Butyl Ether (MTBE)	27		0.50	ug/L			09/06/15 18:26		1
Naphthalene	ND		1.0	ug/L			09/06/15 18:26		1
o-Xylene	ND		0.50	ug/L			09/06/15 18:26		1
Tert-amyl-methyl ether (TAME)	ND		0.50	ug/L			09/06/15 18:26		1
tert-Butyl alcohol (TBA)	ND		10	ug/L			09/06/15 18:26		1
Toluene	ND		0.50	ug/L			09/06/15 18:26		1
Xylenes, Total	ND		1.0	ug/L			09/06/15 18:26		1

Surrogate

	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac	13
4-Bromofluorobenzene (Surr)	100		80 - 120		09/06/15 18:26		1
Dibromofluoromethane (Surr)	101		76 - 132		09/06/15 18:26		1
Toluene-d8 (Surr)	98		80 - 128		09/06/15 18:26		1

Method: 8015B/5030B - Gasoline Range Organics (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C12)	ND		50	ug/L			09/04/15 03:45	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	89		65 - 140			09/04/15 03:45		1

Client Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-119744-1

Client Sample ID: MW-8

Date Collected: 08/31/15 11:30

Date Received: 09/02/15 09:35

Lab Sample ID: 440-119744-8

Matrix: Water

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dibromoethane (EDB)	ND		0.50	ug/L		09/06/15 18:56		1
1,2-DCA	ND		0.50	ug/L		09/06/15 18:56		1
Benzene	57		0.50	ug/L		09/06/15 18:56		1
Ethanol	ND		150	ug/L		09/06/15 18:56		1
Ethylbenzene	ND		0.50	ug/L		09/06/15 18:56		1
Ethyl-t-butyl ether (ETBE)	ND		0.50	ug/L		09/06/15 18:56		1
Isopropyl Ether (DIPÉ)	ND		0.50	ug/L		09/06/15 18:56		1
m,p-Xylene	ND		1.0	ug/L		09/06/15 18:56		1
Methyl-t-Butyl Ether (MTBE)	110		0.50	ug/L		09/06/15 18:56		1
Naphthalene	ND		1.0	ug/L		09/06/15 18:56		1
o-Xylene	ND		0.50	ug/L		09/06/15 18:56		1
Tert-amyl-methyl ether (TAME)	2.3		0.50	ug/L		09/06/15 18:56		1
tert-Butyl alcohol (TBA)	ND		10	ug/L		09/06/15 18:56		1
Toluene	ND		0.50	ug/L		09/06/15 18:56		1
Xylenes, Total	ND		1.0	ug/L		09/06/15 18:56		1

Surrogate

	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		80 - 120		09/06/15 18:56	1
Dibromofluoromethane (Surr)	97		76 - 132		09/06/15 18:56	1
Toluene-d8 (Surr)	98		80 - 128		09/06/15 18:56	1

Method: 8015B/5030B - Gasoline Range Organics (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C12)	230		50	ug/L		09/04/15 04:11		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	92		65 - 140			09/04/15 04:11		1

Client Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-119744-1

Client Sample ID: MW-9

Date Collected: 08/31/15 10:45

Date Received: 09/02/15 09:35

Lab Sample ID: 440-119744-9

Matrix: Water

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dibromoethane (EDB)	ND		0.50	ug/L			09/06/15 19:26	1
1,2-DCA	ND		0.50	ug/L			09/06/15 19:26	1
Benzene	ND		0.50	ug/L			09/06/15 19:26	1
Ethanol	ND		150	ug/L			09/06/15 19:26	1
Ethylbenzene	ND		0.50	ug/L			09/06/15 19:26	1
Ethyl-t-butyl ether (ETBE)	ND		0.50	ug/L			09/06/15 19:26	1
Isopropyl Ether (DIPÉ)	ND		0.50	ug/L			09/06/15 19:26	1
m,p-Xylene	ND		1.0	ug/L			09/06/15 19:26	1
Methyl-t-Butyl Ether (MTBE)	62		0.50	ug/L			09/06/15 19:26	1
Naphthalene	ND		1.0	ug/L			09/06/15 19:26	1
o-Xylene	ND		0.50	ug/L			09/06/15 19:26	1
Tert-amyl-methyl ether (TAME)	ND		0.50	ug/L			09/06/15 19:26	1
tert-Butyl alcohol (TBA)	ND		10	ug/L			09/06/15 19:26	1
Toluene	ND		0.50	ug/L			09/06/15 19:26	1
Xylenes, Total	ND		1.0	ug/L			09/06/15 19:26	1

Surrogate

	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		80 - 120		09/06/15 19:26	1
Dibromofluoromethane (Surr)	102		76 - 132		09/06/15 19:26	1
Toluene-d8 (Surr)	99		80 - 128		09/06/15 19:26	1

Method: 8015B/5030B - Gasoline Range Organics (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C12)	ND		50	ug/L			09/04/15 04:37	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	90		65 - 140				09/04/15 04:37	1

Method Summary

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-119744-1

Method	Method Description	Protocol	Laboratory
8260B/5030B	Volatile Organic Compounds (GC/MS)	SW846	TAL IRV
8015B/5030B	Gasoline Range Organics (GC)	SW846	TAL IRV

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL IRV = TestAmerica Irvine, 17461 Derian Ave, Suite 100, Irvine, CA 92614-5817, TEL (949)261-1022

Lab Chronicle

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-119744-1

Client Sample ID: MW-1

Date Collected: 08/31/15 09:00

Date Received: 09/02/15 09:35

Lab Sample ID: 440-119744-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/5030B		1	10 mL	10 mL	278570	09/06/15 14:25	HR	TAL IRV
Total/NA	Analysis	8015B/5030B		1	10 mL	10 mL	278212	09/04/15 01:11	AK	TAL IRV

Client Sample ID: MW-2

Date Collected: 08/31/15 10:25

Date Received: 09/02/15 09:35

Lab Sample ID: 440-119744-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/5030B		1	10 mL	10 mL	278570	09/06/15 15:55	HR	TAL IRV
Total/NA	Analysis	8015B/5030B		1	10 mL	10 mL	278212	09/04/15 01:37	AK	TAL IRV

Client Sample ID: MW-3

Date Collected: 08/31/15 09:45

Date Received: 09/02/15 09:35

Lab Sample ID: 440-119744-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/5030B		1	10 mL	10 mL	278570	09/06/15 16:25	HR	TAL IRV
Total/NA	Analysis	8015B/5030B		1	10 mL	10 mL	278212	09/04/15 02:02	AK	TAL IRV

Client Sample ID: MW-4

Date Collected: 08/31/15 11:55

Date Received: 09/02/15 09:35

Lab Sample ID: 440-119744-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/5030B	DL	20	10 mL	10 mL	279131	09/09/15 20:35	AA	TAL IRV
Total/NA	Analysis	8260B/5030B		10	10 mL	10 mL	278625	09/08/15 17:47	MM1	TAL IRV
Total/NA	Analysis	8015B/5030B		20	10 mL	10 mL	278212	09/04/15 02:28	AK	TAL IRV

Client Sample ID: MW-5

Date Collected: 08/31/15 10:10

Date Received: 09/02/15 09:35

Lab Sample ID: 440-119744-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/5030B		1	10 mL	10 mL	278570	09/06/15 17:25	HR	TAL IRV
Total/NA	Analysis	8015B/5030B		1	10 mL	10 mL	278212	09/04/15 02:53	AK	TAL IRV

TestAmerica Irvine

Lab Chronicle

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-119744-1

Client Sample ID: MW-6

Date Collected: 08/31/15 09:25
Date Received: 09/02/15 09:35

Lab Sample ID: 440-119744-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/5030B		1	10 mL	10 mL	278570	09/06/15 17:55	HR	TAL IRV
Total/NA	Analysis	8015B/5030B		1	10 mL	10 mL	278212	09/04/15 03:19	AK	TAL IRV

Client Sample ID: MW-7

Date Collected: 08/31/15 11:10
Date Received: 09/02/15 09:35

Lab Sample ID: 440-119744-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/5030B		1	10 mL	10 mL	278570	09/06/15 18:26	HR	TAL IRV
Total/NA	Analysis	8015B/5030B		1	10 mL	10 mL	278212	09/04/15 03:45	AK	TAL IRV

Client Sample ID: MW-8

Date Collected: 08/31/15 11:30
Date Received: 09/02/15 09:35

Lab Sample ID: 440-119744-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/5030B		1	10 mL	10 mL	278570	09/06/15 18:56	HR	TAL IRV
Total/NA	Analysis	8015B/5030B		1	10 mL	10 mL	278212	09/04/15 04:11	AK	TAL IRV

Client Sample ID: MW-9

Date Collected: 08/31/15 10:45
Date Received: 09/02/15 09:35

Lab Sample ID: 440-119744-9

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/5030B		1	10 mL	10 mL	278570	09/06/15 19:26	HR	TAL IRV
Total/NA	Analysis	8015B/5030B		1	10 mL	10 mL	278212	09/04/15 04:37	AK	TAL IRV

Laboratory References:

TAL IRV = TestAmerica Irvine, 17461 Derian Ave, Suite 100, Irvine, CA 92614-5817, TEL (949)261-1022

TestAmerica Irvine

QC Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-119744-1

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 440-278570/3

Matrix: Water

Analysis Batch: 278570

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
1,2-Dibromoethane (EDB)	ND		0.50	ug/L			09/06/15 11:51	1
1,2-DCA	ND		0.50	ug/L			09/06/15 11:51	1
Benzene	ND		0.50	ug/L			09/06/15 11:51	1
Ethanol	ND		150	ug/L			09/06/15 11:51	1
Ethylbenzene	ND		0.50	ug/L			09/06/15 11:51	1
Ethyl-t-butyl ether (ETBE)	ND		0.50	ug/L			09/06/15 11:51	1
Isopropyl Ether (DIPE)	ND		0.50	ug/L			09/06/15 11:51	1
m,p-Xylene	ND		1.0	ug/L			09/06/15 11:51	1
Methyl-t-Butyl Ether (MTBE)	ND		0.50	ug/L			09/06/15 11:51	1
Naphthalene	ND		1.0	ug/L			09/06/15 11:51	1
o-Xylene	ND		0.50	ug/L			09/06/15 11:51	1
Tert-amyl-methyl ether (TAME)	ND		0.50	ug/L			09/06/15 11:51	1
tert-Butyl alcohol (TBA)	ND		10	ug/L			09/06/15 11:51	1
Toluene	ND		0.50	ug/L			09/06/15 11:51	1
Xylenes, Total	ND		1.0	ug/L			09/06/15 11:51	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
4-Bromofluorobenzene (Surr)	100		80 - 120		09/06/15 11:51	1
Dibromofluoromethane (Surr)	99		76 - 132		09/06/15 11:51	1
Toluene-d8 (Surr)	100		80 - 128		09/06/15 11:51	1

Lab Sample ID: LCS 440-278570/4

Matrix: Water

Analysis Batch: 278570

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec.	Limits
	Added	Result	Qualifier					
1,2-Dibromoethane (EDB)	25.0	25.9		ug/L		103	70 - 130	
1,2-DCA	25.0	24.4		ug/L		97	57 - 138	
Benzene	25.0	23.9		ug/L		96	68 - 130	
Ethanol	1250	1300		ug/L		104	50 - 149	
Ethylbenzene	25.0	24.3		ug/L		97	70 - 130	
Ethyl-t-butyl ether (ETBE)	25.0	27.5		ug/L		110	60 - 136	
Isopropyl Ether (DIPE)	25.0	27.4		ug/L		110	58 - 139	
m,p-Xylene	25.0	25.5		ug/L		102	70 - 130	
Methyl-t-Butyl Ether (MTBE)	25.0	25.2		ug/L		101	63 - 131	
Naphthalene	25.0	24.0		ug/L		96	60 - 140	
o-Xylene	25.0	25.2		ug/L		101	70 - 130	
Tert-amyl-methyl ether (TAME)	25.0	26.9		ug/L		108	57 - 139	
tert-Butyl alcohol (TBA)	250	249		ug/L		100	70 - 130	
Toluene	25.0	24.2		ug/L		97	70 - 130	

Surrogate	LCS	LCS	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
4-Bromofluorobenzene (Surr)	101		80 - 120			
Dibromofluoromethane (Surr)	101		76 - 132			
Toluene-d8 (Surr)	98		80 - 128			

TestAmerica Irvine

QC Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-119744-1

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 440-119744-1 MS

Matrix: Water

Analysis Batch: 278570

Client Sample ID: MW-1
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec.
	Result	Qualifier	Added	Result	Qualifier				
1,2-Dibromoethane (EDB)	ND		25.0	26.6		ug/L		106	70 - 131
1,2-DCA	ND		25.0	23.5		ug/L		94	56 - 146
Benzene	ND		25.0	23.6		ug/L		94	66 - 130
Ethanol	ND		1250	1280		ug/L		102	54 - 150
Ethylbenzene	ND		25.0	24.0		ug/L		96	70 - 130
Ethyl-t-butyl ether (ETBE)	ND		25.0	27.6		ug/L		110	70 - 130
Isopropyl Ether (DiPE)	ND		25.0	26.5		ug/L		106	64 - 138
m,p-Xylene	ND		25.0	25.2		ug/L		101	70 - 133
Methyl-t-Butyl Ether (MTBE)	110		25.0	145	BB	ug/L		124	70 - 130
Naphthalene	ND		25.0	25.3		ug/L		101	60 - 140
o-Xylene	ND		25.0	25.0		ug/L		100	70 - 133
Tert-amyl-methyl ether (TAME)	0.63		25.0	28.3		ug/L		111	68 - 133
tert-Butyl alcohol (TBA)	ND		250	242		ug/L		97	70 - 130
Toluene	ND		25.0	23.9		ug/L		96	70 - 130
<hr/>									
Surrogate	MS		MS		Limits	D	%Rec	%Rec.	RPD
	%Recovery	Qualifier							
4-Bromofluorobenzene (Surr)	98				80 - 120				
Dibromofluoromethane (Surr)	96				76 - 132				
Toluene-d8 (Surr)	98				80 - 128				

Lab Sample ID: 440-119744-1 MSD

Matrix: Water

Analysis Batch: 278570

Client Sample ID: MW-1
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier						
1,2-Dibromoethane (EDB)	ND		25.0	25.7		ug/L		103	70 - 131	3	25
1,2-DCA	ND		25.0	23.2		ug/L		93	56 - 146	1	20
Benzene	ND		25.0	23.7		ug/L		95	66 - 130	0	20
Ethanol	ND		1250	1190		ug/L		95	54 - 150	7	30
Ethylbenzene	ND		25.0	23.3		ug/L		93	70 - 130	3	20
Ethyl-t-butyl ether (ETBE)	ND		25.0	27.5		ug/L		110	70 - 130	0	25
Isopropyl Ether (DiPE)	ND		25.0	26.3		ug/L		105	64 - 138	1	25
m,p-Xylene	ND		25.0	24.3		ug/L		97	70 - 133	4	25
Methyl-t-Butyl Ether (MTBE)	110		25.0	144	BB	ug/L		118	70 - 130	1	25
Naphthalene	ND		25.0	25.3		ug/L		101	60 - 140	0	30
o-Xylene	ND		25.0	24.7		ug/L		99	70 - 133	1	20
Tert-amyl-methyl ether (TAME)	0.63		25.0	28.7		ug/L		112	68 - 133	1	30
tert-Butyl alcohol (TBA)	ND		250	239		ug/L		96	70 - 130	1	25
Toluene	ND		25.0	23.4		ug/L		94	70 - 130	2	20
<hr/>											
Surrogate	MSD		MSD		Limits	D	%Rec	%Rec.	RPD	Limit	
	%Recovery	Qualifier									
4-Bromofluorobenzene (Surr)	94				80 - 120						
Dibromofluoromethane (Surr)	99				76 - 132						
Toluene-d8 (Surr)	97				80 - 128						

TestAmerica Irvine

QC Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-119744-1

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 440-278625/4

Matrix: Water

Analysis Batch: 278625

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
1,2-Dibromoethane (EDB)	ND		0.50	ug/L		09/08/15 08:34		1
1,2-DCA	ND		0.50	ug/L		09/08/15 08:34		1
Benzene	ND		0.50	ug/L		09/08/15 08:34		1
Ethanol	ND		150	ug/L		09/08/15 08:34		1
Ethylbenzene	ND		0.50	ug/L		09/08/15 08:34		1
Ethyl-t-butyl ether (ETBE)	ND		0.50	ug/L		09/08/15 08:34		1
Isopropyl Ether (DIPE)	ND		0.50	ug/L		09/08/15 08:34		1
m,p-Xylene	ND		1.0	ug/L		09/08/15 08:34		1
Methyl-t-Butyl Ether (MTBE)	ND		0.50	ug/L		09/08/15 08:34		1
Naphthalene	ND		1.0	ug/L		09/08/15 08:34		1
o-Xylene	ND		0.50	ug/L		09/08/15 08:34		1
Tert-amyl-methyl ether (TAME)	ND		0.50	ug/L		09/08/15 08:34		1
tert-Butyl alcohol (TBA)	ND		10	ug/L		09/08/15 08:34		1
Toluene	ND		0.50	ug/L		09/08/15 08:34		1
Xylenes, Total	ND		1.0	ug/L		09/08/15 08:34		1
Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac		
	%Recovery	Qualifier						
4-Bromofluorobenzene (Surr)	95		80 - 120		09/08/15 08:34			1
Dibromofluoromethane (Surr)	103		76 - 132		09/08/15 08:34			1
Toluene-d8 (Surr)	110		80 - 128		09/08/15 08:34			1

Lab Sample ID: LCS 440-278625/22

Matrix: Water

Analysis Batch: 278625

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec.	Limits
	Added	Result	Qualifier					
1,2-Dibromoethane (EDB)	25.0	26.5		ug/L		106	70 - 130	
1,2-DCA	25.0	25.3		ug/L		101	57 - 138	
Benzene	25.0	24.7		ug/L		99	68 - 130	
Ethanol	1250	1430		ug/L		115	50 - 149	
Ethylbenzene	25.0	24.0		ug/L		96	70 - 130	
Ethyl-t-butyl ether (ETBE)	25.0	24.7		ug/L		99	60 - 136	
Isopropyl Ether (DIPE)	25.0	26.9		ug/L		108	58 - 139	
m,p-Xylene	25.0	25.7		ug/L		103	70 - 130	
Methyl-t-Butyl Ether (MTBE)	25.0	24.6		ug/L		98	63 - 131	
Naphthalene	25.0	24.8		ug/L		99	60 - 140	
o-Xylene	25.0	24.6		ug/L		99	70 - 130	
Tert-amyl-methyl ether (TAME)	25.0	24.7		ug/L		99	57 - 139	
tert-Butyl alcohol (TBA)	250	257		ug/L		103	70 - 130	
Toluene	25.0	24.5		ug/L		98	70 - 130	
Surrogate	LCS	LCS	Limits	Prepared	Analyzed	Dil Fac		
	%Recovery	Qualifier						
4-Bromofluorobenzene (Surr)	98		80 - 120		09/08/15 08:34			1
Dibromofluoromethane (Surr)	106		76 - 132		09/08/15 08:34			1
Toluene-d8 (Surr)	109		80 - 128		09/08/15 08:34			1

TestAmerica Irvine

QC Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-119744-1

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 440-119290-B-2 MS

Matrix: Water

Analysis Batch: 278625

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec.
									Limits
1,2-Dibromoethane (EDB)	ND		25.0	27.0		ug/L		108	70 - 131
1,2-DCA	ND		25.0	25.2		ug/L		101	56 - 146
Benzene	ND		25.0	24.9		ug/L		99	66 - 130
Ethanol	ND		1250	1440		ug/L		115	54 - 150
Ethylbenzene	ND		25.0	24.2		ug/L		97	70 - 130
Ethyl-t-butyl ether (ETBE)	ND		25.0	24.3		ug/L		97	70 - 130
Isopropyl Ether (DiPE)	ND		25.0	26.6		ug/L		106	64 - 138
m,p-Xylene	ND		25.0	25.9		ug/L		103	70 - 133
Methyl-t-Butyl Ether (MTBE)	ND		25.0	23.6		ug/L		94	70 - 130
Naphthalene	ND		25.0	24.7		ug/L		99	60 - 140
o-Xylene	ND		25.0	24.8		ug/L		99	70 - 133
Tert-amyl-methyl ether (TAME)	ND		25.0	24.3		ug/L		97	68 - 133
tert-Butyl alcohol (TBA)	ND		250	258		ug/L		103	70 - 130
Toluene	ND		25.0	24.6		ug/L		99	70 - 130
<hr/>									
Surrogate	MS %Recovery	MS Qualifier	MS Limits						
4-Bromofluorobenzene (Surr)	96		80 - 120						
Dibromofluoromethane (Surr)	106		76 - 132						
Toluene-d8 (Surr)	109		80 - 128						

Lab Sample ID: 440-119290-B-2 MSD

Matrix: Water

Analysis Batch: 278625

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec.	RPD	Limit
1,2-Dibromoethane (EDB)	ND		25.0	27.1		ug/L		108	70 - 131	0	25
1,2-DCA	ND		25.0	24.8		ug/L		99	56 - 146	2	20
Benzene	ND		25.0	25.1		ug/L		100	66 - 130	1	20
Ethanol	ND		1250	1510		ug/L		121	54 - 150	5	30
Ethylbenzene	ND		25.0	24.3		ug/L		97	70 - 130	0	20
Ethyl-t-butyl ether (ETBE)	ND		25.0	24.4		ug/L		98	70 - 130	1	25
Isopropyl Ether (DiPE)	ND		25.0	26.7		ug/L		107	64 - 138	1	25
m,p-Xylene	ND		25.0	25.9		ug/L		103	70 - 133	0	25
Methyl-t-Butyl Ether (MTBE)	ND		25.0	24.4		ug/L		98	70 - 130	4	25
Naphthalene	ND		25.0	25.4		ug/L		102	60 - 140	3	30
o-Xylene	ND		25.0	25.0		ug/L		100	70 - 133	1	20
Tert-amyl-methyl ether (TAME)	ND		25.0	24.6		ug/L		98	68 - 133	1	30
tert-Butyl alcohol (TBA)	ND		250	273		ug/L		109	70 - 130	6	25
Toluene	ND		25.0	24.9		ug/L		99	70 - 130	1	20
<hr/>											
Surrogate	MSD %Recovery	MSD Qualifier	MSD Limits								
4-Bromofluorobenzene (Surr)	98		80 - 120								
Dibromofluoromethane (Surr)	104		76 - 132								
Toluene-d8 (Surr)	109		80 - 128								

TestAmerica Irvine

QC Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-119744-1

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 440-279131/4

Matrix: Water

Analysis Batch: 279131

Analyte	MB	MB	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
Benzene	ND		0.50	ug/L			09/09/15 19:38	1
Surrogate								
4-Bromofluorobenzene (Surr)	106		80 - 120			Prepared	09/09/15 19:38	1
Dibromofluoromethane (Surr)	96		76 - 132				09/09/15 19:38	1
Toluene-d8 (Surr)	110		80 - 128				09/09/15 19:38	1

Lab Sample ID: LCS 440-279131/5

Matrix: Water

Analysis Batch: 279131

Analyte	Spike		LCS	LCS	Unit	D	%Rec.	%Rec.
	Added	Result	Qualifier					
Benzene	25.0	25.2	ug/L			101	68 - 130	
Surrogate								
4-Bromofluorobenzene (Surr)	102		80 - 120					
Dibromofluoromethane (Surr)	97		76 - 132					
Toluene-d8 (Surr)	106		80 - 128					

Lab Sample ID: 440-119744-4 MS

Matrix: Water

Analysis Batch: 279131

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec.
	Result	Qualifier	Added	Result	Qualifier			
Benzene	570		500	1070		ug/L	99	66 - 130
Surrogate								
4-Bromofluorobenzene (Surr)	105		80 - 120					
Dibromofluoromethane (Surr)	98		76 - 132					
Toluene-d8 (Surr)	105		80 - 128					

Lab Sample ID: 440-119744-4 MSD

Matrix: Water

Analysis Batch: 279131

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec.
	Result	Qualifier	Added	Result	Qualifier			
Benzene	570		500	1080		ug/L	102	66 - 130
Surrogate								
4-Bromofluorobenzene (Surr)	103		80 - 120					
Dibromofluoromethane (Surr)	99		76 - 132					
Toluene-d8 (Surr)	104		80 - 128					

Client Sample ID: Method Blank

Prep Type: Total/NA

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Client Sample ID: MW-4
Prep Type: Total/NA

Client Sample ID: MW-4
Prep Type: Total/NA

QC Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-119744-1

Method: 8015B/5030B - Gasoline Range Organics (GC)

Lab Sample ID: MB 440-278212/5

Matrix: Water

Analysis Batch: 278212

Analyte	MB	MB	RL	Unit	D	Client Sample ID: Method Blank		Dil Fac
	Result	Qualifier				Prepared	Analyzed	
GRO (C6-C12)	ND		50	ug/L			09/03/15 20:02	1
Surrogate								
4-Bromofluorobenzene (Surr)	MB	MB	Limits	Unit	D	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier						
	90		65 - 140				09/03/15 20:02	1

Lab Sample ID: LCS 440-278212/4

Matrix: Water

Analysis Batch: 278212

Analyte	MB	MB	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	%Rec. Limits
	Result	Qualifier							
GRO (C4-C12)	ND		800	886	ug/L		111	80 - 120	
Surrogate									
4-Bromofluorobenzene (Surr)	MB	MB	Limits	Unit	D	%Rec.	%Rec. Limits	Dil Fac	
	%Recovery	Qualifier							
	98		65 - 140						

Lab Sample ID: 440-119769-A-3 MS

Matrix: Water

Analysis Batch: 278212

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec.	%Rec. Limits
	Result	Qualifier	Added	Result	Qualifier				
GRO (C4-C12)	55		800	903	ug/L		106	65 - 140	
Surrogate									
4-Bromofluorobenzene (Surr)	MS	MS	Limits	Unit	D	%Rec.	%Rec. Limits	Dil Fac	
	%Recovery	Qualifier							
	99		65 - 140						

Lab Sample ID: 440-119769-A-3 MSD

Matrix: Water

Analysis Batch: 278212

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec.	%Rec. Limits
	Result	Qualifier	Added	Result	Qualifier				
GRO (C4-C12)	55		800	873	ug/L		102	65 - 140	
Surrogate									
4-Bromofluorobenzene (Surr)	MSD	MSD	Limits	Unit	D	%Rec.	%Rec. Limits	RPD	RPD Limit
	%Recovery	Qualifier							
	99		65 - 140						

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

QC Association Summary

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-119744-1

GC/MS VOA

Analysis Batch: 278570

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-119744-1	MW-1	Total/NA	Water	8260B/5030B	
440-119744-1 MS	MW-1	Total/NA	Water	8260B/5030B	
440-119744-1 MSD	MW-1	Total/NA	Water	8260B/5030B	
440-119744-2	MW-2	Total/NA	Water	8260B/5030B	
440-119744-3	MW-3	Total/NA	Water	8260B/5030B	
440-119744-5	MW-5	Total/NA	Water	8260B/5030B	
440-119744-6	MW-6	Total/NA	Water	8260B/5030B	
440-119744-7	MW-7	Total/NA	Water	8260B/5030B	
440-119744-8	MW-8	Total/NA	Water	8260B/5030B	
440-119744-9	MW-9	Total/NA	Water	8260B/5030B	
LCS 440-278570/4	Lab Control Sample	Total/NA	Water	8260B/5030B	
MB 440-278570/3	Method Blank	Total/NA	Water	8260B/5030B	

Analysis Batch: 278625

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-119290-B-2 MS	Matrix Spike	Total/NA	Water	8260B/5030B	
440-119290-B-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B/5030B	
440-119744-4	MW-4	Total/NA	Water	8260B/5030B	
LCS 440-278625/22	Lab Control Sample	Total/NA	Water	8260B/5030B	
MB 440-278625/4	Method Blank	Total/NA	Water	8260B/5030B	

Analysis Batch: 279131

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-119744-4 - DL	MW-4	Total/NA	Water	8260B/5030B	
440-119744-4 MS	MW-4	Total/NA	Water	8260B/5030B	
440-119744-4 MSD	MW-4	Total/NA	Water	8260B/5030B	
LCS 440-279131/5	Lab Control Sample	Total/NA	Water	8260B/5030B	
MB 440-279131/4	Method Blank	Total/NA	Water	8260B/5030B	

GC VOA

Analysis Batch: 278212

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-119744-1	MW-1	Total/NA	Water	8015B/5030B	
440-119744-2	MW-2	Total/NA	Water	8015B/5030B	
440-119744-3	MW-3	Total/NA	Water	8015B/5030B	
440-119744-4	MW-4	Total/NA	Water	8015B/5030B	
440-119744-5	MW-5	Total/NA	Water	8015B/5030B	
440-119744-6	MW-6	Total/NA	Water	8015B/5030B	
440-119744-7	MW-7	Total/NA	Water	8015B/5030B	
440-119744-8	MW-8	Total/NA	Water	8015B/5030B	
440-119744-9	MW-9	Total/NA	Water	8015B/5030B	
440-119769-A-3 MS	Matrix Spike	Total/NA	Water	8015B/5030B	
440-119769-A-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8015B/5030B	
LCS 440-278212/4	Lab Control Sample	Total/NA	Water	8015B/5030B	
MB 440-278212/5	Method Blank	Total/NA	Water	8015B/5030B	

Definitions/Glossary

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-119744-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
BB	Sample > 4X spike concentration

Glossary

Abbreviation **These commonly used abbreviations may or may not be present in this report.**

□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Certification Summary

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-119744-1

Laboratory: TestAmerica Irvine

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alaska	State Program	10	CA01531	06-30-16
Arizona	State Program	9	AZ0671	10-13-15
California	LA Cty Sanitation Districts	9	10256	01-31-16 *
California	State Program	9	2706	06-30-16
Guam	State Program	9	Cert. No. 12.002r	01-23-16
Hawaii	State Program	9	N/A	01-29-16
Nevada	State Program	9	CA015312007A	07-31-16 *
New Mexico	State Program	6	N/A	01-29-16
Northern Mariana Islands	State Program	9	MP0002	01-29-16
Oregon	NELAP	10	4005	01-29-16
USDA	Federal		P330-09-00080	07-08-18

* Certification renewal pending - certification considered valid.



Laboratory Management Program LaMP Chain of Custody Record

Page 1 of 1

BP Site Node Path: 06-88-602
 BP Facility No: 374

Req Due Date (mm/dd/yy): _____
 Lab Work Order Number: _____

Rush TAT: Yes No

Lab Name: <u>Test America</u>	Facility Address: <u>6407 Telegraph Avenue</u>	Consultant/Contractor: <u>Broadbent and Associates, Inc.</u>
Lab Address: <u>17461 Derian Avenue Suite #100, Irvine, CA 92614</u>	City, State, ZIP Code: <u>Oakland, CA</u>	Consultant/Contractor Project No: <u>06-88-602</u>
Lab PM: <u>Kathleen Robb</u>	Lead Regulatory Agency: <u>ACEH</u>	Address: <u>4820 Business Center Drive, Suite 110, Fairfield, CA 94534</u>
Lab Phone: <u>949-261-1022</u>	California Global ID No.: <u>T0600100106</u>	Consultant/Contractor PM: <u>Kristene Tidwell</u>
Lab Shipping Acnt: <u>1103-6633-7</u>	Enfos Proposal No: <u>005TT-0008 / WR286511</u>	Phone: <u>707-455-7290</u> Fax: <u>707-863-9046</u>
Lab Bottle Order No:	Accounting Mode: <u>Provision <input checked="" type="checkbox"/> OOC-BU <input type="checkbox"/> OOC-RM <input type="checkbox"/></u>	Email EDD To: <u>ktidwell@broadbentinc.com</u> and to <u>lab.enfosdoc@bp.com</u>
Other Info:	Stage: <u>Execute (40)</u> Activity: <u>Project Spend (80)</u>	Invoice To: <u>BP <input checked="" type="checkbox"/></u> Contractor <u> </u>

BP Project Manager (PM): Chuck Carmel			Matrix	No. Containers / Preservative	Requested Analyses	Report Type & QC Level
BP PM Phone: <u>925-275-3804</u>						Standard <u> </u>
BP PM Email: <u>chuck.carmel@bp.com</u>						Full Data Package <u> </u>

Lab No.	Sample Description	Date	Time	Soil / Solid	Water / Liquid	Air / Vapor	In this collection well?	Total Number of Containers	Unpreserved	H2SO4	HN03	HCl	Methanol	GRO by 8015M	BTEX & 5 Fuel Oxys by 8280	E08 & 12-DOA by 8280	Endud by 8280
MW-1	8/31/2015	0900		x	y			9	x					x	x	x	x
MW-2	8/31/2015	1025		x	y	6			x					x	x	x	x
MW-3	8/31/2015	0945		x	y	6			x					x	x	x	x
MW-4	8/31/2015	1155		x	y	6			x					x	x	x	x
MW-5	8/31/2015	1010		x	y	6			x					x	x	x	x
MW-6	8/31/2015	0925		x	y	6			x					x	x	x	x
MW-7	8/31/2015	1110		x	y	6			x					x	x	x	x
MW-8	8/31/2015	1130		x	y	6			x					x	x	x	x
MW-9	8/31/2015	1045		x	y	6			x					x	x	x	x
TB-374-08312015	-	-	x	n	2				x								On Hold
																	8/31/2015
																	11/3/2015
																	11/3/2015

Sampler's Name:	Alex Martinez	Relinquished By / Affiliation	Date	Time	Accepted By / Affiliation	Date	Time
Sampler's Company:	Broadbent & Associates, Inc.	<u>Alex Martinez</u> BAI	9/1/15	1700	<u>V.Baull</u> TAT	9/1/15	9:35
Shipment Method:	FedEx	Ship Date:	9/1/2015				
Shipment Tracking No:	8037 8050 3136						

Special Instructions:	IR-75
THIS LINE - LAB USE ONLY: Custody Seals In Place: Yes <u> </u> No <u> </u>	Temp Blank: Yes <u> </u> No <u> </u>
Cooler Temp on Receipt: <u>26.34 F/C</u>	Trip Blank: Yes <u> </u> No <u> </u>
MS/MSD Sample Submitted: Yes <u> </u> No <u> </u>	

Login Sample Receipt Checklist

Client: Broadbent & Associates, Inc.

Job Number: 440-119744-1

Login Number: 119744

List Source: TestAmerica Irvine

List Number: 1

Creator: Perez, Angel

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

APPENDIX D

GEOTRACKER UPLOAD CONFIRMATION RECEIPTS

STATE WATER RESOURCES CONTROL BOARD
GEOTRACKER ESI

UPLOADING A EDF FILE

SUCCESS

Processing is complete. No errors were found!
Your file has been successfully submitted!

<u>Submittal Type:</u>	EDF
<u>Report Title:</u>	3rd Quarter 2015 Monitoring Report
<u>Report Type:</u>	Monitoring Report - Quarterly
<u>Facility Global ID:</u>	T0600100106
<u>Facility Name:</u>	ARCO #0374
<u>File Name:</u>	440-119744-1_17 Sep 15 1457_EDF.zip
<u>Organization Name:</u>	Broadbent & Associates, Inc.
<u>Username:</u>	BROADBENT-C
<u>IP Address:</u>	69.170.11.178
<u>Submittal Date/Time:</u>	10/29/2015 10:58:03 AM
<u>Confirmation Number:</u>	9814140081

[VIEW QC REPORT](#)

[VIEW DETECTIONS REPORT](#)

Copyright © 2015 State of California