

(415) 429-8088  
(800) 523-8088  
FAX (415) 429-8089

Of Northern California

April 5, 1991

Ms. Cynthia Chapman  
Alameda County Health Care Services Agency  
Department of Environmental Health  
Hazardous Materials Division  
80 Swan Way, Room 200  
Oakland, CA 94621

Re: Analytical Results for White GMC, 5050 Coliseum Way, Oakland,  
CA 94601

Dear Mrs. Chapman:

Attached are copies of analytical reports, chain-of-custody documentation, Unauthorized Release(Leak)/Contamination Site Report, and site plan for the subject site.

If you have any question please contact our office.

Sincerely,

TANK PROTECT ENGINEERING

LI:HW 6-80V 16



# SEQUOIA ANALYTICAL

1900 Bates Avenue • Suite LM • Concord, California 94520  
(415) 686-9600 • FAX (415) 686-9689

Tank Protect Engineering of N. Calif Client Project ID: #153A-032091  
2821 Whipple Road Matrix Descript: ~~Soil~~  
Union City, CA 94587 Analysis Method: EPA 3550/8015  
Attention: Lyle Travis First Sample #: 103-0729

Sampled: Mar 18, 1991  
Received: Mar 20, 1991  
Extracted: Mar 27, 1991  
Analyzed: 3/30-4/4/91  
Reported: Apr 4, 1991

## TOTAL PETROLEUM FUEL HYDROCARBONS (EPA 8015) - d

Sample Number	Sample Description	High B.P. Hydrocarbons mg/kg (ppm)
103-0729	SE1-1	30
103-0730	SM-1	N.D.
103-0731	SE4-1	N.D.
103-0732	SW4-1	N.D.
103-0733	SW1-1	78

Detection Limits:

1.0

High Boiling Point Hydrocarbons are quantitated against a diesel fuel standard.  
Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL

  
Belinda C. Vega  
Laboratory Director

1030729.TPE <1>



# SEQUOIA ANALYTICAL

1900 Bates Avenue • Suite LM • Concord, California 94520  
(415) 686-9600 • FAX (415) 686-9689

Tank Protect Engineering of N. Calif	Client Project ID: #153A-032091	Sampled: Mar 18, 1991
2821 Whipple Road	Matrix Descript: <del>Water</del>	Received: Mar 20, 1991
Union City, CA 94587	Analysis Method: EPA 3510/8015	Extracted: Mar 25, 1991
Attention: Lyle Travis	First Sample #: 103-0736 C-D	Analyzed: Mar 29, 1991
		Reported: Apr 4, 1991

## TOTAL PETROLEUM FUEL HYDROCARBONS (EPA 8015) -d

Sample Number	Sample Description	High B.P. Hydrocarbons µg/L <del>(ppm)</del>
103-0736 C-D	WS-1	1,700

Detection Limits:

500

High Boiling Point Hydrocarbons are quantitated against a diesel fuel standard. Analytes reported as N.D. were not present above the stated limit of detection. Because matrix effects and/or other factors required additional sample dilution, detection limits for this sample have been raised.

SEQUOIA ANALYTICAL

*Belinda Vega*  
Belinda C. Vega  
Laboratory Director



# SEQUOIA ANALYTICAL

1900 Bates Avenue • Suite LM • Concord, California 94520  
(415) 686-9600 • FAX (415) 686-9689

Tank Protect Engineering of N. Calif Client Project ID: #153A-032091  
2821 Whipple Road Matrix Descript: Soil  
Union City, CA 94587 Analysis Method: EPA 5030/8020  
Attention: Lyle Travis First Sample #: 103-0729

Sampled: Mar 18, 1991  
Received: Mar 20, 1991  
Analyzed: Apr 1, 1991  
Reported: Apr 4, 1991

## BTEX DISTINCTION (EPA 8020)

Sample Number	Sample Description	Benzene mg/kg (ppm)	Toluene mg/kg (ppm)	Ethyl Benzene mg/kg (ppm)	Xylenes mg/kg (ppm)
103-0729	SE1-1	N.D.	N.D.	N.D.	N.D.
103-0730	SM-1	0.0096	0.024	0.0074	0.054
103-0731	SE4-1	N.D.	0.0086	N.D.	0.015
103-0732	SW4-1	N.D.	0.0054	N.D.	0.0094
103-0733	SW1-1	N.D.	0.0090	N.D.	0.026

<b>Detection Limits:</b>	<b>0.0050</b>	<b>0.0050</b>	<b>0.0050</b>	<b>0.0050</b>
--------------------------	---------------	---------------	---------------	---------------

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL

*Belinda C. Vega*  
Belinda C. Vega  
Laboratory Director

1030729.TPE <3>



# SEQUOIA ANALYTICAL

1900 Bates Avenue • Suite LM • Concord, California 94520  
(415) 686-9800 • FAX (415) 686-9669

Tank Protect Engineering of N. Calif Client Project ID: #153A-032091	Sampled: Mar 18, 1991
2821 Whipple Road	Received: Mar 20, 1991
Union City, CA 94587	Sample Descript: Water, WS-1
Attention: Lyle Travis	Analysis Method: EPA 5030/8020
	Lab Number: 103-0736 A-B
	Analyzed: Apr 1, 1991
	Reported: Apr 4, 1991

## BTEX DISTINCTION (EPA 8020)

Analyte	Detection Limit $\mu\text{g/L}$ (ppb)	Sample Results $\mu\text{g/L}$ (ppb)
Benzene.....	0.30	N.D.
Toluene.....	0.30	N.D.
Ethyl Benzene.....	0.30	N.D.
Xylenes.....	0.30	0.36

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL

  
Belinda C. Vega  
Laboratory Director

1030729.TPE <4>



# SEQUOIA ANALYTICAL

1900 Bates Avenue • Suite LM • Concord, California 94520  
(415) 686-9600 • FAX (415) 686-9689

Tank Protect Engineering of N. Calif Client Project ID: #153A-032091	Matrix Descript: <del>Soil</del>	Sampled: Mar 19, 1991
2821 Whipple Road	Analysis Method: EPA 5030/8015/8020	Received: Mar 20, 1991
Union City, CA 94587	First Sample #: 103-0734	Analyzed: Apr 2, 1991
Attention: Lyle Travis		Reported: Apr 4, 1991

## TOTAL PETROLEUM FUEL HYDROCARBONS with BTEX DISTINCTION (EPA 8015/8020)

Sample Number	Sample Description	Low/Medium B.P. Hydrocarbons		Toluene mg/kg (ppm)	Ethyl Benzene mg/kg (ppm)	Xylenes mg/kg (ppm)
		mg/kg (ppm)	Benzene mg/kg (ppm)			
103-0734	WO1-W	320	N.D.	N.D.	0.14	0.34

-g

Detection Limits:	20	0.10	0.10	0.10	0.10
-------------------	----	------	------	------	------

Low to Medium Boiling Point Hydrocarbons are quantitated against a gasoline standard. Analytes reported as N.D. were not present above the stated limit of detection. Because matrix effects and/or other factors required additional sample dilution, detection limits for this sample have been raised.

SEQUOIA ANALYTICAL

*Belinda C. Vega*  
Belinda C. Vega  
Laboratory Director



# SEQUOIA ANALYTICAL

1900 Bates Avenue • Suite LM • Concord, California 94520  
(415) 886-9600 • FAX (415) 886-9689

Tank Protect Engineering of N. Calif Client Project ID: #153A-032091	Sampled: Mar 19, 1991
2821 Whipple Road	Received: Mar 20, 1991
Union City, CA 94587	Analyzed: Apr 2, 1991
Attention: Lyle Travis	Reported: Apr 4, 1991
Matrix Descript: Soil	
Analysis Method: EPA 5030/8015/8020	
First Sample #: 103-0735	

## TOTAL PETROLEUM FUEL HYDROCARBONS with BTEX DISTINCTION (EPA 8015/8020)

Sample Number	Sample Description	Low/Medium B.P.			Ethyl	
		Hydrocarbons	Benzene	Toluene	Benzene	Xylenes
		mg/kg (ppm)	mg/kg (ppm)	mg/kg (ppm)	mg/kg (ppm)	mg/kg (ppm)
103-0735	WO2-S	N.D.	N.D.	N.D.	N.D.	N.D.

-9

Detection Limits:	1.0	0.0050	0.0050	0.0050	0.0050
-------------------	-----	--------	--------	--------	--------

Low to Medium Boiling Point Hydrocarbons are quantitated against a gasoline standard. Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL

Belinda C. Vega  
Laboratory Director



# SEQUOIA ANALYTICAL

1900 Bates Avenue • Suite LM • Concord, California 94520  
(415) 886-9600 • FAX (415) 886-9689

Tank Protect Engineering of N. Calif Client Project ID: #153A 032001  
2821 Whipple Road Matrix Descript: Soil  
Union City, CA 94587 Analysis Method: EPA 3550/8015  
Attention: Lyle Travis First Sample #: 103-0734

Sampled: Mar 10, 1991  
Received: Mar 20, 1991  
Extracted: Mar 29, 1991  
Analyzed: Apr 1, 1991  
Reported: Apr 4, 1991

## TOTAL PETROLEUM FUEL HYDROCARBONS (EPA 8015) - d

Sample Number	Sample Description	High B.P. Hydrocarbons mg/kg (ppm)
103-0734	WO1-W	470

Detection Limits:

100

High Boiling Point Hydrocarbons are quantitated against a diesel fuel standard. Analytes reported as N.D. were not present above the stated limit of detection. Because matrix effects and/or other factors required additional sample dilution, detection limits for this sample have been raised.

SEQUOIA ANALYTICAL

Belinda C. Vega  
Laboratory Director

1030729.TPE <7>





# SEQUOIA ANALYTICAL

1900 Bales Avenue • Suite LM • Concord, California 94520  
(415) 686-9600 • FAX (415) 686-9689

Tank Protect Engineering of N. Calif Client Project ID: #153A-032091  
2821 Whipple Road Matrix Descript: Soil  
Union City, CA 94587 Analysis Method: EPA 3550/8015  
Attention: Lyle Travis First Sample #: 103-0735

Sampled: Mar 19, 1991  
Received: Mar 20, 1991  
Extracted: Mar 29, 1991  
Analyzed: Apr 1, 1991  
Reported: Apr 4, 1991

## TOTAL PETROLEUM FUEL HYDROCARBONS (EPA 8015) - d

Sample Number	Sample Description	High B.P. Hydrocarbons mg/kg (ppm)
103-0735	WO2-S	40

Detection Limits:

1.0

High Boiling Point Hydrocarbons are quantitated against a diesel fuel standard.  
Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL

Belinda C. Vega  
Laboratory Director

1030729.TPE <8>



# SEQUOIA ANALYTICAL

1900 Bates Avenue • Suite LM • Concord, California 94520  
(415) 886-9600 • FAX (415) 686-9689

Tank Protect Engineering of N. Calif 2821 Whipple Road Union City, CA 94587 Attention: Lyle Travis	Client Project ID: #153A-032091 Matrix Descript: <b>Soil</b> Analysis Method: SM 5520 E&F (Gravimetric) First Sample #: 103-0734	Sampled: Mar 19, 1991 Received: Mar 20, 1991 Extracted: Mar 26, 1991 Analyzed: Mar 26, 1991 Reported: Apr 4, 1991
---	---	---

## TOTAL RECOVERABLE PETROLEUM OIL

Sample Number	Sample Description	Oil & Grease mg/kg (ppm)
103-0734	WO1-W	880
103-0735	WO2-S	110

Detection Limits:

30

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL

Belinda C. Vega  
Laboratory Director

1030729.TPE <9>



# SEQUOIA ANALYTICAL

1900 Bates Avenue • Suite LM • Concord, California 94520  
(415) 686-9600 • FAX (415) 686-9659

Tank Protect Engineering of N. Calif Client Project ID: #153A-032091  
2821 Whipple Road Sample Descript: Soil, WO1-W  
Union City, CA 94587 Analysis Method: EPA 8270  
Attention: Lyle Travis Lab Number: 103-0735

Sampled: Mar 19, 1991  
Received: Mar 20, 1991  
Extracted: Mar 29, 1991  
Analyzed: Apr 1, 1991  
Reported: Apr 4, 1991

## SEMI-VOLATILE ORGANICS by GC/MS (EPA 8270)

Analyte	Detection Limit µg/kg	Sample Results µg/kg
Acenaphthene.....	2,000	N.D.
Acenaphthylene.....	2,000	N.D.
Aniline.....	2,000	N.D.
Anthracene.....	2,000	N.D.
Benzidine.....	50,000	N.D.
Benzoic Acid.....	10,000	N.D.
Benzo(a)anthracene.....	2,000	N.D.
Benzo(b)fluoranthene.....	2,000	N.D.
Benzo(k)fluoranthene.....	2,000	N.D.
Benzo(g,h,i)perylene.....	2,000	N.D.
Benzo(a)pyrene.....	2,000	N.D.
Benzyl alcohol.....	2,000	N.D.
Bis(2-chloroethoxy)methane.....	2,000	N.D.
Bis(2-chloroethyl)ether.....	2,000	N.D.
Bis(2-chloroisopropyl)ether.....	2,000	N.D.
Bis(2-ethylhexyl)phthalate.....	10,000	N.D.
4-Bromophenyl phenyl ether.....	2,000	N.D.
Butyl benzyl phthalate.....	2,000	N.D.
4-Chloroaniline.....	2,000	N.D.
2-Chloronaphthalene.....	2,000	N.D.
4-Chloro-3-methylphenol.....	2,000	N.D.
2-Chlorophenol.....	2,000	N.D.
4-Chlorophenyl phenyl ether.....	2,000	N.D.
Chrysene.....	2,000	N.D.
Dibenz(a,h)anthracene.....	2,000	N.D.
Dibenzofuran.....	2,000	N.D.
Di-N-butyl phthalate.....	10,000	N.D.
1,3-Dichlorobenzene.....	2,000	N.D.
1,4-Dichlorobenzene.....	2,000	N.D.
1,2-Dichlorobenzene.....	2,000	N.D.
3,3-Dichlorobenzidine.....	10,000	N.D.
2,4-Dichlorophenol.....	2,000	N.D.
Diethyl phthalate.....	2,000	N.D.
2,4-Dimethylphenol.....	2,000	N.D.
Dimethyl phthalate.....	2,000	N.D.
4,0-Dinitro-2-methylphenol.....	10,000	N.D.
2,4-Dinitrophenol.....	10,000	N.D.



# SEQUOIA ANALYTICAL

1900 Bates Avenue • Suite LM • Concord, California 94520  
(415) 686-9600 • FAX (415) 686-9689

Tank Protect Engineering of N. Calif Client Project ID: #153A-032091  
2821 Whipple Road Sample Descript: Soil, WO1-W  
Union City, CA 94587 Analysis Method: EPA 8270  
Attention: Lyle Travis Lab Number: 103-0735

Sampled: Mar 19, 1991  
Received: Mar 20, 1991  
Extracted: Mar 29, 1991  
Analyzed: Apr 1, 1991  
Reported: Apr 4, 1991

## SEMI-VOLATILE ORGANICS by GC/MS (EPA 8270)

Analyte	Detection Limit µg/kg	Sample Results µg/kg
2,4-Dinitrotoluene.....	2,000	N.D.
2,6-Dinitrotoluene.....	2,000	N.D.
Di-N-octyl phthalate.....	2,000	N.D.
Fluoranthene.....	2,000	N.D.
Fluorene.....	2,000	N.D.
Hexachlorobenzene.....	2,000	N.D.
Hexachlorobutadiene.....	2,000	N.D.
Hexachlorocyclopentadiene.....	2,000	N.D.
Hexachloroethane.....	2,000	N.D.
Indeno(1,2,3-cd)pyrene.....	2,000	N.D.
Isophorone.....	2,000	N.D.
2-Methylnaphthalene.....	2,000	N.D.
2-Methylphenol.....	2,000	N.D.
4-Methylphenol.....	2,000	N.D.
Naphthalene.....	2,000	N.D.
2-Nitroaniline.....	10,000	N.D.
3-Nitroaniline.....	10,000	N.D.
4-Nitroaniline.....	10,000	N.D.
Nitrobenzene.....	2,000	N.D.
2-Nitrophenol.....	2,000	N.D.
4-Nitrophenol.....	10,000	N.D.
N-Nitrosodiphenylamine.....	2,000	N.D.
N-Nitroso-di-N-propylamine.....	2,000	N.D.
Pentachlorophenol.....	10,000	N.D.
Phenanthrene.....	2,000	N.D.
Phenol.....	2,000	N.D.
Pyrene.....	2,000	N.D.
1,2,4-Trichlorobenzene.....	2,000	N.D.
2,4,5-Trichlorophenol.....	10,000	N.D.
2,4,6-Trichlorophenol.....	2,000	N.D.

Analytes reported as N.D. were not present above the stated limit of detection. Because matrix effects and/or other factors required additional sample dilution, detection limits for this sample have been raised.

SEQUOIA ANALYTICAL

*Belinda C. Vega*  
Belinda C. Vega  
Laboratory Director



# SEQUOIA ANALYTICAL

1800 Bates Avenue • Suite LM • Concord, California 94520  
(415) 686-9600 • FAX (415) 686-9689

Tank Protect Engineering of N. Calif Client Project ID: #153A-032091	Sampled: Mar 19, 1991
2821 Whipple Road	Received: Mar 20, 1991
Union City, CA 94587	Extracted: Mar 28, 1991
Attention: Lyle Travis	Analyzed: Apr 3, 1991
Sample Descript: Soil, WO2-S	Reported: Apr 4, 1991
Analysis Method: EPA 8270	
Lab Number: 103-0735	

## SEMI-VOLATILE ORGANICS by GC/MS (EPA 8270)

Analyte	Detection Limit µg/kg	Sample Results µg/kg
Acenaphthene.....	100	N.D.
Acenaphthylene.....	100	N.D.
Aniline.....	100	N.D.
Anthracene.....	100	N.D.
Benzidine.....	2,500	N.D.
Benzoic Acid.....	500	N.D.
Benzo(a)anthracene.....	100	N.D.
Benzo(b)fluoranthene.....	100	N.D.
Benzo(k)fluoranthene.....	100	N.D.
Benzo(g,h,i)perylene.....	100	N.D.
Benzo(a)pyrene.....	100	N.D.
Benzyl alcohol.....	100	N.D.
Bis(2-chloroethoxy)methane.....	100	N.D.
Bis(2-chloroethyl)ether.....	100	N.D.
Bis(2-chloroisopropyl)ether.....	100	N.D.
Bis(2-ethylhexyl)phthalate.....	500	N.D.
4-Bromophenyl phenyl ether.....	100	N.D.
Butyl benzyl phthalate.....	100	N.D.
4-Chloroaniline.....	100	N.D.
2-Chloronaphthalene.....	100	N.D.
4-Chloro-3-methylphenol.....	100	N.D.
2-Chlorophenol.....	100	N.D.
4-Chlorophenyl phenyl ether.....	100	N.D.
Chrysene.....	100	N.D.
Dibenz(a,h)anthracene.....	100	N.D.
Dibenzofuran.....	100	N.D.
Di-N-butyl phthalate.....	500	N.D.
1,3-Dichlorobenzene.....	100	N.D.
1,4-Dichlorobenzene.....	100	N.D.
1,2-Dichlorobenzene.....	100	N.D.
3,3-Dichlorobenzidine.....	500	N.D.
2,4-Dichlorophenol.....	100	N.D.
Diethyl phthalate.....	100	N.D.
2,4-Dimethylphenol.....	100	N.D.
Dimethyl phthalate.....	100	N.D.
4,6-Dinitro-2-methylphenol.....	500	N.D.
2,4-Dinitrophenol.....	500	N.D.



# SEQUOIA ANALYTICAL

1900 Bates Avenue • Suite LM • Concord, California 94520  
(415) 686-9600 • FAX (415) 686-9689

Tank Protect Engineering of N. Calif Client Project ID: #153A-032091  
2821 Whipple Road Sample Descript: Soil, WO2-S  
Union City, CA 94587 Analysis Method: EPA 8270  
Attention: Lyle Travis Lab Number: 103-U/35

Sampled: Mar 19, 1991  
Received: Mar 20, 1991  
Extracted: Mar 28, 1991  
Analyzed: Apr 3, 1991  
Reported: Apr 4, 1991

## SEMI-VOLATILE ORGANICS by GC/MS (EPA 8270)

Analyte	Detection Limit µg/kg	Sample Results µg/kg
2,4-Dinitrotoluene.....	100	N.D.
2,6-Dinitrotoluene.....	100	N.D.
Di-N-octyl phthalate.....	100	N.D.
Fluoranthene.....	100	N.D.
Fluorene.....	100	N.D.
Hexachlorobenzene.....	100	N.D.
Hexachlorobutadiene.....	100	N.D.
Hexachlorocyclopentadiene.....	100	N.D.
Hexachloroethane.....	100	N.D.
Indeno(1,2,3-cd)pyrene.....	100	N.D.
Isophorone.....	100	N.D.
2-Methylnaphthalene.....	100	N.D.
2-Methylphenol.....	100	N.D.
4-Methylphenol.....	100	N.D.
Naphthalene.....	100	N.D.
2-Nitroaniline.....	500	N.D.
3-Nitroaniline.....	500	N.D.
4-Nitroaniline.....	500	N.D.
Nitrobenzene.....	100	N.D.
2-Nitrophenol.....	100	N.D.
4-Nitrophenol.....	500	N.D.
N-Nitrosodiphenylamine.....	100	N.D.
N-Nitroso-di-N-propylamine.....	100	N.D.
Pentachlorophenol.....	500	N.D.
Phenanthrene.....	100	N.D.
Phenol.....	100	N.D.
Pyrene.....	100	N.D.
1,2,4-Trichlorobenzene.....	100	N.D.
2,4,5-Trichlorophenol.....	500	N.D.
2,4,6-Trichlorophenol.....	100	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL

*Belinda C. Vega*  
Belinda C. Vega  
Laboratory Director



# SEQUOIA ANALYTICAL

1900 Bates Avenue • Suite LM • Concord, California 94520  
(415) 686-9600 • FAX (415) 686-9689

Tank Protect Engineering of N. Calif Client Project ID: #153A-032091  
2821 Whipple Road Sample Descript: Soil, WO1-W  
Union City, CA 94587  
Attention: Lyle Travis Lab Number: 103-0734

Sampled: Mar 19, 1991  
Received: Mar 20, 1991  
Extracted: Mar 28, 1991  
Analyzed: 3/28-4/1/91  
Reported: Apr 4, 1991

## LABORATORY ANALYSIS

Analyte	Detection Limit mg/kg	Sample Results mg/kg
Cadmium	0.50	580
Chromium	0.50	29
Lead	0.25	1,900
Nickel	2.5	25
Zinc	0.50	5,300

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL

*Belinda C. Vega*  
Belinda C. Vega  
Laboratory Director



# SEQUOIA ANALYTICAL

1900 Bates Avenue • Suite LM • Concord, California 94520  
(415) 686-9600 • FAX (415) 686-9689

Tank Protect Engineering of N. Calif Client Project ID: #153A-032091  
2821 Whipple Road Sample Descript: Soil, WO2-S  
Union City, CA 94587  
Attention: Lyle Travis Lab Number: 103-0735

Sampled: Mar 19, 1991  
Received: Mar 20, 1991  
Extracted: Mar 28, 1991  
Analyzed: 3/28-4/1/91  
Reported: Apr 4, 1991

## LABORATORY ANALYSIS

Analyte	Detection Limit mg/kg	Sample Results mg/kg
---------	--------------------------	-------------------------

Cadmium	0.50	130
Chromium	0.50	22
Lead	0.25	130
Nickel	2.5	13
Zinc	0.50	3,600

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL

Belinda C. Vega  
Laboratory Director





# SEQUOIA ANALYTICAL

1900 Bates Avenue • Suite LM • Concord, California 94520  
(415) 686-9600 • FAX (415) 686-9689

Tank Protect Engineering of N. Calif Client Project ID: #153A-032091  
2821 Whipple Road  
Union City, CA 94587  
Attention: Lyle Travis

QC Sample Group: 1030734-735

Reported: Apr 4, 1991

## QUALITY CONTROL DATA REPORT

ANALYTE	Cadmium	Chromium	Lead	Nickel	Zinc
Method:	EPA 6010	EPA 6010	EPA 7421	EPA 6010	EPA 6010
Analyst:	S. Foster	S. Foster	R. Eastman	S. Foster	S. Foster
Reporting Units:	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
Date Analyzed:	Apr 1, 1991	Apr 1, 1991	Mar 28, 1991	Apr 1, 1991	Apr 1, 1991
QC Sample #:	103-2919	103-2919	103-3439	103-2919	103-2919
Sample Conc.:	3.3	31	130	36	34
Spike Conc. Added:	250	250	120	250	250
Conc. Matrix Spike:	190	250	270	260	230
Matrix Spike % Recovery:	75	88	120	90	78
Conc. Matrix Spike Dup.:	250	260	270	270	270
Matrix Spike Duplicate % Recovery:	99	92	120	94	94
Relative % Difference:	27	3.9	0	3.8	16

SEQUOIA ANALYTICAL

*Belinda C. Vega*  
Belinda C. Vega  
Laboratory Director

% Recovery:	$\frac{\text{Conc. of M.S.} - \text{Conc. of Sample}}{\text{Spike Conc. Added}} \times 100$
Relative % Difference:	$\frac{\text{Conc. of M.S.} - \text{Conc. of M.S.D.}}{(\text{Conc. of M.S.} + \text{Conc. of M.S.D.}) / 2} \times 100$



TANK PROTECT ENGINEERING

2021 WHIPPLE ROAD  
UNION CITY, CA 94502  
(415) 429-8088  
(800) 523-8088  
FAX (415) 429-8089

PO-H 178

CHAIN OF CUSTODY

SECURIA


PAGE 1 OF 1

PROJECT NO. 153A-032011		SITE NAME & ADDRESS 5252 COLISEUM WAY OAKLAND, CA.					(1) TYPE OF CON- TAINER	ANALYTES REQUESTED							REMARKS
SAMPLER NAME, ADDRESS AND TELEPHONE NUMBER LYLE THOMAS G. TRAVIS TANK PROTECT ENGINEERING TEL. # (415) 429-8088								TOTAL LIGHT HC	AROMATIC HC	TOTAL HC (BTEX)	OIL & GREASE HC	POC SCAN (S)	OTHER	TA FOR METALS	
ID NO.	DATE	TIME	SOIL	WATER	SAMPLING LOCATION										
SE1-1	3/5/91	1700			SE1-1 @ 8.5'		BRASS TUBE								1030729
SE2-1		1705			SM-1 @ 8.5'										730
SE4-1		1710			SE4-1 @ 8.5'										731
SW4-1		1715			SW4-1 @ 8.5'										732
SW1-1		1720			SW1-1 @ 8.5'										733
WC1-W	3/6/91	1050			WC1-W @ 5.0'										734
WC2-S		1100			WC2-S @ 5.0'										735
WS-1	3/10/91	1635 1240			WS-1 @ 9.0'		3-40117 2-FLYER EUST								736 A-D
Relinquished by: (Signature)		Date / Time		Received by: (Signature)			Relinquished by: (Signature)			Date / Time		Received by: (Signature)			
Relinquished by: (Signature)		Date / Time		Received by: (Signature)			Relinquished by: (Signature)			Date / Time		Received by: (Signature)			
Relinquished by: (Signature)		Date / Time		Received for Laboratory by: (Signature)			Date / Time		Remarks						

John Winner 3/22 17:00

DATE: \_\_\_\_\_

COLISEUM WAY



NOT TO SCALE

LEGEND

SW1-1  
⊗ LOCATION AND NAME OF SOIL SAMPLES

WS-1  
X LOCATION AND NAME OF WATER SAMPLE



SITE PLAN  
VOLVO GM HEAVY TRUCK CORPORATION  
5050 COLISEUM WAY  
OAKLAND, CA