

**RECEIVED**

# Atlantic Richfield Company

**Chuck Carmel**  
Environmental Business Manager

3:33 pm, Jul 30, 2010

Alameda County  
Environmental Health

PO Box 1257  
San Ramon, CA 94583  
Phone: (925) 275-3803  
Fax: (925) 275-3815  
E-Mail: charles.carmel@bp.com

30 July 2010

Re: Second Quarter 2010 Semi-Annual Ground-Water Monitoring Report  
Atlantic Richfield Company Station #2035  
1001 San Pablo Avenue, Albany, California  
ACEH Case #RO0000100

"I declare, that to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached document are true and correct.

Submitted by,



Chuck Carmel  
Environmental Business Manager

Attachment

Prepared for

Mr. Chuck Carmel  
Environmental Business Manager  
Atlantic Richfield Company  
P.O. Box 1257  
San Ramon, California 94583

Prepared by



1324 Mangrove Avenue, Suite 212  
Chico, California 95926  
(530) 566-1400  
[www.broadbentinc.com](http://www.broadbentinc.com)

30 July 2010

Project No. 06-88-610

**Second Quarter 2010 Semi-Annual  
Ground-Water Monitoring Report**  
Atlantic Richfield Company Station #2035  
1001 San Pablo Avenue, Albany, California  
ACEH Case #RO0000100

Broadbent & Associates, Inc.  
1324 Mangrove Ave., Suite 212  
Chico, CA 95926  
Voice (530) 566-1400  
Fax (530) 566-1401



30 July 2010

Project No. 06-88-610

Atlantic Richfield Company  
P.O. Box 1257  
San Ramon, CA 94583  
Submitted via ENFOS

Attn.: Mr. Chuck Carmel

Re: Second Quarter 2010 Semi-Annual Ground-Water Monitoring Report, Atlantic Richfield Company Station #2035, 1001 San Pablo Avenue, Albany, California; ACEH Case #RO0000100

Dear Mr. Carmel:


Attached is the *Second Quarter 2010 Semi-Annual Ground-Water Monitoring Report* for Atlantic Richfield Company (a BP affiliated company) Station #2035 located at 1001 San Pablo Avenue, Albany, Alameda County, California (Site). This report presents the results of ground-water monitoring conducted at the Site during the Second Quarter of 2010.

Should you have questions regarding the work performed or results obtained, please do not hesitate to contact me at (530) 566-1400.

Sincerely,  
BROADBENT & ASSOCIATES, INC.

A handwritten signature in blue ink that reads "Thomas A. Venus".

Thomas A. Venus, P.E.  
Senior Engineer



Enclosures

cc: Mr. Paresh Khatri, Alameda County Environmental Health (Submitted via ACEH ftp site)  
Mr. John Lestrange, 17851 State Highway 128, Calistoga, California 94515  
Mr. Robert Cave, Bay Area Air Quality Management District - Permit Division, 939 Ellis Street, San Francisco, California 94109 (submitted via GeoTracker)  
Electronic copy uploaded to GeoTracker

## STATION # 2035 SEMI-ANNUAL GROUND-WATER MONITORING REPORT

Facility: #2035	Address: 1001 San Pablo Avenue, Albany, California
Environmental Business Manager:	Mr. Chuck Carmel
Consulting Co./Contact Person:	Broadbent & Associates, Inc.(BAI)/Mr. Tom Venus, PE (530) 566-1400
Consultant Project No.:	06-88-610
Primary Agency/Regulatory ID No.:	Alameda County Environmental Health (ACEH) ACEH Case # RO0000100
Permitting Agency/Facility Permits:	NA

### WORK PERFORMED THIS QUARTER (Second Quarter 2010):

1. Prepared and submitted the *First Quarter 2009 Status Report* (BAI, 04/05/2010).
2. Conducted semi-annual ground-water monitoring/sampling for Second Quarter 2010.  
Work performed on 26 May 2010 by BAI.
3. Implemented *Revised Vapor Intrusion Assessment Work Plan* (BAI, 9/25/2009). Work performed by BAI.
4. Prepared and submitted resultant *Vapor Intrusion Assessment Report* (BAI, 7/30/2010) as requested within directive letter by ACEH dated 3 September 2009.

### WORK PROPOSED FOR NEXT QUARTER (Third Quarter 2010):

1. Prepare and submit the *Second Quarter 2010 Semi-Annual Ground-Water Monitoring Report* (contained herein).
2. No environmental field work is presently scheduled to occur at the Site during the Third Quarter of 2010.

### SITE SUMMARY:

Current phase of project:	<b>Ground-Water Monitoring/Sampling, Vapor Intrusion Assessment</b>
Frequency of ground-water monitoring:	<b>Semi-Annually (2Q &amp; 4Q): Wells MW-1 through MW-9, RW-1, S-5</b>
Frequency of ground-water sampling:	<b>Semi-Annually (2Q &amp; 4Q): Wells MW-4, MW-7, MW-8, MW-9, RW-1, and S-5 Annually (4Q): Wells MW-5 and MW-6</b>
Is free product (FP) present on-site:	<b>No</b>
Depth to ground water (below TOC):	<b>6.62 ft (MW-7) to 12.17 ft (MW-6)</b>
General ground-water flow direction:	<b>West</b>
Approximate hydraulic gradient:	<b>0.02 ft/ft</b>

### DISCUSSION:

Second Quarter 2010 ground-water monitoring and sampling was conducted at Station #2035 on 26 May 2010 by BAI. Water levels were gauged in the ten of the eleven wells at the Site. Well S-5 was not accessed due to traffic control safety concerns. No other irregularities were noted during water-level gauging. Depth-to-water measurements ranged from 6.62 ft at MW-7 to 12.17 ft at MW-6. Resulting ground-water surface elevations ranged from 36.56 ft in well MW-7 to 30.14 ft at down-gradient well MW-6. Co-monitored water level measurements from 26 May 2010 and resulting elevations from the nearby Shell-branded Service Station at 999 San Pablo Avenue were used to create the ground-water elevation contours. Water level elevations yielded a potentiometric ground-water flow direction and

gradient to the west at approximately 0.02 ft/ft (see Table 3). Measured depths to ground water and respective ground-water elevations are summarized in Table 1. Potentiometric ground-water elevation contours are presented in Drawing 1. Ground-water monitoring field data sheets for Station #2035 are provided within Appendix A. Co-monitored data from the nearby Shell-branded Service Station at 999 San Pablo Avenue are provided in Appendix B.

Consistent with the current ground-water sampling schedule, ground-water samples were collected from wells MW-4, MW-7 through MW-9, and RW-1. Well S-5 was not sampled due to traffic control safety concerns. No other irregularities were reported during sampling. Samples were submitted under chain-of-custody protocol to Calscience Environmental Laboratories, Inc. (Garden Grove, California), for analysis of Gasoline Range Organics (GRO, C6-C12) by the EPA Method 8015B; for Benzene, Toluene, Ethylbenzene, and Total Xylenes (BTEX) by EPA Method 8260B; and Tert-Amyl Methyl Ether (TAME), Tert-Butyl Alcohol (TBA), Di-Isopropyl Ether (DIPE), 1,2-Dibromomethane (EDB), 1,2-Dichlorethane (1,2-DCA), Ethanol, Ethyl Tert-Butyl Ether (ETBE), and Methyl Tert-Butyl Ether (MTBE) by EPA Method 8260B. No irregularities were reported during laboratory analysis of the samples. Ground-water sampling field data sheets and the laboratory analytical report, including chain-of-custody documentation, are provided in Appendix A.

Gasoline range organics (GRO) were detected above laboratory reporting limits in three of the five wells sampled at concentrations up to 1,800 µg/L in well MW-7. Benzene was detected above the laboratory reporting limit in three of the five wells sampled at concentrations up to 420 µg/L in well MW-8. Toluene was detected above the laboratory reporting limit in one of the five wells sampled at a concentration of 0.53 µg/L in well MW-7. Ethylbenzene was detected above the laboratory reporting limit in two of the five wells sampled at concentrations up to 21 µg/L in well MW-8. Total Xylenes were detected above the laboratory reporting limit in one of the five wells sampled at a concentration of 0.84 µg/L in well MW-7. MTBE was detected above the laboratory reporting limit in three of the five wells sampled at concentrations up to 1.9 µg/L in well MW-9. The remaining fuel additives and oxygenates were not detected above their laboratory reporting limits in the five wells sampled this quarter.

Recent laboratory analytical results are summarized in Table 1 and Table 2. The most recent GRO, Benzene, and MTBE concentrations are also presented in Drawing 1. A copy of the Laboratory Analytical Report, including chain-of-custody documentation is provided in Appendix A. The co-monitored elevation and analytical data for the nearby Shell-branded service station at 999 San Pablo Avenue are provided in Appendix B. Ground-water monitoring data (GEO\_WELL) and laboratory analytical results (EDF) were uploaded to the GeoTracker AB2886 database. Upload confirmation receipts are provided in Appendix D.

## CONCLUSIONS AND RECOMMENDATIONS:

Water level elevations were between historic minimum and maximum ranges for wells MW-1 and RW-1, but were at historic high levels in wells MW-6, MW-7, MW-8, and MW-9, as summarized in Table 1. Water level elevations yielded a potentiometric ground-water flow direction and gradient to the west at approximately 0.02 ft/ft, consistent with historical data (see Table 3). With the exception of newer wells MW-7, MW-8, and MW-9 (with only three rounds of data), this event's detected analyte concentrations were within the historic minimum and maximum ranges recorded for each well. Recent and historic laboratory analytical results are summarized in Table 1, Table 2, and within Appendix C.

Additional field work conducted at the site during the Second Quarter of 2010 included collection of two rounds of soil gas samples collected during a vapor intrusion assessment. Samples were collected on April 16 and May 14 and were submitted to Cal Science for analysis, as detailed in the *Vapor*


*Intrusion Assessment Report* (BAI, 7/30/2010). BAI looks forward to a response from the ACEH to this report submittal.

## CLOSURE:

The findings presented in this report are based upon: observations of BAI field personnel (see Appendix A) and Conestoga-Rover and Associates (see Appendix B), the points investigated, and results of laboratory tests performed by Calscience Environmental Laboratories, Inc. (Garden Grove, California). Our services were performed in accordance with the generally accepted standard of practice at the time this report was written. No other warranty, expressed or implied was made. This report has been prepared for the exclusive use of Atlantic Richfield Company. It is possible that variations in soil or ground-water conditions could exist beyond points explored in this investigation. Also, changes in site conditions could occur in the future due to variations in rainfall, temperature, regional water usage, or other factors.

## ATTACHMENTS:

- Drawing 1. Site Location Map, ARCO Service Station #2035, 1001 San Pablo Avenue, Albany, California
- Drawing 2. Ground-Water Elevation Contour and Analytical Summary Map, 26 May 2010, ARCO Service Station #2035, 1001 San Pablo Avenue, Albany, California
- Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses, ARCO Service Station #2035, 1001 San Pablo Avenue, Albany, California
- Table 2. Summary of Fuel Additives Analytical Data, ARCO Service Station #2035, 1001 San Pablo Avenue, Albany, California
- Table 3. Historical Ground-Water Flow Direction and Gradient Data, ARCO Service Station #2035, 1001 San Pablo Avenue, Albany, California
- Appendix A. BAI Ground-Water Sampling Data Package (Includes Field Data Sheets, Non-Hazardous Waste Data Form, Laboratory Analytical Report with Chain-of-Custody Documentation, and Field Procedures)
- Appendix B. Joint Monitoring Data
- Appendix C. Historical Ground-Water Data Tables
- Appendix D. GeoTracker Upload Confirmation Receipts



0 2000 4000  
APPROXIMATE SCALE (ft)

IMAGE SOURCE: USGS



**BROADBENT & ASSOCIATES, INC.**

ENGINEERING, WATER RESOURCES & ENVIRONMENTAL  
1324 Mangrove Ave. Suite 212, Chico, CA 95926

Project No.: 06-88-610 Date: 08/7/09

ARCO Service Station #2035  
1001 San Pablo Avenue  
Albany, California

Site Location Map

Drawing

**1**




Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #2035, 1001 San Pablo Ave., Albany, CA

Well and Sample Date	P/NP	TOC Elevation (feet)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE				
<b>MW-1</b>															
4/11/2002	P	41.41	10.73	--	30.68	800	360	<5.0	<5.0	<5.0	<50	--	--	--	
11/27/2002	P	41.41	10.22	--	31.19	<50	<0.50	<0.50	<0.50	<0.50	1.7	1.1	--	--	
6/3/2003	--	41.41	9.14	--	32.27	1,700	430	<5.0	24	11	8.6	1.7	--	--	
11/13/2003	P	43.55	10.17	--	33.38	<50	<0.50	<0.50	<0.50	<0.50	0.95	2.3	SEQM	6.5	a
05/12/2004	P	43.55	9.28	--	34.27	120	7.2	<0.50	<0.50	<0.50	3.0	1.6	SEQM	6.0	
12/01/2004	P	43.55	9.16	--	34.39	<50	0.94	<0.50	<0.50	1.1	2.4	5.2	SEQM	6.6	
05/02/2005	P	43.55	8.58	--	34.97	1,300	390	<5.0	12	6.4	8.8	2.8	SEQM	6.5	
11/16/2005	P	43.55	9.50	--	34.05	<50	<0.50	<0.50	<0.50	0.54	0.92	1.7	SEQM	6.4	
5/31/2006	P	43.55	7.36	--	36.19	850	200	<2.5	5.4	<2.5	4.0	2.4	SEQM	6.5	
12/6/2006	P	43.55	9.91	--	33.64	<50	0.52	<0.50	<0.50	<0.50	0.72	4.50	TAMC	6.99	
5/15/2007	P	43.55	9.65	--	33.90	67	6.6	<0.50	<0.50	<0.50	1.8	2.43	TAMC	6.96	
11/29/2007	P	43.55	9.11	--	34.44	<50	<0.50	<0.50	<0.50	<0.50	0.98	4.51	TAMC	6.81	
5/6/2008	P	43.55	8.25	--	35.30	890	140	0.53	5.4	5.8	<0.50	1.89	CEL	6.61	
11/24/2008	P	43.55	10.55	--	33.00	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.83	CEL	6.67	
4/9/2009	--	43.55	9.02	--	34.53	--	--	--	--	--	--	--	--	--	d
11/24/2009	--	43.55	9.24	--	34.31	--	--	--	--	--	--	--	--	--	
<b>5/26/2010</b>	--	<b>43.55</b>	<b>8.47</b>	--	<b>35.08</b>	--	--	--	--	--	--	--	--	--	
<b>MW-2</b>															
4/11/2002	P	40.38	11.05	--	29.33	<50	<0.50	<0.50	<0.50	<0.50	24	--	--	--	
11/27/2002	P	40.38	10.51	--	29.87	<50	<0.50	<0.50	<0.50	<0.50	5.4	2.6	--	--	
6/3/2003	--	40.38	9.78	--	30.60	<50	<0.50	<0.50	<0.50	<0.50	23	1.7	--	--	
11/13/2003	P	42.52	10.69	--	31.83	<50	<0.50	<0.50	<0.50	<0.50	9.5	2.3	SEQM	6.5	a
05/12/2004	P	42.52	10.34	--	32.18	<250	<2.5	<2.5	<2.5	<2.5	27	2.2	SEQM	6.6	
12/01/2004	P	42.52	10.28	--	32.24	<50	<0.50	<0.50	<0.50	0.70	17	3.9	SEQM	6.6	
05/02/2005	P	42.52	9.50	--	33.02	<50	<0.50	<0.50	<0.50	<0.50	25	3.1	SEQM	6.6	
11/16/2005	P	42.52	10.50	--	32.02	<50	<0.50	<0.50	<0.50	0.50	7.6	2.8	SEQM	6.4	
5/31/2006	P	42.52	10.03	--	32.49	<50	<0.50	<0.50	<0.50	<0.50	24	2.0	SEQM	6.6	
12/6/2006	P	42.52	10.28	--	32.24	<50	<0.50	<0.50	<0.50	<0.50	1.6	3.72	TAMC	6.91	
5/15/2007	P	42.52	10.00	--	32.52	<50	<0.50	<0.50	<0.50	<0.50	44	2.90	TAMC	6.69	
11/29/2007	P	42.52	10.13	--	32.39	<50	<0.50	<0.50	<0.50	<0.50	1.9	4.83	TAMC	6.89	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #2035, 1001 San Pablo Ave., Albany, CA

Well and Sample Date	P/NP	TOC Elevation (feet)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
<b>MW-2 Cont.</b>																
5/6/2008	P	42.52	9.55	--	32.97	<50	<0.50	<0.50	<0.50	<0.50	35	1.88	CEL	6.62		
11/24/2008	P	42.52	10.70	--	31.82	<50	<0.50	<0.50	<0.50	<0.50	4.3	1.83	CEL	6.74		
4/9/2009	--	42.57	9.68	--	32.89	--	--	--	--	--	--	--	--	--	--	
11/24/2009	--	42.57	10.48	--	32.09	--	--	--	--	--	--	--	--	--	--	
<b>5/26/2010</b>	--	<b>42.57</b>	<b>9.65</b>	--	<b>32.92</b>	--	--	--	--	--	--	--	--	--	--	
<b>MW-3</b>																
4/11/2002	P	41.44	11.05	--	30.39	250	9.4	<0.50	<0.50	<0.50	120	--	--	--		
11/27/2002	P	41.44	10.49	--	30.95	<100	<1.0	<1.0	<1.0	2.5	56	2.2	--	--		
6/3/2003	--	41.44	9.44	--	32.00	130	<0.50	<0.50	<0.50	<0.50	47	4.1	--	--		
11/13/2003	P	43.62	10.68	--	32.94	53	<0.50	<0.50	<0.50	<0.50	36	3.8	SEQM	6.8	a	
05/12/2004	P	43.62	9.95	--	33.67	65	<0.50	<0.50	<0.50	<0.50	39	4.2	SEQM	6.9		
12/01/2004	P	43.62	10.32	--	33.30	140	<0.50	<0.50	<0.50	<0.50	37	4.3	SEQM	6.9		
05/02/2005	P	43.62	9.12	--	34.50	140	<0.50	<0.50	<0.50	<0.50	23	3.1	SEQM	6.7		
11/16/2005	P	43.62	10.58	--	33.04	<50	<0.50	<0.50	<0.50	<0.50	32	4.1	SEQM	6.5		
5/31/2006	P	43.62	9.41	--	34.21	<50	<0.50	<0.50	<0.50	<0.50	20	4.3	SEQM	6.8		
12/6/2006	P	43.62	10.25	--	33.37	<50	<0.50	<0.50	<0.50	<0.50	20	2.71	TAMC	7.00		
5/15/2007	P	43.62	9.70	--	33.92	<50	<0.50	<0.50	<0.50	<0.50	40	5.89	TAMC	7.07		
11/29/2007	P	43.62	10.08	--	33.54	90	<0.50	<0.50	<0.50	<0.50	35	4.74	TAMC	6.61		
5/6/2008	P	43.62	10.02	--	33.60	<50	<0.50	<0.50	<0.50	<0.50	14	2.05	CEL	6.61		
11/24/2008	P	43.62	10.80	--	32.82	<50	<1.0	<1.0	<1.0	<1.0	28	1.98	CEL	6.77		
4/9/2009	--	43.63	9.55	--	34.08	--	--	--	--	--	--	--	--	--	d	
11/24/2009	--	43.63	10.29	--	33.34	--	--	--	--	--	--	--	--	--		
<b>5/26/2010</b>	--	<b>43.63</b>	<b>9.76</b>	--	<b>33.87</b>	--	--	--	--	--	--	--	--	--	--	
<b>MW-4</b>																
4/11/2002	NP	40.33	10.81	--	29.52	<50	<0.50	<0.50	<0.50	<0.50	11	--	--	--		
11/27/2002	NP	40.33	10.09	--	30.24	<50	<0.50	<0.50	<0.50	<0.50	6.5	1.8	--	--		
6/3/2003	--	40.33	8.62	--	31.71	<250	<2.5	<2.5	<2.5	<2.5	120	1.1	--	--		
11/13/2003	NP	42.48	9.98	--	32.50	<50	<0.50	<0.50	<0.50	<0.50	20	1.3	SEQM	6.2	a	
05/12/2004	P	42.48	9.48	--	33.00	<250	<2.5	<2.5	<2.5	<2.5	79	2.9	SEQM	6.6		

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #2035, 1001 San Pablo Ave., Albany, CA

Well and Sample Date	P/NP	TOC Elevation (feet)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
MW-4 Cont.																
12/01/2004	NP	42.48	9.60	--	32.88	<50	<0.50	<0.50	<0.50	<0.50	1.8	1.9	SEQM	6.7		
05/02/2005	NP	42.48	8.67	--	33.81	<50	<0.50	<0.50	<0.50	<0.50	11	2.8	SEQM	6.6		
11/16/2005	NP	42.48	10.00	--	32.48	<50	<0.50	<0.50	<0.50	<0.50	0.93	1.7	SEQM	6.3		
5/31/2006	NP	42.48	8.52	--	33.96	<50	<0.50	<0.50	<0.50	<0.50	2.4	1.0	SEQM	7.0		
12/6/2006	NP	42.48	9.90	--	32.58	<50	<0.50	<0.50	<0.50	<0.50	7.8	0.85	TAMC	7.10		
5/15/2007	NP	42.48	9.18	--	33.30	<50	<0.50	<0.50	<0.50	<0.50	2.2	1.37	TAMC	6.85		
11/29/2007	NP	42.48	9.10	--	33.38	<50	<0.50	<0.50	<0.50	<0.50	9.1	1.81	TAMC	7.14		
5/6/2008	P	42.48	9.40	--	33.08	<50	<0.50	<0.50	<0.50	<0.50	10	2.61	CEL	6.91		
11/24/2008	NP	42.48	10.20	--	32.28	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.67	CEL	6.88		
4/9/2009	P	42.51	9.00	--	33.51	<50	<0.50	<0.50	<0.50	<0.50	12	2.51	CEL	7.11	d	
11/24/2009	P	42.51	9.89	--	32.62	<50	<0.50	<0.50	<0.50	<0.50	1.7	0.80	CEL	6.58		
5/26/2010	P	42.51	8.79	--	33.72	<50	<0.50	<0.50	<0.50	<0.50	1.4	0.98	CEL	6.0		
MW-5																
4/11/2002	NP	41.84	10.63	--	31.21	<50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--	--		
11/27/2002	NP	41.84	10.65	--	31.19	--	--	--	--	--	--	--	--	--	--	
6/3/2003	--	41.84	8.92	--	32.92	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.8	--	--		
11/13/2003	NP	44.03	10.58	--	33.45	<50	<0.50	<0.50	<0.50	<0.50	0.79	1.4	SEQM	5.7	a	
05/12/2004	--	44.03	9.95	--	34.08	--	--	--	--	--	--	--	--	--	--	
12/01/2004	NP	44.03	10.05	--	33.98	<50	<0.50	<0.50	<0.50	<0.50	0.55	1.8	SEQM	6.3		
05/02/2005	--	44.03	8.75	--	35.28	--	--	--	--	--	--	--	--	--	--	
11/16/2005	NP	44.03	10.37	--	33.66	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.3	SEQM	6.2		
5/31/2006	--	44.03	9.07	--	34.96	--	--	--	--	--	--	--	--	--	--	
12/6/2006	NP	44.03	10.25	--	33.78	<50	<0.50	<0.50	<0.50	<0.50	0.99	1.24	TAMC	6.88		
5/15/2007	--	44.03	9.51	--	34.52	--	--	--	--	--	--	--	--	--	--	
11/29/2007	NP	44.03	9.95	--	34.08	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.93	TAMC	6.98		
5/6/2008	--	44.03	9.67	--	34.36	--	--	--	--	--	--	--	--	--	--	
11/24/2008	NP	44.03	10.62	--	33.41	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.43	CEL	6.52		
4/9/2009	--	44.03	12.00	--	32.03	--	--	--	--	--	--	--	--	--	d	
11/24/2009	P	44.03	10.34	--	33.69	<50	<0.50	1.4	<0.50	<0.50	0.89	0.94	CEL	6.1		
5/26/2010	--	44.03	9.21	--	34.82	--	--	--	--	--	--	--	--	--	--	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #2035, 1001 San Pablo Ave., Albany, CA

Well and Sample Date	P/NP	TOC Elevation (feet)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
<b>MW-6</b>																
4/11/2002	NP	40.13	11.42	--	28.71	<50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--	--		
11/27/2002	NP	40.13	13.11	--	27.02	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.3	--	--		
6/3/2003	--	40.13	12.48	--	27.65	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.1	--	--		
11/13/2003	NP	42.26	13.11	--	29.15	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.2	SEQM	6.8	a	
05/12/2004	--	42.26	12.68	--	29.58	--	--	--	--	--	--	--	--	--	--	
12/01/2004	NP	42.26	12.68	--	29.58	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.7	SEQM	7.3		
05/02/2005	--	42.26	12.25	--	30.01	--	--	--	--	--	--	--	--	--	--	
11/16/2005	NP	42.26	12.98	--	29.28	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.2	SEQM	6.7		
5/31/2006	--	42.26	12.35	--	29.91	--	--	--	--	--	--	--	--	--	--	
12/6/2006	NP	42.26	12.98	--	29.28	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.24	TAMC	6.86		
5/15/2007	--	42.26	12.55	--	29.71	--	--	--	--	--	--	--	--	--	--	
11/29/2007	NP	42.26	12.75	--	29.51	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	TAMC	6.93		
5/6/2008	--	42.26	12.91	--	29.35	--	--	--	--	--	--	--	--	--	--	
11/24/2008	NP	42.26	13.20	--	29.06	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.28	CEL	7.25		
4/9/2009	--	42.31	12.52	--	29.79	--	--	--	--	--	--	--	--	--	d	
11/24/2009	P	42.31	12.90	--	29.41	<50	<0.50	<0.50	<0.50	<0.50	<0.50	0.83	CEL	6.59		
<b>5/26/2010</b>	--	<b>42.31</b>	<b>12.17</b>	--	<b>30.14</b>	--	--	--	--	--	--	--	--	--	--	
<b>MW-7</b>																
4/9/2009	P	43.18	6.73	--	36.45	4,100	5.2	1.7	21	21	<0.50	8.41	CEL	7.79	d	
11/24/2009	P	43.18	8.31	--	34.87	2,700	4.1	1.1	3.3	3.0	<0.50	0.60	CEL	6.8	c	
<b>5/26/2010</b>	<b>P</b>	<b>43.18</b>	<b>6.62</b>	--	<b>36.56</b>	<b>1,800</b>	<b>1.2</b>	<b>0.53</b>	<b>2.2</b>	<b>0.84</b>	<b>&lt;0.50</b>	<b>0.71</b>	<b>CEL</b>	<b>6.6</b>		
<b>MW-8</b>																
4/9/2009	P	42.36	9.50	--	32.86	4,300	940	260	150	590	110	2.09	CEL	7.62	d	
11/24/2009	P	42.36	10.25	--	32.11	28,000	9,900	670	1,300	2,200	<100	0.64	CEL	6.48	c	
<b>5/26/2010</b>	<b>P</b>	<b>42.36</b>	<b>9.25</b>	--	<b>33.11</b>	<b>1,400</b>	<b>420</b>	<b>&lt;10</b>	<b>21</b>	<b>&lt;10</b>	<b>&lt;10</b>	<b>0.78</b>	<b>CEL</b>	<b>6.6</b>		
<b>MW-9</b>																
4/9/2009	P	43.77	8.95	--	34.82	<50	<0.50	<0.50	<0.50	<0.50	2.1	2.81	CEL	7.58	d	
11/24/2009	P	43.77	10.11	--	33.66	<50	<0.50	<0.50	<0.50	<0.50	3.8	--	CEL	6.3		
<b>5/26/2010</b>	<b>P</b>	<b>43.77</b>	<b>8.88</b>	--	<b>34.89</b>	<b>&lt;50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>1.9</b>	<b>0.66</b>	<b>CEL</b>	<b>5.7</b>		

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #2035, 1001 San Pablo Ave., Albany, CA

Well and Sample Date	P/NP	TOC Elevation (feet)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
RW-1																
4/11/2002	P	40.33	9.20	--	31.13	15,000	750	2,000	380	2,000	1,500	--	--	--		
11/27/2002	P	40.33	10.31	--	30.02	<2,500	720	<25	<25	<25	<25	1.8	--	--		
6/3/2003	--	40.33	9.54	--	30.79	470	78	0.97	4.3	9	48	1.4	--	--		
11/13/2003	P	42.35	10.35	--	32.00	130	29	<0.50	<0.50	<0.50	44	1.3	SEQM	6.6	a	
05/12/2004	P	42.35	9.80	--	32.55	<250	66	<2.5	<2.5	<2.5	<2.5	1.9	SEQM	6.9		
09/02/2004	--	42.35	10.42	--	31.93	--	--	--	--	--	--	--	--	--	--	
10/07/2004	--	42.35	10.36	--	31.99	--	--	--	--	--	--	--	--	--	--	
11/04/2004	--	42.35	9.93	--	32.42	--	--	--	--	--	--	--	--	--	--	
12/01/2004	P	42.35	10.02	--	32.33	<250	96	<2.5	<2.5	<2.5	16	1.8	SEQM	6.7		
05/02/2005	P	42.35	9.20	--	33.15	230	100	<1.0	<1.0	<1.0	50	2.5	SEQM	6.6		
11/16/2005	P	42.35	10.96	--	31.39	<100	28	<1.0	<1.0	<1.0	32	1.0	SEQM	6.5		
5/31/2006	P	42.35	9.34	--	33.01	320	32	<0.50	<0.50	<0.50	28	1.3	SEQM	6.8		
12/6/2006	P	42.35	10.10	--	32.25	50	27	<0.50	<0.50	<0.50	19	1.49	TAMC	7.54		
5/15/2007	P	42.35	9.42	--	32.93	280	32	<0.50	<0.50	<0.50	18	2.61	TAMC	7.10		
11/29/2007	P	42.35	9.75	--	32.60	<50	14	<0.50	<0.50	<0.50	18	4.86	TAMC	8.14		
5/6/2008	P	42.35	9.71	--	32.64	610	110	<2.5	<2.5	<2.5	2.6	2.48	CEL	6.95		
11/24/2008	P	42.35	10.48	--	31.87	73	31	<0.50	<0.50	<0.50	11	2.53	CEL	6.88		
4/9/2009	P	42.23	9.46	--	32.77	720	36	<0.50	1.0	1.2	4.0	2.58	CEL	7.73	d	
11/24/2009	P	42.23	10.15	--	32.08	<50	2.0	<0.50	<0.50	<0.50	6.5	0.85	CEL	6.6		
5/26/2010	P	42.23	9.12	--	33.11	90	11	<0.50	<0.50	<0.50	0.94	1.46	CEL	6.4		
S-5																
4/11/2002	P	40.33	10.17	--	30.16	30,000	390	1,400	410	7,400	<500	--	--	--		
11/27/2002	P	40.33	9.77	--	30.56	55,000	1,300	450	1,400	13,000	<50	4.3	--	--		
6/3/2003	--	40.33	9.03	--	31.30	44,000	680	260	1,100	9,900	<25	1.9	--	--		
6/3/2003	--	40.33	9.12	--	31.21	--	--	--	--	--	--	1.4	--	--		
11/13/2003	P	41.83	9.12	--	32.71	31,000	520	120	690	5,900	<50	1.4	SEQM	6.5	a	
05/12/2004	P	41.83	9.95	--	31.88	28,000	760	79	910	5,000	<50	1.9	SEQM	6.6		
12/01/2004	P	41.83	9.61	--	32.22	26,000	1,500	64	1,400	4,000	<25	--	SEQM	6.5	b	
05/02/2005	P	41.83	8.80	--	33.03	13,000	700	18	260	1,300	<5.0	1.8	SEQM	6.4		
11/16/2005	P	41.83	9.80	--	32.03	15,000	1,400	25	570	850	<5.0	1.1	SEQM	6.3		

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #2035, 1001 San Pablo Ave., Albany, CA

Well and Sample Date	P/NP	TOC Elevation (feet)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE				
<b>S-5 Cont.</b>															
5/31/2006	P	41.83	8.89	--	32.94	9,800	170	<5.0	490	390	<5.0	1.4	SEQM	6.6	
12/6/2006	P	41.83	9.65	--	32.18	16,000	1,100	<25	1,700	970	<25	1.23	TAMC	6.95	
5/15/2007	P	41.83	8.89	--	32.94	10,000	140	<5.0	340	310	<5.0	3.63	TAMC	7.10	
11/29/2007	P	41.83	9.48	--	32.35	13,000	770	8.6	500	360	<2.5	5.42	TAMC	7.28	c (Benzene)
5/6/2008	P	41.83	9.30	--	32.53	7,400	320	2.8	580	130	<0.50	3.37	CEL	6.88	
11/24/2008	P	41.83	10.00	--	31.83	7,700	400	<10	390	14	<10	3.22	CEL	6.43	
4/9/2009	P	41.83	8.90	--	32.93	7,700	230	<10	370	35	<10	3.14	CEL	7.77	
11/24/2009	--	41.83	--	--	--	--	--	--	--	--	--	--	--	--	e
<b>5/26/2010</b>	<b>--</b>	<b>41.83</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>e</b>

**ABBREVIATIONS & SYMBOLS:**

-- = Not analyzed/applicable/measured/available

< = Not detected at or above laboratory reporting limit

ft bgs = Feet below ground surface

BTEX = Benzene, toluene, ethylbenzene and xylenes

DO = Dissolved oxygen

DTW = Depth to water in ft bgs

GRO = Gasoline range organics, range C4-C12

GWE = Groundwater elevation measured in ft

mg/L = Milligrams per liter

MTBE = Methyl tert butyl ether

NP = Not purged before sampling

P = Purged before sampling

TOC = Top of casing measured in ft

TPH-g = Total petroleum hydrocarbons as gasoline, analyzed using EPA Method 8015, Modified

µg/L = Micrograms per liter

SEQ/SEQM = Sequoia Analytical/Sequoia Morgan Hill Laboratories

**FOOTNOTES:**

a = Site resurveyed by URS on 10/15/03 to NAVD '88

b = Sheen in well

c = Sample taken from VOA vial with air bubble >6mm

d = Well surveyed on 4/20/09

e = Well not monitored or sampled due to traffic control safety concerns

**NOTES:**

No sampling occurs at this site during the first and third quarters of each calendar year.

TPH-g analyzed using EPA Method 8015, Modified and BTEX and MTBE by EPA method 8260B.

Beginning in the fourth quarter 2003, the laboratory modified the reported analyte list. TPH-g was changed to GRO. The resulting data may be impacted by the potential of non-TPH-g analytes within the requested fuel range resulting in a higher concentration being reported.

Beginning in the second quarter 2004, the carbon range for GRO was changed from C6-C10 to C4-C12.

Values for DO and pH were obtained through field measurements.

GRO analysis was completed by EPA method 8260B (C4-C12) for samples collected from the time period April 2006 through February 4, 2008. The analysis for GRO was changed to EPA method 8015B (C6-C12) for samples collected from the time period February 5, 2008 through the present.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

**Table 2. Summary of Fuel Additives Analytical Data**  
**ARCO Service Station #2035, 1001 San Pablo Ave., Albany, CA**

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
<b>MW-1</b>									
6/3/2003	<1000	<200	8.6	<5.0	<5.0	<5.0	<5.0	<5.0	
11/13/2003	<100	<20	0.95	<0.50	<0.50	<0.50	--	--	
05/12/2004	<100	<20	3.0	<0.50	<0.50	<0.50	<0.50	<0.50	
12/01/2004	<100	<20	2.4	<0.50	<0.50	<0.50	<0.50	<0.50	
05/02/2005	<1,000	220	8.8	<5.0	<5.0	<5.0	<5.0	<5.0	
11/16/2005	<100	<20	0.92	<0.50	<0.50	<0.50	<0.50	<0.50	a
5/31/2006	<1,500	<100	4.0	<2.5	<2.5	<2.5	<2.5	<2.5	a
12/6/2006	<300	<20	0.72	<0.50	<0.50	<0.50	<0.50	<0.50	
5/15/2007	<300	<20	1.8	<0.50	<0.50	<0.50	<0.50	<0.50	
11/29/2007	<300	<20	0.98	<0.50	<0.50	<0.50	<0.50	<0.50	
5/6/2008	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
11/24/2008	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
<b>MW-2</b>									
6/3/2003	<100	<20	23	<0.50	<0.50	<0.50	0.94	<0.50	
11/13/2003	<100	<20	9.5	<0.50	<0.50	<0.50	--	--	
05/12/2004	<500	<100	27	<2.5	<2.5	<2.5	<2.5	<2.5	
12/01/2004	<100	<20	17	<0.50	<0.50	<0.50	0.74	<0.50	
05/02/2005	<100	75	25	<0.50	<0.50	<0.50	<0.50	<0.50	
11/16/2005	<100	<20	7.6	<0.50	<0.50	<0.50	0.79	<0.50	a
5/31/2006	<300	<20	24	<0.50	<0.50	<0.50	0.66	<0.50	a
12/6/2006	<300	<20	1.6	<0.50	<0.50	<0.50	<0.50	<0.50	a
5/15/2007	<300	<20	44	<0.50	<0.50	<0.50	1.2	<0.50	
11/29/2007	<300	<20	1.9	<0.50	<0.50	<0.50	<0.50	<0.50	
5/6/2008	<300	<10	35	<0.50	<0.50	<0.50	0.93	<0.50	
11/24/2008	<300	<10	4.3	<0.50	<0.50	<0.50	<0.50	<0.50	
<b>MW-3</b>									
6/3/2003	<100	<20	47	<0.50	<0.50	<0.50	<0.50	<0.50	
11/13/2003	<100	<20	36	<0.50	<0.50	<0.50	--	--	
05/12/2004	<100	<20	39	<0.50	<0.50	<0.50	<0.50	<0.50	
12/01/2004	<100	<20	37	<0.50	<0.50	<0.50	<0.50	<0.50	

**Table 2. Summary of Fuel Additives Analytical Data**  
**ARCO Service Station #2035, 1001 San Pablo Ave., Albany, CA**

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
<b>MW-3 Cont.</b>									
05/02/2005	<100	<20	23	<0.50	<0.50	<0.50	<0.50	<0.50	
11/16/2005	<100	<20	32	<0.50	<0.50	<0.50	<0.50	<0.50	a
5/31/2006	<300	<20	20	<0.50	<0.50	<0.50	<0.50	<0.50	a
12/6/2006	<300	<20	20	<0.50	<0.50	<0.50	<0.50	<0.50	a
5/15/2007	<300	<20	40	<0.50	<0.50	<0.50	<0.50	<0.50	
11/29/2007	<300	<20	35	<0.50	<0.50	<0.50	<0.50	<0.50	
5/6/2008	<300	<10	14	<0.50	<0.50	<0.50	<0.50	<0.50	
11/24/2008	<600	<20	28	<1.0	<1.0	<1.0	<1.0	<1.0	
<b>MW-4</b>									
6/3/2003	<500	<100	120	<2.5	<2.5	<2.5	<2.5	<2.5	
11/13/2003	<100	<20	20	<0.50	<0.50	<0.50	--	--	
05/12/2004	<500	<100	79	<2.5	<2.5	<2.5	<2.5	<2.5	
12/01/2004	<100	<20	1.8	<0.50	<0.50	<0.50	<0.50	<0.50	
05/02/2005	<100	75	11	<0.50	<0.50	<0.50	<0.50	<0.50	
11/16/2005	<100	<20	0.93	<0.50	<0.50	<0.50	<0.50	<0.50	a
5/31/2006	<300	<20	2.4	<0.50	<0.50	<0.50	<0.50	<0.50	a
12/6/2006	<300	<20	7.8	<0.50	<0.50	<0.50	<0.50	<0.50	a
5/15/2007	<300	<20	2.2	<0.50	<0.50	<0.50	<0.50	<0.50	
11/29/2007	<300	<20	9.1	<0.50	<0.50	<0.50	<0.50	<0.50	
5/6/2008	<300	<10	10	<0.50	<0.50	<0.50	<0.50	<0.50	
11/24/2008	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
4/9/2009	<300	<10	12	<0.50	<0.50	<0.50	<0.50	<0.50	
11/24/2009	<300	<10	1.7	<0.50	<0.50	<0.50	<0.50	<0.50	
<b>5/26/2010</b>	<b>&lt;300</b>	<b>&lt;10</b>	<b>1.4</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	
<b>MW-5</b>									
6/3/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
11/13/2003	<100	<20	0.79	<0.50	<0.50	<0.50	--	--	
12/01/2004	<100	<20	0.55	<0.50	<0.50	<0.50	<0.50	<0.50	
11/16/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	a
12/6/2006	<300	<20	0.99	<0.50	<0.50	<0.50	<0.50	<0.50	a

**Table 2. Summary of Fuel Additives Analytical Data**  
**ARCO Service Station #2035, 1001 San Pablo Ave., Albany, CA**

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
<b>MW-5 Cont.</b>									
11/29/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
11/24/2008	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
11/24/2009	<300	<10	0.89	<0.50	<0.50	<0.50	<0.50	<0.50	
<b>MW-6</b>									
6/3/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
11/13/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	--	--	
12/01/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
11/16/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	a
12/6/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	a
11/29/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
11/24/2008	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
11/24/2009	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
<b>MW-7</b>									
4/9/2009	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
11/24/2009	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	b
<b>5/26/2010</b>	<b>&lt;300</b>	<b>&lt;10</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	
<b>MW-8</b>									
4/9/2009	<300	330	110	5.5	<0.50	<0.50	34	<0.50	
11/24/2009	<60,000	<2,000	<100	<100	<100	<100	<100	<100	b
<b>5/26/2010</b>	<b>&lt;6,000</b>	<b>&lt;200</b>	<b>&lt;10</b>	<b>&lt;10</b>	<b>&lt;10</b>	<b>&lt;10</b>	<b>&lt;10</b>	<b>&lt;10</b>	
<b>MW-9</b>									
4/9/2009	<300	<10	2.1	<0.50	<0.50	<0.50	<0.50	<0.50	
11/24/2009	<300	<10	3.8	<0.50	<0.50	<0.50	<0.50	<0.50	
<b>5/26/2010</b>	<b>&lt;300</b>	<b>&lt;10</b>	<b>1.9</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	
<b>RW-1</b>									
6/3/2003	<100	22	48	<0.50	<0.50	<0.50	<0.50	<0.50	
11/13/2003	<100	<20	44	<0.50	<0.50	<0.50	--	--	
05/12/2004	<500	<100	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	
12/01/2004	<500	<100	16	<2.5	<2.5	<2.5	<2.5	<2.5	

**Table 2. Summary of Fuel Additives Analytical Data**  
**ARCO Service Station #2035, 1001 San Pablo Ave., Albany, CA**

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
<b>RW-1 Cont.</b>									
05/02/2005	<200	<40	50	<1.0	<1.0	<1.0	<1.0	<1.0	
11/16/2005	<200	<40	32	<1.0	<1.0	<1.0	<1.0	<1.0	a
5/31/2006	<300	<20	28	<0.50	<0.50	<0.50	<0.50	<0.50	a
12/6/2006	<300	<20	19	<0.50	<0.50	<0.50	<0.50	<0.50	a
5/15/2007	<300	<20	18	<0.50	<0.50	<0.50	<0.50	<0.50	
11/29/2007	<300	<20	18	<0.50	<0.50	<0.50	<0.50	<0.50	
5/6/2008	<1,500	<50	2.6	<2.5	<2.5	<2.5	<2.5	<2.5	
11/24/2008	<300	<10	11	<0.50	<0.50	<0.50	<0.50	<0.50	
4/9/2009	<300	<10	4.0	<0.50	<0.50	<0.50	<0.50	<0.50	
11/24/2009	<300	<10	6.5	<0.50	<0.50	<0.50	<0.50	<0.50	
<b>5/26/2010</b>	<b>&lt;300</b>	<b>&lt;10</b>	<b>0.94</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	
<b>S-5</b>									
6/3/2003	<5,000	<1,000	<25	<25	<25	<25	<25	<25	
11/13/2003	<10,000	<2,000	<50	<50	<50	<50	--	--	
05/12/2004	<10,000	<2,000	<50	<50	<50	<50	<50	<50	
12/01/2004	<5,000	<1,000	<25	<25	<25	<25	<25	<25	
05/02/2005	<1,000	<200	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
11/16/2005	<1,000	<200	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	a
5/31/2006	<3,000	<200	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	a
12/6/2006	<15,000	<1,000	<25	<25	<25	<25	<25	<25	a
5/15/2007	<3,000	<200	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
11/29/2007	<1,500	<100	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	
5/6/2008	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
11/24/2008	<6,000	<200	<10	<10	<10	<10	<10	<10	
4/9/2009	<6,000	<200	<10	<10	<10	<10	<10	<10	

**ABBREVIATIONS & SYMBOLS:**

-- = Not analyzed/applicable/measured/available

< = Not detected at or above the laboratory reporting limit

1,2-DCA = 1,2-Dichloroethane

DIPE = Di-isopropyl ether

EDB = 1,2-Dibromoethane

ETBE = Ethyl tert-butyl ether

MTBE = Methyl tert-butyl ether

TAME = tert-Amyl methyl ether

TBA = tert-Butyl alcohol

µg/L = Micrograms per Liter

**FOOTNOTE:**

a = Calibration verification for ethanol was within method limits but outside contract limits.

b = Sample taken from VOA vial with air bubble > 6mm diameter.

**NOTES:**

All volatile organic compounds analyzed using EPA Method 8260B.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

**Table 3. Historical Ground-Water Flow Direction and Gradient**  
**ARCO Service Station #2035, 1001 San Pablo Ave., Albany, CA**

Date Sampled	Approximate Flow Direction	Approximate Hydraulic Gradient
4/11/2002	Southwest	0.012
11/27/2002	West	0.021
6/3/2003	West	0.024
11/13/2003	West (offsite Northwest)	0.015
5/12/2004	West	0.020
12/1/2004	West	0.030
5/2/2005	West	0.02
11/16/2005	West	0.03
5/31/2006	West	0.04
12/6/2006	West	0.01
5/15/2007	West	0.02
11/29/2007	West	0.02
5/6/2008	West	0.007
11/24/2008	West	0.02
4/9/2009	West	0.02
11/24/2009	West	0.03
<b>5/26/2010</b>	<b>West</b>	<b>0.02</b>

NOTES:

Site resurveyed by URS on 10/15/03 by datum NAVD '88.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

## **APPENDIX A**

### **BAI GROUND-WATER SAMPLING DATA PACKAGE**

(Includes Field Data Sheets, Non-Hazardous Waste Data Form, Laboratory Analytical Report  
with Chain-Of-Custody Documentation, and Field Procedures)



**BROADBENT & ASSOCIATES, INC.**  
ENGINEERING, WATER RESOURCES & ENVIRONMENTAL

## FIELD DATA REPORT

DATE:  
PERSONNEL:  
WEATHER:

PROJECT NO.: \_\_\_\_\_  
COMMENTS: \_\_\_\_\_



BROADBENT & ASSOCIATES, INC.  
ENGINEERING, WATER RESOURCES & ENVIRONMENTAL

### Groundwater Sampling Data Sheet

Well I.D.: MW-4

Project Name/Location: Z035

Project #: 06-88-610

Sampler's Name: SB & PG

Date: 5/26/10

Purging Equipment: bailer

Sampling Equipment: bailer

Casing Type: PVC

Casing Diameter: 4 inch

#### \*UNIT CASING VOLUMES

Total Well Depth: 25.02 feet

2" = 0.16 gal/lin ft.

Depth to Water: 8.79 feet

3" = 0.37 gal/lin ft.

Water Column Thickness: = 16.23 feet

4" = 0.65 gal/lin ft.

Unit Casing Volume\*: x 0.65 gallon / foot

6" = 1.47 gal/lin ft.

Casing Water Volume: = 10.54 gallons

Casing Volume: x 3 each

Estimated Purge Volume: = 30.00 gallons

Free product measurement (if present):

Purged (gallons)	Time (24:00)	DO	ORP (mV)	Fe	Conductance ( $\mu\text{S}$ )	Temperature (Fahrenheit)	pH	Observations
0	0925	0.98	28	-	342.1	64.3	6.1	
3	0928	x	x	x	348.8	64.6	6.0	
6	0932	x	x	x	349.2	64.4	6.0	
		x	x	x				
		x	x	x				
		x	x	x				
		x	x	x				
		x	x	x				

Total Water Volume Purged: 6 gallons

Depth to Water at Sample Collection: 8.79 feet

Sample Collection Time: 0940

Purged Dry? (Y/N) N

Comments:

**BROADBENT & ASSOCIATES, INC.**  
ENGINEERING, WATER RESOURCES & ENVIRONMENTAL

**Groundwater Sampling Data Sheet**

Well I.D.:

MW-7

Project Name/Location:

2035

Project #: 06-88-616

Sampler's Name:

SB & PG

Date: 5/26/96

Purging Equipment:

Uniliner

Sampling Equipment:

Uniliner

Casing Type: PVC

Casing Diameter:

4 inch

**\*UNIT CASING VOLUMES**

2" = 0.16 gal/lin ft.

Total Well Depth:

15.14 feet

3" = 0.37 gal/lin ft.

Depth to Water:

6.62 feet

4" = 0.65 gal/lin ft.

Water Column Thickness:

= 8.52 feet

6" = 1.47 gal/lin ft.

Unit Casing Volume\*:

x 0.65 gallon / foot

Casing Water Volume:

= 5.5 gallons

Casing Volume: x 3 each.

Estimated Purge Volume: = 16.6 gallons

Free product measurement (if present):

Purged (gallons)	Time (24:00)	DO	ORP (mV)	Fe	Conductance ( $\mu\text{S}$ )	Temperature (Fahrenheit)	pH	Observations
0	1131	0.71	-17	—	765.7	68.8	6.9	
3	1134	X	X	X	719.5	69.1	6.6	
5	1137	X	X	X	756.3	67.0	6.6	
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				

Total Water Volume Purged: 5 gallons

Depth to Water at Sample Collection: \_\_\_\_\_ feet

Sample Collection Time: 1145 Purged Dry? (Y / N) \_\_\_\_\_

Comments:

---



---



---



---



---



BROADBENT & ASSOCIATES, INC.  
ENGINEERING, WATER RESOURCES & ENVIRONMENTAL

### Groundwater Sampling Data Sheet

Well I.D.: HW-8

Project Name/Location: Zoos

Project #: 06-88610

Sampler's Name: SB & PG

Date: 5/26/10

Purging Equipment: baler

Sampling Equipment: baler

Casing Type: PVC

Casing Diameter: 4 inch

#### \*UNIT CASING VOLUMES

2" = 0.16 gal/lin ft.

Total Well Depth: 18.60 feet

3" = 0.37 gal/lin ft.

Depth to Water: 9.25 feet

4" = 0.65 gal/lin ft.

Water Column Thickness: = 9.35 feet

6" = 1.47 gal/lin ft.

Unit Casing Volume\*: x 0.65 gallon / foot

Casing Water Volume: = 6.0 gallons

Casing Volume: x 3 each

Estimated Purge Volume: = 18.0 gallons

Free product measurement (if present):

Purged (gallons)	Time (24:00)	DO	ORP (mV)	Fe	Conductance ( $\mu\text{S}$ )	Temperature (Fahrenheit)	pH	Observations
0	0954	0.78	-36	-	815.3	64.7	6.5	
3	0956	x	x	x	850.8	64.8	6.6	
6	1001	x	x	x	860.4	64.7	6.6	
		x	x	x				
		x	x	x				
		x	x	x				
		x	x	x				

Total Water Volume Purged: 6 gallons

Depth to Water at Sample Collection: feet

Sample Collection Time: 10/10 Purged Dry? (Y / N)

Comments:



**BROADBENT & ASSOCIATES, INC.**  
ENGINEERING, WATER RESOURCES & ENVIRONMENTAL

**Groundwater Sampling Data Sheet**

Well I.D.: MW-9

Project Name/Location: ARZO 2035

Project #: 06-98-610

Sampler's Name: SB & PG

Date: 5/26/10

Purging Equipment: bailer

Sampling Equipment: bailer

Casing Type: PVC

Casing Diameter: 4 inch

**\*UNIT CASING VOLUMES**

Total Well Depth: 15.16 feet

2" = 0.16 gal/lin ft.

Depth to Water: 8.88 feet

3" = 0.37 gal/lin ft.

Water Column Thickness: = 1.28 feet

4" = 0.65 gal/lin ft.

Unit Casing Volume\*: x 0.68 gallon / foot

6" = 1.47 gal/lin ft.

Casing Water Volume: = 4.0 gallons

Casing Volume: x 3 each

Estimated Purge Volume: = 17.2 gallons

Free product measurement (if present): Sheen

Purged (gallons)	Time (24:00)	DO mg/l	ORP (mV)	Fe	Conductance ( $\mu$ S)	Temperature (Fahrenheit)	pH	Observations
0	0858	0.66	91	-	496.0	64.4	5.4	
2.5	0900	x	x	x	462.3	64.6	5.5	
4	0905	x	x	x	460.7	64.4	5.7	
		x	x	x				
		x	x	x				
		x	x	x				
		x	x	x				
		x	x	x				

Total Water Volume Purged: 4 gallons

Depth to Water at Sample Collection: feet

Sample Collection Time: 0910 Purged Dry? (Y N)

Comments:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**BROADBENT & ASSOCIATES, INC.**  
ENGINEERING, WATER RESOURCES & ENVIRONMENTAL

**Groundwater Sampling Data Sheet**

Well I.D.:

Rw-1

Project Name/Location:

Project #:

Sampler's Name:

Date: 5/26/10

Purging Equipment:

Sampling Equipment:

Casing Type: PVC

Casing Diameter:

6 inch

**\*UNIT CASING VOLUMES**

2" = 0.16 gal/lin ft.

Total Well Depth:

20.56 feet

3" = 0.37 gal/lin ft.

Depth to Water:

9.12 feet

4" = 0.65 gal/lin ft.

Water Column Thickness:

13.44 feet

6" = 1.47 gal/lin ft.

Unit Casing Volume\*:

x 1.47 gallon / foot

Casing Water Volume:

= 19.8 gallons

Casing Volume:

x 3 each

Estimated Purge Volume:

= 59.3 gallons

Free product measurement (if present):

Purged (gallons)	Time (24:00)	DO	ORP (mV)	Fe	Conductance ( $\mu\text{S}$ )	Temperature (Fahrenheit)	pH	Observations
0	1039	1.46	-37	-	683.4	66.5	6.9	
4	1042	x	x	x	654.9	65.4	6.8	
8	1047	x	x	x	685.8	65.1	6.6	
12	1052	x	x	x	683.6	65.8	6.4	
16	1056	x	x	x	<del>683.6</del>	65.2	6.4	687.2
<del>20</del>		x	x	x				
		x	x	x				
		x	x	x				

Total Water Volume Purged: 16 gallons

Depth to Water at Sample Collection: 100 feet

Sample Collection Time: 1100 Purged Dry? (Y  N )

Comments:

---



---





---




---

NO. 857345

## NON-HAZARDOUS WASTE DATA FORM

		1. BESI #		
2. Generator's Name and Mailing Address <b>BP WEST COAST PRODUCTS, LLC</b> P.O. BOX 80248 RANCHO SANTA MARGARITA, CA 92688		Generator's Site Address (If different than mailing address) <i>BP 2035</i> <i>1001 San Pablo ave</i> <i>Albany, CA</i>		
Generator's Phone: (949) 460-5200		<b>24-HOUR EMERGENCY PHONE: (949) 699-3706</b>		
3. Transporter 1 Company Name <b>Broadbent &amp; Associates, Inc.</b>		Phone # <b>(530) 566-1400</b>		
4. Transporter 2 Company Name <b>Gomes Excavating</b>		Phone # <b>(707) 374-2881</b>		
5. Designated Facility Name and Site Address <b>INTRAT, INC.</b> 1105 AIRPORT RD #C RIO VISTA, CA 94571		Phone # <b>(530) 753-1828</b>		
6. Waste Shipping Name and Description A. <b>NON-HAZARDOUS WATER</b>		7. Containers No.      Type 1      TT	8. Total Quantity <b>37</b> 9. Unit Wt/Vol <b>G</b>	10. Profile No.
B.				
C.				
D.				
11. Special Handling Instructions and Additional Information <b>WEAR ALL APPROPRIATE PROTECTIVE CLOTHING</b> <b>WELL PURGING / DECON WATER</b>				
12. GENERATOR'S CERTIFICATION: I certify the materials described above on this data form are non-hazardous. Generator's/Offeror's Printed/Typed Name      Signature      Month Day Year <b>Eric Farn</b>  <b>6 12 10</b>				
13. Transporter Acknowledgment of Receipt of Materials Transporter 1 Printed/Typed Name      Signature      Month Day Year <b>Eric Farn</b>  <b>6 12 10</b> Transporter 2 Printed/Typed Name      Signature      Month Day Year <b></b>  <b></b>				
14. Designated Facility Owner or Operator: Certification of receipt of materials covered by this data form. Printed/Typed Name      Signature      Month Day Year <b></b>  <b></b>				



June 14, 2010

Tom Venus  
Broadbent & Associates, Inc.  
1324 Mangrove Ave, Ste 212  
Chico, CA 95926-2642

Subject: **Calscience Work Order No.: 10-05-2197**  
**Client Reference: BP 2035**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 5/28/2010 and analyzed in accordance with the attached chain-of-custody.


Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in black ink that reads "Richard Villafania".

Calscience Environmental  
Laboratories, Inc.  
Richard Villafania  
Project Manager



## Analytical Report



Broadbent & Associates, Inc.  
1324 Mangrove Ave, Ste 212  
Chico, CA 95926-2642

Date Received: 05/28/10  
Work Order No: 10-05-2197  
Preparation: EPA 5030B  
Method: EPA 8015B (M)

Project: BP 2035

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-4	10-05-2197-1-E	05/26/10 09:40	Aqueous	GC 11	05/29/10	05/29/10 16:04	100529B01

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u> <u>REC (%)</u> <u>Control Limits</u> <u>Qual</u>					
1,4-Bromofluorobenzene	93	38-134			

MW-7	10-05-2197-2-E	05/26/10 11:45	Aqueous	GC 11	05/29/10	05/29/10 18:19	100529B01
------	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	1800	100	2		ug/L
<u>Surrogates:</u> <u>REC (%)</u> <u>Control Limits</u> <u>Qual</u>					
1,4-Bromofluorobenzene	114	38-134			

MW-8	10-05-2197-3-D	05/26/10 10:10	Aqueous	GC 11	06/02/10	06/03/10 00:21	100602B01
------	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	1400	50	1		ug/L
<u>Surrogates:</u> <u>REC (%)</u> <u>Control Limits</u> <u>Qual</u>					
1,4-Bromofluorobenzene	106	38-134			

MW-9	10-05-2197-4-E	05/26/10 09:10	Aqueous	GC 11	05/29/10	05/29/10 19:27	100529B01
------	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u> <u>REC (%)</u> <u>Control Limits</u> <u>Qual</u>					
1,4-Bromofluorobenzene	88	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report



Broadbent & Associates, Inc.  
1324 Mangrove Ave, Ste 212  
Chico, CA 95926-2642

Date Received: 05/28/10  
Work Order No: 10-05-2197  
Preparation: EPA 5030B  
Method: EPA 8015B (M)

Project: BP 2035

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
RW-1	10-05-2197-5-E	05/26/10 11:00	Aqueous	GC 11	05/29/10	05/29/10 20:01	100529B01

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	90	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	94	38-134			

Method Blank	099-12-695-835	N/A	Aqueous	GC 11	05/29/10	05/29/10 14:23	100529B01
--------------	----------------	-----	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	95	38-134			

Method Blank	099-12-695-837	N/A	Aqueous	GC 11	06/02/10	06/02/10 15:21	100602B01
--------------	----------------	-----	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	92	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

7440 Lincoln Way, Garden Grove, CA 92841-1427 · TEL:(714) 895-5494 · FAX: (714) 894-7501



# Analytical Report



Broadbent & Associates, Inc.  
1324 Mangrove Ave, Ste 212  
Chico, CA 95926-2642

Date Received: 05/28/10  
Work Order No: 10-05-2197  
Preparation: EPA 5030B  
Method: EPA 8260B  
Units: ug/L

Project: BP 2035

Page 1 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-4	10-05-2197-1-B	05/26/10 09:40	Aqueous	GC/MS WW	06/04/10	06/04/10 19:10	100604L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	1.4	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control	Qual		Surrogates:	REC (%)	Control	Qual	
		Limits					Limits		
1,2-Dichloroethane-d4	102	80-128			Dibromofluoromethane	100	80-127		
Toluene-d8	100	80-120			1,4-Bromofluorobenzene	96	68-120		

MW-7	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
	10-05-2197-2-B	05/26/10 11:45	Aqueous	GC/MS WW	06/04/10	06/04/10 19:37	100604L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	1.2	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	2.2	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	0.53	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	0.84	0.50	1		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control	Qual		Surrogates:	REC (%)	Control	Qual	
		Limits					Limits		
1,2-Dichloroethane-d4	103	80-128			Dibromofluoromethane	102	80-127		
Toluene-d8	101	80-120			1,4-Bromofluorobenzene	101	68-120		

MW-8	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
	10-05-2197-3-B	05/26/10 10:10	Aqueous	GC/MS WW	06/05/10	06/05/10 18:59	100605L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	420	10	20		Methyl-t-Butyl Ether (MTBE)	ND	10	20	
1,2-Dibromoethane	ND	10	20		Tert-Butyl Alcohol (TBA)	ND	200	20	
1,2-Dichloroethane	ND	10	20		Diisopropyl Ether (DIPE)	ND	10	20	
Ethylbenzene	21	10	20		Ethyl-t-Butyl Ether (ETBE)	ND	10	20	
Toluene	ND	10	20		Tert-Amyl-Methyl Ether (TAME)	ND	10	20	
Xylenes (total)	ND	10	20		Ethanol	ND	6000	20	
Surrogates:	REC (%)	Control	Qual		Surrogates:	REC (%)	Control	Qual	
		Limits					Limits		
1,2-Dichloroethane-d4	98	80-128			Dibromofluoromethane	99	80-127		
Toluene-d8	100	80-120			1,4-Bromofluorobenzene	98	68-120		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report



Broadbent & Associates, Inc.  
1324 Mangrove Ave, Ste 212  
Chico, CA 95926-2642

Date Received: 05/28/10  
Work Order No: 10-05-2197  
Preparation: EPA 5030B  
Method: EPA 8260B  
Units: ug/L

Project: BP 2035

Page 2 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-9	10-05-2197-4-B	05/26/10 09:10	Aqueous	GC/MS WW	06/04/10	06/04/10 20:32	100604L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	1.9	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control	Qual		Surrogates:	REC (%)	Control	Qual	
		Limits					Limits		
1,2-Dichloroethane-d4	104	80-128			Dibromofluoromethane	102	80-127		
Toluene-d8	99	80-120			1,4-Bromofluorobenzene	97	68-120		

RW-1	10-05-2197-5-A	05/26/10 11:00	Aqueous	GC/MS WW	06/04/10	06/04/10 21:00	100604L01
------	----------------	----------------	---------	----------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	11	0.50	1		Methyl-t-Butyl Ether (MTBE)	0.94	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control	Qual		Surrogates:	REC (%)	Control	Qual	
		Limits					Limits		
1,2-Dichloroethane-d4	101	80-128			Dibromofluoromethane	101	80-127		
Toluene-d8	99	80-120			1,4-Bromofluorobenzene	96	68-120		

Method Blank	099-12-703-1,354	N/A	Aqueous	GC/MS WW	06/04/10	06/04/10 14:57	100604L01
--------------	------------------	-----	---------	----------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control	Qual		Surrogates:	REC (%)	Control	Qual	
		Limits					Limits		
1,2-Dichloroethane-d4	102	80-128			Dibromofluoromethane	102	80-127		
Toluene-d8	100	80-120			1,4-Bromofluorobenzene	97	68-120		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report



Broadbent & Associates, Inc.  
1324 Mangrove Ave, Ste 212  
Chico, CA 95926-2642

Date Received: 05/28/10  
Work Order No: 10-05-2197  
Preparation: EPA 5030B  
Method: EPA 8260B  
Units: ug/L

Project: BP 2035


Page 3 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-703-1,356	N/A	Aqueous	GC/MS WW	06/05/10	06/05/10 11:34	100605L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>
1,2-Dichloroethane-d4	107	80-128			Dibromofluoromethane	104	80-127		
Toluene-d8	101	80-120			1,4-Bromofluorobenzene	99	68-120		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





## Quality Control - Spike/Spike Duplicate



Broadbent & Associates, Inc.  
1324 Mangrove Ave, Ste 212  
Chico, CA 95926-2642


Date Received: 05/28/10  
Work Order No: 10-05-2197  
Preparation: EPA 5030B  
Method: EPA 8015B (M)


Project BP 2035

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW-4	Aqueous	GC 11	05/29/10	05/29/10	100529S01

Parameter	<u>MS %REC</u>	<u>MSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Gasoline Range Organics (C6-C12)	111	109	38-134	2	0-25	

RPD - Relative Percent Difference , CL - Control Limit





## Quality Control - Spike/Spike Duplicate



Broadbent & Associates, Inc.  
1324 Mangrove Ave, Ste 212  
Chico, CA 95926-2642

Date Received: 05/28/10  
Work Order No: 10-05-2197  
Preparation: EPA 5030B  
Method: EPA 8015B (M)


Project BP 2035

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
10-05-2189-3	Aqueous	GC 11	06/02/10	06/02/10	100602S01

Parameter	<u>MS %REC</u>	<u>MSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Gasoline Range Organics (C6-C12)	105	106	38-134	1	0-25	

RPD - Relative Percent Difference , CL - Control Limit





## Quality Control - Spike/Spike Duplicate



Broadbent & Associates, Inc.  
1324 Mangrove Ave, Ste 212  
Chico, CA 95926-2642


Date Received: 05/28/10  
Work Order No: 10-05-2197  
Preparation: EPA 5030B  
Method: EPA 8260B


Project BP 2035

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
<b>10-06-0217-1</b>	<b>Aqueous</b>	<b>GC/MS WW</b>	<b>06/04/10</b>	<b>06/04/10</b>	<b>100604S01</b>

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	99	99	76-124	0	0-20	
Carbon Tetrachloride	103	100	74-134	3	0-20	
Chlorobenzene	98	97	80-120	1	0-20	
1,2-Dibromoethane	99	100	80-120	1	0-20	
1,2-Dichlorobenzene	98	95	80-120	3	0-20	
1,2-Dichloroethane	99	100	80-120	1	0-20	
Ethylbenzene	100	98	78-126	2	0-20	
Toluene	99	99	80-120	0	0-20	
Trichloroethylene	99	100	77-120	1	0-20	
Methyl-t-Butyl Ether (MTBE)	99	103	67-121	4	0-49	
Tert-Butyl Alcohol (TBA)	97	100	36-162	3	0-30	
Diisopropyl Ether (DIPE)	101	105	60-138	3	0-45	
Ethyl-t-Butyl Ether (ETBE)	100	103	69-123	3	0-30	
Tert-Amyl-Methyl Ether (TAME)	98	103	65-120	5	0-20	
Ethanol	110	103	30-180	6	0-72	

RPD - Relative Percent Difference , CL - Control Limit





## Quality Control - Spike/Spike Duplicate



Broadbent & Associates, Inc.  
1324 Mangrove Ave, Ste 212  
Chico, CA 95926-2642


Date Received: 05/28/10  
Work Order No: 10-05-2197  
Preparation: EPA 5030B  
Method: EPA 8260B


Project BP 2035

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
10-05-2192-1	Aqueous	GC/MS WW	06/05/10	06/05/10	100605S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	104	101	76-124	3	0-20	
Carbon Tetrachloride	107	107	74-134	0	0-20	
Chlorobenzene	100	101	80-120	1	0-20	
1,2-Dibromoethane	108	104	80-120	4	0-20	
1,2-Dichlorobenzene	99	99	80-120	0	0-20	
1,2-Dichloroethane	109	104	80-120	5	0-20	
Ethylbenzene	100	102	78-126	2	0-20	
Toluene	101	100	80-120	1	0-20	
Trichloroethylene	88	98	77-120	5	0-20	
Methyl-t-Butyl Ether (MTBE)	114	107	67-121	6	0-49	
Tert-Butyl Alcohol (TBA)	98	113	36-162	14	0-30	
Diisopropyl Ether (DIPE)	112	108	60-138	4	0-45	
Ethyl-t-Butyl Ether (ETBE)	112	107	69-123	5	0-30	
Tert-Amyl-Methyl Ether (TAME)	110	105	65-120	5	0-20	
Ethanol	116	134	30-180	14	0-72	

RPD - Relative Percent Difference , CL - Control Limit





## Quality Control - LCS/LCS Duplicate



Broadbent & Associates, Inc.  
1324 Mangrove Ave, Ste 212  
Chico, CA 95926-2642


Date Received: N/A  
Work Order No: 10-05-2197  
Preparation: EPA 5030B  
Method: EPA 8015B (M)


Project: BP 2035

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
<b>099-12-695-835</b>	<b>Aqueous</b>	<b>GC 11</b>	<b>05/29/10</b>	<b>05/29/10</b>	<b>100529B01</b>

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Gasoline Range Organics (C6-C12)	106	108	78-120	2	0-20	

RPD - Relative Percent Difference , CL - Control Limit





## Quality Control - LCS/LCS Duplicate



Broadbent & Associates, Inc.  
1324 Mangrove Ave, Ste 212  
Chico, CA 95926-2642

Date Received: N/A  
Work Order No: 10-05-2197  
Preparation: EPA 5030B  
Method: EPA 8015B (M)


Project: BP 2035

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
<b>099-12-695-837</b>	<b>Aqueous</b>	<b>GC 11</b>	<b>06/02/10</b>	<b>06/02/10</b>	<b>100602B01</b>

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Gasoline Range Organics (C6-C12)	114	114	78-120	0	0-20	

RPD - Relative Percent Difference , CL - Control Limit





## Quality Control - LCS/LCS Duplicate



Broadbent & Associates, Inc.  
1324 Mangrove Ave, Ste 212  
Chico, CA 95926-2642

Date Received: N/A  
Work Order No: 10-05-2197  
Preparation: EPA 5030B  
Method: EPA 8260B

Project: BP 2035

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed		LCS/LCSD Batch Number	
099-12-703-1,354	Aqueous	GC/MS WW	06/04/10	06/04/10		100604L01	
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	100	99	80-120	73-127	0	0-20	
Carbon Tetrachloride	101	100	74-134	64-144	1	0-20	
Chlorobenzene	99	97	80-120	73-127	2	0-20	
1,2-Dibromoethane	104	104	79-121	72-128	0	0-20	
1,2-Dichlorobenzene	97	100	80-120	73-127	2	0-20	
1,2-Dichloroethane	101	101	80-120	73-127	0	0-20	
Ethylbenzene	99	98	80-120	73-127	1	0-20	
Toluene	100	99	80-120	73-127	2	0-20	
Trichloroethene	101	99	79-127	71-135	2	0-20	
Methyl-t-Butyl Ether (MTBE)	107	107	69-123	60-132	0	0-20	
Tert-Butyl Alcohol (TBA)	93	93	63-123	53-133	1	0-20	
Diisopropyl Ether (DIPE)	104	104	59-137	46-150	0	0-37	
Ethyl-t-Butyl Ether (ETBE)	106	104	69-123	60-132	3	0-20	
Tert-Amyl-Methyl Ether (TAME)	107	106	70-120	62-128	1	0-20	
Ethanol	97	91	28-160	6-182	7	0-57	

Total number of LCS compounds : 15


Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit





## Quality Control - LCS/LCS Duplicate



Broadbent & Associates, Inc.  
1324 Mangrove Ave, Ste 212  
Chico, CA 95926-2642

Date Received: N/A  
Work Order No: 10-05-2197  
Preparation: EPA 5030B  
Method: EPA 8260B

Project: BP 2035

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed		LCS/LCSD Batch Number	
<b>099-12-703-1,356</b>	<b>Aqueous</b>	<b>GC/MS WW</b>	<b>06/05/10</b>	<b>06/05/10</b>		<b>100605L01</b>	
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	104	103	80-120	73-127	1	0-20	
Carbon Tetrachloride	107	106	74-134	64-144	1	0-20	
Chlorobenzene	100	102	80-120	73-127	1	0-20	
1,2-Dibromoethane	104	107	79-121	72-128	2	0-20	
1,2-Dichlorobenzene	100	101	80-120	73-127	1	0-20	
1,2-Dichloroethane	105	105	80-120	73-127	1	0-20	
Ethylbenzene	101	103	80-120	73-127	2	0-20	
Toluene	104	104	80-120	73-127	0	0-20	
Trichloroethene	106	104	79-127	71-135	2	0-20	
Methyl-t-Butyl Ether (MTBE)	108	109	69-123	60-132	1	0-20	
Tert-Butyl Alcohol (TBA)	98	98	63-123	53-133	0	0-20	
Diisopropyl Ether (DIPE)	106	106	59-137	46-150	1	0-37	
Ethyl-t-Butyl Ether (ETBE)	107	107	69-123	60-132	0	0-20	
Tert-Amyl-Methyl Ether (TAME)	107	107	70-120	62-128	0	0-20	
Ethanol	94	97	28-160	6-182	3	0-57	

Total number of LCS compounds : 15


Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit





## Glossary of Terms and Qualifiers



Work Order Number: 10-05-2197

<u>Qualifier</u>	<u>Definition</u>
AX	Sample too dilute to quantify surrogate.
BA	Relative percent difference out of control.
BA,AY	BA = Relative percent difference out of control. AY = Matrix interference suspected.
BB	Sample > 4x spike concentration.
BF	Reporting limits raised due to high hydrocarbon background.
BH	Reporting limits raised due to high level of non-target analytes.
BU	Sample analyzed after holding time expired.
BV	Sample received after holding time expired.
BY	Sample received at improper temperature.
BZ	Sample preserved improperly.
CL	Initial analysis within holding time but required dilution.
CQ	Analyte concentration greater than 10 times the blank concentration.
CU	Surrogate concentration diluted to not detectable during analysis.
DF	Reporting limits elevated due to matrix interferences.
DU	Insufficient sample quantity for matrix spike/dup matrix spike.
ET	Sample was extracted past end of recommended max. holding time.
EY	Result exceeds normal dynamic range; reported as a min est.
GR	Internal standard recovery is outside method recovery limit.
IB	CCV recovery above limit; analyte not detected.
IH	Calibrn. verif. recov. below method CL for this analyte.
IJ	Calibrn. verif. recov. above method CL for this analyte.
J,DX	J=EPA Flag -Estimated value; DX= Value < lowest standard (MQL), but > than MDL.
LA	Confirmatory analysis was past holding time.
LG,AY	LG= Surrogate recovery below the acceptance limit. AY= Matrix interference suspected.
LH,AY	LH= Surrogate recovery above the acceptance limit. AY= Matrix interference suspected.
LM,AY	LM= MS and/or MSD above acceptance limits. See Blank Spike (LCS). AY= Matrix interference suspected.
LN,AY	LN= MS and/or MSD below acceptance limits. See Blank Spike (LCS). AY= Matrix interference suspected.
LQ	LCS recovery above method control limits.
LR	LCS recovery below method control limits.



Work Order Number: 10-05-2197

---

<u>Qualifier</u>	<u>Definition</u>
LW	Quantitation of unknown hydrocarbon(s) in sample based on gasoline.
LX	Quantitation of unknown hydrocarbon(s) in sample based on diesel.
MB	Analyte present in the method blank.
ME	LCS Recovery Percentage is within LCS ME Control Limit range.
PC	Sample taken from VOA vial with air bubble > 6mm diameter.
PI	Primary and confirm results varied by > than 40% RPD.
RB	RPD exceeded method control limit; % recoveries within limits.
SG	A silica gel cleanup procedure was performed. Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture.





Laboratory Management Program LaMP Chain of Custody Record

Page \_\_\_\_\_ of \_\_\_\_\_

**BP/ARC Project Name:** BP 2035

**Req Due Date (mm/dd/yy):**

**BP/ARC Facility No:**

2035

**Lab Work Order Number:**

Rush TAT: Yes

No. 2

PLEASE PRESS FIRMLY

1 <b>FROM</b>	DATE 5/27/0	COMPANY Broadband & Business, Inc.	ADDRESS 675 Courtney Lane	STE/ ROOM G	ZIP CODE 95688
2 <b>TO</b>	COMPANY CAL SCIENCE	NAME	PHONE NUMBER 714-895-5494	STE/ ROOM	ZIP CODE 92841
3 SPECIAL INSTRUCTIONS	YOUR INTERNAL BILLING REFERENCE WILL APPEAR ON YOUR INVOICE				



GOLDEN STATE OVERNIGHT

**1-800-322-5555**

**WWW.GSO.COM**

**SHIPPING AIR BILL**

**4 PACKAGE INFORMATION**

- LETTER (MAX 8 OZ)  
 PACKAGE (WT) \_\_\_\_\_  
 DECLARED VALUE \$ \_\_\_\_\_  
 COD AMOUNT \$ \_\_\_\_\_  
(CASH NOT ACCEPTED)

**5 DELIVERY  
SERVICE**

- PRIORITY  
OVERNIGHT  
BY 10:30 AM

- EARLY  
PRIORITY  
BY 8:00 AM

- SATURDAY  
DELIVERY

**6 RELEASE  
SIGNATURE**

SIGN TO AUTHORIZE DELIVERY WITHOUT OBTAINING SIGNATURE

7

**8 PICK UP  
INFORMATION**

106193738

TIME \_\_\_\_\_  
DRIVER # \_\_\_\_\_  
ROUTE # \_\_\_\_\_

PEEL  
OFF  
HERE



106193738

PACKAGE  
LABEL

WORK ORDER #: 10-05-2197

**SAMPLE RECEIPT FORM** Cooler 1 of 1

CLIENT: BROADBENT & ASSOCIATES

DATE: 05/28/10

**TEMPERATURE:** Thermometer ID: SC1 (Criteria: 0.0 °C – 6.0 °C, not frozen)

Temperature 1.2 °C + 0.5 °C (CF) = 1.7 °C  Blank  Sample

Sample(s) outside temperature criteria (PM/APM contacted by: \_\_\_\_\_).

Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling.

Received at ambient temperature, placed on ice for transport by Courier.

Ambient Temperature:  Air  Filter  Metals Only  PCBs Only

Initial: PS

**CUSTODY SEALS INTACT:**

<input checked="" type="checkbox"/> Cooler	<input type="checkbox"/> _____	<input type="checkbox"/> No (Not Intact)	<input type="checkbox"/> Not Present	<input type="checkbox"/> N/A	Initial: <u>PS</u>
<input type="checkbox"/> Sample	<input type="checkbox"/> _____	<input type="checkbox"/> No (Not Intact)	<input checked="" type="checkbox"/> Not Present	<input type="checkbox"/> N/A	Initial: <u>WSC</u>

**SAMPLE CONDITION:**

Yes  No  N/A

Chain-Of-Custody (COC) document(s) received with samples.....

COC document(s) received complete.....

Collection date/time, matrix, and/or # of containers logged in based on sample labels.

No analysis requested.  Not relinquished.  No date/time relinquished.

Sampler's name indicated on COC.....

Sample container label(s) consistent with COC.....

Sample container(s) intact and good condition.....

Proper containers and sufficient volume for analyses requested.....

Analyses received within holding time.....

pH / Residual Chlorine / Dissolved Sulfide received within 24 hours.....

Proper preservation noted on COC or sample container.....

Unpreserved vials received for Volatiles analysis

Volatile analysis container(s) free of headspace.....

Tedlar bag(s) free of condensation.....

**CONTAINER TYPE:**

**Solid:**  4ozCGJ  8ozCGJ  16ozCGJ  Sleeve (\_\_\_\_\_)  EnCores®  TerraCores®  \_\_\_\_\_

**Water:**  VOA  VOAh  VOAna<sub>2</sub>  125AGB  125AGBh  125AGBp  1AGB  1AGBna<sub>2</sub>  1AGBs

500AGB  500AGJ  500AGJs  250AGB  250CGB  250CGBs  1PB  500PB  500PBna

250PB  250PBn  125PB  125PBznnna  100PJ  100PJna<sub>2</sub>  \_\_\_\_\_  \_\_\_\_\_

**Air:**  Tedlar®  Summa® **Other:**  \_\_\_\_\_ **Trip Blank Lot#:** 100517 **Labeled/Checked by:** WSC

Container: C: Clear A: Amber P: Plastic G: Glass J: Jar B: Bottle Z: Ziploc/Resealable Bag E: Envelope **Reviewed by:** PS

Preservative: h: HCl n: HNO<sub>3</sub> na<sub>2</sub>:Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub> na: NaOH p: H<sub>3</sub>PO<sub>4</sub> s: H<sub>2</sub>SO<sub>4</sub> znnna: ZnAc<sub>2</sub>+NaOH f: Field-filtered **Scanned by:** WSC

## BROADBENT & ASSOCIATES INC. FIELD PROCEDURES

### A.1 QUALITY ASSURANCE/QUALITY CONTROL FIELD PROTOCOLS

Field protocols have been implemented to enhance the accuracy and reliability of data collection, ground-water sample collection, transportation and laboratory analysis. Discussion of these protocols is provided below.

#### A.1.1 Water Level & Free-Product Measurement

Prior to ground-water sample collection from each monitoring well, the presence of separate-phase hydrocarbons (SPH or free product, FP) and depth to ground water shall be measured. Depth to ground water will be measured with a standard water level indicator that has been decontaminated prior to its use in accordance with procedures discussed below. Depth to groundwater will be gauged from a saw cut notch at the top of the well casing on each well head. Where FP is suspected, the initial gauging will be done with an oil-water interface probe. Once depth to water has been measured, the first retrieval of a new disposable bailer will be scrutinized for the presence of SPH/FP.

#### A.1.2 Monitoring Well Purging

Subsequent to measuring depth to ground water and prior to the collection of ground-water samples, purging of standing water within the monitoring well will be performed if called for. Consistent with the American Society for Testing and Materials (ASTM) Standard D6452-99, Section 7.1, the well will be purged of approximately three wetted-casing volumes of water, or until the well is dewatered, or until monitored field parameters indicate stabilization. The well will be purged using a pre-cleaned disposable bailer or submersible pump and disposable plastic tubing dedicated to each individual well. The well will be purged at a low flow rate to minimize the possibility of purging the well dry. So that the sample collected is representative of formation water, several field parameters will be monitored during the purging process. The sample will not be collected until these parameters (i.e. temperature, pH, and conductivity) have stabilized to within 10% of the previously measured value. If a well is purged dry, the sample should not be collected until the well has recovered to a minimum 50% of its initial volume.

#### A.1.3 Ground-Water Sample Collection

Once the wells are satisfactorily purged, water samples will be collected from each well. Water samples for organic analyses will be collected using a pre-cleaned, new, disposable bailer and transferred into the appropriate, new, laboratory-prepared containers such that no head space or air bubbles are present in the sample container (if appropriate to the analysis). The samples will be properly labeled (i.e. sample identification, sampler initials, date/time of collection, site location, requested analyses), placed in an ice chest with bagged ice or ice substitute, and delivered to the contracted analytical laboratory.

#### A.1.4 Surface Water Sample Collection

Unless specified otherwise, surface water samples will be collected from mid-depth in the central area of the associated surface water body. Water samples will be collected into appropriate, new, laboratory-prepared containers by dipping the container into the surface water unless the container has a preservative present. If a sample preservative is present, a new, cleaned non-preserved surrogate container will be used to obtain the sample which will then be directly transferred into a new, laboratory-provided, preserved container. Samples will be properly labeled and transported as described above.

#### A.1.5 Decontamination Protocol

Prior to use in each well, re-usable ground-water sampling equipment (e.g., water level indicator, oil-interface probe, purge pump, etc.) will be decontaminated. Decontamination protocol will include thoroughly cleaning with a solution of Liquinox, rinsing with clean water, and final rinsing with control water (potable water of known quality, distilled, or de-ionized water). Pre-cleaned new disposable bailers and disposable plastic tubing will be dedicated to each individual well.

#### A.1.6 Chain of Custody Procedures

Sample identification documents will be carefully prepared so identification and chain of custody can be maintained and sample disposition can be controlled. The sample identification documents include Chain-of-Custody (COC) records and Daily Field Report forms. Chain of custody procedures are outlined below.

##### Field Custody Procedures

The field sampler is individually responsible for the care and custody of the samples collected until they are properly transferred.

Samples will have unique labels. The information on these labels will correspond to the COC which shows the identification of individual samples and the contents of the shipping container. The original COC will accompany the shipment and a copy will be retained by the field sampler.

##### Transfer of Custody and Shipment

A COC will accompany samples during transfer and shipment. When transferring samples, the individual relinquishing and the individual receiving the samples will each sign, date, and note the time on the COC. This documents the sample custody transfer.

Samples will be packaged properly for shipment and dispatched to the appropriate laboratory for analysis, with a separate COC accompanying each shipment. Shipments will be accompanied by the original COC. Samples will be delivered by BAI personnel to the laboratory, or shipped by responsible courier. When a shipping courier is utilized, the sample shipment number will be identified on the COC.

#### A.1.7 Field Records

In addition to sample identification numbers and COC records, Daily Field Report records will be maintained by field staff to provide daily records of significant events, observations, and measurements during field investigations. These documents will contain observed information such as: the personnel present, site conditions, sampling procedures, measurement procedures, calibration records, equipment used, supplies used, etc. Field measurements will be recorded on the appropriate forms. Entries on the data forms will be signed and dated. The data forms will be kept as permanent file records.

**APPENDIX B**

**JOINT MONITORING DATA**

---

**BLAINE**  
TECH SERVICES INC.

---

GROUNDWATER SAMPLING SPECIALISTS  
SINCE 1985

June 11, 2010

Denis Brown  
Shell Oil Products US  
20945 South Wilmington Avenue  
Carson, CA 90810

Second Quarter 2010 Groundwater Monitoring at  
Shell-branded Service Station  
999 San Pablo Avenue  
Albany, CA

Monitoring performed on May 26, 2010

---

Groundwater Monitoring Report **100526-BP-2**

This report covers the routine monitoring of groundwater wells at this Shell-branded facility. In accordance with standard procedures that conform to Regional Water Quality Control Board requirements, routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated purge volume (if applicable), elapsed evacuation time (if applicable), total volume of water removed (if applicable), and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater (if applicable) is, likewise, collected and transported to the Martinez Refining Company.

Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL CONCENTRATIONS**. The full analytical report for the most recent samples and the field data sheets are attached to this report.

At a minimum, Blaine Tech Services, Inc. field personnel are certified on completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight-hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an

SAN JOSE

SACRAMENTO

LOS ANGELES

SAN DIEGO

SEATTLE

1680 ROGERS AVENUE SAN JOSE, CA (408) 573-0555 FAX (408) 573-7771 LIC. 746684 [www.blainetech.com](http://www.blainetech.com)

independent third party. Our activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrological conditions or formulation of recommendations was performed.

Please call if you have any questions.

Yours truly,

A handwritten signature in black ink, appearing to read "Mike Ninokata".

Mike Ninokata  
Project Manager

MN/np

attachments: Cumulative Table of WELL CONCENTRATIONS  
Certified Analytical Report  
Field Data Sheets

cc: Anni Kreml  
Conestoga-Rovers & Associates  
5900 Hollis Street, Suite A  
Emeryville, CA 94608

SAN JOSE

SACRAMENTO

LOS ANGELES

SAN DIEGO

SEATTLE

1680 ROGERS AVENUE SAN JOSE, CA (408) 573-0555 FAX (408) 573-7771 LIC. 746684 [www.blainetech.com](http://www.blainetech.com)

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**999 San Pablo Avenue**  
**Albany, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-1	05/13/1991	1,500	20	2.6	86	74	NA	NA	NA	NA	NA	NA	42.73	8.24	34.49	NA	NA
S-1	08/23/1991	2,900	27	<2.5	75	18	NA	NA	NA	NA	NA	NA	42.73	8.37	34.36	NA	NA
S-1	11/07/1991	2,900	8	2.5	46	26	NA	NA	NA	NA	NA	NA	42.73	8.30	34.43	NA	NA
S-1	01/28/1992	2,000	11	<2.5	60	20	NA	NA	NA	NA	NA	NA	42.73	7.84	34.89	NA	NA
S-1	05/06/1992	1,200	5.5	<2.5	80	36	NA	NA	NA	NA	NA	NA	42.73	7.95	34.78	NA	NA
S-1	08/26/1992	2,000	9.4	<2.5	130	<2.5	NA	NA	NA	NA	NA	NA	42.73	8.24	34.49	NA	NA
S-1	10/28/1992	1,300	27	3.2	72	13	NA	NA	NA	NA	NA	NA	42.73	8.52	34.21	NA	NA
S-1	01/19/1993	1,500	13	3	29	31	NA	NA	NA	NA	NA	NA	42.73	6.54	36.19	NA	NA
S-1	04/29/1993	2,000	15	<2.5	82	<65	NA	NA	NA	NA	NA	NA	42.73	7.93	34.80	NA	NA
S-1	07/22/1993	620	1.1	4.2	3.5	13	NA	NA	NA	NA	NA	NA	42.73	8.09	34.64	NA	NA
S-1	10/21/1993	1,200	34	25	15	9.5	NA	NA	NA	NA	NA	NA	42.73	9.43	33.30	NA	NA
S-1	01/04/1994	860	<2.5	<2.5	5.7	5.3	NA	NA	NA	NA	NA	NA	42.73	8.25	34.48	NA	NA
S-1	04/13/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	42.73	8.02	34.71	NA	NA
S-1	07/25/1994	1,200	8.3	7.4	15	20	NA	NA	NA	NA	NA	NA	42.73	8.22	34.51	NA	NA
S-1	10/10/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	42.73	8.29	34.44	NA	NA
S-1	01/26/1995	1,000	12	0.6	12	420	NA	NA	NA	NA	NA	NA	42.73	6.88	35.85	NA	NA
S-1	04/21/1995	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	42.73	7.65	35.08	NA	NA
S-1	07/28/1995	660	7.2	1	11	8.9	NA	NA	NA	NA	NA	NA	42.73	7.90	34.83	NA	4
S-1	10/31/1995	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	42.73	7.72	35.01	NA	NA
S-1	01/10/1996	1,100	3.5	7	5.1	9.4	NA	NA	NA	NA	NA	NA	42.73	8.24	34.49	NA	7.4
S-1	04/25/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	42.73	7.74	34.99	NA	NA
S-1	07/23/1996	<50	<0.5	<0.5	<0.5	<0.5	<2.5	NA	NA	NA	NA	NA	42.73	7.92	34.81	NA	2.7
S-1	12/10/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	42.73	7.56	35.17	NA	0.6
S-1	02/20/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	42.73	7.95	34.78	NA	3
S-1	05/22/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	42.73	8.11	34.62	NA	0.5
S-1	08/22/1997	810	18	<2.0	5.1	4.4	18	NA	NA	NA	NA	NA	42.73	7.86	34.87	NA	3
S-1	11/03/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	42.73	8.35	34.38	NA	1.1
S-1	02/20/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	42.73	6.09	36.64	NA	2.9
S-1	05/18/1998	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	42.73	7.69	35.04	NA	1.1

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**999 San Pablo Avenue**  
**Albany, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-1	08/20/1998	390	6.7	<0.50	0.64	<0.50	14	NA	NA	NA	NA	NA	42.73	8.20	34.53	NA	1.9
S-1	11/06/1998	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	42.73	8.23	34.50	NA	NA
S-1	02/16/1999	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	42.73	7.47	35.26	NA	1.5
S-1	05/28/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	42.73	7.60	35.13	NA	1.3
S-1	08/24/1999	72.4	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	42.73	7.95	34.78	NA	1.4
S-1	11/16/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	42.73	7.87	34.86	NA	1.3
S-1	02/02/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	NA	NA	NA	NA	NA	42.73	7.26	35.47	NA	1.4
S-1	05/09/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	42.73	8.13	34.60	NA	1.0
S-1	08/03/2000	209	6.42	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	42.73	8.12	34.61	NA	1.4
S-1	11/15/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	42.73	8.06	34.67	NA	1.0
S-1	02/14/2001	179	4.46	<0.500	<0.500	<0.500	8.72	NA	NA	NA	NA	NA	42.73	8.08	34.65	NA	1.1
S-1	05/31/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	42.73	8.05	34.68	NA	1.0
S-1	08/15/2001	270	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	42.73	8.40	34.33	NA	1.3
S-1	12/31/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	42.73	7.42	35.31	NA	0.4
S-1	02/06/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	42.73	7.60	35.13	NA	2.2
S-1	06/04/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	42.73	8.16	34.57	NA	0.8
S-1	07/25/2002	230	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	42.57	7.84	34.73	NA	0.9
S-1	11/27/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	42.57	8.01	34.56	NA	0.6
S-1	01/30/2003	310	<0.50	<0.50	3.6	1.6	NA	<5.0	NA	NA	NA	NA	42.57	7.56	35.01	NA	1.5
S-1	06/03/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	42.57	7.87	34.70	NA	1.6
S-1	08/08/2003	730	<0.50	<0.50	12	6.4	NA	<0.50	NA	NA	NA	NA	42.57	7.95	34.62	NA	1.3
S-1	11/13/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	42.57	7.90	34.67	NA	0.8
S-1	02/04/2004	220	<0.50	<0.50	1.8	1.1	NA	<0.50	NA	NA	NA	NA	42.57	7.37	35.20	NA	1.2
S-1	05/12/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	42.57	8.05	34.52	NA	1.1
S-1	08/23/2004	110 g	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	42.57	8.10	34.47	NA	0.6
S-1	12/01/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	42.57	7.84	34.73	NA	NA
S-1	02/07/2005	53 h	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	42.57	7.48	35.09	NA	0.49
S-1	05/02/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	42.57	8.05	34.52	NA	NA
S-1	08/04/2005	850	<0.50	<0.50	4.5	1.0	NA	<0.50	NA	NA	NA	NA	42.57	8.05	34.52	NA	0.01

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**999 San Pablo Avenue**  
**Albany, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-1	11/16/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	42.57	8.19	34.38	NA	NA
S-1	03/02/2006	170	<0.50	<0.50	2.4	0.91	NA	<0.50	NA	NA	NA	NA	NA	42.57	7.58	34.99	NA	0.32
S-1	05/31/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	42.57	8.03	34.54	NA	NA
S-1	08/29/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	<0.500	NA	NA	NA	NA	NA	42.57	7.99	34.58	NA	1.05
S-1	12/06/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	42.57	8.07	34.50	NA	0.4
S-1	01/30/2007	640	<0.50	<0.50	1.9	<1.0	NA	<0.50	NA	NA	NA	NA	NA	42.57	8.32	34.25	NA	1.20
S-1	05/15/2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	42.57	7.85	34.72	NA	0.16
S-1	08/29/2007	980 j	0.37 i	<1.0	3.3	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	NA	42.57	7.87	34.70	NA	2.54
S-1	11/29/2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	42.57	8.18	34.39	NA	0.28
S-1	02/21/2008	430 j	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	42.57	7.94	34.63	NA	0.27
S-1	05/06/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	42.57	8.00	34.57	NA	0.1
S-1	08/27/2008	170	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	42.57	8.45	34.12	NA	0.21
S-1	11/24/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	42.57	8.49	34.08	NA	0.06
S-1	01/28/2009	390	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	42.57	8.29	34.28	NA	1.70
S-1	05/26/2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	42.57	8.11	34.46	NA	NA
S-1	11/24/2009	230	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	42.57	8.34	34.23	NA	1.47
S-1	05/26/2010	490	<0.50	<1.0	1.3	2.1	NA	<1.0	NA	NA	NA	NA	NA	42.57	7.99	34.58	NA	0.38

S-2	05/13/1991	23,000	3,900	230	1,100	3,200	NA	40.73	8.50	32.23	NA	NA						
S-2	08/23/1991	23,000	4,400	260	1,900	2,400	NA	40.73	8.80	31.93	NA	NA						
S-2	11/07/1991	40,000	4,000	160	1,020	3,400	NA	40.73	8.61	32.12	NA	NA						
S-2	01/28/1992	22,000	1,600	70	420	1,700	NA	40.73	7.80	32.93	NA	NA						
S-2	05/06/1992	20,000	2,600	110	860	1,900	NA	40.73	8.10	32.63	NA	NA						
S-2	08/26/1992	42,000	5,000	160	1,100	3,500	NA	40.73	8.37	32.36	NA	NA						
S-2	10/28/1992	34,000	4,800	330	1,600	2,900	NA	40.73	8.64	32.09	NA	NA						
S-2	01/19/1993	20,000	2,300	370	660	1,300	NA	40.73	5.82	34.91	NA	NA						
S-2	04/29/1993	40,000	2,000	67	900	1,900	NA	40.73	7.70	33.03	NA	NA						
S-2 (D)	07/22/1993	22,000	3,000	120	1,000	1,600	NA	40.73	8.38	32.35	NA	NA						
S-2 (D)	07/22/1993	17,000	3,000	110	1,000	1,500	NA	40.73	8.38	32.35	NA	NA						

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**999 San Pablo Avenue**  
**Albany, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-2	10/21/1993	14,000	2,800	74	870	1,100	NA	NA	NA	NA	NA	NA	40.73	8.58	32.15	NA	NA
S-2 (D)	10/21/1993	13,000	3,200	53	960	820	NA	NA	NA	NA	NA	NA	40.73	8.58	32.15	NA	NA
S-2	01/04/1994	21,000	2,100	67	990	770	NA	NA	NA	NA	NA	NA	40.73	7.70	33.03	NA	NA
S-2 (D)	01/04/1994	22,000	2,000	64	910	750	NA	NA	NA	NA	NA	NA	40.73	7.70	33.03	NA	NA
S-2	04/13/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.73	7.62	33.11	NA	NA
S-2	07/25/1994	43,000	2,600	490	990	1,300	NA	NA	NA	NA	NA	NA	40.73	7.86	32.87	NA	NA
S-2	10/10/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.73	8.12	32.61	NA	NA
S-2	01/26/1995	21,000	790	12	290	570	NA	NA	NA	NA	NA	NA	40.73	6.38	34.35	NA	5.5
S-2	04/21/1995	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.73	7.01	33.72	NA	NA
S-2	07/28/1995	14,000	2,400	360	960	370	NA	NA	NA	NA	NA	NA	40.73	7.82	32.91	NA	4
S-2	10/31/1995	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.73	7.57	33.16	NA	NA
S-2	01/10/1996	17,000	1,400	<50	480	170	NA	NA	NA	NA	NA	NA	40.73	8.13	32.60	NA	7.2
S-2	04/25/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.73	7.72	33.01	NA	NA
S-2	07/23/1996	16,000	2,700	69	1,100	110	9,500	NA	NA	NA	NA	NA	40.73	8.10	32.63	NA	2.2
S-2 (D)	07/23/1996	11,000	2,600	68	1,000	96	10,000	11,000	NA	NA	NA	NA	40.73	8.10	32.63	NA	2.2
S-2	12/10/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.73	8.57	32.16	NA	0.5
S-2	02/20/1997	10,000	500	<10	90	130	6,400	NA	NA	NA	NA	NA	40.73	8.15	32.58	NA	4
S-2	05/22/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.73	8.79	31.94	NA	1.1
S-2	08/22/1997	23,000	1,300	65	740	290	4,500	NA	NA	NA	NA	NA	40.73	8.05	32.68	NA	3.2
S-2 (D)	08/22/1997	20,000	1,200	<100	630	250	3,900	NA	NA	NA	NA	NA	40.73	8.05	32.68	NA	3.2
S-2	11/03/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.73	8.75	31.98	NA	1.2
S-2	02/20/1998	450	28	1.3	7.4	12	35	NA	NA	NA	NA	NA	40.73	6.34	34.39	NA	0.4
S-2	05/18/1998	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.73	7.95	32.78	NA	0.8
S-2	08/20/1998	22,000	290	44	420	410	7,300	NA	NA	NA	NA	NA	40.73	7.73	33.00	NA	1.9
S-2	11/06/1998	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.73	8.47	32.26	NA	NA
S-2	02/16/1999	27,000	200	<200	770	840	5,400	NA	NA	NA	NA	NA	40.73	7.24	33.49	NA	1.4
S-2	05/28/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.73	7.82	32.91	NA	1.3
S-2	08/24/1999	13,400	196	<25.0	439	113	597	NA	NA	NA	NA	NA	40.73	8.61	32.12	NA	1.2
S-2	11/16/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.73	8.17	32.56	NA	1.1

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**999 San Pablo Avenue**  
**Albany, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-2	02/02/2000	7,850	176	88.0	134	111	540	NA	NA	NA	NA	NA	40.73	7.57	33.16	NA	1.2
S-2	05/09/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.73	7.94	32.79	NA	1.3
S-2	08/03/2000	35,000	255	122	842	224	905	726e	NA	NA	NA	NA	40.73	8.07	32.66	NA	1.1
S-2	11/15/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.73	8.13	32.60	NA	1.3
S-2	02/14/2001	13,000	147	<25.0	309	54.4	581	NA	NA	NA	NA	NA	40.73	6.39	34.34	NA	1.4
S-2	05/31/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.73	7.21	33.52	NA	1.5
S-2	08/15/2001	15,000	67	4.1	220	33	NA	440	NA	NA	NA	NA	40.73	8.27	32.46	NA	0.6
S-2	12/31/2001	NA	NA	NA	NA	NA	NA	270	NA	NA	NA	NA	40.73	6.07	34.66	NA	0.2
S-2	02/06/2002	15,000	53	2.8	120	31	NA	220	NA	NA	NA	NA	40.73	7.98	32.75	NA	1.8
S-2	06/04/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.73	6.70	34.03	NA	0.2
S-2	07/25/2002	9,000	75	4.0	180	24	NA	460	NA	NA	NA	NA	40.63	7.67	32.96	NA	0.9
S-2	11/27/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.63	7.84	32.79	NA	0.7
S-2	01/30/2003	15,000	26	<2.5	92	22	NA	210	NA	NA	NA	NA	40.63	7.29	33.34	NA	15.6
S-2	06/03/2003	17,000	<25	<25	130	<50	NA	290	NA	NA	NA	NA	40.63	7.87	32.76	NA	5.4
S-2	08/08/2003	4,500	<2.5	<2.5	9.4	<5.0	NA	140	NA	NA	NA	NA	40.63	8.18	32.45	NA	16.2
S-2	11/13/2003	10,000	18	<10	47	21	NA	180	NA	NA	NA	NA	40.63	7.98	32.65	NA	19.5
S-2	02/04/2004	5,700	54	<10	54	<20	NA	270	NA	NA	NA	NA	40.63	7.21	33.42	NA	>15
S-2	05/12/2004	8,200	18	<10	<10	<20	NA	250	NA	NA	NA	NA	40.63	8.07	32.56	NA	3.1
S-2	08/23/2004	4,100	<10	<10	<10	<20	NA	84	<40	<40	<40	<100	40.63	8.52	32.11	NA	10.7
S-2	12/01/2004	2,000	3.4	<2.5	6.2	<5.0	NA	77	NA	NA	NA	NA	40.63	8.70	31.93	NA	11.8
S-2	02/07/2005	7,400	32	1.6	29	3.1	NA	210	NA	NA	NA	NA	40.63	7.58	33.05	NA	0.11
S-2	05/02/2005	8,100	84	4.9	83	5.5	NA	320	NA	NA	NA	NA	40.63	7.45	33.18	NA	0.6
S-2	08/04/2005	4,900	48	2.1	19	2.8	NA	330	<4.0	<4.0	<4.0	55	40.63	7.90	32.73	NA	0.4
S-2	11/16/2005	13,700	43.8	2.79	25.1	5.92	NA	156	NA	NA	NA	NA	40.63	8.33	32.30	NA	0.5
S-2	03/02/2006	5,800	44	3.2	20	5.6	NA	190	NA	NA	NA	NA	40.63	6.74	33.89	NA	0.63
S-2	05/31/2006	11,100	72.0	4.20	22.4	5.36	NA	308	NA	NA	NA	NA	40.63	7.46	33.17	NA	0.6
S-2	08/29/2006	37,400	72.1	5.08	39.6	6.89	NA	377	<0.500	<0.500	<0.500	46.7	40.63	8.02	32.61	NA	0.70
S-2	12/06/2006	5,000	41	3.2	11	5.2	NA	170	NA	NA	NA	NA	40.63	8.04	32.59	NA	0.5
S-2	01/30/2007	4,200	24	1.7	5.9	2.3	NA	140	NA	NA	NA	NA	40.63	8.08	32.55	NA	0.11

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**999 San Pablo Avenue**  
**Albany, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-2	05/15/2007	8,100 j	48	3.5	19	6.2 l	NA	180	NA	NA	NA	NA	40.63	8.05	32.58	NA	0.11
S-2	08/29/2007	8,400 j	60	3.8	12	4.68 l	NA	270	<4.0	<4.0	<4.0	64	40.63	8.01	32.62	NA	1.02
S-2	11/29/2007	4,100 j	48	4.8 m	11	12.3	NA	280	NA	NA	NA	NA	40.63	8.25	32.38	NA	0.55
S-2	02/21/2008	7,300 j	57	4.0	13	4.7	NA	250	NA	NA	NA	NA	40.63	7.25	33.38	NA	0.40
S-2	05/06/2008	8,900	42	3.1	9.8	4.1	NA	270	NA	NA	NA	NA	40.63	6.30	34.34	0.01	0.10/2.0
S-2	08/27/2008	9,400	67	<5.0	27	6.0	NA	240	<10	<10	<10	67	40.63	8.33	32.30	NA	0.15
S-2	11/24/2008	7,100	55	<5.0	9.3	<5.0	NA	210	NA	NA	NA	NA	40.63	8.43	32.20	NA	0.7
S-2	01/28/2009	6,000	29	<5.0	6.5	<5.0	NA	130	NA	NA	NA	NA	40.63	8.19	32.44	NA	0.15
S-2	05/26/2009	20,000	52	3.2	13	6.0	NA	330	NA	NA	NA	NA	40.63	7.85	32.78	NA	0.43
S-2	11/24/2009	5,200	19	<2.0	6.8	4.7	NA	120	<4.0	<4.0	<4.0	80	40.63	8.32	32.31	NA	0.18
<b>S-2</b>	<b>05/26/2010</b>	<b>7,500</b>	<b>78</b>	<b>&lt;5.0</b>	<b>11</b>	<b>&lt;5.0</b>	<b>NA</b>	<b>330</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>40.63</b>	<b>7.62</b>	<b>33.01</b>	<b>NA</b>	<b>0.34</b>

S-3	05/13/1991	3,300	30	3.6	26	13	NA	NA	NA	NA	NA	NA	41.46	7.90	33.56	NA	NA
S-3	08/23/1991	2,000	25	4	9.3	4.5	NA	NA	NA	NA	NA	NA	41.46	8.14	33.32	NA	NA
S-3	11/07/1991	4,000	20	3.9	5	4.9	NA	NA	NA	NA	NA	NA	41.46	7.91	33.55	NA	NA
S-3	01/28/1992	2,100	21	7.6	6.7	15	NA	NA	NA	NA	NA	NA	41.46	7.53	33.93	NA	NA
S-3 (D)	01/28/1992	2,100	18	6.1	7.1	14	NA	NA	NA	NA	NA	NA	41.46	7.53	33.93	NA	NA
S-3	05/06/1992	6,600	38	51	45	65	NA	NA	NA	NA	NA	NA	41.46	7.55	33.91	NA	NA
S-3	08/26/1992	5,800	18	12	29	60	NA	NA	NA	NA	NA	NA	41.46	7.53	33.93	NA	NA
S-3	10/28/1992	3,000	55	11	16	32	NA	NA	NA	NA	NA	NA	41.46	7.95	33.51	NA	NA
S-3	01/19/1993	3,100	<5	5.1	11	16	NA	NA	NA	NA	NA	NA	41.46	6.12	35.34	NA	NA
S-3	04/29/1993	3,000	31	22	<5	14	NA	NA	NA	NA	NA	NA	41.46	7.27	34.19	NA	NA
S-3	07/22/1993	2,600	3.1	43	23	53	NA	NA	NA	NA	NA	NA	41.46	7.62	33.84	NA	NA
S-3	10/21/1993	2,500	73	14	16	32	NA	NA	NA	NA	NA	NA	41.46	7.81	33.65	NA	NA
S-3	01/04/1994	4,800	13	21	<12.5	33	NA	NA	NA	NA	NA	NA	41.46	7.49	33.97	NA	NA
S-3	04/13/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.46	7.32	34.14	NA	NA
S-3	07/25/1994	2,600	6.1	4	3.8	12	NA	NA	NA	NA	NA	NA	41.46	7.66	33.80	NA	NA
S-3	10/10/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.46	7.49	33.97	NA	NA
S-3	01/26/1995	3,600	30	6.8	5.6	19	NA	NA	NA	NA	NA	NA	41.46	6.50	34.96	NA	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**999 San Pablo Avenue**  
**Albany, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-3 (D)	01/26/1995	2,200	9.9	15	14	22	NA	NA	NA	NA	NA	NA	41.46	6.50	34.96	NA	NA
S-3	04/21/1995	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.46	6.79	34.67	NA	NA
S-3	07/28/1995	3,700	27	9.3	20	34	NA	NA	NA	NA	NA	NA	41.46	7.28	34.18	NA	4
S-3	10/31/1995	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.46	6.74	34.72	NA	NA
S-3	01/10/1996	4,000	10	<0.5	13	28	NA	NA	NA	NA	NA	NA	41.46	7.48	33.98	NA	6.1
S-3	04/25/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.46	6.90	34.56	NA	NA
S-3	07/23/1996	2,100	20	<0.5	<0.5	<0.5	<25	NA	NA	NA	NA	NA	41.46	7.04	34.42	NA	2.1
S-3	12/10/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.46	7.96	33.50	NA	0.7
S-3	02/20/1997	3,500	83	<5.0	18	16	130	NA	NA	NA	NA	NA	41.46	7.44	34.02	NA	3
S-3 (D)	02/20/1997	3,000	69	<5.0	14	12	70	NA	NA	NA	NA	NA	41.46	7.44	34.02	NA	3
S-3	05/22/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.46	7.13	34.33	NA	0.6
S-3	08/22/1997	4,700	60	12	19	21	40	NA	NA	NA	NA	NA	41.46	6.81	34.65	NA	2.9
S-3	11/03/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.46	7.40	34.06	NA	0.9
S-3	02/20/1998	3,400	<10	<10	14	18	85	NA	NA	NA	NA	NA	41.46	6.55	34.91	NA	0.8
S-3 (D)	02/20/1998	3,100	8.6	7.8	12	16	57	NA	NA	NA	NA	NA	41.46	6.55	34.91	NA	0.8
S-3	05/18/1998	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.46	6.81	34.65	NA	0.7
S-3	08/20/1998	4,400	67	23	9.8	22	240	NA	NA	NA	NA	NA	41.46	6.98	34.48	NA	2.2
S-3	11/06/1998	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.46	6.96	34.50	NA	NA
S-3	02/16/1999	2,000	6.9	6.2	3.7	4.8	47	NA	NA	NA	NA	NA	41.46	6.93	34.53	NA	2.0
S-3	05/28/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.46	6.74	34.72	NA	1.8
S-3	08/24/1999	4,170	54.8	14.2	6.65	13.7	43.4	NA	NA	NA	NA	NA	41.46	9.05	32.41	NA	1.9
S-3	11/16/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.46	7.09	34.37	NA	1.6
S-3	02/02/2000	2,410	133	112	24.9	104	46.0	NA	NA	NA	NA	NA	41.46	6.59	34.87	NA	1.9
S-3	05/09/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.46	7.13	34.33	NA	1.9
S-3	08/03/2000	3,890	17.2	21.9	<10.0	<10.0	166	NA	NA	NA	NA	NA	41.46	6.82	34.64	NA	1.8
S-3	11/15/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.46	6.98	34.48	NA	1.6
S-3	02/14/2001	2,800	35.8	5.57	3.83	2.94	1,070	1,250	NA	NA	NA	NA	41.46	6.57	34.89	NA	1.1
S-3	05/31/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.46	6.72	34.74	NA	1.6
S-3	08/15/2001	2,700	2.0	0.52	<0.50	2.0	NA	140	NA	NA	NA	NA	41.46	7.44	34.02	NA	0.6

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**999 San Pablo Avenue**  
**Albany, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-3	12/31/2001	2,300	<2.0	<2.0	<2.0	<2.0	NA	470	NA	NA	NA	NA	41.46	6.62	34.84	NA	0.6
S-3	02/06/2002	2,000	2.6	1.6	4.3	7.8	NA	170	NA	NA	NA	NA	41.46	7.22	34.24	NA	2.2
S-3	06/04/2002	2,400	1.0	1.1	0.54	4.5	NA	120	NA	NA	NA	NA	41.46	7.34	34.12	NA	0.5
S-3	07/25/2002	3,100	0.86	<0.50	<0.50	2.0	NA	92	NA	NA	NA	NA	41.37	6.98	34.39	NA	1.0
S-3	11/27/2002	2,600	2.0	0.55	<0.50	2.1	NA	44	NA	NA	NA	NA	41.37	7.62	33.75	NA	0.7
S-3	01/30/2003	1,200	2.1	1.3	1.6	3.4	NA	42	NA	NA	NA	NA	41.37	7.14	34.23	NA	13.6
S-3	06/03/2003	2,700	2.9	<0.50	0.50	2.8	NA	43	NA	NA	NA	NA	41.37	7.25	34.12	NA	1.7
S-3	08/08/2003	1,400	2.4	0.71	<0.50	2.2	NA	32	NA	NA	NA	NA	41.37	7.67	33.70	NA	>20
S-3	11/13/2003	5,200	5.1	2.4	<1.0	5.6	NA	69	NA	NA	NA	NA	41.37	7.56	33.81	NA	19.6
S-3	02/04/2004	2,800	1.9	<1.0	1.0	2.6	NA	20	NA	NA	NA	NA	41.37	7.12	34.25	NA	>15
S-3	05/12/2004	1,900	2.8	<1.0	<1.0	2.2	NA	9.7	NA	NA	NA	NA	41.37	7.94	33.43	NA	4.0
S-3	08/23/2004	1,400	7.6	1.1	<1.0	2.9	NA	13	<4.0	<4.0	<4.0	<10	41.37	8.09	33.28	NA	13.3
S-3	12/01/2004	950	1.9	<1.0	<1.0	<2.0	NA	5.6	NA	NA	NA	NA	41.37	8.21	33.16	NA	13.0
S-3	02/07/2005	1,800	1.4	<1.0	<1.0	2.1	NA	9.9	NA	NA	NA	NA	41.37	7.69	33.68	NA	0.25
S-3	05/02/2005	4,000	2.3	1.1	1.6	3.0	NA	9.9	NA	NA	NA	NA	41.37	7.20	34.17	NA	0.5
S-3	08/04/2005	3,600	2.1	<1.0	<2.0	3.6	NA	8.5	<4.0	<4.0	<4.0	33	41.37	8.14	33.23	NA	0.2
S-3	11/16/2005	6,000	2.24	0.800	0.660	3.35	NA	3.83	NA	NA	NA	NA	41.37	8.39	32.98	NA	0.6
S-3	03/02/2006	1,500	1.3	<0.50	0.57	2.0	NA	5.1	NA	NA	NA	NA	41.37	7.09	34.28	NA	0.52
S-3	05/31/2006	5,560	1.71	0.730	1.24	3.89	NA	8.01 i	NA	NA	NA	NA	41.37	7.95	33.42	NA	0.5
S-3	08/29/2006	4,850	1.82	0.680	1.19	2.22	NA	3.16	<0.500	<0.500	<0.500	<10.0	41.37	6.35	35.02	NA	0.88
S-3	12/06/2006	2,900	1.1	<0.50	<0.50	2.2	NA	<0.50	NA	NA	NA	NA	41.37	8.41	32.96	NA	0.3
S-3	01/30/2007	2,100	1.0	<0.50	0.53	1.8	NA	5.7	NA	NA	NA	NA	41.37	8.31	33.06	NA	0.36
S-3	05/15/2007	3,500 j	1.1	0.51 i	0.76 i	2.38 i	NA	8.0	NA	NA	NA	NA	41.37	7.60	33.77	NA	0.11
S-3	08/29/2007	<50 j	1.5	0.48 i	0.50 i	2.81 i	NA	<1.0	<2.0	<2.0	<2.0	<10	41.37	8.64	32.73	NA	0.57
S-3	11/29/2007	3,800 j	1.8	0.80 l,m	0.65 i	3.34 i	NA	5.9	NA	NA	NA	NA	41.37	8.36	33.01	NA	0.22
S-3	02/21/2008	2,900 j	0.60	<1.0	<1.0	1.2	NA	5.0	NA	NA	NA	NA	41.37	7.35	34.02	NA	0.44
S-3	05/06/2008	2,400	1.2	<1.0	<1.0	1.7	NA	<1.0	NA	NA	NA	NA	41.37	8.00	33.37	NA	0.2/1.4
S-3	08/27/2008	3,100	1.5	<1.0	<1.0	2.3	NA	<1.0	<2.0	<2.0	<2.0	<10	41.37	8.56	32.81	NA	0.13
S-3	11/24/2008	2,900	1.5	<1.0	<1.0	2.2	NA	<1.0	NA	NA	NA	NA	41.37	8.71	32.66	NA	0.32

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**999 San Pablo Avenue**  
**Albany, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-3	01/28/2009	3,900	1.4	<1.0	<1.0	2.2	NA	<1.0	NA	NA	NA	NA	41.37	8.22	33.15	NA	0.48
S-3	05/26/2009	3,600	1.1	<1.0	<1.0	1.5	NA	5.2	NA	NA	NA	NA	41.37	8.23	33.14	NA	1.54
S-3	11/24/2009	2,200	0.98	<1.0	<1.0	1.7	NA	<1.0	<2.0	<2.0	<2.0	<10	41.37	8.71	32.66	NA	0.42
<b>S-3</b>	<b>05/26/2010</b>	<b>2,800</b>	<b>1.0</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>2.4</b>	<b>NA</b>	<b>7.8</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>41.37</b>	<b>7.80</b>	<b>33.57</b>	<b>NA</b>	<b>0.32</b>

S-4	05/13/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	41.10	7.44	33.66	NA	NA
S-4	08/23/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	41.10	8.32	32.78	NA	NA
S-4	11/07/1991	260	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	41.10	8.32	32.78	NA	NA
S-4	01/28/1992	110c	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	41.10	7.40	33.70	NA	NA
S-4	05/06/1992	54	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	41.10	7.21	33.89	NA	NA
S-4	08/26/1992	67	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	41.10	8.13	32.97	NA	NA
S-4	10/28/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	41.10	8.73	32.37	NA	NA
S-4	01/19/1993	86	1.2	0.7	2.7	15	NA	NA	NA	NA	NA	NA	41.10	5.86	35.24	NA	NA
S-4	04/29/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	41.10	7.02	34.08	NA	NA
S-4 (D)	04/29/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	41.10	7.02	34.08	NA	NA
S-4	07/22/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	41.10	7.76	33.34	NA	NA
S-4	10/21/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	41.10	8.53	32.57	NA	NA
S-4	01/04/1994	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	41.10	7.92	33.18	NA	NA
S-4	04/13/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.10	7.71	33.39	NA	NA
S-4	07/25/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.10	7.82	33.28	NA	NA
S-4	10/10/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.10	8.15	32.95	NA	NA
S-4	01/26/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	41.10	5.73	35.37	NA	NA
S-4	04/21/1995	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.10	6.26	34.84	NA	NA
S-4	07/28/1995	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.10	7.80	33.30	NA	NA
S-4	10/31/1995	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.10	8.45	32.65	NA	NA
S-4	01/10/1996	<50	1	2.8	<0.5	2.1	NA	NA	NA	NA	NA	NA	41.10	8.26	32.84	NA	2.8
S-4	04/25/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.10	7.14	33.96	NA	NA
S-4	07/23/1996	<50	<0.5	<0.5	<0.5	<0.5	<2.5	NA	NA	NA	NA	NA	41.10	8.18	32.92	NA	3.8
S-4	12/10/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.10	7.04	34.06	NA	3.9

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**999 San Pablo Avenue**  
**Albany, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-4	02/20/1997	<50	<0.50	<0.50	<0.50	<0.50	6.7	NA	NA	NA	NA	NA	41.10	7.07	34.03	NA	5
S-4	05/22/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.10	6.63	34.47	NA	0.8
S-4	08/22/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.10	7.69	33.41	NA	3.7
S-4	11/03/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.10	8.26	32.84	NA	1.3
S-4	02/20/1998	130	6.9	4.6	5.2	17	2.8	NA	NA	NA	NA	NA	41.10	5.57	35.53	NA	1.8
S-4	05/18/1998	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.10	7.13	33.97	NA	1.4
S-4	08/20/1998	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.10	7.77	33.33	NA	4.0
S-4	11/06/1998	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.10	7.85	33.25	NA	NA
S-4	02/16/1999	<50	<0.50	<0.50	<0.50	<0.50	23	NA	NA	NA	NA	NA	41.10	6.51	34.59	NA	3.6
S-4	05/28/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.10	7.00	34.10	NA	3.2
S-4	08/24/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.10	9.13	31.97	NA	1.9
S-4	11/16/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.10	7.79	33.31	NA	1.7
S-4	02/02/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	NA	NA	NA	NA	NA	41.10	7.19	33.91	NA	1.9
S-4	05/09/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.10	7.51	33.59	NA	1.8
S-4	08/03/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.10	7.83	33.27	NA	1.9
S-4	11/15/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.10	7.69	33.41	NA	1.5
S-4	02/14/2001	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	41.10	6.20	34.90	NA	1.6
S-4	05/31/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.10	6.56	34.54	NA	1.6
S-4	08/15/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.10	7.90	33.20	NA	0.6
S-4	12/31/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.10	5.62	35.48	NA	2.7
S-4	02/06/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	41.10	7.29	33.81	NA	0.2
S-4	06/04/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.10	7.45	33.65	NA	0.6
S-4	07/25/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.04	7.39	33.65	NA	0.8
S-4	11/27/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.04	7.60	33.44	NA	NA
S-4	01/30/2003	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	41.04	8.45	32.59	NA	NA
S-4	06/03/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.04	6.82	34.22	NA	NA
S-4	08/08/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.04	7.36	33.68	NA	NA
S-4	11/13/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.04	7.56	33.48	NA	NA
S-4	02/04/2004	<50	<0.50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	41.04	6.47	34.57	NA	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**999 San Pablo Avenue**  
**Albany, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-4	05/12/2004	NA	41.04	7.10	33.94	NA	NA											
S-4	08/23/2004	NA	41.04	7.60	33.44	NA	NA											
S-4	12/01/2004	NA	41.04	7.23	33.81	NA	NA											
S-4	02/07/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	41.04	6.12	34.92	NA	NA
S-4	05/02/2005	NA	41.04	6.50	34.54	NA	NA											
S-4	08/04/2005	NA	41.04	7.13	33.91	NA	NA											
S-4	11/16/2005	NA	41.04	7.43	33.61	NA	NA											
S-4	03/02/2006	<50	<0.50	<0.50	<0.50	<0.50	NA	<0.50	NA	NA	NA	NA	NA	41.04	6.05	34.99	NA	NA
S-4	05/31/2006	NA	41.04	6.64	34.40	NA	NA											
S-4	08/29/2006	NA	41.04	7.25	33.79	NA	NA											
S-4	12/06/2006	NA	41.04	7.39	33.65	NA	NA											
S-4	01/30/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	41.04	7.24	33.80	NA	NA
S-4	05/15/2007	NA	41.04	6.60	34.44	NA	NA											
S-4	08/29/2007	NA	41.04	7.42	33.62	NA	NA											
S-4	11/29/2007	NA	41.04	7.22	33.82	NA	NA											
S-4	02/21/2008	<50 j	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	41.04	6.20	34.84	NA	NA
S-4	05/06/2008	NA	41.04	7.19	33.85	NA	NA											
S-4	08/27/2008	NA	41.04	7.52	33.52	NA	NA											
S-4	11/24/2008	NA	41.04	7.73	33.31	NA	NA											
S-4	01/28/2009	<50	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	41.04	7.21	33.83	NA	NA
S-4	05/26/2009	NA	41.04	6.95	34.09	NA	NA											
S-4	11/24/2009	<50	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	41.04	7.43	33.61	NA	NA
<b>S-4</b>	<b>05/26/2010</b>	<b>NA</b>	<b>41.04</b>	<b>6.68</b>	<b>34.36</b>	<b>NA</b>	<b>NA</b>											

S-5	05/13/1991	NA	39.99	14.60	30.57	6.48	NA											
S-5	08/23/1991	NA	39.99	15.14	29.25	5.50	NA											
S-5	11/07/1991	NA	39.99	15.10	29.17	5.35	NA											
S-5	01/28/1992	NA	39.99	14.05	29.86	4.90	NA											
S-5	05/06/1992	NA	39.99	14.31	30.21	5.66	NA											

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**999 San Pablo Avenue**  
**Albany, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-5	08/26/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	39.99	14.26	28.77	3.80	NA
S-5	10/28/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	39.99	14.22	28.82	3.81	NA
S-5	01/19/1993	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	39.99	12.36	30.80	3.96	NA
S-5	04/29/1993	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	39.99	9.64	31.07	0.90	NA
S-5	07/22/1993	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	39.99	9.55	31.16	0.90	NA
S-5	10/21/1993	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	39.99	11.23	29.34	0.73	NA
S-5	01/04/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	39.99	11.69	29.82	1.90	NA
S-5	04/13/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	39.99	11.42	29.87	1.62	NA
S-5	07/25/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	39.99	12.01	29.41	1.79	NA
S-5	10/10/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	39.99	12.05	29.38	1.80	NA
S-5	01/26/1995	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	39.99	8.42	32.95	1.72	NA
S-5	04/21/1995	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	39.99	10.03	30.90	1.17	NA
S-5	07/28/1995	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	39.99	11.42	30.07	1.87	NA
S-5	10/31/1995	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	39.99	13.21	27.21	0.54	NA
S-5	01/10/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	39.99	12.05	28.04	0.13	NA
S-5	04/25/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	39.99	9.68	30.33	0.03	NA
S-5	07/23/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	39.99	9.82	30.20	0.04	NA
S-5	12/10/1996	270,000	8,800	29,000	5,200	37,000	<2,500	NA	NA	NA	NA	NA	39.99	9.10	30.91	0.03	NA
S-5 (D)	12/10/1996	400,000	9,200	32,000	7,200	50,000	<2,500	NA	NA	NA	NA	NA	39.99	9.10	30.91	0.03	NA
S-5	02/20/1997	88,000	2,000	11,000	1,600	19,000	<500	NA	NA	NA	NA	NA	39.99	8.93	31.06	NA	5
S-5	05/22/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	39.99	10.07	29.94	0.02	NA
S-5	08/22/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	39.99	10.24	29.77	0.02	NA
S-5	11/03/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	39.99	10.91	29.10	0.02	NA
S-5	02/20/1998	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	39.99	7.81	32.20	0.03	NA
S-5	05/18/1998	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	39.99	9.64	30.37	0.02	NA
S-5	05/31/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	39.99	10.13	29.86	NA	NA

S-6	05/13/1991	13,000	600	140	210	310	NA	NA	NA	NA	NA	NA	40.12	7.82	32.30	NA	NA
S-6	08/23/1991	9,800	480	80	120	150	NA	NA	NA	NA	NA	NA	40.12	9.58	30.54	NA	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**999 San Pablo Avenue**  
**Albany, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-6	11/07/1991	6,200	240	23	25	27	NA	NA	NA	NA	NA	NA	40.12	10.86	29.26	NA	NA
S-6	01/28/1992	5,600	250	15	41	36	NA	NA	NA	NA	NA	NA	40.12	8.97	31.15	NA	NA
S-6	05/06/1992	7,100	330	29	110	210	NA	NA	NA	NA	NA	NA	40.12	8.27	31.85	NA	NA
S-6	08/26/1992	13,000	240	<50	56	780	NA	NA	NA	NA	NA	NA	40.12	9.57	31.55	NA	NA
S-6	10/28/1992	10,000	470	210	67	170	NA	NA	NA	NA	NA	NA	40.12	8.90	32.22	NA	NA
S-6	01/19/1993	4,800	100	26	27	45	NA	NA	NA	NA	NA	NA	40.12	4.84	35.28	NA	NA
S-6	04/29/1993	7,000	430	20	<12.5	42	NA	NA	NA	NA	NA	NA	40.12	5.61	34.51	NA	NA
S-6	07/22/1993	5,800	260	120	65	150	NA	NA	NA	NA	NA	NA	40.12	6.56	33.56	NA	NA
S-6	10/21/1993	5,500	270	69	120	140	NA	NA	NA	NA	NA	NA	40.12	8.73	31.39	NA	NA
S-6	01/04/1994	7,100	180	58	63	62	NA	NA	NA	NA	NA	NA	40.12	7.14	32.98	NA	NA
S-6	04/13/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.12	7.21	32.91	NA	NA
S-6	07/25/1994	12,000	190	52	30	39	NA	NA	NA	NA	NA	NA	40.12	6.85	33.27	NA	NA
S-6 (D)	07/25/1994	7,200	170	32	31	34	NA	NA	NA	NA	NA	NA	40.12	6.85	33.27	NA	NA
S-6	10/10/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.12	6.20	33.92	NA	NA
S-6	01/26/1995	5,800	120	23	24	44	NA	NA	NA	NA	NA	NA	40.12	4.89	35.23	NA	NA
S-6	04/21/1995	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.12	5.61	34.51	NA	NA
S-6	07/28/1995	4,400	210	23	34	60	NA	NA	NA	NA	NA	NA	40.12	5.30	34.82	NA	3
S-6 (D)	07/28/1995	6,100	230	20	38	59	NA	NA	NA	NA	NA	NA	40.12	5.30	34.82	NA	3
S-6	10/31/1995	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.12	4.98	35.14	NA	NA
S-6	01/10/1996	6,800	170	87	35	105	NA	NA	NA	NA	NA	NA	40.12	5.67	34.45	NA	2.2
S-6 (D)	01/10/1996	7,800	230	120	50	210	NA	NA	NA	NA	NA	NA	40.12	5.67	34.45	NA	2.2
S-6	04/25/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.12	5.23	34.89	NA	NA
S-6	07/23/1996	2,600	170	<0.5	<0.5	8.5	<25	NA	NA	NA	NA	NA	40.12	5.40	34.72	NA	1.4
S-6	12/10/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.12	6.68	33.44	NA	0.7
S-6	02/20/1997	6,300	160	7.7	14	31	77	NA	NA	NA	NA	NA	40.12	5.70	34.42	NA	2
S-6	05/22/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.12	5.49	34.63	NA	0.9
S-6	08/22/1997	6,200	160	26	15	27	49	NA	NA	NA	NA	NA	40.12	5.71	34.41	NA	2.8
S-6	11/03/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.12	6.15	33.97	NA	1.4
S-6	02/20/1998	4,100	150	<10	<10	15	55	NA	NA	NA	NA	NA	40.12	5.25	34.87	NA	0.4

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**999 San Pablo Avenue**  
**Albany, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-6	05/18/1998	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.12	5.69	34.43	NA	0.4
S-6	08/20/1998	7,800	240	38	16	39	110	NA	NA	NA	NA	NA	40.12	6.04	34.08	NA	1.5
S-6 (D) b	08/20/1998	8,400	270	30	19	31	130	NA	NA	NA	NA	NA	40.12	6.04	34.08	NA	1.5
S-6	11/06/1998	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.12	6.10	34.02	NA	NA
S-6	02/16/1999	6,000	190	19	14	20	<2.5	NA	NA	NA	NA	NA	40.12	5.84	34.28	NA	1.7
S-6	05/28/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.12	9.51	30.61	NA	1.9
S-6	08/24/1999	6,870	193	32.1	18.8	36.4	<25.0	NA	NA	NA	NA	NA	40.12	8.29	31.83	NA	2.7
S-6	11/16/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.12	5.93	34.19	NA	2.6
S-6	02/02/2000	2,310	164	122	28.6	133	63.1	NA	NA	NA	NA	NA	40.12	5.33	34.79	NA	2.6
S-6	05/09/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.12	6.41	33.71	NA	2.4
S-6	08/03/2000	5,600	188	27.4	<10.0	25.2	174	NA	NA	NA	NA	NA	40.12	5.84	34.28	NA	2.7
S-6	11/15/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.12	5.58	34.54	NA	2.3
S-6	02/14/2001	6,140	126	13.2	8.01	18.0	205	NA	NA	NA	NA	NA	40.12	5.50	34.62	NA	1.3
S-6	05/31/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.12	5.52	34.60	NA	1.2
S-6	08/15/2001	6,000	160	9.1	5.8	24	NA	51	NA	NA	NA	NA	40.12	6.04	34.08	NA	0.4
S-6	12/31/2001	6,900	120	12	6.6	24	NA	44	NA	NA	NA	NA	40.12	5.52	34.60	NA	0.4
S-6	02/06/2002	4,300	110	7.3	4.8	18	NA	39	NA	NA	NA	NA	40.12	6.34	33.78	NA	0.5
S-6	06/04/2002	4,300	140	8.4	4.9	22	NA	26	NA	NA	NA	NA	40.12	6.19	33.93	NA	0.4
S-6	07/25/2002	3,900	140	9.0	5.5	23	NA	31	NA	NA	NA	NA	39.92	6.05	33.87	NA	0.7
S-6	11/27/2002	5,200	160	9.6	4.9	24	NA	26	NA	NA	NA	NA	39.92	6.26	33.66	NA	NA
S-6	01/30/2003	4,700	200	9.6	5.5	25	NA	30	NA	NA	NA	NA	39.92	5.73	34.19	NA	NA
S-6	06/03/2003	3,900	160	10	<10	25	NA	30	NA	NA	NA	NA	39.92	5.52	34.40	NA	NA
S-6	08/08/2003	2,900	150	8.8	3.6	18	NA	18	NA	NA	NA	NA	39.92	6.14	33.78	NA	NA
S-6	11/13/2003	8,300	220	19	11	35	NA	28	NA	NA	NA	NA	39.92	5.85	34.07	NA	NA
S-6	02/04/2004	7,400	310	17	10	31	NA	30	NA	NA	NA	NA	39.92	5.51	34.41	NA	NA
S-6	05/12/2004	4,000	230	10	5.5	24	NA	21	NA	NA	NA	NA	39.92	6.10	33.82	NA	NA
S-6	08/23/2004	6,000	260	16	9.0	32	NA	19	NA	NA	NA	NA	39.92	6.38	33.54	NA	NA
S-6	12/01/2004	9,600	280	23	11	47	NA	24	NA	NA	NA	NA	39.92	6.41	33.51	NA	NA
S-6	02/07/2005	7,100	300	14	8.4	35	NA	21	NA	NA	NA	NA	39.92	5.94	33.98	NA	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**999 San Pablo Avenue**  
**Albany, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-6	05/02/2005	6,100	250	12	8.1	30	NA	16	NA	NA	NA	NA	39.92	5.90	34.02	NA	NA
S-6	08/04/2005	5,200	180	13	8.0	31	NA	15	NA	NA	NA	NA	39.92	6.67	33.25	NA	NA
S-6	11/16/2005	9,950	147	15.3	9.82	32.3	NA	10.8	NA	NA	NA	NA	39.92	6.64	33.28	NA	NA
S-6	03/02/2006	2,400	72	9.2	7.0	21	NA	6.4	NA	NA	NA	NA	39.92	5.92	34.00	NA	NA
S-6	05/31/2006	9,460	182	13.6	8.80	33.5	NA	11.4 i	NA	NA	NA	NA	39.92	6.28	33.64	NA	NA
S-6	08/29/2006	8,840	108	26.6	12.4	37.7	NA	10.1	NA	NA	NA	NA	39.92	7.19	32.73	NA	NA
S-6	12/06/2006	4,900	130	17	8.2	35	NA	9.4	NA	NA	NA	NA	39.92	7.06	32.86	NA	NA
S-6	01/30/2007	4,500	100	22	12	38	NA	8.1	NA	NA	NA	NA	39.92	6.94	32.98	NA	NA
S-6	05/15/2007	6,900 j	120	9.2	6.7	27.6	NA	6.4	NA	NA	NA	NA	39.92	6.30	33.62	NA	NA
S-6	08/29/2007	9,300 j	110	30	14	52	NA	6.4	5.3 i	<10	<10	<50	39.92	7.27	32.65	NA	NA
S-6	11/29/2007	4,300 j	110	19 m	14	53	NA	8.7	NA	NA	NA	NA	39.92	6.87	33.05	NA	NA
S-6	02/21/2008	5,600 j	110	8.6	5.0	28.3	NA	6.4	NA	NA	NA	NA	39.92	5.75	34.17	NA	NA
S-6	05/06/2008	5,900	110	12	7.5	30.1	NA	<1.0	NA	NA	NA	NA	39.92	6.60	33.32	NA	NA
S-6	08/27/2008	6,200	58	15	7.0	27.9	NA	<2.0	NA	NA	NA	NA	39.92	7.40	32.52	NA	NA
S-6	11/24/2008	6,100	80	20	12	40.0	NA	<2.0	NA	NA	NA	NA	39.92	7.30	32.62	NA	NA
S-6	11/24/2008	6,100	80	20	12	40.0	NA	<2.0	NA	NA	NA	NA	39.92	7.30	32.62	NA	NA
S-6	01/28/2009	5,300	80	10	6.3	26	NA	<1.0	NA	NA	NA	NA	39.92	6.61	33.31	NA	NA
S-6	05/26/2009	6,600	130	6.6	4.4	21	NA	4.9	NA	NA	NA	NA	39.92	6.70	33.22	NA	NA
S-6	11/24/2009	6,200	69	13	8.4	32	NA	4.5	NA	NA	NA	NA	39.92	7.03	32.89	NA	NA
<b>S-6</b>	<b>05/26/2010</b>	<b>5,100</b>	<b>130</b>	<b>8.3</b>	<b>4.8</b>	<b>27</b>	<b>NA</b>	<b>6.1</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>39.92</b>	<b>6.24</b>	<b>33.68</b>	<b>NA</b>	<b>NA</b>

S-7	05/13/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	40.10	10.56	29.54	NA	NA
S-7	08/23/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	40.10	11.16	28.94	NA	NA
S-7	11/07/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	40.10	11.48	28.62	NA	NA
S-7	01/28/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	40.10	10.72	29.38	NA	NA
S-7	05/06/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	40.10	10.34	29.76	NA	NA
S-7	08/26/1992	160	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	40.10	11.13	28.97	NA	NA
S-7	10/28/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	40.10	11.52	28.58	NA	NA
S-7	01/19/1993	50	1.1	0.6	1.9	9.2	NA	NA	NA	NA	NA	NA	40.10	8.68	31.42	NA	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**999 San Pablo Avenue**  
**Albany, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-7	04/29/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	40.10	9.90	30.20	NA	NA
S-7	07/22/1993	Well inaccessible	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.10	NA	NA	NA	NA
S-7	10/21/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	40.10	11.10	29.00	NA	NA
S-7	01/04/1994	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	40.10	10.40	29.70	NA	NA
S-7	04/13/1994	<50	1.4	0.61	<0.5	0.64	NA	NA	NA	NA	NA	NA	40.10	10.20	29.90	NA	NA
S-7 (D)	04/13/1994	<50	1.4	0.61	<0.5	0.66	NA	NA	NA	NA	NA	NA	40.10	10.20	29.90	NA	NA
S-7	07/25/1994	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	40.10	10.48	29.62	NA	NA
S-7 a	10/10/1994	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	40.10	10.64	29.46	NA	NA
S-7	01/26/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	40.10	7.75	32.35	NA	4.6
S-7	04/21/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	40.10	8.51	31.59	NA	NA
S-7	07/28/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	40.10	10.20	29.90	NA	3
S-7	10/31/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	40.10	10.86	29.24	NA	4.9
S-7	01/10/1996	<50	<0.5	2	<0.5	2.6	NA	NA	NA	NA	NA	NA	40.10	10.33	29.77	NA	7.6
S-7	04/25/1996	<50	<0.5	<0.5	<0.5	<0.5	<2.5	NA	NA	NA	NA	NA	40.10	9.13	30.97	NA	6.2
S-7	07/23/1996	<50	<0.5	<0.5	<0.5	<0.5	14	NA	NA	NA	NA	NA	40.10	10.18	29.92	NA	3.7
S-7	12/10/1996	<50	<0.5	<0.5	<0.5	<0.5	<2.5	NA	NA	NA	NA	NA	40.10	9.04	31.06	NA	4.6
S-7	02/20/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	40.10	9.60	30.50	NA	5
S-7	05/22/1997	<50	1.3	<0.50	<0.50	<0.50	5.5	NA	NA	NA	NA	NA	40.10	10.63	29.47	NA	0.8
S-7	08/22/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	40.10	10.95	29.15	NA	2.6
S-7	11/03/1997	<50	2.2	1.7	0.58	3.4	<2.5	NA	NA	NA	NA	NA	40.10	11.29	28.81	NA	2.6
S-7	02/20/1998	350	23	13	14	42	3.8	NA	NA	NA	NA	NA	40.10	7.73	32.37	NA	4.6
S-7	05/18/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	40.10	10.29	29.81	NA	4.4
S-7	08/20/1998	Well inaccessible	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.10	11.00	29.10	NA	5.4
S-7	11/06/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	40.10	11.19	28.91	NA	5.2
S-7	02/16/1999	Well inaccessible	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.10	NA	NA	NA	NA
S-7	05/28/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	NA	NA	NA	NA	NA	40.10	9.76	30.34	NA	2.7
S-7	08/24/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	40.10	10.61	29.49	NA	2.1
S-7	11/16/1999	<50.0	<0.500	<0.500	<0.500	<0.500	3.68	NA	NA	NA	NA	NA	40.10	10.90	29.20	NA	2.3
S-7	02/02/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	NA	NA	NA	NA	NA	40.10	10.30	29.80	NA	2.1

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**999 San Pablo Avenue**  
**Albany, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-7	05/09/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	40.10	10.25	29.85	NA	2.7
S-7	08/03/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	40.10	10.65	29.45	NA	2.5
S-7	11/15/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	40.10	10.53	29.57	NA	4.6
S-7	02/14/2001	Well inaccessible	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.10	NA	NA	NA	NA
S-7	05/31/2001	<50	<0.50	<0.50	<0.50	0.77	NA	4.6	NA	NA	NA	NA	40.10	9.46	30.64	NA	2.1
S-7	08/15/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	40.10	10.93	29.17	NA	2.0
S-7	12/31/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	6.0	NA	NA	NA	NA	40.10	9.14	30.96	NA	3.0
S-7	02/06/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	40.10	8.61	31.49	NA	3.2
S-7	06/04/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	40.10	10.41	29.69	NA	0.9
S-7	07/25/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	39.91	10.37	29.54	NA	1.1
S-7	11/27/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	39.91	10.52	29.39	NA	NA
S-7	01/30/2003	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	39.91	9.38	30.53	NA	NA
S-7	06/03/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	0.72	NA	NA	NA	NA	39.91	10.18	29.73	NA	NA
S-7	08/08/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	39.91	10.43	29.48	NA	NA
S-7	11/13/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	39.91	10.39	29.52	NA	NA
S-7	02/04/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	39.91	9.17	30.74	NA	NA
S-7	05/12/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	39.91	10.20	29.71	NA	NA
S-7	08/23/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	39.72 f	10.53	29.19	NA	NA
S-7	12/01/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	39.72	10.36	29.36	NA	NA
S-7	02/07/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	39.72	8.78	30.94	NA	NA
S-7	05/02/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	39.72	9.46	30.26	NA	NA
S-7	08/04/2005	Well paved over	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
S-7	11/16/2005	Well paved over	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
S-7	03/02/2006	Well paved over	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
S-7	05/31/2006	Well paved over	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
S-7	08/29/2006	Well paved over	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
S-7	12/06/2006	Well paved over	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
S-7	01/30/2007	Well paved over	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
S-7	05/15/2007	Well paved over	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**999 San Pablo Avenue**  
**Albany, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-7	08/29/2007	Well paved over	NA													
S-7	11/29/2007	Well paved over	NA													
S-7	02/21/2008	Well paved over	NA													
S-7	05/06/2008	Well paved over	NA													
S-7	08/27/2008	Well paved over	NA													
S-7	11/24/2008	Well paved over	NA													
S-7	01/28/2009	Well paved over	NA													

S-8	05/10/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.52	10.85	29.67	NA	NA
S-8	05/12/2004	<1,300	<13	<13	<13	<25	NA	2,500	NA	NA	NA	NA	40.52	10.95	29.57	NA	NA
S-8	08/23/2004	1,300	15	<13	<13	<25	NA	2,500	<50	<50	570	40.52	11.40	29.12	NA	NA	
S-8	12/01/2004	1,400 h	<13	<13	<13	<25	NA	2,700	NA	NA	NA	40.52	11.10	29.42	NA	NA	
S-8	02/07/2005	6,400	240	27	290	100	NA	370	NA	NA	NA	NA	40.52	10.22	30.30	NA	NA
S-8	05/02/2005	6,300	160	25	200	74	NA	190	NA	NA	NA	NA	40.52	10.05	30.47	NA	NA
S-8	08/04/2005	2,500	130	7.5	<6.0	14	NA	290	<8.0	<8.0	92	40.52	10.88	29.64	NA	NA	
S-8	11/16/2005	27,700	43.2	4.36	637	1,200	NA	638	NA	NA	NA	40.52	11.28	29.24	NA	NA	
S-8	03/02/2006	9,900	160	13	490	530	NA	110	NA	NA	NA	NA	40.52	8.85	31.67	NA	NA
S-8	05/31/2006	14,300	270	53.1	283	246	NA	102 i	NA	NA	NA	NA	40.52	10.34	30.18	NA	NA
S-8	08/29/2006	14,700	107	9.42	196	195	NA	278	<0.500	<0.500	<0.500	36.1	40.52	11.17	29.35	NA	NA
S-8	12/06/2006	7,800	150	8.6	120	110	NA	200	NA	NA	NA	NA	40.52	11.21	29.31	NA	NA
S-8	01/30/2007	7,500	220	18	180	96	NA	170	NA	NA	NA	NA	40.52	10.72	29.80	NA	NA
S-8	05/15/2007	9,600 j	NA	24	160	112	NA	130	NA	NA	NA	NA	40.52	10.50	30.02	NA	NA
S-8	08/29/2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.52	11.44	29.11	0.04	NA
S-8	08/30/2007	6,100 j	35	2.7	140	234	NA	170	<4.0	<4.0	<4.0	820	40.52	11.37	29.25	0.13	NA
S-8	09/25/2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.52	11.56	29.22	0.32	NA
S-8	10/29/2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.52	11.23	29.50	0.26	NA
S-8	11/29/2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.52	11.08	29.60	0.20	NA
S-8	12/11/2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.52	10.61	30.03	0.15	NA
S-8	01/24/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.52	9.61	30.97	0.08	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**999 San Pablo Avenue**  
**Albany, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-8	02/21/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.52	9.11	31.43	0.03	NA
S-8	03/20/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.52	10.22	30.40	0.12	NA
S-8	04/30/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.52	10.91	29.67	0.07	NA
S-8	05/06/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.52	10.50	30.05	0.04	NA
S-8	06/04/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.52	11.34	29.24	0.07	NA
S-8	07/29/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.52	11.83	28.71	0.03	NA
S-8	08/27/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.52	11.40	29.14	0.03	NA
S-8	09/30/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.52	12.08	28.46	0.03	NA
S-8	10/31/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.52	11.35	29.37	0.25	NA
S-8	11/24/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.52	10.79	29.89	0.20	NA
S-8	12/30/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.52	8.90	31.75	0.16	NA
S-8	01/14/2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.52	9.87	30.83	0.22	NA
S-8	01/28/2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.52	9.52	31.10	0.13	NA
S-8	03/31/2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.52	8.56	32.11	0.19	NA
S-8	04/21/2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.52	8.90	31.75	0.16	NA
S-8	05/26/2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.52	9.04	31.57	0.11	NA
S-8	06/30/2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.52	10.28	30.32	0.10	NA
S-8	07/23/2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.52	10.37	30.25	0.13	NA
S-8	08/31/2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.52	10.78	29.80	0.08	NA
S-8	11/24/2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.52	9.73	30.84	0.06	NA
S-8	05/26/2010	59,000	150	32	2,100	4,400	NA	78	NA	NA	NA	NA	40.52	7.59	32.93	0.00	NA

S-9	05/10/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	39.72	10.34	29.38	NA	NA
S-9	05/12/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	39.72	10.42	29.30	NA	NA
S-9	08/23/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	39.72	11.32	28.40	NA	NA
S-9	12/01/2004	Unable to locate	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	39.72	NA	NA	NA	NA
S-9	02/07/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	39.72	8.74	30.98	NA	NA
S-9	05/02/2005	Well inaccessible	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	39.72	NA	NA	NA	NA
S-9	08/04/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	39.72	8.79	30.93	NA	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**999 San Pablo Avenue**  
**Albany, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-9	11/16/2005	<50.0	<0.500	<0.500	<0.500	<0.500	NA	<0.500	NA	NA	NA	NA	39.72	10.30	29.42	NA	NA
S-9	03/02/2006	<50	<0.50	<0.50	<0.50	<0.50	NA	<0.50	NA	NA	NA	NA	39.72	5.86	33.86	NA	NA
S-9	05/31/2006	<50.0	<0.500	<0.500	<0.500	0.540	NA	<0.500	NA	NA	NA	NA	39.72	9.85	29.87	NA	NA
S-9	08/29/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	<0.500	NA	NA	NA	NA	39.72	10.75	28.97	NA	NA
S-9	12/06/2006	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	39.72	10.60	29.12	NA	NA
S-9	01/30/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	39.72	10.45	29.27	NA	NA
S-9	05/15/2007	61 j,k	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	39.72	10.15	29.57	NA	NA
S-9	08/29/2007	71 j	<0.50	<1.0	1.3	2.1	NA	<1.0	<2.0	<2.0	<2.0	<10	39.72	10.96	28.76	NA	NA
S-9	11/29/2007	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	39.72	NA	NA	NA	NA
S-9	02/21/2008	<50 j	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	39.72	7.36	32.36	NA	NA
S-9	05/06/2008	<50	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	39.72	10.49	29.23	NA	NA
S-9	08/27/2008	<50	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	39.72	11.19	28.53	NA	NA
S-9	11/24/2008	<50	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	39.72	10.91	28.81	NA	NA
S-9	01/28/2009	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	39.72	NA	NA	NA	NA
S-9	05/26/2009	<50	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	39.72	10.20	29.52	NA	NA
S-9	11/24/2009	<50	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	39.72	10.52	29.20	NA	NA
S-9	05/26/2010	<50	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	39.72	7.09	32.63	NA	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**999 San Pablo Avenue**  
**Albany, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

Abbreviations:

TPPH = Total petroleum hydrocarbons as gasoline by EPA Method 8260B; prior to May 31, 2001, analyzed by EPA Method 8015.

BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA Method 8260B; prior to May 31, 2001, analyzed by EPA Method 8020.

MTBE = Methyl tertiary butyl ether

DIPE = Di-isopropyl ether, analyzed by EPA Method 8260B

ETBE = Ethyl tertiary butyl ether, analyzed by EPA Method 8260B

TAME = Tertiary amyl methyl ether, analyzed by EPA Method 8260B

TBA = Tertiary butyl alcohol, analyzed by EPA Method 8260B

TOC = Top of Casing Elevation

TOB = Top of Wellbox Elevation

SPH = Separate-Phase Hydrocarbons

GW = Groundwater

DO = Dissolved Oxygen

ug/L = Parts per billion

mg/L = Parts per million

MSL = Mean sea level

ft. = Feet

ppm = Parts per million

<n = Below detection limit

(D) = Duplicate sample

NA = Not applicable

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**999 San Pablo Avenue**  
**Albany, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

Notes:

a = Sample analyzed for total dissolved solids (450 mg/L).

b = Surrogate recovery outside QC limits due to matrix effect.

c = Chromatogram pattern indicated an unidentified hydrocarbon.

d = This sample analyzed outside of EPA recommended hold time.

e = Concentration is an estimate value above the linear quantitation range.

f = Top of casing elevation lowered 0.19 feet on June 22, 2004 due to wellhead maintenance.

g = Hydrocarbon reported does not match the laboratory standard.

h = Quantity of unknown hydrocarbon(s) in sample based on gasoline.

i = Secondary ion abundances were outside method requirements. Identification based on analytical judgement.

j = Analyzed by EPA Method 8015B (M).

k = The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

l = Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.

m = Analyte was present in the associated method blank.

When separate-phase hydrocarbons are present, ground water elevation is adjusted using the relation:

Corrected ground water elevation = Top-of-casing elevation - depth to water + (0.8 x hydrocarbon thickness).

Ownership of well S-5 is being transferred to Arco.

Beginning July 25, 2002 depth to waters referenced to Top of Casing.

Site surveyed January 9, 2002 by Virgil Chavez Land Surveying of Vallejo, CA.

Wells S-8 and S-9 surveyed May 11, 2004 by Virgil Chavez Land Surveying of Vallejo, CA.

**APPENDIX C**  
**HISTORICAL GROUND-WATER DATA TABLES**

**Table 1**  
**Groundwater Monitoring Data**

**ARCO Service Station No. 2035**  
**1001 San Pablo Avenue, Albany, California**

Well Number	TOC	Depth to Water	PP	Groundwater Elevation [1]	Date Sampled	TPHg ( $\mu\text{g/L}$ )	Benzene ( $\mu\text{g/L}$ )	Toluene ( $\mu\text{g/L}$ )	Ethyl-benzene ( $\mu\text{g/L}$ )	Total Xylenes ( $\mu\text{g/L}$ )	MTBE ( $\mu\text{g/L}$ )	MTBE 8021B* / 8240/8260 ( $\mu\text{g/L}$ )	Dissolved Oxygen (mg/L)	Purged/ Not Purged (P/NP)
	Elevation (ft-MSL)	(feet)	Thickness (feet)	(ft-MSL)										
MW-1	41.41	6.21	0.00	35.20	03-23-91	8,800	3,600	<50	62	99	--	--	--	--
MW-1	41.41	9.37	0.00	32.04	05-23-91	4,800	2,000	<20	52	<20	--	--	--	--
MW-1	41.41	10.30	0.00	31.11	08-21-91	780	310	<2.5	12	<2.5	14	--	--	--
MW-1	41.41	12.25	0.00	29.16	11-08-91	58	14	<0.5	<0.5	<0.5	--	--	--	--
MW-1	41.41	9.08	0.00	32.33	02-26-92	2,700	930	12	18	32	51	--	--	--
MW-1	41.41	9.11	0.00	32.30	04-21-92	2,700	1,000	<10	22	<10	<60	--	--	--
MW-1	41.41	10.37	0.00	31.04	08-14-92	300	52	<0.5	0.9	<0.5	22	--	--	--
MW-1	41.41	8.79	0.00	32.62	12-09-92	270	63	0.7	<0.5	1	25	--	--	--
MW-1	41.41	9.80	0.00	31.61	03-26-93	1,500	610	<5	15	7	56	--	--	--
MW-1	41.41	9.65	0.00	31.76	05-21-93	110	6	<0.5	<0.5	0.7	10	--	--	--
MW-1	41.41	10.22	0.00	31.19	09-03-93	180	40	<0.5	1.2	0.5	26	--	--	--
MW-1	41.41	10.68	0.00	30.73	11-02-93	83	8	<0.5	<0.5	<0.5	13	--	--	--
MW-1	41.41	6.92	0.00	34.49	02-19-94	1,800	540	7	27	31	46	--	--	--
MW-1	41.41	9.28	0.00	32.13	05-17-94	4,500	1,300	20	57	20	<60	--	--	--
MW-1	41.41	10.05	0.00	31.36	08-20-94	530	110	<5	<5	<5	400	--	--	--
MW-1	41.41	10.42	0.00	30.99	10-19-94	66	9.1	<0.5	<0.5	<0.5	8	--	--	--
MW-1	41.41	8.10	0.00	33.31	02-15-95	1,200	390	<5	<5	6	45	--	--	--
MW-1	41.41	9.53	0.00	31.88	05-23-95	1,300	600	3	13	3	26	--	--	--
MW-1	41.41	10.03	0.00	31.38	08-23-95	100	21	1.3	<0.5	<0.5	8	--	0.55	P
MW-1	41.41	9.80	0.00	31.61	11-15-95	99	10	0.6	<0.5	<1	7	--	2.1	P
MW-1	41.41	8.82	0.00	32.59	02-01-96	400	93	1.6	3.6	3.7	19	--	1.0	P
DUP I	--	--	--	--	06-20-96	416	88.4	<2.50	4.61	1.56	<5.00	--	--	--
MW-1	41.41	9.60	0.00	31.81	06-20-96	444	100	<2.50	4.15	<2.50	15.9	--	1.7	P
MW-1	41.41	9.50	0.00	31.91	11-05-96	73.2	17.8	<0.500	<0.500	<0.500	7.80	--	1.04	P
MW-1	41.41	9.28	0.00	32.13	05-03-97	714	392	<5.00	<5.00	<5.00	26.1	--	--	P
MW-1	41.41	10.50	0.00	30.91	10-02-97	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	0.59	P
DUP I	--	--	--	--	10-02-97	<50	<0.50	<0.50	<0.50	0.52	<2.5	--	--	--

**Table 1**  
**Groundwater Monitoring Data**

**ARCO Service Station No. 2035**  
**1001 San Pablo Avenue, Albany, California**

Well Number	TOC	Depth	RP	Groundwater	Date Sampled	TPHg ( $\mu\text{g/L}$ )	Benzene ( $\mu\text{g/L}$ )	Toluene ( $\mu\text{g/L}$ )	Ethyl-benzene ( $\mu\text{g/L}$ )	Total Xylenes ( $\mu\text{g/L}$ )	MTBE 8021B*	MTBE 8240/8260	Dissolved Oxygen ( $\text{mg/L}$ )	Purged/Not Purged (P/NP)	
	Elevation (ft-MSL)	to Water (feet)	Thickness (feet)	Elevation [1] (ft-MSL)							8021B*	8240/8260	Oxygen (mg/L)	(P/NP)	
MW-2	40.38	6.96	0.00	33.42	03-23-91	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
MW-2	40.38	10.02	0.00	30.36	05-23-91	Not sampled: well sampled semi-annually, during the first and third quarters									
MW-2	40.38	10.87	0.00	29.51	08-21-91	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	
MW-2	40.38	13.12	0.00	27.26	11-08-91	Not sampled: well sampled semi-annually, during the first and third quarters									
MW-2	40.38	10.25	0.00	30.13	02-26-92	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	
MW-2	40.38	9.98	0.00	30.40	04-21-92	Not sampled: well sampled semi-annually, during the first and third quarters									
MW-2	40.38	11.10	0.00	29.28	08-14-92	<50	<0.5	<0.5	<0.5	<0.5	4	--	--	--	
MW-2	40.38	10.00	0.00	30.38	12-09-92	Not sampled: well sampled semi-annually, during the first and third quarters									
MW-2	40.38	10.38	0.00	30.00	03-26-93	<50	<0.5	<0.5	<0.5	<0.5	12	--	--	--	
MW-2	40.38	10.65	0.00	29.73	05-21-93	Not sampled: well sampled semi-annually, during the first and third quarters									
MW-2	40.38	10.87	0.00	29.51	09-03-93	<50	<0.5	<0.5	<0.5	<0.5	19	--	--	--	
MW-2	40.38	11.25	0.00	29.13	11-02-93	<50	<0.5	<0.5	<0.5	<0.5	18	--	--	--	
MW-2	40.38	7.69	0.00	32.69	02-19-94	<50	0.5	<0.5	<0.5	<0.5	12	--	--	--	
MW-2	40.38	9.88	0.00	30.50	05-17-94	<50	<0.5	<0.5	<0.5	<0.5	10	--	--	--	
MW-2	40.38	10.62	0.00	29.76	08-20-94	<50	<0.5	<0.5	<0.5	<0.5	3	--	--	--	
MW-2	40.38	11.00	0.00	29.38	10-19-94	<50	<0.5	<0.5	<0.5	<0.5	31	--	--	--	
MW-2	40.38	9.04	0.00	31.34	02-15-95	<50	<0.5	<0.5	<0.5	<0.5	13	--	--	--	
MW-2	40.38	9.90	0.00	30.48	05-23-95	<50	0.6	<0.5	<0.5	<0.5	47	--	--	--	
MW-2	40.38	10.60	0.00	29.78	08-23-95	<50	<0.5	<0.5	<0.5	<0.5	20	--	0.88	P	
MW-2	40.38	10.45	0.00	29.93	11-15-95	<50	<0.5	<0.5	<0.5	<1	<3	--	2.5	P	
MW-2	40.38	9.49	0.00	30.89	02-01-96	<50	<0.5	<0.5	<0.5	<1	59	--	1.0	P	
MW-2	40.38	10.30	0.00	30.08	06-20-96	<50.0	<0.500	<0.500	<0.500	<0.500	4.17	--	1.5	P	
MW-2	40.38	10.19	0.00	30.19	11-05-96	<50.0	<0.500	<0.500	<0.500	<0.500	30.6	--	1.27	P	
MW-2	40.38	10.15	0.00	30.23	05-03-97	<50.0	<0.500	<0.500	<0.500	<0.500	32.7	--	--	P	
DUP	--	--	--	--	05-03-97	<50.0	<0.500	<0.500	<0.500	1.18	31.5	--	--	--	
MW-2	40.38	10.97	0.00	29.41	10-02-97	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	0.63	P	

**Table 1**  
**Groundwater Monitoring Data**

**ARCO Service Station No. 2035**  
**1001 San Pablo Avenue, Albany, California**

Well Number	TOC	Depth to Water	FP	Groundwater Elevation [1]	Date Sampled	TPHg	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE 8021B*	MTBE 8240/8260	Dissolved Oxygen	Purged/Not Purged (P/NP)
	Elevation (ft-MSL)	(feet)	Thickness (feet)	(ft-MSL)		(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(mg/L)	
MW-3	41.44	7.29	0.00	34.15	03-23-91	51	0.8	<0.5	2.4	<0.5	--	--	--	--
MW-3	41.44	9.53	0.00	31.91	05-23-91	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
MW-3	41.44	11.19	0.00	30.25	08-21-91	<50	<0.5	<0.5	<0.5	<0.5	79	--	--	--
MW-3	41.44	12.77	0.00	28.67	11-08-91	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
MW-3	41.44	9.41	0.00	32.03	02-26-92	120	3.6	<0.5	2.2	3.7	90	--	--	--
MW-3	41.44	9.63	0.00	31.81	04-21-92	<50	<0.5	<0.5	<0.5	<0.5	90	--	--	--
MW-3	41.44	11.12	0.00	30.32	08-14-92	<50	<0.5	<0.5	<0.5	<0.5	54	--	--	--
MW-3	41.44	10.34	0.00	31.10	12-09-92	71	<0.5	<0.5	<0.5	<0.5	130	--	--	--
MW-3	41.44	10.28	0.00	31.16	03-26-93	<100	<1	<1	<1	<1	170	--	--	--
MW-3	41.44	10.40	0.00	31.04	05-21-93	<100	<1	<1	<1	<1	95	--	--	--
MW-3	41.44	10.75	0.00	30.69	09-03-93	<50	<0.5	<0.5	<0.5	<0.5	37	--	--	--
MW-3	41.44	11.44	0.00	30.00	11-02-93	<200	<2	<2	<2	<2	130	--	--	--
MW-3	41.44	7.48	0.00	33.96	02-19-94	<200	<2	5	<2	8	140	--	--	--
MW-3	41.44	9.87	0.00	31.57	05-17-94	<100	<1	<1	<1	<1	150	--	--	--
MW-3	41.44	10.72	0.00	30.72	08-20-94	<200	<2	<2	<2	<2	210	--	--	--
MW-3	41.44	11.30	0.00	30.14	10-19-94	<200	<2	<2	<2	<2	270	--	--	--
MW-3	41.44	8.60	0.00	32.84	02-15-95	<500	<5	<5	<5	<5	700	--	--	--
MW-3	41.44	9.87	0.00	31.57	05-23-95	<50	<0.5	<0.5	<0.5	<0.5	150	140	--	--
MW-3	41.44	10.83	0.00	30.61	08-23-95	<50	<0.5	<0.5	<0.5	<0.5	54	71	0.41	P
MW-3	41.44	10.54	0.00	30.90	11-15-95	100	<0.5	3.3	<0.5	<1	500	--	6.2	P
MW-3	41.44	5.69	0.00	35.75	02-01-96	18,000	1,000	45	1,500	940	100	--	2.12	P
MW-3	41.44	9.99	0.00	31.45	06-20-96	90.9	1.52	<0.500	<0.500	<0.500	187	--	2.6	P
MW-3	41.44	10.15	0.00	31.29	11-05-96	138	2.37	<0.500	<0.500	<0.500	216	--	0.47	P
MW-3	41.44	10.17	0.00	31.27	05-03-97	316	15.7	1.14	<0.500	<0.500	178	--	--	P
MW-3	41.44	10.99	0.00	30.45	10-02-97	120	<0.50	<0.50	<0.50	<0.50	120	--	0.47	P

**Table 1**  
**Groundwater Monitoring Data**

**ARCO Service Station No. 2035**  
**1001 San Pablo Avenue, Albany, California**

Well Number	TOC	Depth	FP	Groundwater Elevation [1]	Date Sampled	TPHg	Benzene	Ethyl-benzene	Total Xylenes	MTBE 8021B*	MTBE 8240/8260	Dissolved Oxygen	Purged/Not Purged (P/NP)
	Elevation (ft-MSL)	to Water (feet)	Thickness (feet)	(ft-MSL)		(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(mg/L)	
MW-4	40.33	5.92	0.00	34.41	03-23-91	<50	<0.5	<0.5	<0.5	--	--	--	--
MW-4	40.33	9.23	0.00	31.10	05-23-91	<50	<0.5	<0.5	<0.5	--	--	--	--
MW-4	40.33	10.61	0.00	29.72	08-21-91	<50	<0.5	<0.5	<0.5	99	--	--	--
MW-4	40.33	11.97	0.00	28.36	11-08-91	<50	<0.5	<0.5	<0.5	--	89	--	--
MW-4	40.33	8.84	0.00	31.49	02-26-92	<50	0.8	<0.5	<0.5	<5	--	--	--
MW-4	40.33	9.15	0.00	31.18	04-21-92	Not sampled: well sampled annually, during the first quarter							--
MW-4	40.33	10.35	0.00	29.98	08-14-92	Not sampled: well sampled annually, during the first quarter							--
MW-4	40.33	8.70	0.00	31.63	12-09-92	Not sampled: well sampled annually, during the first quarter							--
MW-4	40.33	9.75	0.00	30.58	03-26-93	<5,000	<50	<50	<50	4,200	--	--	--
MW-4	40.33	9.91	0.00	30.42	05-21-93	Not sampled: well sampled annually, during the first quarter							--
MW-4	40.33	10.25	0.00	30.08	09-03-93	Not sampled: well sampled annually, during the first quarter							--
MW-4	40.33	10.79	0.00	29.54	11-02-93	<50	<0.5	<0.5	<0.5	<5	--	--	--
MW-4	40.33	6.78	0.00	33.55	02-19-94	<2,000	<20	<20	<20	3,300	--	--	--
MW-4	40.33	9.26	0.00	31.07	05-17-94	<50	<0.5	<0.5	<0.5	<5	--	--	--
MW-4	40.33	10.10	0.00	30.23	08-20-94	<50	<0.5	<0.5	<0.5	9	--	--	--
MW-4	40.33	10.43	0.00	29.90	10-19-94	<50	<0.5	<0.5	<0.5	17	--	--	--
MW-4	40.33	8.56	0.00	31.77	02-15-95	<500	<5	<5	<5	400	--	--	--
MW-4	40.33	9.52	0.00	30.81	05-23-95	<50	<0.5	<0.5	<0.5	10	7.6	--	--
MW-4	40.33	9.99	0.00	30.34	08-23-95	<2,500	<25	<25	<25	1,200	1,300	0.84	NP
MW-4	40.33	9.80	0.00	30.53	11-15-95	<50	<0.5	<0.5	<0.5	<1	<3	--	0.0
MW-4	40.33	9.11	0.00	31.22	02-01-96	<50	<0.5	<0.5	<0.5	<1	1,200	--	1.0
MW-4	40.33	9.60	0.00	30.73	06-20-96	<50.0	<0.500	<0.500	<0.500	<0.500	60.5	--	1.3
MW-4	40.33	9.53	0.00	30.80	11-05-96	<50.0	<0.500	<0.500	<0.500	<0.500	14.0	--	0.71
MW-4	40.33	9.21	0.00	31.12	05-03-97	<50.0	<0.500	<0.500	<0.500	<0.500	83.6	--	--
MW-4	40.33	10.74	0.00	29.59	10-02-97	<50	<0.50	<0.50	<0.50	<0.50	260	--	0.59

**Table 1**  
**Groundwater Monitoring Data**

**ARCO Service Station No. 2035**  
**1001 San Pablo Avenue, Albany, California**

Well Number	TOC	Depth to Water	FP	Groundwater Elevation [1]	Date Sampled	TPHg	Benzene	Ethylbenzene	Total Xylenes	8021B*	MTBE	MTBE	Dissolved Oxygen	Purged/Not Purged			
	(ft-MSL)	(feet)	(feet)	(ft-MSL)		( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	8240/8260	( $\mu\text{g/L}$ )	(mg/L)	(P/NP)			
MW-5	41.84	6.23	0.00	35.61	03-23-91	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--			
MW-5	41.84	9.61	0.00	32.23	05-23-91	Not sampled: well sampled annually, during the first quarter											
MW-5	41.84	11.12	0.00	30.72	08-21-91	Not sampled: well sampled annually, during the first quarter											
MW-5	41.84	12.52	0.00	29.32	11-08-91	Not sampled: well sampled annually, during the first quarter											
MW-5	41.84	9.52	0.00	32.32	02-26-92	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-5	41.84	9.44	0.00	32.40	04-21-92	Not sampled: well sampled annually, during the first quarter											
MW-5	41.84	10.83	0.00	31.01	08-14-92	Not sampled: well sampled annually, during the first quarter											
MW-5	41.84	9.20	0.00	32.64	12-09-92	Not sampled: well sampled annually, during the first quarter											
MW-5	41.84	10.10	0.00	31.74	03-26-93	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-5	41.84	10.28	0.00	31.56	05-21-93	Not sampled: well sampled annually, during the first quarter											
MW-5	41.84	10.73	0.00	31.11	09-03-93	Not sampled: well sampled annually, during the first quarter											
MW-5	41.84	11.23	0.00	30.61	11-02-93	Not sampled: well sampled annually, during the first quarter											
MW-5	41.84	6.67	0.00	35.17	02-19-94	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-5	41.84	9.61	0.00	32.23	05-17-94	Not sampled: well sampled annually, during the first quarter											
MW-5	41.84	10.58	0.00	31.26	08-20-94	Not sampled: well sampled annually, during the first quarter											
MW-5	41.84	10.66	0.00	31.18	10-19-94	Not sampled: well sampled annually, during the first quarter											
MW-5	41.84	8.35	0.00	33.49	02-15-95	Not sampled											
MW-5	41.84	9.95	0.00	31.89	05-23-95	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-5	41.84	10.51	0.00	31.33	08-23-95	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-5	41.84	10.37	0.00	31.47	11-15-95	Not sampled: well sampled annually, during the second quarter											
MW-5	41.84	9.35	0.00	32.49	02-01-96	<50	<0.5	<0.5	<0.5	<1	<3	--	--	--	--	--	--
MW-5	41.84	10.03	0.00	31.81	06-20-96	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--	1.0	NP	--	--
MW-5	41.84	9.89	0.00	31.95	11-05-96	Not sampled: well sampled annually, during the second quarter											
MW-5	41.84	9.42	0.00	32.42	05-03-97	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--	3.1	NP	--	--
MW-5	41.84	10.55	0.00	31.29	10-02-97	Not sampled: well sampled annually, during the second quarter											

**Table 1**  
**Groundwater Monitoring Data**

**ARCO Service Station No. 2035**  
**1001 San Pablo Avenue, Albany, California**

Well Number	TOC Elevation (ft-MSL)	Depth to Water (feet)	FP Thickness (feet)	Groundwater Elevation [1] (ft-MSL)	Date Sampled	TPHg ( $\mu\text{g/L}$ )	Benzene ( $\mu\text{g/L}$ )	Toluene ( $\mu\text{g/L}$ )	Ethylbenzene ( $\mu\text{g/L}$ )	Xylenes ( $\mu\text{g/L}$ )	Total 8021B*	MTBE 8240/8260 ( $\mu\text{g/L}$ )	MTBE 8240/8260 ( $\mu\text{g/L}$ )	Dissolved Oxygen (mg/L)	Purged/Not Purged (P/NP)
MW-6	40.13	9.03	0.00	31.10	03-23-91	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
MW-6	40.13	12.45	0.00	27.68	05-23-91	Not sampled: well sampled annually, during the first quarter									
MW-6	40.13	13.32	0.00	26.81	08-21-91	Not sampled: well sampled annually, during the first quarter									
MW-6	40.13	14.13	0.00	26.00	11-08-91	Not sampled: well sampled annually, during the first quarter									
MW-6	40.13	11.86	0.00	28.27	02-26-92	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--
MW-6	40.13	12.35	0.00	27.78	04-21-92	Not sampled: well sampled annually, during the first quarter									
MW-6	40.13	13.18	0.00	26.95	08-14-92	Not sampled: well sampled annually, during the first quarter									
MW-6	40.13	11.94	0.00	28.19	12-09-92	Not sampled: well sampled annually, during the first quarter									
MW-6	40.13	13.10	0.00	27.03	03-26-93	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--
MW-6	40.13	13.00	0.00	27.13	05-21-93	Not sampled: well sampled annually, during the first quarter									
MW-6	40.13	13.30	0.00	26.83	09-03-93	Not sampled: well sampled annually, during the first quarter									
MW-6	40.13	13.42	0.00	26.71	11-02-93	<50	<0.5	<0.5	<0.5	<0.5	19	--	--	--	--
MW-6	40.13	10.57	0.00	29.56	02-19-94	<100	<1	<1	<1	<1	95	--	--	--	--
MW-6	40.13	12.64	0.00	27.49	05-17-94	<100	<1	<1	<1	<1	180	--	--	--	--
MW-6	40.13	13.13	0.00	27.00	08-20-94	<100	<1	<1	<1	<1	180	--	--	--	--
MW-6	40.13	13.48	0.00	26.65	10-19-94	<100	<1	<1	<1	<1	180	--	--	--	--
MW-6	40.13	11.92	0.00	28.21	02-15-95	<200	<2	<2	<2	<2	200	--	--	--	--
MW-6	40.13	12.80	0.00	27.33	05-23-95	<50	<0.5	<0.5	<0.5	<0.5	120	--	--	--	--
MW-6	40.13	13.03	0.00	27.10	08-23-95	<50	<0.5	<0.5	<0.5	<0.5	44	--	0.46	NP	
MW-6	40.13	12.70	0.00	27.43	11-15-95	<50	<0.5	<0.5	<0.5	<0.5	17	17	0.0	NP	
MW-6	40.13	8.61	0.00	31.52	02-01-96	<50	<0.5	<0.5	<0.5	<1	6	--	1.0	NP	
MW-6	40.13	12.88	0.00	27.25	06-20-96	<50.0	<0.500	<0.500	<0.500	<0.500	2.57	--	2.8	NP	
MW-6	40.13	12.74	0.00	27.39	11-05-96	<50.0	<0.500	<0.500	<0.500	<0.500	3.77	--	1.51	NP	
DUP	--	--	--	--	11-05-96	<50.0	<0.500	<0.500	<0.500	<0.500	4.03	--	--	--	
MW-6	40.13	11.29	0.00	28.84	05-03-97	<50.0	<0.500	<0.500	<0.500	<0.500	10.5	12.3	--	NP	
MW-6	40.13	11.35	0.00	28.78	10-02-97	<50	<0.50	<0.50	<0.50	<0.50	5.8	4.8	0.61	NP	

**Table 1**  
**Groundwater Monitoring Data**

**ARCO Service Station No. 2035**  
**1001 San Pablo Avenue, Albany, California**

Well Number	TOC	Depth	FP	Groundwater	Date Sampled	TPHg ( $\mu\text{g/L}$ )	Benzene ( $\mu\text{g/L}$ )	Toluene ( $\mu\text{g/L}$ )	Ethyl-benzene ( $\mu\text{g/L}$ )	Total Xylenes ( $\mu\text{g/L}$ )	MTBE ( $\mu\text{g/L}$ )	MTBE ( $\mu\text{g/L}$ )	Dissolved Oxygen (mg/L)	Purged/ Not Purged (P/NP)
	Elevation (ft-MSL)	to Water (feet)	Thickness (feet)	Elevation [1] (ft-MSL)										
RW-1	40.33	9.32	0.01	31.02	03-23-91	11,000	560	660	150	1,700	--	--	--	--
RW-1	40.33	9.75	0.03	30.60	05-23-91	Not sampled: well contained floating product								--
RW-1	40.33	10.86	0.02	29.48	08-21-91	Not sampled: well contained floating product								--
RW-1	40.33	20.61	0.00	19.72	11-08-91	1,600	79	46	13	240	--	--	--	--
RW-1	40.33	16.56	0.00	23.77	02-26-92	210	44	7.5	2.5	24	29	--	--	--
RW-1	40.33	9.65	0.00	30.68	04-21-92	36,000	7,400	3,700	580	3,400	<300	--	--	--
RW-1	40.33	10.60	0.00	29.73	08-14-92	1,800	31	38	15	150	<30	--	--	--
RW-1	40.33	8.72	0.00	31.61	12-09-92	25,000	1,900	1,000	330	3,200	<100	--	--	--
RW-1	40.33	10.33	0.00	30.00	03-26-93	7,200	1,900	59	95	240	480	--	--	--
RW-1	40.33	10.10	0.00	30.23	05-21-93	3,000	630	84	45	340	<60	--	--	--
RW-1	40.33	10.42	0.00	29.91	09-03-93	7,100	120	55	14	160	<60	--	--	--
RW-1	40.33	9.10	0.00	31.23	11-02-93	<200	14	19	3	19	140	--	--	--
RW-1	40.33	7.49	0.00	32.84	02-19-94	3,800	1,000	85	64	220	950	--	--	--
RW-1	40.33	8.90	0.00	31.43	05-17-94	<200	45	<2	2	4	220	--	--	--
RW-1	40.33	11.06	0.00	29.27	08-20-94	480	200	<2	<2	30	180	--	--	--
RW-1	40.33	11.12	0.00	29.21	10-19-94	110	36	2.9	<0.5	4.1	5	--	--	--
RW-1	40.33	7.70	0.00	32.63	02-16-95	250	61	2	2	19	94	--	--	--
RW-1	40.33	11.12	0.00	29.21	05-23-95	4,500	2,000	7	<2	180	35	--	--	--
RW-1	40.33	10.15	0.00	30.18	08-23-95	2,600	1,100	6.3	2.3	17	39	--	0.52	NP
RW-1	40.33	9.95	0.00	30.38	11-15-95	1,200	2,600	16	86	41	140	--	1.4	P
RW-1	40.33	11.88	0.00	28.45	02-01-96	11,000	980	230	200	1,400	38	--	1.0	NP
RW-1	40.33	9.83	0.00	30.50	06-20-96	899	278	<2.50	8.70	8.46	61.1	--	1.3	NP
RW-1	40.33	8.45	0.00	31.88	11-05-96	156,000	3,260	28,800	4,570	25,700	26,200	--	0.63	P
RW-1	40.33	8.57	0.00	31.76	05-03-97	244,000	8,420	56,000	5,660	36,200	23,400	11,000	--	P
RW-1	40.33	9.13	0.00	31.20	10-02-97	120,000	2,500	33,000	3,800	21,000	3,300	--	0.38	P

**Table 1**  
**Groundwater Monitoring Data**

**ARCO Service Station No. 2035**  
**1001 San Pablo Avenue, Albany, California**

Well Number	TOC Elevation (ft-MSL)	Depth to Water (feet)	FP Thickness (feet)	Groundwater Elevation [1] (ft-MSL)	Date Sampled	TPHg ( $\mu\text{g/L}$ )	Benzene ( $\mu\text{g/L}$ )	Toluene ( $\mu\text{g/L}$ )	Ethylbenzene ( $\mu\text{g/L}$ )	Total Xylenes ( $\mu\text{g/L}$ )	MTBE 8021B*	MTBE 8240/8260	Dissolved Oxygen ( $\text{mg/L}$ )	Purged/Not Purged (P/NP)
S-5	--	--	--	--	05-30-97	310,000	3,000	11,000	4,000	34,000	<2,500	--	--	--
S-5	--	10.00	--	--	10-02-97	70,000	1,800	7,800	1,400	20,000	<120	--	0.25	NP

TOC: top of casing

ft-MSL: elevation in feet, relative to mean sea level

TPH: total petroleum hydrocarbons as gasoline, California DHS LUFT Method

BTEX: benzene, toluene, ethylbenzene, total xylenes by EPA method 8021B. (EPA method 8020 prior to 11/16/99).

MTBE: Methyl tert-butyl ether

$\mu\text{g/L}$ : micrograms per liter

$\text{mg/L}$ : milligrams per liter

--: not analyzed or not applicable

<: denotes concentration not present at or above laboratory detection limit stated to the right.

[1] = Computed by adding correction factor to groundwater elevation. Correction factor = free product thickness times 0.73 (approximate specific gravity of gasoline).

\*: EPA method 8020 prior to 11/16/99

\*\*: For previous historical groundwater elevation and analytical data please refer to *Fourth Quarter 1995 Groundwater Monitoring Program Results and Remediation System Performance Evaluation Report, ARCO Service Station 2035, Albany, California*, (EMCON, March 25, 1996).

DUP: duplicate sample

**Table 3**  
**Historical Groundwater Analytical Data**  
**Petroleum Hydrocarbons and Their Constituents**  
**1994 - Present\***

ARCO Service Station 2035  
 1001 San Pablo Avenue, Albany, California

Date: 12-22-03

Well Designation	Water Sample Field Date	TPH/C LIFT Method	Benzene	Toluene	Ethylbenzene	Total Xylenes	MDE/C EPA 8020	MTBE/C EPA 8240	Oil and Grease SK 5520B&F	Oil and Grease SK 5520C	Oil and Grease SK 5520F	TPH/C EPA 418.1	TPH/D LIFT Method
			µg/L	µg/L	µg/L	µg/L							
MW-1	01-31-90	<50	13	<0.5	0.5	0.6	-	-	-	-	-	-	-
MW-1	04-25-90	990	290	3.5	18	14	-	-	-	-	-	-	-
MW-1	07-28-90	760	280	<2.5	7.1	<2.5	-	-	-	-	-	-	-
MW-1	11-14-90	570	150	7.3	<2.5	30	-	-	-	-	-	-	-
MW-1	03-23-91	8800	3600	<50	62	99	-	-	-	-	-	-	-
MW-1	05-23-91	4800	2000	<20	52	<20	-	-	-	-	-	-	-
MW-1	08-21-91	780	310	<2.5	12	<2.5	14	-	-	-	-	-	-
MW-1	11-08-91	58	14	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-1	02-26-92	2700	930	12	18	32	51	-	-	-	-	-	-
MW-1	04-21-92	2700	1000	<10	22	<10	<60	-	-	-	-	-	-
MW-2	01-31-90	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-2	04-25-90	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-2	07-28-90	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-2	11-14-90	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-2	03-23-91	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-2	05-23-91 Not sampled: not scheduled for chemical analysis	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-2	08-21-91	<50	<0.5	<0.5	<0.5	<0.5	<3	-	-	-	-	-	-
MW-2	11-08-91 Not sampled: not scheduled for chemical analysis	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-2	02-26-92	<50	<0.5	<0.5	<0.5	<0.5	<3	-	-	-	-	-	-
MW-2	04-21-92 Not sampled: not scheduled for chemical analysis	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-3	01-31-90	<50	1.9	<0.5	2.1	<0.5	-	-	-	<500	<500	-	-
MW-3	04-25-90	<50	1.1	<0.5	2.4	0.9	-	-	-	-	<500	-	-
MW-3	07-28-90	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	600	-
MW-3	11-14-90	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	<500	-
MW-3	03-23-91	51	0.8	<0.5	2.4	<0.5	-	-	-	-	-	<500	-
MW-3	05-23-91	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	<500	-
MW-3	08-21-91	<50	<0.5	<0.5	<0.5	<0.5	79	-	-	-	-	<500	-
MW-3	11-08-91	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	<500	-
MW-3	02-26-92	120	3.6	<0.5	2.2	3.7	90	-	-	-	-	600	-
MW-3	04-21-92	<50	<0.5	<0.5	<0.5	<0.5	90	-	-	-	-	<0.5	-
MW-4	01-31-90	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	04-25-90	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	07-28-90	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	11-14-90	220	12	19	0.9	39	-	-	-	-	-	-	-
MW-4	03-23-91	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	05-23-91	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	08-21-91	<50	<0.5	<0.5	<0.5	<0.5	99	-	-	-	-	-	-
MW-4	11-08-91	<50	<0.5	<0.5	<0.5	<0.5	-	89	-	-	-	-	-
MW-4	02-26-92	<50	0.8	<0.5	<0.5	<0.5	<3	-	-	-	-	-	-
MW-4	04-21-92 Not sampled: not scheduled for chemical analysis	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-

Table 3  
Historical Groundwater Analytical Data  
Petroleum Hydrocarbons and Their Constituents  
1994 - Present\*

ARCO Service Station 2035  
1001 San Pablo Avenue, Albany, California

Date: 12-22-03

Well Designation	Water Sampled	Field Date	IPHC LUFT Method	Benzene	EPA 8070	Toluene	EPA 8070	Ethylbenzene	EPA 8070	Total Aromatics	EPA 8070	MDE	EPA 8070	MDE	EPA 8240	Oil and Grease	SM 5520B/AF	Oil and Grease	SM 5520C	Oil and Grease	SM 5520F	IRPH EPA 41B.1	TPHD LUFT Method
				µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-5	01-31-90	<50	<0.5	<0.5	<0.5	<0.5	<0.5	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
MW-5	04-25-90	<50	<0.5	<0.5	<0.5	<0.5	<0.5	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
MW-5	07-28-90	<50	<0.5	<0.5	<0.5	<0.5	<0.5	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
MW-5	11-14-90	<50	<0.5	<0.5	<0.5	<0.5	<0.5	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
MW-5	03-23-91	<50	<0.5	<0.5	<0.5	<0.5	<0.5	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
MW-5	05-23-91	Not sampled; not scheduled for chemical analysis																					
MW-5	08-21-91	Not sampled; not scheduled for chemical analysis																					
MW-5	11-08-91	Not sampled; not scheduled for chemical analysis																					
MW-5	02-26-92	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<3	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
MW-5	04-21-92	Not sampled; not scheduled for chemical analysis																					
MW-6	01-31-90	<50	<0.5	<0.5	<0.5	<0.5	<0.5	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
MW-6	04-25-90	<50	<0.5	<0.5	<0.5	<0.5	<0.5	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
MW-6	07-28-90	<50	<0.5	<0.5	<0.5	<0.5	<0.5	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
MW-6	11-14-90	<50	<0.5	<0.5	<0.5	<0.5	<0.5	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
MW-6	03-23-91	<50	<0.5	<0.5	<0.5	<0.5	<0.5	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
MW-6	05-23-91	Not sampled; not scheduled for chemical analysis																					
MW-6	08-21-91	Not sampled; not scheduled for chemical analysis																					
MW-6	11-08-91	Not sampled; not scheduled for chemical analysis																					
MW-6	02-26-92	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<3	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
MW-6	04-21-92	Not sampled; not scheduled for chemical analysis																					
RW-1	01-31-90	Not sampled; well connected to the remediation system																					
RW-1	04-25-90	Not sampled; well contained floating product																					
RW-1	07-28-90	Not sampled; well contained floating product																					
RW-1	11-14-90	Not sampled; well contained floating product																					
RW-1	03-23-91	11000	560	150	1700	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
RW-1	05-23-91	Not sampled; well contained floating product																					
RW-1	08-21-91	Not sampled; well contained floating product																					
RW-1	11-08-91	1600	79	46	13	240	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
RW-1	02-26-92	210	44	7.5	2.5	24	29	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
RW-1	04-21-92	36000	7400	3700	580	3400	<300	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		

IPHC: total petroleum hydrocarbons as gasoline, California DHS LUFT Method

µg/L: micrograms per liter

EPA: United States Environmental Protection Agency

MDE: Methyl-tert-butyl ether

SM: standard method

IRPH: total recoverable petroleum hydrocarbons

IPHD: total petroleum hydrocarbons as diesel, California DHS LUFT Method

- - : not analyzed

\* For previous historical analytical data please refer to "Fourty Winter 1992 Groundwater Monitoring Program Results and Remediation Performance Evaluation Report, ARCO Service Station 2035, Albany, California", (CH2M, March 25, 1993).

**APPENDIX D**

**GEOTRACKER UPLOAD CONFIRMATION RECEIPTS**

---

STATE WATER RESOURCES CONTROL BOARD

# GEOTRACKER ESI

UPLOADING A GEO\_WELL FILE

## SUCCESS

Processing is complete. No errors were found!  
Your file has been successfully submitted!

<u>Submittal Type:</u>	GEO_WELL
<u>Submittal Title:</u>	2Q10 GEO_WELL 2035
<u>Facility Global ID:</u>	T0600100081
<u>Facility Name:</u>	ARCO #02035
<u>File Name:</u>	GEO_WELL.zip
<u>Organization Name:</u>	Broadbent & Associates, Inc.
<u>Username:</u>	BROADBENT-C
<u>IP Address:</u>	67.118.40.90
<u>Submittal Date/Time:</u>	7/6/2010 10:51:02 AM
<u>Confirmation Number:</u>	<b>7057734191</b>

UPLOADING A EDF FILE

**SUCCESS**

Processing is complete. No errors were found!  
Your file has been successfully submitted!

Submittal Type: EDF - Monitoring Report - Semi-Annually  
Submittal Title: 2Q10 GW Monitoring  
Facility Global ID: T0600100081  
Facility Name: ARCO #02035  
File Name: 10052197.zip  
Organization Name: Broadbent & Associates, Inc.  
Username: BROADBENT-C  
IP Address: 67.118.40.90  
Submittal Date/Time: 7/6/2010 10:51:49 AM  
Confirmation Number: **1919770240**

[VIEW QC REPORT](#)

[VIEW DETECTIONS REPORT](#)