

DAKLAND '2 FEB '16

ANK

94582823451902

932

00

Ms. Linda Strough Donald V. and Linda L. Strough Trust

2 Sea View Ave.

Predmont, CA 94611

## ALAMEDA COUNTY HEALTH CARE SERVICE AGENCY REBECCA GEBHART, Acting Agency Director



ENVIRONMENTAL HEALTH SERVICES ENVIRONMENTAL PROTECTION 1131 Harbor Bay Parkway, Suite 250 Alameda, CA 94502-6577 (510) 567-6700 FAX (510) 337-9335

February 19, 2016

Ms. Linda Strough
Donald V. and Linda L. Strough Trust
2 Sea View Ave.
Piedmont, CA 94611

Mr. W. Bruce Berkovich COCRAIG, LTD. 100 The Embarcadero Penthouse San Francisco, CA 94105

Subject:

Request for Well Decommissioning, Fuel Leak Case No. RO0000134 and GeoTracker Global

ID T0600101644, Val Strough Chevrolet, 327 34th Street, Oakland, CA 94609

Dear Ms. Strough and Mr. Berkovich:

Alameda County Environmental Health (ACEH) is considering the above referenced site for potential case closure. The public notification period ended on February 17, 2016 and no comments were received, so you may now decommission all on-and off-site wells including, but not limited to, groundwater monitoring, vapor monitoring, air sparging, extraction and injection wells. Please submit a Well Decommissioning and Disposal Documentation Report, which includes the Alameda County Public Works Agency (ACPWA) well destruction permits, signed waste profile and signed disposal documentation, including the signature of the receiving facility for the waste (both well decommissioning and remaining site waste) according to the following schedule. Please note that non-contaminated construction debris, such as well boxes, do not typically require manifested waste disposal.

## **TECHNICAL REPORT REQUEST**

Please upload the technical report to the ACEH ftp site (Attention: Karel Detterman), and to the Geotracker website, in accordance with the following specified file naming convention and schedule:

April 29, 2016 – Well Decommissioning and Disposal Documentation Report
 File to be named: RO134 WELL DCM R\_yyyy-mm-dd

This report is being requested pursuant to California Health and Safety Code Section 25296.10. 23 CCR Sections 2652 through 2654, and 2721 through 2728 outline the responsibilities of a responsible party in response to an unauthorized release from a petroleum UST system, and require your compliance with this request.

Online case files are available for review at the following website: <a href="http://www.acgov.org/aceh/index.htm">http://www.acgov.org/aceh/index.htm</a>. Should you have any questions, please contact me at (510) 567-6708 or send me an e-mail message at karel.detterman@acgov.org

Sincerely,

Digitally signed by Karel Detterman DN: cn=Karel Detterman, o, ou, email=karel.detterman@acgov.org, c=US Date: 2016.02.19 11:41:12 -08'00'

Karel Detterman, PG

Hazardous Materials Specialist