



**CONESTOGA-ROVERS
& ASSOCIATES**

RECEIVED

By Alameda County Environmental Health at 4:32 pm, May 02, 2014

1500 Lake Center Drive, Suite 101
Rancho Cordova, California 95670
Telephone: (916) 889-8900 Fax: (916) 889-8999
www.CRAworld.com

TRANSMITTAL

DATE: May 2, 2014 **REFERENCE NO.:** 632327D

Fuel Leak Case No. RO0137

PROJECT NAME: Former Chevron Service Station 90019

To: Mark Detterman

Alameda County Health Care Services Agency

Environmental Health Department

1131 Harbor Bay Parkway, Suite 250

Alameda, CA 94502-6577

Please find enclosed: Draft Final
 Originals Other
 Prints

Sent via: Mail Same Day Courier
 Overnight Courier Other Upload to FTP site

QUANTITY	DESCRIPTION
1	Lab Report for soil and groundwater investigation conducted at site RO137 on 4/17/2014

As Requested For Review and Comment
 For Your Use

COMMENTS:

Mark - Please find attached the soil and groundwater data collected from boring B-6 for you review, as requested.

Copy to: _____

Completed by: Nate Allen

[Please Print]

Signed: 

Filing: **Correspondence File**

ANALYTICAL RESULTS

Prepared by:

Eurofins Lancaster Laboratories Environmental
2425 New Holland Pike
Lancaster, PA 17601

Prepared for:

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

April 23, 2014

Project: 90019

Submittal Date: 04/18/2014
Group Number: 1468193
PO Number: 0015144991
Release Number: FISCHER
State of Sample Origin: CA

Client Sample Description

B-6-W-140417 Grab Groundwater
QA-T-140417 NA Water
B-6-S-4.5-140417 Grab Soil
B-6-S-5.5-140417 Grab Soil
B-6-S-6.5-140417 Grab Soil

Lancaster Labs (LL)

7435148
7435149
7435150
7435151
7435152

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO

Chevron

Attn: CRA EDD

ELECTRONIC COPY TO

Conestoga-Rovers & Associates

Attn: Nathan Allen

Respectfully Submitted,



Natalie R. Luciano
Senior Specialist

(717) 556-7258

Sample Description: B-6-W-140417 Grab Groundwater
Facility# 90019 CRAW
210 Grand Ave-Oakland T0600100313

LL Sample # WW 7435148
LL Group # 1468193
Account # 10880

Project Name: 90019

Collected: 04/17/2014 12:00 by BS

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/18/2014 09:25

Reported: 04/23/2014 12:59

GAOB6

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10943	Benzene	71-43-2	17	0.5	1	1
10943	Ethylbenzene	100-41-4	520	5	10	10
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10943	Toluene	108-88-3	4	0.5	1	1
10943	Xylene (Total)	1330-20-7	37	0.5	1	1
GC Volatiles SW-846 8015B						
01728	TPH-GRO N. CA water C6-C12	n.a.	12,000	500	1,000	1

General Sample Comments

CA ELAP Lab Certification No. 2792; CA NELAP Lab Certification No. 10276CA

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	F141122AA	04/22/2014 09:38	Anita M Dale	1
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	F141122AA	04/22/2014 10:00	Anita M Dale	10
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F141122AA	04/22/2014 09:38	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	F141122AA	04/22/2014 10:00	Anita M Dale	10
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	14108A20A	04/21/2014 21:10	Marie D Beamenderfer	1
01146	GC VOA Water Prep	SW-846 5030B	1	14108A20A	04/21/2014 21:10	Marie D Beamenderfer	1

*=This limit was used in the evaluation of the final result

Sample Description: QA-T-140417 NA Water
Facility# 90019 CRAW
210 Grand Ave-Oakland T0600100313

LL Sample # WW 7435149
LL Group # 1468193
Account # 10880

Project Name: 90019

Collected: 04/17/2014

ChevronTexaco

Submitted: 04/18/2014 09:25

6001 Bollinger Canyon Rd L4310

Reported: 04/23/2014 12:59

San Ramon CA 94583

GAOQA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1

General Sample Comments

CA ELAP Lab Certification No. 2792; CA NELAP Lab Certification No. 10276CA

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	F141122AA	04/22/2014 07:06	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F141122AA	04/22/2014 07:06	Anita M Dale	1

*=This limit was used in the evaluation of the final result

Sample Description: B-6-S-4.5-140417 Grab Soil
Facility# 90019 CRAW
210 Grand Ave-Oakland T0600100313

LL Sample # SW 7435150
LL Group # 1468193
Account # 10880

Project Name: 90019

Collected: 04/17/2014 12:00 by BS

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/18/2014 09:25

Reported: 04/23/2014 12:59

GAOB4

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles			SW-846 8260B	mg/kg	mg/kg	mg/kg
10237	Benzene	71-43-2	N.D.	0.0005	0.005	0.99
10237	Ethylbenzene	100-41-4	0.012	0.001	0.005	0.99
10237	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.0005	0.005	0.99
10237	Toluene	108-88-3	N.D.	0.001	0.005	0.99
10237	Xylene (Total)	1330-20-7	0.001	0.001	0.005	0.99
GC Volatiles			SW-846 8015B modified	mg/kg	mg/kg	mg/kg
01725	TPH-GRO N. CA soil C6-C12	n.a.	52	8.1	8.1	203.25

General Sample Comments

CA ELAP Lab Certification No. 2792; CA NELAP Lab Certification No. 10276CA

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10237	BTEX/MTBE 8260 Soil	SW-846 8260B	1	B141121AA	04/23/2014 03:05	Christopher G Torres	0.99
00374	GC/MS - Bulk Soil Prep	SW-846 5035A Modified	1	201410834268	04/18/2014 16:30	Mitchell R Washel	n.a.
00374	GC/MS - Bulk Soil Prep	SW-846 5035A Modified	2	201410834268	04/18/2014 16:30	Mitchell R Washel	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5035A Modified	1	201410834268	04/18/2014 16:22	Mitchell R Washel	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	14100A16B	04/21/2014 18:52	Laura M Krieger	203.25
01150	GC - Bulk Soil Prep	SW-846 5035A Modified	1	201410834268	04/18/2014 16:23	Mitchell R Washel	n.a.

*=This limit was used in the evaluation of the final result

Sample Description: B-6-S-5.5-140417 Grab Soil
Facility# 90019 CRAW
210 Grand Ave-Oakland T0600100313

LL Sample # SW 7435151
LL Group # 1468193
Account # 10880

Project Name: 90019

Collected: 04/17/2014 12:00 by BS

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/18/2014 09:25

Reported: 04/23/2014 12:59

GAOB5

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles			mg/kg	mg/kg	mg/kg	
10237	Benzene	71-43-2	N.D.	0.0005	0.005	0.97
10237	Ethylbenzene	100-41-4	0.035	0.001	0.005	0.97
10237	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.0005	0.005	0.97
10237	Toluene	108-88-3	N.D.	0.001	0.005	0.97
10237	Xylene (Total)	1330-20-7	0.004	0.001	0.005	0.97
GC Volatiles			mg/kg	mg/kg	mg/kg	
01725	TPH-GRO N. CA soil C6-C12	n.a.	41	7.5	7.5	186.92

General Sample Comments

CA ELAP Lab Certification No. 2792; CA NELAP Lab Certification No. 10276CA

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10237	BTEX/MTBE 8260 Soil	SW-846 8260B	1	B141121AA	04/23/2014 03:28	Christopher G Torres	0.97
00374	GC/MS - Bulk Soil Prep	SW-846 5035A Modified	1	201410834268	04/18/2014 16:30	Mitchell R Washel	n.a.
00374	GC/MS - Bulk Soil Prep	SW-846 5035A Modified	2	201410834268	04/18/2014 16:30	Mitchell R Washel	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5035A Modified	1	201410834268	04/18/2014 16:25	Mitchell R Washel	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	1	14100A16B	04/21/2014 19:30	Laura M Krieger	186.92
01150	GC - Bulk Soil Prep	SW-846 5035A Modified	1	201410834268	04/18/2014 16:26	Mitchell R Washel	n.a.

*=This limit was used in the evaluation of the final result

Sample Description: B-6-S-6.5-140417 Grab Soil
Facility# 90019 CRAW
210 Grand Ave-Oakland T0600100313

LL Sample # SW 7435152
LL Group # 1468193
Account # 10880

Project Name: 90019

Collected: 04/17/2014 12:00 by BS

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 04/18/2014 09:25

Reported: 04/23/2014 12:59

B6GAO

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10237	Benzene	71-43-2	N.D.	0.024	0.24	48.92
10237	Ethylbenzene	100-41-4	0.52	0.049	0.24	48.92
10237	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.024	0.24	48.92
10237	Toluene	108-88-3	N.D.	0.049	0.24	48.92
10237	Xylene (Total)	1330-20-7	0.058	0.049	0.24	48.92

Reporting limits were raised due to interference from the sample matrix.

GC Volatiles	SW-846 8015B modified	mg/kg	mg/kg	mg/kg		
01725	TPH-GRO N. CA soil C6-C12	n.a.	240	19	19	462.96

General Sample Comments

CA ELAP Lab Certification No. 2792; CA NELAP Lab Certification No. 10276CA

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10237	BTEX/MTBE 8260 Soil	SW-846 8260B	1	Q141111AA	04/22/2014 03:11	Sarah A Guill	48.92
00374	GC/MS - Bulk Soil Prep	SW-846 5035A Modified	1	201410834268	04/18/2014 16:30	Mitchell R Washel	n.a.
00374	GC/MS - Bulk Soil Prep	SW-846 5035A Modified	2	201410834268	04/18/2014 16:30	Mitchell R Washel	n.a.
06646	GC/MS HL Bulk Sample Prep	SW-846 5035A Modified	1	201410834268	04/18/2014 16:28	Mitchell R Washel	n.a.
01725	TPH-GRO N. CA soil C6-C12	SW-846 8015B modified	2	14100A16B	04/21/2014 20:08	Laura M Krieger	462.96
01150	GC - Bulk Soil Prep	SW-846 5035A Modified	1	201410834268	04/18/2014 16:29	Mitchell R Washel	n.a.

*=This limit was used in the evaluation of the final result

Quality Control Summary

Client Name: ChevronTexaco
Reported: 04/23/14 at 12:59 PM

Group Number: 1468193

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL**</u>	<u>Blank LOQ</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: B141121AA	Sample number(s): 7435150-7435151								
Benzene	N.D.	0.0005	0.005	mg/kg	94	94	80-120	1	30
Ethylbenzene	N.D.	0.001	0.005	mg/kg	92	93	80-120	1	30
Methyl Tertiary Butyl Ether	N.D.	0.0005	0.005	mg/kg	99	98	69-126	1	30
Toluene	N.D.	0.001	0.005	mg/kg	89	92	80-120	3	30
Xylene (Total)	N.D.	0.001	0.005	mg/kg	95	96	80-120	2	30
Batch number: F141122AA	Sample number(s): 7435148-7435149								
Benzene	N.D.	0.5	1	ug/l	98		78-120		
Ethylbenzene	N.D.	0.5	1	ug/l	98		79-120		
Methyl Tertiary Butyl Ether	N.D.	0.5	1	ug/l	97		75-120		
Toluene	N.D.	0.5	1	ug/l	102		80-120		
Xylene (Total)	N.D.	0.5	1	ug/l	101		80-120		
Batch number: Q141111AA	Sample number(s): 7435152								
Benzene	N.D.	0.025	0.25	mg/kg	103	118	80-120	13	30
Ethylbenzene	N.D.	0.050	0.25	mg/kg	96	108	80-120	12	30
Methyl Tertiary Butyl Ether	N.D.	0.025	0.25	mg/kg	104	117	69-126	12	30
Toluene	N.D.	0.050	0.25	mg/kg	96	111	80-120	14	30
Xylene (Total)	N.D.	0.050	0.25	mg/kg	95	109	80-120	13	30
Batch number: 14100A16B	Sample number(s): 7435150-7435152								
TPH-GRO N. CA soil C6-C12	N.D.	1.0	1.0	mg/kg	97	90	66-126	7	30
Batch number: 14108A20A	Sample number(s): 7435148								
TPH-GRO N. CA water C6-C12	N.D.	50.	100	ug/l	117	119	80-139	2	30

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD</u>	<u>RPD MAX</u>	<u>BKG Conc</u>	<u>DUP Conc</u>	<u>DUP RPD</u>	<u>Dup RPD Max</u>
Batch number: F141122AA	Sample number(s): 7435148-7435149 UNSPK: P435643								
Benzene	104	104	72-134	0	30				
Ethylbenzene	105	106	71-134	1	30				
Methyl Tertiary Butyl Ether	97	97	72-126	0	30				
Toluene	108	109	80-125	0	30				
Xylene (Total)	108	107	79-125	0	30				

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: ChevronTexaco
Reported: 04/23/14 at 12:59 PM

Group Number: 1468193

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: 8260 Ext. Soil Master w/GRO
Batch number: B141121AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
7435150	105	107	98	98
7435151	103	103	104	104
Blank	104	104	96	94
LCS	103	102	97	100
LCSD	102	102	102	102
Limits:	50-141	54-135	52-141	50-131

Analysis Name: UST VOCs by 8260B - Water
Batch number: F141122AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
7435148	92	96	104	103
7435149	94	100	104	96
Blank	92	99	102	94
LCS	93	101	101	99
MS	94	99	102	96
MSD	92	100	103	97
Limits:	80-116	77-113	80-113	78-113

Analysis Name: 8260 Ext. Soil Master w/GRO
Batch number: Q141111AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
7435152	104	106	106	100
Blank	100	102	95	90
LCS	102	105	96	91
LCSD	113	115	107	102
Limits:	50-141	54-135	52-141	50-131

Analysis Name: TPH-GRO N. CA soil C6-C12
Batch number: 14100A16B
Trifluorotoluene-F

7435150	97
7435151	96
7435152	126
Blank	95
LCS	96
LCSD	88
Limits:	50-142

Analysis Name: TPH-GRO N. CA water C6-C12

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: ChevronTexaco
Reported: 04/23/14 at 12:59 PM

Group Number: 1468193

Surrogate Quality Control

Batch number: 14108A20A
Trifluorotoluene-F

7435148	85
Blank	77
LCS	81
LCSD	79

Limits: 63-135

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	BMQL	Below Minimum Quantitation Level
N.D.	none detected	MPN	Most Probable Number
TNTC	Too Numerous To Count	CP Units	cobalt-chloroplatinate units
IU	International Units	NTU	nephelometric turbidity units
umhos/cm	micromhos/cm	ng	nanogram(s)
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
µg	microgram(s)	mg	milligram(s)
mL	milliliter(s)	L	liter(s)
m³	cubic meter(s)	µL	microliter(s)
		pg/L	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

Data Qualifiers:

C – result confirmed by reanalysis.

J - estimated value – The result is \geq the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

Inorganic Qualifiers

A	TIC is a possible aldol-condensation product	B	Value is $<$ CRDL, but \geq IDL
B	Analyte was also detected in the blank	E	Estimated due to interference
C	Pesticide result confirmed by GC/MS	M	Duplicate injection precision not met
D	Compound quantitated on a diluted sample	N	Spike sample not within control limits
E	Concentration exceeds the calibration range of the instrument	S	Method of standard additions (MSA) used for calculation
N	Presumptive evidence of a compound (TICs only)	U	Compound was not detected
P	Concentration difference between primary and confirmation columns $>$ 25%	W	Post digestion spike out of control limits
U	Compound was not detected	*	Duplicate analysis not within control limits
X,Y,Z	Defined in case narrative	+	Correlation coefficient for MSA $<$ 0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.