



97 NOV -7 PM 3:51

November 4, 1997

Mr. Thomas Peacock  
Alameda County Health Care Services  
Department of Environmental Health  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577

**Chevron Products Company**  
6001 Bollinger Canyon Road  
Building L  
San Ramon, CA 94583  
P.O. Box 6004  
San Ramon, CA 94583-0904

**Marketing - Sales West**  
Phone 510 842-9500

**Re: Former Chevron Service Station #9-0019  
210 Grand Avenue  
Oakland, California 94610**

Dear Mr. Peacock:

Enclosed is the Third Quarter Groundwater Monitoring report for 1997, prepared by our consultant Blaine Tech Services, Inc. for the above noted facility. The ground water samples were analyzed for TPH-g, BTEX, and MtBE. Monitoring wells MW-4 through MW-7 were sampled with wells MW-8 and MW-9 checked for depth to water.

Monitoring wells MW-4, MW-6 and MW-7 were below method detection limits for all constituents while MW-5 showed a decrease in all constituents for the second sampling event in a row. The depth of the groundwater varied from 2.04 feet to 6.26 feet below grade with a direction of flow northwesterly.

It appears that the dissolved hydrocarbons detected in well MW-5 are not migrating and are remaining around MW-5, as down gradient well MW-4 has been below method detection levels for all constituents the last five sampling events. As agreed by your office, Oxygen Releasing Compound (ORC) has been placed into well MW-5 to speed up the natural attenuation process. It appears that this process is working.

This appears to be a low risk site with no significant health risk. If the concentrations in monitoring well MW-5 continue to decline for the next sampling event and the concentrations are the same in the remaining wells, Chevron will request abandonment of the wells and closer of the site.

November 4, 1997  
Mr. Thomas Peacock  
Former Chevron Service Station # 9-0019  
Page2

If you have any questions, call me at (510) 842-9136.

Sincerely,  
**CHEVRON PRODUCTS COMPANY**



Philip R. Briggs  
Site Assessment and Remediation Project Manager

Enclosure

cc: Ms. Bette Owen, Chevron

Mr. Ron Basarich  
City of Oakland  
Real Estate Department  
1330 Broadway, Suite 101  
Oakland, CA 94612

Mr. Andrew Clark-Clough  
City of Oakland  
Environmental Affairs Division  
1333 Broadway, Suite 330  
Oakland, CA 94612

**BLAINE**  
TECH SERVICES INC.

1680 ROGERS AVENUE  
SAN JOSE, CALIFORNIA 95112  
(408) 573-7771 FAX  
(408) 573-0555 PHONE



ENVIRONMENTAL  
PROTECTION

97 NOV - 7 PM 3:54

October 27, 1997

Phil Briggs  
Chevron U.S.A. Products Company  
P.O. Box 6004  
San Ramon, CA 94583-0904

### 3rd Quarter 1997 Monitoring at 9-0019

Third Quarter 1997 Groundwater Monitoring at  
Former Chevron Service Station Number 9-0019  
210 Grand Avenue  
Oakland, CA

Monitoring Performed on September 12, 1997

#### Groundwater Sampling Report 970912-A-1

This report covers the routine monitoring of groundwater wells at this Chevron facility. Blaine Tech Services, Inc.'s work at the site includes inspection, gauging, evacuation, purgewater containment, sample collection and sample handling in accordance with standard procedures that conform to Regional Water Quality Control Board requirements.

Routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated volume of a three-case volume purge, elapsed evacuation time, total volume of water removed, and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater is, likewise, collected and transported to McKittrick Waste Treatment Site for disposal.


Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL DATA AND ANALYTICAL RESULTS**. The full analytical report for the most recent samples is located in the **Analytical Appendix**. The table also contains new groundwater elevation calculations taken from the computer plotted gradient map which is located in the **Professional Engineering Appendix**.

At a minimum, Blaine Tech Services, Inc. field personnel are certified upon completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. In order to avoid compromising the objectivity necessary for the proper and disinterested performance of this work, Blaine Tech Services, Inc. concentrates on objective data collection and does not participate in the interpretation of analytical results, the definition of geological or hydrological conditions, the formulation of recommendations, or the marketing of remedial systems.

Please call if you have any questions.


Yours truly,



Francis Thie  
Vice President

FPT/ew

attachments: Professional Engineering Appendix  
Cumulative Table of Well Data and Analytical Results  
Analytical Appendix  
Field Data Sheets



PREPARED BY

**RRM**  
engineering contracting firm

Former Chevron Station 9-0019  
210 Grand Avenue  
Oakland, California

GROUNDWATER ELEVATION CONTOUR MAP,  
SEPTEMBER 12, 1997

FIGURE:  
1  
PROJECT:  
DAC04

## Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

| DATE        | Well Head Elev. | Ground Water Elev. | Depth To Water | Notes     | TPH-Gasoline | Benzene | Toluene | Ethyl-Benzene | Xylene | TOG   | Chloro-form | 1, 2-DCA | Freon | 1, 1, 1-TCA | PCE | 1, 2-DCPA | 1, 2-DCE | MTBE |
|-------------|-----------------|--------------------|----------------|-----------|--------------|---------|---------|---------------|--------|-------|-------------|----------|-------|-------------|-----|-----------|----------|------|
| <b>MW-1</b> |                 |                    |                |           |              |         |         |               |        |       |             |          |       |             |     |           |          |      |
| 03/14/89    | 9.63            | 2.89               | 6.74           | --        | 600          | <0.2    | <0.2    | 3.2           | 1.7    | <3000 | 1.0         | <0.2     | <20   | <0.2        | --  | --        | --       |      |
| 06/08/89    | 9.63            | 2.49               | 7.14           | --        | <50          | <0.1    | <0.5    | <0.1          | <0.2   | --    | <0.5        | <0.1     | <20   | <0.1        | --  | --        | --       |      |
| 09/14/89    | 9.63            | 2.42               | 7.21           | --        | <50          | <0.2    | <1.0    | <0.2          | <0.4   | --    | <1.0        | <0.2     | <1.0  | 0.7         | --  | --        | --       |      |
| 12/08/89    | 9.63            | 2.34               | 7.29           | --        | <50          | <0.3    | <0.3    | <0.3          | <0.6   | --    | <0.5        | <0.5     | --    | <0.5        | --  | --        | --       |      |
| 03/19/90    | 9.63            | 2.63               | 7.00           | --        | 190          | 0.8     | <0.3    | 7.0           | 3.0    | --    | <0.5        | <0.5     | --    | <0.5        | --  | --        | --       |      |
| 07/06/90    | 9.63            | 2.50               | 7.13           | --        | <50          | <0.3    | <0.3    | <0.3          | <0.6   | --    | <0.5        | <0.5     | --    | <0.5        | --  | --        | --       |      |
| 10/03/90    | 9.63            | 2.10               | 7.53           | --        | <50          | <0.3    | <0.3    | <0.3          | <0.6   | --    | <0.5        | <0.5     | --    | <0.5        | --  | --        | --       |      |
| 08/23/91    | 9.63            | 2.57               | 7.06           | --        | 150          | 5.0     | 11      | 3.5           | 10     | --    | <0.5        | <0.5     | --    | <0.5        | --  | --        | --       |      |
| 11/22/91    | 9.63            | 2.16               | 7.47           | --        | 86           | 7.2     | 11      | 2.9           | 13     | --    | <0.5        | <0.5     | <0.5  | <0.5        | --  | --        | --       |      |
| 02/26/92    | 9.63            | 2.94               | 6.69           | --        | <50          | <0.5    | <0.5    | <0.5          | 1.4    | --    | <0.5        | <0.5     | <0.5  | <0.5        | --  | --        | --       |      |
| 05/22/92    | 9.63            | 2.67               | 6.96           | --        | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | <0.5        | <0.5     | <0.5  | <0.5        | --  | --        | --       |      |
| 09/29/92    | 9.63            | 2.44               | 7.19           | --        | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | <0.5        | <0.5     | --    | <0.5        | --  | --        | --       |      |
| 12/23/92    | 9.63            | 2.60               | 7.03           | --        | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 03/22/93    | 9.63            | 3.03               | 6.60           | --        | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 06/07/93    | 9.63            | 2.66               | 6.97           | --        | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 09/10/93    | 9.63            | 2.55               | 7.08           | --        | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 03/07/94    | 9.63            | 2.80               | 6.83           | --        | <50          | <0.5    | <0.5    | <0.5          | <0.5   | 1.0   | --          | --       | --    | --          | --  | --        | --       |      |
| 06/16/94    | 9.63            | 2.60               | 7.03           | --        | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 09/08/94    | 9.63            | 2.53               | 7.10           | --        | <50          | 1.3     | 1.5     | <0.5          | 1.7    | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 11/29/94    | 9.63            | 2.81               | 6.82           | --        | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 03/21/95    | 9.63            | 3.73               | 5.90           | --        | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 06/27/95    | 9.63            | 2.69               | 6.94           | --        | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 09/27/95    | 9.63            | 2.13               | 7.50           | --        | --           | --      | --      | --            | --     | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 12/29/95    | --              | --                 | --             | Abandoned | --           | --      | --      | --            | --     | --    | --          | --       | --    | --          | --  | --        | --       |      |

## Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

| DATE        | Well Head<br>Elev. | Ground Water<br>Elev. | Depth To<br>Water | Notes          | TPH-Gasoline | Benzene | Toluene | Ethyl-Benzene | Xylene | TOG   | Chloro-form | 1, 2-DCA | Freon | 1, 1, 1-TCA | PCE | 1, 2-DCPA | 1, 2-DCE | MTBE |
|-------------|--------------------|-----------------------|-------------------|----------------|--------------|---------|---------|---------------|--------|-------|-------------|----------|-------|-------------|-----|-----------|----------|------|
| <b>MW-2</b> |                    |                       |                   |                |              |         |         |               |        |       |             |          |       |             |     |           |          |      |
| 03/14/89    | 8.99               | 2.91                  | 6.08              | --             | <100         | 6.7     | 7.1     | 0.5           | 4.6    | <3000 | <1.0        | 0.7      | <20   | <0.2        | --  | --        | --       |      |
| 06/08/89    | 8.99               | 3.77                  | 5.22              | --             | --           | --      | --      | --            | --     | --    | --          | --       | --    | <0.2        | --  | --        | --       |      |
| 06/09/89    | 8.99               | --                    | --                | --             | <100         | <0.2    | <1.0    | <0.2          | <0.4   | --    | <1.0        | <0.2     | <20   | <0.2        | --  | --        | --       |      |
| 09/14/89    | 8.99               | 3.04                  | 5.95              | --             | <50          | <0.2    | <1.0    | <0.2          | <0.4   | --    | <1.0        | <0.2     | <1.0  | <0.2        | --  | --        | --       |      |
| 12/08/89    | 8.99               | -0.26                 | 9.25              | --             | <50          | <0.3    | <0.3    | <0.3          | <0.6   | --    | <0.5        | <0.5     | --    | <0.5        | --  | --        | --       |      |
| 03/19/90    | 8.99               | 3.07                  | 5.92              | --             | <50          | <0.3    | <0.3    | <0.3          | <0.6   | --    | <0.5        | <0.5     | --    | <0.5        | --  | --        | --       |      |
| 07/06/90    | 9.01               | 2.22                  | 6.79              | --             | <50          | <0.3    | <0.3    | <0.3          | <0.6   | --    | <0.5        | <0.5     | --    | <0.5        | --  | --        | --       |      |
| 10/03/90    | 9.01               | --                    | --                | --             | --           | --      | --      | --            | --     | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 08/23/91    | 9.01               | --                    | --                | --             | --           | --      | --      | --            | --     | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 11/15/91    | 9.01               | --                    | --                | Well Destroyed | --           | --      | --      | --            | --     | --    | --          | --       | --    | --          | --  | --        | --       |      |

## Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

| DATE        | Well Head Elev. | Ground Water Elev. | Depth To Water | Notes     | TPH-Gasoline | Benzene | Toluene | Ethyl-Benzene | Xylene | TOG   | Chloro-form | 1, 2-DCA | Freon | 1, 1, 1-TCA | PCE  | 1, 2-DCPA | 1, 2-DCE | MTBE |
|-------------|-----------------|--------------------|----------------|-----------|--------------|---------|---------|---------------|--------|-------|-------------|----------|-------|-------------|------|-----------|----------|------|
| <b>MW-3</b> |                 |                    |                |           |              |         |         |               |        |       |             |          |       |             |      |           |          |      |
| 03/14/89    | 8.19            | 2.16               | 6.02           | --        | <100         | 2.1     | 0.8     | <0.2          | 2.0    | <3000 | <1.0        | 3.0      | <20   | <0.2        | --   | --        | --       |      |
| 06/08/89    | 8.19            | 2.30               | 5.88           | --        | --           | --      | --      | --            | --     | --    | --          | --       | --    | --          | --   | --        | --       |      |
| 06/09/89    | 8.19            | --                 | --             | --        | <100         | <0.5    | <1.0    | <0.2          | <0.4   | --    | <1.0        | 3.3      | <20   | <0.2        | --   | --        | --       |      |
| 09/14/89    | 8.19            | 1.88               | 6.30           | --        | <50          | <0.2    | <1.0    | <0.2          | <0.4   | --    | <1.0        | 2.2      | <1.0  | <0.2        | --   | --        | --       |      |
| 12/08/89    | 8.19            | -1.34              | 9.52           | --        | <50          | <0.3    | <0.3    | <0.3          | <0.6   | --    | <0.5        | 1.3      | --    | <0.5        | --   | --        | --       |      |
| 03/19/90    | 8.19            | 2.01               | 6.17           | --        | <50          | <0.3    | <0.3    | <0.3          | <0.6   | --    | 0.5         | 1.3      | --    | <0.5        | --   | --        | --       |      |
| 07/06/90    | 8.19            | 0.67               | 7.52           | --        | <50          | <0.3    | <0.3    | <0.3          | <0.6   | --    | <0.5        | <0.5     | --    | <0.5        | --   | --        | --       |      |
| 10/03/90    | 8.19            | 0.88               | 7.31           | --        | <50          | <0.3    | <0.3    | <0.3          | <0.6   | --    | <0.5        | 0.83     | --    | <0.5        | --   | --        | --       |      |
| 08/23/91    | 8.19            | 2.53               | 5.65           | --        | 220          | 16      | 22      | 5.5           | 16     | --    | <0.5        | 0.6      | --    | <0.5        | --   | --        | --       |      |
| 11/22/91    | 8.19            | 1.41               | 6.78           | --        | <50          | <0.5    | <0.5    | <0.5          | 0.6    | --    | 0.6         | 1.0      | <0.5  | <0.5        | --   | --        | --       |      |
| 02/26/92    | 8.19            | 3.54               | 4.65           | --        | <50          | 4.5     | <0.5    | <0.5          | <0.5   | --    | <0.5        | <0.5     | <0.5  | <0.5        | --   | --        | --       |      |
| 05/22/92    | 8.19            | 2.63               | 5.56           | --        | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | <0.5        | <0.5     | <0.5  | <0.5        | --   | --        | --       |      |
| 09/29/92    | 8.19            | 1.96               | 6.23           | --        | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | <0.5        | <0.5     | --    | --          | <0.5 | --        | --       |      |
| 12/23/92    | 8.19            | 2.37               | 5.82           | --        | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | <0.5        | <0.5     | --    | --          | <0.5 | --        | --       |      |
| 03/22/93    | 8.19            | 3.27               | 4.92           | --        | <50          | 7.0     | <0.5    | <0.5          | <0.5   | --    | <0.5        | <0.5     | --    | --          | <0.5 | --        | --       |      |
| 06/07/93    | 8.19            | 2.50               | 5.69           | --        | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | <0.5        | <0.5     | --    | <0.5        | --   | --        | --       |      |
| 09/10/93    | 8.19            | 2.15               | 6.04           | --        | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | <0.5        | <0.5     | --    | <0.5        | --   | --        | --       |      |
| 03/07/94    | 8.19            | 3.04               | 5.15           | --        | <50          | 1.0     | <0.5    | <0.5          | <0.5   | --    | <0.5        | <0.5     | --    | <0.5        | --   | --        | --       |      |
| 06/16/94    | 8.19            | 2.30               | 5.89           | --        | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | <0.5        | <0.5     | --    | <0.5        | --   | --        | --       |      |
| 09/08/94    | 8.19            | 2.13               | 6.06           | --        | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | <0.5        | <0.5     | --    | <0.5        | 1.0  | --        | --       |      |
| 11/29/94    | 8.19            | 3.00               | 5.19           | --        | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | <0.5        | <0.5     | <0.5  | <0.5        | <0.5 | <0.5      | <0.5     |      |
| 03/21/95    | 8.19            | 4.43               | 3.76           | --        | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | <0.5        | <0.5     | <0.5  | <0.5        | <0.5 | <0.5      | <0.5     |      |
| 06/27/95    | 8.19            | 3.09               | 5.10           | --        | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | <0.5        | <0.5     | <0.5  | <0.5        | <0.5 | <0.5      | <0.5     |      |
| 09/27/95    | 8.19            | 2.94               | 5.25           | --        | --           | --      | --      | --            | --     | --    | --          | --       | --    | --          | --   | --        | --       |      |
| 12/29/95    | --              | --                 | --             | Abandoned | --           | --      | --      | --            | --     | --    | --          | --       | --    | --          | --   | --        | --       |      |

## Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

| DATE        | Well Head Elev. | Ground Water Elev. | Depth To Water | Notes        | TPH-Gasoline | Benzene | Toluene | Ethyl-Benzene | Xylene | TOG   | Chloro-form | 1, 2-DCA | Freon | 1, 1, 1-TCA | PCE | 1, 2-DCPA | 1, 2-DCE | MTBE |
|-------------|-----------------|--------------------|----------------|--------------|--------------|---------|---------|---------------|--------|-------|-------------|----------|-------|-------------|-----|-----------|----------|------|
| <b>MW-4</b> |                 |                    |                |              |              |         |         |               |        |       |             |          |       |             |     |           |          |      |
| 03/14/89    | 7.60            | 2.08               | 5.52           | --           | 3000         | 810     | 200     | 30            | 130    | <3000 | <20         | <5.0     | <20   | <5.0        | --  | --        | --       |      |
| 06/08/89    | 7.60            | 3.41               | 4.19           | --           | --           | --      | --      | --            | --     | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 06/09/89    | 7.60            | --                 | --             | --           | 900          | 440     | 13      | 22            | 40     | --    | <20         | <5.0     | 60    | <5.0        | --  | --        | --       |      |
| 09/14/89    | 7.60            | 2.80               | 4.80           | --           | 540          | 220     | 2.0     | 6.1           | 9.3    | --    | <1.0        | 2.3      | <1.0  | <0.2        | --  | --        | --       |      |
| 12/08/89    | 7.60            | 2.74               | 4.86           | --           | 150          | 18      | <0.3    | 1.0           | <0.6   | --    | <0.5        | 1.9      | --    | <0.5        | --  | --        | --       |      |
| 03/19/90    | 7.60            | 2.95               | 4.65           | --           | 270          | 50      | <0.3    | 0.7           | <0.6   | --    | <0.5        | 0.8      | --    | <0.5        | --  | --        | --       |      |
| 07/06/90    | 7.59            | 1.17               | 6.42           | --           | 140          | 0.7     | <0.3    | 0.5           | <0.6   | --    | <0.5        | 0.79     | --    | <0.5        | --  | --        | --       |      |
| 10/03/90    | 7.59            | 1.20               | 6.39           | --           | 180          | <0.3    | <0.3    | 2.0           | <0.6   | --    | <0.5        | 0.5      | --    | <0.5        | --  | --        | --       |      |
| 08/23/91    | 7.59            | 3.17               | 4.42           | --           | 400          | 9.9     | 6.8     | 3.1           | 7.1    | --    | <0.5        | <0.5     | --    | <0.5        | --  | --        | --       |      |
| 11/22/91    | 7.59            | 2.21               | 5.38           | --           | 130          | 3.4     | 1.3     | 3.5           | 6.0    | --    | <0.5        | <0.5     | <0.5  | <0.5        | --  | --        | --       |      |
| 02/26/92    | 7.59            | 4.94               | 2.65           | --           | 520          | 15      | 2.7     | 6.1           | 8.6    | --    | <0.5        | <0.5     | <0.5  | <0.5        | --  | --        | --       |      |
| 05/22/92    | 7.59            | 3.63               | 3.96           | --           | 460          | 20      | 2.8     | 5.0           | 6.9    | --    | <0.5        | <0.5     | <0.5  | <0.5        | --  | --        | --       |      |
| 09/29/92    | 7.59            | 2.91               | 4.68           | --           | 160          | 1.1     | 1.7     | 0.8           | 2.8    | --    | <0.5        | <0.5     | --    | <0.5        | --  | --        | --       |      |
| 12/23/92    | 7.59            | 3.96               | 3.63           | --           | 110          | 0.7     | 0.5     | 0.9           | 1.7    | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 03/22/93    | 7.59            | 4.69               | 2.90           | --           | 930          | 9.0     | 3.0     | 7.0           | 8.0    | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 06/07/93    | 7.59            | 3.70               | 3.89           | --           | 240          | 2.0     | 0.9     | 3.0           | 3.0    | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 09/10/93    | 7.59            | 3.07               | 4.52           | --           | <50          | <0.5    | <0.5    | 0.8           | <0.5   | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 03/07/94    | 7.59            | 4.44               | 3.15           | --           | 550          | 3.0     | 3.0     | 8.0           | 12     | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 06/16/94    | 7.59            | 3.51               | 4.08           | --           | 150          | <0.5    | 0.6     | 1.5           | 0.7    | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 09/08/94    | 7.59            | 3.04               | 4.55           | --           | <50          | <0.5    | <0.5    | <0.5          | 1.2    | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 11/29/94    | 7.59            | 4.74               | 2.85           | --           | 130          | <0.5    | 1.1     | <0.5          | 0.58   | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 03/21/95    | 7.59            | 5.89               | 1.70           | --           | 720          | 2.2     | <2.0    | 5.9           | <2.0   | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 06/27/95    | 7.59            | 4.21               | 3.38           | --           | 100          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 09/27/95    | 7.59            | 3.84               | 3.75           | --           | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 12/29/95    | 7.59            | --                 | --             | Inaccessible | --           | --      | --      | --            | --     | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 10/10/96    | 7.59            | 3.71               | 3.88           | --           | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | <2.5     |      |
| 12/19/96    | 7.59            | 2.53               | 5.06           | --           | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | <2.5     |      |
| 03/22/97    | 7.59            | 3.42               | 4.17           | --           | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | <2.5     |      |
| 06/29/97    | 10.03           | 5.76               | 4.27           | --           | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | <2.5     |      |
| 09/12/97    | 10.03           | 5.61               | 4.42           | --           | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | <2.5     |      |

## Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

| DATE        | Well Head Elev. | Ground Water Elev. | Depth To Water | Notes        | TPH-Gasoline | Benzene | Toluene | Ethyl-Benzene | Xylene | TOG   | Chloro-form | 1, 2-DCA | Freon | 1, 1, 1-TCA | PCE  | 1, 2-DCPA | 1, 2-DCE | MTBE |
|-------------|-----------------|--------------------|----------------|--------------|--------------|---------|---------|---------------|--------|-------|-------------|----------|-------|-------------|------|-----------|----------|------|
| <b>MW-5</b> |                 |                    |                |              |              |         |         |               |        |       |             |          |       |             |      |           |          |      |
| 03/14/89    | 8.35            | 1.37               | 6.98           | --           | 20,000       | 6600    | 1600    | 270           | 1100   | <3000 | <100        | <20      | <20   | <20         | --   | --        | --       |      |
| 06/08/89    | 8.35            | 3.62               | 4.73           | --           | --           | --      | --      | --            | --     | --    | --          | --       | --    | --          | --   | --        | --       |      |
| 06/09/89    | 8.35            | --                 | --             | --           | 15,000       | >2800   | 270     | 240           | 640    | --    | <20         | 28       | <20   | <5.0        | --   | --        | --       |      |
| 06/09/89    | 8.35            | --                 | --             | Duplicate    | 12,000       | 5100    | 300     | 240           | 700    | --    | <200        | <50      | <20   | <50         | --   | --        | --       |      |
| 09/14/89    | 8.35            | 2.98               | 5.37           | --           | 15,000       | >730    | >320    | >290          | 440    | --    | <10         | <2.0     | <20   | <2.0        | --   | --        | --       |      |
| 09/14/89    | 8.35            | --                 | --             | Duplicate    | 15,000       | 3300    | 450     | 490           | 730    | --    | <100        | <20      | 100   | <20         | --   | --        | --       |      |
| 09/14/89    | 8.35            | --                 | --             | Triplicate   | 16,000       | 3100    | 550     | 400           | 690    | --    | <50         | <10      | <50   | <10         | --   | --        | --       |      |
| 12/08/89    | 8.35            | -0.78              | 9.13           | --           | 20,000       | 4600    | 640     | 390           | 1300   | --    | <0.5        | 27       | --    | <0.5        | --   | --        | --       |      |
| 03/19/90    | 8.35            | 3.23               | 5.12           | --           | 25,000       | 6500    | 1200    | 450           | 2200   | --    | <0.5        | 10       | --    | 0.7         | --   | --        | --       |      |
| 07/06/90    | 8.35            | 2.54               | 5.81           | --           | 30,000       | 5600    | 890     | 210           | 1400   | --    | <0.5        | <0.5     | --    | <0.5        | 1.2  | --        | --       |      |
| 10/03/90    | 8.35            | 1.45               | 6.90           | --           | 29,000       | 6000    | 790     | 270           | 1500   | --    | <0.5        | <0.5     | --    | <0.5        | --   | 2.0       | --       |      |
| 08/23/91    | 8.35            | 3.30               | 5.05           | --           | 36,000       | 6100    | 1200    | 460           | 2600   | --    | <0.5        | 3.9      | --    | <0.5        | --   | 0.9       | --       |      |
| 11/22/91    | 8.35            | 2.10               | 6.25           | --           | 21,000       | 8000    | 1500    | 530           | 2600   | --    | <0.5        | 3.9      | <0.5  | <0.5        | 1.0  | 0.8       | --       |      |
| 02/26/92    | 8.35            | 5.35               | 3.00           | --           | 43,000       | 14,000  | 1600    | 640           | 4700   | --    | <0.5        | 2.0      | <0.5  | <0.5        | --   | --        | --       |      |
| 05/22/92    | 8.35            | 3.86               | 4.49           | --           | 72,000       | 18,000  | 8100    | 920           | 10,000 | --    | <0.5        | 6.8      | <0.5  | <0.5        | --   | --        | --       |      |
| 09/29/92    | 8.35            | 3.50               | 4.85           | --           | 54,000       | 14,000  | 1400    | 740           | 8100   | --    | <0.5        | 4.4      | --    | <0.5        | --   | --        | --       |      |
| 12/23/92    | 8.35            | 4.77               | 3.58           | --           | 38,000       | 8400    | 910     | 530           | 5300   | --    | <0.5        | 2.9      | --    | <0.5        | --   | --        | --       |      |
| 03/22/93    | 8.35            | --                 | --             | --           | --           | --      | --      | --            | --     | --    | --          | --       | --    | --          | --   | --        | --       |      |
| 06/07/93    | 8.35            | -3.82              | 12.17          | --           | 24,000       | 3000    | 280     | 360           | 1200   | --    | <0.5        | <0.5     | --    | <0.5        | --   | --        | --       |      |
| 09/10/93    | 8.35            | -0.15              | 8.50           | --           | 8900         | 860     | 160     | 100           | 320    | --    | <5.0        | <5.0     | --    | <5.0        | --   | --        | --       |      |
| 03/07/94    | 8.35            | 5.30               | 3.05           | --           | 9600         | 2100    | 380     | 120           | 290    | --    | <12.5       | <12.5    | --    | <12.5       | --   | --        | --       |      |
| 06/16/94    | 8.35            | 2.64               | 5.71           | --           | --           | --      | --      | --            | --     | --    | --          | --       | --    | --          | --   | --        | --       |      |
| 07/08/94    | 8.35            | 2.43               | 5.92           | --           | 10,000       | 3600    | 360     | 210           | 460    | --    | <0.5        | <0.5     | --    | <0.5        | 1.2  | --        | 2.0      |      |
| 09/08/94    | 8.35            | 3.04               | 5.31           | --           | 14,000       | 2800    | 270     | 170           | 360    | --    | <0.5        | 2.8      | --    | <0.5        | --   | --        | --       |      |
| 11/29/94    | 8.35            | 5.72               | 2.63           | --           | 11,000       | 2800    | 280     | 130           | 300    | --    | <5.0        | <5.0     | <5.0  | <5.0        | <5.0 | <5.0      | --       |      |
| 03/21/95    | 8.35            | 7.41               | 0.94           | --           | 6700         | 1400    | 120     | 100           | 260    | --    | <0.5        | 0.59     | <0.5  | <0.5        | <0.5 | <0.5      | <0.5     |      |
| 06/27/95    | 8.35            | 6.01               | 2.34           | --           | 18,000       | 6100    | 480     | 600           | 990    | --    | <10         | <10      | <10   | <10         | <10  | <10       | --       |      |
| 09/27/95    | 8.35            | 4.65               | 3.70           | --           | 15,000       | 3600    | 140     | 210           | 310    | --    | <25         | <25      | <25   | <25         | <25  | <25       | --       |      |
| 12/29/95    | 8.35            | --                 | --             | Inaccessible | --           | --      | --      | --            | --     | --    | --          | --       | --    | --          | --   | --        | --       |      |
| 10/10/96    | 8.35            | 4.31               | 4.04           | --           | 5700         | 1800    | 53      | 530           | 84     | --    | --          | --       | --    | --          | --   | --        | <100     |      |
| 12/19/96    | 8.35            | --                 | --             | Inaccessible | --           | --      | --      | --            | --     | --    | --          | --       | --    | --          | --   | --        | --       |      |
| 03/22/97    | 8.35            | --                 | --             | Inaccessible | --           | --      | --      | --            | --     | --    | --          | --       | --    | --          | --   | --        | --       |      |
| 04/03/97    | --              | --                 | 4.46           | --           | 21,000       | 6800    | 4100    | 610           | 1900   | --    | --          | --       | --    | --          | --   | --        | 530      |      |
| 06/29/97    | 10.99           | 5.90               | 5.09           | --           | 16,000       | 5300    | 1900    | 530           | 1600   | --    | --          | --       | --    | --          | --   | --        | <250     |      |
| 09/12/97    | 10.99           | 5.98               | 5.01           | --           | 6100         | 1900    | 510     | 120           | 390    | --    | --          | --       | --    | --          | --   | --        | <25      |      |

## Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

| DATE        | Well Head Elev. | Ground Water Elev. | Depth To Water | Notes        | TPH-Gasoline | Benzene | Toluene | Ethyl-Benzene | Xylene | TOG | Chloro-form | 1, 2-DCA | Freon | 1, 1, 1-TCA | PCE | 1, 2-DCPA | 1, 2-DCE | MTBE |
|-------------|-----------------|--------------------|----------------|--------------|--------------|---------|---------|---------------|--------|-----|-------------|----------|-------|-------------|-----|-----------|----------|------|
| <b>MW-6</b> |                 |                    |                |              |              |         |         |               |        |     |             |          |       |             |     |           |          |      |
| 07/06/90    | 6.56            | -2.53              | 9.09           | --           | 210          | <0.3    | <0.3    | 3.0           | 7.0    | --  | <0.5        | <0.5     | --    | <0.5        | --  | --        | --       |      |
| 10/03/90    | 6.56            | 0.78               | 5.78           | --           | 320          | <0.3    | 0.3     | 1.0           | <0.6   | --  | <0.5        | <0.5     | --    | <0.5        | --  | --        | --       |      |
| 08/23/91    | 6.56            | -0.93              | 7.49           | --           | 320          | 1.7     | <0.5    | 2.1           | <0.5   | --  | <0.5        | <0.5     | --    | <0.5        | --  | --        | --       |      |
| 11/22/91    | 6.56            | -1.07              | 7.63           | --           | 190          | 1.9     | 2.2     | 5.4           | 7.7    | --  | <0.5        | <0.5     | <0.5  | <0.5        | --  | --        | --       |      |
| 02/26/92    | 6.56            | 1.01               | 5.55           | --           | 120          | 2.0     | 1.5     | 3.5           | 5.1    | --  | <0.5        | <0.5     | <0.5  | <0.5        | --  | --        | --       |      |
| 05/22/92    | 6.56            | -0.38              | 6.94           | --           | 160          | 1.1     | 0.6     | 0.9           | 1.0    | --  | <0.5        | <0.5     | <0.5  | <0.5        | --  | --        | --       |      |
| 09/29/92    | 6.56            | -0.24              | 6.80           | --           | 65           | 0.5     | 1.4     | 0.5           | 0.64   | --  | <0.5        | <0.5     | <0.5  | <0.5        | --  | --        | --       |      |
| 12/23/92    | 6.56            | 0.57               | 5.99           | --           | 140          | 0.7     | 0.7     | 0.9           | 2.1    | --  | --          | --       | --    | --          | --  | --        | --       |      |
| 03/22/93    | 6.56            | -0.51              | 7.07           | --           | 71           | <0.5    | <0.5    | <0.5          | <0.5   | --  | --          | --       | --    | --          | --  | --        | --       |      |
| 06/07/93    | 6.56            | -1.05              | 7.61           | --           | 85           | <0.5    | <0.5    | 2.0           | 1.0    | --  | --          | --       | --    | --          | --  | --        | --       |      |
| 09/10/93    | 6.56            | 1.88               | 4.68           | --           | <50          | <0.5    | <0.5    | 1.0           | <0.5   | --  | --          | --       | --    | --          | --  | --        | --       |      |
| 03/07/94    | 6.56            | 1.34               | 5.22           | --           | <50          | <0.5    | <0.5    | <0.5          | 0.8    | --  | --          | --       | --    | --          | --  | --        | --       |      |
| 06/16/94    | 6.56            | 2.39               | 4.17           | --           | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --  | --          | --       | --    | --          | --  | --        | --       |      |
| 09/08/94    | 6.56            | 1.96               | 4.60           | --           | 70           | <0.5    | 0.6     | <0.5          | 2.3    | --  | --          | --       | --    | --          | --  | --        | --       |      |
| 11/29/94    | 6.56            | 0.03               | 6.53           | --           | 120          | <0.5    | <0.5    | 1.3           | <0.5   | --  | --          | --       | --    | --          | --  | --        | --       |      |
| 03/21/95    | 6.56            | -0.47              | 7.03           | --           | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --  | --          | --       | --    | --          | --  | --        | --       |      |
| 06/27/95    | 6.56            | 0.20               | 6.36           | --           | 84           | <0.5    | <0.5    | <0.5          | 1.1    | --  | --          | --       | --    | --          | --  | --        | --       |      |
| 09/27/95    | 6.56            | 2.21               | 4.35           | --           | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --  | --          | --       | --    | --          | --  | --        | --       |      |
| 12/29/95    | 6.56            | 0.41               | 6.15           | --           | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --  | --          | --       | --    | --          | --  | --        | 3.2      |      |
| 03/28/96    | 6.56            | --                 | --             | Inaccessible | --           | --      | --      | --            | --     | --  | --          | --       | --    | --          | --  | --        | --       |      |
| 04/04/96    | 6.56            | 2.75               | 3.81           | --           | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --  | --          | --       | --    | --          | --  | --        | <2.5     |      |
| 06/21/96    | 6.56            | 1.64               | 4.92           | --           | 130          | <0.5    | <0.5    | <0.5          | 0.66   | --  | --          | --       | --    | --          | --  | --        | <2.5     |      |
| 09/26/96    | 6.56            | -0.18              | 6.74           | --           | 130          | <0.5    | 0.52    | 0.92          | 1.0    | --  | --          | --       | --    | --          | --  | --        | <2.5     |      |
| 12/19/96    | 6.56            | --                 | --             | Inaccessible | --           | --      | --      | --            | --     | --  | --          | --       | --    | --          | --  | --        | --       |      |
| 03/22/97    | 6.56            | --                 | --             | Inaccessible | --           | --      | --      | --            | --     | --  | --          | --       | --    | --          | --  | --        | --       |      |
| 06/29/97    | 10.23           | 3.45               | 6.78           | --           | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --  | --          | --       | --    | --          | --  | --        | <2.5     |      |
| 09/12/97    | 10.23           | 3.97               | 6.26           | --           | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --  | --          | --       | --    | --          | --  | --        | <2.5     |      |

## Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

| DATE        | Well Head Elev. | Ground Water Elev. | Depth To Water | Notes | TPH-Gasoline | Benzene | Toluene | Ethyl-Benzene | Xylene | TOG   | Chloro-form | 1, 2-DCA | Freon | 1, 1, 1-TCA | PCE | 1, 2-DCPA | 1, 2-DCE | MTBE |
|-------------|-----------------|--------------------|----------------|-------|--------------|---------|---------|---------------|--------|-------|-------------|----------|-------|-------------|-----|-----------|----------|------|
| <b>MW-7</b> |                 |                    |                |       |              |         |         |               |        |       |             |          |       |             |     |           |          |      |
| 07/06/90    | 4.99            | -0.86              | 5.85           | --    | <50          | <0.3    | <0.3    | <0.3          | <0.6   | <1000 | <0.5        | <0.5     | --    | <0.5        | --  | --        | --       |      |
| 10/03/90    | 4.99            | -1.26              | 6.25           | --    | <50          | <1.5    | <1.5    | <1.5          | <3.0   | --    | <0.5        | <0.5     | --    | <0.5        | --  | --        | --       |      |
| 08/23/91    | 4.99            | -0.51              | 5.50           | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | <0.5        | <0.5     | --    | <0.5        | --  | --        | --       |      |
| 11/22/91    | 4.99            | -0.74              | 5.73           | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | <0.5        | <0.5     | <0.5  | <0.5        | --  | --        | --       |      |
| 02/26/92    | 4.99            | 0.15               | 4.84           | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | <0.5        | <0.5     | <0.5  | <0.5        | --  | --        | --       |      |
| 05/22/92    | 4.99            | 0.10               | 4.89           | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | <0.5        | <0.5     | <0.5  | <0.5        | --  | --        | --       |      |
| 09/29/92    | 4.99            | -0.56              | 5.55           | --    | <50          | <0.5    | <0.5    | <0.5          | 0.6    | --    | <0.5        | <0.5     | --    | <0.5        | --  | --        | --       |      |
| 12/23/92    | 4.99            | 0.12               | 4.87           | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 03/22/93    | 4.99            | 0.94               | 4.05           | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 06/07/93    | 4.99            | 0.36               | 4.63           | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 09/10/93    | 4.99            | -0.57              | 5.56           | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 03/07/94    | 4.99            | 0.34               | 4.65           | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 06/16/94    | 4.99            | -0.08              | 5.07           | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 09/08/94    | 4.99            | -0.34              | 5.33           | --    | 250          | 34      | 40      | 4.4           | 26     | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 11/29/94    | 4.99            | 0.12               | 4.87           | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 03/21/95    | 4.99            | 1.31               | 3.68           | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 06/27/95    | 4.99            | 0.53               | 4.46           | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 12/29/95    | 4.99            | 1.24               | 3.75           | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | <2.5     |      |
| 03/28/96    | 4.99            | 1.74               | 3.25           | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | <2.5     |      |
| 06/21/96    | 4.99            | 0.66               | 4.33           | --    | <50          | <0.5    | 1.2     | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | 5.3      |      |
| 09/26/96    | 4.99            | 0.04               | 4.95           | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | <2.5     |      |
| 12/19/96    | 4.99            | 1.81               | 3.18           | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | <2.5     |      |
| 03/22/97    | 4.99            | 2.26               | 2.73           | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | <2.5     |      |
| 06/29/97    | 8.08            | 4.04               | 4.04           | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | <2.5     |      |
| 09/12/97    | 8.08            | 6.04               | 2.04           | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | <2.5     |      |

## Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

| DATE        | Well Head Elev. | Ground Water Elev. | Depth To Water | Notes | TPH-Gasoline | Benzene | Toluene | Ethyl-Benzene | Xylene | TOG   | Chloro-form | 1, 2-DCA | Freon | 1, 1, 1-TCA | PCE  | 1, 2-DCPA | 1, 2-DCE | MTBE |
|-------------|-----------------|--------------------|----------------|-------|--------------|---------|---------|---------------|--------|-------|-------------|----------|-------|-------------|------|-----------|----------|------|
| <b>MW-8</b> |                 |                    |                |       |              |         |         |               |        |       |             |          |       |             |      |           |          |      |
| 07/06/90    | 6.77            | 2.79               | 3.98           | --    | <50          | <0.3    | <0.3    | <0.3          | <0.6   | <1000 | <0.5        | <0.5     | --    | <0.5        | --   | --        | --       |      |
| 10/03/90    | 6.77            | 2.04               | 4.73           | --    | <50          | <0.3    | <0.3    | <0.3          | <0.6   | --    | <0.5        | <0.5     | --    | <0.5        | --   | --        | --       |      |
| 08/23/91    | 6.77            | 2.01               | 4.76           | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | <0.5        | <0.5     | --    | <0.5        | --   | --        | --       |      |
| 11/22/91    | 6.77            | 1.04               | 5.73           | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | <0.5        | <0.5     | --    | <0.5        | --   | --        | --       |      |
| 02/26/92    | 6.77            | 2.47               | 4.30           | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | <0.5        | <0.5     | <0.5  | <0.5        | <0.5 | --        | --       |      |
| 05/22/92    | 6.77            | 3.11               | 3.66           | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | <0.5        | <0.5     | <0.5  | <0.5        | <0.5 | --        | --       |      |
| 09/29/92    | 6.77            | --                 | --             | --    | --           | --      | --      | --            | --     | --    | --          | --       | --    | --          | --   | --        | --       |      |
| 12/23/92    | 6.77            | 3.94               | 2.83           | --    | <50          | <0.5    | 7.2     | 0.6           | 2.5    | --    | --          | --       | --    | --          | --   | --        | --       |      |
| 03/22/93    | 6.77            | 2.39               | 4.38           | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --   | --        | --       |      |
| 06/07/93    | 6.77            | 1.60               | 5.17           | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --   | --        | --       |      |
| 09/10/93    | 6.77            | 1.61               | 5.16           | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --   | --        | --       |      |
| 03/07/94    | 6.77            | 2.06               | 4.71           | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --   | --        | --       |      |
| 06/16/94    | 6.77            | 2.62               | 4.15           | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --   | --        | --       |      |
| 09/08/94    | 6.77            | 1.66               | 5.11           | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --   | --        | --       |      |
| 11/29/94    | 6.77            | 1.94               | 4.83           | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --   | --        | --       |      |
| 03/21/95    | 6.77            | 0.94               | 5.83           | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --   | --        | --       |      |
| 06/27/95    | 6.77            | 0.57               | 6.20           | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --   | --        | --       |      |
| 09/27/95    | 6.77            | 1.62               | 5.15           | --    | --           | --      | --      | --            | --     | --    | --          | --       | --    | --          | --   | --        | --       |      |
| 12/29/95    | 6.77            | 2.22               | 4.55           | --    | --           | --      | --      | --            | --     | --    | --          | --       | --    | --          | --   | --        | --       |      |
| 03/28/96    | 6.77            | 2.55               | 4.22           | --    | --           | --      | --      | --            | --     | --    | --          | --       | --    | --          | --   | --        | --       |      |
| 06/21/96    | 6.77            | 3.41               | 3.36           | --    | --           | --      | --      | --            | --     | --    | --          | --       | --    | --          | --   | --        | --       |      |
| 09/26/96    | 6.77            | 2.65               | 4.12           | --    | --           | --      | --      | --            | --     | --    | --          | --       | --    | --          | --   | --        | --       |      |
| 12/19/96    | 6.77            | 3.83               | 2.94           | --    | --           | --      | --      | --            | --     | --    | --          | --       | --    | --          | --   | --        | --       |      |
| 03/22/97    | 6.77            | 3.88               | 2.89           | --    | --           | --      | --      | --            | --     | --    | --          | --       | --    | --          | --   | --        | --       |      |
| 06/29/97    | 9.88            | 6.92               | 2.96           | --    | --           | --      | --      | --            | --     | --    | --          | --       | --    | --          | --   | --        | --       |      |
| 09/12/97    | 9.88            | 7.11               | 2.77           | --    | --           | --      | --      | --            | --     | --    | --          | --       | --    | --          | --   | --        | --       |      |

## Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

| DATE        | Well Head Elev. | Ground Water Elev. | Depth To Water | Notes         | TPH-Gasoline | Benzene | Toluene | Ethyl-Benzene | Xylene | TOG   | Chloro-form | 1, 2-DCA | Freon | 1, 1, 1-TCA | PCE | 1, 2-DCPA | 1, 2-DCE | MTBE |
|-------------|-----------------|--------------------|----------------|---------------|--------------|---------|---------|---------------|--------|-------|-------------|----------|-------|-------------|-----|-----------|----------|------|
| <b>MW-9</b> |                 |                    |                |               |              |         |         |               |        |       |             |          |       |             |     |           |          |      |
| 07/06/90    | 7.63            | 3.02               | 4.61           | --            | <50          | <0.3    | <0.3    | <0.3          | <0.6   | <1000 | <0.5        | <0.5     | --    | <0.5        | --  | --        | --       |      |
| 10/03/90    | 7.63            | 2.49               | 5.14           | --            | <50          | <0.3    | <0.3    | <0.3          | <0.6   | --    | <0.5        | <0.5     | --    | <0.5        | --  | --        | --       |      |
| 08/23/91    | 7.63            | 2.18               | 5.45           | --            | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | <0.5        | <0.5     | --    | <0.5        | --  | --        | --       |      |
| 11/22/91    | 7.63            | 2.15               | 5.48           | --            | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | <0.5        | <0.5     | <0.5  | <0.5        | --  | --        | --       |      |
| 02/26/92    | 7.63            | 5.00               | 2.63           | --            | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | <0.5        | <0.5     | <0.5  | <0.5        | --  | --        | --       |      |
| 05/22/92    | 7.63            | 3.63               | 4.00           | --            | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | <0.5        | <0.5     | <0.5  | <0.5        | --  | --        | --       |      |
| 09/29/92    | 7.63            | 2.93               | 4.70           | --            | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | <0.5        | <0.5     | <0.5  | <0.5        | --  | --        | --       |      |
| 12/23/92    | 7.63            | 3.87               | 3.76           | --            | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 03/22/93    | 7.63            | 5.52               | 2.11           | --            | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 06/07/93    | 7.63            | 4.35               | 3.28           | --            | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 09/10/93    | 7.63            | 2.45               | 5.18           | --            | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 03/07/94    | 7.63            | 4.61               | 3.02           | --            | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 06/16/94    | 7.63            | 3.50               | 4.13           | --            | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 09/08/94    | 7.63            | 2.84               | 4.79           | --            | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 11/29/94    | 7.63            | 3.71               | 3.92           | --            | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 03/21/95    | 7.63            | 0.14               | 7.49           | Insuff. water | --           | --      | --      | --            | --     | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 06/27/95    | 7.63            | 5.73               | 1.90           | --            | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 09/27/95    | 7.63            | 3.68               | 3.95           | --            | --           | --      | --      | --            | --     | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 12/29/95    | 7.63            | 5.08               | 2.55           | --            | --           | --      | --      | --            | --     | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 03/28/96    | 7.63            | 5.43               | 2.20           | --            | --           | --      | --      | --            | --     | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 06/21/96    | 7.63            | 4.98               | 2.65           | --            | --           | --      | --      | --            | --     | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 09/26/96    | 7.63            | 4.27               | 3.36           | --            | --           | --      | --      | --            | --     | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 12/19/96    | 7.63            | 5.02               | 2.61           | --            | --           | --      | --      | --            | --     | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 03/22/97    | 7.63            | 5.30               | 2.33           | --            | --           | --      | --      | --            | --     | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 06/29/97    | 10.74           | 7.85               | 2.89           | --            | --           | --      | --      | --            | --     | --    | --          | --       | --    | --          | --  | --        | --       |      |
| 09/12/97    | 10.74           | 7.33               | 3.41           | --            | --           | --      | --      | --            | --     | --    | --          | --       | --    | --          | --  | --        | --       |      |

## Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

| DATE              | Well Head Elev. | Ground Water Elev. | Depth To Water | Notes | TPH-Gasoline | Benzene | Toluene | Ethyl-Benzene | Xylene | TOG | Chloro-form | 1, 2-DCA | Freon | 1, 1, 1-TCA | PCE | 1, 2-DCPA | 1, 2-DCE | MTBE |
|-------------------|-----------------|--------------------|----------------|-------|--------------|---------|---------|---------------|--------|-----|-------------|----------|-------|-------------|-----|-----------|----------|------|
| <b>TRIP BLANK</b> |                 |                    |                |       |              |         |         |               |        |     |             |          |       |             |     |           |          |      |
| 12/08/89          | --              | --                 | --             | --    | <100         | <0.1    | <0.2    | <0.1          | <0.2   | --  | <0.5        | <0.1     | --    | <0.1        | --  | --        | --       |      |
| 06/09/89          | --              | --                 | --             | --    | <50          | <0.5    | <0.5    | <0.1          | <0.2   | --  | <0.5        | <0.1     | <20   | <0.1        | --  | --        | --       |      |
| 09/14/89          | --              | --                 | --             | --    | <50          | <0.1    | <0.5    | <0.1          | <0.2   | --  | <0.5        | <0.1     | <0.5  | <0.1        | --  | --        | --       |      |
| 12/08/89          | --              | --                 | --             | --    | <50          | <0.3    | <0.3    | <0.3          | <0.6   | --  | 4.4         | <0.5     | --    | --          | 1.9 | --        | --       |      |
| 03/19/90          | --              | --                 | --             | --    | <50          | <0.3    | <0.3    | <0.3          | <0.6   | --  | <0.5        | <0.5     | --    | <0.5        | --  | --        | --       |      |
| 07/06/90          | --              | --                 | --             | --    | <50          | <0.3    | <0.3    | <0.3          | <0.6   | --  | <0.5        | <0.5     | --    | <0.5        | --  | --        | --       |      |
| 10/03/90          | --              | --                 | --             | --    | <50          | <0.3    | <0.3    | <0.3          | 1.0    | --  | <0.5        | <0.5     | --    | <0.5        | --  | --        | --       |      |
| 08/23/91          | --              | --                 | --             | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --  | --          | --       | --    | --          | --  | --        | --       |      |
| 11/22/91          | --              | --                 | --             | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --  | --          | --       | --    | <0.5        | --  | --        | --       |      |
| 02/26/92          | --              | --                 | --             | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --  | --          | --       | --    | --          | --  | --        | --       |      |
| 05/22/92          | --              | --                 | --             | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --  | --          | --       | --    | --          | --  | --        | --       |      |
| 09/29/92          | --              | --                 | --             | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --  | --          | --       | --    | --          | --  | --        | --       |      |
| 12/23/92          | --              | --                 | --             | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --  | --          | --       | --    | --          | --  | --        | --       |      |
| 03/22/93          | --              | --                 | --             | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --  | --          | --       | --    | --          | --  | --        | --       |      |
| 06/07/93          | --              | --                 | --             | --    | <50          | <0.5    | <0.5    | <0.5          | 1.0    | --  | --          | --       | --    | --          | --  | --        | --       |      |
| 09/10/93          | --              | --                 | --             | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --  | --          | --       | --    | --          | --  | --        | --       |      |
| 03/07/94          | --              | --                 | --             | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --  | --          | --       | --    | --          | --  | --        | --       |      |
| 06/16/94          | --              | --                 | --             | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --  | --          | --       | --    | --          | --  | --        | --       |      |
| 09/08/94          | --              | --                 | --             | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --  | --          | --       | --    | --          | --  | --        | --       |      |
| 11/29/94          | --              | --                 | --             | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --  | --          | --       | --    | --          | --  | --        | --       |      |
| 03/21/95          | --              | --                 | --             | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --  | --          | --       | --    | --          | --  | --        | --       |      |
| 06/27/95          | --              | --                 | --             | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --  | --          | --       | --    | --          | --  | --        | --       |      |
| 09/27/95          | --              | --                 | --             | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --  | --          | --       | --    | --          | --  | --        | --       |      |
| 12/29/95          | --              | --                 | --             | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --  | --          | --       | --    | --          | --  | --        | --       |      |

CONTINUED ON NEXT PAGE

## Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

| DATE                       | Well Head Elev. | Ground Water Elev. | Depth To Water | Notes | TPH-Gasoline | Benzene | Toluene | Ethyl-Benzene | Xylene | TOG | Chloro-form | 1, 2-DCA | Freon | 1, 1, 1-TCA | PCE | 1, 2-DCPA | 1, 2-DCE | MTBE |
|----------------------------|-----------------|--------------------|----------------|-------|--------------|---------|---------|---------------|--------|-----|-------------|----------|-------|-------------|-----|-----------|----------|------|
| <b>TRIP BLANK (CONT'D)</b> |                 |                    |                |       |              |         |         |               |        |     |             |          |       |             |     |           |          |      |
| 03/28/96                   | --              | --                 | --             | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --  | --          | --       | --    | --          | --  | --        | <2.5     |      |
| 06/21/96                   | --              | --                 | --             | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --  | --          | --       | --    | --          | --  | --        | --       |      |
| 09/26/96                   | --              | --                 | --             | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --  | --          | --       | --    | --          | --  | --        | --       |      |
| 12/19/96                   | --              | --                 | --             | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --  | --          | --       | --    | --          | --  | --        | --       |      |
| 03/22/97                   | --              | --                 | --             | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --  | --          | --       | --    | --          | --  | --        | <2.5     |      |
| 06/29/97                   | --              | --                 | --             | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --  | --          | --       | --    | --          | --  | --        | <2.5     |      |
| 09/12/97                   | --              | --                 | --             | --    | <50          | <0.5    | <0.5    | <0.5          | <0.5   | --  | --          | --       | --    | --          | --  | --        | <2.5     |      |

Note: Blaine Tech Services, Inc. began routine monitoring of the groundwater wells at this site on November 1, 1994.

Earlier field data and analytical results are drawn from the September 27, 1994 Groundwater Technology, Inc. report.

Resurvey of wells was performed by Ron Archer Civil Engineer Inc. on July 22, 1997.

### ABBREVIATIONS:

TPH = Total Petroleum Hydrocarbons

PCE = Trichloroethene

TOG = Total Oil and Grease

1,2-DCPA = 1,2-Dichloropropane

1,2-DCA = 1,2-Dichloroethane

1,2-DCE = 1,2-Dichloroethene

1,1,1-TCA = 1,1,1-Trichloroethane

MTBE = Methyl t-butyl ether



**Sequoia  
Analytical**

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(650) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (650) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Blaine Tech Services  
1680 Rogers Avenue  
San Jose, CA 95112

Attention: Fran Thie

Client Proj. ID: Chevron 9-0019/970912-A1  
Sample Descript: MW4  
Matrix: LIQUID  
Analysis Method: 8015Mod/8020  
Lab Number: 9709842-01

Sampled: 09/12/97  
Received: 09/15/97  
Analyzed: 09/24/97  
Reported: 09/29/97

QC Batch Number: GC092497BTEX02A  
Instrument ID: GCHP02

**Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE**

| Analyte               | Detection Limit<br>ug/L | Sample Results<br>ug/L |
|-----------------------|-------------------------|------------------------|
| TPPH as Gas           | 50                      | N.D.                   |
| Methyl t-Butyl Ether  | 2.5                     | N.D.                   |
| Benzene               | 0.50                    | N.D.                   |
| Toluene               | 0.50                    | N.D.                   |
| Ethyl Benzene         | 0.50                    | N.D.                   |
| Xylenes (Total)       | 0.50                    | N.D.                   |
| Chromatogram Pattern: |                         |                        |
| Surrogates            | Control Limits %        | % Recovery             |
| Trifluorotoluene      | 70      130             | 95                     |

Analytes reported as N.D. were not present above the stated limit of detection.

**SEQUOIA ANALYTICAL - ELAP #1210**

Peggy Penner  
Project Manager

Page:

1



**Sequoia  
Analytical**

680 Chesapeake Drive      Redwood City, CA 94063      (650) 364-9600      FAX (650) 364-9233  
404 N. Wiget Lane      Walnut Creek, CA 94598      (510) 988-9600      FAX (510) 988-9673  
819 Striker Avenue, Suite 8      Sacramento, CA 95834      (916) 921-9600      FAX (916) 921-0100

Blaine Tech Services  
1680 Rogers Avenue  
San Jose, CA 95112  
Attention: Fran Thie

Client Proj. ID: Chevron 9-0019/970912-A1  
Sample Descript: MW5  
Matrix: LIQUID  
Analysis Method: 8015Mod/8020  
Lab Number: 9709842-02

Sampled: 09/12/97  
Received: 09/15/97  
Analyzed: 09/24/97  
Reported: 09/29/97

QC Batch Number: GC092497BTEX02A  
Instrument ID: GCHP02

### Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

| Analyte               | Detection Limit<br>ug/L | Sample Results<br>ug/L |      |
|-----------------------|-------------------------|------------------------|------|
| TPPH as Gas           | .....                   | 2500                   | 6100 |
| Methyl t-Butyl Ether  | 25                      | .....                  | N.D. |
| Benzene               | 25                      | .....                  | 1900 |
| Toluene               | 25                      | .....                  | 510  |
| Ethyl Benzene         | 25                      | .....                  | 120  |
| Xylenes (Total)       | 25                      | .....                  | 390  |
| Chromatogram Pattern: | .....                   | .....                  | Gas  |
| Surrogates            | Control Limits %        | % Recovery             |      |
| Trifluorotoluene      | 70                      | 130                    | 97   |

Analytics reported as N.D. were not present above the stated limit of detection.

**SEQUOIA ANALYTICAL - ELAP #1210**

Peggy Penner  
Project Manager



Sequoia  
Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(650) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (650) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Blaine Tech Services  
1680 Rogers Avenue  
San Jose, CA 95112  
  
Attention: Fran Thie

Client Proj. ID: Chevron 9-0019/970912-A1  
Sample Descript: MW6  
Matrix: LIQUID  
Analysis Method: 8015Mod/8020  
Lab Number: 9709842-03

Sampled: 09/12/97  
Received: 09/15/97  
  
Analyzed: 09/24/97  
Reported: 09/29/97

QC Batch Number: GC092497BTEX02A  
Instrument ID: GCHP02

### Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

| Analyte               | Detection Limit<br>ug/L                       | Sample Results<br>ug/L |
|-----------------------|---|------------------------|
| TPPH as Gas           | 50  | N.D.                   |
| Methyl t-Butyl Ether  | 2.5   | N.D.                   |
| Benzene               | 0.50  | N.D.                   |
| Toluene               | 0.50  | N.D.                   |
| Ethyl Benzene         | 0.50  | N.D.                   |
| Xylenes (Total)       | 0.50  | N.D.                   |
| Chromatogram Pattern: |   |                        |
| <b>Surrogates</b>     |   |                        |
| Trifluorotoluene      | Control Limits %<br>70                    130 | % Recovery<br>90       |

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Penner  
Project Manager

Page:

3





Sequoia  
Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(650) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (650) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Blaine Tech Services  
1680 Rogers Avenue  
San Jose, CA 95112  
  
Attention: Fran Thie

Client Proj. ID: Chevron 9-0019/970912-A1  
Sample Descript: MW7  
Matrix: LIQUID  
Analysis Method: 8015Mod/8020  
Lab Number: 9709842-04

Sampled: 09/12/97  
Received: 09/15/97  
  
Analyzed: 09/24/97  
Reported: 09/29/97

QC Batch Number: GC092497BTEX02A  
Instrument ID: GCHP02

### Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

| Analyte               | Detection Limit<br>ug/L | Sample Results<br>ug/L |
|-----------------------|-------------------------|------------------------|
| TPPH as Gas           | 50                      | N.D.                   |
| Methyl t-Butyl Ether  | 2.5                     | N.D.                   |
| Benzene               | 0.50                    | N.D.                   |
| Toluene               | 0.50                    | N.D.                   |
| Ethyl Benzene         | 0.50                    | N.D.                   |
| Xylenes (Total)       | 0.50                    | N.D.                   |
| Chromatogram Pattern: |                         |                        |
| Surrogates            | Control Limits %        | % Recovery             |
| Trifluorotoluene      | 70      130             | 94                     |

Analyses reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Pepper  
Project Manager

Page: 4





Sequoia  
Analytical

680 Chesapeake Drive Redwood City, CA 94063 (650) 364-9600 FAX (650) 364-9233  
404 N. Wiget Lane Walnut Creek, CA 94598 (510) 988-9600 FAX (510) 988-9673  
819 Striker Avenue, Suite 8 Sacramento, CA 95834 (916) 921-9600 FAX (916) 921-0100

Blaine Tech Services  
1680 Rogers Avenue  
San Jose, CA 95112

Attention: Fran Thie

Client Proj. ID: Chevron 9-0019/970912-A1  
Sample Descript: TB  
Matrix: LIQUID  
Analysis Method: 8015Mod/8020  
Lab Number: 9709842-05

Sampled: 09/12/97  
Received: 09/15/97  
Analyzed: 09/24/97  
Reported: 09/29/97

QC Batch Number: GC092497BTEX02A  
Instrument ID: GCHP02

### Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

| Analyte               | Detection Limit<br>ug/L | Sample Results<br>ug/L |
|-----------------------|-------------------------|------------------------|
| TPPH as Gas           | 50                      | N.D.                   |
| Methyl t-Butyl Ether  | 2.5                     | N.D.                   |
| Benzene               | 0.50                    | N.D.                   |
| Toluene               | 0.50                    | N.D.                   |
| Ethyl Benzene         | 0.50                    | N.D.                   |
| Xylenes (Total)       | 0.50                    | N.D.                   |
| Chromatogram Pattern: |                         |                        |
| Surrogates            | Control Limits %        |                        |
| Trifluorotoluene      | 70                      | 130                    |
|                       |                         | % Recovery             |
|                       |                         | 88                     |

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Penner  
Project Manager

Page:

5



**Sequoia  
Analytical**

680 Chesapeake Drive Redwood City, CA 94063 (650) 364-9600 FAX (650) 364-9233  
404 N. Wiget Lane Walnut Creek, CA 94598 (510) 988-9600 FAX (510) 988-9673  
819 Striker Avenue, Suite 8 Sacramento, CA 95834 (916) 921-9600 FAX (916) 921-0100

Blaine Tech Services, Inc.  
1680 Rogers Ave.  
San Jose, CA 95112  
Attention: Fran Thie

Client Project ID: Chevron 9-0019 / 970912-A1  
Matrix: Liquid

Work Order #: 9709842 -01-05

Reported: Oct 3, 1997

## QUALITY CONTROL DATA REPORT

| Analyte:       | Benzene         | Toluene         | Ethyl Benzene   | Xylenes         | Gas             |
|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| QC Batch#:     | GC092497BTEX02A | GC092497BTEX02A | GC092497BTEX02A | GC092497BTEX02A | GC092497BTEX02A |
| Analy. Method: | EPA 8020        | EPA 8020        | EPA 8020        | EPA 8020        | EPA 8015M       |
| Prep. Method:  | EPA 5030        |

|                    |            |            |            |            |            |
|--------------------|------------|------------|------------|------------|------------|
| Analyst:           | A. Mirafab |
| MS/MSD #:          | 970981401  | 970981401  | 970981401  | 970981401  | 970981401  |
| Sample Conc.:      | N.D.       | N.D.       | N.D.       | N.D.       | N.D.       |
| Prepared Date:     | 9/24/97    | 9/24/97    | 9/24/97    | 9/24/97    | 9/24/97    |
| Analyzed Date:     | 9/24/97    | 9/24/97    | 9/24/97    | 9/24/97    | 9/24/97    |
| Instrument I.D. #: | GCHP2      | GCHP2      | GCHP2      | GCHP2      | GCHP2      |
| Conc. Spiked:      | 10 µg/L    | 10 µg/L    | 10 µg/L    | 30 µg/L    | 60 µg/L    |
| <br>               | <br>       | <br>       | <br>       | <br>       | <br>       |
| Result:            | 9.6        | 9.1        | 9.6        | 30         | 66         |
| MS % Recovery:     | 96         | 91         | 96         | 100        | 110        |
| <br>               | <br>       | <br>       | <br>       | <br>       | <br>       |
| Dup. Result:       | 9.6        | 9.3        | 9.6        | 29         | 63         |
| MSD % Recov.:      | 96         | 93         | 96         | 97         | 105        |
| <br>               | <br>       | <br>       | <br>       | <br>       | <br>       |
| RPD:               | 0.0        | 2.2        | 0.0        | 3.4        | 4.7        |
| RPD Limit:         | 0-25       | 0-25       | 0-25       | 0-25       | 0-25       |

|                    |           |           |           |           |           |
|--------------------|-----------|-----------|-----------|-----------|-----------|
| LCS #:             | BLK092497 | BLK092497 | BLK092497 | BLK092497 | BLK092497 |
| Prepared Date:     | 9/24/97   | 9/24/97   | 9/24/97   | 9/24/97   | 9/24/97   |
| Analyzed Date:     | 9/24/97   | 9/24/97   | 9/24/97   | 9/24/97   | 9/24/97   |
| Instrument I.D. #: | GCHP2     | GCHP2     | GCHP2     | GCHP2     | GCHP2     |
| Conc. Spiked:      | 10 µg/L   | 10 µg/L   | 10 µg/L   | 30 µg/L   | 60 µg/L   |
| <br>               | <br>      | <br>      | <br>      | <br>      | <br>      |
| LCS Result:        | 9.5       | 9.2       | 9.4       | 29        | 61        |
| LCS % Recov.:      | 95        | 92        | 94        | 97        | 102       |

|                |        |        |        |        |        |
|----------------|--------|--------|--------|--------|--------|
| MS/MSD         | 60-140 | 60-140 | 60-140 | 60-140 | 60-140 |
| LCS            | 70-130 | 70-130 | 70-130 | 70-130 | 70-130 |
| Control Limits |        |        |        |        |        |

**SEQUOIA ANALYTICAL**  
  
Peggy Penner  
Project Manager

**Please Note:**  
The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

\*\* MS = Matrix Spike, MSD = MS Duplicate, RPD = Relative % Difference

9709842.BLA <1>



Sequoia  
Analytical

680 Chesapeake Drive Redwood City, CA 94063 (650) 364-9600 FAX (650) 364-9233  
404 N. Wiget Lane Walnut Creek, CA 94598 (510) 988-9600 FAX (510) 988-9673  
819 Striker Avenue, Suite B Sacramento, CA 95834 (916) 921-9600 FAX (916) 921-0100

Blaine Tech Services  
1680 Rogers Avenue  
San Jose, CA 95112  
Attention: Fran Thie

Client Proj. ID: Chevron 9-0019/970912-A1

Received: 09/15/97

Lab Proj. ID: 9709842

Reported: 09/29/97

## LABORATORY NARRATIVE

In order to properly interpret this report, it must be reproduced in its entirety. This report contains a total of 7 pages including the laboratory narrative, sample results, quality control, and related documents as required (cover page, COC, raw data, etc.).

TPPH Note: Sample 9709842-02 was diluted 50-fold.

SEQUOIA ANALYTICAL

Peggy Penner  
Project Manager



# **Field Data Sheets**

## WELL GAUGING DATA

Project # 970912-A1 Date 9-12-97 Client Chew

site 210 Grand Ave Carlton I

# CHEVRON WELL MONITORING DATA SHEET

|                         |                                   |                            |      |
|-------------------------|-----------------------------------|----------------------------|------|
| Project #: 970912-A1    | Station #: 9-0019                 |                            |      |
| Sampler: SA             | Date: 9-12-97                     |                            |      |
| Well I.D.: MW4          | Well Diameter: 2 3 <u>4</u> 6 8   |                            |      |
| Total Well Depth: 13.60 | Depth to Water: 4.42              |                            |      |
| Depth to Free Product:  | Thickness of Free Product (feet): |                            |      |
| Referenced to: PVC      | Grade                             | D.O. Meter (if req'd): YSI | HACH |

| Well Diameter | Multipier | Well Diameter | Multipier                   |
|---------------|-----------|---------------|-----------------------------|
| 2"            | 0.16      | 5"            | 1.02                        |
| 3"            | 0.37      | 6"            | 1.47                        |
| 4"            | 0.65      | Other         | radius <sup>2</sup> * 0.163 |

Purge Method: Bailer  
 Disposable Bailer  
 Middleburg  
 Electric Submersible X  
 Extraction Pump  
 Other: \_\_\_\_\_

Sampling Method: Bailer  
 Disposable Bailer X  
 Extraction Port  
 Other: \_\_\_\_\_

$$\frac{6.0}{\text{1 Case Volume (Gals.)}} \times \frac{3}{\text{Specified Volumes}} = \frac{18}{\text{Calculated Volume}} \text{ Gals.}$$

| Time | Temp (°F) | pH  | Cond. | Gals. Removed | Observations |
|------|-----------|-----|-------|---------------|--------------|
| 0915 | 67.0      | 6.6 | 1600  | 6             |              |
| 0916 | 68.3      | 6.6 | 1500  | 12            |              |
| 0917 | 69.4      | 6.5 | 1500  | 18            |              |
|      |           |     |       |               |              |
|      |           |     |       |               |              |

Did well dewater? Yes No Gallons actually evacuated: 18

Sampling Time: 0925 Sampling Date: 9-12-97

Sample I.D.: MW4 Laboratory: Sequoia GTEL N. Creek Assoc. Labs

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd): Pre-purge: mg/L Post-purge: mg/L

O.R.P. (if req'd): Pre-purge: mV Post-purge: mV

# CHEVRON WELL MONITORING DATA SHEET

|                        |                                   |
|------------------------|-----------------------------------|
| Project #: 970912-A1   | Station #: 9-0019                 |
| Sampler: SA            | Date: 9-12-97                     |
| Well I.D.: MW5         | Well Diameter: 2 3 4 6 8          |
| Total Well Depth: 9.63 | Depth to Water: 5.0               |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: RVE     | D.O. Meter (if req'd): YSI HACH   |

| <u>Well Diameter</u> | <u>Multiplier</u> | <u>Well Diameter</u> | <u>Multiplier</u>         |
|----------------------|-------------------|----------------------|---------------------------|
| 2"                   | 0.16              | 5"                   | 1.02                      |
| 3"                   | 0.37              | 6"                   | 1.47                      |
| 4"                   | 0.65              | Other                | $\text{radius}^2 * 0.163$ |

Purge Method: Bailer  
 Disposable Bailer X  
 Middleburg  
 Electric Submersible X  
 Extraction Pump  
 Other: \_\_\_\_\_

Sampling Method: Bailer  
 Disposable Bailer X  
 Extraction Port  
 Other: \_\_\_\_\_

$$\frac{3.0}{\text{1 Case Volume (Gals.)}} \times \frac{3}{\text{Specified Volumes}} = \frac{?}{\text{Calculated Volume}} \text{ Gals.}$$

| Time | Temp (°F) | pH  | Cond. | Gals. Removed | Observations |
|------|-----------|-----|-------|---------------|--------------|
| 0955 | 68.3      | 7.2 | 1200  | 3             | ORC IN WELL  |
| 0956 | 66.1      | 7.6 | 1300  | 6             |              |
| 1957 | 65.0      | 7.9 | 1300  | 9             |              |
|      |           |     |       |               |              |
|      |           |     |       |               |              |

Did well dewater? Yes  No  Gallons actually evacuated: ?

Sampling Time: 1007 Sampling Date: 9-12-97

Sample I.D.: MW5 Laboratory: Sequoia GTEL N. Creek Assoc. Labs

Analyzed for: TPH-G BTEX MTBE TPH-D Other: \_\_\_\_\_

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other: \_\_\_\_\_

D.O. (if req'd): Pre-purge: mg/L Post-purge: \_\_\_\_\_

O.R.P. (if req'd): Pre-purge: mV Post-purge: \_\_\_\_\_

# CHEVRON WELL MONITORING DATA SHEET

|                        |            |                                   |                        |     |      |   |   |
|------------------------|------------|-----------------------------------|------------------------|-----|------|---|---|
| Project #:             | 970912-141 | Station #:                        | 9-0019                 |     |      |   |   |
| Sampler:               | SA         | Date:                             | 9-12-97                |     |      |   |   |
| Well I.D.:             | MW6        | Well Diameter:                    | 2                      | 3   | 4    | 6 | 8 |
| Total Well Depth:      | 781        | Depth to Water:                   | 6.26                   |     |      |   |   |
| Depth to Free Product: |            | Thickness of Free Product (feet): |                        |     |      |   |   |
| Referenced to:         | PVC        | Grade                             | D.O. Meter (if req'd): | YSI | HACH |   |   |

| Well Diameter | Multiplier | Well Diameter | Multiplier                  |
|---------------|------------|---------------|-----------------------------|
| 2"            | 0.16       | 5"            | 1.02                        |
| 3"            | 0.37       | 6"            | 1.47                        |
| 4"            | 0.65       | Other         | radius <sup>2</sup> * 0.163 |

Purge Method: Bailer  
 Disposable Bailer   
 Middleburg  
 Electric Submersible  
 Extraction Pump  
 Other: \_\_\_\_\_

Sampling Method: Bailer  
 Disposable Bailer   
 Extraction Port  
 Other: \_\_\_\_\_

$$\begin{array}{c}
 0.2 \\
 \times \quad 3 \\
 \hline
 \end{array} = \begin{array}{c}
 0.7 \\
 \text{Gals.} \\
 \text{Calculated Volume}
 \end{array}$$

1 Case Volume (Gals.)      Specified Volumes

| Time | Temp (°F) | pH  | Cond. | Gals. Removed | Observations |
|------|-----------|-----|-------|---------------|--------------|
| 0935 | 64.3      | 6.6 | 2100  | 0.2           |              |
| 0938 | 63.7      | 6.8 | 2000  | 0.4           |              |
| 0940 | 62.4      | 6.8 | 1900  | 0.6           |              |
|      |           |     |       |               |              |
|      |           |     |       |               |              |
|      |           |     |       |               |              |

Did well dewater? Yes  No Gallons actually evacuated: 0.7

Sampling Time: 0945 Sampling Date: 9-12-97

Sample I.D.: MW6 Laboratory: Sequoia GTEL N. Creek Assoc. Labs

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other:

|                    |            |      |             |      |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd):   | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV   | Post-purge: | mV   |

# CHEVRON WELL MONITORING DATA SHEET

|                        |           |       |  |                                   |         |      |   |   |   |  |
|------------------------|-----------|-------|--|-----------------------------------|---------|------|---|---|---|--|
| Project #:             | 970912-A1 |       |  | Station #:                        | 9-0019  |      |   |   |   |  |
| Sampler:               | SA        |       |  | Date:                             | 9-12-97 |      |   |   |   |  |
| Well I.D.:             | MW 7      |       |  | Well Diameter:                    | 2       | 3    | 4 | 6 | 8 |  |
| Total Well Depth:      | 9.85      |       |  | Depth to Water:                   | 2.04    |      |   |   |   |  |
| Depth to Free Product: |           |       |  | Thickness of Free Product (feet): |         |      |   |   |   |  |
| Referenced to:         | PVC       | Grade |  | D.O. Meter (if req'd):            | YSI     | HACH |   |   |   |  |

| Well Diameter | Multiplier | Well Diameter | Multiplier                  |
|---------------|------------|---------------|-----------------------------|
| 2"            | 0.16       | 5"            | 1.02                        |
| 3"            | 0.37       | 6"            | 1.47                        |
| 4"            | 0.65       | Other         | radius <sup>2</sup> * 0.163 |

Purge Method: Bailer  
 Disposable Bailer   
 Middleburg  
 Electric Submersible  
 Extraction Pump  
 Other: \_\_\_\_\_

Sampling Method: Bailer  
 Disposable Bailer   
 Extraction Port  
 Other: \_\_\_\_\_

|                       |          |                   |   |                   |       |
|-----------------------|----------|-------------------|---|-------------------|-------|
| <u>1.2</u>            | <u>x</u> | <u>3</u>          | = | <u>3.7</u>        | Gals. |
| 1 Case Volume (Gals.) |          | Specified Volumes |   | Calculated Volume |       |

| Time | Temp (°F) | pH  | Cond. | Gals. Removed | Observations |
|------|-----------|-----|-------|---------------|--------------|
| 0844 | 64.0      | 7.4 | 1500  | 1.2           |              |
| 0846 | 62.3      | 7.2 | 1400  | 2.4           |              |
| 0848 | 62.0      | 7.2 | 1400  | 3.7           |              |
|      |           |     |       |               |              |
|      |           |     |       |               |              |

Did well dewater? Yes  Gallons actually evacuated: 3.7

Sampling Time: 0855 Sampling Date: 9-12-97

Sample I.D.: MW 7 Laboratory: Sequoia GTEL N. Creek Assoc. Labs

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other:

|                    |            |      |             |      |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd):   | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV   | Post-purge: | mV   |

## CHEVRON WELL MONITORING DATA SHEET

|                        |                                   |
|------------------------|-----------------------------------|
| Project #: 970812-L3   | Station #: 9-0019                 |
| Sampler: LAD           | Date: 8-12-97                     |
| Well I.D.: MW5         | Well Diameter: 2 3 <b>4</b> 6 8   |
| Total Well Depth: 9.66 | Depth to Water: 5.01              |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: PVC     | D.O. Meter (if req'd): YSI HACH   |

| <u>Well Diameter</u> | <u>Multiplier</u> | <u>Well Diameter</u> | <u>Multiplier</u>         |
|----------------------|-------------------|----------------------|---------------------------|
| 2"                   | 0.16              | 5"                   | 1.02                      |
| 3"                   | 0.37              | 6"                   | 1.47                      |
| 4"                   | 0.65              | Other                | $\text{radius}^2 * 0.163$ |

Purge Method: Bailer  
Disposable Bailer  
Middleburg  
Electric Submersible  
Extraction Pump  
Other: \_\_\_\_\_

Sampling Method: Bailer  
Disposable Bailer  
Extraction Port  
Other: \_\_\_\_\_

\_\_\_\_\_ X \_\_\_\_\_ = \_\_\_\_\_ Gals.  
1 Case Volume (Gals.)      Specified Volumes      Calculated Volume

| Time | Temp (°F) | pH              | Cond. | Gals. Removed | Observations |
|------|-----------|-----------------|-------|---------------|--------------|
| 2:46 | Placed    | 5 ORC's in well |       |               |              |
|      |           |                 |       |               |              |
|      |           |                 |       |               |              |
|      |           |                 |       |               |              |
|      |           |                 |       |               |              |

Did well dewater? Yes No Gallons actually evacuated:

Sampling Time: \_\_\_\_\_ Sampling Date: \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other:

|                    |            |      |             |      |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd):   | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV   | Post-purge: | mV   |