



Chevron

October 13, 1994

Chevron U.S.A. Products Company
6001 Ballinger Canyon Rd., Bldg. L
P.O. Box 5004
San Ramon, CA 94583-0804

Site Assessment & Remediation Group
Phone (510) 842-9500

Ms. Jennifer Eberle
Alameda County Health Care Services
Department of Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

**Re: Former Chevron Service Station #9-0020
1633 Harrison Street, Oakland, CA**

Dear Ms. Eberle:

Enclosed is the quarterly Groundwater Monitoring and Sampling Activities report dated September 26, 1994, prepared by our consultant Groundwater Technology, Inc. for the above referenced site. As indicated in the report, ground water samples collected were analyzed for total petroleum hydrocarbons as gasoline (TPH-G), and BTEX. Monitor well MW-7 could not be sampled due to remediation equipment in the well. Per prior agreement between Chevron and Alameda County Health Care Services, monitor wells MW-5, MW-6, MW-8, MW-11, MW-12, and MW-14 were not sampled.

Benzene was detected in monitor wells MW-13 and MW-16 at concentrations of 59, and 1.3 ppb, respectively. Depth to ground water was measured at approximately 20.1 feet to 21.9 feet below grade and the direction of flow is to the northeast.

We are currently evaluating the feasibility and cost-effectiveness of continued operation of the dewatering and soil vapor extraction remedial systems. We have asked our consultant to review all historical data gathered and develop a comprehensive site management plan to guide future activities at this site. We currently anticipate completing this plan during the 4th quarter of 1994. Chevron will continue to monitor and sample all wells at this site on a quarterly basis.

If you have any questions or comments, please do not hesitate to contact me at (510) 842-8134.

Sincerely,
CHEVRON U.S.A. PRODUCTS COMPANY

Mark A. Miller
Site Assessment and Remediation Engineer


Enclosure

cc: Ms. B.C. Owen
Ms. Alison Watts, Weiss Associates

Page 2
October 13, 1994
Former SS#9-0020

The Oakland Housing Authority
Attn.: Mr. Harold Davis
1619 Harrison Street
Oakland, CA 94612

File: 9-0020 QM5



GROUNDWATER TECHNOLOGY, INC.

4057 Port Chicago Highway, Concord, CA 94520 (415) 671-2387

FAX: (415) 685-9148

September 26, 1994

Project No. 020104081

Mr. Mark Miller
Chevron U.S.A. Products Company
2410 Camino Ramon
San Ramon, CA 94583-0804

SUBJECT: *Groundwater Monitoring and Sampling Activities*
Chevron Service Station No. 9-0020
1633 Harrison Street, Oakland, California


Dear Mr. Miller:

Groundwater Technology, Inc. presents the quarterly groundwater monitoring and sampling data collected on September 7, 1994. Nine groundwater monitoring wells at this site were gauged to measure depth to groundwater (DTW) and to check for the presence of separate-phase hydrocarbons. Separate-phase hydrocarbons were not detected in the monitoring wells. Monitoring well MW-7 was not gauged or sampled due to a pump in the well. Groundwater monitoring wells MW-5, MW-6, MW-8, MW-11, MW-12, and MW-14 are suspended from the monitoring and sampling program as requested by Chevron. A potentiometric surface map and a summary of groundwater monitoring data are presented in attachments 1 and 2, respectively. After the DTW was measured, the monitoring wells were purged and sampled. Groundwater monitoring and sample collection protocol and field data sheets are presented in attachment 3. The groundwater samples collected were analyzed for benzene, toluene, ethylbenzene, xylenes and for total petroleum hydrocarbons-as-gasoline. Results of the chemical analyses are summarized in attachment 2. The laboratory report and chain-of-custody record are included in attachment 4. Historical groundwater analytical results for halogenated volatile organic compounds are also provided in attachment 2. A well cap was replaced on monitoring well MW-9. Monitoring-well purge water was transported by Groundwater Technology to the Chevron Terminal in Richmond, California, for recycling.

Groundwater Technology is pleased to assist Chevron on this project. If you have any questions or comments, please contact our Concord office at (510) 671-2387.

Sincerely,
Groundwater Technology, Inc.

Written/Submitted by


Kenneth P. Johnson

Project Manager

For:
Wendell W. Lattz
Vice President, General Manager
West Region


- PR 
- Attachment 1 Figures
 - Attachment 2 Tables
 - Attachment 3 Protocol and Field Data Sheets
 - Attachment 4 Laboratory Report

Groundwater Monitoring and Sampling Activities
Chevron Service Station No. 9-0020, 1633 Harrison St., Oakland, CA


September 26, 1994

ATTACHMENT 1

Figure



NOTE:
1. CONTOURS REPRESENT APPROXIMATE ELEVATIONS ABOVE MEAN SEA LEVEL.



GROUNDWATER
TECHNOLOGY

0 FEET 40
SCALE

POTENTIOMETRIC SURFACE MAP (9/7/94)

CLIENT: CHEVRON U.S.A. PRODUCTS CO. SERVICE STATION No. 9-0020	FILE: 4081PSM, (1:40)	PROJECT NO.: 02010-4081	PM <i>KJ</i>	PE/RG <i>JL</i>
LOCATION: 1633 HARRISON STREET OAKLAND, CALIFORNIA	REV.			FIGURE: 1
	DES. SS	DET. SS	DATE: 9/8/94	

September 26, 1994

ATTACHMENT 2

Tables

TABLE 1
HISTORICAL GROUNDWATER ANALYTICAL RESULTS AND MONITORING DATA
Chevron Service Station No. 9-0020
1633 Harrison Street, Oakland, California

Well ID/ Elevation	Date	TPH-G	Benzene	Toluene	Ethyl- benzene	Xylenes	TOG	DTW (ft)	SPT (ft)	WTE (ft)
MW-1 29.82	11/03/88	<1,000 ¹	<1.0	<1.0	<1.0	<1.0	---	20.40	0.0	9.42
	02/02/89	---	---	---	---	---	---	20.71	0.0	9.11
	02/10/89	<100	<0.2	<0.2	<0.2	<0.4	---	---	---	---
	04/23/89	---	---	---	---	---	---	20.34	0.0	9.48
	04/24/89	<50	<0.5	<1.0	<1.0	<1.0	<3,000	---	---	---
	07/28/89	<50	<0.1	<0.5	<0.2	<0.5	<3,000	20.58	0.0	9.24
	10/30/89	<500	<0.3	<0.3	<0.3	<0.6	---	20.52	0.0	9.30
	01/09/90	<50	<0.3	<0.3	<0.3	<0.6	---	20.77	0.0	9.05
	04/18/90	<50	<0.3	<0.3	<0.3	<0.6	---	20.95	0.0	8.87
	06/22/90	---	---	---	---	---	---	21.00	0.0	8.82
	08/09/90	<50	<0.3	<0.3	<0.3	<0.6	---	20.94	0.0	8.88
	11/13/90	<50	<0.5	<0.5	<0.5	<0.5	---	20.98	0.0	8.84
	05/15/91	<50	<0.5	<0.5	<0.5	<0.5	---	20.64	0.0	9.18
	08/27/91	110 ²	<0.5	<0.5	<0.5	<0.5	---	20.79	0.0	9.03
	11/15/91	<50	<0.5	<0.5	<0.5	<0.5	---	20.75	0.0	9.07
	02/20/92	<50	0.5	0.6	<0.5	0.9	---	20.90	0.0	8.92
	06/15/92	<50	<0.5	<0.5	<0.5	<0.5	---	20.64	0.0	9.18
	12/16/92	<50	<0.5	<0.5	<0.5	<0.5	---	20.84	0.0	8.98
	04/07/93	<50	<0.5	<0.5	<0.5	<1.5	---	19.91	0.0	9.91
	06/09/93	---	---	---	---	---	---	19.85	0.0	9.97
	09/10/93	---	---	---	---	---	---	---	---	---
	09/27/93	<50	<0.5	<0.5	<0.5	<0.5	---	20.35	0.0	9.47
	12/17/93	<50	<0.5	<0.5	<0.5	<0.5	---	20.68	0.0	9.14
	03/10/94	<50	<0.5	<0.5	<0.5	<0.5	---	20.57	0.0	9.25
	06/16/94	<50	<0.5	<0.5	<0.5	<0.5	---	20.55	0.0	9.27
	09/07/94	<50	<0.5	<0.5	<0.5	<0.5	---	20.69	0.0	9.13

TABLE 1
HISTORICAL GROUNDWATER ANALYTICAL RESULTS AND MONITORING DATA
Chevron Service Station No. 9-0020
1633 Harrison Street, Oakland, California

Well ID/ Elevation	Date	TPH-G	Benzene	Toluene	Ethyl- benzene	Xylenes	TOG	DTW (ft)	SPT (ft)	WTE (ft)
MW-2 30.59	11/03/88	<1,000 ¹	<1.0	<1.0	<1.0	<1.0	---	20.89	0.0	9.70
	02/02/89	---	---	---	---	---	---	21.21	0.0	9.38
	02/10/89	<100	<0.2	<0.2	<0.2	<0.4	---	---	---	---
	04/23/89	---	---	---	---	---	---	20.82	0.0	9.77
	04/24/89	<50	<0.5	<1.0	<1.0	<1.0	<3,000	---	---	---
	07/28/89	<100	<0.2	<1.0	<0.2	<0.4	<3,000	21.02	0.0	9.57
	10/30/89	<500	<0.3	<0.3	<0.3	<0.6	---	20.96	0.0	9.63
	01/09/90	<50	<0.3	<0.3	<0.3	<0.6	---	21.25	0.0	9.34
	04/18/90	<50	<0.3	<0.3	<0.3	<0.6	---	21.53	0.0	9.06
	06/22/92	---	---	---	---	---	---	21.57	0.0	9.02
	08/09/90	<50	<0.3	<0.3	<0.3	<0.6	---	21.55	0.0	9.04
	11/13/90	<50	<0.5	0.8	<0.5	0.9	---	21.54	0.0	9.05
	05/15/91	83 ²	<0.5	<0.5	<0.5	<0.5	---	21.15	0.0	9.44
	08/27/91	97 ²	<0.5	<0.5	<0.5	<0.5	---	21.27	0.0	9.32
	11/15/91	<50	0.5	1.5	0.8	3.6	---	21.30	0.0	9.29
	02/20/92	<50	<0.5	<0.5	<0.5	<0.5	---	21.43	0.0	9.13
	06/15/92	<50	<0.5	<0.5	<0.5	<0.5	---	21.18	0.0	9.41
	12/16/92	<50	<0.5	<0.5	<0.5	<0.5	---	21.47	0.0	9.09
	04/07/93	66 ²	<0.5	<0.5	<0.5	<1.5	---	20.53	0.0	10.03
	06/09/93	<50	<0.5	<0.5	<0.5	<0.5	---	20.45	0.0	10.11
	09/10/93	---	---	---	---	---	---	---	---	---
	09/27/93	---	---	---	---	---	---	20.97	0.0	9.59
	12/17/93	<50	<0.5	<0.5	<0.5	<0.5	---	21.31	0.0	9.25
	03/10/94	<50	<0.5	<0.5	<0.5	<0.5	---	21.23	0.0	9.33
	06/16/94	<50	<0.5	<0.5	<0.5	<0.5	---	21.21	0.0	9.35
	09/07/94	<50	<0.5	<0.5	<0.5	<0.5	---	21.34	0.0	9.22

TABLE 1
HISTORICAL GROUNDWATER ANALYTICAL RESULTS AND MONITORING DATA
Chevron Service Station No. 9-0020
1633 Harrison Street, Oakland, California

Well ID/ Elevation	Date	TPH-G	Benzene	Toluene	Ethyl- benzene	Xylenes	TOG	DTW (ft)	SPT (ft)	WTE (ft)
MW-3	11/03/88	<1,000 ¹	<1.0	<1.0	<1.0	<1.0	---	20.54	0.0	9.55
	02/02/89	---	---	---	---	---	---	20.85	0.0	9.24
30.09	02/10/89	<100	<0.2	<0.2	<0.2	<0.4	---	---	---	---
	04/23/89	---	---	---	---	---	---	20.43	0.0	9.66
	04/24/92	<50	<0.5	<1.0	<1.0	<1.0	<3,000	---	---	---
	07/28/89	<100	<0.2	<1.0	<0.2	<0.4	<3,000	20.64	0.0	9.45
	10/30/89	<500	<0.3	<0.3	<0.3	<0.6	---	20.61	0.0	9.48
	01/09/90	<50	<0.3	<0.3	<0.3	<0.6	---	20.88	0.0	9.21
	04/18/90	<50	<0.3	<0.3	<0.3	<0.6	---	21.15	0.0	8.94
	06/22/90	---	---	---	---	---	---	21.20	0.0	8.89
	08/09/90	<50	<0.3	<0.3	<0.3	<0.6	---	21.18	0.0	8.91
	11/13/90	51 ²	<0.5	<0.5	<0.5	<0.5	---	21.15	0.0	8.94
	05/15/91	85 ²	<0.5	<0.5	<0.5	<0.5	---	20.91	0.0	9.18
	08/27/91	91 ²	<0.5	<0.5	<0.5	<0.5	---	20.89	0.0	9.20
	11/15/91	<50	<0.5	0.7	<0.5	1.3	---	21.02	0.0	9.07
	02/02/92	<50	<0.5	<0.5	<0.5	0.9	---	21.07	0.0	9.02
	06/15/92	50 ²	<0.5	<0.5	<0.5	<0.5	---	20.82	0.0	9.27
30.08	12/16/92	<50	<0.5	<0.5	<0.5	<0.5	---	21.07	0.0	9.07
	04/07/93	<50	<0.5	<0.5	<0.5	<1.5	---	20.13	0.0	9.95
	06/09/93	<50	<0.5	<0.5	<0.5	<0.5	---	20.05	0.0	10.03
	09/10/93	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---
	09/27/93	---	---	---	---	---	---	20.58	0.0	9.50
	12/17/93	<50 ⁵	<0.5	<0.5	<0.5	<0.5	---	21.01	0.0	9.07
	03/10/94	<50	<0.5	<0.5	<0.5	1.1	---	20.86	0.0	9.22
	06/16/94	<50	<0.5	<0.5	<0.5	<0.5	---	20.87	0.0	9.21
	09/07/94	<50	<0.5	<0.5	<0.5	<0.5	---	20.97	0.0	9.11

TABLE 1
HISTORICAL GROUNDWATER ANALYTICAL RESULTS AND MONITORING DATA
Chevron Service Station No. 9-0020
1633 Harrison Street, Oakland, California

Well ID/ Elevation	Date	TPH-G	Benzene	Toluene	Ethyl- benzene	Xylenes	TOG	DTW (ft)	SPT (ft)	WTE (ft)
MW-4	04/23/89	---	---	---	---	---	---	21.33	0.0	9.84
	04/24/89	<50	<0.5	<1.0	<1.0	<1.0	<3,000	---	---	---
31.17	07/28/89	<50	<0.1	<0.5	<0.1	<0.2	<3,000	21.58	0.0	9.59
	10/30/89	<500	<0.3	<0.3	<0.3	<0.6	---	21.54	0.0	9.63
	01/09/90	<50	<0.3	<0.3	<0.3	<0.6	---	21.82	0.0	9.35
	04/18/90	<50	<0.3	<0.3	<0.3	<0.6	---	22.09	0.0	9.08
	06/22/90	---	---	---	---	---	---	22.12	0.0	9.05
	08/09/90	<50	<0.3	<0.3	<0.3	<0.6	---	22.11	0.0	9.06
	11/13/90	<50	<0.5	1	0.5	1	---	22.10	0.0	9.07
	05/15/91	<50	<0.5	<0.5	<0.5	<0.5	---	21.71	0.0	9.46
	08/27/91	<50	<0.5	<0.5	<0.5	<0.5	---	21.87	0.0	9.30
	11/15/91	97	<0.5	0.9	<0.5	1.9	---	21.80	0.0	9.37
	02/20/92	<50	<0.5	<0.5	<0.5	<0.5	---	21.99	0.0	9.18
	06/15/92	<50	<0.5	<0.5	<0.5	<0.5	---	21.74	0.0	9.43
31.17	12/16/92	<50	0.7	0.5	0.5	1.3	---	22.05	0.0	9.12
	04/07/93	<50	<0.5	<0.5	<0.5	<1.5	---	21.11	0.0	10.06
	06/09/93	---	---	---	---	---	---	---	---	---
	09/10/93	---	---	---	---	---	---	---	---	---
	09/27/93	<50	<0.5	<0.5	<0.5	<0.5	---	21.54	0.0	9.63
	12/17/93	<50	<0.5	<0.5	<0.5	<0.5	---	21.89	0.0	9.28
	03/10/94	---	---	---	---	---	---	---	---	---
	06/16/94	---	---	---	---	---	---	20.54	0.0	10.63
	09/07/94	<50	<0.5	<0.5	<0.5	<0.5	---	21.90	0.0	9.27

TABLE 1
HISTORICAL GROUNDWATER ANALYTICAL RESULTS AND MONITORING DATA
Chevron Service Station No. 9-0020
1633 Harrison Street, Oakland, California

Well ID/ Elevation	Date	TPH-G	Benzene	Toluene	Ethyl- benzene	Xylenes	TOG	DTW (ft)	SPT (ft)	WTE (ft)
MW-5 30.28	04/23/89	---	---	---	---	---	---	20.62	0.0	9.66
	04/24/89	<50	<0.5	<1.0	<1.0	<1.0	<3,000	---	0.0	---
	07/28/89	<100	<0.2	<1.0	<0.2	<0.4	<3,000	20.86	0.0	9.42
	10/30/89	<500	<0.3	<0.3	<0.3	<0.6	---	20.82	0.0	9.46
	01/09/90	<50	<0.3	<0.3	<0.3	<0.6	---	21.07	0.0	9.21
	04/18/90	<50	<0.3	<0.3	<0.3	<0.6	---	21.35	0.0	8.93
	06/22/90	---	---	---	---	---	---	21.38	0.0	8.90
	08/09/90	<50	<0.3	<0.3	<0.3	<0.6	---	21.36	0.0	8.92
	11/13/90	<50	<0.5	1	<0.5	1	---	21.35	0.0	8.93
	05/15/91	<50	<0.5	<0.5	<0.5	<0.5	---	21.29	0.0	8.99
	08/27/91	94	3.0	5.0	1.5	5.5	---	21.11	0.0	9.17
	11/15/91	<50	0.9	1.7	<0.5	2.2	---	21.18	0.0	9.10
	02/20/92	<50	<0.5	<0.5	<0.5	<0.5	---	21.25	0.0	9.03
	06/15/92	<50	<0.5	<0.5	<0.5	<0.5	---	21.00	0.0	9.28
	12/16/92	<50	<0.5	<0.5	<0.5	<0.5	---	21.23	0.0	9.05
	04/07/93	<50	<0.5	<0.5	<0.5	<1.5	---	20.31	0.0	9.97
	06/09/93	---	---	---	---	---	---	---	---	---
	09/10/93	---	---	---	---	---	---	---	---	---
	09/27/93	---	---	---	---	---	---	20.76	0.0	9.52
Suspended										

TABLE 1
HISTORICAL GROUNDWATER ANALYTICAL RESULTS AND MONITORING DATA
Chevron Service Station No. 9-0020
1633 Harrison Street, Oakland, California

Well ID/ Elevation	Date	TPH-G	Benzene	Toluene	Ethyl- benzene	Xylenes	TOG	DTW (ft)	SPT (ft)	WTE (ft)
MW-6 29.46	04/23/89	---	---	---	---	---	---	20.05	0.0	9.41
	04/24/89	<50	<0.5	<1.0	<1.0	<1.0	<3	---	---	---
	07/28/89	<100	<0.2	<1.0	<0.2	<0.4	<3	20.30	0.0	9.16
	10/30/89	<500	<0.3	<0.3	<0.3	<0.6	---	20.32	0.0	9.14
	01/09/90	<50	<0.3	<0.3	<0.3	<0.6	---	20.51	0.0	8.95
	04/18/90	<50	<0.3	<0.3	<0.3	<0.6	--	20.72	0.0	8.74
	06/22/90	---	---	---	---	---	--	20.77	0.0	8.69
	08/09/90	<50	<0.3	<0.3	<0.3	<0.6	--	20.74	0.0	8.72
	11/13/90	<50	3	5	0.5	2	--	20.75	0.0	8.71
	05/15/91	<50	<0.5	<0.5	<0.5	<0.5	--	20.61	0.0	8.85
	08/27/91	180	6.1	12	3.8	14	--	20.53	0.0	8.93
	11/15/91	<50	<0.5	0.6	<0.5	<0.5	--	20.53	0.0	8.93
	02/20/92	<50	0.9	1.1	<0.5	1.4	--	20.69	0.0	8.77
29.45	06/15/92	<50	<0.5	<0.5	<0.5	<0.5	--	20.38	0.0	9.08
	12/16/92	<50	<0.5	<0.5	<0.5	<0.5	--	20.57	0.0	8.88
	04/07/93	<50	<0.5	<0.5	<0.5	<1.5	--	19.59	0.0	9.86
	06/09/93	<50	<0.5	<0.5	<0.5	<0.5	--	19.50	0.0	9.95
	09/10/93	---	---	---	---	---	---	---	---	---
	09/27/93	---	---	---	---	---	---	20.07	0.0	9.38
Suspended										

TABLE 1
HISTORICAL GROUNDWATER ANALYTICAL RESULTS AND MONITORING DATA
Chevron Service Station No. 9-0020
1633 Harrison Street, Oakland, California

Well ID/ Elevation	Date	TPH-G	Benzene	Toluene	Ethyl- benzene	Xylenes	TOG	DTW (ft)	SPT (ft)	WTE (ft)
MW-7	04/23/89	---	---	---	---	---	---	18.99	0.0	10.02
	04/24/89	8,400 ³	100	260	160	1,300	3 ⁴	---	---	---
29.01	07/28/89	7,000 ³	230	90	70	440	<3,000	19.94	0.0	9.07
(D)	07/28/89	6,000 ³	280	180	58	430	---	---	---	---
(D)	10/30/89	10,000 ³	570	55	160	400	---	19.97	0.0	9.04
	10/30/89	9,900 ³	520	82	180	410	---	---	---	---
	01/09/90	3,400 ³	290	72	9	200	---	20.15	0.0	8.86
	04/18/90	6,800 ³	350	140	110	400	---	20.37	0.0	8.64
	06/22/90	---	---	---	---	---	---	20.40	0.0	8.61
	08/09/90	11,000 ³	360	130	14	660	---	20.38	0.0	8.63
	11/13/90	6,500	230	110	97	460	---	20.41	0.0	8.60
	05/15/91	4,600	180	55	46	300	---	20.47	0.0	8.54
	08/27/91	7,000	220	53	63	340	---	20.14	0.0	8.87
	11/15/91	3,300	150	19	4.9	200	---	20.22	0.0	8.79
	02/20/92	5,200	520	150	100	380	---	20.32	0.0	8.69
	06/15/92	10,000	760	430	320	1,100	---	19.98	0.0	9.03
29.01	12/16/92	11,000	810	350	280	1,100	---	20.14	0.0	8.87
	04/07/93	150	1.4	0.9	0.9	4.5	---	19.14	0.0	9.87
	06/09/93	180	4	1	1	3	---	19.05	0.0	9.96
	09/10/93	---	---	---	---	---	---	---	---	---
	09/27/93	---	---	---	---	---	---	---	---	---
	12/17/93	---	---	---	---	---	---	---	---	---
	03/10/94	---	---	---	---	---	---	---	---	---
	06/16/94	---	---	---	---	---	---	---	---	---
	09/07/94	---	---	---	---	---	---	---	---	---

TABLE 1
HISTORICAL GROUNDWATER ANALYTICAL RESULTS AND MONITORING DATA
Chevron Service Station No. 9-0020
1633 Harrison Street, Oakland, California

Well ID/ Elevation	Date	TPH-G	Benzene	Toluene	Ethyl- benzene	Xylenes	TOG	DTW (ft)	SPT (ft)	WTE (ft)
MW-8	04/23/89	---	---	---	---	---	---	20.14	0.0	9.43
	04/24/89	<50	<0.5	<1.0	<1.0	<1.0	3,000	---	---	---
29.57	04/24/89	<50	<0.5	<1.0	<1.0	<1.0	---	---	---	---
	07/28/89	<100	<0.2	<1.0	<0.2	<0.4	<3,000	20.37	0.0	9.20
	10/30/89	<500	<0.3	<0.3	<0.3	<0.6	---	20.32	0.0	9.25
	01/09/90	<50	<0.3	<0.3	<0.3	<0.6	---	20.60	0.0	8.97
	04/18/90	<50	<0.3	<0.3	<0.3	<0.6	---	20.87	0.0	8.70
	06/22/90	---	---	---	---	---	---	20.34	0.0	9.23
	08/09/90	<50	<0.3	<0.3	<0.3	<0.6	---	20.89	0.0	8.68
	11/13/90	<50	<0.5	0.8	<0.5	2	---	20.86	0.0	8.71
	05/15/91	<50	<0.5	<0.5	<0.5	<0.5	---	20.49	0.0	9.08
	08/27/91	73 ²	<0.5	<0.5	<0.5	<0.5	---	20.60	0.0	8.97
	11/15/91	<50	<0.5	0.7	<0.5	2.1	---	20.62	0.0	8.95
	02/20/92	<50	<0.5	<0.5	<0.5	<0.5	---	20.80	0.0	8.77
	06/15/92	<50	<0.5	<0.5	<0.5	<0.5	---	20.48	0.0	9.09
29.57	12/16/92	<50	<0.5	<0.5	<0.5	<0.5	---	20.68	0.0	8.89
	04/07/93	<50	<0.5	<0.5	<0.5	<1.5	---	19.70	0.0	9.87
	06/09/93	<50	<0.5	<0.5	<0.5	<0.5	---	19.60	0.0	9.97
	09/10/93	---	---	---	---	---	---	---	---	---
	09/27/93	---	---	---	---	---	---	20.22	0.0	9.35
	Suspended									

TABLE 1
HISTORICAL GROUNDWATER ANALYTICAL RESULTS AND MONITORING DATA
Chevron Service Station No. 9-0020
1633 Harrison Street, Oakland, California

Well ID/ Elevation	Date	TPH-G	Benzene	Toluene	Ethyl- benzene	Xylenes	TOG	DTW (ft)	SPT (ft)	WTE (ft)
28.67	06/22/90	5,700 ³	47	31	280	530	<1,000	20.80	0.0	7.87
	08/09/90	8,000 ³	<0.3	17	210	480	---	20.74	0.0	7.93
	11/13/90	6,400	<3	20	240	450	---	20.78	0.0	7.89
	05/15/91	5,700	2	16	190	390	---	20.48	0.0	8.19
	08/27/91	6,700	<3	31	180	350	---	20.55	0.0	8.12
	11/15/91	4,000	8.8	26	150	280	---	20.57	0.0	8.10
	02/20/92	3,400	13	30	230	460	---	21.77	0.0	6.90
	06/15/92	4,500	19	72	280	560	---	20.37	0.0	8.30
	12/16/92	9,900	380	220	380	1,300	---	20.29	0.0	8.39
	04/07/93	8,700	51	150	360	1,000	---	19.32	0.0	9.36
28.68	06/09/93	8,900	170	160	350	1,100	---	19.16	0.0	9.52
	09/10/93	4,600	110	63	190	350	---	---	---	---
	09/27/93	---	---	---	---	---	---	19.94	0.0	8.74
	12/17/93	4,600	92	85	180	300	---	20.31	0.0	8.37
	03/10/94	3,300	8.0	29	120	170	---	20.30	0.0	8.38
	06/16/94	2,900	4.8	16	85	64	---	20.26	0.0	8.42
	09/07/94	2,900	<0.5	9.9	70	75	---	20.41	0.0	8.27
	MW-10	<50 ³	<0.5	<0.5	<0.5	<0.5	<1,000	20.48	0.0	8.12
	08/09/90	<50	<0.3	<0.3	<0.3	<0.6	---	20.45	0.0	8.15
	11/13/90	<50	<0.5	2	0.5	2	---	20.47	0.0	8.13
28.60	05/15/91	<50	<0.5	<0.5	<0.5	<0.5	---	20.15	0.0	8.45
	08/27/91	<50	<0.5	<0.5	<0.5	<0.5	---	20.27	0.0	8.33
	11/15/91	<50	<0.5	<0.5	<0.5	<0.5	---	20.33	0.0	8.27
	02/20/92	<50	2.0	2.2	<0.5	2.1	---	21.45	0.0	7.15
	06/15/92	<50	<0.5	<0.5	<0.5	<0.5	---	21.30	0.0	7.30
	12/16/92	<50	<0.5	<0.5	<0.5	<0.5	---	20.17	0.0	8.45
	04/07/93	<50	<0.5	<0.5	<0.5	<1.5	---	19.26	0.0	9.41
	06/09/93	<50	<0.5	<0.5	<0.5	<0.5	---	19.07	0.0	9.55
	09/10/93	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---
	09/24/93	---	---	---	---	---	---	19.72	0.0	8.90
28.62	12/17/93	<50	<0.5	<0.5	<0.5	<0.5	---	20.07	0.0	8.55
	03/10/94	<50	<0.5	<0.5	<0.5	<0.5	---	19.97	0.0	8.65
	06/16/94	<50	<0.5	<0.5	<0.5	<0.5	---	19.98	0.0	8.64
	09/07/94	<50	<0.5	<0.5	<0.5	<0.5	---	20.12	0.0	8.50



TABLE 1
HISTORICAL GROUNDWATER ANALYTICAL RESULTS AND MONITORING DATA
Chevron Service Station No. 9-0020
1633 Harrison Street, Oakland, California

Well ID/ Elevation	Date	TPH-G	Benzene	Toluene	Ethyl- benzene	Xylenes	TOG	DTW (ft)	SPT (ft)	WTE (ft)
MW-11 29.37	06/22/90	<50 ³	<0.5	<0.5	<0.5	<0.5	<1,000	21.03	0.0	8.34
	08/09/90	<50	<0.3	<0.3	<0.3	<0.6	---	21.02	0.0	8.35
	11/13/90	76	0.6	1	0.9	4	---	20.93	0.0	8.44
	05/15/91	78 ²	<0.5	<0.5	<0.5	<0.5	---	20.61	0.0	8.76
	08/27/91	110 ²	<0.5	<0.5	<0.5	<0.5	---	20.70	0.0	8.67
	11/15/91	<50	<0.5	<0.5	<0.5	<0.5	---	20.68	0.0	8.69
	02/20/92	<50	1.9	2.1	1.0	4.4	---	21.91	0.0	7.46
	06/15/92	---	---	---	---	---	---	20.56	0.0	8.81
	12/16/92	<50	<0.5	<0.5	<0.5	<0.5	---	20.75	0.0	8.64
	04/07/93	<50	<0.5	<0.5	<0.5	<1.5	---	19.83	0.0	9.56
MW-12 28.43	06/09/93	<50	<0.5	<0.5	<0.5	<0.5	---	19.67	0.0	9.72
	09/10/93	---	---	---	---	---	---	---	---	---
	09/27/93	<50	<0.5	<0.5	<0.5	<0.5	---	20.33	0.0	9.06
	12/17/93	<50	<0.5	<0.5	<0.5	<0.5	---	20.73	0.0	8.66
	03/10/94	---	---	---	---	---	---	20.69	0.0	8.70
	06/16/94	<50	<0.5	<0.5	<0.5	<0.5	---	20.56	0.0	8.83
	Suspended									
	06/22/90	<50 ³	<0.5	<0.5	<0.5	<0.5	<1,000	20.45	0.0	7.98
	08/09/90	<50	<0.3	<0.3	<0.3	<0.6	---	20.43	0.0	8.00
	11/13/90	<50	<0.5	<0.5	<0.5	<0.5	---	20.45	0.0	7.98
MW-12 28.43	05/15/91	<50	<0.5	<0.5	<0.5	<0.5	---	20.07	0.0	8.36
	08/27/91	56 ²	<0.5	<0.5	<0.5	<0.5	---	20.15	0.0	8.28
	11/15/91	<50	<0.5	<0.5	<0.5	<0.5	---	20.25	0.0	8.18
	02/20/92	<50	2.5	3.1	0.7	3.0	---	21.37	0.0	7.06
	06/15/92	<50	<0.5	<0.5	<0.5	<0.5	---	19.90	0.0	8.53
	12/16/92	<50	<0.5	<0.5	<0.5	<0.5	---	19.80	0.0	8.63
	04/07/93	<50	<0.5	<0.5	<0.5	<1.5	---	18.75	0.0	9.68
	06/09/93	---	---	---	---	---	---	---	---	---
	09/10/93	---	---	---	---	---	---	---	---	---
	09/27/93	---	---	---	---	---	---	19.63	0.0	8.80
	Suspended									




TABLE 1
HISTORICAL GROUNDWATER ANALYTICAL RESULTS AND MONITORING DATA
Chevron Service Station No. 9-0020
1633 Harrison Street, Oakland, California

Well ID/ Elevation	Date	TPH-G	Benzene	Toluene	Ethyl- benzene	Xylenes	TOG	DTW (ft)	SPT (ft)	WTE (ft)
MW-13 28.63 28.62	11/15/91	3,100	68	40	110	270	---	21.07	0.0	7.56
	02/20/92	3,100	120	50	240	400	---	22.17	0.0	6.46
	06/15/92	3,200	35	33	210	300	---	20.67	0.0	7.96
	12/16/92	87,000	1,400	540	2,400	11,000	---	20.34	0.0	8.28
	04/07/93	1,500	72	12	70	160	---	19.41	0.0	9.21
	06/09/93	210	6	2	7	16	---	19.20	0.0	9.42
	09/10/93	73	3	<0.5	2	3	---	---	---	---
	09/27/93	---	---	---	---	---	---	20.35	0.0	8.27
	12/17/93	640	43	12	12	37	---	20.76	0.0	7.86
	03/10/94	540	44	22	10	69	---	20.69	0.0	7.93
	06/16/94	1,800	63	12	18	64	---	20.67	0.0	7.95
	09/07/94	1,400	59	12	22	50	---	20.83	0.0	7.79
MW-14 29.46 29.45	11/15/91	<50	<0.5	<0.5	<0.5	<0.5	---	20.33	0.0	9.13
	02/20/92	<50	1.3	1.8	1.1	5.2	---	21.41	0.0	8.05
	06/15/92	---	---	---	---	---	---	---	---	---
	12/16/92	<50	<0.5	<0.5	<0.5	<0.5	---	20.66	0.0	8.79
	04/07/93	---	---	---	---	---	---	---	---	---
	06/09/93	---	---	---	---	---	---	---	---	---
	09/10/93	---	---	---	---	---	---	---	---	---
	09/27/93	---	---	---	---	---	---	20.26	0.0	9.19
MW-15 28.04	Suspended									
	12/16/92	<50	<0.5	<0.5	<0.5	<0.5	---	19.74	0.0	8.30
	04/07/93	<50	1.3	<0.5	<0.5	<1.5	---	18.80	0.0	9.24
	06/09/93	<50	<0.5	<0.5	<0.5	<0.5	---	18.60	0.0	9.44
	09/10/93	---	---	---	---	---	---	---	---	---
	09/27/93	<50	2	<0.5	<0.5	<0.5	---	19.93	0.0	8.11
	12/17/93	<50	<0.5	<0.5	<0.5	<0.5	---	20.32	0.0	7.72
	03/10/94	<50	<0.5	<0.5	<0.5	<0.5	---	20.29	0.0	7.75
	06/16/94	<50	<0.5	<0.5	<0.5	<0.5	---	20.31	0.0	7.73
	09/07/94	<50	<0.5	<0.5	<0.5	<0.5	---	20.43	0.0	7.61

TABLE 1
HISTORICAL GROUNDWATER ANALYTICAL RESULTS AND MONITORING DATA
Chevron Service Station No. 9-0020
1633 Harrison Street, Oakland, California

Well ID/ Elevation	Date	TPH-G	Benzene	Toluene	Ethyl- benzene	Xylenes	TOG	DTW (ft)	SPT (ft)	WTE (ft)
MW-16 28.32	12/16/92	---	---	---	---	---	---	19.58	0.0	8.74
	12/21/92	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---
	04/07/93	<50	<0.5	6.8	<0.5	<0.5	---	18.41	0.0	9.91
	06/09/93	<50	<0.5	<0.5	<0.5	<0.5	---	18.25	0.0	10.07
	09/10/93	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---
	09/27/93	---	---	---	---	---	---	20.16	0.0	8.16
	12/17/93	---	---	---	---	---	---	---	---	---
	03/10/94	<50	<0.5	<0.5	<0.5	<0.5	---	20.55	0.0	7.77
	06/16/94	<50	0.9	0.7	<0.5	<0.5	---	20.65	0.0	7.67
	09/07/94	150	1.3	0.8	1.2	3.6	---	20.73	0.0	7.59
Rinsate	12/17/93	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---
	03/10/94	<50	<0.5	0.8	<0.5	0.6	---	---	---	---

TABLE 1
HISTORICAL GROUNDWATER ANALYTICAL RESULTS AND MONITORING DATA
Chevron Service Station No. 9-0020
1633 Harrison Street, Oakland, California

Well ID/ Elevation	Date	TPH-G	Benzene	Toluene	Ethyl- benzene	Xylenes	TOG	DTW (ft)	SPT (ft)	WTE (ft)
TBLB	11/03/88	---	<1.0	<1.0	<1.0	<1.0	---	---	---	---
	02/10/89	<50	<0.1	<0.1	<0.1	<0.2	---	---	---	---
	04/24/89	<50	<0.5	<0.5	<1.0	<1.0	---	---	---	---
	07/28/89	<50	<0.1	<0.1	<0.1	<0.2	---	---	---	---
	10/30/89	<500	<0.3	<0.3	<0.3	<0.6	---	---	---	---
	01/09/90	<50	<0.3	<0.3	<0.3	<0.6	---	---	---	---
	04/18/90	<50	<0.3	<0.3	<0.3	<0.6	---	---	---	---
	06/22/90	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---
	08/09/90	<50	<0.3	<0.3	<0.3	<0.6	---	---	---	---
	11/13/90	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---
	05/15/91	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---
	08/27/91	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---
	11/15/91	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---
	02/20/92	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---
	06/15/92	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---
	12/16/92	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---
	04/07/93	<50	<0.5	<0.5	<0.5	<1.5	---	---	---	---
	06/09/93	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---
	09/10/93	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---
	09/27/93	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---
	12/17/93	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---
	03/10/94	<50	<0.5	0.6	<0.5	0.6	---	---	---	---
	06/16/94	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---
	09/07/94	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---

NOTES FOR TABLE 1
CHEVRON SERVICE STATION No. 9-6991
1633 HARRISON STREET, OAKLAND, CALIFORNIA

Concentrations in parts per billion.

All elevations are presented as feet above mean sea level.

TPH-G = Total petroleum hydrocarbons-as-gasoline

TOG = Total oil and grease

DTW = Depth to groundwater

SPT = Separate-phase hydrocarbon thickness

WTE = Water-table elevation

TB-LB = Trip blank/Lab blank

--- = Not applicable, not sampled, not measured

(D) = Duplicate analysis

* = Gasoline range concentration reported. The chromatogram indicates only a single peak in the gasoline range.

1 = Analyzed for total fuel hydrocarbons

2 = Laboratory reported that peaks did not match typical gasoline pattern.

3 = Fuel characterized as gasoline

4 = Acetone and 2-butanone were detected at 5 ppb and 160 ppb, respectively.

TABLE 2
HISTORICAL GROUNDWATER ANALYTICAL RESULTS FOR HALOGENATED VOLATILE ORGANICS
Chevron Service Station No. 9-0020
1633 Harrison Street, Oakland, California

Well ID	Date	Carbon Tet	Chloro-form	PCE	TCE	1,2-DCE	t-1,2-DCE	c-1,2-DCE	1,1,1-TCA	1,2-DCA	1,2-DCP	MC	Other ^a HVOCs
MW-1	11/03/88	18.0	7.0	<1.0	<1.0	---	<1.0	---	<1.0	<1.0	---	---	---
	02/10/89	17.0	6.0	<0.2	<0.2	---	<0.2	<0.2	<0.2	<0.2	---	---	---
	04/24/89	16.0	6.0	<1.0	<1.0	<1.0	---	---	<1.0	<1.0	---	---	---
	07/28/89	20.0	6.4	<0.1	<0.1	---	<0.1	<0.1	0.3	<0.1	---	---	---
	10/30/89	11.0	4.9	<0.5	<0.5	<0.5	---	---	<0.5	<0.5	---	---	---
	01/09/90	24.0	7.2	<0.5	<0.5	<0.5	---	---	<0.5	<0.5	---	---	---
	04/18/90	23.0	5.5	<0.5	<0.5	<0.5	---	---	1.4	<0.5	<0.5	<0.5	---
	08/09/90	32.0	11.0	0.7	<0.5	<0.5	---	---	<0.5	<0.5	<0.5	<0.5	---
	11/13/90	24	7	60.7	<0.5	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
	05/15/91	15	5	<0.5	<0.5	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ND
	08/27/91	18	4.2	<0.5	<0.5	---	---	<0.5	<0.5	<0.5	<0.5	<0.5	ND
	11/15/91	21	7.9	<0.5	<0.5	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ND
	02/20/92	24	7.5	<0.5	<0.5	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ND
	06/15/92	10	3.2	<0.5	<0.5	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ND
MW-2	11/03/88	3.0	2.0	34.0	3.0	---	10.0	---	<1.0	<1.0	---	---	---
	02/10/89	1.4	1.0	17.2	<0.2	---	<0.2	6.3	<0.2	<0.2	---	---	---
	04/24/89	2.0	2.0	38.0	3.0	9.0	---	---	<1.0	<1.0	---	---	---
	07/28/89	3.7	2.0	46.0	2.6	---	<0.2	<0.2	<0.2	<0.2	---	---	---
	10/30/89	1.4	2.6	53.0	1.1	14.0	---	---	<0.5	<0.5	---	---	---
	01/09/90	3.6	3.9	78.0	5.3	16.0	---	---	<0.5	<0.5	---	---	---
	04/18/90	1.5	2.7	130.0	3.9	19.0	---	---	<0.5	<0.5	<0.5	<0.5	---
	08/09/90	2.1	2.1	74.0	6.1	15.0	---	---	<0.5	<0.5	<0.5	<0.5	---
	11/13/90	<0.5	2	40	4	---	<0.5	10	<0.5	<0.5	<0.5	<0.5	---
	05/15/91	2	2	56	6	---	<0.5	15	<0.5	<0.5	<0.5	<0.5	ND
	08/27/91	1.1	0.9	46	3.9	---	---	8.0	<0.5	<0.5	<0.5	<0.5	ND
	11/15/91	0.6	1.1	58	3.1	---	<0.5	6.3	<0.5	<0.5	<0.5	<0.5	ND
	02/20/92	11	<2.5	62	3.1	---	<2.5	4.3	<2.5	<2.5	<2.5	<2.5	ND
	06/15/92	<0.5	1.2	45	3.1	---	<0.5	4.8	<0.5	<0.5	<0.5	<0.5	ND

TABLE 2
HISTORICAL GROUNDWATER ANALYTICAL RESULTS FOR HALOGENATED VOLATILE ORGANICS
Chevron Service Station No. 9-0020
1633 Harrison Street, Oakland, California

Well ID	Date	Carbon Tet	Chloro-form	PCE	TCE	1,2-DCE	t-1,2-DCE	c-1,2-DCE	1,1,1-TCA	1,2-DCA	1,2-DCP	MC	Other ^a HVOCs
MW-3	11/03/88	8.0	6.0	84.0	3.0	---	5.0	---	<1.0	<1.0	---	---	---
	02/10/89	5.8	4.0	53.0	1.9	---	<0.2	9.0	<0.2	<0.2	---	---	---
	04/24/89	7.0	6.0	110.0	3.0	11.0	---	---	<1.0	<1.0	---	---	---
	07/28/89	8.6	5.0	49.0	2.1	---	<0.2	11.0	<0.2	<0.1	---	---	---
	10/30/89	5.6	5.3	62.0	0.7	8.2	---	---	<0.5	<0.5	---	---	---
	01/09/90	8.6	6.1	81.0	73.8	8.7	---	---	<0.5	<0.5	---	---	---
	04/18/90	7.6	5.8	120.0	2.4	11.0	---	---	<0.5	<0.5	<0.5	<0.5	---
	08/09/90	11.0	6.7	81.0	5.1	11.0	---	---	<0.5	<0.5	<0.5	<0.5	---
	11/13/90	7	5	43	4	---	<0.5	9	<0.5	<0.5	<0.5	<0.5	---
	05/15/91	6	4	46	3	---	<0.5	8	<0.5	<0.5	<0.5	<0.5	ND
	08/27/91	5.5	3.8	43	2.6	---	---	8.1	<0.5	<0.5	<0.5	<0.5	c,d,e,f
	11/15/91	6.3	5.0	67	3.4	---	0.8	7.4	0.9	<0.5	<0.5	<0.5	ND
	02/20/92	2.8	4.0	96	3.0	---	<2.5	6.1	<2.5	<2.5	<2.5	<0.5	ND
	06/15/92	5.0	3.9	86	2.9	---	<0.5	7.5	<0.5	<0.5	<0.5	<0.5	ND
MW-4	04/24/89	35.0	11.0	<1.0	<1.0	<1.0	---	---	<1.0	<1.0	---	---	---
	07/28/89	32.0	9.3	<0.1	<0.1	---	<0.1	<0.1	<0.1	<0.1	---	---	---
	10/30/89	32.0	8.5	<0.5	<0.5	<0.5	---	---	<0.5	<0.5	---	---	---
	01/09/90	36.0	9.8	<0.5	<0.5	<0.5	---	---	<0.5	<0.5	---	---	---
	04/18/90	41.0	9.5	<0.5	<0.5	<0.5	---	---	<0.5	<0.5	<0.5	<0.5	---
	08/09/90	38.0	11.0	<0.5	<0.5	<0.5	---	---	<0.5	<0.5	<0.5	<0.5	---
	11/13/90	40	11	<0.5	<0.5	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
	05/15/91	35	10	<0.5	<0.5	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ND
	08/27/91	28	6.1	<0.5	<0.5	---	---	<0.5	<0.5	<0.5	<0.5	<0.5	ND
	11/15/91	23	9.1	<0.5	<0.5	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ND
	02/20/92	400	140	<0.5	<0.5	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ND
	06/15/92	38	11	<0.5	<0.5	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ND

TABLE 2
HISTORICAL GROUNDWATER ANALYTICAL RESULTS FOR HALOGENATED VOLATILE ORGANICS
Chevron Service Station No. 9-0020
1633 Harrison Street, Oakland, California

Well ID	Date	Carbon Tet	Chloro-form	PCE	TCE	1,2-DCE	t-1,2-DCE	c-1,2-DCE	1,1,1-TCA	1,2-DCA	1,2-DCP	MC	Other ^a HVOCS
MW-5	04/24/89	4.0	5.0	4.0	<1.0	2.0	---	---	<1.0	<1.0	---	---	---
	07/28/89	5.6	4.0	5.3	0.3	---	0.2	2.3	0.5	<0.2	---	---	---
	10/30/89	2.9	2.0	2.7	<0.5	0.86	---	---	<0.5	<0.5	---	---	---
	01/09/90	8.2	4.6	7.8	0.6	3.1	---	---	<0.5	<0.5	---	---	---
	04/18/90	6.3	2.8	2.6	<0.5	1.7	---	---	<0.5	<0.5	<0.5	<0.5	---
	08/09/90	11.0	4.8	6.0	<0.5	2.3	---	---	<0.5	<0.5	<0.5	<0.5	---
	11/13/90	7	3	5	<0.5	---	<0.5	1	<0.5	<0.5	<0.5	<0.5	<0.5
	05/15/91	4	2	3	<0.5	---	<0.5	0.8	<0.5	<0.5	<0.5	<0.5	ND
	08/27/91	3.3	1.1	2.3	<0.5	---	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	11/15/91	5.7	2.8	5.5	<0.5	---	<0.5	1.7	<0.5	<0.5	<0.5	<0.5	ND
	02/20/92	4.0	2.0	3.9	<0.5	---	<0.5	0.7	<0.5	<0.5	<0.5	<0.5	ND
	06/15/92	4.0	2.0	5.0	<0.5	---	<0.5	1.4	<0.5	<0.5	<0.5	<0.5	ND
MW-6	04/24/89	13.0	7.0	<1.0	<1.0	<1.0	---	---	<1.0	<1.0	---	---	---
	07/28/89	9.6	4.0	<0.2	<0.2	--	<0.2	<0.2	0.5	0.6	---	---	---
	10/30/89	8.2	3.6	<0.5	<0.5	<0.5	---	---	<0.5	<0.5	---	---	---
	01/09/90	10.0	4.2	<0.5	<0.5	<0.5	---	---	<0.5	1.8	---	---	---
	04/18/90	11.0	3.8	<0.5	<0.5	<0.5	---	---	<0.5	<0.5	<0.5	<0.5	---
	08/09/90	20.0	6.6	<0.5	<0.5	<0.5	---	---	<0.5	<0.5	<0.5	<0.5	---
	11/13/90	15	5	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	05/15/91	11	4	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ND
	08/27/91	8.0	2.2	2.4	<0.5	--	---	<0.5	<0.5	<0.5	<0.5	<0.5	ND
	11/15/91	13	5.4	<0.5	<0.5	--	<0.5	<0.5	<0.5	0.8	<0.5	<0.5	ND
	02/20/92	11	4.0	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ND
	06/15/92	9.6	4.2	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ND

TABLE 2
HISTORICAL GROUNDWATER ANALYTICAL RESULTS FOR HALOGENATED VOLATILE ORGANICS
Chevron Service Station No. 9-0020
1633 Harrison Street, Oakland, California

Well ID	Date	Carbon Tet	Chloro-form	PCE	TCE	1,2-DCE	t-1,2-DCE	c-1,2-DCE	1,1,1-TCA	1,2-DCA	1,2-DCP	MC	Other ^a HVOCs
MW-7	04/24/89	3.0	9.0	<1.0	<1.0	<1.0	---	---	<1.0	<1.0	---	---	---
	07/28/89	<2.0	<10.0	<2.0	<2.0	---	<2.0	<2.0	<10.0	6.0	---	---	---
	07/28/89 ^b	<5.0	<20.0	<5.0	<5.0	---	<5.0	<0.5	<5.0	<5.0	---	---	---
	10/30/89	<1.0	3.9	<1.0	<1.0	<1.0	---	---	<1.0	6.4	---	---	---
	10/30/89 ^b	<1.0	3.1	<1.0	<1.0	<1.0	---	---	<1.0	6.2	---	---	---
	01/09/90	<0.5	3.0	<0.5	<0.5	<0.5	---	---	<0.5	8.4	---	---	---
	04/18/90	<0.5	3.2	<0.5	<0.5	<0.5	---	---	<0.5	7.7	0.6	0.6	---
	08/09/90	3.3	7.7	<0.5	<0.5	<0.5	---	---	<0.5	8.4	<0.5	1.8	---
	11/13/90	0.6	3	<0.5	<0.5	---	<0.5	<0.5	<0.5	4	<0.5	<0.5	---
	05/15/91	2	2	<0.5	<0.5	---	<0.5	<0.5	<0.5	3	<0.5	<0.5	ND
	08/27/91	0.7	2.8	<0.5	<0.5	---	---	<0.5	<0.5	2.7	<0.5	<0.5	ND
	11/15/91	0.8	2.7	<0.5	<0.5	---	<0.5	<0.5	<0.5	3.1	<0.5	0.8	ND
	02/20/92	2.2	1.9	<0.5	<0.5	---	<0.5	<0.5	<0.5	3.3	<0.5	<0.5	ND
	06/15/92	1.1	1.8	<0.5	<0.5	---	<0.5	<0.5	<0.5	4.5	<0.5	<0.5	ND
MW-8	04/24/89	2.0	3.0	6.0	<1.0	4.0	---	---	<1.0	<1.0	---	---	---
	04/24/89 ^b	2.0	2.0	6.0	<1.0	3.0	---	---	<1.0	<1.0	---	---	---
	07/28/89	2.3	2.0	5.6	<0.2	---	<0.2	3.8	<0.2	<0.2	---	---	---
	10/30/89	2.5	2.6	8.0	<0.5	5.5	---	---	<0.5	<0.5	---	---	---
	01/09/90	4.9	3.9	19.0	0.9	6.6	---	---	<0.5	<0.5	---	---	---
	04/18/90	3.8	2.8	17.0	0.6	5.7	---	---	<0.5	<0.5	<0.5	<0.5	---
	08/09/90	5.3	4.4	27.0	1.2	9.2	---	---	<0.5	<0.5	<0.5	<0.5	---
	11/13/90	3	2	21	0.7	---	<0.5	6	<0.5	<0.5	<0.5	<0.5	---
	05/15/91	2	2	30	0.9	---	<0.5	6	<0.5	<0.5	<0.5	<0.5	ND
	08/27/91	1.4	1.1	32	1.0	---	---	4.7	<0.5	<0.5	<0.5	<0.5	ND
	11/15/91	1.5	1.9	50	<0.5	---	<0.5	5.8	<0.5	<0.5	2.0	<0.5	ND
	02/20/92	1.3	2.3	68	2.4	---	<0.5	7.6	<0.5	<0.5	<0.5	<0.5	ND
	06/15/92	0.7	1.9	46	1.6	---	<0.5	5.6	<0.5	---	<0.5	<0.5	ND

TABLE 2
HISTORICAL GROUNDWATER ANALYTICAL RESULTS FOR HALOGENATED VOLATILE ORGANICS
Chevron Service Station No. 9-0020
1633 Harrison Street, Oakland, California

Well ID	Date	Carbon Tet	Chloro-form	PCE	TCE	1,2-DCE	t-1,2-DCE	c-1,2-DCE	1,1,1-TCA	1,2-DCA	1,2-DCP	MC	Other ^a HVOCS
MW-9	06/22/90	<0.5	<0.5	<0.5	<0.5	---	<0.5	---	<0.5	<0.5	<0.5	<0.5	---
	08/09/90	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	<0.5	0.71	<0.5	<0.5	---
	11/13/90	<0.5	<0.5	<0.5	<0.5	---	<0.5	<0.5	<0.5	1	<0.5	<0.5	---
	05/15/91	<0.5	<0.5	<0.5	<0.5	---	<0.5	<0.5	<0.5	0.5	<0.5	<0.5	ND
	08/27/91	<0.5	<0.5	<0.5	<0.5	---	---	<0.5	<0.5	<0.5	<0.5	<0.5	ND
	11/15/91	<0.5	<0.5	<0.5	<0.5	---	<0.5	<0.5	<0.5	0.6	<0.5	<0.5	ND
	02/20/92	<0.5	<0.5	<0.5	<0.5	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ND
	06/15/92	<0.5	<0.5	<0.5	<0.5	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ND
MW-10	06/22/90	9.6	8.9	<0.5	<0.5	---	<0.5	---	<0.5	<0.5	<0.5	<0.5	---
	08/09/90	11.0	7.8	<0.5	<0.5	<0.5	---	---	<0.5	<0.5	<0.5	<0.5	---
	11/13/90	5	4	<0.5	<0.5	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
	05/15/91	5	4	<0.5	<0.5	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ND
	08/27/91	6.9	3.4	<0.5	<0.5	---	---	<0.5	<0.5	<0.5	<0.5	<0.5	ND
	11/15/91	2.7	3.3	<0.5	<0.5	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ND
	02/20/92	3.3	3.4	3.0	<0.5	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ND
	06/15/92	4.5	2.9	<0.5	<0.5	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ND
MW-11	06/22/90	4.6	6.5	73	1.3	---	<0.5	8.9	<0.5	<0.5	<0.5	<0.5	---
	08/09/90	8.1	6.8	84	2.0	4.6	---	---	<0.5	<0.5	<0.5	<0.5	---
	11/13/90	<0.5	<0.5	39	<0.5	---	<0.5	2	5	<0.5	<0.5	<0.5	---
	05/15/91	1	3	7	0.5	---	<0.5	2	<0.5	<0.5	<0.5	<0.5	ND
	08/27/91	4.1	3.3	73	1.0	---	---	2.4	<0.5	<0.5	<0.5	<0.5	ND
	11/15/91	3.3	3.6	64	0.9	---	<0.5	2.3	<0.5	<0.5	<0.5	<0.5	ND
	02/20/92	<2.5	<2.5	62	<2.5	---	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	ND
	06/15/92	---	---	---	---	---	---	---	---	---	---	---	---

TABLE 2
HISTORICAL GROUNDWATER ANALYTICAL RESULTS FOR HALOGENATED VOLATILE ORGANICS
Chevron Service Station No. 9-0020
1633 Harrison Street, Oakland, California

Well ID	Date	Carbon Tet	Chloro-form	PCE	TCE	1,2,-DCE	t-1,2-DCE	c-1,2-DCE	1,1,1-TCA	1,2-DCA	1,2-DCP	MC	Other ^a HVOCs
MW-12	06/22/90	6.0	7.3	7.4	<0.5	---	<0.5	13	<0.5	<0.5	<0.5	<0.5	---
	08/09/90	8.0	7.0	6.7	<0.5	5.8	---	---	<0.5	<0.5	<0.5	<0.5	---
	11/13/90	<0.5	<0.5	9	<0.5	---	<0.5	3	3	<0.5	<0.5	<0.5	---
	05/15/91	4	4	10	<0.5	---	<0.5	3	<0.5	<0.5	<0.5	<0.5	ND
	08/27/91	3.1	2.6	10	<0.5	---	---	2.3	<0.5	<0.5	<0.5	<0.5	ND
	11/15/91	1.9	3.5	8.9	<0.5	---	<0.5	5.9	<0.5	<0.5	<0.5	<0.5	ND
	02/20/92	3.3	3.4	3.7	<0.5	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ND
	06/15/92	2.2	3.7	13	<0.5	---	<0.5	4.5	<0.5	<0.5	<0.5	<0.5	ND
MW-13	11/15/91	<0.5	<0.5	<0.5	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	9
	02/20/92	<0.5	<0.5	<0.5	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ND
	06/15/92	<0.5	<0.5	<0.5	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ND
MW-14	11/15/91	<0.5	5.5	33	<0.5	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ND
	02/20/92	<0.5	4.3	38	<0.5	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ND
	06/15/92	---	---	---	---	---	---	---	---	---	---	---	---
Trip Blank	11/03/88	<1.0	<1.0	<1.0	<1.0	---	<1.0	---	<1.0	<1.0	---	---	---
	02/10/89	<0.1	<0.5	<0.1	<0.1	---	<0.1	<0.1	<0.1	<0.1	---	---	---
	04/24/89	<1.0	<1.0	<1.0	<1.0	<1.0	---	---	<1.0	<1.0	---	---	---
	07/28/89	<0.1	<0.5	<0.1	<0.5	<0.1	---	<0.1	<0.1	<0.1	---	---	---
	10/30/89	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	<0.5	<0.5	---	---	---
	01/09/90	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	<0.5	<0.5	---	---	---
	04/18/90	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	<0.5	<0.5	<0.5	<0.5	---
	06/22/90	<0.5	<0.5	<0.5	<0.5	---	<0.5	---	<0.5	<0.5	<0.5	<0.5	---
	08/09/90	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	<0.5	<0.5	<0.5	<0.5	---
	11/13/90	<0.5	0.5	<0.5	<0.5	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
	05/15/91	---	---	---	---	---	---	---	---	---	---	---	---
	08/27/91	---	---	---	---	---	---	---	---	---	---	---	---
	11/15/91	<0.5	<0.5	<0.5	<0.5	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ND
	02/20/92	<0.5	<0.5	<0.5	<0.5	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ND
	06/15/92	<0.5	<0.5	<0.5	<0.5	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ND

Carbon Tet	=	Carbon Tetrachloride	Other HVOCs	=	Other halogenated volatile organic compounds
PCE	=	Tetrachloroethene	---	=	Not applicable, not analyzed, not sampled
TCE	=	Trichloroethene	ND	=	Not detected above method detection limit
1,2-DCE	=	1,2-Dichloroethene	a	=	The tabulated analytical results for ground water prior to May 15, 1991 do not specify whether other HVOCs were detected
t-1,2-DCE	=	trans-1,2-Dichloroethene	b	=	Duplicate analyses
c-1,2-DCE	=	cis-1,2-Dichloroethene	c	=	Trichlorofluoromethane was detected at 1.4 ppb
1,1,1-TCA	=	1,1,1-Trichloroethane	d	=	1,1-Dichloroethene was detected at 1.3 ppb
1,2-DCA	=	1,2-Dichloroethane	e	=	1,1-Dichloroethane was detected at 0.5 ppb
1,2-DCP	=	1,2-Dichloropropane	f	=	Chlorobenzene was detected at 0.7 ppb
MC	=	Methylene chloride (dichloromethane)	g	=	1,1-Dichloroethane was detected at 0.6 ppb

Groundwater Monitoring and Sampling Activities
Chevron Service Station No. 9-0020, 1633 Harrison St., Oakland, CA

September 26, 1994

ATTACHMENT 3

**Groundwater Monitoring and Sample Collection Protocol
and
Field Data Sheets**

GROUNDWATER TECHNOLOGY GROUNDWATER MONITORING AND SAMPLE COLLECTION PROTOCOL

Groundwater Monitoring

Groundwater monitoring is accomplished using a INTERFACE PROBE™ Well Monitoring System. The INTERFACE PROBE™ Well Monitoring System is a hand held, battery operated device for measuring the depth to separate-phase hydrocarbons and depth to water. The INTERFACE PROBE™ Well Monitoring System consists of a dual-sensing probe which utilizes an optical liquid sensor and electrical conductivity to distinguish between water and petroleum products.

Monitoring is accomplished by measuring from the surveyed top of well casing or grade to groundwater and separate-phase hydrocarbons if present. The static water elevation is then calculated for each well and a potentiometric surface map is constructed. If separate-phase hydrocarbons are detected the water elevation is adjusted by the following calculation:

$$(\text{Product thickness}) \times (0.8) + (\text{Water elevation}) = \text{Corrected water elevation}$$

Groundwater monitoring wells are monitored in order of wells with lowest concentrations of volatile organic compounds to wells with the highest concentrations, based upon historical concentrations. If separate-phase hydrocarbons are encountered in a well, the product is visually inspected to confirm and note color, amount, and viscosity. Monitoring equipment is washed with laboratory grade detergent and rinsed with distilled or deionized water before monitoring each well.

Groundwater Sampling

Before groundwater samples are collected, sufficient water is purged from each well to ensure representative formation water is entering the well. Wells are purged and sampled in the same order as monitoring, from wells with the lowest concentrations of volatile organic compounds to wells with the highest concentrations. Wells are purged using either a polyvinyl chloride (PVC) bailer fitted with a check valve or with a stainless steel submersible Grundfos pump. The purge equipment is decontaminated before use in each well by washing with laboratory grade detergent and tripled rinsing with deionized or distilled water. A minimum of 3 well-casing volumes of water are removed from each well while pH, electrical conductivity, and temperature are recorded to verify that "fresh" formation water is being sampled and the parameters have stabilized. If the well is low yielding, it may be purged dry and sampled before 3 casing volumes are purged. The wells are then allowed to recharge to approximately 80 percent of the initial water level before a sample is collected.

Groundwater samples are collected from each well using a new, prepackaged disposable bailer and string. The water sample is decanted from the bailer into laboratory-provided containers (appropriate for the analyses required) so that there is no headspace in the containers. Samples collected for benzene, toluene, ethylbenzene, xylene, and total petroleum hydrocarbons (TPH)-as-gasoline analyses are collected in 40-milliliter vials fitted with Teflon® septum lids. Samples are preserved with hydrochloric acid (HCl) to a pH of less than 2. Dissolved metals samples are filtered through a 0.45-micron paper filter in the field and preserved as required before submitting to the laboratory for analyses. All samples are labeled immediately upon collection and logged on the chain-of-custody record. Sample label and chain-of-custody recorded information includes the project name and number, sample identification, date and time of collection, analyses requested, and the sampler's name. Sample bottles are placed in plastic bags (to protect the bottles and labels) and on ice (frozen water) in an insulated cooler and are shipped under chain-of-custody protocol to the laboratory.

The chain-of-custody record documents who has possession of the samples until the analyses is performed. Other pertinent information is also noted for the laboratory use on the chain-of-custody record.

Trip blanks (TBLBs) are used for each project as a quality assurance/quality control measure. The TBLBs are prepared by the laboratory and are placed in the insulated cooler and accompany the field samples throughout the sampling event.

Project Name: Chevron - HarrisonDate: 4/17/94Site Address: 1633 Harrison St. OaklandPage 1 of 60Project Number: 020104081.0610Project Manager: Ken JohnsonWell ID: MW-4
4

DTW Measurements:

Initial: 21.90 Calc Well Volume: 7.59 gal
Recharge: _____ Well Volume: 3 22.77 gal

Purge Method Pump Depth _____ ft.
 Peristaltic Hand Bailed _____
 Gear Drive Air Lift _____
 Submersible X Other _____

Instruments Used
 YSI: X
 Hydac: _____
 Omega: _____

Other: _____

Time	Temp <u>X</u> C F	Conductivity	pH	Purge Volume Gallons	Turbidity	Comments
8:55	18.8	0.68	6.88	6	clear	
8:57	19.2	0.71	6.87	12	clear	
9:00	19.3	0.72	6.91	16	clear	
9:02	19.3	0.73	6.92	19	clear	
9:04	19.4	0.73	6.91	23	clear	

Project Name: Chevron - HarrisonDate: 7/17/94Site Address: 1633 Harrison St. OaklandPage 2 of 10Project Number: 020104081.0610Project Manager: Ken JohnsonWell ID: MW-1

DTW Measurements:

Initial: 20-69Calc Well Volume: 2.5-78 galWell Diameter: 4

Recharge: _____

Well Volume: 3 16.45 gal

Purge Method Pump Depth _____ ft.

Instruments Used

Peristaltic Hand Bailed _____

YSI: X

Other: _____

Gear Drive Air Lift _____

Hydac: _____

Submersible Other _____

Omega: _____

Time	Temp <u>X</u> C F	Conductivity	pH	Purge Volume Gallons	Turbidity	Comments
9:06	19.6	0.66	6.89	3	clear	
9:07	19.9	0.65	6.80	7	clean	
9:08	20.0	0.63	6.83	10	clear	
9:10	20.0	0.65	6.86	14	clear	
9:11	20.0	0.69	6.89	17	clear	

Project Name: Chevron - HarrisonDate: 7/17/94Site Address: 1633 Harrison St. OaklandPage 3 of 10Project Number: 020104081.0610Project Manager: Ken JohnsonWell ID: MW-3

DTW Measurements:

Initial: 20.97 Calc Well Volume: 6.62 gal
Recharge: _____ Well Volume: 3 19.86 galWell Diameter: 4

Purge Method Pump Depth _____ ft.

Instruments Used

Peristaltic Hand Bailed _____

YSI:

Other: _____

Gear Drive Air Lift _____

Hydac: _____

Submersible Other _____

Omega: _____

Time	Temp <u>X</u> C F	Conductivity	pH	Purge Volume Gallons	Turbidity	Comments
9:19	19.0	0.41	6.99	4	clear	
9:20	19.0	0.41	6.98	8	clear	
9:22	19.1	0.43	6.98	12	clear	
9:23	19.3	0.44	6.99	16	clear	
9:25	19.2	0.43	6.98	20	clear	

Project Name: Chevron - HarrisonDate: 4/17/94Site Address: 1633 Harrison St. OaklandPage 4 of 10Project Number: 020104081.0610Project Manager: Ken JohnsonWell ID: MW-16

DTW Measurements:

Initial: 20.73 Calc Well Volume: 1.08 gal
Recharge: _____ Well Volume: 3.25 galWell Diameter: 2

Purge Method Pump Depth ft.
 Peristaltic Hand Bailed
 Gear Drive Air Lift _____
 Submersible Other _____

Instruments Used
 YSI: Other: _____
 Hydac: _____
 Omega: _____

Time	Temp <u>20</u> C <u>68</u> F	Conductivity	pH	Purge Volume Gallons	Turbidity	Comments
9:55	19.9	0.70	7.15	1	cloudy	
9:56	20.1	0.67	7.14	2	"	
9:57	20.4	0.67	7.16	3	"	
10:00	20.1	0.67	7.21	4	"	

Project Name: Chevron - Harrison

Date: 4/7/94

Site Address: 1633 Harrison St, Oakland

Page 5 of 10

Project Number: 020104081.0610

Project Manager: Ken Johnson

Well ID: MW-15
Well Diameter: 2

DTW Measurements:

Initial: 20-43

Calc. Well Volume: .94 gal

Initial: 25-13 Calc Well Volume: _____ gal
Recharge: Well Volume: 2482 gal

Purge Method **Pump Depth** _____ ft.
Peristaltic _____ Hand Bailed
Gear Drive _____ Air Lift _____
Submersible _____ Other _____

Instruments Used
YSI: X
Hydac: _____
Omega: _____

Other: _____

Project Name: Chevron - HarrisonDate: 4/17/94Site Address: 1633 Harrison St. OaklandPage 7 of 10Project Number: 020104081.0610Project Manager: Ken JohnsonWell ID: MW-2

DTW Measurements:

Well Diameter: 4Initial: 21.34 Calc Well Volume: 4.53 gal
Recharge: _____ Well Volume: 13.58 gal

Purge Method Pump Depth _____ ft.

Peristaltic Hand Bailed _____

Instruments Used

Gear Drive Air Lift _____

YSI: X

Other: _____

Submersible > Other _____

Hydac: _____

Omega: _____

Time	Temp <u>71</u> C <u>71</u> F	Conductivity	pH	Purge Volume Gallons	Turbidity	Comments
9:31	18.9	0.44	6.94	3	clear	
9:33	18.8	0.47	6.90	6	clear	
9:34	18.9	0.47	6.89	9	clear	
9:36	18.9	0.47	6.89	12	clear	
9:37	18.9	0.47	6.90	14	clear	

Project Name: Chevron - HarrisonDate: 4/7/94Site Address: 1633 Harrison St. OaklandPage 6 of 10Project Number: 020104081.0610Project Manager: Ken JohnsonWell ID: MW-10

DTW Measurements:

Initial: 20.12Calc Well Volume: 0.53 galWell Diameter: 12

Recharge: _____

Well Volume: 160 gal

Purge Method Pump Depth ft.
 Peristaltic Hand Bailed
 Gear Drive Air Lift _____
 Submersible Other _____

Instruments Used
 YSI:
 Hydac: _____
 Omega: _____

Other: _____

Time	Temp <input checked="" type="checkbox"/> C F	Conductivity	pH	Purge Volume Gallons	Turbidity	Comments
11:22	20.0	0.68	7.02	1/2	clear	
11:24	20.4	0.69	6.97	1	cloudy	
11:26	20.5	0.70	6.95	1 1/2	Cloudy	
11:27	20.4	0.70	6.92	2	cloudy	

Project Name: Chevron - Harrison

Date: 9/7/94

Site Address: 1633 Harrison St. Oakland

Page 8 of 10

Project Number: 020104081.0610

Project Manager: Ken Johnson

Well ID: MW-7
Well Diameter: (4?)

DTW Measurements:

Initial: _____ Calc Well Volume: _____ gal
Recharge: _____ Well Volume: _____ gal

Purge Method	Pump Depth _____ ft.
Peristaltic _____	Hand Bailed _____
Gear Drive _____	Air Lift _____
Submersible _____	Other _____

Instruments Used

YSI: _____

Hydac: _____

Other: _____

Project Name: Chevron - HarrisonDate: 9/11/94Site Address: 1633 Harrison St. OaklandPage 9 of 10Project Number: 020104081.0610Project Manager: Ken JohnsonWell ID: MW-13

DTW Measurements:

Well Diameter: 2Initial: 20.83 Calc Well Volume: 1.15 gal
Recharge: _____ Well Volume: 3.45 gal

Purge Method Pump Depth _____ ft.
 Peristaltic Hand Bailed X
 Gear Drive Air Lift _____
 Submersible Other _____

Instruments Used
 YSI: X
 Hydac: _____
 Omega: _____

Other: _____

Time	Temp C <u>F</u>	Conductivity	pH	Purge Volume Gallons	Turbidity	Comments
10:53	(9.3	0.82	6.85	1	Cloudy	SLIGHT ODOR
10:55	(9.6	0.82	7.09	2	Grey	Bolts are Stripped out (15/16")
10:56	(9.9	0.82	6.86	3	Grey	
10:58	(9.5	0.84	7.16	4	Grey	

Project Name: Chevron - HarrisonDate: 11/1/94Site Address: 1633 Harrison St. OaklandPage 10 of 10Project Number: 020104081.0610Project Manager: Ken JohnsonWell ID: MW-9

DTW Measurements:

Initial: 20.41Calc Well Volume: 0.62 galWell Diameter: 2

Recharge: _____

Well Volume: 1.85 gal

Purge Method Pump Depth ft.

Instruments Used

Peristaltic Hand Bailed YSI:

Other: _____

Gear Drive Air Lift Hydac: Submersible Other Omega:

Time	Temp <u>20</u> C <u>68</u> F	Conductivity	pH	Purge Volume Gallons	Turbidity	Comments
11:32	20.5	0.77	7.24	1/2	clear	odor
11:34	20.6	0.81	7.21	1	clear	New cup
11:35	20.6	0.81	7.23	1 1/2	clear	
11:36	20.6	0.81	7.24	2	clear	

Groundwater Monitoring and Sampling Activities
Chevron Service Station No. 9-0020, 1633 Harrison St., Oakland, CA

September 26, 1994

ATTACHMENT 4

Laboratory Report



4080 Pike Lane

Concord, CA 94520

(510) 685-7852

(800) 544-3422 Inside CA

(800) 423-7143 Outside CA

(510) 825-0720 FAX

September 14, 1994

Ken Johnson
Groundwater Technology, Inc.
4057 Port Chicago Hwy
Concord, CA 94520

RE: GTEL Client ID: 020104081
Login Number: C4090085
Project ID (number): 020104081.0610
Project ID (name): CHEVRON/#9-0020/Oakland, CA

Dear Ken Johnson:

Enclosed please find the analytical results for the samples received by GTEL Environmental Laboratories, Inc. on 09/07/94.

A formal Quality Assurance/Quality Control (QA/QC) program is maintained by GTEL, which is designed to meet or exceed the EPA requirements. Analytical work for this project met QA/QC criteria unless otherwise stated in the footnotes.

GTEL is certified by the Department of Health Service under Certification Number E1075.

If you have any questions regarding this analysis, or if we can be of further assistance, please call our Customer Service Representative.

Sincerely,
GTEL Environmental Laboratories, Inc.


Rashmi Shah
Laboratory Director

GTEL Client ID: 020104081
Login Number: C4090085
Project ID (number): 020104081.0610
Project ID (name): CHEVRON/#9-0020/Oakland, CA

ANALYTICAL RESULTS

Volatile Organics
Method: EPA 8020
Matrix: Aqueous

GTEL Sample Number	C4090085-01	C4090085-02	C4090085-03	C4090085-04
Client ID	TBLB	MW-16	MW-15	MW-13
Date Sampled	09/07/94	09/07/94	09/07/94	09/07/94
Date Analyzed	09/11/94	09/12/94	09/12/94	09/12/94
Dilution Factor	1.00	1.00	1.00	1.00

Reporting

Analyte	Limit	Units	Concentration:		
Benzene	0.5	ug/L	< 0.5	1.3	< 0.5
Toluene	0.5	ug/L	< 0.5	0.8	< 0.5
Ethylbenzene	0.5	ug/L	< 0.5	1.2	< 0.5
Xylenes (total)	0.5	ug/L	< 0.5	3.6	< 0.5
TPH as GAS	50.	ug/L	< 50.	150	< 50.
BFB (Surrogate)	--	%	105.	111.	110.

Notes:

Dilution Factor:

Dilution factor indicates the adjustments made for sample dilution.

EPA 8020:

"Test Methods for Evaluating Solid Waste, Physical and Chemical Methods, SW-846", Third Edition, Revision 1, US EPA November 1986. Bromofluorobenzene surrogate recovery acceptability limits are 62-129%. Modification for TPH as gasoline as per California State Water Resources Board LUFT Manual protocols, May 1988 revision.

GTEL Concord, CA
C4090085:1

GTEL Client ID: 020104081
 Login Number: C4090085
 Project ID (number): 020104081.0610
 Project ID (name): CHEVRON/#9-0020/Oakland, CA

ANALYTICAL RESULTS

Volatile Organics
 Method: EPA 8020
 Matrix: Aqueous

GTEL Sample Number	C4090085-05	C4090085-06	C4090085-07	C4090085-08
Client ID	MW-9	MW-10	MW-4	MW-1
Date Sampled	09/07/94	09/07/94	09/07/94	09/07/94
Date Analyzed	09/12/94	09/12/94	09/12/94	09/12/94
Dilution Factor	1.00	1.00	1.00	1.00

Reporting

Analyte	Limit	Units	Concentration:		
Benzene	0.5	ug/L	< 0.5	< 0.5	< 0.5
Toluene	0.5	ug/L	9.9	< 0.5	< 0.5
Ethylbenzene	0.5	ug/L	70.	< 0.5	< 0.5
Xylenes (total)	0.5	ug/L	75.	< 0.5	< 0.5
TPH as GAS	50.	ug/L	2900	< 50.	< 50.
BFB (Surrogate)	--	%	112.	101.	102.

Notes:

Dilution Factor:

Dilution factor indicates the adjustments made for sample dilution.

EPA 8020:

"Test Methods for Evaluating Solid Waste. Physical and Chemical Methods, SW-846". Third Edition, Revision 1, US EPA November 1986. Bromofluorobenzene surrogate recovery acceptability limits are 62-129%. Modification for TPH as gasoline as per California State Water Resources Board LUFT Manual protocols. May 1988 revision.

GTEL Concord, CA
 C4090085:2



GTEL Client ID: 020104081
Login Number: C4090085
Project ID (number): 020104081.0610
Project ID (name): CHEVRON/#9-0020/Oakland, CA

ANALYTICAL RESULTS

Volatile Organics
Method: EPA 8020
Matrix: Aqueous

GTEL Sample Number:	C4090085-09	C4090085-10	--	--
Client ID:	MW-3	MW-2	--	--
Date Sampled:	09/07/94	09/07/94	--	--
Date Analyzed:	09/12/94	09/12/94	--	--
Dilution Factor:	1.00	1.00	--	--

Reporting

Analyte	Limit	Units	Concentration:		
Benzene	0.5	ug/L	< 0.5	< 0.5	--
Toluene	0.5	ug/L	< 0.5	< 0.5	--
Ethylbenzene	0.5	ug/L	< 0.5	< 0.5	--
Xylenes (total)	0.5	ug/L	< 0.5	< 0.5	--
TPH as GAS	50.	ug/L	< 50.	< 50.	--
BFB (Surrogate)	--	%	91.5	86.1	--

Notes:

Dilution Factor:

Dilution factor indicates the adjustments made for sample dilution.

EPA 8020:

"Test Methods for Evaluating Solid Waste, Physical and Chemical Methods, SW-846", Third Edition, Revision 1, US EPA November 1986. Bromofluorobenzene surrogate recovery acceptability limits are 62-129%. Modification for TPH as gasoline as per California State Water Resources Board LUFT Manual protocols, May 1988 revision.

GTEL Concord, CA
C4090085:3



GTEL Client ID: 020104081
Login Number: C4090085
Project ID (number): 020104081.0610
Project ID (name): CHEVRON/#9-0020/Oakland, CA

QUALITY CONTROL RESULTS

Volatile Organics
Method: EPA 8020
Matrix: Aqueous

Method Blank Results

QC Batch No: G091194-1
Date Analyzed: 11-SEP-94

Analyte	Method:EPA 8020	Concentration: ug/L
Benzene		< 0.30
Toluene		< 0.30
Ethylbenzene		< 0.30
Xylenes (Total)		< 0.50
TPH as Gasoline		< 10.

Notes:

GTEL Client ID: 020104081
Login Number: C4090085
Project ID (number): 020104081.0610
Project ID (name): CHEVRON/#9-0020/Oakland, CA

QUALITY CONTROL RESULTS

Volatile Organics
Method: EPA 8020
Matrix: Aqueous

Matrix Spike and Matrix Spike Duplicate Results

Analyte	Concentration	Original Amount	Matrix	Matrix	Matrix Spike	Matrix Spike	Acceptability Limits	
			Spike	Spike	Duplicate	Duplicate	RPD, %	Recovery, %
EPA 8020	GTEL Sample ID:C4090051-06		Spike ID:G091194-3		Dup. ID:G091194-4			
Units: ug/L	Analysis Date:10-SEP-94			11-SEP-94		12-SEP-94		Client ID:Batch QC
Benzene	< 0.30	20.0	18.2	91.0	18.4	92.0	1	34
Toluene	< 0.30	20.0	17.7	88.5	18.1	90.5	2.2	31
Ethylbenzene	< 0.30	20.0	17.2	86.0	17.6	88.0	2.3	38
Xylenes (Total)	< 0.50	60.0	55.5	92.3	56.0	93.1	0.8	31
								59.3-138%
								63-134%
								59.3-137%
								59.3-144%

Notes:

