



**ALISTO** ENGINEERING GROUP

November 4, 2003

Alameda County

NOV 07 2003

RO/91

Environmental Health

Mr. Amir K. Gholami  
Alameda County Health Care Services Agency  
1131 Harbor Bay Parkway, Room 250  
Alameda, California 94502-6577

10-210-19-003

Subject: Groundwater Monitoring and Sampling Report  
Xtra Oil Company Service Station (dba Shell)  
1701 Park Street  
Alameda, California

Dear Mr. Gholami:

On behalf of Xtra Oil Company, Alisto Engineering Group is pleased to submit this groundwater monitoring and sampling report for the Xtra Oil Company service station (dba Shell), 1701 Park Street, Alameda, California.

Please call if you have questions or comments.

Sincerely,

ALISTO ENGINEERING GROUP

Chris Reinheimer  
Project Manager

Enclosure

cc: Mr. Keith Simas, Xtra Oil Company (with enclosure)  
Ms. Ade Fagorala, California Regional Water Quality Control Board, San Francisco Bay Region (with enclosure)

Alameda County

NOV 07 2003

Environmental Health

GROUNDWATER MONITORING AND SAMPLING REPORT

Xtra Oil Company Service Station (dba Shell)  
1701 Park Street  
Alameda, California

Project No. 10-210-19-003

Prepared for:

Xtra Oil Company  
2307 Pacific Avenue  
Alameda, California

Prepared by:


Alisto Engineering Group  
2737 North Main Street, Suite 100  
Walnut Creek, California

November 4, 2003



---

Chris Reinheimer  
Project Manager



---

Al Sevilla, P.E.  
Principal



## **GROUNDWATER MONITORING AND SAMPLING REPORT**

**Xtra Oil Company Service Station (dba Shell)**  
1701 Park Street  
Alameda, California

**Alameda County**

**NOV 07 2003**

**Project No. 10-210-19-003**

**Environmental Health**

**November 4, 2003**

### **INTRODUCTION**

This report presents the results and findings of the August 14, 2003 groundwater monitoring and sampling conducted by Alisto Engineering Group at the Xtra Oil Company service station (dba Shell), 1701 Park Street, Alameda, California. A site vicinity map is shown on Figure 1.

### **FIELD PROCEDURES**

Field activities were performed in accordance with the procedures and guidelines of the Alameda County Health Care Services Agency (ACHCSA) and the California Regional Water Quality Control Board, San Francisco Bay Region.

Before purging and sampling, the groundwater level in each well was measured from a permanent mark on top of the casing to the nearest 0.01 foot using an electronic sounder. The depth to groundwater and top of casing elevation data were used to calculate the groundwater elevation in each well in reference to mean sea level. The survey data and groundwater elevation measurements collected to date are presented in Table 1.

Before sample collection, each well was purged of three casing volumes while recording field readings of pH, temperature and electrical conductivity. Groundwater samples were collected for laboratory analysis by lowering a bottom-fill, disposable bailer to just below the water level in each well. The samples were transferred from the bailer into laboratory-supplied containers. The water sampling field survey forms are presented in Appendix A. Groundwater monitoring was performed concurrently with former Exxon Service Station 7-0104, 1725 Park Street, Alameda, California, the results of which are presented in Table 2.

### **SAMPLING AND ANALYTICAL RESULTS**

The results of monitoring and laboratory analysis of the groundwater samples for this and previous events are summarized in Table 1. The potentiometric groundwater elevations as interpreted from the results of this monitoring event are shown on Figure 2. The results of laboratory analysis are shown on Figure 3. The laboratory report and chain of custody record are presented in Appendix B.



## FINDINGS

The findings of the August 14, 2003 groundwater monitoring and sampling event are as follows:

- Groundwater gradient as interpreted from the monitoring data was 0.011 foot per foot in a northeasterly direction across the Xtra Oil and former Exxon sites.
- Analysis of the samples detected dissolved-phase petroleum hydrocarbons in Monitoring Wells MW-1, MW-2, and MW-4 at concentrations of up to 42,000 micrograms per liter ( $\mu\text{g/l}$ ) total petroleum hydrocarbons as gasoline in Well MW-1 and up to 1600  $\mu\text{g/l}$  benzene in Well MW-2.
- Total petroleum hydrocarbons as diesel was detected in the groundwater samples from Wells MW-1, MW-2 and MW-4 at a concentration of 3800, 4300, and 4100  $\mu\text{g/l}$ , respectively.
- MTBE was detected using EPA Method 8015/8020 at a concentration of 1100  $\mu\text{g/l}$  in the groundwater sample from Well MW-4.
- Analysis of samples from Wells MW-1, MW-2, and MW-3 using EPA Method 8015/8020 did not detect MTBE above their reported laboratory detection limits of 500, 400 and 5.0  $\mu\text{g/l}$ , respectively.



TABLE 1 - SUMMARY OF GROUNDWATER SAMPLING  
XTRA OIL COMPANY SERVICE STATION  
1701 PARK STREET, ALAMEDA, CALIFORNIA

ALISTO PROJECT NO. 10-210

WELL ID	DATE OF MONITORING/ SAMPLING	CASING ELEVATION (Feet)	(a) DEPTH TO WATER (Feet)	PRODUCT THICKNESS (Feet)	GROUNDWATER ELEVATION (b) (Feet)	TPH-G (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	OTHER SVOCs (ug/l)	NAPHTHALENE (ug/l)	BENZO-PYRENE (ug/l)	DO (ppm)	LAB	
MW-1	11/04/94	19.60	8.6	---	10.96	60000	6400	13000	4900	1300	5500	---	---	---	---	---	MCC	
QC-1 (c)	11/04/94	---	---	---	---	54000	---	12000	4500	1200	5200	---	---	---	---	---	MCC	
MW-1	01/11/95	19.60	6.10	---	13.50	---	---	---	---	---	---	---	---	---	---	---	---	
MW-1	02/24/95	19.60	6.57	---	13.03	56000	4400	13000	7000	1400	5100	---	---	---	---	---	MCC	
QC-1 (c)	02/24/95	---	---	---	---	43000	---	8900	4600	970	3300	---	---	---	---	---	MCC	
MW-1	05/25/95	19.60	6.54	---	13.06	53000	4700	11000	5700	1200	4000	---	---	---	---	4.3	MCC	
QC-1 (c)	05/25/95	---	---	---	---	48000	---	11000	5300	1200	3800	---	---	---	---	---	MCC	
MW-1	08/30/95	19.60	8.15	---	11.45	14000	3700	5000	1100	3900	103	---	---	---	---	2.8	MCC	
QC-1 (c)	08/30/95	---	---	---	---	57000	---	17000	7000	1500	5200	---	---	---	---	---	MCC	
MW-1	11/16/95	19.60	8.79	---	10.81	100000	5900	22000	17000	2100	8500	---	---	---	---	---	MCC	
QC-1 (c)	11/16/95	---	---	---	---	95000	---	20000	15000	1800	7800	---	---	---	---	---	MCC	
MW-1	03/20/96	19.60	6.45	---	13.15	46000	3300	10000	6200	1100	3200	---	---	---	---	---	MCC	
QC-1 (c)	03/20/96	---	---	---	---	42000	---	9800	5800	970	3000	---	---	---	---	---	MCC	
MW-1	06/13/96	19.60	7.14	---	12.46	44000	5400	9500	5500	1100	4000	19000	---	---	---	---	---	MCC
QC-1 (c)	06/13/96	---	---	---	---	48000	---	9300	5600	1000	3800	17000	---	---	---	6.1	MCC	
MW-1	09/23/96	19.60	7.56	---	12.04	76000	14000	14000	11000	1600	7100	17000	---	---	---	---	---	MCC/CHR
MW-1	12/19/96	19.60	7.08	---	12.52	46000	---	12000	5500	1200	4100	---	---	---	---	---	MCC	
MW-1	05/09/97	19.60	7.39	---	12.21	80000	7500	14000	12000	1700	7600	14000	ND	280	ND<2	2.7		
MW-1	09/11/97	19.60	7.50	---	12.10	100000	7700	19000	19000	2400	11000	ND<2100	---	---	---	7.2	MCC	
MW-1	12/15/97	19.60	7.61	---	11.99	45000	3500	11000	5300	1500	5200	13000	---	---	---	6.8	MCC	
QC-1 (c)	12/15/97	---	---	---	---	45000	---	11000	5400	1400	5100	14000	---	---	---	---	MCC	
MW-1	03/11/98	19.60	5.35	---	14.25	40000	3600	5900	3900	1300	4900	8700	---	---	---	6	MCC	
QC-1 (c)	03/11/98	---	---	---	---	43000	---	7200	5000	1400	5300	14000	---	---	---	---	MCC	
MW-1	06/23/98	19.60	6.63	---	12.97	44000	3700	5900	6200	1800	6200	870	---	---	---	6.2	MCC	
QC-1 (c)	06/23/98	---	---	---	---	47000	---	6000	6400	1800	6300	1000	---	---	---	---	MCC	
MW-1	12/01/98	19.60	6.48	---	13.12	57000	---	7400	12000	2100	8200	7200	---	---	---	2.4	MCC	
QC-1 (c)	12/01/98	---	---	---	---	57000	---	6800	11000	1900	7500	8300	---	---	---	---	MCC	
MW-1	03/30/99	19.60	5.74	---	13.86	67000	6900	5700	9400	2500	9400	3200	---	---	---	2.1	MCC	
QC-1 (c)	03/30/99	---	---	---	---	64000	6400	5500	9000	2400	9100	3100	---	---	---	---	MCC	
MW-1	08/16/99	19.60	7.02	---	12.58	63000	---	3800	9100	2800	11000	ND<1700	---	---	---	1.3	MCC	
QC-1 (c)	08/16/99	---	---	---	---	64000	---	3700	6800	2800	11000	ND<1400	---	---	---	---	MCC	
MW-1	12/31/99	19.60	7.45	---	12.15	62000	5100	2900	9400	2700	11000	ND<100	---	---	---	8.3	MCC	
QC-1 (c)	12/31/99	---	---	---	---	67000	4900	2900	9700	2800	12000	ND<100	---	---	---	---	MCC	
MW-1	03/31/00	19.60	5.85	---	13.75	48000	490	3200	5500	2000	6700	520	---	---	---	7.9	MCC	
QC-1 (c)	03/31/00	---	---	---	---	54000	3300	3500	6000	2300	7300	730	---	---	---	---	MCC	
MW-1	07/14/00	19.60	7.00	---	12.60	78000	5700	5600	14000	2300	9500	ND<200	---	---	---	3.2	MCC	
QC-1 (c)	07/14/00	---	---	---	---	72000	---	4900	14000	2100	9200	ND<200	---	---	---	---	MCC	
MW-1	10/04/00	19.60	7.60	---	12.00	65000	2900	3800	11000	2400	8200	ND<100	---	---	---	1.4	MCC	
QC-1 (c)	10/04/00	---	---	---	---	68000	---	3900	13000	2400	9300	ND<100	---	---	---	---	MCC	
MW-1	12/21/00	19.60	6.91	---	12.69	74000	2500	3800	17000	3400	15000	ND<200	---	---	---	1.3	MCC	
QC-1 (c)	12/21/00	---	---	---	---	69000	---	2700	12000	2400	11000	ND<550	---	---	---	---	MCC	
MW-1	04/13/01	19.60	6.06	---	13.54	55000	2400	2900	7800	2400	9400	ND<900	---	---	---	0.8	MCC	
QC-1 (c)	04/13/01	---	---	---	---	51000	---	2300	6100	2000	7900	ND<350	---	---	---	---	MCC	
MW-1	06/27/01	19.60	6.54	---	13.06	80000	3600	2800	13000	2300	10000	ND<250	---	---	---	1.1	MCC	
QC-1 (c)	06/27/01	---	---	---	---	76000	---	3100	13000	2300	10000	ND<250	---	---	---	---	MCC	
MW-1	09/20/01	19.60	7.08	---	12.52	74000	6600	1600	7700	2500	10000	ND<200	---	---	---	0.8	MCC	
QC-1 (c)	09/20/01	---	---	---	---	67000	---	1600	7800	2600	10000	ND<200	---	---	---	---	MCC	
MW-1	12/21/01	19.60	5.71	---	13.89	58000	5500	2100	11000	2400	10000	ND<720	---	---	---	1.4	MCC	
QC-1 (c)	12/21/01	---	---	---	---	56000	---	2100	11000	2300	10000	ND<620	---	---	---	---	MCC	
MW-1	02/04/02	19.60	5.01	---	14.59	6500	1800	74	100	230	1500	140	---	---	---	4.1	MCC	
QC-1 (c)	02/04/02	---	---	---	---	8000	---	90	130	270	1800	ND<500	---	---	---	---	MCC	
MW-1	05/07/02	19.60	6.10	---	13.50	41000	7900	1300	5200	1700	6300	ND<1000	---	---	---	4.3	MCC	
QC-1 (c)	05/07/02	---	---	---	---	40000	---	1300	5200	1700	6400	ND<500	---	---	---	---	MCC	
MW-1	08/22/02	19.60	6.91	---	12.69	42000	4800	1100	6300	1900	7900	ND<500	---	---	---	4.9	MCC	
QC-1 (c)	08/22/02	---	---	---	---	40000	---	1000	6100	1800	7500	ND<500	---	---	---	---	MCC	
MW-1	11/08/02	19.60	6.46	---	13.14	36000	6800	770	4600	1600	6600	ND<1000	---	---	---	---	MCC	
QC-1 (c)	11/08/02	---	---	---	---	49000	---	880	4800	1800	6700	ND<1700	---	---	---	---	MCC	
MW-1	02/07/03	19.60	5.80	---	13.80	43000	3700	1600	6100	2100	9700	ND<500	---	---	---	1.1	MCC	
MW-1	05/02/03	19.60	5.60	---	14.00	48000	4600	1100	5900	1800	7300	ND<1000	---	---	---	---	MCC	
QC-1 (c)	05/02/03	---	---	---	---	---	---	1200	5800	1800	7100	ND<500	---	---	---	---	MCC	
MW-1	08/14/03	19.60	6.81	---	12.79	42000	3800	1000	4700	2000	8100	ND<500	---	---	---	1.3	MCC	
QC-1 (c)	08/14/03	---	---	---	---	43000	---	1000	4600	2000	7800	ND<500	---	---	---	---	MCC	

TABLE 1 - SUMMARY OF GROUNDWATER SAMPLING  
XTRA OIL COMPANY SERVICE STATION  
1701 PARK STREET, ALAMEDA, CALIFORNIA

ALISTO PROJECT NO. 10-210

WELL ID	DATE OF MONITORING/ SAMPLING	CASING ELEVATION (Feet)	(a)	DEPTH TO WATER (Feet)	PRODUCT THICKNESS (Feet)	GROUNDWATER ELEVATION (Feet)	(b)	TPH-G (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	OTHER SVOCs (ug/l)	NAPHTHALENE (ug/l)	BENZO-PYRENE (ug/l)	DO (ppm)	LAB
MW-2	11/04/94	20.31		9.12	0.16	11.31		---	---	---	---	---	---	---	---	---	---	---	
MW-2	01/11/95	20.31		6.75	---	13.56		---	---	---	---	---	---	---	---	---	---	---	
MW-2	02/24/95	20.31		7.11	0.18	13.34		---	---	---	---	---	---	---	---	---	---	---	
MW-2	05/25/95	20.31		7.01	0.01	13.31		---	---	---	---	---	---	---	---	---	---	---	
MW-2	08/30/95	20.31		8.58	0.12	11.82		---	---	---	---	---	---	---	---	---	---	---	
MW-2	11/16/95	20.31		9.07	0.01	11.25		---	---	---	---	---	---	---	---	---	---	---	
MW-2	03/20/96	20.31		6.79	0.01	13.53		---	---	---	---	---	---	---	---	---	---	---	
MW-2	06/13/96	20.31		7.41	0.01	12.91		---	---	---	---	---	---	---	---	---	---	---	
MW-2	09/23/96	20.31		7.83	0.01	12.49		30000	19000	4600	180	1500	4100	2600	---	---	5.5	MCC	
QC-1 (c)	09/23/96	---		---	---	---		33000	---	4700	170	1600	3900	2400	---	---	---	---	MCC
MW-2	12/19/96	20.31		7.37	0.01	12.95		29000	---	1800	240	1400	5400	---	(d)	420	ND<10	---	MCC
QC-1 (c)	12/19/96	---		---	---	---		29000	---	580	210	1300	5100	---	---	---	---	---	MCC
MW-2	05/09/97	20.31		6.11	0.21	14.36		34000	6700000	4600	260	1500	4300	1600	---	---	3.7	MCC	
MW-2	09/11/97	20.31		7.70	0.03	12.63		44000	1200000	3900	250	2400	7400	ND<610	---	---	6.5	MCC	
QC-1 (c)	09/11/97	---		---	---	---		47000	1100000	4000	420	2700	8300	920	---	---	---	---	MCC
MW-2	12/15/97	20.31		7.87	0.03	12.46		32000	68000	4600	130	2200	5400	ND<470	---	---	6	MCC	
MW-2	03/11/98	20.31		5.61	0.18	14.84		44000	3800	5200	220	2000	5000	1100	---	---	6.2	MCC	
MW-2	06/23/98	20.31		6.74	0.02	13.59		75000	57000	5900	390	3100	8300	8400	---	---	6.3	MCC	
MW-2	12/01/98	20.31		7.30	---	13.01		36000	---	3800	73	1500	3900	2000	---	---	1.9	MCC	
MW-2	03/30/99	20.31		6.51	0.13	13.90		23000	23000	5000	100	610	870	21000	---	---	1.7	MCC	
MW-2	08/16/99	20.31		8.04	0.21	12.43		30000	---	5200	67	1100	1800	6000	---	---	2.6	MCC	
MW-2	12/31/99	20.31		8.20	0.01	12.12		43000	340000	7600	97	1400	2500	4300	---	---	9.0	MCC	
MW-2	03/31/00	20.31		6.29	0.01	14.03		26000	200000	4000	58	1100	1500	13000	---	---	8.1	MCC	
MW-2	07/14/00	20.31		8.02	---	12.29		35000	170000	5000	76	1100	2500	4900	---	---	3.9	MCC	
MW-2	10/04/00	20.31		8.62	---	11.69		22000	67000	4700	97	1300	1000	1900	---	---	1.8	MCC	
MW-2	12/21/00	20.31		7.70	---	12.61		23000	16000	7500	65	770	490	8600	220	ND<10	0.6	MCC	
MW-2	04/13/01	20.31		7.05	---	13.26		25000	21000	6400	79	790	670	8300	---	---	1.1	MCC	
MW-2	06/27/01	20.31		7.50	---	12.81		34000	10000	5400	100	520	370	6800	---	---	0.7	MCC	
MW-2	09/20/01	20.31		8.10	---	12.21		28000	64000	4600	78	670	500	2000	---	---	0.4	MCC	
MW-2	12/21/01	20.31		6.66	---	13.65		30000	18000	3000	52	1700	970	ND<100	---	---	0.9	MCC	
MW-2	02/04/02	20.31		6.75	---	13.56		17000	35000	3600	ND<50	960	500	1200	---	---	1.3	MCC	
MW-2	05/07/02	20.31		7.20	---	13.11		16000	59000	3500	43	520	220	3100	---	---	1.0	MCC	
MW-2	08/22/02	20.31		7.96	---	12.35		15000	60000	2700	30	460	220	700	---	---	4.2	MCC	
MW-2	11/08/02	20.31		7.69	---	12.62		15000	100000	2100	60	1100	150	ND<250	---	---	---	MCC	
MW-2	02/07/03	20.31		6.52	---	13.79		11000	---	4400	24	ND<12	77	1900	---	---	0.7	MCC	
MW-2	05/02/03	20.31		6.40	---	13.91		16000	79000	1800	23	860	210	ND<350	---	---	---	MCC	
MW-2	08/14/03	20.31		7.77	---	12.54		13000	4300	1600	21	450	80	ND<400	---	---	0.9	MCC	
MW-3	11/04/94	20.57		8.92	---	11.65		ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	MCC	
MW-3	01/11/95	20.57		5.67	---	14.90		---	---	---	---	---	---	---	---	---	---	---	
MW-3	02/24/95	20.57		6.11	---	14.46		ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	MCC	
MW-3	05/25/95	20.57		6.24	---	14.33		91	ND<50	28.0	12.0	2.1	6.5	---	---	---	---	MCC	
MW-3	08/30/95	20.57		8.27	---	12.30		ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	4.6	MCC	
MW-3	11/16/95	20.57		8.82	---	11.75		ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	MCC	
MW-3	03/20/96	20.57		5.44	---	15.13		ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	MCC	
MW-3	06/13/96	20.57		6.17	---	14.40		ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	MCC	
MW-3	09/23/96	20.57		6.57	---	14.00		ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	4.9	MCC	
MW-3	12/19/96	20.57		6.59	---	13.98		ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	MCC	
MW-3	05/09/97	20.57		7.00	---	13.57		ND<50	59	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	3.3	MCC	
MW-3	09/11/97	20.57		6.92	---	13.65		ND<50	82	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	7	MCC	
MW-3	12/15/97	20.57		7.03	---	13.54		ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	6.5	MCC	
MW-3	03/11/98	20.57		4.71	---	15.86		ND<50	ND<50	ND<0.5	1.8	0.6	3.1	ND<50	---	---	6.1	MCC	
MW-3	06/23/98	20.57		6.33	---	14.24		ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	5.7	MCC	
MW-3	12/01/98	20.57		6.74	---	13.83		ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	4	MCC	
MW-3	03/30/99	20.57		5.68	---	14.89		ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	4.6	MCC	
MW-3	08/16/99	20.57		7.67	---	12.90		ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	2.7	MCC	
MW-3	12/31/99	20.57		8.07	---	12.50		ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	9.0	MCC	
MW-3	03/31/00	20.57		5.59	---	14.98		ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	2.8	MCC	
MW-3	07/14/00	20.57		7.64	---	12.93		68	ND<50	0.89	1.7	2.1	9.5	ND<50	---	---	2.1	MCC	
MW-3	10/04/00	20.57		8.34	---	12.23		ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	2.0	MCC	
MW-3	12/21/00	20.57		7.00	---	13.57		ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	1.4	MCC	
MW-3	04/13/01	20.57		6.38	---	14.19		ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	1.3	MCC	
MW-3	06/27/01	20.57		7.37	---	13.20		ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	1.9	MCC	

TABLE 1 - SUMMARY OF GROUNDWATER SAMPLING  
XTRA OIL COMPANY SERVICE STATION  
1701 PARK STREET, ALAMEDA, CALIFORNIA

ALISTO PROJECT NO. 10-210

WELL ID	DATE OF MONITORING/ SAMPLING	CASING ELEVATION (Feet)	(a) DEPTH TO WATER (Feet)	PRODUCT THICKNESS (Feet)	GROUNDWATER ELEVATION (Feet)	TPH-G (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	OTHER SVOCs (ug/l)	NAPHTHALENE (ug/l)	BENZO-PYRENE (ug/l)	DO (ppm)	LAB
MW-3	09/20/01	20.57	8.25	—	12.32	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	—	—	—	2.1	MCC
MW-3	12/21/01	20.57	5.72	—	14.85	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	—	—	—	2.9	MCC
MW-3	02/04/02	20.57	5.85	—	14.72	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	—	—	—	4.1	MCC
MW-3	05/07/02	20.57	6.49	—	14.08	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	—	—	—	4.0	MCC
MW-3	08/22/02	20.57	7.93	—	12.64	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	—	—	—	4.6	MCC
MW-3	11/08/02	20.57	7.67	—	12.90	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	—	—	—	—	MCC
MW-3	02/07/03	20.57	5.95	—	14.62	ND<50	—	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	—	—	—	2.8	MCC
MW-3	05/02/03	20.57	5.75	—	14.82	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	—	—	—	—	MCC
MW-3	08/14/03	20.57	7.74	—	12.83	ND<50	ND<50	1.6	ND<0.5	0.82	3.2	ND<5.0	—	—	—	2.1	MCC
MW-4	05/09/97	19.69	7.17	—	12.52	31000	15000	540	1300	1000	4500	1900	ND	2.1	ND<2	3.1	MCC/CHR
MW-4	09/11/97	19.69	7.71	—	11.98	40000	6500	2000	3100	1700	7700	3400	—	—	—	6.4	MCC
MW-4	12/15/97	19.69	7.87	—	11.82	14000	2100	910	690	390	2700	1700	—	—	—	6	MCC
MW-4	03/11/98	19.69	3.51	—	16.18	2800	780	68	94	72	430	140	—	—	—	5.5	MCC
MW-4	06/23/98	19.69	5.21	—	14.48	15000	2800	240	630	720	2700	370	—	—	—	5.4	MCC
MW-4	12/01/98	19.69	6.45	—	13.24	21000	—	580	1000	530	3600	1700	—	—	—	4.4	MCC
MW-4	03/30/99	19.69	5.41	—	14.28	41000	3600	3100	3400	1700	6700	5700	—	—	—	4.6	MCC
MW-4	08/16/99	19.69	7.35	—	12.34	24000	—	4600	940	1200	2700	9700	—	—	—	3.4	MCC
MW-4	12/31/99	19.69	7.71	—	11.98	14000	2000	510	630	600	3100	3500	—	—	—	10.1	MCC
MW-4	03/31/00	19.69	5.22	—	14.47	14000	1400	470	480	580	2200	2000	—	—	—	6.8	MCC
MW-4	07/14/00	19.69	7.31	—	12.38	37000	4300	770	1500	1800	7200	1700	—	—	—	3.3	MCC
MW-4	10/04/00	19.69	7.11	—	12.58	47000	3200	870	2000	2600	9800	ND<1500	—	—	—	1.7	MCC
MW-4	12/21/00	19.69	6.86	—	12.83	13000	1800	370	410	460	2300	1500	—	88	ND<10	0.6	MCC
MW-4	04/13/01	19.69	6.02	—	13.67	20000	2800	710	640	620	2900	2300	—	—	—	1.0	MCC
MW-4	06/27/01	19.69	6.72	—	12.97	23000	2100	510	1100	1100	4300	1400	—	—	—	1.0	MCC
MW-4	09/20/01	19.69	7.30	—	12.39	36000	4400	460	1300	1700	6700	1000	—	—	—	2.0	MCC
MW-4	12/21/01	19.69	4.55	—	15.14	11000	5600	130	250	480	2400	ND<320	—	—	—	1.6	MCC
MW-4	02/04/02	19.69	5.82	—	13.87	50000	12000	3000	8100	1900	7600	ND<500	—	—	—	2.0	MCC
MW-4	05/07/02	19.69	6.08	—	13.61	17000	3200	270	820	870	3700	ND<500	—	—	—	2.6	MCC
MW-4	08/22/02	19.69	7.45	—	12.24	26000	3800	720	920	1500	6500	2100	—	—	—	4.6	MCC
MW-4	11/08/02	19.69	6.74	—	12.95	20000	3600	290	630	1200	5100	670	—	—	—	—	MCC
MW-4	02/07/03	19.69	4.86	—	14.83	13000	—	520	1300	ND<25	3600	420	—	—	—	2.1	MCC
QC-1 (c)	02/07/03	—	—	—	—	13000	—	510	1200	83	3100	420	—	—	—	—	MCC
MW-4	05/02/03	19.69	5.45	—	14.24	19000	3600	280	550	810	3600	470	—	—	—	—	MCC
MW-4	08/14/03	19.69	7.20	—	12.49	31000	4100	720	810	1300	6400	1100	—	—	—	1.2	MCC
QC-2 (e)	11/04/94	—	—	—	—	ND<50	—	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	—	—	—	MCC
QC-2 (e)	02/24/95	—	—	—	—	ND<50	—	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	—	—	—	MCC
QC-2 (e)	05/25/95	—	—	—	—	ND<50	—	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	—	—	—	MCC
QC-2 (e)	08/30/95	—	—	—	—	ND<50	—	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	—	—	—	MCC
QC-2 (e)	11/16/95	—	—	—	—	ND<50	—	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	—	—	—	MCC
QC-2 (e)	03/20/96	—	—	—	—	ND<50	—	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	—	—	—	MCC
QC-2 (e)	06/13/96	—	—	—	—	ND<50	—	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	—	—	—	MCC

ABBREVIATIONS:

TPH-G	Total petroleum hydrocarbons as gasoline using EPA Methods 5030/8015
TPH-D	Total petroleum hydrocarbons as diesel using EPA Methods 3510/8015
B	Benzene using EPA Methods 5030/8020
T	Toluene using EPA Methods 5030/8020
E	Ethylbenzene using EPA Methods 5030/8020
X	Total xylenes using EPA Methods 5030/8020
MTBE	Methyl tert butyl ether using EPA Methods 5030/8020
SVOCs	Semivolatile organic compounds using EPA Method B270
DO	Dissolved oxygen
ug/l	Micrograms per liter
ppm	Parts per million
—	Not analyzed/applicable/measurable
ND	Not detected above reported detection limit
MCC	McCampbell Analytical, Inc.
CHR	Chromalab, Inc.

NOTES:

- (a) Top of casing surveyed relative to mean sea level.
- (b) Groundwater elevations expressed in feet above mean sea level, and adjusted assuming a specific gravity of 0.75 for free product.
- (c) Blind duplicate.
- (d) Other SVOCs detected at concentrations of 200 ug/l 2-methylnaphthalene and 14 ug/l phenanthrene.
- (e) Travel blank.

TABLE 2 - SUMMARY OF GROUNDWATER SAMPLING  
FORMER EXXON SERVICE STATION 7-0104  
1725 PARK STREET, ALAMEDA, CALIFORNIA

ALISTO PROJECT NO. 10-210

WELL ID	DATE OF MONITORING/ SAMPLING	CASING ELEVATION (Feet)	(a) DEPTH TO WATER (Feet)	GROUNDWATER ELEVATION (b) (Feet)	TPH-G (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	LAB
MW-1	02/04/02	17.29	5.00	12.29	75	52.0	0.70	ND<0.50	0.50	ND<0.50	67.1	TAI
MW-1	05/06/02	17.29	5.48	11.81	793	129	8.6	ND<0.50	0.50	1.1	702	TAI
MW-1	08/22/02	17.29	7.14	10.15	1150	602	120	0.8	9.0	3.6	161	TAI
MW-1	11/08/02	17.29	6.19	11.10	947	504	95.6	4.0	3.7	2.7	182	TAI
MW-1	02/07/03	17.29	6.00	11.29	1190	610	89.7	3.8	45.3	13.2	284	TAI
MW-1	05/02/03	17.29	5.76	11.53	1020	797	75.8	9.0	5.7	11.9	296	TAI
MW-1	08/14/03	17.29	7.04	10.25	822	531	33.9	2.8	1.5	1.9	201	TAI
MW-2	02/04/02	16.39	4.71	11.68	122.0	69.0	31.4	5.40	9.10	10.4	7.10	TAI
MW-2	05/06/02	16.39	5.08	11.31	1250	252	125	22.5	68.2	63.1	646	TAI
MW-2	08/22/02	16.39	6.88	9.51	1270	178	269	ND<0.5	4.3	10.6	652	TAI
MW-2	11/08/02	16.39	6.20	10.19	158	83	14.0	0.7	0.6	1.0	177	TAI
MW-2	02/07/03	16.39	5.72	10.67	173	ND<50	43.1	3.4	4.5	5.5	78.1	TAI
MW-2	05/02/03	16.39	4.18	12.21	60.0	56	4.10	ND<0.5	0.6	1.4	50.5	TAI
MW-2	08/14/03	16.39	6.00	10.39	1080.0	62	143	1.1	0.7	2.0	506.0	TAI
MW-3	02/04/02	17.02	4.59	12.43	8830	402	2300	166	150	158	1420	TAI
MW-3	05/06/02	17.02	4.84	12.18	7950	1300	1930	18.0	80.0	648	544	TAI
MW-3	08/22/02	17.02	6.42	10.60	2270	416	506	3.5	8.0	6.5	298	TAI
MW-3	11/08/02	17.02	5.66	11.36	1640	193	330	1.8	4.9	2.7	470	TAI
MW-3	02/07/03	17.02	4.99	12.03	1360	800	328	6.5	9.0	35.0	662	TAI
MW-3	05/02/03	17.02	4.73	12.29	2500	562	306	4.8	17.5	29.1	300	TAI
MW-3	08/14/03	17.02	6.02	11.00	2040	227	356	3.4	3.9	3.2	367	TAI
MW-4	02/04/02	17.29	4.35	12.94	1250	774	124	4.40	46.7	43.5	46.1	TAI
MW-4	05/06/02	17.29	4.95	12.34	2040	776	165	5.0	42.0	39.0	1410	TAI
MW-4	08/22/02	17.29	6.65	10.64	1570	445	73.3	ND<0.5	9.9	6.8	1070	TAI
MW-4	11/08/02	17.29	5.60	11.69	2340	680	169	4.3	34.9	23.3	1200	TAI
MW-4	02/07/03	17.29	4.97	12.32	2250	429	125	24.9	60.0	109	672	TAI
MW-4	05/02/03	17.29	4.92	12.37	2450	631	82.9	2.8	26.4	24.7	1230	TAI
MW-4	08/14/03	17.29	6.35	10.94	1160	444	97.0	2.8	14.6	7.4	286	TAI
MW-5	02/04/02	16.64	4.69	11.95	4380	976	1440	38.0	84.0	50.0	620	TAI
MW-5	05/06/02	16.64	5.00	11.64	3810	1360	1110	20.0	26.0	26.0	764	TAI
MW-5	08/22/02	16.64	6.98	9.68	3190	695	823	9.0	11.0	31.0	545	TAI
MW-5	11/08/02	16.64	5.31	11.33	3360	645	1050	9.4	11.1	17.8	746	TAI
MW-5	02/07/03	16.64	5.75	10.89	3550	689	1100	25.0	65.0	29.0	400	TAI
MW-5	05/02/03	16.64	5.34	11.30	4070	934	818	16.9	31.9	28.6	439	TAI
MW-5	08/14/03	16.64	6.37	10.27	3880	988	912	15.6	16.2	24.0	286	TAI
MW-6	02/04/02	17.31	4.24	13.07	14800	168	425	120	1480	4030	545	TAI
MW-6	05/06/02	17.31	4.83	12.48	8580	1540	988	24.0	866	1080	380	TAI
MW-6	08/22/02	17.31	6.49	10.82	4050	10400	44.5	11.5	460	270	716	TAI
MW-6	11/08/02	17.31	5.49	11.82	5640	822	49.3	42.7	586	858	1150	TAI
MW-6	02/07/03	17.31	4.89	12.42	14300	1590	134	393	1000	3720	572	TAI
MW-6	05/02/03	17.31	4.68	12.63	8880	1550	92.0	167	672	1530	1560	TAI
MW-6	08/14/03	17.31	6.15	11.16	6560	666	28.2	5.3	133	184	3780	TAI

TABLE 2 - SUMMARY OF GROUNDWATER SAMPLING  
FORMER EXXON SERVICE STATION 7-0104  
1725 PARK STREET, ALAMEDA, CALIFORNIA

ALISTO PROJECT NO. 10-210


WELL ID	DATE OF MONITORING/ SAMPLING	CASING ELEVATION (Feet)	(a)	DEPTH TO WATER (Feet)	GROUNDWATER ELEVATION (b) (Feet)	TPH-G (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	LAB
MW-7	02/04/02	17.06		3.81	13.25	928	88.0	ND<0.50	ND<0.50	ND<0.50	ND<0.50	610	TAI
MW-7	05/06/02	17.06		4.51	12.55	591	72	2.4	ND<0.5	2.5	4.1	565	TAI
MW-7	08/22/02	17.06		6.25	10.81	586	ND<50	2.5	ND<2.5	ND<2.5	3.0	482	TAI
MW-7	11/08/02	17.06		5.03	12.03	463	ND<50	1.7	ND<0.5	ND<0.5	0.6	319	TAI
MW-7	02/07/03	17.06		4.57	12.49	344	ND<50	0.9	0.9	3.5	440	TAI	
MW-7	05/02/03	17.06		4.39	12.67	323	ND<50	0.80	ND<0.5	ND<0.5	ND<0.5	307	TAI
MW-7	08/14/03	17.06		5.96	11.10	197	ND<50	2.00	ND<0.5	ND<0.5	1.0	46	TAI
MW-8	02/04/02	(c)	16.24	---	---	---	---	---	---	---	---	---	---
MW-8	05/06/02		16.24	5.31	10.93	ND<50.0	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	TAI
MW-8	08/22/02		16.24	6.07	10.17	ND<50.0	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	TAI
MW-8	11/08/02		16.24	5.91	10.33	ND<50.0	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	TAI
MW-8	02/07/03		16.24	5.34	10.90	ND<50.0	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	TAI
MW-8	05/02/03		16.24	5.27	10.97	ND<50.0	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	TAI
MW-8	08/14/03		16.24	5.60	10.64	ND<50.0	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	TAI
MW-9	02/04/02		15.56	4.77	10.79	ND<50.0	ND<50.0	ND<0.50	ND<0.50	ND<0.50	ND<0.50	0.50	TAI
MW-9	05/06/02		15.56	6.29	9.27	ND<50.0	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	TAI
MW-9	08/22/02		15.56	6.70	8.86	ND<50.0	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	TAI
MW-9	11/08/02		15.56	6.55	9.01	ND<50.0	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	TAI
MW-9	02/07/03		15.56	6.35	9.21	ND<50.0	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	TAI
MW-9	05/02/03		15.56	6.16	9.40	ND<50.0	91	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	TAI
MW-9	08/14/03		15.56	6.54	9.02	ND<50.0	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	TAI
MW-11	02/04/02		17.98	5.14	12.84	37800	2430	3340	3550	1450	6480	1910	TAI
MW-11	05/06/02		17.98	5.51	12.47	27200	3000	1420	1580	1110	4960	1350	TAI
MW-11	08/22/02		17.98	6.63	11.35	28100	5660	2020	1520	1120	5360	2240	TAI
MW-11	11/08/02		17.98	5.34	12.64	26000	3680	1170	2130	1020	5390	246	TAI
MW-11	02/07/03		17.98	5.42	12.56	50000	4360	3660	4500	1920	8600	1400	TAI
MW-11	05/02/03		17.98	5.17	12.81	41200	2330	1980	1860	1450	7100	1080	TAI
MW-11	08/14/03		17.98	6.42	11.56	46700	5480	3360	2150	1870	7640	1140	TAI
MW-12	02/04/02	(c)	16.15	---	---	---	---	---	---	---	---	---	---
MW-12	05/06/02	(c)	16.15	---	---	---	---	---	---	---	---	---	---
MW-12	08/22/02	(c)	16.15	---	---	---	---	---	---	---	---	---	---
MW-12	11/08/02		16.15	---	---	---	---	---	---	---	---	---	---
MW-12	02/07/03		16.15	---	---	---	---	---	---	---	---	---	---

ABBREVIATIONS:

TPH-G Total petroleum hydrocarbons as gasoline using EPA Methods 8015m/5D30  
 TPH-D Total petroleum hydrocarbons as diesel using EPA Methods 8015B/3510  
 B Benzene using EPA Methods 8121B  
 T Toluene using EPA Methods 8121B  
 E Ethylbenzene using EPA Methods 8121B  
 X Total xylenes using EPA Methods 8121B  
 MTBE Methyl tert butyl ether using EPA Methods B121B  
 ug/l Micrograms per liter  
 --- Not analyzed/applicable/measurable  
 ND Not detected above reported detection limit  
 TAI Test America Incorporated

NOTES:

- (a) Top of casing surveyed relative to mean sea level.
- (b) Groundwater elevations expressed in feet above mean sea level.
- (c) Not monitored or sampled



SOURCE:  
USGS MAP, OAKLAND WEST AND EAST QUADRANGLE,  
7.5 MINUTE SERIES, 1959.  
PHOTOREVISED 1980.



0 1000' 2000'


## FIGURE 1 SITE VICINITY MAP

XTRA OIL COMPANY SERVICE STATION  
1701 PARK STREET  
ALAMEDA, CALIFORNIA

PROJECT NO. 10-210



ALISTO ENGINEERING GROUP  
WALNUT CREEK, CALIFORNIA



**LEGEND**

- ◆ GROUNDWATER MONITORING WELL
- ☒ DESTROYED WELL
- PROPERTY LINE
- 12.49 GROUNDWATER ELEVATION IN FEET ABOVE MEAN SEA LEVEL
- 12.40 — GROUNDWATER ELEVATION CONTOUR IN FEET ABOVE MEAN SEA LEVEL (CONTOUR INTERVAL—0.20 FOOT)
- 0.011 ← CALCULATED GROUNDWATER GRADIENT DIRECTION AND MAGNITUDE IN FOOT PER FOOT
- \* NOT MONITORED

**NOTE:**  
Potentiometric groundwater elevation contours were generated with Quicksurf using the Kriging method with a piecewise variogram on a triangulated grid surface.

**FIGURE 2**  
**POTENTIOMETRIC GROUNDWATER ELEVATION CONTOUR MAP**


AUGUST 14, 2003



XTRA OIL COMPANY SERVICE STATION

1701 PARK STREET  
ALAMEDA, CALIFORNIA

PROJECT NO. 10-210

 ALISTO ENGINEERING GROUP  
WALNUT CREEK, CALIFORNIA





**APPENDIX A**  
**WATER SAMPLING FIELD SURVEY FORMS**

# ALISTO

## **Field Report / Sampling Data Sheet**

**ENGINEERING GROUP**  
**2737 NORTH MAIN ST., Suite 100**  
**WALNUT CREEK, CA 94597**  
**PHONE (925) 279-5000 FAX (925) 279-5001**

Project No: 10-210-19-1  
Address: PARK ST  
Site: ALAMEDA  
Sampler: DAN BIRCH

Date: 8/14/03  
Day: M T W **T H B**  
City:

## **DEPTH TO GROUNDWATER SUMMARY**

## FIELD INSTRUMENT CALIBRATION DATA

pH METER ~~4.00~~ 4.00 ~~7.00~~ ~~10.00~~ TEMPERATURE COMPENSATED

TIME 0900

D.O. METER S ZERO dO. SOLUTION

**BAROMETRIC PRESSURE**

## WEATHER

CONDUCTIVITY METER

TURBIDITY METER 5.0 NTU

#### Eb METER

# ALISTO

## **Field Report / Sampling Data Sheet**

## **ENGINEERING GROUP**

**2737 N. MAIN ST., SUITE 100**

WALNUT CREEK, CA 94597

**PHONE (925) 279-5000 FAX (925) 279-5001**

Project No: 10-210

**Address:** PARK ST

Site: ALAMEDA

**Sampler:** 1773

Date

8/14/03

Day: M T W TH F

### **City**

---

Page 1 of 2

**APPENDIX B**

**LABORATORY REPORT AND CHAIN OF CUSTODY RECORD**



McCampbell Analytical Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
Telephone : 925-798-1620 Fax : 925-798-1622  
<http://www.mccampbell.com> E-mail: [main@mccampbell.com](mailto:main@mccampbell.com)

Alisto Engineering Grp.  2737 North Main Street, Ste 100  Walnut Creek, CA 94597	Client Project ID: #10-210-19-001; Groundwater Sampling Xtra Oil Sta.	Date Sampled: 08/14/03
	Client Contact: Chris Reinheimer	Date Received: 08/15/03
	Client P.O.:	Date Reported: 08/20/03
		Date Completed: 08/20/03

**WorkOrder: 0308221**

August 20, 2003

Dear Chris:

Enclosed are:

- 1). the results of **5** analyzed samples from your **#10-210-19-001; Groundwater Sampling Xtra Oil Sta. project,**
- 2). a QC report for the above samples
- 3). a copy of the chain of custody, and
- 4). a bill for analytical services.

All analyses were completed satisfactorily and all QC samples were found to be within our control limits.

If you have any questions please contact me. McCampbell Analytical Laboratories strives for excellence in quality, service and cost. Thank you for your business and I look forward to working with you again.

Yours truly,

Angela Rydelius, Lab Manager



McCampbell Analytical Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
Telephone : 925-798-1620 Fax : 925-798-1622  
<http://www.mccampbell.com> E-mail: main@mccampbell.com

Alisto Engineering Grp. 2737 North Main Street, Ste 100 Walnut Creek, CA 94597	Client Project ID: #10-210-19-001; Groundwater Sampling Xtra Oil Sta.	Date Sampled: 08/14/03
		Date Received: 08/15/03
	Client Contact: Chris Reinheimer	Date Extracted: 08/19/03-08/21/03
	Client P.O.:	Date Analyzed: 08/19/03-08/21/03

## **Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE\***

Extraction method: SW5030B

Analytical methods: SW8021B/8015Cm

Work Order: 0308221

\* water and vapor samples and all TCLP & SPLP extracts are reported in ug/L, soil/sludge/solid samples in mg/kg, wipe samples in  $\mu\text{g}/\text{wipe}$ ,

<sup>1</sup> clustered characters are examples such as clusters with

+The following descriptions of the TPH chromatogram are cursory in nature and McCampbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?; e) TPH pattern that does not appear to be derived from gasoline (stoddard solvent / mineral spirit?); f) one to a few isolated non-target peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~2 vol. % sediment; j) reporting limit raised due to high MTBE content; k) TPH pattern that does not appear to be derived from gasoline (aviation gas); m) no recognizable pattern



McCampbell Analytical Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
Telephone : 925-798-1620 Fax : 925-798-1622  
<http://www.mccampbell.com> E-mail: main@mccampbell.com

Alisto Engineering Grp. 2737 North Main Street, Ste 100 Walnut Creek, CA 94597	Client Project ID: #10-210-19-001; Groundwater Sampling Xtra Oil Sta.	Date Sampled: 08/14/03
		Date Received: 08/15/03
	Client Contact: Chris Reinheimer	Date Extracted: 08/15/03
	Client P.O.:	Date Analyzed: 08/16/03-08/17/03

**Diesel Range (C10-C23) Extractable Hydrocarbons as Diesel\***

Extraction method: SW3510C

Analytical methods: SW8015C

Work Order: 0308221

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	50	µg/L
	S	NA	NA

\* water samples are reported in µg/L, wipe samples in µg/wipe, soil/solid/sludge samples in mg/kg, product/oil/non-aqueous liquid samples in mg/L, and all DISTLC / STLC / SPLC / TCLP extracts are reported in µg/L.

# cluttered chromatogram resulting in coeluted surrogate and sample peaks, or; surrogate peak is on elevated baseline, or; surrogate has been diminished by dilution of original extract.

+The following descriptions of the TPH chromatogram are cursory in nature and McCampbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified diesel is significant; b) diesel range compounds are significant; no recognizable pattern; c) aged diesel? is significant; d) gasoline range compounds are significant; e) unknown medium boiling point pattern that does not appear to be derived from diesel; f) one to a few isolated peaks present; g) oil range compounds are significant; h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~2 vol. % sediment; k) kerosene/kerosene range; l) bunker oil; m) fuel oil; n) stoddard solvent/mineral spirit.



McCampbell Analytical Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
<http://www.mccampbell.com> E-mail: [main@mccampbell.com](mailto:main@mccampbell.com)

## QC SUMMARY REPORT FOR SW8021B/8015Cm

Matrix: W

WorkOrder: 0308221

EPA Method: SW8021B/8015Cm	Extraction: SW5030B	BatchID: 8187			Spiked Sample ID: 0308221-003A					
	Sample	Spiked	MS*	MSD*	MS-MSD*	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)	
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	Low	High
TPH(btex) <sup>E</sup>	ND	60	117	115	1.69	106	106	0	70	130
MTBE	ND	10	108	111	2.76	108	107	0.731	70	130
Benzene	1.478	10	106	109	2.75	106	106	0	70	130
Toluene	ND	10	98.7	101	1.88	101	101	0	70	130
Ethylbenzene	0.7714	10	105	106	0.260	105	108	2.58	70	130
Xylenes	3	30	100	100	0	100	100	0	70	130
%SS:	99.3	100	101	102	1.22	100	101	0.454	70	130

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:  
NONE

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery =  $100 * (\text{MS-Sample}) / (\text{Amount Spiked})$ ; RPD =  $100 * (\text{MS} - \text{MSD}) / (\text{MS} + \text{MSD}) * 2$ .

\* MS and / or MSD spike recoveries may not be near 100% or the RPDs near 0% if: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) if that specific sample matrix interferes with spike recovery.

<sup>E</sup> TPH(btex) = sum of BTEX areas from the FID.

# cluttered chromatogram; sample peak coelutes with surrogate peak.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.



McCampbell Analytical Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
Telephone : 925-798-1620 Fax : 925-798-1622  
<http://www.mccampbell.com> E-mail: [main@mccampbell.com](mailto:main@mccampbell.com)

## QC SUMMARY REPORT FOR SW8015C

Matrix: W

WorkOrder: 0308221

EPA Method: SW8015C		Extraction: SW3510C		BatchID: 8189			Spiked Sample ID: N/A			
	Sample	Spiked	MS*	MSD*	MS-MSD*	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)	
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	Low	High
TPH(d)	N/A	7500	N/A	N/A	N/A	99.5	98.3	1.20	70	130
%SS:	N/A	100	N/A	N/A	N/A	106	107	0.947	70	130

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:  
NONE

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery =  $100 * (\text{MS-Sample}) / (\text{Amount Spiked})$ ; RPD =  $100 * (\text{MS} - \text{MSD}) / (\text{MS} + \text{MSD}) * 2$ .

\* MS and / or MSD spike recoveries may not be near 100% or the RPDs near 0% if: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) if that specific sample matrix interferes with spike recovery.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.

**McCAMPBELL ANALYTICAL INC.**

110 Second Avenue South, #D7  
Pacheco, CA 94553-5560  
(925) 798-1620

**CHAIN-OF-CUSTODY RECORD**

Page 1 of 1

WorkOrder: 0308221

**Client:**

Alisto Engineering Grp.  
2737 North Main Street, Ste 100  
Walnut Creek, CA 94597

TEL: (925) 962-6970  
FAX: (925) 962-6971  
ProjectNo: #10-210-19-001; Groundwater Sampling Xtra Oil Sta.  
PO:

Date Received: 8/15/03  
Date Printed: 8/15/03

Sample ID	ClientSamplID	Matrix	Collection Date	Hold	Requested Tests						
					SW8015C	N8021B/8015C					
0308221-001	MW-1	Water	8/14/03 11:30:00 AM	<input type="checkbox"/>	B	A					
0308221-002	MW-2	Water	8/14/03 10:30:00 AM	<input type="checkbox"/>	B	A					
0308221-003	MW-3	Water	8/14/03 10:00:00 AM	<input type="checkbox"/>	B	A					
0308221-004	MW-4	Water	8/14/03 11:00:00 AM	<input type="checkbox"/>	B	A					
0308221-005	QC-1	Water	8/14/03 11:35:00 AM	<input type="checkbox"/>		A					

Prepared by: Maria Venegas**Comments:**

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.

**ALISTO ENGINEERING GROUP**  
**CHAIN OF CUSTODY**

Project Information:					Report To:					Samples Submitted To:					
Project No: 10-210-19-001 Project Title: Groundwater Sampling Location: Xtra Oil Station 1701 Park Avenue, Alameda  Sampler's Name: (print) DAN BIRCH  Sampler's Signature: 					Consultant: Alisto Engineering Group Address: 2797 North Main Street, Suite 100 Walnut Creek, CA 94597 Contact: Chris Reinheimer Phone: (925) 279-5000 Fax: (925) 279-5001  Bill To:					Laboratory: McCampbell Analytical Address: 110 Second Avenue, Suite D7 Pacheco, California Contact: Ed Hamilton Phone: 925.798.1620 Fax: 925.798.1622					
					Consultant: Xtra Oil Company Address: 2307 Pacific Avenue Oakland, CA 94501					Date Results Required:  Date Report Required:					
<b>TURN AROUND TIME</b> <input checked="" type="checkbox"/> RUSH <input type="checkbox"/> 24 Hour <input type="checkbox"/> 48 Hour <input type="checkbox"/> 5 Day <input type="checkbox"/> Standard (10-14 days)					<b>ANALYSIS</b>										
					TPH-Gasoline (EPA 8015)	BTEX/MTBE (EPA 8020)	TPH-Diesel (EPA 8015)								
					COMMENTS										
Sample ID.      Time      Date      # Containers      Matrix					Container / VOA Preservative/ HCl										
MW-1	1130	8/14/03	4	W	X	X	X								
MW-2	1030	8/14/03	4	W	X	X	X								
MW-3	1600	8/14/03	4	W	X	X	X								
MW-4	1100	8/14/03	4	W	X	X	X								
QC-1	1135	8/14/03	4	W	X										
Relinquished By: 					Date: 8/14/03      Time: 12:12      Received By:					Date:      Time:      SPECIAL INSTRUCTIONS: Bill Xtra Oil directly for the analytical costs.					
Relinquished By:					Date:      Time:      Received By:					Date:      Time:					
Relinquished By:					Date:      Time:      Received By:					Date:      Time:					