

21 Technology Drive
Irvine, CA 92618

949.727.9336 PHONE
949.727.7399 FAX

www.TRCsolutions.com

RECEIVED

9:43 am, Nov 03, 2008

Alameda County
Environmental Health

DATE: April 23, 2007

TO: ConocoPhillips Company
76 Broadway
Sacramento, CA 95818

ATTN: MR. ERIC HETRICK

SITE: 76 STATION 5043
449 HEGBENGER ROAD
OAKLAND, CALIFORNIA

RE: QUARTERLY MONITORING REPORT
JANUARY THROUGH MARCH 2007

Dear Mr. Hetrick:

Please find enclosed our Quarterly Monitoring Report for 76 Station 5043, located at 449 Hegenberger Road, Oakland, California. If you have any questions regarding this report, please call us at (949) 727-9336.

Sincerely,

TRC

Anju Farfan
Groundwater Program Operations Manager

CC: Mr. Keith Woodburne, TRC (3 copies)

Enclosures
20-0400/5043R013.QMS


**QUARTERLY MONITORING REPORT
JANUARY THROUGH MARCH 2007**

76 STATION 5043
449 Hegenberger Road
Oakland, California

Prepared For:

Mr. Eric Hetrick
CONOCOPHILLIPS COMPANY
76 Broadway
Sacramento, California 95818

By:



Senior Project Geologist, Irvine Operations
April 20, 2007

LIST OF ATTACHMENTS	
Summary Sheet	Summary of Gauging and Sampling Activities
Tables	Table Key Contents of Tables Table 1: Current Fluid Levels and Selected Analytical Results Table 1a: Additional Current Analytical Results Table 2: Historic Fluid Levels and Selected Analytical Results Table 2a: Additional Historic Analytical Results
Figures	Figure 1: Vicinity Map Figure 2: Groundwater Elevation Contour Map Figure 3: Dissolved-Phase TPH-G (GC/MS) Contour Map Figure 4: Dissolved-Phase Benzene Contour Map Figure 5: Dissolved-Phase MTBE Contour Map
Graphs	Groundwater Elevations vs. Time Benzene Concentrations vs. Time
Field Activities	General Field Procedures Field Monitoring Data Sheet – 3/30/07 <u>Groundwater Sampling Field Notes – 3/30/07</u>
Laboratory Reports	Official Laboratory Reports Quality Control Reports Chain of Custody Records
Statements	Purge Water Disposal Limitations

Summary of Gauging and Sampling Activities
January 2007 through March 2007
76 Station 5043
449 Hegenberger Road
Oakland, CA

Project Coordinator: **Eric Hetrick**
Telephone: **916-558-7604** Water Sampling Contractor: **TRC**
Compiled by: **Daniel Lee**

Date(s) of Gauging/Sampling Event: **03/30/07**

Sample Points

Groundwater wells: **3** onsite, **3** offsite Wells gauged: **6** Wells sampled: **6**

Purging method: **Diaphragm pump/bailer**

Purge water disposal: **Crosby and Overton treatment facility**

Other Sample Points: **0** Type: **n/a**

Liquid Phase Hydrocarbons (LPH)

Wells with LPH: **0** Maximum thickness (feet): **n/a**

LPH removal frequency: **n/a** Method: **n/a**

Treatment or disposal of water/LPH: **n/a**

Hydrogeologic Parameters

Depth to groundwater (below TOC): Minimum: **2.01 feet** Maximum: **4.31 feet**

Average groundwater elevation (relative to available local datum): **5.41 feet**

Average change in groundwater elevation since previous event: **-0.37 feet**

Interpreted groundwater gradient and flow direction:

Current event: **0.01 ft/ft, southeast**

Previous event: **0.01 ft/ft, south (12/22/06)**

Selected Laboratory Results

Wells with detected **Benzene**: **1** Wells above MCL (1.0 µg/l): **1**

Maximum reported benzene concentration: **1,100 µg/l (MW-6)**

Wells with **TPH-G by GC/MS** **2** Maximum: **210,000 µg/l (MW-6)**

Wells with **MTBE 8260B** **2** Maximum: **120 µg/l (MW-3)**

Notes:

TABLES

TABLE KEY

STANDARD ABBREVIATIONS

--	=	not analyzed, measured, or collected
LPH	=	liquid-phase hydrocarbons
Trace	=	less than 0.01 foot of LPH in well
$\mu\text{g/l}$	=	micrograms per liter (approx. equivalent to parts per billion, ppb)
mg/l	=	milligrams per liter (approx. equivalent to parts per million, ppm)
ND<	=	not detected at or above laboratory detection limit
TOC	=	top of casing (surveyed reference elevation)

ANALYTES

BTEX	=	benzene, toluene, ethylbenzene, and (total) xylenes
DIPE	=	di-isopropyl ether
ETBE	=	ethyl tertiary butyl ether
MTBE	=	methyl tertiary butyl ether
PCB	=	polychlorinated biphenyls
PCE	=	tetrachloroethene
TBA	=	tertiary butyl alcohol
TCA	=	trichloroethane
TCE	=	trichloroethylene
TPH-G	=	total petroleum hydrocarbons with gasoline distinction
TPH-G (GC/MS)	=	total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B
TPH-D	=	total petroleum hydrocarbons with diesel distinction
TRPH	=	total recoverable petroleum hydrocarbons
TAME	=	tertiary amyl methyl ether
1,1-DCA	=	1,1-dichloroethane
1,2-DCA	=	1,2-dichloroethane (same as EDC, ethylene dichloride)
1,1-DCE	=	1,1-dichloroethene
1,2-DCE	=	1,2-dichloroethene (cis- and trans-)

NOTES

1. Elevations are in feet above mean sea level. Depths are in feet below surveyed top-of-casing.
2. Groundwater elevations for wells with LPH are calculated as: Surface Elevation – Measured Depth to Water + (Dp x LPH Thickness), where Dp is the density of the LPH, if known. A value of 0.75 is used for gasoline and when the density is not known. A value of 0.83 is used for diesel.
3. Wells with LPH are generally not sampled for laboratory analysis (see General Field Procedures).
4. Comments shown on tables are general. Additional explanations may be included in field notes and laboratory reports, both of which are included as part of this report.
5. A "J" flag indicates that a reported analytical result is an estimated concentration value between the method detection limit (MDL) and the practical quantification limit (PQL) specified by the laboratory.
6. Other laboratory flags (qualifiers) may have been reported. See the official laboratory report (attached) for a complete list of laboratory flags.
7. Concentration graphs based on tables (presented following Figures) show non-detect results prior to the Second Quarter 2000 plotted at fixed values for graphical display. Non-detect results reported since that time are plotted at reporting limits stated in the official laboratory report.
8. Groundwater vs. Time graphs may be corrected for apparent level changes due to re-survey.

REFERENCE

TRC began groundwater monitoring and sampling for 76 Station 5043 in October 2003. Historical data compiled prior to that time were provided by Gettler-Ryan Inc.

Contents of Tables 1 and 2

Site: 76 Station 5043

Current Event

Table 1	Well/ Date	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
Table 1a	Well/ Date	TPH-D	Ethanol (8260B)											

Historic Data

Table 2	Well/ Date	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
Table 2a	Well/ Date	TPH-D	TBA	Ethanol (8260B)	Ethylene- dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Total Oil and Grease				

Table 1
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS

March 30, 2007

76 Station 5043

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-3 (Screen Interval in feet: 2.5-14.0)														
03/30/07	8.04	2.47	0.00	5.57	-0.59	--	390	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	120	
MW-6 (Screen Interval in feet: 2.5-13.5)														
03/30/07	8.87	3.26	0.00	5.61	-0.36	--	210000	1100	560	3400	12000	--	ND<10	
MW-7 (Screen Interval in feet: 3.0-13.0)														
03/30/07	8.83	4.31	0.00	4.52	-0.68	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
MW-8 (Screen Interval in feet: 3.0-15.0)														
03/30/07	8.52	2.74	0.00	5.78	-0.16	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
MW-9 (Screen Interval in feet: 3.0-13.0)														
03/30/07	8.29	2.01	0.00	6.28	-0.03	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	3.4	
MW-10 (Screen Interval in feet: 3.0-13.0)														
03/30/07	8.62	3.93	0.00	4.69	-0.37	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	

Table 1 a
ADDITIONAL CURRENT ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D	Ethanol (8260B)
	($\mu\text{g/l}$)	($\mu\text{g/l}$)
MW-3 03/30/07	210	ND<250
MW-6 03/30/07	62000	ND<5000
MW-7 03/30/07	94	ND<250
MW-8 03/30/07	120	ND<250
MW-9 03/30/07	72	ND<250
MW-10 03/30/07	82	ND<250

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2007
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-1 (Screen Interval in feet: DNA)														
02/18/92	--	--	--	--	--	150000	--	17000	26000	5200	26000	--	--	
05/20/92	--	--	--	--	--	--	--	--	--	--	--	--	--	
08/31/92	--	--	--	--	--	64000	--	13000	12000	2500	22000	--	--	
11/30/92	--	--	--	--	--	--	--	--	--	--	--	--	--	
02/04/93	--	--	--	--	--	--	--	--	--	--	--	--	--	
05/04/93	8.96	2.13	0.10	6.90	--	--	--	--	--	--	--	--	--	Not sampled - presence of free product
08/04/93	8.96	2.92	0.03	6.06	-0.84	--	--	--	--	--	--	--	--	Not sampled - presence of free product
11/03/93	7.38	3.04	0.00	4.34	-1.72	--	--	--	--	--	--	--	--	Not sampled - presence of free product
02/07/94	7.38	2.55	0.03	4.85	0.51	--	--	--	--	--	--	--	--	Not sampled - presence of free product
05/19/94	7.38	2.23	0.01	5.16	0.31	--	--	--	--	--	--	--	--	Not sampled - presence of free product
06/25/94	7.38	2.49	0.01	4.90	-0.26	--	--	--	--	--	--	--	--	Not sampled - presence of free product
07/27/94	7.38	3.10	0.00	4.28	-0.62	--	--	--	--	--	--	--	--	
08/15/94	7.38	2.85	0.11	4.61	0.33	--	--	--	--	--	--	--	--	Not sampled - presence of free product
11/14/94	7.38	2.97	0.12	4.50	-0.11	--	--	--	--	--	--	--	--	Not sampled - presence of free product
02/21/95	7.38	1.53	0.02	5.87	1.37	--	--	--	--	--	--	--	--	Not sampled - presence of free product
05/18/95	--	--	--	--	--	--	--	--	--	--	--	--	--	Destroyed
MW-2 (Screen Interval in feet: DNA)														
02/18/92	--	--	--	--	--	29000	--	1000	5300	260	7900	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2007
76 Station 5043

Date Sampled	TOC	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
		(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-2 continued														
05/20/92	--	--	--	--	--	24000	--	2200	7600	630	11000	--	--	
08/31/92	--	--	--	--	--	9000	--	1800	640	140	2000	--	--	
11/30/92	--	--	--	--	--	29000	--	2000	3400	1200	6900	--	--	
02/04/93	--	--	--	--	--	18000	--	1600	3000	ND	6900	--	--	
05/04/93	8.96	2.48	0.00	6.48	--	63000	--	3200	17000	470	17000	--	--	
08/04/93	8.96	3.20	0.00	5.76	-0.72	45000	--	2100	6600	1400	12000	--	--	
11/03/93	8.58	3.37	0.00	5.21	-0.55	72000	--	3700	16000	3700	20000	--	--	
02/07/94	8.58	2.40	0.00	6.18	0.97	--	--	--	--	--	--	--	--	Not sampled - presence of free product
05/19/94	8.58	2.13	0.00	6.45	0.27	42000	--	2500	1300	2300	13000	--	--	
06/25/94	8.58	2.65	0.00	5.93	-0.52	--	--	--	--	--	--	--	--	
07/27/94	8.58	3.44	0.00	5.14	-0.79	--	--	--	--	--	--	--	--	
08/15/94	8.58	3.25	0.00	5.33	0.19	35000	--	2400	850	1700	15000	--	--	
11/14/94	8.58	2.13	0.00	6.45	1.12	43000	--	2200	6500	1800	14000	--	--	
02/21/95	8.58	1.65	0.00	6.93	0.48	44000	--	2200	3200	1300	1500	--	--	
05/18/95	--	--	--	--	--	--	--	--	--	--	--	--	--	Destroyed
MW-3 (Screen Interval in feet: 2.5-14.0)														
02/18/92	--	--	--	--	--	230	--	4.8	22	1.8	33	--	--	
05/20/92	--	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
08/31/92	--	--	--	--	--	210	--	1	ND	ND	ND	--	--	
11/30/92	--	--	--	--	--	790	--	ND	ND	ND	ND	--	--	
02/04/93	--	--	--	--	--	3300	--	320	ND	96	6.1	--	--	
05/04/93	7.84	4.32	0.00	3.52	--	1800	--	95	ND	ND	ND	--	--	
08/04/93	7.84	4.94	0.00	2.90	-0.62	210	--	ND	ND	ND	ND	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2007
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-3 continued														
11/03/93	7.42	4.53	0.00	2.89	-0.01	640	--	ND	ND	ND	ND	--	--	
02/07/94	7.42	2.40	0.00	5.02	2.13	2700	--	110	ND	17	ND	--	--	
05/19/94	7.42	3.60	0.00	3.82	-1.20	1800	--	83	ND	6.2	9.1	--	--	
06/25/94	7.42	4.58	0.00	2.84	-0.98	--	--	--	--	--	--	--	--	
07/27/94	7.42	4.58	0.00	2.84	0.00	--	--	--	--	--	--	--	--	
08/15/94	7.42	4.65	0.00	2.77	-0.07	130	--	1.1	0.54	ND	0.97	--	--	
11/14/94	7.42	3.18	0.00	4.24	1.47	1600	--	ND	ND	ND	ND	--	--	
02/21/95	7.42	1.81	0.00	5.61	1.37	3800	--	350	ND	130	22	--	--	
05/18/95	7.42	4.56	0.00	2.86	-2.75	1300	--	42	ND	ND	ND	--	--	
08/17/95	7.42	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
07/26/96	7.42	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
10/28/96	7.42	--	--	--	--	--	--	--	--	--	--	--	--	Obstructed at 0.55 feet
01/29/97	7.42	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
04/15/97	7.42	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
05/27/97	7.42	3.45	0.00	3.97	--	670	--	6.5	ND	ND	ND	250	--	
06/01/97	7.42	3.50	0.00	3.92	-0.05	--	--	--	--	--	--	--	--	
07/15/97	8.04	3.71	0.00	4.33	0.41	240	--	ND	ND	ND	ND	490	--	
10/09/97	8.04	3.70	0.00	4.34	0.01	270	--	1.1	ND	2.4	1.4	910	--	
01/14/98	8.04	2.16	0.00	5.88	1.54	310	--	ND	ND	0.62	0.65	140	--	
04/01/98	8.04	2.20	0.00	5.84	-0.04	370	--	5.7	ND	ND	ND	93	--	
07/15/98	8.04	3.38	0.00	4.66	-1.18	460	--	ND	ND	ND	ND	230	--	
10/16/98	8.04	2.30	0.00	5.74	1.08	330	--	4.7	ND	ND	ND	60	--	
01/25/99	8.04	2.42	0.00	5.62	-0.12	420	--	1.5	ND	ND	ND	180	--	
04/15/99	8.04	2.16	0.00	5.88	0.26	290	--	0.54	ND	ND	ND	160	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2007
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-3 continued														
07/14/99	8.04	2.35	0.00	5.69	-0.19	290	--	3.2	ND	ND	ND	160	--	
10/21/99	8.04	2.49	0.00	5.55	-0.14	360	--	0.77	ND	ND	ND	82	--	
01/20/00	8.04	2.38	0.00	5.66	0.11	ND	--	0.81	ND	ND	ND	54	--	
04/13/00	8.04	2.76	0.00	5.28	-0.38	250	--	0.69	ND	ND	ND	91	150	
07/14/00	8.04	3.26	0.00	4.78	-0.50	345	--	ND	ND	ND	ND	94.7	--	
10/26/00	8.04	3.12	0.00	4.92	0.14	480	--	6.0	ND	ND	ND	120	--	
01/03/01	8.04	3.65	0.00	4.39	-0.53	364	--	1.59	ND	ND	ND	118	--	
04/04/01	8.04	3.98	0.00	4.06	-0.33	417	--	1.24	ND	ND	0.802	237	--	
07/17/01	8.04	3.12	0.00	4.92	0.86	480	--	ND	ND	ND	ND	150	--	
10/01/01	8.04	3.25	0.00	4.79	-0.13	310	--	1.0	ND<0.50	ND<0.50	ND<0.50	53	--	
01/31/02	8.04	2.27	0.00	5.77	0.98	250	--	3.5	ND<1.0	ND<1.0	ND<1.0	110	--	
04/18/02	8.04	3.55	0.00	4.49	-1.28	300	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	59	
07/28/02	8.04	2.55	0.00	5.49	1.00	--	500	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	130	
10/09/02	8.04	2.47	0.00	5.57	0.08	--	690	ND<5	ND<5	ND<5	ND<10	--	120	
01/02/03	8.04	1.70	0.00	6.34	0.77	--	310	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	110	
04/01/03	8.04	3.48	0.00	4.56	-1.78	--	250	ND<1.0	ND<1.0	ND<1.0	ND<2.0	--	210	
07/01/03	8.04	2.65	0.00	5.39	0.83	--	450	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	70	
10/02/03	8.04	3.12	0.00	4.92	-0.47	--	ND<250	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	210	
01/09/04	8.04	2.39	0.00	5.65	0.73	--	300	ND<0.50	0.53	0.53	1.5	--	66	
04/26/04	8.04	3.11	0.00	4.93	-0.72	--	440	2.5	5.5	2.9	9.4	--	81	
07/22/04	8.04	2.51	0.00	5.53	0.60	--	420	ND<0.5	ND<0.5	ND<0.5	ND<1	--	72	
10/29/04	8.04	2.00	0.00	6.04	0.51	--	460	5.6	15	10	46	--	48	
01/10/05	8.04	1.52	0.00	6.52	0.48	--	280	ND<0.50	0.62	ND<0.50	2.4	--	64	
06/15/05	8.04	2.00	0.00	6.04	-0.48	--	460	ND<0.50	0.70	0.56	1.9	--	110	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2007
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-3 continued														
09/27/05	8.04	1.90	0.00	6.14	0.10	--	210	ND<0.50	0.60	ND<0.50	ND<1.0	--	100	
12/13/05	8.04	2.35	0.00	5.69	-0.45	--	230	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	92	
03/23/06	8.04	1.84	0.00	6.20	0.51	--	290	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	88	
06/23/06	8.04	2.26	0.00	5.78	-0.42	--	500	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	75	
09/26/06	8.04	2.08	0.00	5.96	0.18	--	270	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	73	
12/22/06	8.04	1.88	0.00	6.16	0.20	--	260	ND<0.50	ND<0.50	ND<0.50	1.2	--	71	
03/30/07	8.04	2.47	0.00	5.57	-0.59	--	390	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	120	
MW-4 (Screen Interval in feet: DNA)														
08/31/92	--	--	--	--	--	240	--	ND	ND	ND	0.54	--	--	
11/30/92	--	--	--	--	--	420	--	ND	ND	ND	ND	--	--	
02/04/93	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
05/04/93	9.00	4.09	0.00	4.91	--	110	--	0.95	ND	ND	ND	--	--	
08/04/93	9.00	5.01	0.00	3.99	-0.92	250	--	ND	3.5	ND	4.1	--	--	
11/03/93	8.41	4.23	0.00	4.18	0.19	130	--	ND	ND	ND	ND	--	--	
02/07/94	8.41	3.35	0.00	5.06	0.88	56	--	ND	ND	ND	ND	--	--	
05/19/94	8.41	3.92	0.00	4.49	-0.57	140	--	ND	ND	ND	ND	--	--	
06/25/94	8.41	4.35	0.00	4.06	-0.43	--	--	--	--	--	--	--	--	
07/27/94	8.41	4.28	0.00	4.13	0.07	--	--	--	--	--	--	--	--	
08/15/94	8.41	4.27	0.00	4.14	0.01	59	--	ND	0.6	ND	ND	--	--	
11/14/94	8.41	4.05	0.00	4.36	0.22	130	--	ND	ND	ND	ND	--	--	
02/21/95	--	--	--	--	--	--	--	--	--	--	--	--	--	Destroyed
MW-5 (Screen Interval in feet: DNA)														
08/31/92	--	--	--	--	--	78	--	0.89	ND	ND	13	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2007
76 Station 5043

Date Sampled	TOC	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
		(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-5 continued														
11/30/92	--	--	--	--	--	930	--	70	290	0.79	14	--	--	
02/04/93	--	--	--	--	--	5700	--	38	ND	620	170	--	--	
05/04/93	8.95	4.37	0.00	4.58	--	7400	--	41	ND	1000	35	--	--	
08/04/93	8.95	5.81	0.00	3.14	-1.44	1500	--	130	1	460	11	--	--	
11/03/93	8.95	5.68	0.00	3.27	0.13	13000	--	350	ND	3500	530	--	--	
02/07/94	8.95	5.11	0.00	3.84	0.57	2000	--	87	ND	370	110	--	--	
05/19/94	8.95	5.09	0.00	3.86	0.02	260	--	44	ND	32	4.1	--	--	
06/25/94	8.95	4.55	0.00	4.40	0.54	--	--	--	--	--	--	--	--	
07/27/94	8.95	5.72	0.00	3.23	-1.17	--	--	--	--	--	--	--	--	
08/15/94	8.95	5.68	0.00	3.27	0.04	1600	--	110	ND	340	72	--	--	
11/14/94	8.95	5.63	0.00	3.32	0.05	250	--	40	ND	ND	5	--	--	
02/21/95	--	--	--	--	--	--	--	--	--	--	--	--	--	Destroyed
MW-6 (Screen Interval in feet: 2.5-13.5)														
08/31/92	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
11/30/92	--	--	--	--	--	9200	--	550	ND	740	1600	--	--	
02/04/93	--	--	--	--	--	3600	--	340	ND	290	550	--	--	
05/04/93	9.12	3.72	0.00	5.40	--	4900	--	360	18	450	430	--	--	
08/04/93	9.12	5.15	0.00	3.97	-1.43	3400	--	390	ND	440	190	--	--	
11/03/93	8.87	5.25	0.00	3.62	-0.35	1400	--	320	ND	200	7.7	--	--	
02/07/94	8.87	4.55	0.00	4.32	0.70	4900	--	650	ND	250	35	--	--	
05/19/94	8.87	4.62	0.00	4.25	-0.07	3600	--	300	1.7	210	41	--	--	
08/15/94	8.87	5.08	0.00	3.79	-0.46	1300	--	130	6.7	54	57	--	--	
11/14/94	8.87	5.30	0.00	3.57	-0.22	730	--	50	ND	ND	39	--	--	
02/21/95	8.87	5.37	0.00	3.50	-0.07	2000	--	250	4.6	25	30	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2007
76 Station 5043

Date Sampled	TOC	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-6 continued														
05/18/95	8.87	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
08/17/95	8.87	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
07/26/96	8.87	6.40	3.33	4.97	--	--	--	--	--	--	--	--	--	Not sampled - presence of free product
10/28/96	8.87	4.10	0.21	4.93	-0.04	--	--	--	--	--	--	--	--	Not sampled - presence of free product
11/13/96	8.87	4.02	0.25	5.04	0.11	--	--	--	--	--	--	--	--	
11/25/96	8.87	4.01	0.75	5.42	0.38	--	--	--	--	--	--	--	--	
12/04/96	8.87	3.65	0.50	5.59	0.17	--	--	--	--	--	--	--	--	
12/19/96	8.87	4.80	2.20	5.72	0.13	--	--	--	--	--	--	--	--	
01/08/97	8.87	4.84	1.75	5.34	-0.38	--	--	--	--	--	--	--	--	
01/14/97	8.87	4.51	1.15	5.22	-0.12	--	--	--	--	--	--	--	--	
01/27/97	8.87	4.00	1.75	6.18	0.96	--	--	--	--	--	--	--	--	
01/29/97	8.87	3.24	0.31	5.86	-0.32	--	--	--	--	--	--	--	--	Not sampled - presence of free product
02/11/97	8.87	4.65	1.20	5.12	-0.74	--	--	--	--	--	--	--	--	
02/24/97	8.87	4.81	1.10	4.89	-0.23	--	--	--	--	--	--	--	--	
03/10/97	8.87	4.60	0.95	4.98	0.10	--	--	--	--	--	--	--	--	
03/17/97	8.87	4.50	0.89	5.04	0.05	--	--	--	--	--	--	--	--	
03/31/97	8.87	4.65	1.00	4.97	-0.07	--	--	--	--	--	--	--	--	
04/15/97	8.87	4.90	1.03	4.74	-0.23	--	--	--	--	--	--	--	--	Not sampled - presence of free product
04/28/97	8.87	4.78	0.03	4.11	-0.63	--	--	--	--	--	--	--	--	
05/15/97	8.87	4.60	0.25	4.46	0.35	--	--	--	--	--	--	--	--	
05/27/97	8.87	4.50	0.25	4.56	0.10	--	--	--	--	--	--	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2007
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-6 continued														
06/09/97	8.87	4.60	0.20	4.42	-0.14	--	--	--	--	--	--	--	--	
06/24/97	8.87	4.50	0.25	4.56	0.14	--	--	--	--	--	--	--	--	
07/09/97	8.87	4.80	0.60	4.52	-0.04	--	--	--	--	--	--	--	--	
07/15/97	8.87	4.63	0.42	4.55	0.04	--	--	--	--	--	--	--	--	Not sampled - presence of free product
07/21/97	8.87	4.75	0.25	4.31	-0.25	--	--	--	--	--	--	--	--	
08/06/97	8.87	4.50	0.10	4.44	0.14	--	--	--	--	--	--	--	--	
08/20/97	8.87	4.55	0.10	4.39	-0.05	--	--	--	--	--	--	--	--	
09/02/97	8.87	4.75	0.05	4.16	-0.24	--	--	--	--	--	--	--	--	
10/09/97	8.87	4.84	0.04	4.06	-0.10	--	--	--	--	--	--	--	--	Not sampled - presence of free product
01/14/98	8.87	3.90	0.94	5.67	1.61	--	--	--	--	--	--	--	--	Not sampled - presence of free product
02/12/98	8.87	3.35	0.64	6.00	0.33	--	--	--	--	--	--	--	--	
03/03/98	8.87	4.51	0.02	4.37	-1.63	--	--	--	--	--	--	--	--	
04/01/98	8.87	3.67	1.60	6.40	2.03	--	--	--	--	--	--	--	--	Not sampled - presence of free product
05/26/98	8.87	4.11	0.50	5.13	-1.26	--	--	--	--	--	--	--	--	
06/15/98	8.87	5.03	0.30	4.06	-1.07	--	--	--	--	--	--	--	--	
07/15/98	8.87	4.56	0.05	4.35	0.28	--	--	--	--	--	--	--	--	Not sampled - presence of free product
08/21/98	8.87	4.77	0.02	4.11	-0.23	--	--	--	--	--	--	--	--	
09/30/98	8.87	5.08	0.03	3.81	-0.30	--	--	--	--	--	--	--	--	
10/16/98	8.87	4.31	2.40	6.36	2.55	--	--	--	--	--	--	--	--	Not sampled - presence of free product
11/06/98	8.87	3.98	0.17	5.02	-1.34	--	--	--	--	--	--	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2007
76 Station 5043

Date Sampled	TOC	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-6 continued														
11/25/98	8.87	3.92	0.10	5.02	0.01	--	--	--	--	--	--	--	--	
12/28/98	8.87	3.90	0.20	5.12	0.10	--	--	--	--	--	--	--	--	
01/25/99	8.87	4.18	0.60	5.14	0.02	--	--	--	--	--	--	--	--	Not sampled - presence of free product
02/22/99	8.87	4.07	0.22	4.96	-0.18	--	--	--	--	--	--	--	--	
03/22/99	8.87	4.32	0.15	4.66	-0.30	--	--	--	--	--	--	--	--	
04/15/99	8.87	4.23	0.95	5.35	0.69	--	--	--	--	--	--	--	--	Not sampled - presence of free product
05/28/99	8.87	4.38	0.39	4.78	-0.57	--	--	--	--	--	--	--	--	
06/29/99	8.87	4.12	0.02	4.76	-0.02	--	--	--	--	--	--	--	--	
07/14/99	8.87	4.20	0.03	4.69	-0.07	--	--	--	--	--	--	--	--	Not sampled - presence of free product
08/23/99	8.87	4.51	0.24	4.54	-0.15	--	--	--	--	--	--	--	--	
09/30/99	8.87	4.17	0.17	4.83	0.29	--	--	--	--	--	--	--	--	
10/21/99	8.87	4.27	0.12	4.69	-0.14	--	--	--	--	--	--	--	--	Not sampled - presence of free product
11/29/99	8.87	4.18	0.00	4.69	0.00	--	--	--	--	--	--	--	--	
12/20/99	8.87	4.26	0.01	4.62	-0.07	--	--	--	--	--	--	--	--	
01/20/00	8.87	4.31	0.00	4.56	-0.06	130000	--	2900	8600	2000	16000	ND	--	
02/26/00	8.87	3.98	0.00	4.89	0.33	--	--	--	--	--	--	--	--	
03/31/00	8.87	4.14	0.00	4.73	-0.16	--	--	--	--	--	--	--	--	
04/13/00	8.87	4.04	0.00	4.83	0.10	140000	--	5000	14000	3600	27000	7700	--	
05/26/00	8.87	4.41	0.00	4.46	-0.37	--	--	--	--	--	--	--	--	
06/17/00	8.87	4.35	0.00	4.52	0.06	--	--	--	--	--	--	--	--	
07/14/00	8.87	4.47	0.00	4.40	-0.12	259000	--	7670	13700	6860	40700	ND	ND	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2007
76 Station 5043

Date Sampled	TOC	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-6 continued														
08/24/00	8.87	3.71	0.00	5.16	0.76	--	--	--	--	--	--	--	--	--
09/27/00	8.87	4.33	0.00	4.54	-0.62	--	--	--	--	--	--	--	--	--
10/26/00	8.87	4.32	0.00	4.55	0.01	110000	--	7000	6200	3700	12000	670	43	
01/03/01	8.87	4.52	0.00	4.35	-0.20	84700	--	3950	4130	3650	11800	ND	ND	
04/04/01	8.87	4.29	0.00	4.58	0.23	69800	--	2060	2840	3650	10900	ND	47.8	
07/17/01	8.87	4.37	0.00	4.50	-0.08	100000	--	3200	3300	3400	12000	ND	--	
10/01/01	8.87	4.45	0.00	4.42	-0.08	110000	--	3200	2400	4500	13000	ND<1000	--	
01/31/02	8.87	4.03	0.00	4.84	0.42	230000	--	2400	1800	5400	16000	ND<2500	--	
04/18/02	8.87	3.45	0.00	5.42	0.58	94000	--	6800	13000	3000	19000	ND<500	--	
07/28/02	8.87	2.24	0.00	6.63	1.21	--	110000	530	170	3200	7300	--	ND<100	
10/09/02	8.87	3.53	0.00	5.34	-1.29	--	970000	10000	39000	13000	94000	--	ND<2000	
01/02/03	8.87	2.34	0.00	6.53	1.19	--	270000	6100	15000	5400	37000	--	ND<200	
04/01/03	8.87	3.17	0.00	5.70	-0.83	--	3000000	8000	39000	37000	260000	--	ND<2000	
07/01/03	8.87	3.55	0.00	5.32	-0.38	--	38000	2100	990	2700	6500	--	ND<100	
10/02/03	8.87	3.82	0.00	5.05	-0.27	--	100000	5600	6900	4700	18000	--	ND<800	
01/09/04	8.87	2.80	0.00	6.07	1.02	--	170000	2800	3300	4700	16000	--	ND<200	
04/26/04	8.87	3.40	0.00	5.47	-0.60	--	97000	5900	9000	5100	23000	--	ND<50	
07/22/04	8.87	3.54	0.00	5.33	-0.14	--	110000	4100	5100	4000	16000	--	ND<200	
10/29/04	8.87	3.03	0.00	5.84	0.51	--	100000	5200	6100	4200	15000	--	ND<50	
01/10/05	8.87	2.35	0.00	6.52	0.68	--	71000	1600	3700	2100	9900	--	ND<50	
06/15/05	8.87	2.47	0.00	6.40	-0.12	--	130000	800	1800	2200	9300	--	ND<50	
09/27/05	8.87	2.55	0.00	6.32	-0.08	--	13000	82	120	430	990	--	0.56	
12/13/05	8.87	3.28	0.00	5.59	-0.73	--	68000	1500	1100	2200	7700	--	ND<50	
03/23/06	8.87	2.87	0.00	6.00	0.41	--	41000	290	140	1500	2700	--	ND<50	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2007
76 Station 5043

Date Sampled	TOC	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
		(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-6 continued														
06/23/06	8.87	3.15	0.00	5.72	-0.28	--	50000	2200	1400	1900	5700	--	ND<12	
09/26/06	8.87	3.08	0.00	5.79	0.07	--	130000	2200	1000	2900	8800	--	ND<50	
12/22/06	8.87	2.90	0.00	5.97	0.18	--	90000	940	610	1900	4700	--	ND<50	
03/30/07	8.87	3.26	0.00	5.61	-0.36	--	210000	1100	560	3400	12000	--	ND<10	
MW-7 (Screen Interval in feet: 3.0-13.0)														
05/27/97	8.83	4.50	0.00	4.33	--	68	--	ND	ND	ND	ND	ND	--	
06/01/97	8.83	4.54	0.00	4.29	-0.04	--	--	--	--	--	--	--	--	
07/15/97	8.83	4.70	0.00	4.13	-0.16	ND	--	ND	ND	ND	ND	ND	--	
10/09/97	8.83	4.30	0.00	4.53	0.40	ND	--	ND	ND	ND	ND	ND	--	
01/14/98	8.83	2.88	0.00	5.95	1.42	ND	--	ND	ND	ND	ND	36	--	
04/01/98	8.83	3.13	0.00	5.70	-0.25	ND	--	ND	ND	ND	ND	ND	--	
07/15/98	8.83	4.45	0.00	4.38	-1.32	ND	--	ND	ND	ND	ND	ND	--	
10/16/98	8.83	3.45	0.00	5.38	1.00	ND	--	ND	ND	ND	ND	ND	--	
01/25/99	8.83	3.22	0.00	5.61	0.23	ND	--	ND	ND	ND	ND	ND	--	
04/15/99	8.83	3.11	0.00	5.72	0.11	ND	--	ND	ND	ND	ND	ND	--	
07/14/99	8.83	3.34	0.00	5.49	-0.23	ND	--	ND	ND	ND	ND	ND	--	
10/21/99	8.83	3.43	0.00	5.40	-0.09	ND	--	ND	ND	ND	ND	ND	--	
01/20/00	8.83	3.29	0.00	5.54	0.14	ND	--	ND	ND	ND	ND	4.2	--	
04/13/00	8.83	3.39	0.00	5.44	-0.10	ND	--	ND	ND	ND	ND	ND	--	
07/14/00	8.83	4.42	0.00	4.41	-1.03	ND	--	ND	ND	ND	ND	7.83	--	
07/17/01	8.83	5.06	0.00	3.77	-0.64	ND	--	ND	ND	ND	ND	ND	--	
10/01/01	8.83	4.98	0.00	3.85	0.08	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
01/31/02	8.83	3.88	0.00	4.95	1.10	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
04/18/02	8.83	4.03	0.00	4.80	-0.15	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	5.7	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2007
76 Station 5043

Date Sampled	TOC	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
		(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-7 continued														
07/28/02	8.83	3.59	0.00	5.24	0.44	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3.9	
10/09/02	8.83	4.53	0.00	4.30	-0.94	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3.9	
01/03/03	8.83	3.36	0.00	5.47	1.17	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
04/01/03	8.83	3.94	0.00	4.89	-0.58	--	71	ND<0.50	ND<0.50	0.71	ND<1.0	--	3.4	
07/01/03	8.83	4.60	0.00	4.23	-0.66	--	64	ND<0.50	ND<0.50	0.77	2.0	--	35	
10/02/03	8.83	5.46	0.00	3.37	-0.86	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	4.9	
01/09/04	8.83	3.55	0.00	5.28	1.91	--	54	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2.4	
04/26/04	8.83	4.49	0.00	4.34	-0.94	--	ND<50	ND<0.50	ND<0.50	ND<0.50	1.5	--	2.3	
07/22/04	8.83	4.93	0.00	3.90	-0.44	--	82	0.90	2.0	3.5	9.9	--	1.4	
10/29/04	8.83	3.71	0.00	5.12	1.22	--	210	0.67	1.6	1.7	5.8	--	ND<0.50	
01/10/05	8.83	2.77	0.00	6.06	0.94	--	74	0.51	2.2	1.7	7.0	--	ND<0.50	
06/15/05	8.83	3.40	0.00	5.43	-0.63	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.88	
09/27/05	8.83	3.44	0.00	5.39	-0.04	--	ND<50	0.59	1.2	ND<0.50	ND<1.0	--	0.96	
12/13/05	8.83	3.98	0.00	4.85	-0.54	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.65	
03/23/06	8.83	3.37	0.00	5.46	0.61	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/23/06	8.83	5.25	0.00	3.58	-1.88	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/26/06	8.83	4.13	0.00	4.70	1.12	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	0.77	
12/22/06	8.83	3.63	0.00	5.20	0.50	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
03/30/07	8.83	4.31	0.00	4.52	-0.68	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
MW-8 (Screen Interval in feet: 3.0-15.0)														
05/27/97	8.52	3.42	0.00	5.10	--	310	--	0.88	0.67	15	70	ND	--	
06/01/97	8.52	3.46	0.00	5.06	-0.04	--	--	--	--	--	--	--	--	
07/15/97	8.52	3.49	0.00	5.03	-0.03	ND	--	ND	ND	2.7	3.8	ND	--	
10/09/97	8.52	3.73	0.00	4.79	-0.24	590	--	1.4	ND	32	4.1	ND	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2007
76 Station 5043

Date Sampled	TOC	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
		(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-8 continued														
01/14/98	8.52	1.92	0.00	6.60	1.81	ND	--	ND	ND	ND	ND	ND	--	
04/01/98	8.52	2.38	0.00	6.14	-0.46	ND	--	ND	ND	ND	ND	4.7	--	
07/15/98	8.52	3.53	0.00	4.99	-1.15	ND	--	ND	ND	0.56	1.1	ND	--	
10/16/98	8.52	3.04	0.00	5.48	0.49	ND	--	ND	ND	ND	ND	ND	--	
01/25/99	8.52	2.92	0.00	5.60	0.12	ND	--	ND	ND	ND	ND	ND	--	
04/15/99	8.52	2.40	0.00	6.12	0.52	ND	--	ND	ND	ND	ND	ND	--	
07/14/99	8.52	3.03	0.00	5.49	-0.63	ND	--	ND	ND	ND	ND	ND	--	
10/21/99	8.52	3.11	0.00	5.41	-0.08	ND	--	ND	ND	ND	ND	ND	--	
01/20/00	8.52	3.06	0.00	5.46	0.05	ND	--	ND	ND	ND	ND	ND	--	
04/13/00	8.52	2.84	0.00	5.68	0.22	ND	--	ND	ND	ND	ND	ND	--	
07/14/00	8.52	3.39	0.00	5.13	-0.55	ND	--	ND	ND	ND	ND	ND	--	
07/17/01	8.52	3.46	0.00	5.06	-0.07	ND	--	ND	ND	ND	ND	ND	--	
10/01/01	8.52	3.51	0.00	5.01	-0.05	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
01/31/02	8.52	2.75	0.00	5.77	0.76	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--
04/18/02	8.52	2.98	0.00	5.54	-0.23	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--
07/28/02	8.52	2.41	0.00	6.11	0.57	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
10/09/02	8.52	2.09	0.00	6.43	0.32	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
01/02/03	8.52	1.98	0.00	6.54	0.11	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
04/01/03	8.52	2.66	0.00	5.86	-0.68	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
07/01/03	8.52	3.08	0.00	5.44	-0.42	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
10/02/03	8.52	3.89	0.00	4.63	-0.81	--	540	3.9	15	29	80	--	ND<2.0	
01/09/04	8.52	2.38	0.00	6.14	1.51	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
04/26/04	8.52	2.89	0.00	5.63	-0.51	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
07/22/04	8.52	3.25	0.00	5.27	-0.36	--	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<1	--	ND<0.5	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2007
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-8 continued														
10/29/04	8.52	3.06	0.00	5.46	0.19	--	ND<50	ND<0.50	ND<0.50	0.82	2.5	--	ND<0.50	
01/10/05	8.52	1.92	0.00	6.60	1.14	--	58	ND<0.50	0.61	1.2	4.0	--	ND<0.50	
06/15/05	8.52	2.22	0.00	6.30	-0.30	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/27/05	8.52	2.43	0.00	6.09	-0.21	--	ND<50	ND<0.50	ND<0.50	1.2	ND<1.0	--	ND<0.50	
12/13/05	8.52	2.89	0.00	5.63	-0.46	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/23/06	8.52	2.12	0.00	6.40	0.77	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/23/06	8.52	2.65	0.00	5.87	-0.53	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/26/06	8.52	2.75	0.00	5.77	-0.10	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/22/06	8.52	2.58	0.00	5.94	0.17	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
03/30/07	8.52	2.74	0.00	5.78	-0.16	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
MW-9 (Screen Interval in feet: 3.0-13.0)														
02/21/95	8.29	1.98	0.00	6.31	--	70	--	ND	ND	ND	ND	--	--	
05/18/95	8.29	3.47	0.00	4.82	-1.49	52	--	ND	1.1	ND	1.9	--	--	
08/17/95	8.29	1.49	0.00	6.80	1.98	ND	--	ND	ND	ND	ND	--	--	
07/26/96	8.29	0.28	0.00	8.01	1.21	ND	--	ND	ND	ND	ND	ND	--	
10/28/96	8.29	1.15	0.00	7.14	-0.87	ND	--	ND	ND	ND	ND	7.6	--	
01/29/97	8.29	1.05	0.00	7.24	0.10	ND	--	ND	ND	ND	ND	5.4	--	
04/15/97	8.29	1.88	0.00	6.41	-0.83	ND	--	ND	ND	ND	ND	5.4	--	
05/27/97	8.29	1.05	0.00	7.24	0.83	--	--	--	--	--	--	--	--	
07/15/97	8.29	1.90	0.00	6.39	-0.85	ND	--	ND	ND	ND	ND	ND	--	
10/09/97	8.29	1.76	0.00	6.53	0.14	ND	--	ND	ND	ND	ND	ND	--	
01/14/98	8.29	1.26	0.00	7.03	0.50	ND	--	ND	ND	ND	ND	3.0	--	
04/01/98	8.29	0.85	0.00	7.44	0.41	ND	--	ND	ND	ND	ND	ND	--	
07/15/98	8.29	1.52	0.00	6.77	-0.67	ND	--	ND	ND	ND	ND	ND	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2007
76 Station 5043

Date Sampled	TOC	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
		(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-9 continued														
10/16/98	8.29	0.81	0.00	7.48	0.71	ND	--	ND	ND	ND	ND	ND	--	
01/25/99	8.29	0.92	0.00	7.37	-0.11	ND	--	ND	ND	ND	ND	ND	--	
04/15/99	8.29	0.90	0.00	7.39	0.02	75	--	21	ND	ND	1.1	680	--	
07/14/99	8.29	1.04	0.00	7.25	-0.14	ND	--	1.9	ND	ND	ND	260	--	
10/21/99	8.29	1.23	0.00	7.06	-0.19	ND	--	ND	ND	ND	ND	170	--	
01/20/00	8.29	1.18	0.00	7.11	0.05	ND	--	1.1	ND	ND	ND	35	--	
04/13/00	8.29	1.08	0.00	7.21	0.10	160	--	0.64	ND	ND	ND	53	--	
07/14/00	8.29	1.43	0.00	6.86	-0.35	ND	--	ND	ND	ND	ND	20.2	--	
10/26/00	8.29	1.38	0.00	6.91	0.05	240	--	2.9	ND	ND	ND	56	--	
01/03/01	8.29	1.66	0.00	6.63	-0.28	166	--	0.763	0.776	ND	1.28	50.2	--	
04/04/01	8.29	1.27	0.00	7.02	0.39	296	--	0.738	ND	ND	0.907	135	--	
07/17/01	8.29	1.38	0.00	6.91	-0.11	ND	--	ND	ND	ND	ND	13	--	
10/01/01	8.29	1.93	0.00	6.36	-0.55	51	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	5.0	--	
01/31/02	8.29	2.08	0.00	6.21	-0.15	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	5.8	--	
04/18/02	8.29	1.76	0.00	6.53	0.32	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	5.1	--	
07/28/02	8.29	1.57	0.00	6.72	0.19	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3.5	
10/09/02	8.29	1.45	0.00	6.84	0.12	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	17	
01/02/03	8.29	1.18	0.00	7.11	0.27	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	8.6	
04/01/03	8.29	2.04	0.00	6.25	-0.86	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	9.4	
07/01/03	8.29	2.80	0.00	5.49	-0.76	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3.2	
10/02/03	8.29	2.70	0.00	5.59	0.10	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
01/09/04	8.29	1.90	0.00	6.39	0.80	--	74	ND<0.50	0.98	2.3	6.2	--	ND<2.0	
04/26/04	8.29	1.62	0.00	6.67	0.28	--	51	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.51	
07/22/04	8.29	1.88	0.00	6.41	-0.26	--	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<1	--	0.78	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2007
76 Station 5043

Date Sampled	TOC	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
		(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-9 continued														
10/29/04	8.29	1.28	0.00	7.01	0.60	--	ND<50	ND<0.50	ND<0.50	ND<0.50	1.0	--	ND<0.50	
01/10/05	8.29	0.07	0.00	8.22	1.21	--	93	0.60	2.3	2.4	9.0	--	ND<0.50	
06/15/05	8.29	1.70	0.00	6.59	-1.63	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	6.6	
09/27/05	8.29	1.98	0.00	6.31	-0.28	--	ND<50	ND<0.50	0.73	ND<0.50	ND<1.0	--	2.3	
12/13/05	8.29	2.26	0.00	6.03	-0.28	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2.9	
03/23/06	8.29	1.32	0.00	6.97	0.94	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2.7	
06/23/06	8.29	1.98	0.00	6.31	-0.66	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.9	
09/26/06	8.29	2.52	0.00	5.77	-0.54	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/22/06	8.29	1.98	0.00	6.31	0.54	--	ND<50	ND<0.50	0.57	1.8	4.6	--	1.6	
03/30/07	8.29	2.01	0.00	6.28	-0.03	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	3.4	
MW-10 (Screen Interval in feet: 3.0-13.0)														
02/21/95	8.62	4.69	0.00	3.93	--	1500	--	250	26	9.1	160	--	--	
05/18/95	8.62	4.92	0.00	3.70	-0.23	810	--	520	ND	18	23	--	--	
08/17/95	8.62	4.05	0.00	4.57	0.87	67	--	25	ND	2.4	ND	--	--	
07/26/96	8.62	4.08	0.00	4.54	-0.03	ND	--	3.7	ND	ND	ND	ND	--	
10/28/96	8.62	4.09	0.00	4.53	-0.01	ND	--	1.1	ND	ND	ND	ND	--	
01/29/97	8.62	2.94	0.00	5.68	1.15	210	--	41	0.67	7.2	4.8	11	--	
04/15/97	8.62	4.07	0.00	4.55	-1.13	110	--	12	ND	0.77	ND	9.7	--	
05/27/97	8.62	4.40	0.00	4.22	-0.33	--	--	--	--	--	--	--	--	
07/15/97	8.62	4.19	0.00	4.43	0.21	ND	--	2.1	ND	0.67	0.73	ND	--	
10/09/97	8.62	4.75	0.00	3.87	-0.56	190	--	38	0.92	6.6	7.6	ND	--	
01/14/98	8.62	2.66	0.00	5.96	2.09	59	--	9.5	0.85	1.2	1.7	4.5	--	
04/01/98	8.62	3.45	0.00	5.17	-0.79	230	--	66	1.7	12	17	6.4	--	
07/15/98	8.62	4.21	0.00	4.41	-0.76	290	--	98	45	21	38	21	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2007
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-10 continued														
10/16/98	8.62	4.11	0.00	4.51	0.10	160	--	44	0.96	2.5	10	17	--	
01/25/99	8.62	3.26	0.00	5.36	0.85	140	--	27	ND	2.8	6.8	23	--	
04/15/99	8.62	3.63	0.00	4.99	-0.37	120	--	18	ND	1.8	5.1	14	--	
07/14/99	8.62	3.89	0.00	4.73	-0.26	280	--	55	3.2	11	31	6.1	--	
10/21/99	8.62	4.09	0.00	4.53	-0.20	140	--	22	0.59	1.7	7.7	5.3	--	
01/20/00	8.62	3.92	0.00	4.70	0.17	ND	--	0.73	0.86	ND	ND	5.2	--	
04/13/00	8.62	3.85	0.00	4.77	0.07	67	--	54	ND	2.6	ND	3.8	--	
07/14/00	8.62	4.18	0.00	4.44	-0.33	ND	--	0.547	ND	ND	ND	ND	--	
10/26/00	8.62	3.96	0.00	4.66	0.22	ND	--	3.3	ND	0.83	1.5	ND	--	
01/03/01	8.62	4.14	0.00	4.48	-0.18	52.7	--	5.15	ND	0.823	1.57	ND	--	
04/04/01	8.62	3.88	0.00	4.74	0.26	129	--	28.1	1.67	4.97	10.1	ND	--	
07/17/01	8.62	4.08	0.00	4.54	-0.20	ND	--	4.1	ND	1.0	1.8	ND	--	
10/01/01	8.62	4.22	0.00	4.40	-0.14	140	--	30	0.51	4.0	12	ND<5.0	--	
01/31/02	8.62	3.68	0.00	4.94	0.54	110	--	16	ND<0.50	2.3	5.6	ND<2.5	--	
04/18/02	8.62	4.01	0.00	4.61	-0.33	ND<50	--	11	ND<0.50	1.4	4.5	ND<2.5	--	
07/28/02	8.62	4.11	0.00	4.51	-0.10	--	67	15	ND<0.50	0.94	7.3	--	ND<2.0	
10/09/02	8.62	3.97	0.00	4.65	0.14	--	ND<50	0.67	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
01/02/03	8.62	3.03	0.00	5.59	0.94	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
04/01/03	8.62	3.83	0.00	4.79	-0.80	--	ND<50	11	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
07/01/03	8.62	4.13	0.00	4.49	-0.30	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
10/02/03	8.62	4.05	0.00	4.57	0.08	--	77	9.9	0.78	2.3	4.9	--	ND<2.0	
01/09/04	8.62	3.40	0.00	5.22	0.65	--	53	1.2	ND<0.50	0.70	1.6	--	ND<2.0	
04/26/04	8.62	3.89	0.00	4.73	-0.49	--	ND<50	2.8	1.3	1.0	2.9	--	ND<0.50	
07/22/04	8.62	3.73	0.00	4.89	0.16	--	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<1	--	ND<0.5	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2007
76 Station 5043

Date Sampled	TOC	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
		(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-10 continued														
10/29/04	8.62	3.41	0.00	5.21	0.32	--	100	2.0	1.2	1.1	3.6	--	ND<0.50	
01/10/05	8.62	2.68	0.00	5.94	0.73	--	84	7.8	2.7	2.2	8.9	--	ND<0.50	
06/15/05	8.62	4.63	0.00	3.99	-1.95	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/27/05	8.62	3.96	0.00	4.66	0.67	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/13/05	8.62	3.75	0.00	4.87	0.21	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/23/06	8.62	3.13	0.00	5.49	0.62	--	50	13	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/23/06	8.62	3.90	0.00	4.72	-0.77	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/26/06	8.62	3.66	0.00	4.96	0.24	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/22/06	8.62	3.56	0.00	5.06	0.10	--	ND<50	ND<0.50	ND<0.50	ND<0.50	1.8	--	ND<0.50	
03/30/07	8.62	3.93	0.00	4.69	-0.37	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Total Oil and Grease
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)
MW-1									
02/18/92	13000	--	--	--	--	--	--	--	--
08/31/92	8900	--	--	--	--	--	--	--	--
MW-2									
02/18/92	4300	--	--	--	--	--	--	--	--
05/20/92	4300	--	--	--	--	--	--	--	--
08/31/92	1600	--	--	--	--	--	--	--	--
11/30/92	5700	--	--	--	--	--	--	--	--
02/04/93	6100	--	--	--	--	--	--	--	--
05/04/93	7100	--	--	--	--	--	--	--	--
08/04/93	1800	--	--	--	--	--	--	--	--
11/03/93	2600	--	--	--	--	--	--	--	--
05/19/94	3000	--	--	--	--	--	--	--	--
08/15/94	2800	--	--	--	--	--	--	--	--
11/14/94	10000	--	--	--	--	--	--	--	--
02/21/95	2000	--	--	--	--	--	--	--	--
MW-3									
02/18/92	ND	--	--	--	--	--	--	--	--
08/31/92	92	--	--	--	--	--	--	--	--
11/30/92	94	--	--	--	--	--	--	--	--
02/04/93	550	--	--	--	--	--	--	--	--
05/04/93	250	--	--	--	--	--	--	--	--
08/04/93	100	--	--	--	--	--	--	--	--
11/03/93	160	--	--	--	--	--	--	--	--
02/07/94	620	--	--	--	--	--	--	--	--
05/19/94	480	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D ($\mu\text{g/l}$)	TBA ($\mu\text{g/l}$)	Ethanol (8260B) ($\mu\text{g/l}$)	Ethylene-dibromide (EDB) ($\mu\text{g/l}$)	1,2-DCA (EDC) ($\mu\text{g/l}$)	DIPE ($\mu\text{g/l}$)	ETBE ($\mu\text{g/l}$)	TAME ($\mu\text{g/l}$)	Total Oil and Grease (mg/l)
MW-3 continued									
08/15/94	110	--	--	--	--	--	--	--	--
11/14/94	150	--	--	--	--	--	--	--	--
02/21/95	850	--	--	--	--	--	--	--	--
05/18/95	150	--	--	--	--	--	--	--	--
06/01/97	610	--	--	--	--	--	--	--	--
07/15/97	240	--	--	--	--	--	--	--	--
10/09/97	500	--	--	--	--	--	--	--	--
01/14/98	340	--	--	--	--	--	--	--	--
04/01/98	320	--	--	--	--	--	--	--	--
07/15/98	510	--	--	--	--	--	--	--	--
10/16/98	67	--	--	--	--	--	--	--	--
01/25/99	120	--	--	--	--	--	--	--	--
04/15/99	170	--	--	--	--	--	--	--	--
07/14/99	420	--	--	--	--	--	--	--	--
10/21/99	350	--	--	--	--	--	--	--	--
01/20/00	2060	--	--	--	--	--	--	--	--
04/13/00	200	ND	ND	ND	ND	ND	ND	ND	--
07/14/00	423	--	--	--	--	--	--	--	--
10/26/00	330	--	--	--	--	--	--	--	--
01/03/01	287	--	--	--	--	--	--	--	--
04/04/01	360	--	--	--	--	--	--	--	--
07/17/01	270	--	--	--	--	--	--	--	--
10/01/01	270	--	--	--	--	--	--	--	--
01/31/02	250	--	--	--	--	--	--	--	--
04/18/02	320	--	--	--	--	--	--	--	--
07/28/02	310	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Total Oil and Grease
	($\mu\text{g/l}$)	($\mu\text{g/l}$)	($\mu\text{g/l}$)	($\mu\text{g/l}$)	($\mu\text{g/l}$)	($\mu\text{g/l}$)	($\mu\text{g/l}$)	($\mu\text{g/l}$)	(mg/l)
MW-3 continued									
10/09/02	700	--	--	--	--	--	--	--	--
01/02/03	210	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--
04/01/03	200	--	--	--	--	--	--	--	--
07/01/03	380	--	ND<2500	--	--	--	--	--	--
10/02/03	300	--	ND<2500	--	--	--	--	--	--
01/09/04	200	--	ND<500	--	--	--	--	--	--
04/26/04	160	--	ND<50	--	--	--	--	--	--
07/22/04	330	--	ND<1000	--	--	--	--	--	--
10/29/04	200	--	ND<50	--	--	--	--	--	--
01/10/05	250	--	ND<50	--	--	--	--	--	--
06/15/05	360	--	ND<50	--	--	--	--	--	--
09/27/05	ND<200	79	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--
12/13/05	230	--	ND<250	--	--	--	--	--	--
03/23/06	260	--	ND<250	--	--	--	--	--	--
06/23/06	330	--	ND<250	--	--	--	--	--	--
09/26/06	260	--	ND<250	--	--	--	--	--	--
12/22/06	250	--	ND<250	--	--	--	--	--	--
03/30/07	210	--	ND<250	--	--	--	--	--	--
MW-4									
08/31/92	90	--	--	--	--	--	--	--	--
11/30/92	61	--	--	--	--	--	--	--	--
02/04/93	ND	--	--	--	--	--	--	--	--
05/04/93	ND	--	--	--	--	--	--	--	--
08/04/93	81	--	--	--	--	--	--	--	--
11/03/93	68	--	--	--	--	--	--	--	--
02/07/94	ND	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Total Oil and Grease
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)
MW-4 continued									
05/19/94	90	--	--	--	--	--	--	--	--
08/15/94	72	--	--	--	--	--	--	--	--
11/14/94	ND	--	--	--	--	--	--	--	--
MW-5									
08/31/92	690	--	--	--	--	--	--	--	--
11/30/92	470	--	--	--	--	--	--	--	ND
02/04/93	5500	--	--	--	--	--	--	--	ND
05/04/93	4600	--	--	--	--	--	--	--	ND
08/04/93	970	--	--	--	--	--	--	--	ND
11/03/93	2100	--	--	--	--	--	--	--	--
02/07/94	830	--	--	--	--	--	--	--	--
05/19/94	600	--	--	--	--	--	--	--	--
08/15/94	860	--	--	--	--	--	--	--	--
11/14/94	290	--	--	--	--	--	--	--	--
MW-6									
08/31/92	750	--	--	--	--	--	--	--	--
11/30/92	1400	--	--	--	--	--	--	--	--
02/04/93	890	--	--	--	--	--	--	--	--
05/04/93	1800	--	--	--	--	--	--	--	--
08/04/93	1100	--	--	--	--	--	--	--	--
11/03/93	390	--	--	--	--	--	--	--	--
02/07/94	970	--	--	--	--	--	--	--	--
05/19/94	1400	--	--	--	--	--	--	--	--
08/15/94	790	--	--	--	--	--	--	--	--
11/14/94	800	--	--	--	--	--	--	--	--
02/21/95	730	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Total Oil and Grease
	($\mu\text{g/l}$)	($\mu\text{g/l}$)	($\mu\text{g/l}$)	($\mu\text{g/l}$)	($\mu\text{g/l}$)	($\mu\text{g/l}$)	($\mu\text{g/l}$)	($\mu\text{g/l}$)	(mg/l)
MW-6 continued									
01/20/00	67600	--	--	--	--	--	--	--	--
04/13/00	8700	--	--	--	--	--	--	--	--
07/14/00	133000	--	--	--	--	--	--	--	--
10/26/00	61000	--	--	--	--	--	--	--	--
01/03/01	929	--	--	--	--	--	--	--	--
04/04/01	18000	ND	ND	ND	ND	ND	ND	ND	--
07/17/01	20000	--	--	--	--	--	--	--	--
10/01/01	24000	--	--	--	--	--	--	--	--
01/31/02	11000	--	--	--	--	--	--	--	--
04/18/02	3500	--	--	--	--	--	--	--	--
07/28/02	27000	--	--	--	--	--	--	--	--
10/09/02	170000	--	--	--	--	--	--	--	--
01/02/03	66000	--	--	--	--	--	--	--	--
04/01/03	35000	--	--	--	--	--	--	--	--
07/01/03	11000	--	ND<25000	--	--	--	--	--	--
10/02/03	ND<50	--	ND<200000	--	--	--	--	--	--
01/09/04	20000	--	ND<50000	--	--	--	--	--	--
04/26/04	13000	--	ND<5000	--	--	--	--	--	--
07/22/04	33000	--	ND<300000	--	--	--	--	--	--
10/29/04	78000	--	ND<5000	--	--	--	--	--	--
01/10/05	12000	--	ND<5000	--	--	--	--	--	--
06/15/05	16000	--	ND<5000	--	--	--	--	--	--
09/27/05	2500	ND<10	ND<250	--	1.8	ND<0.50	ND<0.50	--	--
12/13/05	18000	--	ND<25000	--	--	--	--	--	--
03/23/06	73000	--	ND<25000	--	--	--	--	--	--
06/23/06	35000	--	ND<6200	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Total Oil and Grease
	($\mu\text{g/l}$)	($\mu\text{g/l}$)	($\mu\text{g/l}$)	($\mu\text{g/l}$)	($\mu\text{g/l}$)	($\mu\text{g/l}$)	($\mu\text{g/l}$)	($\mu\text{g/l}$)	(mg/l)
MW-6 continued									
09/26/06	22000	--	ND<25000	--	--	--	--	--	--
12/22/06	62000	--	ND<25000	--	--	--	--	--	--
03/30/07	62000	--	ND<5000	--	--	--	--	--	--
MW-7									
06/01/97	69	--	--	--	--	--	--	--	--
07/15/97	ND	--	--	--	--	--	--	--	--
10/09/97	190	--	--	--	--	--	--	--	--
01/14/98	65	--	--	--	--	--	--	--	--
04/01/98	ND	--	--	--	--	--	--	--	--
07/15/98	74	--	--	--	--	--	--	--	--
10/16/98	ND	--	--	--	--	--	--	--	--
01/25/99	ND	--	--	--	--	--	--	--	--
04/15/99	ND	--	--	--	--	--	--	--	--
07/14/99	69	--	--	--	--	--	--	--	--
10/21/99	ND	--	--	--	--	--	--	--	--
01/20/00	ND	--	--	--	--	--	--	--	--
04/13/00	ND	--	--	--	--	--	--	--	--
07/14/00	68.0	--	--	--	--	--	--	--	--
07/17/01	ND	--	--	--	--	--	--	--	--
10/01/01	ND<51	--	--	--	--	--	--	--	--
01/31/02	90	--	--	--	--	--	--	--	--
04/18/02	78	--	--	--	--	--	--	--	--
07/28/02	ND<50	--	--	--	--	--	--	--	--
10/09/02	ND<96	--	--	--	--	--	--	--	--
01/03/03	78	--	--	--	--	--	--	--	--
04/01/03	67	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Total Oil and Grease
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)
MW-7 continued									
07/01/03	68	--	ND<500	--	--	--	--	--	--
10/02/03	82	--	ND<500	--	--	--	--	--	--
01/09/04	75	--	ND<500	--	--	--	--	--	--
04/26/04	ND<50	--	ND<50	--	--	--	--	--	--
07/22/04	ND<200	--	ND<1000	--	--	--	--	--	--
10/29/04	54	--	ND<50	--	--	--	--	--	--
01/10/05	ND<50	--	ND<50	--	--	--	--	--	--
06/15/05	ND<50	--	ND<50	--	--	--	--	--	--
09/27/05	ND<200	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--
12/13/05	ND<200	--	ND<250	--	--	--	--	--	--
03/23/06	ND<200	--	ND<250	--	--	--	--	--	--
06/23/06	ND<200	--	ND<250	--	--	--	--	--	--
09/26/06	ND<50	--	ND<250	--	--	--	--	--	--
12/22/06	630	--	ND<250	--	--	--	--	--	--
03/30/07	94	--	ND<250	--	--	--	--	--	--
MW-8									
06/01/97	320	--	--	--	--	--	--	--	--
07/15/97	ND	--	--	--	--	--	--	--	--
10/09/97	390	--	--	--	--	--	--	--	--
01/14/98	230	--	--	--	--	--	--	--	--
04/01/98	510	--	--	--	--	--	--	--	--
07/15/98	140	--	--	--	--	--	--	--	--
10/16/98	170	--	--	--	--	--	--	--	--
01/25/99	ND	--	--	--	--	--	--	--	--
04/15/99	91	--	--	--	--	--	--	--	--
07/14/99	120	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D ($\mu\text{g/l}$)	TBA ($\mu\text{g/l}$)	Ethanol (8260B) ($\mu\text{g/l}$)	Ethylene-dibromide (EDB) ($\mu\text{g/l}$)	1,2-DCA (EDC) ($\mu\text{g/l}$)	DIPE ($\mu\text{g/l}$)	ETBE ($\mu\text{g/l}$)	TAME ($\mu\text{g/l}$)	Total Oil and Grease (mg/l)
MW-8 continued									
10/21/99	110	--	--	--	--	--	--	--	--
01/20/00	583	--	--	--	--	--	--	--	--
04/13/00	80	--	--	--	--	--	--	--	--
07/14/00	113	--	--	--	--	--	--	--	--
07/17/01	ND	--	--	--	--	--	--	--	--
10/01/01	ND<50	--	--	--	--	--	--	--	--
01/31/02	260	--	--	--	--	--	--	--	--
04/18/02	160	--	--	--	--	--	--	--	--
07/28/02	140	--	--	--	--	--	--	--	--
10/09/02	120	--	--	--	--	--	--	--	--
01/02/03	210	--	--	--	--	--	--	--	--
04/01/03	220	--	--	--	--	--	--	--	--
07/01/03	170	--	ND<500	--	--	--	--	--	--
10/02/03	350	--	ND<500	--	--	--	--	--	--
01/09/04	180	--	ND<500	--	--	--	--	--	--
04/26/04	100	--	ND<50	--	--	--	--	--	--
07/22/04	250	--	ND<1000	--	--	--	--	--	--
10/29/04	120	--	ND<50	--	--	--	--	--	--
01/10/05	140	--	ND<50	--	--	--	--	--	--
06/15/05	140	--	ND<50	--	--	--	--	--	--
09/27/05	ND<200	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--
12/13/05	ND<200	--	ND<250	--	--	--	--	--	--
03/23/06	ND<200	--	ND<250	--	--	--	--	--	--
06/23/06	ND<230	--	ND<250	--	--	--	--	--	--
09/26/06	110	--	ND<250	--	--	--	--	--	--
12/22/06	100	--	ND<250	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Total Oil and Grease
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)
MW-8 continued									
03/30/07	120	--	ND<250	--	--	--	--	--	--
MW-9									
02/21/95	71	--	--	--	--	--	--	--	--
05/18/95	ND	--	--	--	--	--	--	--	--
08/17/95	ND	--	--	--	--	--	--	--	--
07/26/96	98	--	--	--	--	--	--	--	--
10/28/96	99	--	--	--	--	--	--	--	--
01/29/97	54	--	--	--	--	--	--	--	--
04/15/97	94	--	--	--	--	--	--	--	--
07/15/97	ND	--	--	--	--	--	--	--	--
10/09/97	160	--	--	--	--	--	--	--	--
01/14/98	110	--	--	--	--	--	--	--	--
04/01/98	110	--	--	--	--	--	--	--	--
07/15/98	200	--	--	--	--	--	--	--	--
10/16/98	ND	--	--	--	--	--	--	--	--
01/25/99	ND	--	--	--	--	--	--	--	--
04/15/99	ND	--	--	--	--	--	--	--	--
07/14/99	140	--	--	--	--	--	--	--	--
10/21/99	210	--	--	--	--	--	--	--	--
01/20/00	519	--	--	--	--	--	--	--	--
04/13/00	81	--	--	--	--	--	--	--	--
07/14/00	107	--	--	--	--	--	--	--	--
10/26/00	240	--	--	--	--	--	--	--	--
01/03/01	164	--	--	--	--	--	--	--	--
04/04/01	240	--	--	--	--	--	--	--	--
07/17/01	ND	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Total Oil and Grease
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)
MW-9 continued									
10/01/01	ND<52	--	--	--	--	--	--	--	--
01/31/02	200	--	--	--	--	--	--	--	--
04/18/02	ND<50	--	--	--	--	--	--	--	--
07/28/02	ND<50	--	--	--	--	--	--	--	--
10/09/02	100	--	--	--	--	--	--	--	--
01/02/03	ND<50	--	--	--	--	--	--	--	--
04/01/03	56	--	--	--	--	--	--	--	--
07/01/03	ND<50	--	ND<500	--	--	--	--	--	--
10/02/03	ND<50	--	ND<500	--	--	--	--	--	--
01/09/04	91	--	ND<500	--	--	--	--	--	--
04/26/04	ND<50	--	ND<50	--	--	--	--	--	--
07/22/04	ND<200	--	ND<1000	--	--	--	--	--	--
10/29/04	76	--	ND<50	--	--	--	--	--	--
01/10/05	77	--	ND<50	--	--	--	--	--	--
06/15/05	67	--	ND<50	--	--	--	--	--	--
09/27/05	ND<200	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--
12/13/05	ND<200	--	ND<250	--	--	--	--	--	--
03/23/06	ND<200	--	ND<250	--	--	--	--	--	--
06/23/06	ND<200	--	ND<250	--	--	--	--	--	--
09/26/06	ND<50	--	ND<250	--	--	--	--	--	--
12/22/06	150	--	ND<250	--	--	--	--	--	--
03/30/07	72	--	ND<250	--	--	--	--	--	--
MW-10									
02/21/95	270	--	--	--	--	--	--	--	--
05/18/95	75	--	--	--	--	--	--	--	--
08/17/95	ND	--	--	--	--	--	--	--	--


Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D ($\mu\text{g/l}$)	TBA ($\mu\text{g/l}$)	Ethanol (8260B) ($\mu\text{g/l}$)	Ethylene-dibromide (EDB) ($\mu\text{g/l}$)	1,2-DCA (EDC) ($\mu\text{g/l}$)	DIPE ($\mu\text{g/l}$)	ETBE ($\mu\text{g/l}$)	TAME ($\mu\text{g/l}$)	Total Oil and Grease (mg/l)
MW-10 continued									
07/26/96	ND	--	--	--	--	--	--	--	--
10/28/96	ND	--	--	--	--	--	--	--	--
01/29/97	ND	--	--	--	--	--	--	--	--
04/15/97	ND	--	--	--	--	--	--	--	--
07/15/97	ND	--	--	--	--	--	--	--	--
10/09/97	ND	--	--	--	--	--	--	--	--
04/01/98	62	--	--	--	--	--	--	--	--
07/15/98	78	--	--	--	--	--	--	--	--
10/16/98	ND	--	--	--	--	--	--	--	--
01/25/99	ND	--	--	--	--	--	--	--	--
04/15/99	ND	--	--	--	--	--	--	--	--
07/14/99	180	--	--	--	--	--	--	--	--
10/21/99	96	--	--	--	--	--	--	--	--
01/20/00	252	--	--	--	--	--	--	--	--
04/13/00	69	--	--	--	--	--	--	--	--
07/14/00	149	--	--	--	--	--	--	--	--
10/26/00	83	--	--	--	--	--	--	--	--
01/03/01	126	--	--	--	--	--	--	--	--
04/04/01	75	--	--	--	--	--	--	--	--
07/17/01	ND	--	--	--	--	--	--	--	--
10/01/01	100	--	--	--	--	--	--	--	--
01/31/02	170	--	--	--	--	--	--	--	--
04/18/02	130	--	--	--	--	--	--	--	--
07/28/02	58	--	--	--	--	--	--	--	--
10/09/02	ND<94	--	--	--	--	--	--	--	--
01/02/03	64	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Total Oil and Grease
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)
MW-10 continued									
04/01/03	76	--	--	--	--	--	--	--	--
07/01/03	87	--	ND<500	--	--	--	--	--	--
10/02/03	160	--	ND<500	--	--	--	--	--	--
01/09/04	74	--	ND<500	--	--	--	--	--	--
04/26/04	ND<50	--	ND<50	--	--	--	--	--	--
07/22/04	ND<200	--	ND<1000	--	--	--	--	--	--
10/29/04	ND<50	--	ND<50	--	--	--	--	--	--
01/10/05	94	--	ND<50	--	--	--	--	--	--
06/15/05	62	--	ND<50	--	--	--	--	--	--
09/27/05	ND<200	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--
12/13/05	ND<200	--	ND<250	--	--	--	--	--	--
03/23/06	ND<200	--	ND<250	--	--	--	--	--	--
06/23/06	ND<200	--	ND<250	--	--	--	--	--	--
09/26/06	ND<50	--	ND<250	--	--	--	--	--	--
12/22/06	81	--	ND<250	--	--	--	--	--	--
03/30/07	82	--	ND<250	--	--	--	--	--	--

FIGURES



0 1/4 1/2 3/4 1 MILE

SCALE 1: 24,000

SOURCE:

United States Geological Survey
7.5 Minute Topographic Map:
San Leandro Quadrangle



PPS=1:1 L: GOMS V/C INITY MAPS 5043m.DWG Apr 11, 2007 - 11:48am dakers


PROJECT: 41060002

FACILITY:

76 STATION 5043
449 HEGENBERGER ROAD
OAKLAND, CALIFORNIA

VICINITY MAP

FIGURE 1



NOTES:

Contour lines are interpretive and based on fluid levels measured in monitoring wells.
Elevations are in feet above mean sea level.
UST = underground storage tank.

LEGEND

- MW-10 Monitoring Well with Groundwater Elevation (feet)
- 6.00 — Groundwater Elevation Contour
- General Direction of Groundwater Flow


**GROUNDWATER ELEVATION
CONTOUR MAP**
March 30, 2007

76 Station 5043
449 Hegenberger Road
Oakland, California

SCALE (FEET)
0 60



FIGURE 2



NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples.

TPH-G (GC/MS) = total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B.

µg/l = micrograms per liter. ND = not detected at limit indicated on official laboratory report.

UST = underground storage tank.

LEGEND

MW-10 Monitoring Well with
Dissolved-Phase TPH-G
(GC/MS) Concentration (µg/l)

-100,000- Dissolved-Phase TPH-G
(GC/MS) Contour (µg/l)


**DISSOLVED-PHASE
TPH-G (GC/MS)
CONCENTRATION MAP
March 30, 2007**

76 Station 5043
449 Hegenberger Road
Oakland, California



SCALE (FEET)
0 60

FIGURE 3



NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples.
 $\mu\text{g/l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report.
 UST = underground storage tank.

LEGEND

- MW-10 • Monitoring Well with Dissolved-Phase Benzene Concentration ($\mu\text{g/l}$)
- 1,000-** Dissolved-Phase Benzene Contour ($\mu\text{g/l}$)


DISSOLVED-PHASE BENZENE CONCENTRATION MAP
March 30, 2007

76 Station 5043
 449 Hegenberger Road
 Oakland, California

SCALE (FEET)
 0 60



FIGURE 4



NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples.
 MTBE = methyl tertiary butyl ether.
 $\mu\text{g/l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report.
 UST = underground storage tank. Results obtained using EPA Method 8260B.

LEGEND

- MW-10 Monitoring Well with Dissolved-Phase MTBE Concentration ($\mu\text{g/l}$)
- 100- Dissolved-Phase MTBE Contour ($\mu\text{g/l}$)

DISSOLVED-PHASE MTBE CONCENTRATION MAP
March 30, 2007

76 Station 5043
 449 Hegenberger Road
 Oakland, California


SCALE (FEET)



FIGURE 5


GRAPHS

Groundwater Elevations vs. Time
76 Station 5043




Elevations may have been corrected for apparent changes due to resurvey

Groundwater Elevations vs. Time
76 Station 5043




Elevations may have been corrected for apparent changes due to resurvey

Groundwater Elevations vs. Time
76 Station 5043




Elevations may have been corrected for apparent changes due to resurvey

Benzene Concentrations vs Time
76 Station 5043



Benzene Concentrations vs Time
76 Station 5043



GENERAL FIELD PROCEDURES

Groundwater Monitoring and Sampling Assignments

For each site, TRC technicians are provided with a Technical Service Request (TSR) that specifies activities required to complete the groundwater monitoring and sampling assignment for the site. TSRs are based on client directives, instructions from the primary environmental consultant for the site, regulatory requirements, and TRC's previous experience with the site.

Fluid Level Measurements

Initial site activities include determination of well locations based on a site map provided with the TSR. Well boxes are opened and caps are removed. Indications of well or well box damage or of pressure buildup in the well are noted.

Fluid levels in each well are measured using a coated cloth tape equipped with an electronic interface probe, which distinguishes between liquid phase hydrocarbon (LPH) and water. The depth to LPH (if it is present), to water, and to the bottom of the well are measured from the top of the well casing (surveyors mark or notch if present) to the nearest 0.01 foot. Unless otherwise instructed, a well with less than 0.67 foot between the measured top of water and the measured bottom of the well casing is considered dry, and is not sampled. If the well contains 0.67 foot or more of water, an attempt is made to bail and/or sample as specified on the TSR.

Wells that are found to contain LPH are not purged or sampled. Instead, one casing volume of fluid is bailed from the well and the well is re-sealed. Bailed fluids are placed in a container separate from normal purge water, and properly disposed.

Purging and Groundwater Parameter Measurement

TSR instructions may specify that a well not be purged (no-purge sampling), be purged using low-flow methods, or be purged using conventional pump and/or bail methods. Conventional purging generally consists of pumping or bailing until a minimum of three casing volumes of water have been removed or until the well has been pumped dry. Pumping is generally accomplished using submersible electric or pneumatic diaphragm pumps.

During conventional purging, three groundwater parameters (temperature, pH, and conductivity) are measured after removal of each casing volume. Stabilization of these parameters, to within 10 percent, confirm that sufficient purging has been completed. In some cases, the TSR indicates that other parameters are also to be measured during purging. TRC commonly measures dissolved oxygen (DO), oxidation-reduction potential (ORP), and/or turbidity. Instruments used for groundwater parameter measurements are calibrated daily according to manufacturer's instructions.

Low-flow purging utilizes a bladder or peristaltic pump to remove water from the well at a low rate. Groundwater parameters specified by the TSR are measured continuously until they become stable in general accordance with EPA guidelines.

Purge water is generally collected in labeled drums for disposal. Drums may be left on site for disposal by others, or transported to a collection location for eventual transfer to a licensed treatment or recycling facility. In some cases, purge water may be collected directly from the site by a licensed vacuum truck company, or may be treated on site by an active remediation system, if so directed.

Groundwater Sample Collection

After wells are purged, or not purged, according to TSR instructions, samples are collected for laboratory analysis. For wells that have been purged using conventional pump or bail methods, sampling is conducted after the well has recovered to 80 percent of its original volume or after two hours if the well does not recover to at least 80 percent. If there is insufficient recharge of water in the well after two hours, the well is not sampled.

Samples are collected by lowering a new, disposable, $\frac{1}{2}$ -inch to 4-inch polyethylene bottom-fill bailer to just below the water level in the well. The bailer is retrieved and the water sample is carefully transferred to containers specified for the laboratory analytical methods indicated by the TSR. Particular care is given to containers for volatile organic analysis (VOAs) which require filling to zero headspace and fitting with Teflon-sealed caps.

After filling, all containers are labeled with project number (or site number), well designation, sample date, sample time, and the sampler's initials, and placed in an insulated chest with ice. Samples remain chilled prior to and during transport to a state-certified laboratory for analysis. Sample container descriptions and requested analyses are entered onto a chain-of-custody form in order to provide instructions to the laboratory. The chain-of-custody form accompanies the samples during transportation to provide a continuous record of possession from the field to the laboratory. If a freight or overnight carrier transports the samples, the carrier is noted on the form.

For wells that have been purged using low-flow methods, sample containers are filled from the effluent stream of the bladder or peristaltic pump. In some cases, if so specified by the TSR, samples are taken from the sample ports of actively pumping remediation wells.

Sequence of Gauging, Purging and Sampling

The sequence in which monitoring activities are conducted are specified on the TSR. In general, wells are gauged beginning with the least affected well and ending with the well that has the highest concentration based on previous analytic results. After all gauging for the site is completed, wells are purged and/or sampled from the least-affected to the most-affected well.

Decontamination

In order to reduce the possibility of cross contamination between wells, strict isolation and decontamination procedures are observed. Portable pumps are not used in wells with LPH. Technicians wear nitrile gloves during all gauging, purging and sampling activities. Gloves are changed between wells and more often if warranted. Any equipment that could come in contact with fluids are either dedicated to a particular wells, decontaminated prior to each use, or discarded after a single use. Decontamination consists of washing in a solution of Liqui-nox and water and rinsing twice. The final rinse is in deionized water.

Exceptions

Additional tasks or non-standard procedures, if any, that may be requested or required for a particular site, and noted on the site TSR, are documented in field notes on the following pages.

FIELD MONITORING DATA SHEET

Technician: Chris

Job #/Task #: 41060001/FA20

Date: 3-24-07

Site # 5043

Project Manager Kieith Woodburne

Page _____ of ____

GROUNDWATER SAMPLING FIELD NOTES

Technician: Chris

Site: 5043

Project No.: 41060001

Date: 3-30-07

Well No. MW-8

Purge Method: DIA

Depth to Water (feet): 2.74

Depth to Product (feet): _____

Total Depth (feet) 14.78

LPH & Water Recovered (gallons):

Water Column (feet): 12.04

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 5.14

1 Well Volume (gallons) 2

Well No. MW - 7

Purge Method: DIA

Depth to Water (feet): 4.31

Depth to Product (feet): _____

Total Depth (feet) 13.10

LPH & Water Recovered (gallons)

Water Column (feet): 8.79

Casing Diameter (Inches) 2"

GROUNDWATER SAMPLING FIELD NOTES

Technician: Chris

Site: 5043

Project No.: 4106001

Date: 3-30-07

Well No. MW-10

Purge Method: DIA

Depth to Water (feet): 3.93

Depth to Product (feet): _____

Total Depth (feet) 72-74

LPH & Water Recovered (gallons):

Water Column (feet): 8.8)

Casing Diameter (Inches): 2"

80% Recharge Depth(feet) 5.69

1 Well Volume (gallons): 1

Well No. MW - 9

Purge Method: HB

Depth to Water (feet): 2.0

Depth to Product (feet):

Total Depth (feet) 12.64

LPH & Water Recovered (gallons) →

Water Column (feet) 10.63

Casing Diameter (Inches): 2"

GROUNDWATER SAMPLING FIELD NOTES

Technician: Chris

Site: 5043

Project No.: 41060001

Date: 3-30-07

Well No. MW-3

Purge Method: H3

Depth to Water (feet): 2.47

Depth to Product (feet): _____

Total Depth (feet) 14.01

LPH & Water Recovered (gallons):

Water Column (feet): 11.54

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 4.77

1 Well Volume (gallons): 2

Well No. MN-6

Purge Method: HB

Depth to Water (feet): 3.26

Depth to Product (feet):

Total Depth (feet) 12.75

LPH & Water Recovered (gallons)

Water Column (feet): 9.49

Casing Diameter (Inches): 2



LABORATORIES, INC.

Date of Report: 04/13/2007

Anju Farfan


TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

RE: 5043

BC Work Order: 0703773

Enclosed are the results of analyses for samples received by the laboratory on 03/30/2007 17:30. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Contact Person: Vanessa Hooker
Client Service Rep

A handwritten signature in black ink, appearing to read "Anju Farfan", is written over a solid horizontal line.

Authorized Signature



LABORATORIES, INC.

TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/13/2007 13:34

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information			
0703773-01	COC Number: --- Project Number: 5043 Sampling Location: MW-8 Sampling Point: MW-8 Sampled By: Chris of TRCI	Receive Date: 03/30/2007 17:30 Sampling Date: 03/30/2007 08:20 Sample Depth: --- Sample Matrix: Water	Delivery Work Order: Global ID: T0600101476 Matrix: W Samle QC Type (SACode): CS Cooler ID:	
0703773-02	COC Number: --- Project Number: 5043 Sampling Location: MW-7 Sampling Point: MW-7 Sampled By: Chris of TRCI	Receive Date: 03/30/2007 17:30 Sampling Date: 03/30/2007 08:34 Sample Depth: --- Sample Matrix: Water	Delivery Work Order: Global ID: T0600101476 Matrix: W Samle QC Type (SACode): CS Cooler ID:	
0703773-03	COC Number: --- Project Number: 5043 Sampling Location: MW-10 Sampling Point: MW-10 Sampled By: Chris of TRCI	Receive Date: 03/30/2007 17:30 Sampling Date: 03/30/2007 08:58 Sample Depth: --- Sample Matrix: Water	Delivery Work Order: Global ID: T0600101476 Matrix: W Samle QC Type (SACode): CS Cooler ID:	
0703773-04	COC Number: --- Project Number: 5043 Sampling Location: MW-9 Sampling Point: MW-9 Sampled By: Chris of TRCI	Receive Date: 03/30/2007 17:30 Sampling Date: 03/30/2007 07:15 Sample Depth: --- Sample Matrix: Water	Delivery Work Order: Global ID: T0600101476 Matrix: W Samle QC Type (SACode): CS Cooler ID:	
0703773-05	COC Number: --- Project Number: 5043 Sampling Location: MW-3 Sampling Point: MW-3 Sampled By: Chris of TRCI	Receive Date: 03/30/2007 17:30 Sampling Date: 03/30/2007 07:24 Sample Depth: --- Sample Matrix: Water	Delivery Work Order: Global ID: T0600101476 Matrix: W Samle QC Type (SACode): CS Cooler ID:	



LABORATORIES, INC.

TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/13/2007 13:34

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information
0703773-06	<p>COC Number: --- Project Number: 5043 Sampling Location: MW-6 Sampling Point: MW-6 Sampled By: Chris of TRCI</p> <p>Receive Date: 03/30/2007 17:30 Delivery Work Order: Sampling Date: 03/30/2007 09:51 Global ID: T0600101476 Sample Depth: --- Matrix: W Sample Matrix: Water Samle QC Type (SACode): CS Cooler ID:</p>



LABORATORIES, INC.

TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/13/2007 13:34

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0703773-01	Client Sample Name: 5043, MW-8, MW-8, 3/30/2007 8:20:00AM, Chris										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC Dilution	Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	04/05/07	04/06/07 05:37	SDU	MS-V10	1	BQD0308	ND
Ethylbenzene	ND	ug/L	0.50		EPA-8260	04/05/07	04/06/07 05:37	SDU	MS-V10	1	BQD0308	ND
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	04/05/07	04/06/07 05:37	SDU	MS-V10	1	BQD0308	ND
Toluene	ND	ug/L	0.50		EPA-8260	04/05/07	04/06/07 05:37	SDU	MS-V10	1	BQD0308	ND
Total Xylenes	ND	ug/L	0.50		EPA-8260	04/05/07	04/06/07 05:37	SDU	MS-V10	1	BQD0308	ND
Ethanol	ND	ug/L	250		EPA-8260	04/05/07	04/06/07 05:37	SDU	MS-V10	1	BQD0308	ND
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	04/05/07	04/06/07 05:37	SDU	MS-V10	1	BQD0308	ND
1,2-Dichloroethane-d4 (Surrogate)	101	%	76 - 114 (LCL - UCL)		EPA-8260	04/05/07	04/06/07 05:37	SDU	MS-V10	1	BQD0308	
Toluene-d8 (Surrogate)	99.9	%	88 - 110 (LCL - UCL)		EPA-8260	04/05/07	04/06/07 05:37	SDU	MS-V10	1	BQD0308	
4-Bromofluorobenzene (Surrogate)	102	%	86 - 115 (LCL - UCL)		EPA-8260	04/05/07	04/06/07 05:37	SDU	MS-V10	1	BQD0308	



TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/13/2007 13:34

Total Petroleum Hydrocarbons

BCL Sample ID:		Client Sample Name: 5043, MW-8, MW-8, 3/30/2007 8:20:00AM, Chris											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC	MB	Lab Bias	Quals	
Diesel Range Organics (C12 - C24)	120	ug/L	50		Luft/TPHd	04/02/07	04/11/07 02:52	VTR	GC-2	1.010	BQD0147	ND	
Tetracosane (Surrogate)	72.7	%	42 - 125 (LCL - UCL)		Luft/TPHd	04/02/07	04/11/07 02:52	VTR	GC-2	1.010	BQD0147		



TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/13/2007 13:34

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0703773-02	Client Sample Name: 5043, MW-7, MW-7, 3/30/2007 8:34:00AM, Chris										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC	MB	Lab Quals	
Benzene	ND	ug/L	0.50		EPA-8260	04/05/07	04/06/07 01:10	SDU	MS-V10	1	BQD0308	ND
Ethylbenzene	ND	ug/L	0.50		EPA-8260	04/05/07	04/06/07 01:10	SDU	MS-V10	1	BQD0308	ND
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	04/05/07	04/06/07 01:10	SDU	MS-V10	1	BQD0308	ND
Toluene	ND	ug/L	0.50		EPA-8260	04/05/07	04/06/07 01:10	SDU	MS-V10	1	BQD0308	ND
Total Xylenes	ND	ug/L	0.50		EPA-8260	04/05/07	04/06/07 01:10	SDU	MS-V10	1	BQD0308	ND
Ethanol	ND	ug/L	250		EPA-8260	04/05/07	04/06/07 01:10	SDU	MS-V10	1	BQD0308	ND
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	04/05/07	04/06/07 01:10	SDU	MS-V10	1	BQD0308	ND
1,2-Dichloroethane-d4 (Surrogate)	100	%	76 - 114 (LCL - UCL)		EPA-8260	04/05/07	04/06/07 01:10	SDU	MS-V10	1	BQD0308	
Toluene-d8 (Surrogate)	96.9	%	88 - 110 (LCL - UCL)		EPA-8260	04/05/07	04/06/07 01:10	SDU	MS-V10	1	BQD0308	
4-Bromofluorobenzene (Surrogate)	103	%	86 - 115 (LCL - UCL)		EPA-8260	04/05/07	04/06/07 01:10	SDU	MS-V10	1	BQD0308	



LABORATORIES, INC.

TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/13/2007 13:34

Total Petroleum Hydrocarbons

BCL Sample ID:	0703773-02	Client Sample Name: 5043, MW-7, MW-7, 3/30/2007 8:34:00AM, Chris										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC	MB	Lab Quals	
Diesel Range Organics (C12 - C24)	94	ug/L	50		Luft/TPHd	04/02/07	04/11/07 03:15	VTR	GC-2	1.053	BQD0147	ND
Tetracosane (Surrogate)	76.4	%	42 - 125 (LCL - UCL)		Luft/TPHd	04/02/07	04/11/07 03:15	VTR	GC-2	1.053	BQD0147	



LABORATORIES, INC.

TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/13/2007 13:34

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0703773-03	Client Sample Name: 5043, MW-10, MW-10, 3/30/2007 8:58:00AM, Chris										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC Dilution	Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	04/05/07	04/06/07 01:28	SDU	MS-V10	1	BQD0308	ND
Ethylbenzene	ND	ug/L	0.50		EPA-8260	04/05/07	04/06/07 01:28	SDU	MS-V10	1	BQD0308	ND
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	04/05/07	04/06/07 01:28	SDU	MS-V10	1	BQD0308	ND
Toluene	ND	ug/L	0.50		EPA-8260	04/05/07	04/06/07 01:28	SDU	MS-V10	1	BQD0308	ND
Total Xylenes	ND	ug/L	0.50		EPA-8260	04/05/07	04/06/07 01:28	SDU	MS-V10	1	BQD0308	ND
Ethanol	ND	ug/L	250		EPA-8260	04/05/07	04/06/07 01:28	SDU	MS-V10	1	BQD0308	ND
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	04/05/07	04/06/07 01:28	SDU	MS-V10	1	BQD0308	ND
1,2-Dichloroethane-d4 (Surrogate)	98.8	%	76 - 114 (LCL - UCL)	EPA-8260	04/05/07	04/06/07 01:28	SDU	MS-V10	1	BQD0308		
Toluene-d8 (Surrogate)	96.9	%	88 - 110 (LCL - UCL)	EPA-8260	04/05/07	04/06/07 01:28	SDU	MS-V10	1	BQD0308		
4-Bromofluorobenzene (Surrogate)	99.9	%	86 - 115 (LCL - UCL)	EPA-8260	04/05/07	04/06/07 01:28	SDU	MS-V10	1	BQD0308		



LABORATORIES, INC.

TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/13/2007 13:34

Total Petroleum Hydrocarbons

BCL Sample ID:		Client Sample Name: 5043, MW-10, MW-10, 3/30/2007 8:58:00AM, Chris											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC Dilution	Batch ID	MB Bias	Lab Quals	
Diesel Range Organics (C12 - C24)	82	ug/L	50		Luft/TPHd	04/02/07	04/11/07 03:38	VTR	GC-2	1	BQD0147	ND	
Tetracosane (Surrogate)	89.0	%	42 - 125 (LCL - UCL)		Luft/TPHd	04/02/07	04/11/07 03:38	VTR	GC-2	1	BQD0147		



TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/13/2007 13:34

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0703773-04	Client Sample Name: 5043, MW-9, MW-9, 3/30/2007 7:15:00AM, Chris										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC Dilution	Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	04/05/07	04/06/07 01:46	SDU	MS-V10	1	BQD0308	ND
Ethylbenzene	ND	ug/L	0.50		EPA-8260	04/05/07	04/06/07 01:46	SDU	MS-V10	1	BQD0308	ND
Methyl t-butyl ether	3.4	ug/L	0.50		EPA-8260	04/05/07	04/06/07 01:46	SDU	MS-V10	1	BQD0308	ND
Toluene	ND	ug/L	0.50		EPA-8260	04/05/07	04/06/07 01:46	SDU	MS-V10	1	BQD0308	ND
Total Xylenes	ND	ug/L	0.50		EPA-8260	04/05/07	04/06/07 01:46	SDU	MS-V10	1	BQD0308	ND
Ethanol	ND	ug/L	250		EPA-8260	04/05/07	04/06/07 01:46	SDU	MS-V10	1	BQD0308	ND
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	04/05/07	04/06/07 01:46	SDU	MS-V10	1	BQD0308	ND
1,2-Dichloroethane-d4 (Surrogate)	105	%	76 - 114 (LCL - UCL)		EPA-8260	04/05/07	04/06/07 01:46	SDU	MS-V10	1	BQD0308	
Toluene-d8 (Surrogate)	96.5	%	88 - 110 (LCL - UCL)		EPA-8260	04/05/07	04/06/07 01:46	SDU	MS-V10	1	BQD0308	
4-Bromofluorobenzene (Surrogate)	101	%	86 - 115 (LCL - UCL)		EPA-8260	04/05/07	04/06/07 01:46	SDU	MS-V10	1	BQD0308	



LABORATORIES, INC.

TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/13/2007 13:34

Total Petroleum Hydrocarbons

BCL Sample ID:	Client Sample Name: 5043, MW-9, MW-9, 3/30/2007 7:15:00AM, Chris											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC Dilution	Batch ID	MB Bias	Lab Quals
Diesel Range Organics (C12 - C24)	72	ug/L	50		Luft/TPHd	04/02/07	04/11/07 04:01	VTR	GC-2	1.053	BQD0147	ND
Tetracosane (Surrogate)	74.8	%	42 - 125 (LCL - UCL)		Luft/TPHd	04/02/07	04/11/07 04:01	VTR	GC-2	1.053	BQD0147	

TRC Alton Geoscience
 21 Technology Drive
 Irvine, CA 92618-2302

Project: 5043
 Project Number: [none]
 Project Manager: Anju Farfan

Reported: 04/13/2007 13:34

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0703773-05	Client Sample Name: 5043, MW-3, MW-3, 3/30/2007 7:24:00AM, Chris										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC Dilution	Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	04/05/07	04/06/07 05:54	SDU	MS-V10	1	BQD0308	ND
Ethylbenzene	ND	ug/L	0.50		EPA-8260	04/05/07	04/06/07 05:54	SDU	MS-V10	1	BQD0308	ND
Methyl t-butyl ether	120	ug/L	1.0		EPA-8260	04/05/07	04/06/07 17:55	SDU	MS-V10	2	BQD0308	ND
Toluene	ND	ug/L	0.50		EPA-8260	04/05/07	04/06/07 05:54	SDU	MS-V10	1	BQD0308	ND
Total Xylenes	ND	ug/L	0.50		EPA-8260	04/05/07	04/06/07 05:54	SDU	MS-V10	1	BQD0308	ND
Ethanol	ND	ug/L	250		EPA-8260	04/05/07	04/06/07 05:54	SDU	MS-V10	1	BQD0308	ND
Total Purgeable Petroleum Hydrocarbons	390	ug/L	50		EPA-8260	04/05/07	04/06/07 05:54	SDU	MS-V10	1	BQD0308	ND
1,2-Dichloroethane-d4 (Surrogate)	98.1	%	76 - 114 (LCL - UCL)		EPA-8260	04/05/07	04/06/07 17:55	SDU	MS-V10	2	BQD0308	
1,2-Dichloroethane-d4 (Surrogate)	97.8	%	76 - 114 (LCL - UCL)		EPA-8260	04/05/07	04/06/07 05:54	SDU	MS-V10	1	BQD0308	
Toluene-d8 (Surrogate)	96.9	%	88 - 110 (LCL - UCL)		EPA-8260	04/05/07	04/06/07 05:54	SDU	MS-V10	1	BQD0308	
Toluene-d8 (Surrogate)	95.4	%	88 - 110 (LCL - UCL)		EPA-8260	04/05/07	04/06/07 17:55	SDU	MS-V10	2	BQD0308	
4-Bromofluorobenzene (Surrogate)	99.9	%	86 - 115 (LCL - UCL)		EPA-8260	04/05/07	04/06/07 17:55	SDU	MS-V10	2	BQD0308	
4-Bromofluorobenzene (Surrogate)	98.2	%	86 - 115 (LCL - UCL)		EPA-8260	04/05/07	04/06/07 05:54	SDU	MS-V10	1	BQD0308	



LABORATORIES, INC.

TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/13/2007 13:34

Total Petroleum Hydrocarbons

BCL Sample ID:		Client Sample Name: 5043, MW-3, MW-3, 3/30/2007 7:24:00AM, Chris											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC	MB	Lab Bias	Quals	
Diesel Range Organics (C12 - C24)	210	ug/L	50		Luft/TPHd	04/02/07	04/11/07 04:23	VTR	GC-2	1.031	BQD0147	ND	
Tetracosane (Surrogate)	56.3	%	42 - 125 (LCL - UCL)		Luft/TPHd	04/02/07	04/11/07 04:23	VTR	GC-2	1.031	BQD0147		



LABORATORIES, INC.

TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/13/2007 13:34

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0703773-06	Client Sample Name: 5043, MW-6, MW-6, 3/30/2007 9:51:00AM, Chris										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC Dilution	Batch ID	MB Bias	Lab Quals
Benzene	1100	ug/L	10		EPA-8260	04/05/07	04/05/07 19:15	SDU	MS-V10	20	BQD0308	ND A01
Ethylbenzene	3400	ug/L	50		EPA-8260	04/05/07	04/06/07 20:53	SDU	MS-V10	100	BQD0308	ND A01
Methyl t-butyl ether	ND	ug/L	10		EPA-8260	04/05/07	04/05/07 19:15	SDU	MS-V10	20	BQD0308	ND A01
Toluene	560	ug/L	10		EPA-8260	04/05/07	04/05/07 19:15	SDU	MS-V10	20	BQD0308	ND A01
Total Xylenes	12000	ug/L	50		EPA-8260	04/05/07	04/06/07 20:53	SDU	MS-V10	100	BQD0308	ND A01
Ethanol	ND	ug/L	5000		EPA-8260	04/05/07	04/05/07 19:15	SDU	MS-V10	20	BQD0308	ND A01
Total Purgeable Petroleum Hydrocarbons	210000	ug/L	5000		EPA-8260	04/05/07	04/06/07 20:53	SDU	MS-V10	100	BQD0308	ND A01
1,2-Dichloroethane-d4 (Surrogate)	100	%	76 - 114 (LCL - UCL)	EPA-8260	04/05/07	04/06/07 20:53	SDU	MS-V10	100	BQD0308		
1,2-Dichloroethane-d4 (Surrogate)	101	%	76 - 114 (LCL - UCL)	EPA-8260	04/05/07	04/05/07 19:15	SDU	MS-V10	20	BQD0308		
Toluene-d8 (Surrogate)	95.8	%	88 - 110 (LCL - UCL)	EPA-8260	04/05/07	04/05/07 19:15	SDU	MS-V10	20	BQD0308		
Toluene-d8 (Surrogate)	98.9	%	88 - 110 (LCL - UCL)	EPA-8260	04/05/07	04/06/07 20:53	SDU	MS-V10	100	BQD0308		
4-Bromofluorobenzene (Surrogate)	100	%	86 - 115 (LCL - UCL)	EPA-8260	04/05/07	04/06/07 20:53	SDU	MS-V10	100	BQD0308		
4-Bromofluorobenzene (Surrogate)	94.8	%	86 - 115 (LCL - UCL)	EPA-8260	04/05/07	04/05/07 19:15	SDU	MS-V10	20	BQD0308		



LABORATORIES, INC.

TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/13/2007 13:34

Total Petroleum Hydrocarbons

BCL Sample ID:		Client Sample Name: 5043, MW-6, MW-6, 3/30/2007 9:51:00AM, Chris											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC Dilution	Batch ID	MB Bias	Lab Quals	
Diesel Range Organics (C12 - C24)	62000	ug/L	10000		Luft/TPHd	04/02/07	04/11/07 04:46	VTR	GC-2	206.19	BQD0147	ND	A01
Tetracosane (Surrogate)	0	%	42 - 125 (LCL - UCL)		Luft/TPHd	04/02/07	04/11/07 04:46	VTR	GC-2	206.19	BQD0147		A01,A17

TRC Alton Geoscience
 21 Technology Drive
 Irvine, CA 92618-2302

Project: 5043
 Project Number: [none]
 Project Manager: Anju Farfan

Reported: 04/13/2007 13:34

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample Type	Source Sample ID	Source Result	Result	Spike Added	Units	Control Limits		
								Percent Recovery	RPD	Percent Recovery Lab Quals
Benzene	BQD0308	Matrix Spike	0703743-01	0	23.850	25.000	ug/L	95.4	70 - 130	
		Matrix Spike Duplicate	0703743-01	0	23.020	25.000	ug/L	3.5	92.1	20
Toluene	BQD0308	Matrix Spike	0703743-01	0	25.660	25.000	ug/L	103	70 - 130	
		Matrix Spike Duplicate	0703743-01	0	24.930	25.000	ug/L	3.3	99.7	20
1,2-Dichloroethane-d4 (Surrogate)	BQD0308	Matrix Spike	0703743-01	ND	9.5100	10.000	ug/L	95.1	76 - 114	
		Matrix Spike Duplicate	0703743-01	ND	9.9000	10.000	ug/L	99.0	76 - 114	
Toluene-d8 (Surrogate)	BQD0308	Matrix Spike	0703743-01	ND	10.020	10.000	ug/L	100	88 - 110	
		Matrix Spike Duplicate	0703743-01	ND	9.8000	10.000	ug/L	98.0	88 - 110	
4-Bromofluorobenzene (Surrogate)	BQD0308	Matrix Spike	0703743-01	ND	9.9600	10.000	ug/L	99.6	86 - 115	
		Matrix Spike Duplicate	0703743-01	ND	10.020	10.000	ug/L	100	86 - 115	



LABORATORIES, INC.

TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/13/2007 13:34

Total Petroleum Hydrocarbons

Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Control Limits		
									Percent Recovery	RPD	Percent Recovery Lab Quals
Diesel Range Organics (C12 - C24)	BQD0147	Matrix Spike	0610676-70	28.162	463.87	1000.0	ug/L	43.6	41 - 139	41 - 139	41 - 139
		Matrix Spike Duplicate	0610676-70	28.162	485.44	1000.0	ug/L	4.7	45.7	30	
Tetracosane (Surrogate)	BQD0147	Matrix Spike	0610676-70	ND	11.226	20.000	ug/L	56.1	42 - 125	42 - 125	42 - 125
		Matrix Spike Duplicate	0610676-70	ND	13.686	20.000	ug/L	68.4	68.4		



TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/13/2007 13:34

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Laboratory Control Sample

Constituent	Batch ID	QC Sample ID	QC Type	Result	Spike Level	PQL	Units	Percent Recovery	Control Limits		
									Percent Recovery	RPD	Lab Quals
Benzene	BQD0308	BQD0308-BS1	LCS	22.830	25.000	0.50	ug/L	91.3	70 - 130		
Toluene	BQD0308	BQD0308-BS1	LCS	24.560	25.000	0.50	ug/L	98.2	70 - 130		
1,2-Dichloroethane-d4 (Surrogate)	BQD0308	BQD0308-BS1	LCS	9.8300	10.000		ug/L	98.3	76 - 114		
Toluene-d8 (Surrogate)	BQD0308	BQD0308-BS1	LCS	9.7900	10.000		ug/L	97.9	88 - 110		
4-Bromofluorobenzene (Surrogate)	BQD0308	BQD0308-BS1	LCS	10.420	10.000		ug/L	104	86 - 115		



LABORATORIES, INC.

TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/13/2007 13:34

Total Petroleum Hydrocarbons

Quality Control Report - Laboratory Control Sample

Constituent	Batch ID	QC Sample ID	QC Type	Result	Spike Level	PQL	Units	Control Limits				
								Percent Recovery	RPD	Percent Recovery	RPD	Lab Quals
Diesel Range Organics (C12 - C24)	BQD0147	BQD0147-BS1	LCS	761.65	1000.0	50	ug/L	76.2		62 - 101		
Tetracosane (Surrogate)	BQD0147	BQD0147-BS1	LCS	12.617	20.000		ug/L	63.1		42 - 125		



LABORATORIES, INC.

TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/13/2007 13:34

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Benzene	BQD0308	BQD0308-BLK1	ND	ug/L	0.50		
Ethylbenzene	BQD0308	BQD0308-BLK1	ND	ug/L	0.50		
Methyl t-butyl ether	BQD0308	BQD0308-BLK1	ND	ug/L	0.50		
Toluene	BQD0308	BQD0308-BLK1	ND	ug/L	0.50		
Total Xylenes	BQD0308	BQD0308-BLK1	ND	ug/L	0.50		
Ethanol	BQD0308	BQD0308-BLK1	ND	ug/L	250		
Total Purgeable Petroleum Hydrocarbons	BQD0308	BQD0308-BLK1	ND	ug/L	50		
1,2-Dichloroethane-d4 (Surrogate)	BQD0308	BQD0308-BLK1	102	%	76 - 114 (LCL - UCL)		
Toluene-d8 (Surrogate)	BQD0308	BQD0308-BLK1	96.6	%	88 - 110 (LCL - UCL)		
4-Bromofluorobenzene (Surrogate)	BQD0308	BQD0308-BLK1	105	%	86 - 115 (LCL - UCL)		



LABORATORIES, INC.

TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/13/2007 13:34

Total Petroleum Hydrocarbons

Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Diesel Range Organics (C12 - C24)	BQD0147	BQD0147-BLK1	ND	ug/L	50		M02
Tetracosane (Surrogate)	BQD0147	BQD0147-BLK1	57.9	%	42 - 125 (LCL - UCL)		



LABORATORIES, INC.

TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/13/2007 13:34

Notes And Definitions

MDL	Method Detection Limit
ND	Analyte Not Detected at or above the reporting limit
PQL	Practical Quantitation Limit
RPD	Relative Percent Difference
A01	PQL's and MDL's are raised due to sample dilution.
A17	Surrogate not reportable due to sample dilution.
M02	Analyte detected in the Method Blank at a level between the PQL and 1/2 the PQL.

Submission #: 07-03773

Project Code:

TB Batch #

SHIPPING INFORMATION

Federal Express UPS Hand Delivery
 BC Lab Field Service Other (Specify) _____

SHIPPING CONTAINER

Ice Chest None
 Box Other (Specify) _____

Refrigerant: Ice Blue Ice None Other Comments: _____

Custody Seals: Ice Chest Containers None Comments:
 Intact? Yes No

All samples received? Yes No All samples containers intact? Yes No Description(s) match COC? Yes No

COC Received
 YES NO

Ice Chest ID R1W
 Temperature: 4.9 °C
 Thermometer ID: H4P

Emissivity 0.98
 Container OTL

Date/Time 3/30/07
 Analyst Init OTL

SAMPLE CONTAINERS	SAMPLE NUMBERS									
	1	2	3	4	5	6	7	8	9	10
QT GENERAL MINERAL/ GENERAL PHYSICAL										
PT PE UNPRESERVED										
QT INORGANIC CHEMICAL METALS										
PT INORGANIC CHEMICAL METALS										
PT CYANIDE										
PT NITROGEN FORMS										
PT TOTAL SULFIDE										
2oz. NITRATE / NITRITE										
100ml TOTAL ORGANIC CARBON										
QT TOX										
PT CHEMICAL OXYGEN DEMAND										
PTA PHENOLICS										
40ml VOA VIAL TRAVEL BLANK										
40ml VOA VIAL	A3	A3	A5	A3	A3	A3	A5	()	()	()
QT EPA 413.1, 413.2, 418.1										
PT ODOR										
RADIOLOGICAL										
BACTERIOLOGICAL										
40 ml VOA VIAL- 504										
QT EPA 508/608/8080										
QT EPA 515.1/8150										
QT EPA 525										
QT EPA 525 TRAVEL BLANK										
100ml EPA 547										
100ml EPA 531.1										
QT EPA 548										
QT EPA 549										
QT EPA 632										
QT EPA 8015M										
QT QA/QC										
QT AMBER	B,C	B,C	B,C	B,C	B,C	B,C	B,C			
8 OZ. JAR										
32 OZ. JAR										
SOIL SLEEVE										
PCB VIAL										
PLASTIC BAG										
FERROUS IRON										
ENCORE										

Comments: _____

Sample Numbering Completed By: OTLDate/Time: 3/30/07 2000

BC LABORATORIES, INC.

4100 Atlas Court □ Bakersfield, CA 93308
(661) 327-4911 □ FAX (661) 327-1918

CHIEF BY <i>[Signature]</i>	DISTRIBUTION <i>[Signature]</i>
SUB-OUT <input type="checkbox"/>	CHAIN OF CUSTODY <input type="checkbox"/>

CHAIN OF CUSTODY

Analysis Requested

Bill to: Conoco Phillips/ TRC		Consultant Firm: TRC		MATRIX (GW) Ground- water (S) Soil (WW) Waste- water (SL) Sludge	BTEX/MTBE by 8021B, Gas by 8015	TPH GAS by 8015M	TPH DIESEL by 8015	8260 full list w/ oxygenates	BTEX/MTBE/OXYS BY 8260B	ETHANOL by 8260B	TPH -G by GC/MS	BTEX/MTBE/MTBE by 8260B	Turnaround Time Requested	
Address: 449 Hegenberger RD		21 Techology Drive Irvine, CA 92618-2302 Attn: Anju Farfan												
City: Oakland		4-digit site#: 5043												
State: CA Zip:		Workorder # 01347-4506956704												
Conoco Phillips Mgr: <i>Shelby Lathrop</i>		Sampler Name: chri's												
Lab#	Sample Description	Field Point Name			Date & Time Sampled									
-1	MW-8	03-30-07 0820			anw	X				X	X	X	STD	
-2	MW-7	0834				X				X	X	X		
-3	MW-10	0858				X				X	X	X		
-4	MW-9	0715				X				X	X	X		
-5	MW-3	0724				X				X	X	X		
-6	MW-6	0951			↓	X				X	X	X	✓	

Comments:	Relinquished by: (Signature) <i>Chri M</i>	Received by: <i>Refrigerator</i>	Date & Time 03-30-07 1038
GLOBAL ID: T0600101476	Relinquished by: (Signature) <i>Chri M</i>	Received by: <i>Ross Wickey</i>	Date & Time 3/30/07 1240
	Relinquished by: (Signature) <i>Ross Wickey 3/30/07</i>	Received by: <i>R. Reynd</i>	Date & Time 3-30-07 1406

(A) = ANALYSIS

(C) = CONTAINER

(P) = PRESERVATIVE

R (Reynd) 3-30-07 1730 Terri Obafemi 3/30/07 1730

STATEMENTS

Purge Water Disposal

Non-hazardous groundwater produced during purging and sampling of monitoring was accumulated at TRC's groundwater monitoring facility at Concord, California, for transportation by a licensed carrier, to the ConocoPhillips Refinery at Rodeo, California. Disposal at the Rodeo facility was authorized by ConocoPhillips in accordance with "ESD Standard Operating Procedures – Water Quality and Compliance", as revised on February 7, 2003. Documentation of compliance with ConocoPhillips requirements is provided by an ESD Form R-149, which is on file at TRC's Concord Office. Purge water suspected of containing potentially hazardous material, such as liquid-phase hydrocarbons, was accumulated separately in a drum for transportation and disposal by others.

Limitations

The fluid level monitoring and groundwater sampling activities summarized in this report have been performed under the responsible charge of a California Registered Geologist or Registered Civil Engineer and have been conducted in accordance with current practice and the standard of care exercised by geologists and engineers performing similar tasks in this area. No warranty, express or implied, is made regarding the conclusions and professional opinions presented in this report. The conclusions are based solely upon an analysis of the observed conditions. If actual conditions differ from those described in this report, our office should be notified.