

21 Technology Drive
Irvine, CA 92618

949.727.9336 PHONE
949.727.7399 FAX

www.TRCsolutions.com

RECEIVED

11:05 am, Apr 30, 2009

Alameda County
Environmental Health

DATE: October 17, 2008

TO: ConocoPhillips Company
76 Broadway
Sacramento, CA 95818

ATTN: MR. TERRY GRAYSON

SITE: 76 STATION 5043
449 HEGENBERGER ROAD
OAKLAND, CALIFORNIA

RE: QUARTERLY MONITORING REPORT
JULY THROUGH SEPTEMBER 2008

Dear Mr. Grayson:

Please find enclosed our Quarterly Monitoring Report for 76 Station 5043, located at 449 Hegenberger Road, Oakland, California. If you have any questions regarding this report, please call us at (949) 727-9336.

Sincerely,

TRC

Anju Farfan
Groundwater Program Operations Manager

CC: Ms. Caitlin Morgan, Delta Consultants (3 copies)

Enclosures
20-0400/5043R20.QMS



**QUARTERLY MONITORING REPORT
JULY THROUGH SEPTEMBER 2008**

76 STATION 5043
449 Hegenberger Road
Oakland, California

Prepared For:

Mr. Terry Grayson
CONOCOPHILLIPS COMPANY
76 Broadway
Sacramento, California 95818

By:



DENNISE JENSEN
No PG3531
PROFESSIONAL GEOLOGIST
STATE OF CALIFORNIA

Senior Project Geologist, Irvine Operations

Date: 10/16/08

LIST OF ATTACHMENTS	
Summary Sheet	Summary of Gauging and Sampling Activities
Tables	Table Key Contents of Tables Table 1: Current Fluid Levels and Selected Analytical Results Table 1a: Additional Current Analytical Results Table 2: Historic Fluid Levels and Selected Analytical Results Table 2a: Additional Historic Analytical Results
Figures	Figure 1: Vicinity Map Figure 2: Groundwater Elevation Contour Map Figure 3: Dissolved-Phase TPH-G (GC/MS) Contour Map Figure 4: Dissolved-Phase Benzene Contour Map Figure 5: Dissolved-Phase MTBE Contour Map
Graphs	Groundwater Elevations vs. Time Benzene Concentrations vs. Time
Field Activities	General Field Procedures Field Monitoring Data Sheet – 09/19/08 Groundwater Sampling Field Notes – 09/19/08
Laboratory Reports	Official Laboratory Reports Quality Control Reports Chain of Custody Records
Statements	Purge Water Disposal Limitations

Summary of Gauging and Sampling Activities
July 2008 through September 2008
76 Station 5043
449 Hegenberger Road
Oakland, CA

Project Coordinator: **Terry Grayson**
Telephone: **916-558-7666**

Water Sampling Contractor: **TRC**
Compiled by: **Christina Carrillo**

Date(s) of Gauging/Sampling Event: **09/19/08**

Sample Points

Groundwater wells: **3** onsite, **3** offsite Points gauged: **6** Points sampled: **6**

Purging method: **Submersible pump**

Purge water disposal: **Veolia/Rodeo Unit 100**

Other Sample Points: **0** Type: --

Liquid Phase Hydrocarbons (LPH)

Sample Points with LPH: **0** Maximum thickness (feet): --

LPH removal frequency: -- Method: --

Treatment or disposal of water/LPH: --

Hydrogeologic Parameters

Depth to groundwater (below TOC): Minimum: **2.43 feet** Maximum: **4.86 feet**

Average groundwater elevation (relative to available local datum): **4.80 feet**

Average change in groundwater elevation since previous event: **-0.55 feet**

Interpreted groundwater gradient and flow direction:

Current event: **0.006 ft/ft, southwest**

Previous event: **0.008 ft/ft, south (06/23/08)**

Selected Laboratory Results

Sample Points with detected **Benzene**: **2** Sample Points above MCL (1.0 µg/l): **2**

Maximum reported benzene concentration: **2,000 µg/l (MW-6)**

Sample Points with **TPH-G by GC/MS** **3** Maximum: **65,000 µg/l (MW-6)**

Sample Points with **MTBE 8260B** **2** Maximum: **120 µg/l (MW-3)**

Notes:

TABLES

TABLE KEY

STANDARD ABBREVIATIONS

--	= not analyzed, measured, or collected
LPH	= liquid-phase hydrocarbons
Trace	= less than 0.01 foot of LPH in well
$\mu\text{g/l}$	= micrograms per liter (approx. equivalent to parts per billion, ppb)
mg/l	= milligrams per liter (approx. equivalent to parts per million, ppm)
ND <	= not detected at or above laboratory detection limit
TOC	= top of casing (surveyed reference elevation)

ANALYTICS

BTEX	= benzene, toluene, ethylbenzene, and (total) xylenes
DIPE	= di-isopropyl ether
ETBE	= ethyl tertiary butyl ether
MIBE	= methyl tertiary butyl ether
PCB	= polychlorinated biphenyls
PCE	= tetrachloroethene
TBA	= tertiary butyl alcohol
TCA	= trichloroethane
TCE	= trichloroethylene
IPH-G	= total petroleum hydrocarbons with gasoline distinction
IPH-G (GC/MS)	= total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B
IPH-D	= total petroleum hydrocarbons with diesel distinction
IRPH	= total recoverable petroleum hydrocarbons
IAME	= tertiary amyl methyl ether
1,1-DCA	= 1,1-dichloroethane
1,2-DCA	= 1,2-dichloroethane (same as EDC, ethylene dichloride)
1,1-DCE	= 1,1-dichloroethene
1,2-DCE	= 1,2-dichloroethene (cis- and trans-)

NOTES

1. Elevations are in feet above mean sea level. Depths are in feet below surveyed top-of-casing.
2. Groundwater elevations for wells with LPH are calculated as: Surface Elevation – Measured Depth to Water + (Dp x LPH Thickness), where Dp is the density of the LPH, if known. A value of 0.75 is used for gasoline and when the density is not known. A value of 0.83 is used for diesel.
3. Wells with LPH are generally not sampled for laboratory analysis (see General Field Procedures).
4. Comments shown on tables are general. Additional explanations may be included in field notes and laboratory reports, both of which are included as part of this report.
5. A "J" flag indicates that a reported analytical result is an estimated concentration value between the method detection limit (MDL) and the practical quantification limit (PQL) specified by the laboratory.
6. Other laboratory flags (qualifiers) may have been reported. See the official laboratory report (attached) for a complete list of laboratory flags.
7. Concentration graphs based on tables (presented following Figures) show non-detect results prior to the Second Quarter 2000 plotted at fixed values for graphical display. Non-detect results reported since that time are plotted at reporting limits stated in the official laboratory report.
8. Groundwater vs. Time graphs may be corrected for apparent level changes due to re-survey

REFERENCE

TRC began groundwater monitoring and sampling for 76 Station 5043 in October 2003. Historical data compiled prior to that time were provided by Gettler-Ryan Inc.

Contents of Tables 1 and 2

Site: 76 Station 5043

Current Event

Table 1	Well/ Date	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)
Table 1a	Well/ Date	TPH-D	Ethanol (8260B)										

Historic Data

Table 2	Well/ Date	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)
Table 2a	Well/ Date	TPH-D	TBA	Ethanol (8260B)	Ethylene- dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME		Total Oil and Grease		

Table 1
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 19, 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
		(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-3														
09/19/08	8.04	3.45	0.00	4.59	-0.85	--	180	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	120	
MW-6														
09/19/08	8.87	4.06	0.00	4.81	-0.52	--	65000	2000	230	2000	4500	--	ND<12	
MW-7														
09/19/08	8.83	4.86	0.00	3.97	-0.76	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-8														
09/19/08	8.52	3.72	0.00	4.80	-0.59	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-9														
09/19/08	8.29	2.43	0.00	5.86	-0.63	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3.9	
MW-10														
09/19/08	8.62	3.85	0.00	4.77	0.05	--	130	15	1.7	5.7	11	--	ND<0.50	

Table 1 a
ADDITIONAL CURRENT ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D ($\mu\text{g/l}$)	Ethanol (8260B) ($\mu\text{g/l}$)
MW-3		
09/19/08	93	ND<250
MW-6		
09/19/08	180000	ND<6200
MW-7		
09/19/08	ND<50	ND<250
MW-8		
09/19/08	79	ND<250
MW-9		
09/19/08	56	ND<250
MW-10		
09/19/08	ND<50	ND<250

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through September 2008
76 Station 5043

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethylbenzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
MW-1														
02/18/92	--	--	--	--	--	150000	--	17000	26000	5200	26000	--	--	
05/20/92	--	--	--	--	--	--	--	--	--	--	--	--	--	
08/31/92	--	--	--	--	--	64000	--	13000	12000	2500	22000	--	--	
11/30/92	--	--	--	--	--	--	--	--	--	--	--	--	--	
02/04/93	--	--	--	--	--	--	--	--	--	--	--	--	--	
05/04/93	8.96	2.13	0.10	6.90	--	--	--	--	--	--	--	--	--	Not sampled - presence of free product
08/04/93	8.96	2.92	0.03	6.06	-0.84	--	--	--	--	--	--	--	--	Not sampled - presence of free product
11/03/93	7.38	3.04	0.00	4.34	-1.72	--	--	--	--	--	--	--	--	Not sampled - presence of free product
02/07/94	7.38	2.55	0.03	4.85	0.51	--	--	--	--	--	--	--	--	Not sampled - presence of free product
05/19/94	7.38	2.23	0.01	5.16	0.31	--	--	--	--	--	--	--	--	Not sampled - presence of free product
06/25/94	7.38	2.49	0.01	4.90	-0.26	--	--	--	--	--	--	--	--	Not sampled - presence of free product
07/27/94	7.38	3.10	0.00	4.28	-0.62	--	--	--	--	--	--	--	--	
08/15/94	7.38	2.85	0.11	4.61	0.33	--	--	--	--	--	--	--	--	Not sampled - presence of free product
11/14/94	7.38	2.97	0.12	4.50	-0.11	--	--	--	--	--	--	--	--	Not sampled - presence of free product
02/21/95	7.38	1.53	0.02	5.87	1.37	--	--	--	--	--	--	--	--	Not sampled - presence of free product
05/18/95	--	--	--	--	--	--	--	--	--	--	--	--	--	Destroyed
MW-2														
(Screen Interval in feet: --)														

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through September 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-2 continued														
02/18/92	--	--	--	--	--	29000	--	1000	5300	260	7900	--	--	
05/20/92	--	--	--	--	--	24000	--	2200	7600	630	11000	--	--	
08/31/92	--	--	--	--	--	9000	--	1800	640	140	2000	--	--	
11/30/92	--	--	--	--	--	29000	--	2000	3400	1200	6900	--	--	
02/04/93	--	--	--	--	--	18000	--	1600	3000	ND	6900	--	--	
05/04/93	8.96	2.48	0.00	6.48	--	63000	--	3200	17000	470	17000	--	--	
08/04/93	8.96	3.20	0.00	5.76	-0.72	45000	--	2100	6600	1400	12000	--	--	
11/03/93	8.58	3.37	0.00	5.21	-0.55	72000	--	3700	16000	3700	20000	--	--	
02/07/94	8.58	2.40	0.00	6.18	0.97	--	--	--	--	--	--	--	--	Not sampled - presence of free product
05/19/94	8.58	2.13	0.00	6.45	0.27	42000	--	2500	1300	2300	13000	--	--	
06/25/94	8.58	2.65	0.00	5.93	-0.52	--	--	--	--	--	--	--	--	
07/27/94	8.58	3.44	0.00	5.14	-0.79	--	--	--	--	--	--	--	--	
08/15/94	8.58	3.25	0.00	5.33	0.19	35000	--	2400	850	1700	15000	--	--	
11/14/94	8.58	2.13	0.00	6.45	1.12	43000	--	2200	6500	1800	14000	--	--	
02/21/95	8.58	1.65	0.00	6.93	0.48	44000	--	2200	3200	1300	1500	--	--	
05/18/95	--	--	--	--	--	--	--	--	--	--	--	--	--	Destroyed
MW-3														
(Screen Interval in feet: 2.5-14.0)														
02/18/92	--	--	--	--	--	230	--	4.8	22	1.8	33	--	--	
05/20/92	--	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
08/31/92	--	--	--	--	--	210	--	1	ND	ND	ND	--	--	
11/30/92	--	--	--	--	--	790	--	ND	ND	ND	ND	--	--	
02/04/93	--	--	--	--	--	3300	--	320	ND	96	6.1	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through September 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-3 continued														
05/04/93	7.84	4.32	0.00	3.52	--	1800	--	95	ND	ND	ND	--	--	
08/04/93	7.84	4.94	0.00	2.90	-0.62	210	--	ND	ND	ND	ND	--	--	
11/03/93	7.42	4.53	0.00	2.89	-0.01	640	--	ND	ND	ND	ND	--	--	
02/07/94	7.42	2.40	0.00	5.02	2.13	2700	--	110	ND	17	ND	--	--	
05/19/94	7.42	3.60	0.00	3.82	-1.20	1800	--	83	ND	6.2	9.1	--	--	
06/25/94	7.42	4.58	0.00	2.84	-0.98	--	--	--	--	--	--	--	--	
07/27/94	7.42	4.58	0.00	2.84	0.00	--	--	--	--	--	--	--	--	
08/15/94	7.42	4.65	0.00	2.77	-0.07	130	--	1.1	0.54	ND	0.97	--	--	
11/14/94	7.42	3.18	0.00	4.24	1.47	1600	--	ND	ND	ND	ND	--	--	
02/21/95	7.42	1.81	0.00	5.61	1.37	3800	--	350	ND	130	22	--	--	
05/18/95	7.42	4.56	0.00	2.86	-2.75	1300	--	42	ND	ND	ND	--	--	
08/17/95	7.42	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
07/26/96	7.42	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
10/28/96	7.42	--	--	--	--	--	--	--	--	--	--	--	--	Obstructed at 0.55 feet
01/29/97	7.42	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
04/15/97	7.42	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
05/27/97	7.42	3.45	0.00	3.97	--	670	--	6.5	ND	ND	ND	250	--	
06/01/97	7.42	3.50	0.00	3.92	-0.05	--	--	--	--	--	--	--	--	
07/15/97	8.04	3.71	0.00	4.33	0.41	240	--	ND	ND	ND	ND	490	--	
10/09/97	8.04	3.70	0.00	4.34	0.01	270	--	1.1	ND	2.4	1.4	910	--	
01/14/98	8.04	2.16	0.00	5.88	1.54	310	--	ND	ND	0.62	0.65	140	--	
04/01/98	8.04	2.20	0.00	5.84	-0.04	370	--	5.7	ND	ND	ND	93	--	
07/15/98	8.04	3.38	0.00	4.66	-1.18	460	--	ND	ND	ND	ND	230	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through September 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
MW-3 continued														
10/16/98	8.04	2.30	0.00	5.74	1.08	330	--	4.7	ND	ND	ND	60	--	
01/25/99	8.04	2.42	0.00	5.62	-0.12	420	--	1.5	ND	ND	ND	180	--	
04/15/99	8.04	2.16	0.00	5.88	0.26	290	--	0.54	ND	ND	ND	160	--	
07/14/99	8.04	2.35	0.00	5.69	-0.19	290	--	3.2	ND	ND	ND	160	--	
10/21/99	8.04	2.49	0.00	5.55	-0.14	360	--	0.77	ND	ND	ND	82	--	
01/20/00	8.04	2.38	0.00	5.66	0.11	ND	--	0.81	ND	ND	ND	54	--	
04/13/00	8.04	2.76	0.00	5.28	-0.38	250	--	0.69	ND	ND	ND	91	150	
07/14/00	8.04	3.26	0.00	4.78	-0.50	345	--	ND	ND	ND	ND	94.7	--	
10/26/00	8.04	3.12	0.00	4.92	0.14	480	--	6.0	ND	ND	ND	120	--	
01/03/01	8.04	3.65	0.00	4.39	-0.53	364	--	1.59	ND	ND	ND	118	--	
04/04/01	8.04	3.98	0.00	4.06	-0.33	417	--	1.24	ND	ND	0.802	237	--	
07/17/01	8.04	3.12	0.00	4.92	0.86	480	--	ND	ND	ND	ND	150	--	
10/01/01	8.04	3.25	0.00	4.79	-0.13	310	--	1.0	ND<0.50	ND<0.50	ND<0.50	53	--	
01/31/02	8.04	2.27	0.00	5.77	0.98	250	--	3.5	ND<1.0	ND<1.0	ND<1.0	110	--	
04/18/02	8.04	3.55	0.00	4.49	-1.28	300	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	59	
07/28/02	8.04	2.55	0.00	5.49	1.00	--	500	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	130	
10/09/02	8.04	2.47	0.00	5.57	0.08	--	690	ND<5	ND<5	ND<5	ND<10	--	120	
01/02/03	8.04	1.70	0.00	6.34	0.77	--	310	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	110	
04/01/03	8.04	3.48	0.00	4.56	-1.78	--	250	ND<1.0	ND<1.0	ND<1.0	ND<2.0	--	210	
07/01/03	8.04	2.65	0.00	5.39	0.83	--	450	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	70	
10/02/03	8.04	3.12	0.00	4.92	-0.47	--	ND<250	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	210	
01/09/04	8.04	2.39	0.00	5.65	0.73	--	300	ND<0.50	0.53	0.53	1.5	--	66	
04/26/04	8.04	3.11	0.00	4.93	-0.72	--	440	2.5	5.5	2.9	9.4	--	81	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through September 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
MW-3 continued														
07/22/04	8.04	2.51	0.00	5.53	0.60	--	420	ND<0.5	ND<0.5	ND<0.5	ND<1	--	72	
10/29/04	8.04	2.00	0.00	6.04	0.51	--	460	5.6	15	10	46	--	48	
01/10/05	8.04	1.52	0.00	6.52	0.48	--	280	ND<0.50	0.62	ND<0.50	2.4	--	64	
06/15/05	8.04	2.00	0.00	6.04	-0.48	--	460	ND<0.50	0.70	0.56	1.9	--	110	
09/27/05	8.04	1.90	0.00	6.14	0.10	--	210	ND<0.50	0.60	ND<0.50	ND<1.0	--	100	
12/13/05	8.04	2.35	0.00	5.69	-0.45	--	230	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	92	
03/23/06	8.04	1.84	0.00	6.20	0.51	--	290	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	88	
06/23/06	8.04	2.26	0.00	5.78	-0.42	--	500	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	75	
09/26/06	8.04	2.08	0.00	5.96	0.18	--	270	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	73	
12/22/06	8.04	1.88	0.00	6.16	0.20	--	260	ND<0.50	ND<0.50	ND<0.50	1.2	--	71	
03/30/07	8.04	2.47	0.00	5.57	-0.59	--	390	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	120	
06/28/07	8.04	2.54	0.00	5.50	-0.07	--	370	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	55	
09/25/07	8.04	2.56	0.00	5.48	-0.02	--	350	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	61	
12/28/07	8.04	2.29	0.00	5.75	0.27	--	260	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	66	
03/22/08	8.04	3.26	0.00	4.78	-0.97	--	390	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	39	
06/23/08	8.04	2.60	0.00	5.44	0.66	--	200	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	46	
09/19/08	8.04	3.45	0.00	4.59	-0.85	--	180	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	120	
MW-4														
(Screen Interval in feet: --)														
08/31/92	--	--	--	--	--	240	--	ND	ND	ND	0.54	--	--	
11/30/92	--	--	--	--	--	420	--	ND	ND	ND	ND	--	--	
02/04/93	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
05/04/93	9.00	4.09	0.00	4.91	--	110	--	0.95	ND	ND	ND	--	--	
08/04/93	9.00	5.01	0.00	3.99	-0.92	250	--	ND	3.5	ND	4.1	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through September 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
MW-4 continued														
11/03/93	8.41	4.23	0.00	4.18	0.19	130	--	ND	ND	ND	ND	--	--	
02/07/94	8.41	3.35	0.00	5.06	0.88	56	--	ND	ND	ND	ND	--	--	
05/19/94	8.41	3.92	0.00	4.49	-0.57	140	--	ND	ND	ND	ND	--	--	
06/25/94	8.41	4.35	0.00	4.06	-0.43	--	--	--	--	--	--	--	--	
07/27/94	8.41	4.28	0.00	4.13	0.07	--	--	--	--	--	--	--	--	
08/15/94	8.41	4.27	0.00	4.14	0.01	59	--	ND	0.6	ND	ND	--	--	
11/14/94	8.41	4.05	0.00	4.36	0.22	130	--	ND	ND	ND	ND	--	--	
02/21/95	--	--	--	--	--	--	--	--	--	--	--	--	--	Destroyed
MW-5														
			(Screen Interval in feet: --)											
08/31/92	--	--	--	--	--	78	--	0.89	ND	ND	13	--	--	
11/30/92	--	--	--	--	--	930	--	70	290	0.79	14	--	--	
02/04/93	--	--	--	--	--	5700	--	38	ND	620	170	--	--	
05/04/93	8.95	4.37	0.00	4.58	--	7400	--	41	ND	1000	35	--	--	
08/04/93	8.95	5.81	0.00	3.14	-1.44	1500	--	130	1	460	11	--	--	
11/03/93	8.95	5.68	0.00	3.27	0.13	13000	--	350	ND	3500	530	--	--	
02/07/94	8.95	5.11	0.00	3.84	0.57	2000	--	87	ND	370	110	--	--	
05/19/94	8.95	5.09	0.00	3.86	0.02	260	--	44	ND	32	4.1	--	--	
06/25/94	8.95	4.55	0.00	4.40	0.54	--	--	--	--	--	--	--	--	
07/27/94	8.95	5.72	0.00	3.23	-1.17	--	--	--	--	--	--	--	--	
08/15/94	8.95	5.68	0.00	3.27	0.04	1600	--	110	ND	340	72	--	--	
11/14/94	8.95	5.63	0.00	3.32	0.05	250	--	40	ND	ND	5	--	--	
02/21/95	--	--	--	--	--	--	--	--	--	--	--	--	--	Destroyed
MW-6														
			(Screen Interval in feet: 2.5-13.5)											

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through September 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
MW-6 continued														
08/31/92	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
11/30/92	--	--	--	--	--	9200	--	550	ND	740	1600	--	--	
02/04/93	--	--	--	--	--	3600	--	340	ND	290	550	--	--	
05/04/93	9.12	3.72	0.00	5.40	--	4900	--	360	18	450	430	--	--	
08/04/93	9.12	5.15	0.00	3.97	-1.43	3400	--	390	ND	440	190	--	--	
11/03/93	8.87	5.25	0.00	3.62	-0.35	1400	--	320	ND	200	7.7	--	--	
02/07/94	8.87	4.55	0.00	4.32	0.70	4900	--	650	ND	250	35	--	--	
05/19/94	8.87	4.62	0.00	4.25	-0.07	3600	--	300	1.7	210	41	--	--	
08/15/94	8.87	5.08	0.00	3.79	-0.46	1300	--	130	6.7	54	57	--	--	
11/14/94	8.87	5.30	0.00	3.57	-0.22	730	--	50	ND	ND	39	--	--	
02/21/95	8.87	5.37	0.00	3.50	-0.07	2000	--	250	4.6	25	30	--	--	
05/18/95	8.87	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
08/17/95	8.87	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
07/26/96	8.87	6.40	3.33	4.97	--	--	--	--	--	--	--	--	--	Not sampled - presence of free product
10/28/96	8.87	4.10	0.21	4.93	-0.04	--	--	--	--	--	--	--	--	Not sampled - presence of free product
11/13/96	8.87	4.02	0.25	5.04	0.11	--	--	--	--	--	--	--	--	
11/25/96	8.87	4.01	0.75	5.42	0.38	--	--	--	--	--	--	--	--	
12/04/96	8.87	3.65	0.50	5.59	0.17	--	--	--	--	--	--	--	--	
12/19/96	8.87	4.80	2.20	5.72	0.13	--	--	--	--	--	--	--	--	
01/08/97	8.87	4.84	1.75	5.34	-0.38	--	--	--	--	--	--	--	--	
01/14/97	8.87	4.51	1.15	5.22	-0.12	--	--	--	--	--	--	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through September 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
MW-6 continued														
01/27/97	8.87	4.00	1.75	6.18	0.96	--	--	--	--	--	--	--	--	
01/29/97	8.87	3.24	0.31	5.86	-0.32	--	--	--	--	--	--	--	--	Not sampled - presence of free product
02/11/97	8.87	4.65	1.20	5.12	-0.74	--	--	--	--	--	--	--	--	
02/24/97	8.87	4.81	1.10	4.89	-0.23	--	--	--	--	--	--	--	--	
03/10/97	8.87	4.60	0.95	4.98	0.10	--	--	--	--	--	--	--	--	
03/17/97	8.87	4.50	0.89	5.04	0.05	--	--	--	--	--	--	--	--	
03/31/97	8.87	4.65	1.00	4.97	-0.07	--	--	--	--	--	--	--	--	
04/15/97	8.87	4.90	1.03	4.74	-0.23	--	--	--	--	--	--	--	--	Not sampled - presence of free product
04/28/97	8.87	4.78	0.03	4.11	-0.63	--	--	--	--	--	--	--	--	
05/15/97	8.87	4.60	0.25	4.46	0.35	--	--	--	--	--	--	--	--	
05/27/97	8.87	4.50	0.25	4.56	0.10	--	--	--	--	--	--	--	--	
06/09/97	8.87	4.60	0.20	4.42	-0.14	--	--	--	--	--	--	--	--	
06/24/97	8.87	4.50	0.25	4.56	0.14	--	--	--	--	--	--	--	--	
07/09/97	8.87	4.80	0.60	4.52	-0.04	--	--	--	--	--	--	--	--	
07/15/97	8.87	4.63	0.42	4.55	0.04	--	--	--	--	--	--	--	--	Not sampled - presence of free product
07/21/97	8.87	4.75	0.25	4.31	-0.25	--	--	--	--	--	--	--	--	
08/06/97	8.87	4.50	0.10	4.44	0.14	--	--	--	--	--	--	--	--	
08/20/97	8.87	4.55	0.10	4.39	-0.05	--	--	--	--	--	--	--	--	
09/02/97	8.87	4.75	0.05	4.16	-0.24	--	--	--	--	--	--	--	--	
10/09/97	8.87	4.84	0.04	4.06	-0.10	--	--	--	--	--	--	--	--	Not sampled - presence of free product

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through September 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
MW-6 continued														
01/14/98	8.87	3.90	0.94	5.67	1.61	--	--	--	--	--	--	--	--	Not sampled - presence of free product
02/12/98	8.87	3.35	0.64	6.00	0.33	--	--	--	--	--	--	--	--	
03/03/98	8.87	4.51	0.02	4.37	-1.63	--	--	--	--	--	--	--	--	
04/01/98	8.87	3.67	1.60	6.40	2.03	--	--	--	--	--	--	--	--	Not sampled - presence of free product
05/26/98	8.87	4.11	0.50	5.13	-1.26	--	--	--	--	--	--	--	--	
06/15/98	8.87	5.03	0.30	4.06	-1.07	--	--	--	--	--	--	--	--	
07/15/98	8.87	4.56	0.05	4.35	0.28	--	--	--	--	--	--	--	--	Not sampled - presence of free product
08/21/98	8.87	4.77	0.02	4.11	-0.23	--	--	--	--	--	--	--	--	
09/30/98	8.87	5.08	0.03	3.81	-0.30	--	--	--	--	--	--	--	--	
10/16/98	8.87	4.31	2.40	6.36	2.55	--	--	--	--	--	--	--	--	Not sampled - presence of free product
11/06/98	8.87	3.98	0.17	5.02	-1.34	--	--	--	--	--	--	--	--	
11/25/98	8.87	3.92	0.10	5.02	0.01	--	--	--	--	--	--	--	--	
12/28/98	8.87	3.90	0.20	5.12	0.10	--	--	--	--	--	--	--	--	
01/25/99	8.87	4.18	0.60	5.14	0.02	--	--	--	--	--	--	--	--	Not sampled - presence of free product
02/22/99	8.87	4.07	0.22	4.96	-0.18	--	--	--	--	--	--	--	--	
03/22/99	8.87	4.32	0.15	4.66	-0.30	--	--	--	--	--	--	--	--	
04/15/99	8.87	4.23	0.95	5.35	0.69	--	--	--	--	--	--	--	--	Not sampled - presence of free product
05/28/99	8.87	4.38	0.39	4.78	-0.57	--	--	--	--	--	--	--	--	
06/29/99	8.87	4.12	0.02	4.76	-0.02	--	--	--	--	--	--	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through September 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
MW-6 continued														
07/14/99	8.87	4.20	0.03	4.69	-0.07	--	--	--	--	--	--	--	--	Not sampled - presence of free product
08/23/99	8.87	4.51	0.24	4.54	-0.15	--	--	--	--	--	--	--	--	
09/30/99	8.87	4.17	0.17	4.83	0.29	--	--	--	--	--	--	--	--	
10/21/99	8.87	4.27	0.12	4.69	-0.14	--	--	--	--	--	--	--	--	Not sampled - presence of free product
11/29/99	8.87	4.18	0.00	4.69	0.00	--	--	--	--	--	--	--	--	
12/20/99	8.87	4.26	0.01	4.62	-0.07	--	--	--	--	--	--	--	--	
01/20/00	8.87	4.31	0.00	4.56	-0.06	130000	--	2900	8600	2000	16000	ND	--	
02/26/00	8.87	3.98	0.00	4.89	0.33	--	--	--	--	--	--	--	--	
03/31/00	8.87	4.14	0.00	4.73	-0.16	--	--	--	--	--	--	--	--	
04/13/00	8.87	4.04	0.00	4.83	0.10	140000	--	5000	14000	3600	27000	7700	--	
05/26/00	8.87	4.41	0.00	4.46	-0.37	--	--	--	--	--	--	--	--	
06/17/00	8.87	4.35	0.00	4.52	0.06	--	--	--	--	--	--	--	--	
07/14/00	8.87	4.47	0.00	4.40	-0.12	259000	--	7670	13700	6860	40700	ND	ND	
08/24/00	8.87	3.71	0.00	5.16	0.76	--	--	--	--	--	--	--	--	
09/27/00	8.87	4.33	0.00	4.54	-0.62	--	--	--	--	--	--	--	--	
10/26/00	8.87	4.32	0.00	4.55	0.01	110000	--	7000	6200	3700	12000	670	43	
01/03/01	8.87	4.52	0.00	4.35	-0.20	84700	--	3950	4130	3650	11800	ND	ND	
04/04/01	8.87	4.29	0.00	4.58	0.23	69800	--	2060	2840	3650	10900	ND	47.8	
07/17/01	8.87	4.37	0.00	4.50	-0.08	100000	--	3200	3300	3400	12000	ND	--	
10/01/01	8.87	4.45	0.00	4.42	-0.08	110000	--	3200	2400	4500	13000	ND<1000	--	
01/31/02	8.87	4.03	0.00	4.84	0.42	230000	--	2400	1800	5400	16000	ND<2500	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through September 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
MW-6 continued														
04/18/02	8.87	3.45	0.00	5.42	0.58	94000	--	6800	13000	3000	19000	ND<500	--	
07/28/02	8.87	2.24	0.00	6.63	1.21	--	110000	530	170	3200	7300	--	ND<100	
10/09/02	8.87	3.53	0.00	5.34	-1.29	--	970000	10000	39000	13000	94000	--	ND<2000	
01/02/03	8.87	2.34	0.00	6.53	1.19	--	270000	6100	15000	5400	37000	--	ND<200	
04/01/03	8.87	3.17	0.00	5.70	-0.83	--	3000000	8000	39000	37000	260000	--	ND<2000	
07/01/03	8.87	3.55	0.00	5.32	-0.38	--	38000	2100	990	2700	6500	--	ND<100	
10/02/03	8.87	3.82	0.00	5.05	-0.27	--	100000	5600	6900	4700	18000	--	ND<800	
01/09/04	8.87	2.80	0.00	6.07	1.02	--	170000	2800	3300	4700	16000	--	ND<200	
04/26/04	8.87	3.40	0.00	5.47	-0.60	--	97000	5900	9000	5100	23000	--	ND<50	
07/22/04	8.87	3.54	0.00	5.33	-0.14	--	110000	4100	5100	4000	16000	--	ND<200	
10/29/04	8.87	3.03	0.00	5.84	0.51	--	100000	5200	6100	4200	15000	--	ND<50	
01/10/05	8.87	2.35	0.00	6.52	0.68	--	71000	1600	3700	2100	9900	--	ND<50	
06/15/05	8.87	2.47	0.00	6.40	-0.12	--	130000	800	1800	2200	9300	--	ND<50	
09/27/05	8.87	2.55	0.00	6.32	-0.08	--	13000	82	120	430	990	--	0.56	
12/13/05	8.87	3.28	0.00	5.59	-0.73	--	68000	1500	1100	2200	7700	--	ND<50	
03/23/06	8.87	2.87	0.00	6.00	0.41	--	41000	290	140	1500	2700	--	ND<50	
06/23/06	8.87	3.15	0.00	5.72	-0.28	--	50000	2200	1400	1900	5700	--	ND<12	
09/26/06	8.87	3.08	0.00	5.79	0.07	--	130000	2200	1000	2900	8800	--	ND<50	
12/22/06	8.87	2.90	0.00	5.97	0.18	--	90000	940	610	1900	4700	--	ND<50	
03/30/07	8.87	3.26	0.00	5.61	-0.36	--	210000	1100	560	3400	12000	--	ND<10	
06/28/07	8.87	3.46	0.00	5.41	-0.20	--	67000	2200	1300	2700	10000	--	ND<25	
09/25/07	8.87	3.52	0.00	5.35	-0.06	--	56000	2900	720	2400	9000	--	ND<25	
12/28/07	8.87	3.27	0.00	5.60	0.25	--	78000	28000	2700	4000	8100	--	16000	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through September 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
MW-6 continued														
03/22/08	8.87	2.48	0.00	6.39	0.79	--	66000	380	150	1500	2400	--	ND<25	
06/23/08	8.87	3.54	0.00	5.33	-1.06	--	59000	1600	130	1800	4100	--	25	
09/19/08	8.87	4.06	0.00	4.81	-0.52	--	65000	2000	230	2000	4500	--	ND<12	
MW-7														
(Screen Interval in feet: 3.0-13.0)														
05/27/97	8.83	4.50	0.00	4.33	--	68	--	ND	ND	ND	ND	ND	--	
06/01/97	8.83	4.54	0.00	4.29	-0.04	--	--	--	--	--	--	--	--	
07/15/97	8.83	4.70	0.00	4.13	-0.16	ND	--	ND	ND	ND	ND	ND	--	
10/09/97	8.83	4.30	0.00	4.53	0.40	ND	--	ND	ND	ND	ND	ND	--	
01/14/98	8.83	2.88	0.00	5.95	1.42	ND	--	ND	ND	ND	ND	36	--	
04/01/98	8.83	3.13	0.00	5.70	-0.25	ND	--	ND	ND	ND	ND	ND	--	
07/15/98	8.83	4.45	0.00	4.38	-1.32	ND	--	ND	ND	ND	ND	ND	--	
10/16/98	8.83	3.45	0.00	5.38	1.00	ND	--	ND	ND	ND	ND	ND	--	
01/25/99	8.83	3.22	0.00	5.61	0.23	ND	--	ND	ND	ND	ND	ND	--	
04/15/99	8.83	3.11	0.00	5.72	0.11	ND	--	ND	ND	ND	ND	ND	--	
07/14/99	8.83	3.34	0.00	5.49	-0.23	ND	--	ND	ND	ND	ND	ND	--	
10/21/99	8.83	3.43	0.00	5.40	-0.09	ND	--	ND	ND	ND	ND	ND	--	
01/20/00	8.83	3.29	0.00	5.54	0.14	ND	--	ND	ND	ND	ND	4.2	--	
04/13/00	8.83	3.39	0.00	5.44	-0.10	ND	--	ND	ND	ND	ND	ND	--	
07/14/00	8.83	4.42	0.00	4.41	-1.03	ND	--	ND	ND	ND	ND	7.83	--	
07/17/01	8.83	5.06	0.00	3.77	-0.64	ND	--	ND	ND	ND	ND	ND	--	
10/01/01	8.83	4.98	0.00	3.85	0.08	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
01/31/02	8.83	3.88	0.00	4.95	1.10	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
04/18/02	8.83	4.03	0.00	4.80	-0.15	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	5.7	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through September 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
MW-7 continued														
07/28/02	8.83	3.59	0.00	5.24	0.44	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3.9	
10/09/02	8.83	4.53	0.00	4.30	-0.94	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3.9	
01/03/03	8.83	3.36	0.00	5.47	1.17	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
04/01/03	8.83	3.94	0.00	4.89	-0.58	--	71	ND<0.50	ND<0.50	0.71	ND<1.0	--	3.4	
07/01/03	8.83	4.60	0.00	4.23	-0.66	--	64	ND<0.50	ND<0.50	0.77	2.0	--	35	
10/02/03	8.83	5.46	0.00	3.37	-0.86	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	4.9	
01/09/04	8.83	3.55	0.00	5.28	1.91	--	54	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2.4
04/26/04	8.83	4.49	0.00	4.34	-0.94	--	ND<50	ND<0.50	ND<0.50	ND<0.50	1.5	--	2.3	
07/22/04	8.83	4.93	0.00	3.90	-0.44	--	82	0.90	2.0	3.5	9.9	--	1.4	
10/29/04	8.83	3.71	0.00	5.12	1.22	--	210	0.67	1.6	1.7	5.8	--	ND<0.50	
01/10/05	8.83	2.77	0.00	6.06	0.94	--	74	0.51	2.2	1.7	7.0	--	ND<0.50	
06/15/05	8.83	3.40	0.00	5.43	-0.63	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.88	
09/27/05	8.83	3.44	0.00	5.39	-0.04	--	ND<50	0.59	1.2	ND<0.50	ND<1.0	--	0.96	
12/13/05	8.83	3.98	0.00	4.85	-0.54	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.65	
03/23/06	8.83	3.37	0.00	5.46	0.61	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/23/06	8.83	5.25	0.00	3.58	-1.88	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/26/06	8.83	4.13	0.00	4.70	1.12	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	0.77	
12/22/06	8.83	3.63	0.00	5.20	0.50	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
03/30/07	8.83	4.31	0.00	4.52	-0.68	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
06/28/07	8.83	4.62	0.00	4.21	-0.31	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	0.54	
09/25/07	8.83	4.65	0.00	4.18	-0.03	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/28/07	8.83	3.99	0.00	4.84	0.66	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/22/08	8.83	4.08	0.00	4.75	-0.09	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through September 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
MW-7 continued														
06/23/08	8.83	4.10	0.00	4.73	-0.02	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/19/08	8.83	4.86	0.00	3.97	-0.76	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-8														
(Screen Interval in feet: 3.0-15.0)														
05/27/97	8.52	3.42	0.00	5.10	--	310	--	0.88	0.67	15	70	ND	--	
06/01/97	8.52	3.46	0.00	5.06	-0.04	--	--	--	--	--	--	--	--	
07/15/97	8.52	3.49	0.00	5.03	-0.03	ND	--	ND	ND	2.7	3.8	ND	--	
10/09/97	8.52	3.73	0.00	4.79	-0.24	590	--	1.4	ND	32	4.1	ND	--	
01/14/98	8.52	1.92	0.00	6.60	1.81	ND	--	ND	ND	ND	ND	ND	--	
04/01/98	8.52	2.38	0.00	6.14	-0.46	ND	--	ND	ND	ND	ND	4.7	--	
07/15/98	8.52	3.53	0.00	4.99	-1.15	ND	--	ND	ND	0.56	1.1	ND	--	
10/16/98	8.52	3.04	0.00	5.48	0.49	ND	--	ND	ND	ND	ND	ND	--	
01/25/99	8.52	2.92	0.00	5.60	0.12	ND	--	ND	ND	ND	ND	ND	--	
04/15/99	8.52	2.40	0.00	6.12	0.52	ND	--	ND	ND	ND	ND	ND	--	
07/14/99	8.52	3.03	0.00	5.49	-0.63	ND	--	ND	ND	ND	ND	ND	--	
10/21/99	8.52	3.11	0.00	5.41	-0.08	ND	--	ND	ND	ND	ND	ND	--	
01/20/00	8.52	3.06	0.00	5.46	0.05	ND	--	ND	ND	ND	ND	ND	--	
04/13/00	8.52	2.84	0.00	5.68	0.22	ND	--	ND	ND	ND	ND	ND	--	
07/14/00	8.52	3.39	0.00	5.13	-0.55	ND	--	ND	ND	ND	ND	ND	--	
07/17/01	8.52	3.46	0.00	5.06	-0.07	ND	--	ND	ND	ND	ND	ND	--	
10/01/01	8.52	3.51	0.00	5.01	-0.05	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
01/31/02	8.52	2.75	0.00	5.77	0.76	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
04/18/02	8.52	2.98	0.00	5.54	-0.23	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
07/28/02	8.52	2.41	0.00	6.11	0.57	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through September 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
MW-8 continued														
10/09/02	8.52	2.09	0.00	6.43	0.32	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
01/02/03	8.52	1.98	0.00	6.54	0.11	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
04/01/03	8.52	2.66	0.00	5.86	-0.68	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
07/01/03	8.52	3.08	0.00	5.44	-0.42	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
10/02/03	8.52	3.89	0.00	4.63	-0.81	--	540	3.9	15	29	80	--	ND<2.0	
01/09/04	8.52	2.38	0.00	6.14	1.51	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
04/26/04	8.52	2.89	0.00	5.63	-0.51	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
07/22/04	8.52	3.25	0.00	5.27	-0.36	--	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<1	--	ND<0.5	
10/29/04	8.52	3.06	0.00	5.46	0.19	--	ND<50	ND<0.50	ND<0.50	0.82	2.5	--	ND<0.50	
01/10/05	8.52	1.92	0.00	6.60	1.14	--	58	ND<0.50	0.61	1.2	4.0	--	ND<0.50	
06/15/05	8.52	2.22	0.00	6.30	-0.30	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/27/05	8.52	2.43	0.00	6.09	-0.21	--	ND<50	ND<0.50	ND<0.50	1.2	ND<1.0	--	ND<0.50	
12/13/05	8.52	2.89	0.00	5.63	-0.46	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/23/06	8.52	2.12	0.00	6.40	0.77	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/23/06	8.52	2.65	0.00	5.87	-0.53	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/26/06	8.52	2.75	0.00	5.77	-0.10	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/22/06	8.52	2.58	0.00	5.94	0.17	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
03/30/07	8.52	2.74	0.00	5.78	-0.16	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
06/28/07	8.52	2.90	0.00	5.62	-0.16	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
09/25/07	8.52	3.26	0.00	5.26	-0.36	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/28/07	8.52	2.64	0.00	5.88	0.62	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/22/08	8.52	2.31	0.00	6.21	0.33	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/23/08	8.52	3.13	0.00	5.39	-0.82	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through September 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
MW-8 continued														
09/19/08	8.52	3.72	0.00	4.80	-0.59	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-9														
(Screen Interval in feet: 3.0-13.0)														
02/21/95	8.29	1.98	0.00	6.31	--	70	--	ND	ND	ND	ND	--	--	
05/18/95	8.29	3.47	0.00	4.82	-1.49	52	--	ND	1.1	ND	1.9	--	--	
08/17/95	8.29	1.49	0.00	6.80	1.98	ND	--	ND	ND	ND	ND	--	--	
07/26/96	8.29	0.28	0.00	8.01	1.21	ND	--	ND	ND	ND	ND	ND	--	
10/28/96	8.29	1.15	0.00	7.14	-0.87	ND	--	ND	ND	ND	ND	7.6	--	
01/29/97	8.29	1.05	0.00	7.24	0.10	ND	--	ND	ND	ND	ND	5.4	--	
04/15/97	8.29	1.88	0.00	6.41	-0.83	ND	--	ND	ND	ND	ND	5.4	--	
05/27/97	8.29	1.05	0.00	7.24	0.83	--	--	--	--	--	--	--	--	
07/15/97	8.29	1.90	0.00	6.39	-0.85	ND	--	ND	ND	ND	ND	ND	--	
10/09/97	8.29	1.76	0.00	6.53	0.14	ND	--	ND	ND	ND	ND	ND	--	
01/14/98	8.29	1.26	0.00	7.03	0.50	ND	--	ND	ND	ND	ND	3.0	--	
04/01/98	8.29	0.85	0.00	7.44	0.41	ND	--	ND	ND	ND	ND	ND	--	
07/15/98	8.29	1.52	0.00	6.77	-0.67	ND	--	ND	ND	ND	ND	ND	--	
10/16/98	8.29	0.81	0.00	7.48	0.71	ND	--	ND	ND	ND	ND	ND	--	
01/25/99	8.29	0.92	0.00	7.37	-0.11	ND	--	ND	ND	ND	ND	ND	--	
04/15/99	8.29	0.90	0.00	7.39	0.02	75	--	21	ND	ND	1.1	680	--	
07/14/99	8.29	1.04	0.00	7.25	-0.14	ND	--	1.9	ND	ND	ND	260	--	
10/21/99	8.29	1.23	0.00	7.06	-0.19	ND	--	ND	ND	ND	ND	170	--	
01/20/00	8.29	1.18	0.00	7.11	0.05	ND	--	1.1	ND	ND	ND	35	--	
04/13/00	8.29	1.08	0.00	7.21	0.10	160	--	0.64	ND	ND	ND	53	--	
07/14/00	8.29	1.43	0.00	6.86	-0.35	ND	--	ND	ND	ND	ND	20.2	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through September 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
MW-9 continued														
10/26/00	8.29	1.38	0.00	6.91	0.05	240	--	2.9	ND	ND	ND	56	--	
01/03/01	8.29	1.66	0.00	6.63	-0.28	166	--	0.763	0.776	ND	1.28	50.2	--	
04/04/01	8.29	1.27	0.00	7.02	0.39	296	--	0.738	ND	ND	0.907	135	--	
07/17/01	8.29	1.38	0.00	6.91	-0.11	ND	--	ND	ND	ND	ND	13	--	
10/01/01	8.29	1.93	0.00	6.36	-0.55	51	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	5.0	--	
01/31/02	8.29	2.08	0.00	6.21	-0.15	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	5.8	--	
04/18/02	8.29	1.76	0.00	6.53	0.32	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	5.1	--	
07/28/02	8.29	1.57	0.00	6.72	0.19	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3.5	
10/09/02	8.29	1.45	0.00	6.84	0.12	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	17	
01/02/03	8.29	1.18	0.00	7.11	0.27	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	8.6	
04/01/03	8.29	2.04	0.00	6.25	-0.86	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	9.4	
07/01/03	8.29	2.80	0.00	5.49	-0.76	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3.2	
10/02/03	8.29	2.70	0.00	5.59	0.10	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
01/09/04	8.29	1.90	0.00	6.39	0.80	--	74	ND<0.50	0.98	2.3	6.2	--	ND<2.0	
04/26/04	8.29	1.62	0.00	6.67	0.28	--	51	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.51	
07/22/04	8.29	1.88	0.00	6.41	-0.26	--	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<1	--	0.78	
10/29/04	8.29	1.28	0.00	7.01	0.60	--	ND<50	ND<0.50	ND<0.50	ND<0.50	1.0	--	ND<0.50	
01/10/05	8.29	0.07	0.00	8.22	1.21	--	93	0.60	2.3	2.4	9.0	--	ND<0.50	
06/15/05	8.29	1.70	0.00	6.59	-1.63	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	6.6	
09/27/05	8.29	1.98	0.00	6.31	-0.28	--	ND<50	ND<0.50	0.73	ND<0.50	ND<1.0	--	2.3	
12/13/05	8.29	2.26	0.00	6.03	-0.28	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2.9	
03/23/06	8.29	1.32	0.00	6.97	0.94	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2.7	
06/23/06	8.29	1.98	0.00	6.31	-0.66	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.9	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through September 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
MW-9 continued														
09/26/06	8.29	2.52	0.00	5.77	-0.54	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/22/06	8.29	1.98	0.00	6.31	0.54	--	ND<50	ND<0.50	0.57	1.8	4.6	--	1.6	
03/30/07	8.29	2.01	0.00	6.28	-0.03	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	3.4	
06/28/07	8.29	1.90	0.00	6.39	0.11	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	4.9	
09/25/07	8.29	1.57	0.00	6.72	0.33	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/28/07	8.29	1.98	0.00	6.31	-0.41	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/22/08	8.29	0.80	0.00	7.49	1.18	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.61	
06/23/08	8.29	1.80	0.00	6.49	-1.00	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/19/08	8.29	2.43	0.00	5.86	-0.63	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3.9	
MW-10														
(Screen Interval in feet: 3.0-13.0)														
02/21/95	8.62	4.69	0.00	3.93	--	1500	--	250	26	9.1	160	--	--	
05/18/95	8.62	4.92	0.00	3.70	-0.23	810	--	520	ND	18	23	--	--	
08/17/95	8.62	4.05	0.00	4.57	0.87	67	--	25	ND	2.4	ND	--	--	
07/26/96	8.62	4.08	0.00	4.54	-0.03	ND	--	3.7	ND	ND	ND	ND	--	
10/28/96	8.62	4.09	0.00	4.53	-0.01	ND	--	1.1	ND	ND	ND	ND	--	
01/29/97	8.62	2.94	0.00	5.68	1.15	210	--	41	0.67	7.2	4.8	11	--	
04/15/97	8.62	4.07	0.00	4.55	-1.13	110	--	12	ND	0.77	ND	9.7	--	
05/27/97	8.62	4.40	0.00	4.22	-0.33	--	--	--	--	--	--	--	--	
07/15/97	8.62	4.19	0.00	4.43	0.21	ND	--	2.1	ND	0.67	0.73	ND	--	
10/09/97	8.62	4.75	0.00	3.87	-0.56	190	--	38	0.92	6.6	7.6	ND	--	
01/14/98	8.62	2.66	0.00	5.96	2.09	59	--	9.5	0.85	1.2	1.7	4.5	--	
04/01/98	8.62	3.45	0.00	5.17	-0.79	230	--	66	1.7	12	17	6.4	--	
07/15/98	8.62	4.21	0.00	4.41	-0.76	290	--	98	45	21	38	21	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through September 2008
76 Station 5043

Date Sampled	TOC	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
MW-10 continued														
10/16/98	8.62	4.11	0.00	4.51	0.10	160	--	44	0.96	2.5	10	17	--	
01/25/99	8.62	3.26	0.00	5.36	0.85	140	--	27	ND	2.8	6.8	23	--	
04/15/99	8.62	3.63	0.00	4.99	-0.37	120	--	18	ND	1.8	5.1	14	--	
07/14/99	8.62	3.89	0.00	4.73	-0.26	280	--	55	3.2	11	31	6.1	--	
10/21/99	8.62	4.09	0.00	4.53	-0.20	140	--	22	0.59	1.7	7.7	5.3	--	
01/20/00	8.62	3.92	0.00	4.70	0.17	ND	--	0.73	0.86	ND	ND	5.2	--	
04/13/00	8.62	3.85	0.00	4.77	0.07	67	--	54	ND	2.6	ND	3.8	--	
07/14/00	8.62	4.18	0.00	4.44	-0.33	ND	--	0.547	ND	ND	ND	ND	--	
10/26/00	8.62	3.96	0.00	4.66	0.22	ND	--	3.3	ND	0.83	1.5	ND	--	
01/03/01	8.62	4.14	0.00	4.48	-0.18	52.7	--	5.15	ND	0.823	1.57	ND	--	
04/04/01	8.62	3.88	0.00	4.74	0.26	129	--	28.1	1.67	4.97	10.1	ND	--	
07/17/01	8.62	4.08	0.00	4.54	-0.20	ND	--	4.1	ND	1.0	1.8	ND	--	
10/01/01	8.62	4.22	0.00	4.40	-0.14	140	--	30	0.51	4.0	12	ND<5.0	--	
01/31/02	8.62	3.68	0.00	4.94	0.54	110	--	16	ND<0.50	2.3	5.6	ND<2.5	--	
04/18/02	8.62	4.01	0.00	4.61	-0.33	ND<50	--	11	ND<0.50	1.4	4.5	ND<2.5	--	
07/28/02	8.62	4.11	0.00	4.51	-0.10	--	67	15	ND<0.50	0.94	7.3	--	ND<2.0	
10/09/02	8.62	3.97	0.00	4.65	0.14	--	ND<50	0.67	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
01/02/03	8.62	3.03	0.00	5.59	0.94	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
04/01/03	8.62	3.83	0.00	4.79	-0.80	--	ND<50	11	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
07/01/03	8.62	4.13	0.00	4.49	-0.30	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
10/02/03	8.62	4.05	0.00	4.57	0.08	--	77	9.9	0.78	2.3	4.9	--	ND<2.0	
01/09/04	8.62	3.40	0.00	5.22	0.65	--	53	1.2	ND<0.50	0.70	1.6	--	ND<2.0	
04/26/04	8.62	3.89	0.00	4.73	-0.49	--	ND<50	2.8	1.3	1.0	2.9	--	ND<0.50	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through September 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
MW-10 continued														
07/22/04	8.62	3.73	0.00	4.89	0.16	--	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<1	--	ND<0.5	
10/29/04	8.62	3.41	0.00	5.21	0.32	--	100	2.0	1.2	1.1	3.6	--	ND<0.50	
01/10/05	8.62	2.68	0.00	5.94	0.73	--	84	7.8	2.7	2.2	8.9	--	ND<0.50	
06/15/05	8.62	4.63	0.00	3.99	-1.95	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/27/05	8.62	3.96	0.00	4.66	0.67	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/13/05	8.62	3.75	0.00	4.87	0.21	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/23/06	8.62	3.13	0.00	5.49	0.62	--	50	13	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/23/06	8.62	3.90	0.00	4.72	-0.77	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/26/06	8.62	3.66	0.00	4.96	0.24	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/22/06	8.62	3.56	0.00	5.06	0.10	--	ND<50	ND<0.50	ND<0.50	ND<0.50	1.8	--	ND<0.50	
03/30/07	8.62	3.93	0.00	4.69	-0.37	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
06/28/07	8.62	4.03	0.00	4.59	-0.10	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
09/25/07	8.62	3.91	0.00	4.71	0.12	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/28/07	8.62	3.64	0.00	4.98	0.27	--	ND<50	2.1	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/22/08	8.62	4.00	0.00	4.62	-0.36	--	64	13	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/23/08	8.62	3.90	0.00	4.72	0.10	--	94	30	0.53	3.4	3.5	--	ND<0.50	
09/19/08	8.62	3.85	0.00	4.77	0.05	--	130	15	1.7	5.7	11	--	ND<0.50	

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D (µg/l)	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Total Oil and Grease (mg/l)
MW-1									
02/18/92	13000	--	--	--	--	--	--	--	--
08/31/92	8900	--	--	--	--	--	--	--	--
MW-2									
02/18/92	4300	--	--	--	--	--	--	--	--
05/20/92	4300	--	--	--	--	--	--	--	--
08/31/92	1600	--	--	--	--	--	--	--	--
11/30/92	5700	--	--	--	--	--	--	--	--
02/04/93	6100	--	--	--	--	--	--	--	--
05/04/93	7100	--	--	--	--	--	--	--	--
08/04/93	1800	--	--	--	--	--	--	--	--
11/03/93	2600	--	--	--	--	--	--	--	--
05/19/94	3000	--	--	--	--	--	--	--	--
08/15/94	2800	--	--	--	--	--	--	--	--
11/14/94	10000	--	--	--	--	--	--	--	--
02/21/95	2000	--	--	--	--	--	--	--	--
MW-3									
02/18/92	ND	--	--	--	--	--	--	--	--
08/31/92	92	--	--	--	--	--	--	--	--
11/30/92	94	--	--	--	--	--	--	--	--
02/04/93	550	--	--	--	--	--	--	--	--
05/04/93	250	--	--	--	--	--	--	--	--
08/04/93	100	--	--	--	--	--	--	--	--
11/03/93	160	--	--	--	--	--	--	--	--
02/07/94	620	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D ($\mu\text{g/l}$)	TBA ($\mu\text{g/l}$)	Ethanol (8260B) ($\mu\text{g/l}$)	Ethylene-dibromide (EDB) ($\mu\text{g/l}$)	1,2-DCA (EDC) ($\mu\text{g/l}$)	DIPE ($\mu\text{g/l}$)	ETBE ($\mu\text{g/l}$)	TAME ($\mu\text{g/l}$)	Total Oil and Grease (mg/l)
MW-3 continued									
05/19/94	480	--	--	--	--	--	--	--	--
08/15/94	110	--	--	--	--	--	--	--	--
11/14/94	150	--	--	--	--	--	--	--	--
02/21/95	850	--	--	--	--	--	--	--	--
05/18/95	150	--	--	--	--	--	--	--	--
06/01/97	610	--	--	--	--	--	--	--	--
07/15/97	240	--	--	--	--	--	--	--	--
10/09/97	500	--	--	--	--	--	--	--	--
01/14/98	340	--	--	--	--	--	--	--	--
04/01/98	320	--	--	--	--	--	--	--	--
07/15/98	510	--	--	--	--	--	--	--	--
10/16/98	67	--	--	--	--	--	--	--	--
01/25/99	120	--	--	--	--	--	--	--	--
04/15/99	170	--	--	--	--	--	--	--	--
07/14/99	420	--	--	--	--	--	--	--	--
10/21/99	350	--	--	--	--	--	--	--	--
01/20/00	2060	--	--	--	--	--	--	--	--
04/13/00	200	ND	ND	ND	ND	ND	ND	ND	--
07/14/00	423	--	--	--	--	--	--	--	--
10/26/00	330	--	--	--	--	--	--	--	--
01/03/01	287	--	--	--	--	--	--	--	--
04/04/01	360	--	--	--	--	--	--	--	--
07/17/01	270	--	--	--	--	--	--	--	--
10/01/01	270	--	--	--	--	--	--	--	--
01/31/02	250	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D ($\mu\text{g/l}$)	TBA ($\mu\text{g/l}$)	Ethanol (8260B) ($\mu\text{g/l}$)	Ethylene- dibromide (EDB) ($\mu\text{g/l}$)	1,2-DCA (EDC) ($\mu\text{g/l}$)	DIPE ($\mu\text{g/l}$)	ETBE ($\mu\text{g/l}$)	TAME ($\mu\text{g/l}$)	Total Oil and Grease (mg/l)
MW-3 continued									
04/18/02	320	--	--	--	--	--	--	--	--
07/28/02	310	--	--	--	--	--	--	--	--
10/09/02	700	--	--	--	--	--	--	--	--
01/02/03	210	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--
04/01/03	200	--	--	--	--	--	--	--	--
07/01/03	380	--	ND<2500	--	--	--	--	--	--
10/02/03	300	--	ND<2500	--	--	--	--	--	--
01/09/04	200	--	ND<500	--	--	--	--	--	--
04/26/04	160	--	ND<50	--	--	--	--	--	--
07/22/04	330	--	ND<1000	--	--	--	--	--	--
10/29/04	200	--	ND<50	--	--	--	--	--	--
01/10/05	250	--	ND<50	--	--	--	--	--	--
06/15/05	360	--	ND<50	--	--	--	--	--	--
09/27/05	ND<200	79	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--
12/13/05	230	--	ND<250	--	--	--	--	--	--
03/23/06	260	--	ND<250	--	--	--	--	--	--
06/23/06	330	--	ND<250	--	--	--	--	--	--
09/26/06	260	--	ND<250	--	--	--	--	--	--
12/22/06	250	--	ND<250	--	--	--	--	--	--
03/30/07	210	--	ND<250	--	--	--	--	--	--
06/28/07	290	--	ND<250	--	--	--	--	--	--
09/25/07	210	--	ND<250	--	--	--	--	--	--
12/28/07	150	--	ND<250	--	--	--	--	--	--
03/22/08	230	--	ND<250	--	--	--	--	--	--
06/23/08	130	--	ND<250	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D (µg/l)	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene-dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Total Oil and Grease (mg/l)
MW-3 continued									
09/19/08	93	--	ND<250	--	--	--	--	--	--
MW-4									
08/31/92	90	--	--	--	--	--	--	--	--
11/30/92	61	--	--	--	--	--	--	--	--
02/04/93	ND	--	--	--	--	--	--	--	--
05/04/93	ND	--	--	--	--	--	--	--	--
08/04/93	81	--	--	--	--	--	--	--	--
11/03/93	68	--	--	--	--	--	--	--	--
02/07/94	ND	--	--	--	--	--	--	--	--
05/19/94	90	--	--	--	--	--	--	--	--
08/15/94	72	--	--	--	--	--	--	--	--
11/14/94	ND	--	--	--	--	--	--	--	--
MW-5									
08/31/92	690	--	--	--	--	--	--	--	--
11/30/92	470	--	--	--	--	--	--	--	ND
02/04/93	5500	--	--	--	--	--	--	--	ND
05/04/93	4600	--	--	--	--	--	--	--	ND
08/04/93	970	--	--	--	--	--	--	--	ND
11/03/93	2100	--	--	--	--	--	--	--	--
02/07/94	830	--	--	--	--	--	--	--	--
05/19/94	600	--	--	--	--	--	--	--	--
08/15/94	860	--	--	--	--	--	--	--	--
11/14/94	290	--	--	--	--	--	--	--	--
MW-6									

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D (µg/l)	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene-dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Total Oil and Grease (mg/l)
MW-6 continued									
08/31/92	750	--	--	--	--	--	--	--	--
11/30/92	1400	--	--	--	--	--	--	--	--
02/04/93	890	--	--	--	--	--	--	--	--
05/04/93	1800	--	--	--	--	--	--	--	--
08/04/93	1100	--	--	--	--	--	--	--	--
11/03/93	390	--	--	--	--	--	--	--	--
02/07/94	970	--	--	--	--	--	--	--	--
05/19/94	1400	--	--	--	--	--	--	--	--
08/15/94	790	--	--	--	--	--	--	--	--
11/14/94	800	--	--	--	--	--	--	--	--
02/21/95	730	--	--	--	--	--	--	--	--
01/20/00	67600	--	--	--	--	--	--	--	--
04/13/00	8700	--	--	--	--	--	--	--	--
07/14/00	133000	--	--	--	--	--	--	--	--
10/26/00	61000	--	--	--	--	--	--	--	--
01/03/01	929	--	--	--	--	--	--	--	--
04/04/01	18000	ND	ND	ND	ND	ND	ND	ND	--
07/17/01	20000	--	--	--	--	--	--	--	--
10/01/01	24000	--	--	--	--	--	--	--	--
01/31/02	11000	--	--	--	--	--	--	--	--
04/18/02	3500	--	--	--	--	--	--	--	--
07/28/02	27000	--	--	--	--	--	--	--	--
10/09/02	170000	--	--	--	--	--	--	--	--
01/02/03	66000	--	--	--	--	--	--	--	--
04/01/03	35000	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D (µg/l)	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene-dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Total Oil and Grease (mg/l)
MW-6 continued									
07/01/03	11000	--	ND<25000	--	--	--	--	--	--
10/02/03	ND<50	--	ND<200000	--	--	--	--	--	--
01/09/04	20000	--	ND<50000	--	--	--	--	--	--
04/26/04	13000	--	ND<5000	--	--	--	--	--	--
07/22/04	33000	--	ND<300000	--	--	--	--	--	--
10/29/04	78000	--	ND<5000	--	--	--	--	--	--
01/10/05	12000	--	ND<5000	--	--	--	--	--	--
06/15/05	16000	--	ND<5000	--	--	--	--	--	--
09/27/05	2500	ND<10	ND<250	--	--	1.8	ND<0.50	ND<0.50	--
12/13/05	18000	--	ND<25000	--	--	--	--	--	--
03/23/06	73000	--	ND<25000	--	--	--	--	--	--
06/23/06	35000	--	ND<6200	--	--	--	--	--	--
09/26/06	22000	--	ND<25000	--	--	--	--	--	--
12/22/06	62000	--	ND<25000	--	--	--	--	--	--
03/30/07	62000	--	ND<5000	--	--	--	--	--	--
06/28/07	71000	--	ND<12000	--	--	--	--	--	--
09/25/07	58000	--	ND<12000	--	--	--	--	--	--
12/28/07	18000	--	ND<12000	--	--	--	--	--	--
03/22/08	68000	--	ND<12000	--	--	--	--	--	--
06/23/08	68000	--	ND<12000	--	--	--	--	--	--
09/19/08	180000	--	ND<6200	--	--	--	--	--	--
MW-7									
06/01/97	69	--	--	--	--	--	--	--	--
07/15/97	ND	--	--	--	--	--	--	--	--
10/09/97	190	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D ($\mu\text{g/l}$)	TBA ($\mu\text{g/l}$)	Ethanol (8260B) ($\mu\text{g/l}$)	Ethylene-dibromide (EDB) ($\mu\text{g/l}$)	1,2-DCA (EDC) ($\mu\text{g/l}$)	DIPE ($\mu\text{g/l}$)	ETBE ($\mu\text{g/l}$)	TAME ($\mu\text{g/l}$)	Total Oil and Grease (mg/l)
MW-7 continued									
01/14/98	65	--	--	--	--	--	--	--	--
04/01/98	ND	--	--	--	--	--	--	--	--
07/15/98	74	--	--	--	--	--	--	--	--
10/16/98	ND	--	--	--	--	--	--	--	--
01/25/99	ND	--	--	--	--	--	--	--	--
04/15/99	ND	--	--	--	--	--	--	--	--
07/14/99	69	--	--	--	--	--	--	--	--
10/21/99	ND	--	--	--	--	--	--	--	--
01/20/00	ND	--	--	--	--	--	--	--	--
04/13/00	ND	--	--	--	--	--	--	--	--
07/14/00	68.0	--	--	--	--	--	--	--	--
07/17/01	ND	--	--	--	--	--	--	--	--
10/01/01	ND<51	--	--	--	--	--	--	--	--
01/31/02	90	--	--	--	--	--	--	--	--
04/18/02	78	--	--	--	--	--	--	--	--
07/28/02	ND<50	--	--	--	--	--	--	--	--
10/09/02	ND<96	--	--	--	--	--	--	--	--
01/03/03	78	--	--	--	--	--	--	--	--
04/01/03	67	--	--	--	--	--	--	--	--
07/01/03	68	--	ND<500	--	--	--	--	--	--
10/02/03	82	--	ND<500	--	--	--	--	--	--
01/09/04	75	--	ND<500	--	--	--	--	--	--
04/26/04	ND<50	--	ND<50	--	--	--	--	--	--
07/22/04	ND<200	--	ND<1000	--	--	--	--	--	--
10/29/04	54	--	ND<50	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D ($\mu\text{g/l}$)	TBA ($\mu\text{g/l}$)	Ethanol (8260B) ($\mu\text{g/l}$)	Ethylene- dibromide (EDB) ($\mu\text{g/l}$)	1,2-DCA (EDC) ($\mu\text{g/l}$)	DIPE ($\mu\text{g/l}$)	ETBE ($\mu\text{g/l}$)	TAME ($\mu\text{g/l}$)	Total Oil and Grease (mg/l)
MW-7 continued									
01/10/05	ND<50	--	ND<50	--	--	--	--	--	--
06/15/05	ND<50	--	ND<50	--	--	--	--	--	--
09/27/05	ND<200	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--
12/13/05	ND<200	--	ND<250	--	--	--	--	--	--
03/23/06	ND<200	--	ND<250	--	--	--	--	--	--
06/23/06	ND<200	--	ND<250	--	--	--	--	--	--
09/26/06	ND<50	--	ND<250	--	--	--	--	--	--
12/22/06	630	--	ND<250	--	--	--	--	--	--
03/30/07	94	--	ND<250	--	--	--	--	--	--
06/28/07	ND<50	--	ND<250	--	--	--	--	--	--
09/25/07	ND<50	--	ND<250	--	--	--	--	--	--
12/28/07	75	--	ND<250	--	--	--	--	--	--
03/22/08	ND<50	--	ND<250	--	--	--	--	--	--
06/23/08	ND<50	--	ND<250	--	--	--	--	--	--
09/19/08	ND<50	--	ND<250	--	--	--	--	--	--
MW-8									
06/01/97	320	--	--	--	--	--	--	--	--
07/15/97	ND	--	--	--	--	--	--	--	--
10/09/97	390	--	--	--	--	--	--	--	--
01/14/98	230	--	--	--	--	--	--	--	--
04/01/98	510	--	--	--	--	--	--	--	--
07/15/98	140	--	--	--	--	--	--	--	--
10/16/98	170	--	--	--	--	--	--	--	--
01/25/99	ND	--	--	--	--	--	--	--	--
04/15/99	91	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D (µg/l)	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene-dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Total Oil and Grease (mg/l)
MW-8 continued									
07/14/99	120	--	--	--	--	--	--	--	--
10/21/99	110	--	--	--	--	--	--	--	--
01/20/00	583	--	--	--	--	--	--	--	--
04/13/00	80	--	--	--	--	--	--	--	--
07/14/00	113	--	--	--	--	--	--	--	--
07/17/01	ND	--	--	--	--	--	--	--	--
10/01/01	ND<50	--	--	--	--	--	--	--	--
01/31/02	260	--	--	--	--	--	--	--	--
04/18/02	160	--	--	--	--	--	--	--	--
07/28/02	140	--	--	--	--	--	--	--	--
10/09/02	120	--	--	--	--	--	--	--	--
01/02/03	210	--	--	--	--	--	--	--	--
04/01/03	220	--	--	--	--	--	--	--	--
07/01/03	170	--	ND<500	--	--	--	--	--	--
10/02/03	350	--	ND<500	--	--	--	--	--	--
01/09/04	180	--	ND<500	--	--	--	--	--	--
04/26/04	100	--	ND<50	--	--	--	--	--	--
07/22/04	250	--	ND<1000	--	--	--	--	--	--
10/29/04	120	--	ND<50	--	--	--	--	--	--
01/10/05	140	--	ND<50	--	--	--	--	--	--
06/15/05	140	--	ND<50	--	--	--	--	--	--
09/27/05	ND<200	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--
12/13/05	ND<200	--	ND<250	--	--	--	--	--	--
03/23/06	ND<200	--	ND<250	--	--	--	--	--	--
06/23/06	ND<230	--	ND<250	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D (µg/l)	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene-dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Total Oil and Grease (mg/l)
MW-8 continued									
09/26/06	110	--	ND<250	--	--	--	--	--	--
12/22/06	100	--	ND<250	--	--	--	--	--	--
03/30/07	120	--	ND<250	--	--	--	--	--	--
06/28/07	140	--	ND<250	--	--	--	--	--	--
09/25/07	110	--	ND<250	--	--	--	--	--	--
12/28/07	110	--	ND<250	--	--	--	--	--	--
03/22/08	ND<50	--	ND<250	--	--	--	--	--	--
06/23/08	ND<58	--	ND<250	--	--	--	--	--	--
09/19/08	79	--	ND<250	--	--	--	--	--	--
MW-9									
02/21/95	71	--	--	--	--	--	--	--	--
05/18/95	ND	--	--	--	--	--	--	--	--
08/17/95	ND	--	--	--	--	--	--	--	--
07/26/96	98	--	--	--	--	--	--	--	--
10/28/96	99	--	--	--	--	--	--	--	--
01/29/97	54	--	--	--	--	--	--	--	--
04/15/97	94	--	--	--	--	--	--	--	--
07/15/97	ND	--	--	--	--	--	--	--	--
10/09/97	160	--	--	--	--	--	--	--	--
01/14/98	110	--	--	--	--	--	--	--	--
04/01/98	110	--	--	--	--	--	--	--	--
07/15/98	200	--	--	--	--	--	--	--	--
10/16/98	ND	--	--	--	--	--	--	--	--
01/25/99	ND	--	--	--	--	--	--	--	--
04/15/99	ND	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D ($\mu\text{g/l}$)	TBA ($\mu\text{g/l}$)	Ethanol (8260B) ($\mu\text{g/l}$)	Ethylene-dibromide (EDB) ($\mu\text{g/l}$)	1,2-DCA (EDC) ($\mu\text{g/l}$)	DIPE ($\mu\text{g/l}$)	ETBE ($\mu\text{g/l}$)	TAME ($\mu\text{g/l}$)	Total Oil and Grease (mg/l)
MW-9 continued									
07/14/99	140	--	--	--	--	--	--	--	--
10/21/99	210	--	--	--	--	--	--	--	--
01/20/00	519	--	--	--	--	--	--	--	--
04/13/00	81	--	--	--	--	--	--	--	--
07/14/00	107	--	--	--	--	--	--	--	--
10/26/00	240	--	--	--	--	--	--	--	--
01/03/01	164	--	--	--	--	--	--	--	--
04/04/01	240	--	--	--	--	--	--	--	--
07/17/01	ND	--	--	--	--	--	--	--	--
10/01/01	ND<52	--	--	--	--	--	--	--	--
01/31/02	200	--	--	--	--	--	--	--	--
04/18/02	ND<50	--	--	--	--	--	--	--	--
07/28/02	ND<50	--	--	--	--	--	--	--	--
10/09/02	100	--	--	--	--	--	--	--	--
01/02/03	ND<50	--	--	--	--	--	--	--	--
04/01/03	56	--	--	--	--	--	--	--	--
07/01/03	ND<50	--	ND<500	--	--	--	--	--	--
10/02/03	ND<50	--	ND<500	--	--	--	--	--	--
01/09/04	91	--	ND<500	--	--	--	--	--	--
04/26/04	ND<50	--	ND<50	--	--	--	--	--	--
07/22/04	ND<200	--	ND<1000	--	--	--	--	--	--
10/29/04	76	--	ND<50	--	--	--	--	--	--
01/10/05	77	--	ND<50	--	--	--	--	--	--
06/15/05	67	--	ND<50	--	--	--	--	--	--
09/27/05	ND<200	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D ($\mu\text{g/l}$)	TBA ($\mu\text{g/l}$)	Ethanol (8260B) ($\mu\text{g/l}$)	Ethylene- dibromide (EDB) ($\mu\text{g/l}$)	1,2-DCA (EDC) ($\mu\text{g/l}$)	DIPE ($\mu\text{g/l}$)	ETBE ($\mu\text{g/l}$)	TAME ($\mu\text{g/l}$)	Total Oil and Grease (mg/l)
MW-9 continued									
12/13/05	ND<200	--	ND<250	--	--	--	--	--	--
03/23/06	ND<200	--	ND<250	--	--	--	--	--	--
06/23/06	ND<200	--	ND<250	--	--	--	--	--	--
09/26/06	ND<50	--	ND<250	--	--	--	--	--	--
12/22/06	150	--	ND<250	--	--	--	--	--	--
03/30/07	72	--	ND<250	--	--	--	--	--	--
06/28/07	1000	--	ND<250	--	--	--	--	--	--
09/25/07	100	--	ND<250	--	--	--	--	--	--
12/28/07	56	--	ND<250	--	--	--	--	--	--
03/22/08	ND<50	--	ND<250	--	--	--	--	--	--
06/23/08	ND<50	--	ND<250	--	--	--	--	--	--
09/19/08	56	--	ND<250	--	--	--	--	--	--
MW-10									
02/21/95	270	--	--	--	--	--	--	--	--
05/18/95	75	--	--	--	--	--	--	--	--
08/17/95	ND	--	--	--	--	--	--	--	--
07/26/96	ND	--	--	--	--	--	--	--	--
10/28/96	ND	--	--	--	--	--	--	--	--
01/29/97	ND	--	--	--	--	--	--	--	--
04/15/97	ND	--	--	--	--	--	--	--	--
07/15/97	ND	--	--	--	--	--	--	--	--
10/09/97	ND	--	--	--	--	--	--	--	--
04/01/98	62	--	--	--	--	--	--	--	--
07/15/98	78	--	--	--	--	--	--	--	--
10/16/98	ND	--	--	--	--	--	--	--	--


Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D ($\mu\text{g/l}$)	TBA ($\mu\text{g/l}$)	Ethanol (8260B) ($\mu\text{g/l}$)	Ethylene-dibromide (EDB) ($\mu\text{g/l}$)	1,2-DCA (EDC) ($\mu\text{g/l}$)	DIPE ($\mu\text{g/l}$)	ETBE ($\mu\text{g/l}$)	TAME ($\mu\text{g/l}$)	Total Oil and Grease (mg/l)
MW-10 continued									
01/25/99	ND	--	--	--	--	--	--	--	--
04/15/99	ND	--	--	--	--	--	--	--	--
07/14/99	180	--	--	--	--	--	--	--	--
10/21/99	96	--	--	--	--	--	--	--	--
01/20/00	252	--	--	--	--	--	--	--	--
04/13/00	69	--	--	--	--	--	--	--	--
07/14/00	149	--	--	--	--	--	--	--	--
10/26/00	83	--	--	--	--	--	--	--	--
01/03/01	126	--	--	--	--	--	--	--	--
04/04/01	75	--	--	--	--	--	--	--	--
07/17/01	ND	--	--	--	--	--	--	--	--
10/01/01	100	--	--	--	--	--	--	--	--
01/31/02	170	--	--	--	--	--	--	--	--
04/18/02	130	--	--	--	--	--	--	--	--
07/28/02	58	--	--	--	--	--	--	--	--
10/09/02	ND<94	--	--	--	--	--	--	--	--
01/02/03	64	--	--	--	--	--	--	--	--
04/01/03	76	--	--	--	--	--	--	--	--
07/01/03	87	--	ND<500	--	--	--	--	--	--
10/02/03	160	--	ND<500	--	--	--	--	--	--
01/09/04	74	--	ND<500	--	--	--	--	--	--
04/26/04	ND<50	--	ND<50	--	--	--	--	--	--
07/22/04	ND<200	--	ND<1000	--	--	--	--	--	--
10/29/04	ND<50	--	ND<50	--	--	--	--	--	--
01/10/05	94	--	ND<50	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D ($\mu\text{g/l}$)	TBA ($\mu\text{g/l}$)	Ethanol (8260B) ($\mu\text{g/l}$)	Ethylene- dibromide (EDB) ($\mu\text{g/l}$)	1,2-DCA (EDC) ($\mu\text{g/l}$)	DIPE ($\mu\text{g/l}$)	ETBE ($\mu\text{g/l}$)	TAME ($\mu\text{g/l}$)	Total Oil and Grease (mg/l)
MW-10 continued									
06/15/05	62	--	ND<50	--	--	--	--	--	--
09/27/05	ND<200	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--
12/13/05	ND<200	--	ND<250	--	--	--	--	--	--
03/23/06	ND<200	--	ND<250	--	--	--	--	--	--
06/23/06	ND<200	--	ND<250	--	--	--	--	--	--
09/26/06	ND<50	--	ND<250	--	--	--	--	--	--
12/22/06	81	--	ND<250	--	--	--	--	--	--
03/30/07	82	--	ND<250	--	--	--	--	--	--
06/28/07	57	--	ND<250	--	--	--	--	--	--
09/25/07	82	--	ND<250	--	--	--	--	--	--
12/28/07	62	--	ND<250	--	--	--	--	--	--
03/22/08	ND<50	--	ND<250	--	--	--	--	--	--
06/23/08	ND<50	--	ND<250	--	--	--	--	--	--
09/19/08	ND<50	--	ND<250	--	--	--	--	--	--

FIGURES



0 1/4 1/2 3/4 1 MILE

SCALE 1:24,000

N

SOURCE:

United States Geological Survey
7.5 Minute Topographic Map:
San Leandro Quadrangle



PROJECT: 154771

FACILITY:

76 STATION 5043
449 HEGENBERGER ROAD
OAKLAND, CALIFORNIA

VICINITY MAP




FIGURE 1

LEGEND

MW-10 Monitoring Well with
Groundwater Elevation (feet)

5.50 — Groundwater Elevation
Contour

→ General Direction of
Groundwater Flow



NOTES:

Contour lines are interpretive and based on fluid levels measured in monitoring wells
Elevations are in feet above mean sea level UST = underground storage tank

SCALE (FEET)



PROJECT: 154771

FACILITY:
76 STATION 5043
449 HEGENBERGER ROAD
OAKLAND, CALIFORNIA


GROUNDWATER ELEVATION
CONTOUR MAP
September 19, 2008

FIGURE 2

LEGEND

MW-10 Monitoring Well with Dissolved-Phase
TPH-G (GC/MS) Concentration ($\mu\text{g/l}$)

—10,000— Dissolved-Phase TPH-G (GC/MS)
Contour ($\mu\text{g/l}$)



HEGENBERGER ROAD

NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples.
TPH-G (GC/MS) = total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B. $\mu\text{g/l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report. UST = underground storage tank.

SCALE (FEET)



DISSOLVED-PHASE TPH-G (GC/MS)
CONCENTRATION MAP
September 19, 2008




PROJECT: 154771

FACILITY:
76 STATION 5043
449 HEGENBERGER ROAD
OAKLAND, CALIFORNIA

LEGEND

MW-10 Monitoring Well with
Dissolved-Phase Benzene
Concentration ($\mu\text{g/l}$)

— 1,000 — Dissolved-Phase Benzene
Contour ($\mu\text{g/l}$)



NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples.
 $\mu\text{g/l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report.
UST = underground storage tank.

SCALE (FEET)



0 60

DISSOLVED-PHASE BENZENE
CONCENTRATION MAP
September 19, 2008



PROJECT: 154771



FACILITY:
76 STATION 5043
449 HEGENBERGER ROAD
OAKLAND, CALIFORNIA

FIGURE 4

LEGEND

MW-10 Monitoring Well with
Dissolved-Phase MTBE
Concentration ($\mu\text{g/l}$)

— 100 — Dissolved-Phase MTBE
Contour ($\mu\text{g/l}$)



HEGENBERGER ROAD

NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples.
MTBE = methyl tertiary butyl ether. $\mu\text{g/l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report. Dashes indicate contour based on non-detect at elevated detection limit. UST = underground storage tank. Results obtained using EPA Method 8260B.


SCALE (FEET)



DISSOLVED-PHASE MTBE CONCENTRATION MAP
September 19, 2008


GRAPHS

Groundwater Elevations vs. Time
76 Station 5043




Elevations may have been corrected for apparent changes due to resurvey

Groundwater Elevations vs. Time
76 Station 5043




Elevations may have been corrected for apparent changes due to resurvey

Groundwater Elevations vs. Time
76 Station 5043




Elevations may have been corrected for apparent changes due to resurvey

Benzene Concentrations vs Time
76 Station 5043



Benzene Concentrations vs Time
76 Station 5043



GENERAL FIELD PROCEDURES

Groundwater Monitoring and Sampling Assignments

For each site, TRC technicians are provided with a Technical Service Request (TSR) that specifies activities required to complete the groundwater monitoring and sampling assignment for the site. TSRs are based on client directives, instructions from the primary environmental consultant for the site, regulatory requirements, and TRC's previous experience with the site.

Fluid Level Measurements

Initial site activities include determination of well locations based on a site map provided with the TSR. Well boxes are opened and caps are removed. Indications of well or well box damage or of pressure buildup in the well are noted.

Fluid levels in each well are measured using a coated cloth tape equipped with an electronic interface probe, which distinguishes between liquid phase hydrocarbon (LPH) and water. The depth to LPH (if it is present), to water, and to the bottom of the well are measured from the top of the well casing (surveyors mark or notch if present) to the nearest 0.01 foot. Unless otherwise instructed, a well with less than 0.67 foot between the measured top of water and the measured bottom of the well casing is considered dry, and is not sampled. If the well contains 0.67 foot or more of water, an attempt is made to bail and/or sample as specified on the TSR.

Wells that are found to contain LPH are not purged or sampled. Instead, one casing volume of fluid is bailed from the well and the well is re-sealed. Bailed fluids are placed in a container separate from normal purge water, and properly disposed.

Purging and Groundwater Parameter Measurement

TSR instructions may specify that a well not be purged (no-purge sampling), be purged using low-flow methods, or be purged using conventional pump and/or bail methods. Conventional purging generally consists of pumping or bailing until a minimum of three casing volumes of water have been removed or until the well has been pumped dry. Pumping is generally accomplished using submersible electric or pneumatic diaphragm pumps.

During conventional purging, three groundwater parameters (temperature, pH, and conductivity) are measured after removal of each casing volume. Stabilization of these parameters, to within 10 percent, confirm that sufficient purging has been completed. In some cases, the TSR indicates that other parameters are also to be measured during purging. TRC commonly measures dissolved oxygen (DO), oxidation-reduction potential (ORP), and/or turbidity. Instruments used for groundwater parameter measurements are calibrated daily according to manufacturer's instructions.

Low-flow purging utilizes a bladder or peristaltic pump to remove water from the well at a low rate. Groundwater parameters specified by the TSR are measured continuously until they become stable in general accordance with EPA guidelines.

Purge water is generally collected in labeled drums for disposal. Drums may be left on site for disposal by others, or transported to a collection location for eventual transfer to a licensed treatment or recycling facility. In some cases, purge water may be collected directly from the site by a licensed vacuum truck company, or may be treated on site by an active remediation system, if so directed.

Groundwater Sample Collection

After wells are purged, or not purged, according to TSR instructions, samples are collected for laboratory analysis. For wells that have been purged using conventional pump or bail methods, sampling is conducted after the well has recovered to 80 percent of its original volume or after two hours if the well does not recover to at least 80 percent. If there is insufficient recharge of water in the well after two hours, the well is not sampled.

Samples are collected by lowering a new, disposable, $\frac{1}{2}$ -inch to 4-inch polyethylene bottom-fill bailer to just below the water level in the well. The bailer is retrieved and the water sample is carefully transferred to containers specified for the laboratory analytical methods indicated by the TSR. Particular care is given to containers for volatile organic analysis (VOAs) which require filling to zero headspace and fitting with Teflon-sealed caps.

After filling, all containers are labeled with project number (or site number), well designation, sample date, sample time, and the sampler's initials, and placed in an insulated chest with ice. Samples remain chilled prior to and during transport to a state-certified laboratory for analysis. Sample container descriptions and requested analyses are entered onto a chain-of-custody form in order to provide instructions to the laboratory. The chain-of-custody form accompanies the samples during transportation to provide a continuous record of possession from the field to the laboratory. If a freight or overnight carrier transports the samples, the carrier is noted on the form.

For wells that have been purged using low-flow methods, sample containers are filled from the effluent stream of the bladder or peristaltic pump. In some cases, if so specified by the TSR, samples are taken from the sample ports of actively pumping remediation wells.

Sequence of Gauging, Purging and Sampling

The sequence in which monitoring activities are conducted is specified on the TSR. In general, wells are gauged beginning with the least affected well and ending with the well that has the highest concentration based on previous analytic results. After all gauging for the site is completed, wells are purged and/or sampled from the least-affected to the most-affected well.

Decontamination

In order to reduce the possibility of cross contamination between wells, strict isolation and decontamination procedures are observed. Portable pumps are not used in wells with LPH. Technicians wear nitrile gloves during all gauging, purging, and sampling activities. Gloves are changed between wells and more often if warranted. Any equipment that could come in contact with fluids are either dedicated a particular well, decontaminated prior to each use, or discarded after a single use. Decontamination consists of washing in a solution of Liqui-nox and water and rinsing twice. The final rinse is in deionized water.

Exceptions

Additional tasks or non-standard procedures, if any, that may be requested or required for a particular site, and noted on the site TSR, are documented in field notes on the following pages.

FIELD MONITORING DATA SHEET

Technician: Rick H.

Job #/Task #: 154771 / FA20

Date: 9/19/08

Site # 5643

Project Manager A. Collins

Page 1 of 1

GROUNDWATER SAMPLING FIELD NOTES

Technician: Ricky H.

Site: 5043

Project No: 154771

Date: 9/19/08

Well No. MW-8

Purge Method: Sub

Depth to Water (feet): 3.72

Depth to Product (feet): —

Total Depth (feet) 14.78

LPH & Water Recovered (gallons): —

Water Column (feet): 11.06

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 5.93

1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D O (mg/L)	ORP	Turbidity
0836			2	13.26	16.5	5.77			
			4	11.53	19.6	5.65			
0842			6	11.35	21.8	5.61			
Static at Time Sampled			Total Gallons Purged			Sample Time			
6.93			6			1043			
Comments: well did not recover in 2 hrs									

Well No. MW-7

Purge Method: Sub

Depth to Water (feet): 4.86

Depth to Product (feet): —

Total Depth (feet) 12.82

LPH & Water Recovered (gallons): —

Water Column (feet): 7.96

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 6.45

1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O. (mg/L)	ORP	Turbidity
0851			2	1767	22.9	6.33			
			4	2092	22.6	6.25			
0857			6	2261	22.1	6.27			
Static at Time Sampled			Total Gallons Purged			Sample Time			
8.59			6			1059			
Comments: well went dry @ last reading ((gallons)), well did not recover in 2 hrs									

GROUNDWATER SAMPLING FIELD NOTES

Technician: Ricky H.

Site: 5043

Project No: 154771

Date: 9/19/05

Well No. MW-9

Purge Method: Sub

Depth to Water (feet): 2.43

Depth to Product (feet): —

Total Depth (feet) 12.69

LPH & Water Recovered (gallons): —

Water Column (feet): 10.26

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 4.48

1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O. (mg/L)	ORP	Turbidity
0907		2	5245	20.9	6.09				
		4	2479	23.4	6.12				
0912		6	1281	23.7	6.18				
Static at Time Sampled			Total Gallons Purged			Sample Time			
7.30			6			1113			
Comments: well did not recover in 2 hrs									

Well No. MW-3

Purge Method: Sub

Depth to Water (feet): 3.45

Depth to Product (feet): —

Total Depth (feet) 14.00

LPH & Water Recovered (gallons): —

Water Column (feet): 10.45 ["] 10.55

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 5.56

1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O. (mg/L)	ORP	Turbidity
0919		2	4075	22.2	5.80				
		4	3741	23.4	5.93				
0924		6	3820	24.0	5.80				
Static at Time Sampled			Total Gallons Purged			Sample Time			
7.63			6			1125			
Comments: well did not recover in 2 hrs.									

GROUNDWATER SAMPLING FIELD NOTES

Technician: Ricky H.

Site: 5043

Project No: 134771

Date: 9/19/08

Well No. mw-10

Purge Method: Sub

Depth to Water (feet): 3.85

Depth to Product (feet): —

Total Depth (feet) 12.74

LPH & Water Recovered (gallons): —

Water Column (feet): 8.89

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 5.63

1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D O (mg/L)	ORP	Turbidity
<u>0932</u>			<u>2</u>	<u>3195</u>	<u>22.5</u>	<u>6.24</u>			
			<u>4</u>	<u>2773</u>	<u>22.9</u>	<u>6.26</u>			
	<u>0937</u>		<u>6</u>	<u>2561</u>	<u>22.8</u>	<u>6.29</u>			
Static at Time Sampled			Total Gallons Purged			Sample Time			
<u>4.01</u>			<u>6</u>			<u>09414</u>			
Comments:									

Well No. mw-6

Purge Method: Sub

Depth to Water (feet): 4.06

Depth to Product (feet): —

Total Depth (feet) 12.71

LPH & Water Recovered (gallons): —

Water Column (feet): 8.65

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 5.79

1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D O (mg/L)	ORP	Turbidity
<u>0959</u>			<u>2</u>	<u>4648</u>	<u>21.8</u>	<u>6.38</u>			
			<u>4</u>	<u>3404</u>	<u>22.8</u>	<u>6.28</u>			
	<u>1005</u>		<u>6</u>	<u>3058</u>	<u>23.8</u>	<u>6.24</u>			
Static at Time Sampled			Total Gallons Purged			Sample Time			
<u>6.50</u>			<u>6</u>			<u>1205</u>			
Comments: well did not recover in 2 hrs									



BC Laboratories, Inc.

Environmental Testing Laboratory Since 1949

Date of Report: 10/09/2008

Anju Farfan

TRC

21 Technology Drive
Irvine, CA 92618

RE: 5043
BC Work Order: 0812491
Invoice ID: B051131

Enclosed are the results of analyses for samples received by the laboratory on 9/19/2008. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Contact Person: Molly Meyers
Client Service Rep

Authorized Signature

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Fartan

Reported: 10/09/2008 15:28

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information				
0812491-01	COC Number: Project Number: Sampling Location: Sampling Point: Sampled By:	--- 5043 MW-8 MW-8 TRCI	Receive Date: Sampling Date: Sample Depth: Sample Matrix:	09/19/2008 19:15 09/19/2008 10:43 --- Water	Delivery Work Order: Global ID: T0600101476 Matrix: W Sample QC Type (SACode): CS Cooler ID:
0812491-02	COC Number: Project Number: Sampling Location: Sampling Point: Sampled By:	--- 5043 MW-7 MW-7 TRCI	Receive Date: Sampling Date: Sample Depth: Sample Matrix:	09/19/2008 19:15 09/19/2008 10:59 --- Water	Delivery Work Order: Global ID: T0600101476 Matrix: W Sample QC Type (SACode): CS Cooler ID:
0812491-03	COC Number: Project Number: Sampling Location: Sampling Point: Sampled By:	--- 5043 MW-9 MW-9 TRCI	Receive Date: Sampling Date: Sample Depth: Sample Matrix:	09/19/2008 19:15 09/19/2008 11:13 --- Water	Delivery Work Order: Global ID: T0600101476 Matrix: W Sample QC Type (SACode): CS Cooler ID:
0812491-04	COC Number: Project Number: Sampling Location: Sampling Point: Sampled By:	--- 5043 MW-3 MW-3 TRCI	Receive Date: Sampling Date: Sample Depth: Sample Matrix:	09/19/2008 19:15 09/19/2008 11:25 --- Water	Delivery Work Order: Global ID: T0600101476 Matrix: W Sample QC Type (SACode): CS Cooler ID:
0812491-05	COC Number: Project Number: Sampling Location: Sampling Point: Sampled By:	--- 5043 MW-10 MW-10 TRCI	Receive Date: Sampling Date: Sample Depth: Sample Matrix:	09/19/2008 19:15 09/19/2008 09:44 --- Water	Delivery Work Order: Global ID: T0600101476 Matrix: W Sample QC Type (SACode): CS Cooler ID:

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Fartan

Reported: 10/09/2008 15:28

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information		Receive Date:	09/19/2008 19:15	Delivery Work Order:
0812491-06	COC Number: Project Number: Sampling Location: Sampling Point: Sampled By:	--- 5043 MW-6 MW-6 TRCI	Sampling Date:	09/19/2008 12:05	Global ID: T0600101476

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

BC**Laboratories, Inc.**

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: Inonet
Project Manager: Anju Farfan

Reported: 10/09/2008 15:28

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0812491-01	Client Sample Name: 5043, MW-8, MW-8, 9/19/2008 10:43:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	09/29/08	09/29/08 20:08	KEA	MS-V12	i	BRI1924	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	09/29/08	09/29/08 20:08	KEA	MS-V12	1	BRI1924	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	09/29/08	09/29/08 20:08	KEA	MS-V12	1	BRI1924	ND	
Toluene	ND	ug/L	0.50		EPA-8260	09/29/08	09/29/08 20:08	KEA	MS-V12	1	BRI1924	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	09/29/08	09/29/08 20:08	KEA	MS-V12	1	BRI1924	ND	
Ethanol	ND	ug/L	250		EPA-8260	09/29/08	09/29/08 20:08	KEA	MS-V12	1	BRI1924	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	09/29/08	09/29/08 20:08	KEA	MS-V12	1	BRI1924	ND	
1,2-Dichloroethane-d4 (Surrogate)	113	%	76 - 114 (LCL - UCL)		EPA-8260	09/29/08	09/29/08 20:08	KEA	MS-V12	1	BRI1924		
Toluene-d8 (Surrogate)	102	%	88 - 110 (LCL - UCL)		EPA-8260	09/29/08	09/29/08 20:08	KEA	MS-V12	1	BRI1924		
4-Bromofluorobenzene (Surrogate)	95.1	%	86 - 115 (LCL - UCL)		EPA-8260	09/29/08	09/29/08 20:08	KEA	MS-V12	1	BRI1924		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: |none|
Project Manager: Anju Farfan

Reported: 10/09/2008 15:28

Total Petroleum Hydrocarbons (Silica Gel Treated)

BCL Sample ID:	0812491-01	Client Sample Name: 5043, MW-8, MW-8, 9/19/2008 10:43:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	Analyst	Dilution	QC Batch ID	MB Bias	Lab Quals
Diesel Range Organics (C12 - C24)	79	ug/L	50		Luft/TPHd	09/27/08	10/05/08 22:48	GC-5	CKD	i	BRI1972	ND	
Tetracosane (Surrogate)	87.4	%	28 - 139 (LCL - UCL)		Luft/TPHd	09/27/08	10/05/08 22:48	GC-5	CKD	i	BRI1972		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 10/09/2008 15:28

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0812491-02	Client Sample Name: 5043, MW-7, MW-7, 9/19/2008 10:59:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	09/29/08	09/29/08 22:50	KEA	MS-V12	1	BRI1924	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	09/29/08	09/29/08 22:50	KEA	MS-V12	1	BRI1924	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	09/29/08	09/29/08 22:50	KEA	MS-V12	i	BRI1924	ND	
Toluene	ND	ug/L	0.50		EPA-8260	09/29/08	09/29/08 22:50	KEA	MS-V12	i	BRI1924	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	09/29/08	09/29/08 22:50	KEA	MS-V12	i	BRI1924	ND	
Ethanol	ND	ug/L	250		EPA-8260	09/29/08	09/29/08 22:50	KEA	MS-V12	i	BRI1924	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	09/29/08	09/29/08 22:50	KEA	MS-V12	i	BRI1924	ND	
1,2-Dichloroethane-d4 (Surrogate)	102	%	76 - 114 (LCL - UCL)		EPA-8260	09/29/08	09/29/08 22:50	KEA	MS-V12	i	BRI1924		
Toluene-d8 (Surrogate)	101	%	88 - 110 (LCL - UCL)		EPA-8260	09/29/08	09/29/08 22:50	KEA	MS-V12	i	BRI1924		
4-Bromofluorobenzene (Surrogate)	95. i	%	86 - 115 (LCL - UCL)		EPA-8260	09/29/08	09/29/08 22:50	KEA	MS-V12	i	BRI1924		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: Inone
Project Manager: Anju Farfan

Reported: 10/09/2008 15:28

Total Petroleum Hydrocarbons (Silica Gel Treated)

BCL Sample ID:	0812491-02	Client Sample Name: 5043, MW-7, MW-7, 9/19/2008 10:59:00AM									
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC	MB	Lab Quals
Diesel Range Organics (C12 - C24)	ND	ug/L	50		Luft/TPHd	09/27/08	10/05/08 23:03	CKD	GC-5	1.010	BRI1972 ND
Tetracosane (Surrogate)	66.7	%	28 - 139 (LCL - UCL)		Luft/TPHd	09/27/08	10/05/08 23:03	CKD	GC-5	1.010	BRI1972

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

Page 7 of 22



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Fartan

Reported: 10/09/2008 15:28

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0812491-03	Client Sample Name: 5043, MW-9, MW-9, 9/19/2008 11:13:00AM										
Constituent	Result	Units	PQL	MDL	Method	Prep	Run	Instrument ID	Dilution	QC	MB	Lab
						Date	Date/Time					
Benzene	ND	ug/L	0.50		EPA-8260	09/29/08	09/29/08 19:44	KEA	MS-V12	1	BRI1924	ND
Ethylbenzene	ND	ug/L	0.50		EPA-8260	09/29/08	09/29/08 19:44	KEA	MS-V12	1	BRI1924	ND
Methyl t-butyl ether	3.9	ug/L	0.50		EPA-8260	09/29/08	09/29/08 19:44	KEA	MS-V12	1	BRI1924	ND
Toluene	ND	ug/L	0.50		EPA-8260	09/29/08	09/29/08 19:44	KEA	MS-V12	1	BRI1924	ND
Total Xylenes	ND	ug/L	1.0		EPA-8260	09/29/08	09/29/08 19:44	KEA	MS-V12	i	BRI1924	ND
Ethanol	ND	ug/L	250		EPA-8260	09/29/08	09/29/08 19:44	KEA	MS-V12	i	BRI1924	ND
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	09/29/08	09/29/08 19:44	KEA	MS-V12	i	BRI1924	ND
1,2-Dichloroethane-d4 (Surrogate)	108	%	76 - 114 (LCL - UCL)		EPA-8260	09/29/08	09/29/08 19:44	KEA	MS-V12	i	BRI1924	
Toluene-d8 (Surrogate)	101	%	88 - 110 (LCL - UCL)		EPA-8260	09/29/08	09/29/08 19:44	KEA	MS-V12	1	BRI1924	
4-Bromofluorobenzene (Surrogate)	97.2	%	86 - 115 (LCL - UCL)		EPA-8260	09/29/08	09/29/08 19:44	KEA	MS-V12	1	BRI1924	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Fartan

Reported: 10/09/2008 15:28

Total Petroleum Hydrocarbons (Silica Gel Treated)

BCL Sample ID:	0812491-03	Client Sample Name: 5043, MW-9, MW-9, 9/19/2008 11:13:00AM									
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC	MB	Lab Quals
Diesel Range Organics (C12 - C24)	56	ug/L	50		Luft/TPHd	09/27/08	10/05/08 23:17	CKD	GC-5	1.020	BRI1972 ND
Tetracosane (Surrogate)	68.1	%	28 - 139 (LCL - UCL)		Luft/TPHd	09/27/08	10/05/08 23:17	CKD	GC-5	1.020	BRI1972

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

Page 9 of 22



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: InoneI
Project Manager: Anju Fartan

Reported: 10/09/2008 15:28

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0812491-04	Client Sample Name: 5043, MW-3, MW-3, 9/19/2008 11:25:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	09/29/08	09/29/08 19:19	KEA	MS-V12	1	BRI1924	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	09/29/08	09/29/08 19:19	KEA	MS-V12	1	BRI1924	ND	
Methyl t-butyl ether	120	ug/L	1.0		EPA-8260	09/29/08	10/01/08 02:45	KEA	MS-V12	2	BRI1924	ND	A01
Toluene	ND	ug/L	0.50		EPA-8260	09/29/08	09/29/08 19:19	KEA	MS-V12	i	BRI1924	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	09/29/08	09/29/08 19:19	KEA	MS-V12	i	BRI1924	ND	
Ethanol	ND	ug/L	250		EPA-8260	09/29/08	09/29/08 19:19	KEA	MS-V12	i	BRI1924	ND	
Total Purgeable Petroleum Hydrocarbons	180	ug/L	50		EPA-8260	09/29/08	09/29/08 19:19	KEA	MS-V12	i	BRI1924	ND	
1,2-Dichloroethane-d4 (Surrogate)	99.7	%	76 - 114 (LCL - UCL)		EPA-8260	09/29/08	10/01/08 02:45	KEA	MS-V12	2	BRI1924		
1,2-Dichloroethane-d4 (Surrogate)	102	%	76 - 114 (LCL - UCL)		EPA-8260	09/29/08	09/29/08 19:19	KEA	MS-V12	1	BRI1924		
Toluene-d8 (Surrogate)	102	%	88 - 110 (LCL - UCL)		EPA-8260	09/29/08	09/29/08 19:19	KEA	MS-V12	1	BRI1924		
Toluene-d8 (Surrogate)	99.8	%	88 - 110 (LCL - UCL)		EPA-8260	09/29/08	10/01/08 02:45	KEA	MS-V12	2	BRI1924		
4-Bromofluorobenzene (Surrogate)	103	%	86 - 115 (LCL - UCL)		EPA-8260	09/29/08	09/29/08 19:19	KEA	MS-V12	1	BRI1924		
4-Bromofluorobenzene (Surrogate)	97.6	%	86 - 115 (LCL - UCL)		EPA-8260	09/29/08	10/01/08 02:45	KEA	MS-V12	2	BRI1924		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

Page 10 of 22



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 10/09/2008 15:28

Total Petroleum Hydrocarbons (Silica Gel Treated)

BCL Sample ID:	0812491-04	Client Sample Name: 5043, MW-3, MW-3, 9/19/2008 11:25:00AM										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Diesel Range Organics (C12 - C24)	93	ug/L	50		Luft/TPHd	09/27/08	10/05/08 23:31	CKD	GC-5	1.031	BRI1972	ND
Tetracosane (Surrogate)	57.0	%	28 - 139 (LCL - UCL)		Luft/TPHd	09/27/08	10/05/08 23:31	CKD	GC-5	1.031	BRI1972	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 10/09/2008 15:28

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0812491-05	Client Sample Name: 5043, MW-10, MW-10, 9/19/2008 9:44:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	15	ug/L	0.50		EPA-8260	09/29/08	09/29/08 22:26	KEA	MS-V12	1	BRI1924	ND	
Ethylbenzene	5.7	ug/L	0.50		EPA-8260	09/29/08	09/29/08 22:26	KEA	MS-V12	i	BRI1924	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	09/29/08	09/29/08 22:26	KEA	MS-V12	i	BRI1924	ND	
Toluene	1.7	ug/L	0.50		EPA-8260	09/29/08	09/29/08 22:26	KEA	MS-V12	i	BRI1924	ND	
Total Xylenes	11	ug/L	1.0		EPA-8260	09/29/08	09/29/08 22:26	KEA	MS-V12	i	BRI1924	ND	
Ethanol	ND	ug/L	250		EPA-8260	09/29/08	09/29/08 22:26	KEA	MS-V12	i	BRI1924	ND	
Total Purgeable Petroleum Hydrocarbons	130	ug/L	50		EPA-8260	09/29/08	09/29/08 22:26	KEA	MS-V12	i	BRI1924	ND	
1,2-Dichloroethane-d4 (Surrogate)	104	%	76 - 114 (LCL - UCL)		EPA-8260	09/29/08	09/29/08 22:26	KEA	MS-V12	i	BRI1924		
Toluene-d8 (Surrogate)	102	%	88 - 110 (LCL - UCL)		EPA-8260	09/29/08	09/29/08 22:26	KEA	MS-V12	i	BRI1924		
4-Bromofluorobenzene (Surrogate)	96.6	%	86 - 115 (LCL - UCL)		EPA-8260	09/29/08	09/29/08 22:26	KEA	MS-V12	i	BRI1924		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: (none)
Project Manager: Anju Farfan

Reported: 10/09/2008 15:28

Total Petroleum Hydrocarbons (Silica Gel Treated)

BCL Sample ID:	0812491-05	Client Sample Name: 5043, MW-10, MW-10, 9/19/2008 9:44:00AM										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	Instru-ment ID	QC	MB	Lab Quals
Diesel Range Organics (C12 - C24)	ND	ug/L	50		Luft/TPHd	09/27/08	10/05/08 23:46	CKD	GC-5	1	BRI1972	ND
Tetracosane (Surrogate)	63.1	%	28 - 139 (LCL - UCL)		Luft/TPHd	09/27/08	10/05/08 23:46	CKD	GC-5	1	BRI1972	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

Page 13 of 22



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 10/09/2008 15:28

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0812491-06	Client Sample Name: 5043, MW-6, MW-6, 9/19/2008 12:05:00PM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	2000	ug/L	50		EPA-8260	09/29/08	10/01/08 03:10	KEA	MS-V12	100	BRI1924	ND	A01
Ethylbenzene	2000	ug/L	50		EPA-8260	09/29/08	10/01/08 03:10	KEA	MS-V12	100	BRI1924	ND	A01
Methyl t-butyl ether	ND	ug/L	12		EPA-8260	09/29/08	09/29/08 23:15	KEA	MS-V12	25	BRI1924	ND	A01
Toluene	230	ug/L	12		EPA-8260	09/29/08	09/29/08 23:15	KEA	MS-V12	25	BRI1924	ND	A01
Total Xylenes	4500	ug/L	100		EPA-8260	09/29/08	10/01/08 03:10	KEA	MS-V12	100	BRI1924	ND	A01
Ethanol	ND	ug/L	6200		EPA-8260	09/29/08	09/29/08 23:15	KEA	MS-V12	25	BRI1924	ND	A01
Total Purgeable Petroleum Hydrocarbons	65000	ug/L	5000		EPA-8260	09/29/08	10/01/08 03:10	KEA	MS-V12	100	BRI1924	ND	A01
1,2-Dichloroethane-d4 (Surrogate)	102	%	76 - 114 (LCL - UCL)		EPA-8260	09/29/08	09/29/08 23:15	KEA	MS-V12	25	BRI1924		
1,2-Dichloroethane-d4 (Surrogate)	95.6	%	76 - 114 (LCL - UCL)		EPA-8260	09/29/08	10/01/08 03:10	KEA	MS-V12	100	BRI1924		
Toluene-d8 (Surrogate)	101	%	88 - 110 (LCL - UCL)		EPA-8260	09/29/08	10/01/08 03:10	KEA	MS-V12	100	BRI1924		
Toluene-d8 (Surrogate)	102	%	88 - 110 (LCL - UCL)		EPA-8260	09/29/08	09/29/08 23:15	KEA	MS-V12	25	BRI1924		
4-Bromofluorobenzene (Surrogate)	99.4	%	86 - 115 (LCL - UCL)		EPA-8260	09/29/08	09/29/08 23:15	KEA	MS-V12	25	BRI1924		
4-Bromofluorobenzene (Surrogate)	101	%	86 - 115 (LCL - UCL)		EPA-8260	09/29/08	10/01/08 03:10	KEA	MS-V12	100	BRI1924		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Fartan

Reported: 10/09/2008 15:28

Total Petroleum Hydrocarbons (Silica Gel Treated)

BCL Sample ID:	0812491-06	Client Sample Name: 5043, MW-6, MW-6, 9/19/2008 12:05:00PM									
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC	MB	Lab Quals
Diesel Range Organics (C12 - C24)	180000	ug/L	25000		Luft/TPHd	09/27/08	10/08/08 16:10	CKD	GC-5	500	BRI1972 ND A01
Tetracosane (Surrogate)	0	%	28 - 139 (LCL - UCL)		Luft/TPHd	09/27/08	10/08/08 16:10	CKD	GC-5	500	BRI1972 A01,A17

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 10/09/2008 15:28

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Control Limits		
									Percent Recovery	RPD	Percent Recovery Lab Quals
Benzene	BRI1924	Matrix Spike	0811604-40	0	24.530	25.000	ug/L	12.3	98.1	20	70 - 130
		Matrix Spike Duplicate	0811604-40	0	27.860	25.000	ug/L		111		70 - 130
Toluene	BRI1924	Matrix Spike	0811604-40	0	26.540	25.000	ug/L	8.1	106	20	70 - 130
		Matrix Spike Duplicate	0811604-40	0	28.720	25.000	ug/L		115		70 - 130
1,2-Dichloroethane-d4 (Surrogate)	BRI1924	Matrix Spike	0811604-40	ND	9.9900	10.000	ug/L	99.9	99.9	20	76 - 114
		Matrix Spike Duplicate	0811604-40	ND	9.8200	10.000	ug/L		98.2		76 - 114
Toluene-d8 (Surrogate)	BRI1924	Matrix Spike	0811604-40	ND	10.170	10.000	ug/L	102	102	20	88 - 110
		Matrix Spike Duplicate	0811604-40	ND	10.080	10.000	ug/L		101		88 - 110
4-Bromofluorobenzene (Surrogate)	BRI1924	Matrix Spike	0811604-40	ND	10.300	10.000	ug/L	103	103	20	86 - 115
		Matrix Spike Duplicate	0811604-40	ND	9.8500	10.000	ug/L		98.5		86 - 115

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 10/09/2008 15:28

Total Petroleum Hydrocarbons (Silica Gel Treated)

Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample Type	Source Sample ID	Source Result	Spike Result	Spike Added	Units	RPD	Control Limits		
									Percent Recovery	RPD	Percent Recovery Lab Quals
Diesel Range Organics (C12 - C24)	BRI1972	Matrix Spike	0809520-57	9.8760	313.52	500.00	ug/L	60.7	60.7	36 - 130	36 - 130
		Matrix Spike Duplicate	0809520-57	9.8760	328.56	500.00	ug/L	4.8	63.7	30	36 - 130
Tetracosane (Surrogate)	BRI1972	Matrix Spike	0809520-57	ND	14.342	20.000	ug/L	71.7	71.7	28 - 139	28 - 139
		Matrix Spike Duplicate	0809520-57	ND	14.576	20.000	ug/L	72.9	72.9	28 - 139	28 - 139

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 10/09/2008 15:28

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Laboratory Control Sample

Constituent	Batch ID	QC Sample ID	QC Type	Result	Spike Level	PQL	Units	Percent Recovery	<u>Control Limits</u>		
									Percent Recovery	RPD	Lab Quals
Benzene	BRI1924	BRI1924-BS1	LCS	24.690	25.000	0.50	ug/L	98.8	70 - 130		
Toluene	BRI1924	BRI1924-BS1	LCS	26.370	25.000	0.50	ug/L	105	70 - 130		
1,2-Dichloroethane-d4 (Surrogate)	BRI1924	BRI1924-BS1	LCS	9.9400	10.000		ug/L	99.4	76 - 114		
Toluene-d8 (Surrogate)	BRI1924	BRI1924-BS1	LCS	9.8000	10.000		ug/L	98.0	88 - 110		
4-Bromofluorobenzene (Surrogate)	BRI1924	BRI1924-BS1	LCS	9.8700	10.000		ug/L	98.7	86 - 115		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 10/09/2008 15:28

Total Petroleum Hydrocarbons (Silica Gel Treated)

Quality Control Report - Laboratory Control Sample

Constituent	Batch ID	QC Sample ID	QC Type	Result	Spike Level	PQL	Units	Percent Recovery	<u>Control Limits</u>		
									Percent Recovery	RPD	Lab Quals
Diesel Range Organics (C12 - C24)	BRI1972	BRI1972-BS1	LCS	352.81	500.00	50	ug/L	70.6		48 - 125	
Tetracosane (Surrogate)	BRI1972	BRI1972-BS1	LCS	15.502	20.000		ug/L	77.5		28 - 139	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Fartan

Reported: 10/09/2008 15:28

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Benzene	BRI1924	BRI1924-BLK1	ND	ug/L	0.50		
Ethylbenzene	BRI1924	BRI1924-BLK1	ND	ug/L	0.50		
Methyl t-butyl ether	BRI1924	BRI1924-BLK1	ND	ug/L	0.50		
Toluene	BRI1924	BRI1924-BLK1	ND	ug/L	0.50		
Total Xylenes	BRI1924	BRI1924-BLK1	ND	ug/L	1.0		
Ethanol	BRI1924	BRI1924-BLK1	ND	ug/L	250		
Total Purgeable Petroleum Hydrocarbons	BRI1924	BRI1924-BLK1	ND	ug/L	50		
1,2-Dichloroethane-d4 (Surrogate)	BRI1924	BRI1924-BLK1	105	%	76 - 114 (LCL - UCL)		
Toluene-d8 (Surrogate)	BRI1924	BRI1924-BLK1	101	%	88 - 110 (LCL - UCL)		
4-Bromofluorobenzene (Surrogate)	BRI1924	BRI1924-BLK1	98.1	%	86 - 115 (LCL - UCL)		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 10/09/2008 15:28

Total Petroleum Hydrocarbons (Silica Gel Treated)

Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Diesel Range Organics (C12 - C24)	BRI1972	BRI1972-BLK1	ND	ug/L	50		
Tetracosane (Surrogate)	BRI1972	BRI1972-BLK1	66.9	%	28 - 139 (LCL - UCL)		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: (none)
Project Manager: Anju Farfan

Reported: 10/09/2008 15:28

Notes And Definitions

MDL	Method Detection Limit
ND	Analyte Not Detected at or above the reporting limit
PQL	Practical Quantitation Limit
RPD	Relative Percent Difference
A01	PQL's and MDL's are raised due to sample dilution.
A17	Surrogate not reportable due to sample dilution.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

BC LABORATORIES INC.

SAMPLE RECEIPT FORM

Rev. No. 12 06/24/08 Page Of

Submission # 081049

SHIPPING INFORMATION		SHIPPING CONTAINER								
Federal Express <input type="checkbox"/> UPS <input type="checkbox"/> Hand Delivery <input type="checkbox"/> BC Lab Field Service <input checked="" type="checkbox"/> Other <input type="checkbox"/> (Specify)	Ice Chest <input checked="" type="checkbox"/> Box <input type="checkbox"/>		None <input type="checkbox"/> Other <input type="checkbox"/> (Specify)							
Refrigerant: Ice <input checked="" type="checkbox"/> Blue Ice <input type="checkbox"/> None <input type="checkbox"/> Other <input type="checkbox"/> Comments:										
Custody Seals Ice Chest <input type="checkbox"/> Intact <input type="checkbox"/>	Containers <input type="checkbox"/> Intact <input type="checkbox"/>	None <input type="checkbox"/> Comments:								
All samples received? Yes <input type="checkbox"/> No <input type="checkbox"/>		All samples containers intact? Yes <input type="checkbox"/> No <input type="checkbox"/>		Description(s) match COC? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>						
COC Received <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	Emissivity: 0.97 Container: VOA Thermometer ID: 48	Temperature: A 14 °C / C 05 °C		Date/Time 9/9/08 Analyst Init. JNW						
SAMPLE CONTAINERS	SAMPLE NUMBERS									
	1	2	3	4	5	6	7	8	9	10
QT GENERAL MINERAL/GENERAL PHYSICAL										
PT PE UNPRESERVED										
OT INORGANIC CHEMICAL METALS										
PT INORGANIC CHEMICAL METALS										
PT CYANIDE										
PT NITROGEN FORMS										
PT TOTAL SULFIDE										
2oz. NITRATE / NITRITE										
PT TOTAL ORGANIC CARBON										
PT TOX										
PT CHEMICAL OXYGEN DEMAND										
PtA PHENOLICS										
40ml VOA VIAL TRAVEL BLANK	A	B	A	B	A	B	A	B	A	
40ml VOA VIAL										
OT EPA 413.1, 413.2, 418.1										
PT ODOR										
RADIOLOGICAL										
BACTERIOLOGICAL										
40 ml VOA VIAL- 504										
OT EPA 508/608/8080										
OT EPA 515.1/8150										
OT EPA 525										
OT EPA 525 TRAVEL BLANK										
100ml EPA 547										
100ml EPA 531.1										
OT EPA 548										
OT EPA 549										
OT EPA 632										
OT EPA 8015M										
OT AMBER										
8 OZ. JAR										
32 OZ. JAR										
SOIL SLEEVE										
PCB VIAL										
PLASTIC BAG										
FERROUS IRON										
ENCORE										

Comments:

Sample Numbering Completed By: CT
A = Actual / C = Corrected

Date/Time:

10/00 9:02

D:\DOCS\WP80\LAB_DOCS\FORMS\1SAMREC2.WPD

BC LABORATORIES INC.

SAMPLE RECEIPT FORM

Rev. No. 12 06/24/08 Page Of

Submission #:

SHIPPING INFORMATION
 Federal Express UPS Hand Delivery
 BC Lab Field Service Other (Specify) _____

SHIPPING CONTAINER
 Ice Chest Box None
 Other (Specify) _____

Refrigerant: Ice Blue Ice None Other Comments: _____

Custody Seals: Ice Chest Container None Comments: _____
 Integrity Checked

All samples received? Yes No All samples containers intact? Yes No Description(s) match COC? Yes No

COC Received <input type="checkbox"/> YES <input type="checkbox"/> NO	Emissivity: <u>0.97</u> Container: <u>VCA</u> Thermometer ID: <u>48</u>	Date/Time <u>9/19/08 1915</u>
	Temperature: A <u>1.4</u> °C / C <u>0.5</u> °C	Analyst Init <u>JNW</u>

SAMPLE CONTAINERS	SAMPLE NUMBERS									
	1	2	3	4	5	6	7	8	9	10
QT GENERAL MINERAL/ GENERAL PHYSICAL										
PT PE UNPRESERVED										
QT INORGANIC CHEMICAL METALS										
PT INORGANIC CHEMICAL METALS										
PT CYANIDE										
PT NITROGEN FORMS										
PT TOTAL SULFIDE										
2oz. NITRATE / NITRITE										
PT TOTAL ORGANIC CARBON										
PT TOX										
PT CHEMICAL OXYGEN DEMAND										
PTA PHENOLICS										
40ml VOA VIAL TRAVEL BLANK	(())	()	()	()
40ml VOA VIAL	(())	()	()	()
QT EPA 413.1, 413.2, 418.1										
PT ODOR										
RADIOLOGICAL										
BACTERIOLOGICAL										
40 ml VOA VIAL - 504										
QT EPA 508/608/8080										
QT EPA 515.1/8150										
QT EPA 525										
QT EPA 525 TRAVEL BLANK										
100ml EPA 547										
100ml EPA 531.1										
QT EPA 548										
QT EPA 549										
QT EPA 632										
QT EPA 8015M										
QT AMBER										
3 OZ. JAR										
32 OZ. JAR										
SOIL SLEEVE										
PCB VIAL										
PLASTIC BAG										
FERROUS IRON										
ENCORE										

Comments: _____

Sample Numbering Completed By: _____ Date/Time: _____

A = Actual / C = Corrected

BC LABORATORIES, INC.

4100 Atlas Court Bakersfield, CA 93308
(661) 327-4911 FAX (661) 327-1918

CHAIN OF CUSTODY

				Analysis Performed			
Bill to: Conoco Phillips/ TRC		Consultant Firm: TRC		MATRIX (GW)	BTTEX/MTBE by 8021B, Gas by 8015	TPH GAS by 8015M	TPH DIESEL by 8015
Address: 449 Hegenberger Rd		21 Technology Drive Irvine, CA 92618-2302 Attn: Anju Farfan		Ground-water (S)			
City: Oakland		4-digit site#: 5043 Workorder # 01347-4509117985		Soil (WW)			
State: CA Zip:		Project #: 154771		Waste-water (SL)	8260 full list w/ oxygenates		
Conoco Phillips Mgr: Terry Grayson Sampler Name: Ricky H.				Sludge			
Lab#	Sample Description	Field Point Name	Date & Time Sampled				
1	mw-8		9/19/08 1043	GW	X	X	X
2	mw-7		1059		X	X	X
3	mw-9		1113				
4	mw-3		1125				
5	mw-10		0944				
6	mw-6		1205				

OK BY DISTRIBUTION SUB-OUT

Comments:	Relinquished by: (Signature)	Received by:	Date & Time
GLOBAL ID: T0600101476	<i>Ross Nickay</i>	<i>Ross Nickay</i>	9/19/08 1330
	<i>Ross Nickay 9/19/08</i>	<i>Ross Nickay</i>	Date & Time
	<i>Ross Nickay 9/19/08</i>	<i>Ross Nickay</i>	9-19-08 1600
	<i>Ross Nickay 9/19/08</i>	<i>Ross Nickay</i>	Date & Time
	<i>Ross Nickay 9/19/08</i>	<i>Ross Nickay</i>	9-19-08 1915

STATEMENTS

Purge Water Disposal

Non-hazardous groundwater produced during purging and sampling of monitoring was accumulated at TRC's groundwater monitoring facility at Concord, California, for transportation by a licensed carrier, to the ConocoPhillips Refinery at Rodeo, California. Disposal at the Rodeo facility was authorized by ConocoPhillips in accordance with "ESD Standard Operating Procedures – Water Quality and Compliance", as revised on February 7, 2003. Documentation of compliance with ConocoPhillips requirements is provided by an ESD Form R-149, which is on file at TRC's Concord Office. Purge water suspected of containing potentially hazardous material, such as liquid-phase hydrocarbons, was accumulated separately in a drum for transportation and disposal by others.

Limitations

The fluid level monitoring and groundwater sampling activities summarized in this report have been performed under the responsible charge of a California Registered Geologist or Registered Civil Engineer and have been conducted in accordance with current practice and the standard of care exercised by geologists and engineers performing similar tasks in this area. No warranty, express or implied, is made regarding the conclusions and professional opinions presented in this report. The conclusions are based solely upon an analysis of the observed conditions. If actual conditions differ from those described in this report, our office should be notified.