

## Jakub, Barbara, Env. Health

---

**From:** Jakub, Barbara, Env. Health  
**Sent:** Monday, June 21, 2010 9:02 AM  
**To:** 'Grayson, Terry L (DXT Services)'  
**Subject:** RE: RO253, SS# 5781 - Revised Site Plan & summary of proposed work (SB-8)

Extension approved.

I'm glad to see that you are beginning work on RO219. I saw a vac truck at the site when I drove by this morning.

---

**From:** Grayson, Terry L (DXT Services) [mailto:Terry.L.Grayson@contractor.conocophillips.com]  
**Sent:** Monday, June 21, 2010 7:40 AM  
**To:** Grayson, Terry L (DXT Services); Jakub, Barbara, Env. Health  
**Cc:** 'Jan Wagoner'  
**Subject:** RE: SS# 5781 - Revised Site Plan & summary of proposed work (SB-8)

Hi Barbara,

Extension granted ?:)

Thanks

Terry L. Grayson

**"Safety--Never Compromise"**

---

**From:** Grayson, Terry L (DXT Services)  
**Sent:** Friday, June 11, 2010 10:05 AM  
**To:** 'Jakub, Barbara, Env. Health'  
**Cc:** 'Jan Wagoner'  
**Subject:** RE: SS# 5781 - Revised Site Plan & summary of proposed work (SB-8)

Hi Barbara,

Just a quick update--two wells were installed last week and will be sampled next week.

We need an extension on the SCM due date of June 30, 2010 (requested in you May 21st letter) for one month to July 30th due to the desire to review all options after the sampling results and incorporate your comments/concerns from the May 21st letter.

**Respectfully ask for approval for extension of SCM until July 30th, 2010.**

Thanks for you help and review of this matter,

Terry L. Grayson

**"Safety--Never Compromise"**

---

**From:** Grayson, Terry L (DXT Services)  
**Sent:** Tuesday, May 25, 2010 9:18 PM  
**To:** Jakub, Barbara, Env. Health  
**Cc:** Jan Wagoner  
**Subject:** RE: SS# 5781 - Revised Site Plan & summary of proposed work (SB-8)

Hi Barbara,

I appreciate your comments and concerns however we believe that placing SB-8 where shown will give a solid representation of any concerns between the two proposed wells also etc..

Also SB-7 recently done was completely clean and we therefore believe that the area in concern between the building and the canopy to also be still clean.

For now given the lack of time and resources we will continue as shown on Figure 2 with the work to be completed by the end of day next Friday the 4th.

Thanks for the review and quick turn around.

fyi--I will be out of town from the 26th through the 4th of June. Have a Great Memorial Day and **Please Remember Those Whom Have Fallen in the Line of Duty/Honor for this Country :)**

Terry L. Grayson

**"Safety--Never Compromise"**

---

**From:** Jakub, Barbara, Env. Health [mailto:barbara.jakub@acgov.org]  
**Sent:** Tuesday, May 25, 2010 4:58 PM  
**To:** Grayson, Terry L (DXT Services)  
**Cc:** Jan Wagoner  
**Subject:** RE: SS# 5781 - Revised Site Plan & summary of proposed work (SB-8)

Dear Mr. Grayson,

Your new proposal places one boring along a transect between the two proposed wells. This leaves the area between the waste-oil UST and gasoline USTs (on the south side of the dispensers) of the property unevaluated. Our concern is that the borings advanced between these two locations were advanced in 2003 and may not reflect current contamination levels. Placing an additional transect in this location would expedite characterization of the site.

Please ensure that soil samples are collected at the soil groundwater interface, changes in lithology, and at a minimum of every five feet.

Regards,  
Barb Jakub

---

**From:** Grayson, Terry L (DXT Services) [mailto:Terry.L.Grayson@contractor.conocophillips.com]  
**Sent:** Tuesday, May 25, 2010 12:04 PM  
**To:** Jakub, Barbara, Env. Health  
**Cc:** Jan Wagoner  
**Subject:** FW: SS# 5781 - Revised Site Plan & summary of proposed work (SB-8)

Hi Barbara,

Based upon our internal review and scope of work here is the revised site plan showing the (2) planned new wells in conjunction with (1) new boring SB-8.

Please review and approve as per our discussions we would still like to get this work completed next week..

Thank you in advance for your review and action on this request.

Respectfully,

Terry L. Grayson

**"Safety--Never Compromise"**

916-558-7666 o

916-221-1988 c