

99 DEC 29 PM 3:38

- 0B-2 location may be inaccurate on site plan
- 4 well volumes were not purged prior to sampling! No real purge done.

**LIMITED GROUNDWATER SAMPLING OF
OBSERVATION WELL AT THE PROPERTY
LOCATED AT 400 SAN PABLO AVENUE
ALBANY, CALIFORNIA
NOVEMBER 17, 1999**

**PREPARED FOR:
MR. MURRAY STEVENS
KAMUR INDUSTRIES, INC.
2351 SHORELINE DRIVE
ALAMEDA, CALIFORNIA 94501**

**BY:
ENVIRO SOIL TECH CONSULTANTS
131 TULLY ROAD
SAN JOSE, CALIFORNIA 95111**

ENVIRO SOIL TECH CONSULTANTS

LIST OF TABLE

TABLE 1 ... Groundwater Analytical Results

LIST OF FIGURES

FIGURE 1 ... Site Vicinity Map showing 400 San Pablo Avenue,
Albany, California

FIGURE 2 ... Site Plan showing Location of Buildings, Creek, Former
UST Excavation Areas, Monitoring & Observation Wells
and Groundwater Flow Direction

LIST OF APPENDICES

APPENDIX "A" ... Table 1

APPENDIX "B" ... Figure 1 and Figure 2

APPENDIX "C" ... Laboratory Report and Chain-of-Custody
Documentation

TABLE OF CONTENTS

Page Number

LETTER OF TRANSMITTAL

1

FIELD ACTIVITIES

2

ANALYTICAL RESULTS

2-3

LIMITATIONS

3-4

APPENDIX "A"

TABLE 1 - GROUNDWATER ANALYTICAL RESULTS

T1

APPENDIX "B"

FIGURE 1 - VICINITY MAP


M1

FIGURE 2 - SITE MAP

M2

APPENDIX "C"

ENTECH ANALYTICAL LABS REPORT AND CHAIN-OF-CUSTODY



ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants

131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111

Tel: (408) 297-1500

Fax: (408) 292-2116

November 17, 1999

File No. 8-90-421-SI

Mr. Murray Stevens
Kamur Industries, Inc.
2351 Shoreline Drive
Alameda, California 94501

**SUBJECT: LIMITED GROUNDWATER SAMPLING OF THE
OBSERVATION WELL AT THE PROPERTY**

Located at 400 San Pablo Avenue, in
Albany, California

Dear Mr. Stevens:

This report presents the results of limited groundwater sampling conducted by Enviro Soil Tech Consultants (ESTC), on October 1, 1999, at the subject site (Figure 1).

The observation well (OB-2) is located in the vicinity of the former tanks excavation (Figure 2). This limited groundwater sampling was conducted at the verbal request of Ms. Eva Chu with the Alameda County Health Care Services Agency (ACHCSA) dated September 27, 1999

FIELD ACTIVITIES:

On October 1, 1999, ESTC's field technician monitored and collected groundwater sample from observation well OB-2 under supervision of Ms. Eva Chu with ACHCSA. Groundwater sample was submitted to a State-certified laboratory for analyses.

Approximately 5 to 10 well volumes of water was purged from the well using a bailer prior the sampling collection in order to assure the sample was representative of surrounding groundwater. A stainless steel bailer was used for sampling collection. Water sampling equipment was decontaminated before and after each well sampling using Tri-sodium Phosphate (TSP) and water wash, followed by a double rinsing. Groundwater sample was contained in a 40 milliliter glass vials. After labeling, the vials were immediately stored in a cold ice chest. Strict chain-of-custody documentation was maintained during sampling acquisition, storage and transportation. The sampling was conducted in accordance with ACHCSA's guidelines.

ANALYTICAL RESULTS:

The water sample from the observation well was analyzed for Total Petroleum Hydrocarbons as gasoline (TPHg) per EPA Method 8015M, Benzene, Toluene, Ethylbenzene, Total Xylenes (BTEX) per EPA Method 8020 and Methyl tert-butyl Ether (MTBE) per EPA Method 8020. In addition, the sample was analyzed for EPA Method 8260 for confirmation of MTBE.

Groundwater sample from observation well (OB-2) detected low levels of TPHg at 0.35 milligram per liter (mg/L); BTEX at (0.014 mg/L; 0.0027 mg/L; 0.0008 mg/L and 0.0013 mg/L) and MTBE at 0.033 mg/L. Low levels of Volatile Organic Compounds (VOC's) per EPA Method 8260 were detected in the groundwater sample. Groundwater analytical results is presented in Table 1 (Appendix "A"), and the laboratory analytical report is included in Appendix "C".

LIMITATION:

This report and the associated work has been provided in accordance with the general principles and practices currently employed in the environmental consulting profession. The contents of this report reflect the conditions of the site at this particular time. The findings of this reports are based on:

- 1) The observation of field personnel.
- 2) The results of laboratory analyses performed by a state-certified laboratory.

It is possible that variations in the soil and groundwater could exist beyond the points explored in this investigation. Also, changes in groundwater conditions of a property can occur with the passage of time due to variations in rainfall, temperature, regional water usage and other natural processes or the works of man on this property or adjacent property(ies).

This report is issued with the understanding that it is the responsibility of the owner or his/her representative to ensure that the information contained herein are called to the attention of the Local Environmental Agency.

Services performed by ESTC have been in accordance with generally accepted environmental professional practices for the nature and conditions of the work completed in the same or similar localities at the time the work was performed. This report is not meant to represent a legal opinion. No other warranty, express or implied is made.

Should you have any questions or require additional information, please feel free to contact our office at (408) 297-1500.

Sincerely,

ENVIRO SOIL TECH CONSULTANTS


FRANK HAMEDIFARD
GENERAL MANAGER


LAWRENCE KOO, P. E.
C. E. #34928

A P P E N D I X "A"

ENVIRO SOIL TECH CONSULTANTS

**TABLE 1
GROUNDWATER ANALYTICAL RESULTS
IN MILLIGRAM PER LITER (mg/L)**

I. TPHg, BTEX and MTBE Results

Date	Well No.	Depth -to- Water (ft.)	Well Observation	TPHg	B	T	E	X	MTBE
10/01/99	OB-2	11.10	No sheen Slight sewerage odor	0.35	0.014	0.0027	0.0008	0.0013	0.033

II. VOC's per EPA Method 8260 Results

Date	Well No.	EPA Method 8260	Concentration
10/01/99	OB-2	Benzene	0.0066
		tert-Butanol	0.063
		Methyl-tert-butyl Ether	0.033

TPHg - Total Petroleum Hydrocarbons as gasoline
MTBE - Methyl tert-butyl Ether

BTEX - Benzene, Toluene, Ethylbenzene, Total Xylenes


A P P E N D I X "B"

ENVIRO SOIL TECH CONSULTANTS



ENVIRO SOIL TECH CONSULTANTS

Figure 1



DIRECTION OF GROUNDWATER FLOW		
400 SAN PABLO AVENUE, ALBANY, CALIFORNIA		
SCALE: 1"=30'	PROJECT NO.: 8-90-421-SI	FIGURE 2
DRAWN BY: N.A.		
ENVIRO SOIL TECH CONSULTANTS 131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111		

A P P E N D I X "C"

ENVIRO SOIL TECH CONSULTANTS

Entech Analytical Labs, Inc.

CA ELAP# 1-2346

525 Del Rey Avenue, Suite E • Sunnyvale, CA 94086 • (408) 735-1550 • Fax (408) 735-1554

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Richard Manley

Date: 10/19/99
Date Received: 10/5/99
Project: 8-90-421-SI
PO #:
Sampled By: Client


Certified Analytical Report

Liquid Sample Analysis:

Sample ID	OB-2									
Sample Date	10/1/99									
Sample Time	10:15									
Lab #	16734-001									
	Result	DF	DLR						PQL	Method
Results in µg/Liter:										
Analysis Date	10/13/99									
MTBE	33	1.0	5.0						5.0	8260

DF=Dilution Factor ND= None Detected above DLR PQL=Practical Quantitation Limit DLR=Detection Reporting Limit

Analysis performed by Entech Analytical Labs, Inc. (CA ELAP #I-2346)



Michelle L. Anderson, Lab Director

QUALITY CONTROL RESULTS SUMMARY

Volatile Organic Compounds
Laboratory Control SampleQC Batch #: WMS991013
Matrix: Liquid
Units: µg/LDate analyzed: 10/13/99
Spiked Sample: Blank Spike

PARAMETER	Method #	SA	SR	SP	SP	SPD	SPD	RPD	QC LIMITS	
		µg/L	µg/L	µg/L	%R	µg/L	%R	RPD	%R	
1,1- Dichloroethene	8240/8260	40	ND	46.7	117	46.9	117	0.4	25	50-150
Methyl-tert-butyl ether	8240/8260	40	ND	41.0	103	52.0	130	23.7	25	50-150
Benzene	8240/8260	40	ND	49.8	125	50.4	126	1.2	25	50-150
Trichloroethene	8240/8260	40	ND	46.4	116	49.5	124	6.5	25	50-150
Toluene	8240/8260	40	ND	47.3	118	47.4	119	0.2	25	50-150
Chlorobenzene	8240/8260	40	ND	45.4	114	45.7	114	0.7	25	50-150
<i>Surrogates</i>										
Dibromofluoromethane	8240/8260		109%	126%		134%				65-135
MTBE-d3	8240/8260		75%	100%		131%				65-135
Toluene -d8	8240/8260		80%	103%		119%				65-135
4-Bromofluorobenzene	8240/8260		71%	118%		119%				65-135

Definition of Terms:

- na: Not Analyzed in QC batch
- SA: Spike Added
- SR: Sample Result
- RPD(%): Duplicate Analysis - Relative Percent Difference
- SP: Spike Result
- SP (%R): Spike % Recovery
- SPD: Spike Duplicate Result
- SPD (%R): Spike Duplicate % Recovery

525 Del Rey Avenue, Suite E • Sunnyvale, CA 94086 • (408) 735-1550 • Fax (408) 735-1554

Enviro Soil Tech Consultants
 131 Tully Road
 San Jose, CA 95111
 Attn: Richard Manly

Date: 10/12/99
 Date Received: 10/5/99
 Project: 8-90-421-SI
 PO #:
 Sampled By: Client

Certified Analytical Report

Liquid Sample Analysis:

Sample ID	OB-2									
Sample Date	10/1/99									
Sample Time	10:15									
Lab #	16734-001									
	Result	DF	DLR						PQL	Method
Results in µg/Liter:										
Analysis Date	10/6/99									
TPH-Gas	350	1.0	50						50	8015M
MTBE	33	1.0	5.0						5.0	8020
Benzene	14	1.0	0.50						0.50	8020
Toluene	2.7	1.0	0.50						0.50	8020
Ethyl Benzene	0.80	1.0	0.50						0.50	8020
Xylenes (total)	1.3	1.0	0.50						0.50	8020

DF=Dilution Factor ND= None Detected above DLR PQL=Practical Quantitation Limit DLR=Detection Reporting Limit

Analysis performed by Entech Analytical Labs, Inc. (CA ELAP #I-2346)



Michelle L. Anderson, Lab Director

Entech Analytical Labs, Inc.

525 Del Rey Avenue, Suite E
Sunnyvale, CA 94086

QUALITY CONTROL RESULTS SUMMARY

METHOD: Gas Chromatography

Laboratory Control Sample

QC Batch #: GBG1991006

Matrix: Liquid

Units: µg/Liter

Date Analyzed: 10/06/99

Quality Control Sample: Blank Spike

PARAMETER	Method #	MB µg/Liter	SA µg/Liter	SR µg/Liter	SP µg/Liter	SP % R	SPD µg/Liter	SPD %R	RPD	QC LIMITS	
										RPD	%R
Benzene	8020	<0.50	5.6	ND	5.9	105	6.1	109	3.8	25	77-129
Toluene	8020	<0.50	29.0	ND	28	96	28	98	1.5	25	82-122
Ethyl Benzene	8020	<0.50	5.7	ND	5.3	93	5.4	94	1.1	25	77-114
Xylenes	8020	<0.50	30.6	ND	29	96	30	98	2.1	25	85-125
Gasoline	8015	<50.0	500	ND	455	91	456	91	0.4	25	75-125
aaa-TFT(S.S.)-PID	8020			77%	79%		80%				65-135
aaa-TFT(S.S.)-FID	8015			98%	100%		100%				65-135

Definition of Terms:

- na: Not Analyzed in QC batch
- MB: Method Blank
- SA: Spike Added
- SR: Sample Result
- RPD(%): Duplicate Analysis - Relative Percent Difference
- SP: Spike Result
- SP (%R): Spike % Recovery
- SPD: Spike Duplicate Result
- SPD (%R): Spike % Recovery
- nc: Not Calculated

Entech Analytical Labs, Inc.

CA ELAP# I-2346

525 Del Rey Avenue, Suite E • Sunnyvale, CA 94086 • (408) 735-1550 • Fax (408) 735-1554

Enviro Soil Tech Consultants
 131 Tully Road
 San Jose, CA 95111
 Attn: Diana Nguyen

Date: 12/9/99
 Date Received: 10/5/99
 Project Name: 400 San San Pablo Avenue, Alban
 Project Number: 8-90-421-SI
 P.O. Number:
 Sampled By:

Certified Analytical Report

Order ID: 17964

Lab Sample ID: 17964-001

Client Sample ID: OB-2

Sample Time: 10:15 AM

Sample Date: 10/1/99

Matrix: Liquid

Parameter	Result	Flag	DF	PQL	DLR	Units	Analysis Date	QC Batch ID	Method
Acetone	ND		1	100	100	µg/L	10/13/99	WMS991013	EPA 8260B
Acrylonitrile	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
Allyl Chloride	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
tert-Butyl Methyl Ether	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
Benzene	6.6		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
Benzyl Chloride	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
Bromobenzene	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
Bromochloromethane	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
Bromodichloromethane	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
Bromoform	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
Bromomethane	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
tert-Butanol	63		1	20	20	µg/L	10/13/99	WMS991013	EPA 8260B
2-Butanone (MEK)	ND		1	20	20	µg/L	10/13/99	WMS991013	EPA 8260B
n-Butylbenzene	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
sec-Butylbenzene	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
tert-Butylbenzene	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
Carbon Disulfide	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
Carbon Tetrachloride	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
Chlorobenzene	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
Chloroethane	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
Chloroform	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
2-Chloroethyl-vinyl Ether	ND		1	20	20	µg/L	10/13/99	WMS991013	EPA 8260B
Chloromethane	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
2-Chlorotoluene	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
4-Chlorotoluene	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
Dibromochloromethane	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
1,2-Dibromo-3-Chloropropane	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
1,2-Dibromoethane	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
Dibromomethane	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
cis-1,4-Dichloro-2-butene	ND		1	20	20	µg/L	10/13/99	WMS991013	EPA 8260B
trans-1,4-Dichloro-2-butene	ND		1	20	20	µg/L	10/13/99	WMS991013	EPA 8260B
Dichlorodifluoromethane	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
1,2-Dichlorobenzene	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
1,3-Dichlorobenzene	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
1,4-Dichlorobenzene	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
1,1-Dichloroethane	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B


DF = Dilution Factor

ND = Not Detected

DLR = Detection Limit Reported

PQL = Practical Quantitation Limit

Analysis performed by Entech Analytical Labs, Inc. (CA ELAP #I-2346)


 Michelle L. Anderson, Laboratory Director

Entech Analytical Labs, Inc.

CA ELAP# 1-2346

525 Del Rey Avenue, Suite E • Sunnyvale, CA 94086 • (408) 735-1550 • Fax (408) 735-1554

Enviro Soil Tech Consultants

Date: 12/9/99

131 Tully Road

Date Received: 10/5/99

San Jose, CA 95111

Project Name: 400 San San Pablo Avenue, Alban

Attn: Diana Nguyen

Project Number: 8-90-421-SI

P.O. Number:

Sampled By:

Certified Analytical Report

Order ID: 17964

Lab Sample ID: 17964-001

Client Sample ID: OB-2

Sample Time: 10:15 AM

Sample Date: 10/1/99

Matrix: Liquid

Parameter	Result	Flag	DF	PQL	DLR	Units	Analysis Date	QC Batch ID	Method
1,2-Dichloroethane	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
1,1-Dichloroethane	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
cis-1,2-Dichloroethane	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
trans-1,2-Dichloroethane	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
1,2-Dichloropropane	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
1,3-Dichloropropane	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
2,2-Dichloropropane	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
1,1-Dichloropropene	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
cis-1,3-Dichloropropene	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
trans-1,3-Dichloropropene	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
Diisopropyl Ether	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
Ethyl Methacrylate	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
Ethylbenzene	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
Ethyl Benzene	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
Freon 113	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
Iodomethane	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
Isopropylbenzene	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
p-Isopropyltoluene	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
Isopropanol	ND		1	100	100	µg/L	10/13/99	WMS991013	EPA 8260B
Methyl Methacrylate	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
4-Methyl-2-Pentanone(MIBK)	ND		1	20	20	µg/L	10/13/99	WMS991013	EPA 8260B
Methyl-t-butyl Ether	33		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
Methylene Chloride	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
Naphthalene	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
Pentachloroethane	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
Propionitrile	ND		1	20	20	µg/L	10/13/99	WMS991013	EPA 8260B
n-Propylbenzene	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
Styrene	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
1,1,1,2-Tetrachloroethane	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
1,1,2,2-Tetrachloroethane	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
Tetrachloroethane	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
Toluene	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
1,2,3-Trichlorobenzene	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
1,2,4-Trichlorobenzene	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
1,2,3-Trichloropropane	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
1,1,1-Trichloroethane	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B

DF = Dilution Factor

ND = Not Detected

DLR = Detection Limit Reported

PQL = Practical Quantitation Limit

Analysis performed by Entech Analytical Labs, Inc. (CA ELAP #1-2346)


Michelle L. Anderson, Laboratory Director

Entech Analytical Labs, Inc.

CA ELAP# I-2346

525 Del Rey Avenue, Suite E • Sunnyvale, CA 94086 • (408) 735-1550 • Fax (408) 735-1554

Enviro Soil Tech Consultants

131 Tully Road

San Jose, CA 95111

Attn: Diana Nguyen

Date: 12/9/99

Date Received: 10/5/99

Project Name: 400 San San Pablo Avenue, Alban

Project Number: 8-90-421-SI

P.O. Number:

Sampled By:

Certified Analytical Report

Order ID: 17964

Lab Sample ID: 17964-001

Client Sample ID: OE-2

Sample Time: 10:15 AM

Sample Date: 10/1/99

Matrix: Liquid

Parameter	Result	Flag	DF	PQL	DLR	Units	Analysis Date	QC Batch ID	Method
1,1,2-Trichloroethane	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
Trichloroethene	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
Trichlorofluoromethane	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
1,2,4-Trimethylbenzene	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
1,3,5-Trimethylbenzene	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
Vinyl Acetate	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
Vinyl Chloride	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B
Xylenes, Total	ND		1	5	5	µg/L	10/13/99	WMS991013	EPA 8260B

Surrogate**Surrogate Recovery****Control Limits (%)**

4-Bromofluorobenzene

106

65 - 135

Dibromofluoromethane

127

65 - 135

Toluene-d8

114

65 - 135

DF = Dilution Factor

ND = Not Detected

DLR = Detection Limit Reported

PQL = Practical Quantitation Limit

Analysis performed by Entech Analytical Labs, Inc. (CA ELAP #I-2346)




Michelle L. Anderson, Laboratory Director

Page 3 of 3

Environmental Analysis Since 1983

PROJ. NO. 8-90-421-SI		NAME 400 San Pablo Avenue, Albany			CON-TAINER	ANALYSES REQUESTED TPH BTEX MTBE	REMARKS 8260			
SAMPLERS (Signature) Richard Mander										
NO.	DATE	TIME	SOIL	WATER	LOCATION					
1	10/01/99	10:15		✓	OB-2	6	✓	✓	16834-001	MTBE confirm 80510 IF MTBE IS confirm, run 8260 Please report the full list of 8260
Relinquished by: (Signature) Richard Mander		Date / Time 10/05/99 15:08		Received by: (Signature) T. O.		Relinquished by: (Signature) T. O.		Date / Time 10/6/99		Receive by: (Signature)
Relinquished by: (Signature)		Date / Time		Received by: (Signature)		Relinquished by: (Signature)		Date / Time		Received by: (Signature)
Relinquished by: (Signature)		Date / Time		Received for Laboratory by: (Signature) Paulonathu		Date / Time 10/05/99 16:15		Remarks		



ENVIRO SOIL TECH CONSULTANTS
 Environmental & Geotechnical Consultants
 131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111
 Tel: (408) 297-1500 Fax: (408) 292-2116